R 3850-1



LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, United States, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	591690	2.8	10	1	1	2	3	4	5	12
20-34	342623	3.2	18	<1	1	2	3	5	8	24
35-49	122691	4.5	30	1	1	3	5	9	14	29
50-64	78799	4.8	30	1	1	3	6	9	13	28
65+	67419	5.4	32	1	1	4	7	10	14	30
B. *Operated*										
0-19 YRS	176005	2.7	9	<1	1	2	3	5	7	14
20-34	391549	3.0	6	<1	1	3	4	5	7	12
35-49	179026	3.8	12	<1	1	3	5	8	10	16
50-64	139244	4.4	16	<1	1	3	6	9	12	18
65+	112091	5.4	24	<1	1	4	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	582379	4.4	42	1	1	3	5	7	12	39
20-34	342981	5.6	52	1	1	3	6	12	21	35
35-49	322474	6.0	45	1	1	4	7	12	19	33
50-64	481984	6.2	37	1	2	5	8	12	16	31
65+	1099656	7.4	45	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	178928	5.8	91	1	1	3	6	12	22	62
20-34	526357	4.8	31	1	1	4	5	8	12	30
35-49	361516	6.3	48	1	1	5	7	12	17	38
50-64	430961	8.0	74	1	1	6	10	16	23	47
65+	712310	10.3	98	1	2	8	13	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1203222	3.4	17	1	1	2	4	6	8	22
B. *Operated*	997915	3.6	12	<1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	2829474	6.2	45	1	2	4	7	12	18	35
B. *Operated*	2210072	7.5	73	1	1	5	9	16	23	47
1. SINGLE DX	2201137	3.5	15	<1	1	2	4	7	9	19
2. MULTIPLE DX	5039546	6.8	58	1	1	5	8	14	20	41
A. NOT OPERATED	4032696	5.4	38	1	1	4	6	11	16	32
B. OPERATED	3207987	6.3	58	1	1	4	8	14	19	41
TOTAL 0-19 YRS	1529002	3.8	32	1	1	3	4	6	10	32
20-34	1603510	4.2	28	1	1	3	5	7	11	28
35-49	985707	5.5	39	1	1	4	6	11	16	32
50-64	1130988	6.6	50	1	1	5	8	13	18	36
65+	1991476	8.3	65	1	2	6	10	16	22	44
GRAND TOTAL	**7240683**	**5.8**	**47**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215495	3.3	23	1	1	2	3	5	8	27
20-34	342623	3.2	18	<1	1	2	3	5	8	24
35-49	122691	4.5	30	1	1	3	5	9	14	29
50-64	78799	4.8	30	1	1	3	6	9	13	28
65+	67419	5.4	32	1	1	4	7	10	14	30
B. *Operated*										
0-19 YRS	175892	2.7	9	<1	1	2	3	5	7	14
20-34	391549	3.0	6	<1	1	3	4	5	7	12
35-49	179026	3.8	12	<1	1	3	5	8	10	16
50-64	139244	4.4	16	<1	1	3	6	9	12	18
65+	112091	5.4	24	<1	1	4	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312951	5.0	63	1	1	3	5	9	16	49
20-34	342981	5.6	52	1	1	3	6	12	21	35
35-49	322474	6.0	45	1	1	4	7	12	19	33
50-64	481984	6.2	37	1	2	5	8	12	16	31
65+	1099656	7.4	45	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	169080	5.0	58	1	1	3	5	11	17	44
20-34	526357	4.8	31	1	1	4	5	8	12	30
35-49	361516	6.3	48	1	1	5	7	12	17	38
50-64	430961	8.0	74	1	1	6	10	16	23	47
65+	712310	10.3	98	1	2	8	13	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	827027	3.7	24	1	1	2	4	7	10	27
B. *Operated*	997802	3.6	12	<1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	2560046	6.5	47	1	2	5	8	13	18	36
B. *Operated*	2200224	7.5	71	1	1	5	9	16	22	46
1. SINGLE DX	1824829	3.6	17	<1	1	3	4	7	10	21
2. MULTIPLE DX	4760270	6.9	59	1	1	5	8	14	20	41
A. NOT OPERATED	3387073	5.8	43	1	1	4	7	12	17	34
B. OPERATED	3198026	6.2	56	1	1	4	8	13	19	40
TOTAL 0-19 YRS	873418	4.1	42	1	1	2	4	7	12	38
20-34	1603510	4.2	28	1	1	3	5	7	11	28
35-49	985707	5.5	39	1	1	4	6	11	16	32
50-64	1130988	6.6	50	1	1	5	8	13	18	36
65+	1991476	8.3	65	1	2	6	10	16	22	44
GRAND TOTAL	**6585099**	**6.0**	**49**	**1**	**1**	**4**	**7**	**13**	**18**	**37**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4174	2.7	4	1	1	2	3	5	6	10
20-34	1794	2.7	4	1	1	2	3	5	6	10
35-49	811	3.0	4	1	1	3	4	5	7	10
50-64	491	3.3	7	1	1	3	4	6	7	13
65+	330	3.4	5	1	1	3	5	6	8	11
B. *Operated*										
0-19 YRS	94	4.8	32	1	2	4	5	7	11	39
20-34	172	4.6	7	2	2	4	5	8	9	17
35-49	69	5.8	11	2	3	5	7	10	11	20
50-64	26	4.9	7	2	2	4	5	8	11	14
65+	19	7.8	43	1	2	7	10	12	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9527	3.2	7	1	1	3	4	5	7	13
20-34	3654	3.3	7	1	1	3	4	6	8	13
35-49	2276	3.8	8	1	1	3	5	7	9	15
50-64	2318	4.2	8	1	2	4	5	8	10	15
65+	4307	5.3	20	1	2	4	6	10	13	22
B. *Operated*										
0-19 YRS	228	9.0	146	2	2	6	9	20	32	98
20-34	306	6.7	51	2	2	5	7	11	18	40
35-49	266	8.4	61	2	3	6	10	18	23	53
50-64	289	9.1	81	2	3	6	10	19	24	51
65+	497	11.8	132	2	4	8	14	23	35	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7600	2.8	4	1	1	2	4	5	6	10
B. *Operated*	380	5.0	16	2	2	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	22082	3.8	10	1	1	3	5	7	9	16
B. *Operated*	1586	9.4	101	2	3	6	11	19	28	63
1. SINGLE DX	7980	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	23668	4.2	18	1	1	3	5	8	11	20
A. NOT OPERATED	29682	3.6	9	1	1	3	4	6	9	15
B. OPERATED	1966	8.5	87	2	2	6	9	17	24	58
TOTAL 0-19 YRS	14023	3.2	10	1	1	3	4	5	7	13
20-34	5926	3.3	9	1	1	3	4	6	8	14
35-49	3422	4.0	13	1	1	3	5	7	10	18
50-64	3124	4.5	17	1	2	4	5	8	11	20
65+	5153	5.8	34	1	2	4	7	11	15	30
GRAND TOTAL	**31648**	**3.9**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	7.4	105	1	2	4	8	15	22	58
20-34	72	10.6	53	3	4	9	14	22	29	85
35-49	53	8.0	19	3	3	7	10	14	17	20
50-64	27	9.6	80	2	3	8	10	20	36	38
65+	34	9.8	42	1	2	8	14	21	21	23
B. *Operated*										
0-19 YRS	10	6.8	21	2	2	6	9	13	17	17
20-34	41	11.2	104	1	2	8	14	23	32	54
35-49	33	7.7	20	1	2	7	10	14	17	18
50-64	41	9.5	31	2	3	8	12	19	21	22
65+	37	8.5	15	2	3	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	8.7	47	1	2	7	11	16	22	35
20-34	138	12.8	181	2	3	9	15	29	36	88
35-49	195	12.5	93	2	4	11	16	22	28	54
50-64	185	12.8	183	3	3	9	15	27	46	99
65+	325	12.7	88	3	4	10	15	24	28	45
B. *Operated*										
0-19 YRS	11	19.5	782	1	2	10	16	66	93	95
20-34	91	18.0	285	3	4	13	22	44	61	95
35-49	131	17.2	239	4	5	12	23	38	51	93
50-64	190	15.1	151	3	4	12	19	28	33	86
65+	333	15.7	132	3	5	13	21	30	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	9.2	55	2	3	7	12	18	23	44
B. *Operated*	162	9.2	44	1	2	8	12	16	20	37
2. MULTIPLE DX										
A. *Not Operated*	891	12.5	121	2	3	10	15	24	32	72
B. *Operated*	756	16.1	182	3	5	13	20	32	43	92
1. SINGLE DX	382	9.2	50	2	3	8	12	17	21	39
2. MULTIPLE DX	1647	14.1	153	3	4	11	17	28	37	86
A. NOT OPERATED	1111	11.8	110	2	3	9	15	23	30	61
B. OPERATED	918	14.9	165	3	4	11	19	30	41	91
TOTAL 0-19 YRS	103	9.2	148	1	2	6	10	16	24	75
20-34	342	13.5	179	2	3	10	16	29	41	88
35-49	412	13.0	135	2	4	10	16	25	34	65
50-64	443	13.3	152	3	3	10	17	25	35	91
65+	729	13.7	106	3	4	11	17	26	32	53
GRAND TOTAL	**2029**	**13.2**	**137**	**2**	**3**	**10**	**16**	**26**	**35**	**77**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	13.7	566	<1	<1	4	11	56	67	67
20-34	14	7.0	22	1	1	7	10	15	15	15
35-49	6	11.3	268	1	1	6	10	41	44	44
50-64	5	10.2	89	1	1	8	17	24	24	24
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	14	4.6	24	<1	<1	2	6	12	15	16
20-34	24	8.0	58	<1	<1	7	11	18	22	32
35-49	9	6.0	11	<1	1	6	9	10	11	11
50-64	8	5.4	34	<1	<1	3	9	15	16	16
65+	9	11.8	86	1	1	10	18	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	11.6	55	2	2	12	16	22	23	23
20-34	20	9.5	101	1	1	6	15	31	68	99+
35-49	12	6.3	19	1	2	6	7	14	15	15
50-64	26	11.2	66	4	5	8	12	25	28	37
65+	41	12.3	106	3	4	10	14	25	33	56
B. *Operated*										
0-19 YRS	19	26.4	692	1	2	19	39	67	83	92
20-34	49	17.9	179	4	5	14	23	41	43	58
35-49	43	18.8	184	3	5	16	28	40	50	99+
50-64	57	16.9	277	1	2	11	22	36	53	73
65+	83	22.1	395	3	4	16	29	59	71	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	9.6	177	1	1	6	11	17	41	67
B. *Operated*	64	7.2	47	<1	<1	5	11	17	19	31
2. MULTIPLE DX										
A. *Not Operated*	106	10.8	83	2	2	8	14	23	32	75
B. *Operated*	251	19.9	314	2	4	15	28	44	62	95
1. SINGLE DX	97	8.0	91	<1	1	5	11	17	23	56
2. MULTIPLE DX	357	17.2	263	2	3	12	22	39	58	95
A. NOT OPERATED	139	10.5	105	1	2	8	13	23	33	70
B. OPERATED	315	17.3	286	1	2	12	22	40	59	93
TOTAL 0-19 YRS	47	15.8	447	<1	1	7	18	47	68	92
20-34	107	12.7	138	1	2	9	19	30	42	76
35-49	70	14.4	169	1	2	10	21	37	44	92
50-64	96	14.1	201	1	2	9	16	35	42	72
65+	134	18.3	306	2	4	12	22	37	65	96
GRAND TOTAL	**454**	**15.2**	**240**	**1**	**2**	**10**	**20**	**35**	**51**	**91**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	511	2.4	2	1	1	2	3	4	5	7
20-34	235	2.7	1	1	1	3	3	4	5	6
35-49	64	2.9	2	1	1	3	4	5	5	5
50-64	28	2.6	1	1	1	2	3	4	4	4
65+	9	3.3	2	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	161	1.2	1	1	1	1	1	2	2	3
20-34	33	1.3		1	1	1	1	2	3	4
35-49	6	3.2	19	1	1	1	3	11	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1624	2.8	2	1	1	2	3	4	6	8
20-34	630	3.2	4	1	2	3	4	5	6	9
35-49	252	3.8	5	1	2	3	5	6	7	11
50-64	133	3.9	3	2	2	4	5	6	7	9
65+	79	4.9	7	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	125	2.0	4	1	1	1	2	5	7	10
20-34	27	2.7	4	1	1	2	4	5	7	9
35-49	10	8.2	23	4	4	7	9	16	20	20
50-64	6	5.7	11	2	2	6	9	9	9	9
65+	4	16.0	79	9	9	13	21	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	847	2.5	2	1	1	2	3	4	5	6
B. *Operated*	200	1.3	1	1	1	1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	2718	3.1	3	1	1	3	4	5	6	9
B. *Operated*	172	2.9	13	1	1	1	3	8	9	19
1. SINGLE DX	1047	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	2890	3.1	4	1	1	3	4	5	6	9
A. NOT OPERATED	3565	3.0	3	1	1	3	4	5	6	9
B. OPERATED	372	2.0	7	1	1	1	2	4	8	13
TOTAL 0-19 YRS	2421	2.6	2	1	1	2	3	4	5	8
20-34	925	3.0	4	1	1	3	4	5	6	8
35-49	332	3.7	5	1	2	3	5	6	7	13
50-64	167	3.7	3	2	2	3	4	6	7	9
65+	92	5.2	14	2	2	4	6	9	11	24
GRAND TOTAL	**3937**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1207	4.4	8	1	2	4	5	9	10	14
20-34	79	5.5	29	2	2	4	6	9	13	36
35-49	62	6.7	32	2	2	5	7	14	15	37
50-64	72	6.7	39	2	2	5	7	14	24	33
65+	183	8.2	57	2	2	7	10	14	18	52
B. *Operated*										
0-19 YRS	30	6.5	18	2	2	5	10	13	14	18
20-34	13	7.4	27	1	2	6	9	16	18	19
35-49	5	9.0	27	4	4	9	13	16	16	16
50-64	5	12.4	76	1	1	11	17	25	25	25
65+	10	14.6	90	6	6	11	17	31	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2714	5.8	22	2	2	4	7	11	13	21
20-34	850	8.1	36	2	3	7	10	15	19	32
35-49	1202	9.4	50	3	3	8	11	17	21	39
50-64	2813	9.7	49	3	4	8	11	17	21	39
65+	12740	11.0	55	4	5	9	13	18	24	43
B. *Operated*										
0-19 YRS	255	13.5	158	3	3	10	15	27	40	80
20-34	362	18.0	245	3	4	14	26	41	63	99+
35-49	519	16.5	155	4	5	13	21	33	44	99+
50-64	1094	19.0	227	4	6	14	23	40	51	82
65+	3646	18.9	181	6	7	15	23	38	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	5.1	18	1	2	4	6	10	12	19
B. *Operated*	63	8.6	43	2	2	7	11	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	20319	9.9	52	3	3	8	12	17	22	40
B. *Operated*	5876	18.4	192	5	6	14	23	37	50	98
1. SINGLE DX	1666	5.2	20	1	2	4	7	10	12	20
2. MULTIPLE DX	26195	11.8	96	3	4	9	14	22	30	59
A. NOT OPERATED	21922	9.5	51	2	3	8	12	17	22	39
B. OPERATED	5939	18.3	191	5	6	14	23	37	50	97
TOTAL 0-19 YRS	4206	5.9	30	2	2	4	7	11	14	25
20-34	1304	10.7	114	2	3	7	13	23	33	69
35-49	1788	11.3	91	3	4	9	14	22	30	56
50-64	3984	12.2	115	3	4	9	14	23	33	61
65+	16579	12.7	93	4	5	10	15	23	31	60
GRAND TOTAL	**27861**	**11.4**	**94**	**3**	**3**	**9**	**14**	**22**	**30**	**58**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	6.3	15	2	2	6	9	11	13	20
20-34	126	5.2	10	2	2	4	7	10	11	15
35-49	82	6.0	21	1	2	4	8	14	15	22
50-64	62	5.7	12	2	3	5	7	10	13	21
65+	47	6.4	23	2	2	6	7	12	15	29
B. *Operated*										
0-19 YRS	31	8.1	21	1	2	9	11	14	16	17
20-34	19	7.4	89	1	1	3	7	25	30	33
35-49	17	12.9	115	2	3	7	18	28	36	40
50-64	8	7.8	22	4	4	6	9	16	18	18
65+	11	6.3	23	1	1	4	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	718	7.1	25	2	2	6	10	13	15	24
20-34	269	6.1	30	2	2	5	7	11	13	35
35-49	237	6.9	31	2	3	5	8	12	16	33
50-64	315	7.6	33	2	3	6	10	14	18	36
65+	698	9.9	73	3	4	7	12	19	25	46
B. *Operated*										
0-19 YRS	85	11.9	134	2	3	10	14	23	31	72
20-34	100	12.9	127	2	3	10	17	29	43	99+
35-49	92	16.2	287	2	4	11	20	32	49	84
50-64	151	17.7	207	5	6	13	21	39	49	99+
65+	252	18.3	223	4	5	14	23	43	55	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	961	6.1	15	2	2	5	8	11	13	21
B. *Operated*	86	8.6	57	1	1	7	11	18	26	37
2. MULTIPLE DX										
A. *Not Operated*	2237	7.9	44	2	3	6	10	14	19	35
B. *Operated*	680	16.3	208	3	4	12	21	37	50	96
1. SINGLE DX	1047	6.3	19	2	2	5	9	11	14	22
2. MULTIPLE DX	2917	9.8	95	2	3	7	12	19	28	58
A. NOT OPERATED	3198	7.4	36	2	2	6	9	13	17	31
B. OPERATED	766	15.4	197	2	4	11	19	34	49	89
TOTAL 0-19 YRS	1478	7.1	28	2	2	6	10	12	15	24
20-34	514	7.2	53	2	2	5	8	15	23	47
35-49	428	9.0	102	2	2	6	10	18	28	53
50-64	536	10.2	101	2	3	7	12	21	31	68
65+	1008	11.8	122	3	4	8	14	24	35	66
GRAND TOTAL	**3964**	**8.9**	**77**	**2**	**3**	**7**	**11**	**17**	**25**	**51**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2290	3.4	3	1	2	3	4	5	7	11
20-34	1276	3.4	4	1	2	3	4	6	7	11
35-49	298	3.8	6	1	1	3	5	6	8	14
50-64	47	4.3	7	1	2	4	5	8	10	14
65+	16	8.3	150	2	3	5	7	12	41	53
B. *Operated*										
0-19 YRS	29	4.0	4	2	2	3	4	6	8	12
20-34	12	4.3	5	1	2	4	6	7	8	8
35-49	5	7.0	7	5	5	6	9	11	11	11
50-64	2	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1417	4.2	9	1	2	3	5	7	10	16
20-34	823	4.3	9	1	2	4	5	8	10	15
35-49	299	5.2	18	1	2	4	7	9	11	18
50-64	118	6.6	19	2	2	5	8	13	15	21
65+	81	7.5	21	2	3	6	10	14	16	24
B. *Operated*										
0-19 YRS	49	8.2	131	2	3	5	8	13	20	79
20-34	44	8.2	39	3	4	7	10	25	43	99+
35-49	17	10.4	106	2	3	8	10	26	35	39
50-64	8	11.0	101	1	1	9	15	28	31	31
65+	20	18.7	114	5	8	16	26	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3927	3.5	5	1	2	3	4	6	7	11
B. *Operated*	48	4.4	5	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	2738	4.5	11	1	2	4	5	8	10	17
B. *Operated*	138	10.1	105	2	3	7	11	26	33	99+
1. SINGLE DX	3975	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX	2876	4.8	17	1	2	4	6	9	11	22
A. NOT OPERATED	6665	3.9	8	1	2	3	5	7	9	14
B. OPERATED	186	8.7	85	2	3	6	10	20	29	92
TOTAL 0-19 YRS	3785	3.7	7	1	2	3	4	6	8	12
20-34	2155	3.9	7	1	2	3	5	7	9	14
35-49	619	4.7	16	1	2	4	5	8	10	20
50-64	175	6.2	21	2	2	5	8	11	15	27
65+	117	9.5	70	2	3	7	12	18	27	44
GRAND TOTAL	**6851**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	640	3.2	5	1	1	3	4	6	7	11
20-34	208	4.3	7	1	2	4	6	8	10	13
35-49	95	4.5	7	1	1	4	6	8	9	13
50-64	130	4.6	8	1	1	4	6	8	11	14
65+	230	5.5	11	1	2	5	7	8	10	20
B. *Operated*										
0-19 YRS	16	6.7	30	<1	1	5	9	17	18	18
20-34	13	3.9	15	1	1	2	5	10	13	14
35-49	7	8.1	110	1	1	5	8	27	31	31
50-64	10	7.3	49	2	2	4	9	18	25	25
65+	24	7.0	18	1	3	7	9	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1768	3.9	11	1	2	3	5	7	9	16
20-34	471	5.3	12	1	2	5	7	9	12	19
35-49	305	6.6	46	2	2	5	8	11	14	43
50-64	658	6.8	22	2	3	6	8	12	15	26
65+	2236	7.8	36	2	3	6	9	14	19	31
B. *Operated*										
0-19 YRS	52	12.3	222	2	3	7	12	31	53	65
20-34	62	11.7	154	2	3	8	13	23	38	67
35-49	53	10.4	74	2	2	9	13	23	31	98
50-64	111	11.6	108	2	3	9	13	24	37	55
65+	305	14.0	179	2	3	10	18	29	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	4.0	8	1	1	3	5	7	9	13
B. *Operated*	70	6.5	33	1	1	5	9	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	5438	6.2	28	1	2	5	8	11	15	26
B. *Operated*	583	12.8	158	2	3	9	15	28	42	73
1. SINGLE DX	1373	4.2	9	1	1	3	5	8	9	14
2. MULTIPLE DX	6021	6.8	44	1	2	5	8	13	18	35
A. NOT OPERATED	6741	5.7	24	1	2	5	7	11	14	25
B. OPERATED	653	12.2	148	2	3	9	15	26	41	72
TOTAL 0-19 YRS	2476	3.9	16	1	1	3	5	7	9	17
20-34	754	5.5	26	1	2	4	7	10	13	23
35-49	460	6.6	44	1	2	5	8	11	15	41
50-64	909	7.1	34	2	2	6	8	13	16	33
65+	2795	8.3	54	2	3	7	10	15	21	40
GRAND TOTAL	**7394**	**6.3**	**39**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	4.4	9	1	2	4	6	8	10	17
20-34	544	5.2	11	1	2	5	7	9	12	16
35-49	200	6.4	21	2	2	5	8	11	16	25
50-64	77	6.2	15	2	2	5	8	12	13	18
65+	35	4.9	6	2	2	4	7	8	10	12
B. *Operated*										
0-19 YRS	5	3.6	22	1	1	2	5	12	12	12
20-34	23	5.0	35	<1	<1	2	8	13	19	24
35-49	17	2.9	6	<1	1	2	4	7	8	8
50-64	6	4.7	7	1	1	5	7	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	5.1	18	1	2	4	6	9	11	27
20-34	835	5.9	23	1	2	5	7	11	14	25
35-49	366	6.7	24	2	2	5	8	12	16	27
50-64	252	7.8	29	2	3	7	9	15	18	28
65+	260	8.0	40	3	3	7	10	14	17	72
B. *Operated*										
0-19 YRS	12	11.5	229	1	1	5	17	33	50	53
20-34	48	8.9	91	1	1	7	11	17	22	57
35-49	52	8.2	35	1	1	8	11	15	18	29
50-64	51	10.6	89	1	2	9	14	21	30	99
65+	67	12.8	72	2	4	10	17	26	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1030	5.4	13	1	2	5	7	10	12	20
B. *Operated*	52	4.2	20	<1	1	2	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	1905	6.5	26	2	2	5	8	12	16	28
B. *Operated*	230	10.4	81	1	1	8	14	21	29	57
1. SINGLE DX	1082	5.3	13	1	2	5	7	10	12	20
2. MULTIPLE DX	2135	6.9	34	2	2	5	8	13	17	30
A. NOT OPERATED	2935	6.1	22	2	2	5	8	11	15	25
B. OPERATED	282	9.2	76	1	1	7	12	19	25	56
TOTAL 0-19 YRS	383	5.0	21	1	2	4	6	9	11	24
20-34	1450	5.7	21	1	2	5	7	10	13	23
35-49	635	6.6	24	1	2	5	8	12	16	26
50-64	386	7.8	35	2	2	6	10	15	18	31
65+	363	8.6	47	2	3	7	10	16	21	38
GRAND TOTAL	**3217**	**6.4**	**27**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	900	3.4	3	1	1	3	4	6	7	9
20-34	285	4.2	6	1	2	4	5	7	9	13
35-49	47	5.4	7	2	2	5	7	10	10	11
50-64	15	4.5	6	1	2	4	6	8	9	9
65+										
B. *Operated*										
0-19 YRS	12	6.3	17	2	2	5	9	13	14	14
20-34	5	7.4	4	5	5	7	9	10	10	10
35-49	7	8.3	17	4	4	7	12	15	15	15
50-64	1	15.0		15	15	15	15	15	15	15
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2267	3.8	5	1	2	3	5	6	8	11
20-34	557	4.2	7	1	2	4	6	7	9	13
35-49	145	4.9	20	1	1	4	6	9	11	29
50-64	57	4.7	15	1	1	4	7	9	10	20
65+	25	8.7	120	2	3	5	8	18	39	49
B. *Operated*										
0-19 YRS	51	6.6	20	2	3	5	8	13	14	24
20-34	31	8.5	22	2	3	8	11	15	16	22
35-49	18	12.9	133	5	5	8	19	22	40	52
50-64	5	9.4	33	2	2	11	14	16	16	16
65+	9	14.4	216	4	4	13	16	37	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1247	3.6	4	1	2	3	5	6	8	11
B. *Operated*	26	7.4	15	2	2	7	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	3051	4.0	7	1	2	3	5	7	8	12
B. *Operated*	114	8.8	59	2	3	6	11	16	21	51
1. SINGLE DX	1273	3.7	5	1	2	3	5	6	8	12
2. MULTIPLE DX	3165	4.2	10	1	2	4	5	7	9	16
A. NOT OPERATED	4298	3.9	7	1	2	3	5	7	8	12
B. OPERATED	140	8.6	51	2	3	6	11	15	20	51
TOTAL 0-19 YRS	3230	3.7	5	1	2	3	5	6	7	11
20-34	878	4.4	8	1	2	4	6	8	9	14
35-49	217	5.8	31	1	1	4	7	10	14	30
50-64	78	5.1	16	1	1	4	7	10	14	19
65+	35	10.1	142	2	3	6	11	18	46	51
GRAND TOTAL	**4438**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	9	<1	<1	4	7	8	8	8
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	162	1.4	1	<1	<1	1	1	2	4	5
20-34	510	1.6	1	<1	<1	1	2	3	4	5
35-49	166	1.8	3	<1	<1	1	2	3	5	12
50-64	45	1.6	3	<1	<1	1	2	3	3	12
65+	13	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	9	<1	<1	2	5	8	9	9
20-34	12	1.5	1	<1	<1	1	2	3	3	3
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	54	2.3	3	<1	<1	2	3	5	6	9
20-34	244	2.4	9	<1	<1	2	3	4	7	11
35-49	137	3.2	28	<1	<1	2	4	7	10	20
50-64	58	2.7	5	<1	<1	2	4	6	7	11
65+	30	2.8	4	1	1	2	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.5	14	<1	<1	1	6	10	12	12
B. *Operated*	896	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	32	2.2	5	<1	<1	1	3	5	8	9
B. *Operated*	523	2.7	13	<1	<1	2	3	5	8	12
1. SINGLE DX	907	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	555	2.6	12	<1	<1	2	3	5	8	11
A. NOT OPERATED	43	2.6	7	<1	<1	1	3	8	9	12
B. OPERATED	1419	2.0	6	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	234	1.8	3	<1	<1	1	2	4	5	9
20-34	771	1.8	4	<1	<1	1	2	3	4	9
35-49	309	2.4	15	<1	<1	1	3	5	8	14
50-64	105	2.2	4	<1	<1	1	3	4	6	11
65+	43	2.5	4	<1	<1	2	4	4	6	11
GRAND TOTAL	**1462**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4236	2.7	2	1	1	2	3	4	5	7
20-34	848	3.1	6	1	1	3	4	5	7	10
35-49	421	3.2	5	1	1	3	4	6	7	11
50-64	171	3.7	8	1	1	3	4	7	9	17
65+	110	3.4	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	92	3.1	4	<1	<1	3	4	5	8	11
20-34	52	4.8	31	<1	<1	3	6	11	16	30
35-49	28	6.0	26	1	1	4	9	14	17	20
50-64	19	11.3	237	<1	1	8	10	24	48	67
65+	8	3.5	5	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6391	3.1	7	1	1	3	4	5	6	11
20-34	2261	3.9	13	1	1	3	4	7	9	21
35-49	1513	4.3	17	1	1	3	5	8	11	22
50-64	1308	4.4	13	1	2	4	5	8	11	19
65+	2057	5.0	21	2	2	4	6	9	12	23
B. *Operated*										
0-19 YRS	186	6.9	97	1	1	4	7	16	32	99+
20-34	284	11.3	165	1	2	7	14	26	36	90
35-49	203	15.0	224	2	3	10	20	34	46	93
50-64	139	12.0	151	2	3	9	15	22	29	90
65+	162	11.6	105	3	3	9	13	24	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5786	2.8	3	1	1	3	4	5	6	9
B. *Operated*	199	4.8	41	<1	1	3	5	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	13530	3.8	12	1	1	3	4	7	9	18
B. *Operated*	974	11.4	158	1	2	8	14	25	39	90
1. SINGLE DX	5985	2.9	5	1	1	3	4	5	6	10
2. MULTIPLE DX	14504	4.3	26	1	1	3	5	8	11	26
A. NOT OPERATED	19316	3.5	10	1	1	3	4	6	8	15
B. OPERATED	1173	10.3	145	1	2	7	12	23	34	89
TOTAL 0-19 YRS	10905	3.0	7	1	1	3	4	5	6	11
20-34	3445	4.3	29	1	1	3	5	8	12	28
35-49	2165	5.1	45	1	1	3	6	10	15	41
50-64	1637	5.1	32	1	2	4	6	9	14	26
65+	2337	5.4	29	1	2	4	6	10	13	28
GRAND TOTAL	**20489**	**3.9**	**20**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	4.0	6	1	1	3	5	8	9	13
20-34	127	3.9	5	1	2	3	5	7	9	11
35-49	56	4.1	10	1	1	3	5	8	12	15
50-64	40	5.3	17	1	1	4	7	10	13	21
65+	7	4.1	7	2	2	4	4	9	10	10
B. *Operated*										
0-19 YRS	4	7.0	21	3	3	6	10	13	13	13
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	5.0	11	<1	<1	5	7	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	5.0	16	1	1	4	7	10	14	20
20-34	91	5.2	17	1	2	4	7	9	12	25
35-49	77	5.2	9	2	2	4	7	10	11	15
50-64	52	5.9	13	2	3	5	8	11	14	17
65+	43	6.2	42	2	2	4	7	10	15	42
B. *Operated*										
0-19 YRS	4	9.0	21	4	4	8	12	15	15	15
20-34	10	5.8	16	1	1	5	7	12	15	15
35-49	10	14.2	278	2	2	10	17	38	58	58
50-64	6	11.5	43	4	4	11	17	19	19	19
65+	10	12.0	81	3	4	9	15	25	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	4.1	8	1	2	3	5	8	10	14
B. *Operated*	10	6.0	12	<1	1	6	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	364	5.4	18	1	2	4	7	10	13	22
B. *Operated*	40	10.6	104	2	3	7	15	18	27	58
1. SINGLE DX	374	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX	404	5.9	28	1	2	4	7	11	15	25
A. NOT OPERATED	728	4.8	13	1	2	4	6	9	11	17
B. OPERATED	50	9.7	88	2	3	7	14	17	19	58
TOTAL 0-19 YRS	243	4.6	11	1	1	4	6	8	11	17
20-34	229	4.5	11	1	2	4	6	8	10	17
35-49	147	5.4	32	1	2	4	6	11	14	20
50-64	99	6.0	18	2	2	5	8	12	16	20
65+	60	7.0	49	2	2	5	9	14	16	41
GRAND TOTAL	**778**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**13**	**19**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	4.5	6	1	2	4	6	8	10	13
20-34	316	4.4	6	1	2	4	5	7	9	15
35-49	55	5.0	12	1	2	4	7	8	12	20
50-64	20	6.1	39	<1	1	4	9	13	20	26
65+	12	4.8	21	<1	<1	2	9	11	12	12
B. *Operated*										
0-19 YRS	31	3.6	14	<1	<1	2	5	8	11	18
20-34	85	3.2	7	<1	<1	2	4	7	8	11
35-49	22	3.1	10	<1	<1	2	4	8	10	12
50-64	5	3.8	33	1	1	1	5	14	14	14
65+	5	4.0	4	1	1	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	5.3	9	2	2	5	7	10	11	15
20-34	461	5.2	12	2	2	4	6	8	11	16
35-49	105	5.9	16	1	2	5	8	11	14	21
50-64	48	9.1	85	1	1	8	11	16	20	56
65+	83	8.5	58	1	2	7	11	16	26	81
B. *Operated*										
0-19 YRS	43	6.0	14	1	3	6	7	11	13	21
20-34	108	5.6	33	1	1	4	7	13	19	63
35-49	49	7.1	43	1	1	5	11	16	19	30
50-64	27	10.0	120	1	1	7	13	24	35	47
65+	44	14.3	296	1	2	10	18	28	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	675	4.5	8	1	2	4	6	8	10	15
B. *Operated*	148	3.3	9	<1	<1	2	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	971	5.8	20	2	2	5	7	10	13	23
B. *Operated*	271	7.8	92	1	1	5	9	18	24	73
1. SINGLE DX	823	4.3	8	1	1	4	5	8	10	15
2. MULTIPLE DX	1242	6.2	36	1	2	5	7	11	15	33
A. NOT OPERATED	1646	5.3	16	1	2	4	6	10	12	20
B. OPERATED	419	6.2	67	<1	1	4	7	14	20	40
TOTAL 0-19 YRS	620	4.9	9	1	2	4	7	9	11	15
20-34	970	4.8	12	1	2	4	6	8	11	19
35-49	231	5.7	21	1	1	4	7	12	15	22
50-64	100	8.5	84	1	1	6	11	17	25	51
65+	144	9.8	134	1	1	7	12	21	28	82
GRAND TOTAL	**2065**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**14**	**26**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.9	90	1	1	3	5	7	8	60
20-34	27	4.0	8	1	1	3	5	9	10	10
35-49	52	4.1	22	1	1	3	6	8	12	29
50-64	14	7.6	132	1	2	5	6	11	39	47
65+	5	6.8	29	1	1	7	10	15	15	15
B. *Operated*										
0-19 YRS	4	4.8	4	2	2	5	6	7	7	7
20-34	28	6.6	56	<1	1	5	8	12	17	40
35-49	38	8.5	100	1	1	6	9	16	23	59
50-64	40	8.6	142	<1	1	7	10	13	20	76
65+	16	7.3	23	<1	<1	8	10	12	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	4.3	12	1	1	3	5	8	13	17
20-34	148	9.0	123	1	1	6	11	17	34	57
35-49	168	8.9	116	1	2	6	9	18	31	63
50-64	189	8.9	63	2	3	7	12	16	22	61
65+	366	9.6	64	2	3	7	12	18	22	42
B. *Operated*										
0-19 YRS	33	21.7	322	4	5	19	29	45	63	77
20-34	101	21.8	343	5	6	15	31	56	73	99+
35-49	197	16.7	239	2	3	13	21	37	65	99+
50-64	192	17.4	306	2	3	11	24	41	78	99+
65+	247	17.3	248	3	5	12	23	37	54	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.8	49	1	1	3	6	8	11	49
B. *Operated*	126	7.8	90	<1	1	6	9	13	19	63
2. MULTIPLE DX										
A. *Not Operated*	1006	8.6	77	1	2	6	11	16	22	49
B. *Operated*	770	18.0	277	2	4	13	23	40	65	99+
1. SINGLE DX	261	6.3	71	1	1	4	7	11	15	58
2. MULTIPLE DX	1776	12.7	185	2	2	8	15	29	42	89
A. NOT OPERATED	1141	8.1	75	1	2	6	10	16	21	49
B. OPERATED	896	16.6	263	2	3	11	21	38	60	99+
TOTAL 0-19 YRS	209	7.2	113	1	1	4	7	17	25	62
20-34	304	12.6	223	1	2	7	15	34	46	81
35-49	455	11.7	178	1	1	7	15	28	42	88
50-64	435	12.6	197	1	3	8	15	29	46	99+
65+	634	12.6	149	2	3	9	15	25	37	76
GRAND TOTAL	**2037**	**11.8**	**175**	**1**	**2**	**8**	**14**	**27**	**40**	**83**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	3	<1	1	3	4	5	7	7
20-34	13	3.2	5	1	1	2	4	7	9	9
35-49	7	4.1	10	1	1	3	6	9	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	22	3.6	5	1	2	3	4	6	9	12
20-34	13	9.0	64	<1	2	5	16	20	26	27
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	9.0	5	7	7	8	10	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.5	12	1	1	4	5	11	13	13
20-34	30	4.9	9	1	2	5	6	9	10	14
35-49	29	6.1	16	1	2	5	8	11	15	17
50-64	10	6.0	7	3	3	5	8	10	11	11
65+	21	7.1	22	2	3	6	9	14	17	20
B. *Operated*										
0-19 YRS	28	4.7	10	2	2	4	5	10	12	14
20-34	18	10.1	70	1	2	7	15	22	28	32
35-49	15	8.7	99	2	2	6	7	20	36	41
50-64	9	16.7	220	3	4	15	23	41	48	48
65+	7	9.7	29	3	4	8	12	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.2	5	1	1	3	4	7	8	10
B. *Operated*	41	6.0	29	1	2	4	7	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	117	5.6	14	1	2	5	7	11	13	18
B. *Operated*	77	8.6	77	2	2	5	11	20	28	46
1. SINGLE DX	78	4.7	20	1	1	3	5	10	14	24
2. MULTIPLE DX	194	6.8	41	2	2	5	8	13	19	37
A. NOT OPERATED	154	5.0	13	1	1	4	7	10	12	17
B. OPERATED	118	7.7	62	2	2	5	9	17	22	43
TOTAL 0-19 YRS	91	4.1	9	1	1	3	5	9	11	14
20-34	74	6.6	39	1	2	5	7	16	20	31
35-49	52	6.6	39	1	2	5	8	11	17	41
50-64	24	10.3	107	2	3	7	11	22	36	48
65+	31	7.5	23	2	3	7	9	14	20	20
GRAND TOTAL	**272**	**6.2**	**36**	**1**	**2**	**4**	**7**	**13**	**17**	**32**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.0	6	1	2	3	5	8	9	10
20-34	65	4.0	5	2	2	3	5	8	9	10
35-49	47	5.7	24	1	2	4	7	12	15	28
50-64	18	4.8	9	1	1	4	8	9	10	10
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	14	4.4	23	<1	1	2	6	9	17	19
20-34	255	3.8	13	<1	1	3	5	9	10	19
35-49	176	3.3	11	<1	1	2	4	8	9	17
50-64	58	4.6	24	1	1	3	6	12	13	26
65+	21	4.7	23	<1	<1	3	7	11	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	5.2	17	1	2	4	6	12	16	18
20-34	319	9.0	69	1	2	6	12	19	26	44
35-49	363	9.4	91	2	2	7	12	19	23	64
50-64	169	8.9	34	2	3	7	12	16	21	28
65+	170	7.8	25	2	3	7	10	14	16	23
B. *Operated*										
0-19 YRS	38	12.4	86	1	3	10	14	28	33	37
20-34	659	14.2	120	2	2	13	20	28	35	60
35-49	637	15.0	151	2	2	13	21	30	40	62
50-64	252	13.1	158	1	2	9	19	26	31	72
65+	114	12.6	111	1	2	9	18	23	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	4.5	11	1	2	4	6	8	10	17
B. *Operated*	524	3.8	14	<1	1	2	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	1131	8.5	61	2	2	7	11	17	22	38
B. *Operated*	1700	14.2	136	1	2	12	20	28	36	61
1. SINGLE DX	697	4.0	14	1	1	3	5	8	11	19
2. MULTIPLE DX	2831	12.0	114	2	2	9	16	25	31	54
A. NOT OPERATED	1304	8.0	56	2	2	6	10	16	21	36
B. OPERATED	2224	11.8	127	1	1	8	18	25	33	54
TOTAL 0-19 YRS	202	6.2	37	1	2	4	8	14	17	32
20-34	1298	10.4	99	1	2	7	15	24	29	48
35-49	1223	11.3	127	1	2	8	16	24	32	60
50-64	497	10.4	104	1	2	8	14	22	27	40
65+	308	9.3	63	1	2	7	12	20	24	40
GRAND TOTAL	**3528**	**10.4**	**104**	**1**	**2**	**7**	**15**	**23**	**29**	**49**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	13	1	1	6	7	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34										
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64	8	8.3	87	1	1	4	14	24	25	25
65+	6	6.7	7	3	3	7	9	10	10	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	10.3	98	3	3	5	21	25	25	25
35-49	11	21.5	750	1	2	7	29	73	76	76
50-64	9	10.1	176	1	1	7	9	32	44	44
65+	4	7.3	56	1	1	5	12	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.4	7	1	1	6	7	8	8	8
B. *Operated*	8	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	19	7.2	41	1	2	5	9	18	23	25
B. *Operated*	31	13.5	358	1	1	6	17	36	70	76
1. SINGLE DX	13	3.9	6	1	1	3	6	7	8	8
2. MULTIPLE DX	50	11.1	244	1	2	5	12	25	44	76
A. NOT OPERATED	24	6.8	34	1	2	5	8	14	22	25
B. OPERATED	39	11.4	302	1	1	5	11	29	59	76
TOTAL 0-19 YRS	7	5.4	18	1	1	6	8	12	13	13
20-34	9	8.0	76	1	1	4	10	23	25	25
35-49	18	14.6	521	1	2	5	12	59	74	76
50-64	19	8.7	116	1	1	5	7	23	35	44
65+	10	6.9	23	1	2	6	9	14	18	18
GRAND TOTAL	**63**	**9.6**	**202**	**1**	**1**	**5**	**8**	**23**	**36**	**75**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	4	3.5	7	1	1	3	5	7	7	7
35-49	8	6.5	52	2	2	4	6	19	24	24
50-64	47	4.3	24	1	1	3	5	7	14	30
65+	42	6.1	46	<1	1	4	7	13	25	30
B. *Operated*										
0-19 YRS	27	4.6	19	1	1	3	6	11	13	18
20-34	48	4.0	18	1	1	3	4	9	15	19
35-49	158	4.6	37	<1	1	2	5	12	15	31
50-64	476	5.0	37	<1	1	3	6	13	17	27
65+	432	5.0	38	1	1	3	6	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.4	162	2	2	5	8	32	43	47
20-34	22	6.2	28	<1	1	5	8	11	18	25
35-49	82	6.6	50	1	1	5	7	13	19	44
50-64	253	7.9	62	1	2	6	10	16	20	43
65+	294	8.4	87	1	2	6	10	17	24	44
B. *Operated*										
0-19 YRS	16	7.9	71	1	1	6	9	17	29	34
20-34	47	8.0	93	<1	1	5	11	19	30	47
35-49	351	11.5	141	1	1	8	16	26	35	57
50-64	1366	11.9	151	1	1	8	16	27	36	68
65+	1733	10.9	157	1	2	7	14	25	36	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	5.1	34	<1	1	4	6	11	18	30
B. *Operated*	1141	4.9	36	<1	1	3	6	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	666	7.9	73	1	2	6	9	16	21	46
B. *Operated*	3513	11.3	152	1	1	8	15	26	36	70
1. SINGLE DX	1245	4.9	36	<1	1	3	6	12	16	28
2. MULTIPLE DX	4179	10.8	141	1	1	7	14	24	34	66
A. NOT OPERATED	770	7.6	69	1	1	5	9	16	21	43
B. OPERATED	4654	9.7	131	1	1	6	13	23	32	64
TOTAL 0-19 YRS	61	6.6	68	1	1	4	8	13	24	46
20-34	121	6.0	51	<1	1	3	7	14	19	40
35-49	599	9.0	109	1	1	5	12	22	29	48
50-64	2142	9.7	122	1	1	6	13	22	31	58
65+	2501	9.5	132	1	1	6	12	22	32	67
GRAND TOTAL	**5424**	**9.4**	**123**	**1**	**1**	**6**	**12**	**22**	**31**	**62**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	4.0	5	1	1	5	6	6	6	6
50-64	24	4.9	11	<1	1	5	6	9	11	16
65+	22	4.3	10	<1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS										
20-34	3	17.3	108	9	9	14	25	29	29	29
35-49	20	10.6	67	2	3	7	14	25	28	28
50-64	99	9.2	49	1	1	9	12	17	23	33
65+	80	8.1	72	1	1	5	12	19	22	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.6	6	2	2	4	6	8	8	8
35-49	44	7.5	88	1	1	5	9	17	23	56
50-64	155	7.8	43	1	2	5	10	17	22	29
65+	313	7.6	34	2	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	12.7	117	1	1	13	19	28	29	29
35-49	113	17.3	324	2	3	12	19	36	69	99
50-64	531	16.0	161	2	3	13	21	33	43	75
65+	899	15.3	166	2	3	12	20	34	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.5	10	<1	1	4	6	9	11	16
B. *Operated*	202	9.0	61	1	1	8	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*	517	7.7	41	1	2	6	10	16	21	32
B. *Operated*	1550	15.6	176	2	3	13	20	34	44	84
1. SINGLE DX	255	8.1	54	1	1	6	11	17	22	33
2. MULTIPLE DX	2067	13.6	154	2	3	10	18	29	40	76
A. NOT OPERATED	570	7.4	39	1	2	5	9	15	20	31
B. OPERATED	1752	14.9	167	2	3	12	19	32	42	80
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	14	10.8	90	1	1	8	15	29	29	29
35-49	184	13.7	248	1	2	10	16	28	46	94
50-64	809	13.3	135	1	2	11	17	29	37	61
65+	1314	12.8	140	2	3	10	17	27	39	72
GRAND TOTAL	**2322**	**13.0**	**146**	**2**	**2**	**10**	**17**	**28**	**38**	**75**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	10.8	75	1	1	13	16	23	23	23
50-64	15	4.9	27	1	1	3	5	14	18	20
65+	20	6.7	31	1	1	5	11	14	18	20
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	5.5	11	<1	<1	6	8	9	9	9
35-49	37	10.3	33	2	3	9	14	18	22	25
50-64	93	11.2	65	3	4	10	13	18	21	54
65+	153	11.1	47	1	3	10	14	20	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	6.8	30	1	2	6	9	14	20	21
35-49	68	7.1	40	1	2	6	9	15	20	31
50-64	162	7.6	63	1	2	6	9	17	21	34
65+	438	7.7	52	1	2	6	10	16	21	40
B. *Operated*										
0-19 YRS	3	14.7	86	4	4	19	20	21	21	21
20-34	42	17.1	108	5	6	15	24	29	39	51
35-49	270	15.3	147	3	5	11	18	28	43	62
50-64	843	15.9	136	4	6	13	19	28	37	65
65+	2413	16.8	132	4	6	14	21	30	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.4	35	1	1	4	11	15	20	23
B. *Operated*	288	10.9	51	2	3	10	14	19	22	36
2. MULTIPLE DX										
A. *Not Operated*	680	7.6	53	1	2	6	9	16	21	35
B. *Operated*	3571	16.5	134	4	6	14	20	30	38	65
1. SINGLE DX	330	10.3	51	1	3	9	13	18	22	35
2. MULTIPLE DX	4251	15.0	131	3	4	12	19	29	37	62
A. NOT OPERATED	722	7.5	52	1	2	6	9	16	21	34
B. OPERATED	3859	16.0	130	4	6	13	20	29	37	64
TOTAL 0-19 YRS	6	10.0	63	4	4	6	19	21	21	21
20-34	58	14.1	108	2	3	12	17	27	33	51
35-49	380	13.3	126	2	3	10	16	25	34	61
50-64	1113	14.1	128	2	4	12	17	26	35	64
65+	3024	15.1	127	3	4	12	19	29	36	60
GRAND TOTAL	**4581**	**14.7**	**127**	**3**	**4**	**12**	**19**	**28**	**36**	**61**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	7	11.3	15	8	8	10	13	18	19	19
50-64	7	12.1	12	9	9	11	13	18	19	19
65+	15	14.7	50	5	7	12	18	26	30	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	11	3.5	7	1	1	3	6	7	7	7
50-64	17	5.5	14	1	1	5	7	11	14	15
65+	33	8.0	44	1	2	7	11	12	16	38
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	11	14.5	135	5	5	10	18	31	44	45
35-49	59	16.1	249	4	6	10	16	34	60	77
50-64	129	19.6	259	7	8	15	23	40	54	89
65+	320	17.4	136	7	8	14	21	31	40	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	32	12.7	33	6	7	11	15	19	25	31
2. MULTIPLE DX										
A. *Not Operated*	64	6.3	31	1	1	6	8	12	14	35
B. *Operated*	521	17.7	179	6	7	14	21	32	46	88
1. SINGLE DX	34	12.1	37	5	6	11	15	19	25	31
2. MULTIPLE DX	585	16.5	176	4	6	13	20	31	43	85
A. NOT OPERATED	66	6.2	31	1	1	5	8	12	13	34
B. OPERATED	553	17.4	172	6	7	13	21	31	44	87
TOTAL 0-19 YRS	3	7.7	4	6	6	7	9	10	10	10
20-34	16	11.3	117	1	2	8	15	22	38	45
35-49	77	13.9	212	1	4	9	14	27	55	75
50-64	153	17.7	241	4	6	12	21	35	52	87
65+	370	16.4	132	5	7	13	20	30	38	86
GRAND TOTAL	**619**	**16.2**	**169**	**4**	**6**	**12**	**20**	**31**	**42**	**82**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	4.2	12	2	2	3	4	10	11	11
50-64	33	5.9	28	1	1	4	8	13	16	25
65+	40	6.0	46	<1	<1	4	7	12	22	33
B. *Operated*										
0-19 YRS	5	6.4	5	3	3	7	8	9	9	9
20-34	38	8.1	10	2	4	8	10	13	14	15
35-49	177	9.1	12	5	6	9	11	13	14	24
50-64	788	9.6	14	5	6	9	11	14	17	24
65+	1128	10.0	18	5	6	9	12	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	24	9.0	97	1	2	6	11	18	35	43
35-49	80	7.9	100	1	1	5	8	16	29	56
50-64	345	7.5	47	1	2	5	10	17	21	35
65+	1114	8.4	75	1	2	6	10	17	22	45
B. *Operated*										
0-19 YRS	24	13.0	45	3	3	12	16	23	27	29
20-34	136	11.2	64	4	5	9	13	18	24	55
35-49	783	12.1	44	6	7	10	14	20	26	41
50-64	4162	12.5	54	6	7	11	14	20	26	42
65+	13652	14.9	85	7	8	12	17	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	5.8	35	<1	1	4	7	12	17	31
B. *Operated*	2136	9.8	16	5	6	9	11	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	1565	8.2	70	1	2	6	10	17	22	43
B. *Operated*	18757	14.2	77	6	7	12	17	24	30	50
1. SINGLE DX	2217	9.6	17	4	6	9	11	14	17	26
2. MULTIPLE DX	20322	13.8	79	4	7	11	16	23	30	50
A. NOT OPERATED	1646	8.1	69	1	2	6	10	16	22	43
B. OPERATED	20893	13.8	73	6	7	11	16	23	30	49
TOTAL 0-19 YRS	31	11.5	44	3	3	10	16	20	26	29
20-34	200	10.3	59	3	4	9	12	16	21	49
35-49	1046	11.2	45	4	6	10	13	19	25	40
50-64	5328	11.7	50	4	6	10	14	19	24	40
65+	15934	14.1	83	5	7	12	17	24	31	52
GRAND TOTAL	**22539**	**13.3**	**75**	**4**	**7**	**11**	**16**	**23**	**29**	**49**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	4.1	10	1	1	4	4	9	12	12
50-64	32	4.1	12	<1	1	3	5	8	10	17
65+	36	4.7	26	<1	<1	3	6	12	14	25
B. *Operated*										
0-19 YRS										
20-34	20	8.6	30	<1	1	9	12	14	18	21
35-49	168	8.5	19	1	2	9	11	15	16	19
50-64	537	9.6	27	1	3	9	12	15	18	27
65+	782	9.0	31	1	2	9	12	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	3.7	9	1	1	3	5	8	11	11
35-49	45	6.0	29	1	2	5	8	13	16	29
50-64	259	7.7	69	1	1	5	9	15	20	54
65+	611	8.1	71	1	2	6	10	16	22	52
B. *Operated*										
0-19 YRS	8	9.4	49	1	1	8	14	20	20	20
20-34	63	13.5	161	2	4	11	15	19	41	70
35-49	441	12.4	56	2	5	11	15	20	26	43
50-64	2120	13.2	63	3	6	12	16	22	27	45
65+	5453	14.9	101	3	5	13	18	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.4	18	<1	<1	3	5	9	13	23
B. *Operated*	1507	9.1	28	1	2	9	12	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	926	7.9	68	1	2	5	10	16	21	52
B. *Operated*	8085	14.3	89	3	6	12	17	24	31	53
1. SINGLE DX	1584	8.9	29	1	2	9	12	15	18	24
2. MULTIPLE DX	9011	13.7	91	2	4	12	17	24	30	52
A. NOT OPERATED	1003	7.6	65	1	1	5	10	15	20	47
B. OPERATED	9592	13.5	83	2	4	12	16	23	30	51
TOTAL 0-19 YRS	9	8.7	47	1	1	7	12	20	20	20
20-34	93	11.4	127	1	2	10	13	18	21	69
35-49	663	10.9	49	2	3	10	14	18	23	34
50-64	2948	12.0	61	2	4	11	15	20	25	42
65+	6882	13.6	96	2	3	12	17	24	31	53
GRAND TOTAL	**10595**	**12.9**	**84**	**2**	**3**	**11**	**16**	**23**	**29**	**51**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	<1	<1	1	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	4.4	20	1	1	3	6	10	16	17
50-64	20	4.6	14	1	1	4	6	10	13	15
65+	27	5.3	14	1	2	4	7	11	13	16
B. *Operated*										
0-19 YRS	29	8.5	26	2	3	8	12	16	18	21
20-34	17	7.8	69	1	1	5	9	14	28	36
35-49	65	7.8	30	1	1	7	10	14	18	26
50-64	105	9.4	62	1	1	8	13	20	26	35
65+	100	10.1	80	1	1	9	13	18	23	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.1	18	1	1	5	10	13	13	14
20-34	19	4.6	7	1	1	4	6	8	10	11
35-49	58	9.0	87	1	2	7	10	21	31	96
50-64	158	8.6	84	1	1	6	10	16	24	45
65+	382	7.7	39	2	2	6	10	16	19	27
B. *Operated*										
0-19 YRS	54	12.1	87	2	2	10	17	27	35	97
20-34	58	11.9	73	1	4	9	15	25	32	38
35-49	198	14.0	110	3	4	12	17	26	33	54
50-64	590	14.9	134	2	4	12	19	30	38	55
65+	1425	14.8	115	3	5	12	19	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.6	14	1	1	4	6	10	13	17
B. *Operated*	316	9.1	58	1	1	8	12	18	23	36
2. MULTIPLE DX										
A. *Not Operated*	643	7.9	53	1	2	6	10	15	21	39
B. *Operated*	2325	14.6	118	2	4	12	19	28	35	55
1. SINGLE DX	382	8.3	54	1	1	7	11	17	22	35
2. MULTIPLE DX	2968	13.2	112	2	3	11	17	26	33	54
A. NOT OPERATED	709	7.6	50	1	2	6	9	15	20	38
B. OPERATED	2641	14.0	114	2	4	12	18	26	35	54
TOTAL 0-19 YRS	114	9.4	60	1	2	8	13	19	27	63
20-34	95	9.6	67	1	2	7	13	19	31	37
35-49	334	11.6	96	1	3	9	15	22	31	57
50-64	873	12.9	123	1	2	10	17	27	36	54
65+	1934	13.0	106	2	3	11	17	25	31	53
GRAND TOTAL	**3350**	**12.6**	**107**	**2**	**3**	**10**	**17**	**25**	**32**	**53**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	16.0		16	16	16	16	16	16	16
35-49	11	3.7	5	1	1	3	6	7	8	8
50-64	35	3.6	5	1	1	3	6	7	7	8
65+	48	5.9	27	1	1	4	8	11	13	29
B. *Operated*										
0-19 YRS										
20-34	4	18.8	102	10	10	17	27	31	31	31
35-49	23	11.9	168	1	2	8	12	40	43	48
50-64	72	10.3	70	1	1	11	14	18	23	47
65+	123	9.3	45	1	1	9	14	19	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	12.3	81	1	1	12	19	24	25	25
35-49	82	8.6	57	1	2	7	12	19	23	39
50-64	353	7.7	45	1	2	6	10	15	21	32
65+	839	8.3	51	2	2	6	10	17	22	34
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	16	15.9	98	5	7	10	24	31	35	37
35-49	228	16.7	228	3	5	12	20	30	43	86
50-64	1014	16.6	161	2	5	13	21	32	42	67
65+	2339	16.6	115	3	6	14	21	30	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	4.9	18	1	1	4	6	9	12	25
B. *Operated*	222	10.0	67	1	1	9	14	20	23	43
2. MULTIPLE DX										
A. *Not Operated*	1282	8.2	50	1	2	6	10	17	22	34
B. *Operated*	3599	16.6	135	3	6	14	21	31	39	61
1. SINGLE DX	318	8.5	58	1	1	7	12	18	22	40
2. MULTIPLE DX	4881	14.4	126	2	3	12	19	28	36	57
A. NOT OPERATED	1378	7.9	49	1	2	6	10	16	22	34
B. OPERATED	3821	16.2	133	3	5	14	20	30	38	60
TOTAL 0-19 YRS	4	6.0	21	2	2	5	9	12	12	12
20-34	28	15.4	88	2	5	12	23	29	32	37
35-49	344	14.0	191	2	3	10	18	27	40	77
50-64	1474	13.8	143	1	2	11	18	28	38	59
65+	3349	14.1	110	2	3	12	18	27	34	53
GRAND TOTAL	**5199**	**14.0**	**124**	**2**	**3**	**11**	**18**	**27**	**35**	**57**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	70	3.2	6	1	1	2	4	6	8	12
50-64	213	4.2	18	1	1	3	5	8	10	24
65+	199	5.4	39	1	1	4	6	10	15	31
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	24	7.3	41	1	2	6	9	13	22	30
35-49	245	6.9	29	1	1	7	9	13	17	22
50-64	1147	7.6	31	1	1	7	10	14	18	26
65+	1019	7.4	31	1	1	7	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	5	1	1	4	5	7	8	8
20-34	36	5.8	20	<1	1	5	7	12	13	23
35-49	600	7.3	58	1	2	5	9	15	21	34
50-64	3059	7.5	48	1	2	5	9	15	21	33
65+	4281	8.3	55	2	2	6	10	16	22	38
B. *Operated*										
0-19 YRS	18	9.7	35	2	2	9	11	20	23	24
20-34	87	12.5	105	2	3	10	15	29	33	48
35-49	1343	10.9	81	2	3	9	13	21	28	44
50-64	7603	11.1	78	2	3	9	14	21	27	46
65+	11122	12.0	88	2	3	10	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	4.6	25	1	1	3	5	8	14	29
B. *Operated*	2437	7.4	31	1	1	7	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	7984	7.9	53	1	2	6	10	16	21	35
B. *Operated*	20173	11.6	84	2	3	9	15	22	29	48
1. SINGLE DX	2921	7.0	31	1	1	6	9	13	17	27
2. MULTIPLE DX	28157	10.6	78	2	2	9	14	21	27	45
A. NOT OPERATED	8468	7.7	52	1	2	6	10	16	21	35
B. OPERATED	22610	11.2	80	2	3	9	14	21	28	47
TOTAL 0-19 YRS	28	7.8	31	1	2	7	10	13	22	24
20-34	149	9.9	82	1	2	8	12	23	30	45
35-49	2258	9.3	71	1	2	7	11	19	25	42
50-64	12022	9.7	69	1	2	8	12	19	25	40
65+	16621	10.7	79	2	2	9	14	21	27	46
GRAND TOTAL	**31078**	**10.2**	**75**	**1**	**2**	**8**	**13**	**20**	**26**	**44**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	14	2.6	3	<1	<1	2	4	5	5	5
50-64	27	2.4	3	<1	<1	2	3	6	6	7
65+	21	4.2	16	<1	<1	2	7	10	13	15
B. *Operated*										
0-19 YRS	12	4.8	10	1	1	5	7	9	10	10
20-34	22	5.5	18	<1	<1	5	9	12	13	13
35-49	113	5.9	27	<1	1	4	9	12	15	21
50-64	391	6.7	42	<1	1	5	10	15	19	27
65+	298	6.0	39	<1	1	3	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	9	1	1	5	6	9	11	11
20-34	19	6.1	51	1	1	3	6	19	25	26
35-49	33	7.2	96	1	1	4	9	17	20	53
50-64	155	5.8	55	1	1	4	7	13	17	97
65+	223	7.2	47	1	2	5	9	15	22	37
B. *Operated*										
0-19 YRS	24	10.1	50	3	4	8	13	22	27	28
20-34	42	14.7	256	1	2	10	17	31	44	87
35-49	216	13.1	121	1	2	11	18	27	36	53
50-64	978	12.3	123	1	1	11	16	25	33	63
65+	1162	12.2	125	1	1	11	16	26	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.2	8	<1	<1	2	5	7	8	14
B. *Operated*	836	6.3	38	<1	1	4	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	441	6.6	52	1	1	5	8	14	20	55
B. *Operated*	2422	12.4	125	1	1	11	16	26	35	58
1. SINGLE DX	901	6.0	36	<1	1	4	10	14	17	25
2. MULTIPLE DX	2863	11.5	118	1	1	9	15	25	33	57
A. NOT OPERATED	506	6.2	48	1	1	4	8	14	18	54
B. OPERATED	3258	10.8	110	1	1	9	15	23	30	55
TOTAL 0-19 YRS	47	7.5	37	1	1	6	9	15	23	28
20-34	86	10.1	159	1	1	8	12	23	30	75
35-49	376	10.0	99	1	1	8	13	21	29	50
50-64	1551	10.1	102	1	1	8	14	21	29	55
65+	1704	10.4	106	1	1	9	14	23	30	52
GRAND TOTAL	**3764**	**10.2**	**104**	**1**	**1**	**8**	**14**	**22**	**29**	**54**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	3.7	48	1	1	3	4	5	7	44
20-34	25	5.8	70	<1	1	4	5	9	31	35
35-49	7	3.4	5	1	1	3	5	7	7	7
50-64	15	4.6	21	1	1	3	5	15	15	15
65+	11	8.0	26	2	2	7	13	42	92	99+
B. *Operated*										
0-19 YRS	217	6.0	34	1	1	5	8	11	15	37
20-34	136	7.2	57	1	1	5	8	14	20	45
35-49	144	5.9	24	1	1	5	8	12	16	24
50-64	230	6.0	24	1	1	5	9	13	16	26
65+	219	6.9	61	<1	1	5	8	12	21	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	4.7	17	1	1	4	5	9	12	25
20-34	53	5.1	16	1	1	3	7	11	14	17
35-49	39	7.3	55	<1	1	6	10	16	26	31
50-64	96	7.2	71	1	1	5	9	16	21	49
65+	137	8.8	113	1	2	6	9	20	33	53
B. *Operated*										
0-19 YRS	168	10.8	143	1	2	7	13	25	38	65
20-34	96	11.2	132	1	2	7	16	24	35	86
35-49	136	12.3	166	1	2	8	15	33	38	64
50-64	301	11.4	103	1	2	9	15	25	31	63
65+	567	10.7	104	1	2	8	13	23	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.5	46	1	1	3	4	8	14	67
B. *Operated*	946	6.4	40	1	1	5	8	12	17	35
2. MULTIPLE DX										
A. *Not Operated*	524	6.5	57	1	1	4	7	13	20	45
B. *Operated*	1268	11.1	118	1	2	8	14	25	35	61
1. SINGLE DX	1095	6.1	41	1	1	4	8	12	17	36
2. MULTIPLE DX	1792	9.7	104	1	2	7	12	21	31	55
A. NOT OPERATED	673	6.0	56	1	1	4	7	12	18	45
B. OPERATED	2214	9.1	90	1	2	6	11	19	30	52
TOTAL 0-19 YRS	675	6.5	65	1	1	4	7	12	19	45
20-34	310	8.0	79	1	1	5	9	17	24	52
35-49	326	8.7	96	1	1	6	10	18	31	48
50-64	642	8.7	75	1	1	6	12	20	26	62
65+	934	9.5	97	1	2	7	11	21	32	50
GRAND TOTAL	**2887**	**8.4**	**83**	**1**	**1**	**6**	**10**	**18**	**28**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.2	2	1	1	2	4	4	4	4
35-49	9	4.3	11	<1	<1	4	6	10	11	11
50-64	4	6.3	5	4	4	6	8	9	9	9
65+	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	12	4.1	26	<1	<1	2	5	12	17	18
20-34	189	3.3	7	1	1	3	4	7	8	13
35-49	337	3.6	9	<1	1	3	5	8	10	13
50-64	352	3.8	8	<1	1	3	5	7	9	13
65+	275	4.2	16	1	1	3	6	9	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	5.0	25	<1	<1	3	5	14	16	20
35-49	38	4.8	26	<1	1	4	6	8	17	26
50-64	49	6.9	41	<1	1	5	9	15	18	36
65+	58	5.9	24	1	1	5	7	14	16	24
B. *Operated*										
0-19 YRS	12	5.8	47	1	1	4	5	15	24	26
20-34	93	4.0	11	<1	1	3	5	8	9	17
35-49	204	4.8	15	1	1	4	6	9	12	23
50-64	275	6.1	49	1	1	4	8	12	17	26
65+	498	6.6	38	1	1	5	8	14	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.7	8	<1	1	3	5	8	10	11
B. *Operated*	1165	3.8	10	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	170	5.8	30	<1	1	4	7	14	16	26
B. *Operated*	1082	5.9	35	1	1	4	7	12	17	26
1. SINGLE DX	1188	3.8	10	<1	1	3	5	8	10	14
2. MULTIPLE DX	1252	5.9	34	1	1	4	7	12	17	26
A. NOT OPERATED	193	5.6	27	<1	1	4	7	13	16	25
B. OPERATED	2247	4.8	23	1	1	3	6	10	13	24
TOTAL 0-19 YRS	25	4.8	34	<1	1	3	5	10	20	26
20-34	312	3.6	9	<1	1	3	5	7	9	15
35-49	588	4.1	12	1	1	3	5	8	11	18
50-64	680	5.0	28	<1	1	4	6	10	13	23
65+	835	5.8	31	1	1	4	7	12	17	28
GRAND TOTAL	**2440**	**4.9**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	8	5.0	27	1	1	3	6	14	17	17
B. *Operated*										
0-19 YRS	21	2.2	4	<1	<1	1	3	6	7	7
20-34	64	3.3	10	<1	<1	2	5	7	10	14
35-49	160	2.3	10	<1	<1	1	2	4	7	16
50-64	327	2.3	7	<1	<1	1	3	5	8	13
65+	672	2.5	8	<1	<1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	20	5.8	14	1	1	5	8	11	13	14
35-49	25	9.4	166	1	1	5	9	25	45	53
50-64	21	4.6	24	<1	<1	3	6	12	17	19
65+	100	4.7	21	<1	<1	3	6	9	16	22
B. *Operated*										
0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	41	6.2	59	1	1	4	7	13	17	46
35-49	142	5.1	49	<1	1	3	6	12	17	44
50-64	475	5.1	54	<1	1	3	6	12	18	38
65+	1578	5.6	67	<1	1	3	6	12	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.1	19	1	1	3	5	9	16	17
B. *Operated*	1244	2.5	8	<1	<1	1	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	168	5.5	44	<1	1	4	7	11	17	40
B. *Operated*	2240	5.5	63	<1	1	3	6	12	18	45
1. SINGLE DX	1256	2.5	8	<1	<1	1	3	5	8	14
2. MULTIPLE DX	2408	5.5	61	<1	1	3	6	12	18	45
A. NOT OPERATED	180	5.4	42	<1	1	4	7	11	17	38
B. OPERATED	3484	4.4	45	<1	<1	2	5	10	15	36
TOTAL 0-19 YRS	28	2.7	5	<1	1	2	4	7	7	7
20-34	126	4.6	28	<1	1	3	6	10	14	25
35-49	328	4.1	42	<1	<1	2	4	9	14	43
50-64	824	4.0	36	<1	<1	2	4	9	15	28
65+	2358	4.7	50	<1	1	2	5	10	16	41
GRAND TOTAL	**3664**	**4.5**	**45**	**<1**	**<1**	**2**	**5**	**10**	**15**	**36**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.0	2	1	1	3	4	4	4	4
35-49	30	3.2	3	<1	1	3	4	5	6	9
50-64	53	3.9	8	<1	1	3	5	9	10	11
65+	40	3.6	5	<1	<1	3	5	7	7	9
B. *Operated*										
0-19 YRS	7	5.0	8	1	1	5	7	9	9	9
20-34	411	4.0	5	1	1	4	5	7	8	11
35-49	2634	4.0	5	1	1	4	5	7	8	11
50-64	3953	4.3	6	1	2	4	6	7	8	11
65+	4016	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	28	5.4	23	<1	<1	3	8	11	16	22
35-49	233	8.1	98	1	1	5	9	18	26	56
50-64	428	7.0	60	1	1	5	8	15	21	43
65+	550	7.8	67	1	1	6	10	16	22	49
B. *Operated*										
0-19 YRS	10	5.6	8	2	2	5	7	9	11	11
20-34	458	5.2	15	1	2	4	6	9	11	20
35-49	3306	5.2	13	1	2	5	6	9	10	18
50-64	6599	5.9	21	2	2	5	7	10	12	23
65+	10907	6.5	22	2	3	6	8	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.6	5	<1	1	3	5	7	9	10
B. *Operated*	11021	4.4	6	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1240	7.5	69	1	1	5	9	16	22	46
B. *Operated*	21280	6.1	20	2	2	5	7	10	13	24
1. SINGLE DX	11149	4.4	6	1	2	4	6	7	8	11
2. MULTIPLE DX	22520	6.2	23	2	2	5	7	10	13	25
A. NOT OPERATED	1368	7.1	65	1	1	5	9	15	21	44
B. OPERATED	32301	5.5	16	1	2	5	7	9	11	20
TOTAL 0-19 YRS	19	5.3	7	1	2	5	7	9	10	11
20-34	901	4.6	11	1	1	4	6	8	10	16
35-49	6203	4.8	13	1	2	4	6	8	9	18
50-64	11033	5.4	18	1	2	5	7	9	11	21
65+	15513	6.1	20	2	2	5	7	10	13	24
GRAND TOTAL	**33669**	**5.6**	**18**	**1**	**2**	**5**	**7**	**9**	**12**	**22**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.7	6	1	1	3	5	7	9	12
20-34	90	3.0	7	1	1	3	3	4	5	18
35-49	89	3.3	13	1	1	3	4	5	7	24
50-64	73	3.5	4	2	2	3	4	5	5	16
65+										
B. *Operated*										
0-19 YRS	8	5.1	13	<1	1	4	8	10	11	11
20-34	206	5.2	10	1	1	5	7	10	11	14
35-49	319	5.4	31	1	1	4	7	10	12	17
50-64	164	4.6	11	1	1	4	6	9	12	15
65+	123	4.3	15	1	1	3	5	8	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	59	4.8	18	1	1	4	6	10	13	24
35-49	185	6.5	55	1	1	4	8	14	20	43
50-64	221	5.2	25	1	2	4	6	11	14	22
65+	186	6.6	33	1	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	287	7.8	29	1	3	6	10	15	18	29
35-49	626	8.3	46	1	2	7	10	15	21	38
50-64	490	8.8	72	1	2	7	11	18	23	46
65+	516	8.2	66	1	2	6	10	18	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	3.3	8	1	2	3	4	5	6	16
B. *Operated*	820	5.0	19	1	1	4	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	653	5.9	35	1	2	4	7	12	17	30
B. *Operated*	1922	8.3	56	1	2	7	10	17	22	38
1. SINGLE DX	1106	4.6	17	1	1	4	6	9	11	16
2. MULTIPLE DX	2575	7.7	51	1	2	6	9	16	21	38
A. NOT OPERATED	939	5.1	28	1	2	3	6	10	15	30
B. OPERATED	2742	7.3	47	1	2	6	9	14	19	35
TOTAL 0-19 YRS	13	5.3	9	<1	1	5	7	9	11	11
20-34	586	6.3	22	1	1	5	8	12	15	26
35-49	1220	6.9	44	1	2	5	9	13	18	38
50-64	964	6.8	50	1	2	4	8	14	19	38
65+	898	6.9	50	1	2	5	8	15	21	36
GRAND TOTAL	**3681**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	9	3.6	1	2	2	4	4	4	4	4
50-64	59	3.2	2	1	1	3	4	5	7	8
65+	72	2.6	1	1	1	3	3	4	4	5
B. *Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	28	5.8	5	2	3	5	7	9	10	12
35-49	139	5.9	5	2	3	6	7	8	10	15
50-64	569	5.4	6	1	2	5	7	8	9	13
65+	594	5.7	9	1	2	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	6	4	4	6	8	9	9	9
20-34	8	4.1	6	2	2	3	5	8	9	9
35-49	22	6.1	27	1	1	4	8	16	18	19
50-64	138	5.2	53	1	1	3	5	10	16	50
65+	273	5.6	40	1	1	4	6	11	15	32
B. *Operated*										
0-19 YRS	4	11.8	52	1	1	15	16	16	16	16
20-34	78	6.2	16	2	2	6	7	9	13	24
35-49	500	6.2	10	2	3	6	7	10	12	18
50-64	1941	7.2	26	2	3	6	8	11	14	28
65+	3206	8.3	44	2	3	7	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	3.1	4	1	1	3	4	4	5	9
B. *Operated*	1333	5.6	7	1	2	6	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	445	5.5	42	1	1	4	6	11	16	34
B. *Operated*	5729	7.7	35	2	3	7	9	13	16	31
1. SINGLE DX	1477	5.4	8	1	2	5	7	8	10	15
2. MULTIPLE DX	6174	7.5	36	2	3	6	8	13	16	31
A. NOT OPERATED	589	4.9	34	1	1	3	5	9	14	29
B. OPERATED	7062	7.3	31	2	3	6	8	12	15	29
TOTAL 0-19 YRS	13	8.5	40	1	1	6	14	17	20	21
20-34	116	5.8	13	2	2	6	7	9	11	22
35-49	670	6.1	10	2	3	6	7	9	11	17
50-64	2707	6.6	24	1	2	6	8	10	13	25
65+	4145	7.6	39	2	2	7	9	13	17	33
GRAND TOTAL	**7651**	**7.1**	**31**	**1**	**2**	**6**	**8**	**12**	**15**	**29**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	9	1	1	2	6	8	8	8
20-34	5	5.0	29	1	1	4	7	14	14	14
35-49	28	2.2	7	<1	<1	2	2	4	6	15
50-64	73	2.5	3	1	1	2	3	5	6	9
65+	39	2.6	9	1	1	2	3	5	6	19
B. *Operated*										
0-19 YRS	18	5.9	12	1	2	5	9	10	13	15
20-34	71	6.1	6	3	4	6	7	9	10	17
35-49	121	6.5	8	2	4	6	8	10	12	16
50-64	171	7.5	21	1	2	7	9	12	15	29
65+	115	9.6	84	3	4	8	10	15	20	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	3	2	2	4	6	6	6	6
20-34	13	5.5	51	1	1	3	6	12	25	28
35-49	94	6.8	110	1	1	3	7	16	23	64
50-64	309	5.3	34	1	1	3	7	12	18	30
65+	402	7.4	44	1	2	5	10	15	21	32
B. *Operated*										
0-19 YRS	29	8.6	37	4	5	7	9	15	19	35
20-34	174	7.9	17	4	4	7	9	13	16	23
35-49	545	9.8	51	4	5	8	11	16	21	42
50-64	1334	11.8	81	4	5	9	14	20	28	44
65+	1474	14.0	81	5	6	11	17	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	2.6	6	1	1	2	3	5	7	15
B. *Operated*	496	7.4	32	2	4	7	9	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	824	6.5	48	1	1	4	9	14	21	33
B. *Operated*	3556	12.2	76	4	5	10	15	22	28	46
1. SINGLE DX	647	6.3	30	1	1	6	8	11	14	23
2. MULTIPLE DX	4380	11.1	75	2	3	9	14	21	27	45
A. NOT OPERATED	975	5.9	44	1	1	4	8	13	19	30
B. OPERATED	4052	11.6	73	4	5	9	14	21	28	45
TOTAL 0-19 YRS	59	6.8	26	1	2	6	8	10	16	33
20-34	263	7.2	16	3	4	6	8	12	16	23
35-49	788	8.6	53	1	3	7	10	15	20	41
50-64	1887	10.0	73	1	2	8	12	18	25	42
65+	2030	12.2	81	2	4	10	15	23	29	47
GRAND TOTAL	**5027**	**10.5**	**72**	**2**	**3**	**8**	**13**	**20**	**26**	**44**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	1	1	3	3	5	5	5
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	7	6.1	60	1	1	3	7	20	23	23
65+	18	3.4	5	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	11	4.8	10	1	1	5	8	9	10	10
20-34	11	4.7	13	<1	<1	4	6	11	13	13
35-49	33	5.3	20	1	2	4	7	10	11	24
50-64	46	7.4	34	1	1	6	11	17	18	19
65+	118	6.4	43	1	1	5	9	12	15	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	28	1	1	6	11	12	12	12
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	12	5.3	33	1	1	3	7	13	20	21
50-64	26	4.0	10	1	1	3	5	10	11	11
65+	99	6.8	32	1	2	5	8	15	18	27
B. *Operated*										
0-19 YRS	13	9.4	38	1	2	8	14	17	21	22
20-34	27	8.9	106	1	2	6	9	27	37	41
35-49	80	9.0	44	2	2	8	12	17	21	36
50-64	178	12.1	124	2	3	9	14	24	36	60
65+	466	11.5	97	2	3	9	15	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.0	16	<1	1	3	5	8	9	23
B. *Operated*	219	6.3	35	1	1	5	9	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	143	6.1	28	1	1	4	8	14	17	22
B. *Operated*	764	11.2	98	2	3	9	14	22	31	51
1. SINGLE DX	254	6.0	33	1	1	4	8	11	16	24
2. MULTIPLE DX	907	10.4	90	2	2	8	13	21	29	46
A. NOT OPERATED	178	5.7	26	1	1	4	7	12	17	23
B. OPERATED	983	10.1	88	1	2	8	13	21	28	47
TOTAL 0-19 YRS	35	6.3	26	1	1	5	9	13	16	22
20-34	42	7.4	75	<1	1	5	8	12	33	41
35-49	126	7.7	39	1	2	7	10	15	21	30
50-64	257	10.3	102	1	2	8	12	21	33	52
65+	701	9.8	82	1	2	7	13	21	26	45
GRAND TOTAL	**1161**	**9.5**	**81**	**1**	**2**	**7**	**12**	**20**	**26**	**45**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	11	4.0	11	<1	<1	3	6	9	11	11
65+	61	5.5	29	<1	1	4	7	12	16	28
B. *Operated*										
0-19 YRS	3	7.0	39	2	2	5	12	14	14	14
20-34	4	3.5	6	1	1	3	5	7	7	7
35-49	32	5.4	23	<1	1	4	8	12	13	22
50-64	1026	5.8	17	1	1	5	8	11	14	18
65+	2854	4.9	12	1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	10	7.3	26	2	2	7	8	15	20	20
50-64	285	6.4	52	1	1	4	8	14	20	41
65+	1553	7.9	65	1	2	6	10	16	22	39
B. *Operated*										
0-19 YRS	13	7.5	27	1	2	7	10	15	18	19
20-34	4	6.0	11	1	1	7	8	8	8	8
35-49	57	8.9	62	1	2	8	10	15	22	49
50-64	2673	7.4	39	1	2	6	9	15	18	31
65+	15011	7.3	36	1	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	5.2	26	<1	1	4	7	11	15	27
B. *Operated*	3919	5.2	13	1	1	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1854	7.6	62	1	2	5	10	15	22	39
B. *Operated*	17758	7.3	36	1	2	6	9	14	18	31
1. SINGLE DX	3991	5.2	14	1	1	5	7	10	12	17
2. MULTIPLE DX	19612	7.3	39	1	2	6	9	14	18	32
A. NOT OPERATED	1926	7.5	61	1	2	5	9	15	22	39
B. OPERATED	21677	6.9	33	1	2	6	9	13	17	29
TOTAL 0-19 YRS	18	7.3	24	1	2	7	9	14	17	19
20-34	12	4.1	7	1	1	3	7	6	8	8
35-49	99	7.6	47	1	1	7	10	14	21	41
50-64	3995	6.9	35	1	2	6	9	14	17	29
65+	19479	7.0	35	1	2	6	9	13	17	31
GRAND TOTAL	**23603**	**7.0**	**35**	**1**	**2**	**6**	**9**	**13**	**17**	**30**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	19	3.8	6	1	1	4	5	6	9	11
35-49	6	3.2	3	<1	<1	3	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*										
0-19 YRS	63	3.7	7	1	1	3	5	7	9	12
20-34	397	2.9	10	1	1	2	3	6	8	15
35-49	165	3.0	19	1	1	2	3	6	9	30
50-64	57	3.8	64	1	1	3	4	5	6	58
65+	48	3.3	8	<1	<1	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	9	<1	1	4	6	9	11	11
20-34	67	5.7	20	1	1	5	6	12	14	26
35-49	18	5.2	19	2	2	4	5	8	16	21
50-64	12	6.8	69	1	2	5	7	17	30	32
65+	4	10.8	58	3	3	9	16	21	21	21
B. *Operated*										
0-19 YRS	35	5.8	14	1	1	5	9	12	12	13
20-34	232	7.0	46	1	1	6	9	14	20	58
35-49	130	8.3	139	1	1	4	10	17	28	72
50-64	76	7.2	43	1	1	6	9	17	19	35
65+	109	6.2	24	1	1	5	9	13	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.9	6	1	1	4	5	6	10	11
B. *Operated*	730	3.1	16	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	112	5.2	25	1	2	5	6	11	14	30
B. *Operated*	582	7.1	60	1	1	5	9	15	18	42
1. SINGLE DX	760	3.1	15	1	1	2	4	6	9	14
2. MULTIPLE DX	694	6.9	55	1	1	5	9	14	18	41
A. NOT OPERATED	142	5.4	21	1	1	4	6	11	13	28
B. OPERATED	1312	4.9	40	1	1	3	6	11	15	34
TOTAL 0-19 YRS	111	4.5	10	1	1	4	6	9	11	13
20-34	715	4.5	26	1	1	3	6	10	13	31
35-49	319	5.3	74	1	1	3	6	13	17	38
50-64	146	5.8	55	1	1	4	6	13	18	41
65+	163	5.5	21	1	1	4	8	12	16	20
GRAND TOTAL	**1454**	**4.9**	**38**	**1**	**1**	**3**	**6**	**11**	**14**	**33**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.4	2	1	1	4	4	5	5	5
50-64	21	3.0	8	<1	1	2	3	7	9	11
65+	29	3.1	7	1	1	2	4	6	10	11
B. *Operated*										
0-19 YRS	9	3.8	8	1	1	2	6	9	9	9
20-34	45	2.5	3	<1	1	2	3	5	7	8
35-49	258	2.9	8	<1	1	2	3	5	11	15
50-64	1372	3.4	16	1	1	2	4	7	11	19
65+	2662	3.6	13	1	1	3	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	16	6.6	66	<1	1	5	6	14	28	34
50-64	114	6.0	44	1	1	4	7	13	21	36
65+	504	7.1	64	1	1	5	8	14	21	44
B. *Operated*										
0-19 YRS	18	9.4	214	1	1	5	9	21	47	63
20-34	38	7.2	175	1	1	2	7	13	42	63
35-49	312	5.8	41	1	1	3	7	14	21	31
50-64	2459	6.3	51	1	1	4	8	14	19	37
65+	9605	6.7	56	1	1	4	8	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.1	6	1	1	2	4	6	9	11
B. *Operated*	4346	3.5	14	1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	638	6.8	61	1	1	5	8	13	21	38
B. *Operated*	12432	6.6	55	1	1	4	8	15	20	37
1. SINGLE DX	4401	3.5	14	1	1	2	4	7	11	18
2. MULTIPLE DX	13070	6.6	55	1	1	4	8	15	20	37
A. NOT OPERATED	693	6.5	57	1	1	5	8	13	20	37
B. OPERATED	16778	5.8	46	1	1	4	7	13	18	34
TOTAL 0-19 YRS	30	7.0	137	1	1	3	7	14	23	63
20-34	84	4.6	85	1	1	2	4	8	13	61
35-49	591	4.5	29	1	1	3	5	11	15	29
50-64	3966	5.3	40	1	1	3	6	13	17	31
65+	12800	6.1	49	1	1	4	7	14	19	35
GRAND TOTAL	**17471**	**5.8**	**47**	**1**	**1**	**4**	**7**	**13**	**18**	**34**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	8	<1	<1	1	2	5	10	11
20-34	5	5.2	9	3	3	3	8	9	9	9
35-49	7	3.7	8	1	1	3	6	8	8	8
50-64	12	5.9	35	<1	1	4	6	17	20	20
65+	15	3.4	4	<1	<1	3	4	7	7	7
B. *Operated*										
0-19 YRS	56	9.2	55	2	4	8	11	14	21	50
20-34	35	6.7	12	1	2	7	9	10	10	19
35-49	151	7.3	12	1	2	7	9	11	13	15
50-64	303	7.8	15	1	2	8	9	13	14	21
65+	304	7.8	17	1	2	8	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.6	18	1	1	3	6	10	14	20
20-34	10	5.1	10	1	1	4	9	10	10	10
35-49	63	5.4	23	1	1	4	7	10	12	31
50-64	238	6.7	33	1	2	5	8	14	19	28
65+	361	8.8	81	1	2	6	12	18	25	41
B. *Operated*										
0-19 YRS	80	12.4	94	3	4	9	14	25	36	87
20-34	61	11.8	92	2	3	9	15	21	31	52
35-49	312	9.6	29	2	4	9	11	17	19	25
50-64	1232	11.1	67	2	4	9	13	19	25	41
65+	2195	12.6	83	3	5	10	15	22	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.9	14	<1	<1	3	4	8	11	20
B. *Operated*	849	7.7	18	1	2	8	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	713	7.5	57	1	2	5	9	15	22	38
B. *Operated*	3880	11.8	75	2	4	10	14	21	27	49
1. SINGLE DX	901	7.5	18	1	2	8	9	12	15	20
2. MULTIPLE DX	4593	11.2	74	2	3	9	14	20	26	46
A. NOT OPERATED	765	7.3	55	1	1	5	9	15	21	37
B. OPERATED	4729	11.1	67	2	4	9	13	20	25	45
TOTAL 0-19 YRS	190	9.1	72	1	1	7	11	20	26	56
20-34	111	9.3	63	1	2	8	10	19	22	47
35-49	533	8.4	26	1	3	8	10	14	17	25
50-64	1785	9.9	57	2	3	8	12	17	23	37
65+	2875	11.5	79	2	3	10	14	21	27	49
GRAND TOTAL	**5494**	**10.6**	**67**	**2**	**3**	**9**	**13**	**19**	**25**	**43**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.4	1	<1	<1	1	1	2	4	6
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	42	2.4	3	<1	<1	2	3	5	6	8
20-34	8	3.0	7	1	1	2	3	7	9	9
35-49	19	2.7	5	<1	<1	2	4	5	8	9
50-64	31	3.0	6	1	1	2	4	5	11	11
65+	54	2.8	3	1	1	3	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	22	<1	<1	3	7	12	16	16
20-34										
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	3	4.3	12	1	1	4	7	8	8	8
65+	10	5.6	34	1	1	3	6	15	21	21
B. *Operated*										
0-19 YRS	18	9.3	66	<1	1	6	14	23	24	24
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	9	4.2	4	1	1	5	6	7	7	7
50-64	27	4.7	15	1	1	3	7	10	13	17
65+	80	6.8	184	1	1	3	6	10	17	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.6	3	<1	<1	1	1	4	6	7
B. *Operated*	154	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	25	5.1	24	<1	<1	3	7	11	17	21
B. *Operated*	136	6.5	121	1	1	4	7	11	21	75
1. SINGLE DX	176	2.6	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX	161	6.3	106	1	1	4	7	11	20	67
A. NOT OPERATED	47	3.5	17	<1	<1	1	5	8	12	21
B. OPERATED	290	4.5	62	1	1	3	5	8	11	30
TOTAL 0-19 YRS	90	3.8	25	<1	<1	2	4	8	16	24
20-34	10	3.5	8	1	1	3	3	8	9	9
35-49	31	3.5	7	<1	1	3	5	7	9	11
50-64	62	3.8	10	1	1	3	4	8	11	16
65+	144	5.2	108	1	1	3	5	8	11	73
GRAND TOTAL	**337**	**4.4**	**56**	**<1**	**1**	**3**	**5**	**8**	**11**	**26**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	19	1	1	3	5	7	11	26
20-34	44	4.6	10	1	1	4	6	7	9	18
35-49	54	6.4	54	1	1	4	7	21	25	31
50-64	87	7.5	52	1	2	5	9	17	21	37
65+	91	7.9	51	1	2	6	10	16	25	36
B. *Operated*										
0-19 YRS	196	9.0	42	1	2	8	12	16	19	36
20-34	181	8.7	37	1	2	8	10	16	18	34
35-49	248	8.7	38	2	2	8	11	15	19	27
50-64	316	10.6	80	2	3	9	14	17	25	45
65+	170	12.1	76	2	3	10	15	21	25	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	5.1	41	1	1	3	6	11	17	50
20-34	133	7.4	83	1	2	4	8	17	27	48
35-49	256	8.6	85	1	1	6	11	19	26	49
50-64	436	9.4	115	1	2	6	11	21	28	69
65+	500	10.3	85	2	3	8	13	20	27	55
B. *Operated*										
0-19 YRS	304	15.6	246	2	3	11	19	42	59	99+
20-34	231	12.8	98	2	4	11	15	25	29	61
35-49	333	13.1	102	3	4	10	17	26	36	72
50-64	510	16.5	215	3	5	12	20	32	47	82
65+	598	18.2	168	5	6	15	23	35	49	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	6.6	44	1	1	4	8	14	21	32
B. *Operated*	1111	9.8	58	2	2	8	12	17	21	43
2. MULTIPLE DX										
A. *Not Operated*	1492	8.9	91	1	2	6	11	19	27	54
B. *Operated*	1976	15.9	177	3	5	12	20	32	46	78
1. SINGLE DX	1426	9.1	56	1	2	8	12	17	21	40
2. MULTIPLE DX	3468	12.9	152	2	2	9	16	27	39	70
A. NOT OPERATED	1807	8.5	84	1	2	6	11	18	26	52
B. OPERATED	3087	13.7	142	2	4	10	16	27	38	68
TOTAL 0-19 YRS	706	10.6	149	1	1	7	13	23	42	99
20-34	589	9.7	76	1	2	8	12	19	27	54
35-49	891	10.2	82	1	2	8	13	21	27	52
50-64	1349	12.2	152	2	2	9	15	25	36	75
65+	1359	13.9	133	2	4	11	17	28	38	59
GRAND TOTAL	**4894**	**11.8**	**127**	**2**	**2**	**9**	**15**	**24**	**35**	**65**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	5	<1	<1	1	2	6	7	7
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	24	6.8	29	1	1	5	10	15	17	19
20-34	21	9.2	69	1	2	7	12	18	28	37
35-49	12	9.2	32	1	2	8	10	18	21	22
50-64	12	10.9	53	2	4	9	13	23	26	27
65+	12	13.5	183	1	2	10	16	28	49	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.9	274	<1	<1	3	25	74	99+	99+
20-34	5	4.2	13	1	1	2	7	9	9	9
35-49	9	10.8	33	5	5	10	14	20	22	22
50-64	17	9.2	80	2	3	7	11	15	31	40
65+	36	9.3	49	1	2	8	13	20	21	32
B. *Operated*										
0-19 YRS	33	14.2	140	2	3	11	18	28	38	58
20-34	25	18.8	368	2	4	14	20	39	71	86
35-49	31	17.4	250	3	5	14	24	37	82	99+
50-64	53	19.2	327	1	3	14	24	43	53	91
65+	64	23.5	328	4	7	17	30	50	66	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	3	<1	1	1	3	5	7	7
B. *Operated*	81	9.4	67	1	2	8	12	17	22	48
2. MULTIPLE DX										
A. *Not Operated*	76	9.2	76	1	1	7	12	21	30	86
B. *Operated*	206	19.4	296	2	4	14	24	43	62	89
1. SINGLE DX	95	8.3	64	1	1	7	11	16	22	46
2. MULTIPLE DX	282	16.7	257	2	3	12	21	39	55	90
A. NOT OPERATED	90	8.1	71	1	1	6	11	20	25	79
B. OPERATED	287	16.6	251	2	3	12	20	37	53	87
TOTAL 0-19 YRS	73	10.1	120	1	1	8	13	23	38	90
20-34	51	13.4	236	1	2	10	16	22	39	86
35-49	54	13.9	173	2	3	11	17	25	39	99
50-64	85	15.4	251	1	3	11	18	34	46	86
65+	114	17.6	263	1	3	12	22	42	57	72
GRAND TOTAL	**377**	**14.6**	**221**	**1**	**2**	**11**	**18**	**33**	**48**	**87**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.3	3	<1	1	2	3	4	6	10
20-34	39	2.4	2	1	1	2	3	5	6	6
35-49	39	2.3	1	1	1	2	3	4	5	5
50-64	26	2.6	3	<1	1	2	3	5	6	9
65+	14	5.6	136	<1	1	3	4	8	38	46
B. *Operated*										
0-19 YRS	74	5.7	58	1	2	3	7	12	18	49
20-34	290	3.1	4	1	1	3	4	5	7	11
35-49	277	3.2	3	1	1	3	4	5	7	10
50-64	171	3.7	8	1	2	3	4	6	8	20
65+	83	4.6	12	1	2	4	5	9	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	5.2	37	<1	1	3	7	11	18	34
20-34	39	3.3	17	<1	1	2	3	5	11	24
35-49	60	4.5	34	1	1	3	5	9	15	37
50-64	70	5.7	25	1	2	3	9	13	16	22
65+	91	7.9	62	1	2	5	11	18	23	44
B. *Operated*										
0-19 YRS	124	12.1	251	1	2	7	13	30	49	84
20-34	326	4.6	18	1	2	3	5	9	11	25
35-49	369	5.0	34	1	2	4	5	8	14	29
50-64	357	6.5	48	2	2	4	7	12	20	41
65+	388	8.7	69	2	3	6	10	18	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.7	15	1	1	2	3	4	5	10
B. *Operated*	895	3.6	10	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	313	5.7	40	1	1	3	7	13	19	32
B. *Operated*	1564	6.7	64	2	2	4	7	14	20	49
1. SINGLE DX	1048	3.5	11	1	1	3	4	6	8	15
2. MULTIPLE DX	1877	6.6	60	1	2	4	7	14	19	45
A. NOT OPERATED	466	4.7	34	1	1	3	5	11	15	30
B. OPERATED	2459	5.6	47	1	2	4	6	11	16	38
TOTAL 0-19 YRS	286	7.9	144	1	1	4	8	16	30	66
20-34	694	3.7	12	1	1	3	4	7	10	17
35-49	745	4.2	21	1	2	3	5	7	10	21
50-64	624	5.5	34	1	2	4	6	10	16	29
65+	576	7.9	63	2	2	5	9	17	23	48
GRAND TOTAL	**2925**	**5.5**	**45**	**1**	**2**	**4**	**6**	**11**	**16**	**36**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.9	22	1	2	4	8	10	17	21
20-34	11	2.0	1	1	1	2	3	4	4	4
35-49	36	6.3	67	<1	1	3	5	20	22	38
50-64	108	4.5	14	1	1	4	6	10	12	19
65+	132	6.6	44	1	1	5	9	13	17	39
B. *Operated*										
0-19 YRS	40	6.0	24	<1	1	4	8	12	15	25
20-34	51	8.3	136	<1	1	5	9	16	27	76
35-49	161	5.1	16	<1	1	5	6	10	13	22
50-64	319	5.5	26	<1	1	4	8	12	16	26
65+	347	6.0	46	<1	1	4	8	12	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	5.7	46	<1	1	4	7	12	18	36
20-34	479	6.6	37	1	1	5	8	14	18	32
35-49	2103	7.6	54	1	2	5	9	17	22	33
50-64	6555	8.3	60	1	2	6	10	17	23	38
65+	11598	9.1	64	2	2	7	11	18	24	40
B. *Operated*										
0-19 YRS	199	11.3	124	1	2	8	13	22	36	61
20-34	741	10.3	112	1	2	7	12	22	33	60
35-49	2928	10.6	114	1	2	8	13	22	31	57
50-64	8452	11.2	111	1	2	8	14	23	32	55
65+	13061	12.2	113	1	2	9	16	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	5.6	35	1	1	4	7	12	16	31
B. *Operated*	918	5.8	38	<1	1	4	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	20862	8.6	61	1	2	6	11	18	23	39
B. *Operated*	25381	11.6	113	1	2	9	15	24	32	55
1. SINGLE DX	1222	5.7	37	<1	1	4	7	12	16	28
2. MULTIPLE DX	46243	10.2	92	1	2	8	13	21	28	50
A. NOT OPERATED	21166	8.6	61	1	2	6	11	18	23	39
B. OPERATED	26299	11.4	112	1	2	9	15	24	32	55
TOTAL 0-19 YRS	383	8.6	91	1	1	6	11	17	27	51
20-34	1282	8.8	87	1	2	6	11	18	27	48
35-49	5228	9.2	89	1	2	6	11	19	26	51
50-64	15434	9.8	89	1	2	7	12	21	28	49
65+	25138	10.6	92	2	2	8	14	22	29	49
GRAND TOTAL	**47465**	**10.1**	**91**	**1**	**2**	**8**	**13**	**21**	**28**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	<1	1	2	3	4	5	5
20-34	53	2.6	8	<1	1	1	3	6	10	14
35-49	26	3.8	19	<1	1	2	4	6	11	23
50-64	11	4.6	22	<1	<1	2	7	13	15	15
65+	5	5.8	26	1	1	4	10	13	13	13
B. *Operated*										
0-19 YRS	165	5.2	14	1	1	5	7	9	10	18
20-34	400	4.9	11	1	1	5	7	9	10	16
35-49	161	4.9	13	<1	1	4	7	10	11	16
50-64	79	5.0	15	<1	1	4	7	11	13	17
65+	37	5.5	26	<1	<1	5	8	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.2	18	1	1	4	7	10	13	23
20-34	136	5.1	31	1	1	3	7	13	16	28
35-49	67	6.6	40	1	1	5	9	13	16	35
50-64	76	6.9	48	1	2	5	9	14	18	43
65+	66	8.5	74	1	1	5	11	19	25	45
B. *Operated*										
0-19 YRS	97	11.2	102	2	2	8	13	24	35	45
20-34	353	9.8	97	1	2	7	11	21	31	52
35-49	192	10.7	107	1	2	8	14	24	31	55
50-64	177	10.6	74	1	2	8	14	23	30	40
65+	187	13.6	110	2	3	11	18	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.1	12	<1	1	2	4	7	11	18
B. *Operated*	842	5.0	13	1	1	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	386	6.3	43	1	1	4	8	14	18	33
B. *Operated*	1006	11.0	99	1	2	8	14	23	32	50
1. SINGLE DX	960	4.8	13	1	1	4	7	9	11	16
2. MULTIPLE DX	1392	9.7	88	1	2	7	12	22	30	47
A. NOT OPERATED	504	5.6	37	1	1	4	7	13	16	29
B. OPERATED	1848	8.3	69	1	1	6	10	18	25	42
TOTAL 0-19 YRS	326	6.8	48	1	1	5	8	13	22	40
20-34	942	6.6	52	1	1	5	8	13	19	40
35-49	446	7.6	65	1	1	5	9	16	23	38
50-64	343	8.3	59	1	1	6	11	18	23	35
65+	295	11.3	99	1	2	9	16	23	33	46
GRAND TOTAL	**2352**	**7.7**	**63**	**1**	**1**	**6**	**9**	**16**	**23**	**42**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	3.5	15	<1	<1	3	4	7	8	23
20-34	12	6.4	26	1	1	5	10	15	15	15
35-49	14	9.9	137	1	1	5	10	31	35	36
50-64	20	4.1	10	<1	1	3	5	9	12	12
65+	28	7.0	56	<1	1	5	10	15	27	31
B. *Operated*										
0-19 YRS	235	7.0	47	<1	<1	5	9	15	23	32
20-34	34	13.7	128	1	2	9	21	29	38	42
35-49	23	9.8	129	1	1	5	14	26	36	41
50-64	27	6.1	28	<1	1	4	8	13	18	23
65+	31	5.6	21	1	1	4	8	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	497	5.5	31	1	1	4	7	12	15	29
20-34	54	7.7	62	1	1	5	9	16	25	41
35-49	53	5.6	21	1	1	4	7	13	16	20
50-64	148	7.3	49	1	2	6	9	14	23	36
65+	404	8.2	55	1	2	6	10	16	23	45
B. *Operated*										
0-19 YRS	361	16.1	188	2	3	12	23	35	43	62
20-34	115	25.9	354	4	6	24	35	47	67	90
35-49	59	20.3	260	3	4	14	32	42	53	61
50-64	178	15.5	298	2	3	8	20	42	61	78
65+	366	12.7	142	2	3	9	16	27	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.4	29	<1	<1	3	5	9	13	31
B. *Operated*	350	7.6	60	<1	1	5	10	18	24	38
2. MULTIPLE DX										
A. *Not Operated*	1156	6.8	44	1	1	5	8	14	20	36
B. *Operated*	1079	16.1	226	2	3	11	22	37	46	75
1. SINGLE DX	608	6.3	49	<1	1	4	8	15	22	35
2. MULTIPLE DX	2235	11.3	154	1	2	7	14	27	38	62
A. NOT OPERATED	1414	6.4	42	1	1	4	8	14	19	35
B. OPERATED	1429	14.1	199	1	2	9	19	33	43	69
TOTAL 0-19 YRS	1277	8.5	100	<1	1	5	10	22	29	48
20-34	215	18.3	296	1	2	13	27	40	48	83
35-49	149	12.5	184	1	1	7	17	35	41	58
50-64	373	11.0	183	1	2	6	12	27	42	74
65+	829	10.1	98	2	2	7	13	22	29	49
GRAND TOTAL	**2843**	**10.2**	**136**	**1**	**1**	**6**	**12**	**25**	**35**	**58**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.2	11	<1	1	3	6	9	11	15
20-34	37	5.8	138	<1	1	3	5	8	37	55
35-49	37	8.8	125	<1	1	4	10	26	35	48
50-64	43	5.7	75	1	1	3	5	11	27	45
65+	82	3.8	27	<1	<1	1	5	7	14	28
B. *Operated*										
0-19 YRS	64	11.1	130	<1	2	8	12	30	38	53
20-34	58	10.5	141	1	1	6	11	30	36	41
35-49	53	14.4	302	1	1	6	28	34	38	93
50-64	65	12.7	239	2	2	7	16	33	41	80
65+	61	9.5	166	1	2	6	9	22	44	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	6.8	65	<1	1	4	9	16	22	39
20-34	118	7.6	45	1	1	6	10	18	25	29
35-49	133	8.2	86	1	1	5	11	19	28	45
50-64	225	8.0	81	1	1	6	10	18	25	47
65+	665	8.1	77	1	1	5	10	18	26	42
B. *Operated*										
0-19 YRS	172	26.2	375	3	6	24	37	54	65	94
20-34	222	26.6	323	2	4	26	36	52	61	78
35-49	295	24.7	341	2	3	25	35	51	64	98
50-64	410	23.7	353	2	3	21	36	50	58	91
65+	717	19.2	296	2	3	12	30	44	54	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	5.1	58	<1	1	3	6	10	18	47
B. *Operated*	301	11.6	193	1	1	6	12	33	38	58
2. MULTIPLE DX										
A. *Not Operated*	1333	7.9	74	1	1	5	10	18	26	42
B. *Operated*	1816	22.7	335	2	3	19	34	47	59	89
1. SINGLE DX	587	8.4	138	<1	1	4	8	26	34	55
2. MULTIPLE DX	3149	16.4	278	1	2	9	26	40	51	78
A. NOT OPERATED	1619	7.4	72	1	1	5	9	17	25	42
B. OPERATED	2117	21.1	330	2	3	15	32	46	57	87
TOTAL 0-19 YRS	515	13.4	253	<1	1	7	16	37	47	69
20-34	435	17.5	294	1	2	10	28	40	53	76
35-49	518	18.3	313	1	2	11	30	41	54	85
50-64	743	16.9	302	1	2	10	27	41	53	85
65+	1525	13.2	214	1	2	7	17	35	45	74
GRAND TOTAL	**3736**	**15.2**	**264**	**1**	**2**	**8**	**24**	**38**	**49**	**75**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.6	7	<1	<1	1	3	6	9	11
20-34	31	4.1	7	1	1	4	6	8	10	10
35-49	98	4.2	17	<1	1	3	5	9	13	21
50-64	148	4.2	16	1	1	3	5	9	12	21
65+	146	5.6	22	1	1	4	8	12	14	21
B. *Operated*										
0-19 YRS	92	5.7	28	1	1	4	8	12	14	31
20-34	139	6.2	40	1	1	4	9	13	18	36
35-49	257	5.3	33	<1	1	3	7	10	15	37
50-64	566	5.5	26	1	1	4	8	12	16	25
65+	581	5.9	33	1	1	4	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.0	21	1	1	4	6	10	14	24
20-34	124	6.2	36	1	1	5	8	12	14	35
35-49	300	7.5	62	1	1	5	9	15	22	45
50-64	536	7.9	54	1	2	6	10	17	23	37
65+	1937	9.7	94	2	2	7	12	21	29	51
B. *Operated*										
0-19 YRS	124	14.5	198	1	3	10	19	36	41	88
20-34	253	14.1	189	2	3	10	17	35	44	68
35-49	556	12.6	169	2	2	9	15	26	39	80
50-64	1613	12.4	143	2	3	9	16	26	37	65
65+	3281	13.8	146	2	3	11	18	28	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	4.5	17	<1	1	3	6	10	13	21
B. *Operated*	1635	5.7	31	1	1	4	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	3385	8.8	78	1	2	6	11	18	26	48
B. *Operated*	5827	13.3	151	2	3	10	17	28	38	67
1. SINGLE DX	2093	5.4	28	<1	1	4	7	12	15	25
2. MULTIPLE DX	9212	11.7	129	2	2	8	15	25	35	62
A. NOT OPERATED	3843	8.3	72	1	2	6	10	17	24	46
B. OPERATED	7462	11.6	134	1	2	8	15	25	35	63
TOTAL 0-19 YRS	339	8.4	108	1	1	5	10	19	32	48
20-34	547	9.7	122	1	1	6	11	22	36	60
35-49	1211	9.1	112	1	1	6	11	20	29	58
50-64	3263	9.5	100	1	2	7	12	20	28	53
65+	5945	11.5	123	1	2	8	15	24	33	60
GRAND TOTAL	**11305**	**10.5**	**116**	**1**	**2**	**7**	**13**	**22**	**32**	**58**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	90	2.5	4	<1	<1	2	3	6	8	10
20-34	385	2.2	2	1	1	2	3	4	5	7
35-49	517	2.2	2	1	1	2	3	4	5	7
50-64	523	2.4	2	1	1	2	3	4	5	7
65+	384	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	4	4.8	11	1	1	4	7	9	9	9
65+	10	3.7	11	<1	<1	2	6	9	10	10
B. *Operated*										
0-19 YRS	34	4.2	24	1	1	2	5	9	16	24
20-34	88	3.2	6	1	1	2	4	7	9	12
35-49	208	2.7	3	1	1	2	3	5	6	10
50-64	379	3.0	4	1	1	3	4	5	7	10
65+	510	3.6	9	1	1	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	1899	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	3.1	9	<1	<1	2	5	8	9	10
B. *Operated*	1219	3.2	7	1	1	3	4	6	8	14
1. SINGLE DX	1909	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1240	3.2	7	1	1	3	4	6	8	14
A. NOT OPERATED	31	2.8	6	<1	<1	2	4	7	9	10
B. OPERATED	3118	2.7	4	1	1	2	3	5	6	10
TOTAL 0-19 YRS	126	2.9	10	<1	1	2	4	7	8	19
20-34	476	2.4	3	1	1	2	3	4	5	9
35-49	732	2.4	3	1	1	2	3	4	5	9
50-64	909	2.6	3	1	1	2	3	4	6	9
65+	906	3.2	6	1	1	3	4	5	7	13
GRAND TOTAL	**3149**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	<1	<1	3	3	4	4	4
20-34	9	3.4	4	<1	<1	3	5	6	7	7
35-49	22	2.0	2	<1	<1	2	3	4	5	5
50-64	43	1.7	2	<1	<1	1	2	4	5	7
65+	34	1.8	2	<1	<1	1	2	4	4	6
B. *Operated*										
0-19 YRS	68	3.2	7	<1	1	2	5	8	9	11
20-34	84	6.2	22	<1	1	6	8	12	15	24
35-49	213	4.2	12	<1	<1	3	7	9	10	13
50-64	491	4.0	14	<1	<1	2	7	9	11	15
65+	590	4.1	16	<1	<1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	2	<1	1	2	3	4	5	5
20-34	31	5.0	42	<1	1	3	6	9	10	37
35-49	30	3.7	6	<1	<1	3	6	7	8	8
50-64	113	3.8	10	<1	1	3	5	8	11	15
65+	264	4.7	18	<1	1	3	6	10	13	20
B. *Operated*										
0-19 YRS	69	6.5	31	1	1	5	9	15	21	99+
20-34	174	7.1	23	1	1	7	10	13	16	21
35-49	410	6.3	28	<1	1	5	9	12	15	24
50-64	1366	6.5	43	<1	1	5	9	13	16	30
65+	3127	7.4	53	1	1	6	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	1.9	2	<1	<1	1	3	4	5	7
B. *Operated*	1446	4.2	15	<1	<1	2	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	453	4.4	16	<1	1	3	6	9	12	19
B. *Operated*	5146	7.1	47	<1	1	6	10	14	18	33
1. SINGLE DX	1559	4.0	14	<1	<1	2	7	9	11	15
2. MULTIPLE DX	5599	6.8	45	<1	1	5	9	14	18	32
A. NOT OPERATED	566	3.9	14	<1	<1	3	5	8	11	18
B. OPERATED	6592	6.4	42	<1	<1	5	9	13	17	30
TOTAL 0-19 YRS	157	4.5	20	<1	1	3	7	11	14	93
20-34	298	6.5	25	1	1	6	9	12	15	23
35-49	675	5.4	22	<1	<1	4	8	11	13	22
50-64	2013	5.6	34	<1	<1	4	8	12	15	24
65+	4015	6.7	47	<1	1	5	9	14	18	33
GRAND TOTAL	**7158**	**6.2**	**40**	**<1**	**<1**	**5**	**9**	**13**	**17**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34										
35-49	3	1.0		1	1	1	1	1	1	1
50-64	5	5.2	12	1	1	5	8	10	10	10
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	284	1.8	4	<1	<1	1	2	3	6	11
20-34	116	3.6	10	<1	<1	2	6	8	10	14
35-49	161	3.9	9	<1	1	3	6	8	9	11
50-64	167	4.3	13	<1	1	3	6	9	10	16
65+	85	4.7	18	<1	<1	3	7	10	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	3	1	1	4	5	5	5	5
20-34	4	4.8		4	4	5	5	5	5	5
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	10	5.2	23	<1	<1	3	9	13	16	16
65+	8	6.5	45	1	1	4	7	18	22	22
B. *Operated*										
0-19 YRS	137	3.6	32	<1	1	2	3	7	15	31
20-34	69	5.0	22	1	1	4	8	10	13	21
35-49	120	5.7	30	<1	1	4	8	12	16	27
50-64	249	7.0	36	1	1	6	9	14	18	21
65+	245	8.4	79	1	1	7	11	17	23	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.9	8	1	1	2	5	7	9	10
B. *Operated*	813	3.3	10	<1	<1	2	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	32	5.2	19	<1	1	4	6	9	15	22
B. *Operated*	820	6.5	49	1	1	5	9	14	19	30
1. SINGLE DX	827	3.3	10	<1	<1	2	5	8	9	14
2. MULTIPLE DX	852	6.5	48	1	1	5	9	14	18	30
A. NOT OPERATED	46	4.5	17	<1	1	4	5	9	11	22
B. OPERATED	1633	4.9	32	<1	1	3	7	10	14	24
TOTAL 0-19 YRS	434	2.4	13	<1	<1	1	2	5	7	23
20-34	189	4.2	15	<1	<1	3	6	9	11	20
35-49	286	4.6	18	<1	1	4	7	9	11	24
50-64	431	5.9	28	<1	1	5	8	11	17	21
65+	339	7.4	65	1	1	6	10	15	20	53
GRAND TOTAL	**1679**	**4.9**	**32**	**<1**	**1**	**3**	**7**	**10**	**14**	**24**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	2	<1	<1	2	3	4	5	5
20-34	11	2.4	3	<1	<1	2	3	5	7	7
35-49	10	2.1	2	1	1	2	3	4	5	5
50-64	11	1.5	1	<1	<1	1	2	3	3	3
65+	8	2.4	5	<1	<1	1	4	6	6	6
B. *Operated*										
0-19 YRS	1127	2.2	4	<1	<1	2	3	4	6	9
20-34	871	2.3	4	<1	<1	2	3	5	6	10
35-49	1044	2.2	6	<1	<1	1	3	4	6	10
50-64	838	2.3	6	<1	<1	1	3	4	6	13
65+	361	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.7	1	<1	<1	1	2	3	4	4
20-34	23	2.2	4	<1	<1	1	3	5	7	8
35-49	13	3.8	9	<1	<1	3	7	8	8	8
50-64	37	3.0	10	<1	<1	2	4	6	10	16
65+	31	3.5	11	<1	<1	2	4	8	11	16
B. *Operated*										
0-19 YRS	270	4.0	24	1	1	2	5	9	12	22
20-34	373	3.7	17	<1	1	2	4	7	10	19
35-49	627	4.1	28	<1	<1	2	5	9	11	23
50-64	797	4.2	32	<1	1	2	5	9	13	23
65+	668	5.2	37	<1	1	3	7	11	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.1	2	<1	<1	1	3	4	6	7
B. *Operated*	4241	2.3	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	125	2.8	8	<1	<1	2	3	6	8	16
B. *Operated*	2735	4.3	29	<1	1	3	5	9	13	26
1. SINGLE DX	4294	2.3	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	2860	4.2	29	<1	1	3	5	9	13	25
A. NOT OPERATED	178	2.6	6	<1	<1	2	3	6	8	15
B. OPERATED	6976	3.1	16	<1	<1	2	3	7	9	18
TOTAL 0-19 YRS	1431	2.5	8	<1	1	2	3	5	7	13
20-34	1278	2.7	8	<1	<1	2	3	6	7	14
35-49	1694	2.9	15	<1	<1	2	3	6	9	17
50-64	1683	3.2	19	<1	<1	2	3	7	10	18
65+	1068	4.3	27	<1	<1	2	5	10	14	29
GRAND TOTAL	**7154**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**7**	**9**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	7	<1	<1	2	3	7	10	11
20-34	10	2.8	3	1	1	2	3	6	7	7
35-49	13	3.2	4	1	1	3	4	6	8	8
50-64	9	1.9	2	<1	<1	1	3	4	5	5
65+	7	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*										
0-19 YRS	958	2.3	7	<1	<1	1	3	5	7	12
20-34	286	2.6	6	<1	<1	2	3	6	8	12
35-49	225	2.8	7	<1	<1	2	3	7	9	12
50-64	180	2.7	6	<1	<1	2	3	6	8	12
65+	104	2.6	8	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.7	19	<1	<1	2	5	11	16	93
20-34	16	2.7	5	<1	1	2	3	7	8	8
35-49	32	3.9	10	<1	<1	3	5	9	11	13
50-64	23	4.3	8	1	1	4	5	9	10	10
65+	66	5.7	19	1	1	4	8	11	14	21
B. *Operated*										
0-19 YRS	328	4.6	50	<1	1	2	5	9	14	46
20-34	187	4.3	18	<1	<1	3	6	9	13	23
35-49	229	5.1	61	<1	<1	2	6	11	16	44
50-64	257	5.4	63	<1	<1	3	7	13	19	23
65+	261	6.8	62	<1	1	4	9	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.6	5	<1	<1	2	3	5	8	11
B. *Operated*	1753	2.5	7	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	195	4.4	16	<1	1	3	6	10	12	21
B. *Operated*	1262	5.3	53	<1	<1	3	7	12	17	37
1. SINGLE DX	1825	2.5	7	<1	<1	2	3	5	8	12
2. MULTIPLE DX	1457	5.2	48	<1	<1	3	7	12	17	37
A. NOT OPERATED	267	3.9	13	<1	1	3	5	10	11	20
B. OPERATED	3015	3.6	28	<1	<1	2	4	8	12	25
TOTAL 0-19 YRS	1377	2.9	19	<1	<1	2	3	6	9	24
20-34	499	3.3	11	<1	<1	2	4	7	9	17
35-49	499	3.9	33	<1	<1	2	5	9	11	31
50-64	469	4.2	39	<1	<1	2	5	10	14	22
65+	438	5.6	45	<1	<1	3	7	14	17	34
GRAND TOTAL	**3282**	**3.7**	**27**	**<1**	**<1**	**2**	**4**	**8**	**12**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	122	1.5	1	<1	<1	1	2	2	4	6
20-34	242	1.4	4	<1	<1	<1	1	2	3	4
35-49	266	1.4	1	<1	<1	1	2	2	3	5
50-64	214	1.5	1	<1	<1	1	2	3	3	5
65+	98	2.0	10	<1	<1	1	2	3	5	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	27	1.6	1	<1	<1	1	2	3	4	6
20-34	120	1.9	2	<1	<1	1	2	4	5	7
35-49	362	2.2	3	<1	<1	2	3	4	5	10
50-64	278	2.1	4	<1	<1	2	2	4	6	9
65+	271	2.6	8	<1	<1	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		<1	<1	1	2	2	2	2
B. *Operated*	942	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	10	1.4		<1	<1	1	2	3	3	3
B. *Operated*	1058	2.2	4	<1	<1	2	3	4	6	10
1. SINGLE DX	949	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1068	2.2	4	<1	<1	2	3	4	6	10
A. NOT OPERATED	17	1.4		<1	<1	1	2	2	3	3
B. OPERATED	2000	1.9	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	150	1.5	1	<1	<1	1	2	2	3	6
20-34	364	1.6	3	<1	<1	1	2	2	3	6
35-49	631	1.8	2	<1	<1	1	2	3	4	7
50-64	497	1.9	2	<1	<1	1	2	3	4	8
65+	375	2.4	9	<1	<1	2	3	4	6	12
GRAND TOTAL	**2017**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	2.7	2	<1	<1	2	4	5	5	6
35-49	61	2.9	4	1	1	2	4	6	8	9
50-64	10	2.4	4	<1	<1	1	4	5	6	6
65+										
B. *Operated*										
0-19 YRS	10	3.9	2	1	2	4	5	5	5	5
20-34	973	4.8	4	1	3	5	6	7	7	11
35-49	2811	5.0	3	2	3	5	6	7	8	9
50-64	424	5.0	4	1	2	5	6	7	8	11
65+	42	5.8	7	1	2	6	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	131	2.6	4	<1	<1	2	4	5	6	8
35-49	376	2.5	7	<1	<1	1	3	5	7	13
50-64	51	3.0	9	<1	<1	2	4	6	8	18
65+	31	4.4	9	<1	1	3	7	9	10	11
B. *Operated*										
0-19 YRS	31	4.9	3	2	3	5	6	7	8	10
20-34	4449	5.3	5	2	3	5	6	7	9	13
35-49	25686	5.5	5	3	4	5	6	8	9	13
50-64	4697	5.8	7	3	4	6	7	8	10	16
65+	632	7.4	22	3	4	6	8	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.8	4	<1	1	2	4	5	7	9
B. *Operated*	4260	5.0	3	1	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	592	2.7	6	<1	<1	2	4	6	7	12
B. *Operated*	35495	5.6	5	3	4	5	6	8	9	14
1. SINGLE DX	4359	4.9	4	1	3	5	6	7	8	10
2. MULTIPLE DX	36087	5.5	6	2	3	5	6	8	9	14
A. NOT OPERATED	691	2.7	6	<1	<1	2	4	6	7	11
B. OPERATED	39755	5.5	5	3	3	5	6	8	9	13
TOTAL 0-19 YRS	44	4.5	3	1	2	4	5	7	8	10
20-34	5581	5.1	5	1	3	5	6	7	8	12
35-49	28934	5.4	5	3	3	5	6	8	8	13
50-64	5182	5.7	6	2	3	6	7	8	9	15
65+	705	7.2	21	2	4	6	8	11	15	24
GRAND TOTAL	**40446**	**5.5**	**5**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	23	4.5	4	1	2	5	6	7	8	8
35-49	42	4.2	5	<1	1	4	6	7	8	10
50-64	13	4.6	8	1	1	5	6	9	11	11
65+	5	2.8	6	<1	<1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	5	3.4	2	<1	<1	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	85	4.8	6	1	1	4	6	8	9	13
35-49	351	5.3	4	3	3	5	6	7	9	12
50-64	113	5.2	7	1	2	5	6	8	10	16
65+	27	7.2	27	1	2	6	8	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	83	4.3	5	<1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	8	3.4	3	<1	1	4	4	6	6	6
B. *Operated*	576	5.3	6	2	3	5	6	8	9	15
1. SINGLE DX	84	4.3	5	1	1	4	6	7	8	11
2. MULTIPLE DX	584	5.3	6	2	3	5	6	8	9	15
A. NOT OPERATED	9	3.2	2	<1	1	4	4	5	6	6
B. OPERATED	659	5.2	6	1	3	5	6	8	9	15
TOTAL 0-19 YRS										
20-34	111	4.7	6	1	1	4	6	8	8	13
35-49	398	5.2	5	2	3	5	6	7	8	12
50-64	127	5.1	7	1	2	5	6	8	10	15
65+	32	6.5	26	1	1	6	8	15	17	23
GRAND TOTAL	**668**	**5.1**	**6**	**1**	**2**	**5**	**6**	**8**	**9**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	12	1	1	5	7	8	8	8
20-34	4	5.5	4	3	3	6	7	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	349	4.4	2	3	3	4	5	6	7	8
20-34	1266	4.2	2	2	3	4	5	6	6	8
35-49	430	4.9	2	3	3	5	6	7	8	10
50-64	275	5.7	5	3	4	5	6	8	9	14
65+	154	6.3	4	3	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	5	<1	<1	1	4	6	7	7
20-34	13	3.5	4	<1	<1	4	5	6	6	6
35-49	5	3.4	2	<1	<1	4	4	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	264	5.0	5	3	3	5	6	7	8	11
20-34	1617	4.8	4	3	3	5	6	7	8	11
35-49	1518	5.6	5	3	4	5	6	8	9	14
50-64	1019	6.7	11	4	4	6	7	10	13	19
65+	974	8.6	36	4	5	7	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.3	6	<1	1	5	6	8	8	8
B. *Operated*	2474	4.6	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	31	3.5	5	<1	<1	4	5	6	7	9
B. *Operated*	5392	6.1	13	3	3	5	7	9	11	20
1. SINGLE DX	2485	4.6	3	3	3	4	5	6	7	10
2. MULTIPLE DX	5423	6.1	13	3	3	5	7	9	11	20
A. NOT OPERATED	42	3.7	5	<1	<1	4	5	7	8	9
B. OPERATED	7866	5.6	10	3	3	5	6	8	10	17
TOTAL 0-19 YRS	625	4.6	4	3	3	4	5	6	7	10
20-34	2900	4.5	3	3	3	4	5	6	7	10
35-49	1955	5.4	5	3	3	5	6	7	9	13
50-64	1298	6.4	10	3	4	6	7	9	12	19
65+	1130	8.3	32	4	5	7	9	13	17	27
GRAND TOTAL	**7908**	**5.6**	**10**	**3**	**3**	**5**	**6**	**8**	**10**	**17**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	3	<1	<1	4	5	5	5	5
20-34	37	3.1	3	<1	<1	3	4	5	6	7
35-49	37	3.1	4	<1	<1	3	4	6	7	8
50-64	9	2.0	3	<1	<1	1	2	5	6	6
65+	4	2.8	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	42	4.3	6	<1	1	4	5	7	9	12
35-49	73	4.8	6	1	1	5	6	7	9	12
50-64	41	5.8	16	1	2	5	7	9	11	24
65+	32	4.4	8	1	1	4	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	93	3.0	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	189	4.9	9	1	1	5	6	8	9	14
1. SINGLE DX	96	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	189	4.9	9	1	1	5	6	8	9	14
A. NOT OPERATED	3	1.3		<1	<1	1	2	2	2	2
B. OPERATED	282	4.2	8	<1	1	4	6	7	9	13
TOTAL 0-19 YRS	8	3.4	3	<1	<1	4	5	5	5	5
20-34	80	3.7	5	<1	1	4	5	6	7	12
35-49	111	4.2	6	<1	1	4	6	7	8	11
50-64	50	5.1	15	<1	1	5	7	9	9	24
65+	36	4.3	8	<1	1	4	6	8	9	13
GRAND TOTAL	**285**	**4.2**	**8**	**<1**	**1**	**4**	**6**	**7**	**8**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	18	1.7	1	<1	<1	1	2	3	3	3
20-34	48	1.7	1	1	1	1	2	3	3	7
35-49	30	1.8	1	<1	1	2	2	3	3	3
50-64	25	2.5	4	<1	<1	2	3	6	7	8
65+	7	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.0	5	<1	<1	1	2	5	8	9
20-34	19	3.6	21	<1	1	1	4	10	15	19
35-49	17	2.1	1	1	1	2	3	3	4	5
50-64	22	4.0	14	<1	1	3	5	8	12	18
65+	42	4.8	12	1	1	4	8	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	128	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	112	3.7	12	<1	1	2	5	9	10	18
1. SINGLE DX	128	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	113	3.7	12	<1	1	2	5	9	10	18
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	240	2.7	7	<1	1	2	3	6	9	13
TOTAL 0-19 YRS	30	1.8	2	<1	<1	1	2	3	3	9
20-34	67	2.2	7	1	1	1	2	4	7	17
35-49	48	1.9	1	<1	1	2	3	3	3	5
50-64	47	3.2	9	<1	<1	2	4	7	8	18
65+	49	4.4	11	1	1	3	7	10	11	12
GRAND TOTAL	**241**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**6**	**9**	**13**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	17	3.9	9	<1	<1	3	6	9	10	10
35-49	25	5.2	11	<1	1	5	7	9	11	14
50-64	41	2.9	8	<1	<1	1	4	7	9	12
65+	48	3.5	15	<1	1	2	3	8	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	3	5.3	33	2	2	2	10	12	12	12
B. *Operated*										
0-19 YRS	7	7.0	22	2	2	8	9	14	15	15
20-34	17	5.2	17	1	1	4	7	10	15	17
35-49	34	6.1	23	1	1	6	9	11	12	25
50-64	91	5.9	19	1	1	5	9	11	15	19
65+	220	5.2	25	1	1	3	7	10	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	134	3.6	11	<1	<1	2	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	20	<1	<1	2	6	12	12	12
B. *Operated*	369	5.5	23	1	1	4	8	11	15	25
1. SINGLE DX	136	3.6	11	<1	<1	2	5	8	10	15
2. MULTIPLE DX	374	5.4	23	1	1	4	8	11	15	25
A. NOT OPERATED	7	3.6	15	<1	<1	2	4	10	12	12
B. OPERATED	503	5.0	20	1	1	3	7	10	13	23
TOTAL 0-19 YRS	11	5.1	20	1	1	3	9	12	15	15
20-34	35	4.5	13	<1	<1	4	7	9	11	17
35-49	60	5.7	18	1	1	5	8	10	12	24
50-64	132	5.0	18	<1	1	4	7	11	13	18
65+	272	4.9	23	1	1	3	7	10	14	25
GRAND TOTAL	**510**	**5.0**	**20**	**1**	**1**	**3**	**7**	**10**	**13**	**23**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.4	1	<1	<1	1	2	2	3	6
20-34	9	2.7	5	<1	<1	2	3	6	8	8
35-49	6	2.3	11	<1	<1	1	1	8	9	9
50-64	4	6.8	48	1	1	6	12	15	15	15
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	5	4.2	17	<1	<1	3	6	11	11	11
50-64	2	4.0		4	4	4	4	4	4	4
65+	9	2.6	3	<1	<1	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	48	2.2	8	<1	<1	1	2	5	9	15
2. MULTIPLE DX										
A. *Not Operated*	2	6.5	61	<1	<1	6	12	12	12	12
B. *Operated*	22	3.0	6	<1	<1	2	4	5	8	11
1. SINGLE DX	48	2.2	8	<1	<1	1	2	5	9	15
2. MULTIPLE DX	24	3.3	9	<1	<1	2	4	6	11	12
A. NOT OPERATED	2	6.5	61	<1	<1	6	12	12	12	12
B. OPERATED	70	2.5	7	<1	<1	1	3	5	9	14
TOTAL 0-19 YRS	31	1.5	1	<1	<1	1	2	2	3	6
20-34	12	2.6	5	<1	<1	2	4	6	8	8
35-49	11	3.2	13	<1	<1	1	4	10	11	11
50-64	7	6.7	31	1	1	4	11	14	15	15
65+	11	2.5	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**72**	**2.6**	**8**	**<1**	**<1**	**1**	**3**	**6**	**10**	**14**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	13	1.9	2	1	1	1	2	4	6	6
50-64	15	2.3	2	1	1	2	3	4	6	6
65+	18	3.2	5	<1	<1	3	5	6	7	8
B. *Operated*										
0-19 YRS	28	7.9	18	1	2	7	11	13	16	16
20-34	89	7.7	15	1	1	8	10	13	15	17
35-49	249	8.3	42	1	2	8	10	14	16	25
50-64	231	8.6	30	1	2	8	11	15	18	26
65+	160	9.8	49	1	2	9	12	18	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	11	5.4	34	1	1	2	7	16	18	18
35-49	27	7.7	179	1	1	5	7	9	23	73
50-64	69	4.9	26	1	1	4	7	11	20	85
65+	244	7.7	60	1	2	5	9	15	20	46
B. *Operated*										
0-19 YRS	49	12.7	106	2	4	9	16	28	30	53
20-34	103	12.4	122	2	3	10	15	28	33	60
35-49	275	12.9	100	2	4	10	17	23	31	80
50-64	494	14.7	188	2	4	10	17	30	49	93
65+	633	16.8	190	3	5	13	21	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.6	4	1	1	2	4	5	6	8
B. *Operated*	757	8.6	36	1	2	8	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	355	7.0	62	1	1	5	9	14	20	50
B. *Operated*	1554	15.0	169	2	4	11	19	30	44	96
1. SINGLE DX	809	8.3	36	1	2	8	10	14	17	29
2. MULTIPLE DX	1909	13.5	159	2	3	10	17	28	41	86
A. NOT OPERATED	407	6.5	56	1	1	5	8	14	19	48
B. OPERATED	2311	12.9	134	2	3	10	16	25	35	75
TOTAL 0-19 YRS	83	10.3	79	1	2	8	13	24	29	46
20-34	207	9.8	76	1	2	8	11	18	28	47
35-49	564	10.4	83	1	2	9	13	19	24	71
50-64	809	11.9	139	1	2	9	14	23	35	75
65+	1055	13.4	153	2	3	10	17	28	41	86
GRAND TOTAL	**2718**	**12.0**	**128**	**1**	**2**	**9**	**14**	**24**	**34**	**73**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	76	2.2	1	1	1	2	3	3	4	5
20-34	643	2.5	1	1	1	2	3	4	4	6
35-49	818	2.6	1	1	1	2	3	4	4	6
50-64	472	2.9	3	1	1	3	3	4	5	6
65+	185	2.9	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	6	5.3	25	2	2	3	6	14	15	15
65+	8	6.6	21	3	3	5	9	14	16	16
B. *Operated*										
0-19 YRS	26	2.4	1	1	1	2	3	4	4	5
20-34	207	3.0	3	1	2	3	4	5	5	10
35-49	402	3.0	3	1	1	3	4	5	6	10
50-64	518	3.8	10	1	2	3	4	6	8	14
65+	396	4.7	17	2	2	4	5	8	10	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	2194	2.6	2	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	19	5.4	17	2	2	4	6	13	16	16
B. *Operated*	1609	3.7	9	1	2	3	4	6	7	15
1. SINGLE DX	2198	2.6	2	1	1	3	3	4	4	6
2. MULTIPLE DX	1628	3.7	9	1	2	3	4	6	7	15
A. NOT OPERATED	23	4.8	16	1	2	4	6	12	15	16
B. OPERATED	3803	3.1	5	1	1	3	4	5	6	10
TOTAL 0-19 YRS	103	2.3	1	1	1	2	3	3	4	5
20-34	851	2.6	2	1	1	2	3	4	5	7
35-49	1285	2.7	2	1	1	3	3	4	5	7
50-64	998	3.3	7	1	1	3	4	5	6	12
65+	589	4.2	13	1	2	3	4	7	9	24
GRAND TOTAL	**3826**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	1	<1	<1	1	2	3	3	3
20-34	8	3.6	6	2	2	3	4	8	9	9
35-49	14	3.4	6	1	1	3	5	8	8	8
50-64	9	3.1	2	1	1	4	4	5	5	5
65+	5	4.8	14	<1	<1	4	6	11	11	11
B. *Operated*										
0-19 YRS	11	6.0	2	4	4	6	7	8	8	8
20-34	97	6.5	10	3	3	6	7	9	11	20
35-49	131	5.4	12	1	2	5	7	10	13	16
50-64	163	5.0	13	2	2	4	6	9	14	19
65+	114	5.6	19	2	2	4	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	8	2	2	2	7	7	7	7
20-34	31	4.9	22	1	1	3	6	13	14	20
35-49	35	4.4	9	1	2	4	5	8	12	13
50-64	47	5.0	8	<1	2	5	7	9	10	12
65+	58	8.1	47	1	2	6	10	15	21	37
B. *Operated*										
0-19 YRS	31	11.0	154	3	3	7	11	24	34	65
20-34	159	7.2	27	2	2	6	8	12	19	33
35-49	290	7.8	42	2	2	6	10	16	22	34
50-64	534	7.9	64	2	2	5	9	16	23	41
65+	526	9.0	90	2	3	6	11	18	26	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.2	5	<1	1	3	4	6	8	11
B. *Operated*	516	5.5	13	2	2	5	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	176	5.8	26	1	2	4	8	12	15	24
B. *Operated*	1540	8.2	67	2	2	6	10	17	23	43
1. SINGLE DX	561	5.3	13	1	2	5	7	9	11	19
2. MULTIPLE DX	1716	8.0	63	2	2	5	10	16	22	41
A. NOT OPERATED	221	5.3	23	1	1	4	7	11	14	24
B. OPERATED	2056	7.6	55	2	2	5	9	15	21	38
TOTAL 0-19 YRS	56	7.9	99	1	2	6	8	15	26	63
20-34	295	6.6	21	2	2	6	8	11	16	29
35-49	470	6.7	32	2	2	5	8	14	17	31
50-64	753	7.0	50	2	2	5	9	14	19	38
65+	703	8.3	76	2	2	5	10	17	23	48
GRAND TOTAL	**2277**	**7.3**	**52**	**2**	**2**	**5**	**9**	**15**	**20**	**37**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0		4	4	4	4	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.7	5	<1	<1	1	4	6	6	6
20-34	1198	3.4	4	<1	1	4	5	6	6	8
35-49	583	3.8	4	<1	1	4	5	6	7	9
50-64	143	4.3	5	1	1	4	6	7	8	10
65+	63	4.5	8	1	1	4	6	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	1.5	2	<1	<1	1	1	3	5	6
35-49	19	2.0	5	<1	<1	1	2	4	8	10
50-64	4	1.8	2	<1	<1	1	28	99+	99+	99+
65+	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	14	2.5	4	1	1	2	3	6	7	7
20-34	1364	4.2	4	1	1	4	5	7	7	10
35-49	1270	4.9	6	1	2	5	6	7	8	13
50-64	365	5.5	9	1	2	5	7	8	10	16
65+	228	5.7	15	1	1	6	7	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	2	1	1	2	4	4	4	4
B. *Operated*	1996	3.6	4	<1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	51	1.9	3	<1	<1	1	2	5	7	98
B. *Operated*	3241	4.7	6	1	1	5	6	7	8	13
1. SINGLE DX	2001	3.6	4	<1	1	4	5	6	7	9
2. MULTIPLE DX	3292	4.7	7	1	1	5	6	7	8	13
A. NOT OPERATED	56	1.9	3	<1	<1	1	2	5	7	94
B. OPERATED	5237	4.3	6	1	1	4	6	7	8	12
TOTAL 0-19 YRS	23	2.6	4	<1	1	2	4	6	7	7
20-34	2588	3.8	4	<1	1	4	5	6	7	9
35-49	1875	4.6	5	1	1	5	6	7	8	12
50-64	512	5.1	8	1	2	5	6	8	10	16
65+	295	5.4	14	1	1	5	7	9	12	19
GRAND TOTAL	**5293**	**4.3**	**6**	**1**	**1**	**4**	**6**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	5.0	13	2	2	4	7	10	10	10
65+	6	2.8	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	56	4.1	10	<1	1	3	6	8	10	16
35-49	230	3.8	6	<1	1	3	5	7	8	12
50-64	324	3.8	10	<1	1	3	5	7	10	15
65+	283	4.0	9	<1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	22	5.3	34	<1	1	4	6	13	20	24
65+	18	5.7	38	<1	1	3	9	18	20	20
B. *Operated*										
0-19 YRS	3	5.3	16	1	1	6	8	9	9	9
20-34	73	5.3	25	1	1	4	6	10	13	30
35-49	339	5.3	30	1	1	4	6	10	12	24
50-64	656	6.3	34	1	1	5	8	12	15	31
65+	1154	7.4	49	1	2	6	10	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.1	6	<1	<1	2	4	6	9	10
B. *Operated*	894	3.9	9	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	46	5.1	32	<1	1	3	6	13	20	24
B. *Operated*	2225	6.7	41	1	1	5	9	13	17	32
1. SINGLE DX	909	3.9	9	<1	1	3	5	8	10	14
2. MULTIPLE DX	2271	6.6	41	1	1	5	9	13	17	32
A. NOT OPERATED	61	4.6	26	<1	1	3	5	10	19	24
B. OPERATED	3119	5.9	33	1	1	4	8	12	15	29
TOTAL 0-19 YRS	8	3.9	9	1	1	3	6	8	9	9
20-34	132	4.7	18	<1	1	4	6	9	11	24
35-49	573	4.7	21	1	1	4	6	8	11	20
50-64	1006	5.5	27	1	1	4	7	11	14	24
65+	1461	6.7	42	1	1	5	9	14	18	32
GRAND TOTAL	**3180**	**5.8**	**33**	**1**	**1**	**4**	**8**	**12**	**15**	**29**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.5	4	<1	<1	2	3	5	7	10
20-34	53	2.7	3	<1	1	2	3	4	6	10
35-49	57	3.6	26	<1	<1	2	4	7	11	34
50-64	81	4.4	40	1	1	3	5	8	12	41
65+	88	3.8	7	<1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	292	4.5	22	<1	1	3	6	9	13	24
20-34	441	4.0	11	1	1	3	5	9	11	16
35-49	483	3.9	11	<1	1	3	6	8	10	15
50-64	591	4.1	15	<1	1	3	6	9	12	17
65+	543	4.3	19	<1	1	3	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.3	34	<1	<1	2	3	6	9	35
20-34	159	3.9	23	<1	1	3	4	8	10	22
35-49	181	4.1	25	<1	<1	3	5	8	11	24
50-64	334	5.4	28	<1	1	4	7	12	16	29
65+	946	6.4	47	1	1	5	8	13	17	29
B. *Operated*										
0-19 YRS	213	7.6	49	1	1	6	9	15	23	40
20-34	416	6.0	30	1	1	5	7	11	16	28
35-49	710	6.4	43	1	1	5	8	12	16	54
50-64	1152	7.5	53	1	1	6	9	15	20	37
65+	2372	8.9	71	1	2	7	11	18	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	3.5	17	<1	1	2	4	7	9	14
B. *Operated*	2350	4.2	15	<1	1	3	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1753	5.5	39	<1	1	4	7	12	16	29
B. *Operated*	4863	7.9	59	1	2	6	10	16	22	43
1. SINGLE DX	2694	4.1	15	<1	1	3	6	9	11	17
2. MULTIPLE DX	6616	7.3	55	1	1	5	9	15	21	40
A. NOT OPERATED	2097	5.2	36	<1	1	3	7	11	15	29
B. OPERATED	7213	6.7	48	1	1	5	9	14	19	38
TOTAL 0-19 YRS	703	5.0	34	<1	1	3	7	11	15	27
20-34	1069	4.7	21	1	1	4	6	9	12	24
35-49	1431	5.2	31	1	1	4	7	10	13	30
50-64	2158	6.1	41	1	1	5	8	13	16	30
65+	3949	7.6	60	1	1	6	10	16	21	41
GRAND TOTAL	**9310**	**6.3**	**46**	**1**	**1**	**5**	**8**	**13**	**18**	**35**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	5	1.8	1	<1	<1	1	3	3	3	3
35-49	12	2.4	2	<1	<1	2	4	5	5	5
50-64	9	2.4	3	<1	<1	2	4	5	5	5
65+	10	5.2	16	1	1	4	7	11	14	14
B. *Operated*										
0-19 YRS	68	2.3	1	1	1	2	3	4	4	5
20-34	520	2.7	1	1	1	3	3	4	5	7
35-49	779	2.9	2	1	1	3	4	4	5	8
50-64	642	3.1	2	1	2	3	4	4	5	8
65+	270	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	<1	<1	3	3	4	4	4
20-34	19	4.1	6	<1	<1	4	7	7	8	8
35-49	38	2.2	4	<1	<1	1	3	5	6	10
50-64	34	3.5	13	<1	<1	2	5	8	12	15
65+	74	5.5	13	1	2	4	7	10	13	17
B. *Operated*										
0-19 YRS	26	2.9	1	2	2	3	4	4	5	5
20-34	189	3.1	2	1	2	3	4	5	5	7
35-49	427	3.8	6	1	2	3	4	6	8	13
50-64	582	4.0	8	2	2	3	5	6	8	17
65+	593	5.5	32	2	2	4	6	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.2	7	<1	<1	3	4	6	8	14
B. *Operated*	2279	2.9	2	1	1	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	170	4.1	11	<1	<1	3	6	9	10	16
B. *Operated*	1817	4.3	15	2	2	4	5	7	9	21
1. SINGLE DX	2317	2.9	2	1	1	3	4	4	5	8
2. MULTIPLE DX	1987	4.3	15	1	2	4	5	7	10	20
A. NOT OPERATED	208	3.9	11	<1	<1	3	5	8	10	16
B. OPERATED	4096	3.5	8	1	2	3	4	5	7	14
TOTAL 0-19 YRS	101	2.5	1	1	1	2	3	4	4	5
20-34	733	2.8	2	1	1	3	3	4	5	7
35-49	1256	3.2	4	1	1	3	4	5	6	11
50-64	1267	3.5	5	1	2	3	4	5	7	14
65+	947	4.9	23	2	2	4	5	9	11	23
GRAND TOTAL	**4304**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**14**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.5	8	<1	1	3	4	8	10	12
20-34	102	3.9	5	1	1	3	5	7	9	11
35-49	108	4.4	8	1	1	4	6	9	10	14
50-64	52	4.1	6	1	1	4	6	8	8	11
65+	26	5.6	16	1	2	5	6	10	14	21
B. *Operated*										
0-19 YRS	93	3.2	3	1	1	3	4	5	5	11
20-34	356	3.5	4	1	2	3	4	5	6	13
35-49	369	3.1	3	1	1	3	4	5	6	9
50-64	229	3.3	4	1	2	3	4	5	7	9
65+	86	3.5	4	1	1	3	5	6	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.0	10	1	1	3	5	8	10	16
20-34	257	4.8	14	1	1	4	6	9	12	21
35-49	373	5.4	16	1	2	4	7	10	13	17
50-64	496	6.2	19	2	2	5	8	11	14	24
65+	909	8.8	61	2	3	7	11	17	20	37
B. *Operated*										
0-19 YRS	37	5.5	31	1	1	4	6	8	18	31
20-34	217	4.3	15	1	2	3	5	7	9	26
35-49	295	4.4	10	1	2	4	5	8	11	18
50-64	317	5.2	28	1	2	4	6	10	14	28
65+	324	10.6	150	2	3	6	13	25	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	4.2	8	1	1	4	5	8	9	12
B. *Operated*	1133	3.3	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2115	6.9	39	1	2	5	8	13	17	29
B. *Operated*	1190	6.3	61	1	2	4	7	12	20	39
1. SINGLE DX	1478	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX	3305	6.7	47	1	2	5	8	13	18	34
A. NOT OPERATED	2460	6.5	35	1	2	5	8	12	16	28
B. OPERATED	2323	4.9	35	1	2	3	5	8	11	30
TOTAL 0-19 YRS	267	3.8	10	1	1	3	4	7	9	17
20-34	932	4.1	10	1	1	3	5	7	9	16
35-49	1145	4.3	10	1	2	3	5	8	10	16
50-64	1094	5.2	19	1	2	4	6	9	13	24
65+	1345	8.8	81	2	3	6	10	17	24	45
GRAND TOTAL	**4783**	**5.7**	**36**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	5.4	46	2	2	5	6	8	9	44
20-34	139	4.2	11	1	1	4	6	7	8	12
35-49	141	4.7	7	1	2	4	6	8	9	13
50-64	128	5.0	9	1	2	5	7	9	10	15
65+	48	5.3	15	1	2	4	6	10	14	21
B. *Operated*										
0-19 YRS										
20-34	3	3.3		3	3	3	4	4	4	4
35-49	6	2.2	2	1	1	2	3	4	4	4
50-64	5	7.2	37	1	1	8	11	16	16	16
65+	7	4.3	34	<1	<1	2	4	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	509	4.6	17	<1	1	4	6	8	9	27
20-34	334	4.8	25	1	1	4	6	8	11	34
35-49	553	5.0	13	1	2	4	6	9	11	23
50-64	806	5.6	12	2	2	5	7	9	12	18
65+	561	6.7	34	2	3	6	8	11	15	31
B. *Operated*										
0-19 YRS	10	6.1	24	1	1	5	7	14	16	16
20-34	28	5.8	17	1	1	5	7	12	14	18
35-49	66	8.9	72	1	2	7	12	14	31	47
50-64	117	8.8	35	1	2	8	12	17	21	25
65+	72	12.4	107	2	4	9	17	26	34	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	5.1	27	1	2	4	6	8	9	21
B. *Operated*	21	4.2	21	<1	1	3	4	12	16	17
2. MULTIPLE DX										
A. *Not Operated*	2763	5.4	20	1	2	5	7	9	12	25
B. *Operated*	293	9.3	62	1	2	7	12	18	23	43
1. SINGLE DX	901	5.0	27	1	2	4	6	8	9	21
2. MULTIPLE DX	3056	5.8	25	1	2	5	7	10	13	27
A. NOT OPERATED	3643	5.3	21	1	2	5	7	9	11	23
B. OPERATED	314	9.0	61	1	2	7	12	18	23	41
TOTAL 0-19 YRS	943	5.0	30	1	1	4	6	8	9	32
20-34	504	4.7	21	1	1	4	6	8	10	33
35-49	766	5.3	18	1	2	4	6	9	12	26
50-64	1056	5.9	15	2	2	5	7	10	14	21
65+	688	7.2	43	2	2	6	8	13	18	35
GRAND TOTAL	**3957**	**5.6**	**26**	**1**	**2**	**5**	**7**	**9**	**13**	**26**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1873	3.6	6	1	1	3	5	7	8	12
20-34	1250	3.6	5	1	1	3	5	6	8	11
35-49	490	4.3	7	1	2	4	6	8	9	12
50-64	221	5.4	11	1	2	5	7	9	11	17
65+	145	6.2	26	2	2	5	7	10	14	22
B. *Operated*										
0-19 YRS	20	5.1	6	1	2	5	7	9	9	10
20-34	14	4.8	4	2	3	4	5	8	9	9
35-49	7	6.6	26	1	1	5	9	15	16	16
50-64	3	10.7	44	5	5	9	16	18	18	18
65+	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2722	4.3	16	1	1	3	5	8	10	16
20-34	3542	4.7	11	1	2	4	6	8	10	17
35-49	2232	5.9	17	2	2	5	7	11	13	21
50-64	1902	7.3	24	2	3	6	9	13	16	26
65+	2715	9.1	48	3	3	8	11	16	21	37
B. *Operated*										
0-19 YRS	98	7.9	48	2	3	7	9	12	18	44
20-34	321	10.2	95	2	3	7	11	20	29	54
35-49	365	11.3	96	3	4	9	13	21	28	74
50-64	342	16.2	191	4	5	12	20	34	48	91
65+	481	18.9	196	5	7	15	24	41	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3979	3.9	7	1	1	3	5	7	9	13
B. *Operated*	47	5.5	11	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	13113	6.1	26	2	2	5	8	11	15	26
B. *Operated*	1607	14.2	158	3	4	10	17	30	43	95
1. SINGLE DX	4026	3.9	7	1	1	3	5	7	9	13
2. MULTIPLE DX	14720	7.0	47	2	2	5	8	13	18	37
A. NOT OPERATED	17092	5.6	23	1	2	4	7	10	14	24
B. OPERATED	1654	13.9	156	3	4	10	17	30	43	93
TOTAL 0-19 YRS	4713	4.1	13	1	1	3	5	8	9	15
20-34	5127	4.7	17	1	2	4	6	8	11	21
35-49	3094	6.3	29	2	2	5	8	12	15	27
50-64	2468	8.3	56	2	3	7	10	16	21	45
65+	3344	10.4	80	3	3	8	13	20	28	60
GRAND TOTAL	**18746**	**6.3**	**40**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	961	4.8	8	1	2	4	6	8	10	15
20-34	949	4.2	6	1	2	4	5	7	8	12
35-49	1055	4.8	7	2	2	4	6	8	10	14
50-64	1323	5.1	8	2	2	5	6	8	10	15
65+	1046	5.6	14	2	2	5	7	9	11	18
B. *Operated*										
0-19 YRS	5	4.8	7	2	2	4	6	9	9	9
20-34	43	3.3	10	<1	1	2	4	6	10	17
35-49	57	4.1	15	1	1	3	6	8	9	21
50-64	98	4.6	22	1	1	3	6	10	15	22
65+	91	5.9	48	1	1	3	8	14	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1259	5.0	25	1	2	4	6	9	11	22
20-34	3468	5.4	21	1	2	4	7	9	12	24
35-49	6362	5.9	17	2	2	5	7	10	13	20
50-64	11770	6.4	20	2	3	5	8	11	14	22
65+	16638	7.4	32	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	72	7.3	32	2	2	6	10	14	16	32
20-34	1015	9.0	91	2	2	6	11	20	28	55
35-49	2413	11.7	123	2	3	8	15	25	35	59
50-64	5113	13.7	158	2	3	10	17	30	41	74
65+	7022	15.7	173	3	4	12	20	32	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5334	4.9	9	2	2	4	6	8	10	15
B. *Operated*	294	4.7	27	1	1	3	6	10	16	25
2. MULTIPLE DX										
A. *Not Operated*	39497	6.6	25	2	3	6	8	11	14	25
B. *Operated*	15635	13.9	158	2	3	10	18	30	41	75
1. SINGLE DX	5628	4.9	10	1	2	4	6	8	10	16
2. MULTIPLE DX	55132	8.7	74	2	3	6	10	17	24	50
A. NOT OPERATED	44831	6.4	24	2	2	5	8	11	14	24
B. OPERATED	15929	13.7	157	2	3	10	18	29	41	74
TOTAL 0-19 YRS	2297	5.0	19	1	2	4	6	9	11	21
20-34	5475	5.8	34	1	2	4	7	11	14	31
35-49	9887	7.2	48	2	2	5	8	13	18	41
50-64	18304	8.3	68	2	3	6	9	16	23	48
65+	24797	9.6	86	2	3	7	11	19	27	57
GRAND TOTAL	**60760**	**8.3**	**69**	**2**	**3**	**6**	**10**	**16**	**23**	**48**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	2	1	1	1	3	4	4	4
20-34	19	2.1	1	<1	1	2	2	4	5	5
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	27	3.3	3	<1	<1	4	5	5	6	7
20-34	143	3.6	4	<1	1	4	5	6	7	9
35-49	20	3.8	2	1	1	4	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	1	2	3	4	5	5
20-34	63	3.9	9	1	1	3	5	7	9	18
35-49	12	6.3	12	1	3	5	8	11	14	14
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	52	4.0	5	<1	1	4	5	7	8	9
20-34	470	4.3	6	<1	1	4	5	7	8	11
35-49	106	4.9	6	1	2	5	6	7	8	14
50-64	6	6.0	6	3	3	6	8	9	9	9
65+	5	6.0	18	2	2	5	8	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.2	2	1	1	2	3	4	5	6
B. *Operated*	191	3.6	4	<1	1	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	94	3.9	9	1	1	3	5	7	10	17
B. *Operated*	639	4.4	6	<1	1	4	6	7	8	12
1. SINGLE DX	225	3.4	4	<1	1	3	5	6	6	9
2. MULTIPLE DX	733	4.3	6	<1	1	4	5	7	8	12
A. NOT OPERATED	128	3.5	8	1	1	3	5	7	9	15
B. OPERATED	830	4.2	5	<1	1	4	5	7	8	11
TOTAL 0-19 YRS	104	3.3	4	<1	1	3	5	6	7	9
20-34	695	4.0	6	<1	1	4	5	6	8	11
35-49	143	4.8	6	1	2	5	6	7	9	14
50-64	10	5.0	7	1	1	5	7	8	9	9
65+	6	5.8	14	2	2	5	6	12	13	13
GRAND TOTAL	**958**	**4.1**	**6**	**<1**	**1**	**4**	**5**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	378	2.0	4	<1	<1	1	2	4	6	12
20-34	169	3.2	5	1	1	3	4	5	8	11
35-49	146	3.6	7	1	1	3	4	7	9	13
50-64	114	3.9	11	<1	1	3	4	8	10	20
65+	133	3.9	11	1	1	3	5	7	10	17
B. *Operated*										
0-19 YRS	27	4.4	12	1	1	3	6	9	11	16
20-34	47	4.2	9	1	1	4	6	8	11	14
35-49	68	4.5	13	1	1	3	6	9	13	17
50-64	62	4.3	17	1	2	3	4	7	12	27
65+	42	6.2	51	2	2	5	7	9	14	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	821	3.1	12	<1	1	2	4	6	9	18
20-34	927	4.2	20	1	1	3	5	8	10	18
35-49	1117	4.6	17	1	1	4	6	9	12	21
50-64	2106	5.4	27	1	1	4	7	11	14	24
65+	5873	6.2	31	1	2	5	8	12	15	29
B. *Operated*										
0-19 YRS	55	13.1	306	1	2	6	14	36	54	99
20-34	141	9.5	83	1	2	7	12	24	33	99+
35-49	298	8.9	97	2	2	6	10	19	27	75
50-64	502	9.9	141	2	2	6	11	20	29	74
65+	825	11.8	136	2	3	8	15	24	35	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	3.0	7	<1	1	2	4	6	8	13
B. *Operated*	246	4.7	20	1	1	4	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	10844	5.4	27	1	1	4	7	11	14	26
B. *Operated*	1821	10.6	133	2	3	7	13	23	35	82
1. SINGLE DX	1186	3.3	10	<1	1	2	4	7	9	15
2. MULTIPLE DX	12665	6.2	46	1	1	4	7	12	17	36
A. NOT OPERATED	11784	5.2	26	1	1	4	7	10	14	25
B. OPERATED	2067	9.9	123	2	2	7	11	21	33	77
TOTAL 0-19 YRS	1281	3.2	27	<1	1	2	3	7	9	29
20-34	1284	4.6	27	1	1	3	6	9	12	29
35-49	1629	5.3	33	1	1	4	7	10	14	31
50-64	2784	6.1	50	1	2	4	7	12	17	38
65+	6873	6.8	47	1	2	5	8	13	18	37
GRAND TOTAL	**13851**	**5.9**	**44**	**1**	**1**	**4**	**7**	**12**	**16**	**35**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.1	41	1	1	4	7	14	25	25
20-34	6	5.5	15	<1	<1	6	8	10	10	10
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	6	5.0	7	2	2	4	7	9	9	9
65+	13	5.4	11	2	2	4	7	10	12	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	11	2	2	3	6	9	9	9
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	8	7.0	37	1	1	4	12	16	16	16
65+	16	4.5	14	1	1	3	7	8	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	12.3	244	1	2	6	12	34	51	78
20-34	86	10.4	186	2	2	6	10	24	41	73
35-49	107	8.3	43	2	3	7	11	16	28	62
50-64	280	8.4	48	2	2	6	10	17	22	37
65+	1099	9.3	66	2	3	7	12	18	24	80
B. *Operated*										
0-19 YRS	56	14.9	227	2	3	11	25	39	99+	99+
20-34	81	11.8	201	3	4	7	13	27	45	99
35-49	165	11.0	160	3	4	6	13	26	35	60
50-64	162	14.2	210	3	4	10	16	31	58	99
65+	665	13.1	132	2	3	10	17	27	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	5.8	25	<1	1	4	8	11	15	25
B. *Operated*	31	4.9	19	1	1	3	7	12	16	16
2. MULTIPLE DX										
A. *Not Operated*	1743	9.4	86	2	3	7	11	18	28	63
B. *Operated*	1129	13.0	157	3	4	9	16	28	40	95
1. SINGLE DX	85	5.4	23	1	1	4	7	11	15	25
2. MULTIPLE DX	2872	10.8	117	2	3	8	13	22	33	78
A. NOT OPERATED	1797	9.3	84	2	3	7	11	18	27	63
B. OPERATED	1160	12.7	155	2	3	9	16	27	40	95
TOTAL 0-19 YRS	255	12.2	222	1	2	6	14	34	52	99+
20-34	177	10.7	184	2	2	7	11	24	41	93
35-49	276	9.9	114	2	3	6	11	23	28	59
50-64	456	10.4	113	2	3	8	13	20	31	65
65+	1793	10.6	93	2	3	8	13	21	30	64
GRAND TOTAL	**2957**	**10.7**	**115**	**2**	**3**	**7**	**13**	**22**	**33**	**75**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	9.3	38	1	2	9	12	14	18	29
20-34	128	11.2	32	3	4	11	14	19	22	26
35-49	11	11.4	21	4	6	11	14	17	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	20	13.6	119	1	1	12	15	28	40	46
20-34	9	11.8	37	3	3	14	15	19	22	22
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1022	11.5	47	2	4	11	14	18	21	35
20-34	455	12.2	42	3	5	12	15	18	23	38
35-49	54	12.2	30	4	5	12	14	19	23	30
50-64										
65+										
B. *Operated*										
0-19 YRS	137	17.1	137	4	5	14	21	34	45	67
20-34	60	18.7	118	6	9	16	21	37	45	47
35-49	6	19.0	206	<1	1	16	24	42	44	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	9.8	36	1	2	10	13	15	20	28
B. *Operated*	29	13.0	92	1	2	12	15	21	36	46
2. MULTIPLE DX										
A. *Not Operated*	1531	11.7	45	3	4	11	14	18	22	35
B. *Operated*	203	17.6	133	4	6	15	21	35	45	62
1. SINGLE DX	570	9.9	40	1	2	10	13	16	21	30
2. MULTIPLE DX	1734	12.4	59	3	4	12	15	20	25	46
A. NOT OPERATED	2072	11.2	43	2	3	11	14	18	21	33
B. OPERATED	232	17.1	130	3	5	14	21	34	45	62
TOTAL 0-19 YRS	1581	11.4	57	2	3	11	14	18	23	46
20-34	652	12.6	50	3	5	12	15	20	26	44
35-49	71	12.6	45	4	5	12	14	20	24	41
50-64										
65+										
GRAND TOTAL	**2304**	**11.8**	**55**	**2**	**4**	**11**	**14**	**19**	**24**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	4	<1	<1	3	4	6	7	7
20-34	20	24.9	1239	<1	1	7	38	91	91	91
35-49	10	5.0	38	1	1	3	4	14	22	22
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	45	5.2	6	2	2	5	7	8	9	12
20-34	497	5.6	5	2	2	6	7	8	9	13
35-49	423	6.0	20	2	2	6	7	9	10	15
50-64	53	6.2	18	2	2	5	8	11	15	25
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	15.8	381	1	2	5	25	51	59	99+
20-34	64	5.1	156	<1	<1	2	3	9	14	83
35-49	122	4.4	32	<1	<1	3	5	11	13	33
50-64	62	6.5	44	1	1	4	9	14	21	35
65+	25	6.5	56	1	2	5	7	11	21	39
B. *Operated*										
0-19 YRS	50	6.3	16	2	3	5	7	10	11	25
20-34	913	6.6	15	3	4	6	8	9	11	20
35-49	1330	7.7	43	3	4	7	8	11	14	44
50-64	314	8.6	71	3	4	7	9	12	17	58
65+	12	11.2	150	2	3	7	12	29	44	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	14.9	737	<1	1	4	9	71	91	91
B. *Operated*	1019	5.8	12	2	2	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	323	6.9	128	<1	1	3	7	14	32	64
B. *Operated*	2619	7.4	37	3	4	6	8	10	13	39
1. SINGLE DX	1058	6.1	41	2	2	6	7	9	10	22
2. MULTIPLE DX	2942	7.4	47	2	3	6	8	11	14	46
A. NOT OPERATED	362	7.7	198	<1	1	3	7	15	39	90
B. OPERATED	3638	7.0	31	2	3	6	8	10	12	31
TOTAL 0-19 YRS	153	8.9	154	2	2	5	8	21	45	75
20-34	1494	6.5	38	2	3	6	7	9	11	23
35-49	1885	7.1	38	2	3	6	8	10	13	41
50-64	430	8.0	62	2	3	7	9	12	17	49
65+	38	7.8	87	1	2	6	8	14	32	46
GRAND TOTAL	**4000**	**7.0**	**46**	**2**	**3**	**6**	**8**	**10**	**13**	**44**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	2.6	11	<1	<1	2	3	5	8	29
20-34	170	3.8	23	<1	<1	2	5	8	13	26
35-49	103	4.3	37	<1	<1	2	5	10	13	39
50-64	62	3.9	29	<1	<1	2	5	9	12	34
65+	61	3.5	8	<1	<1	3	4	8	9	14
B. *Operated*										
0-19 YRS	96	3.7	8	<1	1	3	5	7	8	14
20-34	166	3.1	11	<1	<1	2	4	6	9	16
35-49	245	2.9	23	<1	1	1	3	6	7	30
50-64	132	3.0	20	<1	1	2	3	5	9	26
65+	40	5.5	63	1	1	3	5	13	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	658	4.8	38	<1	<1	3	6	11	18	30
20-34	625	7.2	97	<1	<1	4	9	16	25	62
35-49	855	6.2	67	<1	<1	4	8	14	20	43
50-64	851	6.3	39	<1	<1	4	8	14	18	35
65+	1232	7.9	53	1	2	6	10	15	20	38
B. *Operated*										
0-19 YRS	156	12.0	228	1	2	6	14	35	60	99+
20-34	459	12.6	171	1	2	8	16	28	41	72
35-49	602	11.1	179	1	2	6	14	26	40	65
50-64	494	8.6	89	1	1	5	12	19	32	68
65+	540	11.2	133	1	2	8	15	24	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	3.3	20	<1	<1	2	4	7	11	29
B. *Operated*	679	3.2	20	<1	1	2	4	6	9	26
2. MULTIPLE DX										
A. *Not Operated*	4221	6.7	58	<1	<1	5	8	14	20	40
B. *Operated*	2251	10.9	152	1	2	7	14	25	37	70
1. SINGLE DX	1358	3.3	20	<1	<1	2	4	7	10	28
2. MULTIPLE DX	6472	8.1	95	<1	1	5	10	18	26	55
A. NOT OPERATED	4900	6.2	54	<1	<1	4	8	14	19	38
B. OPERATED	2930	9.2	132	1	1	5	12	22	32	64
TOTAL 0-19 YRS	1193	5.2	61	<1	<1	3	6	12	19	60
20-34	1420	8.1	114	<1	1	4	10	19	28	61
35-49	1805	7.3	105	<1	<1	4	8	17	26	56
50-64	1539	6.6	56	<1	<1	4	9	15	20	41
65+	1873	8.7	78	1	2	6	11	17	24	49
GRAND TOTAL	**7830**	**7.3**	**85**	**<1**	**1**	**4**	**9**	**16**	**24**	**51**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	21	2.4	2	1	1	2	3	5	5	5
35-49	66	3.8	4	1	2	3	5	7	8	9
50-64	76	4.1	6	1	2	4	5	7	9	13
65+	63	4.3	9	1	2	3	5	8	10	17
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	4.1	37	1	1	2	3	14	19	19
35-49	14	3.5	11	<1	<1	2	5	9	11	12
50-64	18	3.1	5	<1	1	3	5	6	8	9
65+	16	2.9	5	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	34	3	3	5	12	14	14	14
20-34	27	4.1	12	1	2	3	5	8	10	17
35-49	160	4.6	7	1	2	4	6	8	10	15
50-64	331	5.4	16	2	2	4	7	9	11	22
65+	837	6.4	40	2	2	5	8	11	15	32
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	4.9	29	<1	<1	3	6	14	17	17
35-49	36	5.4	15	1	1	4	7	10	12	20
50-64	72	7.0	53	1	2	6	8	13	15	49
65+	187	9.6	81	1	2	8	13	19	32	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.9	6	1	2	4	5	7	8	14
B. *Operated*	58	3.2	10	<1	1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	1358	5.9	30	2	2	5	7	10	13	26
B. *Operated*	304	8.4	67	1	2	6	10	17	21	77
1. SINGLE DX	285	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX	1662	6.4	38	2	2	5	8	11	16	36
A. NOT OPERATED	1585	5.6	27	2	2	4	7	10	13	24
B. OPERATED	362	7.5	62	1	1	6	10	16	20	60
TOTAL 0-19 YRS	7	5.3	22	1	1	4	8	13	14	14
20-34	64	3.7	14	1	1	3	4	8	11	19
35-49	276	4.5	8	1	2	4	6	8	10	14
50-64	497	5.3	20	1	2	4	6	9	12	21
65+	1103	6.8	46	2	2	5	8	12	17	44
GRAND TOTAL	**1947**	**6.0**	**34**	**1**	**2**	**5**	**7**	**11**	**15**	**32**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	2.3	3	1	1	2	3	4	5	9
20-34	110	2.5	4	1	1	2	3	5	6	11
35-49	123	2.8	3	<1	1	2	4	5	7	9
50-64	125	3.2	5	1	1	3	4	6	8	11
65+	383	4.7	15	1	1	4	6	9	12	22
B. *Operated*										
0-19 YRS	7	2.6	2	1	1	2	4	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	5	4.8	17	1	1	3	8	11	11	11
50-64	1	48.0		48	48	48	48	48	48	48
65+	16	18.1	405	2	3	11	25	40	69	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9019	3.0	8	1	1	2	4	5	6	13
20-34	3341	3.5	15	1	1	3	4	6	8	16
35-49	3669	4.4	19	1	1	3	5	8	11	21
50-64	6941	5.7	31	1	2	4	7	11	14	27
65+	33173	7.2	42	2	2	6	9	13	18	36
B. *Operated*										
0-19 YRS	187	9.9	125	1	2	5	13	24	40	85
20-34	260	7.8	84	1	1	5	9	16	27	53
35-49	461	10.2	132	1	2	6	12	23	35	65
50-64	894	11.5	132	1	2	8	15	25	35	77
65+	3768	14.3	163	3	4	11	18	29	41	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1110	3.3	9	1	1	2	4	6	8	15
B. *Operated*	32	11.9	299	1	1	4	15	31	47	80
2. MULTIPLE DX										
A. *Not Operated*	56143	5.9	35	1	2	4	7	11	15	31
B. *Operated*	5570	13.1	154	2	3	10	16	28	40	88
1. SINGLE DX	1142	3.5	18	1	1	2	4	7	9	21
2. MULTIPLE DX	61713	6.6	50	1	2	5	8	13	18	39
A. NOT OPERATED	57253	5.9	34	1	2	4	7	11	15	30
B. OPERATED	5602	13.1	155	2	3	10	16	28	40	87
TOTAL 0-19 YRS	9582	3.1	11	1	1	2	4	5	7	16
20-34	3714	3.8	21	1	1	3	4	7	9	21
35-49	4258	5.0	34	1	1	4	6	10	13	31
50-64	7961	6.3	45	1	2	4	7	12	17	36
65+	37340	7.9	59	2	2	6	9	15	21	45
GRAND TOTAL	**62855**	**6.5**	**49**	**1**	**2**	**5**	**8**	**13**	**18**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.8	3	1	1	2	4	5	6	9
20-34	37	2.9	5	<1	1	3	3	5	6	14
35-49	63	3.1	3	1	1	3	4	6	7	7
50-64	52	3.5	3	1	1	3	5	6	6	8
65+	139	3.6	7	<1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	11	3.6	3	1	1	3	5	6	6	6
20-34	17	3.6	5	1	1	3	5	6	9	10
35-49	22	3.7	3	<1	1	4	5	6	7	7
50-64	22	4.7	4	1	2	5	6	8	8	9
65+	28	5.5	10	2	2	5	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	3.1	6	1	1	2	4	6	7	14
20-34	271	3.7	5	1	1	3	5	7	7	11
35-49	558	4.1	8	1	1	3	5	7	9	14
50-64	822	4.6	15	1	1	4	6	8	10	16
65+	4143	5.6	23	1	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	29	5.3	22	1	1	4	7	12	14	21
20-34	97	6.4	28	1	2	5	8	11	15	32
35-49	279	6.0	17	1	2	5	8	11	13	24
50-64	424	7.8	41	2	3	6	10	14	17	30
65+	1702	8.7	39	2	3	7	11	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	372	3.2	5	1	1	3	4	6	7	12
B. *Operated*	100	4.4	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	6008	5.1	20	1	1	4	7	9	12	21
B. *Operated*	2531	8.1	37	2	3	7	10	15	19	35
1. SINGLE DX	472	3.5	5	1	1	3	5	6	7	12
2. MULTIPLE DX	8539	6.0	27	1	2	5	8	11	14	26
A. NOT OPERATED	6380	5.0	19	1	1	4	6	9	12	21
B. OPERATED	2631	8.0	36	2	3	7	10	14	19	35
TOTAL 0-19 YRS	335	3.2	7	1	1	3	4	6	7	14
20-34	422	4.2	12	1	1	4	5	7	10	17
35-49	922	4.6	11	1	1	4	6	8	10	18
50-64	1320	5.6	25	1	1	4	7	11	14	23
65+	6012	6.4	29	1	2	5	8	12	15	28
GRAND TOTAL	**9011**	**5.9**	**26**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1214	4.2	8	1	1	4	5	8	9	16
20-34	1806	5.6	15	1	2	5	7	10	12	19
35-49	344	5.6	10	1	2	5	7	10	11	15
50-64	28	4.9	6	1	2	5	7	9	9	10
65+	6	4.2	2	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	8	4.3	3	1	2	4	5	6	6	6
20-34	38	8.8	26	1	2	8	13	14	15	25
35-49	11	7.3	23	1	2	6	9	14	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1558	5.0	14	1	2	4	6	9	12	19
20-34	2229	6.8	25	2	2	6	9	12	16	26
35-49	684	7.2	31	2	3	6	8	13	17	28
50-64	106	6.8	34	2	2	6	8	13	15	35
65+	26	4.3	11	1	1	3	5	10	11	12
B. *Operated*										
0-19 YRS	74	9.4	76	2	2	7	12	18	33	41
20-34	184	14.8	179	3	4	11	17	31	48	72
35-49	70	16.5	223	4	4	11	20	45	50	62
50-64	19	12.0	72	3	4	9	14	22	32	40
65+	3	3.7	1	3	3	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3398	5.1	12	1	2	4	7	9	11	18
B. *Operated*	57	7.9	24	1	2	7	11	14	15	25
2. MULTIPLE DX										
A. *Not Operated*	4603	6.2	23	1	2	5	8	11	15	25
B. *Operated*	350	13.8	164	2	4	10	16	29	46	64
1. SINGLE DX	3455	5.1	12	1	2	4	7	9	11	18
2. MULTIPLE DX	4953	6.8	37	1	2	5	8	12	17	33
A. NOT OPERATED	8001	5.7	19	1	2	5	7	10	13	22
B. OPERATED	407	12.9	149	2	3	9	15	27	44	64
TOTAL 0-19 YRS	2854	4.8	14	1	1	4	6	9	11	18
20-34	4257	6.6	31	2	2	5	8	12	16	28
35-49	1109	7.3	42	2	2	6	8	13	17	39
50-64	153	7.1	37	2	2	6	8	13	17	40
65+	35	4.3	9	1	2	3	5	9	11	12
GRAND TOTAL	**8408**	**6.1**	**27**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	444	2.5	7	<1	<1	1	3	5	8	12
20-34	117	3.1	9	<1	1	2	4	7	9	16
35-49	101	3.3	18	1	1	2	3	7	11	26
50-64	150	2.9	9	<1	<1	1	4	7	8	16
65+	481	2.6	7	<1	<1	2	3	5	7	11
B. *Operated*										
0-19 YRS	136	5.0	69	1	1	3	5	8	12	59
20-34	57	5.6	13	1	2	5	8	10	12	20
35-49	53	5.5	21	1	1	5	7	9	15	27
50-64	66	6.2	14	1	2	5	8	11	13	19
65+	98	6.2	24	1	2	5	8	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	829	3.4	15	<1	<1	2	4	7	10	17
20-34	564	3.8	24	1	1	2	5	8	10	18
35-49	1014	4.2	19	1	1	3	6	9	13	20
50-64	2229	4.5	26	1	1	3	6	10	12	23
65+	7933	5.2	30	1	1	4	7	11	14	25
B. *Operated*										
0-19 YRS	227	8.2	61	1	1	6	10	18	26	42
20-34	251	9.1	105	1	2	6	10	18	28	64
35-49	436	8.6	68	1	2	7	10	17	22	51
50-64	817	9.4	82	1	2	7	12	18	26	49
65+	2807	9.6	72	2	3	7	12	18	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1293	2.7	8	<1	<1	2	3	6	8	15
B. *Operated*	410	5.6	35	1	2	4	7	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	12569	4.8	27	1	1	3	6	10	14	24
B. *Operated*	4538	9.4	75	2	2	7	12	18	25	47
1. SINGLE DX	1703	3.4	16	<1	1	2	4	7	10	17
2. MULTIPLE DX	17107	6.0	44	1	1	4	8	13	17	33
A. NOT OPERATED	13862	4.6	26	1	1	3	6	10	13	23
B. OPERATED	4948	9.1	73	2	2	7	11	17	24	47
TOTAL 0-19 YRS	1636	4.0	27	<1	1	2	5	9	12	27
20-34	989	5.2	48	1	1	3	6	11	15	33
35-49	1604	5.4	36	1	1	3	7	12	15	28
50-64	3262	5.7	44	1	1	4	7	12	16	31
65+	11319	6.2	43	1	1	4	8	13	17	33
GRAND TOTAL	**18810**	**5.8**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**32**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.5	9	1	1	4	6	8	11	14
20-34	45	6.5	45	1	1	3	7	18	22	27
35-49	11	3.9	9	1	1	3	5	8	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	6	12.2	107	6	6	8	11	31	33	33
35-49	5	5.0	16	2	2	4	6	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	5.5	46	1	1	3	6	13	18	36
20-34	76	4.7	8	1	2	4	6	9	11	14
35-49	36	5.6	15	1	2	5	7	10	14	18
50-64	12	4.8	11	<1	1	4	7	10	11	11
65+	13	5.9	26	1	2	5	8	13	18	19
B. *Operated*										
0-19 YRS	18	11.2	84	2	2	7	18	25	28	30
20-34	11	9.7	140	2	2	6	9	33	34	34
35-49	10	8.9	45	1	1	8	12	19	25	25
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	14.5	5	13	13	16	79	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	5.2	23	1	1	4	6	11	15	26
B. *Operated*	13	8.6	64	2	3	7	10	16	30	33
2. MULTIPLE DX										
A. *Not Operated*	278	5.3	29	1	1	4	6	11	14	30
B. *Operated*	43	10.1	80	2	2	7	15	26	33	99+
1. SINGLE DX	136	5.5	27	1	1	4	6	11	16	28
2. MULTIPLE DX	321	5.9	39	1	2	4	7	13	18	34
A. NOT OPERATED	401	5.2	27	1	1	4	6	11	14	26
B. OPERATED	56	9.8	76	2	2	7	12	25	33	95
TOTAL 0-19 YRS	227	5.6	41	1	1	4	6	13	18	33
20-34	138	6.0	37	1	2	4	7	12	19	33
35-49	62	5.8	20	1	2	4	7	12	14	24
50-64	15	4.9	9	<1	2	4	7	9	10	11
65+	15	7.1	32	1	2	5	12	19	76	99+
GRAND TOTAL	**457**	**5.8**	**35**	**1**	**1**	**4**	**7**	**12**	**18**	**33**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	674	3.0	6	<1	1	2	4	5	8	13
20-34	120	3.8	13	<1	<1	3	5	7	8	21
35-49	127	3.1	8	1	1	2	4	7	9	15
50-64	112	3.9	18	1	1	3	5	8	12	23
65+	123	3.5	8	<1	<1	3	5	7	10	12
B. *Operated*										
0-19 YRS	321	4.3	15	1	1	4	5	7	9	17
20-34	189	6.4	18	2	3	5	7	11	15	22
35-49	129	6.2	11	2	3	6	7	10	13	18
50-64	125	6.7	23	1	2	6	8	11	14	29
65+	109	6.9	24	2	3	5	9	13	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1228	4.3	11	1	1	3	5	8	11	17
20-34	553	4.8	14	1	1	4	6	9	11	18
35-49	735	5.6	18	1	1	5	7	10	13	23
50-64	1374	6.1	19	1	2	5	8	11	14	24
65+	2806	6.5	33	1	2	5	8	13	16	29
B. *Operated*										
0-19 YRS	389	7.9	77	1	2	5	9	16	27	58
20-34	443	8.5	69	1	2	6	10	16	24	40
35-49	423	9.8	69	2	3	7	12	20	26	42
50-64	818	10.8	95	2	3	8	13	21	30	51
65+	1626	11.5	84	3	3	9	15	23	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1156	3.2	9	<1	1	2	4	6	9	14
B. *Operated*	873	5.7	19	1	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	6696	5.8	24	1	1	5	7	11	14	25
B. *Operated*	3699	10.4	84	2	3	8	13	21	28	47
1. SINGLE DX	2029	4.3	14	<1	1	3	5	8	11	19
2. MULTIPLE DX	10395	7.4	50	1	2	6	9	15	20	37
A. NOT OPERATED	7852	5.4	22	1	1	4	7	11	14	24
B. OPERATED	4572	9.5	75	2	3	7	12	20	26	44
TOTAL 0-19 YRS	2612	4.5	23	1	1	3	5	9	12	25
20-34	1305	6.2	36	1	2	5	7	11	16	29
35-49	1414	6.7	36	1	2	5	8	13	18	33
50-64	2429	7.6	50	1	2	6	9	15	20	36
65+	4664	8.2	56	1	2	6	10	17	22	38
GRAND TOTAL	**12424**	**6.9**	**45**	**1**	**2**	**5**	**8**	**14**	**19**	**35**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1658	1.8	1	1	1	2	2	3	4	5
20-34	415	1.9	1	1	1	2	2	3	4	7
35-49	74	1.8	1	<1	1	2	2	3	4	5
50-64	20	2.5	3	<1	1	2	3	5	6	6
65+	6	1.8	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1010	3.2	2	2	2	3	4	5	6	9
20-34	378	3.5	2	2	2	3	4	5	6	9
35-49	49	3.7	2	2	2	3	5	5	6	8
50-64	12	4.0	6	2	2	4	4	7	10	11
65+	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1060	2.2	2	1	1	2	3	4	4	8
20-34	258	2.4	2	1	1	2	3	4	5	7
35-49	65	2.8	5	1	1	2	3	4	7	15
50-64	27	3.0	3	1	1	3	4	6	7	7
65+	25	4.0	10	1	1	3	4	8	11	15
B. *Operated*										
0-19 YRS	552	4.0	4	2	2	4	5	6	8	11
20-34	294	4.7	6	2	2	4	5	8	9	15
35-49	49	5.9	19	2	2	5	7	12	13	24
50-64	12	7.8	21	3	3	6	11	15	16	16
65+	13	7.2	3	5	5	7	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2173	1.8	1	1	1	2	2	3	4	5
B. *Operated*	1452	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1435	2.3	2	1	1	2	3	4	5	8
B. *Operated*	920	4.4	6	2	2	4	5	7	9	15
1. SINGLE DX	3625	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2355	3.1	5	1	1	3	4	6	7	12
A. NOT OPERATED	3608	2.0	2	1	1	2	2	3	4	7
B. OPERATED	2372	3.7	4	2	2	3	4	6	7	12
TOTAL 0-19 YRS	4280	2.5	3	1	1	2	3	4	5	9
20-34	1345	3.0	4	1	1	3	4	5	7	10
35-49	237	3.3	8	1	1	3	4	6	8	16
50-64	71	3.8	9	1	1	3	4	7	11	16
65+	47	4.5	10	1	1	4	7	9	10	15
GRAND TOTAL	**5980**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	4.0	4	1	2	4	5	6	8	10
20-34	38	3.5	5	1	1	3	5	7	8	9
35-49	19	4.5	29	2	2	3	5	6	17	26
50-64	5	5.0	17	1	1	4	6	12	12	12
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	122	3.2	7	<1	<1	2	4	7	8	11
20-34	110	2.8	15	<1	<1	1	3	6	11	23
35-49	62	2.4	4	<1	<1	2	3	5	6	11
50-64	37	2.6	6	<1	<1	2	3	6	9	11
65+	18	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	309	4.4	8	1	2	4	5	8	10	14
20-34	50	4.1	6	1	2	4	5	8	9	13
35-49	27	4.8	8	1	2	4	6	9	11	12
50-64	15	4.1	13	<1	<1	3	5	8	13	15
65+	21	4.0	7	1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS	125	5.4	15	1	1	5	7	10	13	20
20-34	102	4.7	34	<1	1	3	6	10	12	33
35-49	68	4.6	24	1	1	3	6	10	12	28
50-64	41	4.3	11	1	1	4	6	10	11	13
65+	44	4.9	33	<1	<1	3	7	11	14	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	4.0	5	1	2	4	5	6	8	11
B. *Operated*	349	2.8	9	<1	<1	2	3	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	422	4.3	8	1	2	4	5	8	10	14
B. *Operated*	380	4.9	23	<1	1	4	7	10	12	21
1. SINGLE DX	728	3.4	7	<1	1	3	5	6	8	12
2. MULTIPLE DX	802	4.6	15	1	1	4	6	9	11	18
A. NOT OPERATED	801	4.2	7	1	2	4	5	7	9	13
B. OPERATED	729	3.9	17	<1	1	2	5	8	11	19
TOTAL 0-19 YRS	871	4.2	8	1	1	4	5	8	9	14
20-34	300	3.8	19	<1	<1	3	5	9	11	19
35-49	176	3.9	16	1	1	3	5	8	11	24
50-64	98	3.7	10	<1	1	2	5	8	11	14
65+	85	4.0	20	<1	1	3	5	8	11	28
GRAND TOTAL	**1530**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.1	309	<1	<1	3	13	38	56	67
20-34	56	12.0	135	1	1	7	18	30	36	46
35-49	42	12.0	270	1	1	6	15	26	44	84
50-64	54	10.8	271	1	1	3	13	28	52	81
65+	111	10.2	125	1	1	6	14	28	37	70
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	5	2.8	1	2	2	3	3	4	4	4
65+	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	9.2	132	1	1	3	13	24	36	46
20-34	235	14.1	231	1	2	8	19	36	50	65
35-49	211	11.1	130	1	1	7	15	24	32	59
50-64	406	10.6	130	1	2	6	14	26	33	52
65+	1654	9.3	91	2	2	6	11	21	27	52
B. *Operated*										
0-19 YRS										
20-34	11	20.1	681	1	2	11	38	89	98	99+
35-49	20	18.8	483	2	3	9	24	53	70	84
50-64	49	15.6	232	2	3	12	19	33	39	81
65+	187	14.0	190	1	1	9	20	37	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	11.0	187	1	1	5	14	29	39	77
B. *Operated*	8	3.9	11	2	2	3	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	2563	10.1	116	1	2	6	13	23	31	59
B. *Operated*	267	14.9	238	1	2	10	20	38	57	99+
1. SINGLE DX	292	10.8	184	1	1	5	14	29	38	76
2. MULTIPLE DX	2830	10.5	129	1	2	7	13	24	34	63
A. NOT OPERATED	2847	10.2	123	1	2	6	13	24	32	61
B. OPERATED	275	14.6	235	1	2	9	20	37	55	99+
TOTAL 0-19 YRS	78	9.7	177	<1	1	3	13	30	38	61
20-34	303	13.9	229	1	2	8	19	34	50	75
35-49	273	11.8	179	1	2	7	15	25	35	70
50-64	514	11.0	155	1	2	6	14	27	35	67
65+	1954	9.8	104	1	2	7	12	23	31	63
GRAND TOTAL	**3122**	**10.6**	**134**	**1**	**2**	**7**	**13**	**25**	**34**	**65**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	1.9	9	<1	1	1	2	3	5	34
20-34	251	4.1	55	<1	1	2	4	8	14	27
35-49	101	6.5	71	1	1	4	7	15	24	47
50-64	142	7.6	117	1	1	4	10	17	23	93
65+	720	9.9	102	1	2	7	13	21	29	58
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	6.0	49	1	1	3	11	14	14	14
50-64	7	5.3	14	2	2	4	7	11	12	12
65+	15	8.4	72	1	1	5	10	21	28	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	486	7.1	191	1	1	2	6	19	45	99+
20-34	955	8.6	122	1	1	6	9	19	30	74
35-49	707	8.9	95	1	2	6	10	20	28	54
50-64	811	10.8	123	1	2	7	14	24	32	83
65+	6428	10.6	109	2	3	8	13	22	34	99+
B. *Operated*										
0-19 YRS	35	9.9	246	1	1	3	33	84	99+	99+
20-34	73	13.4	520	1	1	5	12	53	86	99+
35-49	49	12.1	159	1	2	9	17	31	40	99+
50-64	104	15.5	257	1	2	11	22	38	62	99+
65+	650	17.1	245	3	4	12	23	41	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1498	7.0	86	1	1	4	9	17	24	55
B. *Operated*	26	7.3	50	1	1	5	10	16	23	31
2. MULTIPLE DX										
A. *Not Operated*	9387	10.1	116	1	2	7	13	22	33	86
B. *Operated*	911	16.1	266	1	3	11	22	41	69	99+
1. SINGLE DX	1524	7.0	85	1	1	4	9	17	24	55
2. MULTIPLE DX	10298	10.6	132	1	2	7	13	24	35	99+
A. NOT OPERATED	10885	9.7	113	1	2	7	12	21	31	81
B. OPERATED	937	15.8	262	1	2	11	21	40	69	99+
TOTAL 0-19 YRS	805	5.4	136	1	1	2	4	13	37	99+
20-34	1280	8.0	135	1	1	5	8	17	28	79
35-49	860	8.8	97	1	2	6	10	20	28	60
50-64	1064	10.8	138	1	2	7	14	25	34	91
65+	7813	11.1	123	2	3	8	14	24	35	99+
GRAND TOTAL	**11822**	**10.2**	**128**	**1**	**2**	**7**	**13**	**23**	**35**	**98**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	38	11.2	80	1	2	9	16	26	35	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	10.4	87	1	1	8	13	26	31	31
50-64	71	13.3	111	3	4	10	17	28	37	48
65+	837	11.0	112	2	3	8	14	22	33	78
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64	13	16.0	167	2	4	14	19	31	48	52
65+	74	15.2	143	5	5	12	18	29	46	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	11.0	78	1	2	9	16	25	35	99+
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	917	11.2	112	2	3	8	14	22	33	71
B. *Operated*	88	15.4	144	4	5	13	19	29	48	89
1. SINGLE DX	43	11.1	77	1	2	9	17	24	35	99+
2. MULTIPLE DX	1005	11.6	116	2	3	9	15	23	35	73
A. NOT OPERATED	959	11.2	110	2	3	8	14	23	33	76
B. OPERATED	89	15.4	142	4	5	13	19	28	48	88
TOTAL 0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	11	10.7	86	1	2	8	16	25	30	31
50-64	86	13.5	118	3	4	10	18	27	38	51
65+	950	11.4	114	2	3	8	14	22	34	93
GRAND TOTAL	**1048**	**11.5**	**114**	**2**	**3**	**9**	**15**	**23**	**35**	**77**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	198	3.2	10	<1	1	2	4	6	9	23
35-49	253	3.5	15	1	1	3	4	6	9	24
50-64	146	5.4	58	1	1	3	6	10	16	36
65+	35	8.3	180	2	2	5	8	16	22	80
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.8	66	<1	1	4	6	22	27	32
20-34	2630	5.9	42	1	2	5	5	10	23	30
35-49	4558	5.7	29	1	2	5	5	9	15	29
50-64	2730	6.5	38	2	2	5	7	12	21	33
65+	1131	8.4	63	2	2	6	10	18	24	47
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	55	10.5	131	1	2	7	11	27	42	52
35-49	154	11.0	87	2	3	8	13	24	29	49
50-64	127	14.3	164	2	3	9	20	32	39	86
65+	72	16.7	205	4	5	13	20	43	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	4.1	34	1	1	3	4	7	12	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11113	6.2	39	1	2	5	6	12	21	30
B. *Operated*	409	12.9	142	2	3	9	17	29	41	75
1. SINGLE DX	637	4.1	34	1	1	3	4	7	12	28
2. MULTIPLE DX	11522	6.5	44	1	2	5	6	13	22	33
A. NOT OPERATED	11750	6.1	38	1	2	5	6	11	21	30
B. OPERATED	409	12.9	142	2	3	9	17	29	41	75
TOTAL 0-19 YRS	70	6.3	63	<1	1	3	6	22	27	32
20-34	2883	5.8	42	1	2	5	5	10	22	30
35-49	4965	5.7	31	1	2	5	5	9	17	29
50-64	3003	6.8	47	2	2	5	7	14	22	35
65+	1238	8.9	78	2	2	6	11	19	26	52
GRAND TOTAL	**12159**	**6.3**	**43**	**1**	**2**	**5**	**6**	**12**	**21**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	5.2	37	<1	<1	3	6	14	19	26
20-34	153	4.4	25	<1	1	3	5	9	16	35
35-49	57	4.9	43	<1	1	3	5	9	18	40
50-64	25	3.8	17	1	1	2	4	10	13	16
65+	41	4.2	19	1	1	3	5	8	13	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	9.1	133	1	1	5	10	27	32	51
20-34	1837	6.7	58	1	2	4	7	15	26	36
35-49	819	6.0	36	1	2	4	6	12	21	31
50-64	403	7.0	54	1	1	5	8	14	25	37
65+	1002	7.1	44	1	2	5	9	15	19	35
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	37	11.1	188	1	1	6	17	30	59	99+
35-49	23	9.2	49	1	2	8	13	21	24	25
50-64	36	12.8	136	2	3	10	17	21	32	65
65+	83	10.7	69	2	4	8	12	23	29	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	4.5	28	<1	1	3	5	10	16	28
B. *Operated*	4	3.5	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	4277	6.8	54	1	2	4	7	15	24	37
B. *Operated*	180	11.1	104	1	3	8	14	24	32	66
1. SINGLE DX	332	4.5	28	<1	1	3	5	9	16	28
2. MULTIPLE DX	4457	7.0	57	1	2	4	7	15	24	38
A. NOT OPERATED	4605	6.6	53	1	2	4	7	14	23	36
B. OPERATED	184	10.9	103	1	3	8	14	24	32	66
TOTAL 0-19 YRS	270	8.4	117	1	1	4	9	24	30	48
20-34	2028	6.6	58	1	2	4	7	15	26	37
35-49	901	6.0	37	1	2	4	6	12	21	31
50-64	464	7.3	61	1	1	5	9	16	25	38
65+	1126	7.3	46	1	2	5	9	15	19	40
GRAND TOTAL	**4789**	**6.8**	**55**	**1**	**2**	**4**	**7**	**15**	**24**	**37**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	17.9	262	2	3	14	24	43	61	99+
20-34	2937	14.2	175	1	2	10	19	31	41	66
35-49	1701	13.6	143	2	3	10	18	29	37	62
50-64	557	14.0	123	2	3	11	19	29	35	56
65+	138	17.0	127	2	4	14	24	33	37	49
B. *Operated*										
0-19 YRS										
20-34	8	18.5	196	4	5	13	27	41	46	46
35-49	5	12.6	95	3	3	14	18	27	27	27
50-64	2	15.5	1	15	15	15	16	16	16	16
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	20.9	307	1	3	18	29	46	63	99+
20-34	2316	15.3	186	2	3	12	20	34	44	79
35-49	1668	14.6	157	2	3	11	20	30	40	66
50-64	841	16.2	143	3	4	13	22	32	39	58
65+	420	17.6	183	2	4	15	23	36	47	98
B. *Operated*										
0-19 YRS	5	26.6	219	13	13	31	45	94	99+	99+
20-34	54	23.0	351	5	6	17	35	62	81	99+
35-49	78	21.1	191	5	7	19	28	47	56	99+
50-64	52	24.8	268	6	8	24	34	44	74	99
65+	21	25.5	258	6	8	25	40	50	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5532	14.2	162	2	3	11	19	30	40	65
B. *Operated*	16	15.9	125	3	4	14	20	29	41	46
2. MULTIPLE DX										
A. *Not Operated*	5383	15.6	174	2	3	12	21	33	42	73
B. *Operated*	210	23.1	257	5	7	20	32	50	69	99+
1. SINGLE DX	5548	14.2	162	2	3	11	19	30	40	65
2. MULTIPLE DX	5593	15.9	179	2	3	12	21	34	44	78
A. NOT OPERATED	10915	14.9	169	2	3	11	20	32	41	70
B. OPERATED	226	22.6	250	5	7	19	31	49	63	99+
TOTAL 0-19 YRS	342	19.2	281	2	3	15	28	46	62	99+
20-34	5315	14.8	182	2	3	11	20	32	42	73
35-49	3452	14.2	152	2	3	11	19	30	39	65
50-64	1452	15.7	144	2	4	13	22	31	39	59
65+	580	17.7	174	2	4	15	24	35	46	79
GRAND TOTAL	**11141**	**15.0**	**172**	**2**	**3**	**12**	**20**	**32**	**42**	**71**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	24.1	472	2	3	19	41	59	83	99+
20-34	204	13.3	125	1	2	10	20	27	36	53
35-49	54	12.4	115	1	2	10	17	28	32	45
50-64	11	14.5	148	2	3	10	19	31	44	45
65+	10	7.3	82	1	1	4	8	20	32	32
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	22.5	319	2	4	18	29	50	56	79
20-34	171	13.4	130	2	3	11	18	28	37	67
35-49	63	13.2	97	2	3	11	17	25	30	53
50-64	30	12.4	88	1	1	13	17	24	28	39
65+	22	13.1	142	2	3	9	14	33	40	42
B. *Operated*										
0-19 YRS	2	34.5	221	24	24	34	45	45	45	45
20-34	8	21.8	228	4	5	25	30	42	47	47
35-49	3	36.7	1352	5	5	28	65	77	77	77
50-64	2	5.5	13	3	3	5	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	15.1	210	1	2	11	21	35	45	83
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	335	14.6	157	2	3	12	19	30	42	65
B. *Operated*	15	24.3	426	3	4	24	30	47	69	77
1. SINGLE DX	348	15.1	209	1	2	11	21	35	45	83
2. MULTIPLE DX	350	15.0	171	2	3	12	21	31	45	71
A. NOT OPERATED	682	14.9	184	1	2	11	21	32	44	75
B. OPERATED	16	24.3	397	3	4	24	30	47	68	77
TOTAL 0-19 YRS	119	23.6	403	2	3	19	38	53	70	99+
20-34	384	13.5	130	1	3	11	20	28	37	57
35-49	120	13.5	138	1	2	11	17	27	33	61
50-64	43	12.6	100	1	2	10	18	23	32	45
65+	32	11.3	128	2	2	8	13	31	38	42
GRAND TOTAL	**698**	**15.1**	**190**	**1**	**2**	**11**	**21**	**32**	**45**	**77**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	18.1	275	2	3	13	27	46	58	99+
20-34	4002	14.6	177	1	2	11	20	32	41	65
35-49	2388	13.4	141	1	2	10	18	28	35	60
50-64	988	14.9	150	2	3	12	20	30	37	61
65+	214	16.6	221	1	3	13	22	39	46	99+
B. *Operated*										
0-19 YRS										
20-34	3	46.0	1332	4	4	64	68	70	70	70
35-49	2	20.5	1	20	20	20	21	21	21	21
50-64	3	18.0	157	5	5	19	27	30	30	30
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	413	22.1	383	2	3	17	34	58	84	99+
20-34	4074	15.9	201	2	3	12	21	34	44	74
35-49	3045	15.4	169	2	3	12	21	31	42	71
50-64	1765	16.8	179	3	4	14	22	33	43	74
65+	724	16.8	181	2	4	14	22	35	46	97
B. *Operated*										
0-19 YRS	14	26.5	306	2	4	27	39	63	91	99+
20-34	129	22.8	308	5	6	19	28	45	57	98
35-49	145	24.6	317	3	7	20	33	56	67	99+
50-64	100	24.0	203	7	9	21	32	44	50	88
65+	58	28.7	337	7	10	28	39	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7977	14.5	170	1	3	11	19	31	40	66
B. *Operated*	8	29.1	622	4	4	20	47	68	70	70
2. MULTIPLE DX										
A. *Not Operated*	10021	16.2	195	2	3	13	21	34	45	79
B. *Operated*	446	24.5	292	5	7	20	33	51	66	99+
1. SINGLE DX	7985	14.5	170	1	3	11	19	31	41	66
2. MULTIPLE DX	10467	15.6	202	2	3	13	22	35	46	83
A. NOT OPERATED	17998	15.5	184	2	3	12	21	33	43	73
B. OPERATED	454	24.6	297	5	7	20	33	51	67	99+
TOTAL 0-19 YRS	812	20.2	334	2	3	15	30	51	67	99+
20-34	8208	15.4	193	2	3	11	21	33	43	70
35-49	5580	14.8	164	2	3	11	20	31	40	70
50-64	2856	16.4	172	2	4	13	22	33	42	71
65+	996	17.4	206	2	4	14	23	38	49	99+
GRAND TOTAL	**18452**	**15.7**	**189**	**2**	**3**	**12**	**21**	**33**	**44**	**75**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	20.6	334	2	2	14	30	48	57	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	29.0		29	29	64	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	29.9	632	2	3	29	55	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	24.7	1412	1	1	36	84	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	20.6	334	2	2	14	30	48	57	99+
B. *Operated*	1	29.0		29	29	64	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	118	29.9	632	2	3	29	55	99+	99+	99+
B. *Operated*	3	24.7	1412	1	1	36	84	99+	99+	99+
1. SINGLE DX	53	20.8	329	2	2	16	31	53	79	99+
2. MULTIPLE DX	121	29.8	640	2	3	29	59	99+	99+	99+
A. NOT OPERATED	170	27.1	557	2	3	25	46	91	99+	99+
B. OPERATED	4	25.8	946	1	1	48	99+	99+	99+	99+
TOTAL 0-19 YRS	174	27.0	560	2	3	25	47	95	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**174**	**27.0**	**560**	**2**	**3**	**25**	**47**	**95**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	942	19.3	281	1	3	15	29	46	61	99+
20-34	2905	12.5	136	1	2	9	17	28	36	56
35-49	3057	13.2	121	1	2	11	18	28	35	54
50-64	1961	15.8	151	2	3	13	21	32	40	61
65+	1705	18.8	171	3	4	16	26	36	44	63
B. *Operated*										
0-19 YRS	1	63.0		63	63	63	63	63	63	63
20-34	7	17.3	111	2	3	19	24	31	32	32
35-49	10	17.8	204	1	4	14	21	41	49	49
50-64	8	27.8	142	7	9	32	36	39	40	40
65+	18	20.7	198	4	6	19	27	38	53	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2135	24.6	455	2	3	19	38	62	83	99+
20-34	7135	14.4	168	2	3	11	20	30	40	68
35-49	7416	14.8	145	2	3	12	20	30	38	62
50-64	5395	16.6	160	3	4	14	22	32	41	68
65+	6598	19.1	201	3	5	16	26	38	48	74
B. *Operated*										
0-19 YRS	61	27.8	646	2	3	20	49	86	99+	99+
20-34	307	21.2	234	3	4	19	30	43	52	96
35-49	430	22.5	269	5	7	19	29	46	67	96
50-64	412	24.0	221	6	8	21	31	42	54	80
65+	602	25.9	279	6	9	23	33	52	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10570	14.9	160	1	3	12	21	31	41	63
B. *Operated*	44	21.8	213	3	6	19	30	40	53	63
2. MULTIPLE DX										
A. *Not Operated*	28679	16.8	198	2	3	13	23	35	46	77
B. *Operated*	1812	23.9	271	5	7	20	32	47	64	99+
1. SINGLE DX	10614	15.0	160	1	3	12	21	32	41	63
2. MULTIPLE DX	30491	17.2	205	2	3	14	23	36	47	80
A. NOT OPERATED	39249	16.3	188	2	3	13	22	34	44	74
B. OPERATED	1856	23.9	269	5	7	20	32	46	63	99+
TOTAL 0-19 YRS	3139	23.1	413	2	3	18	35	59	75	99+
20-34	10354	14.1	163	1	2	10	19	30	39	65
35-49	10913	14.6	147	2	3	12	20	30	38	63
50-64	7776	16.8	164	3	4	14	22	33	42	67
65+	8923	19.5	203	3	5	16	27	38	49	77
GRAND TOTAL	**41105**	**16.6**	**194**	**2**	**3**	**13**	**22**	**35**	**45**	**76**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	17.8	238	2	3	13	25	38	50	81
20-34	2408	14.1	129	2	3	11	19	28	37	55
35-49	2189	13.8	126	2	3	11	18	28	35	56
50-64	1087	15.2	127	2	4	13	20	29	36	54
65+	473	15.7	141	3	4	13	21	31	38	64
B. *Operated*										
0-19 YRS										
20-34	4	17.3	18	11	11	19	20	20	20	20
35-49	6	21.5	982	2	3	11	12	78	85	85
50-64	4	16.8	100	6	6	20	47	99+	99+	99+
65+	4	24.5	174	9	9	25	35	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	605	22.6	404	2	3	18	34	60	83	99+
20-34	3219	15.4	169	2	3	12	20	31	40	68
35-49	3231	15.4	154	2	3	13	21	31	40	62
50-64	2322	17.1	155	3	5	14	23	33	40	65
65+	1619	18.8	177	3	5	16	24	36	44	66
B. *Operated*										
0-19 YRS	15	28.8	600	3	4	18	50	63	73	76
20-34	120	21.0	219	3	7	18	28	38	67	99+
35-49	178	22.7	184	7	8	19	29	45	53	72
50-64	164	22.7	237	5	7	20	30	42	57	86
65+	121	26.2	201	8	11	25	38	54	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6539	14.5	136	2	3	12	19	29	37	58
B. *Operated*	18	20.2	350	4	7	19	27	67	93	99+
2. MULTIPLE DX										
A. *Not Operated*	10996	16.6	179	2	4	14	22	34	43	72
B. *Operated*	598	23.3	221	6	8	20	31	45	58	99+
1. SINGLE DX	6557	14.5	136	2	3	12	19	29	37	59
2. MULTIPLE DX	11594	17.0	184	2	4	14	22	34	44	73
A. NOT OPERATED	17535	15.9	164	2	3	13	21	32	41	67
B. OPERATED	616	23.2	225	6	8	20	31	45	60	99+
TOTAL 0-19 YRS	1002	20.9	349	2	3	16	30	52	70	99+
20-34	5751	15.0	154	2	3	12	20	30	39	64
35-49	5604	15.0	147	2	3	12	20	30	39	61
50-64	3577	16.8	152	3	4	14	22	32	40	65
65+	2217	18.5	176	3	5	16	24	37	45	69
GRAND TOTAL	**18151**	**16.1**	**168**	**2**	**4**	**13**	**21**	**32**	**42**	**69**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	12.4	170	1	1	8	18	29	39	74
20-34	829	9.7	90	1	1	7	13	23	29	39
35-49	587	9.7	74	1	2	7	13	20	26	42
50-64	345	10.5	108	1	1	7	14	22	30	53
65+	365	10.5	109	1	2	7	14	22	26	50
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	5	9.8	27	3	3	9	13	17	17	17
65+	5	4.2	13	1	1	3	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	17.4	361	1	2	11	25	45	77	99+
20-34	1477	10.7	107	1	2	7	15	24	30	51
35-49	1073	10.8	98	1	2	8	14	24	31	51
50-64	1096	10.9	108	1	2	8	14	23	30	51
65+	2829	10.2	97	2	2	7	13	21	30	51
B. *Operated*										
0-19 YRS	3	13.0	189	1	1	28	99+	99+	99+	99+
20-34	44	15.1	289	1	2	9	19	37	41	92
35-49	50	16.8	168	2	5	12	26	34	51	99+
50-64	103	15.4	163	3	3	13	20	32	44	63
65+	244	15.7	222	2	3	11	20	36	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2312	10.2	98	1	1	7	14	22	29	49
B. *Operated*	15	5.5	23	<1	1	4	9	12	16	17
2. MULTIPLE DX										
A. *Not Operated*	6853	10.9	118	1	2	8	14	24	32	57
B. *Operated*	444	15.7	207	2	3	12	21	36	52	99+
1. SINGLE DX	2327	10.1	98	1	1	7	14	22	29	49
2. MULTIPLE DX	7297	11.2	125	1	2	8	15	25	34	61
A. NOT OPERATED	9165	10.7	113	1	2	7	14	23	31	56
B. OPERATED	459	15.3	204	2	3	11	21	35	51	99+
TOTAL 0-19 YRS	568	15.7	302	1	1	10	23	42	62	99+
20-34	2351	10.4	105	1	2	7	14	24	30	50
35-49	1713	10.6	93	1	2	8	14	23	30	51
50-64	1549	11.1	113	1	2	8	15	23	30	51
65+	3443	10.6	109	2	2	7	14	22	31	56
GRAND TOTAL	**9624**	**10.9**	**118**	**1**	**2**	**8**	**14**	**24**	**32**	**57**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	7.0	113	<1	1	3	6	22	33	44
20-34	413	5.6	41	<1	1	3	7	13	18	32
35-49	344	5.3	45	1	1	3	6	13	18	36
50-64	186	4.8	18	1	1	3	6	11	14	19
65+	92	6.1	62	1	1	3	8	14	18	48
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	10	4.7	86	1	1	2	3	17	31	31
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	11.5	281	1	1	5	17	46	88	99+
20-34	1067	7.8	77	1	1	5	9	19	26	39
35-49	1265	7.1	67	1	1	4	9	18	24	42
50-64	989	6.3	44	1	1	4	8	15	21	30
65+	1027	6.2	46	1	1	4	7	14	18	29
B. *Operated*										
0-19 YRS	6	32.7	1560	2	2	15	86	98	99+	99+
20-34	56	8.4	85	1	1	5	13	23	26	42
35-49	62	9.9	173	<1	1	5	13	28	32	73
50-64	52	7.3	49	1	2	5	10	16	18	36
65+	44	9.9	103	1	1	8	13	23	24	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	5.5	46	<1	1	3	6	13	18	34
B. *Operated*	14	4.5	60	1	1	2	4	8	26	31
2. MULTIPLE DX										
A. *Not Operated*	4546	7.1	70	1	1	4	8	17	24	45
B. *Operated*	220	9.6	153	1	1	5	12	23	30	81
1. SINGLE DX	1141	5.5	46	<1	1	3	6	13	18	34
2. MULTIPLE DX	4766	7.2	74	1	1	4	9	18	24	46
A. NOT OPERATED	5673	6.8	65	1	1	4	8	16	23	43
B. OPERATED	234	9.3	148	1	1	5	12	23	30	80
TOTAL 0-19 YRS	296	10.5	264	<1	1	4	14	39	75	99+
20-34	1538	7.2	68	1	1	4	9	17	25	37
35-49	1681	6.8	67	1	1	4	8	18	24	40
50-64	1229	6.1	40	1	1	4	7	14	19	29
65+	1163	6.4	49	1	1	4	8	14	19	31
GRAND TOTAL	**5907**	**6.9**	**69**	**1**	**1**	**4**	**8**	**17**	**23**	**43**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	583	19.1	351	1	2	13	30	46	62	98
20-34	1047	8.0	70	1	1	5	11	17	25	40
35-49	862	8.9	73	1	2	6	12	20	25	43
50-64	307	9.6	100	1	2	7	13	19	25	65
65+	182	10.5	71	2	2	8	14	22	29	40
B. *Operated*										
0-19 YRS										
20-34	2	20.5	685	2	2	20	39	39	39	39
35-49	4	10.3	35	2	2	11	14	16	16	16
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	12.0	151	3	3	7	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1508	25.1	475	2	3	21	43	67	95	99+
20-34	3009	10.6	104	1	2	7	15	24	30	48
35-49	2629	10.9	97	1	2	8	15	24	30	47
50-64	1360	10.1	79	2	2	7	14	21	27	45
65+	1246	10.2	82	2	3	7	13	21	28	42
B. *Operated*										
0-19 YRS	42	27.4	417	3	4	25	51	94	99+	99+
20-34	110	17.9	267	2	3	14	23	36	51	82
35-49	110	18.5	234	3	4	14	24	35	46	77
50-64	95	14.9	130	2	4	12	19	28	41	58
65+	100	16.3	237	3	4	12	20	31	53	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2981	10.7	146	1	2	7	14	26	37	65
B. *Operated*	10	12.5	141	2	2	9	16	32	39	39
2. MULTIPLE DX										
A. *Not Operated*	9752	12.8	181	1	2	8	17	29	43	90
B. *Operated*	457	17.9	246	3	4	14	24	43	57	99
1. SINGLE DX	2991	10.7	146	1	2	7	14	26	37	65
2. MULTIPLE DX	10209	13.0	185	1	2	8	18	30	44	91
A. NOT OPERATED	12733	12.3	173	1	2	8	16	29	42	84
B. OPERATED	467	17.8	244	3	4	14	24	42	56	99
TOTAL 0-19 YRS	2133	23.5	447	1	3	18	40	62	86	99+
20-34	4168	10.1	103	1	2	7	14	23	29	47
35-49	3605	10.7	98	1	2	7	14	24	30	46
50-64	1763	10.3	86	1	2	7	14	22	28	47
65+	1531	10.6	93	2	3	8	14	22	29	48
GRAND TOTAL	**13200**	**12.5**	**177**	**1**	**2**	**8**	**17**	**29**	**43**	**84**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	475	9.9	205	1	1	4	12	30	45	73
20-34	949	8.6	125	<1	1	4	11	21	32	61
35-49	405	8.3	113	1	1	5	10	19	26	53
50-64	147	7.2	100	1	1	4	9	15	20	54
65+	68	9.1	133	<1	1	4	11	27	35	51
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	97	7.6	17	1	2	9	9	10	15	21
35-49	83	6.6	29	1	1	6	9	11	17	29
50-64	69	3.3	5	1	1	3	4	6	9	10
65+	19	4.8	19	1	2	4	6	8	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	987	13.1	291	1	1	6	19	41	58	99+
20-34	2729	8.6	116	1	1	5	11	21	29	63
35-49	1587	9.2	115	1	1	6	11	22	30	57
50-64	663	8.7	78	1	2	6	11	21	27	41
65+	731	8.1	61	1	2	5	10	18	26	41
B. *Operated*										
0-19 YRS	28	20.0	492	1	2	14	39	77	99+	99+
20-34	166	11.6	159	1	2	8	14	28	41	76
35-49	149	12.8	183	1	2	9	18	27	35	65
50-64	111	7.6	85	1	1	5	9	19	27	46
65+	71	11.2	120	1	2	8	18	24	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2044	8.7	140	<1	1	4	11	22	33	64
B. *Operated*	269	6.0	21	1	1	5	9	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	6697	9.4	134	1	1	5	11	23	33	74
B. *Operated*	525	11.5	169	1	2	7	15	26	39	82
1. SINGLE DX	2313	8.4	127	1	1	4	10	21	32	63
2. MULTIPLE DX	7222	9.5	137	1	1	5	12	23	33	74
A. NOT OPERATED	8741	9.2	136	1	1	5	11	23	33	69
B. OPERATED	794	9.6	125	1	2	7	10	22	32	62
TOTAL 0-19 YRS	1491	12.2	270	1	1	5	17	39	56	99+
20-34	3941	8.7	118	1	1	5	11	21	30	61
35-49	2224	9.2	117	1	1	6	11	22	30	55
50-64	990	8.0	79	1	1	5	10	19	26	41
65+	889	8.3	71	1	2	5	10	19	27	43
GRAND TOTAL	**9535**	**9.3**	**135**	**1**	**1**	**5**	**11**	**23**	**33**	**68**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	8.4	164	<1	<1	2	9	28	35	54
20-34	2342	8.6	92	1	1	4	11	27	28	31
35-49	2620	8.0	83	1	1	4	7	27	28	31
50-64	1055	8.1	85	1	1	4	8	27	29	34
65+	267	7.5	60	1	1	4	8	21	26	30
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	3	18.0	193	2	2	25	26	27	27	27
35-49	3	10.7	96	5	5	5	18	22	22	22
50-64	4	21.3	462	8	8	12	34	53	53	53
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2335	23.5	248	1	2	25	35	43	47	61
20-34	14750	14.0	123	1	2	10	24	29	30	39
35-49	14115	12.3	112	1	2	7	22	28	30	37
50-64	7736	12.0	111	2	2	6	21	28	30	38
65+	3267	11.7	101	2	2	7	20	28	30	39
B. *Operated*										
0-19 YRS	27	27.1	310	1	3	28	36	50	57	66
20-34	317	17.9	114	2	3	21	27	30	33	37
35-49	389	17.0	118	3	4	15	26	30	34	44
50-64	315	16.9	131	3	4	14	26	32	38	57
65+	202	17.7	218	2	3	15	26	35	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6535	8.2	89	1	1	4	9	27	28	32
B. *Operated*	13	15.7	205	2	4	8	23	32	49	53
2. MULTIPLE DX										
A. *Not Operated*	42203	13.4	129	1	2	8	23	29	31	42
B. *Operated*	1250	17.5	142	2	4	17	27	31	36	55
1. SINGLE DX	6548	8.3	89	1	1	4	9	27	28	32
2. MULTIPLE DX	43453	13.5	130	1	2	8	23	29	31	42
A. NOT OPERATED	48738	12.7	127	1	2	7	23	29	31	42
B. OPERATED	1263	17.5	143	2	4	17	27	31	36	55
TOTAL 0-19 YRS	2614	22.1	260	1	1	22	33	43	47	61
20-34	17412	13.3	122	1	2	8	24	29	30	38
35-49	17127	11.7	111	1	2	6	21	28	30	36
50-64	9110	11.7	112	2	2	6	21	28	30	38
65+	3738	11.7	108	2	2	7	20	28	30	40
GRAND TOTAL	**50001**	**12.8**	**128**	**1**	**2**	**7**	**23**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.2	51	1	2	6	14	20	24	24
20-34	412	7.5	62	1	2	4	8	22	28	33
35-49	164	7.8	58	2	2	5	9	21	26	31
50-64	5	15.6	215	5	5	8	25	39	39	39
65+	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	21.9	347	2	3	21	31	41	65	84
20-34	1738	12.8	113	2	3	8	21	28	32	42
35-49	816	12.8	107	2	3	8	21	28	30	42
50-64	98	15.1	104	4	4	12	23	29	33	42
65+	73	13.9	125	3	4	9	21	29	34	48
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	54	19.0	116	4	6	20	26	31	33	57
35-49	27	16.1	104	2	4	13	27	29	30	31
50-64	12	15.4	82	5	6	12	22	30	32	32
65+	4	38.3	1312	4	4	30	62	89	89	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	7.7	62	1	2	4	8	22	28	33
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2787	13.1	118	2	3	8	21	28	32	42
B. *Operated*	98	18.4	161	4	5	18	27	31	33	74
1. SINGLE DX	595	7.6	62	1	2	4	8	22	27	33
2. MULTIPLE DX	2885	13.3	121	2	3	8	22	29	32	42
A. NOT OPERATED	3381	12.1	113	2	3	7	21	28	31	42
B. OPERATED	99	18.3	162	4	5	18	27	30	33	74
TOTAL 0-19 YRS	72	20.1	323	2	3	17	29	40	61	83
20-34	2204	12.0	109	2	3	7	20	28	31	42
35-49	1008	12.1	103	2	3	7	21	28	30	42
50-64	115	15.1	104	4	4	12	23	29	34	41
65+	81	14.6	196	2	3	9	21	31	38	76
GRAND TOTAL	**3480**	**12.3**	**115**	**2**	**3**	**7**	**21**	**28**	**31**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	24.5	392	1	2	25	39	46	59	90
20-34	800	10.4	88	1	2	6	18	26	28	33
35-49	181	11.1	93	1	2	7	20	26	28	36
50-64	23	11.3	341	<1	1	6	10	27	54	86
65+	13	10.4	165	<1	1	4	14	32	37	38
B. *Operated*										
0-19 YRS										
20-34	2	5.0		5	5	5	5	5	5	5
35-49	1	32.0		32	32	32	32	32	32	32
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1536	26.4	269	3	4	28	37	45	53	81
20-34	4806	17.2	124	2	3	20	27	30	34	42
35-49	1336	16.5	123	2	3	18	26	30	33	42
50-64	230	17.4	133	2	3	19	27	31	36	42
65+	153	17.9	159	3	5	16	26	33	41	46
B. *Operated*										
0-19 YRS	21	41.0	293	22	27	39	60	82	99+	99+
20-34	110	21.6	91	4	6	23	28	31	35	45
35-49	49	19.4	139	2	3	20	28	35	40	48
50-64	20	21.2	102	4	6	21	29	35	36	37
65+	3	21.3	82	11	11	25	27	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1206	12.7	167	1	2	7	21	29	36	58
B. *Operated*	3	14.0	243	5	5	5	25	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	8061	18.9	166	2	3	20	28	34	42	53
B. *Operated*	203	23.0	160	3	6	23	29	37	43	87
1. SINGLE DX	1209	12.7	167	1	2	7	21	29	36	58
2. MULTIPLE DX	8264	19.0	166	2	3	20	28	34	42	54
A. NOT OPERATED	9267	18.1	170	2	3	19	28	34	41	53
B. OPERATED	206	22.9	161	3	6	23	29	37	43	87
TOTAL 0-19 YRS	1746	26.4	285	2	4	28	38	46	54	86
20-34	5718	16.3	125	2	3	18	26	30	33	42
35-49	1567	16.0	123	2	3	16	25	29	33	42
50-64	273	17.2	151	2	3	16	27	31	37	43
65+	169	17.4	161	2	4	14	26	33	39	46
GRAND TOTAL	**9473**	**18.2**	**170**	**2**	**3**	**20**	**28**	**34**	**41**	**54**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	651	1.8	26	<1	<1	1	1	2	3	31
20-34	363	2.1	14	<1	<1	1	2	3	5	20
35-49	204	3.7	32	<1	<1	2	4	7	19	29
50-64	94	3.9	24	<1	1	2	4	9	13	28
65+	26	4.3	47	<1	1	2	5	9	14	35
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49										
50-64	3	3.7		3	3	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	904	8.1	214	<1	<1	1	6	30	44	60
20-34	1195	6.2	83	<1	<1	2	6	22	29	33
35-49	726	6.3	69	<1	1	3	6	20	28	33
50-64	452	5.8	55	<1	1	3	6	14	27	32
65+	223	5.2	49	1	1	3	5	11	22	33
B. *Operated*										
0-19 YRS	27	2.8	31	<1	<1	1	2	6	12	29
20-34	67	3.6	37	<1	<1	1	3	9	19	30
35-49	29	7.0	57	<1	1	4	11	16	23	33
50-64	29	9.5	102	<1	<1	5	13	28	29	32
65+	22	4.8	26	<1	1	2	7	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1338	2.4	25	<1	<1	1	2	4	7	29
B. *Operated*	7	3.1	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	3500	6.6	109	<1	<1	2	6	21	30	47
B. *Operated*	174	5.2	53	<1	<1	2	7	16	24	32
1. SINGLE DX	1345	2.4	25	<1	<1	1	2	4	7	29
2. MULTIPLE DX	3674	6.5	106	<1	<1	2	6	21	30	46
A. NOT OPERATED	4838	5.4	89	<1	<1	2	4	17	28	45
B. OPERATED	181	5.1	51	<1	<1	2	6	15	23	32
TOTAL 0-19 YRS	1583	5.4	143	<1	<1	1	2	15	36	55
20-34	1628	5.2	69	<1	<1	2	4	19	28	32
35-49	959	5.7	62	<1	1	3	6	18	27	33
50-64	578	5.7	53	<1	1	3	6	13	26	32
65+	271	5.1	47	1	1	3	5	11	21	33
GRAND TOTAL	**5019**	**5.4**	**88**	**<1**	**<1**	**2**	**4**	**17**	**28**	**44**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	10.5	194	<1	1	3	14	35	41	52
20-34	513	8.1	84	1	1	4	10	24	28	33
35-49	125	6.5	56	1	1	4	7	19	26	31
50-64	14	7.9	60	1	2	6	9	16	28	32
65+	10	6.7	27	1	1	5	13	14	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	811	21.9	341	1	2	19	36	48	57	75
20-34	2014	12.6	121	1	2	8	22	28	30	42
35-49	534	11.3	102	1	1	7	21	28	30	35
50-64	118	10.4	89	1	2	7	13	27	30	42
65+	78	9.8	50	2	2	8	14	21	23	28
B. *Operated*										
0-19 YRS	14	24.5	377	2	2	19	42	51	57	59
20-34	75	19.1	151	1	3	20	28	33	41	54
35-49	19	16.4	140	1	2	15	28	33	36	37
50-64	8	15.1	163	3	4	10	21	37	41	41
65+	5	11.2	2	10	10	11	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	8.4	102	1	1	4	10	26	30	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3555	14.4	182	1	2	9	24	31	41	59
B. *Operated*	121	18.7	173	2	3	16	28	35	42	58
1. SINGLE DX	830	8.4	102	1	1	4	10	26	30	42
2. MULTIPLE DX	3676	14.5	183	1	2	9	24	31	41	59
A. NOT OPERATED	4385	13.3	173	1	1	7	22	30	39	57
B. OPERATED	121	18.7	173	2	3	16	28	35	42	58
TOTAL 0-19 YRS	993	20.0	334	1	1	16	34	47	54	73
20-34	2602	11.9	119	1	1	7	21	28	30	41
35-49	678	10.6	99	1	1	6	18	28	30	35
50-64	140	10.4	90	1	2	7	13	27	30	42
65+	93	9.5	45	2	2	8	14	21	22	28
GRAND TOTAL	**4506**	**13.4**	**174**	**1**	**1**	**7**	**22**	**30**	**39**	**57**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.8	3	1	1	2	4	5	7	9
20-34	73	3.0	5	1	1	2	4	7	7	9
35-49	68	2.9	4	<1	1	2	4	6	7	11
50-64	34	3.5	14	<1	1	2	4	8	12	18
65+	24	4.3	18	1	1	3	5	10	16	17
B. *Operated*										
0-19 YRS	8	2.6	4	1	1	2	3	6	7	7
20-34	6	5.3	53	<1	<1	3	4	18	20	20
35-49	7	3.4	6	1	1	2	6	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	5.7	41	<1	<1	3	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	6.8	204	<1	1	3	5	11	34	85
20-34	281	4.6	32	1	1	3	5	9	15	31
35-49	322	5.2	37	1	1	3	5	11	17	33
50-64	288	4.9	44	1	1	3	5	9	16	33
65+	405	4.6	18	1	2	4	5	8	11	24
B. *Operated*										
0-19 YRS	15	12.5	461	1	1	6	9	37	71	83
20-34	26	6.3	34	<1	1	4	8	14	20	24
35-49	37	5.1	13	1	1	5	7	9	11	19
50-64	45	6.1	30	1	1	4	10	12	16	27
65+	41	6.2	13	1	2	6	9	12	14	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	3.1	7	1	1	2	4	7	8	14
B. *Operated*	26	3.7	18	<1	1	2	4	7	14	20
2. MULTIPLE DX										
A. *Not Operated*	1445	5.0	50	1	1	3	5	9	15	35
B. *Operated*	164	6.5	63	1	1	5	8	12	16	76
1. SINGLE DX	294	3.2	8	1	1	2	4	7	8	16
2. MULTIPLE DX	1609	5.2	51	1	1	3	6	10	15	36
A. NOT OPERATED	1713	4.7	43	1	1	3	5	9	14	33
B. OPERATED	190	6.2	57	1	1	4	8	12	15	64
TOTAL 0-19 YRS	241	5.9	160	1	1	3	5	9	20	83
20-34	386	4.4	28	1	1	3	5	9	13	29
35-49	434	4.8	30	1	1	3	5	10	14	32
50-64	369	4.9	40	1	1	3	5	10	16	31
65+	473	4.7	18	1	1	4	6	9	13	25
GRAND TOTAL	**1903**	**4.9**	**45**	**1**	**1**	**3**	**5**	**9**	**14**	**34**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1796	11.9	189	1	1	7	17	32	41	69
20-34	1931	5.7	43	<1	1	3	7	13	18	36
35-49	1096	6.1	44	1	1	4	8	14	18	33
50-64	307	6.6	60	1	1	4	8	15	21	39
65+	135	8.6	70	1	1	6	11	20	27	38
B. *Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	4	3.3	10	<1	<1	2	5	8	8	8
35-49	3	15.0	163	4	4	12	25	29	29	29
50-64	4	10.3	103	1	1	10	19	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3278	14.6	257	1	1	9	22	39	50	99+
20-34	5125	7.7	74	1	1	5	10	18	25	40
35-49	3188	8.2	77	1	1	5	10	19	26	39
50-64	1165	8.7	80	1	1	6	11	20	29	47
65+	945	8.8	79	1	2	6	12	19	25	46
B. *Operated*										
0-19 YRS	62	14.7	255	1	2	10	21	39	53	98
20-34	149	11.0	159	1	1	7	15	24	40	66
35-49	103	11.0	86	1	1	9	15	26	32	69
50-64	39	14.9	163	2	3	12	18	27	39	67
65+	64	15.0	135	3	4	12	19	31	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5265	8.0	103	1	1	4	10	20	30	51
B. *Operated*	13	8.1	82	<1	<1	4	13	22	28	29
2. MULTIPLE DX										
A. *Not Operated*	13701	9.7	127	1	1	6	12	24	32	62
B. *Operated*	417	12.5	154	1	2	9	17	28	39	69
1. SINGLE DX	5278	8.0	103	1	1	4	10	20	30	51
2. MULTIPLE DX	14118	9.7	128	1	1	6	12	24	32	62
A. NOT OPERATED	18966	9.2	121	1	1	5	11	23	31	59
B. OPERATED	430	12.4	152	1	2	9	17	28	39	68
TOTAL 0-19 YRS	5138	13.7	235	1	1	8	20	36	47	95
20-34	7209	7.3	69	1	1	4	9	17	23	39
35-49	4390	7.8	70	1	1	5	10	18	25	39
50-64	1515	8.4	80	1	1	5	11	19	28	44
65+	1144	9.1	83	1	2	6	12	20	27	46
GRAND TOTAL	**19396**	**9.3**	**122**	**1**	**1**	**5**	**12**	**23**	**32**	**59**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1771	18.9	373	1	2	13	30	48	66	99+
20-34	826	11.6	194	<1	1	5	17	32	40	61
35-49	459	7.6	94	1	1	4	8	18	28	56
50-64	201	8.8	96	1	1	5	13	21	28	46
65+	129	10.9	125	1	2	7	14	26	34	55
B. *Operated*										
0-19 YRS	11	9.5	178	1	1	4	9	36	36	36
20-34	18	5.3	84	<1	1	2	6	10	28	40
35-49	18	7.8	62	1	1	7	9	20	28	30
50-64	6	3.8	9	1	1	3	7	8	8	8
65+	4	3.8	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4575	25.1	517	2	2	20	42	69	93	99+
20-34	2724	12.3	215	1	1	6	17	33	44	80
35-49	1818	9.2	115	1	2	5	12	24	32	55
50-64	1071	8.7	85	1	2	6	11	19	28	44
65+	1243	8.8	81	2	2	6	11	19	26	55
B. *Operated*										
0-19 YRS	114	33.7	852	3	3	30	71	99+	99+	99+
20-34	135	16.3	339	1	2	10	21	44	64	99+
35-49	146	13.0	175	2	2	9	16	29	44	58
50-64	88	12.2	130	2	3	10	16	24	33	64
65+	150	13.3	171	3	4	9	17	31	41	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3386	14.7	287	1	1	8	22	41	53	99
B. *Operated*	57	6.6	81	1	1	4	8	11	34	40
2. MULTIPLE DX										
A. *Not Operated*	11431	16.2	347	1	2	9	24	46	65	99+
B. *Operated*	633	17.4	383	2	3	10	23	53	80	99+
1. SINGLE DX	3443	14.6	284	1	1	7	22	40	52	98
2. MULTIPLE DX	12064	16.3	349	1	2	9	24	46	66	99+
A. NOT OPERATED	14817	15.9	334	1	2	8	24	45	63	99+
B. OPERATED	690	16.5	367	2	2	9	22	49	80	99+
TOTAL 0-19 YRS	6471	23.5	492	1	2	18	40	65	89	99+
20-34	3703	12.3	215	1	1	6	17	33	44	79
35-49	2441	9.1	115	1	1	5	11	23	32	55
50-64	1366	8.9	90	1	2	6	11	20	28	44
65+	1526	9.4	95	2	2	6	11	21	28	58
GRAND TOTAL	**15507**	**15.9**	**335**	**1**	**2**	**8**	**24**	**45**	**63**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	8.3	95	1	1	4	14	21	32	35
20-34	31	6.1	45	1	1	3	8	14	15	33
35-49	13	6.6	29	1	1	7	9	13	18	19
50-64	4	4.5	7	<1	<1	5	6	7	7	7
65+	2	14.0	72	8	8	14	20	20	20	20
B. *Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	12.2	199	1	2	7	15	38	45	90
20-34	108	12.1	118	1	2	8	17	30	40	99+
35-49	57	13.8	152	2	4	10	17	30	47	97
50-64	25	15.1	219	1	2	12	19	37	46	62
65+	4	14.8	186	3	3	12	26	31	31	31
B. *Operated*										
0-19 YRS	16	7.5	110	1	1	4	12	37	79	99+
20-34	10	10.0	35	5	5	7	16	19	21	21
35-49	8	11.5	308	1	1	4	13	42	53	53
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	7.1	58	1	1	4	10	18	21	34
B. *Operated*	5	4.2	10	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	282	12.8	158	1	2	8	17	32	43	99+
B. *Operated*	36	9.4	122	1	1	5	15	21	49	99+
1. SINGLE DX	81	6.9	56	1	1	4	8	16	21	34
2. MULTIPLE DX	318	12.4	155	1	2	8	17	32	44	99+
A. NOT OPERATED	358	11.6	142	1	2	8	15	31	40	97
B. OPERATED	41	8.8	111	1	1	5	14	20	46	99+
TOTAL 0-19 YRS	133	10.6	167	1	1	6	14	33	44	99+
20-34	150	10.7	102	1	2	8	14	25	35	99
35-49	78	12.4	150	1	2	9	17	28	47	90
50-64	31	13.5	190	1	2	8	16	35	41	62
65+	7	14.4	105	3	3	14	21	29	31	31
GRAND TOTAL	**399**	**11.3**	**140**	**1**	**1**	**7**	**15**	**30**	**40**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1032	9.1	18	1	3	10	11	14	15	22
20-34	152	6.4	25	1	2	5	8	11	14	27
35-49	96	7.1	62	1	1	5	10	13	18	44
50-64	49	7.7	32	1	1	7	11	15	16	25
65+	22	7.7	33	1	1	8	12	14	17	21
B. *Operated*										
0-19 YRS	95	12.3	65	1	5	11	14	24	28	47
20-34	57	6.0	57	1	1	3	8	16	19	43
35-49	97	6.1	71	1	1	3	8	15	23	48
50-64	56	6.2	60	1	1	3	9	15	20	42
65+	19	5.5	61	<1	1	2	8	16	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1414	10.9	28	2	4	11	13	16	20	28
20-34	250	8.2	39	1	2	7	11	16	22	32
35-49	264	11.7	121	1	2	9	15	24	31	55
50-64	221	11.8	73	2	3	11	15	21	27	43
65+	259	15.6	185	3	4	14	19	28	40	95
B. *Operated*										
0-19 YRS	284	19.1	171	6	8	15	24	37	48	92
20-34	160	19.4	324	2	4	14	25	41	64	98
35-49	227	14.9	243	1	1	9	21	42	54	99+
50-64	235	17.6	317	1	2	11	24	45	58	84
65+	210	21.7	279	1	3	18	34	51	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	8.6	23	1	2	10	11	14	15	23
B. *Operated*	324	7.9	72	1	1	6	11	17	24	44
2. MULTIPLE DX										
A. *Not Operated*	2408	11.3	63	2	3	11	14	18	24	44
B. *Operated*	1116	18.5	263	1	3	14	25	44	56	99+
1. SINGLE DX	1675	8.4	33	1	1	9	11	14	16	27
2. MULTIPLE DX	3524	13.5	138	2	3	11	15	26	39	69
A. NOT OPERATED	3759	10.3	51	2	3	10	12	16	21	39
B. OPERATED	1440	16.1	239	1	1	12	22	40	51	92
TOTAL 0-19 YRS	2825	11.1	48	2	3	11	13	17	22	41
20-34	619	10.5	139	1	2	7	13	22	32	77
35-49	684	11.3	156	1	1	8	14	26	42	69
50-64	561	13.3	186	1	1	10	16	30	44	69
65+	510	17.4	231	1	3	14	22	40	52	99
GRAND TOTAL	**5199**	**11.9**	**109**	**1**	**2**	**10**	**14**	**22**	**32**	**60**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	5.1	16	<1	<1	5	7	12	13	13
50-64	56	6.3	28	1	1	5	9	13	18	27
65+	150	7.7	56	2	2	6	10	14	18	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	7.6	10	4	4	8	10	12	12	12
50-64	4	4.8	8	1	1	5	7	7	7	7
65+	5	10.8	71	3	3	8	14	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	8.7	28	4	4	7	10	17	18	18
35-49	26	9.6	46	2	3	8	13	22	23	24
50-64	265	9.5	73	2	2	7	11	19	24	50
65+	1884	10.1	83	2	3	8	12	20	27	72
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	21.6	432	5	5	15	33	56	56	56
50-64	36	14.0	251	2	3	9	16	29	43	85
65+	252	15.9	203	3	5	12	20	34	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	7.2	48	1	2	6	9	13	18	30
B. *Operated*	14	7.9	33	1	3	7	9	13	22	25
2. MULTIPLE DX										
A. *Not Operated*	2182	10.0	81	2	3	8	12	20	26	60
B. *Operated*	293	15.8	211	3	5	11	19	34	58	99+
1. SINGLE DX	228	7.2	47	1	2	6	9	13	18	29
2. MULTIPLE DX	2475	10.7	100	2	3	8	13	21	29	79
A. NOT OPERATED	2396	9.8	78	2	3	8	12	19	26	60
B. OPERATED	307	15.4	206	3	4	11	19	33	55	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	7.6	32	1	2	5	10	16	18	18
35-49	43	10.0	93	1	3	8	12	22	24	56
50-64	361	9.4	86	2	2	7	11	18	25	50
65+	2291	10.6	98	2	3	8	13	21	29	83
GRAND TOTAL	**2703**	**10.4**	**96**	**2**	**3**	**8**	**13**	**21**	**29**	**76**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	12	1	1	4	8	10	11	11
20-34	364	6.7	30	1	1	6	9	12	15	28
35-49	536	7.6	35	1	2	6	10	14	19	29
50-64	153	7.4	26	1	1	7	10	14	16	24
65+	12	8.0	21	1	2	9	10	13	17	18
B. *Operated*										
0-19 YRS	4	4.8	25	1	1	3	8	12	12	12
20-34	53	3.7	13	1	1	2	5	8	11	18
35-49	65	5.5	30	1	1	3	8	14	18	23
50-64	24	5.5	27	1	1	4	7	13	17	21
65+	9	7.0	66	1	1	5	8	20	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.7	113	1	1	6	13	36	69	99+
20-34	478	9.2	72	2	2	7	11	17	22	54
35-49	847	9.7	63	2	3	8	12	18	24	41
50-64	452	10.1	56	2	3	9	13	19	23	37
65+	127	9.5	53	2	3	8	12	18	22	45
B. *Operated*										
0-19 YRS	1	12.0		12	12	56	99+	99+	99+	99+
20-34	99	13.2	134	2	3	10	18	29	49	99+
35-49	214	11.9	165	2	2	8	14	30	41	99+
50-64	146	12.7	112	2	3	10	16	27	36	54
65+	45	15.6	168	2	3	12	20	34	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	7.2	32	1	1	6	10	14	18	27
B. *Operated*	155	5.0	26	1	1	3	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	1924	9.7	63	2	3	8	12	18	23	43
B. *Operated*	505	12.7	144	2	2	9	16	29	40	99+
1. SINGLE DX	1240	6.9	31	1	1	6	9	13	18	26
2. MULTIPLE DX	2429	10.3	81	2	3	8	13	20	28	55
A. NOT OPERATED	3009	8.8	53	1	2	7	11	17	21	38
B. OPERATED	660	10.9	127	1	2	8	14	25	37	99+
TOTAL 0-19 YRS	45	7.2	62	1	1	6	11	15	51	99+
20-34	994	8.4	64	1	2	7	10	17	22	52
35-49	1662	9.1	68	1	2	7	11	18	23	46
50-64	775	9.9	63	2	3	8	13	19	23	38
65+	193	10.7	85	2	3	9	13	21	28	59
GRAND TOTAL	**3669**	**9.2**	**67**	**1**	**2**	**7**	**11**	**18**	**24**	**47**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1960	3.0	10	1	1	2	3	5	8	15
20-34	1195	3.1	14	1	1	2	4	5	8	19
35-49	601	3.1	8	1	1	2	4	6	8	15
50-64	312	3.2	6	1	1	2	4	6	7	14
65+	264	3.6	8	1	1	3	4	7	9	15
B. *Operated*										
0-19 YRS	56	4.5	10	1	1	3	6	9	11	14
20-34	65	8.6	76	1	1	7	11	15	27	47
35-49	35	5.5	25	1	1	4	7	13	17	22
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	4.7	9	2	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3278	4.7	39	1	1	3	5	9	15	34
20-34	2378	4.7	34	1	1	3	5	9	12	30
35-49	2242	4.9	23	1	1	4	6	10	14	26
50-64	2415	5.6	34	1	2	4	6	11	16	30
65+	4205	6.4	37	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	184	11.7	138	1	2	9	14	25	35	94
20-34	247	7.5	74	1	1	6	10	15	21	65
35-49	202	9.0	80	1	2	7	12	17	28	83
50-64	272	11.9	155	2	2	8	15	24	41	65
65+	467	14.0	170	2	4	11	18	30	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4332	3.1	10	1	1	2	4	6	8	16
B. *Operated*	167	6.3	42	1	1	4	9	12	16	39
2. MULTIPLE DX										
A. *Not Operated*	14518	5.4	35	1	1	4	6	11	15	31
B. *Operated*	1372	11.4	138	1	2	8	14	25	36	89
1. SINGLE DX	4499	3.2	12	1	1	2	4	6	8	17
2. MULTIPLE DX	15890	5.9	46	1	1	4	7	12	17	38
A. NOT OPERATED	18850	4.8	30	1	1	3	6	10	14	29
B. OPERATED	1539	10.8	130	1	2	8	13	24	34	83
TOTAL 0-19 YRS	5478	4.3	34	1	1	3	5	9	13	33
20-34	3885	4.4	32	1	1	3	5	9	12	29
35-49	3080	4.8	25	1	1	3	6	10	14	27
50-64	3003	5.9	46	1	2	4	7	12	17	39
65+	4943	7.0	54	1	2	5	8	14	19	45
GRAND TOTAL	**20389**	**5.3**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	521	3.3	22	<1	1	2	4	6	9	84
20-34	605	3.6	19	1	1	3	4	7	10	18
35-49	478	3.7	12	1	1	3	4	7	9	19
50-64	279	4.0	17	1	1	3	5	8	11	25
65+	340	5.8	28	1	1	4	7	11	16	29
B. *Operated*										
0-19 YRS	532	4.5	24	1	1	3	6	9	12	22
20-34	451	4.6	24	1	1	3	6	9	13	26
35-49	410	4.7	22	1	1	3	6	10	13	27
50-64	324	4.8	23	1	1	3	7	10	14	27
65+	288	6.6	36	1	1	5	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1576	7.8	197	1	1	4	7	40	99+	99+
20-34	1314	7.3	125	1	1	4	7	15	28	82
35-49	1334	7.3	91	1	1	4	8	15	25	65
50-64	1820	10.2	156	1	2	6	11	23	38	72
65+	6276	11.2	143	2	3	7	13	24	36	75
B. *Operated*										
0-19 YRS	1220	9.1	175	1	2	5	10	22	46	99+
20-34	876	10.1	151	1	1	6	12	26	47	99+
35-49	957	10.7	182	1	2	7	12	24	43	93
50-64	1274	12.5	197	1	2	8	16	31	44	99+
65+	2444	14.3	187	2	2	10	19	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	3.9	20	1	1	3	5	8	11	26
B. *Operated*	2005	4.9	25	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	12320	9.7	147	1	2	6	11	23	38	99+
B. *Operated*	6771	12.0	185	1	2	8	15	29	45	99+
1. SINGLE DX	4228	4.4	23	1	1	3	6	9	12	26
2. MULTIPLE DX	19091	10.5	162	1	2	7	13	25	41	99+
A. NOT OPERATED	14543	8.9	132	1	2	5	10	21	35	99+
B. OPERATED	8776	10.4	158	1	1	7	13	25	38	99+
TOTAL 0-19 YRS	3849	7.1	147	1	1	4	7	18	55	99+
20-34	3246	7.0	104	1	1	4	8	15	27	84
35-49	3179	7.4	104	1	1	4	8	16	26	66
50-64	3697	10.1	155	1	2	6	12	23	37	81
65+	9348	11.6	151	2	2	8	14	26	37	82
GRAND TOTAL	**23319**	**9.4**	**142**	**1**	**2**	**6**	**11**	**22**	**36**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	519	2.2	3	<1	1	2	3	4	5	9
20-34	1304	3.0	6	1	1	2	4	6	7	12
35-49	987	3.1	6	1	1	2	4	6	8	13
50-64	277	3.0	4	1	1	2	4	6	8	11
65+	46	3.0	8	<1	1	2	3	7	10	13
B. *Operated*										
0-19 YRS	25	2.5	7	<1	1	2	3	5	7	14
20-34	109	2.9	4	1	1	2	4	6	7	9
35-49	95	3.1	5	1	1	2	4	6	8	11
50-64	31	2.8	6	1	1	2	3	6	8	12
65+	8	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	3.0	6	1	1	2	3	6	8	12
20-34	1774	4.0	12	1	1	3	5	8	10	18
35-49	1969	4.5	16	1	1	3	5	9	12	20
50-64	864	4.4	15	1	2	3	5	8	11	18
65+	379	4.4	12	1	2	3	6	8	11	18
B. *Operated*										
0-19 YRS	26	4.6	14	1	1	3	7	11	12	14
20-34	151	6.2	63	1	2	4	7	12	16	56
35-49	175	5.5	15	1	2	5	7	10	14	20
50-64	137	5.0	19	1	1	4	6	9	11	27
65+	45	6.1	36	1	2	4	8	11	13	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3133	2.9	5	1	1	2	4	6	7	12
B. *Operated*	268	2.9	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	5497	4.2	13	1	1	3	5	8	11	18
B. *Operated*	534	5.6	31	1	2	4	7	10	14	25
1. SINGLE DX	3401	2.9	5	1	1	2	4	6	7	12
2. MULTIPLE DX	6031	4.3	15	1	1	3	5	8	11	19
A. NOT OPERATED	8630	3.7	11	1	1	3	5	7	9	17
B. OPERATED	802	4.7	24	1	1	3	6	9	12	23
TOTAL 0-19 YRS	1081	2.6	5	1	1	2	3	5	7	12
20-34	3338	3.7	12	1	1	3	5	7	9	17
35-49	3226	4.1	13	1	1	3	5	8	10	18
50-64	1309	4.1	13	1	1	3	5	8	10	18
65+	478	4.4	14	1	1	3	6	9	11	18
GRAND TOTAL	**9432**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	15	2.1	1	1	1	2	3	4	4	4
35-49	14	2.2	1	1	1	2	2	4	4	4
50-64	11	2.8	6	1	1	2	4	7	9	9
65+	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	25	1.3		<1	<1	<1	1	2	3	3
20-34	488	1.3	1	<1	<1	<1	1	2	2	5
35-49	838	1.4	1	<1	<1	<1	1	2	3	6
50-64	684	1.4	1	<1	<1	<1	1	2	3	6
65+	321	1.3	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	17	<1	<1	7	8	9	9	9
20-34	28	2.7	4	<1	<1	2	4	6	6	8
35-49	42	3.7	11	<1	<1	2	6	7	10	16
50-64	52	3.9	22	<1	<1	3	4	7	16	25
65+	34	4.2	49	<1	1	3	4	7	9	42
B. *Operated*										
0-19 YRS	17	4.0	71	<1	<1	1	3	7	26	36
20-34	244	2.2	4	<1	<1	1	2	4	6	11
35-49	585	2.3	6	<1	<1	2	3	5	7	12
50-64	714	2.4	13	<1	<1	2	2	4	6	14
65+	556	2.5	11	<1	<1	2	3	5	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.2	2	1	1	2	2	4	5	9
B. *Operated*	2356	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	159	3.7	21	<1	<1	2	5	7	9	25
B. *Operated*	2116	2.4	10	<1	<1	2	3	5	7	13
1. SINGLE DX	2404	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	2275	2.5	11	<1	<1	2	3	5	7	14
A. NOT OPERATED	207	3.4	17	<1	<1	2	4	6	9	22
B. OPERATED	4472	1.8	5	<1	<1	1	2	3	5	11
TOTAL 0-19 YRS	47	2.6	28	<1	<1	1	2	4	8	36
20-34	775	1.6	2	<1	<1	1	2	3	4	8
35-49	1479	1.8	4	<1	<1	1	2	3	5	9
50-64	1461	2.0	8	<1	<1	1	2	3	5	11
65+	917	2.1	9	<1	<1	1	2	4	6	13
GRAND TOTAL	**4679**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	6.1	93	1	1	4	7	12	16	86
20-34	332	4.9	28	1	1	4	6	10	14	31
35-49	408	5.3	35	1	1	4	7	11	15	29
50-64	287	4.6	22	1	1	3	6	10	14	24
65+	203	4.1	15	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	224	2.9	5	<1	1	2	4	5	7	13
20-34	1321	2.9	9	<1	1	2	4	5	7	13
35-49	1569	2.9	8	<1	1	2	4	6	8	13
50-64	1110	3.0	10	<1	1	2	4	7	9	17
65+	612	2.9	9	<1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	10.0	203	1	1	5	11	25	41	74
20-34	482	5.7	48	1	1	4	6	11	20	44
35-49	841	5.8	35	1	1	4	7	11	16	36
50-64	1135	6.3	47	1	2	4	8	12	18	30
65+	1813	6.8	34	1	2	5	9	13	18	32
B. *Operated*										
0-19 YRS	215	6.7	140	1	1	3	6	13	26	70
20-34	961	5.4	71	1	1	3	6	10	18	47
35-49	1444	5.0	41	1	1	3	6	10	15	35
50-64	1349	6.1	99	1	1	3	7	13	20	71
65+	1423	8.2	108	1	1	5	10	19	29	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1428	5.0	36	1	1	3	6	10	14	30
B. *Operated*	4836	2.9	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	4445	6.5	46	1	2	5	8	13	18	36
B. *Operated*	5392	6.3	84	1	1	3	7	14	21	67
1. SINGLE DX	6264	3.4	16	<1	1	2	4	7	10	18
2. MULTIPLE DX	9837	6.4	67	1	1	4	8	13	20	50
A. NOT OPERATED	5873	6.1	44	1	1	4	7	12	17	35
B. OPERATED	10228	4.7	51	<1	1	3	5	10	15	41
TOTAL 0-19 YRS	811	6.2	111	1	1	3	6	12	23	70
20-34	3096	4.3	38	1	1	3	5	8	12	34
35-49	4262	4.4	28	<1	1	3	5	9	13	29
50-64	3881	5.2	55	1	1	3	6	11	16	40
65+	4051	6.6	58	1	1	4	8	14	20	47
GRAND TOTAL	**16101**	**5.2**	**49**	**1**	**1**	**3**	**6**	**11**	**16**	**38**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	5	3.2	4	<1	<1	3	4	6	6	6
50-64	7	2.4	1	1	1	2	3	4	4	4
65+	9	3.9	2	1	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	171	2.8	2	1	1	2	4	5	6	7
20-34	339	3.1	5	1	1	3	4	6	7	13
35-49	436	3.1	6	1	1	3	4	6	7	10
50-64	1135	2.9	3	1	1	3	4	5	6	9
65+	1122	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.2		<1	<1	1	1	2	3	3
20-34	21	1.7	1	<1	<1	1	2	3	4	4
35-49	18	3.2	8	<1	<1	2	4	9	9	9
50-64	32	2.1	2	<1	<1	1	3	5	5	5
65+	62	2.7	7	<1	<1	2	4	5	6	16
B. *Operated*										
0-19 YRS	200	3.5	6	1	1	3	4	6	7	14
20-34	484	3.7	8	1	1	3	5	6	8	14
35-49	636	3.7	6	1	1	3	5	7	8	13
50-64	1614	3.4	5	1	1	3	4	6	7	12
65+	2463	3.6	6	1	1	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.1	2	<1	1	3	4	5	5	6
B. *Operated*	3203	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	144	2.4	5	<1	<1	1	3	5	6	10
B. *Operated*	5397	3.6	6	1	1	3	4	6	7	13
1. SINGLE DX	3229	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	5541	3.5	6	1	1	3	4	6	7	13
A. NOT OPERATED	170	2.5	4	<1	<1	2	4	5	5	9
B. OPERATED	8600	3.3	5	1	1	3	4	6	7	11
TOTAL 0-19 YRS	384	3.1	4	1	1	3	4	5	6	13
20-34	847	3.4	7	1	1	3	4	6	7	13
35-49	1095	3.4	6	1	1	3	4	6	8	12
50-64	2788	3.1	4	1	1	3	4	6	7	10
65+	3656	3.4	5	1	1	3	4	6	7	11
GRAND TOTAL	**8770**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	4	2.5	3	1	1	2	4	4	4	4
35-49	10	1.6	4	<1	<1	1	1	4	7	7
50-64	34	1.3		<1	1	1	2	2	2	2
65+	59	1.5	1	1	1	1	2	3	3	5
B. *Operated*										
0-19 YRS	24	1.8	1	1	1	1	3	3	4	4
20-34	18	2.2	3	<1	1	2	2	4	6	8
35-49	71	2.4	2	<1	1	2	4	4	5	8
50-64	194	2.2	2	<1	<1	2	3	4	5	8
65+	352	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	2	1	1	2	4	5	5	5
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	11	2.1	3	<1	<1	2	2	5	7	7
50-64	38	2.9	9	1	1	2	3	8	9	14
65+	145	2.9	7	1	1	2	3	6	9	14
B. *Operated*										
0-19 YRS	25	2.4	6	<1	1	2	3	4	7	13
20-34	22	4.3	22	<1	1	3	5	10	16	20
35-49	61	3.3	5	1	1	3	4	7	8	9
50-64	239	2.9	6	1	1	2	3	6	7	14
65+	937	3.3	10	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.5	1	1	1	1	2	2	3	6
B. *Operated*	659	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	203	2.8	7	1	1	2	3	6	8	14
B. *Operated*	1284	3.2	9	1	1	2	4	6	8	16
1. SINGLE DX	771	2.2	2	<1	1	2	3	4	5	9
2. MULTIPLE DX	1487	3.2	9	1	1	2	4	6	8	15
A. NOT OPERATED	315	2.3	5	1	1	2	2	5	7	13
B. OPERATED	1943	2.9	7	1	1	2	3	5	8	13
TOTAL 0-19 YRS	61	2.1	3	<1	1	1	3	4	5	12
20-34	46	3.2	13	<1	1	2	4	7	10	20
35-49	153	2.7	4	1	1	2	4	5	7	9
50-64	505	2.5	5	<1	1	2	3	5	7	12
65+	1493	3.0	8	1	1	2	3	5	8	14
GRAND TOTAL	**2258**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	6	4.2	2	2	2	5	5	5	5	5
50-64	11	2.5	1	1	1	3	3	4	4	4
65+	19	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	18	1.6	1	1	1	1	2	3	3	3
20-34	15	2.2	1	<1	1	2	3	4	4	4
35-49	45	3.0	8	<1	1	2	3	8	11	12
50-64	65	2.4	3	<1	<1	2	3	5	6	8
65+	126	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4		1	1	1	2	3	3	3
20-34	12	5.9	19	1	1	5	9	13	14	14
35-49	16	5.9	33	<1	1	4	7	13	20	23
50-64	24	3.8	10	1	1	2	5	8	11	13
65+	87	3.6	39	1	1	2	4	7	8	40
B. *Operated*										
0-19 YRS	26	3.2	13	1	1	2	3	8	11	17
20-34	51	3.8	24	1	1	3	4	6	7	36
35-49	54	3.4	5	1	1	3	4	7	8	10
50-64	155	3.9	20	<1	1	2	4	8	12	23
65+	403	3.3	9	<1	1	2	4	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.5	2	<1	1	2	4	5	5	5
B. *Operated*	269	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	150	3.9	30	1	1	2	4	7	11	23
B. *Operated*	689	3.5	13	1	1	2	4	7	10	18
1. SINGLE DX	311	2.3	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX	839	3.5	16	1	1	2	4	7	10	19
A. NOT OPERATED	192	3.6	24	1	1	2	4	7	10	19
B. OPERATED	958	3.1	10	<1	1	2	4	6	9	17
TOTAL 0-19 YRS	58	2.3	7	1	1	1	2	4	8	16
20-34	81	3.7	19	1	1	3	4	6	10	29
35-49	121	3.6	10	1	1	3	5	7	10	16
50-64	255	3.5	15	<1	1	2	4	7	11	19
65+	635	3.1	12	<1	1	2	4	6	8	15
GRAND TOTAL	**1150**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	12	1.3		<1	<1	1	2	2	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	163	1.5	1	<1	<1	1	2	2	3	6
50-64	1174	1.4	1	<1	<1	1	2	2	2	3
65+	4663	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	1.6	1	1	1	1	2	3	4	4
50-64	56	2.8	22	<1	<1	1	2	7	10	30
65+	293	2.2	8	<1	<1	1	2	5	7	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	208	2.4	35	<1	<1	2	2	3	5	16
50-64	1672	1.9	3	<1	<1	2	2	3	4	9
65+	9997	2.0	4	<1	<1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.2		<1	<1	1	1	2	3	3
B. *Operated*	6000	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	357	2.3	10	<1	<1	1	2	5	8	14
B. *Operated*	11877	2.0	5	<1	<1	2	2	3	4	9
1. SINGLE DX	6017	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX	12234	2.0	5	<1	<1	2	2	3	4	9
A. NOT OPERATED	374	2.3	10	<1	<1	1	2	5	7	14
B. OPERATED	17877	1.8	3	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS										
20-34										
35-49	380	2.0	20	<1	<1	1	2	3	4	8
50-64	2906	1.7	2	<1	<1	1	2	2	3	8
65+	14965	1.8	3	<1	<1	2	2	2	3	7
GRAND TOTAL	**18251**	**1.8**	**4**	**<1**	**<1**	**2**	**2**	**2**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	66	1.7	2	<1	<1	1	2	3	4	10
20-34	27	1.9	2	<1	<1	1	2	3	6	7
35-49	35	1.5		<1	<1	1	2	2	2	3
50-64	77	1.3		<1	<1	1	2	2	2	4
65+	87	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	7	3.7	12	<1	<1	3	6	9	10	10
65+	10	1.4	1	<1	<1	1	2	42	95	99+
B. *Operated*										
0-19 YRS	68	2.2	3	<1	1	2	3	4	6	9
20-34	50	3.2	27	<1	<1	2	3	5	6	35
35-49	88	2.0	2	<1	1	2	2	3	5	9
50-64	185	1.8	1	<1	<1	2	2	3	4	5
65+	379	2.0	2	<1	<1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	292	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	26	2.2	5	<1	<1	1	3	7	23	99+
B. *Operated*	770	2.0	4	<1	<1	2	2	3	4	9
1. SINGLE DX	296	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	796	2.0	4	<1	<1	2	2	3	5	9
A. NOT OPERATED	30	2.1	4	<1	<1	1	2	6	10	99+
B. OPERATED	1062	1.9	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	142	1.9	2	<1	<1	1	2	3	5	9
20-34	78	2.7	18	<1	<1	2	3	5	6	30
35-49	126	1.8	2	<1	<1	2	2	3	4	8
50-64	270	1.7	1	<1	<1	1	2	2	4	6
65+	476	1.8	2	<1	<1	2	2	3	4	9
GRAND TOTAL	**1092**	**1.9**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	4	<1	1	1	2	3	6	11
20-34	12	3.0	4	<1	1	2	4	6	7	7
35-49	14	2.4	2	1	1	2	3	5	5	5
50-64	13	3.5	5	1	1	3	5	7	8	8
65+	9	2.4	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	1192	1.2		<1	<1	1	1	2	2	2
20-34	160	1.3		<1	<1	1	1	2	3	4
35-49	112	1.4		<1	<1	1	2	2	3	4
50-64	47	1.5	1	<1	<1	1	2	2	4	7
65+	36	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.4	5	<1	<1	1	3	6	8	10
20-34	23	3.3	13	<1	1	2	4	7	14	15
35-49	32	3.2	3	1	2	3	4	6	8	8
50-64	78	4.4	14	1	1	3	5	9	12	20
65+	136	4.4	8	1	1	4	6	8	10	13
B. *Operated*										
0-19 YRS	480	1.2		<1	<1	1	1	2	2	3
20-34	95	2.5	46	<1	<1	1	2	3	7	41
35-49	81	2.0	4	<1	<1	2	2	3	6	11
50-64	87	3.1	12	<1	<1	2	3	9	13	15
65+	115	4.0	14	1	1	2	5	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.6	4	1	1	2	3	5	6	10
B. *Operated*	1547	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	323	3.9	9	<1	1	3	5	8	10	14
B. *Operated*	858	2.0	10	<1	<1	1	2	3	7	13
1. SINGLE DX	1619	1.3	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	1181	2.5	10	<1	<1	1	3	6	8	14
A. NOT OPERATED	395	3.6	8	<1	1	3	5	7	10	14
B. OPERATED	2405	1.5	4	<1	<1	1	2	2	3	9
TOTAL 0-19 YRS	1750	1.2		<1	<1	1	1	2	2	3
20-34	290	1.9	17	<1	<1	1	2	3	4	12
35-49	239	1.9	2	<1	<1	1	2	3	5	9
50-64	225	3.2	11	<1	<1	2	4	7	10	16
65+	296	3.9	10	1	1	3	5	8	10	15
GRAND TOTAL	**2800**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	2.7	4	<1	<1	2	4	5	6	9
20-34	84	3.8	11	<1	1	3	5	6	9	19
35-49	52	3.5	7	<1	<1	3	4	7	8	13
50-64	47	4.1	10	<1	1	3	5	8	10	17
65+	75	4.7	9	1	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	193	1.9	3	<1	<1	1	2	4	5	10
20-34	266	1.7	1	<1	<1	1	2	3	4	5
35-49	380	1.7	1	<1	<1	1	2	3	3	6
50-64	397	1.8	3	<1	<1	1	2	3	4	10
65+	897	2.0	3	<1	<1	1	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	405	3.7	8	1	1	3	5	6	7	13
20-34	132	4.3	9	1	1	4	6	9	10	15
35-49	109	5.1	15	<1	1	4	6	10	12	20
50-64	118	5.3	20	1	1	5	7	10	12	23
65+	356	5.9	30	<1	1	5	7	11	16	24
B. *Operated*										
0-19 YRS	169	2.8	6	<1	1	2	4	6	7	12
20-34	215	3.2	18	<1	1	2	3	6	8	29
35-49	398	2.3	9	<1	<1	2	2	5	6	13
50-64	774	2.3	5	<1	1	2	3	4	6	13
65+	2396	2.9	12	<1	1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.4	7	<1	<1	3	4	6	8	14
B. *Operated*	2133	1.9	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1120	4.8	18	<1	1	4	6	9	11	22
B. *Operated*	3952	2.7	11	<1	1	2	3	5	7	16
1. SINGLE DX	2654	2.2	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	5072	3.2	13	<1	1	2	4	6	9	18
A. NOT OPERATED	1641	4.3	15	<1	1	3	5	8	11	20
B. OPERATED	6085	2.4	8	<1	1	2	3	4	6	14
TOTAL 0-19 YRS	1030	3.0	6	<1	<1	2	4	6	7	11
20-34	697	2.9	10	<1	1	2	3	6	8	17
35-49	939	2.4	7	<1	<1	2	3	5	6	13
50-64	1336	2.5	7	<1	1	2	3	5	7	13
65+	3724	3.0	13	<1	1	2	3	5	8	18
GRAND TOTAL	**7726**	**2.8**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1083	3.3	3	1	2	3	4	5	7	10
20-34	147	3.8	6	1	1	3	5	7	8	12
35-49	96	3.5	5	1	1	3	5	6	7	12
50-64	68	3.7	7	1	1	3	5	7	8	12
65+	97	3.8	5	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	119	3.0	7	<1	1	2	4	8	9	12
20-34	150	2.5	6	<1	<1	1	3	6	8	13
35-49	118	2.5	9	<1	<1	1	2	5	9	17
50-64	262	2.3	4	<1	<1	2	3	4	6	10
65+	516	2.5	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1423	4.1	6	1	2	3	5	7	9	12
20-34	246	4.3	12	1	1	3	5	8	10	20
35-49	242	5.5	21	1	1	4	7	10	14	25
50-64	317	5.2	24	1	1	4	7	9	12	27
65+	558	5.2	24	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	243	4.4	25	1	1	3	6	10	12	21
20-34	383	4.1	26	1	1	3	4	7	12	29
35-49	454	4.0	17	1	1	3	5	8	11	21
50-64	895	3.8	13	<1	1	3	5	8	10	19
65+	2012	3.6	17	<1	1	2	4	7	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1491	3.4	4	1	1	3	4	6	7	10
B. *Operated*	1165	2.5	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	2786	4.6	14	1	1	4	6	8	10	18
B. *Operated*	3987	3.8	17	<1	1	3	4	8	11	20
1. SINGLE DX	2656	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	6773	4.1	16	1	1	3	5	8	11	19
A. NOT OPERATED	4277	4.2	11	1	1	3	5	8	10	16
B. OPERATED	5152	3.5	15	<1	1	2	4	7	10	19
TOTAL 0-19 YRS	2868	3.8	7	1	1	3	5	7	8	12
20-34	926	3.8	16	<1	1	3	5	7	10	20
35-49	910	4.1	17	<1	1	3	5	8	11	21
50-64	1542	3.8	14	<1	1	3	5	8	10	18
65+	3183	3.7	16	<1	1	2	4	8	11	19
GRAND TOTAL	**9429**	**3.8**	**13**	**<1**	**1**	**3**	**5**	**7**	**10**	**17**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	3	<1	<1	2	3	5	6	8
20-34	14	2.2	3	1	1	2	3	4	6	7
35-49	13	1.8	1	<1	<1	1	2	4	5	5
50-64	26	2.9	3	<1	1	3	4	5	6	6
65+	13	3.3	5	<1	1	3	5	6	8	8
B. *Operated*										
0-19 YRS	12	1.9	4	<1	<1	1	2	4	7	8
20-34	20	1.8	3	<1	<1	1	2	3	6	8
35-49	26	2.3	2	<1	<1	2	3	4	5	7
50-64	26	1.7	2	<1	1	1	2	3	4	7
65+	16	1.9	8	<1	1	1	2	3	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.6	4	<1	<1	2	3	5	7	11
20-34	56	3.4	5	<1	1	3	5	6	9	11
35-49	56	3.0	4	1	1	3	4	6	7	8
50-64	103	3.7	7	1	1	3	5	7	9	12
65+	160	4.4	9	1	1	4	6	8	10	13
B. *Operated*										
0-19 YRS	38	2.0	3	<1	1	2	2	3	4	11
20-34	59	2.6	5	<1	1	2	3	4	6	14
35-49	74	3.0	7	<1	1	2	4	6	7	15
50-64	94	3.1	11	1	1	2	3	6	11	18
65+	162	3.0	8	1	1	2	3	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.6	3	<1	1	2	3	5	6	8
B. *Operated*	100	1.9	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	427	3.7	7	1	1	3	5	7	9	13
B. *Operated*	427	2.9	8	1	1	2	3	6	9	15
1. SINGLE DX	193	2.2	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	854	3.3	7	1	1	2	4	7	9	14
A. NOT OPERATED	520	3.5	6	1	1	3	5	7	8	12
B. OPERATED	527	2.7	7	<1	1	2	3	6	8	14
TOTAL 0-19 YRS	129	2.3	3	<1	<1	2	3	5	6	11
20-34	149	2.7	5	<1	1	2	3	5	7	11
35-49	169	2.8	5	<1	1	2	4	5	7	13
50-64	249	3.2	8	1	1	2	4	7	9	14
65+	351	3.6	9	1	1	3	5	7	10	13
GRAND TOTAL	**1047**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1188	2.5	2	1	1	2	3	4	5	7
20-34	25	3.4	26	1	1	3	3	4	10	27
35-49	12	2.3	1	1	1	2	3	4	5	5
50-64	12	2.8	5	1	1	2	5	6	7	7
65+	10	7.9	375	1	1	2	2	33	63	63
B. *Operated*										
0-19 YRS	2133	1.3	3	<1	<1	<1	1	2	2	7
20-34	431	1.4	1	<1	1	1	2	2	2	4
35-49	357	1.4	1	<1	1	1	2	2	3	6
50-64	368	1.5	1	<1	1	1	2	2	3	6
65+	128	1.6	1	<1	1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4827	3.0	4	1	1	3	4	5	6	10
20-34	157	3.9	10	<1	1	3	5	8	11	17
35-49	117	4.7	14	1	1	4	5	9	13	21
50-64	109	4.2	9	<1	1	4	5	8	10	14
65+	82	6.2	32	<1	1	4	7	15	18	27
B. *Operated*										
0-19 YRS	3802	1.5	3	<1	<1	1	1	2	4	10
20-34	660	1.7	3	1	1	1	2	3	4	10
35-49	584	1.8	3	1	1	1	2	3	4	11
50-64	667	1.8	4	1	1	1	2	3	4	11
65+	327	2.4	8	1	1	2	2	4	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1247	2.6	5	1	1	2	3	4	5	7
B. *Operated*	3417	1.3	2	<1	<1	1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	5292	3.1	5	1	1	3	4	5	7	12
B. *Operated*	6040	1.7	3	<1	<1	1	2	3	4	11
1. SINGLE DX	4664	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	11332	2.3	5	<1	1	2	3	4	6	11
A. NOT OPERATED	6539	3.0	5	1	1	3	4	5	7	11
B. OPERATED	9457	1.5	3	<1	<1	1	2	2	3	10
TOTAL 0-19 YRS	11950	2.2	4	<1	<1	1	3	4	5	10
20-34	1273	1.9	4	<1	1	1	2	3	5	11
35-49	1070	2.0	5	1	1	1	2	4	6	13
50-64	1156	2.0	4	1	1	1	2	4	5	11
65+	547	2.9	19	1	1	2	3	5	9	22
GRAND TOTAL	**15996**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	3.4	5	1	1	3	4	6	8	12
20-34	133	3.6	4	1	2	3	5	7	7	25
35-49	78	3.4	3	1	2	3	4	6	7	9
50-64	43	4.8	6	2	2	5	6	7	11	13
65+	26	9.7	251	2	2	5	11	18	40	81
B. *Operated*										
0-19 YRS	332	2.1	6	<1	<1	1	2	5	7	16
20-34	98	1.9	3	<1	<1	1	2	4	5	10
35-49	74	2.5	9	<1	1	2	2	5	7	17
50-64	74	2.1	6	1	1	1	2	3	5	15
65+	33	4.0	62	1	1	2	3	10	14	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	921	3.7	8	1	1	3	5	6	8	14
20-34	259	4.7	13	2	2	4	5	8	12	21
35-49	216	5.2	12	2	2	5	7	9	10	23
50-64	195	6.1	23	2	2	5	8	12	14	24
65+	219	8.4	80	2	3	6	9	15	23	46
B. *Operated*										
0-19 YRS	623	3.3	25	<1	<1	1	3	8	12	26
20-34	228	3.1	13	1	1	2	3	7	11	17
35-49	213	3.7	27	1	1	2	3	8	15	29
50-64	222	5.3	70	1	1	2	6	12	18	44
65+	225	9.2	164	1	1	4	12	24	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	3.8	16	1	1	3	4	7	8	14
B. *Operated*	611	2.2	9	<1	<1	1	2	4	7	16
2. MULTIPLE DX										
A. *Not Operated*	1810	4.9	22	1	2	4	6	9	11	24
B. *Operated*	1511	4.5	55	<1	1	2	5	11	16	40
1. SINGLE DX	1223	3.0	13	<1	<1	2	4	6	8	16
2. MULTIPLE DX	3321	4.7	37	1	1	3	5	10	13	31
A. NOT OPERATED	2422	4.6	21	1	2	4	5	8	11	23
B. OPERATED	2122	3.8	43	<1	<1	2	4	9	14	34
TOTAL 0-19 YRS	2208	3.3	12	<1	<1	2	4	6	9	16
20-34	718	3.6	11	1	1	3	5	7	10	17
35-49	581	4.1	17	1	1	3	5	8	10	23
50-64	534	5.1	40	1	1	3	6	11	14	30
65+	503	8.5	126	1	1	5	10	18	30	56
GRAND TOTAL	**4544**	**4.2**	**31**	**<1**	**1**	**3**	**5**	**8**	**12**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.0	1	<1	1	2	3	4	4	5
20-34	245	2.6	3	1	1	2	3	5	6	10
35-49	416	2.7	3	1	1	2	4	5	6	9
50-64	661	2.5	3	1	1	2	3	5	6	9
65+	615	2.8	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	26	2.0	2	<1	1	1	3	4	5	7
20-34	119	2.1	3	1	1	1	3	4	6	9
35-49	197	2.6	4	1	1	2	3	5	8	9
50-64	190	2.5	4	1	1	2	3	5	7	11
65+	94	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.1	4	1	1	3	4	6	8	10
20-34	393	3.3	5	1	1	3	4	6	7	11
35-49	974	3.4	7	1	1	3	4	6	8	13
50-64	2274	3.6	7	1	1	3	5	7	8	14
65+	4630	4.1	11	1	2	3	5	7	10	15
B. *Operated*										
0-19 YRS	19	3.5	8	<1	1	3	5	6	10	13
20-34	112	5.1	33	1	1	3	6	10	18	29
35-49	155	4.2	23	1	1	3	5	9	12	17
50-64	232	4.7	15	1	1	4	6	9	12	20
65+	374	6.7	42	1	2	5	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1979	2.6	3	1	1	2	3	5	6	9
B. *Operated*	626	2.4	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	8343	3.9	9	1	1	3	5	7	9	14
B. *Operated*	892	5.5	31	1	1	4	7	11	15	26
1. SINGLE DX	2605	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	9235	4.0	11	1	1	3	5	7	10	16
A. NOT OPERATED	10322	3.6	8	1	1	3	5	7	8	14
B. OPERATED	1518	4.2	22	1	1	3	5	9	12	21
TOTAL 0-19 YRS	159	2.7	4	1	1	2	3	5	6	10
20-34	869	3.1	8	1	1	2	4	6	8	16
35-49	1742	3.2	7	1	1	3	4	6	8	13
50-64	3357	3.4	7	1	1	3	4	6	8	14
65+	5713	4.1	12	1	1	3	5	8	10	16
GRAND TOTAL	**11840**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	35TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	1.6		1	1	2	2	2	2	2
35-49	13	1.9		1	1	2	2	3	3	3
50-64	22	1.8		<1	1	2	2	3	3	3
65+	24	2.1		2	2	2	2	3	3	3
B. *Operated*										
0-19 YRS	40	1.6		<1	1	2	2	2	2	2
20-34	393	1.5		1	1	1	2	3	3	3
35-49	672	1.6	2	1	1	1	2	3	3	4
50-64	483	1.6	1	1	1	1	2	3	3	4
65+	205	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	13	2.2	1	<1	1	2	2	3	5	6
65+	19	3.0	7	<1	1	2	3	5	10	13
B. *Operated*										
0-19 YRS	21	1.6		1	1	2	2	3	3	3
20-34	146	1.5	1	1	1	1	2	3	3	4
35-49	257	1.5	1	1	1	1	2	3	3	4
50-64	234	1.6	1	1	1	1	2	3	3	4
65+	190	2.0	1	1	1	2	3	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	1.9		1	1	2	2	2	3	3
B. *Operated*	1793	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	42	2.4	4	<1	1	2	2	4	6	13
B. *Operated*	848	1.6	1	1	1	1	2	3	3	5
1. SINGLE DX	1862	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX	890	1.7	1	1	1	1	2	3	3	5
A. NOT OPERATED	111	2.1	2	1	1	2	2	3	3	9
B. OPERATED	2641	1.6	1	1	1	1	2	3	3	4
TOTAL 0-19 YRS	63	1.6		1	1	2	2	2	2	3
20-34	552	1.5		1	1	1	2	3	3	3
35-49	947	1.5	1	1	1	1	2	3	3	4
50-64	752	1.6	1	1	1	1	2	3	3	4
65+	438	1.9	1	1	1	2	2	3	3	5
GRAND TOTAL	**2752**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.3	2	<1	<1	2	3	4	5	5
20-34	36	3.7	4	1	2	3	5	6	8	9
35-49	44	3.2	3	1	1	3	4	5	6	9
50-64	50	3.5	5	1	1	3	4	5	9	12
65+	27	3.6	3	1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	1212	1.2	1	<1	<1	1	1	2	2	3
20-34	787	1.4	1	<1	1	1	1	2	3	5
35-49	630	1.4	1	<1	1	1	2	2	3	4
50-64	494	1.4	1	<1	1	1	2	2	3	5
65+	204	1.5	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.8	6	<1	<1	2	4	6	9	12
20-34	63	4.3	12	<1	1	4	6	8	13	16
35-49	69	3.5	6	<1	<1	3	5	7	8	12
50-64	106	3.8	9	1	1	3	5	7	10	17
65+	130	4.7	17	1	1	4	5	9	14	22
B. *Operated*										
0-19 YRS	1231	1.4	2	<1	1	1	1	2	3	7
20-34	931	1.6	7	1	1	1	2	2	3	9
35-49	854	1.6	2	<1	1	1	2	3	3	7
50-64	750	1.8	3	<1	1	1	2	3	4	10
65+	467	2.2	6	1	1	1	2	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	3.3	4	1	1	3	4	5	7	10
B. *Operated*	3327	1.3	1	<1	1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	449	3.9	11	<1	1	3	5	8	10	20
B. *Operated*	4233	1.7	4	<1	1	1	2	3	4	9
1. SINGLE DX	3515	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	4682	1.9	5	<1	1	1	2	3	5	10
A. NOT OPERATED	637	3.7	9	<1	1	3	5	7	9	16
B. OPERATED	7560	1.5	2	<1	1	1	2	2	3	8
TOTAL 0-19 YRS	2555	1.4	2	<1	<1	1	1	2	3	6
20-34	1817	1.6	5	<1	1	1	2	3	4	8
35-49	1597	1.7	2	<1	1	1	2	3	4	8
50-64	1400	1.9	3	<1	1	1	2	3	5	10
65+	828	2.4	7	<1	1	2	3	5	7	15
GRAND TOTAL	**8197**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	6.4	26	2	2	5	8	12	15	30
20-34	34	5.1	23	2	2	4	5	9	12	28
35-49	11	4.0	3	2	2	4	5	7	7	7
50-64	6	5.7	10	2	2	5	7	11	11	11
65+	4	10.3	9	6	6	11	12	13	13	13
B. *Operated*										
0-19 YRS	3	13.3	124	5	5	9	22	26	26	26
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	5	5.0	41	1	1	2	8	16	16	16
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	7.2	37	2	2	5	9	14	16	34
20-34	58	5.6	15	2	2	5	6	10	13	23
35-49	38	7.6	66	2	3	6	8	12	18	51
50-64	71	6.2	16	1	2	5	8	12	15	20
65+	67	7.6	16	2	3	7	10	15	16	17
B. *Operated*										
0-19 YRS	9	13.6	206	1	1	6	21	37	38	38
20-34	5	15.6	74	8	8	12	23	28	28	28
35-49	24	11.1	55	2	3	9	14	22	25	33
50-64	35	11.7	106	1	2	9	15	29	36	42
65+	30	11.9	109	2	3	10	17	19	22	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	6.1	24	2	2	4	7	11	14	29
B. *Operated*	14	6.9	51	1	1	5	9	17	24	26
2. MULTIPLE DX										
A. *Not Operated*	351	6.9	29	2	2	6	9	13	16	23
B. *Operated*	103	12.0	99	1	2	9	16	22	34	50
1. SINGLE DX	199	6.1	26	2	2	4	7	12	15	29
2. MULTIPLE DX	454	8.0	49	2	2	6	10	16	20	38
A. NOT OPERATED	536	6.6	27	2	2	5	8	12	16	27
B. OPERATED	117	11.4	95	1	2	9	15	22	33	48
TOTAL 0-19 YRS	259	7.1	39	2	2	5	9	14	17	36
20-34	99	5.9	25	2	2	4	7	11	15	28
35-49	78	8.0	56	1	2	6	9	16	22	46
50-64	114	7.8	49	1	2	6	9	15	21	39
65+	103	9.0	46	2	3	8	11	17	18	39
GRAND TOTAL	**653**	**7.4**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	10.0	237	1	1	4	10	37	44	44
20-34	12	3.3	5	1	1	2	5	6	7	7
35-49	16	2.5	2	<1	1	2	3	5	5	5
50-64	24	5.0	48	1	2	3	5	7	20	35
65+	11	7.7	107	2	2	5	8	21	37	38
B. *Operated*										
0-19 YRS	25	4.1	11	1	1	2	7	10	10	11
20-34	66	5.1	16	1	1	3	9	11	12	14
35-49	152	5.3	21	1	1	2	9	11	13	18
50-64	188	5.3	27	1	1	2	9	12	14	17
65+	107	5.8	37	1	1	2	11	16	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.1	8	1	1	4	5	8	10	13
20-34	78	4.1	12	1	1	3	5	8	10	21
35-49	179	4.8	23	1	1	4	6	8	11	23
50-64	397	6.1	36	1	2	5	7	12	15	29
65+	815	7.7	38	2	2	6	9	15	20	37
B. *Operated*										
0-19 YRS	42	10.4	242	1	1	7	10	18	57	70
20-34	147	8.8	57	1	1	8	12	20	22	37
35-49	570	9.0	65	1	1	8	12	18	24	41
50-64	1306	10.0	113	1	1	9	13	20	27	63
65+	1328	12.0	123	1	2	10	16	26	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.1	59	1	1	3	5	7	14	43
B. *Operated*	538	5.3	25	1	1	2	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	1496	6.7	35	1	2	5	8	14	18	29
B. *Operated*	3393	10.6	109	1	1	9	14	22	29	52
1. SINGLE DX	608	5.3	29	1	1	2	9	12	14	21
2. MULTIPLE DX	4889	9.4	90	1	2	7	13	20	26	47
A. NOT OPERATED	1566	6.6	36	1	2	5	8	13	17	32
B. OPERATED	3931	9.8	101	1	1	8	13	21	27	49
TOTAL 0-19 YRS	101	7.1	128	1	1	4	8	13	19	67
20-34	303	6.6	39	1	1	5	9	14	20	25
35-49	917	7.5	52	1	1	6	10	15	20	36
50-64	1915	8.7	92	1	1	7	12	18	23	48
65+	2261	10.1	93	1	2	8	14	22	28	46
GRAND TOTAL	**5497**	**8.9**	**85**	**1**	**1**	**7**	**12**	**19**	**25**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.6	2	1	1	2	3	5	6	7
20-34	238	3.2	3	1	1	3	4	6	7	9
35-49	621	3.4	5	1	1	3	4	6	8	12
50-64	662	3.5	6	1	1	3	4	6	8	14
65+	456	3.8	13	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	16	2.8	4	1	1	2	4	6	7	8
20-34	59	2.4	4	<1	<1	1	3	6	7	9
35-49	108	3.0	7	1	1	2	4	7	8	13
50-64	135	3.2	9	<1	1	2	4	6	9	16
65+	55	4.5	31	<1	1	2	5	13	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	3.9	7	1	1	3	5	7	9	15
20-34	830	3.8	7	1	1	3	5	7	8	13
35-49	3051	4.4	10	1	2	4	5	8	10	17
50-64	4659	4.7	12	1	2	4	6	8	11	17
65+	5698	5.2	19	1	2	4	6	10	12	21
B. *Operated*										
0-19 YRS	50	5.9	53	1	1	3	7	11	20	40
20-34	178	6.0	37	1	1	4	8	12	17	29
35-49	523	6.1	32	1	1	5	8	12	16	31
50-64	841	5.9	27	1	1	5	8	12	15	27
65+	950	7.5	64	1	1	5	9	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2041	3.5	7	1	1	3	4	6	8	12
B. *Operated*	373	3.2	11	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	14395	4.8	14	1	2	4	6	9	11	19
B. *Operated*	2542	6.5	44	1	1	5	8	13	19	33
1. SINGLE DX	2414	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	16937	5.0	19	1	2	4	6	9	12	22
A. NOT OPERATED	16436	4.6	13	1	2	4	6	8	11	18
B. OPERATED	2915	6.1	41	1	1	4	8	13	17	31
TOTAL 0-19 YRS	287	3.9	15	1	1	3	5	7	9	19
20-34	1305	4.0	11	1	1	3	5	7	9	16
35-49	4303	4.4	12	1	1	3	5	8	10	18
50-64	6297	4.7	14	1	2	4	6	9	11	19
65+	7159	5.4	26	1	2	4	7	10	13	25
GRAND TOTAL	**19351**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	5.1	12	2	2	4	8	10	11	11
35-49	76	4.3	4	1	2	4	6	7	8	11
50-64	134	4.4	7	2	2	4	6	8	9	14
65+	224	5.2	13	1	2	4	7	9	11	18
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	23	2.8	10	<1	1	2	2	7	12	13
50-64	43	2.4	4	<1	1	2	3	5	7	9
65+	26	3.3	15	1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	3	<1	1	3	5	6	7	7
20-34	57	5.8	13	1	2	6	7	10	14	19
35-49	525	5.6	15	1	2	5	7	10	12	20
50-64	1880	6.6	22	2	2	6	8	12	15	26
65+	6588	7.7	35	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	23	8.6	59	1	2	6	10	23	26	29
35-49	134	7.2	113	1	1	5	8	15	20	77
50-64	478	7.4	55	1	1	5	10	16	22	40
65+	914	12.2	154	2	2	9	15	25	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	4.8	10	1	2	4	6	8	10	15
B. *Operated*	93	2.8	8	1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	9065	7.4	32	2	3	6	9	13	17	29
B. *Operated*	1551	10.2	124	1	2	8	13	21	30	93
1. SINGLE DX	539	4.4	10	1	1	4	6	8	10	15
2. MULTIPLE DX	10616	7.8	46	2	2	6	9	15	19	36
A. NOT OPERATED	9511	7.2	31	2	3	6	9	13	17	29
B. OPERATED	1644	9.8	120	1	2	7	12	21	30	92
TOTAL 0-19 YRS	18	4.1	3	<1	1	4	5	6	7	7
20-34	92	6.4	25	1	2	6	8	12	15	27
35-49	758	5.7	32	1	2	5	7	10	12	23
50-64	2535	6.6	28	1	2	5	8	12	16	31
65+	7752	8.2	51	2	3	6	10	15	20	39
GRAND TOTAL	**11155**	**7.6**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	6	2	2	4	5	8	9	9
20-34	10	5.1	13	1	1	4	7	11	13	13
35-49	32	4.4	6	1	1	4	6	8	9	9
50-64	35	6.1	15	1	1	5	9	12	13	14
65+	31	5.1	14	2	2	4	7	9	13	17
B. *Operated*										
0-19 YRS	24	4.1	10	1	1	3	5	8	12	13
20-34	42	4.2	13	<1	1	3	5	11	13	15
35-49	79	3.3	10	1	1	2	4	6	9	17
50-64	105	4.6	18	1	1	3	6	11	13	20
65+	79	4.4	21	1	1	2	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	5.0	30	1	1	3	6	13	15	30
20-34	93	5.0	22	1	1	3	6	12	14	23
35-49	189	6.4	40	1	2	5	8	12	18	35
50-64	389	6.7	36	1	2	5	8	13	17	33
65+	838	8.6	53	2	3	7	11	16	20	37
B. *Operated*										
0-19 YRS	75	10.2	127	1	1	7	14	22	31	93
20-34	299	8.1	65	1	2	6	10	18	23	41
35-49	445	9.0	64	1	2	7	13	19	25	37
50-64	742	8.8	69	2	2	6	11	19	23	43
65+	822	11.7	129	2	2	8	15	26	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.1	12	1	2	4	7	10	13	15
B. *Operated*	329	4.1	16	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	1602	7.5	46	1	2	6	10	15	19	36
B. *Operated*	2383	9.8	92	1	2	7	13	21	29	48
1. SINGLE DX	445	4.4	15	1	1	3	6	10	13	18
2. MULTIPLE DX	3985	8.9	75	1	2	7	11	18	24	45
A. NOT OPERATED	1718	7.3	44	1	2	6	9	14	18	35
B. OPERATED	2712	9.1	86	1	2	7	12	20	27	47
TOTAL 0-19 YRS	200	6.8	69	1	1	4	9	15	20	60
20-34	444	7.0	52	1	2	4	9	16	21	39
35-49	745	7.6	54	1	2	5	10	16	21	35
50-64	1271	7.7	55	1	2	5	10	16	21	38
65+	1770	9.8	90	2	2	7	12	19	28	49
GRAND TOTAL	**4430**	**8.4**	**71**	**1**	**2**	**6**	**11**	**18**	**23**	**43**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	20	3	3	8	11	12	12	12
20-34	91	7.0	11	2	3	7	9	11	12	17
35-49	1279	7.6	10	2	3	8	9	11	12	15
50-64	2765	8.0	10	2	4	8	10	12	13	15
65+	2194	8.4	16	3	4	8	10	12	14	19
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	83	6.6	9	1	2	7	9	10	11	13
35-49	563	7.5	10	2	3	8	10	11	13	17
50-64	827	8.0	14	2	3	8	10	13	14	19
65+	369	9.2	27	2	4	9	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	7.9	17	2	4	7	10	12	18	99+
20-34	296	7.8	16	2	3	8	10	12	14	22
35-49	4706	8.5	14	3	4	8	10	13	14	19
50-64	16434	9.3	19	3	5	9	11	14	16	24
65+	38263	10.5	30	4	6	10	12	16	20	31
B. *Operated*										
0-19 YRS	15	18.9	407	6	7	12	18	47	73	82
20-34	282	9.0	30	2	3	8	11	15	17	33
35-49	3706	9.4	32	2	3	9	11	15	19	30
50-64	9111	11.1	55	2	4	10	13	18	23	41
65+	9371	14.3	92	4	6	12	17	25	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6332	8.1	12	2	4	8	10	12	13	17
B. *Operated*	1844	8.0	16	2	3	8	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	59743	10.0	26	4	5	9	12	15	18	28
B. *Operated*	22485	12.1	70	3	5	10	14	21	27	48
1. SINGLE DX	8176	8.0	13	2	4	8	10	12	13	17
2. MULTIPLE DX	82228	10.6	39	4	5	9	12	17	21	35
A. NOT OPERATED	66075	9.8	25	4	5	9	11	15	18	28
B. OPERATED	24329	11.8	68	3	5	10	14	20	26	47
TOTAL 0-19 YRS	64	10.4	126	2	4	8	12	17	28	97
20-34	752	8.0	20	2	3	8	10	13	15	25
35-49	10254	8.7	20	2	4	8	10	13	15	24
50-64	29137	9.7	31	3	5	9	11	15	18	30
65+	50197	11.1	43	4	6	10	13	18	22	37
GRAND TOTAL	**90404**	**10.3**	**37**	**3**	**5**	**9**	**12**	**16**	**20**	**34**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	119	2.7	3	1	1	2	3	5	5	11
35-49	1040	2.7	3	1	1	2	3	5	6	8
50-64	1623	2.8	6	1	1	2	3	5	6	9
65+	1360	2.9	4	1	1	3	4	5	6	9
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	37	2.5	3	<1	1	2	4	5	6	8
35-49	390	2.2	2	1	1	2	2	4	6	8
50-64	745	2.2	3	1	1	2	2	4	5	9
65+	310	2.4	6	<1	1	2	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	5	1	1	4	5	7	9	9
20-34	473	3.3	5	1	1	3	4	6	8	11
35-49	4983	3.5	6	1	1	3	4	6	8	11
50-64	13484	3.8	7	1	1	3	5	7	8	13
65+	24938	4.4	10	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	12	4.3	9	<1	1	4	6	9	10	10
20-34	160	3.9	12	1	1	3	5	9	11	17
35-49	2985	3.8	14	1	1	2	5	8	11	17
50-64	9146	4.4	21	1	1	2	6	10	13	20
65+	7231	5.7	35	1	1	3	8	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4144	2.8	4	1	1	2	4	5	6	9
B. *Operated*	1484	2.2	3	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	43906	4.1	9	1	2	3	5	7	9	14
B. *Operated*	19534	4.8	25	1	1	3	7	11	14	23
1. SINGLE DX	5628	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	63440	4.3	14	1	1	3	5	8	11	18
A. NOT OPERATED	48050	4.0	9	1	2	3	5	7	9	14
B. OPERATED	21018	4.6	24	1	1	2	6	10	14	23
TOTAL 0-19 YRS	44	3.8	6	<1	1	3	5	7	9	10
20-34	789	3.3	6	1	1	3	4	6	8	13
35-49	9398	3.5	8	1	1	3	4	7	8	13
50-64	24998	3.9	12	1	1	3	5	8	10	16
65+	33839	4.6	16	1	2	4	6	9	11	20
GRAND TOTAL	**69068**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	87	3.3	3	1	1	3	4	6	7	8
35-49	985	3.3	4	1	1	3	4	6	7	9
50-64	2192	3.5	4	1	1	3	4	6	7	11
65+	2631	3.8	6	1	2	3	5	7	8	11
B. *Operated*										
0-19 YRS										
20-34	12	3.2	6	<1	<1	2	5	7	8	8
35-49	227	4.5	11	1	1	4	6	9	11	16
50-64	576	4.6	15	1	1	3	6	10	12	19
65+	374	4.8	17	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.7	8	2	2	4	6	9	11	14
20-34	330	3.9	7	1	2	3	5	7	8	13
35-49	5679	4.1	8	1	2	4	5	7	9	14
50-64	20183	4.6	9	1	2	4	6	8	10	15
65+	46536	5.3	14	2	2	5	7	9	11	18
B. *Operated*										
0-19 YRS	9	6.8	18	1	1	6	11	12	12	12
20-34	132	5.7	20	1	2	4	7	12	14	23
35-49	3322	6.5	27	1	2	5	9	12	15	24
50-64	11816	7.5	41	1	2	6	10	14	18	30
65+	12742	9.4	66	1	2	8	12	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5899	3.6	5	1	1	3	5	6	7	11
B. *Operated*	1189	4.6	15	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	72786	5.0	12	2	2	4	6	9	11	17
B. *Operated*	28021	8.2	52	1	2	7	11	16	20	36
1. SINGLE DX	7088	3.8	7	1	1	3	5	7	9	13
2. MULTIPLE DX	100807	5.9	25	2	2	5	7	11	14	24
A. NOT OPERATED	78685	4.9	12	2	2	4	6	9	11	17
B. OPERATED	29210	8.1	51	1	2	7	11	16	20	35
TOTAL 0-19 YRS	71	4.9	9	1	2	4	6	10	12	14
20-34	561	4.2	10	1	2	3	5	8	10	19
35-49	10213	4.8	15	1	2	4	6	9	12	19
50-64	34767	5.5	21	1	2	4	7	10	13	22
65+	62283	6.1	27	2	2	5	7	11	15	26
GRAND TOTAL	**107895**	**5.8**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	4	<1	1	3	5	6	7	7
20-34	117	3.0	5	<1	1	3	4	5	6	13
35-49	276	3.1	7	1	1	2	4	6	9	13
50-64	209	4.7	23	1	1	3	6	10	13	25
65+										
B. *Operated*										
0-19 YRS	15	2.4	6	<1	<1	2	2	7	8	9
20-34	65	2.7	6	1	1	2	3	5	9	12
35-49	1855	3.2	9	1	1	2	4	8	10	13
50-64	5105	3.6	12	1	1	2	4	9	11	15
65+	2552	4.3	22	1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.1	21	1	1	4	5	12	17	17
20-34	74	3.6	12	1	1	3	4	6	8	24
35-49	995	3.9	7	1	1	3	5	7	9	13
50-64	3247	4.3	10	1	1	4	5	8	10	16
65+	4795	5.5	20	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	32	5.7	38	1	1	3	7	14	20	26
20-34	301	5.0	31	1	1	3	7	11	14	26
35-49	7371	4.9	23	1	1	3	8	11	13	22
50-64	24913	5.9	38	1	1	3	9	13	16	28
65+	18843	7.7	64	1	1	6	11	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	3.6	12	1	1	3	4	7	10	17
B. *Operated*	9592	3.7	14	1	1	2	4	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	9121	4.9	15	1	2	4	6	9	12	19
B. *Operated*	51460	6.4	46	1	1	4	9	14	18	32
1. SINGLE DX	10210	3.7	14	1	1	2	4	9	11	16
2. MULTIPLE DX	60581	6.2	42	1	1	4	9	13	17	30
A. NOT OPERATED	9739	4.8	15	1	1	4	6	9	12	19
B. OPERATED	61052	6.0	42	1	1	3	9	13	17	30
TOTAL 0-19 YRS	57	4.7	28	1	1	2	6	12	16	26
20-34	456	4.4	24	1	1	3	5	10	13	26
35-49	10338	4.5	19	1	1	3	7	10	12	20
50-64	33541	5.4	32	1	1	3	8	12	15	25
65+	26399	7.0	53	1	1	4	10	15	19	35
GRAND TOTAL	**70791**	**5.8**	**38**	**1**	**1**	**3**	**8**	**13**	**16**	**29**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.2	6	4	4	7	9	11	12	12
20-34	221	7.5	9	3	4	7	9	11	13	16
35-49	252	7.7	11	2	3	8	10	11	13	16
50-64	283	8.0	10	3	4	8	10	11	13	18
65+	289	8.9	12	4	5	8	11	13	15	20
B. *Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	36	8.5	13	3	5	8	10	14	15	19
35-49	48	9.4	17	3	5	8	11	15	19	22
50-64	65	10.0	20	4	5	9	12	17	18	23
65+	56	9.8	17	4	5	9	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	8.8	28	2	4	7	11	15	18	30
20-34	495	8.9	21	2	4	8	11	13	16	30
35-49	877	9.4	20	3	5	9	11	15	17	25
50-64	1880	10.2	27	4	6	9	12	15	19	30
65+	4508	11.1	33	5	6	10	13	17	20	32
B. *Operated*										
0-19 YRS	20	11.2	40	2	4	11	15	21	23	24
20-34	210	11.8	37	4	6	10	14	19	23	37
35-49	352	11.9	52	5	6	10	14	19	22	51
50-64	655	12.9	55	6	7	11	15	22	27	41
65+	1332	15.1	93	5	7	12	18	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	8.0	11	3	4	8	10	12	13	18
B. *Operated*	207	9.5	17	4	5	9	11	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	7797	10.6	30	4	6	10	12	16	19	31
B. *Operated*	2569	13.8	74	5	7	12	16	23	30	53
1. SINGLE DX	1268	8.3	12	3	5	8	10	12	15	19
2. MULTIPLE DX	10366	11.4	43	4	6	10	13	18	23	38
A. NOT OPERATED	8858	10.3	28	4	5	9	12	16	19	30
B. OPERATED	2776	13.5	71	5	7	11	16	23	29	52
TOTAL 0-19 YRS	75	9.1	27	3	4	8	11	16	18	28
20-34	962	9.2	24	3	5	9	11	14	17	29
35-49	1529	9.7	27	3	5	9	12	15	18	28
50-64	2883	10.6	33	4	6	10	12	16	20	33
65+	6185	11.9	48	5	6	10	14	19	24	40
GRAND TOTAL	**11634**	**11.0**	**40**	**4**	**6**	**10**	**13**	**17**	**22**	**37**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	209	2	2	4	22	28	28	28
20-34	13	10.8	117	1	2	7	21	28	30	30
35-49	13	14.4	100	2	4	12	23	29	30	30
50-64	9	10.9	109	2	2	6	22	26	28	28
65+	7	9.0	64	1	1	8	14	21	22	22
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	2	20.0	288	8	8	20	32	32	32	32
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	3	21.0	163	10	10	18	31	35	35	35
65+	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	20.3	224	2	2	18	31	42	46	54
20-34	217	19.7	183	3	3	17	29	40	45	55
35-49	190	19.4	209	3	4	16	30	42	45	49
50-64	203	17.9	134	3	4	16	28	32	39	49
65+	425	24.1	177	6	8	22	32	43	48	73
B. *Operated*										
0-19 YRS	21	34.2	532	10	11	34	46	72	81	85
20-34	160	31.3	225	9	11	30	42	48	54	84
35-49	160	28.6	204	7	11	29	38	46	56	81
50-64	154	31.1	316	6	9	29	43	56	68	94
65+	250	29.4	222	8	12	29	40	51	56	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	11.6	101	1	2	8	21	28	29	30
B. *Operated*	11	15.0	142	1	2	10	26	33	35	35
2. MULTIPLE DX										
A. *Not Operated*	1094	21.1	184	3	5	18	30	42	46	55
B. *Operated*	745	30.1	247	8	11	29	41	50	58	84
1. SINGLE DX	56	12.3	108	1	2	8	21	29	30	35
2. MULTIPLE DX	1839	24.7	229	4	6	23	34	45	51	72
A. NOT OPERATED	1139	20.7	184	3	4	18	30	41	45	54
B. OPERATED	756	29.9	248	7	11	29	41	50	58	84
TOTAL 0-19 YRS	84	23.6	332	2	3	20	34	45	55	82
20-34	392	24.1	234	3	5	24	33	44	48	66
35-49	365	23.2	225	3	5	21	32	44	47	66
50-64	369	23.3	253	3	5	20	31	44	52	77
65+	685	25.8	203	6	8	24	35	46	51	71
GRAND TOTAL	**1895**	**24.4**	**230**	**3**	**6**	**23**	**33**	**45**	**50**	**72**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.3	3	1	1	2	3	5	6	9
20-34	108	2.1	2	<1	1	2	3	4	5	8
35-49	207	2.3	16	<1	1	2	3	4	5	7
50-64	261	2.3	16	<1	1	2	3	4	5	10
65+	192	2.6	7	1	1	2	3	4	6	13
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	3.3	7	1	1	2	6	7	7	7
35-49	8	2.8	2	1	1	2	4	5	5	5
50-64	12	2.3	3	1	1	2	3	5	7	7
65+	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.3	11	<1	1	2	4	6	9	18
20-34	221	2.8	21	1	1	2	3	5	7	14
35-49	532	3.0	6	1	1	2	4	5	7	10
50-64	1268	3.5	8	1	1	3	4	6	8	14
65+	2755	4.7	19	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	6	2.5	2	1	1	2	4	4	4	4
20-34	14	6.1	61	1	1	4	6	16	27	30
35-49	42	5.2	18	1	1	4	7	11	14	21
50-64	118	6.0	16	1	2	5	8	12	14	45
65+	201	9.2	70	2	2	7	12	18	24	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	858	2.4	11	<1	1	2	3	4	5	9
B. *Operated*	33	2.5	3	1	1	2	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	4888	4.1	15	1	1	3	5	8	10	17
B. *Operated*	381	7.5	49	1	2	6	10	15	21	53
1. SINGLE DX	891	2.4	10	<1	1	2	3	4	5	9
2. MULTIPLE DX	5269	4.3	18	1	1	3	5	8	11	20
A. NOT OPERATED	5746	3.8	15	1	1	3	5	7	10	17
B. OPERATED	414	7.1	47	1	2	5	9	14	20	47
TOTAL 0-19 YRS	210	2.8	8	1	1	2	4	6	7	12
20-34	349	2.7	17	<1	1	2	3	5	7	14
35-49	789	2.9	10	1	1	2	4	5	7	12
50-64	1659	3.4	10	1	1	3	4	6	9	15
65+	3153	4.9	23	1	1	4	6	9	12	22
GRAND TOTAL	**6160**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	3	<1	1	2	3	5	6	8
20-34	326	1.8	2	<1	<1	1	2	3	4	7
35-49	576	2.0	2	<1	<1	2	2	4	5	7
50-64	1088	2.4	4	<1	<1	2	3	5	6	10
65+	1252	2.8	7	<1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.8	4	1	1	2	4	6	6	6
35-49	13	2.8	4	1	1	2	3	6	8	8
50-64	31	3.0	5	<1	<1	2	5	7	8	8
65+	33	3.1	6	<1	1	2	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.4	9	<1	<1	2	4	8	10	13
20-34	542	2.7	5	<1	1	2	3	5	7	11
35-49	1590	3.3	8	1	1	2	4	7	9	14
50-64	6503	4.0	11	1	1	3	5	8	10	16
65+	20645	5.3	21	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	18	4.4	16	1	1	3	8	11	12	13
20-34	48	5.6	52	<1	1	3	6	13	18	39
35-49	130	6.6	38	1	1	5	8	15	19	31
50-64	681	7.2	49	1	2	5	9	13	20	34
65+	2112	10.6	98	2	3	8	13	21	29	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3266	2.4	5	<1	1	2	3	5	6	10
B. *Operated*	83	3.0	5	<1	1	2	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	29392	4.8	18	1	1	4	6	9	12	20
B. *Operated*	2989	9.5	86	1	2	7	12	20	27	50
1. SINGLE DX	3349	2.4	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	32381	5.3	27	1	1	4	7	10	13	26
A. NOT OPERATED	32658	4.6	18	1	1	4	6	9	12	20
B. OPERATED	3072	9.3	85	1	2	7	12	20	27	49
TOTAL 0-19 YRS	155	3.4	9	<1	1	2	4	8	10	13
20-34	921	2.5	7	<1	1	2	3	5	6	13
35-49	2309	3.2	9	<1	1	2	4	7	9	15
50-64	8303	4.1	14	1	1	3	5	8	11	18
65+	24042	5.6	30	1	1	4	7	11	14	28
GRAND TOTAL	**35730**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	2.7	8	<1	1	2	3	5	6	17
20-34	372	2.9	10	<1	1	2	3	5	7	15
35-49	686	2.7	5	<1	1	2	3	5	7	11
50-64	863	3.0	5	1	1	2	4	5	6	10
65+	917	3.6	7	1	1	3	4	7	8	14
B. *Operated*										
0-19 YRS	57	4.1	9	1	1	3	6	9	10	13
20-34	61	4.7	15	1	1	3	7	10	13	16
35-49	145	3.3	8	1	1	2	4	7	9	15
50-64	255	3.9	11	1	1	3	5	7	9	14
65+	789	4.5	10	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	445	3.6	12	1	1	3	4	7	9	18
20-34	1273	3.5	15	1	1	3	4	6	8	14
35-49	3038	3.8	11	1	1	3	5	7	9	15
50-64	8297	4.6	14	1	1	4	6	9	11	18
65+	24125	5.7	22	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	144	8.2	206	1	1	4	8	13	24	93
20-34	217	5.8	37	1	1	4	7	13	18	66
35-49	691	7.2	74	1	1	5	8	14	23	57
50-64	2696	8.0	66	1	2	6	10	16	21	45
65+	13000	8.4	50	2	3	7	10	16	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3030	3.0	6	1	1	2	4	6	7	12
B. *Operated*	1307	4.2	10	1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	37178	5.2	19	1	2	4	6	10	13	21
B. *Operated*	16748	8.3	55	2	2	6	10	16	21	40
1. SINGLE DX	4337	3.4	8	1	1	3	4	7	8	14
2. MULTIPLE DX	53926	6.1	33	1	2	5	8	12	15	28
A. NOT OPERATED	40208	5.0	19	1	2	4	6	9	12	21
B. OPERATED	18055	8.0	53	2	2	6	10	15	20	39
TOTAL 0-19 YRS	838	4.2	47	1	1	3	5	8	11	28
20-34	1923	3.6	17	1	1	3	4	7	9	19
35-49	4560	4.1	21	1	1	3	5	8	11	23
50-64	12111	5.2	28	1	1	4	6	10	14	26
65+	38831	6.5	33	1	2	5	8	12	16	28
GRAND TOTAL	**58263**	**5.9**	**31**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.5	7	1	1	4	6	9	9	9
20-34	5	6.8	11	3	3	7	10	10	10	10
35-49	77	4.4	9	1	1	4	6	8	11	15
50-64	462	4.9	11	1	2	4	6	9	12	15
65+	1960	5.3	15	1	2	4	7	9	13	21
B. *Operated*										
0-19 YRS	3	4.0	9	<1	<1	4	6	7	7	7
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	8	2.8	7	<1	<1	2	4	7	8	8
50-64	27	5.6	31	1	1	3	8	14	18	22
65+	39	7.7	44	1	2	5	10	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	455	5.7	23	1	2	4	7	12	15	24
20-34	447	6.3	21	1	2	5	8	12	15	24
35-49	2906	6.6	24	2	2	5	8	12	15	26
50-64	17970	7.0	29	2	3	6	9	13	16	28
65+	91444	7.8	36	2	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	89	12.8	185	2	2	9	16	26	57	87
20-34	149	8.0	84	<1	1	5	10	17	25	50
35-49	648	10.6	118	1	2	8	13	22	33	61
50-64	2753	11.8	99	2	3	9	15	23	31	52
65+	9734	14.2	128	3	4	11	18	28	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2524	5.2	14	1	2	4	6	9	12	19
B. *Operated*	81	6.1	35	<1	1	4	9	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	113222	7.7	34	2	3	6	9	14	18	30
B. *Operated*	13373	13.4	123	2	4	11	17	26	35	66
1. SINGLE DX	2605	5.2	15	1	2	4	6	9	13	20
2. MULTIPLE DX	126595	8.3	47	2	3	7	10	15	20	36
A. NOT OPERATED	115746	7.6	34	2	3	6	9	14	18	30
B. OPERATED	13454	13.4	123	2	4	11	17	26	35	66
TOTAL 0-19 YRS	567	6.8	54	1	2	5	8	14	19	40
20-34	605	6.7	37	1	2	5	8	13	16	30
35-49	3639	7.2	43	2	2	6	9	13	17	35
50-64	21212	7.6	41	2	3	6	9	14	18	34
65+	103177	8.4	48	2	3	7	10	16	20	36
GRAND TOTAL	**129200**	**8.2**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**36**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	3.5	7	<1	1	3	5	6	8	16
20-34	552	3.1	5	1	1	3	4	6	7	9
35-49	627	3.0	4	<1	1	2	4	6	7	10
50-64	417	3.4	8	1	1	3	4	6	7	13
65+	304	3.5	11	<1	<1	3	4	7	10	19
B. *Operated*										
0-19 YRS	129	3.3	10	<1	1	2	5	7	9	15
20-34	185	4.3	15	1	1	2	7	10	12	17
35-49	459	3.9	18	1	1	2	6	10	12	18
50-64	767	4.4	26	1	1	2	7	11	13	23
65+	467	4.7	41	1	1	2	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	388	4.9	21	1	1	4	6	10	13	24
20-34	1321	4.3	16	1	1	3	5	8	11	22
35-49	2479	5.1	20	1	2	4	6	10	13	20
50-64	4551	6.4	24	1	2	5	8	12	16	24
65+	7318	7.5	35	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	302	7.8	115	<1	1	4	10	16	28	61
20-34	533	8.5	80	1	1	6	11	18	28	43
35-49	1733	7.3	68	1	1	5	10	16	22	44
50-64	4326	8.3	85	1	1	6	11	18	24	50
65+	5463	10.3	103	1	1	8	14	22	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2051	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	2007	4.3	26	1	1	2	6	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	16057	6.5	29	1	2	5	8	12	16	27
B. *Operated*	12357	9.1	93	1	1	7	12	20	26	49
1. SINGLE DX	4058	3.7	16	<1	1	2	4	8	11	18
2. MULTIPLE DX	28414	7.6	58	1	2	5	10	16	21	38
A. NOT OPERATED	18108	6.1	27	1	2	5	8	12	15	26
B. OPERATED	14364	8.4	86	1	1	6	12	19	25	47
TOTAL 0-19 YRS	970	5.3	50	1	1	3	6	11	16	38
20-34	2591	4.9	30	1	1	3	6	10	14	30
35-49	5298	5.5	36	1	1	4	7	11	15	30
50-64	10061	6.9	52	1	1	5	9	15	19	35
65+	13552	8.4	65	1	2	6	11	17	23	40
GRAND TOTAL	**32472**	**7.1**	**55**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	5	4.2	8	1	1	4	7	7	7	7
65+	6	5.2	15	2	2	4	7	11	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	17	3.3	5	<1	1	2	5	7	8	8
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	55	3.4	5	1	1	3	4	6	9	10
50-64	212	4.5	9	1	2	4	6	8	10	16
65+	474	5.9	19	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS										
20-34	10	4.2	11	1	1	3	5	10	11	11
35-49	63	4.2	20	1	1	2	4	11	15	19
50-64	232	5.3	64	1	1	2	7	12	15	37
65+	185	8.2	87	1	2	6	10	17	24	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.7	10	1	1	4	7	9	12	12
B. *Operated*	23	2.9	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	744	5.3	16	1	2	4	7	10	14	20
B. *Operated*	490	6.2	68	1	1	3	8	14	17	49
1. SINGLE DX	35	3.5	7	1	1	2	5	7	8	12
2. MULTIPLE DX	1234	5.7	37	1	1	4	7	12	15	30
A. NOT OPERATED	756	5.3	16	1	2	4	7	10	14	20
B. OPERATED	513	6.1	65	1	1	3	8	14	17	48
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	13	4.2	10	1	1	3	6	9	11	11
35-49	121	3.7	13	1	1	2	4	9	11	18
50-64	466	4.9	36	1	1	3	6	10	13	20
65+	668	6.5	39	1	2	5	8	13	17	39
GRAND TOTAL	**1269**	**5.6**	**36**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	25	2	2	8	11	12	12	12
20-34	9	4.2	21	<1	<1	2	7	12	14	14
35-49	18	5.4	43	<1	<1	2	8	18	20	20
50-64	18	2.3	6	<1	<1	1	2	6	8	10
65+	11	9.1	60	<1	<1	8	13	21	25	25
B. *Operated*										
0-19 YRS	13	10.5	90	1	2	8	14	26	30	31
20-34	73	13.0	83	1	2	12	17	24	34	39
35-49	116	12.4	69	1	2	11	18	23	27	38
50-64	107	12.8	89	1	1	11	16	25	29	47
65+	24	11.9	92	1	2	10	17	25	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.6	166	2	2	6	9	30	43	43
20-34	15	7.3	83	1	1	3	14	22	27	29
35-49	35	7.7	86	<1	<1	4	12	20	30	35
50-64	60	7.6	54	<1	1	5	10	18	27	93
65+	161	13.6	105	2	3	11	18	24	37	96
B. *Operated*										
0-19 YRS	25	19.6	398	3	6	13	22	49	97	99+
20-34	90	19.4	249	3	5	16	24	44	63	99+
35-49	225	20.9	177	4	7	19	28	42	61	99+
50-64	338	24.8	304	5	8	20	32	54	72	99+
65+	257	25.4	291	5	8	22	34	57	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	5.1	34	<1	<1	2	8	13	19	25
B. *Operated*	333	12.6	80	1	2	11	17	24	29	39
2. MULTIPLE DX										
A. *Not Operated*	280	11.1	100	1	1	9	16	23	33	91
B. *Operated*	935	23.4	271	4	7	19	31	49	66	99+
1. SINGLE DX	392	11.4	80	1	1	10	16	24	28	38
2. MULTIPLE DX	1215	20.5	258	2	4	17	28	45	62	99+
A. NOT OPERATED	339	10.0	93	<1	1	8	14	21	30	76
B. OPERATED	1268	20.5	243	2	5	17	27	43	60	99+
TOTAL 0-19 YRS	50	14.7	270	2	2	10	19	40	49	99+
20-34	187	15.2	180	1	2	12	19	35	43	96
35-49	394	16.5	159	1	2	14	23	36	45	99+
50-64	523	19.6	274	1	2	16	27	44	60	99+
65+	453	20.1	246	2	5	17	27	43	60	99+
GRAND TOTAL	**1607**	**18.3**	**230**	**1**	**2**	**15**	**25**	**39**	**57**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	24.9	299	2	3	31	41	44	44	44
50-64	9	13.1	97	1	2	8	23	26	27	27
65+	24	19.4	264	1	6	14	26	46	54	58
B. *Operated*										
0-19 YRS	3	17.0	16	13	13	17	20	21	21	21
20-34	16	28.3	368	9	11	26	46	94	99+	99+
35-49	36	33.4	425	8	10	29	49	80	99+	99+
50-64	41	29.5	321	10	13	23	40	58	79	99+
65+	29	27.0	218	10	12	23	38	62	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	40	19.0	236	1	3	15	28	44	49	58
B. *Operated*	125	29.6	327	9	12	26	40	72	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	165	27.0	325	7	8	23	37	66	88	99+
A. NOT OPERATED	40	19.0	236	1	3	15	28	44	49	58
B. OPERATED	125	29.6	327	9	12	26	40	72	99+	99+
TOTAL 0-19 YRS	3	17.0	16	13	13	17	20	21	21	21
20-34	16	28.3	368	9	11	26	46	94	99+	99+
35-49	43	32.0	407	7	9	29	44	77	99+	99+
50-64	50	26.6	319	5	7	23	34	53	72	99+
65+	53	23.6	249	7	8	20	36	53	65	99+
GRAND TOTAL	**165**	**27.0**	**325**	**7**	**8**	**23**	**37**	**66**	**88**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.7	35	<1	1	4	7	12	20	25
20-34	8	9.1	68	1	1	8	15	21	23	23
35-49	23	8.3	160	<1	<1	3	10	19	35	60
50-64	49	7.3	52	1	1	6	10	14	17	43
65+	171	9.2	102	1	2	7	11	16	23	51
B. *Operated*										
0-19 YRS	33	8.1	37	2	2	7	10	19	22	25
20-34	53	8.2	50	1	1	7	10	18	23	33
35-49	68	8.2	65	1	2	6	9	17	20	53
50-64	90	8.1	31	1	2	7	11	14	18	33
65+	199	10.6	82	3	5	8	12	18	27	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.4	30	<1	1	6	9	16	19	21
20-34	44	9.4	186	<1	1	6	10	16	38	74
35-49	141	9.6	87	1	2	7	12	23	33	58
50-64	475	11.0	104	2	3	8	14	22	30	71
65+	2130	12.4	106	2	4	10	16	24	32	66
B. *Operated*										
0-19 YRS	92	13.7	123	3	3	11	18	29	41	49
20-34	90	14.1	152	3	5	10	19	31	53	99+
35-49	183	19.5	340	3	4	14	26	49	68	98
50-64	442	17.5	236	4	5	13	23	40	61	99+
65+	1201	19.8	237	5	6	16	26	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	8.5	92	1	1	6	11	16	23	51
B. *Operated*	443	9.3	63	2	3	7	11	17	23	42
2. MULTIPLE DX										
A. *Not Operated*	2827	11.9	106	2	3	9	15	24	31	67
B. *Operated*	2008	18.7	240	4	5	14	25	40	59	99+
1. SINGLE DX	712	9.0	74	1	2	7	11	17	23	47
2. MULTIPLE DX	4835	14.7	173	3	4	11	19	31	44	99
A. NOT OPERATED	3096	11.6	106	2	3	9	15	23	31	65
B. OPERATED	2451	17.0	221	3	5	13	23	37	54	99+
TOTAL 0-19 YRS	180	10.4	91	1	2	8	13	23	29	46
20-34	195	11.2	134	1	2	8	14	25	34	88
35-49	415	13.6	225	1	2	8	18	31	52	91
50-64	1056	13.3	164	2	3	9	16	30	44	99+
65+	3701	14.5	161	3	4	11	19	30	41	90
GRAND TOTAL	**5547**	**14.0**	**164**	**2**	**4**	**10**	**18**	**29**	**41**	**93**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	19.7	374	2	2	16	25	52	55	55
20-34	7	9.3	28	1	2	9	13	16	17	17
35-49	44	18.6	289	3	5	13	22	37	60	80
50-64	212	16.1	209	3	5	11	20	34	54	88
65+	798	16.2	171	4	6	13	19	30	45	91
B. *Operated*										
0-19 YRS	5	15.4	78	8	8	11	25	25	25	25
20-34	18	29.7	335	7	10	26	47	59	64	65
35-49	37	24.2	246	8	10	22	44	99+	99+	99+
50-64	128	23.0	344	6	7	17	29	55	72	99+
65+	271	23.3	288	7	8	19	31	52	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1067	16.3	183	4	6	12	20	32	48	89
B. *Operated*	459	23.4	300	6	8	19	31	54	79	99+
1. SINGLE DX										
2. MULTIPLE DX	1526	18.4	229	4	6	14	23	41	59	99+
A. NOT OPERATED	1067	16.3	183	4	6	12	20	32	48	89
B. OPERATED	459	23.4	300	6	8	19	31	54	79	99+
TOTAL 0-19 YRS	11	17.7	223	2	3	14	25	37	53	55
20-34	25	24.0	332	4	6	16	33	53	63	65
35-49	81	21.2	273	4	6	17	30	59	99+	99+
50-64	340	18.7	270	4	5	13	24	45	63	99+
65+	1069	18.0	210	5	6	14	22	37	54	99+
GRAND TOTAL	**1526**	**18.4**	**229**	**4**	**6**	**14**	**23**	**41**	**59**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.3	7	1	1	2	5	7	7	7
35-49	3	29.0	2029	2	2	4	62	81	81	81
50-64	61	4.2	14	<1	1	3	6	7	11	19
65+	95	3.9	17	<1	<1	3	5	7	8	25
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	8	8.4	70	1	1	5	15	21	23	23
35-49	126	4.7	12	1	1	4	6	10	13	15
50-64	1147	4.2	7	1	1	4	5	7	9	12
65+	2274	4.4	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	14	1	1	6	9	10	10	10
20-34	5	3.0	7	1	1	2	5	7	7	7
35-49	50	4.6	13	1	1	4	6	9	13	18
50-64	391	5.2	28	1	1	4	7	10	13	21
65+	1645	6.1	30	1	2	5	7	11	15	29
B. *Operated*										
0-19 YRS	15	7.9	97	1	1	5	8	15	34	41
20-34	23	4.6	20	1	1	4	6	9	14	21
35-49	427	6.3	38	1	2	5	8	11	15	35
50-64	4695	6.1	24	1	2	5	7	11	15	24
65+	11766	6.7	34	1	2	5	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.4	51	<1	<1	3	5	7	9	34
B. *Operated*	3557	4.3	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	2096	5.9	30	1	2	5	7	11	14	28
B. *Operated*	16926	6.5	32	1	2	5	8	12	16	28
1. SINGLE DX	3721	4.3	10	1	1	4	5	8	10	15
2. MULTIPLE DX	19022	6.5	31	1	2	5	8	12	16	28
A. NOT OPERATED	2260	5.8	31	1	1	5	7	11	14	28
B. OPERATED	20483	6.2	28	1	2	5	7	12	15	26
TOTAL 0-19 YRS	23	7.1	68	1	1	5	9	12	24	41
20-34	40	5.0	28	1	1	3	7	11	19	23
35-49	606	5.9	40	1	1	4	7	11	14	34
50-64	6294	5.7	22	1	2	5	7	11	14	23
65+	15780	6.3	31	1	2	5	8	12	16	28
GRAND TOTAL	**22743**	**6.1**	**29**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	7.8	8	5	5	7	10	11	11	11
50-64	53	12.2	282	1	2	7	13	36	70	99
65+	184	9.9	57	2	3	8	12	18	25	38
B. *Operated*										
0-19 YRS	8	7.1	56	2	2	4	9	20	24	24
20-34	9	7.3	31	2	2	7	11	16	18	18
35-49	39	12.4	215	1	2	7	14	22	52	69
50-64	270	10.3	104	2	2	8	12	23	34	92
65+	573	11.4	139	2	3	8	14	23	34	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	241	10.4	105	2	3	8	12	20	29	74
B. *Operated*	899	11.0	130	2	3	8	13	23	35	92
1. SINGLE DX										
2. MULTIPLE DX	1140	10.9	125	2	3	8	13	22	33	84
A. NOT OPERATED	241	10.4	105	2	3	8	12	20	29	74
B. OPERATED	899	11.0	130	2	3	8	13	23	35	92
TOTAL 0-19 YRS	8	7.1	56	2	2	4	9	20	24	24
20-34	9	7.3	31	2	2	7	11	16	18	18
35-49	43	11.9	196	1	2	7	14	21	52	69
50-64	323	10.6	133	2	2	8	13	23	38	99+
65+	757	11.1	119	2	3	8	13	22	30	77
GRAND TOTAL	**1140**	**10.9**	**125**	**2**	**3**	**8**	**13**	**22**	**33**	**84**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	19	<1	<1	1	2	11	12	12
20-34	24	4.5	9	<1	1	4	6	9	10	11
35-49	84	5.7	19	1	2	5	8	11	14	23
50-64	339	6.0	18	2	2	5	7	11	14	23
65+	1022	7.2	34	2	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	7	4.0	4	2	2	5	5	7	7	7
20-34	25	6.6	20	2	2	5	11	13	14	16
35-49	59	8.2	64	1	2	7	11	16	19	50
50-64	106	6.7	101	1	1	4	8	14	19	58
65+	124	6.7	45	1	1	5	8	13	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	8.8	91	1	2	5	11	18	36	43
20-34	105	7.7	49	2	2	6	10	16	19	73
35-49	682	8.3	64	2	3	6	9	15	22	53
50-64	3991	9.0	77	2	3	7	11	17	24	52
65+	21177	10.4	83	3	3	8	12	19	27	61
B. *Operated*										
0-19 YRS	15	10.3	120	2	2	7	13	25	38	42
20-34	89	10.8	88	2	2	7	14	25	31	44
35-49	299	10.9	133	2	3	8	12	24	33	93
50-64	1177	12.8	169	2	3	9	15	28	46	99+
65+	3338	16.2	207	3	4	12	21	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1475	6.8	29	2	2	6	8	13	16	26
B. *Operated*	321	6.9	64	1	1	5	8	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	26006	10.1	82	2	3	8	12	19	26	60
B. *Operated*	4918	15.0	194	3	4	11	19	35	53	99+
1. SINGLE DX	1796	6.8	35	1	2	5	8	13	17	28
2. MULTIPLE DX	30924	10.9	103	3	3	8	13	21	31	74
A. NOT OPERATED	27481	9.9	80	2	3	8	12	19	26	59
B. OPERATED	5239	14.5	190	2	3	10	18	34	51	99+
TOTAL 0-19 YRS	79	8.2	86	1	2	5	10	17	32	43
20-34	243	8.4	60	2	2	6	11	17	24	47
35-49	1124	8.8	81	2	2	7	10	17	25	64
50-64	5613	9.6	97	2	3	7	11	19	27	65
65+	25661	11.0	102	3	3	8	13	21	31	73
GRAND TOTAL	**32720**	**10.6**	**100**	**2**	**3**	**8**	**13**	**21**	**30**	**72**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	12.0	174	2	4	9	14	32	70	99+
20-34	41	11.0	173	2	3	6	12	30	42	66
35-49	271	11.9	125	3	4	9	15	21	29	69
50-64	1774	13.1	154	3	4	9	15	26	39	73
65+	9598	12.7	106	3	4	10	15	24	33	68
B. *Operated*										
0-19 YRS	9	8.2	15	1	3	8	11	13	13	13
20-34	39	14.6	132	4	5	11	19	34	40	50
35-49	116	14.4	162	3	4	11	20	37	52	99+
50-64	399	18.8	317	4	5	13	23	50	80	99+
65+	1421	19.7	263	5	6	15	25	47	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11712	12.7	115	3	4	10	15	24	34	70
B. *Operated*	1984	19.0	267	4	6	14	24	47	71	99+
1. SINGLE DX										
2. MULTIPLE DX	13696	13.6	141	3	4	10	16	27	39	88
A. NOT OPERATED	11712	12.7	115	3	4	10	15	24	34	70
B. OPERATED	1984	19.0	267	4	6	14	24	47	71	99+
TOTAL 0-19 YRS	37	11.1	137	2	3	9	12	20	56	99+
20-34	80	12.8	154	3	3	8	14	32	40	61
35-49	387	12.6	137	3	4	9	15	24	39	83
50-64	2173	14.2	189	3	4	10	17	30	46	94
65+	11019	13.6	132	3	5	10	16	27	38	86
GRAND TOTAL	**13696**	**13.6**	**141**	**3**	**4**	**10**	**16**	**27**	**39**	**88**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	57	2.9	3	1	1	2	4	6	7	7
35-49	236	3.1	4	1	1	3	4	6	7	9
50-64	737	3.1	5	1	1	3	4	6	7	11
65+	1723	3.4	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	18	2.2	3	1	1	1	3	4	6	7
35-49	101	3.6	15	1	1	3	4	6	8	27
50-64	344	3.4	7	1	1	3	4	7	8	12
65+	356	3.9	17	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.8	15	1	1	3	4	7	12	21
20-34	202	3.7	7	1	1	3	5	7	8	14
35-49	991	4.1	8	1	1	3	5	8	9	14
50-64	5028	4.5	11	1	2	4	6	8	10	16
65+	25515	5.6	32	1	2	4	7	10	13	27
B. *Operated*										
0-19 YRS	11	5.2	18	1	1	4	7	12	15	15
20-34	56	5.5	14	1	2	5	7	9	11	23
35-49	406	5.4	18	1	2	4	7	10	13	20
50-64	1775	5.9	26	1	2	5	7	11	15	26
65+	4556	7.9	64	1	2	6	10	16	22	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2758	3.3	5	1	1	3	4	6	7	11
B. *Operated*	822	3.6	12	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	31778	5.4	28	1	2	4	6	10	12	24
B. *Operated*	6804	7.2	52	1	2	5	9	14	19	41
1. SINGLE DX	3580	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	38582	5.7	32	1	2	4	7	10	14	28
A. NOT OPERATED	34536	5.2	26	1	2	4	6	9	12	23
B. OPERATED	7626	6.8	49	1	2	5	8	14	19	40
TOTAL 0-19 YRS	61	3.8	14	1	1	2	4	7	12	20
20-34	333	3.8	8	1	1	3	5	7	9	14
35-49	1734	4.3	11	1	1	3	5	8	10	16
50-64	7884	4.6	14	1	1	4	6	9	11	19
65+	32150	5.8	36	1	2	4	7	11	14	30
GRAND TOTAL	**42162**	**5.5**	**31**	**1**	**2**	**4**	**7**	**10**	**13**	**27**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	<1	<1	2	3	4	4	4
20-34	13	5.2	23	<1	1	5	6	11	17	19
35-49	68	5.6	28	1	1	4	7	10	16	33
50-64	273	5.8	31	1	2	4	7	11	14	29
65+	835	7.2	40	2	2	6	9	13	19	32
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	11	7.3	21	1	2	7	10	13	17	17
35-49	23	6.1	27	1	2	6	8	13	17	22
50-64	74	5.8	30	1	1	4	8	11	16	29
65+	79	8.8	123	1	2	6	9	20	27	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.9	23	1	2	5	7	13	18	22
20-34	70	6.7	31	1	2	6	8	13	18	29
35-49	370	7.3	46	2	2	5	9	14	20	36
50-64	2115	7.8	57	2	2	6	9	15	19	41
65+	11277	9.1	64	2	3	7	11	17	22	46
B. *Operated*										
0-19 YRS	5	8.2	23	3	3	7	10	16	16	16
20-34	24	12.0	216	1	2	7	15	27	54	59
35-49	100	9.9	111	1	2	7	12	26	39	99+
50-64	485	10.1	83	2	3	8	12	22	31	99+
65+	1482	15.3	206	3	4	11	19	32	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1196	6.8	38	1	2	5	8	12	16	31
B. *Operated*	189	7.2	69	1	1	5	8	14	23	52
2. MULTIPLE DX										
A. *Not Operated*	13867	8.9	62	2	3	7	11	16	22	45
B. *Operated*	2096	13.8	178	2	4	10	17	29	44	99+
1. SINGLE DX	1385	6.8	42	1	2	5	8	13	17	31
2. MULTIPLE DX	15963	9.5	80	2	3	7	11	18	25	58
A. NOT OPERATED	15063	8.7	61	2	3	7	10	16	22	45
B. OPERATED	2285	13.2	172	2	3	9	16	29	43	99+
TOTAL 0-19 YRS	49	5.6	21	1	1	4	7	12	16	22
20-34	118	7.6	70	1	2	6	9	17	20	54
35-49	561	7.5	56	1	2	6	9	15	22	54
50-64	2947	7.9	59	2	2	6	10	15	21	45
65+	13673	9.7	82	2	3	7	11	18	25	58
GRAND TOTAL	**17348**	**9.3**	**78**	**2**	**3**	**7**	**11**	**17**	**24**	**57**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.4	66	2	2	11	17	23	26	26
20-34	26	8.6	20	2	2	8	11	15	16	17
35-49	147	9.9	92	2	3	7	13	21	26	54
50-64	797	10.4	84	2	3	8	13	20	28	52
65+	4416	11.0	87	3	4	9	13	21	28	58
B. *Operated*										
0-19 YRS	5	11.6	28	6	6	11	16	18	18	18
20-34	7	10.6	30	2	3	11	14	18	19	19
35-49	46	10.9	76	3	4	9	13	20	37	99+
50-64	175	14.5	207	2	3	9	18	41	56	99+
65+	541	17.4	215	4	5	13	21	36	53	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5396	10.9	86	3	3	9	13	21	28	56
B. *Operated*	774	16.3	205	4	5	12	20	35	53	99+
1. SINGLE DX										
2. MULTIPLE DX	6170	11.6	104	3	4	9	14	22	32	66
A. NOT OPERATED	5396	10.9	86	3	3	9	13	21	28	56
B. OPERATED	774	16.3	205	4	5	12	20	35	53	99+
TOTAL 0-19 YRS	15	11.5	50	2	2	11	17	20	24	26
20-34	33	9.0	22	2	2	9	13	15	17	19
35-49	193	10.2	88	2	3	7	13	21	27	57
50-64	972	11.1	109	2	3	8	14	23	35	80
65+	4957	11.7	105	3	4	9	14	22	31	66
GRAND TOTAL	**6170**	**11.6**	**104**	**3**	**4**	**9**	**14**	**22**	**32**	**66**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	3	1	1	1	3	5	5	5
20-34	31	3.2	3	1	1	3	4	6	7	8
35-49	155	3.0	4	1	1	3	4	6	7	11
50-64	187	3.7	6	1	1	3	5	7	8	12
65+	249	4.4	13	1	1	3	5	9	12	17
B. *Operated*										
0-19 YRS	13	4.2	14	1	1	3	6	11	12	12
20-34	44	4.7	15	1	1	3	8	10	12	15
35-49	109	5.3	21	1	1	4	8	11	16	19
50-64	143	6.1	39	1	1	3	9	14	21	29
65+	104	3.7	15	1	1	2	4	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.9	27	<1	1	3	6	10	14	30
20-34	168	4.5	18	1	1	3	5	8	12	17
35-49	686	5.0	18	1	2	4	6	9	13	19
50-64	1508	5.4	27	1	2	4	7	10	13	23
65+	5218	6.9	47	2	2	5	8	13	17	40
B. *Operated*										
0-19 YRS	28	16.0	524	1	2	6	18	54	79	87
20-34	111	12.0	222	1	2	8	13	23	44	86
35-49	233	10.7	113	1	2	8	14	22	32	86
50-64	644	10.2	162	1	2	6	12	23	36	93
65+	1051	9.8	130	1	2	7	12	21	31	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	3.7	8	1	1	3	5	7	9	15
B. *Operated*	413	5.1	26	1	1	3	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	7623	6.4	40	2	2	5	8	12	16	34
B. *Operated*	2067	10.2	149	1	2	7	12	22	34	91
1. SINGLE DX	1043	4.3	16	1	1	3	6	9	12	21
2. MULTIPLE DX	9690	7.2	66	1	2	5	8	14	19	53
A. NOT OPERATED	8253	6.2	38	1	2	5	7	11	15	32
B. OPERATED	2480	9.4	132	1	1	6	11	20	30	85
TOTAL 0-19 YRS	92	7.9	200	1	1	3	7	17	27	83
20-34	354	6.7	93	1	1	4	8	12	18	56
35-49	1183	5.9	41	1	1	4	7	12	17	41
50-64	2482	6.6	66	1	2	4	8	13	19	45
65+	6622	7.2	60	1	2	5	9	14	18	51
GRAND TOTAL	**10733**	**6.9**	**62**	**1**	**2**	**5**	**8**	**13**	**18**	**50**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	2.2	3	<1	<1	1	4	5	5	5
50-64	14	2.6	10	<1	<1	1	3	7	11	12
65+	22	4.0	18	<1	1	2	5	9	13	17
B. *Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	7	5.4	12	1	1	6	8	10	10	10
35-49	103	4.0	13	1	1	2	6	9	11	15
50-64	414	4.3	16	1	1	2	7	10	11	17
65+	446	4.5	21	1	1	2	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	8	<1	<1	1	4	7	7	7
20-34	5	4.6	16	1	1	2	9	9	9	9
35-49	34	3.5	8	<1	1	3	6	7	9	12
50-64	173	4.0	16	<1	1	3	5	9	11	16
65+	545	6.5	38	1	1	5	8	14	18	34
B. *Operated*										
0-19 YRS	29	7.4	29	1	1	7	10	14	17	23
20-34	41	7.0	43	1	1	6	9	15	16	37
35-49	553	8.2	60	1	1	7	11	17	25	45
50-64	2891	9.4	91	1	1	8	12	19	28	53
65+	6891	11.9	131	1	2	9	15	25	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.2	12	<1	<1	1	4	9	10	17
B. *Operated*	974	4.4	18	1	1	2	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	761	5.7	33	1	1	4	7	12	16	32
B. *Operated*	10405	11.0	117	1	2	9	14	23	32	61
1. SINGLE DX	1019	4.3	18	1	1	2	7	10	12	18
2. MULTIPLE DX	11166	10.6	113	1	1	8	14	22	32	60
A. NOT OPERATED	806	5.6	32	1	1	4	7	12	16	31
B. OPERATED	11379	10.4	112	1	1	8	13	22	31	59
TOTAL 0-19 YRS	37	6.2	28	1	1	5	10	12	17	23
20-34	53	6.6	37	1	1	6	9	12	16	36
35-49	699	7.2	53	1	1	6	10	15	23	43
50-64	3492	8.5	82	1	1	7	11	18	25	51
65+	7904	11.1	122	1	1	9	14	23	33	63
GRAND TOTAL	**12185**	**10.1**	**108**	**1**	**1**	**8**	**13**	**21**	**30**	**57**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	12	2.8	6	1	1	2	3	7	9	9
65+	42	4.8	34	<1	<1	3	5	13	20	27
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	7.6	11	2	3	8	10	12	12	12
35-49	21	7.2	11	1	2	8	9	10	12	14
50-64	261	9.0	15	1	5	9	11	13	15	26
65+	468	8.9	19	1	2	9	11	14	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	3.5	5	1	1	3	5	7	7	7
35-49	8	4.3	25	<1	<1	2	5	13	16	16
50-64	116	4.7	22	1	1	3	6	9	14	26
65+	832	6.3	49	1	1	4	8	14	18	31
B. *Operated*										
0-19 YRS	13	12.9	147	<1	2	9	14	32	43	46
20-34	26	14.7	173	1	3	11	20	25	34	67
35-49	105	11.1	89	1	1	10	13	21	29	51
50-64	1904	12.2	78	2	5	10	14	20	27	57
65+	5928	14.2	120	2	6	12	16	25	35	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.1	27	<1	<1	2	4	10	17	27
B. *Operated*	758	8.9	18	1	2	9	11	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	965	6.0	45	1	1	4	7	13	17	31
B. *Operated*	7976	13.7	110	2	5	11	16	24	33	67
1. SINGLE DX	816	8.5	20	1	2	9	11	13	16	21
2. MULTIPLE DX	8941	12.9	109	2	3	11	15	23	32	65
A. NOT OPERATED	1023	5.9	45	1	1	4	7	13	17	31
B. OPERATED	8734	13.3	104	2	5	11	15	23	32	65
TOTAL 0-19 YRS	15	11.6	139	<1	<1	9	14	28	41	46
20-34	42	11.1	131	1	2	8	16	24	25	67
35-49	137	9.9	77	1	1	8	12	18	26	42
50-64	2293	11.4	72	2	3	10	13	19	26	53
65+	7270	12.9	113	2	3	11	15	23	32	66
GRAND TOTAL	**9757**	**12.5**	**103**	**2**	**3**	**10**	**15**	**22**	**31**	**63**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	3	2.0		2	2	2	2	2	2	2
50-64	9	3.9	12	1	1	3	5	10	11	11
65+	8	2.5	2	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	11	3.1	9	1	1	2	4	8	9	9
20-34	37	6.3	77	1	1	4	9	12	16	52
35-49	60	6.0	57	1	1	4	8	12	14	49
50-64	114	6.5	21	1	1	6	9	12	15	23
65+	154	6.7	17	1	1	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	6	6.0	75	<1	<1	2	7	21	23	23
50-64	19	4.7	23	<1	<1	4	6	9	16	22
65+	50	6.1	32	1	1	4	8	12	13	34
B. *Operated*										
0-19 YRS	12	7.3	21	1	1	8	11	13	14	14
20-34	47	10.6	128	1	2	7	13	24	39	50
35-49	160	11.3	153	1	1	8	14	25	33	85
50-64	463	10.3	92	1	2	8	12	20	25	62
65+	1012	11.1	99	2	3	9	14	20	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.0	6	1	1	2	4	6	9	11
B. *Operated*	376	6.4	30	1	1	6	9	12	14	26
2. MULTIPLE DX										
A. *Not Operated*	77	5.7	32	<1	1	4	7	12	16	31
B. *Operated*	1694	10.9	103	2	2	8	13	21	28	64
1. SINGLE DX	400	6.2	29	1	1	5	9	11	14	25
2. MULTIPLE DX	1771	10.7	101	1	2	8	13	20	28	63
A. NOT OPERATED	101	5.0	27	<1	1	4	6	11	13	28
B. OPERATED	2070	10.1	92	1	2	8	12	19	25	59
TOTAL 0-19 YRS	24	5.1	19	1	1	3	8	12	13	14
20-34	89	8.4	105	1	1	5	10	18	29	51
35-49	229	9.7	130	1	1	7	12	23	29	80
50-64	605	9.3	79	1	2	8	11	18	23	52
65+	1224	10.3	89	2	2	8	12	19	25	61
GRAND TOTAL	**2171**	**9.8**	**91**	**1**	**2**	**8**	**12**	**19**	**25**	**57**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	2	5	5	7	8	9	9	9
20-34	23	6.4	9	2	2	7	9	11	11	11
35-49	32	6.4	14	1	2	6	9	12	13	15
50-64	68	4.5	16	<1	<1	4	7	10	10	21
65+	93	4.8	14	<1	1	4	7	11	12	16
B. *Operated*										
0-19 YRS	13	6.5	16	1	2	6	9	11	15	16
20-34	71	7.0	50	1	1	5	9	16	18	39
35-49	318	5.7	19	1	1	5	8	11	12	18
50-64	876	5.7	19	1	1	5	8	11	13	17
65+	839	6.1	24	1	1	6	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.4	33	<1	<1	4	9	16	17	17
20-34	27	7.7	16	2	2	8	10	14	15	15
35-49	107	6.1	17	<1	1	6	9	12	13	19
50-64	303	5.7	19	1	1	5	8	11	13	19
65+	893	7.2	40	1	1	6	9	13	18	31
B. *Operated*										
0-19 YRS	25	11.5	63	2	4	9	16	24	27	34
20-34	138	10.1	133	1	2	8	12	18	24	75
35-49	1049	9.6	85	1	2	8	11	18	26	61
50-64	4724	10.0	74	1	2	8	12	19	25	45
65+	9294	11.6	100	1	2	9	14	23	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	5.2	14	<1	1	5	7	10	12	16
B. *Operated*	2117	5.9	22	1	1	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1339	6.8	33	1	1	6	9	12	16	29
B. *Operated*	15230	10.9	92	1	2	9	13	21	28	54
1. SINGLE DX	2339	5.8	21	1	1	5	8	11	13	20
2. MULTIPLE DX	16569	10.6	88	1	2	9	13	20	28	52
A. NOT OPERATED	1561	6.6	31	1	1	6	9	12	15	27
B. OPERATED	17347	10.3	86	1	2	8	13	20	27	52
TOTAL 0-19 YRS	53	8.9	44	1	2	7	11	18	23	34
20-34	259	8.7	89	1	1	7	11	15	21	57
35-49	1506	8.5	68	1	1	7	10	15	21	49
50-64	5971	9.1	66	1	1	8	11	17	23	41
65+	11119	10.8	92	1	2	9	13	21	28	53
GRAND TOTAL	**18908**	**10.0**	**82**	**1**	**2**	**8**	**12**	**19**	**26**	**50**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	5.0	13	1	1	4	6	9	12	20
20-34	46	4.1	12	<1	<1	3	4	11	11	16
35-49	53	3.1	7	1	1	2	4	6	8	16
50-64	85	3.3	8	<1	1	2	5	7	8	14
65+	117	4.7	27	<1	1	3	6	10	17	24
B. *Operated*										
0-19 YRS	42	3.4	8	1	1	3	4	7	8	16
20-34	115	5.0	54	<1	1	2	6	10	15	47
35-49	266	3.6	11	1	1	2	5	8	10	17
50-64	599	4.0	19	1	1	2	5	9	12	17
65+	587	4.4	23	1	1	2	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	5.5	16	1	2	4	7	11	14	19
20-34	151	5.8	31	1	1	4	8	11	14	32
35-49	240	6.0	45	1	1	4	7	13	19	29
50-64	553	5.3	37	1	1	4	7	10	13	29
65+	1372	6.8	42	1	2	5	8	14	18	31
B. *Operated*										
0-19 YRS	84	9.3	114	1	1	6	12	22	34	88
20-34	235	8.9	95	1	2	6	11	20	31	84
35-49	750	7.8	95	1	1	5	9	16	26	63
50-64	2435	8.6	96	1	1	6	11	19	27	53
65+	4593	10.4	120	1	2	7	13	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	4.4	15	1	1	3	6	9	12	21
B. *Operated*	1609	4.1	21	1	1	2	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	2569	6.2	38	1	1	5	8	12	17	29
B. *Operated*	8097	9.6	111	1	1	7	12	21	30	59
1. SINGLE DX	2163	4.2	20	1	1	3	6	9	12	20
2. MULTIPLE DX	10666	8.8	95	1	1	6	11	19	26	53
A. NOT OPERATED	3123	5.9	35	1	1	4	7	12	16	28
B. OPERATED	9706	8.7	100	1	1	6	11	19	27	54
TOTAL 0-19 YRS	632	5.7	29	1	1	4	7	11	14	28
20-34	547	6.8	65	1	1	4	9	15	21	45
35-49	1309	6.4	68	1	1	4	8	14	20	51
50-64	3672	7.3	76	1	1	5	9	16	23	46
65+	6669	9.0	98	1	1	6	11	20	27	51
GRAND TOTAL	**12829**	**8.0**	**85**	**1**	**1**	**5**	**10**	**18**	**24**	**49**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	6.2	15	1	2	6	8	11	12	22
20-34	640	6.1	10	1	2	6	8	10	12	15
35-49	968	6.7	11	2	3	6	8	10	12	18
50-64	884	6.9	11	2	3	7	9	11	12	17
65+	881	6.9	9	2	3	7	8	10	12	17
B. *Operated*										
0-19 YRS	55	6.7	19	1	1	6	9	13	14	19
20-34	369	6.1	15	1	1	6	8	11	13	18
35-49	517	6.2	13	1	2	6	8	11	13	17
50-64	445	6.9	16	1	2	7	9	12	14	19
65+	367	7.2	16	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	7.3	29	2	2	7	9	13	19	28
20-34	783	7.5	18	2	3	7	9	12	15	23
35-49	1812	7.8	25	2	3	7	10	13	15	23
50-64	3121	8.1	21	3	4	7	10	13	16	24
65+	5738	8.5	20	3	4	8	10	14	16	24
B. *Operated*										
0-19 YRS	53	9.8	43	2	3	8	12	15	19	35
20-34	571	8.3	49	2	2	7	10	15	19	31
35-49	1087	8.5	32	2	3	8	11	15	19	26
50-64	1918	9.2	40	2	3	8	11	16	21	32
65+	3417	10.4	55	3	4	9	12	17	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3451	6.7	10	2	3	6	8	10	12	17
B. *Operated*	1753	6.6	15	1	2	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	11531	8.2	21	3	4	8	10	13	16	24
B. *Operated*	7046	9.6	47	2	3	8	12	16	21	37
1. SINGLE DX	5204	6.6	12	2	2	6	9	11	13	18
2. MULTIPLE DX	18577	8.7	31	3	4	8	11	14	18	29
A. NOT OPERATED	14982	7.9	19	3	3	7	10	13	15	23
B. OPERATED	8799	9.0	42	2	3	8	11	15	20	34
TOTAL 0-19 YRS	263	7.4	27	1	2	7	9	13	15	29
20-34	2363	7.1	24	1	2	6	9	12	15	23
35-49	4384	7.5	23	2	3	7	9	13	15	24
50-64	6368	8.2	25	2	3	7	10	13	16	27
65+	10403	8.9	32	3	4	8	11	14	18	30
GRAND TOTAL	**23781**	**8.3**	**28**	**2**	**3**	**7**	**10**	**14**	**17**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	3.8	13	1	1	3	5	7	11	18
35-49	61	5.7	51	1	1	3	8	12	16	45
50-64	62	6.6	30	1	2	5	8	12	21	26
65+	89	8.7	37	3	3	7	10	18	22	30
B. *Operated*										
0-19 YRS	42	2.7	3	<1	1	2	3	5	6	7
20-34	1260	2.5	4	1	1	2	3	4	5	9
35-49	2057	2.8	8	1	1	2	3	4	6	16
50-64	1297	3.4	17	1	1	3	4	6	8	21
65+	482	5.8	49	1	1	3	6	12	19	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	28	1	1	7	11	14	14	14
20-34	48	7.4	86	<1	<1	4	10	17	27	43
35-49	187	7.6	27	1	1	7	10	15	18	23
50-64	384	8.9	60	2	3	7	11	16	23	54
65+	1229	10.1	59	3	4	8	12	19	23	42
B. *Operated*										
0-19 YRS	18	4.4	16	1	1	4	5	12	14	14
20-34	410	5.2	50	1	1	3	5	11	22	40
35-49	997	5.4	51	1	1	3	5	13	21	33
50-64	1195	7.6	87	1	1	4	9	19	27	50
65+	1452	13.7	166	2	2	10	19	31	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	6.8	39	1	1	5	9	14	20	27
B. *Operated*	5138	3.1	14	1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*	1852	9.5	57	2	3	8	12	18	23	43
B. *Operated*	4072	9.0	116	1	1	4	12	23	32	57
1. SINGLE DX	5378	3.3	15	1	1	2	4	6	9	22
2. MULTIPLE DX	5924	9.2	98	1	2	6	12	21	29	54
A. NOT OPERATED	2092	9.2	56	2	3	8	12	17	22	43
B. OPERATED	9210	5.7	67	1	1	3	5	14	23	43
TOTAL 0-19 YRS	64	3.5	9	<1	1	3	4	7	10	14
20-34	1746	3.3	19	1	1	2	3	5	8	25
35-49	3302	3.9	25	1	1	3	4	7	13	25
50-64	2938	5.9	56	1	1	3	6	13	20	41
65+	3252	11.0	113	2	2	8	14	24	32	61
GRAND TOTAL	**11302**	**6.4**	**67**	**1**	**1**	**3**	**7**	**15**	**23**	**43**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	3	<1	<1	1	3	5	6	6
20-34	99	2.3	2	<1	<1	2	3	4	6	7
35-49	136	2.4	3	<1	<1	2	3	4	5	8
50-64	88	1.9	2	<1	<1	1	2	4	5	7
65+	62	2.1	2	<1	<1	1	3	4	5	8
B. *Operated*										
0-19 YRS	38	2.6	4	<1	<1	2	3	4	5	13
20-34	765	3.1	2	1	1	3	4	5	6	8
35-49	1089	3.0	2	1	1	3	4	5	6	8
50-64	659	3.1	3	1	1	3	4	5	6	8
65+	227	3.3	8	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	65	<1	1	3	5	6	22	38
20-34	191	3.1	5	<1	1	2	4	6	8	10
35-49	441	3.4	8	<1	1	3	4	7	9	15
50-64	428	3.4	6	<1	1	3	4	7	8	12
65+	682	4.5	34	1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS	87	3.5	5	1	2	3	4	6	7	13
20-34	3399	3.4	4	1	1	3	4	6	7	10
35-49	6099	3.5	4	1	1	3	4	6	7	11
50-64	4803	3.8	6	1	1	3	5	6	8	13
65+	2835	4.7	14	1	2	4	6	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	2.2	2	<1	<1	2	3	4	5	7
B. *Operated*	2778	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1762	3.8	18	<1	1	3	5	7	9	16
B. *Operated*	17223	3.8	7	1	1	3	5	6	8	13
1. SINGLE DX	3175	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	18985	3.8	8	1	1	3	5	6	8	13
A. NOT OPERATED	2159	3.5	16	<1	1	3	4	7	8	15
B. OPERATED	20001	3.7	6	1	1	3	5	6	8	13
TOTAL 0-19 YRS	157	3.3	12	<1	1	3	4	6	7	15
20-34	4454	3.3	4	1	1	3	4	6	7	10
35-49	7765	3.4	4	1	1	3	4	6	7	10
50-64	5978	3.7	6	1	1	3	5	6	8	13
65+	3806	4.6	17	1	1	4	5	8	11	18
GRAND TOTAL	**22160**	**3.7**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	4.9	12	1	1	4	7	9	12	16
20-34	362	6.0	11	1	1	6	8	10	11	15
35-49	415	6.3	12	1	2	6	8	10	12	18
50-64	472	6.1	12	1	2	6	8	10	11	15
65+	521	6.5	16	1	2	6	8	11	13	21
B. *Operated*										
0-19 YRS	243	2.7	13	<1	1	1	2	6	9	21
20-34	645	4.1	17	<1	1	2	6	10	12	18
35-49	482	5.7	21	1	1	6	8	11	13	20
50-64	375	6.4	14	1	1	7	9	11	12	18
65+	341	7.7	21	1	2	7	10	13	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	4.6	22	1	1	3	6	9	13	24
20-34	788	6.1	21	1	1	5	8	11	14	25
35-49	1496	6.3	25	1	2	6	8	11	14	21
50-64	3171	6.4	22	1	2	5	8	12	14	23
65+	8182	6.7	26	1	2	6	9	12	15	25
B. *Operated*										
0-19 YRS	208	6.8	81	<1	1	4	9	15	20	50
20-34	1003	6.5	50	1	1	5	9	14	18	33
35-49	1281	8.1	55	1	1	7	11	15	20	41
50-64	2123	9.4	53	1	2	8	12	17	23	37
65+	3903	10.3	67	2	3	9	12	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1881	6.1	13	1	2	6	8	10	12	18
B. *Operated*	2086	5.3	20	<1	1	4	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	13846	6.6	25	1	2	6	8	12	15	24
B. *Operated*	8518	9.2	62	1	2	8	11	17	23	41
1. SINGLE DX	3967	5.7	17	1	1	6	8	10	12	19
2. MULTIPLE DX	22364	7.6	40	1	2	6	10	14	18	33
A. NOT OPERATED	15727	6.5	23	1	2	6	8	12	14	23
B. OPERATED	10604	8.4	56	1	1	7	11	16	21	39
TOTAL 0-19 YRS	771	4.6	36	<1	1	2	6	10	14	32
20-34	2798	5.8	30	1	1	5	8	11	15	26
35-49	3674	6.9	34	1	1	6	9	12	16	30
50-64	6141	7.4	34	1	2	7	9	13	17	28
65+	12947	7.8	40	2	2	7	10	14	18	33
GRAND TOTAL	**26331**	**7.3**	**37**	**1**	**2**	**6**	**9**	**13**	**17**	**31**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5578	2.3	2	<1	1	2	3	4	5	8
20-34	915	2.9	3	1	1	3	4	5	5	8
35-49	406	3.2	3	1	1	3	4	5	6	10
50-64	178	3.6	5	1	1	3	4	7	9	11
65+	104	3.7	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	745	1.5	1	<1	1	1	2	2	3	8
20-34	311	1.9	4	1	1	1	2	4	6	10
35-49	74	3.6	19	1	1	2	5	7	10	27
50-64	44	3.4	7	1	1	2	6	7	8	11
65+	13	2.2	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11999	3.0	5	1	1	3	4	5	7	11
20-34	2486	3.4	9	1	1	3	4	6	7	11
35-49	1567	4.0	6	1	2	3	5	7	9	13
50-64	1395	5.0	12	1	2	4	6	9	11	19
65+	2135	5.8	18	2	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	1052	2.9	26	1	1	1	2	7	10	31
20-34	513	3.8	23	1	1	2	5	8	11	18
35-49	273	5.4	33	1	1	4	7	10	16	35
50-64	262	6.3	51	1	1	5	8	13	17	33
65+	276	8.5	60	1	1	6	11	19	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7181	2.5	3	1	1	2	3	4	5	8
B. *Operated*	1187	1.8	4	<1	1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	19582	3.6	8	1	1	3	4	6	8	14
B. *Operated*	2376	4.4	37	1	1	2	6	10	15	33
1. SINGLE DX	8368	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	21958	3.7	11	1	1	3	4	7	9	16
A. NOT OPERATED	26763	3.3	7	1	1	3	4	6	8	13
B. OPERATED	3563	3.6	27	1	1	2	4	8	12	27
TOTAL 0-19 YRS	19374	2.8	5	1	1	2	3	5	6	10
20-34	4225	3.3	9	1	1	3	4	6	7	12
35-49	2320	4.0	10	1	1	3	5	7	9	14
50-64	1879	5.0	17	1	2	4	6	9	12	21
65+	2528	6.0	23	1	2	5	7	11	14	26
GRAND TOTAL	**30326**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8297	3.2	3	1	1	3	4	5	6	9
20-34	467	3.2	2	1	2	3	4	5	6	7
35-49	556	3.9	4	1	2	4	5	6	7	11
50-64	452	4.2	5	2	2	4	5	7	9	13
65+	478	4.7	6	1	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	29	5.2	18	1	1	3	7	13	14	16
20-34	10	4.1	10	<1	<1	3	7	9	10	10
35-49	13	7.6	99	1	1	5	6	25	33	35
50-64	16	4.9	10	<1	<1	4	7	10	11	11
65+	18	6.1	12	1	2	6	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13540	3.9	6	1	2	3	5	7	8	13
20-34	2068	4.3	9	1	2	4	5	8	10	17
35-49	3644	5.1	13	2	2	4	6	9	11	18
50-64	10140	6.3	19	2	3	5	8	11	14	22
65+	24098	7.0	23	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	130	9.6	121	1	2	7	11	21	32	92
20-34	126	6.8	28	1	2	5	8	14	17	27
35-49	292	8.2	42	2	3	6	10	18	22	41
50-64	842	10.5	87	2	3	8	13	21	27	76
65+	1811	12.0	101	3	4	9	15	23	33	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10250	3.3	4	1	1	3	4	6	7	10
B. *Operated*	86	5.6	26	1	1	5	7	11	14	31
2. MULTIPLE DX										
A. *Not Operated*	53490	5.9	19	2	2	5	7	10	13	22
B. *Operated*	3201	11.0	92	2	3	8	14	22	30	75
1. SINGLE DX	10336	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	56691	6.2	24	2	2	5	7	11	14	25
A. NOT OPERATED	63740	5.5	17	2	2	4	7	10	13	21
B. OPERATED	3287	10.8	91	2	3	8	14	21	30	72
TOTAL 0-19 YRS	21996	3.7	6	1	2	3	4	6	8	12
20-34	2671	4.2	9	1	2	4	5	7	10	17
35-49	4505	5.2	15	2	2	4	6	9	11	21
50-64	11450	6.5	25	2	3	5	8	11	15	26
65+	26405	7.3	30	2	3	6	9	13	16	29
GRAND TOTAL	**67027**	**5.7**	**22**	**2**	**2**	**5**	**7**	**10**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	5.5	41	<1	<1	5	10	10	10	10
B. *Operated*										
0-19 YRS	743	1.4	1	<1	1	1	2	2	3	4
20-34	1751	1.4	1	<1	1	1	2	2	3	4
35-49	990	1.3	1	<1	1	1	2	2	3	4
50-64	456	1.4	1	<1	1	1	2	3	3	4
65+	103	1.3		<1	1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.4	1	<1	<1	1	1	3	4	4
20-34	26	1.4	1	<1	<1	<1	1	3	3	4
35-49	26	1.3		<1	<1	1	1	3	3	3
50-64	15	1.2		<1	<1	<1	1	2	3	3
65+	8	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	1921	1.5	1	1	1	1	2	2	3	4
20-34	4925	1.5	1	1	1	1	2	3	3	5
35-49	3491	1.6	1	1	1	1	2	3	3	5
50-64	1900	1.7	2	1	1	1	2	3	4	6
65+	609	1.9	2	1	1	2	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	6	<1	<1	1	2	5	9	10
B. *Operated*	4043	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	92	1.4	1	<1	<1	1	1	3	3	4
B. *Operated*	12846	1.6	1	1	1	1	2	3	3	5
1. SINGLE DX	4056	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	12938	1.6	1	1	1	1	2	3	3	5
A. NOT OPERATED	105	1.5	1	<1	<1	1	1	3	3	7
B. OPERATED	16889	1.5	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	2683	1.4	1	1	1	1	2	2	3	4
20-34	6707	1.5	1	1	1	1	2	2	3	5
35-49	4509	1.5	1	1	1	1	2	3	3	5
50-64	2373	1.7	2	1	1	1	2	3	3	5
65+	722	1.8	2	1	1	1	2	3	4	6
GRAND TOTAL	**16994**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	4	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	44	1.5	1	<1	1	1	2	4	4	4
20-34	90	1.5	1	<1	<1	1	2	3	3	4
35-49	125	1.4	1	<1	<1	1	2	2	3	4
50-64	99	1.5	1	<1	<1	1	2	3	3	5
65+	67	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	9	2.1	3	<1	<1	1	3	5	6	6
35-49	9	3.7	12	<1	<1	2	6	9	10	10
50-64	12	3.2	7	1	1	3	4	7	10	10
65+	9	4.0	24	<1	<1	1	7	12	13	13
B. *Operated*										
0-19 YRS	161	2.0	4	<1	1	1	2	4	5	8
20-34	357	1.8	2	1	1	1	2	3	4	7
35-49	521	1.7	1	<1	1	1	2	3	4	6
50-64	565	2.0	3	1	1	2	2	3	4	9
65+	378	2.4	6	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	2	<1	<1	1	3	4	4	4
B. *Operated*	425	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	41	3.2	10	<1	<1	2	4	9	11	13
B. *Operated*	1982	2.0	3	1	1	1	2	3	5	9
1. SINGLE DX	432	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	2023	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	48	3.0	9	<1	<1	2	4	7	10	13
B. OPERATED	2407	1.9	3	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	208	1.9	3	<1	1	1	2	4	5	8
20-34	456	1.7	2	<1	1	1	2	3	4	6
35-49	657	1.7	1	<1	1	1	2	3	4	6
50-64	676	1.9	3	<1	1	1	2	3	4	9
65+	458	2.3	5	<1	1	2	3	4	6	12
GRAND TOTAL	**2455**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	1.6	1	<1	<1	1	2	3	4	5
20-34	87	1.5	1	1	1	1	2	3	3	5
35-49	7	2.4	2	1	1	2	4	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	26015	1.2	1	<1	1	1	1	2	2	3
20-34	6454	1.3	3	1	1	1	1	2	2	3
35-49	773	1.3		1	1	1	1	2	2	4
50-64	125	1.5	1	<1	1	1	2	3	3	5
65+	30	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	390	1.7	2	<1	<1	1	2	3	4	7
20-34	76	2.2	3	<1	<1	2	3	4	5	9
35-49	21	2.5	3	<1	<1	2	3	5	6	7
50-64	5	3.0	6	1	1	2	5	6	6	6
65+	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	17568	1.2	1	<1	1	1	1	2	2	4
20-34	1902	1.4	1	1	1	1	2	2	3	6
35-49	371	1.7	3	1	1	1	2	3	4	12
50-64	83	2.3	6	<1	1	1	2	5	7	13
65+	46	1.7	2	<1	1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	1.6	1	<1	1	1	2	3	4	5
B. *Operated*	33397	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	495	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	19970	1.3	1	<1	1	1	1	2	2	4
1. SINGLE DX	33639	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX	20465	1.3	1	<1	1	1	1	2	2	5
A. NOT OPERATED	737	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	53367	1.2	1	<1	1	1	1	2	2	3
TOTAL 0-19 YRS	44119	1.2	1	<1	1	1	1	2	2	3
20-34	8519	1.3	2	1	1	1	1	2	2	4
35-49	1172	1.4	1	1	1	1	2	2	3	5
50-64	215	1.8	3	1	1	1	2	3	5	10
65+	79	1.6	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**54104**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1160	2.6	2	<1	1	2	3	5	6	8
20-34	784	2.7	2	1	1	3	3	4	5	7
35-49	322	2.8	3	1	1	2	3	5	6	9
50-64	129	2.8	3	<1	1	3	4	5	6	10
65+	69	3.9	11	1	1	3	5	7	10	22
B. *Operated*										
0-19 YRS	1406	2.2	3	<1	1	2	3	4	5	9
20-34	1664	2.0	2	<1	1	2	2	4	5	8
35-49	1312	1.8	3	<1	<1	1	2	3	4	9
50-64	1014	1.8	3	<1	<1	1	2	3	4	8
65+	515	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1412	3.3	7	1	1	3	4	6	7	12
20-34	792	3.5	8	1	1	3	4	6	7	14
35-49	576	4.1	10	<1	1	3	5	8	9	18
50-64	551	4.5	17	1	1	4	6	8	10	18
65+	455	4.6	12	1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	1829	3.2	25	1	1	2	3	7	10	28
20-34	2495	2.5	9	1	1	2	3	5	7	16
35-49	2664	2.5	10	1	1	2	3	5	7	16
50-64	2419	3.0	18	1	1	2	3	6	10	20
65+	1639	4.2	36	1	1	2	4	9	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2464	2.7	3	1	1	2	3	5	6	8
B. *Operated*	5911	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	3786	3.8	10	1	1	3	5	7	9	15
B. *Operated*	11046	3.0	18	1	1	2	3	6	9	21
1. SINGLE DX	8375	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	14832	3.2	16	1	1	2	4	6	9	20
A. NOT OPERATED	6250	3.4	7	1	1	3	4	6	8	13
B. OPERATED	16957	2.6	13	<1	1	2	3	5	8	18
TOTAL 0-19 YRS	5807	2.9	11	1	1	2	3	5	7	15
20-34	5735	2.5	6	1	1	2	3	5	6	12
35-49	4874	2.5	8	<1	1	2	3	5	7	13
50-64	4113	2.9	14	<1	1	2	3	6	9	18
65+	2678	3.8	26	<1	1	2	4	8	12	27
GRAND TOTAL	**23207**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15586	3.7	4	1	2	3	5	6	7	10
20-34	3826	4.4	5	2	2	4	5	7	9	12
35-49	2903	4.8	6	2	2	4	6	8	9	12
50-64	2407	5.4	10	2	3	5	7	8	10	15
65+	3466	6.0	12	2	3	5	7	10	12	18
B. *Operated*										
0-19 YRS	92	6.3	18	1	2	6	9	12	15	18
20-34	101	7.4	26	1	2	6	9	14	19	24
35-49	135	8.2	29	1	3	7	10	17	18	26
50-64	182	8.7	35	2	3	8	11	15	18	31
65+	182	9.4	25	2	4	9	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27755	4.5	10	1	2	4	5	8	10	16
20-34	6963	5.9	18	2	2	5	7	10	14	22
35-49	8851	6.3	18	2	3	5	8	11	14	22
50-64	18168	7.5	28	3	3	6	9	13	16	27
65+	71385	9.0	39	3	4	8	11	15	19	33
B. *Operated*										
0-19 YRS	719	13.1	161	2	3	10	16	28	39	81
20-34	814	12.5	112	3	4	10	16	24	31	73
35-49	1486	13.8	136	3	4	11	17	27	37	83
50-64	3167	14.8	136	4	5	12	18	29	40	70
65+	9503	16.8	165	5	6	13	21	32	45	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28188	4.3	7	1	2	4	5	7	9	13
B. *Operated*	692	8.3	29	1	2	7	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	133122	7.5	32	2	3	6	9	14	17	29
B. *Operated*	15689	15.7	155	4	5	12	19	30	42	86
1. SINGLE DX	28880	4.4	8	1	2	4	5	8	9	14
2. MULTIPLE DX	148811	8.4	51	2	3	7	10	15	20	39
A. NOT OPERATED	161310	6.9	29	2	2	6	9	13	16	27
B. OPERATED	16381	15.4	152	4	5	12	19	30	41	84
TOTAL 0-19 YRS	44152	4.3	12	1	2	4	5	7	10	17
20-34	11704	5.9	24	2	2	5	7	10	14	25
35-49	13375	6.9	35	2	3	5	8	12	16	32
50-64	23924	8.3	47	3	3	7	10	15	19	38
65+	84536	9.7	58	3	4	8	12	17	23	44
GRAND TOTAL	**177691**	**7.7**	**46**	**2**	**3**	**6**	**9**	**14**	**19**	**36**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	473	2.6	2	1	1	2	3	4	5	9
20-34	372	2.9	3	1	1	3	4	5	6	9
35-49	320	3.4	4	1	1	3	4	6	6	10
50-64	230	4.0	5	1	2	3	5	7	8	13
65+	239	4.4	7	1	2	4	6	7	9	13
B. *Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	3.7		3	3	4	4	4	4	4
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	6.3	44	2	2	3	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1304	3.2	4	1	1	3	4	5	7	11
20-34	1163	3.2	5	1	1	3	4	6	7	10
35-49	1192	3.9	6	1	2	3	5	7	8	12
50-64	1501	4.9	10	2	2	4	6	9	11	18
65+	3511	6.0	16	2	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	17	12.6	271	2	3	7	12	31	54	66
20-34	20	7.1	72	<1	1	4	7	17	28	37
35-49	40	6.6	20	2	2	5	8	14	15	23
50-64	70	10.3	91	2	3	8	12	19	25	59
65+	167	12.3	111	3	3	10	15	24	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1634	3.3	4	1	1	3	4	6	7	11
B. *Operated*	13	5.2	13	2	2	4	5	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	8671	4.7	12	1	2	4	6	9	11	18
B. *Operated*	314	10.8	104	2	3	8	14	22	30	64
1. SINGLE DX	1647	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	8985	4.9	16	1	2	4	6	9	12	20
A. NOT OPERATED	10305	4.5	11	1	2	4	6	8	11	17
B. OPERATED	327	10.6	102	2	3	8	14	21	29	64
TOTAL 0-19 YRS	1798	3.1	7	1	1	3	4	5	7	11
20-34	1557	3.2	5	1	1	3	4	5	7	10
35-49	1555	3.9	6	1	2	3	5	6	8	13
50-64	1802	5.0	14	2	2	4	6	9	11	19
65+	3920	6.2	21	2	2	5	8	11	14	23
GRAND TOTAL	**10632**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	965	2.9	3	1	1	2	4	5	6	9
20-34	132	3.3	5	1	1	3	4	6	7	12
35-49	178	4.1	7	1	2	4	5	7	9	13
50-64	349	5.0	20	1	2	4	6	8	10	18
65+	368	5.6	9	2	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	20	2.3	5	<1	<1	2	2	5	8	9
20-34	20	3.6	6	<1	<1	3	6	7	8	8
35-49	41	4.6	15	<1	<1	4	7	9	11	20
50-64	50	3.8	15	<1	<1	2	5	9	13	17
65+	36	3.6	8	<1	<1	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1872	3.5	5	1	1	3	4	6	8	12
20-34	478	4.3	9	1	2	3	5	8	10	15
35-49	895	4.9	17	1	2	4	6	8	10	19
50-64	2623	6.3	19	2	2	5	8	11	14	21
65+	5408	7.2	31	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	46	8.2	140	1	1	5	10	19	30	99+
20-34	76	5.5	16	1	2	5	7	11	13	80
35-49	164	7.1	43	1	2	6	9	14	16	36
50-64	434	8.6	71	1	2	7	10	16	22	58
65+	660	10.7	106	1	2	8	13	22	32	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1992	3.9	9	1	1	3	5	7	9	14
B. *Operated*	167	3.7	11	<1	<1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	11276	6.1	24	2	2	5	8	11	14	24
B. *Operated*	1380	9.3	86	1	2	7	12	18	26	71
1. SINGLE DX	2159	3.9	9	1	1	3	5	7	9	14
2. MULTIPLE DX	12656	6.4	32	2	2	5	8	12	15	28
A. NOT OPERATED	13268	5.7	22	1	2	5	7	11	14	22
B. OPERATED	1547	8.7	81	1	1	7	11	17	25	64
TOTAL 0-19 YRS	2903	3.4	7	1	1	3	4	6	7	12
20-34	706	4.2	9	1	1	3	5	8	10	16
35-49	1278	5.1	20	1	2	4	6	9	12	21
50-64	3456	6.4	26	2	2	5	8	12	15	24
65+	6472	7.5	39	2	3	6	9	13	17	33
GRAND TOTAL	**14815**	**6.1**	**29**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	46	2	2	5	12	15	15	15
20-34	10	3.7	23	<1	<1	2	3	10	17	17
35-49	29	4.4	8	1	1	4	6	8	10	13
50-64	219	6.7	26	2	2	6	9	12	15	25
65+	300	6.1	17	2	2	5	8	10	12	26
B. *Operated*										
0-19 YRS	5	4.8	23	1	1	2	9	11	11	11
20-34	9	7.1	18	1	2	6	10	13	14	14
35-49	15	7.0	23	1	1	7	8	16	16	16
50-64	15	8.6	14	3	3	9	11	14	15	15
65+	9	3.2	12	<1	<1	2	4	9	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	91	1	2	4	5	18	34	35
20-34	16	4.4	6	2	2	4	6	7	10	11
35-49	230	7.1	70	1	2	5	8	12	18	46
50-64	1810	7.8	42	2	3	6	9	14	18	30
65+	4156	8.0	37	2	3	7	10	14	18	34
B. *Operated*										
0-19 YRS	16	13.6	78	3	4	13	20	25	29	31
20-34	41	12.4	109	4	5	11	15	20	22	69
35-49	83	13.4	170	2	3	10	16	28	38	96
50-64	270	15.0	192	3	4	10	21	38	60	99+
65+	467	16.6	221	2	5	13	20	35	53	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	6.2	20	2	2	5	8	11	14	26
B. *Operated*	53	6.6	20	1	1	6	10	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	6223	7.9	40	2	3	6	10	14	18	33
B. *Operated*	877	15.5	201	3	4	11	19	34	53	99+
1. SINGLE DX	614	6.2	20	1	2	5	8	11	14	26
2. MULTIPLE DX	7100	8.9	66	2	3	7	10	17	22	50
A. NOT OPERATED	6784	7.8	38	2	3	6	9	14	18	32
B. OPERATED	930	15.0	195	2	4	11	19	32	51	99+
TOTAL 0-19 YRS	35	9.6	82	1	2	5	15	24	29	35
20-34	76	8.9	79	1	2	7	12	17	20	57
35-49	357	8.4	94	1	2	6	10	17	24	64
50-64	2314	8.5	64	2	3	6	10	16	22	51
65+	4932	8.7	60	2	3	7	10	16	21	43
GRAND TOTAL	**7714**	**8.6**	**63**	**2**	**3**	**7**	**10**	**16**	**22**	**48**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20033	2.9	3	1	1	3	4	5	6	8
20-34	5503	3.4	4	1	1	3	4	6	7	10
35-49	4462	4.0	6	1	2	4	5	7	8	12
50-64	3351	4.5	8	1	2	4	6	8	9	13
65+	1948	4.9	9	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	75	3.7	6	1	1	3	5	8	9	10
20-34	28	3.8	5	1	1	3	5	7	8	9
35-49	41	5.3	13	<1	1	5	7	10	13	15
50-64	25	6.6	16	2	3	6	9	11	15	16
65+	14	6.9	12	1	2	7	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16980	3.4	5	1	1	3	4	6	7	11
20-34	6115	4.4	9	1	2	4	5	8	9	15
35-49	8053	5.1	11	2	2	4	6	9	11	16
50-64	12302	6.0	17	2	2	5	7	10	13	20
65+	15880	6.8	21	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	192	6.9	34	1	2	6	9	13	17	34
20-34	220	8.4	48	1	2	7	11	17	22	34
35-49	410	10.0	103	2	3	7	12	19	24	79
50-64	638	11.2	89	2	4	9	14	20	26	50
65+	813	12.9	113	3	4	10	16	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35297	3.4	5	1	1	3	4	6	7	11
B. *Operated*	183	4.7	10	1	1	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	59330	5.2	15	1	2	4	6	9	12	19
B. *Operated*	2273	11.0	95	2	3	8	13	21	29	58
1. SINGLE DX	35480	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	61603	5.4	19	1	2	4	7	10	13	22
A. NOT OPERATED	94627	4.5	12	1	2	4	6	8	10	17
B. OPERATED	2456	10.5	92	2	3	8	13	20	28	56
TOTAL 0-19 YRS	37280	3.1	4	1	1	3	4	5	6	10
20-34	11866	4.0	8	1	2	3	5	7	9	14
35-49	12966	4.9	13	1	2	4	6	9	11	17
50-64	16316	5.9	20	2	2	5	7	10	13	21
65+	18655	6.9	26	2	3	6	8	12	15	27
GRAND TOTAL	**97083**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.5	5	1	2	3	4	5	8	13
20-34	41	3.3	8	1	1	3	3	7	10	14
35-49	212	4.8	6	1	2	5	6	8	8	12
50-64	1171	5.3	12	2	2	5	7	9	11	19
65+	1585	5.9	15	2	2	5	7	10	13	18
B. *Operated*										
0-19 YRS	15	5.3	19	<1	<1	4	8	13	14	15
20-34	9	7.2	36	2	2	5	10	17	20	20
35-49	17	4.6	11	2	2	3	6	10	13	14
50-64	50	6.8	24	1	2	6	9	14	18	21
65+	46	5.8	18	1	1	4	9	13	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	6.5	35	2	2	5	9	12	14	37
20-34	171	6.1	16	1	2	5	8	11	15	19
35-49	1162	6.4	26	2	2	5	8	11	14	25
50-64	8454	7.3	34	2	3	6	9	13	17	31
65+	18505	7.7	35	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	19	10.8	37	2	4	10	16	20	21	21
20-34	43	11.4	160	2	3	9	14	18	28	81
35-49	182	9.9	102	1	2	7	13	20	31	78
50-64	932	13.1	188	2	3	9	15	30	45	99+
65+	1853	14.3	178	3	4	11	17	29	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3044	5.5	14	2	2	5	7	10	12	17
B. *Operated*	137	6.0	21	1	2	5	8	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	28376	7.5	34	2	3	6	9	14	17	30
B. *Operated*	3029	13.6	177	2	4	10	16	29	45	99+
1. SINGLE DX	3181	5.5	14	2	2	5	7	10	12	18
2. MULTIPLE DX	31405	8.1	51	2	3	6	10	15	19	41
A. NOT OPERATED	31420	7.3	33	2	3	6	9	13	17	29
B. OPERATED	3166	13.3	172	2	3	10	16	28	44	99+
TOTAL 0-19 YRS	153	6.2	31	1	2	4	9	13	16	21
20-34	264	6.6	44	1	2	5	9	13	15	24
35-49	1573	6.6	33	2	2	5	8	12	15	31
50-64	10607	7.6	48	2	3	6	9	14	18	39
65+	21989	8.2	49	2	3	6	10	15	19	39
GRAND TOTAL	**34586**	**7.9**	**48**	**2**	**3**	**6**	**9**	**14**	**19**	**39**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.7	5	1	1	2	3	6	7	11
20-34	428	3.3	7	1	1	2	4	7	9	14
35-49	100	3.9	16	1	1	3	4	8	10	24
50-64	39	4.3	8	1	1	4	5	7	11	15
65+	20	4.8	9	1	1	4	6	10	11	12
B. *Operated*										
0-19 YRS	339	6.1	17	2	2	5	8	11	14	19
20-34	1628	5.5	12	2	2	5	7	10	12	19
35-49	534	6.5	20	2	3	5	8	12	16	23
50-64	174	6.7	19	2	3	5	8	12	16	22
65+	112	7.2	32	2	2	6	9	14	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.8	15	1	1	3	5	7	10	26
20-34	145	3.7	9	1	1	3	4	8	10	14
35-49	105	5.5	42	1	1	4	6	10	18	38
50-64	119	5.8	24	1	2	5	7	11	18	26
65+	240	6.6	24	1	2	6	9	12	15	26
B. *Operated*										
0-19 YRS	161	10.2	60	3	3	8	13	21	24	42
20-34	733	9.1	33	3	3	7	12	17	21	27
35-49	509	9.3	48	2	3	7	12	18	22	36
50-64	789	10.7	75	3	3	8	14	21	28	40
65+	1224	12.2	108	3	4	9	15	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	716	3.4	8	1	1	3	4	7	9	15
B. *Operated*	2787	5.9	16	2	2	5	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	668	5.4	24	1	1	4	7	10	14	26
B. *Oporated*	3416	10.7	75	3	3	8	13	21	27	45
1. SINGLE DX	3503	5.4	15	1	2	4	7	10	13	20
2. MULTIPLE DX	4084	9.8	70	2	3	7	12	20	26	43
A. NOT OPERATED	1384	4.4	17	1	1	3	5	9	11	23
B. OPERATED	6203	8.5	54	2	3	6	10	17	22	37
TOTAL 0-19 YRS	688	6.2	31	1	2	5	8	13	17	30
20-34	2934	6.0	20	1	2	5	8	12	15	23
35-49	1248	7.4	36	2	2	6	9	15	19	30
50-64	1121	9.4	63	2	3	7	12	19	25	38
65+	1596	10.9	95	2	3	8	13	22	29	51
GRAND TOTAL	**7587**	**7.8**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1067	2.8	4	1	1	2	4	5	7	11
20-34	479	3.1	9	<1	1	2	4	6	8	17
35-49	438	3.4	9	1	1	3	4	7	9	15
50-64	389	3.7	11	1	1	3	5	7	9	18
65+	465	5.2	16	1	1	4	7	10	12	20
B. *Operated*										
0-19 YRS	217	4.1	31	<1	1	2	5	11	17	25
20-34	192	6.1	26	1	1	5	8	13	16	25
35-49	357	6.1	26	1	1	5	8	12	17	25
50-64	474	6.2	32	1	1	5	8	11	15	24
65+	363	6.1	37	<1	1	5	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2668	4.8	31	1	1	3	5	10	13	29
20-34	1426	5.3	31	1	1	4	6	11	14	30
35-49	2260	5.5	28	1	2	4	7	11	13	27
50-64	5211	6.5	33	1	2	5	8	12	16	29
65+	16411	8.2	43	2	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	690	10.8	187	1	1	6	15	27	40	99+
20-34	853	11.3	131	1	2	8	15	25	33	66
35-49	1584	10.8	125	1	2	8	14	23	32	68
50-64	3138	11.1	128	1	2	8	14	24	32	70
65+	6305	13.7	154	2	3	10	17	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2838	3.5	9	1	1	3	4	7	9	15
B. *Operated*	1603	5.9	31	1	1	5	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	27976	7.2	40	1	2	6	9	14	18	32
B. *Operated*	12570	12.4	146	1	2	9	16	26	36	73
1. SINGLE DX	4441	4.3	19	1	1	3	6	9	12	22
2. MULTIPLE DX	40546	8.8	79	1	2	6	11	18	24	49
A. NOT OPERATED	30814	6.9	38	1	2	5	9	13	18	31
B. OPERATED	14173	11.7	137	1	2	8	15	25	34	70
TOTAL 0-19 YRS	4642	5.2	54	1	1	3	6	11	17	39
20-34	2950	6.7	65	1	1	4	8	15	21	42
35-49	4639	7.2	67	1	1	5	8	15	21	43
50-64	9212	7.9	70	1	2	6	10	16	22	46
65+	23544	9.6	79	2	3	7	12	19	25	49
GRAND TOTAL	**44987**	**8.4**	**74**	**1**	**2**	**6**	**10**	**17**	**23**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.7	2	1	1	2	4	5	5	6
20-34	88	2.9	3	1	1	2	4	5	6	11
35-49	50	4.4	23	1	1	3	5	9	11	32
50-64	29	3.8	8	1	1	3	4	7	12	13
65+	8	2.5	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	2323	2.1	2	<1	<1	2	3	4	4	6
20-34	3129	2.5	2	<1	1	2	3	4	5	7
35-49	1506	2.6	3	1	1	2	3	4	5	8
50-64	618	2.3	3	1	1	2	3	4	5	8
65+	219	2.3	4	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	3.2	7	<1	1	3	4	6	6	12
20-34	334	3.1	6	<1	1	2	4	5	8	14
35-49	167	3.7	11	<1	1	3	5	7	9	21
50-64	137	4.4	19	<1	1	3	6	8	11	25
65+	158	4.6	24	1	1	3	6	9	11	32
B. *Operated*										
0-19 YRS	2682	2.6	5	<1	<1	2	3	4	5	9
20-34	2938	2.9	6	1	1	3	4	5	6	11
35-49	1792	3.0	6	1	1	2	4	5	7	12
50-64	1382	3.1	20	1	1	2	3	6	8	21
65+	1162	3.4	29	1	1	2	3	6	10	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	3.2	8	1	1	3	4	5	7	13
B. *Operated*	7795	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1107	3.6	12	<1	1	3	5	7	9	18
B. *Operated*	9956	2.9	10	<1	1	2	3	5	6	14
1. SINGLE DX	8044	2.4	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	11063	3.0	10	<1	1	2	4	5	7	15
A. NOT OPERATED	1356	3.5	11	<1	1	3	4	6	8	17
B. OPERATED	17751	2.7	7	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	5390	2.4	4	<1	<1	2	3	4	5	7
20-34	6489	2.7	4	<1	1	2	3	4	5	10
35-49	3515	2.9	5	1	1	2	3	5	6	11
50-64	2166	3.0	15	1	1	2	3	5	7	19
65+	1547	3.4	25	1	1	2	3	6	10	27
GRAND TOTAL	**19107**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	3.4	4	1	1	3	4	6	7	11
20-34	136	3.5	6	1	1	3	4	6	7	12
35-49	90	3.9	6	1	2	3	5	6	7	16
50-64	67	3.9	6	1	2	3	4	6	9	14
65+	48	4.3	4	2	2	4	5	7	8	10
B. *Operated*										
0-19 YRS	272	2.3	4	<1	<1	2	3	4	6	9
20-34	359	2.3	3	1	1	2	3	5	6	9
35-49	371	2.1	3	<1	1	2	3	4	5	10
50-64	334	2.2	3	1	1	2	3	4	5	11
65+	269	2.4	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	3.7	5	1	2	3	5	6	8	12
20-34	184	4.0	8	1	1	3	5	7	9	15
35-49	178	5.7	59	1	1	4	6	10	14	49
50-64	253	5.5	18	1	2	4	7	9	14	22
65+	472	7.0	22	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	285	3.5	8	1	1	3	4	7	9	14
20-34	349	3.5	12	1	1	3	4	8	10	15
35-49	422	3.5	13	1	1	2	4	8	10	18
50-64	594	3.7	26	1	1	2	4	8	11	23
65+	682	5.0	48	1	1	3	6	11	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	3.6	5	1	2	3	4	6	7	12
B. *Operated*	1605	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	1648	5.2	20	1	2	4	6	10	13	21
B. *Operated*	2332	4.0	26	1	1	3	4	9	12	21
1. SINGLE DX	2156	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	3980	4.5	24	1	1	3	5	9	12	21
A. NOT OPERATED	2199	4.8	17	1	2	4	6	9	12	20
B. OPERATED	3937	3.3	17	1	1	2	4	7	10	18
TOTAL 0-19 YRS	1328	3.3	5	<1	1	3	4	6	8	12
20-34	1028	3.2	8	1	1	2	4	6	8	13
35-49	1061	3.4	18	1	1	2	4	7	10	20
50-64	1248	3.7	18	1	1	3	4	8	10	19
65+	1471	5.1	33	1	1	3	7	11	14	25
GRAND TOTAL	**6136**	**3.8**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	797	2.7	4	1	1	2	3	5	6	11
20-34	323	2.6	3	<1	1	2	3	5	6	8
35-49	522	2.7	3	<1	1	2	3	5	6	8
50-64	443	2.9	5	<1	1	2	4	5	7	11
65+	251	2.7	4	<1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	259	4.9	35	1	1	3	6	10	14	36
20-34	172	4.2	9	<1	<1	4	6	8	10	14
35-49	237	4.8	16	<1	1	4	7	9	11	20
50-64	288	4.1	22	<1	<1	3	6	8	10	18
65+	321	4.7	39	<1	<1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1389	4.1	17	1	1	3	5	8	10	20
20-34	1357	3.6	7	1	1	3	4	7	8	13
35-49	2661	3.7	7	1	1	3	5	7	8	14
50-64	3575	4.0	11	1	1	3	5	7	9	15
65+	5208	4.9	16	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	764	11.0	143	1	1	8	14	25	36	70
20-34	677	6.8	46	1	2	5	8	12	17	36
35-49	1419	6.6	40	1	2	5	8	12	17	37
50-64	2273	7.1	46	1	2	5	9	14	19	37
65+	4279	8.3	72	1	2	6	10	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2336	2.7	4	<1	1	2	4	5	6	10
B. *Operated*	1277	4.6	26	<1	1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	14190	4.3	13	1	1	3	5	8	10	17
B. *Operated*	9412	7.9	66	1	2	6	9	16	22	46
1. SINGLE DX	3613	3.4	12	<1	1	2	4	7	8	14
2. MULTIPLE DX	23602	5.7	37	1	2	4	7	11	15	33
A. NOT OPERATED	16526	4.0	12	1	1	3	5	7	10	16
B. OPERATED	10689	7.5	63	1	2	6	9	15	21	44
TOTAL 0-19 YRS	3209	5.5	55	1	1	3	6	11	18	40
20-34	2529	4.4	19	1	1	3	5	8	11	22
35-49	4839	4.5	19	1	1	3	6	8	11	21
50-64	6579	5.0	26	1	1	4	6	9	13	27
65+	10059	6.3	43	1	2	5	7	12	17	34
GRAND TOTAL	**27215**	**5.4**	**34**	**1**	**1**	**4**	**6**	**10**	**15**	**31**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	3	<1	1	2	3	5	7	7
20-34	151	3.3	6	1	1	3	4	6	8	11
35-49	213	3.7	4	1	2	3	5	6	7	12
50-64	148	3.7	6	1	1	3	5	7	8	13
65+	97	4.6	10	1	2	4	6	8	9	21
B. *Operated*										
0-19 YRS	5	7.8	41	2	2	7	11	18	18	18
20-34	79	6.4	18	1	2	6	9	10	14	24
35-49	171	6.0	10	1	2	6	8	10	11	15
50-64	156	5.8	12	<1	2	5	8	10	11	18
65+	77	6.2	19	<1	1	6	8	12	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.6	3	1	2	3	4	6	7	9
20-34	313	4.4	8	1	2	4	5	8	11	14
35-49	647	4.7	8	1	2	4	6	8	10	15
50-64	869	5.0	18	2	2	4	6	8	10	22
65+	1436	5.8	15	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	14	7.3	42	2	3	5	7	18	23	24
20-34	215	6.6	20	1	2	6	9	13	16	21
35-49	599	6.9	24	2	2	6	9	12	16	22
50-64	921	7.3	32	1	3	6	9	13	17	27
65+	1467	8.4	45	2	3	7	10	15	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	3.7	6	1	1	3	5	7	8	12
B. *Operated*	488	6.0	14	<1	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3307	5.2	14	2	2	4	6	9	11	18
B. *Operated*	3216	7.7	36	2	3	6	9	14	18	31
1. SINGLE DX	1121	4.7	11	1	2	4	6	9	10	16
2. MULTIPLE DX	6523	6.4	26	2	2	5	8	12	15	25
A. NOT OPERATED	3940	5.0	13	1	2	4	6	9	11	17
B. OPERATED	3704	7.5	34	2	2	6	9	13	17	30
TOTAL 0-19 YRS	85	4.3	14	1	2	3	5	7	10	22
20-34	758	5.0	14	1	2	4	7	10	12	20
35-49	1630	5.5	15	1	2	4	7	10	12	19
50-64	2094	6.0	25	1	2	5	8	11	13	23
65+	3077	7.0	31	2	2	6	8	13	16	29
GRAND TOTAL	**7644**	**6.2**	**25**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	3	1	1	3	5	5	5	5
20-34	104	3.4	2	1	2	3	4	5	6	8
35-49	219	3.8	4	2	2	3	5	6	8	10
50-64	268	4.3	6	2	2	4	5	7	9	14
65+	296	4.4	7	2	2	4	5	7	8	12
B. *Operated*										
0-19 YRS	9	4.9	6	2	2	5	7	8	8	8
20-34	71	6.8	11	3	3	7	9	11	13	18
35-49	157	6.8	54	2	3	6	8	10	13	19
50-64	208	6.7	15	2	3	6	8	11	13	24
65+	247	6.7	19	2	3	6	9	12	13	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.5	19	1	1	4	5	6	9	27
20-34	299	4.5	6	1	2	4	6	7	10	13
35-49	697	4.7	10	2	2	4	5	8	10	17
50-64	1590	5.4	13	2	2	5	6	9	11	18
65+	4218	6.6	20	2	3	6	8	11	14	25
B. *Operated*										
0-19 YRS	26	9.7	147	1	2	5	13	18	35	59
20-34	197	9.7	116	2	3	7	10	16	31	67
35-49	605	8.2	46	2	3	7	10	15	19	28
50-64	1526	9.6	80	2	3	7	11	17	26	50
65+	4621	10.9	97	3	4	8	13	21	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	898	4.1	5	2	2	4	5	7	8	11
B. *Operated*	692	6.7	25	2	3	6	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	6839	6.0	17	2	3	5	7	10	13	22
B. *Operated*	6975	10.3	90	3	3	8	12	19	27	56
1. SINGLE DX	1590	5.2	15	2	2	4	7	9	11	16
2. MULTIPLE DX	13814	8.2	59	2	3	6	10	15	21	43
A. NOT OPERATED	7737	5.8	16	2	2	5	7	10	13	22
B. OPERATED	7667	10.0	85	3	3	7	12	19	26	54
TOTAL 0-19 YRS	81	6.0	62	1	1	4	6	12	18	50
20-34	671	6.1	44	2	2	5	7	10	13	36
35-49	1678	6.0	29	2	2	5	7	11	15	22
50-64	3592	7.2	46	2	3	5	8	13	17	36
65+	9382	8.6	63	2	3	6	10	16	22	45
GRAND TOTAL	**15404**	**7.9**	**55**	**2**	**3**	**6**	**9**	**15**	**20**	**40**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.9	3	1	1	2	4	5	6	7
20-34	654	3.2	4	1	1	3	4	6	7	11
35-49	707	3.3	4	1	1	3	4	6	7	9
50-64	394	3.5	5	1	1	3	4	6	7	12
65+	179	3.8	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	12	4.7	5	2	2	4	6	8	9	9
20-34	111	7.2	10	2	3	7	9	11	13	16
35-49	153	7.4	13	2	3	7	9	12	14	18
50-64	97	7.5	14	2	3	7	10	12	14	19
65+	29	7.6	61	1	2	5	8	12	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.8	7	1	1	3	5	6	8	14
20-34	1164	3.9	5	1	2	3	5	7	8	12
35-49	1859	4.3	7	1	2	4	5	8	9	14
50-64	1923	4.6	8	2	2	4	6	8	10	16
65+	2675	5.5	18	2	2	5	7	9	12	20
B. *Operated*										
0-19 YRS	20	5.1	8	1	1	5	7	9	9	10
20-34	230	8.1	36	2	3	7	10	15	19	36
35-49	548	8.7	65	2	3	7	10	16	22	43
50-64	599	8.2	42	2	3	7	10	14	19	35
65+	688	9.6	74	2	3	8	11	17	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2085	3.3	4	1	1	3	4	6	7	11
B. *Operated*	402	7.3	15	2	3	7	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	7804	4.7	11	1	2	4	6	8	10	16
B. *Operated*	2085	8.7	58	2	3	7	10	16	22	44
1. SINGLE DX	2487	4.0	8	1	1	3	5	8	9	14
2. MULTIPLE DX	9889	5.6	24	2	2	4	7	10	13	24
A. NOT OPERATED	9889	4.4	10	1	2	4	5	8	10	16
B. OPERATED	2487	8.5	51	2	3	7	10	15	20	42
TOTAL 0-19 YRS	366	3.5	6	1	1	3	5	6	7	11
20-34	2159	4.3	11	1	2	3	5	8	10	15
35-49	3267	4.9	20	1	2	4	6	9	11	22
50-64	3013	5.3	17	1	2	4	6	9	12	20
65+	3571	6.2	32	2	2	5	7	11	15	30
GRAND TOTAL	**12376**	**5.2**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.4	4	1	1	3	4	6	7	10
20-34	443	3.5	3	1	2	3	4	6	7	9
35-49	572	3.7	3	1	2	3	5	6	7	9
50-64	567	4.1	6	1	2	4	5	7	8	10
65+	515	4.7	7	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	18	6.7	8	3	4	6	8	9	13	15
20-34	211	7.4	18	3	4	7	8	11	13	20
35-49	301	7.3	8	3	4	7	9	11	13	17
50-64	242	7.5	10	3	4	7	9	11	13	18
65+	213	9.6	28	3	4	9	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	4.0	6	1	2	4	5	7	8	13
20-34	733	4.2	5	2	2	4	5	7	8	11
35-49	1302	4.7	7	2	2	4	6	8	10	15
50-64	2282	5.2	14	2	2	4	6	8	11	16
65+	5708	6.7	25	2	3	6	8	11	15	25
B. *Operated*										
0-19 YRS	28	9.2	31	3	3	8	11	18	20	25
20-34	298	9.2	36	3	4	8	11	16	23	35
35-49	669	9.8	74	3	4	8	11	16	22	62
50-64	1214	11.0	92	3	4	9	13	20	28	63
65+	3114	13.6	132	3	4	10	16	26	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2174	4.0	5	1	2	4	5	7	8	10
B. *Operated*	985	7.8	16	3	4	7	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	10145	5.9	20	2	2	5	7	10	13	22
B. *Operated*	5323	12.3	112	3	4	9	14	23	32	67
1. SINGLE DX	3159	5.2	12	2	2	4	7	9	11	17
2. MULTIPLE DX	15468	8.1	61	2	3	6	9	15	21	44
A. NOT OPERATED	12319	5.5	18	2	2	5	7	9	12	21
B. OPERATED	6308	11.6	100	3	4	9	13	21	30	62
TOTAL 0-19 YRS	243	4.6	11	1	2	4	6	8	10	19
20-34	1685	5.3	16	2	2	4	6	9	12	23
35-49	2844	6.0	28	2	2	5	7	10	14	24
50-64	4305	6.8	42	2	2	5	8	12	16	35
65+	9550	8.9	70	2	3	7	10	17	23	48
GRAND TOTAL	**18627**	**7.6**	**53**	**2**	**3**	**6**	**9**	**14**	**19**	**42**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	39	5.1	11	2	2	4	7	10	10	16
35-49	48	4.5	5	1	2	4	6	7	8	12
50-64	50	5.3	12	1	2	4	7	9	12	17
65+	41	5.4	13	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	35	9.2	25	2	4	8	12	18	19	20
35-49	55	10.1	28	3	6	9	12	16	20	30
50-64	78	10.2	27	4	5	9	12	15	20	30
65+	73	10.3	29	3	5	9	13	17	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	7	2	2	4	6	9	9	9
20-34	67	5.3	15	1	2	4	6	9	13	21
35-49	112	5.6	12	1	2	5	7	9	12	20
50-64	196	5.5	12	2	2	5	7	9	13	19
65+	518	7.6	33	3	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	5	15.8	177	6	6	11	20	39	39	39
20-34	80	14.6	98	4	5	12	19	28	38	50
35-49	243	12.8	67	4	5	11	15	24	29	45
50-64	415	13.8	118	4	5	11	16	25	33	68
65+	806	15.7	155	4	5	13	20	31	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	5.0	10	1	2	4	7	9	11	17
B. *Operated*	242	10.0	27	3	5	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	900	6.7	26	2	3	5	8	12	16	27
B. *Operated*	1549	14.7	129	4	5	12	18	27	37	66
1. SINGLE DX	424	7.9	26	2	3	7	10	15	17	28
2. MULTIPLE DX	2449	11.8	106	3	4	9	15	23	32	57
A. NOT OPERATED	1082	6.4	23	2	3	5	8	11	15	25
B. OPERATED	1791	14.1	118	4	5	11	17	26	35	63
TOTAL 0-19 YRS	17	7.9	76	2	2	6	9	13	30	39
20-34	221	9.2	63	2	2	7	12	19	22	41
35-49	458	9.8	54	2	3	8	12	19	25	40
50-64	739	10.7	88	2	3	8	13	20	27	57
65+	1438	12.3	116	3	4	9	15	24	33	61
GRAND TOTAL	**2873**	**11.2**	**96**	**3**	**3**	**8**	**14**	**22**	**30**	**53**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	914	2.3	2	1	1	2	3	4	5	6
20-34	1431	2.6	3	1	1	2	3	5	6	8
35-49	1069	2.8	3	1	1	2	4	5	6	8
50-64	595	3.0	4	<1	1	2	4	5	6	10
65+	317	3.1	4	<1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	35	3.7	7	1	1	3	4	7	11	13
20-34	120	3.8	5	<1	1	3	5	7	8	10
35-49	158	4.8	20	<1	<1	4	6	10	13	26
50-64	119	4.8	19	<1	<1	4	7	9	12	26
65+	74	4.2	15	<1	<1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2495	2.7	3	1	1	2	3	5	6	10
20-34	4440	3.5	6	1	1	3	4	6	8	12
35-49	5316	4.1	9	1	2	3	5	7	9	14
50-64	5366	4.5	11	1	2	4	5	8	10	17
65+	7957	5.5	19	2	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	132	5.4	34	1	2	4	6	9	14	58
20-34	655	6.1	31	1	2	5	7	11	15	30
35-49	1141	7.2	50	1	2	5	8	13	18	36
50-64	1468	7.4	45	2	2	6	8	14	18	35
65+	2375	8.5	55	2	3	7	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4326	2.7	3	1	1	2	3	5	6	9
B. *Operated*	506	4.4	15	<1	<1	3	6	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	25574	4.4	12	1	2	4	5	8	10	17
B. *Operated*	5771	7.6	49	2	2	6	9	14	19	36
1. SINGLE DX	4832	2.8	5	<1	1	2	4	5	7	11
2. MULTIPLE DX	31345	5.0	21	1	2	4	6	9	12	23
A. NOT OPERATED	29900	4.1	11	1	1	3	5	7	10	16
B. OPERATED	6277	7.4	47	1	2	6	9	14	19	35
TOTAL 0-19 YRS	3576	2.7	4	1	1	2	3	5	6	10
20-34	6646	3.6	9	1	1	3	4	7	8	14
35-49	7684	4.4	16	1	1	3	5	8	10	19
50-64	7548	4.9	19	1	2	4	6	9	12	21
65+	10723	6.1	29	1	2	5	7	11	15	26
GRAND TOTAL	**36177**	**4.7**	**19**	**1**	**1**	**4**	**6**	**9**	**11**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	2.6	3	<1	1	2	3	5	5	8
20-34	213	3.1	5	<1	1	2	4	6	7	11
35-49	237	3.8	11	1	1	3	5	7	9	18
50-64	147	3.3	7	1	1	2	4	6	8	14
65+	93	3.2	12	<1	1	2	4	7	10	20
B. *Operated*										
0-19 YRS	154	3.8	6	2	2	3	4	6	8	12
20-34	34	9.1	49	2	3	7	10	16	21	33
35-49	62	8.8	44	1	2	7	11	16	22	35
50-64	49	9.7	40	<1	2	9	12	18	23	32
65+	35	10.1	63	<1	2	9	14	18	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	3.6	39	1	1	2	4	6	8	23
20-34	724	4.2	16	1	1	3	5	8	10	21
35-49	906	4.5	15	1	1	4	5	8	10	20
50-64	1037	4.9	17	1	2	4	6	9	12	23
65+	1720	5.8	30	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	143	8.3	173	1	2	5	8	16	28	81
20-34	187	11.2	113	1	2	8	14	23	35	48
35-49	405	11.7	98	2	3	9	14	23	32	65
50-64	590	12.8	107	2	4	10	16	26	32	61
65+	983	14.1	158	2	3	11	18	30	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	3.2	7	<1	1	2	4	6	8	13
B. *Operated*	334	6.8	36	1	2	5	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	4898	4.9	24	1	1	4	6	9	12	23
B. *Operated*	2308	12.8	134	2	3	10	16	26	36	65
1. SINGLE DX	1210	4.2	18	1	1	3	5	8	12	22
2. MULTIPLE DX	7206	7.4	73	1	2	5	9	15	23	47
A. NOT OPERATED	5774	4.6	22	1	1	3	6	9	12	22
B. OPERATED	2642	12.0	125	2	3	9	15	25	34	64
TOTAL 0-19 YRS	994	4.1	49	1	1	3	4	7	9	33
20-34	1158	5.3	38	1	1	3	6	11	15	35
35-49	1610	6.4	46	1	1	4	8	13	19	37
50-64	1823	7.4	60	1	2	5	9	16	23	39
65+	2831	8.6	91	1	2	6	10	18	26	53
GRAND TOTAL	**8416**	**6.9**	**66**	**1**	**2**	**4**	**8**	**15**	**21**	**44**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.0	1	<1	1	2	3	3	4	7
20-34	94	2.2	2	<1	1	2	3	4	5	6
35-49	29	2.4	5	<1	1	2	3	6	7	10
50-64	17	3.4	7	1	1	3	4	7	10	11
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	13811	3.1	2	2	2	3	4	4	5	8
20-34	10370	3.3	2	2	2	3	4	5	6	8
35-49	3468	3.5	3	2	2	3	4	5	6	9
50-64	1209	4.1	4	2	2	4	5	6	8	11
65+	307	4.4	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.1	2	<1	1	2	3	4	5	9
20-34	60	2.9	7	<1	1	2	3	5	8	14
35-49	27	3.4	11	1	1	3	4	7	9	17
50-64	16	3.5	10	1	1	2	4	9	10	11
65+	25	5.9	34	1	2	5	6	11	20	29
B. *Operated*										
0-19 YRS	2721	4.2	8	2	2	4	5	7	9	16
20-34	2645	4.4	7	2	2	4	5	7	9	14
35-49	1267	5.1	9	2	3	4	6	9	11	16
50-64	755	6.2	15	2	3	5	8	11	14	20
65+	558	7.3	30	3	3	6	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.2	2	<1	1	2	3	4	5	9
B. *Operated*	29165	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	206	3.1	10	1	1	2	4	6	8	17
B. *Operated*	7946	4.8	11	2	2	4	6	8	11	18
1. SINGLE DX	29434	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	8152	4.8	11	2	2	4	6	8	11	17
A. NOT OPERATED	475	2.6	6	<1	1	2	3	5	6	13
B. OPERATED	37111	3.6	5	2	2	3	4	6	7	11
TOTAL 0-19 YRS	16737	3.2	3	1	2	3	4	5	6	9
20-34	13169	3.5	3	2	2	3	4	5	6	10
35-49	4791	4.0	5	2	2	3	5	6	8	13
50-64	1997	4.9	9	2	2	4	6	9	11	17
65+	892	6.3	23	2	3	5	7	11	14	22
GRAND TOTAL	**37586**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	6.8	11	1	2	7	9	11	12	14
20-34	29	6.4	17	2	3	6	7	15	16	17
35-49	32	6.8	15	<1	2	7	9	12	15	16
50-64	20	6.8	4	3	5	7	8	9	10	10
65+	13	7.5	15	2	3	7	9	14	15	15
B. *Operated*										
0-19 YRS	2880	6.2	8	2	3	6	8	10	11	15
20-34	1725	5.8	8	2	3	6	7	9	10	14
35-49	1177	6.6	9	3	3	6	8	10	12	16
50-64	734	7.3	11	3	4	7	9	11	13	18
65+	319	8.1	14	4	4	7	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.7	13	1	2	6	8	12	13	15
20-34	13	6.5	10	1	3	6	7	12	13	13
35-49	21	6.1	11	1	2	5	9	10	12	13
50-64	30	8.8	12	4	4	8	11	12	15	19
65+	51	10.1	51	3	4	8	13	16	18	50
B. *Operated*										
0-19 YRS	2152	8.8	27	3	4	8	10	15	19	29
20-34	1446	8.4	22	3	4	7	10	13	17	25
35-49	1285	9.3	29	4	5	8	11	15	18	28
50-64	1480	10.8	52	4	5	9	12	17	23	42
65+	1406	12.4	73	5	6	10	14	21	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	6.8	12	2	3	7	9	11	14	16
B. *Operated*	6835	6.4	9	2	3	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	137	8.3	28	2	4	7	11	13	16	23
B. *Operated*	7769	9.8	42	4	5	8	11	16	21	36
1. SINGLE DX	6967	6.4	9	2	3	6	8	10	11	16
2. MULTIPLE DX	7906	9.8	41	4	5	8	11	16	21	36
A. NOT OPERATED	269	7.6	21	2	3	7	9	13	15	19
B. OPERATED	14604	8.2	29	3	4	7	10	13	17	29
TOTAL 0-19 YRS	5092	7.3	18	3	3	7	9	12	15	24
20-34	3213	7.0	16	3	3	6	8	11	14	23
35-49	2515	8.0	21	3	4	7	10	13	16	23
50-64	2264	9.6	40	4	5	8	11	15	20	34
65+	1789	11.5	64	5	5	9	13	20	26	45
GRAND TOTAL	**14873**	**8.2**	**29**	**3**	**4**	**7**	**10**	**13**	**17**	**28**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.0	2	<1	1	2	2	4	5	8
20-34	101	2.2	3	<1	1	2	3	4	6	9
35-49	34	2.6	4	<1	1	2	3	6	7	8
50-64	19	2.9	3	1	1	3	4	5	7	8
65+	6	4.3	6	2	2	4	5	9	9	9
B. *Operated*										
0-19 YRS	922	3.2	2	1	2	3	4	5	6	9
20-34	712	3.6	3	2	2	3	4	6	7	10
35-49	215	3.7	3	1	2	3	5	6	7	11
50-64	72	4.5	6	1	2	4	5	8	9	13
65+	30	4.9	5	2	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	3	1	1	2	3	4	5	9
20-34	84	2.6	4	<1	1	2	3	5	7	9
35-49	28	3.2	5	1	1	3	4	6	7	12
50-64	24	4.5	12	1	1	4	5	11	12	13
65+	26	5.2	14	1	1	4	7	10	13	16
B. *Operated*										
0-19 YRS	554	4.3	11	2	2	4	5	7	8	15
20-34	562	4.8	10	2	2	4	5	8	10	15
35-49	203	5.6	9	2	3	5	7	10	12	16
50-64	91	6.8	24	2	3	6	8	11	13	29
65+	77	9.1	34	3	3	8	11	16	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	1951	3.5	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	262	2.9	6	1	1	2	3	6	8	12
B. *Operated*	1487	5.1	14	2	2	4	6	9	11	21
1. SINGLE DX	2263	3.3	3	1	2	3	4	5	7	10
2. MULTIPLE DX	1749	4.7	13	1	2	4	6	8	10	20
A. NOT OPERATED	574	2.6	4	<1	1	2	3	5	7	12
B. OPERATED	3438	4.2	8	2	2	4	5	7	9	15
TOTAL 0-19 YRS	1728	3.4	6	1	2	3	4	5	7	11
20-34	1459	3.9	7	1	2	3	5	7	8	12
35-49	480	4.4	7	1	2	4	5	8	10	13
50-64	206	5.4	16	1	2	4	7	9	12	24
65+	139	7.3	27	2	2	6	10	14	18	24
GRAND TOTAL	**4012**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	1.3	1	<1	<1	1	1	2	3	5
20-34	37	1.5	1	<1	<1	1	2	3	3	3
35-49	23	1.7	2	<1	1	1	2	4	6	6
50-64	50	2.3	3	<1	1	2	3	5	5	9
65+	46	2.4	3	<1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	3919	1.4	1	<1	<1	1	2	2	3	4
20-34	6434	2.0	1	1	1	2	3	3	4	5
35-49	6631	2.1	2	1	1	2	3	4	4	6
50-64	8480	2.3	2	1	1	2	3	4	5	6
65+	5856	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	1.4	1	<1	<1	1	1	2	3	7
20-34	80	1.6	2	<1	<1	1	2	3	5	9
35-49	74	2.4	7	<1	<1	1	3	6	7	14
50-64	144	2.2	5	<1	<1	1	3	4	6	14
65+	290	3.2	14	<1	<1	2	4	7	10	20
B. *Operated*										
0-19 YRS	2734	1.7	4	<1	<1	1	2	3	4	8
20-34	2539	2.4	3	1	1	2	3	4	5	8
35-49	4216	2.7	3	1	1	2	3	5	6	9
50-64	8691	3.0	5	1	1	3	4	5	7	11
65+	12877	3.7	10	1	1	3	4	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	31320	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	792	2.3	8	<1	<1	1	2	5	7	16
B. *Operated*	31057	3.1	7	1	1	3	4	6	7	13
1. SINGLE DX	31518	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	31849	3.1	7	1	1	3	4	6	7	13
A. NOT OPERATED	990	2.2	7	<1	<1	1	2	5	7	14
B. OPERATED	62377	2.6	5	1	1	2	3	5	6	10
TOTAL 0-19 YRS	6899	1.5	2	<1	<1	1	2	3	3	6
20-34	9090	2.1	2	1	1	2	3	4	4	6
35-49	10944	2.3	2	1	1	2	3	4	5	7
50-64	17365	2.7	4	1	1	2	3	5	6	9
65+	19069	3.4	8	1	1	3	4	6	8	13
GRAND TOTAL	**63367**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.2		<1	<1	1	1	2	2	3
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64	14	1.9	2	<1	<1	1	2	4	5	6
65+	33	2.5	4	<1	1	2	3	5	7	9
B. *Operated*										
0-19 YRS	903	1.6	1	<1	1	1	2	3	4	6
20-34	383	2.5	2	1	1	2	3	4	5	6
35-49	317	2.5	2	1	1	2	3	4	5	7
50-64	486	3.0	3	1	1	3	4	5	6	8
65+	702	3.9	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.5	1	<1	<1	1	1	3	4	7
20-34	10	2.0	2	1	1	1	3	4	4	4
35-49	11	2.3	2	<1	<1	2	3	5	5	5
50-64	23	3.1	7	<1	<1	2	4	7	8	9
65+	134	4.6	31	1	1	3	6	10	14	26
B. *Operated*										
0-19 YRS	718	2.4	14	<1	1	2	3	4	6	11
20-34	244	3.4	6	1	1	3	4	6	8	14
35-49	268	4.4	32	1	1	3	5	7	10	27
50-64	688	4.9	19	1	2	4	6	10	14	22
65+	2730	7.0	44	2	2	5	9	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	2791	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	214	3.6	22	<1	1	2	4	8	11	20
B. *Operated*	4648	5.7	36	1	1	4	7	12	16	29
1. SINGLE DX	2874	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	4862	5.6	36	1	1	4	7	11	16	29
A. NOT OPERATED	297	3.2	17	<1	<1	2	4	7	10	18
B. OPERATED	7439	4.5	26	1	1	3	5	9	13	25
TOTAL 0-19 YRS	1682	2.0	7	<1	1	1	2	4	5	8
20-34	642	2.8	4	1	1	2	4	5	6	10
35-49	602	3.3	16	1	1	3	4	5	7	15
50-64	1211	4.1	13	1	1	3	5	7	11	18
65+	3599	6.3	38	1	2	5	8	12	17	30
GRAND TOTAL	**7736**	**4.5**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.1		<1	<1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	2.3	13	<1	<1	1	1	8	11	11
50-64	6	2.0		1	1	2	2	3	3	3
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	476	1.6	1	<1	<1	1	2	3	3	6
20-34	306	2.0	1	<1	<1	2	3	3	4	6
35-49	499	2.0	1	<1	1	2	3	4	4	6
50-64	387	2.2	2	<1	1	2	3	4	5	8
65+	151	2.7	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	3	<1	<1	1	2	2	6	10
20-34	15	3.0	9	<1	<1	1	4	9	10	10
35-49	30	1.8	2	<1	<1	1	2	4	5	5
50-64	28	2.5	5	<1	<1	1	3	7	8	8
65+	28	3.5	6	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	186	2.1	5	<1	<1	1	2	4	6	16
20-34	208	3.0	4	1	1	3	4	6	7	10
35-49	523	3.2	5	1	1	3	4	6	8	11
50-64	567	3.8	9	1	1	3	5	7	10	16
65+	420	4.2	14	1	1	3	5	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.6	3	<1	<1	1	2	3	3	11
B. *Operated*	1819	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	128	2.4	5	<1	<1	1	3	6	8	10
B. *Operated*	1904	3.5	9	1	1	3	4	7	9	14
1. SINGLE DX	1851	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	2032	3.4	8	1	1	3	4	7	9	14
A. NOT OPERATED	160	2.3	5	<1	<1	1	3	6	7	10
B. OPERATED	3723	2.7	6	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	703	1.7	2	<1	<1	1	2	3	4	9
20-34	530	2.4	3	<1	1	2	3	4	6	9
35-49	1050	2.6	4	<1	1	2	3	5	6	10
50-64	988	3.1	7	<1	1	2	4	6	8	14
65+	602	3.8	11	1	1	3	5	7	9	14
GRAND TOTAL	**3883**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.3	2	1	1	2	4	4	4	4
35-49	20	2.3	2	<1	<1	2	3	4	5	5
50-64	25	4.0	24	<1	<1	3	4	10	14	24
65+	15	2.6	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	165	1.9	2	<1	<1	1	2	4	5	7
20-34	742	2.8	3	<1	1	2	4	5	6	8
35-49	1466	3.5	4	1	1	3	5	6	7	10
50-64	1567	3.7	4	1	1	3	5	6	8	10
65+	1091	4.2	5	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	3	5	6	6
20-34	27	1.7	2	<1	<1	1	2	3	6	7
35-49	73	2.9	7	<1	<1	2	3	6	8	14
50-64	116	2.9	5	<1	<1	2	4	6	7	10
65+	163	3.7	11	<1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	92	3.6	18	<1	1	3	4	7	13	25
20-34	635	4.3	9	1	1	4	5	7	9	16
35-49	1840	5.1	14	1	2	4	6	9	11	19
50-64	2761	5.4	14	1	2	5	7	9	12	21
65+	3189	6.2	22	2	2	5	8	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.0	11	<1	1	2	4	6	8	22
B. *Operated*	5031	3.5	5	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	388	3.1	8	<1	<1	2	4	7	8	14
B. *Operated*	8517	5.6	17	1	2	5	7	10	12	21
1. SINGLE DX	5097	3.5	5	1	1	3	5	6	7	10
2. MULTIPLE DX	8905	5.4	17	1	2	5	7	10	12	21
A. NOT OPERATED	454	3.1	8	<1	<1	2	4	7	8	14
B. OPERATED	13548	4.8	13	1	1	4	6	8	11	18
TOTAL 0-19 YRS	266	2.5	8	<1	<1	2	3	5	6	15
20-34	1410	3.5	7	1	1	3	5	6	8	11
35-49	3399	4.4	10	1	1	4	5	8	10	16
50-64	4469	4.7	11	1	1	4	6	8	10	18
65+	4458	5.6	18	1	2	5	7	10	12	20
GRAND TOTAL	**14002**	**4.8**	**13**	**1**	**1**	**4**	**6**	**8**	**11**	**18**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	40	2.7	2	<1	<1	2	4	5	6	6
35-49	101	2.8	3	<1	1	3	3	5	6	11
50-64	160	2.8	2	1	1	3	4	5	6	7
65+	76	3.4	4	1	1	3	4	6	8	9
B. *Operated*										
0-19 YRS	6	6.5	2	5	5	6	7	9	9	9
20-34	23	5.6	17	1	2	6	7	8	13	22
35-49	39	6.0	10	<1	1	6	8	10	13	14
50-64	57	6.0	11	1	2	6	8	10	13	15
65+	44	6.8	9	2	3	7	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.6	4	1	1	3	5	6	7	8
20-34	224	3.6	4	1	1	3	5	6	8	11
35-49	853	3.5	5	1	1	3	4	6	8	12
50-64	1425	3.9	5	1	2	3	5	7	8	11
65+	2291	4.7	10	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	46	10.4	70	3	4	7	11	22	29	41
20-34	155	7.3	14	3	4	7	9	11	14	27
35-49	523	7.2	13	2	3	7	9	11	14	19
50-64	778	7.5	18	2	3	7	9	12	15	22
65+	848	9.4	46	2	3	8	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	2.9	3	<1	1	3	4	5	6	8
B. *Operated*	169	6.2	11	1	2	6	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	4817	4.2	7	1	2	4	5	7	9	14
B. *Operated*	2350	8.1	29	2	3	7	10	14	18	28
1. SINGLE DX	548	3.9	7	1	1	3	5	8	9	13
2. MULTIPLE DX	7167	5.5	18	1	2	4	7	10	13	22
A. NOT OPERATED	5196	4.1	7	1	2	4	5	7	9	14
B. OPERATED	2519	8.0	28	2	3	7	9	14	17	28
TOTAL 0-19 YRS	78	7.8	53	2	2	6	9	16	23	39
20-34	442	4.9	12	1	2	4	7	9	10	17
35-49	1516	4.8	11	1	2	4	6	9	11	16
50-64	2420	5.0	12	1	2	4	7	9	11	17
65+	3259	5.9	23	1	2	5	7	11	15	25
GRAND TOTAL	**7715**	**5.4**	**17**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	2.7	6	<1	<1	2	4	7	7	7
35-49	4	3.3	6	2	2	2	5	7	7	7
50-64	6	3.3	4	2	2	3	4	7	7	7
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	23	2.5	4	<1	1	2	3	5	37	99+
20-34	148	2.4	3	<1	1	2	3	5	5	10
35-49	181	2.4	3	1	1	2	3	4	5	9
50-64	171	2.6	4	1	1	2	4	5	5	10
65+	159	3.0	6	1	1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	7	1	1	3	5	8	8	8
20-34	9	3.6	9	<1	<1	3	5	8	10	10
35-49	9	3.3	8	1	1	2	5	8	9	9
50-64	16	4.3	8	1	2	3	5	10	11	11
65+	34	5.6	22	1	1	4	6	14	16	16
B. *Operated*										
0-19 YRS	13	3.4	6	<1	<1	3	5	7	8	8
20-34	77	3.2	5	1	1	3	4	6	7	12
35-49	136	3.9	13	1	1	3	5	7	10	19
50-64	221	4.2	10	1	1	3	5	8	10	16
65+	402	5.0	19	1	1	4	6	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.9	4	<1	<1	2	3	7	7	7
B. *Operated*	682	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	73	4.6	15	1	1	4	6	10	14	16
B. *Operated*	849	4.4	15	1	1	3	5	8	12	20
1. SINGLE DX	703	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX	922	4.4	15	1	1	3	5	9	12	20
A. NOT OPERATED	94	4.2	13	<1	1	3	5	10	13	16
B. OPERATED	1531	3.6	11	1	1	3	4	7	9	18
TOTAL 0-19 YRS	43	2.9	5	<1	1	2	4	7	9	99+
20-34	240	2.7	4	<1	1	2	3	5	7	11
35-49	330	3.0	8	1	1	2	4	6	7	14
50-64	414	3.5	8	1	1	3	4	7	9	15
65+	598	4.5	16	1	1	3	5	9	13	21
GRAND TOTAL	**1625**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	10	1.8	2	<1	<1	1	2	4	5	5
35-49	16	1.7	1	<1	<1	1	2	3	4	4
50-64	28	3.2	7	1	1	2	4	8	9	10
65+	56	3.7	5	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	101	2.7	6	<1	1	2	3	7	8	14
20-34	360	2.8	4	1	1	2	4	5	7	10
35-49	637	3.3	5	1	1	3	4	6	8	11
50-64	696	3.8	6	1	1	3	5	7	9	11
65+	756	5.1	12	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	15	2.9	12	<1	1	1	4	8	12	13
35-49	48	3.5	9	1	1	3	5	6	8	19
50-64	101	4.3	7	1	1	4	6	8	9	14
65+	405	5.5	27	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	72	6.6	44	1	1	4	9	12	19	38
20-34	260	5.0	18	1	1	4	6	10	13	23
35-49	817	6.0	21	1	2	5	8	11	14	23
50-64	1500	7.8	56	2	2	6	9	15	19	44
65+	3334	9.9	65	2	3	8	12	19	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.0	5	<1	1	2	4	6	8	10
B. *Operated*	2550	3.9	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	578	5.0	22	1	1	4	6	9	12	19
B. *Operated*	5983	8.6	57	2	2	7	11	17	22	42
1. SINGLE DX	2668	3.8	8	1	1	3	5	8	9	14
2. MULTIPLE DX	6561	8.3	55	2	2	6	10	16	22	41
A. NOT OPERATED	696	4.6	19	1	1	4	6	9	11	18
B. OPERATED	8533	7.2	47	1	2	5	9	14	19	36
TOTAL 0-19 YRS	190	4.0	24	<1	1	2	4	9	12	26
20-34	645	3.7	11	1	1	3	4	8	10	18
35-49	1518	4.7	16	1	1	4	6	9	12	20
50-64	2325	6.4	42	1	2	5	8	12	16	36
65+	4551	8.6	56	2	2	7	11	17	22	42
GRAND TOTAL	**9229**	**7.0**	**45**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	2.5	4	<1	1	2	3	5	6	10
20-34	734	3.5	5	1	1	3	4	6	8	12
35-49	1069	3.8	6	1	1	3	5	7	8	14
50-64	1260	4.0	7	1	1	3	5	7	9	13
65+	1497	4.3	9	1	1	4	5	8	10	15
B. *Operated*										
0-19 YRS	434	5.9	17	2	3	5	7	10	12	15
20-34	468	8.0	16	3	4	7	9	13	16	25
35-49	615	9.2	26	4	5	8	11	15	20	28
50-64	618	9.9	25	5	6	9	12	15	18	28
65+	560	11.1	31	5	6	10	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	3.8	16	1	1	3	5	7	9	18
20-34	1108	4.7	14	1	2	4	6	8	11	18
35-49	2118	5.2	15	1	2	4	7	9	12	19
50-64	3859	5.7	19	1	2	5	7	10	13	23
65+	11353	6.7	28	2	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	580	10.2	113	3	4	7	11	18	27	63
20-34	946	12.2	103	4	5	9	14	21	31	63
35-49	1663	13.2	97	5	6	10	15	24	30	57
50-64	2744	14.7	117	5	6	12	17	27	35	63
65+	7007	15.9	118	6	7	13	19	28	37	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5088	3.8	7	1	1	3	5	7	9	13
B. *Operated*	2695	9.0	26	3	4	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	18932	6.1	24	2	2	5	8	11	14	25
B. *Operated*	12940	14.8	116	5	6	12	18	27	35	64
1. SINGLE DX	7783	5.6	20	1	2	4	7	11	14	22
2. MULTIPLE DX	31872	9.6	80	2	3	7	12	19	26	48
A. NOT OPERATED	24020	5.6	21	1	2	5	7	10	13	23
B. OPERATED	15635	13.8	105	4	6	11	16	25	33	60
TOTAL 0-19 YRS	2036	5.7	50	1	1	4	7	11	15	42
20-34	3256	7.1	51	1	2	5	9	14	17	38
35-49	5465	7.8	54	1	2	6	10	15	21	37
50-64	8481	8.7	69	2	2	6	11	17	23	46
65+	20417	9.8	78	2	3	7	12	19	26	46
GRAND TOTAL	**39655**	**8.9**	**70**	**2**	**2**	**7**	**11**	**17**	**24**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7901	2.2	2	1	1	2	3	4	5	7
20-34	4145	2.3	2	1	1	2	3	4	5	8
35-49	1896	2.6	3	1	1	2	3	5	6	9
50-64	1133	2.8	3	1	1	2	4	5	6	8
65+	783	3.0	4	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	234	3.8	8	1	2	3	4	6	8	21
20-34	352	4.1	7	1	2	4	5	7	8	16
35-49	189	4.4	6	<1	1	4	6	8	9	13
50-64	116	5.1	12	<1	1	4	7	9	13	16
65+	50	7.1	23	2	2	6	10	15	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20262	2.9	4	1	1	2	3	5	6	9
20-34	6992	2.9	4	1	1	2	4	5	7	10
35-49	5306	3.5	6	1	1	3	4	6	8	12
50-64	5636	4.2	9	1	2	3	5	8	9	15
65+	11793	5.2	21	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	436	6.9	82	2	2	4	7	12	21	53
20-34	650	6.1	30	2	2	5	8	11	15	26
35-49	724	7.3	41	2	2	5	9	14	19	32
50-64	867	8.9	71	2	3	7	11	17	24	46
65+	1563	11.1	95	2	3	8	14	21	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15858	2.4	3	1	1	2	3	4	5	8
B. *Operated*	941	4.4	9	1	2	4	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	49989	3.6	10	1	1	3	4	7	8	15
B. *Operated*	4240	8.8	73	2	3	6	10	17	24	48
1. SINGLE DX	16799	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	54229	4.0	17	1	1	3	5	7	10	20
A. NOT OPERATED	65847	3.3	8	1	1	3	4	6	8	14
B. OPERATED	5181	8.0	65	2	2	6	9	16	22	45
TOTAL 0-19 YRS	28833	2.8	5	1	1	2	3	5	6	9
20-34	12139	2.9	6	1	1	2	4	5	7	12
35-49	8115	3.7	10	1	1	3	5	7	8	16
50-64	7752	4.5	18	1	1	3	5	8	11	21
65+	14189	5.7	32	1	2	4	7	11	15	29
GRAND TOTAL	**71028**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	15	4	4	6	10	12	12	12
20-34	200	4.8	8	2	2	4	6	8	9	15
35-49	1231	4.5	5	2	2	4	6	7	9	11
50-64	1963	4.7	6	1	2	4	6	8	9	13
65+	1640	4.7	7	1	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	6	5.2	11	1	1	5	6	10	11	11
20-34	105	7.1	9	3	4	7	8	11	13	16
35-49	366	8.4	11	4	5	8	10	12	15	20
50-64	550	9.1	12	5	6	9	10	13	15	21
65+	364	10.3	19	3	6	10	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.5	40	2	3	5	12	20	22	22
20-34	159	4.9	7	1	2	4	7	8	10	14
35-49	1303	5.3	9	2	2	5	7	9	10	15
50-64	4211	5.5	11	2	2	5	7	9	11	16
65+	13220	6.3	20	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	22	7.9	20	2	3	7	12	14	15	17
20-34	247	9.8	31	4	5	8	12	16	20	36
35-49	1191	11.3	46	5	6	10	13	19	23	36
50-64	3037	12.1	61	4	5	10	14	20	26	42
65+	6346	13.9	101	4	5	11	17	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5038	4.7	6	1	2	4	6	8	9	13
B. *Operated*	1391	9.1	14	4	5	9	11	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	18910	6.0	17	2	2	5	7	10	13	21
B. *Operated*	10843	13.0	83	4	5	11	15	23	30	52
1. SINGLE DX	6429	5.6	11	2	2	5	7	10	12	17
2. MULTIPLE DX	29753	8.6	53	2	3	7	10	16	21	38
A. NOT OPERATED	23948	5.8	15	2	2	5	7	10	12	19
B. OPERATED	12234	12.6	77	4	5	10	15	22	28	50
TOTAL 0-19 YRS	49	7.7	25	2	3	6	11	14	17	22
20-34	711	6.9	21	2	2	6	8	12	15	26
35-49	4091	7.1	27	2	3	6	9	13	16	26
50-64	9761	7.6	35	2	3	6	9	14	18	31
65+	21570	8.5	56	2	3	7	10	16	22	40
GRAND TOTAL	**36182**	**8.1**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**36**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.2	2	<1	1	2	3	4	6	6
20-34	85	2.8	3	<1	1	2	4	5	6	9
35-49	69	2.9	5	<1	1	2	4	6	6	11
50-64	40	3.0	3	1	1	2	4	6	7	7
65+	21	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	323	2.4	6	<1	1	2	3	4	7	12
20-34	2208	2.4	2	1	1	2	3	4	5	8
35-49	2210	2.4	3	1	1	2	3	4	5	9
50-64	1103	2.6	4	1	1	2	3	5	6	9
65+	351	2.9	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.9	25	<1	1	2	4	8	12	30
20-34	101	3.7	6	<1	1	3	5	7	9	11
35-49	144	4.3	13	<1	1	3	5	8	12	17
50-64	159	5.2	23	1	2	4	7	9	11	34
65+	189	6.8	43	1	2	5	8	14	18	48
B. *Operated*										
0-19 YRS	237	3.7	18	1	1	3	4	7	9	19
20-34	2172	3.4	12	1	1	3	4	6	9	16
35-49	3014	3.4	14	1	1	3	4	6	8	18
50-64	2469	4.1	25	1	1	3	5	8	11	25
65+	1655	5.7	46	1	1	4	6	12	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.8	3	<1	1	2	4	5	6	10
B. *Operated*	6195	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	667	5.1	25	1	1	4	6	10	13	31
B. *Operated*	9547	4.0	23	1	1	3	4	8	11	24
1. SINGLE DX	6446	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	10214	4.1	23	1	1	3	5	8	11	24
A. NOT OPERATED	918	4.4	20	1	1	3	5	8	11	28
B. OPERATED	15742	3.4	16	1	1	3	4	6	9	20
TOTAL 0-19 YRS	670	3.0	12	<1	1	2	3	6	8	19
20-34	4566	2.9	7	1	1	2	4	5	7	12
35-49	5437	3.0	10	1	1	2	4	5	7	13
50-64	3771	3.7	19	1	1	3	4	7	9	21
65+	2216	5.3	40	1	1	3	6	11	16	33
GRAND TOTAL	**16660**	**3.5**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1053	3.0	7	1	1	2	4	6	8	14
20-34	1707	4.4	13	1	1	4	6	8	11	19
35-49	1207	4.3	10	1	1	4	6	8	10	16
50-64	680	4.1	12	<1	1	3	5	8	10	20
65+	727	3.6	10	<1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	476	5.8	31	1	1	4	8	12	16	29
20-34	1228	7.0	33	1	2	6	9	13	18	28
35-49	924	7.0	34	<1	1	6	9	13	18	29
50-64	681	6.6	30	1	1	5	9	14	17	24
65+	590	6.7	33	<1	1	6	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1703	4.1	17	1	1	3	5	8	12	20
20-34	3282	5.1	20	1	2	4	6	9	12	22
35-49	3551	5.2	17	1	2	4	6	10	13	23
50-64	4003	5.5	26	1	2	4	7	10	14	24
65+	10355	6.2	33	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	1048	10.1	115	1	2	7	12	24	31	55
20-34	3372	9.8	83	1	2	7	12	20	27	48
35-49	3808	10.4	99	2	3	8	13	21	29	53
50-64	4325	11.5	121	2	3	8	14	24	34	66
65+	8302	13.0	145	2	3	10	16	26	36	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5374	4.0	11	1	1	3	5	8	10	17
B. *Operated*	3899	6.8	33	1	1	5	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	22894	5.6	27	1	2	4	7	11	14	25
B. *Operated*	20855	11.5	122	2	3	9	14	24	33	63
1. SINGLE DX	9273	5.1	22	1	1	4	7	10	14	23
2. MULTIPLE DX	43749	8.4	81	1	2	6	10	18	25	50
A. NOT OPERATED	28268	5.3	24	1	1	4	7	10	14	23
B. OPERATED	24754	10.8	111	1	2	8	13	22	31	59
TOTAL 0-19 YRS	4280	5.5	48	1	1	3	6	12	18	36
20-34	9589	6.9	48	1	2	5	8	14	19	36
35-49	9490	7.3	58	1	2	5	9	15	20	40
50-64	9689	8.2	77	1	2	6	10	17	24	49
65+	19974	9.0	90	1	2	6	11	18	26	53
GRAND TOTAL	**53022**	**7.9**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	61	5.5	20	1	2	5	7	10	13	28
35-49	67	6.3	27	1	2	4	8	14	19	25
50-64	53	6.9	39	2	2	5	7	16	21	33
65+	21	8.1	98	1	1	6	8	17	35	44
B. *Operated*										
0-19 YRS										
20-34	13	5.3	39	<1	<1	1	9	13	20	22
35-49	52	5.1	17	1	1	4	7	10	15	18
50-64	55	3.2	10	<1	1	2	5	7	8	18
65+	29	3.7	10	1	1	2	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.5	9	3	3	8	10	11	11	11
20-34	532	7.7	48	2	2	6	9	15	20	34
35-49	1610	8.8	60	2	3	6	10	17	24	43
50-64	1961	9.4	60	2	3	7	11	19	25	38
65+	1037	9.9	57	2	3	8	13	19	24	38
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	173	12.9	188	1	3	9	15	33	51	99+
35-49	628	12.6	144	1	2	9	15	28	39	55
50-64	844	11.9	157	1	2	9	14	25	35	75
65+	478	12.4	126	1	2	9	16	26	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	6.4	36	1	2	5	7	13	19	31
B. *Operated*	149	4.1	15	<1	1	2	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	5146	9.1	59	2	3	7	11	18	24	38
B. *Operated*	2124	12.3	149	1	2	9	15	27	37	70
1. SINGLE DX	352	5.5	28	1	1	4	7	11	16	27
2. MULTIPLE DX	7270	10.1	87	2	3	7	12	20	28	50
A. NOT OPERATED	5349	9.0	58	2	3	7	11	18	23	38
B. OPERATED	2273	11.8	144	1	2	8	15	26	36	69
TOTAL 0-19 YRS	8	7.6	21	1	2	8	10	14	15	15
20-34	779	8.6	82	1	2	6	10	17	27	55
35-49	2357	9.6	84	2	2	7	11	20	28	48
50-64	2913	10.0	89	2	2	7	12	20	28	47
65+	1565	10.5	80	2	3	8	14	20	27	50
GRAND TOTAL	**7622**	**9.8**	**85**	**2**	**2**	**7**	**12**	**20**	**28**	**49**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	14	<1	<1	2	3	6	13	15
20-34	29	4.7	37	<1	1	3	5	10	14	32
35-49	41	4.1	11	<1	1	4	6	8	11	15
50-64	52	3.6	12	<1	<1	2	5	9	11	15
65+	22	6.3	141	<1	<1	3	6	12	31	57
B. *Operated*										
0-19 YRS	39	1.7	1	1	1	1	2	3	5	6
20-34	147	2.2	32	<1	1	1	2	4	6	15
35-49	209	1.8	4	<1	1	1	2	4	6	9
50-64	232	2.7	11	<1	1	1	3	7	9	15
65+	124	3.6	38	<1	1	1	3	9	13	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.0	14	<1	1	3	6	7	11	21
20-34	148	6.4	30	1	1	5	8	13	20	27
35-49	339	6.7	28	1	2	5	8	12	17	28
50-64	738	8.1	45	1	2	7	10	15	20	35
65+	1080	9.3	54	2	3	8	12	18	22	36
B. *Operated*										
0-19 YRS	87	8.5	289	1	1	3	8	17	40	92
20-34	203	5.9	73	1	1	3	7	15	21	47
35-49	486	7.0	85	1	1	4	9	16	22	47
50-64	864	8.2	93	1	1	5	11	19	26	41
65+	1020	9.8	85	1	1	8	14	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	4.3	34	<1	1	3	5	9	12	31
B. *Operated*	751	2.5	17	<1	1	1	2	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	2365	8.3	46	1	2	7	10	16	21	34
B. *Operated*	2660	8.4	95	1	1	6	12	19	25	45
1. SINGLE DX	908	2.8	21	<1	1	1	3	6	9	19
2. MULTIPLE DX	5025	8.4	72	1	1	6	11	18	23	40
A. NOT OPERATED	2522	8.0	47	1	2	6	10	15	20	34
B. OPERATED	3411	7.1	84	1	1	4	10	18	24	43
TOTAL 0-19 YRS	199	5.5	139	1	1	2	5	11	17	81
20-34	527	5.0	50	1	1	2	6	11	17	33
35-49	1075	5.8	52	1	1	4	8	13	18	36
50-64	1886	7.4	65	1	1	5	9	16	22	39
65+	2246	9.2	70	1	1	7	12	19	24	40
GRAND TOTAL	**5933**	**7.5**	**68**	**1**	**1**	**5**	**10**	**17**	**22**	**39**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.4	4	1	1	3	4	6	7	10
20-34	279	4.6	11	1	2	4	6	8	11	19
35-49	158	4.5	11	1	2	4	5	8	11	19
50-64	100	4.8	12	1	2	4	6	10	12	17
65+	57	5.1	14	1	1	4	7	10	12	19
B. *Operated*										
0-19 YRS	31	5.4	29	1	1	4	8	10	17	26
20-34	81	5.0	37	<1	1	2	7	11	19	28
35-49	73	6.1	47	1	1	4	8	14	18	38
50-64	83	5.2	53	<1	1	2	6	15	24	33
65+	70	4.1	20	<1	1	2	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	4.6	19	1	2	4	5	7	11	24
20-34	531	6.1	26	1	2	5	7	12	16	29
35-49	854	7.7	47	2	2	6	9	16	21	38
50-64	1468	8.0	47	2	3	6	10	15	21	35
65+	1782	8.9	61	2	3	7	11	17	22	42
B. *Operated*										
0-19 YRS	93	9.6	165	1	1	5	11	27	41	87
20-34	201	10.8	152	1	1	7	14	23	31	68
35-49	377	12.8	203	1	1	8	16	29	45	81
50-64	610	12.1	142	1	1	9	16	28	35	63
65+	678	13.5	128	1	2	10	18	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	698	4.5	10	1	2	4	6	8	11	18
B. *Operated*	338	5.2	39	1	1	3	7	12	19	29
2. MULTIPLE DX										
A. *Not Operated*	4812	7.9	50	2	2	6	10	15	21	38
B. *Operated*	1959	12.5	152	1	2	9	17	28	36	67
1. SINGLE DX	1036	4.7	20	1	1	4	6	9	13	24
2. MULTIPLE DX	6771	9.3	84	2	2	7	11	19	26	50
A. NOT OPERATED	5510	7.5	46	2	2	6	9	15	20	35
B. OPERATED	2297	11.4	142	1	1	8	15	26	34	64
TOTAL 0-19 YRS	405	5.5	54	1	1	4	6	10	17	45
20-34	1092	6.5	50	1	1	5	7	14	18	33
35-49	1462	8.6	90	1	2	6	10	19	24	53
50-64	2261	8.9	76	1	2	6	11	19	26	46
65+	2587	9.9	82	2	3	7	12	20	27	50
GRAND TOTAL	**7807**	**8.6**	**77**	**1**	**2**	**6**	**11**	**18**	**25**	**48**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.3	1	<1	1	2	3	4	5	6
20-34	845	2.3	2	<1	1	2	3	4	5	7
35-49	915	2.4	3	<1	1	2	3	5	5	8
50-64	749	2.8	4	1	1	2	4	5	6	10
65+	578	3.5	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	830	5.0	4	2	3	5	6	7	9	11
20-34	9639	4.9	3	3	3	5	6	7	8	11
35-49	9062	5.2	4	3	3	5	6	8	9	12
50-64	7012	5.6	4	3	3	5	6	8	9	13
65+	3490	6.6	7	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.0	4	<1	1	2	4	6	8	10
20-34	996	3.1	7	<1	1	2	4	6	7	12
35-49	1292	3.5	7	1	1	3	5	6	8	13
50-64	2286	4.2	9	1	1	3	5	8	10	14
65+	5407	5.8	20	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	741	6.6	13	3	3	6	8	11	13	19
20-34	9271	6.2	11	3	3	6	7	10	12	18
35-49	12412	6.6	14	3	4	6	8	10	13	20
50-64	16237	7.7	22	3	4	7	9	12	15	25
65+	20845	10.1	41	4	5	8	12	17	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3183	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	30033	5.3	5	3	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	10124	4.8	16	1	1	4	6	9	11	19
B. *Operated*	59506	8.1	28	3	4	7	9	13	17	28
1. SINGLE DX	33216	5.1	5	2	3	5	6	8	9	12
2. MULTIPLE DX	69630	7.6	27	2	3	6	9	13	16	28
A. NOT OPERATED	13307	4.3	14	1	1	3	6	8	11	17
B. OPERATED	89539	7.2	22	3	4	6	8	12	15	25
TOTAL 0-19 YRS	1810	5.3	10	2	2	5	6	9	11	15
20-34	20751	5.3	8	2	3	5	6	8	10	15
35-49	23681	5.7	11	2	3	5	7	9	11	17
50-64	26284	6.7	18	2	3	6	8	11	13	21
65+	30320	8.8	37	3	4	7	11	15	19	32
GRAND TOTAL	**102846**	**6.8**	**22**	**2**	**3**	**6**	**8**	**11**	**14**	**24**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.3	4	1	1	3	5	6	8	10
20-34	490	2.8	4	1	1	2	4	5	7	10
35-49	438	3.0	3	1	1	3	4	5	7	9
50-64	310	3.1	5	<1	1	3	4	6	7	11
65+	223	3.7	7	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	79	4.8	6	1	3	4	6	7	8	16
20-34	791	5.2	6	3	3	5	6	8	10	15
35-49	803	5.5	5	3	3	5	7	8	10	13
50-64	514	6.1	7	3	3	6	7	9	11	16
65+	227	7.3	16	3	4	7	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.4	9	1	1	3	4	7	8	18
20-34	558	3.8	7	1	1	3	5	7	9	14
35-49	654	4.1	7	1	1	4	5	7	9	13
50-64	933	4.8	11	1	2	4	6	8	11	18
65+	1685	6.4	18	2	2	6	8	12	14	22
B. *Operated*										
0-19 YRS	92	6.5	13	2	3	6	8	10	12	22
20-34	1230	6.7	14	3	3	6	8	11	14	21
35-49	1791	7.2	22	3	4	6	8	12	15	24
50-64	1630	9.1	50	3	4	7	11	15	20	37
65+	2066	11.7	61	4	5	10	14	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1525	3.1	5	1	1	3	4	6	7	10
B. *Operated*	2414	5.7	7	3	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	3907	5.2	14	1	2	4	7	10	12	19
B. *Operated*	6809	8.9	43	3	4	7	11	15	20	35
1. SINGLE DX	3939	4.7	8	1	2	4	6	8	10	13
2. MULTIPLE DX	10716	7.6	36	2	3	6	9	14	17	30
A. NOT OPERATED	5432	4.6	12	1	1	4	6	9	11	18
B. OPERATED	9223	8.1	36	3	4	6	10	14	18	32
TOTAL 0-19 YRS	312	4.6	10	1	1	4	6	8	10	19
20-34	3069	5.2	11	1	2	5	6	9	12	18
35-49	3686	5.8	16	1	2	5	7	10	12	20
50-64	3387	6.9	34	2	2	6	8	12	16	29
65+	4201	8.9	47	2	3	7	11	16	21	36
GRAND TOTAL	**14655**	**6.8**	**30**	**1**	**2**	**6**	**8**	**12**	**16**	**27**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.7	1	2	2	3	3	4	4	4
20-34	67	2.8	4	<1	1	2	4	6	7	10
35-49	53	3.4	21	<1	<1	2	4	5	7	30
50-64	59	3.1	5	1	1	3	4	6	8	11
65+	75	4.4	13	1	1	4	5	7	9	23
B. *Operated*										
0-19 YRS	40	6.9	10	1	3	7	9	10	12	14
20-34	296	6.1	12	1	2	6	8	10	13	19
35-49	288	6.4	13	1	2	6	8	11	14	18
50-64	300	6.5	23	1	1	6	9	12	14	26
65+	419	7.5	33	1	1	7	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.3	15	2	2	4	7	12	14	14
20-34	71	3.7	5	1	1	3	5	7	8	11
35-49	104	4.2	14	1	1	3	6	8	10	21
50-64	202	4.4	8	1	1	4	6	8	9	16
65+	653	6.1	17	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	61	10.2	46	5	6	9	11	16	23	94
20-34	429	8.7	49	3	4	7	10	14	18	44
35-49	518	9.4	57	2	4	8	11	16	22	40
50-64	965	10.3	54	3	4	9	12	18	22	45
65+	3118	12.6	75	3	5	11	15	21	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	3.4	10	<1	1	3	4	7	8	18
B. *Operated*	1343	6.7	21	1	1	6	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	1039	5.4	15	1	2	5	7	10	13	19
B. *Operated*	5091	11.5	69	3	4	10	14	20	25	49
1. SINGLE DX	1608	6.2	21	1	1	5	8	12	14	21
2. MULTIPLE DX	6130	10.5	65	2	3	9	13	19	24	44
A. NOT OPERATED	1304	5.0	14	1	1	4	6	9	12	19
B. OPERATED	6434	10.5	63	2	3	9	13	19	23	44
TOTAL 0-19 YRS	121	8.1	33	2	3	7	10	14	16	65
20-34	863	6.9	33	1	2	6	8	12	14	28
35-49	963	7.6	42	1	2	6	9	13	18	32
50-64	1526	8.5	46	1	2	7	11	15	20	38
65+	4265	11.0	68	2	3	10	14	19	24	44
GRAND TOTAL	**7738**	**9.6**	**59**	**1**	**2**	**8**	**12**	**18**	**22**	**40**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	7.5	37	<1	2	6	8	20	21	21
20-34	53	3.3	3	1	1	3	5	6	6	8
35-49	80	4.0	7	1	1	4	5	7	8	15
50-64	86	4.2	9	1	1	3	6	8	11	14
65+	86	4.2	7	1	1	4	5	7	9	16
B. *Operated*										
0-19 YRS	8	7.9	73	2	2	5	10	22	27	27
20-34	43	5.0	20	1	1	4	6	10	13	23
35-49	89	5.0	24	1	1	3	8	12	16	21
50-64	72	6.7	32	1	1	5	10	15	17	24
65+	69	7.5	42	1	1	5	11	18	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	7.7	44	2	2	6	10	15	18	36
20-34	103	4.9	14	1	2	4	6	9	12	22
35-49	181	5.5	14	1	2	5	7	10	13	18
50-64	361	6.0	14	1	2	5	8	11	14	18
65+	950	6.9	23	2	2	6	9	12	15	24
B. *Operated*										
0-19 YRS	46	17.1	267	2	4	12	17	42	60	62
20-34	131	10.3	98	1	2	8	12	22	29	72
35-49	324	11.0	114	2	2	8	13	22	28	56
50-64	513	11.5	110	1	2	9	15	23	30	64
65+	1238	13.1	92	2	3	11	17	24	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	4.3	10	1	1	4	6	7	9	20
B. *Operated*	281	6.1	32	1	1	4	9	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	1681	6.5	21	2	2	5	8	12	15	23
B. *Operated*	2252	12.3	104	2	3	10	16	23	30	58
1. SINGLE DX	610	5.1	21	1	1	4	7	11	15	22
2. MULTIPLE DX	3933	9.8	77	2	2	8	12	19	25	49
A. NOT OPERATED	2010	6.1	20	1	2	5	8	11	14	22
B. OPERATED	2533	11.6	100	1	2	10	15	23	29	56
TOTAL 0-19 YRS	164	10.3	124	2	2	7	12	21	33	61
20-34	330	6.8	54	1	2	5	8	13	21	45
35-49	674	7.9	72	1	1	6	10	16	22	45
50-64	1032	8.6	71	1	2	7	11	18	23	46
65+	2343	10.1	70	2	2	8	13	20	25	44
GRAND TOTAL	**4543**	**9.2**	**72**	**1**	**2**	**7**	**12**	**19**	**24**	**45**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	4.4	9	1	2	4	6	7	9	14
20-34	1140	4.6	9	1	2	4	6	8	10	14
35-49	1174	5.3	19	1	2	4	6	9	12	18
50-64	720	5.1	9	1	2	5	7	9	11	15
65+	477	5.4	13	2	2	5	7	9	11	19
B. *Operated*										
0-19 YRS	36	9.0	43	1	1	8	13	17	21	31
20-34	134	8.8	62	1	1	7	11	18	24	44
35-49	165	9.2	100	1	1	7	11	18	23	69
50-64	126	8.0	80	1	1	7	10	13	21	59
65+	87	6.9	31	<1	1	6	9	16	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	5.7	23	1	2	5	7	9	15	26
20-34	3438	6.1	20	2	2	5	7	11	14	21
35-49	5392	6.7	25	2	3	5	8	12	15	27
50-64	3805	6.6	20	2	3	6	8	12	14	25
65+	4552	7.4	29	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	72	16.9	260	1	3	12	21	37	46	80
20-34	737	15.8	194	3	4	11	20	34	45	76
35-49	1385	15.6	178	3	4	12	19	34	44	81
50-64	1458	15.9	211	3	4	12	18	35	49	91
65+	1765	15.4	169	3	5	12	19	30	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3719	5.0	13	1	2	4	6	9	11	16
B. *Operated*	548	8.4	71	1	1	7	11	17	22	44
2. MULTIPLE DX										
A. *Not Operated*	17485	6.7	24	2	3	6	8	12	15	26
B. *Operated*	5417	15.6	187	3	4	12	19	33	45	83
1. SINGLE DX	4267	5.5	21	1	2	4	7	10	12	22
2. MULTIPLE DX	22902	8.8	77	2	3	6	10	17	24	51
A. NOT OPERATED	21204	6.4	23	2	2	5	8	11	14	25
B. OPERATED	5965	15.0	181	2	4	11	18	32	44	80
TOTAL 0-19 YRS	614	6.8	62	1	2	5	7	13	21	39
20-34	5449	7.2	55	2	2	5	8	13	19	42
35-49	8116	8.1	64	2	3	6	9	15	22	44
50-64	6109	8.6	82	2	3	6	10	16	24	53
65+	6881	9.3	77	2	3	7	11	18	25	53
GRAND TOTAL	**27169**	**8.3**	**70**	**2**	**3**	**6**	**10**	**16**	**23**	**48**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	2.5	2	<1	1	2	3	5	6	8
20-34	279	2.6	3	<1	1	2	4	5	6	8
35-49	274	3.2	5	1	1	3	4	5	7	14
50-64	387	3.4	9	1	1	3	4	6	7	12
65+	528	4.0	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	12	2.7	3	1	1	2	4	5	6	6
20-34	27	5.2	16	1	1	5	7	11	13	16
35-49	35	5.5	14	1	2	4	7	12	14	14
50-64	57	5.7	31	<1	1	4	7	13	23	94
65+	79	5.8	18	1	1	4	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	3.6	17	1	1	3	4	6	8	19
20-34	1432	3.7	11	1	1	3	5	7	9	15
35-49	2156	4.4	11	1	2	4	5	8	10	19
50-64	4125	5.0	16	1	2	4	6	9	11	18
65+	15177	6.3	27	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	88	8.8	150	1	2	5	9	15	51	60
20-34	305	7.1	51	2	2	5	9	14	21	40
35-49	596	7.8	66	2	2	6	9	15	20	46
50-64	1478	8.3	57	2	3	6	10	16	21	40
65+	4620	9.9	86	2	3	7	12	19	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1689	3.3	6	1	1	3	4	6	7	11
B. *Operated*	210	5.5	20	1	1	4	7	11	13	28
2. MULTIPLE DX										
A. *Not Operated*	23441	5.7	23	1	2	5	7	10	13	23
B. *Operated*	7087	9.3	78	2	3	7	11	18	25	51
1. SINGLE DX	1899	3.6	8	1	1	3	4	7	8	14
2. MULTIPLE DX	30528	6.5	38	2	2	5	8	12	16	32
A. NOT OPERATED	25130	5.5	23	1	2	4	7	10	13	23
B. OPERATED	7297	9.1	77	2	3	7	11	18	25	51
TOTAL 0-19 YRS	872	3.8	29	1	1	3	4	7	10	23
20-34	2043	4.1	18	1	1	3	5	7	10	21
35-49	3061	5.0	23	1	2	4	6	9	13	24
50-64	6047	5.7	28	1	2	4	7	10	14	28
65+	20404	7.1	42	2	2	5	8	13	17	34
GRAND TOTAL	**32427**	**6.3**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.2	3	<1	1	3	4	6	7	9
20-34	10	3.9	13	1	1	3	5	9	13	13
35-49	7	3.7	7	1	1	3	6	8	8	8
50-64	9	4.9	9	<1	1	4	7	9	10	10
65+	10	5.2	8	1	2	4	8	9	9	9
B. *Operated*										
0-19 YRS	11	10.2	110	1	1	6	17	27	32	33
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	21	7.4	53	1	2	6	8	16	27	31
50-64	11	7.2	18	2	2	6	11	13	14	14
65+	6	7.8	37	3	3	5	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	5.4	54	1	1	3	6	12	20	92
20-34	42	6.4	24	1	2	5	8	11	19	23
35-49	103	7.2	47	1	2	6	9	15	19	70
50-64	99	9.9	101	2	2	7	12	20	29	53
65+	170	8.9	97	2	3	6	10	18	22	47
B. *Operated*										
0-19 YRS	52	14.4	305	1	2	9	20	52	95	99+
20-34	45	10.4	77	1	2	7	13	25	32	36
35-49	95	15.0	170	2	4	11	19	27	40	70
50-64	100	16.0	247	2	3	11	19	38	47	77
65+	143	15.7	179	4	5	11	19	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.5	5	1	1	3	4	7	8	10
B. *Operated*	53	7.6	52	<1	2	5	9	17	24	33
2. MULTIPLE DX										
A. *Not Operated*	688	7.2	71	1	2	5	8	16	21	53
B. *Operated*	435	14.9	198	2	3	10	18	34	48	99+
1. SINGLE DX	192	4.6	21	1	1	3	6	9	13	28
2. MULTIPLE DX	1123	10.2	134	1	2	7	12	22	37	80
A. NOT OPERATED	827	6.6	62	1	2	4	8	14	20	49
B. OPERATED	488	14.1	187	2	3	10	18	31	45	92
TOTAL 0-19 YRS	440	6.0	83	1	1	3	6	15	25	99+
20-34	101	7.8	52	1	2	6	9	18	24	35
35-49	226	10.4	113	2	2	7	13	23	30	68
50-64	219	12.4	172	2	3	9	15	24	40	74
65+	329	11.7	141	2	3	8	14	25	34	83
GRAND TOTAL	**1315**	**9.4**	**122**	**1**	**2**	**6**	**11**	**21**	**32**	**76**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	243	4.5	12	1	1	3	6	9	11	15
20-34	40	3.8	8	<1	1	3	5	7	9	14
35-49	22	3.9	10	1	1	3	6	9	11	11
50-64	18	5.1	22	1	1	2	3	11	15	18
65+	14	6.3	19	1	2	4	11	12	14	15
B. *Operated*										
0-19 YRS	201	3.0	11	1	1	2	3	6	10	20
20-34	129	2.4	5	1	1	2	3	5	7	11
35-49	78	2.9	11	1	1	2	3	4	9	21
50-64	74	2.5	4	1	1	2	3	4	7	11
65+	45	4.7	35	1	1	2	4	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	5.1	15	1	2	4	7	10	13	21
20-34	116	5.6	25	1	2	4	6	10	15	29
35-49	122	5.2	14	1	2	4	7	10	13	18
50-64	163	7.1	24	1	2	6	10	14	16	26
65+	271	9.1	56	2	3	7	11	17	22	32
B. *Operated*										
0-19 YRS	203	6.3	48	1	1	4	8	14	17	50
20-34	259	5.7	51	1	1	3	7	14	19	30
35-49	296	5.9	56	1	1	3	8	14	19	35
50-64	321	7.6	104	1	1	4	10	17	26	49
65+	347	10.6	142	1	2	7	14	25	35	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	4.5	12	1	1	3	6	10	11	15
B. *Operated*	527	2.9	11	1	1	2	3	5	9	20
2. MULTIPLE DX										
A. *Not Operated*	1011	6.5	31	1	2	5	8	13	16	26
B. *Operated*	1426	7.5	89	1	1	4	10	18	25	50
1. SINGLE DX	864	3.5	12	1	1	2	4	7	11	19
2. MULTIPLE DX	2437	7.1	65	1	1	5	9	15	21	40
A. NOT OPERATED	1348	6.0	27	1	2	5	8	12	15	25
B. OPERATED	1953	6.2	72	1	1	3	8	15	22	45
TOTAL 0-19 YRS	986	4.7	21	1	1	3	6	10	14	22
20-34	544	4.7	33	1	1	3	6	10	15	28
35-49	518	5.2	38	1	1	3	7	12	15	31
50-64	576	6.7	69	1	1	4	9	15	20	39
65+	677	9.5	100	1	2	7	12	21	28	50
GRAND TOTAL	**3301**	**6.1**	**54**	**1**	**1**	**4**	**8**	**14**	**19**	**35**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.3	5	1	2	4	6	8	8	11
20-34	13	3.5	5	1	1	3	5	7	8	8
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	15	5.5	28	1	1	3	8	16	17	17
20-34	14	3.9	15	1	1	3	4	12	13	13
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.9	8	1	2	4	6	9	10	13
20-34	46	5.3	13	1	2	4	6	10	13	19
35-49	43	6.1	13	2	2	5	8	10	13	18
50-64	52	7.6	30	3	3	6	9	15	19	31
65+	125	8.8	47	3	3	7	11	14	23	38
B. *Operated*										
0-19 YRS	33	9.8	108	1	1	6	14	26	34	42
20-34	46	8.0	58	1	1	6	11	15	25	35
35-49	34	9.7	55	2	2	7	14	20	27	30
50-64	60	11.1	71	1	2	9	18	23	26	42
65+	79	14.3	90	2	4	13	18	28	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.2	5	1	2	4	6	8	8	11
B. *Operated*	36	4.4	19	1	1	3	7	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	407	6.6	27	2	2	5	8	12	14	30
B. *Operated*	252	11.2	81	1	2	9	15	24	29	42
1. SINGLE DX	134	4.2	9	1	1	4	6	8	9	16
2. MULTIPLE DX	659	8.4	52	2	2	6	11	18	24	35
A. NOT OPERATED	505	6.1	23	2	2	5	8	11	13	27
B. OPERATED	288	10.3	78	1	2	8	14	22	28	41
TOTAL 0-19 YRS	271	5.4	23	1	2	4	7	10	12	30
20-34	119	6.0	32	1	1	4	8	13	15	32
35-49	81	7.5	33	2	2	6	10	15	18	29
50-64	115	9.3	54	2	2	7	12	20	24	36
65+	207	10.8	71	2	3	9	14	21	29	42
GRAND TOTAL	**793**	**7.7**	**47**	**1**	**2**	**6**	**10**	**16**	**21**	**35**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	3	<1	<1	2	4	5	6	6
20-34	8	1.9	1	<1	<1	2	3	4	4	4
35-49	15	2.1	10	<1	<1	1	2	3	11	13
50-64	10	1.9	2	<1	<1	1	2	4	5	5
65+	8	6.4	29	2	2	5	9	15	17	17
B. *Operated*										
0-19 YRS	40	6.0	27	<1	1	4	7	15	17	23
20-34	76	7.0	60	<1	1	3	10	18	23	35
35-49	91	5.4	41	<1	1	3	7	13	21	32
50-64	130	4.2	16	1	1	3	5	10	13	20
65+	118	3.8	27	1	1	2	4	8	11	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	4.7	52	1	1	2	5	9	16	50
20-34	133	4.0	9	<1	1	3	5	8	10	14
35-49	224	4.5	19	<1	1	3	6	9	12	22
50-64	377	6.9	33	1	2	5	9	14	19	28
65+	1131	9.2	78	2	2	7	11	17	25	49
B. *Operated*										
0-19 YRS	319	13.0	145	2	3	9	18	30	39	99+
20-34	868	9.7	100	1	2	7	13	23	31	46
35-49	1150	9.6	95	1	2	6	13	22	29	50
50-64	1536	9.3	101	1	2	6	12	20	28	54
65+	1663	11.9	139	1	2	9	16	26	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.8	10	<1	<1	2	3	6	11	17
B. *Operated*	455	5.0	33	1	1	3	6	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	2003	7.6	60	1	2	6	9	15	21	42
B. *Operated*	5536	10.4	115	1	2	7	14	23	31	57
1. SINGLE DX	507	4.7	31	<1	1	3	6	12	16	24
2. MULTIPLE DX	7539	9.7	102	1	2	7	13	22	29	54
A. NOT OPERATED	2055	7.4	60	1	1	5	9	15	21	42
B. OPERATED	5991	10.0	111	1	2	7	14	23	30	56
TOTAL 0-19 YRS	508	9.9	123	1	1	6	14	25	35	72
20-34	1085	8.8	89	1	1	6	11	21	28	44
35-49	1480	8.5	84	1	1	5	11	20	26	47
50-64	2053	8.5	85	1	2	5	11	19	25	49
65+	2920	10.5	114	1	2	7	14	23	31	61
GRAND TOTAL	**8046**	**9.4**	**99**	**1**	**2**	**6**	**12**	**21**	**28**	**53**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	25	<1	<1	2	3	12	17	17
20-34	10	4.1	6	<1	1	4	6	7	8	8
35-49	9	3.4	9	<1	<1	2	5	8	9	9
50-64	8	7.3	27	<1	1	5	12	15	15	15
65+	32	7.8	135	1	2	5	8	17	19	66
B. *Operated*										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	10	3.7	8	1	1	3	6	8	9	9
35-49	6	5.0	12	<1	<1	5	8	9	9	9
50-64	15	4.3	22	<1	<1	2	5	14	15	16
65+	21	7.2	52	1	1	5	7	20	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.9	35	1	1	4	6	8	11	41
20-34	101	7.3	44	1	1	5	9	14	22	33
35-49	172	7.3	33	1	2	6	10	15	19	28
50-64	495	8.2	37	2	2	7	11	16	20	32
65+	2915	9.9	51	3	4	8	12	18	23	39
B. *Operated*										
0-19 YRS	48	14.5	115	3	3	12	20	30	40	43
20-34	163	11.7	123	2	3	9	15	22	28	67
35-49	253	12.7	151	2	3	9	15	28	34	72
50-64	542	14.8	155	2	4	12	19	29	38	75
65+	1589	17.6	170	4	6	14	22	34	43	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	6.1	74	<1	1	4	7	13	17	57
B. *Operated*	56	5.2	30	<1	1	3	7	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	3738	9.4	49	2	3	8	12	17	22	36
B. *Operated*	2595	16.1	165	3	4	13	21	32	42	76
1. SINGLE DX	124	5.7	54	<1	1	4	7	14	17	36
2. MULTIPLE DX	6333	12.2	107	2	3	9	15	24	32	59
A. NOT OPERATED	3806	9.4	50	2	3	8	12	17	22	36
B. OPERATED	2651	15.9	164	3	4	13	21	32	41	76
TOTAL 0-19 YRS	116	8.7	89	1	1	5	11	22	30	42
20-34	284	9.6	93	1	2	7	12	20	26	39
35-49	440	10.3	108	1	2	7	13	21	30	65
50-64	1060	11.5	108	2	3	9	15	23	31	54
65+	4557	12.6	107	3	4	10	16	24	33	60
GRAND TOTAL	**6457**	**12.0**	**107**	**2**	**3**	**9**	**15**	**24**	**32**	**58**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	945	3.6	3	1	2	3	4	6	7	10
20-34	1389	3.7	3	1	2	3	4	6	7	9
35-49	445	3.8	3	2	2	4	5	6	7	10
50-64	227	4.2	4	2	2	4	5	7	8	9
65+	161	4.7	6	2	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	27	4.6	4	1	2	4	5	7	9	10
20-34	46	5.7	6	3	3	5	7	10	11	11
35-49	25	6.0	8	2	3	5	7	10	11	14
50-64	10	6.9	8	3	3	7	8	11	12	12
65+	7	9.7	11	4	5	10	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1877	4.3	6	2	2	4	5	7	9	12
20-34	3523	4.5	6	2	2	4	5	7	9	12
35-49	1719	5.4	10	2	2	5	7	9	11	17
50-64	1846	6.0	13	2	3	5	7	10	12	19
65+	4176	7.2	25	3	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	192	6.8	17	3	3	6	8	11	14	23
20-34	410	7.6	39	3	3	6	9	12	17	32
35-49	288	8.9	49	3	3	7	10	16	21	36
50-64	387	11.0	83	4	5	9	12	18	26	56
65+	775	12.4	93	4	5	10	15	21	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3167	3.8	3	1	2	3	5	6	7	10
B. *Operated*	115	5.8	7	2	3	5	7	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	13141	5.7	15	2	2	5	7	10	12	19
B. *Operated*	2052	10.2	72	3	4	8	12	18	23	44
1. SINGLE DX	3282	3.8	3	2	2	4	5	6	7	10
2. MULTIPLE DX	15193	6.3	25	2	3	5	7	11	14	24
A. NOT OPERATED	16308	5.3	13	2	2	4	6	9	11	18
B. OPERATED	2167	10.0	69	3	4	8	12	18	23	43
TOTAL 0-19 YRS	3041	4.3	6	2	2	4	5	7	9	13
20-34	5368	4.5	8	2	2	4	5	7	9	14
35-49	2477	5.5	15	2	2	5	7	9	12	21
50-64	2470	6.6	27	2	3	5	8	11	14	26
65+	5119	7.9	38	3	3	7	9	14	18	31
GRAND TOTAL	**18475**	**5.8**	**22**	**2**	**2**	**5**	**7**	**10**	**13**	**23**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	653	3.5	3	1	2	3	4	6	7	9
20-34	960	3.6	3	2	2	3	4	6	7	10
35-49	339	4.0	4	2	2	4	5	6	7	12
50-64	146	4.7	7	2	2	4	6	8	10	13
65+	93	5.1	9	1	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	51	5.6	11	1	2	5	8	10	13	14
20-34	78	5.5	12	1	2	5	6	9	12	21
35-49	45	5.6	15	1	1	5	8	10	14	16
50-64	33	6.8	20	1	2	6	8	12	16	22
65+	20	7.6	42	1	2	6	9	14	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1197	4.2	6	1	2	4	5	7	9	12
20-34	2039	4.6	9	2	2	4	5	8	9	14
35-49	973	5.2	10	2	2	5	6	9	10	17
50-64	1002	6.0	16	2	3	5	7	10	13	21
65+	1887	7.1	21	3	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	232	7.5	27	2	3	6	9	14	17	25
20-34	327	8.8	53	2	3	7	11	18	22	39
35-49	303	10.4	81	3	4	8	13	19	24	49
50-64	373	11.8	101	3	4	9	14	22	29	66
65+	606	13.6	129	3	5	10	17	24	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2191	3.3	4	1	2	3	5	6	7	11
B. *Operated*	227	5.9	16	1	2	5	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	7098	5.5	14	2	2	5	7	9	12	19
B. *Operated*	1841	11.1	94	3	4	8	14	21	28	57
1. SINGLE DX	2418	4.0	5	1	2	4	5	7	8	12
2. MULTIPLE DX	8939	6.6	36	2	2	5	8	12	17	30
A. NOT OPERATED	9289	5.1	12	2	2	4	6	9	11	18
B. OPERATED	2068	10.5	88	2	3	8	13	20	26	54
TOTAL 0-19 YRS	2133	4.4	9	1	2	4	5	8	10	15
20-34	3404	4.7	14	2	2	4	6	8	10	19
35-49	1660	5.9	27	2	2	5	7	10	14	26
50-64	1554	7.3	42	2	3	6	9	13	18	33
65+	2606	8.6	54	3	3	7	10	16	20	40
GRAND TOTAL	**11357**	**6.1**	**30**	**2**	**2**	**5**	**7**	**11**	**15**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.0	1	<1	1	2	3	4	4	6
20-34	1263	1.9	2	<1	1	2	2	3	4	6
35-49	1864	1.8	1	<1	1	1	2	3	4	6
50-64	1134	1.9	2	1	1	2	2	3	4	7
65+	408	2.3	4	1	1	2	3	4	6	10
B. *Operated*										
0-19 YRS	59	4.5	14	1	1	4	6	9	12	19
20-34	667	4.2	11	1	1	3	6	8	10	15
35-49	1058	3.7	9	1	1	3	5	8	10	13
50-64	897	4.0	11	1	1	3	5	8	10	16
65+	444	4.3	11	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	2.4	3	1	1	2	3	5	6	8
20-34	1090	2.6	4	1	1	2	3	5	6	11
35-49	1554	2.6	6	1	1	2	3	5	6	11
50-64	1408	2.9	7	1	1	2	4	5	7	12
65+	1126	3.7	11	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	77	6.0	20	1	2	5	8	12	14	22
20-34	704	6.5	29	1	2	5	8	12	16	24
35-49	1197	6.8	40	1	2	5	8	13	19	29
50-64	1460	6.8	39	1	2	5	9	13	17	26
65+	1560	8.4	60	1	2	7	11	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4830	1.9	2	<1	1	2	2	3	4	7
B. *Operated*	3125	4.0	11	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	5346	2.9	7	1	1	2	4	6	7	12
B. *Operated*	4998	7.2	45	1	2	6	9	14	19	32
1. SINGLE DX	7955	2.7	6	<1	1	2	3	6	8	12
2. MULTIPLE DX	10344	5.0	30	1	1	3	6	11	14	25
A. NOT OPERATED	10176	2.4	5	<1	1	2	3	5	6	11
B. OPERATED	8123	6.0	34	1	1	5	8	12	16	26
TOTAL 0-19 YRS	465	3.1	9	1	1	2	4	6	9	14
20-34	3724	3.3	12	1	1	2	4	7	10	17
35-49	5673	3.4	16	<1	1	2	4	7	10	20
50-64	4899	4.1	20	1	1	3	5	9	11	20
65+	3538	5.7	38	1	1	4	7	12	16	28
GRAND TOTAL	**18299**	**4.0**	**21**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	542	1.9	1	1	1	2	2	3	4	6
20-34	4772	1.7	1	<1	1	1	2	3	4	5
35-49	6404	1.7	1	<1	1	1	2	3	4	6
50-64	3469	1.9	1	<1	1	2	2	3	4	6
65+	964	2.0	2	<1	1	2	2	4	4	6
B. *Operated*										
0-19 YRS	303	3.7	6	1	1	3	5	7	8	12
20-34	3001	3.6	6	1	1	3	5	7	8	12
35-49	4401	3.6	6	1	1	3	5	7	8	12
50-64	2879	3.9	8	1	1	3	5	8	9	14
65+	961	4.4	11	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	2.2	2	1	1	2	3	4	5	6
20-34	2149	2.2	3	1	1	2	3	4	5	7
35-49	3419	2.2	3	1	1	2	3	4	5	7
50-64	2900	2.5	3	1	1	2	3	5	6	9
65+	1918	2.9	4	1	1	2	4	6	7	10
B. *Operated*										
0-19 YRS	179	4.3	9	1	1	4	6	8	9	14
20-34	1764	4.8	13	1	1	4	6	9	11	18
35-49	3113	5.1	14	1	2	4	7	10	12	19
50-64	3365	5.9	22	1	2	5	8	11	14	23
65+	3026	7.2	38	1	2	6	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16151	1.8	1	<1	1	1	2	3	4	6
B. *Operated*	11545	3.7	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	10650	2.4	3	1	1	2	3	4	6	8
B. *Operated*	11447	5.8	23	1	2	5	7	11	14	24
1. SINGLE DX	27696	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	22097	4.2	17	1	1	3	5	9	11	20
A. NOT OPERATED	26801	2.0	2	<1	1	2	2	4	5	7
B. OPERATED	22992	4.8	16	1	1	4	6	9	12	20
TOTAL 0-19 YRS	1288	2.7	5	1	1	2	3	5	7	11
20-34	11686	2.7	6	1	1	2	3	6	7	11
35-49	17337	2.9	7	1	1	2	4	6	8	12
50-64	12613	3.6	12	1	1	2	5	7	10	16
65+	6869	4.9	24	1	1	3	6	10	14	23
GRAND TOTAL	**49793**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.8	10	1	1	2	4	5	7	21
20-34	116	1.9	1	<1	1	2	2	3	4	7
35-49	110	2.3	5	1	1	2	3	5	6	14
50-64	60	2.5	3	<1	<1	2	3	5	6	10
65+	48	2.9	4	1	1	2	4	7	7	8
B. *Operated*										
0-19 YRS	834	5.6	6	1	2	5	7	9	10	13
20-34	385	5.4	12	1	1	5	7	10	11	16
35-49	354	5.1	15	1	1	4	7	10	13	18
50-64	303	4.9	14	1	1	4	7	10	12	15
65+	231	4.4	14	<1	1	3	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	3.7	13	<1	1	2	4	8	11	19
20-34	275	3.5	9	1	1	3	4	7	9	16
35-49	275	4.1	16	1	1	3	5	9	12	21
50-64	368	5.1	32	1	1	4	6	10	13	29
65+	818	6.2	23	1	2	5	8	12	16	23
B. *Operated*										
0-19 YRS	1228	6.9	24	1	2	6	9	12	14	23
20-34	921	7.2	35	1	2	7	9	13	16	26
35-49	1101	7.4	33	1	2	6	10	14	18	29
50-64	1474	8.0	47	1	2	7	11	16	20	36
65+	2235	8.9	63	1	2	7	12	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	2.4	5	<1	1	2	3	5	6	10
B. *Operated*	2107	5.2	11	1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1977	5.0	22	1	1	4	7	10	13	22
B. *Operated*	6959	7.9	45	1	2	7	10	15	20	33
1. SINGLE DX	2525	4.8	11	1	1	4	7	9	11	15
2. MULTIPLE DX	8936	7.3	41	1	2	6	9	14	19	30
A. NOT OPERATED	2395	4.6	20	1	1	3	6	9	13	22
B. OPERATED	9066	7.3	38	1	2	6	9	14	18	30
TOTAL 0-19 YRS	2387	6.0	18	1	1	6	8	10	12	19
20-34	1697	5.8	26	1	1	5	8	11	14	21
35-49	1840	6.2	28	1	1	5	8	12	16	27
50-64	2205	7.0	41	1	1	5	9	14	19	33
65+	3332	7.8	51	1	2	6	10	16	21	34
GRAND TOTAL	**11461**	**6.7**	**36**	**1**	**1**	**5**	**9**	**13**	**17**	**29**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.3	3	<1	1	2	2	6	7	7
20-34	168	1.8	2	<1	1	2	2	3	4	6
35-49	227	1.9	2	<1	<1	1	2	4	5	7
50-64	132	1.8	2	<1	1	1	2	3	4	6
65+	38	1.9	2	1	1	2	2	4	5	7
B. *Operated*										
0-19 YRS	16	2.6	3	<1	<1	2	4	5	6	7
20-34	93	3.2	5	1	1	3	4	6	8	12
35-49	112	4.0	9	1	1	3	5	8	10	16
50-64	134	3.3	6	1	1	3	4	7	8	11
65+	118	3.1	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	1	2	3	4	5	6
20-34	139	2.6	5	1	1	2	3	5	7	11
35-49	207	2.3	3	1	1	2	3	4	5	10
50-64	151	2.6	4	<1	1	2	3	5	7	11
65+	132	3.9	9	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	35	5.9	31	1	1	3	9	13	18	23
20-34	152	5.6	25	1	1	5	7	11	14	28
35-49	174	5.2	22	1	1	4	7	11	14	18
50-64	388	5.2	24	1	1	4	7	12	16	23
65+	1100	6.1	32	1	1	5	8	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	1.9	2	<1	1	1	2	3	4	7
B. *Operated*	473	3.4	7	<1	1	3	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	645	2.8	5	1	1	2	3	6	7	12
B. *Operated*	1849	5.8	29	1	1	4	7	12	15	27
1. SINGLE DX	1060	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	2494	5.0	25	1	1	3	7	11	14	24
A. NOT OPERATED	1232	2.4	4	<1	1	2	3	4	6	10
B. OPERATED	2322	5.3	26	1	1	4	7	11	14	25
TOTAL 0-19 YRS	89	3.7	17	<1	1	2	4	9	12	21
20-34	552	3.3	12	1	1	2	4	7	9	17
35-49	720	3.1	10	<1	1	2	4	7	9	15
50-64	805	3.9	16	1	1	3	5	8	12	21
65+	1388	5.5	29	1	1	4	7	11	14	25
GRAND TOTAL	**3554**	**4.3**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.3	2	1	1	2	3	4	5	7
20-34	87	2.6	3	1	1	2	3	4	6	10
35-49	63	2.8	4	<1	1	2	4	5	7	10
50-64	35	3.3	8	1	1	3	4	5	7	17
65+	34	3.1	6	1	1	3	4	5	8	13
B. *Operated*										
0-19 YRS	55	2.3	2	<1	<1	2	3	4	5	6
20-34	154	2.5	5	<1	<1	2	3	5	6	10
35-49	197	2.5	10	<1	<1	2	3	5	7	16
50-64	178	2.4	4	<1	<1	2	3	5	6	12
65+	272	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	3.3	6	1	1	3	4	6	7	14
20-34	306	3.7	9	1	1	3	4	7	8	16
35-49	239	4.1	7	1	1	3	6	7	9	13
50-64	340	5.2	16	1	2	4	6	9	12	20
65+	1139	6.4	26	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	152	3.6	6	<1	1	3	5	7	8	11
20-34	374	5.1	32	1	1	4	6	9	13	30
35-49	534	4.7	17	1	1	4	6	9	11	19
50-64	815	5.6	43	1	1	4	7	11	16	34
65+	2415	6.7	52	1	1	5	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	2.7	4	1	1	2	3	4	6	10
B. *Operated*	856	2.5	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	2243	5.3	20	1	2	4	7	10	12	20
B. *Operated*	4290	6.0	43	1	1	4	7	12	15	32
1. SINGLE DX	1179	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	6533	5.7	35	1	1	4	7	11	14	28
A. NOT OPERATED	2566	5.0	18	1	1	4	6	9	12	20
B. OPERATED	5146	5.4	39	1	1	4	7	11	14	30
TOTAL 0-19 YRS	530	3.1	5	<1	1	3	4	6	7	11
20-34	921	4.0	18	1	1	3	5	8	10	20
35-49	1033	4.0	13	1	1	3	5	8	10	16
50-64	1368	5.0	31	1	1	3	6	10	14	30
65+	3860	6.2	42	1	1	5	8	12	15	29
GRAND TOTAL	**7712**	**5.2**	**32**	**1**	**1**	**4**	**7**	**10**	**14**	**26**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	6	2.8	5	<1	<1	2	5	6	6	6
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64	4	9.3	92	<1	<1	8	17	19	19	19
65+	8	5.1	43	1	1	2	7	17	19	19
B. *Operated*										
0-19 YRS	375	1.6	3	<1	<1	1	2	3	4	8
20-34	366	2.2	6	<1	<1	2	3	4	5	14
35-49	280	2.1	3	<1	<1	1	2	4	6	9
50-64	232	2.2	4	<1	<1	1	3	4	6	11
65+	340	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3	1	<1	<1	<1	1	2	3	4
20-34	17	1.9	3	<1	<1	1	2	5	6	7
35-49	22	3.3	5	1	1	3	4	6	9	10
50-64	27	2.9	3	<1	1	3	4	5	6	9
65+	113	4.5	18	1	1	3	5	8	12	24
B. *Operated*										
0-19 YRS	378	2.3	6	<1	<1	1	3	5	8	11
20-34	476	3.0	13	<1	1	2	3	6	9	18
35-49	533	3.5	12	1	1	2	4	7	10	19
50-64	782	3.9	16	1	1	3	5	8	11	19
65+	2047	4.6	18	1	1	3	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.7	28	<1	<1	1	3	13	19	19
B. *Operated*	1593	2.1	4	<1	<1	1	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	195	3.6	13	<1	<1	3	4	7	10	17
B. *Operated*	4216	3.9	16	<1	1	3	5	8	11	20
1. SINGLE DX	1623	2.1	4	<1	<1	1	3	4	6	10
2. MULTIPLE DX	4411	3.9	15	<1	1	3	5	8	11	20
A. NOT OPERATED	225	3.7	15	<1	<1	3	4	8	10	19
B. OPERATED	5809	3.4	13	<1	1	2	4	7	10	18
TOTAL 0-19 YRS	774	1.9	4	<1	<1	1	2	4	6	10
20-34	865	2.7	10	<1	1	2	3	5	7	16
35-49	842	3.0	9	<1	1	2	4	6	9	16
50-64	1045	3.5	14	<1	1	2	4	7	10	17
65+	2508	4.3	16	1	1	3	5	9	11	21
GRAND TOTAL	**6034**	**3.4**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	994	2.7	3	1	1	2	3	5	6	8
20-34	535	2.9	5	<1	1	2	4	5	6	9
35-49	312	3.1	6	1	1	3	4	6	6	10
50-64	274	3.5	9	1	1	3	4	6	8	18
65+	501	4.3	12	1	1	3	6	8	10	16
B. *Operated*										
0-19 YRS	417	2.4	5	<1	<1	2	3	5	7	11
20-34	354	2.7	4	<1	<1	2	3	5	7	10
35-49	406	3.0	8	<1	<1	2	4	6	8	15
50-64	556	2.9	7	<1	<1	2	4	6	8	13
65+	786	3.1	6	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3704	3.9	7	1	1	3	5	7	9	13
20-34	2907	4.4	13	1	1	4	5	8	10	17
35-49	2410	5.4	17	1	2	4	7	10	13	20
50-64	4351	6.1	23	2	2	5	8	11	14	24
65+	22511	7.7	36	2	3	6	9	13	17	32
B. *Operated*										
0-19 YRS	989	5.1	30	<1	<1	4	7	10	14	25
20-34	1100	6.5	71	1	1	4	8	13	20	45
35-49	1442	6.5	51	<1	1	4	8	13	18	42
50-64	2902	6.9	50	1	1	5	9	14	19	40
65+	9925	9.2	90	1	2	7	12	19	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2616	3.2	6	1	1	3	4	6	7	11
B. *Operated*	2519	2.9	6	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	35883	6.7	30	2	2	5	8	12	16	28
B. *Operated*	16358	8.1	76	1	1	6	10	17	23	49
1. SINGLE DX	5135	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	52241	7.2	45	1	2	6	9	13	18	36
A. NOT OPERATED	38499	6.5	29	1	2	5	8	12	15	27
B. OPERATED	18877	7.4	70	1	1	5	9	16	22	47
TOTAL 0-19 YRS	6104	3.8	10	1	1	3	5	7	9	15
20-34	4896	4.6	26	1	1	3	6	9	12	25
35-49	4570	5.4	27	1	1	4	7	11	14	26
50-64	8083	6.1	33	1	2	5	8	11	15	30
65+	33723	8.0	52	2	2	6	10	15	20	40
GRAND TOTAL	**57376**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**17**	**35**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	19	2.4	2	<1	<1	2	4	5	5	5
65+	42	4.3	23	<1	1	2	5	10	14	26
B. *Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	15	2.1	2	<1	<1	1	3	4	5	5
35-49	166	3.0	3	<1	<1	3	4	5	6	9
50-64	3754	4.2	4	1	2	4	5	6	8	11
65+	6474	4.5	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	5	<1	<1	4	5	6	6	6
20-34	6	3.3	3	2	2	3	4	6	6	6
35-49	27	4.4	17	1	2	3	5	11	29	99+
50-64	297	3.3	9	<1	<1	2	4	7	9	15
65+	1159	4.7	25	<1	1	3	6	10	13	25
B. *Operated*										
0-19 YRS	33	5.2	8	2	2	5	6	9	11	14
20-34	21	5.0	16	<1	1	3	7	11	13	16
35-49	386	4.6	8	1	2	4	6	8	11	14
50-64	10745	5.2	10	2	2	5	6	9	11	16
65+	35834	6.3	20	2	3	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.7	17	<1	1	2	4	8	12	24
B. *Operated*	10413	4.4	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1495	4.4	22	<1	1	3	6	9	12	24
B. *Operated*	47019	6.0	18	2	3	5	7	10	13	22
1. SINGLE DX	10477	4.4	5	1	2	4	5	7	8	11
2. MULTIPLE DX	48514	6.0	18	2	3	5	7	10	13	22
A. NOT OPERATED	1559	4.3	22	<1	1	3	6	9	12	24
B. OPERATED	57432	5.7	16	2	3	5	7	10	12	20
TOTAL 0-19 YRS	43	4.8	7	1	2	4	6	8	10	14
20-34	43	3.7	10	<1	1	3	5	8	11	16
35-49	581	4.1	8	1	1	4	5	7	10	14
50-64	14815	4.9	9	1	2	4	6	8	10	15
65+	43509	6.0	18	2	3	5	7	10	13	22
GRAND TOTAL	**58991**	**5.7**	**16**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	2	1	1	2	3	5	6	6
20-34	124	3.2	2	1	1	3	4	5	6	8
35-49	138	3.5	3	1	2	3	4	5	7	11
50-64	122	4.0	3	1	2	4	5	6	7	9
65+	48	3.6	3	1	1	4	4	6	7	7
B. *Operated*										
0-19 YRS	7	2.7	2	1	1	3	4	5	5	5
20-34	62	2.9	7	<1	<1	2	3	6	9	15
35-49	77	3.0	7	<1	<1	2	4	7	9	11
50-64	97	3.1	7	<1	1	2	4	7	9	14
65+	63	2.7	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	3	1	2	3	5	6	7	8
20-34	211	3.5	4	1	1	3	4	6	7	10
35-49	379	4.3	5	2	2	4	5	7	8	11
50-64	639	4.7	6	2	2	4	6	8	9	13
65+	560	5.1	10	2	2	5	6	8	10	16
B. *Operated*										
0-19 YRS	14	4.8	19	<1	1	3	5	13	15	16
20-34	118	4.2	9	<1	1	4	6	9	10	14
35-49	250	4.4	13	<1	1	4	6	8	9	20
50-64	503	5.4	23	1	1	4	7	10	14	19
65+	767	6.3	29	1	2	5	8	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	3.6	3	1	2	3	4	6	7	10
B. *Operated*	306	2.9	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1812	4.6	7	2	2	4	6	8	9	14
B. *Operated*	1652	5.6	24	1	1	4	7	11	14	26
1. SINGLE DX	755	3.3	4	<1	1	3	4	6	7	11
2. MULTIPLE DX	3464	5.1	15	1	2	4	6	9	12	20
A. NOT OPERATED	2261	4.4	6	1	2	4	5	7	9	13
B. OPERATED	1958	5.2	22	<1	1	4	7	10	14	25
TOTAL 0-19 YRS	61	3.5	7	1	1	3	4	6	7	16
20-34	515	3.5	5	1	1	3	4	6	8	11
35-49	844	4.1	7	1	1	4	5	7	9	12
50-64	1361	4.8	12	1	2	4	6	8	10	17
65+	1438	5.6	21	1	2	4	7	10	14	25
GRAND TOTAL	**4219**	**4.8**	**14**	**1**	**1**	**4**	**6**	**8**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	4	7.3	30	2	2	7	12	12	12	12
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	378	1.5	3	<1	<1	1	2	2	3	5
20-34	202	2.1	2	<1	1	2	2	4	4	8
35-49	253	1.8	1	<1	1	1	2	3	4	6
50-64	424	1.8	1	<1	1	1	2	3	4	5
65+	261	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.4	1	<1	<1	1	2	3	3	4
20-34	6	2.8	3	<1	<1	3	4	5	5	5
35-49	10	3.5	28	<1	<1	2	3	11	18	18
50-64	17	3.8	44	<1	<1	2	3	6	21	29
65+	15	4.6	13	1	2	2	7	10	11	12
B. *Operated*										
0-19 YRS	323	1.6	1	<1	<1	1	2	3	4	7
20-34	137	2.3	4	1	1	2	3	4	5	11
35-49	230	2.4	4	1	1	2	3	5	6	10
50-64	456	2.8	8	1	1	2	3	5	7	15
65+	592	3.4	15	1	1	3	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.3	8	<1	<1	1	2	4	12	12
B. *Operated*	1518	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	76	2.9	17	<1	<1	2	3	6	10	26
B. *Operated*	1738	2.7	9	<1	1	2	3	5	7	13
1. SINGLE DX	1547	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1814	2.7	9	<1	1	2	3	5	7	14
A. NOT OPERATED	105	2.8	15	<1	<1	2	3	6	10	23
B. OPERATED	3256	2.3	6	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	745	1.5	2	<1	<1	1	2	2	3	6
20-34	347	2.2	3	<1	1	2	3	4	5	10
35-49	496	2.1	3	<1	1	2	3	4	5	9
50-64	901	2.4	6	<1	1	2	3	4	6	11
65+	872	3.0	11	1	1	2	3	5	8	15
GRAND TOTAL	**3361**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	262	3.7	6	1	1	3	5	7	8	11
20-34	534	3.7	4	1	2	3	5	6	7	9
35-49	334	4.4	5	1	2	4	6	7	9	12
50-64	174	4.7	5	2	2	4	6	8	9	11
65+	121	5.4	9	2	2	5	6	9	11	17
B. *Operated*										
0-19 YRS	107	2.5	4	1	1	2	3	5	6	11
20-34	148	3.0	6	1	1	2	4	6	8	11
35-49	151	2.9	7	<1	1	2	3	7	8	13
50-64	93	3.7	9	1	1	3	5	7	9	15
65+	63	4.2	12	<1	1	3	5	8	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.9	6	1	1	3	5	7	9	11
20-34	311	4.9	11	1	2	4	6	8	11	16
35-49	338	5.2	7	2	2	5	6	9	10	14
50-64	428	5.9	9	2	3	5	7	10	11	15
65+	694	6.3	18	2	3	5	8	10	13	18
B. *Operated*										
0-19 YRS	72	4.1	10	1	1	3	6	8	11	14
20-34	176	4.7	29	1	1	3	6	10	13	18
35-49	186	5.0	24	1	1	3	7	11	15	27
50-64	250	5.6	16	1	1	5	8	10	13	21
65+	484	7.5	34	1	2	6	10	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	4.1	5	1	2	4	5	7	8	11
B. *Operated*	562	3.1	7	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1887	5.6	13	2	2	5	7	9	11	16
B. *Operated*	1168	6.1	28	1	1	5	8	12	15	25
1. SINGLE DX	1987	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	3055	5.8	19	1	2	5	7	10	13	19
A. NOT OPERATED	3312	5.0	10	1	2	4	6	8	10	15
B. OPERATED	1730	5.1	23	1	1	4	7	11	13	22
TOTAL 0-19 YRS	557	3.6	6	1	1	3	5	7	9	12
20-34	1169	4.1	10	1	1	3	5	7	9	15
35-49	1009	4.6	10	1	1	4	6	8	10	15
50-64	945	5.4	11	1	2	5	7	10	11	16
65+	1362	6.5	24	2	2	5	8	11	14	24
GRAND TOTAL	**5042**	**5.0**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	3.7	21	<1	<1	1	7	9	9	9
B. *Operated*										
0-19 YRS	623	1.1		<1	<1	<1	1	2	2	3
20-34	130	1.4	1	<1	<1	1	1	2	2	7
35-49	100	1.2		<1	<1	1	1	2	2	3
50-64	67	1.2		<1	<1	1	1	2	2	4
65+	49	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	1.4	1	<1	<1	1	1	3	4	5
20-34	6	1.3	1	<1	<1	1	1	3	3	3
35-49	6	4.0	21	<1	<1	1	7	11	12	12
50-64	7	2.6	9	<1	<1	1	3	8	9	9
65+	13	3.7	12	<1	1	3	4	10	12	12
B. *Operated*										
0-19 YRS	226	1.5	1	<1	<1	1	1	3	4	5
20-34	93	1.6	5	<1	<1	1	1	3	4	14
35-49	158	1.9	2	<1	<1	1	2	4	6	8
50-64	201	2.1	8	<1	<1	1	2	4	6	16
65+	215	2.8	6	<1	1	2	3	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.7	3	<1	<1	1	1	3	6	9
B. *Operated*	969	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	64	2.2	6	<1	<1	1	2	4	9	12
B. *Operated*	893	2.0	5	<1	<1	1	2	4	6	10
1. SINGLE DX	991	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	957	2.0	5	<1	<1	1	2	4	6	11
A. NOT OPERATED	86	2.1	6	<1	<1	1	2	4	9	12
B. OPERATED	1862	1.6	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	895	1.2		<1	<1	<1	1	2	2	5
20-34	231	1.5	2	<1	<1	1	1	2	3	7
35-49	266	1.7	2	<1	<1	1	2	3	4	8
50-64	276	1.9	6	<1	<1	1	2	4	5	9
65+	280	2.6	6	<1	<1	2	3	6	8	12
GRAND TOTAL	**1948**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	1.9	2	<1	1	1	2	4	5	8
20-34	69	2.7	5	<1	<1	2	4	5	6	13
35-49	47	2.6	3	<1	<1	2	4	5	6	6
50-64	41	1.8	2	<1	<1	1	2	4	5	9
65+	26	2.8	5	<1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	1670	1.5	1	<1	<1	1	2	2	3	6
20-34	789	1.9	7	<1	<1	1	2	3	5	8
35-49	591	2.3	3	<1	1	2	3	5	6	10
50-64	801	2.6	4	1	1	2	3	5	6	10
65+	400	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.9	5	<1	1	2	4	5	7	11
20-34	116	4.1	9	<1	1	4	6	8	10	15
35-49	124	4.1	14	<1	1	3	5	8	11	18
50-64	141	3.7	10	<1	<1	3	5	8	11	14
65+	142	6.0	27	<1	1	5	9	12	17	27
B. *Operated*										
0-19 YRS	678	2.1	4	<1	1	1	2	4	5	10
20-34	628	3.4	20	<1	1	2	4	8	10	16
35-49	929	3.9	26	1	1	3	5	7	10	21
50-64	1687	4.0	31	1	1	3	4	7	10	22
65+	1243	4.7	42	1	1	3	5	9	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	4251	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	628	4.2	15	<1	1	3	5	9	12	19
B. *Operated*	5165	3.8	28	1	1	3	4	7	10	23
1. SINGLE DX	4546	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	5793	3.9	27	1	1	3	4	7	10	22
A. NOT OPERATED	923	3.6	12	<1	1	2	5	8	10	17
B. OPERATED	9416	3.0	18	<1	1	2	3	6	8	18
TOTAL 0-19 YRS	2565	1.7	2	<1	1	1	2	3	4	8
20-34	1602	2.7	13	<1	1	2	3	5	8	14
35-49	1691	3.3	17	<1	1	2	4	6	9	18
50-64	2670	3.5	22	1	1	3	4	6	9	17
65+	1811	4.3	32	1	1	3	5	9	14	26
GRAND TOTAL	**10339**	**3.1**	**17**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	12	2.2	2	<1	<1	1	3	4	5	5
50-64	17	1.1		<1	<1	<1	1	2	2	2
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	60	1.6	1	<1	<1	1	2	3	4	6
20-34	488	2.0	2	<1	<1	1	2	4	5	7
35-49	1627	1.9	2	<1	<1	1	2	4	5	7
50-64	1112	1.7	2	<1	<1	1	2	3	4	6
65+	468	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	13	3.7	18	<1	<1	1	6	9	14	15
35-49	20	2.6	6	<1	<1	2	3	4	8	12
50-64	19	3.8	22	<1	<1	2	5	10	15	19
65+	12	3.7	11	<1	<1	2	5	8	11	12
B. *Operated*										
0-19 YRS	19	1.7	2	<1	<1	1	2	2	5	7
20-34	410	2.8	4	<1	<1	2	4	5	6	11
35-49	1586	2.7	4	<1	<1	2	4	5	6	9
50-64	1429	2.6	5	<1	<1	2	3	5	7	11
65+	965	2.7	13	<1	<1	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	3755	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	66	3.3	14	<1	<1	2	4	8	12	18
B. *Operated*	4409	2.7	6	<1	<1	2	3	5	6	11
1. SINGLE DX	3790	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	4475	2.7	6	<1	<1	2	3	5	7	11
A. NOT OPERATED	101	2.7	10	<1	<1	1	3	6	9	17
B. OPERATED	8164	2.3	4	<1	<1	2	3	4	6	9
TOTAL 0-19 YRS	81	1.6	1	<1	<1	1	2	3	4	7
20-34	915	2.4	3	<1	<1	2	3	4	6	9
35-49	3245	2.3	3	<1	<1	2	3	5	6	8
50-64	2577	2.2	4	<1	<1	2	3	4	6	10
65+	1447	2.4	9	<1	<1	2	3	4	6	11
GRAND TOTAL	**8265**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.0	9	1	1	3	6	7	11	14
20-34	133	3.2	4	1	1	3	4	5	6	11
35-49	53	3.5	5	<1	1	3	4	6	9	10
50-64	39	3.6	5	<1	<1	3	5	7	8	9
65+	14	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	890	2.2	1	1	1	2	3	4	4	5
20-34	1639	2.5	2	1	1	2	3	4	5	7
35-49	1039	2.6	3	<1	1	2	3	4	6	9
50-64	733	2.3	2	<1	<1	2	3	4	5	7
65+	289	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.6	4	<1	<1	2	3	6	7	9
20-34	92	3.5	5	1	1	3	4	6	8	13
35-49	109	3.7	8	<1	<1	3	5	7	9	13
50-64	97	3.9	11	<1	<1	3	5	8	11	15
65+	103	5.3	20	<1	<1	4	7	11	14	21
B. *Operated*										
0-19 YRS	281	2.8	4	1	1	3	3	4	6	12
20-34	915	2.9	3	1	1	3	4	5	6	10
35-49	1412	3.2	6	1	1	3	4	5	7	11
50-64	1047	3.4	8	1	1	3	4	6	7	14
65+	599	3.4	12	1	1	2	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.4	5	1	1	3	4	6	7	12
B. *Operated*	4590	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	442	4.0	11	<1	<1	3	5	8	10	17
B. *Operated*	4254	3.2	7	1	1	3	4	5	7	13
1. SINGLE DX	4878	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	4696	3.2	7	1	1	3	4	6	7	14
A. NOT OPERATED	730	3.7	9	<1	1	3	5	7	9	15
B. OPERATED	8844	2.8	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	1261	2.4	2	1	1	2	3	4	5	8
20-34	2779	2.7	3	1	1	2	3	4	5	8
35-49	2613	3.0	5	<1	1	3	4	5	7	10
50-64	1916	3.0	6	<1	1	3	4	5	7	12
65+	1005	3.2	10	<1	1	2	4	6	9	15
GRAND TOTAL	**9574**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	942	2.1	1	1	1	2	3	4	4	6
20-34	1620	2.1	2	<1	1	2	3	4	4	7
35-49	389	2.2	3	1	1	2	3	4	5	8
50-64	11	1.8	2	<1	<1	1	3	4	5	5
65+	9	2.9	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	1042	3.4	3	1	1	3	4	6	7	9
20-34	3380	3.5	4	<1	1	3	5	6	7	9
35-49	915	4.3	4	1	2	4	5	7	8	12
50-64	164	5.3	4	2	3	5	6	7	8	12
65+	66	5.9	6	2	3	6	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	637	2.4	2	1	1	2	3	4	6	7
20-34	1256	2.6	3	1	1	2	3	5	6	9
35-49	385	2.8	4	1	1	2	3	5	7	10
50-64	33	3.8	6	<1	<1	4	6	7	8	10
65+	34	5.4	25	1	1	4	7	12	15	25
B. *Operated*										
0-19 YRS	1173	4.1	4	1	2	4	5	7	8	11
20-34	7625	4.6	6	1	2	4	6	7	9	13
35-49	4255	5.5	9	2	3	5	6	8	10	16
50-64	669	6.3	10	3	4	6	7	9	12	19
65+	454	8.1	31	4	4	7	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2971	2.1	2	1	1	2	3	4	4	7
B. *Operated*	5567	3.7	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2345	2.6	3	1	1	2	3	5	6	9
B. *Operated*	14176	5.0	8	1	2	5	6	8	9	15
1. SINGLE DX	8538	3.2	4	1	1	3	4	6	6	9
2. MULTIPLE DX	16521	4.7	8	1	2	4	6	8	9	14
A. NOT OPERATED	5316	2.3	3	1	1	2	3	4	5	8
B. OPERATED	19743	4.7	7	1	2	4	6	7	9	14
TOTAL 0-19 YRS	3794	3.1	4	1	1	3	4	6	7	9
20-34	13881	3.9	5	1	1	4	5	6	8	11
35-49	5944	4.9	8	1	2	5	6	8	9	15
50-64	877	6.0	9	2	3	6	7	9	11	18
65+	563	7.6	28	3	4	6	9	12	16	25
GRAND TOTAL	**25059**	**4.2**	**7**	**1**	**1**	**4**	**5**	**7**	**8**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2262	3.8	4	1	2	3	5	6	7	10
20-34	5531	3.9	5	1	2	4	5	6	7	10
35-49	746	4.5	7	2	2	4	6	7	9	13
50-64	37	5.4	16	1	2	4	7	12	14	16
65+	9	3.8	2	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	398	4.4	6	<1	2	4	6	7	9	11
20-34	1974	4.3	7	<1	1	4	5	7	9	13
35-49	687	4.9	9	<1	1	5	6	8	10	15
50-64	96	4.9	7	<1	1	5	6	8	10	14
65+	13	7.3	63	<1	<1	6	8	14	29	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1806	4.4	6	1	2	4	5	7	9	14
20-34	5049	4.4	6	2	2	4	5	7	9	12
35-49	989	5.2	9	2	2	5	6	9	11	15
50-64	114	5.7	11	2	2	5	7	11	13	15
65+	66	7.5	20	2	3	7	10	13	17	23
B. *Operated*										
0-19 YRS	936	5.6	11	1	2	5	7	10	12	18
20-34	9434	5.1	10	1	2	5	6	8	10	16
35-49	4280	5.9	14	1	3	5	7	9	12	20
50-64	496	7.3	28	2	3	6	8	13	16	30
65+	200	10.2	87	3	4	7	12	18	23	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8585	3.9	5	1	2	4	5	6	7	11
B. *Operated*	3168	4.5	8	<1	1	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	8024	4.5	6	2	2	4	6	7	9	14
B. *Operated*	15346	5.5	13	1	2	5	6	9	11	18
1. SINGLE DX	11753	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX	23370	5.2	11	1	2	5	6	8	11	17
A. NOT OPERATED	16609	4.2	6	1	2	4	5	7	8	12
B. OPERATED	18514	5.3	12	1	2	5	6	9	11	18
TOTAL 0-19 YRS	5402	4.3	7	1	2	4	5	7	9	14
20-34	21988	4.6	8	1	2	4	6	7	9	14
35-49	6702	5.5	12	1	2	5	7	9	11	18
50-64	743	6.7	23	2	3	6	8	12	15	25
65+	288	9.3	70	2	3	7	11	17	22	57
GRAND TOTAL	**35123**	**4.8**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.9	2	1	1	3	4	5	6	7
20-34	100	2.6	3	1	1	2	4	5	6	7
35-49	44	2.7	3	<1	1	2	4	6	6	6
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	98	3.2	4	<1	<1	3	4	5	6	11
20-34	1644	3.9	4	<1	1	4	5	6	7	9
35-49	1141	4.8	6	1	3	5	6	7	7	9
50-64	91	5.3	2	3	4	5	6	7	8	9
65+	12	5.4	8	1	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	4	1	1	3	4	5	7	9
20-34	218	3.1	5	1	1	3	4	5	7	12
35-49	96	3.2	5	<1	<1	3	5	6	7	10
50-64	5	3.6	4	1	1	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	185	3.9	6	<1	1	4	5	7	8	12
20-34	9534	4.8	4	1	3	5	6	7	8	12
35-49	12707	5.3	4	3	4	5	6	7	8	12
50-64	1324	5.8	5	3	4	6	7	8	9	14
65+	148	6.9	15	3	4	6	8	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.7	3	1	1	2	4	5	6	7
B. *Operated*	2986	4.3	5	<1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	340	3.2	5	<1	1	3	4	6	7	12
B. *Operated*	23898	5.1	4	2	3	5	6	7	8	12
1. SINGLE DX	3165	4.2	5	<1	1	4	5	6	7	9
2. MULTIPLE DX	24238	5.1	4	2	3	5	6	7	8	12
A. NOT OPERATED	519	3.0	4	<1	1	3	4	6	6	11
B. OPERATED	26884	5.0	4	2	3	5	6	7	8	12
TOTAL 0-19 YRS	335	3.6	5	<1	<1	3	5	6	8	12
20-34	11496	4.6	4	1	2	5	6	7	8	11
35-49	13988	5.3	4	3	3	5	6	7	8	12
50-64	1423	5.8	5	3	4	5	7	8	9	13
65+	161	6.8	14	3	4	6	8	10	13	19
GRAND TOTAL	**27403**	**5.0**	**5**	**1**	**3**	**5**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	4.0	11	2	2	3	6	9	9	9
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	2.6	2	<1	<1	3	4	4	4	4
20-34	63	2.7	4	<1	<1	2	5	6	7	8
35-49	69	2.1	3	<1	<1	1	3	5	6	6
50-64	28	2.2	3	<1	<1	1	3	6	6	7
65+	7	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	1	1	1	2	3	4	4	4
20-34	42	3.2	3	<1	1	3	4	6	7	8
35-49	9	3.4	7	1	1	3	5	7	9	9
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	6	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	9	3.2	2	1	1	3	4	5	5	5
20-34	714	4.7	6	<1	1	5	6	7	8	13
35-49	832	4.6	5	<1	1	5	5	7	8	11
50-64	167	4.2	10	<1	<1	4	6	7	10	15
65+	59	4.4	9	<1	1	4	7	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.4	7	<1	<1	3	4	8	9	9
B. *Operated*	172	2.3	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	73	3.0	3	1	1	3	4	6	7	9
B. *Operated*	1781	4.6	6	<1	1	5	6	7	8	12
1. SINGLE DX	182	2.4	4	<1	<1	1	3	6	6	8
2. MULTIPLE DX	1854	4.5	6	<1	1	5	6	7	8	12
A. NOT OPERATED	83	3.0	4	<1	1	3	4	6	7	9
B. OPERATED	1953	4.4	6	<1	<1	5	6	7	8	12
TOTAL 0-19 YRS	28	2.8	2	<1	1	3	4	4	5	5
20-34	823	4.5	6	<1	1	5	6	7	8	12
35-49	912	4.4	5	<1	<1	5	6	7	8	11
50-64	200	3.9	9	<1	<1	3	6	7	10	14
65+	73	3.9	9	<1	1	3	6	8	9	14
GRAND TOTAL	**2036**	**4.3**	**6**	**<1**	**<1**	**4**	**6**	**7**	**8**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.1	3	1	1	3	4	5	6	10
20-34	265	3.2	3	1	1	3	4	5	7	10
35-49	77	3.5	3	1	1	3	4	6	7	8
50-64	11	3.7	3	1	1	4	5	6	6	6
65+	12	4.6	4	2	2	4	6	7	9	9
B. *Operated*										
0-19 YRS	114	2.0	2	<1	<1	1	2	4	5	7
20-34	643	1.9	3	<1	<1	1	2	4	5	8
35-49	288	1.6	1	<1	<1	1	2	3	4	6
50-64	84	2.4	6	<1	<1	1	3	5	7	14
65+	27	2.9	9	<1	<1	2	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	3.9	7	1	1	4	5	6	7	13
20-34	450	3.9	4	1	2	4	5	6	7	11
35-49	164	4.7	9	1	2	4	6	8	10	15
50-64	63	5.2	14	1	2	4	6	8	12	22
65+	66	8.2	61	1	2	7	10	14	16	52
B. *Operated*										
0-19 YRS	102	3.9	14	1	1	3	5	8	12	20
20-34	632	3.8	8	<1	1	3	5	7	8	15
35-49	452	4.0	9	<1	1	3	6	8	9	15
50-64	174	5.3	37	<1	1	3	6	14	19	31
65+	159	8.5	82	1	1	6	11	19	26	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	3.3	3	1	1	3	4	5	7	9
B. *Operated*	1156	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	910	4.4	11	1	2	4	5	7	9	15
B. *Operated*	1519	4.5	22	<1	1	4	6	8	13	24
1. SINGLE DX	1613	2.3	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX	2429	4.5	18	1	1	4	6	8	11	22
A. NOT OPERATED	1367	4.0	9	1	2	3	5	7	9	14
B. OPERATED	2675	3.4	15	<1	<1	2	4	7	10	19
TOTAL 0-19 YRS	475	3.3	7	<1	1	3	4	6	7	14
20-34	1990	3.1	6	<1	1	3	4	6	7	12
35-49	981	3.4	7	<1	1	3	5	7	8	14
50-64	332	4.5	25	<1	1	3	5	9	16	27
65+	264	7.7	69	1	1	5	10	16	22	55
GRAND TOTAL	**4042**	**3.6**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**18**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	8	3.8	7	<1	<1	4	6	7	8	8
65+	12	5.7	30	1	2	4	7	13	20	21
B. *Operated*										
0-19 YRS	7	5.6	5	2	2	6	7	8	8	8
20-34	622	4.6	4	2	2	4	6	7	8	10
35-49	1345	5.0	4	2	3	5	6	7	8	10
50-64	2176	5.3	4	2	3	5	6	8	8	11
65+	2019	5.6	4	3	3	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	29	1.4	1	<1	<1	1	1	3	4	5
35-49	79	2.6	6	<1	<1	1	4	7	8	12
50-64	101	2.0	6	<1	<1	1	2	5	6	14
65+	183	3.2	13	<1	<1	2	4	7	9	23
B. *Operated*										
0-19 YRS	26	5.4	3	2	3	6	7	8	22	99+
20-34	3248	5.1	3	3	3	5	6	7	8	11
35-49	7541	5.6	4	3	3	5	6	8	9	12
50-64	6859	6.0	5	3	4	6	7	9	10	14
65+	7791	6.7	10	3	4	6	8	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.5	19	<1	<1	3	6	8	13	21
B. *Operated*	6169	5.2	4	2	3	5	6	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	393	2.7	9	<1	<1	1	3	6	8	15
B. *Operated*	25465	6.0	7	3	4	6	7	9	10	15
1. SINGLE DX	6193	5.2	4	2	3	5	6	8	8	11
2. MULTIPLE DX	25858	5.9	7	3	3	6	7	9	10	15
A. NOT OPERATED	417	2.8	10	<1	<1	1	3	6	8	16
B. OPERATED	31634	5.8	6	3	3	6	7	8	10	14
TOTAL 0-19 YRS	34	5.5	3	2	3	6	7	8	8	99+
20-34	3901	5.0	3	2	3	5	6	7	8	11
35-49	8967	5.4	4	3	3	5	6	8	9	12
50-64	9144	5.8	5	3	3	6	7	8	10	13
65+	10005	6.4	9	3	4	6	7	9	11	17
GRAND TOTAL	**32051**	**5.8**	**6**	**3**	**3**	**5**	**7**	**8**	**10**	**14**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.1		1	1	1	1	2	2	2
20-34	9	1.7	1	1	1	1	2	3	4	4
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	10	1.6	2	<1	<1	1	1	4	6	6
20-34	67	1.7	2	<1	<1	1	2	4	5	6
35-49	72	2.2	3	<1	<1	1	3	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.4	1	<1	<1	1	1	3	4	4
20-34	27	2.4	3	<1	1	2	3	5	6	7
35-49	19	2.8	5	<1	<1	2	5	7	8	8
50-64										
65+										
B. Operated										
0-19 YRS	6	3.2	5	<1	<1	2	5	7	7	7
20-34	193	3.4	5	<1	<1	4	5	6	7	10
35-49	344	3.9	5	<1	<1	4	5	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.5	1	1	1	1	2	3	3	4
B. Operated	149	1.9	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated	53	2.4	4	<1	<1	1	3	5	7	8
B. Operated	543	3.8	5	<1	<1	4	5	7	7	10
1. SINGLE DX	170	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	596	3.6	5	<1	<1	4	5	6	7	10
A. NOT OPERATED	74	2.1	3	<1	1	1	3	5	6	8
B. OPERATED	692	3.4	5	<1	<1	3	5	6	7	10
TOTAL 0-19 YRS	31	1.7	2	<1	<1	1	2	4	6	7
20-34	296	2.9	4	<1	<1	2	4	6	7	9
35-49	439	3.6	6	<1	<1	4	5	7	7	10
50-64										
65+										
GRAND TOTAL	**766**	**3.2**	**5**	**<1**	**<1**	**3**	**5**	**6**	**7**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	1.8	1	<1	<1	1	2	3	4	6
20-34	272	1.5	1	<1	<1	1	2	3	3	5
35-49	105	1.7	2	<1	<1	1	2	4	5	6
50-64										
65+										
B. Operated										
0-19 YRS	163	1.6	1	<1	<1	1	2	3	4	5
20-34	1782	2.3	3	<1	<1	1	3	5	6	7
35-49	2349	2.3	4	<1	<1	1	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	228	2.5	2	1	1	2	3	4	5	8
20-34	520	2.2	4	<1	<1	2	3	4	6	9
35-49	470	2.2	4	<1	<1	1	3	5	6	9
50-64										
65+										
B. Operated										
0-19 YRS	280	2.6	3	<1	1	2	3	5	7	9
20-34	6510	4.2	5	<1	1	4	6	7	8	11
35-49	12919	4.5	6	<1	1	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	508	1.6	1	<1	<1	1	2	3	4	6
B. Operated	4294	2.3	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	1218	2.3	3	<1	<1	2	3	4	6	9
B. Operated	19709	4.4	6	<1	1	4	6	7	8	11
1. SINGLE DX	4802	2.2	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX	20927	4.2	6	<1	1	4	6	7	8	11
A. NOT OPERATED	1726	2.1	3	<1	<1	1	3	4	5	8
B. OPERATED	24003	4.0	6	<1	<1	4	5	7	8	11
TOTAL 0-19 YRS	802	2.2	2	<1	<1	2	3	4	5	8
20-34	9084	3.6	5	<1	<1	4	5	6	7	10
35-49	15843	4.1	6	<1	<1	4	6	7	8	11
50-64										
65+										
GRAND TOTAL	**25729**	**3.9**	**6**	**<1**	**<1**	**4**	**5**	**7**	**7**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.0	2	1	1	3	4	5	5	5
50-64	11	1.7	1	<1	<1	1	2	3	4	4
65+	12	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34	11	3.1	3	<1	<1	4	5	5	5	5
35-49	164	1.5	1	<1	<1	1	1	3	4	6
50-64	590	1.5	1	<1	<1	<1	2	2	4	6
65+	233	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	2.6	3	<1	<1	2	4	5	5	5
35-49	37	3.2	5	<1	1	2	5	7	7	9
50-64	67	2.6	5	<1	<1	2	3	6	7	10
65+	101	4.3	15	<1	1	3	6	9	12	19
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	62	4.4	5	1	2	4	5	6	7	14
35-49	497	3.6	6	<1	<1	4	5	7	7	11
50-64	1716	3.3	9	<1	<1	2	5	7	8	13
65+	1129	3.6	15	<1	1	2	5	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	1.9	1	<1	<1	2	3	3	4	5
B. *Operated*	998	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	212	3.5	10	<1	<1	2	5	7	9	17
B. *Operated*	3405	3.5	11	<1	<1	2	5	7	8	15
1. SINGLE DX	1027	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3617	3.5	11	<1	<1	2	5	7	9	15
A. NOT OPERATED	241	3.3	10	<1	<1	2	4	7	9	17
B. OPERATED	4403	3.0	9	<1	<1	2	4	7	8	14
TOTAL 0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	79	4.1	5	<1	1	4	5	6	6	14
35-49	703	3.1	6	<1	<1	2	5	6	7	10
50-64	2384	2.8	8	<1	<1	2	4	6	8	11
65+	1475	3.3	14	<1	<1	2	4	7	9	19
GRAND TOTAL	**4644**	**3.0**	**9**	**<1**	**<1**	**2**	**4**	**7**	**8**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.0	1	<1	1	2	3	4	5	6
20-34	155	2.0	2	<1	1	1	2	4	5	7
35-49	63	2.1	3	<1	<1	1	2	4	6	10
50-64	8	2.1	8	1	1	1	2	7	9	9
65+	8	3.0	5	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	229	2.9	4	<1	<1	2	4	6	7	9
20-34	2042	2.8	4	<1	<1	2	4	5	6	8
35-49	1231	3.1	5	<1	<1	3	5	6	7	10
50-64	614	3.4	9	<1	<1	2	5	6	8	14
65+	210	3.4	6	<1	<1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	2.4	4	<1	1	2	3	4	5	12
20-34	259	2.5	4	<1	<1	2	3	5	7	9
35-49	163	3.3	9	<1	<1	2	4	8	9	15
50-64	92	4.4	28	<1	<1	3	5	10	11	30
65+	185	5.7	25	1	1	4	7	12	15	30
B. *Operated*										
0-19 YRS	318	4.1	10	1	1	4	5	7	9	15
20-34	4098	4.1	6	<1	1	4	5	6	8	12
35-49	5863	4.7	8	<1	1	5	6	7	8	15
50-64	3018	5.2	17	<1	1	5	6	8	10	23
65+	1730	6.9	50	1	1	5	8	14	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	2.1	2	<1	1	2	3	4	5	9
B. *Operated*	4326	3.0	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	795	3.6	14	<1	<1	2	5	8	10	21
B. *Operated*	15027	4.9	15	<1	1	5	6	8	10	20
1. SINGLE DX	4665	2.9	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX	15822	4.8	15	<1	1	5	6	8	10	20
A. NOT OPERATED	1134	3.2	11	<1	1	2	4	7	9	18
B. OPERATED	19353	4.5	13	<1	1	4	6	7	9	18
TOTAL 0-19 YRS	748	3.2	7	<1	1	3	4	6	7	11
20-34	6554	3.6	6	<1	1	4	5	6	7	11
35-49	7320	4.4	8	<1	1	4	6	7	8	13
50-64	3732	4.9	17	<1	1	5	6	8	10	21
65+	2133	6.4	44	<1	1	5	8	13	18	35
GRAND TOTAL	**20487**	**4.4**	**13**	**<1**	**1**	**4**	**6**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	1.7	1	<1	1	1	2	3	4	5
20-34	553	2.0	2	<1	1	1	2	4	5	8
35-49	117	2.2	2	<1	1	2	3	4	5	8
50-64	11	1.9	1	<1	<1	2	3	4	4	4
65+	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	169	2.3	3	<1	<1	2	3	5	6	8
20-34	1754	3.0	4	<1	<1	3	5	6	7	8
35-49	1648	4.5	5	<1	1	4	6	7	8	10
50-64	1075	5.4	5	2	3	5	7	8	9	11
65+	492	5.7	6	2	3	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	2.3	7	<1	1	2	3	4	5	7
20-34	893	2.3	4	<1	<1	2	3	4	6	9
35-49	290	3.0	19	<1	<1	2	3	6	7	21
50-64	60	3.2	9	<1	<1	2	5	6	8	17
65+	71	5.0	32	<1	1	3	7	11	16	31
B. *Operated*										
0-19 YRS	207	3.3	6	<1	1	3	4	6	7	12
20-34	6685	4.3	5	<1	1	4	5	7	7	10
35-49	5722	5.2	6	1	3	5	6	8	9	13
50-64	2119	6.2	8	3	3	6	7	9	10	15
65+	1408	6.7	12	3	3	6	8	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	1.9	2	<1	1	1	2	3	4	6
B. *Operated*	5138	4.2	6	<1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	1656	2.6	9	<1	<1	2	3	5	6	13
B. *Operated*	16141	5.1	7	1	2	5	6	8	9	14
1. SINGLE DX	6265	3.8	6	<1	1	4	5	7	8	10
2. MULTIPLE DX	17797	4.8	8	1	1	5	6	8	9	14
A. NOT OPERATED	2783	2.3	6	<1	1	2	3	4	6	10
B. OPERATED	21279	4.9	7	<1	1	5	6	8	9	13
TOTAL 0-19 YRS	1160	2.2	4	<1	1	2	3	4	5	8
20-34	9885	3.8	5	<1	1	4	5	6	7	10
35-49	7777	4.9	7	1	2	5	6	7	9	12
50-64	3265	5.8	7	2	3	6	7	9	10	14
65+	1975	6.4	12	2	3	6	8	10	12	19
GRAND TOTAL	**24062**	**4.6**	**7**	**<1**	**1**	**4**	**6**	**7**	**9**	**13**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	1	<1	<1	2	2	4	4	5
20-34	136	1.8	2	<1	<1	1	2	4	4	7
35-49	16	2.1	3	<1	<1	1	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	437	3.8	2	2	2	4	5	5	6	7
20-34	5951	3.9	2	2	2	4	5	5	6	8
35-49	732	4.1	2	2	2	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4		<1	<1	1	2	2	2	2
20-34	87	2.1	2	<1	<1	2	3	4	5	6
35-49	10	2.0	3	<1	<1	1	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	425	4.4	4	2	3	4	5	6	7	11
20-34	6735	4.3	3	2	3	4	5	6	7	10
35-49	1194	4.5	3	2	3	4	5	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	7120	3.9	2	2	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	111	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	8354	4.3	3	2	3	4	5	6	7	10
1. SINGLE DX	7292	3.8	2	2	2	4	5	5	6	8
2. MULTIPLE DX	8465	4.3	3	2	3	4	5	6	7	10
A. NOT OPERATED	283	1.9	2	<1	<1	1	2	4	5	7
B. OPERATED	15474	4.1	2	2	3	4	5	6	6	9
TOTAL 0-19 YRS	896	4.0	3	1	2	4	5	6	6	9
20-34	12909	4.1	2	2	3	4	5	6	6	9
35-49	1952	4.3	3	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**15757**	**4.1**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	4	5
20-34	106	1.5	1	<1	<1	1	2	3	3	5
35-49	21	1.5	2	<1	<1	1	2	2	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	720	1.5	2	<1	<1	1	2	2	3	5
20-34	1816	1.3	1	<1	<1	1	1	2	2	4
35-49	256	1.3		<1	<1	<1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	2	<1	1	2	4	5	6	6
20-34	134	1.8	2	<1	<1	1	2	3	4	8
35-49	54	2.0	3	<1	1	2	2	3	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	781	1.4	3	<1	<1	<1	<1	2	3	7
20-34	2466	1.6	4	<1	<1	<1	1	3	5	10
35-49	458	1.7	2	<1	<1	1	2	3	4	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	2792	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	224	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*	3705	1.6	3	<1	<1	<1	1	3	4	9
1. SINGLE DX	2958	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	3929	1.6	3	<1	<1	<1	1	3	4	9
A. NOT OPERATED	390	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	6497	1.5	2	<1	<1	<1	1	2	4	8
TOTAL 0-19 YRS	1576	1.4	2	<1	<1	<1	1	2	3	6
20-34	4522	1.5	2	<1	<1	<1	1	2	4	8
35-49	789	1.6	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**6887**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	6	2.8	1	<1	<1	3	4	4	4	4
1. SINGLE DX	5	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX	8	3.3	2	<1	1	3	4	5	5	5
A. NOT OPERATED	3	4.0	1	3	3	4	5	5	5	5
B. OPERATED	10	2.9	1	<1	1	3	4	5	5	5
TOTAL 0-19 YRS	4	4.5		4	4	4	5	5	5	5
20-34	9	2.6	1	<1	1	3	3	4	4	4
35-49										
50-64										
65+										
GRAND TOTAL	**13**	**3.2**	**1**	**<1**	**1**	**3**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	530	1.4	1	<1	<1	1	2	2	3	5
20-34	1689	1.4	1	<1	<1	1	1	2	3	5
35-49	200	1.4	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3393	1.3	1	<1	<1	1	1	2	3	4
20-34	18277	1.2	1	<1	<1	1	1	2	2	4
35-49	2940	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	1.9	2	<1	1	1	2	3	5	9
20-34	518	1.9	2	<1	<1	1	2	4	5	8
35-49	69	1.9	3	<1	<1	1	2	3	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	703	2.0	3	<1	<1	1	2	4	5	9
20-34	3911	2.0	3	<1	<1	1	2	4	5	9
35-49	982	1.8	3	<1	<1	1	2	3	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2419	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	24610	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	759	1.9	2	<1	<1	1	2	3	5	9
B. *Operated*	5596	1.9	3	<1	<1	1	2	4	5	9
1. SINGLE DX	27029	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	6355	1.9	3	<1	<1	1	2	4	5	9
A. NOT OPERATED	3178	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	30206	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	4798	1.4	1	<1	<1	1	2	2	3	6
20-34	24395	1.4	1	<1	<1	1	1	2	3	6
35-49	4191	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**33384**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.4	2	<1	1	2	3	4	5	7
20-34	747	2.0	2	<1	<1	1	2	4	5	7
35-49	95	1.7	1	<1	<1	1	2	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	439	1.6	1	<1	<1	1	2	3	4	6
20-34	3649	1.3	1	<1	<1	1	1	2	3	5
35-49	547	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	2.9	4	1	1	2	4	5	6	11
20-34	366	2.8	4	1	1	2	4	5	7	9
35-49	46	2.1	2	<1	<1	2	3	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	216	2.7	8	<1	1	2	3	6	7	9
20-34	1380	2.4	9	<1	<1	1	3	5	6	13
35-49	290	2.3	8	<1	<1	1	3	5	6	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	2.0	2	<1	<1	1	3	4	5	7
B. *Operated*	4635	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	502	2.7	4	<1	1	2	4	5	7	9
B. *Operated*	1886	2.4	9	<1	<1	1	3	5	6	13
1. SINGLE DX	5651	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	2388	2.5	8	<1	<1	2	3	5	7	12
A. NOT OPERATED	1518	2.2	3	<1	1	2	3	4	5	8
B. OPERATED	6521	1.7	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	919	2.1	4	<1	<1	2	3	4	5	8
20-34	6142	1.7	3	<1	<1	1	2	3	5	8
35-49	978	1.6	3	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**8039**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	484	1.6	1	<1	<1	1	2	3	3	5
20-34	2566	1.8	2	<1	<1	1	2	3	4	6
35-49	205	2.0	3	<1	1	1	2	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.0	2	<1	<1	2	2	4	5	6
20-34	89	1.5	1	<1	<1	1	2	3	3	4
35-49	14	1.7	2	<1	<1	1	2	3	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.2	3	<1	1	2	3	4	5	9
20-34	866	2.7	22	<1	1	2	3	5	6	12
35-49	90	2.7	4	<1	1	2	3	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.5	6	1	1	1	3	7	8	9
20-34	88	2.3	3	<1	1	2	3	5	5	10
35-49	10	9.5	355	2	2	4	5	34	63	63
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3255	1.8	2	<1	<1	1	2	3	4	6
B. *Operated*	123	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	1095	2.7	18	<1	1	2	3	5	6	11
B. *Operated*	114	2.9	36	<1	1	2	3	5	6	30
1. SINGLE DX	3378	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1209	2.7	20	<1	1	2	3	5	6	11
A. NOT OPERATED	4350	2.0	6	<1	1	2	2	4	4	8
B. OPERATED	237	2.2	18	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	659	1.8	1	<1	<1	1	2	3	4	6
20-34	3609	2.1	7	<1	1	2	2	4	5	8
35-49	319	2.4	15	<1	1	2	3	4	6	10
50-64										
65+										
GRAND TOTAL	**4587**	**2.0**	**6**	**<1**	**1**	**2**	**2**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.7	2	<1	<1	1	2	3	5	7
20-34	270	2.1	4	<1	<1	1	3	4	5	12
35-49	16	1.8	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	8	2.0	2	<1	<1	1	3	4	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6		<1	<1	1	2	3	3	3
20-34	121	2.4	4	<1	1	2	3	5	6	10
35-49	12	3.1	7	1	1	2	4	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	15	2.5	5	<1	1	2	3	4	8	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.0	3	<1	<1	1	2	4	5	11
B. *Operated*	8	2.0	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	152	2.4	4	<1	1	2	3	4	6	9
B. *Operated*	18	2.3	4	<1	1	2	2	4	8	10
1. SINGLE DX	337	2.0	3	<1	<1	1	3	4	5	11
2. MULTIPLE DX	170	2.3	4	<1	1	2	3	4	6	10
A. NOT OPERATED	481	2.1	4	<1	<1	2	3	4	5	11
B. OPERATED	26	2.2	4	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	64	1.6	1	<1	<1	1	2	3	4	7
20-34	414	2.2	4	<1	<1	2	3	4	5	11
35-49	29	2.3	4	<1	1	2	3	5	7	9
50-64										
65+										
GRAND TOTAL	**507**	**2.1**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	740	2.8	5	<1	1	2	3	5	7	10
20-34	3606	2.7	4	1	1	2	3	5	6	10
35-49	383	3.0	5	1	1	2	3	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	64	3.3	9	<1	1	2	4	8	10	15
20-34	385	2.9	6	<1	<1	2	3	6	7	11
35-49	51	2.6	2	<1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	3.0	7	<1	1	2	4	5	7	12
20-34	1383	3.1	9	<1	1	2	4	6	7	13
35-49	216	3.7	8	<1	1	3	5	7	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	53	3.6	12	<1	<1	2	4	8	9	19
20-34	376	2.9	8	<1	<1	2	4	7	10	13
35-49	48	3.6	12	<1	<1	2	5	9	11	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4729	2.7	4	1	1	2	3	5	6	10
B. *Operated*	500	2.9	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1853	3.2	8	<1	1	3	4	6	8	13
B. *Operated*	477	3.1	9	<1	<1	2	4	7	10	14
1. SINGLE DX	5229	2.8	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	2330	3.2	9	<1	<1	2	4	6	8	14
A. NOT OPERATED	6582	2.9	5	<1	1	2	3	5	7	11
B. OPERATED	977	3.0	7	<1	<1	2	4	6	8	14
TOTAL 0-19 YRS	1111	2.9	6	<1	1	2	3	5	7	12
20-34	5750	2.8	5	<1	1	2	3	5	7	12
35-49	698	3.2	6	<1	1	3	4	6	8	13
50-64										
65+										
GRAND TOTAL	**7559**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	924	3.0	4	1	1	3	4	5	7	9
20-34	5482	3.4	5	1	2	3	4	6	7	11
35-49	227	4.3	13	1	2	3	5	7	11	20
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.0	3	1	1	5	5	6	6	6
20-34	39	6.3	69	<1	<1	4	6	18	25	39
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	605	3.1	5	1	1	3	4	5	7	12
20-34	3296	3.8	9	1	1	3	5	7	9	15
35-49	161	4.1	6	1	2	4	5	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.0	4	1	1	4	5	7	8	8
20-34	116	8.9	83	1	1	6	12	19	30	44
35-49	7	10.1	108	1	1	7	17	27	29	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6633	3.4	5	1	1	3	4	6	7	11
B. *Operated*	49	5.9	56	<1	<1	4	6	14	24	39
2. MULTIPLE DX										
A. *Not Operated*	4062	3.7	8	1	1	3	4	7	8	14
B. *Operated*	144	8.2	75	1	1	5	11	19	29	42
1. SINGLE DX	6682	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX	4206	3.8	11	1	1	3	5	7	9	17
A. NOT OPERATED	10695	3.5	6	1	1	3	4	6	8	12
B. OPERATED	193	7.7	71	1	1	5	10	18	25	41
TOTAL 0-19 YRS	1558	3.1	4	1	1	3	4	5	7	10
20-34	8933	3.6	8	1	1	3	4	6	8	14
35-49	397	4.3	12	1	2	4	5	7	10	19
50-64										
65+										
GRAND TOTAL	**10888**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3079	1.1		<1	<1	<1	1	1	2	3
20-34	12231	1.1		<1	<1	<1	1	1	2	3
35-49	733	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	425	1.1		<1	<1	<1	1	1	2	4
20-34	1679	1.1	1	<1	<1	<1	1	1	2	5
35-49	85	1.1		<1	<1	<1	1	1	1	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	1.5	2	<1	<1	1	1	3	4	6
20-34	1694	1.5	3	<1	<1	1	1	2	3	7
35-49	117	1.4	2	<1	<1	1	1	2	3	9
50-64										
65+										
B. *Operated*										
0-19 YRS	60	1.8	5	<1	<1	1	2	4	5	15
20-34	308	1.6	9	<1	<1	1	1	3	4	7
35-49	21	2.3	6	<1	<1	1	3	5	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16043	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	2189	1.1	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	2213	1.5	3	<1	<1	1	1	2	3	7
B. *Operated*	389	1.7	8	<1	<1	1	1	3	4	9
1. SINGLE DX	18232	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	2602	1.5	3	<1	<1	1	1	2	3	7
A. NOT OPERATED	18256	1.1	1	<1	<1	<1	1	1	2	4
B. OPERATED	2578	1.2	2	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	3966	1.1	1	<1	<1	<1	1	1	2	4
20-34	15912	1.1	1	<1	<1	<1	1	1	2	4
35-49	956	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**20834**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.3	3	<1	<1	2	3	5	6	8
20-34	1283	3.1	16	<1	1	2	3	6	8	20
35-49	184	3.4	18	<1	1	2	4	7	14	22
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	30	<1	<1	2	3	13	17	17
20-34	127	4.1	26	<1	1	3	5	7	15	26
35-49	16	2.1	2	<1	1	2	2	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.4	66	1	1	3	4	6	8	54
20-34	518	4.3	37	1	1	3	4	8	14	34
35-49	80	4.2	37	<1	1	3	5	6	10	38
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.8	4	2	2	5	6	6	6	6
20-34	80	4.8	33	<1	1	3	5	9	15	32
35-49	14	6.6	102	1	1	3	7	13	34	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1548	3.1	15	<1	1	2	3	6	8	20
B. *Operated*	151	3.9	24	<1	1	2	4	7	15	22
2. MULTIPLE DX										
A. *Not Operated*	640	4.3	38	1	1	3	4	8	13	35
B. *Operated*	98	5.0	41	<1	1	3	5	10	16	37
1. SINGLE DX	1699	3.2	16	<1	1	2	3	6	8	21
2. MULTIPLE DX	738	4.4	39	1	1	3	4	8	13	35
A. NOT OPERATED	2188	3.4	22	<1	1	2	4	6	10	27
B. OPERATED	249	4.3	31	<1	1	3	5	8	15	34
TOTAL 0-19 YRS	135	3.1	24	<1	<1	2	4	6	7	23
20-34	2008	3.5	23	<1	1	2	4	7	10	28
35-49	294	3.7	26	<1	1	2	4	7	12	27
50-64										
65+										
GRAND TOTAL	**2437**	**3.5**	**23**	**<1**	**1**	**2**	**4**	**6**	**10**	**27**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	1.7	1	<1	<1	1	2	3	4	6
20-34	1786	2.0	7	<1	<1	1	2	4	5	11
35-49	155	1.8	5	<1	<1	1	2	3	4	12
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.9	5	<1	<1	1	2	4	6	12
20-34	197	2.3	10	<1	<1	1	2	4	7	16
35-49	9	2.8	21	<1	<1	1	2	10	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.0	3	<1	<1	1	2	4	5	9
20-34	786	2.9	21	<1	<1	2	3	5	8	24
35-49	73	3.5	16	<1	<1	2	4	6	12	25
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.1	2	<1	<1	2	3	4	4	4
20-34	116	3.2	17	<1	<1	2	4	6	10	22
35-49	8	3.8	9	<1	<1	2	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2260	1.9	6	<1	<1	1	2	3	5	10
B. *Operated*	233	2.3	10	<1	<1	1	2	4	7	15
2. MULTIPLE DX										
A. *Not Operated*	1028	2.8	18	<1	<1	2	3	5	7	23
B. *Operated*	134	3.1	15	<1	<1	2	4	7	9	19
1. SINGLE DX	2493	2.0	6	<1	<1	1	2	3	5	11
2. MULTIPLE DX	1162	2.9	18	<1	<1	2	3	5	8	23
A. NOT OPERATED	3288	2.2	10	<1	<1	1	2	4	5	13
B. OPERATED	367	2.6	12	<1	<1	1	3	5	8	16
TOTAL 0-19 YRS	525	1.8	2	<1	<1	1	2	4	5	7
20-34	2885	2.3	11	<1	<1	1	3	4	6	16
35-49	245	2.4	10	<1	<1	1	2	4	6	16
50-64										
65+										
GRAND TOTAL	**3655**	**2.3**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**15**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	573	2.9	3	<1	<1	3	4	5	6	8
20-34	1270	2.7	2	<1	1	3	4	5	6	7
35-49	41	2.6	2	<1	<1	2	4	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.3	3	<1	<1	2	3	5	6	8
20-34	109	2.5	3	<1	<1	2	4	5	6	7
35-49	4	2.3	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1638	3.2	4	<1	1	3	4	5	6	9
20-34	3479	3.1	3	<1	1	3	4	5	6	9
35-49	119	3.3	5	<1	1	3	4	6	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	82	3.7	7	1	1	3	5	7	8	15
20-34	233	3.9	13	<1	1	3	5	7	9	13
35-49	12	5.4	14	<1	1	5	7	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	2.8	2	<1	1	3	4	5	6	8
B. *Operated*	165	2.4	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	5236	3.1	4	<1	1	3	4	5	6	9
B. *Operated*	327	3.9	12	<1	1	3	5	7	9	13
1. SINGLE DX	2049	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	5563	3.2	4	<1	1	3	4	5	6	10
A. NOT OPERATED	7120	3.0	3	<1	1	3	4	5	6	9
B. OPERATED	492	3.4	9	<1	<1	3	5	7	8	12
TOTAL 0-19 YRS	2345	3.1	4	<1	1	3	4	5	6	9
20-34	5091	3.0	4	<1	1	3	4	5	6	9
35-49	176	3.3	5	<1	1	3	4	6	8	12
50-64										
65+										
GRAND TOTAL	**7612**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.9	10	<1	1	2	3	5	7	13
20-34	1696	3.3	6	<1	1	3	4	6	8	13
35-49	299	3.7	14	1	1	3	4	7	9	24
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.3	3	<1	<1	2	3	5	6	8
20-34	139	3.2	6	<1	<1	2	4	7	8	11
35-49	23	2.7	4	<1	<1	2	4	5	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1433	2.9	12	<1	<1	2	4	5	7	14
20-34	7574	3.3	9	<1	1	2	4	6	8	15
35-49	819	3.9	13	<1	1	3	5	8	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	164	3.5	11	1	1	3	4	7	10	15
20-34	1012	4.6	24	<1	1	3	6	9	13	27
35-49	104	5.2	31	1	1	3	7	12	14	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2212	3.3	8	<1	1	3	4	6	8	13
B. *Operated*	182	3.1	6	<1	<1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	9826	3.3	10	<1	1	2	4	6	8	15
B. *Operated*	1280	4.5	23	<1	1	3	6	9	13	28
1. SINGLE DX	2394	3.3	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	11106	3.4	12	<1	1	2	4	7	9	17
A. NOT OPERATED	12038	3.3	10	<1	1	2	4	6	8	15
B. OPERATED	1462	4.3	21	<1	1	3	5	8	12	27
TOTAL 0-19 YRS	1834	3.0	11	<1	<1	2	4	6	8	14
20-34	10421	3.4	10	<1	1	3	4	7	9	16
35-49	1245	4.0	14	<1	1	3	5	8	11	22
50-64										
65+										
GRAND TOTAL	**13500**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3120	2.0	5	<1	<1	1	2	4	5	10
20-34	13251	2.0	5	<1	<1	1	2	4	5	11
35-49	899	2.2	8	<1	<1	1	2	5	6	13
50-64										
65+										
B. *Operated*										
0-19 YRS	782	2.4	9	<1	<1	1	3	5	7	17
20-34	5010	2.1	7	<1	<1	1	2	4	6	11
35-49	471	2.1	5	<1	<1	1	2	4	5	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1645	2.9	12	<1	<1	2	3	5	8	17
20-34	7636	3.1	21	<1	<1	2	3	6	9	22
35-49	596	3.9	35	<1	<1	2	4	8	13	32
50-64										
65+										
B. *Operated*										
0-19 YRS	522	3.1	22	<1	<1	2	4	6	8	18
20-34	3289	3.2	21	<1	<1	2	4	6	10	22
35-49	340	4.1	63	<1	<1	2	4	8	12	50
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17270	2.0	6	<1	<1	1	2	4	5	11
B. *Operated*	6263	2.1	7	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	9877	3.1	20	<1	<1	2	3	6	9	22
B. *Operated*	4151	3.2	25	<1	<1	2	4	6	10	24
1. SINGLE DX	23533	2.1	6	<1	<1	1	2	4	5	11
2. MULTIPLE DX	14028	3.1	22	<1	<1	2	3	6	9	22
A. NOT OPERATED	27147	2.4	11	<1	<1	1	3	5	7	15
B. OPERATED	10414	2.6	14	<1	<1	1	3	5	7	17
TOTAL 0-19 YRS	6069	2.4	9	<1	<1	1	3	4	6	15
20-34	29186	2.5	12	<1	<1	1	3	5	7	16
35-49	2306	2.9	23	<1	<1	1	3	6	9	21
50-64										
65+										
GRAND TOTAL	**37561**	**2.5**	**12**	**<1**	**<1**	**1**	**3**	**5**	**7**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	2.4	1	1	1	2	3	3	4	5
20-34	1926	2.4	1	1	1	2	3	3	4	5
35-49	197	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	161	3.2	7	1	2	3	4	5	6	10
20-34	1245	3.3	5	1	2	3	4	5	5	10
35-49	128	3.4	5	1	2	3	4	6	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	635	2.7	2	1	2	2	3	4	4	7
20-34	3329	2.7	2	1	1	3	3	4	4	7
35-49	327	2.7	5	1	1	3	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	833	4.0	17	1	2	3	4	7	9	20
20-34	7980	4.3	21	2	2	3	5	6	8	23
35-49	1128	4.6	24	2	2	4	5	7	10	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2459	2.4	1	1	1	2	3	3	4	5
B. *Operated*	1534	3.3	5	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	4291	2.7	3	1	1	3	3	4	4	8
B. *Operated*	9941	4.3	21	2	2	3	5	6	8	23
1. SINGLE DX	3993	2.7	3	1	1	3	3	4	5	7
2. MULTIPLE DX	14232	3.8	16	1	2	3	4	6	7	18
A. NOT OPERATED	6750	2.6	2	1	1	2	3	4	4	7
B. OPERATED	11475	4.1	19	1	2	3	5	6	8	22
TOTAL 0-19 YRS	1965	3.2	9	1	2	3	4	5	6	13
20-34	14480	3.6	13	1	2	3	4	5	7	16
35-49	1780	4.0	17	1	2	3	5	6	8	22
50-64										
65+										
GRAND TOTAL	**18225**	**3.6**	**13**	**1**	**2**	**3**	**4**	**5**	**7**	**16**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17621	2.2	1	1	1	2	3	3	4	4
20-34	109099	2.3	1	1	1	2	3	3	4	4
35-49	6998	2.3	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4938	2.2	1	1	1	2	3	3	3	4
20-34	30276	2.3	1	1	1	2	3	3	4	4
35-49	1819	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	725	2.5	2	1	1	2	3	4	4	6
20-34	3641	2.5	1	1	1	3	3	4	4	6
35-49	277	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	501	2.7	3	1	1	2	3	4	5	9
20-34	15626	2.8	1	1	2	3	3	4	4	5
35-49	2034	2.9	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133718	2.3	1	1	1	2	3	3	4	4
B. *Operated*	37033	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	4643	2.5	1	1	1	2	3	4	4	6
B. *Operated*	18161	2.8	1	1	2	3	3	4	4	5
1. SINGLE DX	170751	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	22804	2.8	1	1	2	3	3	4	4	6
A. NOT OPERATED	138361	2.3	1	1	1	2	3	3	4	4
B. OPERATED	55194	2.5	1	1	1	2	3	4	4	5
TOTAL 0-19 YRS	23785	2.3	1	1	1	2	3	3	4	4
20-34	158642	2.3	1	1	1	2	3	3	4	5
35-49	11128	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**193555**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	74	2.8	6	<1	1	2	3	4	7	16
35-49	6	5.5	66	1	1	2	3	20	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	30	4.4	2	2	3	4	5	6	7	9
20-34	500	6.0	43	2	3	5	5	8	19	31
35-49	83	6.3	34	3	3	5	6	9	16	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	2	1	1	2	3	5	6	6
20-34	86	3.4	9	1	1	3	3	5	10	19
35-49	6	10.0	234	2	2	4	7	38	41	41
50-64										
65+										
B. *Operated*										
0-19 YRS	84	6.6	60	2	2	5	6	13	21	48
20-34	1456	7.8	86	2	3	5	7	17	27	49
35-49	327	8.9	114	3	3	5	7	20	34	57
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.9	10	<1	1	2	3	4	8	20
B. *Operated*	613	5.9	40	2	3	5	5	8	18	30
2. MULTIPLE DX										
A. *Not Operated*	103	3.7	22	1	1	3	4	6	10	30
B. *Operated*	1867	8.0	90	2	3	5	7	18	27	50
1. SINGLE DX	697	5.6	37	2	2	4	5	7	17	29
2. MULTIPLE DX	1970	7.8	87	2	3	5	7	17	27	50
A. NOT OPERATED	187	3.3	16	1	1	3	3	5	10	22
B. OPERATED	2480	7.5	78	2	3	5	6	15	25	49
TOTAL 0-19 YRS	129	5.6	42	2	2	4	5	8	19	33
20-34	2116	7.0	72	2	3	5	6	14	24	48
35-49	422	8.4	100	3	3	5	7	18	30	51
50-64										
65+										
GRAND TOTAL	**2667**	**7.2**	**75**	**2**	**3**	**5**	**6**	**14**	**25**	**48**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.2	1	1	1	2	3	3	4	5
20-34	459	2.4	3	1	1	2	3	3	4	6
35-49	44	2.6	2	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	92	3.5	2	1	1	3	5	5	6	6
20-34	673	3.7	3	1	2	4	5	5	6	9
35-49	63	3.3	2	1	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.4	2	<1	1	2	3	4	5	7
20-34	558	3.0	8	1	1	2	3	5	7	16
35-49	46	2.4	2	1	1	2	3	4	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	331	4.5	14	2	2	4	5	7	10	16
20-34	2526	4.5	12	2	2	4	5	6	8	21
35-49	289	5.1	37	2	2	4	5	8	12	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	2.4	3	1	1	2	3	3	4	6
B. *Operated*	828	3.6	3	1	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	709	2.9	7	1	1	2	3	5	6	15
B. *Operated*	3146	4.5	15	2	2	4	5	7	9	20
1. SINGLE DX	1395	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	3855	4.2	14	1	2	4	5	6	8	19
A. NOT OPERATED	1276	2.6	5	1	1	2	3	4	5	12
B. OPERATED	3974	4.3	12	1	2	4	5	6	8	17
TOTAL 0-19 YRS	592	3.7	10	1	1	3	4	6	7	14
20-34	4216	3.9	10	1	2	3	5	6	7	16
35-49	442	4.3	26	1	2	4	5	6	9	17
50-64										
65+										
GRAND TOTAL	**5230**	**3.9**	**11**	**1**	**2**	**3**	**5**	**6**	**7**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	1	1	2	2	3	3	3
20-34	133	2.1	1	1	1	2	3	3	4	5
35-49	10	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	172	2.2	1	1	1	2	3	4	4	5
20-34	1443	2.3	1	1	1	2	3	3	4	5
35-49	126	3.3	69	1	1	3	3	4	4	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.5	1	1	2	2	3	4	4	4
20-34	60	2.6	1	1	1	2	3	4	5	7
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	155	2.6	2	1	1	2	3	4	4	8
20-34	1310	2.8	2	1	1	3	3	4	5	7
35-49	150	3.4	9	1	2	3	4	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	2.1	1	1	1	2	3	3	4	4
B. *Operated*	1741	2.3	6	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	81	2.6	1	1	1	2	3	4	4	7
B. *Operated*	1615	2.8	3	1	1	3	3	4	5	8
1. SINGLE DX	1901	2.3	6	1	1	2	3	3	4	5
2. MULTIPLE DX	1696	2.8	3	1	1	3	3	4	5	8
A. NOT OPERATED	241	2.3	1	1	1	2	3	3	4	5
B. OPERATED	3356	2.6	4	1	1	2	3	4	4	7
TOTAL 0-19 YRS	362	2.4	1	1	1	2	3	4	4	6
20-34	2946	2.5	1	1	1	2	3	4	4	7
35-49	289	3.3	35	1	1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**3597**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	2.4	1	1	1	2	3	4	4	5
20-34	703	2.3	1	1	1	2	3	3	4	5
35-49	27	3.0	3	1	1	3	4	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	69	2.5	1	1	1	2	3	4	4	7
20-34	390	2.5	1	1	1	2	3	4	4	5
35-49	29	2.6	2	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	2.5	1	1	1	2	3	4	5	6
20-34	490	2.6	1	1	1	2	3	4	4	6
35-49	45	2.6	2	<1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	123	2.6	2	1	1	2	3	4	5	8
20-34	751	2.8	2	1	1	3	3	4	5	8
35-49	76	3.1	6	1	1	3	4	4	6	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	865	2.4	1	1	1	2	3	4	4	5
B. *Operated*	488	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	632	2.6	1	1	1	2	3	4	4	6
B. *Operated*	950	2.8	2	1	1	3	3	4	5	8
1. SINGLE DX	1353	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	1582	2.7	2	1	1	3	3	4	5	7
A. NOT OPERATED	1497	2.5	1	1	1	2	3	4	4	6
B. OPERATED	1438	2.7	2	1	1	3	3	4	5	7
TOTAL 0-19 YRS	424	2.5	1	1	1	2	3	4	4	6
20-34	2334	2.6	1	1	1	2	3	4	4	6
35-49	177	2.9	4	1	1	3	3	4	6	9
50-64										
65+										
GRAND TOTAL	**2935**	**2.6**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.9	2	1	1	3	4	4	6	7
20-34	234	3.0	4	1	2	3	3	4	5	6
35-49	28	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.8	4	1	1	3	5	6	8	10
20-34	279	3.8	2	2	2	4	5	6	6	8
35-49	26	4.3	3	1	2	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.8	21	1	1	2	4	5	15	23
20-34	323	3.7	17	1	2	3	4	5	7	24
35-49	31	3.3	4	1	1	3	4	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	209	6.2	53	2	2	5	6	10	14	47
20-34	2693	5.3	28	2	3	5	6	7	10	24
35-49	279	5.7	28	2	3	5	6	8	11	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	3.0	3	1	2	3	3	4	5	7
B. *Operated*	324	3.8	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	379	3.7	17	1	1	3	4	5	7	23
B. *Operated*	3181	5.4	30	2	3	5	6	7	10	27
1. SINGLE DX	617	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	3560	5.2	29	2	2	4	6	7	10	27
A. NOT OPERATED	672	3.4	11	1	2	3	4	5	6	20
B. OPERATED	3505	5.2	28	2	2	5	6	7	10	25
TOTAL 0-19 YRS	284	5.5	42	1	2	4	6	9	13	42
20-34	3529	4.9	24	2	2	4	5	7	9	22
35-49	364	5.2	23	2	2	5	6	7	10	26
50-64										
65+										
GRAND TOTAL	**4177**	**4.9**	**25**	**2**	**2**	**4**	**5**	**7**	**9**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	1	1	1	2	3	3	4	4
20-34	335	2.3	1	1	1	2	3	3	4	5
35-49	33	2.3	1	<1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	679	4.1	1	2	3	4	5	5	6	7
20-34	5324	4.1	1	2	3	4	5	5	6	7
35-49	357	4.1	1	2	3	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.1	5	1	1	2	4	6	8	11
20-34	165	2.5	2	1	1	2	3	4	5	7
35-49	28	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	847	4.8	5	2	3	4	5	7	8	13
20-34	7708	4.6	4	2	3	4	5	6	7	11
35-49	928	4.8	8	2	3	4	5	6	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	2.3	1	1	1	2	3	3	4	5
B. *Operated*	6360	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	226	2.6	2	1	1	2	3	4	5	9
B. *Operated*	9483	4.6	4	2	3	4	5	6	7	11
1. SINGLE DX	6765	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	9709	4.5	4	2	3	4	5	6	7	11
A. NOT OPERATED	631	2.4	1	1	1	2	3	4	4	6
B. OPERATED	15843	4.4	3	2	3	4	5	6	7	10
TOTAL 0-19 YRS	1596	4.4	3	2	3	4	5	6	7	11
20-34	13532	4.3	3	2	3	4	5	6	6	9
35-49	1346	4.5	6	2	3	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**16474**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	153	2.2	1	1	1	2	3	3	4	5
20-34	1534	2.3	1	1	1	2	3	3	4	5
35-49	108	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. Operated										
0-19 YRS	342	3.1	2	1	2	3	4	5	6	7
20-34	2800	3.3	2	1	2	3	4	5	6	7
35-49	238	3.4	2	1	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	2.3	1	1	1	2	3	4	4	4
20-34	1205	2.4	1	1	1	2	3	4	4	6
35-49	99	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
B. Operated										
0-19 YRS	1500	3.8	3	1	2	4	5	6	6	10
20-34	12329	3.9	3	2	2	4	5	6	6	9
35-49	1339	4.2	4	2	2	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1795	2.3	1	1	1	2	3	3	4	5
B. Operated	3380	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	1451	2.4	1	1	1	2	3	4	4	6
B. Operated	15168	3.9	3	2	2	4	5	6	6	10
1. SINGLE DX	5175	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX	16619	3.8	3	1	2	4	5	6	6	9
A. NOT OPERATED	3246	2.4	1	1	1	2	3	3	4	5
B. OPERATED	18548	3.8	3	1	2	4	5	6	6	9
TOTAL 0-19 YRS	2142	3.5	3	1	2	3	4	5	6	9
20-34	17868	3.5	3	1	2	3	4	5	6	8
35-49	1784	3.9	4	1	2	4	5	6	6	10
50-64										
65+										
GRAND TOTAL	**21794**	**3.6**	**3**	**1**	**2**	**3**	**5**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.8	1	1	1	3	3	4	5	5
20-34	81	2.7	1	1	1	3	3	4	5	6
35-49	6	3.7	4	1	1	3	6	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	1053	4.6	2	3	3	4	5	6	7	8
20-34	5762	4.6	1	3	3	5	5	6	6	7
35-49	296	4.7	1	3	3	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.1	3	2	2	4	5	6	7	7
20-34	95	3.3	2	1	1	3	4	5	6	8
35-49	5	2.8	4	1	1	2	4	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	3148	5.0	4	3	3	5	6	7	8	12
20-34	19215	4.8	2	3	3	5	5	6	7	9
35-49	1598	5.0	2	3	4	5	6	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	2.8	2	1	1	3	3	4	5	6
B. Operated	7111	4.6	1	3	3	5	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	114	3.4	2	1	1	3	5	5	6	8
B. Operated	23961	4.8	3	3	3	5	5	6	7	10
1. SINGLE DX	7207	4.6	1	3	3	5	5	6	6	7
2. MULTIPLE DX	24075	4.8	3	3	3	5	5	6	7	10
A. NOT OPERATED	210	3.1	2	1	1	3	4	5	6	7
B. OPERATED	31072	4.8	2	3	3	5	5	6	7	10
TOTAL 0-19 YRS	4224	4.9	3	3	3	5	5	7	8	11
20-34	25153	4.7	2	3	3	5	5	6	7	9
35-49	1905	4.9	2	3	3	5	6	6	7	10
50-64										
65+										
GRAND TOTAL	**31282**	**4.8**	**2**	**3**	**3**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	2.5	1	1	1	2	3	4	4	5
20-34	2283	2.5	1	1	1	3	3	4	4	5
35-49	135	2.6	2	1	1	3	3	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	663	3.6	2	1	2	4	5	5	6	8
20-34	4775	3.5	2	1	2	3	5	5	6	7
35-49	320	3.6	2	1	2	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	2.6	2	1	1	3	3	4	4	6
20-34	1784	2.7	3	1	1	3	3	4	4	6
35-49	138	2.6	1	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1942	4.1	4	2	2	4	5	6	7	11
20-34	13930	4.0	4	2	2	4	5	6	7	9
35-49	1219	4.2	3	2	2	4	5	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2801	2.5	1	1	1	3	3	4	4	5
B. *Operated*	5758	3.6	2	1	2	3	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	2251	2.7	3	1	1	3	3	4	4	6
B. *Operated*	17091	4.0	4	2	2	4	5	6	7	9
1. SINGLE DX	8559	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	19342	3.9	4	1	2	4	5	6	7	9
A. NOT OPERATED	5052	2.6	2	1	1	3	3	4	4	5
B. OPERATED	22849	3.9	3	2	2	4	5	6	6	9
TOTAL 0-19 YRS	3317	3.7	4	1	2	3	5	6	7	10
20-34	22772	3.7	3	1	2	3	5	6	6	8
35-49	1812	3.9	3	1	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**27901**	**3.7**	**3**	**1**	**2**	**3**	**5**	**6**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	1	<1	1	2	3	4	4	5
20-34	349	2.4	1	1	1	2	3	3	4	4
35-49	43	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	134	4.0	3	1	2	4	5	6	7	9
20-34	1194	3.7	3	1	2	4	5	6	6	8
35-49	108	3.6	2	2	2	3	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.5	3	<1	1	2	3	4	6	10
20-34	298	3.0	20	1	1	3	3	4	5	15
35-49	41	2.8	2	1	1	3	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	423	4.7	4	2	3	4	5	7	8	13
20-34	3594	4.5	15	2	2	4	5	6	7	14
35-49	500	4.7	10	2	2	4	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	2.3	1	1	1	2	3	3	4	5
B. *Operated*	1436	3.8	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	375	3.0	16	1	1	3	3	4	5	11
B. *Operated*	4517	4.5	13	2	2	4	5	6	7	14
1. SINGLE DX	1874	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	4892	4.4	14	2	2	4	5	6	7	14
A. NOT OPERATED	813	2.6	8	1	1	2	3	4	4	8
B. OPERATED	5953	4.3	11	2	2	4	5	6	7	13
TOTAL 0-19 YRS	639	4.2	4	1	2	4	5	6	8	12
20-34	5435	4.1	12	1	2	4	5	6	7	12
35-49	692	4.3	8	2	2	4	5	6	7	11
50-64										
65+										
GRAND TOTAL	**6766**	**4.1**	**11**	**1**	**2**	**4**	**5**	**6**	**7**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.1	1	1	1	2	3	3	4	5
20-34	778	2.4	2	1	1	2	3	3	4	6
35-49	72	2.4	1	1	1	2	3	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1078	4.2	1	3	3	4	5	6	6	7
20-34	20814	4.3	1	3	3	4	5	6	6	7
35-49	1651	4.6	1	3	3	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	3	1	1	2	4	5	7	9
20-34	425	2.5	2	1	1	2	3	4	5	6
35-49	40	2.5	1	<1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	985	4.7	2	3	3	4	5	6	7	10
20-34	31265	4.6	3	3	3	4	5	6	7	9
35-49	4163	4.8	3	3	3	5	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	892	2.3	2	1	1	2	3	3	4	6
B. *Operated*	23543	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	485	2.5	2	1	1	2	3	4	5	7
B. *Operated*	36413	4.6	3	3	3	4	5	6	7	9
1. SINGLE DX	24435	4.3	1	2	3	4	5	6	6	7
2. MULTIPLE DX	36898	4.6	3	3	3	4	5	6	7	9
A. NOT OPERATED	1377	2.4	2	1	1	2	3	4	4	6
B. OPERATED	59956	4.5	2	3	3	4	5	6	7	8
TOTAL 0-19 YRS	2125	4.4	2	2	3	4	5	6	6	8
20-34	53282	4.4	2	3	3	4	5	6	6	8
35-49	5926	4.7	2	3	3	5	5	6	7	9
50-64										
65+										
GRAND TOTAL	**61333**	**4.5**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	2.6	2	1	1	3	3	4	4	7
20-34	3780	2.7	3	1	1	3	3	4	4	6
35-49	294	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	433	2.8	2	1	1	3	3	4	5	7
20-34	3039	2.9	3	1	2	3	3	4	5	7
35-49	228	3.0	2	1	1	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	566	3.3	10	1	1	3	4	5	6	15
20-34	3302	3.1	5	1	1	3	3	5	6	13
35-49	292	3.1	3	1	2	3	3	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1558	4.1	11	1	2	3	5	7	8	16
20-34	12516	4.0	8	1	2	3	5	6	7	14
35-49	1326	4.2	12	1	2	4	5	6	8	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4646	2.7	3	1	1	3	3	4	4	6
B. *Operated*	3700	2.9	3	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4160	3.1	5	1	1	3	4	5	6	13
B. *Operated*	15400	4.0	9	1	2	3	5	6	7	14
1. SINGLE DX	8346	2.8	3	1	1	3	3	4	5	7
2. MULTIPLE DX	19560	3.8	8	1	2	3	5	6	7	14
A. NOT OPERATED	8806	2.9	4	1	1	3	3	4	5	10
B. OPERATED	19100	3.8	8	1	2	3	5	6	7	13
TOTAL 0-19 YRS	3129	3.5	8	1	2	3	4	6	7	14
20-34	22637	3.5	7	1	2	3	4	5	6	12
35-49	2140	3.7	8	1	2	3	4	6	7	13
50-64										
65+										
GRAND TOTAL	**27906**	**3.5**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1876	2.2	1	1	1	2	3	3	3	4
20-34	15231	2.3	1	1	1	2	3	3	4	4
35-49	1095	2.3	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1054	2.2	1	1	1	2	3	3	4	5
20-34	8294	2.4	1	1	1	2	3	3	4	5
35-49	523	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	620	2.3	1	1	1	2	3	3	4	5
20-34	4578	2.4	1	1	1	2	3	3	4	5
35-49	384	2.6	4	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1268	2.6	2	1	1	2	3	4	5	8
20-34	12265	2.7	2	1	1	3	3	4	5	6
35-49	1202	2.9	2	1	1	3	3	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18202	2.3	1	1	1	2	3	3	4	4
B. *Operated*	9871	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	5582	2.4	1	1	1	2	3	3	4	5
B. *Operated*	14735	2.7	2	1	1	3	3	4	5	7
1. SINGLE DX	28073	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	20317	2.6	2	1	1	3	3	4	5	6
A. NOT OPERATED	23784	2.3	1	1	1	2	3	3	4	4
B. OPERATED	24606	2.6	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	4818	2.3	1	1	1	2	3	3	4	5
20-34	40368	2.4	1	1	1	2	3	4	4	5
35-49	3204	2.6	2	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**48390**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	2.2	2	1	1	2	3	3	3	4
20-34	2684	2.1	1	1	1	2	3	3	3	4
35-49	213	2.1	1	<1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3648	2.1	1	1	1	2	3	3	3	4
20-34	29145	2.1	1	1	1	2	3	3	3	4
35-49	2644	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	2.7	12	1	1	2	3	4	4	8
20-34	1194	2.4	4	1	1	2	3	3	4	6
35-49	93	2.2	2	<1	1	2	3	3	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2189	2.5	3	1	1	2	3	4	4	7
20-34	21035	2.5	1	1	1	2	3	4	4	6
35-49	2482	2.6	2	1	1	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3349	2.1	1	1	1	2	3	3	3	4
B. *Operated*	35437	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1561	2.4	6	1	1	2	3	3	4	6
B. *Operated*	25706	2.5	2	1	1	2	3	4	4	6
1. SINGLE DX	38786	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	27267	2.5	2	1	1	2	3	4	4	6
A. NOT OPERATED	4910	2.2	3	1	1	2	3	3	4	5
B. OPERATED	61143	2.3	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	6563	2.3	2	1	1	2	3	3	4	5
20-34	54058	2.3	1	1	1	2	3	3	4	5
35-49	5432	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**66053**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	2.3	1	1	1	2	3	3	4	5
20-34	819	2.3	1	1	1	2	3	3	4	5
35-49	32	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2847	2.4	1	1	1	2	3	3	4	4
20-34	12652	2.5	1	1	1	3	3	4	4	5
35-49	554	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.9	3	1	2	3	3	5	6	10
20-34	350	2.7	2	1	2	3	3	4	4	7
35-49	23	2.7	1	<1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2242	2.8	3	1	2	3	3	4	5	7
20-34	11423	2.8	2	1	2	3	3	4	4	6
35-49	700	2.8	2	1	1	3	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1030	2.3	1	1	1	2	3	3	4	5
B. *Operated*	16053	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	480	2.7	2	1	2	3	3	4	5	9
B. *Operated*	14365	2.8	2	1	2	3	3	4	4	6
1. SINGLE DX	17083	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX	14845	2.8	2	1	2	3	3	4	4	7
A. NOT OPERATED	1510	2.4	1	1	1	2	3	4	4	6
B. OPERATED	30418	2.6	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	5375	2.6	2	1	1	2	3	4	4	6
20-34	25244	2.6	1	1	2	3	3	4	4	6
35-49	1309	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**31928**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.1	1	1	1	2	3	3	3	4
20-34	1023	2.2	1	1	1	2	3	3	3	5
35-49	33	2.4	1	1	1	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1022	2.3	1	1	1	2	3	3	4	5
20-34	5187	2.3	1	1	1	2	3	3	4	5
35-49	245	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	2.7	3	1	1	2	3	4	6	11
20-34	499	2.3	1	1	1	2	3	3	4	5
35-49	21	2.7	1	1	2	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	901	2.7	2	1	1	2	3	4	5	7
20-34	5307	2.7	2	1	1	3	3	4	4	7
35-49	347	3.0	2	1	1	3	3	5	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1263	2.2	1	1	1	2	3	3	3	5
B. *Operated*	6454	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	649	2.4	1	1	1	2	3	3	4	7
B. *Operated*	6555	2.7	2	1	1	3	3	4	5	7
1. SINGLE DX	7717	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	7204	2.7	2	1	1	2	3	4	5	7
A. NOT OPERATED	1912	2.3	1	1	1	2	3	3	4	5
B. OPERATED	13009	2.5	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	2259	2.4	1	1	1	2	3	4	4	6
20-34	12016	2.5	1	1	1	2	3	4	4	6
35-49	646	2.7	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**14921**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3793	2.4	2	1	1	2	3	4	4	7
20-34	19936	2.3	2	1	1	2	3	3	4	6
35-49	1575	2.4	2	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	6745	2.8	2	1	1	3	3	5	5	8
20-34	38094	2.9	3	1	1	3	3	4	5	7
35-49	2499	3.0	3	1	1	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2936	2.8	6	1	1	2	3	4	5	10
20-34	14923	2.6	5	1	1	2	3	4	5	9
35-49	1325	2.7	3	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	12644	3.8	8	1	2	3	5	6	8	14
20-34	78243	3.8	9	1	2	3	5	6	7	14
35-49	8020	4.2	12	1	2	4	5	7	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25304	2.4	2	1	1	2	3	3	4	6
B. *Operated*	47338	2.9	3	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	19184	2.7	5	1	1	2	3	4	5	9
B. *Operated*	98907	3.8	9	1	2	3	5	6	8	14
1. SINGLE DX	72642	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX	118091	3.6	8	1	2	3	4	6	7	14
A. NOT OPERATED	44488	2.5	3	1	1	2	3	4	4	7
B. OPERATED	146245	3.5	7	1	2	3	4	6	7	13
TOTAL 0-19 YRS	26118	3.2	6	1	1	3	4	5	7	12
20-34	151196	3.2	6	1	1	3	4	5	6	11
35-49	13419	3.6	9	1	2	3	4	6	7	14
50-64										
65+										
GRAND TOTAL	**190733**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	3.2	2	1	2	3	4	5	6	8
20-34	633	3.4	3	1	2	3	4	5	6	9
35-49	34	3.4	2	2	2	3	4	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.8	5	<1	<1	3	4	5	8	9
20-34	48	4.0	9	<1	<1	3	5	8	10	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.8	5	1	2	3	4	6	8	13
20-34	381	3.8	3	2	2	3	5	6	7	9
35-49	26	4.2	8	2	2	3	5	9	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.6	16	1	1	4	7	11	15	16
20-34	126	6.2	34	1	1	4	8	12	15	31
35-49	5	7.2	27	3	3	5	11	15	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	3.3	2	1	2	3	4	5	6	8
B. *Operated*	62	3.8	8	<1	<1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	508	3.8	4	2	2	3	5	6	8	11
B. *Operated*	152	6.1	31	1	1	4	8	12	15	26
1. SINGLE DX	919	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	660	4.4	11	1	2	4	5	8	10	16
A. NOT OPERATED	1365	3.5	3	2	2	3	4	6	7	9
B. OPERATED	214	5.4	25	<1	1	4	7	11	15	24
TOTAL 0-19 YRS	325	3.5	4	1	2	3	4	6	8	13
20-34	1188	3.8	7	1	2	3	4	6	8	13
35-49	66	4.0	7	2	2	3	5	7	9	15
50-64										
65+										
GRAND TOTAL	**1579**	**3.8**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.5	1	<1	<1	1	2	3	3	4
20-34	191	1.5	1	<1	<1	1	2	2	3	5
35-49	16	1.7	1	<1	<1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	74	1.5	1	<1	<1	1	2	2	3	5
20-34	589	1.4	1	<1	<1	1	2	3	3	5
35-49	40	1.9	3	<1	<1	1	2	4	5	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.0	1	1	1	2	3	4	4	5
20-34	137	1.9	1	<1	1	2	2	3	4	6
35-49	12	1.8	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	74	2.2	2	1	1	2	3	4	5	9
20-34	506	2.3	4	<1	1	2	3	5	6	9
35-49	42	2.6	4	<1	1	2	4	6	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	703	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	169	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	622	2.3	4	<1	1	2	3	5	6	10
1. SINGLE DX	941	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	791	2.2	3	<1	1	2	3	5	6	9
A. NOT OPERATED	407	1.7	1	<1	<1	1	2	3	4	6
B. OPERATED	1325	1.9	2	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	199	1.8	1	<1	1	1	2	3	4	6
20-34	1423	1.8	2	<1	<1	1	2	3	5	7
35-49	110	2.1	3	<1	1	1	2	5	6	10
50-64										
65+										
GRAND TOTAL	**1732**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	9	1	1	3	4	8	10	15
20-34	349	3.5	6	1	1	3	4	7	9	11
35-49	39	3.9	6	<1	1	3	5	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	76	3.1	13	1	1	2	3	6	8	25
20-34	500	3.0	7	1	1	2	3	5	9	16
35-49	48	3.6	10	1	1	2	5	8	11	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.3	13	1	1	3	4	10	14	16
20-34	322	4.7	21	1	1	3	6	9	11	18
35-49	42	5.8	15	1	1	5	9	11	13	15
50-64										
65+										
B. *Operated*										
0-19 YRS	79	3.9	14	1	1	3	4	8	14	19
20-34	404	4.4	20	1	1	3	5	10	13	23
35-49	55	6.7	40	1	2	5	8	14	18	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	3.6	6	1	1	3	4	8	9	11
B. *Operated*	624	3.1	8	1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	418	4.7	19	1	1	3	6	10	12	17
B. *Operated*	538	4.6	21	1	1	3	5	10	14	27
1. SINGLE DX	1056	3.3	7	1	1	3	4	7	9	13
2. MULTIPLE DX	956	4.7	21	1	1	3	6	10	13	20
A. NOT OPERATED	850	4.2	13	1	1	3	5	9	10	16
B. OPERATED	1162	3.8	15	1	1	3	4	8	12	19
TOTAL 0-19 YRS	253	3.7	13	1	1	3	4	8	12	17
20-34	1575	3.8	13	1	1	3	4	8	10	18
35-49	184	5.1	21	1	1	3	7	11	13	24
50-64										
65+										
GRAND TOTAL	**2012**	**3.9**	**14**	**1**	**1**	**3**	**4**	**8**	**11**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1962	3.5	5	1	2	3	4	6	7	11
20-34	1936	3.9	5	1	2	3	5	7	8	12
35-49	1422	4.4	7	2	2	4	5	8	9	14
50-64	922	4.8	9	2	2	4	6	8	10	15
65+	726	5.7	12	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	792	4.3	8	1	1	4	6	8	10	14
20-34	991	4.8	13	1	1	4	6	9	11	19
35-49	651	4.9	13	1	1	4	7	10	12	18
50-64	361	6.2	42	1	2	5	8	11	15	26
65+	224	7.0	27	1	2	6	10	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2816	4.2	7	2	2	4	5	7	9	14
20-34	3572	5.1	14	2	2	4	6	9	11	19
35-49	4158	6.1	18	2	2	5	7	11	14	22
50-64	5371	6.9	24	2	3	6	8	12	15	26
65+	10229	8.2	37	3	3	7	10	14	18	33
B. *Operated*										
0-19 YRS	1167	6.2	29	1	2	5	8	12	15	29
20-34	2379	7.8	54	2	2	6	9	15	21	41
35-49	2595	9.4	73	2	3	7	11	19	25	48
50-64	2903	11.4	111	2	3	8	14	23	32	59
65+	4185	13.2	124	3	4	10	16	27	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6968	4.2	7	1	2	4	5	7	9	14
B. *Operated*	3019	5.1	17	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	26146	6.8	27	2	3	6	8	12	15	26
B. *Operated*	13229	10.5	96	2	3	8	13	21	30	54
1. SINGLE DX	9987	4.5	10	1	2	4	5	8	10	15
2. MULTIPLE DX	39375	8.0	53	2	3	6	9	15	21	41
A. NOT OPERATED	33114	6.2	24	2	2	5	8	11	14	24
B. OPERATED	16248	9.5	86	2	2	7	11	19	27	50
TOTAL 0-19 YRS	6737	4.4	11	1	2	4	5	8	10	16
20-34	8878	5.6	25	2	2	4	7	10	13	26
35-49	8826	6.7	35	2	2	5	8	13	17	31
50-64	9557	8.1	55	2	3	6	9	15	20	42
65+	15364	9.4	65	3	3	7	11	17	24	46
GRAND TOTAL	**49362**	**7.3**	**46**	**2**	**2**	**5**	**9**	**14**	**19**	**38**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	587	3.8	5	1	2	3	5	7	8	10
20-34	329	3.7	4	1	2	3	5	7	8	11
35-49	179	3.9	8	1	2	3	5	7	7	18
50-64	99	4.6	8	2	2	4	6	9	11	12
65+	67	4.6	9	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	326	4.0	14	<1	1	3	5	8	9	18
20-34	304	4.0	9	<1	1	3	5	8	10	13
35-49	196	4.5	17	<1	1	3	6	9	11	21
50-64	108	5.0	17	<1	1	4	7	10	14	18
65+	64	5.0	27	<1	<1	3	7	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	933	4.1	6	1	2	3	5	7	9	13
20-34	556	4.9	28	2	2	4	6	9	13	23
35-49	494	5.6	21	2	2	4	7	10	13	19
50-64	604	6.7	23	2	2	5	8	12	15	26
65+	908	7.3	24	2	3	6	9	12	16	26
B. *Operated*										
0-19 YRS	424	5.9	23	1	2	5	7	12	15	25
20-34	525	6.0	45	1	2	4	7	12	15	30
35-49	535	8.1	66	1	2	6	10	16	23	53
50-64	658	8.7	54	1	2	7	11	18	24	40
65+	783	10.0	64	2	3	8	13	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1261	3.9	6	1	2	3	5	7	8	12
B. *Operated*	998	4.2	14	<1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	3495	5.7	21	2	2	5	7	10	13	23
B. *Operated*	2925	8.1	55	1	2	6	10	17	22	40
1. SINGLE DX	2259	4.1	10	1	1	3	5	8	9	16
2. MULTIPLE DX	6420	6.8	38	2	2	5	8	13	18	31
A. NOT OPERATED	4756	5.2	17	2	2	4	6	9	12	20
B. OPERATED	3923	7.1	48	1	1	5	9	15	20	35
TOTAL 0-19 YRS	2270	4.3	11	1	2	4	5	8	10	17
20-34	1714	4.9	26	1	2	4	6	9	12	23
35-49	1404	6.2	38	1	2	4	7	12	16	32
50-64	1469	7.3	37	2	2	6	9	14	19	35
65+	1822	8.3	43	2	3	7	10	16	21	32
GRAND TOTAL	**8679**	**6.1**	**32**	**1**	**2**	**4**	**7**	**12**	**16**	**29**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.4	11	<1	<1	2	4	7	11	14
20-34	22	2.7	2	<1	1	2	4	5	6	6
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	1601	2.3	2	1	1	2	3	4	5	8
20-34	2811	2.3	2	1	1	2	3	4	5	8
35-49	507	2.3	3	<1	1	2	3	4	6	8
50-64	108	2.6	3	1	1	2	3	5	5	9
65+	16	3.1	6	<1	<1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	3	<1	<1	1	3	4	6	7
20-34	36	2.1	2	<1	<1	1	3	4	5	5
35-49	9	4.0	13	<1	<1	4	5	10	12	12
50-64	3	3.3	16	<1	<1	1	6	8	8	8
65+	8	6.6	19	1	2	5	10	13	14	14
B. *Operated*										
0-19 YRS	255	3.2	13	1	1	3	4	5	7	14
20-34	548	3.0	7	1	1	2	4	5	7	14
35-49	178	3.7	10	1	1	3	4	7	11	16
50-64	85	4.7	39	1	1	3	5	8	13	41
65+	40	5.6	105	1	1	3	5	9	18	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.2	8	<1	1	2	4	7	9	14
B. *Operated*	5043	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	76	2.8	7	<1	<1	2	4	6	9	13
B. *Operated*	1106	3.4	15	1	1	3	4	6	9	16
1. SINGLE DX	5090	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1182	3.3	14	1	1	3	4	6	9	16
A. NOT OPERATED	123	3.0	7	<1	<1	2	4	6	9	14
B. OPERATED	6149	2.5	5	1	1	2	3	4	5	10
TOTAL 0-19 YRS	1896	2.4	4	1	1	2	3	4	5	9
20-34	3417	2.4	3	1	1	2	3	4	5	9
35-49	697	2.7	5	1	1	2	3	5	7	13
50-64	197	3.5	19	1	1	2	4	6	8	25
65+	65	5.2	69	<1	1	3	6	10	12	57
GRAND TOTAL	**6272**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	2	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	141	1.3	1	<1	<1	1	1	2	3	5
20-34	188	1.5	1	<1	<1	<1	1	3	4	6
35-49	177	1.5	3	<1	<1	<1	1	3	4	11
50-64	132	1.6	2	<1	<1	<1	2	3	4	7
65+	57	1.5	2	<1	<1	<1	1	2	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	8	<1	<1	3	5	8	9	9
20-34	4	2.0	4	<1	<1	1	3	5	5	5
35-49	10	3.3	6	1	1	3	5	7	8	8
50-64	6	3.7	5	1	1	3	5	7	7	7
65+	6	6.8	51	1	1	5	6	19	21	21
B. *Operated*										
0-19 YRS	36	2.7	27	<1	<1	1	2	4	6	32
20-34	81	2.7	5	<1	<1	2	4	6	7	12
35-49	95	3.4	13	<1	<1	2	5	7	9	20
50-64	102	3.6	22	<1	<1	2	4	6	9	28
65+	87	3.7	10	<1	<1	3	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7	2	<1	<1	1	2	4	4	4
B. *Operated*	695	1.5	2	<1	<1	<1	1	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	34	3.9	14	<1	<1	3	5	7	9	21
B. *Operated*	401	3.3	14	<1	<1	2	4	7	9	24
1. SINGLE DX	704	1.5	2	<1	<1	<1	1	3	4	7
2. MULTIPLE DX	435	3.4	14	<1	<1	2	4	7	9	24
A. NOT OPERATED	43	3.4	12	<1	<1	3	5	7	8	21
B. OPERATED	1096	2.2	7	<1	<1	1	2	5	6	14
TOTAL 0-19 YRS	189	1.7	6	<1	<1	1	2	3	4	8
20-34	274	1.8	3	<1	<1	1	2	4	5	8
35-49	283	2.2	7	<1	<1	1	2	5	7	15
50-64	242	2.5	11	<1	<1	1	3	5	7	25
65+	151	2.9	10	<1	<1	1	4	7	9	14
GRAND TOTAL	**1139**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**5**	**7**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	764	4.1	22	1	1	3	5	8	14	25
20-34	476	6.2	55	1	1	3	6	17	22	38
35-49	359	6.6	61	1	1	4	7	18	24	38
50-64	245	7.0	57	1	1	4	8	19	26	34
65+	199	7.1	40	1	2	5	9	15	19	32
B. *Operated*										
0-19 YRS	675	2.9	18	<1	<1	1	3	6	10	17
20-34	964	4.3	39	<1	<1	2	5	9	14	30
35-49	845	3.8	24	<1	<1	2	4	9	14	27
50-64	710	4.0	34	<1	<1	2	4	9	15	32
65+	570	6.1	64	<1	<1	3	8	16	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1256	4.4	21	1	1	3	5	8	12	26
20-34	1141	6.5	57	1	1	4	8	14	19	35
35-49	1290	7.9	67	1	2	5	10	17	25	40
50-64	1696	8.7	67	1	2	6	11	19	25	43
65+	4539	10.3	86	2	3	8	12	20	28	53
B. *Operated*										
0-19 YRS	850	7.6	129	<1	1	3	8	20	37	69
20-34	1840	13.6	265	1	1	7	20	39	52	99+
35-49	2256	12.1	222	1	1	6	16	31	44	89
50-64	2985	12.2	204	1	1	7	17	31	44	91
65+	6113	16.8	232	2	3	13	22	38	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2043	5.7	44	1	1	3	6	14	20	34
B. *Operated*	3764	4.1	36	<1	<1	2	4	10	15	30
2. MULTIPLE DX										
A. *Not Operated*	9922	8.5	73	1	2	6	11	18	24	46
B. *Operated*	14044	14.1	230	1	1	9	19	35	50	99+
1. SINGLE DX	5807	4.7	39	<1	<1	2	5	11	17	31
2. MULTIPLE DX	23966	11.8	172	1	2	8	15	28	41	84
A. NOT OPERATED	11965	8.0	69	1	2	6	10	17	24	43
B. OPERATED	17808	12.0	205	1	1	7	16	31	44	91
TOTAL 0-19 YRS	3545	4.8	49	<1	1	3	5	10	16	41
20-34	4421	8.9	155	<1	1	4	10	24	37	75
35-49	4750	9.1	143	1	1	5	11	23	33	71
50-64	5636	9.9	143	1	1	6	13	25	35	75
65+	11421	13.5	176	1	3	10	17	30	43	90
GRAND TOTAL	**29773**	**10.4**	**154**	**1**	**1**	**6**	**14**	**25**	**37**	**77**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.2	11	1	1	3	6	9	10	18
20-34	104	3.6	8	1	1	3	5	8	9	14
35-49	97	6.4	46	1	2	5	7	11	17	37
50-64	46	6.3	46	1	1	5	8	11	14	45
65+	21	6.4	21	2	2	6	7	10	16	23
B. *Operated*										
0-19 YRS	60	5.5	56	<1	1	3	7	11	14	50
20-34	66	4.5	58	<1	1	2	5	8	13	52
35-49	57	4.8	19	1	1	3	6	12	15	19
50-64	34	8.3	52	1	1	6	13	21	22	23
65+	9	14.8	605	<1	<1	7	10	55	79	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	5.9	36	1	1	4	8	12	17	34
20-34	630	6.2	41	1	2	4	8	11	15	32
35-49	503	6.4	27	2	2	5	8	12	16	30
50-64	481	8.2	63	2	2	6	10	17	24	39
65+	506	8.4	47	2	3	7	11	16	21	60
B. *Operated*										
0-19 YRS	100	14.8	381	2	2	8	18	42	73	99+
20-34	301	11.5	131	1	2	8	15	27	37	61
35-49	325	12.3	141	1	2	9	15	28	36	63
50-64	281	13.0	168	2	3	9	16	29	42	67
65+	288	15.2	180	3	4	12	19	31	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	5.1	27	1	1	4	6	10	12	34
B. *Operated*	226	5.8	70	1	1	3	7	13	19	54
2. MULTIPLE DX										
A. *Not Operated*	2324	7.1	44	1	2	5	9	14	18	37
B. *Operated*	1295	13.1	173	1	2	10	16	29	41	78
1. SINGLE DX	562	5.4	44	1	1	4	6	10	14	34
2. MULTIPLE DX	3619	9.3	98	1	2	6	11	19	29	61
A. NOT OPERATED	2660	6.9	42	1	2	5	8	13	18	36
B. OPERATED	1521	12.0	164	1	2	8	15	27	38	73
TOTAL 0-19 YRS	432	7.6	130	1	1	4	9	15	26	80
20-34	1101	7.3	70	1	2	5	9	15	21	49
35-49	982	8.2	74	1	2	6	10	17	25	53
50-64	842	9.7	102	2	2	7	12	21	29	57
65+	824	10.8	109	2	3	8	13	21	31	73
GRAND TOTAL	**4181**	**8.7**	**93**	**1**	**2**	**6**	**11**	**18**	**27**	**57**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	5.0	18	1	2	4	6	10	12	25
20-34	88	5.2	12	1	2	4	6	10	12	17
35-49	152	5.5	12	2	2	5	7	9	12	17
50-64	234	5.5	12	2	2	5	7	10	13	18
65+	179	5.9	28	2	2	5	7	9	11	36
B. *Operated*										
0-19 YRS	50	6.4	48	<1	<1	4	9	13	20	33
20-34	163	5.7	15	1	1	5	8	11	13	16
35-49	424	5.5	20	1	1	4	8	11	14	20
50-64	857	6.4	21	1	1	5	9	12	15	20
65+	595	7.0	23	1	2	6	10	14	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	7.6	64	1	2	5	9	17	24	41
20-34	159	7.0	48	2	2	5	8	13	18	42
35-49	366	5.7	14	1	2	5	7	11	12	18
50-64	862	7.1	30	1	2	6	9	13	16	30
65+	1405	7.5	37	2	3	6	9	14	17	31
B. *Operated*										
0-19 YRS	61	9.5	156	1	1	5	14	18	24	72
20-34	233	8.0	108	1	1	5	10	15	25	59
35-49	612	6.6	43	1	2	5	9	13	17	35
50-64	1702	8.4	58	1	2	7	11	16	20	39
65+	1795	10.3	69	2	2	9	13	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	846	5.4	17	2	2	5	7	10	12	20
B. *Operated*	2089	6.3	22	1	1	5	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	3034	7.2	35	1	2	6	9	13	17	31
B. *Operated*	4403	8.9	66	1	2	7	12	17	23	42
1. SINGLE DX	2935	6.1	20	1	2	5	9	12	14	20
2. MULTIPLE DX	7437	8.2	54	1	2	6	11	16	20	39
A. NOT OPERATED	3880	6.8	32	1	2	5	8	13	16	29
B. OPERATED	6492	8.1	53	1	2	6	11	15	20	37
TOTAL 0-19 YRS	546	6.8	58	1	1	4	8	14	20	37
20-34	643	6.8	57	1	2	5	8	13	17	41
35-49	1554	6.0	27	1	1	5	8	11	14	24
50-64	3655	7.4	41	1	2	6	10	14	17	31
65+	3974	8.6	51	2	2	7	11	16	20	38
GRAND TOTAL	**10372**	**7.6**	**45**	**1**	**2**	**6**	**10**	**15**	**18**	**35**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	1	1	3	5	6	6	6
20-34	13	3.1	5	1	1	3	4	7	9	9
35-49	34	3.3	8	<1	<1	2	5	7	10	11
50-64	82	4.6	10	1	1	4	7	9	11	14
65+	185	5.2	18	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	42	4.3	17	<1	1	2	6	10	13	17
20-34	448	3.9	11	1	1	3	5	9	11	15
35-49	1189	5.0	17	<1	1	4	7	10	12	19
50-64	4367	8.0	21	1	2	8	11	13	15	20
65+	6727	10.4	16	3	6	10	13	15	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.8	35	1	1	4	7	13	22	23
20-34	32	5.1	19	1	1	4	7	10	14	20
35-49	137	5.3	17	<1	1	4	7	11	14	19
50-64	560	4.9	22	<1	1	4	7	10	11	20
65+	2392	6.2	44	1	1	5	8	12	16	34
B. *Operated*										
0-19 YRS	38	6.8	30	1	1	6	10	15	18	23
20-34	466	5.2	23	<1	1	4	8	11	14	23
35-49	1463	6.3	33	1	1	5	9	13	15	25
50-64	6737	9.5	35	1	2	9	12	16	19	29
65+	18294	12.4	43	4	7	11	15	18	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	4.7	14	1	1	4	7	10	11	19
B. *Operated*	12773	8.8	22	1	2	9	12	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	3133	5.9	39	1	1	4	8	11	15	30
B. *Operated*	26998	11.2	44	2	3	11	14	17	21	34
1. SINGLE DX	13092	8.7	22	1	2	9	12	14	16	21
2. MULTIPLE DX	30131	10.6	46	1	3	10	14	17	21	34
A. NOT OPERATED	3452	5.8	36	1	1	4	8	11	15	28
B. OPERATED	39771	10.4	38	1	3	10	13	16	19	30
TOTAL 0-19 YRS	97	5.4	24	1	1	3	8	12	16	23
20-34	959	4.6	17	1	1	3	6	10	13	20
35-49	2823	5.6	25	<1	1	4	8	12	14	23
50-64	11746	8.7	30	1	2	9	11	15	17	26
65+	27598	11.3	40	2	4	11	14	17	21	33
GRAND TOTAL	**43223**	**10.0**	**39**	**1**	**2**	**10**	**13**	**16**	**19**	**30**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	6.4	28	1	2	4	9	13	16	22
20-34	205	5.1	15	1	2	4	6	10	13	21
35-49	138	4.7	14	1	1	4	6	9	12	21
50-64	77	6.2	21	1	1	5	9	13	17	20
65+	97	4.6	15	1	1	4	6	8	10	23
B. *Operated*										
0-19 YRS	211	9.2	43	1	2	8	13	18	21	33
20-34	547	4.7	25	1	1	3	6	10	13	29
35-49	589	4.8	24	1	1	3	6	10	12	30
50-64	607	5.4	25	1	1	4	8	12	14	24
65+	290	8.6	33	1	2	9	11	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	7.8	44	2	2	6	11	16	21	29
20-34	287	5.9	24	1	2	4	8	12	16	24
35-49	344	6.5	30	1	2	5	8	13	17	29
50-64	428	7.1	34	1	2	6	9	14	21	29
65+	948	8.1	51	2	2	6	10	16	21	39
B. *Operated*										
0-19 YRS	367	12.7	65	3	4	11	17	23	28	40
20-34	680	8.3	76	1	1	5	10	18	28	44
35-49	753	8.0	95	1	1	5	10	19	28	50
50-64	962	10.5	110	1	2	7	14	24	31	49
65+	1149	14.6	137	2	3	12	18	29	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	788	5.5	20	1	2	4	7	11	14	21
B. *Operated*	2244	5.9	30	1	1	4	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	2355	7.4	41	1	2	6	9	15	20	33
B. *Operated*	3911	11.0	112	1	2	8	15	24	32	51
1. SINGLE DX	3032	5.8	28	1	1	4	8	12	15	26
2. MULTIPLE DX	6266	9.7	89	1	2	7	13	21	28	47
A. NOT OPERATED	3143	6.9	37	1	2	5	9	14	19	29
B. OPERATED	6155	9.2	89	1	1	6	12	20	28	46
TOTAL 0-19 YRS	1197	9.2	52	1	2	7	13	20	23	31
20-34	1719	6.4	47	1	1	4	8	13	19	38
35-49	1824	6.4	56	1	1	4	8	13	20	39
50-64	2074	8.2	71	1	1	6	10	17	25	42
65+	2484	11.0	99	2	2	9	14	22	30	51
GRAND TOTAL	**9298**	**8.4**	**72**	**1**	**2**	**6**	**11**	**18**	**25**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	2	<1	<1	2	3	4	5	5
20-34	28	2.8	4	<1	<1	2	4	6	7	8
35-49	18	3.8	15	<1	<1	3	5	8	13	16
50-64	7	2.7	3	1	1	3	4	5	5	5
65+	11	2.1	3	<1	<1	1	3	5	7	7
B. *Operated*										
0-19 YRS	929	2.2	2	<1	<1	2	3	4	5	7
20-34	1942	2.4	4	<1	<1	2	3	5	5	9
35-49	1081	2.1	3	<1	<1	2	3	4	5	9
50-64	421	2.0	3	<1	<1	1	2	4	5	9
65+	150	2.5	7	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	2	<1	<1	1	2	3	5	6
20-34	59	2.3	5	<1	<1	1	3	5	8	12
35-49	55	3.1	22	<1	<1	1	3	7	14	26
50-64	43	4.6	109	<1	<1	1	3	8	18	66
65+	33	3.8	10	<1	1	3	4	7	12	14
B. *Operated*										
0-19 YRS	896	2.6	4	<1	<1	2	3	5	6	10
20-34	2572	2.7	5	<1	<1	2	4	5	6	10
35-49	1638	2.5	6	<1	<1	2	3	5	7	13
50-64	1284	2.4	6	<1	<1	2	3	5	7	12
65+	758	3.0	15	<1	<1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.8	6	<1	<1	2	4	6	7	14
B. *Operated*	4523	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	206	3.2	32	<1	<1	1	3	7	10	23
B. *Operated*	7148	2.6	6	<1	<1	2	3	5	7	12
1. SINGLE DX	4600	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	7354	2.7	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	283	3.1	25	<1	<1	2	3	6	8	20
B. OPERATED	11671	2.5	5	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	1854	2.4	3	<1	<1	2	3	5	5	8
20-34	4601	2.6	4	<1	<1	2	3	5	6	10
35-49	2792	2.4	5	<1	<1	2	3	5	6	12
50-64	1755	2.4	8	<1	<1	1	3	5	7	13
65+	952	3.0	13	<1	<1	2	3	6	9	16
GRAND TOTAL	**11954**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.2	15	1	1	2	4	6	7	12
20-34	164	3.2	5	<1	1	3	4	7	8	10
35-49	97	3.6	7	1	1	3	5	7	9	13
50-64	101	3.6	7	1	1	3	4	7	10	14
65+	96	3.9	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	2490	2.4	3	<1	1	2	3	4	5	9
20-34	4226	2.6	3	1	1	2	3	4	5	8
35-49	1399	2.8	4	<1	1	2	4	5	7	10
50-64	443	3.1	11	<1	1	2	4	5	10	17
65+	233	4.5	18	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	366	4.0	33	<1	1	2	4	8	10	32
20-34	356	4.0	41	<1	<1	3	5	7	10	25
35-49	366	4.2	18	<1	1	3	5	9	11	19
50-64	400	5.1	24	1	1	3	6	11	14	25
65+	1098	7.1	74	1	2	5	8	13	20	52
B. *Operated*										
0-19 YRS	1677	3.7	19	1	1	3	4	7	10	23
20-34	2474	3.4	13	1	1	3	4	6	8	17
35-49	1493	4.0	29	1	1	3	5	8	11	23
50-64	972	4.9	32	1	1	3	6	11	15	28
65+	855	7.9	75	1	1	5	10	17	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	746	3.4	10	1	1	3	4	7	8	12
B. *Operated*	8791	2.7	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	2586	5.5	50	1	1	4	7	11	16	39
B. *Operated*	7471	4.3	29	1	1	3	5	9	13	27
1. SINGLE DX	9537	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	10057	4.6	35	1	1	3	5	9	13	30
A. NOT OPERATED	3332	5.0	42	1	1	3	6	10	13	35
B. OPERATED	16262	3.4	16	1	1	2	4	6	9	20
TOTAL 0-19 YRS	4821	3.1	12	<1	1	2	4	5	7	17
20-34	7220	3.0	9	1	1	2	4	5	7	13
35-49	3355	3.5	17	<1	1	2	4	7	9	17
50-64	1916	4.4	25	1	1	3	5	10	13	25
65+	2282	7.0	67	1	1	5	8	14	20	49
GRAND TOTAL	**19594**	**3.7**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.5	14	2	2	4	8	12	12	12
35-49	8	4.6	7	2	2	4	6	9	9	9
50-64	6	4.3	5	2	2	4	6	7	7	7
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	7	9.6	56	1	1	9	14	21	22	22
35-49	6	7.7	41	1	1	7	11	17	18	18
50-64	6	7.8	9	2	3	9	9	10	10	10
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	23	5.0	12	2	2	4	7	12	13	14
35-49	37	6.8	29	1	2	5	8	13	21	24
50-64	38	7.9	59	1	2	6	10	14	20	44
65+	42	7.6	77	2	2	6	9	15	18	56
B. *Operated*										
0-19 YRS										
20-34	17	6.8	11	2	2	7	9	11	11	11
35-49	25	11.8	72	1	2	10	16	22	31	37
50-64	40	11.3	68	2	3	9	16	19	26	43
65+	25	15.6	99	4	5	16	20	27	38	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.7	7	2	2	4	6	8	10	12
B. *Operated*	20	8.1	34	1	1	8	10	16	20	22
2. MULTIPLE DX										
A. *Not Operated*	141	7.1	49	2	2	5	9	13	18	45
B. *Operated*	107	11.7	73	2	3	10	16	21	30	43
1. SINGLE DX	43	6.2	22	1	2	5	9	12	16	22
2. MULTIPLE DX	248	9.1	64	2	2	7	12	18	22	43
A. NOT OPERATED	164	6.8	44	2	2	5	8	12	17	41
B. OPERATED	127	11.1	68	1	2	9	16	20	27	43
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	53	6.3	19	2	2	5	9	12	14	22
35-49	76	8.3	47	1	2	6	11	18	23	35
50-64	90	9.2	60	2	2	7	12	18	19	44
65+	71	10.2	97	2	2	7	14	20	27	53
GRAND TOTAL	**291**	**8.7**	**59**	**2**	**2**	**7**	**11**	**18**	**22**	**43**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	16	1	1	3	8	11	11	11
20-34	58	6.1	30	1	1	5	8	11	14	33
35-49	224	4.4	12	1	1	4	6	9	11	14
50-64	283	5.0	14	1	1	4	7	10	12	19
65+	261	5.3	12	1	1	5	7	10	12	19
B. *Operated*										
0-19 YRS	13	5.5	11	1	1	6	8	10	11	11
20-34	283	4.0	14	1	1	3	6	8	11	17
35-49	1230	4.2	13	1	1	3	6	9	11	16
50-64	1388	4.5	16	1	1	3	7	9	12	18
65+	732	5.3	27	1	1	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.8	173	<1	<1	3	7	16	44	52
20-34	115	6.1	34	1	1	5	8	11	16	34
35-49	541	5.7	16	1	2	5	7	11	13	20
50-64	1360	6.1	20	1	2	5	8	11	14	21
65+	3184	7.0	31	2	2	6	9	13	16	29
B. *Operated*										
0-19 YRS	9	10.6	170	2	2	7	10	31	44	44
20-34	330	5.6	34	1	1	5	8	11	14	24
35-49	1515	5.9	26	1	1	5	8	12	15	26
50-64	2774	6.7	44	1	1	5	9	13	17	33
65+	2572	9.2	74	1	1	7	12	19	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	5.0	14	1	1	4	7	10	12	20
B. *Operated*	3646	4.5	17	1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	5214	6.6	27	1	2	5	8	12	15	27
B. *Operated*	7200	7.4	53	1	1	6	10	15	20	36
1. SINGLE DX	4479	4.6	17	1	1	4	7	10	12	19
2. MULTIPLE DX	12414	7.1	42	1	1	6	9	14	18	33
A. NOT OPERATED	6047	6.4	26	1	2	5	8	12	15	25
B. OPERATED	10846	6.4	42	1	1	5	9	13	17	31
TOTAL 0-19 YRS	43	7.2	96	<1	1	5	9	11	23	52
20-34	786	5.1	27	1	1	4	7	10	13	25
35-49	3510	5.2	20	1	1	4	7	10	13	21
50-64	5805	5.9	31	1	1	5	8	12	15	26
65+	6749	7.6	48	1	1	6	10	15	20	36
GRAND TOTAL	**16893**	**6.4**	**36**	**1**	**1**	**5**	**8**	**13**	**16**	**30**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	5.4	16	1	1	5	8	11	13	20
20-34	2370	5.6	16	1	1	5	7	10	13	19
35-49	3639	5.9	16	1	1	5	8	11	13	19
50-64	1696	6.1	16	1	1	6	8	11	13	19
65+	491	6.1	14	1	2	6	8	10	13	19
B. *Operated*										
0-19 YRS	458	4.6	13	1	1	4	6	9	12	19
20-34	12727	5.1	14	1	1	4	7	10	12	18
35-49	17794	5.5	17	1	1	5	7	10	13	20
50-64	7482	5.6	18	1	1	5	8	11	14	20
65+	1653	6.3	24	1	1	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	14	<1	1	5	8	10	14	14
20-34	1543	6.4	22	1	1	6	8	12	15	22
35-49	3156	7.1	25	1	2	6	9	13	16	25
50-64	3001	7.5	26	1	2	7	9	13	16	24
65+	2910	7.8	27	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	138	6.7	38	1	1	5	7	14	20	32
20-34	4339	7.2	31	1	1	6	9	14	17	27
35-49	8880	7.7	35	1	2	7	10	14	18	30
50-64	7099	8.1	41	1	2	7	10	15	19	31
65+	4116	9.9	57	1	2	8	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8313	5.9	16	1	1	5	8	11	13	19
B. *Operated*	40114	5.4	17	1	1	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	10644	7.3	25	1	2	6	9	13	16	25
B. *Operated*	24572	8.1	41	1	2	7	10	15	20	32
1. SINGLE DX	48427	5.5	17	1	1	5	7	10	13	19
2. MULTIPLE DX	35216	7.9	36	1	2	7	10	15	19	30
A. NOT OPERATED	18957	6.7	22	1	2	6	9	12	15	23
B. OPERATED	64686	6.4	28	1	1	5	8	12	16	25
TOTAL 0-19 YRS	747	5.1	19	1	1	4	7	10	13	21
20-34	20979	5.7	19	1	1	5	8	11	14	21
35-49	33469	6.2	23	1	1	5	8	12	15	23
50-64	19278	6.9	29	1	1	6	9	13	16	26
65+	9170	8.4	41	1	2	7	11	16	20	32
GRAND TOTAL	**83643**	**6.5**	**26**	**1**	**1**	**6**	**8**	**12**	**16**	**25**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.6	20	1	1	3	6	8	11	24
20-34	268	4.5	12	1	1	4	6	9	12	16
35-49	574	4.7	13	1	1	4	7	9	12	16
50-64	261	5.3	17	1	1	4	7	10	13	18
65+	64	5.6	15	1	1	5	8	10	14	18
B. *Operated*										
0-19 YRS	16	7.5	102	1	1	5	7	16	34	42
20-34	1219	4.5	13	1	1	4	6	9	11	17
35-49	3353	4.6	12	1	1	4	6	9	11	17
50-64	1453	4.9	14	1	1	4	6	10	12	19
65+	207	5.1	15	1	1	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	10.2	49	3	5	8	13	16	25	34
20-34	184	5.7	19	1	1	5	8	11	14	20
35-49	607	6.0	18	1	1	5	8	11	14	21
50-64	584	6.1	15	1	2	6	8	11	13	18
65+	479	6.8	24	2	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	13	6.4	19	1	2	5	9	13	15	15
20-34	532	5.6	24	1	1	5	7	11	15	23
35-49	2181	6.3	32	1	1	5	8	12	16	27
50-64	1687	6.9	35	1	1	6	9	13	17	30
65+	465	9.1	67	1	1	7	12	18	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1194	4.8	14	1	1	4	7	10	12	17
B. *Operated*	6248	4.7	13	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1874	6.2	20	1	2	5	8	11	14	21
B. *Operated*	4878	6.7	36	1	1	5	8	13	17	30
1. SINGLE DX	7442	4.7	13	1	1	4	6	9	11	18
2. MULTIPLE DX	6752	6.6	32	1	1	5	8	13	16	28
A. NOT OPERATED	3068	5.7	18	1	1	5	8	11	14	20
B. OPERATED	11126	5.6	24	1	1	5	7	11	14	24
TOTAL 0-19 YRS	76	7.0	48	1	1	5	8	15	16	40
20-34	2203	4.9	16	1	1	4	7	9	12	19
35-49	6715	5.3	20	1	1	4	7	10	13	22
50-64	3985	5.9	24	1	1	5	8	11	14	25
65+	1215	7.3	41	1	2	6	9	15	19	33
GRAND TOTAL	**14194**	**5.6**	**23**	**1**	**1**	**5**	**7**	**11**	**14**	**23**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	36	1	1	3	8	15	18	19
20-34	146	4.9	12	1	1	4	6	9	11	17
35-49	195	5.8	19	1	1	5	7	11	13	20
50-64	102	5.5	14	1	1	5	7	12	14	16
65+	19	5.6	14	<1	1	5	7	11	14	15
B. *Operated*										
0-19 YRS	13	5.8	43	<1	<1	4	9	15	21	23
20-34	232	3.8	17	1	1	2	6	9	11	18
35-49	297	3.7	12	1	1	2	5	9	11	14
50-64	71	3.5	12	1	1	2	5	8	12	15
65+	7	3.0	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	7.6	30	1	2	7	10	16	19	23
20-34	226	6.1	14	2	2	5	8	11	13	20
35-49	335	6.7	20	1	2	6	8	12	15	22
50-64	224	7.0	15	2	3	7	9	13	14	20
65+	151	7.5	36	2	2	6	9	13	16	30
B. *Operated*										
0-19 YRS	7	9.1	168	1	1	5	8	32	38	38
20-34	221	6.6	22	1	1	6	9	12	15	22
35-49	340	6.8	27	1	1	6	10	13	15	28
50-64	139	7.7	43	1	1	6	10	15	23	32
65+	43	10.3	76	1	1	8	15	23	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	5.4	16	1	1	5	7	10	13	18
B. *Operated*	620	3.7	14	1	1	2	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	963	6.8	20	2	2	6	9	12	14	23
B. *Operated*	750	7.1	33	1	1	6	10	14	16	31
1. SINGLE DX	1094	4.5	16	1	1	3	7	9	12	16
2. MULTIPLE DX	1713	6.9	26	1	2	6	9	13	15	27
A. NOT OPERATED	1437	6.3	19	1	2	5	8	12	14	22
B. OPERATED	1370	5.6	27	1	1	4	8	12	15	27
TOTAL 0-19 YRS	59	7.0	48	1	1	5	9	16	21	37
20-34	825	5.4	18	1	1	5	8	11	13	21
35-49	1167	5.8	21	1	1	5	8	12	14	21
50-64	536	6.4	24	1	1	6	8	13	15	25
65+	220	7.7	43	1	2	6	10	15	20	32
GRAND TOTAL	**2807**	**6.0**	**23**	**1**	**1**	**5**	**8**	**12**	**14**	**24**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	11	<1	<1	4	6	10	11	11
20-34	169	5.0	10	1	1	4	8	9	11	14
35-49	284	5.9	13	1	2	5	8	11	13	18
50-64	203	5.9	14	1	2	5	8	11	13	18
65+	85	6.2	26	1	2	5	8	10	13	32
B. *Operated*										
0-19 YRS	6	4.5	26	1	1	2	10	12	12	12
20-34	197	3.1	12	1	1	2	3	7	11	16
35-49	260	4.1	23	1	1	2	5	11	15	22
50-64	130	3.6	14	1	1	2	5	8	12	18
65+	29	3.1	13	1	1	2	4	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	30	1	1	5	8	15	18	18
20-34	219	6.1	21	1	2	5	8	11	14	25
35-49	368	6.9	24	1	2	6	9	12	15	29
50-64	455	6.7	18	2	2	6	9	12	14	22
65+	693	7.5	23	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	6	4.2	26	1	1	2	5	13	14	14
20-34	133	5.6	23	1	1	5	8	12	14	27
35-49	192	6.8	42	1	1	6	9	15	19	43
50-64	154	6.6	24	1	1	6	10	14	16	22
65+	156	9.2	50	1	2	8	12	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	748	5.7	14	1	2	5	8	10	13	18
B. *Operated*	622	3.6	17	1	1	2	4	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	1743	7.0	22	2	2	6	9	12	15	25
B. *Operated*	641	7.1	37	1	1	6	10	14	18	30
1. SINGLE DX	1370	4.8	17	1	1	4	7	10	13	18
2. MULTIPLE DX	2384	7.0	26	1	2	6	9	13	16	27
A. NOT OPERATED	2491	6.6	20	1	2	6	8	12	14	23
B. OPERATED	1263	5.4	30	1	1	3	8	13	16	26
TOTAL 0-19 YRS	27	5.0	21	<1	1	4	7	12	15	18
20-34	718	4.9	18	1	1	4	7	10	13	20
35-49	1104	6.0	25	1	1	5	8	12	15	26
50-64	942	6.1	19	1	1	5	8	11	14	21
65+	963	7.5	28	2	2	6	9	13	17	29
GRAND TOTAL	**3754**	**6.2**	**24**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	3.2	7	<1	1	2	4	7	8	12
20-34	2215	4.7	15	1	1	4	6	9	11	19
35-49	3037	5.0	15	1	1	4	7	10	12	19
50-64	1460	5.0	15	1	1	4	7	10	12	19
65+	593	4.6	14	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	158	2.8	9	1	1	2	3	6	9	15
20-34	2812	3.1	11	1	1	2	4	7	9	15
35-49	4247	3.4	11	1	1	2	5	8	10	16
50-64	2777	4.3	15	1	1	3	6	9	12	18
65+	1622	5.6	20	1	1	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	4.0	20	<1	1	3	5	7	9	20
20-34	2777	5.8	26	1	1	4	7	12	16	25
35-49	4781	6.4	29	1	1	5	8	12	16	26
50-64	3897	6.3	23	1	2	5	8	12	15	25
65+	4398	6.8	28	1	2	6	9	12	15	25
B. *Operated*										
0-19 YRS	128	5.3	34	1	1	3	7	11	16	32
20-34	2456	5.0	28	1	1	3	7	11	15	25
35-49	4426	5.5	35	1	1	4	8	12	16	29
50-64	4492	6.9	39	1	1	6	9	14	18	29
65+	4824	9.4	60	1	1	8	12	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7531	4.8	15	1	1	4	7	9	12	19
B. *Operated*	11616	3.8	14	1	1	2	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	16184	6.3	27	1	2	5	8	12	16	25
B. *Operated*	16326	7.0	45	1	1	5	9	15	19	32
1. SINGLE DX	19147	4.2	15	1	1	3	6	9	11	18
2. MULTIPLE DX	32510	6.7	36	1	1	5	9	13	17	29
A. NOT OPERATED	23715	5.9	24	1	1	5	8	11	14	24
B. OPERATED	27942	5.7	35	1	1	4	8	12	16	28
TOTAL 0-19 YRS	843	3.8	17	<1	1	3	5	8	10	20
20-34	10260	4.7	21	1	1	3	6	10	13	23
35-49	16491	5.1	25	1	1	4	7	11	14	24
50-64	12626	5.9	27	1	1	5	8	12	15	25
65+	11437	7.6	42	1	1	6	10	15	19	32
GRAND TOTAL	**51657**	**5.8**	**30**	**1**	**1**	**4**	**8**	**12**	**15**	**26**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	488	3.0	4	1	1	3	4	5	7	10
20-34	217	3.5	5	1	1	3	5	6	7	10
35-49	290	3.6	6	1	1	3	5	7	8	11
50-64	186	4.1	10	1	1	3	5	8	10	16
65+	92	4.0	9	1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	462	2.2	4	<1	<1	2	3	4	6	11
20-34	1540	2.2	5	<1	<1	2	3	4	6	10
35-49	2413	2.3	4	<1	<1	2	3	4	5	9
50-64	1792	2.4	4	<1	<1	2	3	5	6	9
65+	480	2.7	7	<1	<1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	3.7	6	1	1	3	5	7	8	12
20-34	316	4.5	11	1	2	4	6	8	11	18
35-49	431	4.6	11	1	1	4	6	9	11	16
50-64	618	4.9	12	1	1	4	6	9	12	18
65+	773	5.6	14	1	2	5	7	11	14	18
B. *Operated*										
0-19 YRS	280	3.0	9	<1	<1	2	4	7	9	15
20-34	1198	3.3	12	<1	1	2	4	7	10	18
35-49	2278	3.2	10	<1	1	2	4	6	9	15
50-64	2299	3.6	13	1	1	3	4	7	10	18
65+	1207	5.0	27	<1	1	3	6	10	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1273	3.5	6	1	1	3	5	7	8	12
B. *Operated*	6687	2.3	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	2399	4.9	12	1	2	4	6	9	12	18
B. *Operated*	7262	3.6	15	<1	1	3	4	7	10	20
1. SINGLE DX	7960	2.5	5	<1	<1	2	3	5	6	10
2. MULTIPLE DX	9661	3.9	14	1	1	3	5	8	11	19
A. NOT OPERATED	3672	4.4	10	1	1	4	6	8	11	17
B. OPERATED	13949	3.0	10	<1	<1	2	4	6	8	16
TOTAL 0-19 YRS	1491	2.9	5	<1	1	2	4	6	7	12
20-34	3271	2.9	9	<1	<1	2	3	6	8	14
35-49	5412	2.9	8	<1	1	2	4	6	8	14
50-64	4895	3.3	10	<1	1	3	4	6	9	16
65+	2552	4.7	20	<1	1	3	6	10	13	22
GRAND TOTAL	**17621**	**3.3**	**10**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	7	1.6	1	<1	<1	1	2	3	3	3
35-49	8	2.4	3	<1	<1	2	3	5	6	6
50-64	8	2.1	1	<1	<1	2	3	4	4	4
65+	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	506	2.1	3	<1	1	2	3	4	4	6
20-34	992	2.1	2	<1	1	2	3	4	4	6
35-49	1309	2.3	3	<1	1	2	3	4	5	7
50-64	1313	2.3	2	<1	1	2	3	4	5	7
65+	560	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	5	<1	<1	1	1	5	7	7
20-34	20	2.1	7	<1	<1	<1	1	5	9	12
35-49	37	1.9	5	<1	<1	1	2	4	4	14
50-64	63	1.6	2	<1	<1	1	2	3	4	10
65+	43	2.7	6	<1	<1	2	3	7	8	11
B. *Operated*										
0-19 YRS	604	2.3	2	1	1	2	3	4	5	6
20-34	1664	2.5	3	1	1	2	3	4	5	7
35-49	2795	2.6	2	1	1	2	3	5	5	8
50-64	4547	2.7	3	1	1	2	4	5	6	8
65+	3302	3.2	8	1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.0	2	<1	<1	2	3	4	4	6
B. *Operated*	4680	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	171	2.0	5	<1	<1	1	2	4	7	12
B. *Operated*	12912	2.8	4	1	1	2	4	5	6	8
1. SINGLE DX	4708	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	13083	2.8	4	1	1	2	4	5	6	8
A. NOT OPERATED	199	2.0	4	<1	<1	1	2	4	6	12
B. OPERATED	17592	2.6	4	<1	1	2	3	5	6	8
TOTAL 0-19 YRS	1120	2.2	2	<1	1	2	3	4	4	6
20-34	2683	2.3	2	<1	1	2	3	4	5	7
35-49	4149	2.5	3	<1	1	2	3	4	5	8
50-64	5931	2.6	3	1	1	2	3	5	5	8
65+	3908	3.1	7	1	1	3	4	5	7	11
GRAND TOTAL	**17791**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	7	2.9	3	1	1	3	4	6	6	6
35-49	7	1.9		<1	<1	2	2	3	3	3
50-64	14	2.6	7	<1	<1	1	3	8	9	9
65+	8	3.8	8	<1	<1	3	6	8	8	8
B. *Operated*										
0-19 YRS	274	1.4	1	<1	<1	<1	1	2	3	6
20-34	565	1.4	1	<1	<1	<1	1	2	3	4
35-49	443	1.6	2	<1	<1	1	2	3	4	6
50-64	317	1.8	1	<1	<1	1	2	3	4	7
65+	135	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	15	2.2	6	<1	<1	1	3	4	8	10
35-49	22	3.6	9	<1	<1	3	4	9	10	10
50-64	36	3.8	7	<1	1	3	5	8	9	10
65+	39	5.1	19	1	1	3	8	12	15	18
B. *Operated*										
0-19 YRS	59	1.4	1	<1	<1	1	2	3	3	5
20-34	171	1.9	2	<1	<1	1	2	4	4	8
35-49	261	2.8	11	<1	<1	2	3	5	8	15
50-64	334	3.2	11	<1	1	2	4	6	8	21
65+	285	3.7	13	<1	1	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.6	5	<1	<1	2	3	7	8	9
B. *Operated*	1734	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	115	3.9	12	<1	<1	3	5	9	11	16
B. *Operated*	1110	2.9	10	<1	<1	2	4	6	8	15
1. SINGLE DX	1774	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1225	3.0	10	<1	<1	2	4	6	8	15
A. NOT OPERATED	155	3.6	10	<1	<1	3	5	9	10	15
B. OPERATED	2844	2.1	5	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	340	1.4	1	<1	<1	1	1	2	3	5
20-34	758	1.5	1	<1	<1	1	2	3	4	6
35-49	733	2.1	6	<1	<1	1	2	4	5	12
50-64	701	2.6	7	<1	<1	2	3	5	7	12
65+	467	3.4	11	<1	<1	2	4	7	9	15
GRAND TOTAL	**2999**	**2.2**	**6**	**<1**	**<1**	**1**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	10.3	58	1	2	9	14	21	24	36
20-34	90	7.3	45	1	1	6	9	13	21	36
35-49	83	8.1	48	1	2	7	11	15	19	40
50-64	62	9.6	73	1	2	7	14	18	22	53
65+	47	11.0	144	1	2	7	14	21	26	78
B. *Operated*										
0-19 YRS	248	11.1	94	1	2	9	14	25	32	43
20-34	251	9.3	79	1	2	7	12	20	27	43
35-49	213	9.5	116	1	2	7	12	21	30	93
50-64	177	11.5	101	1	2	9	16	27	32	44
65+	156	10.4	123	1	2	7	14	21	27	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	13.1	83	3	4	11	19	27	31	42
20-34	191	10.2	93	2	2	7	13	23	32	44
35-49	298	11.9	90	2	3	9	15	24	31	49
50-64	427	13.5	123	2	3	10	18	29	38	47
65+	662	14.4	121	3	5	11	18	29	38	57
B. *Operated*										
0-19 YRS	459	18.5	251	3	5	14	23	41	48	84
20-34	775	17.0	238	2	4	12	22	41	53	78
35-49	1006	17.4	224	2	4	13	23	41	51	70
50-64	1458	17.7	233	3	4	13	24	40	48	81
65+	1844	18.6	215	3	5	14	24	41	48	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	9.4	65	1	2	7	12	19	23	38
B. *Operated*	1045	10.3	101	1	2	7	14	23	31	52
2. MULTIPLE DX										
A. *Not Operated*	1881	13.2	109	2	4	10	17	28	35	48
B. *Operated*	5542	17.9	227	3	4	13	24	41	49	80
1. SINGLE DX	1566	10.0	89	1	2	7	13	21	29	46
2. MULTIPLE DX	7423	16.7	202	3	4	12	22	37	46	73
A. NOT OPERATED	2402	12.4	102	2	3	10	16	26	33	48
B. OPERATED	6587	16.7	215	2	3	12	22	38	47	77
TOTAL 0-19 YRS	1249	14.1	154	2	3	11	18	29	40	65
20-34	1307	13.8	187	2	2	9	17	33	43	63
35-49	1600	14.8	187	2	3	10	19	34	46	65
50-64	2124	16.1	201	2	4	11	21	35	45	74
65+	2709	17.0	192	3	4	13	22	37	46	76
GRAND TOTAL	**8989**	**15.5**	**189**	**2**	**3**	**11**	**20**	**34**	**44**	**70**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	4.8	22	<1	<1	3	7	10	14	26
20-34	223	2.9	6	<1	1	2	3	6	8	13
35-49	355	2.9	10	1	1	2	3	5	6	12
50-64	264	3.9	20	1	1	3	5	7	9	15
65+	433	5.7	22	1	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	2282	3.7	11	<1	1	3	5	7	10	17
20-34	2246	3.4	8	1	1	3	4	7	9	13
35-49	1420	4.2	12	1	1	3	5	9	11	15
50-64	949	5.3	17	1	1	4	8	11	13	19
65+	599	7.8	31	1	2	7	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	6.1	77	<1	1	4	7	13	21	91
20-34	535	3.7	22	<1	1	3	4	7	10	31
35-49	1110	4.4	28	1	1	3	5	8	12	31
50-64	1958	6.0	29	1	2	4	8	12	16	28
65+	9219	8.4	45	2	3	7	10	15	20	33
B. *Operated*										
0-19 YRS	1140	5.5	54	1	1	3	6	11	17	39
20-34	2032	5.3	39	1	1	4	7	11	15	30
35-49	1959	7.1	68	1	1	5	9	14	21	43
50-64	2457	9.8	88	1	2	8	12	19	26	56
65+	4300	13.1	96	2	4	11	16	24	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1577	4.2	18	1	1	3	5	9	11	20
B. *Operated*	7496	4.2	14	1	1	3	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	13111	7.5	43	1	2	6	10	14	19	33
B. *Operated*	11888	9.4	86	1	2	7	12	19	26	52
1. SINGLE DX	9073	4.2	15	1	1	3	5	9	11	18
2. MULTIPLE DX	24999	8.4	64	1	2	6	11	17	22	43
A. NOT OPERATED	14688	7.1	41	1	2	6	9	14	18	32
B. OPERATED	19384	7.4	65	1	1	5	10	16	22	42
TOTAL 0-19 YRS	4013	4.5	30	<1	1	3	5	9	13	29
20-34	5036	4.2	23	1	1	3	5	8	11	23
35-49	4844	5.4	41	1	1	3	7	11	15	33
50-64	5628	7.5	57	1	2	5	10	15	20	42
65+	14551	9.7	64	2	3	8	12	18	23	44
GRAND TOTAL	**34072**	**7.3**	**55**	**1**	**1**	**5**	**10**	**15**	**20**	**37**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	7.1	230	1	1	3	5	20	50	55
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	4	2.8	6	<1	<1	2	4	6	6	6
50-64	3	4.3	24	<1	<1	2	8	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	505	3.2	8	<1	1	3	4	6	7	12
20-34	224	3.1	6	<1	<1	2	4	6	8	12
35-49	160	2.9	5	<1	<1	2	3	6	8	10
50-64	111	2.9	4	<1	<1	3	4	6	7	10
65+	47	5.4	21	1	1	4	8	11	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.3	31	<1	<1	1	3	6	11	33
20-34	19	5.2	85	<1	<1	1	6	10	27	41
35-49	17	8.1	99	<1	<1	5	10	28	33	33
50-64	24	6.8	56	<1	<1	4	11	22	44	99+
65+	59	18.7	378	1	2	12	23	46	65	84
B. *Operated*										
0-19 YRS	1128	4.5	32	1	1	3	5	8	11	34
20-34	493	4.6	31	1	1	3	6	9	13	25
35-49	341	4.2	14	1	1	3	5	8	10	19
50-64	447	5.2	27	1	1	4	6	10	13	22
65+	273	6.2	27	1	1	4	8	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.6	129	<1	<1	3	5	9	28	55
B. *Operated*	1047	3.2	7	<1	<1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	175	9.6	205	<1	<1	4	12	27	41	82
B. *Operated*	2682	4.8	28	1	1	4	6	9	12	25
1. SINGLE DX	1069	3.3	10	<1	<1	3	4	6	8	13
2. MULTIPLE DX	2857	5.1	41	1	1	4	6	10	14	33
A. NOT OPERATED	197	9.2	198	<1	<1	4	11	25	41	80
B. OPERATED	3729	4.3	23	<1	1	3	5	8	11	23
TOTAL 0-19 YRS	1701	4.1	26	1	1	3	5	7	10	28
20-34	738	4.2	25	<1	1	3	5	8	10	24
35-49	522	3.9	15	<1	1	3	5	8	10	20
50-64	585	4.8	25	<1	1	4	6	10	13	23
65+	380	8.0	101	1	1	5	9	16	23	63
GRAND TOTAL	**3926**	**4.6**	**33**	**<1**	**1**	**3**	**5**	**9**	**12**	**28**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	36	4.5	24	<1	1	3	6	10	12	26
35-49	57	4.7	55	<1	1	2	6	10	14	50
50-64	35	4.7	7	1	2	4	6	8	9	14
65+	17	3.9	11	<1	1	2	5	10	11	11
B. *Operated*										
0-19 YRS	5	4.0	10	1	1	3	6	9	9	9
20-34	46	3.0	14	<1	1	2	3	7	11	18
35-49	67	2.7	6	1	1	2	4	6	8	11
50-64	45	3.6	6	1	1	3	5	7	9	9
65+	13	5.6	61	1	1	3	6	14	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	11	1	1	2	3	9	10	10
20-34	45	5.6	8	1	2	6	8	9	11	12
35-49	104	6.3	29	1	2	5	8	12	18	30
50-64	128	5.6	15	1	2	4	7	11	13	20
65+	163	6.4	28	1	2	5	8	12	14	25
B. *Operated*										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	36	4.9	16	1	1	4	7	10	14	18
35-49	64	6.8	46	1	1	3	10	15	23	27
50-64	62	6.2	40	1	1	5	9	12	17	37
65+	42	10.1	91	1	2	6	14	23	34	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	4.5	30	<1	1	3	6	9	11	27
B. *Operated*	176	3.3	12	1	1	2	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	446	6.0	22	1	2	5	8	11	14	25
B. *Operated*	207	6.9	50	1	1	5	9	15	20	37
1. SINGLE DX	324	3.8	21	1	1	2	5	8	10	20
2. MULTIPLE DX	653	6.3	31	1	2	5	8	12	15	29
A. NOT OPERATED	594	5.6	24	1	1	5	7	11	13	25
B. OPERATED	383	5.2	36	1	1	3	7	12	16	33
TOTAL 0-19 YRS	17	3.9	8	<1	1	3	5	9	10	10
20-34	163	4.5	16	1	1	3	7	9	11	18
35-49	292	5.3	35	1	1	3	7	12	15	28
50-64	270	5.3	19	1	1	4	7	10	13	20
65+	235	6.8	42	1	2	5	8	13	18	36
GRAND TOTAL	**977**	**5.5**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	2.3	7	<1	<1	1	3	4	6	14
20-34	510	3.8	13	1	1	3	5	8	10	17
35-49	554	4.0	15	1	1	3	5	8	10	21
50-64	328	3.7	11	1	1	3	5	8	9	17
65+	165	4.1	9	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	1275	5.4	16	<1	1	6	8	10	11	16
20-34	1481	3.7	15	<1	1	2	5	9	11	18
35-49	1387	3.4	13	<1	1	2	4	8	10	17
50-64	1225	2.9	11	<1	1	2	3	6	9	16
65+	689	3.0	11	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	459	3.9	50	<1	1	2	4	8	11	18
20-34	1033	4.7	20	1	1	3	6	9	12	20
35-49	1490	4.9	18	1	1	4	6	9	12	24
50-64	1473	4.9	21	1	1	4	6	10	13	22
65+	1915	5.8	30	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	1928	6.3	72	1	1	3	9	13	21	43
20-34	2313	4.7	39	1	1	3	6	10	15	31
35-49	2416	5.0	39	1	1	3	6	11	16	31
50-64	2282	5.6	46	1	1	3	7	12	18	33
65+	1919	6.7	65	1	1	4	8	15	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1917	3.6	12	<1	1	3	5	7	9	17
B. *Operated*	6057	3.7	14	<1	1	2	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	6370	5.1	25	1	1	4	6	10	13	23
B. *Operated*	10858	5.6	52	1	1	3	7	12	18	37
1. SINGLE DX	7974	3.7	13	<1	1	2	5	9	10	17
2. MULTIPLE DX	17228	5.4	42	1	1	3	7	11	16	32
A. NOT OPERATED	8287	4.7	23	1	1	3	6	9	12	22
B. OPERATED	16915	4.9	39	1	1	3	7	11	15	31
TOTAL 0-19 YRS	4022	5.4	47	<1	1	3	8	11	14	35
20-34	5337	4.3	26	<1	1	3	5	9	13	26
35-49	5847	4.5	26	1	1	3	6	9	13	25
50-64	5308	4.7	30	1	1	3	6	10	14	26
65+	4688	5.7	42	1	1	4	7	12	16	33
GRAND TOTAL	**25202**	**4.9**	**34**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	4.3	14	1	1	3	7	10	13	13
35-49	22	4.7	18	<1	1	5	6	8	15	19
50-64	5	5.0	6	2	2	6	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	17	1.9	2	<1	1	1	2	5	5	5
35-49	10	2.7	6	1	1	2	3	7	9	9
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	4	1	1	4	5	44	95	99+
20-34	84	5.2	9	1	2	5	7	10	11	14
35-49	138	4.8	9	1	2	4	6	8	12	14
50-64	58	4.0	4	2	2	3	5	7	9	9
65+	33	4.9	7	2	2	4	6	9	10	11
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	24	5.0	21	1	1	4	6	12	17	18
35-49	23	4.6	29	<1	1	2	5	12	17	24
50-64	14	4.9	35	1	1	3	5	10	21	24
65+	4	10.8	43	5	5	9	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.6	14	<1	1	4	6	7	13	19
B. *Operated*	32	2.3	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	323	4.7	8	1	2	4	6	9	10	14
B. *Operated*	66	5.3	29	1	1	4	6	13	18	24
1. SINGLE DX	70	3.6	11	1	1	2	5	7	9	18
2. MULTIPLE DX	389	4.8	11	1	2	4	6	9	12	19
A. NOT OPERATED	361	4.7	9	1	2	4	6	9	11	14
B. OPERATED	98	4.3	23	1	1	2	5	10	15	24
TOTAL 0-19 YRS	15	3.8	9	1	1	4	6	11	74	99+
20-34	135	4.7	11	1	1	4	6	9	12	16
35-49	193	4.7	12	1	1	4	6	8	12	18
50-64	79	4.2	9	1	2	3	5	8	9	20
65+	37	5.5	13	2	2	4	7	10	12	19
GRAND TOTAL	**459**	**4.6**	**11**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.1	4	<1	<1	1	2	4	6	12
20-34	9	4.7	10	1	1	3	7	9	10	10
35-49	6	3.3	3	1	1	3	5	6	6	6
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	6	2.8	3	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	244	4.9	11	1	1	4	6	9	11	18
20-34	37	5.5	12	2	2	5	7	10	13	17
35-49	33	8.0	31	1	1	7	11	17	19	23
50-64	12	4.8	10	1	1	4	7	9	10	10
65+	7	10.4	49	2	3	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	4.8	70	<1	1	3	5	13	29	99+
20-34	34	4.4	13	<1	1	4	5	10	11	14
35-49	19	5.4	35	1	1	4	6	9	19	28
50-64	9	14.2	651	<1	<1	6	12	54	81	81
65+	24	8.4	131	1	1	4	11	16	34	54
B. *Operated*										
0-19 YRS	514	9.5	112	1	2	6	11	22	29	62
20-34	78	10.6	109	1	1	8	13	23	38	88
35-49	62	9.6	76	1	2	7	13	16	25	51
50-64	44	9.7	74	1	2	10	13	16	19	53
65+	27	8.2	39	2	2	6	11	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.5	5	<1	<1	2	3	5	8	11
B. *Operated*	333	5.4	15	1	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	417	5.2	80	<1	1	3	5	13	26	99+
B. *Operated*	725	9.6	103	1	2	7	12	20	29	60
1. SINGLE DX	438	4.7	14	1	1	4	6	9	12	19
2. MULTIPLE DX	1142	8.0	99	1	1	5	10	18	28	99+
A. NOT OPERATED	522	4.7	66	<1	1	2	5	11	22	99+
B. OPERATED	1058	8.3	79	1	2	6	10	17	24	58
TOTAL 0-19 YRS	1170	6.7	78	1	1	4	8	16	25	99+
20-34	158	7.7	67	1	1	5	10	16	23	57
35-49	120	8.2	56	1	2	6	11	16	20	40
50-64	68	9.2	135	1	1	6	12	16	18	76
65+	64	8.0	72	1	2	5	11	17	23	50
GRAND TOTAL	**1580**	**7.1**	**78**	**1**	**1**	**5**	**9**	**16**	**24**	**92**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.5	4	<1	<1	<1	1	2	3	14
20-34	8	3.9	14	1	1	2	6	10	11	11
35-49	7	4.7	6	<1	1	5	6	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	927	1.7	2	<1	<1	1	2	3	5	7
20-34	260	1.8	2	<1	<1	1	2	3	5	8
35-49	112	1.9	5	<1	<1	1	2	3	4	13
50-64	73	1.9	3	<1	1	2	2	4	5	10
65+	34	1.9	1	<1	1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	2.0	5	<1	<1	1	2	4	7	12
20-34	11	3.7	8	<1	<1	2	6	7	9	9
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+	4	3.8	5	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	455	2.3	6	<1	1	2	2	5	7	11
20-34	118	2.3	3	<1	1	2	3	5	6	8
35-49	69	2.3	2	1	1	2	3	4	5	7
50-64	72	2.5	7	<1	<1	2	3	5	7	15
65+	66	2.3	12	<1	1	2	2	3	4	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	1.9	6	<1	<1	<1	1	4	7	14
B. *Operated*	1406	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	94	2.2	5	<1	<1	1	2	6	7	11
B. *Operated*	780	2.3	6	<1	1	2	3	4	6	11
1. SINGLE DX	1513	1.8	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	874	2.3	5	<1	<1	2	3	5	6	11
A. NOT OPERATED	201	2.0	5	<1	<1	1	2	5	7	12
B. OPERATED	2186	2.0	3	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	1546	1.9	3	<1	<1	1	2	4	5	9
20-34	397	2.1	3	<1	1	2	2	4	6	9
35-49	190	2.2	4	<1	1	2	3	4	5	9
50-64	150	2.2	5	<1	<1	2	2	4	5	12
65+	104	2.2	8	<1	1	2	2	4	5	17
GRAND TOTAL	**2387**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.8	11	<1	1	2	3	6	8	19
20-34	14	2.9	4	<1	<1	2	4	6	8	8
35-49	7	1.9		<1	<1	2	2	3	3	3
50-64	11	3.9	6	<1	1	4	6	7	8	8
65+	7	5.1	12	1	1	4	7	10	11	11
B. *Operated*										
0-19 YRS	1697	4.1	11	1	1	2	6	8	10	15
20-34	244	4.6	20	1	1	2	7	9	11	22
35-49	155	4.7	22	1	1	2	7	10	14	19
50-64	85	3.9	15	1	1	2	7	9	11	17
65+	21	5.2	28	1	1	3	7	13	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	702	4.1	37	<1	<1	2	5	8	13	33
20-34	104	3.6	18	1	1	3	4	7	9	26
35-49	67	4.5	25	1	1	3	6	8	11	33
50-64	85	4.3	11	1	1	3	6	7	11	18
65+	141	5.7	15	1	2	5	7	11	14	17
B. *Operated*										
0-19 YRS	4331	7.1	92	1	1	5	9	15	22	62
20-34	451	6.7	60	1	1	4	9	14	19	43
35-49	328	7.6	68	1	1	6	10	15	22	44
50-64	337	8.2	83	1	1	7	10	16	23	65
65+	264	9.7	86	1	2	8	13	20	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.0	10	<1	1	2	3	6	8	13
B. *Operated*	2202	4.2	13	1	1	2	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1099	4.3	30	<1	1	3	5	9	13	28
B. *Operated*	5711	7.3	88	1	1	5	9	15	22	56
1. SINGLE DX	2352	4.1	13	1	1	2	6	9	10	17
2. MULTIPLE DX	6810	6.8	79	1	1	4	9	15	20	54
A. NOT OPERATED	1249	4.1	27	<1	1	3	5	8	12	27
B. OPERATED	7913	6.4	69	1	1	4	8	13	19	48
TOTAL 0-19 YRS	6841	6.0	67	1	1	4	8	12	18	50
20-34	813	5.6	43	1	1	3	8	11	16	33
35-49	557	6.3	51	1	1	4	8	13	17	40
50-64	518	6.7	62	1	1	5	9	14	18	46
65+	433	8.1	63	1	1	6	11	16	22	39
GRAND TOTAL	**9162**	**6.1**	**64**	**1**	**1**	**4**	**8**	**13**	**18**	**46**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	6	<1	<1	2	3	6	9	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1301	3.0	3	1	1	3	4	5	6	8
20-34	21	2.1	2	1	1	2	3	4	5	6
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	1.5	3	<1	<1	1	1	3	4	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1309	3.4	6	1	1	3	4	6	7	11
20-34	38	2.6	3	1	1	2	3	5	6	8
35-49	21	2.9	2	1	1	3	4	5	6	6
50-64	5	3.0	3	1	1	3	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	6	<1	<1	2	3	6	9	10
B. *Operated*	1331	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	122	1.5	3	<1	<1	1	1	3	4	11
B. *Operated*	1374	3.4	6	1	1	3	4	6	7	11
1. SINGLE DX	1343	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1496	3.2	6	1	1	3	4	5	6	11
A. NOT OPERATED	134	1.6	3	<1	<1	1	1	3	4	11
B. OPERATED	2705	3.2	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	2744	3.1	4	1	1	3	4	5	6	9
20-34	59	2.4	2	1	1	2	3	4	6	8
35-49	29	2.8	2	1	1	3	4	5	5	6
50-64	6	2.7	3	1	1	2	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**2839**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.2	2	<1	1	2	3	4	4	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1316	3.2	2	1	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	3	1	1	2	3	5	6	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	510	4.8	18	2	2	4	5	7	9	22
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.2	2	<1	1	2	3	4	4	8
B. *Operated*	1316	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	50	2.6	3	1	1	2	3	5	6	10
B. *Operated*	510	4.8	18	2	2	4	5	7	9	22
1. SINGLE DX	1385	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX	560	4.6	17	2	2	4	5	7	9	21
A. NOT OPERATED	119	2.3	3	<1	1	2	3	4	5	9
B. OPERATED	1826	3.6	7	2	2	3	4	6	7	12
TOTAL 0-19 YRS	1945	3.6	7	1	2	3	4	6	7	11
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1945**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.0	39	<1	<1	2	3	6	9	64
20-34	7	3.9	6	<1	<1	4	6	7	7	7
35-49	12	3.1	5	<1	<1	3	4	6	8	8
50-64	8	1.9	2	<1	<1	<1	3	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	748	5.0	29	<1	1	3	7	11	15	26
20-34	108	4.1	8	1	1	4	6	8	9	14
35-49	65	4.8	11	1	1	5	7	9	11	13
50-64	34	5.3	13	1	1	6	7	10	12	14
65+	16	6.4	20	<1	1	5	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	5.9	114	<1	1	3	6	12	21	78
20-34	28	5.1	14	1	2	4	7	12	13	14
35-49	29	5.0	16	<1	1	4	7	11	15	16
50-64	37	4.7	8	1	2	4	6	10	11	12
65+	80	5.5	19	1	2	4	6	10	14	25
B. *Operated*										
0-19 YRS	1267	9.2	144	1	1	6	11	20	32	80
20-34	208	6.5	34	1	1	6	8	11	15	22
35-49	163	7.5	39	1	1	6	9	15	19	33
50-64	115	8.9	48	1	2	8	11	16	23	34
65+	142	10.5	70	1	3	8	13	20	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	3.0	34	<1	<1	2	3	6	8	46
B. *Operated*	971	4.9	25	<1	1	4	7	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	580	5.7	84	<1	1	3	6	11	18	57
B. *Operated*	1895	8.8	112	1	1	6	10	18	28	72
1. SINGLE DX	1170	4.6	27	<1	1	3	6	10	13	25
2. MULTIPLE DX	2475	8.1	107	1	1	5	9	17	26	69
A. NOT OPERATED	779	5.0	73	<1	1	3	5	10	16	57
B. OPERATED	2866	7.5	86	1	1	5	9	16	23	58
TOTAL 0-19 YRS	2592	7.0	104	1	1	4	8	16	24	70
20-34	351	5.6	25	1	1	5	7	10	13	21
35-49	269	6.4	30	1	1	5	8	13	18	23
50-64	194	7.2	37	1	1	6	10	15	17	33
65+	239	8.5	56	1	2	6	11	17	21	40
GRAND TOTAL	**3645**	**7.0**	**84**	**1**	**1**	**4**	**8**	**15**	**21**	**58**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5	1	<1	<1	1	2	3	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1157	1.5	1	<1	<1	1	2	3	3	5
20-34	85	2.0	2	<1	1	2	2	3	4	8
35-49	29	2.0	1	<1	<1	2	3	3	4	4
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	1.1		<1	<1	<1	1	2	2	4
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	1093	1.8	2	<1	<1	1	2	3	4	7
20-34	110	2.6	4	1	1	2	3	5	6	10
35-49	54	2.3	2	1	1	2	3	4	5	5
50-64	13	2.5	1	1	1	2	3	4	5	5
65+	9	1.7	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	1278	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	60	1.1		<1	<1	<1	1	2	2	4
B. *Operated*	1279	1.9	2	<1	<1	1	2	3	4	7
1. SINGLE DX	1297	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1339	1.8	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	79	1.2		<1	<1	1	1	2	3	4
B. OPERATED	2557	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	2323	1.6	1	<1	<1	1	2	3	4	6
20-34	199	2.3	3	<1	1	2	3	5	6	10
35-49	84	2.1	1	<1	1	2	3	4	4	5
50-64	18	2.2	1	<1	1	2	3	4	5	5
65+	12	1.5	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**2636**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.1	4	<1	<1	1	2	3	5	12
20-34	45	2.8	3	1	1	2	3	5	7	9
35-49	27	3.1	4	1	1	2	4	6	7	9
50-64	11	3.4	4	1	1	2	4	7	8	8
65+	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1711	3.9	11	<1	1	3	6	8	10	15
20-34	325	3.6	7	<1	1	3	5	7	9	12
35-49	108	3.9	5	1	1	4	5	7	8	10
50-64	64	5.4	15	1	1	5	7	10	13	19
65+	24	4.1	7	<1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	2.4	5	<1	<1	2	3	6	7	12
20-34	73	3.7	5	<1	1	3	5	8	9	10
35-49	93	3.4	6	1	1	3	4	6	9	11
50-64	75	4.8	15	1	1	4	6	9	13	20
65+	46	5.1	11	1	2	4	7	9	12	15
B. *Operated*										
0-19 YRS	1335	5.9	37	1	1	4	8	12	16	29
20-34	529	5.1	13	1	1	5	6	10	12	19
35-49	326	5.9	19	1	2	5	7	11	14	23
50-64	198	7.5	74	1	2	5	9	14	19	49
65+	156	8.3	47	1	2	7	10	17	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	2232	3.9	10	<1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	416	3.6	9	<1	1	3	5	7	9	14
B. *Operated*	2544	6.0	34	1	1	5	7	12	16	28
1. SINGLE DX	2365	3.9	10	<1	1	3	5	8	10	14
2. MULTIPLE DX	2960	5.7	31	1	1	4	7	11	15	27
A. NOT OPERATED	549	3.4	8	<1	1	2	4	7	9	13
B. OPERATED	4776	5.0	24	<1	1	4	7	10	13	23
TOTAL 0-19 YRS	3219	4.7	23	<1	1	3	6	10	13	21
20-34	972	4.4	10	<1	1	4	5	8	10	16
35-49	554	5.0	15	1	1	4	6	9	11	21
50-64	348	6.4	50	1	1	5	8	12	17	28
65+	232	7.1	37	1	2	6	9	14	19	30
GRAND TOTAL	**5325**	**4.9**	**22**	**<1**	**1**	**4**	**6**	**10**	**13**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	39	1	1	1	3	13	21	21
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1100	2.8	4	1	1	2	3	5	6	11
20-34	42	3.1	3	1	1	3	4	6	7	8
35-49	27	3.4	5	1	1	3	5	6	8	10
50-64	24	2.7	2	1	1	3	4	4	5	7
65+	11	3.7	16	<1	<1	2	4	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	1.7	5	<1	<1	1	1	3	5	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	759	3.5	10	1	1	3	4	6	8	14
20-34	150	3.1	5	1	1	3	4	5	6	9
35-49	141	3.0	4	1	1	3	4	5	7	10
50-64	144	3.0	3	1	1	3	4	6	7	8
65+	73	3.4	4	<1	1	3	4	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	36	1	1	1	3	11	20	21
B. *Operated*	1204	2.8	4	1	1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	80	1.7	5	<1	<1	1	1	3	5	13
B. *Operated*	1267	3.3	7	1	1	3	4	6	8	13
1. SINGLE DX	1215	2.8	4	1	1	2	4	5	6	11
2. MULTIPLE DX	1347	3.2	7	1	1	3	4	6	8	13
A. NOT OPERATED	91	1.9	8	<1	<1	1	1	3	5	18
B. OPERATED	2471	3.1	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	1946	3.0	6	1	1	3	4	5	7	13
20-34	194	3.1	5	1	1	3	4	5	6	9
35-49	169	3.1	4	1	1	3	4	5	7	10
50-64	169	2.9	3	1	1	3	4	5	6	8
65+	84	3.4	6	<1	1	3	4	7	8	13
GRAND TOTAL	**2562**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	2.8	19	<1	<1	1	3	6	9	22
20-34	66	5.1	28	1	1	4	6	10	15	28
35-49	42	4.4	14	<1	1	3	6	9	13	18
50-64	35	4.4	11	<1	1	4	7	10	11	12
65+	16	3.8	6	1	2	3	4	6	10	12
B. *Operated*										
0-19 YRS	3278	3.6	14	<1	1	2	5	7	9	19
20-34	843	3.4	22	<1	1	2	4	8	10	14
35-49	484	3.7	13	<1	1	2	5	9	11	17
50-64	228	3.7	12	1	1	2	5	8	10	17
65+	70	4.6	27	1	1	3	6	9	10	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	691	4.8	45	<1	1	3	5	11	18	42
20-34	145	5.8	31	1	1	4	7	11	17	41
35-49	151	5.9	23	1	1	5	8	11	14	32
50-64	117	6.1	29	1	2	5	7	11	15	34
65+	150	6.9	30	2	2	6	8	12	20	26
B. *Operated*										
0-19 YRS	2323	6.1	74	1	1	4	7	12	20	59
20-34	701	5.6	43	1	1	4	8	12	15	28
35-49	597	5.8	26	1	1	5	9	11	13	22
50-64	468	7.3	55	1	1	6	10	14	19	37
65+	231	8.5	47	1	2	7	12	18	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.4	20	<1	<1	2	4	7	11	23
B. *Operated*	4903	3.6	16	<1	1	2	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	1254	5.4	38	<1	1	4	7	11	16	37
B. *Operated*	4320	6.2	59	1	1	4	8	13	18	38
1. SINGLE DX	5398	3.6	16	<1	1	2	5	8	10	18
2. MULTIPLE DX	5574	6.1	55	1	1	4	8	12	18	38
A. NOT OPERATED	1749	4.8	34	<1	1	3	6	10	15	36
B. OPERATED	9223	4.8	38	1	1	3	6	10	14	29
TOTAL 0-19 YRS	6628	4.6	40	<1	1	3	5	9	14	33
20-34	1755	4.5	33	1	1	3	6	10	13	25
35-49	1274	4.9	22	1	1	3	7	11	13	19
50-64	848	6.1	40	1	1	4	8	12	16	33
65+	467	7.2	39	1	2	6	9	15	20	30
GRAND TOTAL	**10972**	**4.8**	**37**	**<1**	**1**	**3**	**6**	**10**	**14**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8030	2.9	11	1	1	2	3	5	7	18
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	170	5.6	49	<1	1	3	7	13	17	45
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5733	8.5	126	1	2	4	10	22	31	59
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	515	18.8	419	1	2	11	28	69	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8030	2.9	11	1	1	2	3	5	7	18
B. *Operated*	170	5.6	49	<1	1	3	7	13	17	45
2. MULTIPLE DX										
A. *Not Operated*	5733	8.5	126	1	2	4	10	22	31	59
B. *Operated*	615	18.8	419	1	2	11	28	69	99+	99+
1. SINGLE DX	8200	2.9	11	1	1	2	3	5	8	19
2. MULTIPLE DX	6348	9.5	163	1	2	4	11	25	38	85
A. NOT OPERATED	13763	5.2	66	1	1	3	5	12	20	43
B. OPERATED	785	16.0	368	1	2	9	23	61	92	99+
TOTAL 0-19 YRS	14548	5.8	88	1	1	3	5	14	24	59
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**14548**	**5.8**	**88**	**1**	**1**	**3**	**5**	**14**	**24**	**59**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4204	2.3	4	1	1	2	3	4	5	8
20-34	1517	2.6	5	<1	1	2	3	5	6	10
35-49	845	2.7	3	1	1	2	3	5	6	9
50-64	483	2.9	4	1	1	2	4	5	7	11
65+	394	3.5	9	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	37	3.5	7	1	1	2	5	6	10	12
20-34	31	3.1	4	1	1	3	5	6	6	10
35-49	32	3.8	8	1	1	3	5	7	9	14
50-64	20	4.1	8	<1	1	4	6	9	10	10
65+	18	3.6	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8285	2.8	7	1	1	2	3	5	6	12
20-34	2682	3.7	11	1	1	3	5	7	9	16
35-49	2775	4.4	18	1	1	3	5	8	11	21
50-64	3228	5.0	20	1	1	4	6	9	12	23
65+	5869	6.1	31	1	2	5	7	11	15	28
B. *Operated*										
0-19 YRS	189	6.4	49	1	1	4	7	13	22	40
20-34	205	7.7	130	1	1	4	9	14	20	69
35-49	222	7.8	62	1	2	6	9	16	25	39
50-64	338	11.3	178	2	2	7	13	24	33	92
65+	511	11.4	127	2	3	8	14	23	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7443	2.5	4	1	1	2	3	5	6	10
B. *Operated*	138	3.6	6	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	22839	4.2	18	1	1	3	5	8	11	21
B. *Operated*	1465	9.7	123	1	2	6	12	20	29	82
1. SINGLE DX	7581	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	24304	4.6	26	1	1	3	5	9	12	25
A. NOT OPERATED	30282	3.8	15	1	1	3	5	7	10	19
B. OPERATED	1603	9.2	116	1	2	6	11	19	28	78
TOTAL 0-19 YRS	12715	2.7	7	1	1	2	3	5	6	12
20-34	4435	3.5	15	1	1	3	4	7	9	16
35-49	3874	4.2	19	1	1	3	5	8	10	22
50-64	4069	5.2	35	1	1	4	6	10	14	29
65+	6792	6.3	39	1	2	5	8	12	16	34
GRAND TOTAL	**31885**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1501	2.7	2	1	1	2	3	4	5	8
20-34	226	3.7	5	1	2	3	5	7	9	12
35-49	167	4.2	7	1	2	4	5	8	9	16
50-64	150	4.4	8	1	2	3	5	8	10	15
65+	164	4.7	10	1	2	4	6	8	11	15
B. *Operated*										
0-19 YRS	28	5.4	22	1	1	4	7	11	15	22
20-34	18	7.5	26	2	2	6	10	17	20	20
35-49	14	4.8	9	<1	1	4	7	9	10	10
50-64	15	6.9	17	2	3	6	9	11	16	18
65+	16	9.4	44	1	2	8	11	18	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3674	3.3	8	1	1	3	4	6	7	13
20-34	983	4.5	11	1	2	4	6	8	11	16
35-49	1009	5.3	23	2	2	4	6	9	12	23
50-64	1483	5.7	15	2	2	5	7	10	13	21
65+	3200	6.6	27	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	138	7.3	54	1	1	5	10	16	21	55
20-34	207	9.4	61	2	2	7	12	19	24	42
35-49	190	9.9	50	2	3	8	13	18	24	33
50-64	377	11.1	82	3	3	9	14	22	27	44
65+	590	13.1	97	3	4	11	16	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2208	3.2	4	1	1	3	4	6	7	11
B. *Operated*	91	6.7	25	1	2	6	9	11	19	26
2. MULTIPLE DX										
A. *Not Operated*	10349	4.9	19	1	2	4	6	9	12	21
B. *Operated*	1502	11.2	82	2	3	9	15	22	28	50
1. SINGLE DX	2299	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	11851	5.7	31	1	2	4	7	11	15	28
A. NOT OPERATED	12557	4.6	17	1	2	4	6	9	12	20
B. OPERATED	1593	10.9	80	2	3	9	14	22	27	50
TOTAL 0-19 YRS	5341	3.2	8	1	1	3	4	5	7	14
20-34	1434	5.1	20	1	2	4	6	10	13	23
35-49	1380	5.8	28	1	2	4	7	10	14	26
50-64	2025	6.6	32	2	2	5	8	12	17	28
65+	3970	7.5	43	2	2	6	9	14	19	33
GRAND TOTAL	**14150**	**5.3**	**28**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	2.3	2	<1	1	2	3	4	5	7
20-34	826	2.9	5	1	1	2	4	5	7	10
35-49	520	3.1	6	1	1	2	4	6	7	13
50-64	194	2.8	5	1	1	2	4	5	7	13
65+	55	3.4	5	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	15	2.0	2	<1	1	2	2	3	6	7
20-34	127	2.8	5	1	1	2	4	5	8	12
35-49	93	3.4	11	1	1	2	4	6	9	21
50-64	57	2.9	5	1	1	2	4	6	8	10
65+	19	2.3	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	608	2.8	5	1	1	2	3	5	7	11
20-34	1591	4.0	10	1	1	3	5	8	10	17
35-49	1466	4.2	12	1	1	3	5	8	10	18
50-64	957	4.4	14	1	1	3	5	8	11	18
65+	812	4.3	12	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	30	3.6	9	1	1	3	5	6	7	16
20-34	194	5.0	16	1	1	4	7	10	13	19
35-49	235	5.2	19	1	1	4	7	10	15	19
50-64	177	5.9	19	1	2	5	7	13	14	19
65+	157	6.7	39	1	1	6	8	12	16	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1905	2.9	5	1	1	2	4	5	7	10
B. *Operated*	311	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	5434	4.0	11	1	1	3	5	8	10	16
B. *Operated*	793	5.5	22	1	1	4	7	11	15	20
1. SINGLE DX	2216	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	6227	4.2	13	1	1	3	5	8	11	18
A. NOT OPERATED	7339	3.7	10	1	1	3	5	7	9	16
B. OPERATED	1104	4.8	19	1	1	4	6	10	13	19
TOTAL 0-19 YRS	963	2.6	4	1	1	2	3	5	6	11
20-34	2738	3.7	9	1	1	3	5	7	9	16
35-49	2314	4.0	11	1	1	3	5	8	10	18
50-64	1385	4.3	14	1	1	3	5	8	11	18
65+	1043	4.6	16	1	1	4	6	9	11	18
GRAND TOTAL	**8443**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.8	1	<1	1	1	2	3	4	8
20-34	94	2.7	2	<1	1	2	4	5	5	8
35-49	139	2.8	2	<1	1	3	4	5	6	6
50-64	243	2.9	3	<1	1	3	4	6	6	7
65+	262	2.8	3	1	1	2	4	5	7	9
B. *Operated*										
0-19 YRS	46	3.1	9	<1	<1	1	6	8	9	12
20-34	121	4.1	7	1	1	4	5	7	9	13
35-49	231	3.6	4	1	1	3	5	6	7	10
50-64	314	4.1	6	1	1	4	5	6	8	13
65+	276	4.0	7	1	1	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.4	3	<1	1	2	3	5	6	9
20-34	109	3.0	5	1	1	2	4	6	7	11
35-49	268	3.4	5	1	1	3	4	6	8	10
50-64	718	3.7	8	1	1	3	5	6	8	14
65+	1334	3.7	12	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	52	3.3	11	<1	1	2	4	9	10	17
20-34	135	4.3	10	1	1	4	6	7	8	15
35-49	297	4.6	11	1	1	4	6	8	10	18
50-64	696	5.2	13	1	2	4	6	9	12	19
65+	1181	5.2	20	1	1	4	6	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	794	2.8	3	<1	1	2	4	5	6	8
B. *Operated*	988	3.9	6	1	1	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	2542	3.6	9	1	1	3	5	6	8	14
B. *Operated*	2361	5.0	16	1	1	4	6	9	12	21
1. SINGLE DX	1782	3.4	5	1	1	3	5	6	7	10
2. MULTIPLE DX	4903	4.3	13	1	1	4	5	8	10	18
A. NOT OPERATED	3336	3.4	8	1	1	3	4	6	8	12
B. OPERATED	3349	4.7	13	1	1	4	6	8	11	19
TOTAL 0-19 YRS	267	2.6	6	<1	1	2	3	6	8	11
20-34	459	3.6	7	1	1	3	5	7	8	12
35-49	935	3.7	6	1	1	3	5	7	8	13
50-64	1971	4.2	9	1	1	4	5	7	9	15
65+	3053	4.2	14	1	1	3	5	8	10	19
GRAND TOTAL	**6685**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.0	5	1	1	2	4	6	8	13
20-34	69	2.6	4	1	1	2	3	5	6	11
35-49	52	2.5	2	1	1	2	3	5	6	7
50-64	43	2.8	5	1	1	2	3	6	7	11
65+	34	2.2	3	<1	1	2	2	4	7	9
B. *Operated*										
0-19 YRS	200	1.7	2	<1	<1	1	2	3	4	10
20-34	270	1.8	3	<1	<1	1	2	3	5	11
35-49	175	1.7	1	<1	<1	1	2	3	4	7
50-64	126	2.1	3	<1	<1	1	2	4	6	10
65+	54	2.3	6	<1	<1	2	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.9	16	<1	1	3	5	8	10	25
20-34	201	3.2	7	1	1	2	4	6	8	15
35-49	282	4.0	22	1	1	3	5	8	11	29
50-64	473	5.3	36	1	1	4	6	12	16	31
65+	995	6.9	45	1	2	5	9	14	19	33
B. *Operated*										
0-19 YRS	105	4.3	22	1	1	3	5	9	13	25
20-34	212	4.2	38	<1	<1	2	5	9	12	37
35-49	216	5.7	53	1	1	3	8	14	18	49
50-64	289	8.6	161	<1	1	4	10	19	41	73
65+	360	11.0	151	1	1	7	15	24	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.7	4	1	1	2	3	5	7	10
B. *Operated*	825	1.9	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	2099	5.6	36	1	1	4	7	12	17	30
B. *Operated*	1182	7.6	111	<1	1	4	9	18	28	60
1. SINGLE DX	1101	2.1	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX	3281	6.3	64	1	1	4	8	14	20	45
A. NOT OPERATED	2375	5.3	33	1	1	3	6	11	16	29
B. OPERATED	2007	5.3	74	<1	<1	2	6	13	20	49
TOTAL 0-19 YRS	531	3.0	12	<1	<1	2	4	6	9	20
20-34	752	2.9	15	<1	<1	2	3	6	8	15
35-49	725	3.9	27	<1	1	2	4	8	13	30
50-64	931	5.8	74	<1	1	3	7	12	18	56
65+	1443	7.6	74	1	1	5	10	17	23	46
GRAND TOTAL	**4382**	**5.3**	**52**	**<1**	**1**	**3**	**6**	**12**	**17**	**41**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	5	10.0	161	<1	<1	7	14	32	32	32
35-49	3	14.0	39	7	7	16	18	19	19	19
50-64	5	7.8	74	1	1	3	14	21	21	21
65+	16	10.9	176	1	1	6	12	26	44	52
B. *Operated*										
0-19 YRS	16	5.1	15	<1	1	4	8	10	12	13
20-34	47	5.5	40	<1	1	3	6	12	18	32
35-49	56	6.9	54	<1	1	5	9	15	24	38
50-64	72	8.7	45	1	2	7	12	16	23	36
65+	163	10.2	80	1	3	8	13	20	24	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.8	25	1	2	8	12	16	17	17
20-34	10	5.7	7	2	2	5	6	10	11	11
35-49	37	6.9	27	1	2	6	9	13	19	25
50-64	102	7.3	25	2	2	6	10	13	18	26
65+	390	8.6	53	1	2	7	11	16	22	36
B. *Operated*										
0-19 YRS	49	11.7	255	<1	1	6	14	29	46	91
20-34	142	12.3	257	1	1	8	14	26	50	83
35-49	330	13.9	165	2	3	10	18	29	35	75
50-64	878	16.8	202	2	4	13	22	36	46	79
65+	3063	16.3	166	3	5	13	20	32	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	9.8	126	1	1	6	13	25	31	52
B. *Operated*	354	8.5	63	1	1	7	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	547	8.2	45	1	2	7	10	16	20	32
B. *Operated*	4462	16.1	178	3	4	13	20	32	43	79
1. SINGLE DX	386	8.6	68	1	1	7	11	18	24	38
2. MULTIPLE DX	5009	15.2	169	2	4	12	19	31	41	76
A. NOT OPERATED	579	8.3	49	1	2	7	10	16	21	34
B. OPERATED	4816	15.5	173	2	4	12	20	31	42	77
TOTAL 0-19 YRS	76	9.7	178	<1	1	6	12	19	32	80
20-34	204	10.3	200	1	1	6	12	21	42	80
35-49	426	12.3	146	1	2	9	16	27	34	70
50-64	1057	15.3	185	2	3	12	19	33	43	76
65+	3632	15.2	157	3	4	12	19	30	40	72
GRAND TOTAL	**5395**	**14.7**	**165**	**2**	**3**	**11**	**19**	**30**	**41**	**75**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.1	2	<1	1	2	3	4	5	8
20-34	1918	2.2	2	<1	1	2	3	4	5	7
35-49	6136	2.2	2	1	1	2	3	4	5	7
50-64	4556	2.4	3	1	1	2	3	4	5	7
65+	1748	2.6	5	1	1	2	3	4	5	9
B. *Operated*										
0-19 YRS	12	2.2	1	<1	1	2	3	4	4	4
20-34	241	2.3	3	<1	1	2	3	5	6	9
35-49	1715	2.2	5	<1	1	2	2	4	5	9
50-64	2095	2.1	4	1	1	2	2	4	5	8
65+	640	2.0	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	352	2.6	3	1	1	2	3	5	6	9
20-34	3834	2.8	4	1	1	2	3	5	6	10
35-49	15583	2.9	4	1	1	2	4	5	6	10
50-64	20201	3.2	5	1	1	3	4	6	7	11
65+	17363	3.6	9	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	29	4.7	8	1	2	4	6	9	11	12
20-34	461	3.6	9	1	1	2	5	7	9	18
35-49	3674	3.4	8	1	1	2	4	7	9	14
50-64	6163	3.4	11	1	1	2	4	7	9	16
65+	3468	4.3	18	1	1	3	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14534	2.3	3	1	1	2	3	4	5	7
B. *Operated*	4703	2.1	4	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	57333	3.2	6	1	1	3	4	6	7	11
B. *Operated*	13795	3.7	12	1	1	2	5	8	10	16
1. SINGLE DX	19237	2.3	3	1	1	2	3	4	5	7
2. MULTIPLE DX	71128	3.3	7	1	1	3	4	6	8	13
A. NOT OPERATED	71867	3.0	5	1	1	3	4	5	7	11
B. OPERATED	18498	3.3	10	1	1	2	4	7	9	15
TOTAL 0-19 YRS	569	2.5	3	1	1	2	3	5	6	10
20-34	6454	2.6	4	1	1	2	3	5	6	9
35-49	27108	2.8	4	1	1	2	3	5	6	10
50-64	33015	3.1	6	1	1	2	4	6	7	11
65+	23219	3.6	10	1	1	3	4	7	9	15
GRAND TOTAL	**90365**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1206	2.7	5	1	1	2	3	5	6	11
20-34	63	2.1	3	<1	<1	1	3	5	6	8
35-49	89	2.1	2	<1	1	2	3	4	5	7
50-64	99	2.8	10	<1	<1	2	3	6	7	20
65+	115	3.2	8	<1	1	2	4	7	10	14
B. *Operated*										
0-19 YRS	49	2.9	10	<1	1	2	3	5	8	20
20-34	70	3.0	6	<1	1	2	4	7	8	9
35-49	160	2.9	7	<1	1	2	4	6	8	14
50-64	208	2.9	7	<1	1	2	4	6	8	12
65+	117	3.1	7	<1	<1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2194	3.9	20	1	1	3	5	7	10	24
20-34	374	3.5	12	<1	1	2	4	7	10	17
35-49	649	3.9	14	1	1	3	5	8	10	18
50-64	1367	5.0	24	1	1	4	6	10	12	24
65+	2727	5.5	22	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	233	7.2	120	1	1	3	8	18	28	84
20-34	171	4.9	42	1	1	3	6	9	13	44
35-49	396	4.8	22	1	1	3	6	11	14	21
50-64	875	5.6	32	1	1	4	7	12	18	30
65+	1043	6.5	41	1	1	4	8	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1572	2.7	6	<1	1	2	3	5	6	12
B. *Operated*	604	3.0	7	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	7311	4.7	21	1	1	3	6	9	12	24
B. *Operated*	2718	5.9	43	1	1	4	8	13	18	34
1. SINGLE DX	2176	2.7	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	10029	5.0	27	1	1	4	6	10	14	27
A. NOT OPERATED	8883	4.3	19	1	1	3	5	9	12	22
B. OPERATED	3322	5.4	38	1	1	3	7	12	17	33
TOTAL 0-19 YRS	3682	3.7	23	1	1	3	4	7	10	25
20-34	678	3.6	19	<1	1	2	4	8	10	19
35-49	1294	3.9	15	1	1	3	5	8	11	20
50-64	2549	5.0	25	1	1	4	6	10	13	27
65+	4002	5.6	27	1	1	4	7	11	15	28
GRAND TOTAL	**12205**	**4.6**	**24**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.0	4	<1	1	2	2	3	4	35
20-34	636	1.9	2	<1	1	2	2	3	4	6
35-49	859	1.8	1	<1	1	1	2	3	4	6
50-64	468	1.8	1	<1	1	2	2	3	4	6
65+	196	2.4	6	<1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	98	2.6	8	<1	<1	2	3	4	8	17
20-34	122	3.8	10	<1	1	3	5	7	10	17
35-49	142	3.8	6	<1	1	3	5	7	9	11
50-64	116	4.2	8	1	1	3	6	8	9	14
65+	90	4.5	8	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	2.7	6	<1	1	2	3	5	7	13
20-34	750	2.6	4	<1	1	2	3	5	6	10
35-49	974	2.6	5	1	1	2	3	5	6	11
50-64	974	3.2	9	1	1	2	4	6	8	15
65+	1821	4.7	22	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	189	4.9	29	<1	<1	3	7	12	16	27
20-34	280	5.2	30	1	1	4	6	9	13	24
35-49	401	5.1	13	1	1	4	6	9	13	18
50-64	583	5.7	16	1	1	5	7	11	13	21
65+	1577	7.6	40	1	2	6	9	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2286	1.9	2	<1	1	2	2	3	4	6
B. *Operated*	568	3.8	8	<1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	4689	3.5	13	1	1	3	4	7	9	16
B. *Operated*	3030	6.5	31	1	1	5	8	13	16	27
1. SINGLE DX	2854	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	7719	4.7	22	1	1	3	6	10	13	22
A. NOT OPERATED	6975	3.0	10	<1	1	2	4	6	8	14
B. OPERATED	3598	6.1	29	1	1	5	8	12	15	26
TOTAL 0-19 YRS	584	3.2	14	<1	<1	2	4	7	11	20
20-34	1788	2.8	9	<1	1	2	3	5	7	14
35-49	2376	2.8	6	<1	1	2	4	6	7	13
50-64	2141	3.6	11	1	1	3	5	8	10	16
65+	3684	5.8	31	1	1	4	7	12	15	26
GRAND TOTAL	**10573**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**21**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4799	1.9	2	<1	1	1	2	3	4	7
20-34	4852	2.3	4	<1	1	2	3	4	5	9
35-49	2720	2.6	4	<1	1	2	3	5	6	10
50-64	1352	2.8	4	<1	1	2	4	5	7	10
65+	761	3.2	9	<1	1	2	4	6	8	14
B. *Operated*										
0-19 YRS	646	3.3	4	1	1	3	4	5	7	11
20-34	943	3.5	5	1	1	3	4	6	8	12
35-49	388	3.9	9	<1	1	3	5	8	10	15
50-64	153	3.8	9	1	1	3	5	7	10	16
65+	83	3.8	12	<1	1	2	6	8	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3893	2.3	3	1	1	2	3	4	5	9
20-34	6109	3.0	7	1	1	2	4	6	7	12
35-49	4611	3.7	8	1	1	3	5	7	9	14
50-64	4301	4.0	8	1	1	3	5	7	9	15
65+	6439	4.7	17	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	601	4.0	10	1	1	3	5	7	9	13
20-34	1398	5.1	19	1	1	4	6	10	13	23
35-49	1109	6.0	24	1	2	5	8	11	14	24
50-64	842	6.9	29	1	2	6	9	13	17	29
65+	1113	8.0	56	1	2	6	10	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14484	2.3	4	<1	1	2	3	4	6	9
B. *Operated*	2213	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	25353	3.6	10	1	1	3	5	7	9	15
B. *Operated*	5063	6.1	30	1	2	5	8	12	15	27
1. SINGLE DX	16697	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	30416	4.0	14	1	1	3	5	8	10	18
A. NOT OPERATED	39837	3.2	8	1	1	2	4	6	8	13
B. OPERATED	7276	5.3	24	1	1	4	7	11	14	24
TOTAL 0-19 YRS	9939	2.3	3	<1	1	2	3	4	5	9
20-34	13302	3.0	7	1	1	2	4	6	8	13
35-49	8828	3.7	10	1	1	3	5	7	9	15
50-64	6648	4.1	11	1	1	3	5	8	10	17
65+	8396	5.0	23	1	1	4	6	9	13	24
GRAND TOTAL	**47113**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	2.4	4	<1	1	2	3	4	5	9
20-34	226	2.5	4	<1	1	2	3	5	7	10
35-49	169	2.7	6	<1	1	2	4	5	7	12
50-64	116	3.2	17	<1	1	2	4	7	8	24
65+	141	3.2	6	<1	1	3	4	7	8	13
B. *Operated*										
0-19 YRS	33	3.7	15	<1	1	2	5	9	14	16
20-34	88	4.4	10	1	1	4	6	8	10	16
35-49	77	3.7	9	<1	1	3	5	7	9	14
50-64	97	3.9	10	<1	1	3	6	8	10	16
65+	54	3.8	11	<1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1655	2.9	7	1	1	2	3	5	7	13
20-34	988	3.7	14	1	1	3	5	7	9	18
35-49	1113	4.2	19	1	1	3	5	8	11	19
50-64	1801	5.0	19	1	1	4	6	10	13	21
65+	3614	5.3	21	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	284	3.7	57	1	1	1	4	8	13	33
20-34	539	3.9	24	1	1	2	5	9	12	27
35-49	608	5.0	35	1	1	3	7	11	16	33
50-64	656	7.0	67	1	1	5	9	16	24	39
65+	1216	8.1	73	1	1	6	11	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1113	2.6	6	<1	1	2	3	5	7	11
B. *Operated*	349	4.0	10	<1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	9171	4.5	18	1	1	3	6	9	12	20
B. *Operated*	3303	6.3	58	1	1	4	8	14	20	38
1. SINGLE DX	1462	3.0	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	12474	5.0	29	1	1	3	6	10	14	27
A. NOT OPERATED	10284	4.3	17	1	1	3	5	9	11	20
B. OPERATED	3652	6.0	54	1	1	4	8	14	19	36
TOTAL 0-19 YRS	2433	2.9	13	1	1	2	3	5	7	15
20-34	1841	3.6	16	1	1	2	5	7	10	18
35-49	1967	4.3	23	1	1	3	5	9	12	22
50-64	2670	5.4	31	1	1	4	7	11	15	28
65+	5025	5.9	35	1	1	4	7	12	16	29
GRAND TOTAL	**13936**	**4.8**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**26**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2697	2.9	9	1	1	2	4	5	7	14
20-34	1187	2.8	9	<1	1	2	3	5	7	16
35-49	1297	2.7	8	1	1	2	3	5	7	12
50-64	1535	2.8	8	1	1	2	3	5	7	13
65+	1769	3.3	9	1	1	2	4	6	9	15
B. *Operated*										
0-19 YRS	215	2.4	6	<1	<1	2	3	4	7	15
20-34	367	2.1	7	<1	1	1	2	4	6	8
35-49	467	2.2	4	<1	1	2	3	4	6	12
50-64	460	2.5	12	<1	1	2	3	5	7	12
65+	234	3.5	11	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5688	4.4	25	1	1	3	5	9	13	27
20-34	3769	3.8	25	1	1	3	4	7	9	24
35-49	5524	3.9	16	1	1	3	5	7	10	20
50-64	11608	4.9	26	1	1	4	6	10	13	23
65+	30815	5.7	28	1	2	4	7	11	14	27
B. *Operated*										
0-19 YRS	588	8.6	167	1	1	4	10	23	40	96
20-34	820	4.8	57	1	1	2	6	11	15	54
35-49	1284	5.6	69	1	1	3	6	12	19	52
50-64	2476	8.4	137	1	1	5	10	21	33	94
65+	4741	10.1	127	1	2	7	12	22	33	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8485	2.9	9	1	1	2	4	5	7	14
B. *Operated*	1743	2.5	8	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	57404	5.1	26	1	1	4	6	10	14	26
B. *Operated*	9909	8.5	122	1	1	5	10	19	31	78
1. SINGLE DX	10228	2.9	8	1	1	2	3	5	7	14
2. MULTIPLE DX	67313	5.6	42	1	1	4	7	11	16	35
A. NOT OPERATED	65889	4.8	25	1	1	3	6	9	13	25
B. OPERATED	11652	7.6	110	1	1	4	9	18	28	68
TOTAL 0-19 YRS	9188	4.2	31	1	1	3	5	8	12	28
20-34	6143	3.6	25	1	1	2	4	7	10	24
35-49	8572	3.9	23	1	1	3	5	7	10	25
50-64	16079	5.2	43	1	1	3	6	10	15	34
65+	37559	6.1	42	1	2	4	7	12	16	35
GRAND TOTAL	**77541**	**5.2**	**38**	**1**	**1**	**4**	**6**	**10**	**15**	**33**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1085	1.9	3	1	1	1	2	3	5	8
20-34	87	3.9	31	<1	<1	2	4	8	10	34
35-49	38	4.2	19	1	1	3	5	9	11	24
50-64	13	3.7	18	1	1	3	4	8	15	17
65+	16	4.8	13	<1	1	4	6	11	12	12
B. *Operated*										
0-19 YRS	215	4.6	16	1	2	4	5	8	10	25
20-34	76	6.3	68	1	1	5	7	10	17	56
35-49	27	5.9	14	1	1	6	9	11	13	13
50-64	15	7.5	30	<1	1	7	9	17	18	18
65+	4	5.8	21	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	921	3.6	22	1	1	2	4	7	11	57
20-34	259	5.6	34	1	1	4	8	12	16	22
35-49	120	6.6	92	<1	1	4	8	12	18	55
50-64	86	6.2	36	1	1	4	9	16	22	73
65+	79	10.0	76	1	1	9	12	24	28	41
B. *Operated*										
0-19 YRS	456	11.4	203	1	2	6	14	30	44	81
20-34	452	15.0	297	2	2	9	19	42	64	99+
35-49	180	13.9	268	2	2	8	16	36	50	98
50-64	101	15.2	199	2	2	10	22	40	51	99+
65+	87	18.2	342	1	2	12	29	44	63	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1239	2.1	6	1	1	1	2	4	6	11
B. *Operated*	337	5.2	29	1	1	4	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	1465	4.7	36	1	1	3	6	11	15	46
B. *Operated*	1276	13.8	258	1	2	8	17	37	53	99+
1. SINGLE DX	1576	2.8	12	1	1	2	3	6	8	17
2. MULTIPLE DX	2741	8.9	160	1	1	4	10	23	39	94
A. NOT OPERATED	2704	3.5	24	1	1	2	4	8	11	26
B. OPERATED	1613	12.0	222	1	2	7	14	32	47	99
TOTAL 0-19 YRS	2677	4.3	56	1	1	2	4	9	15	53
20-34	874	10.3	196	1	1	6	11	25	44	98
35-49	365	9.9	181	1	1	6	11	24	40	82
50-64	215	10.4	132	1	1	7	14	27	40	99+
65+	186	13.3	216	1	2	9	17	34	43	85
GRAND TOTAL	**4317**	**6.7**	**115**	**1**	**1**	**3**	**7**	**16**	**29**	**76**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	592	2.6	8	<1	1	2	3	5	7	12
20-34	153	3.8	10	1	1	3	5	7	10	15
35-49	45	3.6	10	<1	1	3	4	9	11	14
50-64	35	4.8	16	1	1	3	7	12	14	15
65+	19	9.5	307	1	1	3	9	22	55	77
B. *Operated*										
0-19 YRS	56	4.8	9	1	1	4	7	9	10	13
20-34	61	6.6	108	1	1	5	8	11	14	73
35-49	19	6.2	45	<1	1	3	10	12	21	28
50-64	6	3.2	2	2	2	3	5	5	5	5
65+	3	5.7	52	1	1	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	835	4.3	21	1	1	3	5	10	13	24
20-34	534	5.3	25	1	1	4	7	11	15	24
35-49	209	6.2	37	1	1	4	8	13	19	31
50-64	147	8.4	112	1	2	5	10	16	24	89
65+	200	10.5	119	2	2	8	12	21	30	73
B. *Operated*										
0-19 YRS	393	12.8	215	1	2	8	17	34	51	99+
20-34	514	13.8	246	1	2	9	18	36	53	94
35-49	216	15.6	257	1	2	11	20	38	59	99+
50-64	102	18.5	494	2	3	10	23	59	89	99+
65+	127	16.0	309	1	2	10	20	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	3.1	16	1	1	2	3	6	9	15
B. *Operated*	145	5.7	56	1	1	4	7	11	13	30
2. MULTIPLE DX										
A. *Not Operated*	1925	5.8	44	1	1	4	7	13	17	35
B. *Operated*	1352	14.4	265	1	2	9	19	38	57	99+
1. SINGLE DX	989	3.5	23	1	1	2	4	7	10	16
2. MULTIPLE DX	3277	9.3	153	1	1	5	11	22	35	88
A. NOT OPERATED	2769	4.9	37	1	1	3	6	11	15	31
B. OPERATED	1497	13.5	251	1	2	8	17	34	54	99+
TOTAL 0-19 YRS	1876	5.6	71	1	1	3	6	12	20	56
20-34	1262	8.7	136	1	1	5	10	20	31	76
35-49	489	10.1	156	1	1	6	12	25	35	79
50-64	290	11.4	260	1	2	6	13	26	56	98
65+	349	12.4	204	1	2	8	16	29	46	89
GRAND TOTAL	**4266**	**8.0**	**129**	**1**	**1**	**4**	**9**	**19**	**30**	**79**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.1	5	<1	<1	1	2	4	8	13
20-34	125	1.8	2	<1	<1	1	2	4	5	9
35-49	50	1.8	3	<1	<1	1	2	4	5	12
50-64	10	3.3	9	<1	<1	2	5	8	10	10
65+	7	1.9	1	1	1	1	3	3	3	3
B. *Operated*										
0-19 YRS	1319	1.8	3	<1	<1	1	2	3	4	7
20-34	2239	2.2	3	<1	1	2	3	4	5	10
35-49	623	2.2	4	<1	1	2	3	4	6	10
50-64	175	2.2	4	<1	1	2	3	4	5	12
65+	79	3.5	15	1	1	2	4	7	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	2.3	15	<1	<1	1	2	4	5	11
20-34	516	2.4	4	<1	<1	2	3	5	6	10
35-49	214	2.7	4	<1	1	2	3	6	7	10
50-64	128	3.2	7	<1	1	3	4	7	7	14
65+	267	5.5	38	1	1	4	7	12	15	33
B. *Operated*										
0-19 YRS	1997	3.4	16	1	1	2	4	7	10	20
20-34	4002	4.1	27	1	1	3	5	8	11	24
35-49	1471	4.8	27	1	1	3	6	10	14	25
50-64	555	5.3	51	1	1	3	6	11	15	34
65+	516	6.9	70	1	1	5	9	14	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.0	3	<1	<1	1	2	4	5	10
B. *Operated*	4435	2.1	4	<1	1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1414	3.1	14	<1	1	2	4	6	8	15
B. *Operated*	8541	4.3	29	1	1	3	5	9	12	25
1. SINGLE DX	4704	2.1	4	<1	1	1	3	4	5	9
2. MULTIPLE DX	9955	4.1	27	1	1	3	5	9	12	24
A. NOT OPERATED	1683	2.9	13	<1	<1	2	3	6	8	15
B. OPERATED	12976	3.6	21	1	1	2	4	7	10	21
TOTAL 0-19 YRS	3682	2.7	11	<1	1	2	3	5	8	15
20-34	6882	3.3	18	1	1	2	4	7	9	18
35-49	2358	3.9	20	1	1	2	5	8	11	22
50-64	868	4.4	36	1	1	3	5	9	12	28
65+	869	6.1	56	1	1	4	8	13	17	34
GRAND TOTAL	**14659**	**3.5**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	3.5	7	1	1	3	5	7	8	12
20-34	1118	4.3	18	1	1	3	5	8	10	16
35-49	622	4.7	15	1	1	4	6	8	11	17
50-64	505	5.4	15	1	1	5	7	10	13	20
65+	693	6.3	17	2	2	5	8	12	14	21
B. *Operated*										
0-19 YRS	110	10.1	42	2	3	9	14	18	24	31
20-34	247	8.9	43	2	3	8	12	16	22	32
35-49	105	9.1	31	2	2	9	13	17	20	25
50-64	51	9.3	61	1	1	8	12	20	21	43
65+	34	9.4	54	1	2	7	14	18	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	633	4.7	16	1	1	3	6	10	12	20
20-34	1592	5.3	20	1	1	4	7	10	12	22
35-49	1072	6.0	22	1	2	5	8	11	14	22
50-64	1436	7.3	28	2	2	6	9	13	16	26
65+	6647	8.8	42	2	3	7	11	16	20	31
B. *Operated*										
0-19 YRS	312	10.1	78	1	2	8	13	20	28	59
20-34	841	11.7	139	2	3	9	14	24	34	65
35-49	410	11.5	91	2	3	9	16	22	30	48
50-64	365	14.0	188	2	3	10	17	29	41	77
65+	811	15.4	150	3	5	12	19	29	40	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3510	4.8	16	1	1	4	6	9	11	18
B. *Operated*	547	9.3	43	2	2	8	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	11380	7.6	36	2	2	6	10	14	18	29
B. *Operated*	2739	12.9	138	2	3	10	16	26	35	73
1. SINGLE DX	4057	5.4	22	1	1	4	7	11	14	24
2. MULTIPLE DX	14119	8.6	60	2	2	7	11	16	21	40
A. NOT OPERATED	14890	7.0	33	1	2	6	9	13	17	27
B. OPERATED	3286	12.3	124	2	3	9	15	24	33	66
TOTAL 0-19 YRS	1627	5.7	33	1	1	4	7	12	16	31
20-34	3798	6.7	56	1	1	5	8	13	18	38
35-49	2209	6.8	39	1	2	5	8	14	18	32
50-64	2357	8.0	58	1	2	6	10	15	20	39
65+	8185	9.2	55	2	3	8	11	17	22	38
GRAND TOTAL	**18176**	**7.9**	**53**	**1**	**2**	**6**	**10**	**15**	**20**	**37**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	5	1	1	4	6	7	8	8
20-34	32	3.7	16	1	1	3	4	7	8	23
35-49	17	6.6	29	1	1	6	8	14	19	21
50-64	6	4.8	8	2	2	4	6	10	10	10
65+	5	8.6	19	3	3	9	11	15	15	15
B. *Operated*										
0-19 YRS	18	13.3	58	2	2	12	16	26	27	27
20-34	59	16.5	159	2	5	13	20	32	48	59
35-49	19	17.1	77	7	9	15	20	26	37	45
50-64	8	19.4	202	1	1	24	31	35	36	36
65+	4	12.0	24	8	8	11	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	15.8	434	1	2	6	21	46	57	91
20-34	51	11.6	158	1	2	7	15	32	51	99
35-49	30	10.6	251	1	2	7	12	17	33	86
50-64	24	13.0	182	1	1	8	17	32	48	52
65+	71	9.6	37	2	3	8	12	17	21	33
B. *Operated*										
0-19 YRS	112	26.2	419	6	9	21	40	87	99+	99+
20-34	283	26.6	356	6	9	23	40	79	99+	99+
35-49	96	27.7	372	8	11	22	38	67	99+	99+
50-64	56	27.6	382	5	10	25	53	99+	99+	99+
65+	51	24.2	218	7	11	22	33	53	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.8	18	1	1	4	6	9	14	23
B. *Operated*	108	16.1	126	2	5	13	20	30	39	56
2. MULTIPLE DX										
A. *Not Operated*	202	11.5	167	1	2	8	13	24	41	88
B. *Operated*	598	26.6	360	6	9	22	41	78	99+	99+
1. SINGLE DX	182	11.5	113	1	2	9	15	26	31	53
2. MULTIPLE DX	800	22.8	354	3	5	18	35	68	99+	99+
A. NOT OPERATED	276	9.7	136	1	1	7	11	21	32	77
B. OPERATED	706	25.0	338	6	8	21	37	72	99+	99+
TOTAL 0-19 YRS	170	21.4	399	2	3	17	31	71	99+	99+
20-34	425	21.7	335	2	4	18	34	66	99+	99+
35-49	162	21.1	347	2	3	16	28	57	87	99+
50-64	94	21.7	346	2	3	19	35	71	99+	99+
65+	131	15.4	156	3	4	12	20	35	50	99+
GRAND TOTAL	**982**	**20.7**	**328**	**2**	**4**	**16**	**31**	**62**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.6	1	<1	1	1	2	2	3	8
20-34	157	2.1	2	<1	1	2	3	4	5	7
35-49	242	2.6	3	<1	1	2	3	5	6	10
50-64	221	3.1	5	1	1	3	4	6	7	11
65+	229	3.4	9	1	1	3	4	7	9	14
B. *Operated*										
0-19 YRS	6	4.8	16	1	1	4	8	10	10	10
20-34	9	4.7	5	2	2	5	6	8	9	9
35-49	15	5.0	16	1	1	4	7	9	14	16
50-64	9	5.3	25	1	1	3	8	14	16	16
65+	5	4.4	6	2	2	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	3.2	10	1	1	2	4	6	7	13
20-34	1044	3.3	12	1	1	3	4	6	8	11
35-49	1309	4.2	12	1	1	3	5	8	11	16
50-64	1589	5.2	15	1	1	4	7	10	13	19
65+	3613	6.9	41	1	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	105	6.9	35	1	2	5	9	14	16	32
20-34	446	7.3	69	1	1	5	9	13	21	47
35-49	434	8.2	79	1	2	6	10	15	26	52
50-64	442	10.0	94	1	2	7	12	21	29	47
65+	595	12.7	127	2	3	10	15	26	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	903	2.8	5	1	1	2	3	5	7	11
B. *Operated*	44	4.9	13	1	1	4	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	7784	5.5	28	1	1	4	7	11	14	25
B. *Operated*	2022	9.6	97	1	2	7	11	20	28	55
1. SINGLE DX	947	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	9806	6.3	45	1	1	5	8	12	17	35
A. NOT OPERATED	8687	5.2	26	1	1	4	7	10	13	23
B. OPERATED	2066	9.5	95	1	2	7	11	20	28	54
TOTAL 0-19 YRS	394	4.0	19	1	1	3	5	8	12	24
20-34	1656	4.3	30	1	1	3	5	8	11	24
35-49	2000	4.9	29	1	1	3	6	10	13	29
50-64	2261	5.9	34	1	1	4	7	11	16	32
65+	4442	7.5	55	1	2	5	9	14	20	44
GRAND TOTAL	**10753**	**6.0**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	242	4.6	22	1	1	3	5	8	12	30
20-34	258	5.9	34	1	1	4	7	11	15	27
35-49	165	6.5	20	2	2	6	8	11	14	28
50-64	175	7.7	46	2	3	7	9	14	20	29
65+	747	7.2	28	2	2	6	9	13	17	25
B. *Operated*										
0-19 YRS	32	10.5	88	2	2	7	14	26	32	35
20-34	42	15.9	168	2	3	12	23	31	48	53
35-49	26	16.5	248	4	4	10	20	36	50	75
50-64	14	16.5	92	5	6	13	23	34	35	35
65+	10	24.1	309	3	5	24	35	49	60	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	540	6.6	40	1	2	5	8	13	17	37
20-34	698	9.1	68	2	2	7	11	17	27	44
35-49	470	10.3	92	2	3	8	12	19	28	55
50-64	619	10.4	72	2	3	8	13	19	26	43
65+	5044	10.6	74	3	4	9	13	19	25	51
B. *Operated*										
0-19 YRS	298	13.8	170	2	3	9	17	31	41	62
20-34	574	19.3	268	3	5	14	25	44	54	84
35-49	274	21.5	296	4	5	15	32	48	58	99+
50-64	248	25.6	346	5	7	20	37	53	63	81
65+	640	20.3	246	4	6	16	26	44	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1587	6.6	30	1	2	5	8	12	16	26
B. *Operated*	124	15.4	174	2	3	11	22	32	40	64
2. MULTIPLE DX										
A. *Not Operated*	7371	10.2	73	2	3	8	12	19	25	49
B. *Operated*	2034	19.9	270	3	5	14	27	45	57	89
1. SINGLE DX	1711	7.2	46	1	2	6	9	14	19	34
2. MULTIPLE DX	9405	12.3	132	3	3	9	14	25	37	66
A. NOT OPERATED	8958	9.5	67	2	3	7	12	18	23	47
B. OPERATED	2158	19.6	265	3	5	14	26	45	56	89
TOTAL 0-19 YRS	1112	8.2	85	1	2	5	9	18	27	48
20-34	1572	12.5	168	2	3	8	15	29	43	67
35-49	935	13.1	175	2	3	9	15	32	45	72
50-64	1056	13.6	178	2	3	9	15	29	44	66
65+	6441	11.2	97	3	4	9	13	21	29	63
GRAND TOTAL	**11116**	**11.5**	**122**	**2**	**3**	**8**	**14**	**23**	**34**	**63**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	354	2.7	18	<1	1	1	2	6	14	20
20-34	99	2.9	8	<1	<1	2	4	6	8	16
35-49	67	2.6	7	<1	1	2	3	5	7	18
50-64	115	2.6	5	<1	1	2	3	5	6	12
65+	379	3.3	8	1	1	3	4	6	8	15
B. *Operated*										
0-19 YRS	3620	2.7	13	1	1	2	3	5	10	20
20-34	471	3.3	13	1	1	2	4	6	9	16
35-49	335	3.3	5	1	1	3	4	6	7	11
50-64	423	3.8	10	1	1	3	5	7	9	17
65+	654	4.5	17	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	3.4	17	1	1	2	4	8	13	20
20-34	147	4.4	47	1	1	2	5	8	13	45
35-49	146	4.6	34	1	1	3	5	10	13	25
50-64	378	5.8	63	1	1	4	6	12	16	35
65+	2035	6.9	58	1	2	5	8	14	19	46
B. *Operated*										
0-19 YRS	1070	4.8	42	1	1	3	5	11	18	34
20-34	643	8.5	110	1	2	5	9	18	30	52
35-49	480	7.7	80	1	2	5	9	18	27	45
50-64	794	8.0	86	1	2	5	9	16	24	51
65+	2142	9.1	97	1	2	6	11	18	25	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	2.9	11	<1	1	2	3	6	8	18
B. *Operated*	5503	3.1	13	1	1	2	3	6	10	19
2. MULTIPLE DX										
A. *Not Operated*	2897	6.3	55	1	1	4	7	13	18	44
B. *Operated*	5129	7.9	86	1	1	5	9	17	24	50
1. SINGLE DX	6517	3.1	13	1	1	2	3	6	10	19
2. MULTIPLE DX	8026	7.3	76	1	1	5	9	15	22	48
A. NOT OPERATED	3911	5.4	46	1	1	4	6	11	16	36
B. OPERATED	10632	5.4	54	1	1	3	6	12	18	37
TOTAL 0-19 YRS	5235	3.2	20	1	1	2	3	6	13	21
20-34	1360	5.9	68	1	1	3	6	13	19	45
35-49	1028	5.5	49	1	1	3	6	12	18	38
50-64	1710	6.1	60	1	1	4	7	13	18	43
65+	5210	7.3	69	1	2	5	9	14	20	47
GRAND TOTAL	**14543**	**5.4**	**52**	**1**	**1**	**3**	**6**	**12**	**17**	**37**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	1.5	2	<1	1	1	2	2	3	6
20-34	85	2.0	3	<1	<1	2	3	3	4	10
35-49	45	1.9	2	<1	1	1	2	4	5	8
50-64	44	2.2	2	<1	<1	2	3	4	5	6
65+	48	3.3	50	<1	1	1	3	6	11	48
B. *Operated*										
0-19 YRS	5327	1.6	2	<1	1	1	2	3	4	6
20-34	1825	2.4	3	1	1	2	3	4	6	9
35-49	1295	2.4	3	1	1	2	3	4	6	9
50-64	1321	2.3	3	1	1	2	3	4	6	9
65+	1222	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	2.2	4	<1	<1	2	3	5	6	13
20-34	178	3.1	7	1	1	2	4	7	9	13
35-49	122	3.4	19	1	1	2	4	6	9	23
50-64	132	4.5	17	1	1	3	6	9	12	21
65+	439	6.2	45	1	1	4	7	13	18	34
B. *Operated*										
0-19 YRS	1495	3.4	24	1	1	2	4	7	11	22
20-34	1627	5.3	33	1	1	4	6	11	15	28
35-49	1113	4.9	30	1	1	3	6	10	15	29
50-64	1222	4.7	24	1	1	3	6	10	14	22
65+	2377	5.9	53	1	1	4	7	12	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	1.9	8	<1	<1	1	2	3	5	12
B. *Operated*	10990	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1050	4.4	28	1	1	3	5	9	13	28
B. *Operated*	7834	5.0	36	1	1	3	6	11	15	30
1. SINGLE DX	11382	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	8884	4.9	35	1	1	3	6	10	15	30
A. NOT OPERATED	1442	3.8	23	<1	1	2	4	8	12	27
B. OPERATED	18824	3.2	19	1	1	2	4	6	10	21
TOTAL 0-19 YRS	7171	2.0	7	<1	1	1	2	4	5	12
20-34	3715	3.7	18	1	1	2	4	8	11	21
35-49	2575	3.5	17	1	1	2	4	7	10	23
50-64	2719	3.5	14	1	1	2	4	7	10	19
65+	4086	4.9	40	1	1	3	6	10	14	34
GRAND TOTAL	**20266**	**3.3**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Nct Operated*										
0-19 YRS	46	3.0	9	<1	1	2	4	7	11	12
20-34	88	2.7	3	<1	1	2	4	6	6	9
35-49	47	2.2	3	<1	1	2	3	4	6	8
50-64	23	2.1	1	1	1	2	3	4	5	5
65+	11	1.8	1	1	1	1	2	4	4	4
B. *Operated*										
0-19 YRS	1000	1.5	1	<1	<1	1	2	3	4	7
20-34	1542	1.7	2	<1	<1	1	2	3	4	6
35-49	655	1.7	1	<1	<1	1	2	3	4	7
50-64	305	2.2	3	<1	<1	2	3	4	5	10
65+	137	2.5	6	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	2.7	22	1	1	2	3	4	5	31
20-34	133	2.8	13	<1	<1	2	3	5	7	15
35-49	68	2.8	5	1	1	2	4	5	7	12
50-64	59	4.1	14	1	1	3	5	9	14	18
65+	73	6.8	106	1	1	4	6	13	24	59
B. *Operated*										
0-19 YRS	627	2.9	10	<1	1	2	3	6	9	17
20-34	1443	3.0	9	1	1	2	4	6	8	14
35-49	758	3.3	17	1	1	2	4	7	9	24
50-64	485	3.1	9	1	1	2	4	6	9	14
65+	343	4.0	25	1	1	3	5	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.5	4	<1	1	2	3	5	7	11
B. *Operated*	3639	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	422	3.6	32	<1	1	2	4	7	10	38
B. *Operated*	3656	3.2	12	1	1	2	4	6	9	17
1. SINGLE DX	3854	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	4078	3.2	14	1	1	2	4	6	9	17
A. NOT OPERATED	637	3.3	23	<1	1	2	4	6	8	23
B. OPERATED	7295	2.4	8	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	1762	2.1	6	<1	<1	1	2	4	6	12
20-34	3206	2.4	6	<1	<1	2	3	5	6	11
35-49	1528	2.5	10	<1	<1	2	3	5	7	14
50-64	872	2.8	7	<1	1	2	3	6	8	14
65+	564	4.0	32	1	1	2	5	9	11	25
GRAND TOTAL	**7932**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	12.7	227	1	1	6	20	30	43	72
20-34	22	4.5	37	<1	1	2	5	9	18	29
35-49	27	4.3	14	1	1	3	6	11	13	15
50-64	69	8.1	110	<1	1	5	9	16	19	70
65+	373	8.3	66	1	1	6	10	18	24	40
B. *Operated*										
0-19 YRS	327	8.2	57	2	2	6	10	16	25	41
20-34	178	8.8	46	3	4	7	10	14	20	42
35-49	327	7.9	19	3	4	7	9	12	14	30
50-64	1087	9.6	25	4	5	9	11	14	17	25
65+	5850	11.6	29	5	6	11	14	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	12.5	189	1	1	6	21	26	41	67
20-34	42	10.2	231	<1	1	4	10	30	52	69
35-49	75	10.9	240	1	1	5	10	27	56	67
50-64	230	9.8	95	1	2	7	12	21	34	66
65+	2456	10.9	122	2	3	8	13	21	31	78
B. *Operated*										
0-19 YRS	346	14.5	149	3	3	11	19	32	38	74
20-34	507	14.1	111	4	5	11	16	28	37	51
35-49	678	13.8	109	5	6	11	16	25	36	65
50-64	2955	13.7	79	6	7	12	16	23	30	65
65+	35351	15.1	91	6	8	13	17	25	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	588	8.7	98	1	1	6	11	20	28	51
B. *Operated*	7769	10.9	31	4	6	10	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	2891	10.8	126	1	2	8	13	22	32	75
B. *Operated*	39837	15.0	91	6	7	13	17	25	33	68
1. SINGLE DX	8357	10.8	36	4	5	10	13	17	20	32
2. MULTIPLE DX	42728	14.7	95	5	7	13	17	25	33	69
A. NOT OPERATED	3479	10.5	122	1	2	7	13	21	31	70
B. OPERATED	47606	14.3	84	6	7	12	16	24	31	63
TOTAL 0-19 YRS	858	11.7	134	2	2	8	15	26	35	61
20-34	749	12.3	107	2	4	9	15	24	34	52
35-49	1107	11.7	97	3	4	9	14	21	32	60
50-64	4341	12.3	71	4	6	11	14	21	27	57
65+	44030	14.4	87	6	7	12	17	24	31	65
GRAND TOTAL	**51085**	**14.1**	**87**	**5**	**6**	**12**	**16**	**23**	**31**	**63**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1108	16.3	154	1	1	16	24	32	39	53
20-34	40	15.0	273	1	1	7	28	43	48	55
35-49	37	18.1	287	2	2	10	32	42	53	63
50-64	34	17.5	338	2	3	8	31	46	54	63
65+	148	9.9	149	1	1	6	11	22	33	65
B. *Operated*										
0-19 YRS	1432	10.4	114	1	1	6	16	25	31	48
20-34	450	10.2	69	2	4	9	12	17	23	49
35-49	167	11.5	140	3	4	9	12	20	29	78
50-64	107	9.9	49	2	4	9	13	16	21	44
65+	268	12.7	76	3	5	11	15	20	25	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	587	17.8	208	1	2	17	25	35	43	77
20-34	116	15.3	432	1	1	5	17	48	59	92
35-49	71	16.3	370	1	2	7	26	43	60	81
50-64	149	17.6	378	1	2	9	27	48	59	91
65+	890	14.9	265	2	3	9	17	40	56	99+
B. *Operated*										
0-19 YRS	1650	16.9	183	2	3	13	23	34	45	70
20-34	1449	17.5	215	4	6	13	21	38	53	87
35-49	514	19.1	298	3	5	13	23	46	60	95
50-64	526	20.2	271	5	6	15	25	48	62	99+
65+	2110	18.4	200	6	7	14	22	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1367	15.7	169	1	1	14	23	32	41	55
B. *Operated*	2424	10.7	100	1	2	8	14	23	30	49
2. MULTIPLE DX										
A. *Not Operated*	1813	16.1	272	1	2	10	23	40	53	91
B. *Operated*	6249	18.0	214	3	5	14	22	38	52	92
1. SINGLE DX	3791	12.5	131	1	2	9	18	27	34	53
2. MULTIPLE DX	8062	17.6	227	2	4	13	22	38	52	92
A. NOT OPERATED	3180	15.9	227	1	2	12	23	36	47	79
B. OPERATED	8673	15.9	193	2	3	12	20	33	47	84
TOTAL 0-19 YRS	4777	14.9	167	1	2	12	22	31	39	59
20-34	2055	15.7	205	2	4	11	19	34	49	82
35-49	789	17.2	279	2	4	11	21	41	56	90
50-64	816	18.3	275	3	5	13	23	45	59	94
65+	3416	16.7	211	3	5	13	20	36	51	99
GRAND TOTAL	**11853**	**15.9**	**202**	**2**	**3**	**12**	**21**	**34**	**47**	**83**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	670	2.1	2	<1	1	2	3	4	4	7
20-34	341	3.0	28	1	1	2	3	5	6	13
35-49	234	3.4	10	1	1	3	4	6	8	18
50-64	190	4.2	29	1	1	3	5	7	9	29
65+	240	5.3	12	1	2	5	7	10	12	15
B. *Operated*										
0-19 YRS	2470	3.3	9	1	1	3	4	6	8	14
20-34	1945	4.9	15	1	1	4	6	9	11	21
35-49	1274	5.3	18	1	2	4	6	10	13	22
50-64	816	6.2	31	1	2	5	8	11	14	23
65+	350	7.3	21	2	2	6	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	280	3.9	36	1	1	3	5	7	9	21
20-34	330	4.5	32	1	1	3	5	9	12	24
35-49	296	6.1	45	1	1	4	7	12	19	38
50-64	342	6.8	39	1	2	5	9	13	17	33
65+	951	8.2	57	2	3	6	10	15	21	43
B. *Operated*										
0-19 YRS	1333	7.7	78	1	1	5	9	17	24	48
20-34	1998	10.2	110	2	2	7	12	22	32	62
35-49	1370	10.1	118	2	3	7	12	20	28	75
50-64	1142	11.8	138	2	3	9	14	23	34	72
65+	1333	12.5	116	2	3	10	16	25	34	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1675	3.1	14	1	1	2	4	6	8	15
B. *Operated*	6855	4.7	17	1	1	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	2199	5.6	49	1	1	5	8	13	18	38
B. *Operated*	7176	10.4	114	2	2	7	13	22	31	65
1. SINGLE DX	8530	4.4	17	1	1	3	5	9	11	19
2. MULTIPLE DX	9375	9.5	101	1	2	7	12	20	28	60
A. NOT OPERATED	3874	5.1	37	1	1	3	6	10	14	29
B. OPERATED	14031	7.6	75	1	2	5	9	16	23	52
TOTAL 0-19 YRS	4753	4.4	34	1	1	3	5	9	13	30
20-34	4614	7.0	66	1	1	5	8	14	22	47
35-49	3174	7.3	69	1	2	5	9	15	21	49
50-64	2490	8.7	89	1	2	6	10	17	24	59
65+	2874	9.9	83	2	3	7	12	19	28	55
GRAND TOTAL	**17905**	**7.1**	**68**	**1**	**1**	**5**	**8**	**15**	**21**	**48**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	2.1	2	1	1	2	3	4	5	8
20-34	422	2.9	9	<1	1	2	4	5	7	12
35-49	309	3.1	11	1	1	3	4	6	7	10
50-64	241	3.3	6	1	1	3	4	6	8	12
65+	244	3.9	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	2994	2.7	4	1	1	2	3	5	6	10
20-34	4817	3.5	6	1	1	3	4	6	7	13
35-49	3633	4.0	8	1	1	3	5	7	8	14
50-64	2815	4.5	7	1	2	4	6	8	9	14
65+	1544	5.5	18	2	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	2.9	5	<1	1	2	4	6	7	13
20-34	475	3.9	13	1	1	3	5	7	10	18
35-49	410	4.6	29	1	1	3	6	9	11	25
50-64	496	5.4	35	1	1	4	6	10	14	27
65+	1045	6.8	53	1	2	5	8	12	18	44
B. *Operated*										
0-19 YRS	1598	5.0	33	1	1	4	6	9	14	31
20-34	3698	5.8	39	1	2	4	7	11	15	34
35-49	2747	5.9	31	1	2	5	7	11	14	28
50-64	2987	6.8	37	2	3	5	8	12	16	34
65+	3521	8.6	61	2	3	7	10	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1519	3.0	8	1	1	2	4	6	7	12
B. *Operated*	15803	3.8	8	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	2671	5.3	36	1	1	4	6	10	14	32
B. *Operated*	14551	6.6	43	1	2	5	8	12	17	34
1. SINGLE DX	17322	3.8	8	1	1	3	5	7	8	14
2. MULTIPLE DX	17222	6.4	42	1	2	5	8	12	16	34
A. NOT OPERATED	4190	4.5	27	1	1	3	5	9	12	25
B. OPERATED	30354	5.2	27	1	1	4	6	9	13	26
TOTAL 0-19 YRS	5140	3.4	14	1	1	2	4	6	8	20
20-34	9412	4.4	21	1	1	3	5	8	11	23
35-49	7099	4.7	19	1	1	4	6	9	11	22
50-64	6539	5.6	24	1	2	5	7	10	13	24
65+	6354	7.4	49	2	2	6	9	13	18	38
GRAND TOTAL	**34544**	**5.1**	**27**	**1**	**1**	**4**	**6**	**9**	**13**	**26**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	1.6	1	<1	<1	1	2	3	3	4
20-34	50	1.8	1	<1	<1	1	2	3	4	4
35-49	33	2.5	6	1	1	2	3	5	6	13
50-64	22	2.1	2	<1	<1	2	3	4	5	6
65+	11	3.4	7	<1	<1	2	5	7	8	8
B. *Operated*										
0-19 YRS	107	1.9	2	<1	1	1	2	3	4	10
20-34	149	2.3	2	1	1	2	3	4	5	7
35-49	51	2.2	2	1	1	2	3	4	6	7
50-64	24	3.0	4	1	1	3	4	6	7	7
65+	10	2.8	4	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	2.9	9	1	1	2	3	6	8	18
20-34	424	3.0	6	1	1	2	4	6	7	12
35-49	262	3.8	11	1	1	3	5	8	11	18
50-64	213	4.9	17	1	1	3	7	10	12	20
65+	397	6.7	35	1	2	5	9	13	16	34
B. *Operated*										
0-19 YRS	129	4.9	64	<1	1	3	5	9	19	49
20-34	247	5.2	61	1	1	3	6	10	14	50
35-49	122	6.4	48	1	1	4	9	13	19	42
50-64	93	7.1	69	1	2	5	8	15	21	49
65+	101	7.9	74	1	1	5	11	15	21	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.0	2	<1	1	1	2	4	5	8
B. *Operated*	341	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1555	4.3	19	1	1	3	5	10	12	21
B. *Operated*	692	6.0	63	1	1	4	7	12	19	47
1. SINGLE DX	508	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	2247	4.8	33	1	1	3	6	10	14	27
A. NOT OPERATED	1722	4.1	17	1	1	3	5	9	12	20
B. OPERATED	1033	4.8	46	1	1	3	5	10	14	37
TOTAL 0-19 YRS	546	3.1	21	<1	1	2	3	6	8	22
20-34	870	3.4	22	1	1	2	4	7	10	19
35-49	468	4.2	21	1	1	3	5	10	12	21
50-64	352	5.2	31	1	1	4	6	11	15	24
65+	519	6.8	42	1	1	5	9	13	17	37
GRAND TOTAL	**2755**	**4.3**	**28**	**1**	**1**	**3**	**5**	**10**	**13**	**24**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.7	7	1	1	2	4	5	9	12
20-34	7	4.3	4	2	2	4	5	7	8	8
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	5	4.2	8	2	2	3	5	9	9	9
20-34	7	5.3	18	1	1	3	8	12	13	13
35-49	4	7.0	75	2	2	3	12	20	20	20
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	4.7	21	2	2	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.8	25	<1	1	3	7	12	16	19
20-34	18	4.6	21	1	1	2	7	13	14	14
35-49	16	6.8	19	<1	<1	6	8	13	15	16
50-64	6	16.2	55	9	9	14	25	25	25	25
65+	15	9.3	31	1	2	9	15	17	17	17
B. *Operated*										
0-19 YRS	40	16.6	284	3	4	12	20	34	60	79
20-34	64	16.0	283	2	3	11	19	34	47	94
35-49	23	21.5	428	3	4	14	27	50	74	75
50-64	14	20.9	387	3	5	14	23	59	66	68
65+	20	20.2	442	2	3	13	25	58	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.0	7	1	1	2	4	5	9	12
B. *Operated*	20	5.2	23	1	2	3	7	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	78	6.9	35	1	1	5	10	16	17	25
B. *Operated*	161	17.9	329	2	4	13	21	41	69	79
1. SINGLE DX	47	4.0	14	1	1	3	5	9	12	20
2. MULTIPLE DX	239	14.3	259	1	2	9	18	31	47	75
A. NOT OPERATED	105	5.9	30	1	1	4	9	14	17	25
B. OPERATED	181	16.5	310	2	3	11	19	38	64	78
TOTAL 0-19 YRS	87	9.7	178	1	1	5	12	21	29	76
20-34	96	12.2	222	1	2	8	15	25	36	86
35-49	43	14.7	291	1	2	8	17	41	54	75
50-64	21	18.7	281	4	5	14	23	42	62	68
65+	39	14.3	274	1	2	10	17	34	59	72
GRAND TOTAL	**286**	**12.6**	**233**	**1**	**2**	**8**	**16**	**25**	**43**	**75**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.1		<1	<1	1	1	1	2	2
20-34	25	1.8	1	<1	<1	1	3	4	4	4
35-49	9	1.7	1	1	1	1	3	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	278	2.0	1	1	1	2	3	3	4	6
20-34	1094	2.0	1	<1	1	2	3	4	4	6
35-49	411	2.0	1	<1	1	2	3	4	4	5
50-64	106	2.2	6	<1	<1	1	3	4	5	14
65+	107	2.3	8	<1	<1	1	2	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	3	<1	<1	1	3	5	6	7
20-34	68	2.5	4	<1	1	2	3	5	7	11
35-49	44	2.7	6	<1	<1	2	3	6	7	13
50-64	28	3.5	8	<1	<1	3	5	7	11	11
65+	79	5.5	29	1	1	4	7	13	17	28
B. *Operated*										
0-19 YRS	66	2.9	11	1	1	2	3	5	8	21
20-34	307	2.9	6	1	1	2	3	5	7	13
35-49	173	3.2	7	1	1	2	4	6	9	13
50-64	147	3.7	20	<1	1	2	4	8	12	28
65+	284	5.0	41	1	1	3	7	11	16	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	1996	2.0	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	240	3.6	15	<1	1	3	4	7	11	20
B. *Operated*	977	3.7	19	1	1	2	4	8	11	21
1. SINGLE DX	2054	2.0	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	1217	3.7	18	1	1	2	4	8	11	21
A. NOT OPERATED	298	3.2	13	<1	1	2	4	7	10	19
B. OPERATED	2973	2.6	8	<1	1	2	3	4	7	14
TOTAL 0-19 YRS	379	2.2	3	<1	1	2	3	4	5	9
20-34	1494	2.2	3	<1	1	2	3	4	5	8
35-49	637	2.4	3	<1	1	2	3	4	5	11
50-64	284	3.1	14	<1	1	2	4	6	9	21
65+	477	4.4	32	<1	1	3	6	10	15	30
GRAND TOTAL	**3271**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.9	2	<1	<1	1	2	4	5	6
20-34	28	2.6	6	<1	<1	1	3	7	8	8
35-49	13	2.2	8	<1	<1	1	2	5	10	11
50-64	16	2.8	4	<1	1	2	4	6	7	7
65+	9	2.9	3	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	951	1.9	2	<1	<1	1	2	4	5	6
20-34	1761	2.0	3	<1	<1	1	3	4	5	7
35-49	1002	1.8	2	<1	<1	1	2	4	5	8
50-64	455	2.0	3	<1	<1	1	2	4	5	7
65+	158	2.4	5	<1	<1	1	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.9	3	<1	<1	1	2	4	6	8
20-34	55	3.2	7	<1	<1	3	5	6	9	12
35-49	40	2.8	6	<1	<1	2	4	6	8	11
50-64	30	3.8	17	<1	<1	2	4	12	14	15
65+	46	4.0	14	<1	1	3	5	7	13	20
B. *Operated*										
0-19 YRS	1004	2.5	6	<1	<1	2	3	5	6	11
20-34	1956	2.7	7	<1	<1	2	4	5	7	12
35-49	1253	2.5	6	<1	<1	2	3	5	7	12
50-64	1050	2.6	10	<1	<1	2	3	5	7	15
65+	553	3.4	16	<1	<1	2	4	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	2.4	4	<1	<1	2	3	6	7	10
B. *Operated*	4327	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	201	3.2	10	<1	<1	2	4	7	10	15
B. *Operated*	5816	2.7	8	<1	<1	2	3	5	7	13
1. SINGLE DX	4418	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	6017	2.7	8	<1	<1	2	3	5	7	13
A. NOT OPERATED	292	3.0	8	<1	<1	2	4	6	8	14
B. OPERATED	10143	2.4	6	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	2010	2.2	4	<1	<1	2	3	4	5	9
20-34	3800	2.4	5	<1	<1	2	3	5	6	11
35-49	2308	2.2	4	<1	<1	1	3	5	6	11
50-64	1551	2.5	8	<1	<1	2	3	5	6	13
65+	766	3.2	14	<1	<1	2	4	7	10	22
GRAND TOTAL	**10435**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.9	14	<1	<1	2	3	6	9	22
20-34	92	4.3	16	1	1	3	5	9	14	20
35-49	61	5.2	37	<1	1	4	6	10	13	40
50-64	27	5.4	39	<1	1	4	6	10	18	32
65+	17	4.6	19	<1	<1	3	6	12	13	14
B. *Operated*										
0-19 YRS	545	2.8	12	<1	1	1	3	6	10	19
20-34	659	3.1	13	<1	1	2	4	7	10	17
35-49	325	3.8	18	<1	1	2	4	9	13	22
50-64	166	3.6	17	<1	1	2	4	7	13	21
65+	97	3.8	18	<1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.3	26	1	1	3	5	9	13	31
20-34	209	6.3	31	1	2	6	8	10	12	28
35-49	186	6.2	18	1	2	6	8	10	13	23
50-64	120	6.6	16	1	2	6	9	12	15	17
65+	120	6.8	42	1	2	5	9	14	17	36
B. *Operated*										
0-19 YRS	373	6.8	80	1	1	4	8	14	23	49
20-34	715	7.6	94	1	1	4	10	17	25	58
35-49	425	7.1	74	1	1	4	9	15	20	54
50-64	344	8.7	145	1	1	5	10	20	28	75
65+	331	9.5	130	1	1	6	12	21	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	4.2	23	<1	1	3	5	9	14	23
B. *Operated*	1792	3.2	14	<1	1	2	4	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	709	6.2	27	1	2	5	8	11	14	24
B. *Operated*	2188	7.8	102	1	1	4	10	17	26	58
1. SINGLE DX	2070	3.4	16	<1	1	2	4	7	11	19
2. MULTIPLE DX	2897	7.4	84	1	1	5	9	15	23	53
A. NOT OPERATED	987	5.7	26	1	1	5	7	10	14	24
B. OPERATED	3980	5.8	68	1	1	3	7	13	20	46
TOTAL 0-19 YRS	1073	4.3	40	<1	1	2	5	9	14	33
20-34	1675	5.5	54	1	1	3	7	12	17	42
35-49	997	5.7	45	1	1	4	7	13	16	34
50-64	657	6.9	89	1	1	4	8	15	22	58
65+	565	7.8	93	1	1	5	10	17	26	54
GRAND TOTAL	**4967**	**5.7**	**59**	**1**	**1**	**3**	**7**	**13**	**18**	**43**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.6	8	<1	1	2	3	4	9	15
20-34	74	2.4	5	<1	<1	2	3	5	7	13
35-49	39	2.8	4	1	1	2	4	5	5	11
50-64	40	2.7	4	1	1	2	3	4	8	10
65+	41	4.0	7	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	985	2.8	3	<1	<1	3	4	5	6	7
20-34	1515	3.0	3	<1	<1	3	4	5	6	9
35-49	462	3.1	4	<1	1	3	4	5	7	9
50-64	143	3.5	6	<1	1	3	4	6	7	14
65+	57	5.1	8	1	2	5	7	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.5	5	<1	<1	2	3	6	8	11
20-34	107	3.1	7	<1	<1	2	4	6	9	12
35-49	95	4.9	26	1	1	3	7	10	14	28
50-64	123	5.1	17	1	1	4	7	11	13	47
65+	310	5.6	36	1	2	4	7	9	12	28
B. *Operated*										
0-19 YRS	1333	3.5	4	<1	1	3	4	6	7	10
20-34	2401	3.7	5	1	1	3	5	6	7	11
35-49	980	3.8	6	1	1	3	5	6	8	14
50-64	274	4.6	16	1	1	4	6	8	11	19
65+	172	7.2	58	1	2	5	9	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.8	6	<1	1	2	3	5	8	14
B. *Operated*	3162	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	695	4.8	25	1	1	4	6	9	12	25
B. *Operated*	5160	3.8	8	1	1	3	5	6	8	13
1. SINGLE DX	3418	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	5855	3.9	10	1	1	3	5	7	8	15
A. NOT OPERATED	951	4.2	21	1	1	3	5	8	11	21
B. OPERATED	8322	3.5	6	<1	1	3	4	6	7	12
TOTAL 0-19 YRS	2440	3.2	4	<1	1	3	4	5	6	10
20-34	4097	3.4	5	<1	1	3	4	6	7	10
35-49	1576	3.6	7	1	1	3	5	6	8	14
50-64	580	4.3	13	1	1	3	5	8	10	19
65+	580	5.9	38	1	2	4	7	10	14	28
GRAND TOTAL	**9273**	**3.6**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.2	4	1	1	3	4	6	7	10
20-34	1810	4.9	10	1	2	4	6	8	11	15
35-49	1911	5.4	12	1	2	5	7	10	12	17
50-64	625	5.2	12	2	2	5	6	9	11	16
65+	187	5.4	12	2	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	13	5.0	13	1	1	5	9	10	11	11
20-34	393	4.6	18	1	1	3	7	11	14	19
35-49	360	4.7	18	1	1	3	7	10	13	21
50-64	77	4.3	22	1	1	2	5	11	14	23
65+	7	5.4	22	2	2	3	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	4.5	10	1	1	4	6	9	10	15
20-34	1927	5.8	16	1	2	5	7	10	13	18
35-49	2643	6.1	13	2	2	5	8	11	13	19
50-64	1946	6.3	15	2	3	6	8	11	13	19
65+	1776	6.6	21	2	2	6	8	12	14	23
B. *Operated*										
0-19 YRS	13	6.5	25	1	1	5	12	13	13	13
20-34	383	7.0	32	1	1	6	9	14	17	27
35-49	413	8.1	41	1	2	7	11	15	20	29
50-64	219	7.8	31	1	2	7	11	14	18	28
65+	113	11.4	96	3	4	8	14	21	25	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4683	5.1	11	1	2	4	7	9	11	16
B. *Operated*	850	4.6	18	1	1	3	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	8465	6.2	16	2	2	5	8	11	13	20
B. *Operated*	1141	8.0	43	1	1	7	11	15	19	32
1. SINGLE DX	5533	5.0	12	1	2	4	7	9	11	17
2. MULTIPLE DX	9606	6.4	20	2	2	5	8	11	14	22
A. NOT OPERATED	13148	5.8	14	2	2	5	7	10	13	19
B. OPERATED	1991	6.6	35	1	1	5	9	13	17	26
TOTAL 0-19 YRS	349	4.0	9	1	1	3	5	8	9	14
20-34	4513	5.4	15	1	2	5	7	10	13	18
35-49	5327	5.9	16	1	2	5	8	11	13	20
50-64	2867	6.1	16	2	2	5	8	11	13	21
65+	2083	6.8	25	2	2	6	8	12	15	25
GRAND TOTAL	**15139**	**5.9**	**17**	**1**	**2**	**5**	**8**	**11**	**13**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	420	2.5	5	<1	1	2	3	5	7	13
20-34	1627	4.4	9	1	1	4	6	8	10	14
35-49	1327	4.7	11	1	1	4	6	8	10	16
50-64	514	4.5	9	1	1	4	6	8	10	14
65+	106	3.9	6	1	1	3	6	7	8	12
B. *Operated*										
0-19 YRS	28	4.0	19	<1	1	2	5	11	14	18
20-34	545	3.5	13	1	1	2	4	9	12	16
35-49	419	3.7	16	1	1	2	5	9	11	16
50-64	94	3.0	9	1	1	2	4	8	10	12
65+	8	4.8	13	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	668	3.2	8	<1	1	2	4	7	8	14
20-34	3574	5.2	14	1	2	4	7	9	12	19
35-49	3324	5.8	14	1	2	5	7	11	13	19
50-64	1887	5.8	15	1	2	5	7	11	13	20
65+	1549	5.8	15	1	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	50	3.2	6	<1	<1	2	4	7	9	11
20-34	664	5.7	27	1	1	4	8	13	16	25
35-49	684	5.8	29	1	1	4	8	12	16	27
50-64	276	7.3	37	1	2	6	10	15	17	29
65+	131	9.0	49	1	2	7	13	18	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3994	4.3	10	1	1	4	6	8	10	14
B. *Operated*	1094	3.5	14	1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	11002	5.5	14	1	2	5	7	10	12	19
B. *Operated*	1805	6.1	32	1	1	4	9	13	17	27
1. SINGLE DX	5088	4.1	11	1	1	3	6	8	10	15
2. MULTIPLE DX	12807	5.6	17	1	1	5	7	10	13	21
A. NOT OPERATED	14996	5.1	13	1	1	4	7	10	12	18
B. OPERATED	2899	5.2	27	1	1	3	7	12	15	25
TOTAL 0-19 YRS	1166	3.0	7	<1	1	2	4	6	8	14
20-34	6410	4.9	14	1	1	4	7	9	12	18
35-49	5754	5.4	16	1	1	5	7	10	13	20
50-64	2771	5.6	17	1	2	5	7	10	13	20
65+	1794	5.9	18	1	2	5	8	11	14	22
GRAND TOTAL	**17895**	**5.2**	**16**	**1**	**1**	**4**	**7**	**10**	**12**	**19**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.1	2	<1	1	2	3	4	5	7
20-34	220	2.3	3	<1	1	2	3	5	6	9
35-49	161	2.6	7	<1	1	2	3	5	6	16
50-64	74	3.2	7	1	1	3	4	6	8	16
65+	68	2.7	3	1	1	2	4	5	7	8
B. *Operated*										
0-19 YRS	327	1.7	1	<1	<1	1	2	3	4	5
20-34	1345	2.1	2	<1	1	2	3	4	5	7
35-49	1603	2.5	2	1	1	2	3	4	5	8
50-64	1570	3.1	3	1	1	3	4	5	6	9
65+	600	3.6	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.5	3	<1	1	2	3	5	6	8
20-34	322	3.0	5	<1	1	2	4	6	8	11
35-49	297	3.6	9	<1	1	3	4	8	10	15
50-64	315	4.0	12	<1	1	3	5	8	11	17
65+	681	5.4	27	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	152	2.2	3	<1	1	2	3	4	6	9
20-34	462	2.9	11	1	1	2	3	5	8	15
35-49	693	3.3	8	1	1	3	4	6	8	16
50-64	1413	3.9	14	1	1	3	4	6	9	16
65+	1041	5.1	19	1	2	4	6	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	2.5	5	<1	1	2	3	5	6	9
B. *Operated*	5445	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1762	4.2	16	1	1	3	5	9	11	19
B. *Operated*	3761	3.9	14	1	1	3	5	7	9	18
1. SINGLE DX	6099	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	5523	4.0	15	1	1	3	5	7	10	18
A. NOT OPERATED	2416	3.7	14	1	1	3	5	8	10	16
B. OPERATED	9206	3.2	8	1	1	3	4	6	7	14
TOTAL 0-19 YRS	757	2.0	2	<1	1	2	3	4	5	7
20-34	2349	2.4	4	<1	1	2	3	4	6	10
35-49	2754	2.8	5	1	1	2	3	5	6	12
50-64	3372	3.5	9	1	1	3	4	6	8	14
65+	2390	4.8	18	1	2	4	6	9	12	22
GRAND TOTAL	**11622**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4951	1.3	1	<1	1	1	1	2	3	4
20-34	1335	1.7	1	<1	<1	1	2	3	4	6
35-49	435	1.9	3	<1	1	1	2	3	5	8
50-64	174	1.9	1	<1	1	2	2	4	5	6
65+	147	2.0	2	<1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	12	1.5	2	<1	<1	1	1	3	6	6
20-34	8	2.6	6	1	1	2	4	7	7	7
35-49	5	2.4	7	1	1	1	3	7	7	7
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6603	1.8	3	<1	1	1	2	3	4	8
20-34	5014	2.5	6	<1	1	2	3	5	7	11
35-49	2134	3.1	8	1	1	2	4	7	9	14
50-64	1429	3.5	8	1	1	3	5	7	9	14
65+	2029	4.8	32	1	1	3	6	9	13	25
B. *Operated*										
0-19 YRS	1682	2.7	14	<1	1	2	3	5	8	20
20-34	2049	3.3	21	<1	1	2	4	7	10	20
35-49	762	3.8	18	1	1	2	5	9	11	21
50-64	461	4.6	27	1	1	3	5	11	17	28
65+	777	5.8	57	1	1	3	7	13	17	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7042	1.4	1	<1	1	1	2	2	3	5
B. *Operated*	31	2.1	4	<1	1	1	2	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	17209	2.7	9	<1	1	2	3	5	8	14
B. *Operated*	5731	3.6	25	<1	1	2	4	8	12	26
1. SINGLE DX	7073	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	22940	2.9	13	<1	1	2	3	6	8	17
A. NOT OPERATED	24251	2.3	7	<1	1	1	3	5	7	12
B. OPERATED	5762	3.6	25	<1	1	2	4	8	12	26
TOTAL 0-19 YRS	13248	1.7	4	<1	1	1	2	3	4	8
20-34	8406	2.6	9	<1	1	2	3	5	7	13
35-49	3336	3.1	10	1	1	2	4	7	9	15
50-64	2067	3.6	12	1	1	2	4	7	10	19
65+	2956	4.9	38	1	1	3	6	10	14	29
GRAND TOTAL	**30013**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2033	1.8	10	<1	1	1	2	3	4	12
20-34	629	3.0	24	<1	1	2	3	6	9	29
35-49	212	2.7	6	<1	1	2	3	6	8	13
50-64	84	3.1	8	1	1	2	4	6	9	14
65+	88	4.1	18	1	1	2	5	11	14	20
B. *Operated*										
0-19 YRS	129	6.9	36	2	2	6	8	12	21	59
20-34	98	8.1	79	1	1	6	9	14	21	55
35-49	60	7.0	24	1	2	6	9	14	19	92
50-64	65	10.3	141	2	3	8	10	21	24	81
65+	105	9.9	92	2	3	8	11	18	22	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3265	3.3	44	<1	1	1	3	6	12	42
20-34	2256	4.4	60	<1	1	2	5	9	14	43
35-49	980	4.7	45	1	1	3	5	10	15	31
50-64	688	5.5	58	1	1	3	6	13	18	43
65+	1602	7.5	65	1	1	5	9	16	23	43
B. *Operated*										
0-19 YRS	1157	12.1	271	1	1	5	16	38	53	99+
20-34	1294	13.9	336	1	1	6	20	47	70	99+
35-49	584	14.2	276	1	1	9	21	42	68	99+
50-64	444	13.5	202	1	1	9	20	36	49	99+
65+	1095	15.0	208	1	2	11	19	35	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3046	2.2	14	<1	1	1	2	4	7	16
B. *Operated*	457	8.4	73	1	2	7	10	15	22	68
2. MULTIPLE DX										
A. *Not Operated*	8791	4.7	56	<1	1	2	5	10	16	42
B. *Operated*	4574	13.7	269	1	1	8	19	40	57	99+
1. SINGLE DX	3503	3.0	26	<1	1	1	3	7	10	23
2. MULTIPLE DX	13365	7.8	147	1	1	3	9	21	35	86
A. NOT OPERATED	11837	4.0	46	<1	1	2	4	9	14	37
B. OPERATED	5031	13.2	254	1	1	8	18	38	55	99+
TOTAL 0-19 YRS	6584	4.4	87	<1	1	1	3	10	22	63
20-34	4277	7.2	159	<1	1	3	7	19	38	95
35-49	1836	7.6	135	1	1	3	8	20	34	99+
50-64	1281	8.4	124	1	1	4	10	21	33	76
65+	2890	10.3	133	1	2	7	13	23	34	70
GRAND TOTAL	**16868**	**6.8**	**126**	**1**	**1**	**3**	**7**	**18**	**31**	**78**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.3	4	1	1	2	3	5	6	11
20-34	161	2.8	4	<1	1	2	4	5	6	10
35-49	53	2.7	3	<1	1	3	4	5	5	10
50-64	32	3.0	4	<1	1	2	4	6	7	8
65+	20	2.6	4	<1	<1	2	4	5	6	7
B. *Operated*										
0-19 YRS	108	4.5	6	2	2	4	6	8	10	12
20-34	344	4.9	9	2	2	4	6	9	10	17
35-49	92	5.5	25	2	2	4	6	9	13	33
50-64	29	5.2	7	2	3	4	7	10	13	99+
65+	14	8.6	37	1	3	7	12	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	290	3.8	20	1	1	3	4	7	8	23
20-34	609	3.8	9	1	1	3	5	8	10	13
35-49	389	4.4	14	1	1	3	5	9	11	21
50-64	346	5.0	18	1	1	4	7	9	12	19
65+	511	7.0	42	1	2	5	9	13	18	34
B. *Operated*										
0-19 YRS	493	8.2	56	2	3	6	9	15	22	48
20-34	1397	8.4	64	2	3	6	10	16	23	47
35-49	690	9.1	76	2	3	7	11	18	28	46
50-64	459	10.6	124	2	3	7	12	21	29	59
65+	525	11.9	96	3	4	9	15	24	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	2.6	4	<1	1	2	4	5	6	10
B. *Operated*	587	5.0	12	2	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	2145	4.8	22	1	1	4	6	9	12	22
B. *Operated*	3564	9.3	79	2	3	7	11	19	27	50
1. SINGLE DX	950	4.1	10	1	1	3	5	8	10	17
2. MULTIPLE DX	5709	7.6	62	1	2	5	9	15	22	45
A. NOT OPERATED	2508	4.5	20	1	1	3	6	9	11	20
B. OPERATED	4151	8.7	72	2	3	6	10	17	25	48
TOTAL 0-19 YRS	988	5.9	40	1	1	4	7	11	15	40
20-34	2511	6.4	44	1	2	5	8	12	18	37
35-49	1224	7.1	55	1	2	5	8	14	20	41
50-64	866	7.9	82	1	2	6	9	15	23	53
65+	1070	9.3	74	2	2	7	11	19	26	50
GRAND TOTAL	**6659**	**7.1**	**56**	**1**	**2**	**5**	**8**	**14**	**20**	**43**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	633	3.2	7	1	1	2	4	7	9	12
20-34	340	2.7	4	<1	1	2	3	6	7	10
35-49	115	3.0	9	1	1	2	3	6	9	16
50-64	30	2.7	2	<1	1	2	4	5	5	5
65+	14	4.6	7	1	1	4	7	8	9	9
B. *Operated*										
0-19 YRS	310	6.3	13	1	3	6	7	9	11	18
20-34	437	6.2	11	2	3	6	7	9	11	22
35-49	127	6.6	12	1	2	6	8	10	12	19
50-64	38	6.1	8	1	2	6	8	10	10	12
65+	21	8.3	11	2	4	9	11	12	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1029	3.8	12	1	1	3	5	8	10	15
20-34	882	3.6	9	1	1	3	5	7	9	14
35-49	367	4.1	15	1	1	3	5	9	11	20
50-64	203	5.2	22	1	1	4	7	10	15	23
65+	292	5.5	24	1	2	4	7	11	13	31
B. *Operated*										
0-19 YRS	1257	10.9	109	2	4	8	12	21	31	58
20-34	2337	11.7	128	3	4	8	12	23	34	70
35-49	832	13.2	180	3	4	9	14	28	43	78
50-64	447	13.9	156	3	5	10	16	34	44	89
65+	428	16.3	217	2	3	12	20	37	50	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	3.0	7	1	1	2	4	7	8	12
B. *Operated*	933	6.3	12	2	3	6	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	2773	4.1	14	1	1	3	5	9	11	17
B. *Operated*	5301	12.3	143	3	4	8	13	25	38	70
1. SINGLE DX	2065	4.5	12	1	1	4	6	9	10	15
2. MULTIPLE DX	8074	9.5	114	1	2	7	11	19	30	62
A. NOT OPERATED	3905	3.6	12	1	1	3	5	8	10	16
B. OPERATED	6234	11.4	128	2	4	8	12	23	35	66
TOTAL 0-19 YRS	3229	6.7	61	1	1	5	8	12	19	38
20-34	3996	8.5	93	1	2	6	10	16	25	60
35-49	1441	9.5	129	1	1	7	10	19	31	64
50-64	718	10.6	123	1	2	8	12	23	35	66
65+	755	11.7	160	1	2	8	14	28	39	64
GRAND TOTAL	**10139**	**8.4**	**97**	**1**	**1**	**6**	**10**	**17**	**26**	**56**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.2	4	<1	<1	1	3	5	6	9
20-34	24	2.7	2	<1	1	3	4	5	6	6
35-49	9	3.0	5	1	1	3	4	7	7	7
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	525	2.3	3	<1	1	2	3	5	5	8
20-34	382	2.5	3	1	1	2	3	4	5	8
35-49	184	2.6	5	<1	1	2	3	5	6	12
50-64	50	2.5	3	<1	<1	2	4	4	5	8
65+	44	2.5	2	<1	1	2	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.8	4	<1	1	2	4	5	7	9
20-34	48	1.8	1	<1	<1	2	2	3	3	4
35-49	23	3.7	10	<1	1	2	5	9	11	12
50-64	14	2.9	2	<1	1	3	4	5	5	5
65+	18	3.4	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	639	3.3	7	1	1	2	4	6	8	14
20-34	709	3.8	15	1	1	3	5	7	10	21
35-49	305	3.7	8	1	1	3	5	7	9	14
50-64	172	3.8	8	1	1	3	5	7	10	14
65+	188	5.0	51	1	1	3	6	9	11	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*	1185	2.5	3	<1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	166	2.7	4	<1	1	2	4	5	7	10
B. *Operated*	2013	3.8	15	1	1	3	5	7	9	17
1. SINGLE DX	1252	2.5	3	<1	1	2	3	5	5	9
2. MULTIPLE DX	2179	3.7	14	1	1	3	5	7	9	17
A. NOT OPERATED	233	2.6	4	<1	1	2	3	5	7	9
B. OPERATED	3198	3.3	11	1	1	3	4	6	8	14
TOTAL 0-19 YRS	1257	2.8	5	<1	1	2	4	5	7	12
20-34	1163	3.3	11	1	1	3	4	6	8	17
35-49	521	3.3	7	1	1	3	4	7	9	14
50-64	239	3.5	7	1	1	3	5	7	9	13
65+	251	4.5	40	1	1	3	5	9	11	22
GRAND TOTAL	**3431**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.1	3	<1	1	1	3	4	5	10
20-34	188	1.9	2	<1	<1	1	2	4	5	8
35-49	53	2.1	3	<1	<1	1	3	4	5	10
50-64	22	2.5	4	<1	<1	2	4	6	7	7
65+	18	2.4	6	<1	1	1	3	4	8	11
B. *Operated*										
0-19 YRS	805	1.6	2	<1	<1	1	2	3	4	8
20-34	444	2.1	4	<1	<1	1	2	4	5	10
35-49	128	2.2	4	<1	<1	2	3	5	6	11
50-64	72	2.2	3	<1	<1	2	3	5	6	9
65+	39	2.3	4	<1	1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	2.3	4	<1	1	2	3	4	6	11
20-34	662	2.6	8	<1	1	2	3	5	6	12
35-49	292	2.9	8	1	1	2	4	6	7	13
50-64	176	3.5	16	<1	1	2	4	7	9	18
65+	304	4.6	15	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	1851	2.5	9	<1	1	2	3	5	7	11
20-34	2372	3.4	23	<1	1	2	4	7	10	26
35-49	951	4.0	41	<1	1	2	4	8	12	29
50-64	577	4.0	23	1	1	3	5	8	12	27
65+	838	4.8	34	1	1	3	6	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	2.1	3	<1	<1	1	3	4	5	10
B. *Operated*	1488	1.8	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1932	3.0	10	<1	1	2	4	6	8	15
B. *Operated*	6589	3.5	24	<1	1	2	4	7	10	24
1. SINGLE DX	1992	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	8521	3.3	20	<1	1	2	4	7	9	22
A. NOT OPERATED	2436	2.8	8	<1	1	2	3	6	8	14
B. OPERATED	8077	3.2	20	<1	1	2	4	6	9	23
TOTAL 0-19 YRS	3377	2.2	6	<1	1	1	3	4	6	11
20-34	3666	3.0	17	<1	1	2	3	6	8	21
35-49	1424	3.6	30	<1	1	2	4	7	10	26
50-64	847	3.7	20	1	1	2	4	8	11	24
65+	1199	4.6	28	1	1	3	6	9	13	27
GRAND TOTAL	**10513**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	1.7	1	<1	1	1	2	3	4	6
20-34	633	1.7	1	<1	<1	1	2	3	4	7
35-49	189	1.9	3	<1	<1	1	2	4	5	8
50-64	48	2.4	11	<1	1	2	2	4	5	23
65+	8	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	448	2.2	4	<1	1	1	3	5	6	9
20-34	564	3.1	8	<1	1	2	4	6	8	13
35-49	195	3.3	8	<1	1	2	5	7	9	14
50-64	42	3.4	8	<1	<1	2	5	8	9	11
65+	11	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	2.5	5	<1	1	2	3	5	6	11
20-34	586	2.6	8	<1	1	2	3	5	7	15
35-49	228	2.5	4	<1	<1	2	3	5	6	12
50-64	74	3.0	8	<1	1	2	4	8	9	14
65+	40	5.5	35	1	1	4	7	10	11	37
B. *Operated*										
0-19 YRS	561	4.8	34	<1	1	3	6	10	12	28
20-34	1235	6.0	53	1	1	4	7	11	16	39
35-49	440	6.9	70	1	1	5	8	13	21	48
50-64	148	7.6	41	1	1	6	10	17	21	30
65+	96	7.0	90	1	1	5	9	12	16	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	1260	2.8	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1137	2.7	8	<1	<1	2	3	5	7	13
B. *Operated*	2480	6.0	53	1	1	4	7	11	16	38
1. SINGLE DX	2425	2.3	5	<1	<1	2	3	5	6	10
2. MULTIPLE DX	3617	5.0	41	<1	1	3	6	10	14	32
A. NOT OPERATED	2302	2.2	5	<1	<1	2	3	4	6	11
B. OPERATED	3740	4.9	40	1	1	3	6	10	13	32
TOTAL 0-19 YRS	1505	3.1	16	<1	1	2	4	7	9	19
20-34	3018	3.9	28	<1	1	2	5	8	11	27
35-49	1052	4.4	37	<1	1	3	5	9	13	29
50-64	312	5.1	29	<1	1	3	7	12	17	25
65+	155	6.0	67	1	1	4	8	11	14	61
GRAND TOTAL	**6042**	**3.9**	**28**	**<1**	**1**	**2**	**5**	**8**	**11**	**26**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	2.7	3	1	1	2	3	5	6	9
20-34	593	2.6	2	<1	1	2	3	5	6	7
35-49	192	3.0	5	<1	1	2	4	5	7	9
50-64	81	2.7	2	1	1	2	4	5	6	7
65+	42	3.4	7	<1	1	3	4	6	10	13
B. *Operated*										
0-19 YRS	1802	1.9	4	<1	<1	1	2	4	5	11
20-34	3115	2.2	5	<1	<1	1	2	4	6	11
35-49	1290	2.3	6	<1	1	1	3	5	7	12
50-64	631	2.2	6	<1	<1	1	2	5	7	12
65+	224	2.3	8	<1	1	1	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	360	3.5	26	<1	1	2	4	6	8	31
20-34	711	3.7	24	<1	1	3	4	6	9	24
35-49	331	3.8	14	1	1	3	5	7	9	18
50-64	180	4.2	13	1	1	3	5	8	10	22
65+	143	5.3	22	1	2	4	7	10	15	25
B. *Operated*										
0-19 YRS	1822	2.9	16	<1	1	2	3	6	8	19
20-34	3636	3.2	20	<1	1	2	3	7	9	22
35-49	1638	3.6	21	1	1	2	4	8	11	25
50-64	942	3.7	27	1	1	2	4	7	12	30
65+	626	4.8	50	1	1	3	5	10	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1223	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	7062	2.2	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1725	3.9	21	1	1	3	4	7	10	24
B. *Operated*	8664	3.4	23	<1	1	2	4	7	10	24
1. SINGLE DX	8285	2.2	5	<1	<1	1	3	4	6	11
2. MULTIPLE DX	10389	3.4	22	<1	1	2	4	7	10	24
A. NOT OPERATED	2948	3.4	14	<1	1	3	4	6	8	17
B. OPERATED	15726	2.8	15	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	4299	2.5	11	<1	1	2	3	5	7	14
20-34	8055	2.8	14	<1	1	2	3	6	8	16
35-49	3451	3.1	14	<1	1	2	4	6	9	19
50-64	1834	3.2	18	<1	1	2	4	7	10	21
65+	1035	4.2	36	1	1	2	5	9	12	29
GRAND TOTAL	**18674**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	2.9	9	<1	1	2	4	6	7	11
20-34	468	2.8	5	<1	1	2	4	5	7	10
35-49	174	3.0	5	<1	1	3	4	6	7	10
50-64	52	3.3	7	<1	1	3	4	6	7	17
65+	25	3.6	5	<1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	1450	3.2	14	<1	1	2	4	6	9	21
20-34	1335	3.6	17	1	1	2	4	8	10	20
35-49	497	3.8	19	<1	1	2	5	8	11	28
50-64	207	4.1	22	1	1	3	5	10	12	27
65+	104	5.8	34	1	1	4	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	4.1	15	1	1	3	5	7	10	19
20-34	389	3.8	8	1	1	3	5	7	9	14
35-49	189	4.7	16	1	1	3	6	10	12	21
50-64	141	5.2	11	1	2	5	7	10	11	16
65+	202	6.7	31	1	2	5	8	14	18	28
B. *Operated*										
0-19 YRS	1014	6.1	44	1	1	4	7	14	20	34
20-34	1278	6.6	66	1	1	4	7	14	22	41
35-49	591	7.8	90	1	1	5	9	16	25	40
50-64	361	9.5	106	1	2	6	12	22	30	62
65+	391	10.7	117	1	2	7	14	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	2.9	6	<1	1	2	4	6	7	10
B. *Operated*	3593	3.5	17	<1	1	2	4	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	1251	4.6	16	1	1	4	6	9	12	20
B. *Operated*	3635	7.4	75	1	1	5	9	16	25	47
1. SINGLE DX	4710	3.4	15	<1	1	2	4	7	9	21
2. MULTIPLE DX	4886	6.7	62	1	1	4	8	14	21	41
A. NOT OPERATED	2368	3.8	12	1	1	3	5	7	10	17
B. OPERATED	7228	5.5	50	1	1	3	6	12	18	38
TOTAL 0-19 YRS	3192	4.2	25	1	1	3	5	9	13	27
20-34	3470	4.6	35	1	1	3	5	9	14	32
35-49	1451	5.4	50	1	1	3	6	11	17	38
50-64	761	6.8	65	1	1	4	8	14	23	53
65+	722	8.6	82	1	2	6	11	18	26	47
GRAND TOTAL	**9596**	**5.1**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	8	6.6	16	1	1	7	9	12	13	13
35-49	5	4.0	12	1	1	3	7	9	9	9
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	48	3.1	17	<1	1	2	4	7	8	27
20-34	109	3.2	9	<1	1	2	4	8	10	14
35-49	43	3.0	6	1	1	2	5	6	8	9
50-64	17	3.5	8	<1	<1	2	7	8	8	8
65+	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.5	490	<1	<1	2	4	21	71	82
20-34	32	4.3	15	<1	<1	3	6	11	12	13
35-49	17	4.3	6	<1	1	4	6	7	8	9
50-64	12	4.6	20	1	1	3	5	11	16	17
65+	18	4.8	13	1	1	4	6	11	13	14
B. *Operated*										
0-19 YRS	213	6.9	83	1	1	4	9	17	29	82
20-34	498	6.9	67	1	1	4	9	16	21	49
35-49	216	8.7	126	1	1	5	11	21	34	73
50-64	107	8.8	152	1	1	5	11	23	39	99+
65+	73	10.9	245	1	1	5	12	33	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.4	13	1	1	3	7	9	11	13
B. *Operated*	220	3.2	10	<1	1	2	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	92	5.0	78	<1	1	3	6	10	12	55
B. *Operated*	1107	7.7	102	1	1	4	9	18	28	70
1. SINGLE DX	242	3.3	10	<1	1	2	5	8	9	13
2. MULTIPLE DX	1199	7.5	101	1	1	4	9	17	26	70
A. NOT OPERATED	114	4.9	65	1	1	3	6	10	12	40
B. OPERATED	1327	6.9	90	1	1	4	8	16	25	65
TOTAL 0-19 YRS	279	6.2	90	1	1	3	7	15	24	79
20-34	647	6.1	56	<1	1	4	8	14	20	41
35-49	281	7.5	103	1	1	5	8	16	28	63
50-64	138	7.7	125	1	1	5	9	19	32	99+
65+	96	9.4	196	1	1	4	9	27	38	70
GRAND TOTAL	**1441**	**6.8**	**88**	**1**	**1**	**4**	**8**	**15**	**24**	**65**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	4	1	1	2	4	5	6	6
20-34	16	4.9	36	<1	1	3	6	9	20	25
35-49	11	8.2	234	<1	<1	3	6	29	51	53
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	122	2.6	7	<1	1	2	3	6	8	16
20-34	240	3.1	10	<1	1	2	4	6	9	15
35-49	124	3.0	7	1	1	2	4	7	8	14
50-64	52	3.7	9	<1	1	3	5	7	11	16
65+	18	6.1	35	1	1	4	9	15	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	9.4	336	<1	1	3	9	22	36	99
20-34	63	7.1	144	<1	1	4	8	12	16	76
35-49	41	7.5	82	<1	1	5	8	17	23	52
50-64	28	6.7	23	2	2	5	9	14	16	22
65+	60	9.1	78	1	1	5	13	23	30	35
B. *Operated*										
0-19 YRS	99	4.3	52	<1	1	2	4	8	16	46
20-34	255	4.6	37	1	1	3	5	9	13	41
35-49	154	6.2	80	1	1	3	7	14	24	56
50-64	125	6.6	63	1	1	4	8	15	19	44
65+	65	9.6	111	1	1	7	11	21	25	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.2	82	<1	1	3	4	10	20	53
B. *Operated*	556	3.1	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	225	8.0	127	1	1	5	9	16	28	62
B. *Operated*	698	5.7	62	1	1	3	6	12	20	53
1. SINGLE DX	595	3.3	14	1	1	2	4	7	9	17
2. MULTIPLE DX	923	6.3	79	1	1	4	7	14	21	56
A. NOT OPERATED	264	7.6	121	1	1	4	9	16	26	56
B. OPERATED	1254	4.6	41	1	1	3	5	10	15	37
TOTAL 0-19 YRS	263	4.1	69	<1	1	2	4	8	15	37
20-34	574	4.2	39	1	1	2	5	9	12	36
35-49	330	5.2	60	1	1	3	6	11	16	52
50-64	207	5.9	45	1	1	4	7	13	16	31
65+	144	8.9	88	1	1	6	12	20	29	37
GRAND TOTAL	**1518**	**5.1**	**56**	**1**	**1**	**3**	**6**	**11**	**16**	**43**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	3.6	3	1	1	3	5	6	6	10
20-34	223	3.3	3	1	1	3	4	5	6	9
35-49	82	3.7	4	1	1	4	5	6	7	10
50-64	16	3.6	7	<1	1	3	5	8	9	9
65+	8	3.5	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	15	5.3	20	1	1	4	7	13	15	16
20-34	10	5.6	17	1	1	5	8	12	13	13
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	365	3.8	5	1	1	4	5	6	7	9
20-34	247	3.5	8	<1	1	3	5	6	7	16
35-49	100	4.2	9	1	1	4	5	7	8	20
50-64	50	4.1	4	1	2	4	5	6	7	11
65+	81	3.9	10	1	1	3	5	7	11	15
B. *Operated*										
0-19 YRS	68	4.4	7	1	1	4	5	8	9	14
20-34	77	4.2	10	1	1	4	5	7	10	16
35-49	31	2.9	2	1	1	3	4	5	6	6
50-64	21	7.4	221	1	1	3	6	10	40	71
65+	28	7.1	142	1	1	5	7	13	20	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	3.5	3	1	1	3	5	6	6	9
B. *Operated*	33	5.1	15	1	1	4	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	843	3.8	7	1	1	3	5	6	7	15
B. *Operated*	225	4.8	45	1	1	4	5	7	11	29
1. SINGLE DX	877	3.6	4	1	1	3	5	6	6	10
2. MULTIPLE DX	1068	4.0	15	1	1	4	5	6	8	15
A. NOT OPERATED	1687	3.7	5	1	1	3	5	6	7	11
B. OPERATED	258	4.8	41	1	1	4	6	8	12	17
TOTAL 0-19 YRS	963	3.8	5	1	1	4	5	6	7	11
20-34	557	3.6	6	1	1	3	5	6	7	14
35-49	214	3.8	6	1	1	4	5	6	8	12
50-64	90	4.8	55	1	1	4	5	7	8	48
65+	121	4.6	41	1	1	3	5	8	12	30
GRAND TOTAL	**1945**	**3.8**	**10**	**1**	**1**	**3**	**5**	**6**	**7**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1422	1.7	2	<1	1	1	2	3	4	7
20-34	1230	2.2	3	<1	1	2	3	4	6	9
35-49	543	2.3	3	<1	1	2	3	5	6	10
50-64	323	2.7	5	1	1	2	3	6	7	12
65+	405	3.5	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	245	2.6	9	<1	<1	2	3	6	8	16
20-34	235	2.7	9	<1	<1	2	3	5	7	14
35-49	128	3.0	10	<1	<1	2	4	7	10	16
50-64	77	3.5	11	<1	1	2	4	8	12	14
65+	65	4.6	25	1	1	3	5	9	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2814	2.0	3	<1	1	1	2	4	5	9
20-34	3475	2.5	6	<1	1	2	3	5	7	12
35-49	1970	3.3	12	1	1	2	4	7	9	17
50-64	1696	3.9	18	1	1	3	5	8	11	19
65+	4636	5.6	38	1	1	4	7	11	14	27
B. *Operated*										
0-19 YRS	440	3.6	29	1	1	2	4	7	10	30
20-34	658	3.9	21	<1	1	3	4	8	12	25
35-49	379	5.4	43	1	1	3	6	11	19	35
50-64	317	6.2	46	1	1	4	7	13	19	36
65+	660	8.9	78	1	2	6	11	21	26	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3923	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	750	3.0	11	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	14591	3.7	20	1	1	2	4	8	10	19
B. *Operated*	2454	5.7	49	1	1	3	7	13	19	39
1. SINGLE DX	4673	2.3	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	17045	4.0	25	1	1	3	5	8	11	23
A. NOT OPERATED	18514	3.4	17	<1	1	2	4	7	10	18
B. OPERATED	3204	5.1	42	<1	1	3	6	11	17	35
TOTAL 0-19 YRS	4921	2.1	6	<1	1	1	2	4	5	10
20-34	5598	2.6	7	<1	1	2	3	5	7	13
35-49	3020	3.4	15	<1	1	2	4	7	9	19
50-64	2413	4.1	21	1	1	3	5	8	12	20
65+	5766	5.8	42	1	1	4	7	11	16	35
GRAND TOTAL	**21718**	**3.6**	**21**	**<1**	**1**	**2**	**4**	**7**	**11**	**21**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	1.9	2	1	1	1	2	3	5	9
20-34	141	2.4	6	1	1	2	3	4	6	11
35-49	38	2.3	4	1	1	2	3	4	6	11
50-64	19	2.5	3	1	1	2	3	5	6	7
65+	5	5.4	13	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	69	4.2	39	1	1	2	5	7	12	40
20-34	176	4.7	42	<1	1	2	5	11	16	36
35-49	87	4.5	32	1	1	3	5	10	13	33
50-64	33	2.8	4	<1	1	2	3	6	6	9
65+	7	9.3	103	<1	<1	6	13	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.9	5	1	1	2	4	6	8	12
20-34	157	3.0	7	1	1	2	4	6	9	10
35-49	73	3.9	19	1	1	3	4	8	14	25
50-64	43	4.1	9	1	1	3	6	8	10	12
65+	33	8.3	77	1	2	4	12	19	24	40
B. *Operated*										
0-19 YRS	145	4.7	30	1	1	2	6	10	18	31
20-34	405	7.1	95	1	1	4	8	17	26	48
35-49	193	6.2	76	1	1	3	7	14	22	44
50-64	129	8.4	155	1	1	4	9	24	34	83
65+	42	10.1	142	1	1	5	12	31	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	2.2	5	1	1	2	3	4	5	11
B. *Operated*	372	4.4	37	1	1	2	5	10	15	36
2. MULTIPLE DX										
A. *Not Operated*	412	3.7	17	1	1	2	4	8	10	21
B. *Operated*	914	6.9	93	1	1	4	8	17	25	48
1. SINGLE DX	687	3.4	23	1	1	2	4	7	11	25
2. MULTIPLE DX	1326	5.9	71	1	1	3	6	14	22	44
A. NOT OPERATED	727	3.0	12	1	1	2	4	6	9	18
B. OPERATED	1286	6.2	78	1	1	3	7	15	24	45
TOTAL 0-19 YRS	432	3.4	20	1	1	2	4	7	11	22
20-34	879	5.1	58	1	1	3	5	10	20	41
35-49	391	5.0	50	1	1	3	5	11	16	36
50-64	224	6.3	98	1	1	3	7	14	25	74
65+	87	9.1	106	1	1	5	12	24	37	44
GRAND TOTAL	**2013**	**5.0**	**56**	**1**	**1**	**3**	**5**	**11**	**19**	**40**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.1		<1	<1	<1	1	1	2	2
20-34	4	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34	8	1.8	1	<1	<1	1	2	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	3	1	1	2	3	5	6	6
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	15	2.5	3	<1	<1	2	3	4	6	7
20-34	7	1.4	1	<1	<1	1	1	3	4	4
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	14.0		14	14	14	14	14	14	14
65+	2	3.5	5	2	2	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.0		<1	<1	1	1	1	2	2
B. *Operated*	19	1.9	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	13	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	27	2.7	7	<1	<1	2	3	5	8	14
1. SINGLE DX	43	1.4	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX	40	2.6	6	<1	<1	2	3	5	6	14
A. NOT OPERATED	37	1.4	1	<1	<1	1	1	3	4	6
B. OPERATED	46	2.4	5	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	46	1.8	2	<1	<1	1	2	4	5	7
20-34	22	1.4	1	<1	<1	1	1	3	4	4
35-49	8	2.6	4	<1	<1	2	4	6	6	6
50-64	5	4.4	29	1	1	2	6	14	14	14
65+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**83**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**12**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1370	1.2	1	<1	<1	1	1	2	2	4
20-34	289	1.6	2	<1	<1	1	2	3	4	8
35-49	217	1.4	2	<1	<1	1	1	2	4	7
50-64	210	1.2	1	<1	<1	1	1	2	2	6
65+	186	1.8	11	<1	<1	1	2	3	3	22
B. *Operated*										
0-19 YRS	472	1.7	3	<1	<1	1	2	3	5	9
20-34	74	3.2	8	<1	<1	2	4	8	10	13
35-49	56	2.3	4	<1	1	1	3	5	6	11
50-64	50	3.3	13	<1	<1	2	5	8	9	17
65+	33	2.9	8	<1	1	2	3	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	486	2.2	5	<1	1	2	2	4	5	13
20-34	182	3.1	35	<1	<1	2	3	7	9	54
35-49	219	2.7	9	<1	<1	2	3	7	9	17
50-64	315	2.8	8	<1	1	2	3	6	9	14
65+	819	3.7	15	1	1	2	5	8	11	20
B. *Operated*										
0-19 YRS	285	4.3	31	<1	1	2	5	13	17	36
20-34	122	6.9	44	1	1	5	10	15	19	35
35-49	154	6.6	69	<1	1	4	8	15	23	44
50-64	215	5.6	58	<1	1	3	7	13	19	54
65+	537	6.3	61	1	1	4	8	14	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2272	1.3	2	<1	<1	1	1	2	3	6
B. *Operated*	685	2.1	5	<1	<1	1	2	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	2021	3.0	13	<1	1	2	4	7	9	17
B. *Operated*	1313	5.8	54	1	1	3	7	14	19	43
1. SINGLE DX	2957	1.5	3	<1	<1	1	1	2	4	8
2. MULTIPLE DX	3334	4.1	31	<1	1	2	5	10	14	30
A. NOT OPERATED	4293	2.1	8	<1	<1	1	2	4	7	14
B. OPERATED	1998	4.6	40	<1	1	2	6	11	16	36
TOTAL 0-19 YRS	2613	1.8	6	<1	<1	1	2	3	5	15
20-34	667	3.1	23	<1	<1	1	3	8	11	21
35-49	646	3.2	24	<1	<1	1	3	7	11	24
50-64	790	3.2	23	<1	<1	1	3	8	12	22
65+	1575	4.4	32	1	1	2	5	10	14	31
GRAND TOTAL	**6291**	**2.9**	**19**	**<1**	**<1**	**1**	**3**	**7**	**10**	**22**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	5.8	36	<1	1	4	7	13	18	34
20-34	55	3.7	32	1	1	2	3	9	10	37
35-49	32	6.4	46	<1	1	5	8	12	16	36
50-64	6	4.2	13	1	1	3	7	10	10	10
65+	6	8.2	41	<1	<1	6	16	16	16	16
B. *Operated*										
0-19 YRS	200	7.5	87	1	1	5	9	17	22	56
20-34	170	7.3	63	1	2	5	9	14	24	39
35-49	92	7.7	44	1	1	6	10	15	24	32
50-64	34	8.9	109	<1	1	6	12	16	24	58
65+	32	11.1	92	2	2	9	16	22	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	6.9	65	1	1	5	9	14	18	67
20-34	188	6.6	49	1	1	4	9	15	18	53
35-49	115	7.6	52	1	1	6	10	18	25	31
50-64	81	8.9	115	1	2	6	10	18	28	66
65+	111	10.3	72	1	2	8	13	21	28	43
B. *Operated*										
0-19 YRS	513	15.9	206	2	2	12	22	35	45	96
20-34	519	15.3	184	2	3	12	20	31	44	81
35-49	366	17.9	255	1	3	14	25	40	59	99+
50-64	265	19.9	356	2	4	13	27	52	70	99+
65+	344	22.6	301	4	5	18	33	53	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	5.2	37	<1	1	3	7	11	16	36
B. *Operated*	528	7.8	73	1	1	6	9	17	23	46
2. MULTIPLE DX										
A. *Not Operated*	684	7.7	67	1	1	6	10	16	21	42
B. *Operated*	2007	17.8	252	2	3	14	24	41	56	99+
1. SINGLE DX	679	7.2	66	1	1	5	9	15	22	39
2. MULTIPLE DX	2691	15.2	224	1	2	11	20	36	52	99+
A. NOT OPERATED	835	7.3	62	1	1	5	9	15	20	38
B. OPERATED	2535	15.7	231	1	2	11	21	37	52	99+
TOTAL 0-19 YRS	954	11.8	163	1	2	8	16	27	38	87
20-34	932	11.4	145	1	2	8	16	27	36	70
35-49	605	13.8	199	1	2	9	19	34	44	99+
50-64	386	16.3	305	2	3	10	22	41	62	98
65+	493	18.9	264	2	4	14	27	47	58	99+
GRAND TOTAL	**3370**	**13.6**	**203**	**1**	**2**	**9**	**18**	**32**	**46**	**94**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	3.9	12	1	1	3	5	8	11	17
20-34	373	3.6	13	1	1	2	5	9	11	18
35-49	168	4.2	19	1	1	2	5	11	13	21
50-64	71	3.9	21	1	1	2	4	9	14	22
65+	22	4.4	12	1	1	3	5	11	12	13
B. *Operated*										
0-19 YRS	159	7.0	47	1	1	4	10	17	23	32
20-34	114	6.8	40	1	1	5	9	15	19	32
35-49	66	7.2	61	<1	1	4	10	19	23	33
50-64	39	8.9	164	1	2	6	10	18	27	76
65+	15	7.0	28	2	2	4	11	15	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1746	5.0	23	1	1	3	7	11	15	23
20-34	1048	4.3	23	1	1	3	5	10	12	22
35-49	619	5.1	28	1	1	3	7	12	16	25
50-64	373	7.8	65	1	1	5	10	18	22	40
65+	295	8.0	49	1	2	6	10	16	20	38
B. *Operated*										
0-19 YRS	537	9.5	85	1	2	7	13	22	27	48
20-34	483	9.5	86	1	1	7	13	20	30	42
35-49	292	10.8	77	1	2	8	15	24	29	43
50-64	165	12.2	128	1	2	9	18	25	35	51
65+	150	16.0	261	2	3	10	21	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1257	3.8	14	1	1	2	5	9	11	18
B. *Operated*	393	7.1	58	1	1	5	10	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	4081	5.3	31	1	1	3	7	12	16	27
B. *Operated*	1627	10.6	108	1	2	8	14	23	32	55
1. SINGLE DX	1650	4.6	26	1	1	3	6	10	14	24
2. MULTIPLE DX	5708	6.8	59	1	1	4	9	16	21	40
A. NOT OPERATED	5338	4.9	27	1	1	3	7	11	15	24
B. OPERATED	2020	9.9	100	1	2	7	13	22	30	49
TOTAL 0-19 YRS	3065	5.7	37	1	1	4	7	13	18	29
20-34	2018	5.5	42	1	1	3	7	13	18	33
35-49	1145	6.5	48	1	1	4	9	16	20	33
50-64	648	8.5	88	1	1	5	11	20	25	47
65+	482	10.3	128	1	2	7	12	21	36	76
GRAND TOTAL	**7358**	**6.3**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.1	3	<1	<1	2	3	4	6	9
20-34	108	3.4	15	<1	1	2	4	7	10	22
35-49	49	3.5	9	<1	1	3	4	9	10	11
50-64	20	4.6	12	<1	1	5	6	10	12	13
65+	11	5.9	23	1	1	5	11	13	13	13
B. *Operated*										
0-19 YRS	136	2.3	9	<1	1	1	3	4	7	13
20-34	309	2.4	14	<1	<1	1	2	4	6	19
35-49	126	2.8	11	<1	<1	2	3	8	8	17
50-64	39	3.4	18	<1	<1	2	3	8	16	19
65+	11	4.3	42	1	1	1	5	13	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	4.0	21	1	1	2	5	10	14	24
20-34	187	5.0	38	1	1	3	6	11	14	39
35-49	132	6.3	69	1	1	4	7	14	19	49
50-64	107	5.8	31	1	1	4	8	12	17	63
65+	142	7.8	52	1	2	5	10	17	25	46
B. *Operated*										
0-19 YRS	315	3.5	47	<1	1	2	3	7	15	62
20-34	624	3.6	34	<1	1	2	4	8	14	48
35-49	291	5.0	83	<1	1	2	5	13	22	96
50-64	117	8.3	255	<1	1	2	7	27	49	99
65+	92	10.2	159	1	1	5	15	36	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	3.2	11	<1	1	2	4	7	10	13
B. *Operated*	621	2.5	13	<1	<1	1	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	664	5.9	45	1	1	4	8	13	17	41
B. *Operated*	1439	4.7	76	<1	1	2	4	12	21	98
1. SINGLE DX	890	2.7	13	<1	1	2	3	6	8	17
2. MULTIPLE DX	2103	5.1	67	<1	1	2	5	12	20	69
A. NOT OPERATED	933	5.1	36	1	1	3	6	11	16	34
B. OPERATED	2060	4.0	58	<1	1	2	3	9	17	66
TOTAL 0-19 YRS	628	3.1	29	<1	1	2	3	7	10	31
20-34	1228	3.5	29	<1	1	2	4	7	11	33
35-49	598	4.7	60	<1	1	2	5	11	18	55
50-64	283	6.4	123	1	1	3	7	14	27	91
65+	256	8.4	90	1	1	5	11	21	36	99+
GRAND TOTAL	**2993**	**4.4**	**52**	**<1**	**1**	**2**	**5**	**10**	**16**	**49**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	678	1.8	2	<1	1	1	2	3	4	8
20-34	633	2.5	7	<1	1	2	3	5	6	12
35-49	272	2.9	7	1	1	2	4	6	8	12
50-64	114	3.5	30	<1	1	2	4	6	9	33
65+	75	4.4	25	1	1	3	5	8	12	32
B. *Operated*										
0-19 YRS	164	3.9	11	<1	1	3	5	9	11	16
20-34	263	4.2	22	1	1	2	5	9	14	23
35-49	119	4.6	22	<1	1	3	5	10	16	21
50-64	55	5.5	41	1	1	3	6	13	18	35
65+	31	6.0	26	1	1	6	9	12	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	863	2.7	7	<1	1	2	3	5	7	14
20-34	1276	3.1	11	<1	1	2	4	6	9	13
35-49	729	3.9	13	1	1	3	5	8	11	17
50-64	498	4.7	24	1	1	3	6	9	11	26
65+	927	6.3	37	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	349	7.1	75	1	1	4	8	17	23	48
20-34	719	7.1	85	1	1	4	9	15	23	55
35-49	335	8.8	108	1	1	5	11	21	29	47
50-64	237	9.7	126	1	2	6	12	23	31	68
65+	282	12.4	163	1	2	9	15	26	36	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1772	2.4	8	<1	1	2	3	5	6	12
B. *Operated*	632	4.4	21	<1	1	3	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	4293	4.0	19	1	1	3	5	9	11	22
B. *Operated*	1922	8.5	107	1	1	5	10	20	28	57
1. SINGLE DX	2404	2.9	12	<1	1	2	3	6	9	17
2. MULTIPLE DX	6215	5.4	51	1	1	3	6	12	17	37
A. NOT OPERATED	6065	3.6	16	1	1	2	4	7	10	19
B. OPERATED	2554	7.5	89	1	1	4	9	17	25	48
TOTAL 0-19 YRS	2054	3.2	20	<1	1	2	3	7	10	23
20-34	2891	4.1	32	1	1	2	5	9	12	28
35-49	1455	4.9	39	1	1	3	6	10	15	33
50-64	904	5.9	58	1	1	4	7	12	19	41
65+	1315	7.5	70	1	2	5	9	15	22	41
GRAND TOTAL	**8619**	**4.7**	**41**	**1**	**1**	**3**	**5**	**10**	**15**	**33**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4441	1.5	4	<1	<1	1	2	3	3	5
20-34	1889	1.8	4	<1	<1	1	2	3	4	7
35-49	799	1.9	3	<1	<1	1	2	3	4	8
50-64	233	2.4	5	<1	1	2	3	5	6	12
65+	141	2.8	6	<1	1	2	3	6	8	12
B. *Operated*										
0-19 YRS	14	3.1	9	1	1	2	3	7	11	12
20-34	7	4.7	16	1	1	3	6	12	13	13
35-49	8	3.5	9	<1	<1	2	6	8	8	8
50-64	3	5.3	14	1	1	7	8	8	8	8
65+	7	6.0	36	1	1	4	9	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7287	3.1	30	<1	1	2	3	6	10	31
20-34	10106	3.3	23	<1	1	2	3	6	10	25
35-49	5686	3.9	33	<1	1	2	4	8	13	28
50-64	2717	4.8	31	1	1	3	6	10	15	29
65+	3750	5.8	30	1	1	4	7	11	15	27
B. *Operated*										
0-19 YRS	110	6.9	89	<1	1	4	8	13	21	55
20-34	298	9.5	166	1	1	5	11	23	41	92
35-49	228	11.2	121	1	2	8	16	27	34	53
50-64	181	13.4	272	1	2	8	17	32	63	95
65+	300	12.6	118	1	3	10	17	27	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7503	1.7	4	<1	<1	1	2	3	4	7
B. *Operated*	39	4.2	15	1	1	3	6	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	29546	3.8	29	<1	1	2	4	8	12	28
B. *Operated*	1117	11.0	157	1	1	7	14	27	38	83
1. SINGLE DX	7542	1.7	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX	30663	4.1	35	<1	1	2	4	9	14	31
A. NOT OPERATED	37049	3.4	25	<1	1	2	4	7	11	25
B. OPERATED	1156	10.8	153	1	1	7	14	26	38	82
TOTAL 0-19 YRS	11852	2.6	21	<1	1	1	2	4	7	23
20-34	12300	3.2	25	<1	1	2	3	6	10	26
35-49	6721	3.9	35	<1	1	2	4	8	14	31
50-64	3134	5.1	48	1	1	3	6	11	16	35
65+	4198	6.1	39	1	1	4	7	12	17	33
GRAND TOTAL	**38205**	**3.6**	**30**	**<1**	**1**	**2**	**4**	**8**	**12**	**28**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1969	1.8	3	<1	<1	1	2	5	5	8
20-34	842	1.6	2	<1	<1	1	2	3	4	7
35-49	477	1.7	2	<1	1	1	2	3	4	8
50-64	242	1.8	5	<1	1	1	2	3	4	7
65+	111	1.9	2	<1	1	1	2	4	5	9
B. *Operated*										
0-19 YRS	23	3.7	9	<1	1	3	6	7	10	13
20-34	25	4.2	22	1	1	2	6	9	12	22
35-49	18	4.1	9	<1	1	4	5	9	10	11
50-64	19	4.3	12	1	1	4	5	8	13	15
65+	4	9.0	42	3	3	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1409	2.5	11	<1	1	2	3	5	7	14
20-34	1370	2.8	15	<1	1	2	3	5	8	21
35-49	970	2.7	9	<1	1	2	3	5	8	17
50-64	643	3.3	25	<1	1	2	4	6	10	20
65+	605	4.4	35	1	1	3	5	9	12	35
B. *Operated*										
0-19 YRS	67	9.6	229	1	1	3	11	27	52	97
20-34	91	5.9	28	1	1	4	9	14	16	24
35-49	72	10.7	169	1	1	6	15	26	38	65
50-64	58	10.2	134	1	1	7	12	24	28	69
65+	57	15.4	212	1	2	12	21	34	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3641	1.8	3	<1	<1	1	2	4	5	7
B. *Operated*	89	4.3	15	1	1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	4997	3.0	17	<1	1	2	3	6	9	20
B. *Operated*	345	9.9	152	1	1	6	13	23	34	68
1. SINGLE DX	3730	1.8	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	5342	3.4	29	<1	1	2	4	7	11	27
A. NOT OPERATED	8638	2.5	11	<1	1	1	3	5	7	15
B. OPERATED	434	8.8	129	1	1	5	11	20	30	68
TOTAL 0-19 YRS	3468	2.3	12	<1	1	1	2	5	6	13
20-34	2328	2.5	12	<1	1	1	3	5	7	18
35-49	1537	2.8	18	<1	1	2	3	5	9	20
50-64	962	3.4	29	<1	1	2	3	7	11	25
65+	777	4.8	53	1	1	3	5	10	16	40
GRAND TOTAL	**9072**	**2.8**	**19**	**<1**	**1**	**1**	**3**	**5**	**8**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	984	2.0	11	<1	1	1	2	4	5	9
20-34	706	1.9	3	<1	1	1	2	3	4	8
35-49	518	2.0	3	<1	1	1	2	4	5	9
50-64	309	2.0	3	<1	1	1	3	4	5	10
65+	200	2.4	4	<1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	15	2.2	2	<1	1	2	3	4	5	5
20-34	15	10.3	448	<1	<1	1	5	53	66	70
35-49	10	3.8	11	1	1	2	7	9	10	10
50-64	10	6.9	30	1	1	7	9	14	19	19
65+	7	4.1	20	1	1	3	4	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1294	3.2	19	1	1	2	4	7	9	21
20-34	1201	3.1	10	1	1	2	4	6	9	16
35-49	1269	3.4	17	1	1	2	4	7	9	22
50-64	1636	4.4	18	1	1	3	5	9	12	22
65+	3794	5.7	30	1	1	4	7	11	15	27
B. *Operated*										
0-19 YRS	127	10.2	266	1	1	3	10	43	56	99+
20-34	160	5.7	70	1	1	2	7	14	22	44
35-49	172	9.0	211	1	1	3	8	27	51	71
50-64	234	8.9	201	1	1	4	10	23	41	98
65+	482	10.4	167	1	1	7	13	28	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2717	2.0	6	<1	1	1	2	4	5	10
B. *Operated*	57	5.7	131	<1	1	2	5	10	17	69
2. MULTIPLE DX										
A. *Not Operated*	9194	4.5	23	1	1	3	6	9	12	23
B. *Operated*	1175	9.2	180	1	1	5	11	26	43	95
1. SINGLE DX	2774	2.1	9	<1	1	1	2	4	5	10
2. MULTIPLE DX	10369	5.0	43	1	1	3	6	10	14	36
A. NOT OPERATED	11911	3.9	20	1	1	3	5	8	11	21
B. OPERATED	1232	9.1	178	1	1	4	10	25	43	91
TOTAL 0-19 YRS	2420	3.1	32	<1	1	2	3	6	8	33
20-34	2082	2.9	17	<1	1	2	3	6	9	18
35-49	1969	3.5	33	1	1	2	4	7	10	32
50-64	2189	4.5	38	1	1	3	5	9	13	31
65+	4483	6.1	46	1	1	4	7	12	16	37
GRAND TOTAL	**13143**	**4.4**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**32**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.7	9	<1	<1	2	3	5	7	13
20-34	137	3.9	15	<1	<1	3	5	9	11	19
35-49	106	4.5	14	<1	1	4	6	9	11	20
50-64	150	4.4	17	<1	<1	3	6	9	13	20
65+	200	6.2	53	1	1	4	8	14	21	41
B. *Operated*										
0-19 YRS	838	4.0	14	1	1	3	5	8	11	21
20-34	1177	3.9	16	<1	1	2	5	9	11	18
35-49	1317	5.0	29	<1	1	3	7	11	14	26
50-64	1772	6.2	38	1	1	4	9	13	16	25
65+	2882	6.5	47	1	1	4	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	5.2	30	1	1	3	7	12	15	28
20-34	598	5.2	28	1	1	4	7	10	14	28
35-49	720	5.8	28	1	1	4	7	11	16	26
50-64	944	6.5	54	1	1	5	8	13	17	40
65+	2040	6.8	46	1	1	5	8	13	18	36
B. *Operated*										
0-19 YRS	2838	7.5	82	1	1	4	9	17	27	47
20-34	3215	7.6	92	1	1	5	9	16	24	48
35-49	4488	7.8	78	1	1	5	10	17	25	47
50-64	8115	8.7	92	1	1	6	11	18	25	52
65+	15108	10.1	118	1	2	7	13	21	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	4.5	26	<1	<1	3	6	10	14	25
B. *Operated*	7986	5.5	35	1	1	3	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	4893	6.2	41	1	1	5	8	13	17	33
B. *Operated*	33764	9.0	102	1	1	6	12	19	28	55
1. SINGLE DX	8725	5.4	34	<1	1	3	8	12	15	26
2. MULTIPLE DX	38657	8.7	95	1	1	6	11	18	27	52
A. NOT OPERATED	5632	6.0	39	1	1	4	8	12	17	31
B. OPERATED	41750	8.3	91	1	1	5	11	18	26	51
TOTAL 0-19 YRS	4413	6.4	63	1	1	4	7	14	22	42
20-34	5127	6.4	67	1	1	4	8	14	20	42
35-49	6631	7.0	63	1	1	4	9	15	21	43
50-64	10981	8.0	80	1	1	6	10	17	23	48
65+	20230	9.2	102	1	1	6	12	19	28	54
GRAND TOTAL	**47382**	**8.1**	**85**	**1**	**1**	**5**	**10**	**17**	**25**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	543	1.5	1	<1	<1	1	2	3	3	6
20-34	565	2.1	3	<1	1	2	2	4	5	9
35-49	378	2.4	3	1	1	2	3	5	6	10
50-64	411	2.7	4	1	1	2	4	5	6	11
65+	555	3.1	5	1	1	3	4	5	6	9
B. *Operated*										
0-19 YRS	676	1.6	2	<1	<1	1	2	3	4	8
20-34	694	2.2	4	<1	<1	1	3	5	6	9
35-49	408	2.6	6	<1	1	2	3	5	6	13
50-64	227	2.9	7	1	1	2	3	6	7	14
65+	232	3.5	13	1	1	2	4	8	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	2.0	2	1	1	1	2	4	5	8
20-34	405	3.1	9	1	1	2	3	6	8	16
35-49	382	3.3	10	1	1	2	4	7	9	17
50-64	629	3.5	7	1	1	3	4	6	9	14
65+	1540	4.0	11	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	397	1.8	6	1	1	1	2	3	5	14
20-34	818	3.2	14	1	1	2	4	7	10	18
35-49	636	3.6	15	1	1	2	5	8	10	19
50-64	874	4.1	35	1	1	2	5	9	12	29
65+	1957	4.8	36	1	1	3	6	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2452	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	2237	2.3	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	3162	3.6	10	1	1	3	4	7	9	15
B. *Operated*	4682	4.0	27	1	1	2	5	9	13	27
1. SINGLE DX	4689	2.3	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	7844	3.8	20	1	1	2	5	8	11	22
A. NOT OPERATED	5614	3.0	7	1	1	2	4	6	8	13
B. OPERATED	6919	3.4	21	1	1	2	4	8	11	22
TOTAL 0-19 YRS	1822	1.7	3	<1	1	1	2	3	4	8
20-34	2482	2.6	8	<1	1	2	3	5	8	16
35-49	1804	3.1	10	1	1	2	4	6	9	16
50-64	2141	3.5	18	1	1	2	4	7	10	17
65+	4284	4.2	22	1	1	3	5	8	12	25
GRAND TOTAL	**12533**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	243	4.5	9	1	2	4	6	8	11	15
20-34	487	4.6	8	1	2	4	6	8	11	14
35-49	426	5.1	10	2	2	4	6	8	10	17
50-64	264	5.8	18	2	2	5	7	10	13	26
65+	197	6.6	22	2	3	5	8	12	15	26
B. *Operated*										
0-19 YRS	209	6.7	42	1	2	5	8	13	17	40
20-34	391	6.4	41	1	1	5	8	12	15	30
35-49	315	7.0	39	1	1	5	9	15	20	26
50-64	283	8.0	66	1	2	6	10	16	22	47
65+	199	8.1	50	1	2	6	10	16	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	5.8	22	1	2	5	7	10	14	27
20-34	742	5.8	17	2	2	5	7	11	14	19
35-49	812	6.6	30	2	2	5	8	12	15	30
50-64	936	8.2	48	2	3	6	10	15	21	36
65+	1451	8.4	41	2	3	7	10	15	20	31
B. *Operated*										
0-19 YRS	343	10.3	114	2	2	7	13	20	29	53
20-34	824	10.6	119	2	2	7	13	23	31	69
35-49	1034	12.4	126	2	3	9	16	26	35	59
50-64	1331	14.3	156	2	3	10	18	32	42	61
65+	1710	15.3	180	3	4	12	20	32	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1617	5.1	13	1	2	4	6	9	12	18
B. *Operated*	1397	7.2	47	1	2	5	9	14	19	33
2. MULTIPLE DX										
A. *Not Operated*	4290	7.3	36	2	2	6	9	14	17	30
B. *Operated*	5242	13.4	153	2	3	10	17	29	39	70
1. SINGLE DX	3014	6.1	30	1	2	5	7	12	15	26
2. MULTIPLE DX	9532	10.7	109	2	3	7	13	22	31	59
A. NOT OPERATED	5907	6.7	30	2	2	5	8	13	16	28
B. OPERATED	6639	12.1	137	2	3	9	15	26	36	65
TOTAL 0-19 YRS	1144	7.0	55	1	2	5	8	14	19	40
20-34	2444	7.3	59	1	2	5	9	14	19	43
35-49	2587	8.7	75	2	2	6	10	18	26	47
50-64	2814	10.8	109	2	3	7	13	23	33	56
65+	3557	11.6	120	2	3	8	14	24	33	65
GRAND TOTAL	**12546**	**9.6**	**94**	**2**	**2**	**7**	**12**	**20**	**28**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	2.4	5	1	1	2	3	5	6	10
20-34	364	3.0	6	1	1	2	4	6	8	12
35-49	378	4.0	11	1	1	3	5	8	10	16
50-64	275	4.9	35	1	1	4	6	9	12	21
65+	216	4.7	17	1	1	3	7	9	12	24
B. *Operated*										
0-19 YRS	179	3.8	30	<1	1	2	5	8	9	28
20-34	433	4.4	19	<1	1	3	6	9	12	26
35-49	455	5.5	30	<1	1	4	8	10	13	28
50-64	406	5.5	30	1	1	4	8	11	16	27
65+	376	6.1	32	1	1	4	8	13	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	685	2.7	9	1	1	2	3	5	7	16
20-34	1269	3.4	12	1	1	2	4	8	10	16
35-49	1496	4.5	31	1	1	3	6	9	12	24
50-64	1595	5.1	27	1	1	4	7	10	14	27
65+	2550	5.8	27	1	1	5	8	12	15	25
B. *Operated*										
0-19 YRS	1396	3.3	38	1	1	1	3	8	13	31
20-34	2593	4.2	44	1	1	2	5	11	15	40
35-49	2895	5.8	71	1	1	3	7	13	20	47
50-64	3373	7.5	94	1	1	4	10	18	26	54
65+	5855	7.8	104	1	1	4	10	19	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1411	3.8	15	1	1	3	5	8	10	17
B. *Operated*	1849	5.2	28	1	1	4	7	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	7595	4.7	25	1	1	3	6	10	13	24
B. *Operated*	16112	6.4	83	1	1	3	8	16	24	49
1. SINGLE DX	3260	4.6	23	1	1	3	6	9	12	25
2. MULTIPLE DX	23707	5.9	65	1	1	3	7	13	20	43
A. NOT OPERATED	9006	4.6	23	1	1	3	6	10	12	23
B. OPERATED	17961	6.3	78	1	1	3	8	15	22	48
TOTAL 0-19 YRS	2438	3.1	27	1	1	1	3	7	11	25
20-34	4659	3.9	30	1	1	2	5	9	13	27
35-49	5224	5.3	52	1	1	3	7	11	16	38
50-64	5649	6.5	69	1	1	4	8	15	22	45
65+	8997	7.1	78	1	1	4	9	16	23	47
GRAND TOTAL	**26967**	**5.7**	**60**	**1**	**1**	**3**	**7**	**13**	**19**	**41**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.0	2	1	1	2	2	4	5	7
20-34	39	2.5	2	1	1	2	3	5	5	6
35-49	32	3.3	8	1	1	3	4	6	10	14
50-64	12	3.6	6	1	1	3	5	7	9	9
65+	12	3.3	6	<1	<1	3	5	6	7	7
B. *Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	5	3.8	8	<1	<1	4	6	7	7	7
35-49	4	10.5	99	3	3	8	18	24	24	24
50-64	4	4.8	5	2	2	5	6	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.5	11	<1	1	3	4	8	11	19
20-34	112	4.2	11	1	1	3	5	8	13	15
35-49	129	4.9	17	1	1	4	6	10	12	23
50-64	174	5.1	34	1	1	3	6	10	17	32
65+	301	4.1	14	1	1	3	5	9	11	17
B. *Operated*										
0-19 YRS	19	4.4	12	<1	1	3	6	9	12	15
20-34	39	8.8	72	1	2	7	12	21	36	99+
35-49	37	7.3	63	1	1	5	8	16	29	35
50-64	58	9.6	86	1	2	6	14	21	32	43
65+	89	7.9	101	1	1	5	9	16	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	2.6	4	1	1	2	3	5	6	10
B. *Operated*	16	6.3	35	<1	1	5	8	12	20	24
2. MULTIPLE DX										
A. *Not Operated*	846	4.3	18	1	1	3	6	9	12	20
B. *Operated*	242	8.1	81	1	1	6	9	17	31	49
1. SINGLE DX	197	2.9	7	1	1	2	4	6	7	13
2. MULTIPLE DX	1088	5.2	34	1	1	3	6	11	15	33
A. NOT OPERATED	1027	4.0	16	1	1	3	5	8	11	19
B. OPERATED	258	8.0	78	1	1	6	9	17	30	48
TOTAL 0-19 YRS	237	3.1	9	1	1	2	4	6	9	16
20-34	195	4.8	25	1	1	3	6	10	14	37
35-49	202	5.2	27	1	1	4	6	10	14	30
50-64	248	6.1	48	1	1	4	7	14	20	34
65+	403	4.9	35	1	1	3	6	10	13	38
GRAND TOTAL	**1285**	**4.8**	**31**	**1**	**1**	**3**	**6**	**10**	**14**	**33**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	1.1		<1	<1	1	1	2	2	2
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	18	1.4		<1	<1	1	2	2	3	3
20-34	2955	1.4	1	<1	<1	1	1	2	3	4
35-49	1471	1.3	1	<1	<1	1	1	2	3	4
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	61	1.3	1	<1	<1	<1	1	2	4	6
35-49	28	1.1		<1	<1	<1	1	2	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.5	3	<1	<1	2	3	5	6	7
20-34	2320	1.8	2	<1	<1	1	2	4	4	6
35-49	1360	1.8	2	<1	<1	1	2	4	5	6
50-64	5	2.4	2	1	1	2	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.1		<1	<1	1	1	1	2	2
B. *Operated*	4452	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	91	1.3	1	<1	<1	<1	1	2	3	6
B. *Operated*	3713	1.8	2	<1	<1	1	2	4	4	6
1. SINGLE DX	4467	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	3804	1.8	2	<1	<1	1	2	4	4	6
A. NOT OPERATED	106	1.2	1	<1	<1	<1	1	2	2	6
B. OPERATED	8165	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	49	2.0	2	<1	<1	1	2	4	5	7
20-34	5347	1.5	1	<1	<1	1	2	3	4	5
35-49	2862	1.6	1	<1	<1	1	2	3	4	6
50-64	10	1.8	2	<1	<1	1	2	4	4	4
65+	3	2.0	3	<1	<1	1	3	4	4	4
GRAND TOTAL	**8271**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	62.0		62	62	62	62	62	62	62
1500-1749	5	15.6	26	9	9	15	20	22	22	22
1750-2499	4974	2.8	3	1	1	2	3	5	5	8
2500+	366221	2.5	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	3.0	2	1	1	3	4	4	4	4
2500+	109	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	98	65.4	235	39	48	66	78	89	93	99+
1000-1499	697	39.1	263	16	21	37	49	63	70	99
1500-1749	1068	23.5	98	10	12	22	29	36	42	56
1750-2499	18170	6.5	35	1	2	5	8	14	18	28
2500+	241251	3.3	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	335	75.2	274	49	56	89	99+	99+	99+	99+
1000-1499	846	50.5	338	24	29	50	66	84	99+	99+
1500-1749	533	33.8	220	15	19	31	41	54	64	99
1750-2499	1984	17.6	169	2	5	15	23	32	44	82
2500+	5139	7.9	83	1	2	5	9	15	22	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371201	2.5	2	1	1	2	3	4	5	6
B. *Operated*	113	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	261284	3.7	14	1	2	3	4	6	7	19
B. *Operated*	8837	18.3	442	2	3	10	26	57	82	99+
1. SINGLE DX	371314	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	270121	4.2	35	1	2	3	4	6	9	32
A. NOT OPERATED	632485	3.0	7	1	1	3	4	5	6	11
B. OPERATED	8950	18.1	439	2	3	10	25	57	81	99+
TOTAL 1-999 G	433	73.0	281	47	54	84	99+	99+	99+	99+
1000-1499	1544	45.3	336	19	24	44	59	76	92	99+
1500-1749	1606	26.9	162	11	14	25	33	43	51	80
1750-2499	25132	6.6	52	1	2	4	8	15	21	34
2500+	612720	2.9	3	1	1	3	4	5	5	8
GRAND TOTAL	**641435**	**3.2**	**16**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.0		21	21	21	21	21	21	21
1500-1749	2	19.5	41	15	15	19	24	24	24	24
1750-2499	736	4.2	4	2	2	4	5	6	7	12
2500+	3333	3.9	2	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	12	70.1	242	45	47	78	86	99+	99+	99+
1000-1499	171	37.9	254	15	19	35	47	59	72	82
1500-1749	325	22.7	80	9	13	21	28	34	39	52
1750-2499	3402	8.2	42	2	3	6	11	17	20	30
2500+	3456	4.7	6	2	2	5	5	7	8	14
B. *Operated*										
1-999 G	49	74.8	333	48	59	95	99+	99+	99+	99+
1000-1499	224	50.4	314	25	29	51	66	85	99+	99+
1500-1749	158	32.7	140	14	19	33	40	50	56	99+
1750-2499	384	17.6	146	3	5	15	24	33	41	72
2500+	130	12.4	160	2	3	8	13	32	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4073	4.0	3	2	2	4	5	6	7	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7366	8.0	73	2	3	5	8	17	25	46
B. *Operated*	945	30.2	504	4	6	27	48	77	99+	99+
1. SINGLE DX	4073	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	8311	10.5	172	2	3	5	11	26	40	87
A. NOT OPERATED	11439	6.6	52	2	2	5	6	13	19	38
B. OPERATED	945	30.2	504	4	6	27	48	77	99+	99+
TOTAL 1-999 G	61	73.9	314	46	54	89	99+	99+	99+	99+
1000-1499	397	44.8	327	18	24	44	57	75	89	99+
1500-1749	485	25.9	121	10	13	25	32	41	49	71
1750-2499	4522	8.3	54	2	3	6	11	18	23	35
2500+	6919	4.5	9	2	2	4	5	6	7	14
GRAND TOTAL	**12384**	**8.4**	**126**	**2**	**2**	**5**	**7**	**19**	**32**	**75**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	42	2.1	1	1	1	2	3	4	4	5
2500+	879	2.1	1	1	1	2	3	3	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	8	35.6	245	21	22	32	38	62	71	71
1500-1749	10	27.3	39	16	19	27	29	36	39	39
1750-2499	175	7.3	46	2	2	5	9	17	21	28
2500+	585	3.3	21	1	1	3	4	6	7	13
B. *Operated*										
1-999 G	2	68.5	13	66	66	85	99+	99+	99+	99+
1000-1499	11	50.8	344	27	28	49	78	99+	99+	99+
1500-1749	3	34.0	172	22	22	32	44	48	48	48
1750-2499	19	10.8	89	1	2	9	19	26	28	29
2500+	31	5.7	14	1	1	6	8	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	2.1	1	1	1	2	3	3	4	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	778	4.9	48	1	1	3	5	9	16	33
B. *Operated*	66	17.9	449	1	1	9	29	68	99+	99+
1. SINGLE DX	921	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	844	5.9	91	1	1	3	5	12	23	71
A. NOT OPERATED	1699	3.4	24	1	1	2	3	6	9	25
B. OPERATED	66	17.9	449	1	1	9	29	68	99+	99+
TOTAL 1-999 G	2	68.5	13	66	66	85	99+	99+	99+	99+
1000-1499	19	44.4	345	23	26	42	66	90	99+	99+
1500-1749	13	28.8	67	17	21	28	32	41	47	48
1750-2499	236	6.7	46	1	2	4	9	17	21	29
2500+	1495	2.6	10	1	1	2	3	5	6	10
GRAND TOTAL	**1765**	**3.9**	**48**	**1**	**1**	**2**	**3**	**7**	**11**	**42**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.4	1	<1	<1	1	1	2	4	6
20-34	38	2.3	6	<1	<1	1	2	6	8	12
35-49	15	2.6	4	<1	<1	2	4	5	7	8
50-64	12	2.9	6	<1	<1	2	4	6	9	9
65+	12	7.9	350	<1	<1	1	3	30	61	66
B. *Operated*										
0-19 YRS	1465	1.8	2	<1	<1	1	2	3	4	6
20-34	1834	1.9	3	<1	<1	1	2	4	5	7
35-49	919	2.1	3	<1	<1	1	3	4	5	10
50-64	644	2.2	3	<1	<1	2	3	4	5	9
65+	409	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.5	2	<1	<1	1	1	3	6	7
20-34	29	1.7	4	<1	<1	<1	1	4	8	8
35-49	16	1.9	4	<1	<1	1	2	5	7	8
50-64	14	2.4	5	<1	<1	1	3	6	8	8
65+	27	3.9	39	<1	<1	1	4	7	23	27
B. *Operated*										
0-19 YRS	705	2.7	11	<1	<1	2	3	5	6	14
20-34	638	3.4	16	<1	1	2	4	7	9	18
35-49	406	3.0	13	<1	1	2	4	5	7	15
50-64	345	3.6	15	<1	1	2	4	7	12	18
65+	426	4.5	24	1	1	3	5	10	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.9	48	<1	<1	1	3	5	8	42
B. *Operated*	5271	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	110	2.3	13	<1	<1	1	2	6	8	24
B. *Operated*	2520	3.4	16	<1	1	2	4	6	9	19
1. SINGLE DX	5367	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	2630	3.3	16	<1	1	2	4	6	9	20
A. NOT OPERATED	206	2.6	29	<1	<1	1	2	6	8	24
B. OPERATED	7791	2.4	7	<1	<1	2	3	5	6	13
TOTAL 0-19 YRS	2213	2.1	5	<1	<1	1	2	4	5	9
20-34	2539	2.3	6	<1	<1	2	3	4	6	12
35-49	1356	2.3	6	<1	<1	2	3	5	6	11
50-64	1015	2.7	8	<1	<1	2	3	5	7	15
65+	874	3.5	20	<1	1	2	4	7	10	22
GRAND TOTAL	**7997**	**2.4**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.7	4	1	1	1	1	4	7	9
20-34	33	1.7	2	<1	<1	1	2	3	3	9
35-49	54	2.4	10	<1	1	2	2	4	5	22
50-64	87	2.0	3	1	1	2	2	2	6	10
65+	126	1.8	2	1	1	1	2	4	4	8
B. *Operated*										
0-19 YRS	12	1.8	1	<1	<1	1	3	3	4	4
20-34	101	3.0	10	<1	<1	2	3	8	10	15
35-49	128	3.0	8	<1	<1	2	4	7	9	38
50-64	169	4.0	25	<1	<1	2	5	9	13	21
65+	164	4.9	30	<1	<1	3	6	12	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	3	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	343	1.9	4	1	1	1	2	3	5	9
B. *Operated*	574	3.8	20	<1	<1	2	5	9	13	23
1. SINGLE DX	7	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX	917	3.1	15	<1	<1	2	3	7	10	21
A. NOT OPERATED	347	1.9	4	1	1	1	2	3	5	9
B. OPERATED	577	3.8	20	<1	<1	2	5	9	13	23
TOTAL 0-19 YRS	56	1.7	3	<1	1	1	2	3	7	9
20-34	138	2.6	8	<1	<1	2	3	7	9	15
35-49	182	2.8	9	<1	<1	2	3	6	9	22
50-64	257	3.3	18	<1	<1	2	4	8	11	19
65+	291	3.6	20	<1	1	2	4	8	13	24
GRAND TOTAL	**924**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**7**	**10**	**21**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2095	2.3	14	<1	<1	1	2	4	6	14
20-34	3007	2.2	13	<1	<1	1	2	4	6	14
35-49	1219	2.4	25	<1	<1	1	2	4	6	28
50-64	1206	2.2	13	<1	<1	1	2	4	6	16
65+	960	4.7	68	<1	<1	2	4	12	19	41
B. *Operated*										
0-19 YRS	762	3.4	14	<1	<1	2	5	8	10	16
20-34	2132	3.4	9	<1	<1	3	5	7	9	12
35-49	1601	3.7	11	<1	1	3	6	8	10	13
50-64	1057	4.4	14	<1	1	3	7	10	11	14
65+	730	5.3	18	<1	<1	5	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7837	4.3	64	<1	1	2	4	7	14	48
20-34	7782	5.8	93	<1	1	2	5	18	28	56
35-49	12700	4.4	52	1	1	2	4	7	19	38
50-64	30424	4.0	45	1	1	2	4	6	13	38
65+	35149	6.5	92	1	1	3	6	17	27	50
B. *Operated*										
0-19 YRS	2105	4.4	57	<1	1	2	5	9	15	60
20-34	4348	4.6	66	1	1	2	5	9	14	61
35-49	5524	4.8	43	1	1	3	6	10	15	40
50-64	7701	5.8	63	1	1	3	7	12	18	46
65+	9432	7.6	109	1	1	4	9	16	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8487	2.5	22	<1	<1	1	2	4	7	23
B. *Operated*	6282	3.9	12	<1	<1	3	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	93892	5.2	70	1	1	2	5	11	22	45
B. *Operated*	29110	5.9	76	1	1	3	7	12	20	53
1. SINGLE DX	14769	3.1	18	<1	<1	2	4	7	10	17
2. MULTIPLE DX	123002	5.3	72	1	1	3	5	12	22	47
A. NOT OPERATED	102379	5.0	67	1	1	2	5	11	21	45
B. OPERATED	35392	5.5	65	1	1	3	7	11	18	48
TOTAL 0-19 YRS	12799	3.9	52	<1	1	2	4	7	12	43
20-34	17269	4.6	63	<1	1	2	4	9	21	45
35-49	21044	4.4	45	1	1	2	5	8	15	37
50-64	40388	4.3	47	1	1	2	5	8	14	39
65+	46271	6.7	94	1	1	3	7	17	27	51
GRAND TOTAL	**137771**	**5.1**	**66**	**1**	**1**	**2**	**5**	**11**	**21**	**45**

Operation Groups

Length of Stay Tables
Operation Groups

1492 Hospitals, United States, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249435	2.9	13	<1	1	2	3	5	7	17
20-34	594235	2.9	7	1	1	2	3	5	6	12
35-49	226750	3.8	13	<1	1	3	5	8	10	17
50-64	167795	4.4	17	1	1	3	6	9	12	19
65+	135986	5.4	25	<1	1	4	7	11	14	22
2. MULTIPLE DX										
0-19 YRS	278653	5.6	79	1	1	3	6	11	20	56
20-34	660095	4.8	31	1	1	4	5	8	12	30
35-49	484144	6.2	45	1	1	5	7	12	17	36
50-64	631886	7.6	62	1	2	5	9	15	21	43
65+	1212786	9.4	79	2	2	7	12	18	25	50
TOT. SINGLE DX	1374201	3.5	13	<1	1	3	4	7	9	17
" MULTIPLE DX	3267564	7.3	64	1	2	5	9	15	21	44
TOTAL 0-19 YRS	528088	4.3	50	<1	1	2	4	8	14	41
20-34	1254330	3.9	20	1	1	3	4	7	9	23
35-49	710894	5.4	36	1	1	4	6	10	15	31
50-64	799681	6.9	54	1	1	5	9	14	19	39
65+	1348772	9.0	75	1	2	7	11	18	24	48
GRAND TOTAL	**4641765**	**6.2**	**52**	**1**	**1**	**4**	**7**	**13**	**18**	**38**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	369	7.6	30	1	2	7	10	14	18	28
20-34	388	9.2	47	2	3	8	11	16	19	37
35-49	494	8.9	32	2	3	8	11	15	18	26
50-64	546	10.4	59	3	4	9	13	17	22	43
65+	493	11.1	69	2	4	9	13	19	25	47
2. MULTIPLE DX										
0-19 YRS	844	15.2	237	2	3	11	19	40	59	99+
20-34	693	17.1	251	4	5	12	21	41	62	99+
35-49	989	16.3	182	4	6	12	20	33	49	99+
50-64	1666	17.5	223	5	6	13	21	37	54	88
65+	2547	19.0	191	5	7	15	24	38	50	83
TOT. SINGLE DX	2290	9.6	50	2	3	8	12	16	20	37
" MULTIPLE DX	6739	17.6	212	4	6	13	22	37	53	99+
TOTAL 0-19 YRS	1213	12.9	186	2	2	9	15	30	48	99+
20-34	1081	14.2	193	2	4	10	16	31	47	99+
35-49	1483	13.8	145	3	5	10	16	27	40	86
50-64	2212	15.7	192	4	5	11	19	32	48	84
65+	3040	17.8	180	5	6	14	22	35	47	82
GRAND TOTAL	**9029**	**15.5**	**183**	**3**	**5**	**11**	**19**	**32**	**47**	**90**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	229	6.9	37	2	3	5	8	12	15	34
20-34	129	8.8	51	3	3	8	10	14	18	42
35-49	118	8.1	26	2	3	7	10	15	21	49
50-64	138	10.5	61	3	4	9	13	16	22	46
65+	113	10.6	80	4	5	8	12	20	25	57
2. MULTIPLE DX										
0-19 YRS	322	15.0	223	3	4	9	20	36	50	86
20-34	330	17.7	260	4	5	13	24	42	68	99+
35-49	307	18.2	207	4	7	13	26	42	56	99+
50-64	373	19.5	260	4	6	14	26	40	57	86
65+	577	20.2	246	5	7	16	26	41	63	99+
TOT. SINGLE DX	727	8.7	51	2	3	7	10	15	21	43
" MULTIPLE DX	1909	18.4	244	4	5	13	25	40	58	99+
TOTAL 0-19 YRS	551	11.7	162	2	3	7	13	29	43	80
20-34	459	15.2	218	3	4	10	18	36	59	99+
35-49	425	15.4	177	3	4	11	20	35	51	99+
50-64	511	17.0	222	4	5	12	21	38	53	79
65+	690	18.6	232	4	6	14	24	39	56	99+
GRAND TOTAL	**2636**	**15.8**	**210**	**3**	**4**	**11**	**20**	**35**	**51**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	4.4	6	2	2	4	5	7	9	11
20-34	145	4.6	7	1	2	4	6	8	9	15
35-49	59	5.3	8	1	2	5	8	9	10	12
50-64	38	4.6	10	1	1	4	6	8	10	18
65+	17	6.2	25	2	3	4	8	8	19	24
2. MULTIPLE DX										
0-19 YRS	473	9.0	110	2	3	6	9	20	30	76
20-34	338	10.7	179	1	2	7	11	26	44	94
35-49	165	10.8	143	2	3	7	11	28	41	61
50-64	95	13.4	212	3	4	8	15	37	46	91
65+	74	12.8	195	3	3	8	13	30	42	73
TOT. SINGLE DX	841	4.5	8	2	2	4	6	8	9	15
" MULTIPLE DX	1145	10.4	151	2	3	6	10	25	38	77
TOTAL 0-19 YRS	1055	6.5	58	2	2	5	7	10	20	42
20-34	483	8.8	135	1	2	5	9	19	32	80
35-49	224	9.4	114	2	3	6	9	19	33	61
50-64	133	10.9	171	2	3	6	11	29	43	83
65+	91	11.6	170	3	3	8	11	28	37	71
GRAND TOTAL	**1986**	**7.9**	**98**	**2**	**2**	**5**	**8**	**16**	**28**	**62**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	273	5.9	18	2	3	5	7	9	13	25
20-34	58	6.6	13	2	3	5	9	13	15	16
35-49	41	6.4	10	2	3	6	8	10	14	15
50-64	48	9.1	38	3	3	8	9	17	25	31
65+	96	9.3	31	3	4	8	11	15	22	32
2. MULTIPLE DX										
0-19 YRS	600	14.2	322	2	3	7	16	45	66	99+
20-34	137	15.4	316	3	4	9	16	44	72	99+
35-49	120	16.2	281	4	5	11	21	66	99+	99+
50-64	185	19.0	253	4	5	14	28	45	76	99+
65+	603	18.5	187	5	6	15	25	36	52	99+
TOT. SINGLE DX	516	7.0	23	2	3	6	8	13	15	26
" MULTIPLE DX	1645	16.6	265	3	4	11	22	41	65	99+
TOTAL 0-19 YRS	873	11.6	242	2	3	6	11	32	56	99+
20-34	195	12.8	242	3	4	8	13	32	54	99+
35-49	161	13.7	230	4	4	9	16	47	76	99+
50-64	233	17.0	225	4	5	12	23	40	59	99+
65+	699	17.3	176	4	5	14	23	34	46	99+
GRAND TOTAL	**2161**	**14.3**	**224**	**3**	**3**	**9**	**18**	**35**	**56**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	553	4.8	20	1	2	3	5	8	13	26
20-34	140	8.1	84	1	1	5	9	16	31	44
35-49	63	8.7	122	1	2	5	9	19	28	59
50-64	50	6.6	37	1	2	5	8	11	24	27
65+	52	7.3	46	1	2	5	10	15	17	38
2. MULTIPLE DX										
0-19 YRS	1829	9.2	154	1	2	5	10	24	35	85
20-34	483	15.8	300	2	3	9	21	45	67	99+
35-49	266	15.5	241	2	3	11	19	39	55	99+
50-64	269	17.6	241	2	4	13	24	40	56	99+
65+	339	17.5	198	3	4	14	23	37	45	91
TOT. SINGLE DX	858	5.9	43	1	2	4	7	11	17	38
" MULTIPLE DX	3186	12.3	209	2	2	7	15	32	48	99+
TOTAL 0-19 YRS	2382	8.2	127	1	2	4	8	20	31	76
20-34	623	14.0	262	2	2	8	17	39	62	99+
35-49	329	14.2	225	2	2	9	18	33	53	99+
50-64	319	15.9	226	2	3	10	22	40	54	99+
65+	391	16.1	190	2	3	13	21	35	44	88
GRAND TOTAL	**4044**	**10.9**	**181**	**1**	**2**	**6**	**13**	**28**	**42**	**94**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	8.7	28	2	4	7	10	16	18	30
20-34	598	7.4	23	3	3	7	9	11	16	27
35-49	1341	7.1	15	3	3	6	8	12	14	20
50-64	1369	7.6	17	3	4	7	9	12	15	23
65+	1023	8.7	18	4	5	8	10	14	17	24
2. MULTIPLE DX										
0-19 YRS	187	13.2	164	3	4	9	15	32	43	71
20-34	727	11.5	106	4	4	8	13	22	32	64
35-49	1797	10.2	69	3	4	8	12	18	25	50
50-64	2874	11.0	77	4	5	9	13	19	28	48
65+	3725	13.1	88	5	6	10	15	24	31	54
TOT. SINGLE DX	4395	7.7	18	3	4	7	9	12	15	23
" MULTIPLE DX	9310	11.8	86	4	5	9	14	22	30	54
TOTAL 0-19 YRS	251	12.1	133	3	4	8	13	27	39	66
20-34	1325	9.6	73	3	4	7	11	18	24	51
35-49	3138	8.9	49	3	4	7	10	15	21	42
50-64	4243	9.9	61	4	4	8	11	17	23	45
65+	4748	12.1	77	4	5	10	14	22	29	40
GRAND TOTAL	**13705**	**10.4**	**68**	**4**	**4**	**8**	**12**	**18**	**25**	**47**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	126	7.9	28	2	2	6	11	15	20	44
20-34	395	5.4	24	1	1	4	7	11	14	24
35-49	465	5.6	25	1	1	4	8	12	15	25
50-64	211	6.4	33	1	1	5	9	14	19	29
65+	121	6.9	41	1	1	6	9	13	17	31
2. MULTIPLE DX										
0-19 YRS	374	13.5	148	2	3	10	17	29	41	69
20-34	584	10.5	136	2	2	7	13	23	36	86
35-49	729	10.1	110	1	2	7	12	22	30	58
50-64	680	13.4	170	1	3	9	16	30	44	68
65+	624	15.2	159	2	3	12	20	33	44	70
TOT. SINGLE DX	1318	6.0	29	1	1	5	8	13	16	25
" MULTIPLE DX	2991	12.4	148	2	2	9	15	28	39	69
TOTAL 0-19 YRS	500	12.1	124	2	3	9	15	25	35	68
20-34	979	8.4	97	1	1	6	11	17	27	68
35-49	1194	8.3	82	1	1	6	10	18	25	54
50-64	891	11.7	147	1	2	8	14	26	37	67
65+	745	13.8	150	2	2	10	18	31	41	65
GRAND TOTAL	**4309**	**10.4**	**120**	**1**	**2**	**7**	**13**	**23**	**33**	**64**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	2.7	3	<1	<1	2	3	5	7	10
20-34	274	3.1	15	<1	<1	2	4	7	9	19
35-49	402	2.9	8	<1	<1	2	4	7	9	14
50-64	372	2.7	6	<1	<1	2	3	6	8	13
65+	200	2.7	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
0-19 YRS	93	5.0	33	<1	1	3	6	10	15	33
20-34	271	4.6	41	<1	1	2	5	11	16	30
35-49	345	5.0	40	<1	1	3	6	12	17	38
50-64	435	5.7	50	1	1	3	8	13	20	35
65+	382	7.5	99	1	1	4	9	19	27	53
TOT. SINGLE DX	1333	2.8	9	<1	<1	2	3	7	8	13
" MULTIPLE DX	1526	5.8	59	<1	1	3	7	13	21	39
TOTAL 0-19 YRS	178	3.9	21	<1	1	2	5	8	11	27
20-34	545	3.9	29	<1	<1	2	4	8	12	29
35-49	747	3.9	24	<1	<1	2	5	8	12	22
50-64	807	4.3	32	<1	1	2	5	10	14	33
65+	582	5.8	73	<1	1	3	7	13	22	46
GRAND TOTAL	**2859**	**4.4**	**38**	**<1**	**<1**	**2**	**5**	**10**	**15**	**34**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	263	2.1	3	<1	<1	1	2	4	6	9
20-34	1236	1.8	2	<1	<1	1	2	3	5	9
35-49	1554	1.9	3	<1	<1	1	2	3	5	10
50-64	1204	1.9	2	<1	<1	1	2	3	5	9
65+	616	1.8	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	460	2.7	14	<1	1	2	3	6	9	19
20-34	1287	3.0	14	<1	1	2	3	6	9	25
35-49	1503	3.2	17	<1	<1	2	3	7	10	22
50-64	1427	3.3	22	<1	<1	2	3	7	10	21
65+	1183	4.1	29	<1	<1	2	4	10	13	30
TOT. SINGLE DX	4873	1.9	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	5860	3.3	20	<1	1	2	3	7	11	24
TOTAL 0-19 YRS	723	2.5	11	<1	1	1	3	5	8	18
20-34	2523	2.4	9	<1	<1	1	3	5	7	17
35-49	3057	2.5	11	<1	<1	1	3	5	8	17
50-64	2631	2.6	14	<1	<1	2	3	6	9	17
65+	1799	3.3	21	<1	<1	2	3	8	11	25
GRAND TOTAL	**10733**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.9	2	1	2	4	5	6	6	6
20-34	85	4.9	4	2	3	4	6	8	8	14
35-49	68	4.8	8	1	2	4	6	9	10	18
50-64	45	6.9	27	1	2	6	9	12	15	30
65+	36	9.1	69	3	3	7	10	19	26	44
2. MULTIPLE DX										
0-19 YRS	7	4.1	1	3	3	4	5	6	6	6
20-34	99	6.3	27	1	3	5	8	11	16	32
35-49	105	7.3	26	2	3	6	9	13	15	30
50-64	174	10.7	57	2	4	9	14	20	26	36
65+	336	12.9	150	4	5	10	15	23	29	80
TOT. SINGLE DX	246	5.8	22	2	2	5	7	9	12	28
" MULTIPLE DX	721	10.6	99	3	3	8	13	20	27	49
TOTAL 0-19 YRS	19	4.0	2	1	2	4	5	6	6	6
20-34	184	5.6	18	2	3	5	6	9	12	23
35-49	173	6.3	21	2	3	5	8	11	14	21
50-64	219	10.0	54	2	3	8	13	20	24	36
65+	372	12.6	144	3	4	9	14	22	29	79
GRAND TOTAL	**967**	**9.4**	**83**	**2**	**3**	**7**	**11**	**18**	**23**	**42**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	4.6	12	<1	<1	4	6	10	12	14
20-34	89	4.2	20	<1	<1	3	6	9	12	23
35-49	127	4.5	23	<1	<1	3	5	11	16	21
50-64	70	3.6	13	<1	<1	2	5	7	9	22
65+	30	5.9	56	<1	1	3	7	14	18	38
2. MULTIPLE DX										
0-19 YRS	23	10.7	305	<1	1	3	12	30	60	67
20-34	112	8.1	71	1	1	5	10	20	24	40
35-49	197	7.8	73	1	1	5	9	17	24	65
50-64	195	7.1	59	1	1	5	9	14	22	41
65+	213	9.5	94	1	2	7	12	23	25	41
TOT. SINGLE DX	344	4.4	23	<1	<1	3	6	10	14	25
" MULTIPLE DX	740	8.2	83	1	1	5	11	19	25	44
TOTAL 0-19 YRS	51	7.3	151	<1	1	4	7	16	23	67
20-34	201	6.4	52	<1	<1	4	8	17	22	35
35-49	324	6.5	57	<1	<1	4	8	15	19	43
50-64	265	6.2	50	<1	1	4	8	13	20	41
65+	243	9.0	91	1	1	6	12	21	25	39
GRAND TOTAL	**1084**	**7.0**	**67**	**<1**	**1**	**4**	**9**	**16**	**23**	**40**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	271	2.6	1	1	1	3	3	4	5	6
20-34	1779	2.8	2	1	1	3	3	4	5	8
35-49	2212	2.8	1	1	1	3	4	4	5	8
50-64	1460	3.0	2	1	2	3	4	4	5	8
65+	604	3.4	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	128	4.6	33	1	2	3	4	7	15	36
20-34	898	3.6	6	1	2	3	4	6	7	15
35-49	1453	3.7	7	1	2	3	4	6	8	15
50-64	1632	4.3	20	1	2	3	5	7	9	20
65+	1443	5.7	38	2	2	4	6	10	15	30
TOT. SINGLE DX	6326	2.9	2	1	1	3	4	4	5	8
" MULTIPLE DX	5554	4.4	21	1	2	3	5	7	10	22
TOTAL 0-19 YRS	399	3.3	13	1	1	3	4	5	6	20
20-34	2677	3.1	4	1	1	3	4	5	6	10
35-49	3665	3.2	4	1	1	3	4	5	6	12
50-64	3092	3.7	12	1	2	3	4	6	7	15
65+	2047	5.1	29	2	2	4	5	9	13	26
GRAND TOTAL	**11880**	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	478	1.6	1	<1	1	1	2	3	3	6
20-34	304	2.1	1	1	1	2	3	4	5	7
35-49	268	2.5	3	1	1	2	3	4	5	12
50-64	262	3.0	3	1	1	3	4	5	6	12
65+	146	3.6	5	1	2	3	4	6	6	12
2. MULTIPLE DX										
0-19 YRS	112	3.3	17	<1	1	2	4	8	11	58
20-34	223	5.6	38	1	1	4	7	11	16	35
35-49	438	6.1	47	1	2	4	7	12	18	33
50-64	756	6.5	63	2	2	4	7	14	21	39
65+	830	8.3	77	2	2	5	10	19	26	51
TOT. SINGLE DX	1458	2.3	3	1	1	2	3	4	5	8
" MULTIPLE DX	2359	6.8	63	1	2	4	7	15	23	40
TOTAL 0-19 YRS	590	1.9	5	<1	1	1	2	3	5	11
20-34	527	3.6	20	1	1	2	4	7	10	27
35-49	706	4.7	34	1	1	3	5	9	14	31
50-64	1018	5.6	50	1	2	4	6	11	18	37
65+	976	7.6	70	2	2	5	8	17	25	43
GRAND TOTAL	**3817**	**5.1**	**45**	**1**	**1**	**3**	**5**	**10**	**17**	**34**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	7.0	23	1	2	6	8	13	19	23
20-34	119	7.0	9	4	4	6	8	10	14	18
35-49	111	7.2	8	4	4	7	8	11	13	16
50-64	87	8.2	21	4	4	7	9	13	20	27
65+	60	9.9	46	4	5	8	10	15	19	46
2. MULTIPLE DX										
0-19 YRS	77	10.9	75	4	5	9	13	21	40	99+
20-34	168	9.2	35	4	5	7	10	17	22	33
35-49	256	11.0	66	4	5	9	13	20	23	57
50-64	360	11.9	113	3	5	9	14	21	30	68
65+	311	14.5	140	4	5	11	18	27	42	61
TOT. SINGLE DX	413	7.7	19	4	4	7	9	12	15	23
" MULTIPLE DX	1172	12.0	100	4	5	9	14	22	30	60
TOTAL 0-19 YRS	113	9.7	62	3	4	8	12	19	27	99+
20-34	287	8.3	26	4	5	7	9	13	18	32
35-49	367	9.9	52	4	5	8	11	17	22	53
50-64	447	11.2	98	3	5	9	13	20	25	66
65+	371	13.8	128	4	5	10	16	25	35	61
GRAND TOTAL	**1585**	**10.9**	**82**	**4**	**5**	**8**	**12**	**20**	**25**	**58**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	1.2		<1	<1	<1	1	2	2	4
20-34	25	2.0	21	<1	<1	<1	1	2	8	24
35-49	40	1.6	1	<1	<1	1	2	3	4	6
50-64	62	1.3		<1	<1	1	1	2	3	4
65+	82	1.8	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	37	3.0	14	<1	<1	2	3	9	16	99+
20-34	17	4.8	35	<1	<1	3	5	14	21	23
35-49	69	4.5	40	<1	<1	2	5	14	23	86
50-64	96	5.9	57	<1	1	2	7	17	25	35
65+	235	5.9	82	<1	1	3	7	15	19	39
TOT. SINGLE DX	315	1.5	3	<1	<1	1	1	2	3	7
" MULTIPLE DX	454	5.4	64	<1	<1	2	6	14	20	38
TOTAL 0-19 YRS	143	1.7	5	<1	<1	<1	1	3	6	25
20-34	42	3.1	28	<1	<1	1	2	6	19	24
35-49	109	3.4	28	<1	<1	1	3	7	16	58
50-64	158	4.1	40	<1	<1	2	4	11	19	32
65+	317	4.8	65	<1	<1	2	5	12	17	35
GRAND TOTAL	**769**	**3.8**	**43**	**<1**	**<1**	**2**	**3**	**9**	**16**	**33**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	353	1.5		<1	<1	1	2	2	3	6
20-34	100	1.7	1	<1	<1	1	2	3	4	7
35-49	146	1.4	1	<1	<1	1	1	2	3	6
50-64	178	1.4	1	<1	<1	1	2	2	3	7
65+	178	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-19 YRS	794	2.9	11	<1	1	2	3	5	8	18
20-34	933	3.4	24	<1	1	2	4	7	10	28
35-49	591	3.2	15	<1	1	2	4	6	10	23
50-64	675	3.4	27	<1	1	2	3	7	12	28
65+	967	5.4	68	<1	1	2	6	13	19	57
TOT. SINGLE DX	955	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	3960	3.8	33	<1	1	2	4	8	13	34
TOTAL 0-19 YRS	1147	2.5	9	<1	1	2	3	5	6	16
20-34	1033	3.2	22	<1	1	2	4	6	9	26
35-49	737	2.8	13	<1	1	2	3	6	8	20
50-64	853	3.0	23	<1	1	1	3	6	10	25
65+	1145	4.8	60	<1	<1	2	5	12	18	53
GRAND TOTAL	**4915**	**3.3**	**27**	**<1**	**1**	**2**	**3**	**7**	**11**	**29**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	1.3		<1	<1	1	1	2	3	5
20-34	77	1.5	1	<1	1	1	2	2	3	8
35-49	83	1.6		<1	<1	1	2	3	3	5
50-64	81	1.5		<1	<1	1	2	3	4	5
65+	180	1.6	2	<1	1	1	2	2	3	9
2. MULTIPLE DX										
0-19 YRS	75	1.9	2	<1	<1	1	2	4	6	7
20-34	73	3.1	45	<1	1	1	3	5	8	47
35-49	74	2.1	2	1	1	2	3	4	5	8
50-64	137	2.1	7	1	1	1	2	3	5	15
65+	347	2.6	10	1	1	2	3	5	7	15
TOT. SINGLE DX	490	1.5	2	<1	1	1	2	2	3	7
" MULTIPLE DX	706	2.4	12	1	1	2	2	4	6	15
TOTAL 0-19 YRS	144	1.6	1	<1	<1	1	2	3	5	6
20-34	150	2.3	23	<1	1	1	2	3	5	20
35-49	157	1.8	2	<1	1	1	2	3	4	6
50-64	218	1.9	5	<1	1	1	2	3	4	11
65+	527	2.3	8	1	1	2	2	4	6	14
GRAND TOTAL	**1196**	**2.1**	**8**	**<1**	**1**	**1**	**2**	**3**	**5**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.1	4	<1	<1	1	2	6	7	8
20-34	7	1.6	1	<1	<1	1	2	4	4	4
35-49	9	1.6		<1	<1	1	2	3	3	3
50-64	11	4.6	21	<1	<1	3	6	13	15	15
65+	9	3.3	6	<1	<1	2	5	7	9	9
2. MULTIPLE DX										
0-19 YRS	28	6.8	211	<1	1	2	5	18	29	75
20-34	21	9.2	218	<1	1	4	6	28	50	59
35-49	13	4.3	13	<1	1	2	6	10	12	13
50-64	22	8.7	129	<1	1	4	14	20	34	51
65+	46	6.1	54	<1	<1	2	9	16	26	31
TOT. SINGLE DX	59	2.6	8	<1	<1	1	3	6	9	15
" MULTIPLE DX	130	7.0	122	<1	1	3	7	18	25	62
TOTAL 0-19 YRS	51	4.7	122	<1	<1	2	3	7	21	74
20-34	28	7.3	173	<1	<1	3	5	18	44	59
35-49	22	3.2	10	<1	<1	2	4	8	11	13
50-64	33	7.4	95	<1	<1	4	10	16	22	51
65+	55	5.6	48	<1	<1	2	7	14	24	31
GRAND TOTAL	**189**	**5.6**	**90**	**<1**	**<1**	**2**	**6**	**14**	**22**	**56**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	2.2	2	<1	1	2	2	4	5	9
20-34	182	2.1	1	1	1	2	3	4	5	6
35-49	173	2.0	1	1	1	2	3	3	4	6
50-64	166	2.1	2	1	1	2	2	4	5	11
65+	594	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	60	2.4	2	1	1	2	3	4	6	8
20-34	90	3.2	6	1	1	3	4	6	7	15
35-49	131	2.9	16	1	1	2	3	5	6	20
50-64	306	2.8	7	1	1	2	3	5	6	17
65+	1749	2.7	5	1	1	2	3	4	6	11
TOT. SINGLE DX	1180	2.1	2	1	1	2	3	4	5	7
" MULTIPLE DX	2336	2.7	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	125	2.3	2	<1	1	2	3	4	5	8
20-34	272	2.4	3	1	1	2	3	5	5	10
35-49	304	2.4	8	1	1	2	3	4	5	10
50-64	472	2.5	6	1	1	2	3	4	6	13
65+	2343	2.6	4	1	1	2	3	4	5	10
GRAND TOTAL	**3516**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	245	2.9	4	<1	1	3	4	5	6	14
20-34	240	2.2	1	<1	<1	2	3	4	5	6
35-49	143	2.0	2	<1	<1	1	3	4	5	10
50-64	49	2.6	8	<1	<1	1	3	4	7	17
65+	74	2.3	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	198	3.6	6	1	1	3	5	6	7	14
20-34	214	4.0	17	1	1	3	5	7	9	29
35-49	116	4.6	67	<1	1	3	5	8	10	44
50-64	108	4.3	18	<1	<1	3	5	10	12	55
65+	215	5.2	49	<1	<1	3	6	11	17	31
TOT. SINGLE DX	751	2.4	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	851	4.3	30	<1	1	3	5	8	12	24
TOTAL 0-19 YRS	443	3.2	5	<1	1	3	4	6	7	14
20-34	454	3.0	10	<1	<1	2	4	5	7	15
35-49	259	3.1	33	<1	<1	2	3	6	8	19
50-64	157	3.7	16	<1	<1	3	4	9	12	24
65+	289	4.4	40	<1	<1	2	5	10	14	28
GRAND TOTAL	**1602**	**3.4**	**19**	**<1**	**<1**	**2**	**4**	**6**	**9**	**20**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	1.6		<1	<1	1	2	3	3	5
20-34	36	2.5	2	<1	1	2	3	4	7	8
35-49	103	2.6	4	<1	1	2	3	5	8	12
50-64	204	2.3	2	<1	<1	2	3	4	5	8
65+	375	2.4	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	76	2.9	31	1	1	1	3	5	9	38
20-34	78	3.2	6	1	1	2	4	7	9	13
35-49	114	4.4	52	1	1	3	4	8	9	43
50-64	326	3.5	16	1	1	2	4	7	11	20
65+	1115	3.5	19	1	1	2	4	7	9	22
TOT. SINGLE DX	798	2.3	3	<1	<1	2	3	4	5	10
" MULTIPLE DX	1709	3.5	21	1	1	2	4	7	9	22
TOTAL 0-19 YRS	156	2.2	16	<1	1	1	2	3	5	17
20-34	114	3.0	5	1	1	2	4	7	8	12
35-49	217	3.5	31	1	1	2	4	7	9	22
50-64	530	3.0	11	<1	1	2	3	6	8	16
65+	1490	3.2	16	<1	1	2	4	6	8	18
GRAND TOTAL	**2507**	**3.1**	**16**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	3.5	7	1	1	3	4	7	8	15
20-34	84	2.7	3	<1	1	2	4	5	6	11
35-49	67	2.6	3	<1	1	2	4	5	6	10
50-64	91	2.2	2	<1	1	2	3	5	6	9
65+	140	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	94	4.2	10	1	1	4	5	8	11	17
20-34	113	4.5	13	1	2	4	6	7	10	23
35-49	83	4.0	16	1	1	3	5	8	11	24
50-64	175	4.0	31	<1	1	2	4	8	13	28
65+	566	4.5	28	1	1	3	6	10	13	28
TOT. SINGLE DX	460	2.7	5	<1	1	2	3	5	7	12
" MULTIPLE DX	1031	4.4	25	1	1	3	5	9	12	24
TOTAL 0-19 YRS	172	3.9	9	1	1	3	5	7	11	16
20-34	197	3.7	10	1	1	3	5	7	8	18
35-49	150	3.4	11	<1	1	2	4	7	8	21
50-64	266	3.4	22	<1	1	2	4	6	10	22
65+	706	4.1	25	1	1	2	5	9	12	23
GRAND TOTAL	**1491**	**3.8**	**19**	**1**	**1**	**2**	**5**	**8**	**11**	**21**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	1.9	2	<1	<1	1	2	4	5	7
20-34	10	4.0	8	<1	<1	3	7	8	9	9
35-49	27	2.3	3	<1	<1	2	2	5	7	8
50-64	171	1.7		<1	<1	2	2	3	3	4
65+	761	1.6		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	62	2.6	4	<1	1	2	3	6	8	10
20-34	36	4.8	10	1	2	5	6	8	9	18
35-49	82	4.1	89	<1	<1	2	4	6	10	64
50-64	335	2.9	28	<1	<1	2	2	5	7	25
65+	2045	2.5	11	<1	1	2	2	4	7	19
TOT. SINGLE DX	1038	1.7	1	<1	<1	2	2	2	3	6
" MULTIPLE DX	2560	2.7	16	<1	1	2	2	4	7	19
TOTAL 0-19 YRS	131	2.2	4	<1	<1	1	3	5	6	9
20-34	46	4.6	10	1	1	4	6	8	9	18
35-49	109	3.7	68	<1	<1	2	4	6	8	49
50-64	506	2.5	19	<1	<1	2	2	4	6	16
65+	2806	2.3	9	<1	<1	2	2	3	5	16
GRAND TOTAL	**3598**	**2.4**	**12**	**<1**	**<1**	**2**	**2**	**4**	**6**	**16**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	1.4	1	<1	<1	1	2	2	3	6
20-34	37	1.8	1	<1	<1	1	2	3	5	7
35-49	186	1.5	1	<1	<1	1	2	2	3	7
50-64	1085	1.3		<1	<1	1	2	2	2	3
65+	3939	1.3		<1	<1	<1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	91	1.9	1	<1	<1	2	2	4	4	7
20-34	75	4.7	123	<1	<1	2	4	5	16	74
35-49	294	2.4	7	<1	<1	2	2	4	6	17
50-64	1760	2.2	12	<1	<1	2	2	3	5	13
65+	9624	2.3	14	<1	<1	2	2	3	5	16
TOT. SINGLE DX	5363	1.3	1	<1	<1	<1	2	2	2	3
" MULTIPLE DX	11844	2.3	14	<1	<1	2	2	3	5	16
TOTAL 0-19 YRS	207	1.7	1	<1	<1	1	2	3	4	6
20-34	112	3.7	85	<1	<1	2	3	4	13	55
35-49	480	2.0	5	<1	<1	1	2	3	5	15
50-64	2845	1.8	8	<1	<1	1	2	3	4	10
65+	13563	2.0	10	<1	<1	2	2	3	4	13
GRAND TOTAL	**17207**	**2.0**	**10**	**<1**	**<1**	**2**	**2**	**3**	**4**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.7		<1	<1	1	2	3	3	3
20-34	9	2.0	1	<1	<1	2	2	4	5	5
35-49	19	1.5		<1	<1	1	2	2	3	3
50-64	110	1.3		<1	<1	1	1	2	2	6
65+	292	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
0-19 YRS	7	1.6	2	<1	<1	<1	1	4	5	5
20-34	13	1.8	2	<1	<1	1	3	4	5	5
35-49	22	2.5	11	<1	<1	1	3	5	11	16
50-64	169	2.5	19	<1	<1	2	2	4	6	31
65+	694	2.0	3	<1	<1	2	2	3	5	11
TOT. SINGLE DX	436	1.4	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	905	2.1	7	<1	<1	2	2	3	5	13
TOTAL 0-19 YRS	13	1.6	1	<1	<1	<1	2	3	5	5
20-34	22	1.9	2	<1	<1	1	2	4	5	5
35-49	41	2.1	6	<1	<1	1	2	3	5	16
50-64	279	2.0	12	<1	<1	1	2	3	4	17
65+	986	1.8	3	<1	<1	1	2	3	4	10
GRAND TOTAL	**1341**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	2.8	2	1	1	2	3	5	6	7
20-34	337	3.0	4	1	1	3	4	6	7	13
35-49	430	3.1	6	1	1	3	4	6	7	12
50-64	1126	2.9	2	1	1	3	4	5	6	8
65+	1117	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	203	3.8	8	1	1	3	5	6	8	22
20-34	528	3.9	8	1	1	3	5	7	8	14
35-49	675	3.8	6	1	1	3	5	7	8	13
50-64	1646	3.5	6	1	1	3	4	6	8	14
65+	2527	3.6	7	1	1	3	4	6	8	13
TOT. SINGLE DX	3172	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	5579	3.6	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	365	3.3	6	1	1	3	4	6	7	14
20-34	865	3.5	7	1	1	3	4	6	8	13
35-49	1105	3.5	6	1	1	3	4	6	8	13
50-64	2772	3.2	5	1	1	3	4	6	7	11
65+	3644	3.4	6	1	1	3	4	6	7	11
GRAND TOTAL	**8751**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.7	5	<1	<1	2	3	5	7	13
20-34	59	3.2	4	1	1	3	4	6	8	11
35-49	63	3.0	8	<1	1	2	3	6	8	19
50-64	135	2.6	4	1	1	2	3	5	6	12
65+	260	2.9	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	143	4.4	105	1	1	3	4	6	9	79
20-34	466	3.6	8	1	1	3	4	7	9	15
35-49	397	3.5	10	1	1	3	4	7	8	15
50-64	766	3.5	17	1	1	3	4	6	9	15
65+	1363	3.7	16	<1	1	3	4	8	10	18
TOT. SINGLE DX	590	2.9	6	1	1	2	3	6	7	12
" MULTIPLE DX	3135	3.7	19	1	1	3	4	7	9	17
TOTAL 0-19 YRS	216	3.8	72	<1	1	2	4	6	8	74
20-34	525	3.6	8	1	1	3	4	7	9	15
35-49	460	3.4	10	1	1	3	4	7	8	15
50-64	901	3.4	15	1	1	3	4	6	8	14
65+	1623	3.6	15	<1	1	3	4	7	10	17
GRAND TOTAL	**3725**	**3.5**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1197	1.2		<1	<1	1	1	2	2	2
20-34	148	1.2		<1	<1	1	1	2	2	3
35-49	106	1.4		<1	<1	1	2	2	2	4
50-64	39	1.2		<1	<1	1	1	2	2	2
65+	32	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	533	1.3	3	<1	<1	1	1	2	2	5
20-34	97	3.0	100	<1	<1	1	2	2	4	86
35-49	73	1.5	1	<1	<1	1	2	2	3	7
50-64	67	1.7	3	<1	<1	1	2	2	6	12
65+	56	1.7	1	1	1	2	2	3	4	6
TOT. SINGLE DX	1522	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	826	1.6	14	<1	<1	1	2	2	2	13
TOTAL 0-19 YRS	1730	1.2	1	<1	<1	1	1	2	2	3
20-34	245	1.9	40	<1	<1	1	1	2	2	66
35-49	179	1.4	1	<1	<1	1	2	2	2	6
50-64	106	1.5	3	<1	<1	1	1	2	3	10
65+	88	1.6	1	<1	<1	1	2	3	3	6
GRAND TOTAL	**2348**	**1.3**	**5**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.7	1	1	1	1	2	4	4	4
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	6.5	181	<1	<1	1	1	31	34	34
20-34	6	3.2	6	1	1	3	5	7	7	7
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	10	1.6	1	<1	<1	1	2	3	4	4
" MULTIPLE DX	14	4.3	77	<1	<1	1	4	10	29	34
TOTAL 0-19 YRS	15	3.6	72	<1	<1	1	2	4	26	34
20-34	6	3.2	7	1	1	3	5	7	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**24**	**3.2**	**46**	**<1**	**<1**	**1**	**2**	**5**	**15**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	2.7	5	<1	<1	2	3	6	8	11
20-34	193	2.5	3	<1	1	2	3	4	6	10
35-49	130	3.0	7	1	1	2	4	6	9	14
50-64	105	3.1	12	1	1	2	3	6	9	21
65+	152	3.3	26	1	1	2	3	6	10	19
2. MULTIPLE DX										
0-19 YRS	244	4.4	38	1	1	3	6	9	11	15
20-34	307	4.4	25	1	1	3	5	9	13	33
35-49	252	3.8	12	1	1	3	5	7	11	21
50-64	270	3.9	13	1	1	3	5	9	13	20
65+	574	5.1	62	1	1	3	6	10	14	44
TOT. SINGLE DX	785	2.9	10	<1	1	2	3	6	8	14
" MULTIPLE DX	1647	4.5	37	1	1	3	5	9	13	27
TOTAL 0-19 YRS	449	3.6	24	<1	1	2	5	8	10	14
20-34	500	3.6	18	1	1	2	4	8	11	27
35-49	382	3.6	11	1	1	3	4	7	11	19
50-64	375	3.7	14	1	1	3	4	8	12	20
65+	726	4.7	56	1	1	3	5	9	13	42
GRAND TOTAL	**2432**	**4.0**	**29**	**1**	**1**	**3**	**4**	**8**	**11**	**22**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	525	1.9	2	<1	<1	1	2	4	5	8
20-34	164	2.1	4	<1	<1	1	2	5	6	10
35-49	93	2.1	8	<1	<1	1	2	4	7	17
50-64	72	1.9	4	<1	<1	1	2	4	6	13
65+	102	2.1	4	<1	<1	2	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	695	3.5	31	<1	1	2	4	6	9	35
20-34	363	4.5	43	<1	1	2	5	10	17	34
35-49	213	4.4	51	<1	1	2	4	10	17	34
50-64	208	6.2	73	<1	1	3	8	13	20	53
65+	469	6.8	57	1	1	4	9	17	21	41
TOT. SINGLE DX	956	2.0	4	<1	<1	1	2	4	5	11
" MULTIPLE DX	1948	4.9	49	<1	1	3	5	11	17	39
TOTAL 0-19 YRS	1220	2.8	20	<1	<1	2	3	5	7	19
20-34	527	3.8	33	<1	<1	2	4	8	13	28
35-49	306	3.7	39	<1	<1	2	4	9	15	23
50-64	280	5.1	59	<1	<1	2	6	12	16	43
65+	571	6.0	51	1	1	3	7	15	20	39
GRAND TOTAL	2904	3.9	36	<1	<1	2	4	9	14	29

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	1.3		<1	<1	1	2	2	2	2
20-34	450	1.5		1	1	1	2	2	3	3
35-49	727	1.6	1	1	1	1	2	3	3	4
50-64	528	1.6		1	1	1	2	3	3	4
65+	228	1.7		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	103	1.3		<1	1	1	2	2	2	3
20-34	269	1.6	1	1	1	1	2	3	3	6
35-49	366	1.4		1	1	1	2	2	3	4
50-64	333	1.6		1	1	1	2	3	3	6
65+	245	2.1	2	1	1	2	3	3	4	7
TOT. SINGLE DX	2026	1.6	1	1	1	1	2	3	3	4
" MULTIPLE DX	1316	1.6	1	1	1	1	2	3	3	6
TOTAL 0-19 YRS	196	1.3		<1	1	1	2	2	2	3
20-34	719	1.5	1	1	1	1	2	3	3	6
35-49	1093	1.5	1	1	1	1	2	2	3	4
50-64	861	1.6	1	1	1	1	2	3	3	4
65+	473	1.9	2	1	1	2	2	3	4	6
GRAND TOTAL	3342	1.6	1	1	1	1	2	3	3	5

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1103	1.3	4	<1	<1	1	1	2	2	3
20-34	663	1.3		<1	1	1	1	2	2	3
35-49	513	1.3		<1	1	1	1	2	2	3
50-64	454	1.3		<1	1	1	2	2	2	3
65+	164	1.3		<1	1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	1077	1.3	1	<1	1	1	1	2	2	5
20-34	720	1.6	7	1	1	1	2	2	3	10
35-49	674	1.5	1	<1	1	1	2	2	3	6
50-64	649	1.6	1	1	1	1	2	3	3	6
65+	326	1.8	4	1	1	1	2	3	3	6
TOT. SINGLE DX	2897	1.3	2	<1	1	1	1	2	2	3
" MULTIPLE DX	3446	1.5	3	<1	1	1	2	2	3	6
TOTAL 0-19 YRS	2180	1.3	3	<1	1	1	1	2	2	4
20-34	1383	1.4	4	<1	1	1	1	2	2	4
35-49	1187	1.4	1	<1	1	1	2	2	3	4
50-64	1103	1.5	1	1	1	1	2	2	3	5
65+	490	1.6	3	<1	1	1	2	2	3	6
GRAND TOTAL	6343	1.4	3	<1	1	1	2	2	3	5

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1781	1.2	1	<1	<1	<1	<1	1	2	5
20-34	93	1.6	3	<1	<1	1	1	3	7	11
35-49	68	1.3		<1	<1	1	1	2	2	5
50-64	56	2.0	13	<1	<1	1	1	2	6	26
65+	26	1.6	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
0-19 YRS	3622	2.0	13	<1	<1	1	2	4	7	15
20-34	141	4.0	60	<1	<1	1	3	8	15	45
35-49	116	4.3	54	<1	1	2	4	11	16	40
50-64	120	7.1	146	<1	1	3	9	15	22	69
65+	132	7.6	51	<1	1	6	12	16	23	33
TOT. SINGLE DX	2024	1.2	2	<1	<1	<1	<1	1	2	7
" MULTIPLE DX	4131	2.5	23	<1	<1	1	2	5	9	20
TOTAL 0-19 YRS	5403	1.7	10	<1	<1	1	1	3	6	13
20-34	234	3.1	39	<1	<1	1	2	7	11	42
35-49	184	3.2	37	<1	<1	1	2	7	12	27
50-64	176	5.5	110	<1	<1	1	5	13	20	63
65+	158	6.6	48	<1	<1	4	11	16	20	32
GRAND TOTAL	**6155**	**2.1**	**17**	**<1**	**<1**	**1**	**1**	**4**	**7**	**17**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	448	1.7	4	1	1	1	2	3	4	10
20-34	352	1.5		1	1	1	2	3	3	5
35-49	285	1.8	2	1	1	1	2	3	3	9
50-64	248	1.9	2	1	1	1	2	3	4	10
65+	100	2.2	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	900	2.3	11	1	1	1	2	4	7	20
20-34	672	2.1	11	1	1	1	2	3	5	15
35-49	590	2.2	7	1	1	1	2	3	6	16
50-64	614	2.5	17	1	1	2	2	4	8	20
65+	392	3.7	53	1	1	2	3	6	12	46
TOT. SINGLE DX	1433	1.7	3	1	1	1	2	3	4	9
" MULTIPLE DX	3168	2.4	17	1	1	1	2	4	8	20
TOTAL 0-19 YRS	1348	2.1	9	1	1	1	2	3	6	17
20-34	1024	1.9	8	1	1	1	2	3	4	12
35-49	875	2.0	6	1	1	1	2	3	5	14
50-64	862	2.3	13	1	1	2	2	4	6	16
65+	492	3.4	44	1	1	2	3	6	11	41
GRAND TOTAL	**4601**	**2.2**	**13**	**1**	**1**	**1**	**2**	**3**	**6**	**16**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	294	1.7	5	<1	<1	1	1	3	4	14
20-34	262	1.6	1	<1	1	1	2	3	4	8
35-49	311	1.8	1	<1	1	1	2	3	4	7
50-64	292	1.9	2	1	1	2	2	3	4	8
65+	128	2.0	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	412	2.8	42	<1	<1	1	2	5	9	35
20-34	321	2.6	10	1	1	1	3	5	7	17
35-49	322	2.3	7	1	1	2	2	4	6	17
50-64	326	2.6	7	1	1	2	3	5	7	15
65+	215	4.2	82	1	1	2	3	8	11	52
TOT. SINGLE DX	1287	1.8	3	<1	1	1	2	3	4	8
" MULTIPLE DX	1596	2.8	28	<1	1	1	3	5	8	23
TOTAL 0-19 YRS	706	2.3	28	<1	<1	1	2	4	7	23
20-34	583	2.1	7	<1	1	1	2	4	6	15
35-49	633	2.1	4	1	1	1	2	4	5	12
50-64	618	2.2	5	1	1	2	2	4	6	13
65+	343	3.3	54	1	1	2	3	6	10	34
GRAND TOTAL	**2883**	**2.3**	**17**	**<1**	**1**	**1**	**2**	**4**	**6**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	251	1.6		<1	1	1	2	3	4	4
20-34	600	1.5		<1	<1	1	2	3	3	4
35-49	350	1.4		<1	<1	1	2	2	3	3
50-64	153	1.5		<1	1	1	2	3	3	4
65+	25	1.4		<1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	910	1.7	1	1	1	1	2	3	4	5
20-34	2208	1.7	3	1	1	1	2	3	3	6
35-49	1583	1.8	4	1	1	1	2	3	4	7
50-64	898	2.1	5	1	1	2	2	3	4	10
65+	276	2.4	8	1	1	2	3	4	6	16
TOT. SINGLE DX	1379	1.5	1	<1	1	1	2	3	3	4
" MULTIPLE DX	5875	1.8	4	1	1	1	2	3	4	8
TOTAL 0-19 YRS	1161	1.7	1	1	1	1	2	3	4	5
20-34	2808	1.7	3	1	1	1	2	3	3	6
35-49	1933	1.7	4	1	1	1	2	3	3	6
50-64	1051	2.0	5	1	1	1	2	3	4	9
65+	301	2.4	8	1	1	2	3	4	6	16
GRAND TOTAL	**7254**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	899	1.5		<1	1	1	2	2	3	6
20-34	1719	1.4	1	<1	1	1	2	2	3	5
35-49	973	1.4		<1	1	1	2	2	3	5
50-64	464	1.5		<1	1	1	2	3	3	5
65+	157	1.5		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	2063	1.7	4	1	1	1	2	3	4	8
20-34	4322	1.7	4	1	1	1	2	3	4	7
35-49	3039	1.8	5	1	1	1	2	3	4	8
50-64	1598	2.0	4	1	1	1	2	3	5	12
65+	782	3.0	14	1	1	2	3	6	10	20
TOT. SINGLE DX	4212	1.5	1	<1	1	1	2	2	3	5
" MULTIPLE DX	11804	1.9	5	1	1	1	2	3	4	11
TOTAL 0-19 YRS	2962	1.6	3	<1	1	1	2	3	3	6
20-34	6041	1.6	3	<1	1	1	2	3	4	7
35-49	4012	1.7	4	1	1	1	2	3	4	7
50-64	2062	1.9	4	1	1	1	2	3	4	11
65+	939	2.7	12	1	1	2	3	6	9	19
GRAND TOTAL	**16016**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	1.8	1	<1	<1	1	2	4	5	7
20-34	206	1.8	2	<1	<1	1	2	3	5	8
35-49	199	1.6	1	<1	<1	1	2	3	4	8
50-64	234	1.8	2	<1	<1	1	2	3	4	10
65+	228	1.9	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	431	2.5	25	<1	1	1	2	5	7	16
20-34	785	1.9	9	<1	1	1	2	3	5	15
35-49	865	2.0	9	<1	1	1	2	4	5	18
50-64	848	2.8	24	1	1	2	3	5	9	20
65+	832	4.9	55	1	1	2	6	11	17	50
TOT. SINGLE DX	1017	1.8	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	3761	2.9	26	1	1	1	3	6	9	25
TOTAL 0-19 YRS	581	2.3	19	<1	1	1	2	5	7	14
20-34	991	1.9	8	<1	1	1	2	3	5	13
35-49	1064	2.0	8	<1	1	1	2	3	5	14
50-64	1082	2.6	20	<1	1	1	2	5	8	17
65+	1060	4.2	46	<1	1	2	4	10	15	41
GRAND TOTAL	**4778**	**2.6**	**21**	**<1**	**1**	**1**	**2**	**5**	**9**	**23**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	617	1.4	2	<1	<1	1	1	2	3	7
20-34	637	2.0	3	<1	<1	1	2	4	5	9
35-49	354	2.8	3	<1	1	2	4	6	6	8
50-64	342	3.8	6	1	1	4	5	6	8	12
65+	277	3.8	5	1	1	4	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	704	3.1	44	<1	1	2	3	5	9	35
20-34	1186	3.1	17	1	1	2	4	7	9	19
35-49	663	3.7	11	1	1	3	5	8	10	14
50-64	847	5.1	24	1	1	4	6	10	13	27
65+	1450	5.5	25	1	2	4	7	10	14	28
TOT. SINGLE DX	2227	2.5	5	<1	<1	1	4	5	6	10
" MULTIPLE DX	4850	4.3	25	1	1	3	5	9	12	23
TOTAL 0-19 YRS	1321	2.3	26	<1	<1	1	2	4	6	17
20-34	1823	2.7	13	<1	1	2	3	6	8	15
35-49	1017	3.3	9	1	1	2	4	7	9	14
50-64	1189	4.7	19	1	1	4	6	9	12	22
65+	1727	5.2	22	1	1	4	6	10	14	25
GRAND TOTAL	**7077**	**3.7**	**19**	**<1**	**1**	**2**	**5**	**7**	**10**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	2.0	4	1	1	1	2	4	7	11
20-34	343	1.9	3	<1	1	1	2	3	5	12
35-49	394	1.8	2	1	1	1	2	3	4	9
50-64	284	1.9	2	1	1	1	2	3	4	8
65+	152	2.0	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	218	3.6	45	1	1	2	3	8	13	32
20-34	628	2.5	8	1	1	2	3	4	7	16
35-49	819	2.8	11	1	1	2	3	5	9	20
50-64	755	3.1	16	1	1	2	3	6	11	19
65+	566	3.8	23	1	1	2	4	8	12	23
TOT. SINGLE DX	1273	1.9	3	1	1	1	2	3	4	10
" MULTIPLE DX	2986	3.0	17	1	1	2	3	6	10	20
TOTAL 0-19 YRS	318	3.1	33	1	1	1	3	6	11	25
20-34	971	2.3	7	1	1	2	2	4	6	15
35-49	1213	2.5	9	1	1	2	3	4	8	17
50-64	1039	2.8	13	1	1	2	3	5	8	18
65+	718	3.4	20	1	1	2	3	7	10	21
GRAND TOTAL	**4259**	**2.7**	**13**	**1**	**1**	**2**	**3**	**5**	**8**	**18**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	2.5	7	<1	<1	1	3	6	8	16
20-34	322	2.6	5	<1	<1	2	3	5	7	13
35-49	284	2.1	4	<1	1	1	3	4	6	12
50-64	225	2.6	6	<1	1	2	3	6	7	12
65+	132	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	427	5.2	41	<1	1	2	7	13	17	30
20-34	868	3.8	42	1	1	2	4	8	13	36
35-49	991	3.6	34	1	1	2	3	9	12	30
50-64	890	4.0	33	1	1	2	5	9	14	28
65+	691	5.5	49	1	1	3	7	13	19	37
TOT. SINGLE DX	1115	2.5	5	<1	1	2	3	5	7	12
" MULTIPLE DX	3867	4.3	40	1	1	2	5	10	14	32
TOTAL 0-19 YRS	579	4.5	34	<1	1	2	6	11	15	29
20-34	1190	3.5	33	1	1	2	4	7	10	28
35-49	1275	3.3	28	1	1	2	3	8	12	23
50-64	1115	3.7	29	1	1	2	4	8	12	26
65+	823	5.0	43	1	1	3	6	12	17	34
GRAND TOTAL	**4982**	**3.9**	**33**	**1**	**1**	**2**	**4**	**9**	**13**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	699	1.2		<1	<1	1	1	2	2	3
20-34	500	1.5	4	<1	<1	1	1	2	3	8
35-49	130	1.8	3	<1	<1	1	2	3	3	10
50-64	75	2.1	5	<1	<1	1	2	3	6	14
65+	64	2.0	4	<1	<1	2	2	3	4	15
2. MULTIPLE DX										
0-19 YRS	939	3.1	49	<1	<1	1	2	5	8	40
20-34	1100	4.8	79	<1	1	2	4	11	21	45
35-49	774	5.6	87	<1	1	2	5	13	22	49
50-64	880	5.2	57	1	1	2	6	13	21	41
65+	1126	6.8	115	1	1	3	8	16	29	89
TOT. SINGLE DX	1468	1.4	2	<1	<1	1	1	2	3	6
" MULTIPLE DX	4819	5.1	81	<1	1	2	5	12	21	54
TOTAL 0-19 YRS	1638	2.3	29	<1	<1	1	2	3	5	26
20-34	1600	3.8	59	<1	<1	1	3	8	16	41
35-49	904	5.0	77	<1	1	2	5	12	20	48
50-64	955	5.0	54	1	1	2	6	12	20	40
65+	1190	6.6	111	1	1	3	7	16	28	85
GRAND TOTAL	**6287**	**4.3**	**65**	**<1**	**<1**	**2**	**3**	**10**	**17**	**48**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	175	1.2	4	<1	<1	<1	1	1	2	5
20-34	26	3.3	16	<1	<1	2	4	8	11	20
35-49	12	1.8		<1	<1	2	2	3	4	4
50-64	18	2.6	10	<1	1	2	3	4	11	15
65+	5	3.8	32	1	1	1	5	14	14	14
2. MULTIPLE DX										
0-19 YRS	341	2.6	60	<1	<1	1	2	3	7	54
20-34	115	2.7	11	<1	<1	2	2	5	9	21
35-49	51	8.4	314	<1	1	2	7	20	36	95
50-64	20	2.3	1	<1	1	2	3	4	4	5
65+	11	16.0	340	2	2	10	15	52	53	53
TOT. SINGLE DX	236	1.7	7	<1	<1	<1	1	2	4	16
" MULTIPLE DX	538	3.4	82	<1	<1	1	2	5	11	56
TOTAL 0-19 YRS	516	2.1	42	<1	<1	1	1	2	4	36
20-34	141	2.8	12	<1	<1	2	2	6	9	21
35-49	63	7.2	260	<1	1	2	5	13	34	93
50-64	38	2.4	5	<1	1	2	3	4	5	15
65+	16	12.2	270	1	1	6	14	47	52	53
GRAND TOTAL	**774**	**2.9**	**60**	**<1**	**<1**	**1**	**2**	**4**	**9**	**51**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	2.0	1	<1	<1	2	3	4	4	6
20-34	70	2.3	2	<1	1	2	3	4	5	11
35-49	138	2.1	1	1	1	2	3	4	4	6
50-64	195	2.1	1	1	1	2	3	3	4	5
65+	70	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	278	2.7	12	<1	1	2	3	5	8	83
20-34	248	3.4	20	1	1	2	3	7	12	30
35-49	276	4.0	42	1	1	2	3	8	13	36
50-64	371	3.7	25	1	1	2	3	8	15	24
65+	330	4.9	64	1	1	3	4	11	16	47
TOT. SINGLE DX	582	2.1	2	<1	1	2	3	4	4	6
" MULTIPLE DX	1503	3.8	34	1	1	2	3	8	14	34
TOTAL 0-19 YRS	387	2.5	9	<1	<1	2	3	5	7	36
20-34	318	3.1	17	<1	1	2	3	6	9	25
35-49	414	3.3	29	1	1	2	3	6	10	30
50-64	566	3.2	18	1	1	2	3	5	10	23
65+	400	4.5	54	1	1	3	4	9	15	37
GRAND TOTAL	**2085**	**3.3**	**26**	**1**	**1**	**2**	**3**	**6**	**10**	**28**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	216	2.0	2	<1	1	2	2	4	5	10
20-34	727	2.2	2	1	1	2	3	4	5	7
35-49	892	2.2	2	1	1	2	3	4	5	7
50-64	920	2.4	2	1	1	2	3	4	5	8
65+	698	2.6	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	139	3.1	7	1	1	2	4	6	9	14
20-34	338	2.9	7	1	1	2	3	5	8	14
35-49	554	3.0	10	1	1	2	3	6	8	15
50-64	927	3.6	15	1	1	3	4	7	10	22
65+	1321	4.4	26	1	1	3	5	9	13	23
TOT. SINGLE DX	3453	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	3279	3.7	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	355	2.4	5	<1	1	2	3	5	6	12
20-34	1065	2.4	4	1	1	2	3	4	5	11
35-49	1446	2.5	6	1	1	2	3	4	6	13
50-64	1847	3.0	9	1	1	2	3	5	8	16
65+	2019	3.8	19	1	1	3	4	7	10	19
GRAND TOTAL	**6732**	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	762	2.9	2	1	1	3	4	5	5	8
20-34	23	2.4	3	1	1	2	3	5	7	8
35-49	37	1.9	1	1	1	1	3	4	4	4
50-64	22	1.6		1	1	1	2	3	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	858	3.6	9	1	2	3	4	5	7	12
20-34	57	2.8	4	1	1	2	4	6	7	13
35-49	93	3.1	7	1	1	2	4	6	8	16
50-64	73	4.1	71	1	1	2	3	7	13	58
65+	30	3.0	5	1	1	2	4	6	7	11
TOT. SINGLE DX	846	2.8	2	1	1	3	4	5	5	8
" MULTIPLE DX	1111	3.5	13	1	1	3	4	6	7	13
TOTAL 0-19 YRS	1620	3.3	6	1	1	3	4	5	6	9
20-34	80	2.7	4	1	1	2	3	5	7	12
35-49	130	2.8	6	1	1	2	3	5	8	13
50-64	95	3.5	56	1	1	2	3	6	11	47
65+	32	3.0	5	1	1	2	4	6	7	11
GRAND TOTAL	**1957**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1125	2.6	4	<1	<1	2	3	5	6	9
20-34	283	3.4	7	<1	1	2	5	7	9	15
35-49	287	3.2	11	<1	1	2	4	7	10	18
50-64	435	3.4	12	<1	1	2	4	8	11	18
65+	370	3.5	20	<1	1	2	4	8	12	22
2. MULTIPLE DX										
0-19 YRS	1310	3.7	29	1	1	2	4	7	9	30
20-34	922	4.3	26	<1	1	3	5	9	11	29
35-49	739	5.6	47	1	1	3	7	13	18	32
50-64	1151	7.8	91	1	1	5	10	17	27	49
65+	1525	7.7	97	1	1	4	10	17	25	46
TOT. SINGLE DX	2500	3.0	9	<1	1	2	4	6	8	16
" MULTIPLE DX	5647	6.0	66	1	1	3	7	13	20	38
TOTAL 0-19 YRS	2435	3.2	18	<1	1	2	4	6	8	18
20-34	1205	4.1	22	<1	1	3	5	8	11	25
35-49	1026	5.0	39	1	1	3	6	11	16	30
50-64	1586	6.6	74	1	1	3	8	15	23	43
65+	1895	6.9	86	1	1	4	8	16	23	45
GRAND TOTAL	**8147**	**5.1**	**50**	**<1**	**1**	**3**	**6**	**11**	**16**	**35**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10441	1.2		<1	1	1	1	2	2	3
20-34	6318	1.3	3	1	1	1	1	2	2	4
35-49	801	1.3		1	1	1	1	2	2	4
50-64	145	1.7	1	1	1	1	2	3	4	7
65+	43	1.9	4	<1	<1	1	2	3	5	14
2. MULTIPLE DX										
0-19 YRS	3618	1.4	1	1	1	1	1	2	3	7
20-34	2121	1.6	2	1	1	1	2	3	4	8
35-49	424	2.2	8	1	1	1	2	4	6	16
50-64	122	2.7	11	1	1	2	2	6	11	17
65+	63	3.0	8	1	1	2	3	8	10	11
TOT. SINGLE DX	17748	1.2	1	<1	1	1	1	2	2	4
" MULTIPLE DX	6348	1.6	3	1	1	1	2	2	4	9
TOTAL 0-19 YRS	14059	1.2	1	<1	1	1	1	2	2	4
20-34	8439	1.4	3	1	1	1	1	2	3	5
35-49	1225	1.6	3	1	1	1	2	2	4	10
50-64	267	2.2	6	1	1	1	2	4	6	15
65+	106	2.6	7	<1	1	2	3	5	10	13
GRAND TOTAL	**24096**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**2**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16311	1.2		<1	1	1	1	2	2	3
20-34	577	1.3		1	1	1	1	2	3	4
35-49	42	1.4		<1	<1	1	2	3	3	4
50-64	9	1.7	1	<1	<1	1	2	4	4	4
65+	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	14567	1.3	1	<1	1	1	1	2	2	4
20-34	266	1.6	1	1	1	1	2	3	4	8
35-49	50	3.2	17	1	1	2	3	7	15	22
50-64	14	2.4	1	1	1	2	3	4	5	5
65+	10	1.2		<1	<1	1	1	2	3	3
TOT. SINGLE DX	16943	1.2	1	<1	1	1	1	2	2	3
" MULTIPLE DX	14907	1.3	2	<1	1	1	1	2	2	5
TOTAL 0-19 YRS	30878	1.2	1	<1	1	1	1	2	2	3
20-34	843	1.4	1	1	1	1	1	2	3	5
35-49	92	2.4	11	1	1	1	2	5	7	19
50-64	23	2.1	1	<1	1	2	3	4	5	5
65+	14	1.2		<1	<1	1	1	2	3	3
GRAND TOTAL	**31850**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	494	1.0		<1	<1	1	1	1	1	2
20-34	22	1.4	1	<1	<1	1	1	2	4	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	1543	1.3	2	<1	<1	1	1	2	2	7
20-34	28	1.4		<1	1	1	2	2	2	3
35-49	5	1.2		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	518	1.1		<1	<1	1	1	1	2	2
" MULTIPLE DX	1577	1.3	2	<1	<1	1	1	2	2	7
TOTAL 0-19 YRS	2037	1.2	2	<1	<1	1	1	1	2	6
20-34	50	1.4	1	<1	<1	1	2	2	2	6
35-49	6	1.2		1	1	1	1	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**2095**	**1.2**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1352	2.0	2	<1	1	1	2	4	5	8
20-34	892	2.1	2	<1	1	2	3	4	5	7
35-49	343	2.5	10	1	1	2	3	4	6	12
50-64	260	2.6	6	<1	1	2	3	6	7	14
65+	149	3.9	41	1	1	2	5	7	8	21
2. MULTIPLE DX										
0-19 YRS	541	3.1	14	1	1	2	4	5	8	17
20-34	522	3.5	12	1	1	3	4	6	10	16
35-49	432	4.5	47	1	1	3	5	9	15	41
50-64	551	6.0	74	1	1	3	7	14	21	48
65+	500	8.4	104	1	1	5	11	20	28	52
TOT. SINGLE DX	2996	2.2	6	<1	1	2	3	4	6	9
" MULTIPLE DX	2546	5.1	54	1	1	3	5	11	18	42
TOTAL 0-19 YRS	1893	2.3	6	<1	1	2	3	4	6	10
20-34	1414	2.6	7	<1	1	2	3	5	6	13
35-49	775	3.7	32	1	1	2	4	7	10	33
50-64	811	4.9	55	1	1	2	5	12	17	43
65+	649	7.4	94	1	1	4	9	18	26	51
GRAND TOTAL	**5542**	**3.5**	**30**	**<1**	**1**	**2**	**4**	**7**	**11**	**28**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	1.7	1	<1	<1	1	2	3	4	8
20-34	75	2.5	2	<1	<1	2	3	5	6	8
35-49	75	2.7	3	<1	1	2	4	5	5	11
50-64	97	3.2	11	1	1	2	4	6	7	21
65+	91	2.9	4	1	1	2	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	319	3.6	12	1	1	3	4	6	7	26
20-34	85	4.9	69	<1	1	3	4	8	14	53
35-49	127	4.7	22	1	1	3	6	10	13	24
50-64	306	5.5	58	1	1	4	6	10	14	40
65+	699	5.7	51	1	1	4	6	12	18	35
TOT. SINGLE DX	414	2.6	6	<1	<1	2	3	5	6	10
" MULTIPLE DX	1536	5.1	44	1	1	3	6	10	15	35
TOTAL 0-19 YRS	395	3.2	11	<1	1	3	4	5	7	23
20-34	160	3.7	39	<1	1	2	4	7	9	49
35-49	202	4.0	17	1	1	3	5	7	12	20
50-64	403	4.9	48	1	1	4	6	9	12	34
65+	790	5.4	47	1	1	3	6	11	16	34
GRAND TOTAL	**1950**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**33**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	306	1.5	1	<1	<1	1	2	2	3	9
20-34	166	1.2		<1	<1	1	1	2	2	4
35-49	319	1.4	3	<1	<1	1	1	2	2	7
50-64	494	1.5	2	<1	<1	1	2	2	3	7
65+	283	1.6	4	<1	<1	1	2	2	3	13
2. MULTIPLE DX										
0-19 YRS	215	4.0	67	<1	1	2	3	7	22	43
20-34	120	3.0	30	<1	1	1	2	6	9	34
35-49	303	4.2	53	<1	<1	1	3	11	16	45
50-64	710	4.0	38	<1	<1	2	4	10	15	30
65+	716	5.2	82	<1	1	2	4	14	24	54
TOT. SINGLE DX	1568	1.5	3	<1	<1	1	2	2	3	7
" MULTIPLE DX	2064	4.4	59	<1	1	2	4	11	18	44
TOTAL 0-19 YRS	521	2.5	30	<1	<1	1	2	4	7	32
20-34	286	2.0	14	<1	<1	1	2	3	5	19
35-49	622	2.7	30	<1	<1	1	2	6	11	31
50-64	1204	3.0	25	<1	<1	1	2	7	11	25
65+	999	4.2	63	<1	<1	1	3	10	18	50
GRAND TOTAL	**3632**	**3.1**	**37**	**<1**	**<1**	**1**	**2**	**7**	**12**	**33**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.6	8	<1	1	2	2	6	9	16
20-34	13	4.8	26	<1	<1	1	9	13	15	15
35-49	31	5.3	29	<1	<1	2	8	15	15	19
50-64	76	9.4	58	1	1	8	13	19	20	40
65+	41	8.5	40	1	1	9	13	16	18	27
2. MULTIPLE DX										
0-19 YRS	73	5.5	99	1	1	2	5	12	32	92
20-34	24	8.4	261	<1	1	3	6	24	52	70
35-49	56	9.1	97	1	1	6	13	21	28	54
50-64	179	10.5	106	1	1	8	14	20	28	52
65+	177	12.7	123	1	2	10	16	24	35	59
TOT. SINGLE DX	200	7.0	45	<1	1	5	11	15	19	32
" MULTIPLE DX	509	10.3	122	1	1	7	14	21	31	64
TOTAL 0-19 YRS	112	4.5	69	1	1	2	4	10	16	80
20-34	37	7.1	179	<1	<1	2	6	15	37	70
35-49	87	7.8	76	<1	1	4	12	18	23	46
50-64	255	10.2	92	1	1	8	14	19	27	51
65+	218	11.9	110	1	2	10	15	22	33	57
GRAND TOTAL	**709**	**9.4**	**103**	**1**	**1**	**7**	**13**	**19**	**27**	**55**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	23	11.9	20	6	8	11	13	19	22	25
50-64	112	12.9	30	7	8	12	15	19	24	35
65+	77	12.5	17	7	8	11	15	19	21	25
2. MULTIPLE DX										
0-19 YRS	2	21.0	128	13	13	21	29	29	29	29
20-34	9	29.2	239	10	11	27	39	52	55	55
35-49	86	20.0	132	8	9	17	26	36	44	89
50-64	431	19.0	137	9	10	16	22	36	45	99+
65+	413	19.8	156	9	10	15	25	37	45	99+
TOT. SINGLE DX	214	12.6	25	7	8	11	15	19	23	29
" MULTIPLE DX	941	19.5	147	9	10	15	24	36	45	99+
TOTAL 0-19 YRS	3	15.3	160	4	4	13	25	29	29	29
20-34	10	27.2	253	9	9	24	36	51	55	55
35-49	109	18.3	120	8	8	15	24	35	43	82
50-64	543	17.8	122	8	9	15	20	33	42	98
65+	490	18.6	141	9	10	15	23	35	42	98
GRAND TOTAL	**1155**	**18.2**	**131**	**8**	**9**	**15**	**22**	**35**	**43**	**98**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	6.3	5	5	5	5	8	9	9	9
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	6	8.5	17	2	2	10	12	12	12	12
50-64	18	8.7	62	2	3	6	8	21	29	33
65+	9	6.0	13	1	1	7	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	46	37.4	701	2	6	49	77	99+	99+	99+
20-34	55	24.5	514	3	5	17	45	78	94	99+
35-49	106	25.4	456	4	5	20	37	69	96	99+
50-64	288	28.0	544	2	4	24	48	90	99+	99+
65+	450	32.5	539	4	7	31	56	88	99+	99+
TOT. SINGLE DX	39	7.5	37	1	2	6	9	13	19	33
" MULTIPLE DX	945	30.1	547	3	5	27	53	89	99+	99+
TOTAL 0-19 YRS	49	35.5	714	2	5	43	76	99+	99+	99+
20-34	58	23.4	510	3	3	16	40	75	92	99+
35-49	112	24.5	447	3	5	19	35	66	93	99+
50-64	306	26.8	536	2	4	23	46	86	99+	99+
65+	459	31.9	543	4	7	30	56	87	99+	99+
GRAND TOTAL	**984**	**29.2**	**546**	**3**	**5**	**26**	**52**	**87**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	3.8	14	<1	1	2	6	8	10	20
20-34	35	5.9	64	1	1	4	7	10	29	37
35-49	40	4.9	23	<1	1	3	7	12	16	19
50-64	69	7.2	225	<1	1	2	7	13	36	86
65+	56	3.6	38	<1	1	1	3	7	19	35
2. MULTIPLE DX										
0-19 YRS	407	16.1	389	1	1	9	24	62	99+	99+
20-34	211	25.6	586	2	3	18	46	87	99+	99+
35-49	262	20.0	423	1	1	16	34	65	99+	99+
50-64	735	25.0	518	1	2	21	43	71	99+	99+
65+	917	29.8	546	1	2	29	49	80	99+	99+
TOT. SINGLE DX	304	4.9	75	<1	1	2	6	9	16	44
" MULTIPLE DX	2532	24.8	527	1	2	21	44	74	99+	99+
TOTAL 0-19 YRS	511	13.6	338	1	1	7	21	51	87	99+
20-34	246	22.8	559	1	2	15	39	71	99+	99+
35-49	302	18.0	397	1	1	11	30	59	90	99+
50-64	804	23.4	517	1	1	17	42	68	98	99+
65+	973	28.3	555	1	2	27	48	78	99+	99+
GRAND TOTAL	**2836**	**22.7**	**516**	**1**	**1**	**17**	**41**	**70**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	5.6	50	1	1	4	7	10	14	46
20-34	211	5.4	21	1	1	4	8	11	14	20
35-49	265	4.9	19	<1	1	4	7	10	14	21
50-64	624	5.6	25	<1	1	4	8	12	14	22
65+	511	5.7	24	<1	1	4	8	12	16	21
2. MULTIPLE DX										
0-19 YRS	95	10.1	77	1	2	7	13	23	32	37
20-34	961	13.1	101	2	3	11	18	27	33	54
35-49	1894	12.0	121	1	2	9	16	24	31	60
50-64	4974	10.2	78	1	2	8	13	20	26	46
65+	9396	11.6	91	2	3	9	15	22	29	51
TOT. SINGLE DX	1655	5.5	24	<1	1	4	8	12	15	21
" MULTIPLE DX	17320	11.3	92	2	3	9	15	22	29	50
TOTAL 0-19 YRS	139	8.7	73	1	2	6	11	20	29	38
20-34	1172	11.7	96	1	2	9	16	25	31	49
35-49	2159	11.2	114	1	2	8	15	23	30	56
50 64	5598	9.7	74	1	2	8	13	19	25	43
65+	9907	11.3	90	2	2	9	15	22	29	50
GRAND TOTAL	**18975**	**10.8**	**89**	**1**	**2**	**9**	**14**	**22**	**28**	**49**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.6	27	1	1	2	8	13	14	14
20-34	2	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	20.2	1477	1	1	3	14	90	98	98
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	3	12.0	9	9	9	12	14	15	15	15
50-64	15	8.8	63	<1	<1	7	12	19	26	29
65+	11	8.7	65	1	2	6	11	24	26	26
TOT. SINGLE DX	9	5.3	23	1	1	2	9	12	14	14
" MULTIPLE DX	39	10.3	258	<1	1	6	12	21	28	98
TOTAL 0-19 YRS	13	11.8	695	1	1	2	11	31	85	98
20-34	6	5.2	13	1	1	5	8	9	9	9
35-49	3	12.0	9	9	9	12	14	15	15	15
50-64	15	8.8	63	<1	<1	7	12	19	26	29
65+	11	8.7	65	1	2	6	11	24	26	26
GRAND TOTAL	**48**	**9.3**	**216**	**1**	**1**	**6**	**11**	**19**	**26**	**98**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	9.3	43	2	4	8	11	17	20	40
20-34	190	7.6	19	2	3	7	9	14	17	21
35-49	299	7.1	19	1	3	6	8	13	17	23
50-64	599	7.5	24	1	1	7	9	13	17	25
65+	471	6.8	24	1	1	7	9	13	16	23
2. MULTIPLE DX										
0-19 YRS	205	13.2	168	4	5	10	15	24	38	99
20-34	577	12.9	96	3	5	10	17	25	30	50
35-49	966	11.9	103	2	3	9	15	23	33	59
50-64	2801	11.4	85	2	3	9	14	22	29	48
65+	4239	12.2	105	1	2	10	16	24	31	54
TOT. SINGLE DX	1617	7.3	24	1	1	7	9	13	17	23
" MULTIPLE DX	8788	12.0	100	2	3	9	15	23	30	54
TOTAL 0-19 YRS	263	12.3	143	3	5	9	15	23	33	95
20-34	767	11.6	83	3	4	9	15	22	27	49
35-49	1265	10.7	87	2	3	8	13	21	28	54
50-64	3400	10.8	77	1	3	9	13	21	26	45
65+	4710	11.7	100	1	2	9	15	23	30	53
GRAND TOTAL	**10405**	**11.3**	**91**	**1**	**3**	**9**	**14**	**22**	**29**	**50**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	8.9	19	4	5	7	9	17	19	21
20-34	25	10.6	48	4	5	8	13	20	28	30
35-49	104	9.4	24	6	6	8	10	14	17	34
50-64	337	10.8	34	5	6	9	12	17	22	27
65+	262	10.9	26	5	7	10	12	17	20	32
2. MULTIPLE DX										
0-19 YRS	47	12.8	46	5	6	11	17	23	26	30
20-34	73	14.7	151	6	7	10	16	32	41	95
35-49	425	13.1	78	5	6	10	16	24	32	74
50-64	1879	13.9	77	6	7	11	16	24	29	64
65+	2307	15.6	93	7	8	13	19	27	34	59
TOT. SINGLE DX	749	10.6	30	5	6	9	12	17	21	30
" MULTIPLE DX	4731	14.6	87	6	7	12	17	25	32	64
TOTAL 0-19 YRS	68	11.6	41	5	6	9	16	21	25	30
20-34	98	13.7	127	5	6	10	16	28	39	89
35-49	529	12.4	70	6	6	10	14	21	30	65
50-64	2216	13.4	72	6	7	11	16	23	28	62
65+	2569	15.1	89	7	7	12	18	26	33	57
GRAND TOTAL	**5480**	**14.1**	**81**	**6**	**7**	**11**	**17**	**24**	**31**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	568	2.4	7	<1	1	1	2	6	8	16
20-34	210	5.4	30	<1	<1	3	7	13	16	26
35-49	301	5.7	32	<1	1	4	7	13	18	27
50-64	467	5.5	26	<1	1	4	8	11	15	22
65+	347	6.5	33	<1	1	5	9	14	16	22
2. MULTIPLE DX										
0-19 YRS	832	9.1	144	1	1	5	11	23	32	86
20-34	881	11.2	135	1	2	8	15	23	30	82
35-49	1536	10.1	86	1	2	8	13	21	28	51
50-64	3616	10.6	89	2	2	8	14	21	29	49
65+	6539	12.8	117	2	3	10	16	25	33	65
TOT. SINGLE DX	1893	4.8	26	<1	1	3	7	11	15	23
" MULTIPLE DX	13404	11.5	111	2	2	9	15	24	31	61
TOTAL 0-19 YRS	1400	6.4	99	<1	1	3	7	15	25	70
20-34	1091	10.1	121	1	1	7	14	22	28	80
35-49	1837	9.4	80	1	2	7	12	20	26	47
50-64	4083	10.0	85	1	2	8	13	20	27	48
65+	6886	12.4	115	2	3	10	16	25	32	64
GRAND TOTAL	**15297**	**10.7**	**105**	**1**	**2**	**8**	**14**	**22**	**29**	**58**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	5.1	13	2	2	4	6	9	12	20
20-34	122	5.1	10	2	2	4	6	9	12	17
35-49	55	6.8	29	2	2	6	8	12	13	32
50-64	29	8.3	35	1	1	8	11	16	22	22
65+	17	13.4	169	2	4	9	16	24	46	58
2. MULTIPLE DX										
0-19 YRS	74	8.6	68	1	2	7	10	16	29	47
20-34	162	10.0	81	2	3	7	11	21	27	50
35-49	135	11.4	53	2	3	10	15	20	27	35
50-64	213	13.1	184	2	3	9	16	27	37	75
65+	260	13.2	144	2	3	9	17	29	36	61
TOT. SINGLE DX	261	6.4	32	2	2	5	8	12	16	27
" MULTIPLE DX	844	11.9	123	2	3	9	15	25	32	58
TOTAL 0-19 YRS	112	7.4	52	2	2	5	9	13	22	40
20-34	284	7.9	57	2	3	5	9	16	22	45
35-49	190	10.1	51	2	3	8	13	19	23	34
50-64	242	12.5	169	2	3	9	15	26	35	74
65+	277	13.2	145	2	3	9	17	28	36	60
GRAND TOTAL	**1105**	**10.6**	**107**	**2**	**3**	**7**	**13**	**22**	**30**	**54**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	407	5.3	14	2	2	4	6	10	13	18
20-34	1731	5.2	10	2	2	4	6	9	11	17
35-49	631	6.2	21	2	2	5	7	11	14	23
50-64	287	7.1	34	2	3	5	9	12	18	31
65+	225	7.7	30	2	3	6	10	14	20	28
2. MULTIPLE DX										
0-19 YRS	948	13.8	261	3	3	8	14	35	55	92
20-34	1934	8.7	69	2	3	6	10	17	23	44
35-49	1720	10.1	79	2	3	7	12	19	28	47
50-64	2672	10.9	86	3	3	8	14	21	28	59
65+	4373	13.0	112	3	4	10	16	25	33	58
TOT. SINGLE DX	3281	5.7	17	2	2	5	7	10	13	22
" MULTIPLE DX	11647	11.4	109	3	3	8	14	23	31	61
TOTAL 0-19 YRS	1355	11.2	202	2	3	6	11	25	45	87
20-34	3665	7.0	45	2	3	5	8	13	18	37
35-49	2351	9.0	67	2	3	7	11	18	25	44
50-64	2959	10.5	83	3	3	8	13	21	27	55
65+	4598	12.7	109	3	4	10	16	25	33	56
GRAND TOTAL	**14928**	**10.2**	**95**	**2**	**3**	**7**	**12**	**21**	**28**	**55**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	487	5.5	13	1	1	5	7	8	9	22
20-34	395	5.7	36	1	1	4	8	12	14	26
35-49	319	5.3	26	1	1	4	7	11	15	27
50-64	351	5.6	31	1	1	4	8	12	15	26
65+	242	5.1	30	<1	1	3	8	11	13	26
2. MULTIPLE DX										
0-19 YRS	276	10.6	81	2	4	7	13	24	31	52
20-34	576	11.3	108	1	2	8	14	25	31	60
35-49	827	12.0	149	1	2	9	15	25	35	70
50-64	1715	11.0	111	1	2	8	14	23	32	53
65+	2690	11.9	117	1	2	9	16	25	33	57
TOT. SINGLE DX	1794	5.5	27	1	1	5	7	10	13	25
" MULTIPLE DX	6084	11.5	118	1	2	9	15	24	32	58
TOTAL 0-19 YRS	763	7.3	44	1	2	6	8	13	22	41
20-34	971	9.0	87	1	1	7	12	19	27	53
35-49	1146	10.1	124	1	1	7	13	22	31	64
50-64	2066	10.1	102	1	1	7	13	22	29	52
65+	2932	11.4	114	1	2	9	15	24	32	55
GRAND TOTAL	**7878**	**10.2**	**104**	**1**	**1**	**7**	**13**	**22**	**30**	**53**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	468	7.2	10	4	4	7	8	11	13	19
20-34	131	8.6	7	5	6	8	10	12	13	18
35-49	168	10.0	13	6	7	9	11	14	17	24
50-64	247	11.2	22	7	8	10	12	16	20	31
65+	150	12.9	55	8	8	12	15	18	19	41
2. MULTIPLE DX										
0-19 YRS	1516	12.5	123	5	5	9	14	23	35	71
20-34	386	15.5	140	6	7	11	17	32	42	66
35-49	849	15.9	131	7	8	12	18	29	41	66
50-64	2206	16.3	143	7	8	13	18	29	40	84
65+	3038	17.8	129	8	9	14	21	30	40	64
TOT. SINGLE DX	1164	9.3	23	4	5	8	11	14	17	25
" MULTIPLE DX	7995	16.1	136	6	7	12	19	29	39	71
TOTAL 0-19 YRS	1984	11.2	102	4	5	8	12	20	29	67
20-34	517	13.7	116	6	7	10	15	28	38	54
35-49	1017	14.9	117	7	7	11	17	27	38	63
50-64	2453	15.8	134	7	8	12	18	28	39	77
65+	3188	17.6	127	8	9	14	21	30	39	64
GRAND TOTAL	**9159**	**15.2**	**127**	**6**	**7**	**12**	**18**	**28**	**38**	**69**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.5	33	1	1	2	8	13	13	13
20-34	8	6.3	22	<1	<1	6	10	12	12	12
35-49	273	9.2	8	6	6	9	11	13	15	18
50-64	961	10.0	10	7	7	9	11	14	16	21
65+	595	11.8	17	7	8	11	14	17	20	27
2. MULTIPLE DX										
0-19 YRS	8	11.4	50	2	3	10	14	23	26	26
20-34	109	12.1	47	5	7	10	14	22	26	40
35-49	3415	11.1	29	7	7	9	12	16	21	35
50-64	14032	12.4	48	7	7	11	14	19	24	42
65+	13009	14.8	79	8	8	12	17	24	31	59
TOT. SINGLE DX	1841	10.4	13	6	7	10	12	15	17	24
" MULTIPLE DX	30573	13.3	62	7	8	11	15	21	27	49
TOTAL 0-19 YRS	12	9.1	53	1	1	8	13	18	25	26
20-34	117	11.7	48	3	6	10	13	21	26	38
35-49	3688	10.9	28	6	7	9	12	16	20	34
50-64	14993	12.3	46	7	7	10	14	19	23	40
65+	13604	14.7	78	8	8	12	17	24	30	58
GRAND TOTAL	**32414**	**13.1**	**59**	**7**	**8**	**11**	**15**	**21**	**27**	**48**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	930	1.8	2	<1	1	2	2	2	3	9
20-34	647	2.7	6	<1	1	2	3	6	8	12
35-49	4291	2.6	6	1	1	2	2	6	8	12
50-64	7558	2.5	6	1	1	2	2	5	8	13
65+	3259	2.5	6	<1	1	2	2	5	8	13
2. MULTIPLE DX										
0-19 YRS	2506	2.8	21	<1	1	2	2	5	9	23
20-34	1659	4.5	22	1	1	2	6	10	13	26
35-49	15473	4.0	16	1	1	2	5	9	11	18
50-64	40589	4.2	20	1	1	2	6	10	12	20
65+	30260	5.3	31	1	1	3	7	12	16	26
TOT. SINGLE DX	16685	2.5	6	1	1	2	2	5	8	12
" MULTIPLE DX	90487	4.5	24	1	1	2	6	10	13	23
TOTAL 0-19 YRS	3436	2.6	16	<1	1	2	2	4	7	20
20-34	2306	4.0	19	1	1	2	5	9	12	21
35-49	19764	3.7	14	1	1	2	5	9	11	17
50-64	48147	3.9	18	1	1	2	5	9	12	19
65+	33519	5.0	30	1	1	3	7	12	15	26
GRAND TOTAL	**107172**	**4.2**	**22**	**1**	**1**	**2**	**5**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	3.8	6	1	2	3	5	6	9	12
20-34	47	3.6	4	1	1	3	5	7	9	9
35-49	116	3.4	8	1	1	3	4	7	10	14
50-64	341	4.0	10	1	1	3	5	8	11	16
65+	1517	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	162	5.9	31	1	2	4	7	11	15	26
20-34	177	6.8	46	1	2	5	9	13	18	43
35-49	573	8.2	47	1	2	6	11	16	21	35
50-64	3045	9.3	63	2	3	7	12	17	22	42
65+	18894	9.3	65	2	3	7	12	18	23	41
TOT. SINGLE DX	2076	3.8	10	1	1	3	5	7	10	15
" MULTIPLE DX	22851	9.2	64	2	2	7	12	18	23	41
TOTAL 0-19 YRS	217	5.3	26	1	2	4	6	11	14	25
20-34	224	6.1	40	1	2	4	8	12	17	32
35-49	689	7.4	44	1	2	5	10	15	18	32
50-64	3386	8.8	60	1	2	7	12	17	21	41
65+	20411	8.9	63	2	2	7	12	17	22	40
GRAND TOTAL	**24927**	**8.8**	**62**	**2**	**2**	**7**	**11**	**17**	**22**	**40**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	4.8	42	1	1	2	6	9	11	38
20-34	94	5.7	12	1	2	6	8	10	12	17
35-49	812	4.4	8	1	2	3	6	8	10	13
50-64	1665	4.0	8	1	2	3	5	8	10	14
65+	763	4.5	11	1	2	3	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	235	8.8	157	1	2	5	11	18	32	94
20-34	394	9.5	86	2	2	7	11	19	30	46
35-49	4050	6.0	30	2	2	4	8	11	15	28
50-64	10013	6.0	29	2	2	4	8	11	15	26
65+	6853	7.4	43	2	2	5	9	15	19	34
TOT. SINGLE DX	3442	4.3	10	1	2	3	6	8	10	15
" MULTIPLE DX	21545	6.5	37	2	2	5	8	13	17	31
TOTAL 0-19 YRS	343	7.5	124	1	1	4	9	15	26	65
20-34	488	8.8	74	2	2	7	10	17	28	44
35-49	4862	5.7	28	2	2	4	7	11	14	25
50-64	11678	5.7	27	2	2	4	7	11	14	25
65+	7616	7.1	41	2	2	5	9	14	19	32
GRAND TOTAL	**24987**	**6.2**	**34**	**2**	**2**	**4**	**8**	**12**	**16**	**29**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	694	2.8	10	<1	<1	2	3	5	7	16
20-34	269	3.4	11	<1	<1	2	4	8	11	16
35-49	316	3.5	16	<1	<1	2	5	10	12	16
50-64	417	3.3	15	<1	<1	2	4	8	12	18
65+	342	4.5	21	<1	1	2	6	11	14	22
2. MULTIPLE DX										
0-19 YRS	2901	5.1	58	1	1	3	5	10	16	58
20-34	909	9.2	89	1	1	7	12	19	25	47
35-49	1556	9.1	85	1	1	7	12	20	27	47
50-64	3770	9.1	78	1	1	7	12	19	25	45
65+	9984	11.1	84	2	3	9	15	22	28	47
TOT. SINGLE DX	2038	3.4	15	<1	<1	2	4	8	12	18
" MULTIPLE DX	19120	9.6	84	1	2	7	13	20	26	47
TOTAL 0-19 YRS	3595	4.7	50	1	1	3	5	9	15	50
20-34	1178	7.9	78	1	1	6	11	16	22	46
35-49	1872	8.2	78	1	1	6	11	18	26	43
50-64	4187	8.5	75	1	1	6	11	18	24	44
65+	10326	10.9	84	1	2	9	14	22	28	47
GRAND TOTAL	**21158**	**9.0**	**81**	**1**	**1**	**6**	**12**	**19**	**26**	**46**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	2.6	2	1	1	2	3	5	6	7
20-34	1262	2.4	2	1	1	2	3	4	5	8
35-49	2009	2.5	2	1	1	2	3	4	5	8
50-64	1230	3.0	4	1	1	3	4	5	6	10
65+	369	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	18	3.2	8	1	1	3	4	5	10	13
20-34	397	3.8	26	1	1	3	4	7	11	30
35-49	903	3.7	10	1	1	3	4	6	9	17
50-64	939	4.6	25	1	1	3	5	9	13	27
65+	586	6.4	66	1	2	4	7	13	20	44
TOT. SINGLE DX	4910	2.7	4	1	1	2	3	5	6	9
" MULTIPLE DX	2843	4.6	30	1	1	3	5	9	13	29
TOTAL 0-19 YRS	58	2.8	4	1	1	2	4	5	6	13
20-34	1659	2.8	9	1	1	2	3	5	6	13
35-49	2912	2.8	6	1	1	2	3	5	6	13
50-64	2169	3.7	14	1	1	3	4	6	9	21
65+	955	5.3	46	1	1	3	5	11	16	36
GRAND TOTAL	**7753**	**3.4**	**14**	**1**	**1**	**3**	**4**	**6**	**8**	**19**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	7.4	15	2	3	7	9	12	14	23
20-34	60	6.3	62	<1	<1	3	9	15	18	49
35-49	249	7.4	25	1	2	7	9	12	16	29
50-64	799	7.8	14	2	3	8	10	12	14	19
65+	743	8.3	22	2	4	8	10	14	16	21
2. MULTIPLE DX										
0-19 YRS	368	11.2	133	3	4	8	12	22	38	91
20-34	693	10.2	110	1	2	7	13	22	32	65
35-49	1900	11.7	111	2	3	9	14	24	34	57
50-64	6843	12.2	98	3	4	10	14	23	31	57
65+	11394	14.7	126	4	6	11	17	28	37	67
TOT. SINGLE DX	1914	7.9	21	2	3	7	10	13	15	23
" MULTIPLE DX	21198	13.4	118	3	5	10	16	26	35	65
TOTAL 0-19 YRS	431	10.6	118	3	4	8	12	20	30	85
20-34	753	9.9	107	1	2	7	12	22	32	62
35-49	2149	11.2	103	2	3	9	13	22	33	56
50-64	7642	11.7	92	3	4	9	14	22	30	55
65+	12137	14.3	122	4	5	11	17	27	37	66
GRAND TOTAL	**23112**	**12.9**	**112**	**3**	**4**	**10**	**15**	**25**	**34**	**63**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34										
35-49										
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
0-19 YRS	3	38.7	850	5	5	55	56	56	56	56
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	4	27.3	513	7	7	22	44	58	58	58
65+	6	14.5	21	10	10	14	15	22	23	23
TOT. SINGLE DX	3	12.0	91	6	6	7	19	23	23	23
" MULTIPLE DX	16	21.3	343	4	5	14	26	56	57	58
TOTAL 0-19 YRS	5	25.8	736	5	5	7	55	56	56	56
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	4	27.3	513	7	7	22	44	58	58	58
65+	7	15.7	28	10	10	15	21	23	23	23
GRAND TOTAL	**19**	**19.8**	**308**	**4**	**5**	**14**	**23**	**56**	**57**	**58**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	7.8	67	1	1	4	14	20	22	22
20-34	30	2.6	2	<1	1	2	4	4	5	9
35-49	20	4.8	25	<1	<1	2	6	14	17	18
50-64	26	4.3	9	1	1	4	4	8	10	16
65+	29	5.8	35	1	1	3	8	15	17	25
2. MULTIPLE DX										
0-19 YRS	164	6.6	100	1	1	4	6	14	22	61
20-34	1344	5.3	34	1	1	4	6	10	15	31
35-49	1926	5.7	30	1	1	4	7	12	16	29
50-64	3325	6.3	39	1	2	5	8	13	17	32
65+	4039	7.6	67	1	2	5	9	15	22	42
TOT. SINGLE DX	113	4.5	23	1	1	3	5	11	16	23
" MULTIPLE DX	10798	6.5	49	1	2	5	8	13	18	36
TOTAL 0-19 YRS	172	6.7	99	1	1	4	6	14	22	61
20-34	1374	5.2	34	1	1	4	6	10	15	31
35-49	1946	5.7	31	1	1	4	7	12	16	29
50-64	3351	6.3	39	1	2	5	8	13	17	32
65+	4068	7.6	68	1	2	5	9	15	22	42
GRAND TOTAL	**10911**	**6.5**	**49**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	751	5.3	14	1	1	5	7	10	12	23
20-34	574	5.3	42	<1	1	3	7	12	16	34
35-49	871	5.8	33	1	1	4	8	12	17	30
50-64	2269	5.8	25	1	1	5	8	11	13	26
65+	3134	6.0	19	1	2	5	8	11	14	21
2. MULTIPLE DX										
0-19 YRS	7775	18.2	396	1	3	10	25	53	75	99+
20-34	2708	8.7	107	1	1	5	11	20	29	57
35-49	4629	9.7	120	1	1	6	12	22	33	63
50-64	14848	9.8	97	1	2	7	12	20	28	57
65+	30181	11.1	105	2	3	8	14	22	30	61
TOT. SINGLE DX	7599	5.8	24	1	1	5	8	11	14	24
" MULTIPLE DX	60141	11.5	150	1	2	8	14	24	37	79
TOTAL 0-19 YRS	8526	17.0	376	1	2	9	23	51	73	99+
20-34	3282	8.1	98	1	1	5	10	19	27	54
35-49	5500	9.1	109	1	1	6	11	21	31	57
50-64	17117	9.3	90	1	2	7	11	19	26	54
65+	33315	10.6	100	2	3	8	13	21	29	59
GRAND TOTAL	**67740**	**10.8**	**139**	**1**	**2**	**8**	**13**	**23**	**34**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	621	3.3	12	<1	<1	2	4	8	11	16
20-34	716	3.1	16	<1	<1	2	3	7	10	21
35-49	616	3.0	11	<1	<1	2	4	7	9	17
50-64	660	3.7	11	<1	1	3	5	8	11	16
65+	521	4.4	16	<1	1	3	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	479	6.1	53	1	1	4	8	11	15	56
20-34	829	7.4	84	<1	1	5	9	15	24	51
35-49	1012	7.5	84	1	1	5	9	16	23	48
50-64	1999	7.8	67	1	1	5	10	16	22	40
65+	2840	9.1	74	1	2	7	12	19	25	43
TOT. SINGLE DX	3134	3.5	14	<1	<1	2	4	8	10	18
" MULTIPLE DX	7159	8.1	75	1	1	6	10	17	24	44
TOTAL 0-19 YRS	1100	4.5	32	<1	1	3	6	9	12	31
20-34	1545	5.4	58	<1	<1	3	7	12	17	43
35-49	1628	5.8	62	<1	1	3	7	13	18	40
50-64	2659	6.8	57	1	1	5	9	15	20	36
65+	3361	8.3	69	1	1	6	11	18	24	42
GRAND TOTAL	**10293**	**6.7**	**61**	**<1**	**1**	**4**	**9**	**15**	**20**	**40**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	4.6	18	<1	1	3	6	10	15	18
20-34	75	5.1	17	1	1	4	7	10	12	23
35-49	169	4.1	16	1	1	3	5	7	12	22
50-64	259	5.3	21	1	1	4	7	11	15	26
65+	224	5.4	13	1	1	5	7	10	14	18
2. MULTIPLE DX										
0-19 YRS	44	7.1	35	1	1	6	8	12	19	33
20-34	192	7.5	27	1	2	7	9	13	17	29
35-49	364	8.0	71	1	2	6	9	17	22	70
50-64	928	8.3	72	2	2	6	10	17	23	49
65+	1140	9.2	79	2	3	7	11	18	25	50
TOT. SINGLE DX	765	5.0	18	1	1	4	6	10	14	21
" MULTIPLE DX	2668	8.6	72	2	2	6	10	17	23	48
TOTAL 0-19 YRS	82	6.0	29	1	1	5	8	11	17	30
20-34	267	6.8	25	1	2	6	9	12	15	28
35-49	533	6.7	57	1	1	5	8	14	21	44
50-64	1187	7.7	63	1	2	6	9	15	21	45
65+	1364	8.6	70	2	3	6	10	16	23	48
GRAND TOTAL	**3433**	**7.8**	**62**	**1**	**2**	**6**	**9**	**15**	**22**	**44**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	11.7	82	5	5	8	18	22	22	22
20-34	3	6.0	28	2	2	4	10	12	12	12
35-49	2	18.5	513	1	1	18	36	36	36	36
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	6	12.7	125	4	4	9	17	31	33	33
20-34	5	9.0	8	5	5	10	11	12	12	12
35-49										
50-64	6	5.0	14	1	1	4	8	11	11	11
65+	10	10.7	180	1	1	5	10	35	39	39
TOT. SINGLE DX	12	9.3	105	1	1	6	10	26	35	36
" MULTIPLE DX	27	9.6	98	1	2	6	11	29	34	39
TOTAL 0-19 YRS	9	12.3	99	4	4	8	18	29	33	33
20-34	8	7.9	15	2	3	8	11	12	12	12
35-49	2	18.5	613	1	1	18	36	36	36	36
50-64	8	4.9	14	1	1	4	8	10	11	11
65+	12	10.0	151	1	2	5	9	34	38	39
GRAND TOTAL	**39**	**9.5**	**97**	**1**	**1**	**6**	**11**	**28**	**35**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	30.7	430	3	4	32	47	57	58	58
20-34	5	26.0	220	3	3	25	38	41	41	41
35-49	4	26.8	2072	2	2	5	50	95	95	95
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	55	44.3	296	24	29	42	55	77	94	99+
20-34	45	39.0	264	8	14	37	50	55	59	90
35-49	26	40.6	295	11	25	37	52	63	73	79
50-64	6	30.3	291	1	4	32	35	52	54	54
65+										
TOT. SINGLE DX	15	26.1	665	2	3	25	40	58	86	95
" MULTIPLE DX	132	41.1	290	11	25	38	51	61	79	99+
TOTAL 0-19 YRS	61	43.0	319	20	25	42	54	72	93	99+
20-34	50	37.7	271	6	12	37	49	55	58	90
35-49	30	38.7	492	4	5	36	52	67	79	95
50-64	6	30.3	291	1	4	32	35	52	54	54
65+										
GRAND TOTAL	**147**	**39.8**	**339**	**5**	**18**	**37**	**51**	**61**	**79**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	915	5.2	20	1	1	4	6	9	12	26
20-34	650	6.8	30	2	2	6	7	11	18	32
35-49	414	6.6	31	2	2	6	8	11	16	34
50-64	472	6.6	30	1	2	5	8	11	17	31
65+	394	6.7	42	1	2	5	8	11	15	37
2. MULTIPLE DX										
0-19 YRS	1664	10.2	109	2	3	7	12	22	31	59
20-34	2209	11.6	136	2	3	8	13	25	36	66
35-49	2350	11.3	111	2	3	8	14	24	32	61
50-64	4264	11.3	104	2	3	8	14	23	31	55
65+	11917	11.7	93	3	4	9	14	22	30	55
TOT. SINGLE DX	2845	6.2	29	1	2	5	7	11	15	32
" MULTIPLE DX	22404	11.4	103	2	3	9	14	23	31	57
TOTAL 0-19 YRS	2579	8.4	84	1	2	6	9	18	26	47
20-34	2859	10.5	116	2	3	7	11	22	32	61
35-49	2764	10.6	102	2	3	7	12	22	31	59
50-64	4736	10.9	99	2	3	8	13	22	30	54
65+	12311	11.5	93	3	3	9	14	22	30	54
GRAND TOTAL	**25249**	**10.9**	**98**	**2**	**3**	**8**	**13**	**22**	**30**	**55**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	253	7.7	74	1	1	5	9	17	26	44
20-34	211	7.4	55	1	1	5	9	16	23	37
35-49	221	7.2	67	<1	1	5	9	15	24	42
50-64	192	6.8	110	<1	1	4	7	15	23	63
65+	136	7.2	67	1	1	5	9	15	19	45
2. MULTIPLE DX										
0-19 YRS	1230	15.6	284	2	2	10	21	41	57	99+
20-34	1630	13.5	168	1	2	9	17	30	40	73
35-49	2478	12.7	162	1	2	8	16	30	41	61
50-64	4030	12.0	141	1	2	8	16	28	36	59
65+	5445	14.3	161	2	3	11	19	31	41	71
TOT. SINGLE DX	1013	7.3	75	1	1	5	9	16	23	43
" MULTIPLE DX	14813	13.4	169	1	2	9	18	30	41	71
TOTAL 0-19 YRS	1483	14.3	257	1	2	9	19	38	53	99+
20-34	1841	12.8	159	1	2	9	17	29	38	71
35-49	2699	12.3	157	1	2	8	16	29	40	61
50-64	4222	11.8	141	1	2	8	16	27	36	59
65+	5581	14.1	160	2	3	11	19	30	40	70
GRAND TOTAL	**15826**	**13.0**	**165**	**1**	**2**	**9**	**17**	**29**	**40**	**69**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	4.0	46	<1	1	2	3	9	13	36
20-34	125	4.6	48	<1	<1	3	6	8	10	43
35-49	219	4.3	17	<1	1	3	7	9	12	21
50-64	318	4.7	30	<1	<1	3	7	11	13	24
65+	328	4.7	21	<1	<1	3	6	11	13	20
2. MULTIPLE DX										
0-19 YRS	370	7.8	145	1	1	3	9	20	36	78
20-34	545	8.1	81	1	2	6	10	16	28	50
35-49	1281	7.9	82	1	2	6	9	16	23	45
50-64	2545	8.8	82	1	1	6	11	19	27	48
65+	4907	9.6	87	1	2	7	12	20	27	52
TOT. SINGLE DX	1167	4.5	30	<1	<1	2	6	10	13	25
" MULTIPLE DX	9648	9.0	88	1	2	6	11	19	27	52
TOTAL 0-19 YRS	547	6.5	116	1	1	2	7	16	31	67
20-34	670	7.5	77	1	1	5	8	15	24	50
35-49	1500	7.4	74	1	1	5	9	15	21	44
50-64	2863	8.3	78	1	1	6	11	18	26	46
65+	5235	9.3	85	1	2	7	12	20	27	50
GRAND TOTAL	**10815**	**8.5**	**84**	**1**	**1**	**5**	**11**	**18**	**26**	**50**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1441	3.2	2	1	2	3	4	5	6	8
20-34	12	5.9	7	2	3	6	7	9	12	12
35-49	6	10.5	46	5	5	8	10	23	24	24
50-64	8	11.0	10	5	6	11	13	15	15	15
65+	12	8.0	18	3	4	6	11	14	17	17
2. MULTIPLE DX										
0-19 YRS	583	5.2	31	2	2	4	6	8	11	42
20-34	37	8.7	33	2	3	7	10	17	19	31
35-49	45	12.9	58	3	6	11	16	28	31	99+
50-64	77	18.0	234	6	7	14	19	35	68	94
65+	137	19.3	150	7	8	16	25	39	48	99+
TOT. SINGLE DX	1479	3.4	4	1	2	3	4	5	6	11
" MULTIPLE DX	879	9.1	103	2	3	5	11	19	31	64
TOTAL 0-19 YRS	2024	3.8	12	2	2	3	4	6	7	15
20-34	49	8.0	28	2	3	7	10	13	18	31
35-49	51	12.6	56	3	5	11	16	27	30	99
50-64	85	17.3	217	6	7	13	18	34	63	92
65+	149	18.4	150	6	7	15	23	37	47	99
GRAND TOTAL	2358	5.5	48	2	2	3	5	11	17	43

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	7.4	34	1	1	6	10	16	20	22
20-34	6	5.7	7	2	2	5	7	10	10	10
35-49	8	7.5	38	1	1	6	11	17	19	19
50-64	28	10.1	80	2	3	7	13	25	32	34
65+	82	10.5	157	1	2	6	13	24	29	73
2. MULTIPLE DX										
0-19 YRS	259	20.3	445	2	3	13	29	63	91	99+
20-34	130	19.5	364	2	4	14	32	69	99+	99+
35-49	186	20.2	319	2	4	15	34	65	99+	99+
50-64	662	19.0	292	3	4	14	28	49	72	99+
65+	4270	19.6	282	3	4	15	26	44	66	99+
TOT. SINGLE DX	142	9.7	114	1	2	6	12	22	28	69
" MULTIPLE DX	5507	19.6	294	3	4	15	27	46	69	99+
TOTAL 0-19 YRS	277	19.5	429	2	3	12	27	61	90	99+
20-34	136	18.8	357	2	3	13	30	67	99+	99+
35-49	194	19.6	314	2	4	14	32	64	99+	99+
50-64	690	18.7	286	3	4	14	28	47	70	99+
65+	4352	19.4	282	3	4	15	26	44	66	99+
GRAND TOTAL	5649	19.3	292	3	4	15	26	46	69	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	4.3	5	1	2	4	6	7	9	10
20-34	126	4.0	6	<1	1	4	5	8	9	11
35-49	227	4.4	8	<1	1	4	6	8	9	15
50-64	274	4.9	11	<1	1	4	6	8	10	17
65+	287	5.6	20	<1	1	5	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	95	7.4	80	1	2	5	7	17	24	51
20-34	730	7.3	49	1	2	5	8	15	21	33
35-49	1516	7.2	44	2	2	5	8	13	18	35
50-64	3046	7.8	44	2	3	6	9	15	19	35
65+	7725	9.5	66	2	3	7	11	18	24	46
TOT. SINGLE DX	938	4.9	13	<1	1	4	6	9	11	17
" MULTIPLE DX	13112	8.7	59	2	3	7	10	16	22	43
TOTAL 0-19 YRS	119	6.8	66	1	2	5	7	12	18	47
20-34	856	6.8	45	1	2	5	8	14	20	33
35-49	1743	6.8	41	1	2	5	8	13	17	34
50-64	3320	7.6	43	2	3	6	9	14	19	35
65+	8012	9.3	66	2	3	7	11	17	23	45
GRAND TOTAL	14050	8.4	57	2	3	6	10	16	22	42

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.8	7	2	2	6	7	8	8	8
20-34	88	9.4	34	4	5	8	10	15	19	40
35-49	214	9.8	18	5	6	9	11	15	18	28
50-64	207	10.1	13	6	7	9	12	14	16	25
65+	184	12.1	33	7	7	10	13	18	23	34
2. MULTIPLE DX										
0-19 YRS	14	13.8	37	6	8	13	16	24	28	29
20-34	229	15.3	149	6	7	11	17	29	42	80
35-49	711	13.6	83	6	7	11	15	23	31	53
50-64	1284	16.2	129	7	8	13	19	28	38	69
65+	2438	19.1	155	8	9	16	22	34	46	77
TOT. SINGLE DX	697	10.4	24	6	6	9	12	15	20	29
" MULTIPLE DX	4676	17.3	141	7	8	14	20	31	43	70
TOTAL 0-19 YRS	18	12.0	41	3	5	11	14	21	27	29
20-34	317	13.7	125	5	6	10	15	25	37	74
35-49	925	12.8	71	6	7	10	14	21	28	49
50-64	1491	15.3	118	7	8	12	18	26	35	65
65+	2622	18.6	150	8	9	15	22	33	45	75
GRAND TOTAL	**5373**	**16.4**	**131**	**7**	**8**	**13**	**19**	**29**	**40**	**68**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	15.7	134	8	8	10	24	29	29	29
35-49	9	11.1	15	5	6	11	13	16	18	18
50-64	40	15.3	107	8	9	13	15	24	34	67
65+	31	17.1	45	8	9	16	21	27	27	38
2. MULTIPLE DX										
0-19 YRS	3	13.7	121	1	1	19	20	21	21	21
20-34	15	23.6	234	7	8	18	33	48	56	59
35-49	87	19.8	232	9	9	14	22	49	60	95
50-64	276	21.6	193	10	11	17	25	38	51	87
65+	454	21.4	166	9	11	18	26	38	48	98
TOT. SINGLE DX	83	15.5	76	8	8	13	18	27	31	57
" MULTIPLE DX	835	21.3	183	9	10	17	25	38	52	92
TOTAL 0-19 YRS	3	13.7	121	1	1	19	20	21	21	21
20-34	18	22.3	218	7	8	17	29	44	55	59
35-49	96	19.0	218	8	9	14	21	42	59	94
50-64	316	20.8	187	9	10	16	24	37	49	85
65+	485	21.1	160	9	11	18	26	37	47	96
GRAND TOTAL	**918**	**20.8**	**176**	**9**	**10**	**17**	**25**	**37**	**51**	**89**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.3	1	6	6	8	8	8	8	8
20-34	111	8.4	11	5	5	7	10	13	16	19
35-49	152	8.4	10	5	6	8	9	11	15	19
50-64	102	9.6	15	6	6	9	11	14	15	29
65+	54	12.2	28	6	8	10	14	19	27	29
2. MULTIPLE DX										
0-19 YRS	11	11.4	21	6	7	11	14	19	21	21
20-34	145	12.4	59	5	6	10	15	19	25	48
35-49	392	12.3	77	6	6	10	13	22	30	55
50-64	461	13.0	83	6	7	10	14	21	27	50
65+	587	18.1	178	7	8	14	21	33	48	92
TOT. SINGLE DX	422	9.2	16	5	6	8	10	14	16	28
" MULTIPLE DX	1596	14.6	121	6	7	11	16	26	35	70
TOTAL 0-19 YRS	14	10.5	20	6	6	9	12	17	20	21
20-34	256	10.7	43	5	5	9	13	17	20	42
35-49	544	11.2	62	5	6	9	12	18	27	45
50-64	563	12.4	73	6	7	10	14	20	27	50
65+	641	17.6	168	7	8	13	21	32	46	87
GRAND TOTAL	**2018**	**13.5**	**104**	**6**	**6**	**10**	**15**	**24**	**32**	**64**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	196	6.3	23	2	2	6	8	10	12	27
20-34	733	6.2	8	2	3	6	7	9	10	15
35-49	776	6.8	25	2	3	6	8	10	12	16
50-64	302	8.3	16	3	5	8	10	12	16	25
65+	186	10.3	32	4	6	9	12	17	18	37
2. MULTIPLE DX										
0-19 YRS	726	16.9	271	4	5	11	22	43	70	99+
20-34	1604	8.5	54	3	4	7	9	13	20	45
35-49	2733	9.2	69	4	4	7	9	15	23	56
50-64	1881	12.6	119	5	5	9	14	25	36	69
65+	2915	17.4	159	6	7	13	21	33	45	80
TOT. SINGLE DX	2193	7.1	20	2	3	6	8	10	13	21
" MULTIPLE DX	9859	12.7	132	4	5	9	15	26	37	77
TOTAL 0-19 YRS	922	14.7	238	3	4	9	19	37	55	99+
20-34	2337	7.7	41	3	4	6	8	12	17	41
35-49	3509	8.7	61	3	4	7	9	14	21	53
50-64	2183	12.0	108	4	5	9	13	23	32	65
65+	3101	16.9	154	6	7	13	21	33	43	79
GRAND TOTAL	**12052**	**11.7**	**116**	**3**	**5**	**8**	**13**	**23**	**33**	**70**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	227	4.6	15	1	1	4	6	9	11	20
20-34	437	5.1	13	<1	2	4	6	9	12	19
35-49	431	4.7	12	<1	<1	4	6	9	11	16
50-64	545	3.9	15	<1	<1	3	6	9	11	20
65+	586	4.1	31	<1	<1	2	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	481	8.2	140	1	2	5	8	14	26	75
20-34	1284	7.4	48	2	2	6	9	13	18	39
35-49	1898	7.3	46	1	2	6	9	14	19	34
50-64	4050	7.6	51	1	2	6	9	15	19	36
65+	10569	9.1	72	1	2	7	11	18	24	46
TOT. SINGLE DX	2226	4.4	19	<1	<1	3	6	9	11	19
" MULTIPLE DX	18282	8.5	66	1	2	6	10	16	22	43
TOTAL 0-19 YRS	708	7.1	103	1	2	5	7	13	19	63
20-34	1721	6.8	40	1	2	5	8	12	17	34
35-49	2329	6.8	41	1	2	5	8	13	18	31
50-64	4595	7.2	49	<1	1	6	9	14	18	33
65+	11155	8.8	71	1	2	7	11	17	24	46
GRAND TOTAL	**20508**	**8.0**	**62**	**1**	**2**	**6**	**10**	**16**	**21**	**41**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	9.4	43	5	5	8	10	14	20	42
20-34	129	9.4	19	5	6	8	10	15	20	26
35-49	130	9.8	17	5	6	8	12	16	19	23
50-64	135	10.3	25	5	6	9	12	16	20	29
65+	161	11.5	36	5	6	10	14	20	26	31
2. MULTIPLE DX										
0-19 YRS	316	17.3	343	5	6	11	22	65	99+	99+
20-34	616	13.6	114	6	6	10	16	25	35	76
35-49	758	15.5	165	6	7	11	17	28	44	76
50-64	1234	18.2	196	7	8	14	21	35	51	83
65+	2928	18.7	171	7	8	15	22	35	46	85
TOT. SINGLE DX	629	10.2	28	5	6	9	12	17	21	29
" MULTIPLE DX	5852	17.6	182	6	7	13	21	34	48	90
TOTAL 0-19 YRS	390	15.8	296	5	6	10	18	60	99+	99+
20-34	745	12.9	101	6	6	10	15	22	32	72
35-49	888	14.7	148	6	7	11	16	27	41	70
50-64	1369	17.4	185	6	7	13	20	34	49	82
65+	3089	18.3	167	7	8	14	22	34	45	84
GRAND TOTAL	**6481**	**16.9**	**172**	**6**	**7**	**13**	**20**	**33**	**46**	**88**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	9.8	39	4	5	8	11	16	22	37
20-34	349	10.8	38	5	6	9	12	18	25	36
35-49	697	9.6	18	6	6	9	10	14	18	29
50-64	1538	9.8	12	6	7	9	11	14	17	24
65+	1768	10.5	16	6	7	10	12	15	17	26
2. MULTIPLE DX										
0-19 YRS	301	17.2	229	5	6	12	20	37	54	97
20-34	1070	14.2	119	6	7	11	16	26	37	63
35-49	2531	13.2	76	6	7	10	15	22	29	51
50-64	7609	13.4	72	7	7	11	15	22	29	51
65+	20312	15.8	99	7	8	13	18	27	35	61
TOT. SINGLE DX	4461	10.1	18	6	7	9	11	15	18	28
" MULTIPLE DX	31823	15.0	94	7	8	12	17	26	34	59
TOTAL 0-19 YRS	410	15.3	190	5	6	11	17	31	47	92
20-34	1419	13.4	102	6	7	10	15	24	32	58
35-49	3228	12.4	66	6	7	10	14	20	27	47
50-64	9147	12.8	64	7	7	10	14	21	27	49
65+	22080	15.3	95	7	8	12	18	26	34	59
GRAND TOTAL	**36284**	**14.4**	**88**	**7**	**7**	**11**	**16**	**24**	**32**	**57**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	6.9	20	2	3	5	8	12	18	25
20-34	40	6.7	11	2	2	7	9	12	13	13
35-49	39	8.7	39	2	3	9	10	14	22	34
50-64	58	9.9	17	5	6	9	12	15	16	29
65+	73	10.5	26	5	6	9	13	16	19	33
2. MULTIPLE DX										
0-19 YRS	87	15.3	222	3	5	11	18	36	54	99+
20-34	123	13.5	181	4	4	9	17	27	35	99+
35-49	210	13.9	106	4	6	12	17	22	30	65
50-64	409	16.3	154	6	7	12	19	31	46	87
65+	1095	17.1	135	6	8	14	21	30	41	76
TOT. SINGLE DX	260	8.8	25	2	4	8	11	14	17	30
" MULTIPLE DX	1924	16.3	144	5	7	13	19	30	41	80
TOTAL 0-19 YRS	137	12.2	164	3	4	8	13	27	43	99+
20-34	163	11.8	148	2	4	9	14	22	32	99
35-49	249	13.1	99	3	5	11	15	22	28	60
50-64	467	15.5	142	6	7	12	17	30	40	79
65+	1168	16.7	131	6	7	13	20	29	39	75
GRAND TOTAL	**2184**	**15.4**	**136**	**5**	**6**	**12**	**18**	**28**	**38**	**77**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	428	6.0	14	2	2	5	8	10	12	17
20-34	373	7.6	8	4	4	7	9	11	12	18
35-49	410	7.8	10	4	5	7	9	11	13	19
50-64	426	8.5	18	4	4	8	10	12	14	25
65+	481	8.3	10	3	4	8	10	12	14	17
2. MULTIPLE DX										
0-19 YRS	726	10.5	110	3	4	8	11	21	32	99+
20-34	927	11.5	96	4	5	9	12	20	32	55
35-49	1134	12.7	116	5	6	10	14	23	32	67
50-64	1945	12.9	99	5	6	10	15	24	33	62
65+	3830	13.7	105	5	6	11	16	24	35	59
TOT. SINGLE DX	2118	7.6	13	3	4	7	9	11	13	18
" MULTIPLE DX	8562	12.9	106	4	5	10	15	24	34	62
TOTAL 0-19 YRS	1154	8.8	80	2	3	7	10	15	25	80
20-34	1300	10.4	74	4	5	8	11	17	26	52
35-49	1544	11.4	93	4	5	9	12	20	28	55
50-64	2371	12.1	88	4	5	9	14	22	31	60
65+	4311	13.1	98	4	6	10	15	23	33	57
GRAND TOTAL	**10680**	**11.9**	**92**	**4**	**5**	**9**	**13**	**22**	**30**	**58**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	8.7	29	3	4	8	10	12	20	30
20-34	26	9.3	37	3	3	8	11	13	21	34
35-49	19	11.0	21	5	7	10	13	17	21	24
50-64	53	11.0	38	5	6	9	13	18	28	30
65+	73	12.3	44	4	6	11	14	19	25	40
2. MULTIPLE DX										
0-19 YRS	96	17.3	293	5	6	11	20	39	70	99+
20-34	170	18.0	231	5	6	13	25	40	65	99+
35-49	250	17.1	151	5	7	14	21	33	48	99+
50-64	727	17.8	163	6	8	14	21	34	48	91
65+	1942	19.6	175	7	8	16	25	38	50	99
TOT. SINGLE DX	195	11.0	39	4	5	10	13	18	25	34
" MULTIPLE DX	3185	18.9	178	6	8	15	23	37	51	99+
TOTAL 0-19 YRS	120	15.6	252	4	6	10	18	33	58	99+
20-34	196	16.8	214	4	6	12	22	39	62	99+
35-49	269	16.7	144	5	7	13	21	33	46	99+
50-64	780	17.4	158	6	7	14	21	32	46	90
65+	2015	19.4	172	6	8	16	24	37	50	96
GRAND TOTAL	**3380**	**18.4**	**173**	**6**	**7**	**15**	**23**	**36**	**49**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19088	3.5	4	2	2	3	4	6	7	11
20-34	13797	3.6	3	2	2	3	4	6	7	10
35-49	4995	4.3	6	2	2	4	5	7	9	13
50-64	2028	5.2	7	2	2	5	6	9	10	14
65+	649	6.0	10	3	3	5	7	10	12	19
2. MULTIPLE DX										
0-19 YRS	6459	5.6	20	2	2	4	7	10	13	23
20-34	5615	5.5	13	2	2	4	7	10	12	21
35-49	2949	6.8	18	2	3	6	9	12	15	23
50-64	2299	8.7	38	3	3	8	10	15	19	31
65+	2023	10.5	61	3	4	9	12	18	24	41
TOT. SINGLE DX	40557	3.8	5	2	2	3	4	6	8	11
" MULTIPLE DX	19345	6.7	27	2	3	5	8	12	15	27
TOTAL 0-19 YRS	25547	4.1	9	2	2	3	5	7	9	15
20-34	19412	4.2	7	2	2	3	5	7	9	14
35-49	7944	5.2	12	2	2	4	6	9	12	18
50-64	4327	7.0	27	2	3	6	9	12	15	26
65+	2672	9.4	53	3	4	8	11	16	21	38
GRAND TOTAL	**59902**	**4.7**	**14**	**2**	**2**	**4**	**6**	**8**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	3.5	2	2	2	3	4	6	7	9
20-34	124	4.4	6	2	2	4	5	7	8	17
35-49	42	3.7	3	2	2	3	4	6	8	12
50-64	17	6.5	16	1	2	6	10	10	15	17
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	82	5.4	13	2	3	5	7	9	11	24
20-34	130	5.6	23	3	3	4	6	8	12	33
35-49	45	6.3	12	2	3	6	7	11	13	20
50-64	23	8.5	31	3	4	8	10	14	21	29
65+	10	19.5	130	7	8	15	28	37	43	43
TOT. SINGLE DX	365	4.0	5	2	2	3	5	6	8	14
" MULTIPLE DX	290	6.4	29	2	3	5	7	11	15	31
TOTAL 0-19 YRS	262	4.1	7	2	2	3	5	7	9	14
20-34	254	5.0	15	2	3	4	5	8	10	19
35-49	87	5.1	10	2	2	4	6	9	12	18
50-64	40	7.6	26	1	3	7	10	12	17	29
65+	12	17.0	141	4	5	13	25	35	42	43
GRAND TOTAL	**655**	**5.1**	**17**	**2**	**2**	**4**	**6**	**8**	**11**	**27**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	7.4	11	3	4	7	9	11	12	22
20-34	30	7.2	8	3	4	7	9	11	12	13
35-49	24	7.7	12	3	3	7	10	12	14	15
50-64	15	10.8	44	3	5	9	13	22	25	26
65+	8	9.3	22	2	3	9	10	17	19	19
2. MULTIPLE DX										
0-19 YRS	49	10.3	45	3	4	9	11	21	23	33
20-34	32	10.5	36	3	5	9	13	20	24	25
35-49	28	10.5	21	5	6	9	13	17	20	24
50-64	41	14.0	52	7	7	12	16	25	29	36
65+	33	14.1	58	6	8	12	16	25	31	41
TOT. SINGLE DX	120	8.0	16	3	3	7	10	12	14	23
" MULTIPLE DX	183	11.9	46	4	6	10	15	22	25	35
TOTAL 0-19 YRS	92	9.0	32	3	4	8	10	15	22	33
20-34	62	8.9	25	3	4	7	10	16	20	25
35-49	52	9.2	19	3	5	9	11	14	18	24
50-64	56	13.2	51	5	7	11	16	24	27	36
65+	41	13.2	55	6	7	11	16	22	30	41
GRAND TOTAL	**303**	**10.3**	**38**	**3**	**4**	**9**	**12**	**18**	**24**	**33**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	148	3.4	11	<1	1	2	4	7	9	21
20-34	141	3.1	6	<1	1	2	4	7	8	12
35-49	151	3.5	10	<1	1	3	4	8	11	17
50-64	266	2.8	5	<1	1	2	3	6	8	12
65+	489	3.4	14	<1	1	2	4	7	10	19
2. MULTIPLE DX										
0-19 YRS	201	8.4	151	1	1	4	9	22	33	82
20-34	225	6.7	77	1	1	4	7	13	21	52
35-49	333	5.9	33	1	1	4	7	12	15	28
50-64	780	6.5	46	1	1	5	8	13	18	37
65+	2416	7.7	59	1	2	6	10	16	22	38
TOT. SINGLE DX	1195	3.3	11	<1	1	2	4	7	9	17
" MULTIPLE DX	3955	7.3	61	1	1	5	9	15	21	40
TOTAL 0-19 YRS	349	6.2	98	1	1	3	6	13	24	62
20-34	366	5.3	53	1	1	3	6	10	18	41
35-49	484	5.1	27	1	1	4	7	11	14	25
50-64	1046	5.6	39	1	1	4	7	12	17	30
65+	2905	7.0	54	1	1	5	9	15	20	36
GRAND TOTAL	**5150**	**6.4**	**52**	**1**	**1**	**4**	**8**	**13**	**19**	**36**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	2.6	4	<1	1	2	3	5	8	11
20-34	670	2.6	3	1	1	2	3	5	6	9
35-49	603	2.8	4	1	1	2	3	5	7	11
50-64	235	3.2	4	1	1	3	4	6	7	11
65+	76	3.1	5	1	1	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	84	4.2	22	1	1	3	4	9	16	27
20-34	514	4.5	27	1	1	3	5	8	12	32
35-49	634	4.3	18	1	1	3	5	8	12	26
50-64	531	6.4	71	1	1	4	7	13	21	43
65+	452	7.7	61	1	2	5	9	16	23	40
TOT. SINGLE DX	1708	2.7	4	1	1	2	3	5	7	11
" MULTIPLE DX	2215	5.6	44	1	1	4	6	11	17	36
TOTAL 0-19 YRS	208	3.2	12	<1	1	2	4	6	9	19
20-34	1184	3.4	15	1	1	2	4	6	8	17
35-49	1237	3.5	13	1	1	3	4	7	9	21
50-64	766	5.5	53	1	1	3	6	11	17	41
65+	528	7.1	56	1	1	5	8	15	22	38
GRAND TOTAL	**3923**	**4.3**	**29**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	10.2	23	5	6	9	12	18	20	26
20-34	58	10.2	19	4	6	10	11	15	19	26
35-49	145	10.3	14	5	7	10	12	15	18	24
50-64	386	11.1	19	6	7	10	13	16	19	29
65+	454	11.7	22	6	7	11	14	17	19	30
2. MULTIPLE DX										
0-19 YRS	148	12.4	103	5	6	10	15	22	29	55
20-34	171	15.2	113	7	7	12	18	24	40	76
35-49	515	14.6	102	7	8	12	16	23	31	65
50-64	1748	14.4	71	7	8	12	16	23	29	53
65+	4130	17.3	105	8	9	14	20	29	38	63
TOT. SINGLE DX	1109	11.2	21	6	7	10	13	17	19	27
" MULTIPLE DX	6712	16.2	98	7	8	13	19	27	36	61
TOTAL 0-19 YRS	214	11.7	80	5	6	9	14	20	26	50
20-34	229	13.9	94	6	7	11	16	23	32	69
35-49	660	13.6	86	7	7	11	15	21	28	62
50-64	2134	13.8	64	7	8	12	16	22	27	49
65+	4584	16.7	100	8	9	14	19	28	37	61
GRAND TOTAL	**7821**	**15.5**	**90**	**7**	**8**	**13**	**18**	**25**	**34**	**58**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	704	3.5	7	1	1	3	5	7	8	16
20-34	2129	4.2	12	1	1	3	5	8	10	19
35-49	2241	4.2	10	<1	1	3	5	7	9	16
50-64	2004	4.3	12	<1	1	4	5	8	11	16
65+	1702	4.7	14	<1	<1	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	1741	5.9	50	1	1	4	7	11	18	41
20-34	8307	6.0	35	1	2	4	7	11	15	31
35-49	12962	6.3	31	2	2	5	8	12	16	29
50-64	19376	7.0	39	2	2	5	8	13	17	34
65+	41059	8.4	52	2	3	7	10	16	21	39
TOT. SINGLE DX	8780	4.3	12	<1	1	4	5	8	10	18
" MULTIPLE DX	83445	7.4	45	2	2	6	9	14	19	36
TOTAL 0-19 YRS	2445	5.2	39	1	1	4	6	10	15	33
20-34	10436	5.6	31	1	2	4	7	10	14	29
35-49	15203	6.0	29	1	2	5	7	11	15	28
50-64	21380	6.7	37	1	2	5	8	12	17	33
65+	42761	8.2	52	2	3	6	10	15	20	39
GRAND TOTAL	**92225**	**7.1**	**43**	**2**	**2**	**5**	**9**	**13**	**18**	**34**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	1.9	3	<1	<1	1	2	4	4	13
20-34	694	2.2	2	1	1	2	3	4	5	7
35-49	804	2.2	1	1	1	2	3	4	4	7
50-64	447	2.2	1	1	1	2	3	4	5	8
65+	135	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	55	2.8	5	<1	1	2	4	5	6	12
20-34	637	3.1	11	1	1	2	4	5	7	15
35-49	987	2.8	5	1	1	2	3	5	6	11
50-64	820	3.1	6	1	1	3	4	5	7	14
65+	471	3.9	21	1	1	3	4	7	10	19
TOT. SINGLE DX	2162	2.2	2	1	1	2	3	4	4	7
" MULTIPLE DX	2970	3.1	10	1	1	3	4	5	7	14
TOTAL 0-19 YRS	137	2.2	5	<1	<1	1	3	4	5	13
20-34	1331	2.7	7	1	1	2	3	5	6	12
35-49	1791	2.5	4	1	1	2	3	4	5	10
50-64	1267	2.8	5	1	1	2	3	5	6	10
65+	606	3.6	17	1	1	3	4	6	9	18
GRAND TOTAL	**5132**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	2.1	2	<1	<1	2	3	4	5	8
20-34	508	2.0	1	<1	1	2	3	4	4	6
35-49	371	2.2	2	<1	1	2	3	4	5	8
50-64	204	2.5	7	<1	1	2	3	4	5	14
65+	85	2.5	2	<1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	61	4.2	144	<1	1	2	3	5	9	86
20-34	655	3.1	9	1	1	2	4	5	7	12
35-49	857	3.2	10	1	1	3	4	5	7	14
50-64	675	3.8	16	1	1	3	4	6	9	25
65+	624	4.9	40	1	1	3	6	9	12	31
TOT. SINGLE DX	1227	2.2	3	<1	1	2	3	4	5	8
" MULTIPLE DX	2872	3.7	22	1	1	3	4	6	9	21
TOTAL 0-19 YRS	120	3.2	75	<1	<1	2	3	5	6	42
20-34	1163	2.6	6	1	1	2	3	5	6	10
35-49	1228	2.9	8	1	1	2	4	5	6	13
50-64	879	3.5	15	1	1	3	4	6	9	21
65+	709	4.6	37	1	1	3	5	9	11	30
GRAND TOTAL	**4099**	**3.2**	**17**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	2.3	1	<1	<1	2	3	4	4	5
20-34	729	3.1	2	1	1	3	4	5	6	8
35-49	1034	3.1	2	1	1	3	4	5	6	8
50-64	634	3.2	3	1	1	3	4	5	6	10
65+	220	3.3	7	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	90	3.8	10	1	1	3	4	7	9	21
20-34	3466	3.5	6	1	1	3	4	6	7	12
35-49	6149	3.6	5	1	1	3	4	6	7	11
50-64	4900	3.9	9	1	1	3	5	7	8	15
65+	2895	4.9	16	1	2	4	6	9	12	21
TOT. SINGLE DX	2648	3.1	3	1	1	3	4	5	6	8
" MULTIPLE DX	17500	3.9	9	1	1	3	5	6	8	15
TOTAL 0-19 YRS	121	3.4	9	1	1	3	4	6	8	18
20-34	4195	3.4	6	1	1	3	4	6	7	11
35-49	7183	3.5	5	1	1	3	4	6	7	11
50-64	5534	3.8	9	1	1	3	5	6	8	14
65+	3115	4.8	16	1	2	4	6	9	12	20
GRAND TOTAL	**20148**	**3.8**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	3.2	14	<1	1	2	4	6	10	29
20-34	681	2.6	3	1	1	2	3	5	6	9
35-49	601	2.6	4	1	1	2	3	5	7	10
50-64	344	2.8	3	1	1	2	4	5	7	9
65+	164	3.9	34	1	1	3	4	6	8	30
2. MULTIPLE DX										
0-19 YRS	225	5.6	42	1	1	4	7	11	15	38
20-34	740	3.9	21	1	1	3	5	8	10	19
35-49	909	4.0	20	1	1	3	5	8	10	20
50-64	799	5.1	33	1	1	3	6	10	16	35
65+	865	6.6	63	1	1	4	8	14	20	43
TOT. SINGLE DX	1956	2.8	7	1	1	2	3	5	7	10
" MULTIPLE DX	3538	5.0	36	1	1	3	6	10	14	31
TOTAL 0-19 YRS	391	4.6	32	1	1	3	5	9	12	36
20-34	1421	3.3	13	1	1	2	4	6	8	16
35-49	1510	3.4	14	1	1	3	4	7	9	18
50-64	1143	4.4	26	1	1	3	5	9	13	29
65+	1029	6.1	60	1	1	4	7	12	19	37
GRAND TOTAL	**5494**	**4.2**	**27**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	7.5	14	4	4	6	9	13	17	17
20-34	15	10.3	63	2	4	8	13	26	28	29
35-49	21	9.6	24	3	4	8	13	17	18	19
50-64	20	7.6	41	1	1	6	12	17	19	20
65+	16	5.9	28	<1	1	4	8	14	17	19
2. MULTIPLE DX										
0-19 YRS	28	12.9	117	4	5	9	14	29	42	47
20-34	60	14.1	172	3	4	11	18	28	31	85
35-49	78	16.9	267	2	4	12	20	42	67	92
50-64	112	19.1	213	1	3	16	26	40	49	63
65+	191	18.3	182	2	3	16	25	35	46	64
TOT. SINGLE DX	83	8.3	36	1	1	7	11	17	19	28
" MULTIPLE DX	469	17.4	201	2	4	14	22	36	47	71
TOTAL 0-19 YRS	39	11.4	94	4	4	8	13	18	38	47
20-34	75	13.4	152	3	4	10	17	28	31	78
35-49	99	15.4	224	2	4	12	18	37	62	86
50-64	132	17.3	204	1	2	14	24	38	48	63
65+	207	17.3	182	1	3	15	23	35	44	62
GRAND TOTAL	**552**	**16.0**	**187**	**2**	**3**	**13**	**21**	**34**	**44**	**69**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	4.4	16	1	1	3	7	9	13	18
20-34	405	4.0	38	<1	1	2	5	9	12	32
35-49	458	2.9	12	<1	1	1	3	7	11	17
50-64	461	2.9	12	<1	1	1	4	8	9	17
65+	264	3.8	27	<1	1	1	5	10	13	25
2. MULTIPLE DX										
0-19 YRS	436	12.9	269	1	1	8	16	36	60	99+
20-34	982	9.6	99	1	1	7	12	21	29	63
35-49	1376	8.5	100	1	1	6	11	20	27	57
50-64	2511	9.2	95	1	1	7	12	20	29	46
65+	3321	10.5	96	1	1	8	14	21	28	51
TOT. SINGLE DX	1740	3.4	21	<1	1	1	4	8	12	22
" MULTIPLE DX	8626	9.8	107	1	1	7	13	21	29	58
TOTAL 0-19 YRS	588	10.7	217	1	1	6	12	27	51	98
20-34	1387	7.9	88	1	1	5	10	18	26	60
35-49	1834	7.1	85	1	1	4	9	17	25	48
50-64	2972	8.2	87	1	1	6	11	19	26	42
65+	3585	10.0	95	1	1	8	13	21	27	49
GRAND TOTAL	**10366**	**8.7**	**98**	**1**	**1**	**6**	**12**	**20**	**27**	**53**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	949	5.1	5	2	3	5	6	8	9	13
20-34	10605	5.0	3	3	3	5	6	7	8	11
35-49	9990	5.3	4	3	3	5	6	8	9	12
50-64	7622	5.6	5	3	3	5	7	8	10	13
65+	3834	6.8	8	3	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	926	7.5	41	3	4	6	9	12	14	37
20-34	11071	6.6	18	3	3	6	8	10	13	22
35-49	14733	7.0	21	3	4	6	8	11	14	24
50-64	18835	8.3	33	4	4	7	10	14	17	32
65+	25475	11.1	56	4	5	9	13	19	24	43
TOT. SINGLE DX	33000	5.4	5	3	3	5	6	8	9	13
" MULTIPLE DX	71040	8.7	40	3	4	7	10	15	19	34
TOTAL 0-19 YRS	1875	6.3	24	3	3	5	7	10	12	22
20-34	21676	5.8	12	3	3	5	7	9	11	18
35-49	24723	6.3	15	3	3	5	7	10	12	20
50-64	26457	7.5	27	3	4	6	9	12	15	28
65+	29309	10.5	52	4	5	9	12	18	23	41
GRAND TOTAL	**104040**	**7.7**	**32**	**3**	**4**	**6**	**9**	**13**	**17**	**30**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	11.8	67	2	3	10	15	25	27	37
20-34	133	5.4	31	1	1	4	7	10	18	32
35-49	178	5.6	21	1	1	4	9	12	15	20
50-64	204	6.8	37	1	1	6	9	14	18	32
65+	334	7.9	42	1	1	7	11	16	18	27
2. MULTIPLE DX										
0-19 YRS	73	15.8	153	2	4	13	20	34	45	91
20-34	242	10.2	73	1	3	8	12	20	26	49
35-49	534	11.6	88	2	3	9	15	22	29	49
50-64	1178	13.3	123	2	3	10	16	25	35	62
65+	3616	14.7	114	2	4	12	18	27	35	57
TOT. SINGLE DX	884	7.0	38	1	1	6	10	15	18	28
" MULTIPLE DX	5643	13.9	114	2	3	12	18	26	34	57
TOTAL 0-19 YRS	108	14.5	128	2	3	11	19	29	38	78
20-34	375	8.5	64	1	1	7	10	18	23	39
35-49	712	10.1	79	1	2	8	13	20	26	45
50-64	1382	12.3	116	1	2	10	16	23	32	58
65+	3950	14.1	112	2	3	12	18	26	33	55
GRAND TOTAL	**6527**	**13.0**	**110**	**1**	**3**	**11**	**17**	**25**	**32**	**55**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	7.6	67	<1	1	5	11	14	27	38
20-34	187	5.9	39	1	1	4	8	11	17	32
35-49	272	6.1	52	1	1	5	8	11	17	30
50-64	288	6.5	63	1	1	4	9	15	19	47
65+	259	6.2	57	<1	1	3	8	16	21	32
2. MULTIPLE DX										
0-19 YRS	72	16.8	297	2	2	10	20	46	62	95
20-34	488	12.9	188	1	2	8	17	31	42	76
35-49	1021	13.3	196	1	2	9	17	33	44	87
50-64	1603	13.5	198	1	2	9	17	32	43	82
65+	2509	12.6	148	1	2	9	16	26	38	72
TOT. SINGLE DX	1042	6.2	55	1	1	4	8	14	19	33
" MULTIPLE DX	5693	13.1	177	1	2	9	16	29	42	80
TOTAL 0-19 YRS	108	13.7	238	1	1	9	17	37	52	86
20-34	675	10.9	157	1	1	7	13	27	37	74
35-49	1293	11.8	175	1	2	8	14	28	42	84
50-64	1891	12.4	184	1	2	8	15	29	41	79
65+	2768	12.0	143	1	2	9	15	26	37	70
GRAND TOTAL	**6735**	**12.0**	**164**	**1**	**2**	**8**	**15**	**27**	**39**	**76**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	422	3.9	12	1	1	3	5	7	9	21
20-34	994	4.5	15	1	1	4	5	8	11	18
35-49	913	4.8	20	<1	1	4	6	9	12	21
50-64	968	4.4	13	<1	<1	4	6	8	10	18
65+	930	4.8	22	<1	<1	4	6	9	13	24
2. MULTIPLE DX										
0-19 YRS	749	6.4	66	1	1	4	7	12	19	56
20-34	2493	6.5	49	1	2	5	7	13	19	33
35-49	3693	6.5	35	1	2	5	8	12	17	31
50-64	6494	6.9	41	2	2	5	8	13	18	35
65+	18396	8.3	56	2	3	6	10	16	21	40
TOT. SINGLE DX	4227	4.6	17	<1	1	4	6	8	11	20
" MULTIPLE DX	31825	7.6	51	2	2	6	9	15	20	37
TOTAL 0-19 YRS	1171	5.5	49	1	1	4	6	11	15	43
20-34	3487	6.0	41	1	2	4	7	11	16	31
35-49	4606	6.1	33	1	2	5	7	12	16	30
50-64	7462	6.6	38	1	2	5	8	12	17	33
65+	19326	8.1	55	2	2	6	10	15	20	39
GRAND TOTAL	**36052**	**7.2**	**48**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3676	1.5		<1	<1	1	2	3	3	5
20-34	6205	2.0	1	1	1	2	3	3	4	5
35-49	6053	2.1	1	1	1	2	3	4	4	6
50-64	7721	2.3	1	1	1	2	3	4	5	7
65+	5742	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	2363	2.2	25	<1	<1	1	2	4	5	19
20-34	2703	2.5	4	1	1	2	3	4	6	10
35-49	3989	2.8	6	1	1	2	3	5	6	11
50-64	8255	3.2	8	1	1	3	4	6	7	14
65+	14481	4.3	21	1	1	3	5	8	12	23
TOT. SINGLE DX	29397	2.1	2	<1	1	2	3	4	5	6
" MULTIPLE DX	31791	3.5	15	1	1	3	4	6	9	18
TOTAL 0-19 YRS	6039	1.8	11	<1	<1	1	2	3	4	8
20-34	8908	2.1	2	1	1	2	3	4	4	7
35-49	10042	2.4	3	1	1	2	3	4	5	8
50-64	15976	2.7	5	1	1	2	3	5	6	11
65+	20223	3.8	16	1	1	3	4	7	10	20
GRAND TOTAL	**61188**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1157	1.4		<1	<1	1	2	2	3	4
20-34	609	2.4	1	1	1	2	3	4	5	6
35-49	891	2.5	1	1	1	2	3	4	5	6
50-64	1248	2.7	2	1	1	2	3	5	5	7
65+	821	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	1394	3.4	86	<1	<1	1	2	4	12	99+
20-34	363	2.6	2	1	1	2	4	5	5	7
35-49	771	2.9	3	1	1	2	4	5	6	11
50-64	1484	3.4	5	1	1	3	4	6	7	12
65+	2057	4.6	15	1	1	4	5	9	11	21
TOT. SINGLE DX	4726	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	6069	3.7	28	1	1	3	4	6	9	28
TOTAL 0-19 YRS	2551	2.5	49	<1	<1	1	2	3	5	69
20-34	972	2.5	2	1	1	2	3	4	5	7
35-49	1662	2.7	3	1	1	2	4	5	5	8
50-64	2732	3.1	4	1	1	3	4	5	6	10
65+	2878	4.1	13	1	1	3	5	7	10	18
GRAND TOTAL	**10795**	**3.1**	**17**	**1**	**1**	**2**	**4**	**5**	**7**	**15**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.1	1	<1	<1	2	3	4	5	99+
20-34	194	2.2	1	1	1	2	3	4	5	7
35-49	266	2.4	2	1	1	2	3	4	5	7
50-64	279	2.7	3	1	1	2	4	5	6	9
65+	425	4.0	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	18	2.8	3	1	1	3	4	5	6	7
20-34	97	2.7	3	1	1	2	3	5	6	10
35-49	172	3.0	5	1	1	3	4	5	6	14
50-64	319	4.2	18	1	1	3	5	8	11	22
65+	1196	7.2	43	1	2	5	9	14	19	36
TOT. SINGLE DX	1194	3.0	5	1	1	2	4	5	7	13
" MULTIPLE DX	1802	6.0	36	1	1	4	7	13	17	32
TOTAL 0-19 YRS	48	2.4	2	<1	1	2	3	5	5	99+
20-34	291	2.4	2	1	1	2	3	4	5	8
35-49	438	2.7	3	1	1	2	3	5	6	10
50-64	598	3.5	12	1	1	3	4	6	8	18
65+	1621	6.4	36	1	2	5	8	13	17	31
GRAND TOTAL	**2996**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	530	1.6	1	<1	<1	1	2	3	3	7
20-34	439	2.0	1	<1	1	2	3	4	4	6
35-49	753	2.2	2	<1	1	2	3	4	5	6
50-64	620	2.6	2	<1	1	2	3	5	6	8
65+	279	3.2	4	<1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	250	3.8	77	<1	<1	1	3	6	11	49
20-34	332	3.5	13	1	1	3	4	6	8	21
35-49	859	3.8	12	1	1	3	5	7	10	18
50-64	1044	4.7	20	1	1	4	6	9	13	22
65+	1077	6.5	43	1	2	5	8	13	18	35
TOT. SINGLE DX	2621	2.2	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	3562	4.9	30	1	1	3	6	10	14	29
TOTAL 0-19 YRS	780	2.3	27	<1	<1	1	2	4	6	27
20-34	771	2.7	7	<1	1	2	3	5	6	15
35-49	1612	3.1	8	1	1	2	4	6	8	14
50-64	1664	3.9	15	1	1	3	5	8	10	19
65+	1356	5.8	37	1	1	4	7	11	16	31
GRAND TOTAL	**6183**	**3.7**	**20**	**<1**	**1**	**3**	**4**	**7**	**10**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	188	1.9	1	<1	<1	1	2	4	4	7
20-34	881	2.8	3	1	1	2	4	5	6	9
35-49	1694	3.5	4	1	1	3	5	6	7	10
50-64	1853	3.8	4	1	1	3	5	7	8	10
65+	1345	4.4	6	1	1	4	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	118	4.7	62	<1	1	3	5	9	15	83
20-34	752	4.3	10	1	1	4	5	8	10	16
35-49	2246	5.5	18	1	2	5	7	10	12	20
50-64	3495	5.8	18	1	2	5	7	10	13	23
65+	4444	7.1	36	2	2	6	9	13	17	32
TOT. SINGLE DX	5961	3.6	5	1	1	3	5	6	8	11
" MULTIPLE DX	11055	6.2	26	1	2	5	8	11	15	26
TOTAL 0-19 YRS	306	3.0	27	<1	<1	2	3	5	7	25
20-34	1633	3.5	7	1	1	3	5	6	8	13
35-49	3940	4.6	13	1	1	4	6	8	10	18
50-64	5348	5.1	15	1	2	4	6	9	11	20
65+	5789	6.5	31	1	2	5	8	12	15	27
GRAND TOTAL	**17016**	**5.3**	**20**	**1**	**2**	**4**	**7**	**10**	**12**	**23**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	6.0	9	1	2	6	7	10	12	14
20-34	38	4.9	16	1	1	4	7	10	11	22
35-49	60	6.5	10	2	3	6	8	11	12	14
50-64	65	6.6	11	1	2	6	9	11	13	15
65+	69	7.5	11	2	3	8	9	12	12	19
2. MULTIPLE DX										
0-19 YRS	90	13.6	250	3	4	9	15	33	77	99+
20-34	130	9.6	115	2	3	7	10	15	27	88
35-49	284	8.9	38	4	4	7	10	14	18	38
50-64	438	9.9	62	4	5	8	11	16	22	42
65+	636	13.0	85	5	6	10	15	25	32	71
TOT. SINGLE DX	257	6.5	12	1	2	6	8	11	12	15
" MULTIPLE DX	1578	11.2	85	4	5	9	13	20	28	68
TOTAL 0-19 YRS	115	12.0	208	2	3	8	13	27	42	99+
20-34	168	8.5	97	1	2	7	9	13	23	82
35-49	344	8.5	34	3	4	7	10	14	17	33
50-64	503	9.5	57	3	4	8	10	15	19	42
65+	705	12.5	81	5	5	10	14	23	32	68
GRAND TOTAL	**1835**	**10.5**	**78**	**3**	**4**	**8**	**12**	**18**	**26**	**62**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	375	3.6	11	<1	1	2	5	8	10	16
20-34	673	3.9	13	<1	1	3	5	8	10	17
35-49	519	4.5	12	1	1	4	6	9	11	17
50-64	447	5.7	25	1	1	4	8	12	16	26
65+	280	6.3	45	1	1	5	8	12	16	28
2. MULTIPLE DX										
0-19 YRS	550	7.5	73	1	1	5	9	15	24	53
20-34	1280	7.7	73	1	2	5	9	15	22	46
35-49	2118	9.9	101	1	2	7	12	20	29	56
50-64	3418	10.3	80	2	2	8	13	21	27	46
65+	4936	12.1	103	2	3	9	15	24	32	57
TOT. SINGLE DX	2294	4.7	20	<1	1	3	6	10	12	21
" MULTIPLE DX	12302	10.5	95	1	2	8	13	21	29	53
TOTAL 0-19 YRS	925	5.9	52	<1	1	4	7	12	17	41
20-34	1953	6.4	56	1	1	5	8	13	18	41
35-49	2637	8.9	89	1	2	6	11	18	26	52
50-64	3865	9.7	76	1	2	8	12	20	26	44
65+	5216	11.8	102	2	3	9	15	23	31	57
GRAND TOTAL	**14596**	**9.6**	**87**	**1**	**2**	**7**	**12**	**20**	**27**	**51**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	583	4.9	10	2	2	4	6	9	11	16
20-34	1217	4.9	9	1	2	4	5	8	10	16
35-49	510	6.4	16	2	3	5	8	11	14	22
50-64	328	8.3	34	2	4	7	10	15	17	25
65+	212	8.9	25	2	3	8	11	14	18	28
2. MULTIPLE DX										
0-19 YRS	958	8.1	65	2	3	6	9	15	23	46
20-34	2604	8.0	72	2	3	5	9	15	22	51
35-49	1660	11.0	116	3	4	8	12	21	32	63
50-64	1725	13.9	140	4	5	10	16	28	39	70
65+	2554	16.0	137	5	6	13	20	29	40	69
TOT. SINGLE DX	2850	5.8	17	2	2	5	7	10	13	21
" MULTIPLE DX	9501	11.8	120	3	4	8	14	24	34	62
TOTAL 0-19 YRS	1541	6.9	47	2	2	5	8	12	18	38
20-34	3821	7.0	54	2	3	5	8	12	18	46
35-49	2170	9.9	97	2	3	7	11	19	28	59
50-64	2053	13.0	128	4	5	10	15	25	37	65
65+	2766	15.5	133	5	6	12	19	28	39	67
GRAND TOTAL	**12351**	**10.4**	**103**	**2**	**3**	**7**	**12**	**21**	**30**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	839	2.8	4	<1	<1	2	4	6	7	10
20-34	3017	2.4	4	<1	<1	2	3	5	6	10
35-49	558	2.3	4	<1	<1	1	3	5	6	10
50-64	66	2.3	4	<1	<1	1	2	6	7	10
65+	29	2.6	8	<1	<1	1	3	7	10	12
2. MULTIPLE DX										
0-19 YRS	970	3.6	8	<1	1	3	5	7	8	13
20-34	4911	3.2	11	<1	<1	2	4	7	8	15
35-49	1205	3.6	16	<1	<1	2	5	7	10	20
50-64	210	5.8	68	<1	1	3	7	13	20	34
65+	175	8.0	72	1	1	5	11	19	26	38
TOT. SINGLE DX	4509	2.5	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	7471	3.5	16	<1	<1	2	5	7	10	18
TOTAL 0-19 YRS	1809	3.2	7	<1	1	2	4	6	8	12
20-34	7928	2.9	9	<1	<1	2	4	6	8	13
35-49	1763	3.2	13	<1	<1	2	4	7	9	16
50-64	276	4.9	55	<1	1	2	6	11	16	30
65+	204	7.2	67	1	1	4	10	18	24	36
GRAND TOTAL	**11980**	**3.1**	**12**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	282	6.1	19	1	2	6	8	10	12	15
20-34	925	5.6	13	1	1	5	7	10	12	19
35-49	790	7.2	23	1	2	6	9	13	15	25
50-64	656	8.3	20	2	3	8	10	14	16	25
65+	456	9.5	27	2	4	9	11	16	20	29
2. MULTIPLE DX										
0-19 YRS	734	11.3	175	2	3	7	13	23	37	92
20-34	3371	6.6	50	1	2	5	7	12	17	35
35-49	2974	9.0	67	2	3	7	11	18	25	46
50-64	2991	12.3	114	2	3	10	15	24	33	60
65+	4837	14.9	118	4	6	12	18	27	36	64
TOT. SINGLE DX	3109	7.2	22	1	2	7	9	12	15	24
" MULTIPLE DX	14907	11.2	105	2	3	8	14	22	30	57
TOTAL 0-19 YRS	1016	9.9	138	2	2	7	11	18	31	71
20-34	4296	6.4	43	1	2	5	7	12	16	31
35-49	3764	8.6	59	2	3	7	10	16	22	42
50-64	3647	11.6	100	2	3	9	14	22	30	56
65+	5293	14.5	113	4	6	12	18	26	35	62
GRAND TOTAL	18016	10.5	93	2	3	8	13	21	28	53

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	7.7	37	3	3	6	9	12	15	39
20-34	155	6.2	3	4	5	7	8	9	10	13
35-49	230	7.7	5	5	5	7	9	11	13	15
50-64	302	8.5	7	5	6	8	10	12	14	18
65+	233	9.2	11	5	6	9	11	13	16	20
2. MULTIPLE DX										
0-19 YRS	327	9.4	57	3	4	7	11	19	26	57
20-34	409	11.1	104	4	5	8	12	20	34	58
35-49	630	10.9	59	5	5	9	12	18	23	51
50-64	1377	11.9	60	5	6	10	14	20	25	42
65+	2268	14.1	91	6	7	11	16	24	31	58
TOT. SINGLE DX	1018	8.2	11	4	5	8	9	12	14	19
" MULTIPLE DX	5011	12.5	80	5	6	10	15	22	29	53
TOTAL 0-19 YRS	425	9.0	53	3	4	7	10	17	25	53
20-34	564	9.9	80	4	5	7	10	17	28	55
35-49	860	10.0	47	5	5	8	11	16	21	41
50-64	1679	11.3	53	5	6	9	13	18	24	39
65+	2501	13.7	86	6	7	11	16	23	30	54
GRAND TOTAL	6029	11.8	71	5	6	9	14	21	26	50

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	667	4.7	13	1	1	4	6	10	12	19
20-34	741	5.4	17	1	1	5	7	10	13	21
35-49	677	5.5	16	1	1	5	8	10	12	18
50-64	588	5.7	17	1	1	5	8	11	13	21
65+	313	5.9	17	1	1	5	8	11	13	21
2. MULTIPLE DX										
0-19 YRS	1081	9.3	77	1	2	7	12	20	28	46
20-34	1689	9.5	75	1	2	7	12	20	26	46
35-49	1980	10.0	79	1	2	8	13	20	27	46
50-64	2131	10.1	93	1	2	8	13	20	27	53
65+	2712	11.2	97	1	2	9	15	22	30	50
TOT. SINGLE DX	2986	5.4	16	1	1	5	7	10	13	20
" MULTIPLE DX	9593	10.2	87	1	2	8	13	21	28	49
TOTAL 0-19 YRS	1748	7.6	58	1	2	5	9	16	22	42
20-34	2430	8.2	61	1	1	6	10	18	23	41
35-49	2657	8.9	68	1	2	7	11	18	24	42
50-64	2719	9.1	80	1	2	7	11	18	24	47
65+	3025	10.7	92	1	2	8	14	22	29	49
GRAND TOTAL	12579	9.1	75	1	2	7	11	19	25	44

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	5.0	11	1	1	5	7	8	12	16
20-34	385	5.2	9	1	1	5	7	9	11	14
35-49	541	5.5	13	1	1	5	7	10	12	16
50-64	463	6.1	14	1	1	6	8	11	13	18
65+	212	6.8	15	1	1	7	9	11	14	20
2. MULTIPLE DX										
0-19 YRS	67	6.3	27	1	1	5	8	12	16	26
20-34	395	7.0	21	1	2	6	9	12	16	25
35-49	685	7.8	48	1	2	7	10	14	19	34
50-64	986	8.5	48	1	2	7	11	16	21	42
65+	1121	11.0	75	2	2	9	14	21	26	48
TOT. SINGLE DX	1633	5.7	13	1	1	5	8	10	12	17
" MULTIPLE DX	3254	9.0	56	1	2	7	11	17	22	41
TOTAL 0-19 YRS	99	5.9	22	1	1	5	8	11	14	26
20-34	780	6.1	16	1	2	6	8	11	13	20
35-49	1226	6.8	34	1	2	6	9	12	16	25
50-64	1449	7.7	39	1	2	7	10	14	18	33
65+	1333	10.3	69	1	2	8	13	20	24	47
GRAND TOTAL	**4887**	**7.9**	**44**	**1**	**2**	**7**	**10**	**15**	**19**	**35**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	550	6.1	5	3	4	6	7	9	10	14
20-34	51	6.5	8	2	2	6	9	10	11	12
35-49	31	8.9	14	2	4	8	11	14	15	18
50-64	28	10.6	42	2	3	10	13	20	26	27
65+	25	11.1	41	3	6	10	12	17	26	34
2. MULTIPLE DX										
0-19 YRS	737	8.3	30	3	4	7	9	13	16	28
20-34	142	10.6	36	3	5	9	13	17	22	36
35-49	159	12.4	50	5	7	10	15	21	29	42
50-64	192	16.6	135	5	7	13	19	34	42	69
65+	357	17.7	182	5	7	14	21	29	42	84
TOT. SINGLE DX	685	6.6	10	3	3	6	8	10	12	18
" MULTIPLE DX	1587	12.0	96	4	5	9	14	22	29	56
TOTAL 0-19 YRS	1287	7.4	21	3	4	7	8	11	14	25
20-34	193	9.6	32	2	4	9	12	16	20	32
35-49	190	11.8	46	5	6	10	14	20	26	41
50-64	220	15.9	127	4	6	13	19	32	41	63
65+	382	17.3	176	5	7	13	21	29	40	84
GRAND TOTAL	**2272**	**10.4**	**76**	**3**	**4**	**8**	**12**	**19**	**26**	**49**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	222	4.2	9	1	1	4	6	8	11	15
20-34	1811	3.3	4	1	1	3	4	6	7	10
35-49	2547	3.3	4	1	1	3	4	6	7	11
50-64	1597	3.5	5	1	1	3	5	6	8	12
65+	567	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	249	6.8	31	1	2	5	9	13	16	30
20-34	1127	4.6	14	1	1	4	6	9	11	19
35-49	1747	4.8	14	1	1	4	6	9	11	20
50-64	1877	5.5	27	1	1	4	7	11	14	23
65+	1899	7.1	47	1	2	5	9	14	19	36
TOT. SINGLE DX	6744	3.4	5	1	1	3	4	6	8	12
" MULTIPLE DX	6899	5.7	29	1	1	4	7	11	15	27
TOTAL 0-19 YRS	471	5.6	23	1	1	4	8	11	14	23
20-34	2938	3.8	9	1	1	3	5	7	9	14
35-49	4294	3.9	9	1	1	3	5	7	9	15
50-64	3474	4.6	18	1	1	4	6	9	11	19
65+	2466	6.3	40	1	1	5	8	13	17	32
GRAND TOTAL	**13643**	**4.5**	**18**	**1**	**1**	**3**	**6**	**9**	**11**	**21**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	542	2.5	7	<1	<1	1	3	5	7	11
20-34	1387	3.4	7	<1	1	3	4	6	8	13
35-49	1876	3.4	7	<1	1	3	4	6	8	12
50-64	1680	3.4	8	<1	1	3	5	7	9	14
65+	1228	3.4	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	1044	4.4	31	<1	<1	3	5	9	12	42
20-34	2744	6.4	57	1	1	5	7	12	18	46
35-49	3955	6.4	41	1	1	5	8	13	17	34
50-64	6143	6.9	52	1	1	5	9	14	19	36
65+	14215	9.0	79	1	2	7	11	18	25	50
TOT. SINGLE DX	6713	3.3	8	<1	<1	2	4	7	8	14
" MULTIPLE DX	28101	7.8	66	1	1	6	10	16	22	44
TOTAL 0-19 YRS	1586	3.7	24	<1	<1	2	5	8	11	28
20-34	4131	5.4	43	1	1	4	6	10	14	38
35-49	5831	5.4	32	<1	1	4	7	11	15	30
50-64	7823	6.2	45	<1	1	4	8	12	17	34
65+	15443	8.6	76	1	2	6	11	18	24	49
GRAND TOTAL	**34814**	**6.9**	**58**	**1**	**1**	**5**	**9**	**14**	**20**	**40**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	2.4	1	1	1	3	3	4	4	4
20-34	101	2.5	4	<1	1	2	3	5	6	11
35-49	401	2.2	3	<1	1	2	3	4	5	11
50-64	1502	2.5	4	1	1	2	3	5	6	10
65+	2948	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	53	5.3	26	1	1	4	7	13	21	97
20-34	244	5.0	47	1	1	3	6	10	13	40
35-49	701	4.3	18	1	1	3	5	9	12	23
50-64	3276	4.6	31	1	1	3	5	9	14	28
65+	12705	5.6	37	1	1	3	7	12	16	31
TOT. SINGLE DX	4967	2.7	5	1	1	2	3	5	6	11
" MULTIPLE DX	16979	5.3	36	1	1	4	6	11	16	30
TOTAL 0-19 YRS	68	4.7	23	1	1	3	6	11	17	86
20-34	345	4.3	36	1	1	3	5	9	11	30
35-49	1102	3.5	14	1	1	2	4	8	10	22
50-64	4778	4.0	24	1	1	3	5	8	11	24
65+	15653	5.1	32	1	1	3	6	11	15	29
GRAND TOTAL	**21946**	**4.7**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	4.7	13	1	1	4	7	10	12	18
20-34	192	4.1	8	<1	1	3	6	8	10	13
35-49	332	4.8	13	1	1	4	6	9	10	17
50-64	497	5.6	27	1	1	4	8	12	15	23
65+	554	5.8	31	1	1	4	8	14	17	26
2. MULTIPLE DX										
0-19 YRS	637	9.2	98	1	2	6	11	21	29	71
20-34	524	9.6	132	1	2	7	11	22	33	99
35-49	740	8.0	67	1	2	6	10	16	25	53
50-64	1694	9.1	71	1	2	7	12	18	25	47
65+	5114	10.1	96	1	2	8	13	21	29	59
TOT. SINGLE DX	1744	5.3	23	1	1	4	7	11	14	22
" MULTIPLE DX	8709	9.7	92	1	2	7	12	20	28	58
TOTAL 0-19 YRS	806	8.3	84	1	2	6	10	18	27	62
20-34	716	8.1	105	1	1	5	9	17	27	83
35-49	1072	7.0	53	1	1	5	8	14	20	43
50-64	2191	8.3	64	1	2	6	11	17	22	44
65+	5668	9.7	92	1	2	7	13	20	28	58
GRAND TOTAL	**10453**	**8.9**	**83**	**1**	**2**	**6**	**12**	**19**	**26**	**55**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	1.1		<1	<1	<1	1	2	2	3
20-34	12	2.7	5	<1	<1	2	3	6	9	9
35-49	11	2.4	2	1	1	2	4	5	5	5
50-64	8	1.6	1	<1	<1	1	2	4	4	4
65+	6	2.5	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	78	2.6	4	<1	<1	2	4	6	8	9
20-34	21	7.6	175	<1	<1	4	6	24	46	49
35-49	23	3.4	10	<1	<1	3	4	7	10	15
50-64	45	6.0	56	<1	<1	4	7	17	26	31
65+	77	8.1	79	1	1	5	10	18	31	43
TOT. SINGLE DX	128	1.5	1	<1	<1	<1	1	3	4	6
" MULTIPLE DX	244	5.5	58	<1	<1	3	6	11	19	44
TOTAL 0-19 YRS	169	1.8	3	<1	<1	1	2	4	5	9
20-34	33	5.8	117	<1	<1	2	5	9	39	49
35-49	34	3.1	8	<1	1	2	4	6	8	15
50-64	53	5.3	50	<1	<1	2	6	13	24	31
65+	83	7.7	76	1	1	5	9	18	28	43
GRAND TOTAL	**372**	**4.1**	**42**	**<1**	**<1**	**2**	**5**	**9**	**15**	**37**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1248	3.8	10	<1	1	3	5	8	10	15
20-34	221	3.0	6	<1	<1	2	4	6	8	14
35-49	179	3.7	6	1	1	3	5	7	8	11
50-64	139	3.5	6	<1	1	3	5	7	8	11
65+	154	3.2	6	<1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	748	4.9	23	1	1	3	7	11	14	19
20-34	206	4.4	20	1	1	3	6	9	15	23
35-49	260	5.1	21	1	1	4	7	10	13	31
50-64	337	4.9	21	1	1	4	6	10	13	19
65+	663	5.7	35	1	1	4	7	13	17	31
TOT. SINGLE DX	1941	3.6	9	<1	1	3	5	8	9	14
" MULTIPLE DX	2214	5.2	26	1	1	4	7	11	15	24
TOTAL 0-19 YRS	1996	4.2	15	1	1	3	6	9	11	18
20-34	427	3.7	13	<1	1	3	5	8	10	19
35-49	439	4.6	16	1	1	4	6	8	12	23
50-64	476	4.5	18	1	1	4	6	9	11	18
65+	817	5.3	31	1	1	4	6	11	16	27
GRAND TOTAL	**4155**	**4.4**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	1.5	1	<1	<1	1	2	3	4	6
20-34	104	2.8	6	<1	<1	2	4	6	7	15
35-49	89	2.9	5	<1	<1	2	4	7	8	11
50-64	91	3.3	11	<1	<1	2	4	7	10	18
65+	92	3.0	10	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	249	3.3	25	<1	<1	1	4	7	11	35
20-34	337	5.6	30	<1	1	4	7	11	14	33
35-49	517	6.9	64	1	1	5	9	14	20	58
50-64	704	7.1	53	1	1	5	9	14	20	43
65+	2202	8.9	71	1	2	7	11	18	25	47
TOT. SINGLE DX	493	2.6	7	<1	<1	2	3	6	8	13
" MULTIPLE DX	4009	7.7	64	1	1	6	10	16	23	45
TOTAL 0-19 YRS	366	2.7	19	<1	<1	1	3	6	8	20
20-34	441	5.0	26	<1	<1	4	7	10	12	30
35-49	606	6.3	58	<1	1	4	8	12	18	50
50-64	795	6.7	50	1	1	5	8	13	19	41
65+	2294	8.6	71	1	2	7	11	18	25	46
GRAND TOTAL	**4502**	**7.1**	**60**	**<1**	**1**	**5**	**9**	**15**	**21**	**43**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	1.7	1	<1	<1	1	2	3	5	7
20-34	273	2.3	6	<1	1	2	3	4	5	13
35-49	207	2.3	4	<1	1	2	3	5	6	11
50-64	178	2.6	4	<1	1	2	3	6	7	13
65+	251	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	188	3.0	20	<1	<1	2	3	6	9	27
20-34	376	3.8	50	1	1	2	4	7	12	33
35-49	371	4.4	34	1	1	2	5	10	15	29
50-64	632	5.0	34	1	1	3	6	11	15	38
65+	1820	5.8	41	1	1	4	7	12	17	36
TOT. SINGLE DX	1070	2.4	5	<1	1	2	3	4	6	11
" MULTIPLE DX	3387	5.1	40	1	1	3	6	11	16	35
TOTAL 0-19 YRS	349	2.4	12	<1	<1	1	2	5	7	19
20-34	649	3.2	33	1	1	2	3	6	9	24
35-49	578	3.6	24	1	1	2	4	8	11	26
50-64	810	4.5	29	1	1	3	5	10	13	30
65+	2071	5.4	38	1	1	4	7	11	16	34
GRAND TOTAL	**4457**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**14**	**30**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.8	6	1	1	5	6	6	6	6
20-34	128	5.4	3	2	3	5	6	8	8	13
35-49	618	5.5	3	3	3	5	7	8	9	11
50-64	551	6.0	4	3	4	6	7	8	9	12
65+	240	6.4	5	3	4	6	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	5	7.2	21	2	2	9	13	91	99+	99+
20-34	234	5.9	4	3	3	6	7	8	9	14
35-49	1163	6.2	9	3	4	6	7	9	10	15
50-64	1173	6.7	6	3	4	6	8	10	11	15
65+	844	7.8	16	3	4	7	9	12	15	22
TOT. SINGLE DX	1542	5.8	4	3	4	6	7	8	9	12
" MULTIPLE DX	3419	6.7	10	3	4	6	8	10	12	18
TOTAL 0-19 YRS	10	5.5	16	1	1	6	9	48	96	99+
20-34	362	5.7	4	3	3	5	7	8	9	14
35-49	1781	6.0	8	3	4	6	7	8	10	13
50-64	1724	6.5	6	3	4	6	8	9	10	15
65+	1084	7.5	14	3	4	7	9	11	14	21
GRAND TOTAL	**4961**	**6.4**	**9**	**3**	**4**	**6**	**8**	**9**	**11**	**16**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.3	1	1	1	2	3	4	4	4
20-34	97	4.6	3	2	2	4	6	7	8	10
35-49	442	4.6	3	2	2	4	6	7	8	9
50-64	428	4.8	3	2	2	4	6	8	8	10
65+	246	5.3	5	2	3	5	7	8	10	13
2. MULTIPLE DX										
0-19 YRS	14	6.3	17	1	2	5	8	13	14	15
20-34	122	5.1	9	2	3	4	6	8	9	21
35-49	634	5.5	9	2	3	5	7	9	10	16
50-64	756	5.8	8	3	3	5	7	9	10	15
65+	803	6.5	15	2	3	6	8	10	13	23
TOT. SINGLE DX	1217	4.8	4	2	2	5	6	7	8	11
" MULTIPLE DX	2329	5.9	11	2	3	5	7	9	11	20
TOTAL 0-19 YRS	18	5.4	17	1	1	4	7	12	14	15
20-34	219	4.9	7	2	3	4	6	8	8	16
35-49	1076	5.1	7	2	3	5	6	8	9	15
50-64	1184	5.4	7	2	3	5	7	8	10	13
65+	1049	6.2	13	2	3	5	7	10	13	22
GRAND TOTAL	**3546**	**5.5**	**9**	**2**	**3**	**5**	**7**	**9**	**10**	**17**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	3.5	6	<1	1	3	5	8	9	9
20-34	150	3.6	6	1	1	3	5	7	9	13
35-49	190	3.4	6	1	1	3	4	7	9	12
50-64	145	3.6	8	1	1	3	5	7	9	17
65+	68	3.6	9	<1	1	2	5	8	9	16
2. MULTIPLE DX										
0-19 YRS	51	5.5	16	<1	1	4	7	12	15	17
20-34	227	5.6	33	1	1	4	7	10	16	32
35-49	302	5.4	18	1	1	5	7	10	14	20
50-64	407	7.2	46	1	2	5	9	15	21	34
65+	589	8.5	71	1	2	6	11	18	22	34
TOT. SINGLE DX	570	3.5	7	1	1	3	5	7	9	13
" MULTIPLE DX	1576	7.1	49	1	2	5	9	15	19	31
TOTAL 0-19 YRS	68	5.0	15	<1	1	4	7	10	15	17
20-34	377	4.8	24	1	1	4	6	9	12	22
35-49	492	4.6	15	1	1	4	6	9	12	20
50-64	552	6.3	39	1	1	4	8	14	18	31
65+	657	8.0	67	1	1	6	11	17	20	34
GRAND TOTAL	**2146**	**6.1**	**40**	**1**	**1**	**4**	**8**	**13**	**18**	**30**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	2.7	3	1	1	2	3	6	6	10
20-34	487	2.2	2	1	1	2	2	4	5	9
35-49	932	2.1	2	1	1	2	2	3	5	11
50-64	808	2.2	3	1	1	2	2	4	5	9
65+	409	2.7	7	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	42	4.7	26	1	1	3	6	10	19	22
20-34	265	4.7	19	1	1	3	7	12	14	22
35-49	485	4.2	20	1	1	2	5	9	14	23
50-64	619	4.4	23	1	1	2	5	10	14	25
65+	632	6.4	72	1	1	3	8	15	22	36
TOT. SINGLE DX	2681	2.2	4	1	1	2	2	4	5	10
" MULTIPLE DX	2043	5.0	38	1	1	3	6	12	17	32
TOTAL 0-19 YRS	87	3.7	15	1	1	2	5	7	11	21
20-34	752	3.1	10	1	1	2	3	7	10	16
35-49	1417	2.8	10	1	1	2	3	5	8	18
50-64	1427	3.1	14	1	1	2	3	6	10	19
65+	1041	5.0	50	1	1	2	5	11	17	35
GRAND TOTAL	**4724**	**3.4**	**21**	**1**	**1**	**2**	**3**	**7**	**11**	**23**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.8	1	1	1	3	3	5	5	5
20-34	8	3.1	3	1	1	3	4	6	6	6
35-49	131	4.2	3	2	2	4	5	6	7	12
50-64	3509	4.4	3	2	2	4	5	6	7	10
65+	7166	4.8	4	2	3	5	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	49	5.6	15	1	2	5	7	11	14	18
20-34	25	7.6	29	2	2	7	10	17	18	20
35-49	401	5.7	32	2	2	4	6	10	13	21
50-64	11604	5.7	18	2	3	5	6	9	12	22
65+	46818	7.2	36	3	3	5	8	13	17	32
TOT. SINGLE DX	10823	4.6	4	2	3	4	5	7	8	11
" MULTIPLE DX	58897	6.9	34	2	3	5	8	12	16	31
TOTAL 0-19 YRS	58	5.1	14	1	2	4	6	10	14	18
20-34	33	6.5	26	1	2	5	9	16	18	20
35-49	532	5.3	26	2	2	4	6	10	12	20
50-64	15113	5.4	15	2	3	5	6	9	11	20
65+	53984	6.8	33	2	3	5	8	12	16	31
GRAND TOTAL	**69720**	**6.5**	**30**	**2**	**3**	**5**	**7**	**11**	**15**	**29**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	16	7.4	21	1	2	7	9	10	18	22
50-64	432	9.3	11	5	6	9	11	14	16	20
65+	580	9.0	10	5	6	8	11	13	15	19
2. MULTIPLE DX										
0-19 YRS	9	5.2	22	1	1	3	7	13	16	16
20-34	4	21.8	187	11	11	17	31	41	41	41
35-49	25	12.1	108	1	5	9	15	23	36	50
50-64	1033	10.3	21	5	6	9	12	16	19	26
65+	3259	11.4	34	5	6	10	13	18	22	32
TOT. SINGLE DX	1031	9.1	11	5	6	9	11	13	16	20
" MULTIPLE DX	4330	11.2	32	5	6	10	13	18	22	31
TOTAL 0-19 YRS	11	5.8	25	1	2	3	8	15	16	16
20-34	5	17.6	227	1	1	13	27	41	41	41
35-49	41	10.3	79	1	3	8	10	21	27	50
50-64	1465	10.0	19	5	6	9	12	16	18	24
65+	3839	11.1	32	5	6	10	13	17	22	31
GRAND TOTAL	**5361**	**10.8**	**29**	**5**	**6**	**9**	**13**	**17**	**21**	**30**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.8	26	1	1	2	5	13	13	13
20-34	13	2.6	9	<1	<1	2	3	6	11	12
35-49	73	1.9	2	<1	<1	1	2	3	5	9
50-64	575	1.8	1	<1	<1	1	2	3	4	7
65+	864	2.0	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	11	10.6	166	1	1	8	11	31	44	45
20-34	22	5.7	75	<1	<1	3	5	13	27	40
35-49	109	4.3	22	1	1	3	5	9	11	27
50-64	1013	4.3	29	<1	1	2	5	10	14	27
65+	2954	5.5	40	1	1	3	7	13	17	30
TOT. SINGLE DX	1530	1.9	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	4109	5.2	38	1	1	3	7	12	17	30
TOTAL 0-19 YRS	16	8.5	129	1	1	3	10	21	38	45
20-34	35	4.6	52	<1	<1	2	4	10	17	40
35-49	182	3.4	16	<1	1	2	4	8	9	24
50-64	1588	3.4	21	<1	<1	2	4	8	11	23
65+	3818	4.7	34	<1	1	2	6	11	15	27
GRAND TOTAL	**5639**	**4.3**	**31**	**<1**	**1**	**2**	**5**	**10**	**15**	**26**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	311	1.9	5	<1	1	1	2	4	5	11
20-34	255	2.5	19	<1	<1	2	3	5	6	9
35-49	209	2.6	4	<1	1	2	3	5	7	10
50-64	204	2.5	5	<1	1	2	3	5	7	13
65+	126	2.3	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	218	2.7	11	<1	<1	2	3	6	8	18
20-34	207	5.1	77	1	1	3	5	9	13	51
35-49	253	4.8	22	1	1	3	6	11	16	22
50-64	346	5.4	59	1	1	3	6	13	17	43
65+	431	6.6	72	1	1	4	8	15	22	40
TOT. SINGLE DX	1105	2.3	8	<1	1	2	3	5	6	11
" MULTIPLE DX	1455	5.2	54	1	1	3	6	11	17	33
TOTAL 0-19 YRS	529	2.2	8	<1	<1	1	2	5	6	12
20-34	462	3.6	47	<1	1	2	4	7	9	29
35-49	462	3.8	16	1	1	3	5	8	12	21
50-64	550	4.3	41	1	1	2	4	10	14	33
65+	557	5.6	61	1	1	3	7	12	18	40
GRAND TOTAL	**2560**	**4.0**	**36**	**<1**	**1**	**2**	**4**	**8**	**13**	**29**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	418	1.9	1	<1	1	1	2	3	5	7
20-34	613	2.3	3	1	1	2	3	4	5	12
35-49	275	2.5	5	1	1	2	3	5	8	12
50-64	202	2.7	6	<1	1	2	3	6	9	14
65+	523	2.4	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	404	2.6	22	<1	1	2	3	5	7	14
20-34	400	4.3	28	1	1	2	5	10	13	27
35-49	277	4.5	28	1	1	3	5	10	14	32
50-64	586	5.7	46	1	1	3	8	12	18	32
65+	3212	6.6	59	1	1	4	9	15	21	35
TOT. SINGLE DX	2031	2.3	4	1	1	2	3	4	6	11
" MULTIPLE DX	4879	5.9	52	1	1	3	8	14	19	34
TOTAL 0-19 YRS	822	2.3	12	<1	1	2	2	4	6	12
20-34	1013	3.1	14	1	1	2	3	6	10	17
35-49	552	3.5	18	1	1	2	4	7	11	21
50-64	788	5.0	38	1	1	3	6	11	16	30
65+	3735	6.0	54	1	1	3	8	15	19	34
GRAND TOTAL	**6910**	**4.8**	**41**	**1**	**1**	**3**	**6**	**12**	**16**	**31**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1866	1.5		<1	<1	1	2	2	3	5
20-34	269	1.6	1	<1	1	1	2	3	3	6
35-49	31	2.0	1	<1	1	2	3	3	4	5
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	5	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	1163	1.9	6	<1	1	1	2	3	4	8
20-34	102	2.6	3	<1	1	2	3	5	6	10
35-49	25	2.3	2	<1	<1	2	3	4	5	7
50-64	4	3.5	11	1	1	3	6	8	8	8
65+	6	4.5	27	1	1	3	3	14	15	15
TOT. SINGLE DX	2174	1.5	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	1300	2.0	7	<1	1	1	2	4	4	9
TOTAL 0-19 YRS	3029	1.6	3	<1	<1	1	2	3	3	7
20-34	371	1.9	2	<1	1	1	2	3	5	8
35-49	56	2.1	2	<1	1	2	3	4	5	7
50-64	7	3.1	6	1	1	3	4	7	8	8
65+	11	3.4	15	1	1	2	3	8	14	15
GRAND TOTAL	**3474**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	1.4	1	<1	<1	1	2	2	3	6
20-34	172	2.0	2	<1	<1	1	2	4	5	8
35-49	70	1.6		<1	<1	1	2	3	3	4
50-64	34	1.9	2	<1	<1	1	2	3	5	9
65+	13	2.4	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	215	2.1	10	<1	1	1	2	3	6	10
20-34	116	2.8	9	<1	1	2	3	6	8	18
35-49	83	3.8	92	<1	<1	2	4	6	8	63
50-64	52	4.4	21	1	1	3	5	9	11	30
65+	39	6.7	57	1	1	4	9	16	25	32
TOT. SINGLE DX	675	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	505	3.1	30	<1	1	2	3	6	9	25
TOTAL 0-19 YRS	601	1.7	4	<1	1	1	2	3	3	8
20-34	288	2.3	5	<1	<1	2	3	4	6	14
35-49	153	2.8	52	<1	<1	2	3	4	6	13
50-64	86	3.4	15	<1	1	2	4	9	10	23
65+	52	5.6	47	1	1	3	6	15	22	32
GRAND TOTAL	**1180**	**2.3**	**14**	**<1**	**1**	**1**	**2**	**4**	**6**	**15**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	88	1.1		<1	<1	<1	<1	1	1	4
35-49	77	1.2		<1	<1	<1	<1	1	3	4
50-64	3	2.0	3	<1	<1	<1	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	51	3.1	29	<1	<1	1	2	7	11	28
35-49	38	1.8	2	<1	<1	1	2	3	5	9
50-64	9	4.9	11	1	1	4	8	10	10	10
65+	11	9.3	46	2	3	9	12	21	23	23
TOT. SINGLE DX	172	1.2		<1	<1	<1	<1	1	2	4
" MULTIPLE DX	110	3.4	24	<1	<1	1	3	9	11	27
TOTAL 0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	139	1.8	12	<1	<1	<1	1	2	6	27
35-49	115	1.4	1	<1	<1	<1	1	2	3	7
50-64	12	4.2	10	<1	<1	3	6	9	10	10
65+	12	8.8	44	2	3	7	11	20	23	23
GRAND TOTAL	**282**	**2.0**	**11**	**<1**	**<1**	**<1**	**1**	**4**	**8**	**22**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	639	1.5		<1	<1	1	2	2	3	5
20-34	750	1.7	2	<1	1	1	2	3	4	8
35-49	693	1.6	1	<1	<1	1	2	3	4	5
50-64	535	1.8	1	<1	1	1	2	3	4	6
65+	247	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	394	1.7	5	<1	<1	1	2	3	4	8
20-34	630	2.0	4	<1	1	1	2	4	5	11
35-49	559	2.4	11	<1	1	1	3	4	7	15
50-64	597	2.8	8	1	1	2	3	6	7	16
65+	602	3.6	16	1	1	3	4	8	10	19
TOT. SINGLE DX	2864	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	2782	2.6	10	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	1033	1.6	3	<1	<1	1	2	3	3	6
20-34	1380	1.9	3	<1	1	1	2	3	4	9
35-49	1252	1.9	6	<1	<1	1	2	3	5	11
50-64	1132	2.4	5	<1	1	2	3	4	6	11
65+	849	3.2	12	1	1	2	4	7	9	17
GRAND TOTAL	**5646**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	694	1.6	5	<1	<1	<1	1	2	4	14
20-34	156	1.3		<1	<1	1	1	2	2	7
35-49	127	1.2		<1	<1	1	1	2	2	4
50-64	89	1.3		<1	<1	1	1	2	2	5
65+	59	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	400	5.2	69	<1	<1	1	5	15	24	48
20-34	144	2.4	9	<1	<1	1	2	6	9	16
35-49	257	3.8	31	<1	<1	2	4	8	13	25
50-64	328	3.1	13	<1	<1	2	4	7	10	21
65+	405	4.9	28	<1	1	3	7	12	15	25
TOT. SINGLE DX	1125	1.5	3	<1	<1	1	1	2	3	11
" MULTIPLE DX	1534	4.2	36	<1	<1	2	5	11	15	29
TOTAL 0-19 YRS	1094	2.9	32	<1	<1	1	2	6	14	31
20-34	300	1.9	5	<1	<1	1	2	3	7	14
35-49	384	2.9	23	<1	<1	1	2	7	11	24
50-64	417	2.7	11	<1	<1	1	3	6	8	18
65+	464	4.5	26	<1	1	2	6	11	15	25
GRAND TOTAL	**2659**	**3.0**	**24**	**<1**	**<1**	**1**	**2**	**7**	**12**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	2.4	4	<1	<1	2	3	5	7	11
20-34	154	3.0	6	<1	<1	2	4	7	8	12
35-49	277	3.8	18	1	1	3	4	6	10	29
50-64	664	2.9	3	1	1	3	4	5	6	10
65+	383	2.9	5	1	1	2	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	208	3.3	14	<1	<1	2	4	7	9	18
20-34	319	6.2	56	1	1	4	7	13	22	40
35-49	713	4.7	29	1	1	3	5	9	14	32
50-64	1607	4.0	21	1	1	3	5	7	9	17
65+	1116	4.2	23	1	1	3	5	8	11	21
TOT. SINGLE DX	1672	3.0	7	<1	1	2	4	5	7	13
" MULTIPLE DX	3963	4.3	26	1	1	3	5	8	11	26
TOTAL 0-19 YRS	402	2.9	10	<1	<1	2	4	6	8	12
20-34	473	5.1	42	<1	1	3	6	11	17	34
35-49	990	4.4	27	1	1	3	5	8	13	32
50-64	2271	3.7	17	1	1	3	4	6	8	17
65+	1499	3.8	19	1	1	3	4	7	9	20
GRAND TOTAL	**5635**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	629	4.1	2	2	2	4	5	6	7	9
20-34	2318	4.1	2	2	2	4	5	6	7	9
35-49	343	4.5	3	2	3	4	5	6	7	10
50-64	46	6.0	7	2	3	6	7	10	11	12
65+	24	7.3	10	4	4	6	8	12	15	17
2. MULTIPLE DX										
0-19 YRS	839	5.0	15	2	3	5	6	7	8	14
20-34	4943	4.8	6	2	3	4	6	7	8	13
35-49	1103	5.4	12	2	3	5	6	8	10	20
50-64	163	9.9	84	3	4	8	12	16	21	48
65+	219	12.8	107	4	5	9	15	25	32	68
TOT. SINGLE DX	3360	4.2	3	2	2	4	5	6	7	10
" MULTIPLE DX	7267	5.3	16	2	3	5	6	8	10	20
TOTAL 0-19 YRS	1468	4.6	10	2	3	4	5	7	8	11
20-34	7261	4.6	5	2	3	4	5	7	8	12
35-49	1446	5.2	10	2	3	5	6	8	10	17
50-64	209	9.0	70	3	4	7	11	15	19	45
65+	243	12.2	101	4	5	9	14	24	31	58
GRAND TOTAL	**10627**	**4.9**	**12**	**2**	**3**	**4**	**6**	**7**	**9**	**17**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	373	4.6	2	3	3	4	5	7	8	10
20-34	1908	4.5	2	2	3	4	5	6	7	11
35-49	870	4.8	3	3	3	4	5	7	8	13
50-64	145	5.7	7	3	3	5	6	9	12	15
65+	64	6.5	15	2	3	6	7	10	14	23
2. MULTIPLE DX										
0-19 YRS	524	5.5	10	3	3	5	6	8	10	19
20-34	5419	5.2	5	3	3	5	6	7	9	15
35-49	2999	5.6	8	3	3	5	6	8	11	18
50-64	447	8.6	39	3	4	6	10	16	20	35
65+	452	11.1	53	4	5	9	14	21	25	36
TOT. SINGLE DX	3360	4.7	4	3	3	4	5	7	8	12
" MULTIPLE DX	9841	5.8	13	3	3	5	6	9	12	21
TOTAL 0-19 YRS	897	5.1	7	3	3	5	6	8	9	16
20-34	7327	5.0	5	3	3	5	6	7	9	14
35-49	3869	5.4	8	3	3	5	6	8	10	17
50-64	592	7.9	33	3	4	6	9	14	18	32
65+	516	10.5	51	4	5	8	13	20	25	36
GRAND TOTAL	**13201**	**5.5**	**11**	**3**	**3**	**5**	**6**	**8**	**11**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.7	4	3	3	4	6	8	9	9
20-34	197	4.7	3	2	3	4	5	6	8	13
35-49	377	5.3	4	3	3	5	6	8	9	13
50-64	240	5.8	6	3	4	5	7	8	9	20
65+	108	7.1	38	4	4	6	8	9	14	38
2. MULTIPLE DX										
0-19 YRS	20	6.2	8	3	3	5	7	11	12	13
20-34	1311	5.3	7	3	3	5	6	8	9	16
35-49	2732	5.9	10	3	4	5	7	9	11	20
50-64	980	8.1	31	4	4	7	10	14	18	31
65+	843	10.7	61	4	5	8	12	19	24	50
TOT. SINGLE DX	931	5.5	9	3	3	5	6	8	9	15
" MULTIPLE DX	5886	6.9	24	3	4	6	7	11	15	26
TOTAL 0-19 YRS	29	5.7	7	3	3	5	7	10	12	13
20-34	1508	5.3	7	3	3	5	6	7	9	16
35-49	3109	5.9	10	3	3	5	6	8	11	18
50-64	1220	7.7	27	3	4	6	9	13	17	27
65+	951	10.3	60	4	5	8	12	19	24	50
GRAND TOTAL	**6817**	**6.7**	**22**	**3**	**4**	**5**	**7**	**11**	**15**	**25**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	2.8	2	<1	1	3	4	5	6	10
20-34	620	2.5	3	<1	<1	2	4	5	6	9
35-49	140	2.4	5	<1	<1	1	3	6	7	12
50-64	5	3.4	5	1	1	4	5	6	6	6
65+	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	192	4.1	10	1	1	4	5	7	10	21
20-34	1974	3.8	6	<1	1	4	5	6	7	12
35-49	480	3.9	14	<1	<1	4	5	7	9	18
50-64	32	7.9	215	<1	1	5	7	11	20	85
65+	17	7.9	22	2	3	8	9	15	18	20
TOT. SINGLE DX	928	2.5	4	<1	<1	2	4	5	6	9
" MULTIPLE DX	2695	4.0	11	<1	1	4	5	6	8	15
TOTAL 0-19 YRS	351	3.5	7	1	1	3	4	6	8	20
20-34	2594	3.5	6	<1	1	3	5	6	7	11
35-49	620	3.6	13	<1	<1	3	5	7	8	17
50-64	37	7.3	188	<1	1	4	7	9	19	85
65+	21	7.0	23	2	2	7	9	14	17	20
GRAND TOTAL	**3623**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**6**	**7**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.5		<1	<1	1	2	3	3	3
20-34	1198	1.2		<1	<1	<1	1	2	2	5
35-49	643	1.1		<1	<1	<1	<1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
20-34	1421	1.8	5	<1	<1	1	2	3	4	11
35-49	770	1.6	5	<1	<1	1	1	3	4	9
50-64	3	6.7	30	3	3	4	11	13	13	13
65+										
TOT. SINGLE DX	1851	1.2		<1	<1	<1	1	1	2	4
" MULTIPLE DX	2200	1.8	5	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	16	1.7	1	<1	<1	1	2	3	4	5
20-34	2619	1.5	3	<1	<1	<1	1	3	4	7
35-49	1413	1.4	3	<1	<1	<1	1	2	3	6
50-64	3	6.7	30	3	3	4	11	13	13	13
65+										
GRAND TOTAL	**4051**	**1.5**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.5	3	<1	<1	2	3	6	6	6
20-34	2191	1.8	1	<1	<1	1	2	3	4	5
35-49	855	1.9	9	<1	<1	1	2	3	4	6
50-64	5	2.2	1	1	1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	65	3.4	4	1	1	3	4	5	8	12
20-34	7985	2.9	3	1	1	3	3	4	5	8
35-49	1975	2.9	4	1	1	3	4	5	5	9
50-64	17	7.4	23	1	2	6	10	16	18	18
65+										
TOT. SINGLE DX	3061	1.9	4	<1	<1	1	2	3	4	6
" MULTIPLE DX	10042	2.9	4	1	1	3	4	4	5	8
TOTAL 0-19 YRS	75	3.3	5	1	1	3	4	5	7	12
20-34	10176	2.7	3	1	1	3	3	4	5	7
35-49	2830	2.6	6	<1	1	2	3	4	5	9
50-64	22	6.2	24	<1	1	5	8	14	17	18
65+										
GRAND TOTAL	**13103**	**2.7**	**4**	**<1**	**1**	**3**	**3**	**4**	**5**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	3.9	1	2	3	4	5	5	6	8
20-34	5484	3.9	1	2	2	4	5	5	6	8
35-49	847	4.0	2	2	2	4	5	6	6	8
50-64	10	4.3	14	<1	<1	3	5	10	14	14
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	477	4.9	7	2	3	4	5	7	9	16
20-34	7607	4.3	2	2	3	4	5	6	7	10
35-49	1539	4.5	5	2	3	4	5	6	8	12
50-64	26	8.8	45	2	3	7	10	18	25	30
65+	20	13.9	94	2	4	12	20	28	35	38
TOT. SINGLE DX	6728	3.9	2	2	2	4	5	5	6	8
" MULTIPLE DX	9669	4.4	4	2	3	4	5	6	7	11
TOTAL 0-19 YRS	863	4.5	5	2	3	4	5	6	7	13
20-34	13091	4.1	2	2	3	4	5	6	6	9
35-49	2386	4.3	4	2	2	4	5	6	7	11
50-64	36	7.6	40	<1	3	6	10	14	22	30
65+	21	13.5	94	3	4	11	19	27	35	38
GRAND TOTAL	**16397**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	1.5	1	<1	<1	1	1	3	5	6
20-34	815	1.5		<1	<1	1	2	3	3	5
35-49	377	1.5	1	<1	<1	1	2	3	3	8
50-64	128	1.7	1	<1	<1	1	2	3	3	7
65+	53	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	17	1.9	4	<1	<1	1	2	3	8	10
20-34	690	1.8	2	<1	<1	1	2	4	5	8
35-49	422	2.3	8	<1	1	1	3	5	6	13
50-64	190	2.2	5	<1	1	2	2	4	6	14
65+	143	3.0	12	<1	1	2	3	6	11	19
TOT. SINGLE DX	1405	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	1462	2.1	6	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	49	1.7	3	<1	<1	1	2	3	5	10
20-34	1505	1.6	2	<1	<1	1	2	3	4	7
35-49	799	1.9	5	<1	<1	1	2	4	5	9
50-64	318	2.0	4	<1	<1	1	2	3	5	11
65+	196	2.6	10	<1	1	2	3	5	9	18
GRAND TOTAL	**2867**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	1.3	1	<1	<1	<1	1	2	2	9
20-34	354	1.5	1	<1	<1	1	2	3	4	6
35-49	225	1.8	3	<1	<1	1	2	3	4	10
50-64	130	2.7	7	<1	<1	2	3	6	8	15
65+	101	3.9	5	<1	1	4	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	43	4.5	95	<1	1	2	4	8	14	62
20-34	564	2.6	14	<1	<1	1	3	5	8	21
35-49	792	2.8	11	<1	<1	2	3	6	9	18
50-64	528	4.2	36	<1	<1	2	5	9	13	30
65+	597	6.3	43	1	1	4	8	14	20	36
TOT. SINGLE DX	846	2.0	4	<1	<1	1	2	4	6	9
" MULTIPLE DX	2524	3.9	29	<1	<1	2	4	9	13	25
TOTAL 0-19 YRS	79	3.1	55	<1	<1	1	2	7	9	51
20-34	918	2.2	10	<1	<1	1	2	4	6	15
35-49	1017	2.6	10	<1	<1	1	2	6	8	18
50-64	658	3.9	31	<1	<1	2	4	9	12	27
65+	698	5.9	39	1	1	4	8	12	17	35
GRAND TOTAL	**3370**	**3.4**	**23**	**<1**	**<1**	**2**	**4**	**8**	**11**	**24**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	2.7	3	<1	1	2	3	5	7	11
20-34	1846	2.0	3	1	1	2	3	4	4	7
35-49	264	2.0	3	1	1	2	2	3	4	7
50-64	4	2.5	5	<1	<1	1	4	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	34	5.1	99	1	1	3	4	7	10	60
20-34	716	3.4	27	1	1	2	4	6	8	18
35-49	129	3.5	37	1	1	2	4	7	10	34
50-64	5	2.2	2	1	1	2	3	5	5	5
65+	3	6.7	54	1	1	4	12	15	15	15
TOT. SINGLE DX	2213	2.1	3	1	1	2	3	4	5	8
" MULTIPLE DX	887	3.5	32	1	1	2	4	6	9	19
TOTAL 0-19 YRS	133	3.3	29	1	1	2	3	6	7	20
20-34	2562	2.4	10	1	1	2	3	4	6	12
35-49	393	2.5	15	1	1	2	3	4	6	14
50-64	9	2.3	4	<1	<1	2	3	6	6	6
65+	3	6.7	54	1	1	4	12	15	15	15
GRAND TOTAL	**3100**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.1	2	<1	1	4	5	6	6	6
20-34	617	4.6	4	1	2	5	5	6	7	9
35-49	266	4.0	3	1	1	4	5	6	7	9
50-64	25	2.5	7	<1	<1	2	3	5	8	14
65+	12	3.8	12	<1	<1	3	4	9	12	13
2. MULTIPLE DX										
0-19 YRS	40	4.6	8	<1	1	4	6	8	10	16
20-34	1655	4.7	5	1	2	5	6	7	8	12
35-49	901	4.9	11	<1	1	5	6	8	10	16
50-64	146	4.8	30	<1	<1	2	7	12	14	27
65+	177	7.7	73	1	1	5	11	18	22	66
TOT. SINGLE DX	940	4.3	5	1	1	4	5	6	7	9
" MULTIPLE DX	2919	4.9	13	1	1	5	6	8	10	19
TOTAL 0-19 YRS	60	4.4	7	<1	1	4	6	7	9	15
20-34	2272	4.7	5	1	2	5	6	7	8	12
35-49	1167	4.7	10	1	1	5	6	7	9	15
50-64	171	4.4	28	<1	<1	2	6	11	14	27
65+	189	7.4	70	1	1	5	11	17	22	60
GRAND TOTAL	**3859**	**4.8**	**11**	**1**	**1**	**5**	**6**	**7**	**9**	**17**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	5.2	2	3	4	5	6	8	9	9
20-34	2486	5.3	2	3	4	5	6	7	8	11
35-49	4597	5.4	3	3	4	5	6	7	8	10
50-64	1513	5.9	3	4	4	6	7	8	9	13
65+	777	6.7	6	4	4	6	8	9	11	16
2. MULTIPLE DX										
0-19 YRS	145	6.2	9	3	4	5	7	10	14	17
20-34	19757	5.6	4	3	4	5	6	7	9	13
35-49	51236	5.8	4	4	4	5	6	8	9	14
50-64	12222	6.7	12	4	4	6	7	9	12	21
65+	6226	8.7	33	4	5	7	9	14	19	32
TOT. SINGLE DX	9396	5.6	4	4	4	5	6	7	8	12
" MULTIPLE DX	89586	6.1	9	4	4	6	7	8	10	17
TOTAL 0-19 YRS	168	6.1	8	3	4	5	7	10	13	17
20-34	22243	5.6	4	3	4	5	6	7	9	13
35-49	55833	5.8	5	4	4	5	6	8	9	14
50-64	13735	6.6	12	4	4	6	7	9	12	20
65+	7003	8.5	31	4	5	7	9	14	18	31
GRAND TOTAL	**98982**	**6.0**	**8**	**4**	**4**	**6**	**7**	**8**	**10**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.0	4	1	1	4	5	6	7	7
20-34	1539	4.3	1	3	3	4	5	6	7	8
35-49	1741	4.5	2	3	3	4	5	6	7	9
50-64	870	5.7	4	3	4	6	7	8	9	12
65+	787	6.2	3	4	4	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	30	4.5	4	1	1	5	6	7	8	8
20-34	7047	4.7	2	3	3	4	5	7	7	10
35-49	13706	4.9	3	3	3	5	6	7	8	11
50-64	4159	6.0	5	3	4	6	7	8	10	14
65+	3854	7.0	10	4	4	6	8	10	12	18
TOT. SINGLE DX	4947	4.9	3	3	3	5	6	7	8	10
" MULTIPLE DX	28796	5.3	5	3	3	5	6	8	9	13
TOTAL 0-19 YRS	40	4.4	5	1	1	5	6	7	8	8
20-34	8586	4.6	3	3	3	4	5	6	7	10
35-49	15447	4.8	3	3	3	5	6	7	8	11
50-64	5029	5.9	5	3	4	6	7	8	10	14
65+	4641	6.9	10	4	4	6	8	10	12	17
GRAND TOTAL	**33743**	**5.2**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	60	8.3	5	4	5	8	10	12	12	15
35-49	79	10.1	76	5	6	9	11	13	14	65
50-64	29	10.0	24	5	6	9	11	15	19	30
65+	20	11.7	34	4	5	10	15	21	23	25
2. MULTIPLE DX										
0-19 YRS	4	10.0	12	7	7	10	13	13	13	13
20-34	112	11.1	25	5	6	10	13	17	21	30
35-49	194	11.5	34	5	6	10	13	21	25	34
50-64	147	15.8	104	7	8	13	19	30	36	63
65+	142	18.3	188	7	8	14	20	34	47	83
TOT. SINGLE DX	189	9.6	42	5	6	9	11	13	15	28
" MULTIPLE DX	599	14.1	95	6	7	11	16	25	33	57
TOTAL 0-19 YRS	5	9.4	11	7	7	7	13	13	13	13
20-34	172	10.1	20	5	6	9	12	15	18	29
35-49	273	11.1	47	5	6	10	12	18	24	35
50-64	176	14.9	96	6	7	12	18	28	34	58
65+	162	17.4	174	6	7	14	20	33	45	79
GRAND TOTAL	**788**	**13.0**	**86**	**6**	**6**	**10**	**15**	**22**	**31**	**55**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	1.5	1	<1	<1	1	1	3	4	6
20-34	595	1.4	1	<1	<1	1	1	2	3	6
35-49	110	1.3		<1	<1	1	1	2	3	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	73	3.9	63	<1	1	2	3	6	7	45
20-34	439	3.5	23	<1	<1	2	4	8	12	28
35-49	90	2.6	16	<1	<1	1	2	4	7	28
50-64										
65+										
TOT. SINGLE DX	820	1.4	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	602	3.4	28	<1	<1	2	3	7	11	29
TOTAL 0-19 YRS	188	2.4	27	<1	<1	1	2	4	6	40
20-34	1034	2.3	12	<1	<1	1	2	4	7	23
35-49	200	1.8	8	<1	<1	1	2	3	5	17
50-64										
65+										
GRAND TOTAL	**1422**	**2.2**	**13**	**<1**	**<1**	**1**	**2**	**4**	**6**	**24**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3545	1.4	2	<1	<1	1	1	2	3	6
20-34	20603	1.3	1	<1	<1	1	1	2	3	5
35-49	5127	1.3		<1	<1	1	1	2	2	5
50-64	857	1.4		<1	<1	<1	2	2	3	6
65+	394	1.9	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	1400	2.6	6	<1	1	2	3	5	7	12
20-34	10084	2.5	8	<1	<1	2	3	5	7	13
35-49	7324	2.5	15	<1	<1	1	2	5	7	17
50-64	2478	3.2	29	<1	<1	1	3	7	12	29
65+	2167	4.8	57	<1	1	2	5	12	17	45
TOT. SINGLE DX	30526	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	23453	2.8	18	<1	<1	2	3	6	8	20
TOTAL 0-19 YRS	4945	1.7	4	<1	<1	1	2	3	4	8
20-34	30687	1.7	4	<1	<1	1	2	3	5	9
35-49	12451	2.0	10	<1	<1	1	2	4	6	13
50-64	3335	2.8	23	<1	<1	1	2	6	10	23
65+	2561	4.4	50	<1	<1	2	4	10	16	39
GRAND TOTAL	**53979**	**2.0**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	173	1.3	2	<1	<1	<1	1	2	3	6
20-34	926	1.1		<1	<1	<1	1	1	2	4
35-49	178	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	685	1.7	27	<1	<1	<1	<1	1	4	12
20-34	2016	1.8	11	<1	<1	<1	<1	2	5	16
35-49	321	1.6	5	<1	<1	<1	2	3	4	9
50-64										
65+										
TOT. SINGLE DX	1277	1.2	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	3022	1.7	14	<1	<1	<1	<1	2	5	15
TOTAL 0-19 YRS	858	1.7	22	<1	<1	<1	<1	2	3	11
20-34	2942	1.6	8	<1	<1	<1	1	2	4	14
35-49	499	1.4	4	<1	<1	<1	1	2	3	8
50-64										
65+										
GRAND TOTAL	**4299**	**1.6**	**10**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**12**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	661	1.3		<1	<1	1	1	2	3	5
20-34	4075	1.2		<1	<1	1	1	2	2	4
35-49	674	1.1		<1	<1	1	1	1	2	4
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	203	2.4	5	<1	<1	1	3	5	7	12
20-34	1190	2.1	4	<1	<1	1	2	4	6	11
35-49	318	2.0	5	<1	<1	1	2	4	6	13
50-64	15	10.3	43	<1	1	9	17	19	20	20
65+	29	7.2	41	<1	1	6	9	14	22	30
TOT. SINGLE DX	5418	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	1755	2.3	6	<1	<1	1	3	5	7	14
TOTAL 0-19 YRS	864	1.6	2	<1	<1	1	2	3	4	7
20-34	5265	1.4	1	<1	<1	1	1	2	3	7
35-49	992	1.4	2	<1	<1	1	1	2	3	7
50-64	20	8.0	49	<1	<1	7	15	18	19	20
65+	32	6.6	40	<1	1	5	8	13	21	30
GRAND TOTAL	**7173**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.7		5	5	6	6	6	6	6
20-34	76	3.6	1	1	2	4	5	5	6	7
35-49	18	4.1	3	1	1	4	5	6	8	9
50-64	14	5.0	2	2	3	5	6	7	7	7
65+	6	4.5		4	4	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	16	4.9	7	2	2	4	6	9	12	13
20-34	397	4.3	2	1	3	4	5	6	7	10
35-49	73	4.6	2	2	3	5	6	7	7	9
50-64	19	5.6	8	1	2	6	8	9	11	12
65+	31	8.1	37	3	4	7	9	16	17	34
TOT. SINGLE DX	117	4.0	2	1	2	4	5	6	6	8
" MULTIPLE DX	536	4.6	6	1	3	4	5	7	8	13
TOTAL 0-19 YRS	19	5.1	7	2	2	4	6	8	11	13
20-34	473	4.2	3	1	2	4	5	6	7	10
35-49	91	4.5	3	1	3	4	6	7	7	9
50-64	33	5.3	6	2	2	6	7	8	9	12
65+	37	7.5	33	3	4	6	8	15	17	34
GRAND TOTAL	**653**	**4.5**	**5**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	2.4	2	1	1	2	3	5	5	6
20-34	325	2.5	3	<1	<1	2	4	5	6	9
35-49	84	3.1	8	<1	1	2	4	6	8	18
50-64	34	2.8	1	<1	1	3	4	5	5	5
65+	27	3.4	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	65	3.5	4	1	1	3	4	6	7	11
20-34	674	3.5	9	<1	1	3	4	6	7	16
35-49	260	3.5	9	<1	<1	3	5	6	7	14
50-64	120	3.7	6	1	1	3	5	7	9	12
65+	146	4.3	10	1	2	3	4	8	12	15
TOT. SINGLE DX	536	2.7	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	1265	3.6	9	<1	1	3	4	6	8	15
TOTAL 0-19 YRS	131	3.0	4	1	1	3	4	5	6	9
20-34	999	3.2	8	<1	<1	3	4	6	7	14
35-49	344	3.4	9	<1	<1	3	4	6	8	14
50-64	154	3.5	5	1	1	3	4	7	9	12
65+	173	4.1	9	1	2	3	4	8	12	15
GRAND TOTAL	**1801**	**3.3**	**8**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	136	4.1	7	1	1	4	5	7	9	14
35-49	569	4.6	4	2	2	4	6	7	8	10
50-64	1109	4.9	3	2	3	5	6	7	8	11
65+	927	5.2	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	7	4.6	3	1	2	5	6	6	6	6
20-34	358	5.0	17	2	2	4	6	8	9	16
35-49	1465	5.5	6	2	3	5	7	8	10	14
50-64	2380	5.7	6	3	3	5	7	8	10	13
65+	2563	6.2	11	3	3	6	7	9	11	18
TOT. SINGLE DX	2743	4.9	4	2	2	5	6	7	8	11
" MULTIPLE DX	6773	5.8	9	3	3	5	7	9	10	15
TOTAL 0-19 YRS	9	3.9	4	1	1	5	5	6	6	6
20-34	494	4.8	15	1	2	4	6	7	9	16
35-49	2034	5.3	6	2	3	5	6	8	9	13
50-64	3489	5.4	6	2	3	5	7	8	9	12
65+	3490	6.0	10	3	3	6	7	9	11	16
GRAND TOTAL	**9516**	**5.5**	**8**	**2**	**3**	**5**	**7**	**8**	**10**	**14**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	2.4	5	<1	<1	1	3	6	8	11
20-34	469	3.1	4	<1	1	3	4	6	7	11
35-49	151	3.1	5	1	1	3	4	6	8	11
50-64	89	4.5	7	1	1	4	6	8	9	15
65+	90	5.1	3	1	2	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	145	4.6	25	<1	1	3	7	10	15	26
20-34	273	4.2	13	1	1	3	5	9	12	18
35-49	200	4.9	16	1	1	4	6	9	10	21
50-64	217	5.9	14	1	2	5	7	10	13	19
65+	268	8.1	62	2	3	6	9	15	19	55
TOT. SINGLE DX	922	3.4	6	<1	1	3	5	7	8	11
" MULTIPLE DX	1103	5.7	30	1	1	5	7	10	14	25
TOTAL 0-19 YRS	268	3.6	18	<1	<1	2	5	9	11	23
20-34	742	3.5	8	1	1	3	4	7	9	13
35-49	351	4.1	12	1	1	3	5	8	10	15
50-64	306	5.5	13	1	1	5	7	9	12	17
65+	358	7.4	49	2	3	6	8	12	17	52
GRAND TOTAL	**2025**	**4.6**	**20**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	151	2.7	6	<1	<1	2	3	6	8	11
20-34	532	3.1	7	<1	<1	2	4	6	8	12
35-49	181	3.8	16	<1	<1	3	5	8	12	20
50-64	144	3.9	8	<1	1	3	5	7	9	14
65+	196	3.9	4	1	1	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	265	4.0	12	<1	1	3	6	9	11	16
20-34	929	4.2	19	<1	1	3	5	9	12	24
35-49	490	5.4	20	1	1	4	7	11	15	22
50-64	479	6.1	41	1	2	5	7	11	16	46
65+	986	7.2	60	1	2	5	8	14	21	47
TOT. SINGLE DX	1204	3.4	8	<1	<1	3	5	7	9	13
" MULTIPLE DX	3149	5.6	37	1	1	4	7	11	15	34
TOTAL 0-19 YRS	416	3.5	10	<1	<1	2	5	8	10	16
20-34	1461	3.8	15	<1	1	3	5	8	11	18
35-49	671	5.0	20	<1	1	4	7	10	14	22
50-64	623	5.6	34	1	2	4	6	10	14	39
65+	1182	6.7	53	1	2	5	7	13	19	45
GRAND TOTAL	**4353**	**5.0**	**30**	**<1**	**1**	**4**	**6**	**10**	**14**	**29**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	1.9	2	<1	<1	1	2	4	5	8
20-34	771	1.7	1	<1	<1	1	2	3	4	7
35-49	376	1.7	1	<1	<1	1	2	3	4	8
50-64	146	2.0	3	<1	<1	1	2	4	5	9
65+	86	2.6	5	<1	<1	2	3	6	10	12
2. MULTIPLE DX										
0-19 YRS	178	3.6	18	1	1	3	4	7	9	18
20-34	566	3.2	14	<1	1	2	3	6	9	18
35-49	377	4.1	29	<1	1	2	4	9	15	27
50-64	276	6.6	82	1	1	4	7	15	25	53
65+	406	7.6	73	1	1	5	10	19	24	48
TOT. SINGLE DX	1592	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	1803	4.9	45	<1	1	3	5	11	17	35
TOTAL 0-19 YRS	391	2.7	10	<1	<1	2	3	5	7	14
20-34	1337	2.3	8	<1	<1	2	3	4	6	15
35-49	753	2.9	17	<1	<1	2	3	6	10	21
50-64	422	5.0	60	<1	1	2	5	12	18	40
65+	492	6.7	65	<1	1	4	8	16	22	43
GRAND TOTAL	**3395**	**3.5**	**27**	**<1**	**<1**	**2**	**4**	**7**	**12**	**28**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	29	3.9	14	<1	<1	2	7	10	11	13
35-49	40	5.2	18	1	2	4	7	10	12	24
50-64	42	6.5	32	1	1	4	11	17	18	19
65+	80	7.2	50	1	2	6	9	12	16	47
2. MULTIPLE DX										
0-19 YRS	3	9.3	24	6	6	7	13	15	15	15
20-34	48	6.5	67	1	1	4	7	15	23	41
35-49	67	7.9	45	1	1	6	11	15	21	37
50-64	102	12.0	132	1	3	9	15	28	38	57
65+	271	12.4	92	3	4	10	16	25	30	53
TOT. SINGLE DX	196	6.0	35	<1	1	4	8	12	16	24
" MULTIPLE DX	491	11.1	95	1	2	8	15	22	32	47
TOTAL 0-19 YRS	8	4.1	26	<1	<1	1	6	13	15	15
20-34	77	5.5	48	<1	<1	3	7	12	17	40
35-49	107	6.9	37	1	1	5	10	13	21	31
50-64	144	10.4	109	1	2	7	14	21	34	45
65+	351	11.2	87	2	3	9	14	22	29	54
GRAND TOTAL	**687**	**9.7**	**83**	**1**	**2**	**7**	**12**	**21**	**28**	**44**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	1.6	1	<1	<1	1	2	3	4	7
20-34	129	2.4	2	<1	1	2	3	4	5	8
35-49	37	2.6	3	<1	1	2	3	6	8	8
50-64	19	2.3	7	<1	<1	1	2	5	9	12
65+	6	4.7	22	2	2	3	4	13	14	14
2. MULTIPLE DX										
0-19 YRS	68	2.6	6	<1	<1	2	3	5	6	16
20-34	137	3.2	5	1	1	3	4	6	8	15
35-49	38	5.4	83	1	1	3	5	10	19	54
50-64	17	4.7	16	<1	1	3	5	9	15	18
65+	42	6.3	24	1	2	5	9	12	14	26
TOT. SINGLE DX	295	2.2	3	<1	<1	2	3	4	6	9
" MULTIPLE DX	302	3.9	20	1	1	3	5	7	11	21
TOTAL 0-19 YRS	172	2.0	3	<1	<1	1	3	4	5	8
20-34	266	2.8	4	<1	1	2	3	5	7	10
35-49	75	4.0	46	1	1	2	4	8	10	46
50-64	36	3.4	13	<1	<1	2	4	8	11	18
65+	48	6.1	24	1	2	5	9	12	14	26
GRAND TOTAL	**597**	**3.0**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.4	1	<1	<1	1	1	3	5	5
20-34	21	2.1	5	<1	<1	1	2	4	8	11
35-49	6	1.8	1	<1	<1	1	3	4	4	4
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	22	6.4	101	<1	<1	2	5	25	34	36
20-34	39	4.1	42	<1	<1	2	5	7	9	41
35-49	25	4.2	23	<1	<1	2	7	10	13	21
50-64	11	3.5	13	1	1	1	6	9	12	12
65+	26	8.1	103	<1	1	5	10	24	37	38
TOT. SINGLE DX	44	2.0	4	<1	<1	1	2	4	5	11
" MULTIPLE DX	123	5.3	60	<1	<1	2	6	11	23	39
TOTAL 0-19 YRS	35	4.5	69	<1	<1	1	4	8	29	36
20-34	60	3.4	30	<1	<1	2	4	6	9	38
35-49	31	3.8	20	<1	<1	1	6	9	11	21
50-64	13	3.8	11	1	1	3	6	8	11	12
65+	28	7.7	98	<1	1	4	9	21	37	38
GRAND TOTAL	**167**	**4.4**	**47**	**<1**	**<1**	**2**	**5**	**10**	**14**	**38**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3584	2.5		1	1	2	3	4	4	5
20-34	20366	2.7	1	1	2	3	3	4	4	5
35-49	1132	2.8	8	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4138	2.9	3	1	2	3	3	4	5	9
20-34	24968	2.9	2	1	2	3	3	4	5	7
35-49	1946	3.1	4	2	2	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	25082	2.6	2	1	2	3	3	4	4	5
" MULTIPLE DX	31052	3.0	3	1	2	3	3	4	5	8
TOTAL 0-19 YRS	7722	2.7	2	1	2	3	3	4	4	7
20-34	45334	2.8	2	1	2	3	3	4	4	6
35-49	3078	3.0	6	1	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**56134**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.2	1	1	1	2	3	3	4	4
20-34	330	2.5	1	1	1	2	3	4	4	5
35-49	34	2.3		1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	126	2.8	19	1	1	2	3	4	6	31
20-34	911	2.9	6	1	1	3	3	4	5	10
35-49	114	3.1	8	1	1	3	3	5	7	17
50-64										
65+										
TOT. SINGLE DX	388	2.4	1	1	1	2	3	4	4	5
" MULTIPLE DX	1151	2.9	8	1	1	3	3	4	6	14
TOTAL 0-19 YRS	150	2.7	17	1	1	2	3	4	5	27
20-34	1241	2.7	5	1	1	3	3	4	5	9
35-49	148	2.9	7	1	1	3	3	5	6	16
50-64										
65+										
GRAND TOTAL	**1539**	**2.8**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1231	2.4	1	1	1	2	3	3	4	5
20-34	8466	2.5	1	1	1	2	3	3	4	5
35-49	627	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1965	2.7	2	1	1	3	3	4	5	7
20-34	13671	2.8	2	1	2	3	3	4	5	7
35-49	1264	3.0	11	1	2	3	3	4	5	9
50-64										
65+										
TOT. SINGLE DX	10324	2.5	1	1	1	2	3	3	4	5
" MULTIPLE DX	16900	2.8	3	1	2	3	3	4	5	7
TOTAL 0-19 YRS	3196	2.6	2	1	1	2	3	4	4	7
20-34	22137	2.7	2	1	1	3	3	4	4	6
35-49	1891	2.9	8	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**27224**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34062	2.3	1	1	1	2	3	3	4	5
20-34	210771	2.3	1	1	1	2	3	3	4	5
35-49	13846	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13813	2.8	4	1	1	2	3	4	5	10
20-34	96984	2.8	3	1	1	3	3	4	5	8
35-49	9473	2.9	3	1	1	3	3	4	5	9
50-64										
65+										
TOT. SINGLE DX	258679	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	120270	2.8	4	1	1	3	3	4	5	9
TOTAL 0-19 YRS	47875	2.4	2	1	1	2	3	4	4	7
20-34	307755	2.5	2	1	1	2	3	4	4	6
35-49	23319	2.6	2	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**378949**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4200	4.5	1	3	3	4	5	6	7	9
20-34	40312	4.5	2	3	3	4	5	6	6	8
35-49	3049	4.7	2	3	3	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11815	5.3	7	3	3	5	6	7	9	15
20-34	107313	5.1	8	3	3	5	5	7	8	15
35-49	12605	5.4	11	3	4	5	6	7	8	18
50-64										
65+										
TOT. SINGLE DX	47561	4.5	2	3	3	4	5	6	6	8
" MULTIPLE DX	131733	5.1	9	3	3	5	6	7	8	15
TOTAL 0-19 YRS	16015	5.1	6	3	3	5	6	7	8	14
20-34	147625	4.9	7	3	3	5	5	6	7	13
35-49	15654	5.2	10	3	3	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**179294**	**5.0**	**7**	**3**	**3**	**5**	**5**	**6**	**7**	**13**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	4.5	2	3	3	4	5	6	6	10
20-34	1494	4.6	8	3	3	4	5	6	6	9
35-49	96	5.0	2	3	3	5	6	7	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	449	5.4	8	3	3	5	6	8	10	16
20-34	3462	5.7	18	3	3	5	6	8	11	25
35-49	522	6.4	18	3	4	5	7	10	14	27
50-64										
65+										
TOT. SINGLE DX	1829	4.6	7	3	3	4	5	6	7	9
" MULTIPLE DX	4433	5.8	17	3	3	5	6	8	11	25
TOTAL 0-19 YRS	688	5.1	6	3	3	5	6	7	9	16
20-34	4956	5.4	16	3	3	5	6	7	9	22
35-49	618	6.1	16	3	4	5	6	9	12	27
50-64										
65+										
GRAND TOTAL	**6262**	**5.4**	**15**	**3**	**3**	**5**	**6**	**7**	**10**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	3.6	2	1	1	4	4	5	6	7
20-34	398	3.6	1	1	2	4	4	5	6	7
35-49	33	3.7	1	1	2	4	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	4.1	1	2	3	4	5	6	6	6
20-34	467	4.3	5	2	3	4	5	6	7	12
35-49	46	4.2	2	2	3	4	5	6	7	99+
50-64										
65+										
TOT. SINGLE DX	482	3.6	2	1	2	4	4	5	6	7
" MULTIPLE DX	540	4.3	5	2	3	4	5	6	7	12
TOTAL 0-19 YRS	78	3.8	2	1	2	4	5	6	6	7
20-34	865	4.0	4	2	2	4	5	6	7	10
35-49	79	3.9	2	2	2	4	5	6	7	72
50-64										
65+										
GRAND TOTAL	**1022**	**4.0**	**4**	**2**	**2**	**4**	**5**	**6**	**6**	**10**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	373	1.6	1	<1	1	1	2	2	3	4
20-34	586	1.6		1	1	2	2	2	3	4
35-49	55	1.6	1	1	1	1	2	2	2	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	54	2.8	19	<1	1	2	2	5	7	28
20-34	154	2.3	3	<1	1	2	3	4	6	11
35-49	44	1.9	3	<1	<1	1	2	3	4	13
50-64										
65+										
TOT. SINGLE DX	1014	1.6	1	1	1	2	2	2	3	4
" MULTIPLE DX	252	2.3	7	<1	1	2	2	4	6	16
TOTAL 0-19 YRS	427	1.8	4	<1	1	1	2	2	3	7
20-34	740	1.8	1	<1	1	2	2	3	3	6
35-49	99	1.7	2	<1	1	1	2	3	4	11
50-64										
65+										
GRAND TOTAL	**1266**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**2**	**3**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	168	4.3	28	<1	1	3	5	9	15	27
20-34	851	4.0	25	<1	1	2	5	8	12	26
35-49	66	4.0	20	<1	<1	3	4	7	14	25
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	203	4.5	30	1	1	3	5	8	13	26
20-34	891	5.4	38	1	1	3	6	12	17	34
35-49	108	7.3	128	1	1	4	7	12	27	70
50-64										
65+										
TOT. SINGLE DX	1085	4.1	26	<1	1	3	5	8	13	26
" MULTIPLE DX	1202	5.5	46	1	1	3	6	12	16	36
TOTAL 0-19 YRS	371	4.4	29	1	1	3	5	8	14	27
20-34	1742	4.7	33	<1	1	3	5	10	16	33
35-49	174	6.1	90	<1	1	4	6	12	16	55
50-64										
65+										
GRAND TOTAL	**2287**	**4.8**	**37**	**<1**	**1**	**3**	**5**	**10**	**15**	**33**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2214	2.0	1	<1	<1	2	3	3	4	6
20-34	12640	2.1	1	<1	<1	2	3	3	4	6
35-49	878	2.1	1	<1	<1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1001	2.6	6	<1	1	2	3	4	6	9
20-34	6317	2.6	3	<1	1	2	3	4	5	9
35-49	560	2.9	9	1	1	2	3	5	6	13
50-64										
65+										
TOT. SINGLE DX	15732	2.1	2	<1	<1	2	3	3	4	6
" MULTIPLE DX	7878	2.6	5	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	3215	2.2	3	<1	<1	2	3	3	4	7
20-34	18957	2.3	2	<1	<1	2	3	3	4	7
35-49	1438	2.4	4	<1	<1	2	3	4	5	8
50-64										
65+										
GRAND TOTAL	**23610**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**3**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4834	2.2		1	1	2	3	3	4	4
20-34	32590	2.2		1	1	2	3	3	4	4
35-49	2673	2.2		1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5427	2.7	3	1	1	2	3	4	5	8
20-34	38433	2.6	2	1	1	2	3	4	4	7
35-49	3822	2.7	3	1	1	2	3	4	5	7
50-64										
65+										
TOT. SINGLE DX	40097	2.2	1	1	1	2	3	3	4	4
" MULTIPLE DX	47682	2.6	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	10261	2.5	2	1	1	2	3	4	4	7
20-34	71023	2.4	2	1	1	2	3	3	4	6
35-49	6495	2.5	2	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**87779**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	3.2	4	1	1	3	4	6	8	10
20-34	94	3.4	12	1	1	3	4	6	12	20
35-49	84	3.1	12	<1	1	2	4	7	9	20
50-64	83	4.6	21	1	1	3	6	12	15	22
65+	58	5.7	21	1	1	4	9	13	14	18
2. MULTIPLE DX										
0-19 YRS	93	4.7	66	1	1	3	4	8	14	50
20-34	127	5.1	47	1	1	3	5	10	16	40
35-49	109	5.6	40	1	1	3	7	12	17	36
50-64	186	9.4	106	1	1	5	14	23	32	51
65+	241	9.8	109	1	2	7	13	21	33	54
TOT. SINGLE DX	388	3.9	15	1	1	3	4	9	12	20
" MULTIPLE DX	756	7.7	88	1	1	4	10	17	26	54
TOTAL 0-19 YRS	162	4.0	40	1	1	3	4	7	10	16
20-34	221	4.4	33	1	1	3	4	8	13	29
35-49	193	4.5	30	1	1	3	5	11	14	32
50-64	269	8.0	85	1	1	4	11	20	25	39
65+	299	9.0	95	1	2	6	12	18	28	54
GRAND TOTAL	**1144**	**6.4**	**66**	**1**	**1**	**3**	**8**	**15**	**21**	**45**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1370	2.7	2	1	1	3	3	4	5	7
20-34	2584	2.6	1	1	1	3	3	4	5	7
35-49	1238	2.7	1	1	1	3	3	4	5	7
50-64	296	2.4	1	1	1	2	3	4	5	7
65+	66	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	1390	3.4	5	1	2	3	4	5	6	10
20-34	1891	3.3	6	1	2	3	4	5	6	10
35-49	1040	3.3	5	1	1	3	4	5	7	10
50-64	368	3.5	11	1	1	3	4	6	8	19
65+	118	7.3	114	1	1	3	5	21	28	58
TOT. SINGLE DX	5554	2.7	2	1	1	3	3	4	5	7
" MULTIPLE DX	4807	3.4	10	1	2	3	4	5	6	13
TOTAL 0-19 YRS	2760	3.1	4	1	1	3	4	5	5	8
20-34	4475	2.9	4	1	1	3	4	4	5	8
35-49	2278	3.0	4	1	1	3	4	5	6	9
50-64	664	3.0	8	1	1	2	3	5	7	14
65+	184	5.5	79	1	1	3	4	12	23	50
GRAND TOTAL	**10361**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**5**	**9**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	320	2.1	1	<1	1	2	3	4	5	7
20-34	556	2.4	4	1	1	2	3	4	5	10
35-49	110	2.6	6	1	1	2	3	4	6	15
50-64	20	2.3	2	1	1	2	3	4	6	7
65+	14	3.0	3	1	1	3	5	5	6	6
2. MULTIPLE DX										
0-19 YRS	563	3.7	17	1	1	2	4	6	10	25
20-34	897	4.2	24	1	1	3	5	8	12	26
35-49	270	5.3	24	1	1	4	7	11	16	33
50-64	75	6.4	107	1	1	4	7	10	16	70
65+	78	8.5	81	1	2	6	11	17	32	47
TOT. SINGLE DX	1020	2.3	4	1	1	2	3	4	5	9
" MULTIPLE DX	1883	4.5	29	1	1	3	5	9	14	31
TOTAL 0-19 YRS	883	3.1	13	1	1	2	4	6	8	20
20-34	1453	3.5	18	1	1	2	4	7	9	18
35-49	380	4.5	20	1	1	3	5	9	16	26
50-64	95	5.5	88	1	1	3	7	9	15	64
65+	92	7.6	73	1	2	5	10	15	30	45
GRAND TOTAL	**2903**	**3.7**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	387	2.3	2	1	1	2	3	4	5	8
20-34	1067	2.5	4	1	1	2	3	5	6	11
35-49	362	2.5	5	1	1	2	3	5	7	12
50-64	112	2.6	4	<1	1	2	3	5	6	13
65+	39	3.8	8	1	1	3	5	8	11	14
2. MULTIPLE DX										
0-19 YRS	817	5.5	43	1	1	4	6	11	16	36
20-34	1980	5.6	42	1	1	4	6	11	16	35
35-49	798	6.2	37	1	1	4	8	13	18	31
50-64	311	7.1	76	1	2	5	8	12	18	51
65+	231	8.8	73	1	2	7	12	17	21	44
TOT. SINGLE DX	1967	2.5	4	1	1	2	3	5	6	11
" MULTIPLE DX	4137	6.0	47	1	1	4	7	12	17	35
TOTAL 0-19 YRS	1204	4.5	33	1	1	3	5	9	13	31
20-34	3047	4.5	31	1	1	3	5	9	13	31
35-49	1160	5.0	30	1	1	3	6	11	16	29
50-64	423	5.9	62	1	1	4	7	11	16	44
65+	270	8.1	67	1	2	6	11	16	19	39
GRAND TOTAL	**6104**	**4.9**	**36**	**1**	**1**	**3**	**6**	**10**	**14**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	2.6	1	1	1	2	3	4	5	7
20-34	70	3.0	6	1	1	2	4	6	7	13
35-49	86	2.6	3	1	1	2	3	5	7	9
50-64	83	2.5	2	<1	1	2	3	5	6	8
65+	39	2.0	1	<1	1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	117	3.0	3	1	1	3	4	5	6	11
20-34	136	5.4	54	1	1	3	6	12	17	48
35-49	111	4.5	18	1	1	3	5	9	13	23
50-64	127	6.1	97	1	1	3	6	13	22	61
65+	104	7.0	117	1	1	3	8	14	27	62
TOT. SINGLE DX	353	2.6	3	1	1	2	3	5	6	9
" MULTIPLE DX	595	5.2	59	1	1	3	5	10	16	44
TOTAL 0-19 YRS	192	2.8	3	1	1	2	4	5	6	10
20-34	206	4.6	39	1	1	3	5	9	13	35
35-49	197	3.6	13	1	1	2	4	8	9	22
50-64	210	4.6	63	1	1	2	4	8	14	49
65+	143	5.6	91	1	1	3	5	11	21	48
GRAND TOTAL	**948**	**4.2**	**40**	**1**	**1**	**3**	**4**	**8**	**12**	**34**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1003	4.5	22	1	1	3	5	8	12	27
20-34	644	3.7	29	<1	1	3	4	7	9	23
35-49	595	4.3	14	1	1	4	5	7	10	21
50-64	675	5.0	12	1	2	4	6	8	10	19
65+	178	6.1	41	1	2	5	7	11	13	38
2. MULTIPLE DX										
0-19 YRS	1351	6.2	50	1	2	4	7	12	18	39
20-34	804	6.1	76	1	1	4	6	13	20	47
35-49	791	5.7	65	1	1	4	6	11	16	49
50-64	1134	6.4	50	1	2	5	7	12	17	43
65+	606	9.2	110	1	2	6	11	18	31	61
TOT. SINGLE DX	3095	4.5	22	1	1	4	5	8	11	24
" MULTIPLE DX	4686	6.5	66	1	1	4	7	13	20	46
TOTAL 0-19 YRS	2354	5.5	39	1	1	4	6	10	16	35
20-34	1448	5.1	57	1	1	3	5	10	16	43
35-49	1386	5.1	44	1	1	4	6	9	14	40
50-64	1809	5.8	37	1	2	4	7	10	15	38
65+	784	8.5	96	1	2	5	10	16	25	60
GRAND TOTAL	**7781**	**5.7**	**49**	**1**	**1**	**4**	**6**	**11**	**16**	**42**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	465	2.2	3	<1	1	2	3	4	4	6
20-34	832	2.2	1	<1	1	2	3	4	4	6
35-49	1052	2.3	2	<1	1	2	3	4	5	7
50-64	1014	2.4	2	1	1	2	3	4	5	7
65+	361	2.7	2	<1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	646	2.3	1	1	1	2	3	4	5	6
20-34	1542	2.4	2	1	1	2	3	4	5	7
35-49	2498	2.7	4	1	1	2	3	5	5	8
50-64	3953	2.9	4	1	1	3	4	5	6	9
65+	2758	3.4	11	1	1	3	4	6	7	16
TOT. SINGLE DX	3724	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	11397	2.9	6	1	1	2	4	5	6	10
TOTAL 0-19 YRS	1111	2.2	2	1	1	2	3	4	4	6
20-34	2374	2.4	2	1	1	2	3	4	5	7
35-49	3550	2.6	4	1	1	2	3	4	5	8
50-64	4967	2.8	4	1	1	2	4	5	6	9
65+	3119	3.3	11	1	1	3	4	6	7	15
GRAND TOTAL	**15121**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2839	3.1	12	<1	1	2	4	6	8	16
20-34	3167	3.2	14	<1	1	2	4	6	9	20
35-49	2577	3.2	13	<1	1	2	4	6	8	17
50-64	1617	3.6	16	<1	1	2	4	7	10	21
65+	750	4.9	34	<1	1	3	6	10	15	28
2. MULTIPLE DX										
0-19 YRS	1768	7.5	128	1	1	3	8	18	29	57
20-34	3552	7.6	127	1	1	3	8	19	31	62
35-49	3564	6.6	92	1	1	3	7	16	25	53
50-64	3799	8.4	131	1	1	4	10	21	31	60
65+	3558	11.2	152	1	2	7	14	27	38	69
TOT. SINGLE DX	10950	3.3	16	<1	1	2	4	6	9	20
" MULTIPLE DX	16241	8.3	129	1	1	4	10	21	32	61
TOTAL 0-19 YRS	4607	4.8	62	1	1	2	5	10	17	44
20-34	6719	5.5	79	<1	1	3	5	12	21	50
35-49	6141	5.1	62	<1	1	3	5	11	18	46
50-64	5416	7.0	102	1	1	3	7	17	27	53
65+	4308	10.1	138	1	1	6	13	24	36	64
GRAND TOTAL	**27191**	**6.3**	**89**	**1**	**1**	**3**	**7**	**15**	**24**	**52**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1377	5.0	37	1	1	3	6	10	15	34
20-34	921	3.7	12	1	1	3	5	7	9	17
35-49	467	4.6	35	1	1	3	6	8	11	26
50-64	345	5.8	24	1	2	5	8	11	14	24
65+	458	8.9	28	2	3	8	11	15	17	21
2. MULTIPLE DX										
0-19 YRS	900	7.8	128	1	1	4	8	17	29	73
20-34	940	8.4	118	1	1	5	10	20	29	61
35-49	599	8.4	129	1	2	5	9	18	29	63
50-64	735	10.8	131	1	2	7	12	24	35	63
65+	2336	13.2	90	4	5	11	16	23	31	57
TOT. SINGLE DX	3568	5.2	31	1	1	4	7	10	14	27
" MULTIPLE DX	5510	10.7	117	1	2	8	13	22	31	61
TOTAL 0-19 YRS	2277	6.1	75	1	1	4	6	12	21	51
20-34	1861	6.1	71	1	1	4	7	13	21	48
35-49	1066	6.8	92	1	1	4	7	13	22	56
50-64	1080	9.2	103	1	2	6	11	19	30	52
65+	2794	12.5	83	3	5	11	15	21	29	55
GRAND TOTAL	**9078**	**8.5**	**90**	**1**	**1**	**6**	**11**	**18**	**25**	**52**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1694	2.0	6	<1	<1	1	2	4	5	12
20-34	2345	2.2	6	<1	<1	2	3	4	5	11
35-49	1281	2.5	8	<1	<1	2	3	5	6	13
50-64	928	2.8	17	<1	<1	2	3	5	7	17
65+	739	3.7	24	<1	1	2	4	8	11	24
2. MULTIPLE DX										
0-19 YRS	1145	4.2	54	<1	1	2	4	8	14	44
20-34	1370	5.2	60	1	1	3	5	11	18	43
35-49	956	5.7	69	1	1	3	6	13	22	46
50-64	1005	6.5	66	1	1	4	8	15	22	43
65+	1688	9.3	119	1	1	6	12	21	30	61
TOT. SINGLE DX	6987	2.5	10	<1	<1	2	3	5	6	15
" MULTIPLE DX	6164	6.5	82	1	1	3	7	15	23	49
TOTAL 0-19 YRS	2839	2.9	27	<1	<1	2	3	5	8	28
20-34	3715	3.3	29	<1	<1	2	3	6	10	29
35-49	2237	3.9	37	<1	<1	2	4	8	12	37
50-64	1933	4.7	46	<1	1	3	5	11	16	38
65+	2427	7.6	97	1	1	4	9	17	25	56
GRAND TOTAL	**13151**	**4.3**	**48**	**<1**	**1**	**2**	**4**	**9**	**15**	**38**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	310	13.0	133	2	2	9	20	27	34	55
20-34	131	9.2	27	4	4	8	11	15	19	30
35-49	77	8.6	17	3	4	8	11	14	16	22
50-64	159	8.6	17	3	4	8	10	14	16	25
65+	479	11.0	37	5	6	10	13	16	19	35
2. MULTIPLE DX										
0-19 YRS	378	15.9	105	4	6	13	20	29	38	50
20-34	331	15.1	127	5	6	12	17	27	40	68
35-49	148	18.6	272	5	6	12	23	43	54	92
50-64	340	13.6	120	4	5	11	15	23	35	70
65+	2663	14.4	91	6	7	12	17	24	31	68
TOT. SINGLE DX	1156	10.8	60	3	4	9	13	20	24	41
" MULTIPLE DX	3860	14.7	106	5	6	12	17	25	34	68
TOTAL 0-19 YRS	688	14.6	120	2	3	12	20	28	35	52
20-34	462	13.4	107	4	5	11	16	23	37	65
35-49	225	15.2	207	4	5	10	17	34	48	87
50-64	499	12.0	93	4	5	10	14	20	28	62
65+	3142	13.9	84	6	7	12	16	23	29	63
GRAND TOTAL	**5016**	**13.8**	**98**	**4**	**6**	**11**	**16**	**24**	**31**	**62**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	525	7.3	29	2	2	6	9	13	17	28
20-34	411	9.6	42	3	4	8	12	16	20	36
35-49	377	8.8	43	3	4	8	10	14	18	39
50-64	714	9.5	20	4	5	9	11	15	17	22
65+	3168	11.8	33	5	7	11	14	18	21	31
2. MULTIPLE DX										
0-19 YRS	788	14.3	125	3	5	11	17	28	38	70
20-34	1219	15.9	147	5	6	13	19	28	44	71
35-49	894	15.7	149	5	6	12	19	31	42	84
50-64	2253	15.1	116	6	7	12	17	26	37	71
65+	20515	15.6	101	6	8	13	18	26	35	80
TOT. SINGLE DX	5195	10.6	35	4	5	10	13	17	20	31
" MULTIPLE DX	25669	15.5	108	6	7	13	18	27	36	79
TOTAL 0-19 YRS	1313	11.5	99	2	3	9	14	23	30	59
20-34	1630	14.3	128	4	5	11	17	26	38	66
35-49	1271	13.6	128	4	5	10	16	27	39	77
50-64	2967	13.7	99	5	6	11	16	23	32	64
65+	23683	15.1	94	6	7	13	17	25	33	75
GRAND TOTAL	**30864**	**14.7**	**99**	**5**	**7**	**12**	**17**	**25**	**34**	**71**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	832	8.5	90	1	1	4	13	22	28	40
20-34	44	12.0	249	1	1	6	10	43	50	64
35-49	18	8.7	56	2	2	7	12	13	26	35
50-64	35	7.8	28	1	1	7	11	15	18	23
65+	107	8.3	81	1	1	6	11	16	21	54
2. MULTIPLE DX										
0-19 YRS	530	15.6	205	1	2	12	23	34	44	70
20-34	131	19.3	357	2	3	13	24	49	65	99
35-49	103	17.1	275	2	3	11	22	48	54	90
50-64	91	15.3	226	1	3	10	21	40	61	99+
65+	487	17.2	277	3	4	12	21	40	58	99
TOT. SINGLE DX	1036	8.6	94	1	1	5	12	22	28	45
" MULTIPLE DX	1342	16.7	254	2	3	12	22	40	51	92
TOTAL 0-19 YRS	1362	11.3	147	1	1	6	18	28	36	52
20-34	175	17.5	339	1	2	11	21	45	62	93
35-49	121	15.8	251	2	3	10	20	46	51	86
50-64	126	13.2	182	1	2	9	16	32	50	99+
65+	594	15.6	254	2	3	11	19	36	51	98
GRAND TOTAL	**2378**	**13.1**	**200**	**1**	**2**	**8**	**19**	**31**	**43**	**75**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1193	3.0	19	<1	1	2	3	6	13	21
20-34	701	3.1	12	<1	<1	2	4	6	9	15
35-49	518	3.1	9	<1	1	2	4	6	8	13
50-64	436	3.1	10	1	1	2	4	6	10	17
65+	389	3.0	9	1	1	2	4	7	9	17
2. MULTIPLE DX										
0-19 YRS	411	5.8	60	1	1	3	6	16	24	41
20-34	562	6.8	70	1	1	4	8	14	20	43
35-49	399	6.8	72	1	1	4	8	15	22	42
50-64	419	7.0	88	1	1	4	8	14	23	58
65+	664	7.9	94	1	2	5	9	17	24	56
TOT. SINGLE DX	3237	3.1	14	<1	1	2	4	6	10	19
" MULTIPLE DX	2455	7.0	79	1	1	4	8	15	22	51
TOTAL 0-19 YRS	1604	3.7	32	<1	1	2	3	9	16	29
20-34	1263	4.7	42	<1	1	3	5	10	14	36
35-49	917	4.7	40	<1	1	3	5	10	14	29
50-64	855	5.0	53	1	1	3	5	11	15	43
65+	1053	6.1	68	1	1	3	7	13	19	50
GRAND TOTAL	**5692**	**4.7**	**46**	**1**	**1**	**3**	**5**	**11**	**16**	**35**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5567	2.6	4	1	1	2	3	5	6	10
20-34	7622	3.3	6	1	1	3	4	6	8	12
35-49	4875	3.8	8	1	1	3	5	7	9	14
50-64	3550	4.6	10	1	2	4	6	8	10	15
65+	2109	5.4	15	1	2	4	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	2825	5.5	55	1	1	3	6	11	18	40
20-34	6027	6.6	60	1	1	4	8	14	21	41
35-49	4228	6.8	62	1	2	5	8	13	20	46
50-64	4282	7.7	66	1	2	5	9	15	21	48
65+	5224	9.4	73	2	3	7	11	18	25	49
TOT. SINGLE DX	23723	3.6	8	1	1	3	5	7	9	14
" MULTIPLE DX	22586	7.4	66	1	2	5	9	15	22	45
TOTAL 0-19 YRS	8392	3.5	23	1	1	2	4	6	9	25
20-34	13649	4.8	33	1	1	3	5	9	13	30
35-49	9103	5.2	36	1	1	4	6	10	14	31
50-64	7832	6.3	43	1	2	5	7	12	16	37
65+	7333	8.2	60	2	2	6	10	15	22	43
GRAND TOTAL	**46309**	**5.4**	**40**	**1**	**1**	**4**	**6**	**11**	**15**	**34**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8188	1.9	5	<1	1	1	2	3	5	14
20-34	1956	2.9	8	<1	1	2	4	6	8	14
35-49	1456	3.4	20	<1	1	2	4	6	8	18
50-64	1327	3.1	10	1	1	2	4	6	8	14
65+	1160	3.4	18	1	1	2	4	7	10	15
2. MULTIPLE DX										
0-19 YRS	2537	4.5	49	1	1	2	5	10	17	38
20-34	2077	6.5	81	1	1	4	7	14	23	54
35-49	1457	6.2	59	1	1	4	7	13	18	45
50-64	1657	6.9	76	1	1	4	8	14	22	51
65+	3729	7.7	83	1	1	5	9	16	24	54
TOT. SINGLE DX	14087	2.5	9	<1	1	1	3	5	7	14
" MULTIPLE DX	11457	6.5	73	1	1	4	7	14	21	49
TOTAL 0-19 YRS	10725	2.5	17	<1	1	1	2	5	8	21
20-34	4033	4.8	49	1	1	3	5	10	15	41
35-49	2913	4.8	42	1	1	3	5	10	14	31
50-64	2984	5.2	51	1	1	3	6	11	16	45
65+	4889	6.7	71	1	1	4	8	14	21	49
GRAND TOTAL	**25544**	**4.3**	**42**	**1**	**1**	**2**	**5**	**9**	**14**	**34**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	591	3.9	24	<1	1	2	4	11	15	24
20-34	480	2.1	4	<1	<1	1	2	4	6	12
35-49	210	2.4	7	<1	<1	1	3	5	7	14
50-64	243	3.3	18	<1	<1	2	4	8	11	16
65+	474	4.2	27	<1	1	2	6	9	13	23
2. MULTIPLE DX										
0-19 YRS	313	6.4	61	1	1	4	8	15	24	51
20-34	489	7.0	91	1	1	4	8	16	24	46
35-49	276	7.8	137	1	1	4	9	16	25	76
50-64	372	6.0	63	1	1	3	7	13	19	44
65+	1027	7.8	89	1	1	5	9	18	30	55
TOT. SINGLE DX	1998	3.3	19	<1	<1	2	4	8	12	21
" MULTIPLE DX	2477	7.2	88	1	1	4	9	16	25	55
TOTAL 0-19 YRS	904	4.7	38	<1	1	2	6	13	18	30
20-34	969	4.6	54	<1	<1	2	5	10	16	39
35-49	486	5.5	88	<1	1	2	6	13	18	61
50-64	615	4.9	47	<1	1	3	6	12	15	36
65+	1501	6.6	72	1	1	4	8	15	24	52
GRAND TOTAL	**4475**	**5.4**	**61**	**<1**	**1**	**3**	**6**	**13**	**19**	**44**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	409	3.2	15	<1	1	2	3	5	10	25
20-34	642	2.3	2	1	1	2	3	4	5	8
35-49	251	2.6	4	1	1	2	3	5	6	11
50-64	129	3.6	7	1	1	3	5	6	7	17
65+	73	6.3	22	1	2	5	9	14	16	20
2. MULTIPLE DX										
0-19 YRS	266	6.5	52	1	1	4	7	15	20	34
20-34	336	5.6	48	1	1	3	7	12	19	39
35-49	170	5.4	54	1	1	4	6	11	17	61
50-64	123	7.7	66	1	2	5	8	16	21	45
65+	190	13.3	196	2	3	10	16	27	42	92
TOT. SINGLE DX	1504	2.9	9	1	1	2	3	5	7	16
" MULTIPLE DX	1085	7.4	86	1	1	4	8	16	23	53
TOTAL 0-19 YRS	675	4.5	33	1	1	3	5	9	15	30
20-34	978	3.5	21	1	1	2	4	7	10	23
35-49	421	3.7	27	1	1	2	4	7	10	34
50-64	252	5.6	41	1	1	4	6	12	17	35
65+	263	11.3	158	1	2	8	14	21	36	86
GRAND TOTAL	**2589**	**4.8**	**46**	**1**	**1**	**3**	**5**	**11**	**16**	**36**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1245	3.2	12	<1	1	2	4	7	11	17
20-34	1178	3.1	11	<1	1	2	3	7	10	18
35-49	750	3.2	14	<1	<1	2	3	7	9	21
50-64	388	4.8	37	<1	1	3	5	12	16	30
65+	224	8.8	89	1	1	6	11	19	27	49
2. MULTIPLE DX										
0-19 YRS	1149	6.5	68	<1	1	3	8	16	23	42
20-34	1421	4.7	42	<1	1	3	5	11	17	37
35-49	1060	6.3	83	<1	1	3	7	15	25	51
50-64	950	8.9	125	1	1	4	11	23	34	58
65+	1216	16.2	242	1	2	12	21	39	52	78
TOT. SINGLE DX	3785	3.7	22	<1	1	2	4	8	12	23
" MULTIPLE DX	5796	8.4	128	1	1	4	10	22	32	58
TOTAL 0-19 YRS	2394	4.8	42	<1	1	2	5	12	17	31
20-34	2599	4.0	30	<1	1	2	4	9	13	32
35-49	1810	5.0	57	<1	1	3	5	11	18	45
50-64	1338	7.7	104	1	1	4	9	20	30	54
65+	1440	15.0	226	1	2	10	20	35	47	75
GRAND TOTAL	**9581**	**6.6**	**92**	**<1**	**1**	**3**	**7**	**16**	**25**	**52**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	340	5.9	15	2	3	5	7	11	14	19
20-34	9083	6.2	12	2	3	5	8	10	13	19
35-49	14118	6.4	14	2	3	6	8	11	14	21
50-64	5935	6.9	15	3	3	6	8	12	14	21
65+	1417	8.1	20	3	4	7	10	14	17	23
2. MULTIPLE DX										
0-19 YRS	144	10.0	72	3	3	7	13	21	30	43
20-34	3337	8.5	40	3	4	7	10	15	20	32
35-49	7743	8.5	34	3	4	7	10	15	19	32
50-64	6565	9.4	43	3	4	8	11	16	21	34
65+	3788	12.0	64	4	5	10	15	21	27	46
TOT. SINGLE DX	30893	6.5	14	2	3	6	8	11	14	21
" MULTIPLE DX	21577	9.4	45	3	4	8	11	17	21	35
TOTAL 0-19 YRS	484	7.1	35	2	3	5	8	14	19	34
20-34	12420	6.8	21	2	3	6	8	12	15	23
35-49	21861	7.2	23	2	3	6	9	12	16	25
50-64	12500	8.2	31	3	4	7	10	14	18	28
65+	5205	10.9	55	4	4	9	13	20	25	42
GRAND TOTAL	**52470**	**7.7**	**29**	**3**	**3**	**6**	**9**	**14**	**17**	**28**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	1.6	1	<1	<1	1	2	3	4	5
20-34	1545	1.8	2	<1	<1	1	2	4	4	7
35-49	1166	1.8	2	<1	<1	1	2	3	5	8
50-64	602	1.9	2	<1	<1	1	2	4	5	7
65+	241	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	956	2.3	3	<1	<1	2	3	4	5	9
20-34	2450	2.4	6	<1	<1	2	3	5	6	11
35-49	1847	2.4	7	<1	<1	1	3	5	7	14
50-64	2045	2.4	6	<1	<1	2	3	5	7	13
65+	1269	2.9	15	<1	1	2	3	6	9	17
TOT. SINGLE DX	4136	1.8	2	<1	<1	1	2	4	4	7
" MULTIPLE DX	8567	2.5	8	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	1538	2.1	3	<1	<1	1	3	4	5	8
20-34	3995	2.2	5	<1	<1	2	3	4	5	10
35-49	3013	2.2	5	<1	<1	1	2	4	6	12
50-64	2647	2.3	6	<1	<1	2	3	4	6	12
65+	1510	2.8	13	<1	<1	2	3	5	8	15
GRAND TOTAL	**12703**	**2.3**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1438	2.0	6	<1	<1	1	2	4	5	14
20-34	2362	2.0	5	<1	<1	1	2	4	5	11
35-49	1518	2.3	9	<1	<1	1	3	4	6	13
50-64	894	2.6	10	<1	<1	2	3	5	7	18
65+	355	3.4	19	<1	<1	2	4	8	11	26
2. MULTIPLE DX										
0-19 YRS	1223	3.2	24	<1	<1	1	3	7	13	27
20-34	2502	3.2	23	<1	<1	2	3	6	10	26
35-49	2126	3.7	38	<1	<1	2	4	8	13	29
50-64	1923	4.8	52	<1	1	2	5	11	18	43
65+	1508	8.4	129	<1	1	3	10	23	33	55
TOT. SINGLE DX	6567	2.2	8	<1	<1	1	2	4	6	14
" MULTIPLE DX	9282	4.5	54	<1	<1	2	4	10	18	42
TOTAL 0-19 YRS	2661	2.6	15	<1	<1	1	3	5	8	22
20-34	4864	2.6	16	<1	<1	1	3	5	8	20
35-49	3644	3.1	27	<1	<1	2	3	6	10	28
50-64	2817	4.1	40	<1	<1	2	4	9	15	37
65+	1863	7.5	113	<1	1	3	9	21	29	53
GRAND TOTAL	**15849**	**3.6**	**36**	**<1**	**<1**	**2**	**3**	**7**	**13**	**33**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	873	8.9	12	5	6	8	10	12	15	25
20-34	780	8.7	21	4	4	8	10	14	17	25
35-49	1022	7.6	17	3	3	7	9	13	15	22
50-64	436	7.9	23	3	3	7	10	14	17	24
65+	92	9.4	37	3	4	8	12	18	21	34
2. MULTIPLE DX										
0-19 YRS	1032	14.0	124	6	7	11	16	26	37	84
20-34	1046	13.4	115	5	5	10	16	26	39	99+
35-49	1408	11.1	63	4	5	9	13	19	26	45
50-64	1034	12.2	109	4	5	9	14	23	32	76
65+	462	15.3	151	4	6	12	18	28	41	74
TOT. SINGLE DX	3203	8.3	19	3	4	8	10	13	16	24
" MULTIPLE DX	4982	12.8	106	4	5	10	15	24	33	74
TOTAL 0-19 YRS	1905	11.7	80	5	6	9	12	20	27	62
20-34	1826	11.4	81	4	5	9	13	21	29	73
35-49	2430	9.7	47	3	4	8	11	17	22	36
50-64	1470	10.9	88	3	4	9	12	20	27	61
65+	554	14.3	138	4	5	11	17	26	38	68
GRAND TOTAL	**8185**	**11.1**	**77**	**4**	**5**	**9**	**12**	**20**	**27**	**58**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	231	3.2	7	1	1	3	4	6	7	10
20-34	636	3.3	5	1	1	3	4	6	8	12
35-49	615	3.7	10	1	1	3	5	7	8	11
50-64	658	3.5	6	<1	1	3	4	7	8	15
65+	273	3.6	9	<1	<1	3	5	8	10	13
2. MULTIPLE DX										
0-19 YRS	367	4.5	13	1	1	4	5	8	10	21
20-34	751	4.6	21	1	1	3	6	8	11	23
35-49	749	4.6	18	1	1	4	5	9	11	24
50-64	988	4.8	25	1	1	4	6	8	12	29
65+	692	5.9	47	1	1	4	7	13	17	36
TOT. SINGLE DX	2413	3.5	8	<1	1	3	4	7	8	13
" MULTIPLE DX	3547	4.9	26	1	1	4	6	9	13	26
TOTAL 0-19 YRS	598	4.0	11	1	1	3	5	7	9	20
20-34	1387	4.0	14	1	1	3	5	7	9	17
35-49	1364	4.2	15	1	1	3	5	8	10	19
50-64	1646	4.3	19	1	1	3	5	8	10	20
65+	965	5.3	38	<1	1	4	7	11	16	30
GRAND TOTAL	**5960**	**4.3**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	9.2	18	4	6	9	10	11	17	26
20-34	247	9.4	9	5	6	9	11	14	15	18
35-49	581	9.5	10	5	6	9	11	13	15	20
50-64	2165	10.3	14	6	7	10	12	14	16	22
65+	3725	11.3	17	6	7	11	13	16	17	24
2. MULTIPLE DX										
0-19 YRS	28	13.4	227	5	6	9	15	18	27	87
20-34	413	11.8	69	6	6	10	13	18	24	47
35-49	1069	12.1	51	6	7	10	13	18	26	43
50-64	4107	12.6	52	7	7	11	14	19	25	48
65+	12979	14.3	66	7	8	12	16	22	28	53
TOT. SINGLE DX	6740	10.7	16	6	7	10	12	15	17	23
" MULTIPLE DX	18596	13.8	64	7	8	12	15	21	27	52
TOTAL 0-19 YRS	50	11.6	138	5	6	9	13	17	20	87
20-34	660	10.9	48	5	6	10	12	16	20	38
35-49	1650	11.1	38	6	6	10	12	16	21	37
50-64	6272	11.8	41	6	7	10	13	17	22	40
65+	16704	13.6	57	7	8	12	15	20	26	49
GRAND TOTAL	**25336**	**12.9**	**53**	**7**	**7**	**11**	**15**	**19**	**25**	**47**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	6.7	18	2	2	6	9	15	16	17
20-34	45	8.0	55	2	2	8	9	12	13	52
35-49	92	9.2	21	4	5	8	11	14	17	32
50-64	349	10.3	27	6	6	10	12	15	17	23
65+	1929	11.9	23	6	7	11	14	17	20	28
2. MULTIPLE DX										
0-19 YRS	41	11.8	80	3	3	9	14	26	31	44
20-34	90	12.2	78	3	5	10	14	19	30	51
35-49	185	14.6	120	4	6	11	16	30	37	54
50-64	1081	14.5	84	6	7	12	16	25	31	86
65+	11680	15.5	90	7	8	13	18	25	34	67
TOT. SINGLE DX	2462	11.4	25	5	7	11	14	17	19	28
" MULTIPLE DX	13077	15.4	91	7	8	13	17	25	34	67
TOTAL 0-19 YRS	88	9.1	53	2	3	7	11	16	24	39
20-34	135	10.8	74	2	3	9	12	16	27	53
35-49	277	12.8	94	4	5	10	14	25	34	52
50-64	1430	13.5	74	6	7	11	15	22	29	74
65+	13609	15.0	83	7	8	13	17	24	32	63
GRAND TOTAL	**15539**	**14.7**	**82**	**6**	**8**	**13**	**17**	**24**	**32**	**63**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1587	3.1	2	1	1	3	4	5	6	8
20-34	2499	3.5	5	1	1	3	4	6	7	10
35-49	941	5.0	15	1	1	4	7	10	12	19
50-64	1949	9.7	16	3	5	9	12	15	17	22
65+	3985	10.8	14	6	7	10	13	16	17	23
2. MULTIPLE DX										
0-19 YRS	1689	3.8	8	1	1	3	5	6	7	13
20-34	3425	4.2	13	1	2	4	5	7	9	18
35-49	1725	5.7	27	1	1	4	7	12	15	25
50-64	3619	11.0	39	2	4	10	13	17	20	35
65+	10937	12.9	42	6	8	12	15	19	23	40
TOT. SINGLE DX	10961	7.3	23	1	2	7	11	14	16	20
" MULTIPLE DX	21395	9.9	48	2	3	10	13	17	20	34
TOTAL 0-19 YRS	3276	3.5	6	1	1	3	4	6	7	11
20-34	5924	3.9	10	1	1	3	5	6	8	14
35-49	2666	5.4	24	1	1	4	7	11	14	24
50-64	5568	10.6	32	2	5	10	13	16	19	30
65+	14922	12.4	36	6	7	11	15	18	21	35
GRAND TOTAL	**32356**	**9.0**	**41**	**2**	**2**	**9**	**12**	**16**	**19**	**29**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1637	2.2	1	1	1	2	3	4	4	6
20-34	3752	2.4	2	1	1	2	3	4	5	7
35-49	2057	2.5	2	1	1	2	3	4	5	8
50-64	1682	2.9	5	1	1	2	4	5	7	12
65+	784	3.8	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	519	2.9	5	1	1	2	4	5	7	13
20-34	1605	3.0	9	1	1	2	4	5	7	13
35-49	1760	3.2	8	1	1	2	4	6	8	14
50-64	2460	3.7	16	1	1	3	4	6	9	18
65+	1899	5.3	29	1	1	4	6	10	13	25
TOT. SINGLE DX	9912	2.6	3	1	1	2	3	4	6	10
" MULTIPLE DX	8243	3.8	17	1	1	3	4	7	10	19
TOTAL 0-19 YRS	2156	2.4	3	1	1	2	3	4	5	8
20-34	5357	2.6	4	1	1	2	3	4	5	9
35-49	3817	2.8	6	1	1	2	3	5	6	11
50-64	4142	3.4	12	1	1	3	4	6	8	14
65+	2683	4.8	24	1	1	4	6	10	12	23
GRAND TOTAL	**18155**	**3.1**	**10**	**1**	**1**	**2**	**4**	**5**	**8**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	741	3.1	14	<1	<1	2	3	6	10	16
20-34	727	2.9	7	<1	<1	2	4	6	8	14
35-49	607	3.0	16	<1	<1	2	4	6	9	18
50-64	401	2.5	8	<1	<1	1	3	6	8	13
65+	152	4.0	43	<1	<1	1	5	8	11	35
2. MULTIPLE DX										
0-19 YRS	1182	5.7	56	1	1	4	6	11	18	46
20-34	828	6.4	60	1	1	4	8	13	20	42
35-49	764	6.4	59	1	1	4	8	14	21	40
50-64	605	7.7	96	<1	1	5	9	17	27	60
65+	616	9.9	113	1	1	7	13	22	31	54
TOT. SINGLE DX	2628	3.0	14	<1	<1	2	4	6	9	17
" MULTIPLE DX	3995	6.9	75	1	1	4	8	15	23	47
TOTAL 0-19 YRS	1923	4.7	42	<1	1	3	5	10	14	37
20-34	1555	4.8	39	<1	1	3	6	10	14	34
35-49	1371	4.9	44	<1	<1	3	5	11	16	33
50-64	1006	5.6	67	<1	<1	3	7	13	19	48
65+	768	8.7	105	<1	<1	6	11	21	29	54
GRAND TOTAL	**6623**	**5.4**	**54**	**<1**	**1**	**3**	**6**	**12**	**18**	**40**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	600	2.0	4	<1	<1	1	2	4	6	12
20-34	830	1.9	8	<1	<1	1	2	3	5	9
35-49	722	2.1	4	<1	<1	1	2	4	6	13
50-64	582	2.4	8	<1	<1	2	3	5	7	19
65+	323	3.3	26	<1	<1	2	4	7	9	23
2. MULTIPLE DX										
0-19 YRS	265	5.8	124	<1	<1	2	5	12	20	73
20-34	417	6.3	117	<1	<1	3	6	15	24	69
35-49	594	5.6	59	<1	<1	3	7	14	22	49
50-64	852	7.1	82	<1	1	4	9	17	23	46
65+	1060	9.3	107	1	1	6	13	22	28	63
TOT. SINGLE DX	3057	2.2	9	<1	<1	1	2	4	7	14
" MULTIPLE DX	3188	7.3	96	<1	1	4	9	18	25	55
TOTAL 0-19 YRS	865	3.2	44	<1	<1	1	3	6	10	26
20-34	1247	3.4	50	<1	<1	1	3	7	12	33
35-49	1316	3.7	33	<1	<1	2	4	8	14	33
50-64	1434	5.2	57	<1	<1	2	6	13	19	37
65+	1383	7.9	95	<1	1	4	10	19	25	54
GRAND TOTAL	**6245**	**4.8**	**60**	**<1**	**<1**	**2**	**5**	**12**	**18**	**44**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.5	8	<1	<1	1	3	6	8	15
20-34	84	2.3	4	<1	<1	1	3	6	7	10
35-49	145	1.7	1	<1	<1	1	2	3	5	8
50-64	436	1.6	1	<1	<1	1	2	3	4	6
65+	326	1.6		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	52	3.7	10	<1	1	2	5	9	10	14
20-34	94	4.0	18	<1	1	2	5	9	14	21
35-49	124	3.5	24	<1	<1	2	3	8	12	29
50-64	322	2.3	8	<1	<1	2	3	4	5	16
65+	384	2.7	9	<1	1	2	3	6	9	19
TOT. SINGLE DX	1024	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	976	2.9	13	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	85	3.2	10	<1	1	2	4	8	10	15
20-34	178	3.2	12	<1	<1	2	4	8	10	19
35-49	269	2.6	13	<1	<1	1	2	5	8	22
50-64	758	1.9	5	<1	<1	1	2	3	4	10
65+	710	2.2	6	<1	<1	1	2	4	6	14
GRAND TOTAL	**2000**	**2.3**	**7**	**<1**	**<1**	**1**	**2**	**4**	**7**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	727	1.5	1	<1	<1	1	2	2	3	6
20-34	1127	1.7	1	<1	<1	1	2	3	4	8
35-49	486	1.9	3	<1	<1	1	2	3	5	12
50-64	231	1.6	1	<1	<1	1	2	3	4	6
65+	65	2.0	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	733	2.1	8	<1	1	1	2	4	5	11
20-34	1377	2.6	8	<1	1	2	3	5	7	14
35-49	649	2.5	7	<1	1	2	3	4	7	11
50-64	386	2.5	8	<1	1	2	3	4	7	15
65+	199	3.2	19	1	1	2	3	6	10	30
TOT. SINGLE DX	2636	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	3344	2.5	9	<1	1	2	3	4	7	15
TOTAL 0-19 YRS	1460	1.8	5	<1	<1	1	2	3	4	9
20-34	2504	2.2	5	<1	1	1	2	4	6	12
35-49	1135	2.2	6	<1	1	2	3	4	6	11
50-64	617	2.1	6	<1	<1	1	2	4	5	13
65+	264	2.9	15	<1	1	2	3	5	9	26
GRAND TOTAL	**5980**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	511	2.0	2	<1	1	1	2	4	5	8
20-34	1246	2.2	3	<1	1	2	3	4	5	9
35-49	1344	2.7	3	<1	1	2	3	5	6	9
50-64	1532	3.0	4	1	1	3	4	5	6	10
65+	658	3.7	6	1	1	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	443	3.5	25	<1	1	2	4	7	10	32
20-34	890	3.9	34	1	1	3	4	7	11	30
35-49	1055	4.2	31	1	1	3	5	8	11	23
50-64	1562	4.4	23	1	1	3	5	8	11	24
65+	1252	5.7	41	1	2	4	6	11	16	35
TOT. SINGLE DX	5291	2.7	4	<1	1	2	3	5	6	10
" MULTIPLE DX	5202	4.5	32	1	1	3	5	8	12	30
TOTAL 0-19 YRS	954	2.7	14	<1	1	2	3	5	7	25
20-34	2136	2.9	17	<1	1	2	3	5	7	17
35-49	2399	3.3	17	1	1	3	4	6	8	16
50-64	3094	3.7	15	1	1	3	4	6	9	18
65+	1910	5.0	30	1	1	4	6	9	13	30
GRAND TOTAL	**10493**	**3.6**	**19**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1227	2.6	3	1	1	2	3	4	6	10
20-34	993	2.8	3	1	1	2	3	5	6	10
35-49	805	2.8	6	1	1	2	3	5	7	12
50-64	400	3.2	5	1	1	3	4	6	7	12
65+	159	4.7	10	1	1	4	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	1551	3.6	29	1	1	3	4	6	8	28
20-34	702	5.6	89	1	1	3	5	11	25	80
35-49	521	6.0	76	1	1	3	6	14	25	60
50-64	460	6.7	136	1	1	3	6	12	26	76
65+	386	8.2	100	1	2	5	9	18	29	99+
TOT. SINGLE DX	3584	2.8	5	1	1	2	4	5	7	11
" MULTIPLE DX	3620	5.2	72	1	1	3	5	10	18	57
TOTAL 0-19 YRS	2778	3.1	18	1	1	2	3	5	7	18
20-34	1695	3.9	41	1	1	3	4	7	10	40
35-49	1326	4.1	36	1	1	3	4	7	12	33
50-64	860	5.0	78	1	1	3	5	8	13	55
65+	545	7.2	77	1	2	5	8	15	22	81
GRAND TOTAL	**7204**	**4.0**	**40**	**1**	**1**	**3**	**4**	**7**	**11**	**37**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	1.7	1	<1	1	1	2	3	4	6
20-34	347	2.1	6	<1	1	1	2	4	6	9
35-49	200	1.9	2	<1	1	1	2	4	5	8
50-64	143	2.1	5	<1	1	1	2	4	5	17
65+	93	2.2	7	<1	1	1	2	4	7	17
2. MULTIPLE DX										
0-19 YRS	109	3.7	24	1	1	2	4	7	14	30
20-34	347	4.1	38	1	1	2	4	10	17	40
35-49	332	5.5	74	1	1	3	6	13	21	40
50-64	277	6.1	96	1	1	2	7	16	24	44
65+	317	7.1	85	1	1	3	9	19	26	50
TOT. SINGLE DX	927	2.0	5	<1	1	1	2	4	5	9
" MULTIPLE DX	1382	5.5	70	1	1	2	6	14	21	42
TOTAL 0-19 YRS	253	2.6	12	1	1	1	3	5	7	17
20-34	694	3.1	24	<1	1	2	3	6	10	27
35-49	532	4.2	51	<1	1	2	4	9	16	33
50-64	420	4.7	69	<1	1	2	4	12	19	37
65+	410	6.0	72	1	1	3	7	14	22	49
GRAND TOTAL	**2309**	**4.1**	**47**	**<1**	**1**	**2**	**4**	**9**	**16**	**35**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	5.8	14	1	2	5	9	11	12	12
20-34	17	3.8	7	1	1	3	5	8	9	10
35-49	26	3.4	7	<1	1	3	5	7	10	10
50-64	13	5.9	29	1	1	3	9	13	18	19
65+	7	6.6	16	1	1	6	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	19	11.8	58	1	2	13	16	24	25	25
20-34	30	10.1	61	2	3	8	12	20	22	41
35-49	30	9.7	102	1	1	5	14	27	30	36
50-64	32	18.3	414	2	4	9	27	56	81	99+
65+	64	14.8	268	2	3	10	17	47	61	97
TOT. SINGLE DX	75	4.6	14	1	1	3	7	10	11	17
" MULTIPLE DX	175	13.4	214	1	3	9	15	30	54	95
TOTAL 0-19 YRS	31	9.5	49	1	2	7	14	20	25	25
20-34	47	7.8	51	2	2	7	10	15	21	41
35-49	56	6.8	67	1	1	4	7	21	28	36
50-64	45	14.7	332	1	2	8	19	52	66	99+
65+	71	14.0	249	1	3	10	15	34	59	96
GRAND TOTAL	**250**	**10.8**	**170**	**1**	**2**	**7**	**13**	**25**	**42**	**84**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	3.1	5	<1	<1	2	4	6	8	12
20-34	89	4.9	29	1	1	3	6	11	16	29
35-49	71	5.3	33	<1	1	3	6	13	18	29
50-64	56	5.7	32	1	1	4	7	13	17	29
65+	105	6.3	45	1	1	4	8	15	18	35
2. MULTIPLE DX										
0-19 YRS	75	5.3	29	1	1	3	7	14	19	23
20-34	215	11.5	139	1	2	9	15	26	34	76
35-49	608	14.4	147	2	3	12	18	28	38	63
50-64	1534	14.6	160	2	3	11	19	29	39	74
65+	2642	14.9	150	2	3	12	20	30	40	65
TOT. SINGLE DX	394	5.1	31	<1	1	3	6	12	16	30
" MULTIPLE DX	5074	14.4	153	2	3	11	19	29	39	68
TOTAL 0-19 YRS	148	4.2	19	<1	1	2	6	9	14	21
20-34	304	9.6	116	1	1	7	12	22	31	67
35-49	679	13.4	143	1	2	11	17	27	37	60
50-64	1590	14.3	159	2	3	11	19	29	38	73
65+	2747	14.5	149	2	3	12	19	29	39	65
GRAND TOTAL	**5468**	**13.8**	**150**	**2**	**3**	**11**	**18**	**28**	**38**	**65**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	8.8	43	3	4	7	10	19	25	25
20-34	24	11.2	161	1	3	7	13	23	36	63
35-49	33	11.1	58	3	4	8	15	23	29	31
50-64	25	11.5	63	5	6	10	14	15	25	45
65+	58	13.5	89	5	7	10	17	21	30	61
2. MULTIPLE DX										
0-19 YRS	26	18.7	255	6	6	14	22	43	54	75
20-34	151	18.4	249	5	6	14	24	41	61	99+
35-49	348	19.5	236	5	7	15	25	40	57	99+
50-64	1138	21.6	224	6	8	18	28	44	55	99+
65+	3056	20.7	216	6	8	16	26	41	54	99
TOT. SINGLE DX	149	12.0	87	4	5	9	15	21	27	63
" MULTIPLE DX	4719	20.8	221	6	8	17	26	42	55	99+
TOTAL 0-19 YRS	35	16.1	217	5	6	11	22	26	48	75
20-34	175	17.4	242	4	5	12	23	41	60	99+
35-49	381	18.8	226	5	6	14	24	38	55	99
50-64	1163	21.4	223	6	8	17	27	44	55	99+
65+	3114	20.6	215	6	8	16	26	40	54	98
GRAND TOTAL	**4868**	**20.5**	**220**	**6**	**7**	**16**	**26**	**41**	**55**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	9.4	89	2	3	6	9	24	34	40
20-34	13	8.7	10	4	5	9	10	13	15	15
35-49	13	8.4	8	3	5	9	12	21	82	99+
50-64	22	13.4	220	3	4	11	14	23	46	74
65+	82	10.3	34	3	4	9	14	18	22	32
2. MULTIPLE DX										
0-19 YRS	28	16.3	213	3	4	11	23	38	48	62
20-34	43	22.3	266	4	6	21	33	58	80	99+
35-49	118	21.3	288	6	7	16	30	50	66	99+
50-64	544	19.6	206	6	7	16	26	39	54	99+
65+	3443	17.7	187	5	6	14	22	35	51	99+
TOT. SINGLE DX	149	10.3	65	3	4	9	13	18	23	74
" MULTIPLE DX	4176	18.1	195	5	6	14	22	36	52	99+
TOTAL 0-19 YRS	47	13.5	172	3	4	8	17	31	42	62
20-34	56	19.1	239	4	5	16	25	47	68	99+
35-49	131	20.0	276	5	6	15	27	50	66	99+
50-64	566	19.4	208	6	7	15	26	38	53	99+
65+	3525	17.5	185	5	6	14	22	35	50	99+
GRAND TOTAL	**4325**	**17.8**	**192**	**5**	**6**	**14**	**22**	**36**	**51**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	5.3	40	1	1	3	5	10	21	30
20-34	17	16.5	349	3	4	10	15	49	64	70
35-49	13	7.3	15	3	4	6	9	13	16	17
50-64	14	11.7	59	1	3	9	19	21	26	27
65+	17	12.7	82	1	2	12	17	24	31	35
2. MULTIPLE DX										
0-19 YRS	28	9.5	62	1	2	7	14	21	25	31
20-34	49	21.4	403	2	3	14	31	50	62	82
35-49	167	18.4	201	4	5	15	26	39	52	99+
50-64	452	22.9	291	5	6	18	33	49	59	92
65+	774	22.5	285	5	6	18	30	46	60	99
TOT. SINGLE DX	81	10.6	126	1	2	7	13	21	32	65
" MULTIPLE DX	1470	21.9	282	4	6	17	30	46	59	99
TOTAL 0-19 YRS	48	7.7	57	1	2	4	10	20	25	31
20-34	66	20.2	389	2	3	13	28	52	63	82
35-49	180	17.6	196	4	5	14	24	38	49	99+
50-64	466	22.6	288	4	6	18	32	48	58	92
65+	791	22.3	283	5	6	18	30	46	60	99
GRAND TOTAL	**1551**	**21.3**	**280**	**4**	**5**	**17**	**30**	**46**	**58**	**98**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	3.6	17	1	1	2	5	7	11	25
20-34	63	6.1	44	1	1	4	8	12	17	38
35-49	46	5.2	16	1	2	5	7	10	12	25
50-64	20	3.9	7	<1	1	3	5	8	10	11
65+	3	3.3	4	<1	<1	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	43	7.2	52	1	1	6	8	16	28	29
20-34	54	8.2	31	1	2	7	11	17	21	24
35-49	40	6.4	29	1	2	5	7	14	23	99+
50-64	25	7.0	34	2	3	5	8	16	20	28
65+	19	12.4	435	1	1	7	13	25	64	93
TOT. SINGLE DX	204	4.8	25	1	1	3	6	9	12	30
" MULTIPLE DX	181	7.8	79	1	1	6	9	17	23	73
TOTAL 0-19 YRS	115	4.9	33	1	1	3	6	11	14	29
20-34	117	7.1	39	1	1	6	9	13	19	34
35-49	86	5.7	23	1	2	5	7	12	15	74
50-64	45	5.6	25	1	2	4	7	11	16	28
65+	22	11.2	384	<1	1	5	9	22	54	93
GRAND TOTAL	**385**	**6.2**	**53**	**1**	**1**	**5**	**7**	**12**	**18**	**31**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	2.7	6	<1	1	2	3	6	8	13
20-34	106	2.9	5	<1	1	2	4	7	8	49
35-49	96	3.8	44	<1	1	2	4	6	10	44
50-64	65	4.5	18	<1	1	3	7	9	15	20
65+	57	7.5	58	<1	1	5	9	20	25	36
2. MULTIPLE DX										
0-19 YRS	48	3.3	30	1	1	2	3	5	12	37
20-34	106	8.2	168	<1	1	5	8	16	26	74
35-49	166	9.9	179	1	1	6	12	23	40	99
50-64	316	11.9	112	1	3	9	15	26	32	51
65+	594	13.0	147	2	3	10	17	27	35	82
TOT. SINGLE DX	366	4.1	29	<1	1	3	5	8	12	30
" MULTIPLE DX	1230	11.5	145	1	2	8	15	26	33	79
TOTAL 0-19 YRS	90	3.0	19	<1	1	2	3	5	8	28
20-34	212	5.6	94	<1	1	3	6	11	17	73
35-49	262	7.7	139	1	1	4	9	18	30	95
50-64	381	10.7	104	1	1	8	14	23	30	49
65+	651	12.6	142	2	3	9	16	26	34	80
GRAND TOTAL	**1596**	**9.8**	**128**	**1**	**1**	**6**	**13**	**22**	**31**	**73**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	11.3	168	1	1	8	21	28	28	28
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	5.7	21	1	1	5	7	13	14	14
50-64	11	5.9	20	1	1	5	7	13	17	17
65+	7	8.1	24	1	2	11	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	2	13.5	85	7	7	13	20	20	20	20
20-34	6	4.0	6	1	1	4	5	8	8	8
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	20	7.1	36	1	1	6	9	17	20	23
65+	28	10.8	63	4	5	9	13	16	22	46
TOT. SINGLE DX	30	6.8	39	1	1	5	11	14	17	28
" MULTIPLE DX	60	8.4	51	1	2	7	10	16	19	44
TOTAL 0-19 YRS	6	12.0	119	1	1	11	20	27	28	28
20-34	8	3.4	6	1	1	3	5	7	8	8
35-49	10	4.3	16	<1	<1	3	5	10	14	14
50-64	31	6.6	30	1	1	5	8	16	18	23
65+	35	10.2	56	3	4	9	13	15	18	46
GRAND TOTAL	**90**	**7.8**	**47**	**1**	**1**	**6**	**10**	**15**	**19**	**39**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	237	1.5	1	<1	<1	1	2	2	4	6
20-34	900	1.7	2	<1	<1	1	2	3	4	7
35-49	2494	1.9	1	<1	<1	1	2	4	5	7
50-64	2391	2.1	3	<1	<1	1	2	4	5	8
65+	1472	2.4	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	78	2.3	5	<1	<1	2	2	5	8	12
20-34	690	3.3	24	<1	<1	2	3	7	10	29
35-49	2622	3.2	19	<1	<1	2	3	7	10	26
50-64	3366	4.0	27	<1	<1	2	5	9	13	27
65+	4151	5.6	53	<1	1	3	7	12	17	38
TOT. SINGLE DX	7494	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	10907	4.4	36	<1	<1	2	5	10	14	31
TOTAL 0-19 YRS	315	1.7	2	<1	<1	1	2	3	4	9
20-34	1590	2.4	12	<1	<1	1	2	4	7	21
35-49	5116	2.6	12	<1	<1	2	3	5	7	16
50-64	5757	3.2	18	<1	<1	2	3	7	10	21
65+	5623	4.8	43	<1	<1	3	5	10	15	33
GRAND TOTAL	**18401**	**3.4**	**24**	**<1**	**<1**	**2**	**4**	**7**	**11**	**25**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.7		1	1	2	2	2	3	4
20-34	74	2.7	2	1	1	2	4	5	6	6
35-49	237	3.8	4	1	1	4	5	6	8	14
50-64	300	3.9	4	1	1	4	5	6	7	11
65+	374	4.2	5	1	1	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	16	3.4	23	<1	<1	2	3	10	17	19
20-34	79	3.9	7	1	2	4	5	6	7	18
35-49	418	4.4	16	1	2	4	5	7	8	16
50-64	626	5.6	34	2	2	4	6	9	12	35
65+	1242	6.8	43	2	2	5	8	13	17	44
TOT. SINGLE DX	1024	3.8	5	1	1	4	5	6	8	11
" MULTIPLE DX	2381	5.9	36	1	2	5	7	10	14	37
TOTAL 0-19 YRS	55	2.2	8	<1	1	2	2	4	4	19
20-34	153	3.3	5	1	1	3	4	6	6	13
35-49	655	4.2	12	1	2	4	5	6	8	15
50-64	926	5.0	25	1	2	4	6	8	11	28
65+	1616	6.2	36	1	2	5	7	11	15	38
GRAND TOTAL	**3405**	**5.3**	**28**	**1**	**2**	**4**	**6**	**9**	**13**	**31**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.4	10	<1	<1	4	7	9	9	9
20-34	240	4.8	4	2	3	4	6	7	8	12
35-49	1716	4.7	4	2	2	4	6	7	8	11
50-64	2698	4.9	5	2	2	5	6	8	8	11
65+	2889	5.2	5	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	6	5.5	5	2	2	6	7	8	8	8
20-34	311	5.5	8	2	3	5	7	9	11	16
35-49	2499	5.4	8	2	3	5	6	8	10	15
50-64	5050	6.1	13	2	3	5	7	9	12	21
65+	8279	6.8	17	3	3	6	8	11	14	24
TOT. SINGLE DX	7550	5.0	5	2	3	5	6	8	9	12
" MULTIPLE DX	16145	6.3	15	2	3	6	7	10	12	22
TOTAL 0-19 YRS	13	4.9	8	<1	1	5	7	8	9	9
20-34	551	5.2	7	2	3	5	6	8	10	15
35-49	4215	5.1	7	2	3	5	6	8	9	13
50-64	7748	5.7	11	2	3	5	7	9	10	19
65+	11168	6.4	15	2	3	6	8	10	12	22
GRAND TOTAL	**23695**	**5.9**	**12**	**2**	**3**	**5**	**7**	**9**	**11**	**20**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	888	2.2	1	1	1	2	3	4	4	6
20-34	1882	2.5	2	1	1	2	3	4	5	7
35-49	1567	2.8	3	1	1	2	3	5	6	8
50-64	829	2.7	2	1	1	2	3	4	5	8
65+	205	2.8	3	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	328	2.7	4	1	1	2	3	4	6	12
20-34	1356	3.1	7	1	1	3	4	5	7	11
35-49	3013	3.3	8	1	1	3	4	6	7	13
50-64	1899	3.5	8	1	1	3	4	6	8	15
65+	580	4.5	44	1	1	3	5	8	13	32
TOT. SINGLE DX	5371	2.6	3	1	1	2	3	4	5	7
" MULTIPLE DX	7176	3.4	11	1	1	3	4	6	7	15
TOTAL 0-19 YRS	1216	2.3	2	1	1	2	3	4	4	7
20-34	3238	2.7	4	1	1	2	3	4	6	10
35-49	4580	3.1	7	1	1	3	4	5	7	11
50-64	2728	3.3	7	1	1	3	4	6	7	13
65+	785	4.1	34	1	1	3	4	7	11	27
GRAND TOTAL	**12547**	**3.0**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1528	2.3	2	1	1	2	3	4	5	8
20-34	2711	2.3	2	1	1	2	3	4	5	8
35-49	499	2.3	2	<1	1	2	3	4	6	8
50-64	107	2.6	2	<1	1	2	3	4	5	9
65+	19	3.1	5	<1	<1	3	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	293	3.3	18	1	1	2	4	5	7	26
20-34	585	3.1	12	1	1	2	4	6	8	22
35-49	183	3.8	11	1	1	3	5	8	11	19
50-64	95	5.1	43	1	1	3	5	12	14	40
65+	46	4.7	21	1	1	3	6	11	13	25
TOT. SINGLE DX	4864	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	1202	3.5	17	1	1	2	4	6	10	23
TOTAL 0-19 YRS	1821	2.5	5	1	1	2	3	4	5	9
20-34	3296	2.4	4	1	1	2	3	4	5	10
35-49	682	2.7	5	1	1	2	3	5	7	13
50-64	202	3.8	23	<1	1	2	4	6	12	30
65+	65	4.2	17	<1	1	3	5	10	12	23
GRAND TOTAL	**6066**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1237	2.3	9	<1	<1	1	2	4	7	14
20-34	1200	2.7	12	<1	<1	2	3	6	9	17
35-49	1252	2.5	12	<1	<1	1	3	5	8	17
50-64	972	2.7	10	<1	<1	2	3	6	8	18
65+	662	3.5	35	<1	<1	2	4	8	11	23
2. MULTIPLE DX										
0-19 YRS	999	6.4	120	<1	1	3	6	15	30	75
20-34	1570	8.0	120	<1	1	4	9	22	31	59
35-49	2101	8.1	100	<1	1	5	10	20	28	56
50-64	2694	8.3	98	<1	1	5	10	20	28	50
65+	4335	10.2	124	1	2	7	13	22	31	75
TOT. SINGLE DX	5323	2.7	14	<1	<1	1	3	5	9	17
" MULTIPLE DX	11699	8.8	115	1	1	5	11	21	30	67
TOTAL 0-19 YRS	2236	4.1	63	<1	<1	2	4	9	15	57
20-34	2770	5.7	81	<1	<1	3	6	14	25	49
35-49	3353	6.0	75	<1	<1	3	7	15	23	44
50-64	3666	6.8	81	<1	<1	4	8	16	25	46
65+	4997	9.4	118	<1	1	6	12	21	29	73
GRAND TOTAL	**17022**	**6.9**	**91**	**<1**	**<1**	**3**	**8**	**16**	**25**	**56**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3599	3.5	19	<1	1	2	4	7	10	22
20-34	4434	4.2	23	<1	1	3	5	9	12	25
35-49	2534	4.6	27	<1	1	3	6	10	14	27
50-64	1641	5.2	42	<1	1	3	6	11	16	32
65+	1342	6.3	50	<1	1	4	8	14	20	35
2. MULTIPLE DX										
0-19 YRS	8270	5.3	61	1	1	3	6	12	19	45
20-34	13407	6.5	85	1	1	4	7	15	24	53
35-49	9041	9.4	132	1	1	6	11	22	33	65
50-64	9803	11.6	161	1	2	8	15	27	39	84
65+	18281	13.7	187	2	2	10	18	32	45	99+
TOT. SINGLE DX	13550	4.4	29	<1	1	3	5	9	13	27
" MULTIPLE DX	58802	9.9	144	1	1	6	12	24	35	77
TOTAL 0-19 YRS	11869	4.8	49	<1	1	3	5	10	16	40
20-34	17841	5.9	71	1	1	3	7	13	21	47
35-49	11575	8.3	114	1	1	5	10	19	29	59
50-64	11444	10.7	149	1	1	7	13	25	36	79
65+	19623	13.2	181	1	2	9	17	30	44	99+
GRAND TOTAL	**72352**	**8.9**	**127**	**1**	**1**	**5**	**11**	**21**	**32**	**70**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	483	5.2	35	1	1	3	7	12	17	28
20-34	578	5.5	40	<1	1	4	7	12	16	29
35-49	379	6.5	48	1	1	4	8	15	21	34
50-64	315	6.9	83	<1	1	4	8	16	23	39
65+	315	9.5	78	1	1	8	13	20	27	46
2. MULTIPLE DX										
0-19 YRS	740	13.3	168	1	1	9	19	30	38	71
20-34	1016	13.9	180	1	2	10	18	31	41	71
35-49	869	14.7	206	1	2	10	21	35	45	99+
50-64	1028	16.2	214	1	2	12	22	37	50	89
65+	2044	19.0	242	2	3	15	26	40	53	88
TOT. SINGLE DX	2070	6.5	55	<1	1	4	9	15	20	36
" MULTIPLE DX	5697	16.2	216	1	2	12	22	36	47	88
TOTAL 0-19 YRS	1223	10.1	131	1	1	6	14	25	32	55
20-34	1594	10.9	146	1	1	7	15	25	36	66
35-49	1248	12.2	173	1	1	8	17	30	40	91
50-64	1343	14.0	199	1	1	10	20	34	46	82
65+	2359	17.7	231	2	3	14	24	38	49	88
GRAND TOTAL	**7767**	**13.6**	**192**	**1**	**1**	**9**	**19**	**32**	**42**	**81**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	3.2	21	<1	<1	2	3	7	12	24
20-34	228	4.2	49	<1	<1	2	5	8	13	42
35-49	140	4.9	57	<1	1	2	5	11	24	35
50-64	78	4.2	24	<1	1	2	5	9	16	26
65+	55	5.7	56	1	1	2	6	16	23	35
2. MULTIPLE DX										
0-19 YRS	176	6.5	94	1	1	3	7	20	33	90
20-34	433	13.2	308	1	1	5	18	40	58	89
35-49	317	14.4	274	1	1	7	23	39	54	99+
50-64	258	14.4	316	1	1	7	20	40	55	85
65+	383	16.8	314	1	2	10	25	44	59	96
TOT. SINGLE DX	651	4.2	43	<1	1	2	4	9	16	33
" MULTIPLE DX	1567	13.8	288	1	1	7	21	39	56	95
TOTAL 0-19 YRS	326	5.0	64	<1	1	2	5	13	24	50
20-34	661	10.1	237	<1	1	4	11	31	46	79
35-49	457	11.5	227	1	1	5	17	32	44	99
50-64	336	12.0	267	1	1	5	15	33	45	79
65+	438	15.4	295	1	1	9	23	40	57	92
GRAND TOTAL	**2218**	**11.0**	**235**	**1**	**1**	**4**	**14**	**32**	**46**	**83**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	645	2.1	5	<1	<1	1	2	3	5	14
20-34	469	2.4	7	<1	<1	2	3	5	6	10
35-49	510	2.2	3	<1	1	2	3	5	6	10
50-64	419	2.0	2	<1	1	1	2	4	5	10
65+	172	2.1	6	<1	<1	1	2	3	5	18
2. MULTIPLE DX										
0-19 YRS	617	4.3	77	<1	1	2	3	7	16	75
20-34	638	4.9	55	<1	1	3	5	10	19	35
35-49	1019	4.5	36	1	1	3	5	8	12	44
50-64	1223	4.9	51	1	1	3	5	10	15	41
65+	1183	10.4	152	1	1	7	13	24	42	99+
TOT. SINGLE DX	2215	2.2	5	<1	<1	1	3	4	6	11
" MULTIPLE DX	4680	6.1	84	1	1	3	7	14	23	70
TOTAL 0-19 YRS	1262	3.2	42	<1	<1	2	3	6	8	49
20-34	1107	3.9	37	<1	<1	2	4	7	12	32
35-49	1529	3.8	26	1	1	2	5	7	10	30
50-64	1642	4.1	40	1	1	2	4	9	14	34
65+	1355	9.3	142	1	1	6	12	22	38	99+
GRAND TOTAL	**6895**	**4.9**	**62**	**<1**	**1**	**2**	**5**	**11**	**18**	**55**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	3.3	26	1	1	2	3	5	11	35
20-34	45	2.9	4	1	1	2	4	6	8	9
35-49	35	4.3	26	1	1	3	5	12	12	27
50-64	41	2.7	6	1	1	1	3	6	8	12
65+	43	3.6	9	1	1	3	4	9	11	13
2. MULTIPLE DX										
0-19 YRS	106	6.0	59	1	1	4	8	13	17	49
20-34	90	6.3	96	1	1	4	6	14	29	99+
35-49	108	5.4	19	1	2	4	7	10	13	26
50-64	187	9.5	114	2	2	6	12	18	25	79
65+	502	10.3	108	2	3	8	12	19	30	72
TOT. SINGLE DX	216	3.3	15	1	1	2	4	7	10	19
" MULTIPLE DX	993	8.8	97	1	2	6	11	17	25	69
TOTAL 0-19 YRS	158	5.1	50	1	1	3	6	11	16	41
20-34	135	5.2	68	1	1	3	6	11	17	99+
35-49	143	5.1	21	1	1	4	6	10	13	27
50-64	228	8.2	101	1	1	5	10	16	24	68
65+	545	9.8	104	2	2	7	12	19	29	64
GRAND TOTAL	**1209**	**7.8**	**87**	**1**	**1**	**5**	**10**	**16**	**23**	**63**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	559	2.5	9	1	1	1	2	5	8	17
20-34	9034	2.7	8	1	1	1	3	7	9	15
35-49	12260	2.7	9	1	1	1	3	6	9	15
50-64	6321	2.5	8	1	1	1	3	6	9	15
65+	2015	2.5	9	1	1	1	2	6	9	16
2. MULTIPLE DX										
0-19 YRS	466	4.2	44	1	1	2	4	10	15	36
20-34	5493	4.4	24	1	1	3	6	10	14	24
35-49	9232	4.3	27	1	1	2	6	10	13	26
50-64	7974	4.6	31	1	1	2	6	11	15	29
65+	5691	6.2	52	1	1	3	8	15	20	37
TOT. SINGLE DX	30189	2.6	9	1	1	1	3	6	9	15
" MULTIPLE DX	28856	4.8	34	1	1	3	6	11	15	28
TOTAL 0-19 YRS	1025	3.3	26	1	1	2	3	7	12	25
20-34	14527	3.3	15	1	1	2	4	8	11	19
35-49	21492	3.4	18	1	1	2	4	8	11	21
50-64	14295	3.7	22	1	1	2	4	9	12	22
65+	7706	5.2	44	1	1	2	7	13	18	32
GRAND TOTAL	**59045**	**3.7**	**22**	**1**	**1**	**2**	**4**	**9**	**12**	**23**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	3.3	16	1	1	2	3	7	10	26
20-34	634	3.5	19	1	1	2	4	8	12	23
35-49	815	3.7	21	1	1	2	4	9	12	20
50-64	1269	3.1	10	1	1	2	4	7	9	17
65+	1333	3.0	13	1	1	2	3	6	9	16
2. MULTIPLE DX										
0-19 YRS	270	6.0	51	1	1	4	7	13	17	43
20-34	883	6.2	48	1	1	4	8	14	18	35
35-49	1795	6.0	37	1	1	4	8	13	18	31
50-64	5276	6.1	45	1	1	4	8	13	17	35
65+	9346	6.2	42	1	1	5	8	13	17	33
TOT. SINGLE DX	4264	3.2	15	1	1	2	4	7	10	19
" MULTIPLE DX	17570	6.2	43	1	1	4	8	13	17	34
TOTAL 0-19 YRS	483	4.8	38	1	1	2	6	11	15	35
20-34	1517	5.0	39	1	1	3	6	11	17	31
35-49	2610	5.3	34	1	1	3	7	12	16	28
50-64	6545	5.5	41	1	1	4	7	12	16	32
65+	10679	5.8	40	1	1	4	8	12	16	32
GRAND TOTAL	**21834**	**5.6**	**39**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	14	4.9	80	1	1	3	6	12	18	20
35-49	138	2.8	6	<1	1	2	3	7	8	12
50-64	262	2.6	9	<1	1	1	3	6	9	13
65+	134	1.8	3	<1	<1	1	2	3	7	9
2. MULTIPLE DX										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	63	4.3	29	1	1	2	5	10	14	30
35-49	606	4.2	16	1	1	2	6	10	12	17
50-64	1698	4.0	14	1	1	2	6	9	12	18
65+	1590	5.0	31	1	1	3	7	11	15	28
TOT. SINGLE DX	552	2.5	8	<1	1	1	3	6	8	12
" MULTIPLE DX	3961	4.4	22	1	1	2	6	10	13	21
TOTAL 0-19 YRS	8	2.5	2	1	1	2	4	5	5	5
20-34	77	4.4	29	1	1	2	5	11	15	29
35-49	744	3.9	15	1	1	2	5	9	12	16
50-64	1960	3.8	14	1	1	2	5	9	11	17
65+	1724	4.7	30	<1	1	2	7	11	15	27
GRAND TOTAL	**4513**	**4.2**	**21**	**1**	**1**	**2**	**6**	**10**	**12**	**21**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	3.6	12	1	1	2	5	9	10	16
20-34	1589	4.5	16	1	1	3	7	10	12	18
35-49	1891	4.5	12	1	1	3	7	9	11	15
50-64	2227	4.1	13	1	1	2	6	9	11	16
65+	2109	4.2	15	1	1	2	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	518	5.7	45	<1	1	3	7	12	16	37
20-34	2384	6.7	47	1	1	5	9	13	17	37
35-49	4567	6.7	41	1	1	5	9	13	17	32
50-64	9896	6.5	40	1	1	5	9	13	17	29
65+	17416	7.4	48	1	1	6	10	15	19	35
TOT. SINGLE DX	8202	4.3	15	1	1	3	7	9	11	17
" MULTIPLE DX	34781	7.0	45	1	1	6	9	14	18	33
TOTAL 0-19 YRS	904	4.8	33	1	1	3	7	10	14	31
20-34	3973	5.8	36	1	1	4	8	12	15	27
35-49	6458	6.0	34	1	1	5	8	12	15	28
50-64	12123	6.1	36	1	1	5	8	12	16	27
65+	19525	7.1	46	1	1	6	10	14	18	34
GRAND TOTAL	**42983**	**6.5**	**41**	**1**	**1**	**5**	**9**	**13**	**17**	**31**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22658	3.2	17	1	1	2	4	6	8	18
20-34	33512	3.7	18	1	1	3	4	7	9	21
35-49	23251	4.1	17	1	1	3	5	8	11	22
50-64	16277	4.5	18	1	1	3	6	9	11	21
65+	12828	5.5	26	1	2	4	7	10	14	26
2. MULTIPLE DX										
0-19 YRS	41596	5.4	59	1	1	3	6	10	17	44
20-34	60480	5.4	37	1	1	4	6	10	15	32
35-49	67005	6.0	35	1	2	4	7	11	16	31
50-64	105935	6.8	37	2	2	5	8	13	17	31
65+	260009	8.3	52	2	3	7	10	15	20	39
TOT. SINGLE DX	108526	4.0	19	1	1	3	5	8	10	22
" MULTIPLE DX	535025	7.2	48	1	2	5	9	14	19	36
TOTAL 0-19 YRS	64254	4.6	45	1	1	3	5	8	13	38
20-34	93992	4.8	31	1	1	3	5	9	13	29
35-49	90256	5.5	32	1	1	4	7	11	14	30
50-64	122212	6.5	36	1	2	5	8	12	16	30
65+	272837	8.2	51	2	3	6	10	15	20	39
GRAND TOTAL	**643551**	**6.6**	**44**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12548	5.4	70	1	1	3	5	11	23	44
20-34	5662	6.3	48	1	1	4	7	13	19	35
35-49	5434	6.4	39	1	2	5	8	12	17	35
50-64	3684	6.0	38	1	1	4	7	11	16	33
65+	3085	6.5	38	1	2	5	8	13	17	32
2. MULTIPLE DX										
0-19 YRS	19341	6.9	108	1	2	4	6	15	28	60
20-34	11364	7.9	83	1	2	5	9	16	25	51
35-49	13590	7.7	60	1	2	6	9	15	22	43
50-64	20278	8.1	65	2	2	6	10	15	22	46
65+	52054	9.3	73	2	3	7	11	18	25	50
TOT. SINGLE DX	30413	5.9	54	1	1	4	7	12	19	40
" MULTIPLE DX	116627	8.4	78	2	2	6	10	17	24	50
TOTAL 0-19 YRS	31889	6.3	94	1	1	3	6	14	25	55
20-34	17026	7.4	73	1	2	5	8	15	23	46
35-49	19024	7.3	55	1	2	5	9	14	21	41
50-64	23962	7.8	62	1	2	6	9	15	21	44
65+	55139	9.2	72	2	3	7	11	17	24	49
GRAND TOTAL	**147040**	**7.9**	**74**	**1**	**2**	**5**	**9**	**16**	**23**	**48**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14095	3.3	20	<1	1	2	4	6	7	21
20-34	11903	3.3	26	<1	<1	2	3	6	10	29
35-49	7969	4.2	26	1	1	3	5	8	11	28
50-64	7260	4.4	21	1	1	3	6	9	11	23
65+	6543	5.0	22	1	1	4	6	10	12	23
2. MULTIPLE DX										
0-19 YRS	33466	5.9	83	1	1	3	5	11	21	59
20-34	22517	5.4	54	1	1	3	6	11	19	41
35-49	30874	5.6	39	1	1	4	7	11	16	32
50-64	61499	6.3	35	1	2	5	8	12	16	31
65+	153297	7.6	45	2	2	6	9	14	19	36
TOT. SINGLE DX	47770	3.9	24	<1	1	3	4	7	10	26
" MULTIPLE DX	301653	6.8	49	1	2	5	8	13	18	37
TOTAL 0-19 YRS	47561	5.1	66	1	1	3	5	9	17	51
20-34	34420	4.7	46	<1	1	3	5	10	16	37
35-49	38843	5.3	37	1	1	4	6	10	15	31
50-64	68759	6.1	35	1	2	5	8	12	15	30
65+	159840	7.5	45	2	2	6	9	14	19	35
GRAND TOTAL	**349423**	**6.4**	**46**	**1**	**2**	**5**	**8**	**13**	**17**	**36**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic

Group No.	Title
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct

Group No.	Title
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus

Group No.	Title
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)

Group No.	Title
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except celiulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary

Group No.	Title
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
	Debridement (continued)
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine

Group No.	Title
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy

Group No.	Title
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver

Group No.	Title
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast

Group No.	Title
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.2u 1988

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, North Central Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191125	3.0	12	1	1	2	3	5	6	14
20-34	105993	3.5	24	<1	1	2	3	6	10	28
35-49	37023	5.1	40	1	1	3	6	11	17	32
50-64	23122	5.2	35	1	1	4	6	10	15	31
65+	18708	5.6	33	1	1	4	7	11	15	30
B. *Operated*										
0-19 YRS	49909	2.8	8	1	1	2	3	5	7	15
20-34	110200	2.2	6	1	1	3	4	5	7	12
35-49	49020	4.0	12	1	1	3	5	8	10	16
50-64	41390	4.6	17	1	1	3	6	10	12	18
65+	32311	5.8	25	1	1	4	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204947	4.7	45	1	1	3	5	7	12	40
20-34	115798	6.0	57	1	1	3	6	14	23	35
35-49	107154	6.4	47	1	1	4	7	14	21	33
50-64	154293	6.3	36	1	2	5	8	12	17	30
65+	334017	7.3	34	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	54079	5.7	85	1	1	3	6	12	21	60
20-34	151586	5.0	30	1	2	4	5	8	12	30
35-49	105083	6.6	50	1	1	5	8	13	18	38
50-64	136061	8.2	71	1	2	6	10	17	23	45
65+	214603	10.4	84	1	2	8	13	20	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375971	3.6	21	1	1	3	4	6	9	26
B. *Operated*	282830	3.7	12	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	916209	6.3	42	1	2	4	7	12	18	33
B. *Operated*	661412	7.7	68	1	2	5	10	16	22	44
1. SINGLE DX	658801	3.7	17	1	1	3	4	7	10	22
2. MULTIPLE DX	1577621	6.9	54	1	2	5	8	14	20	38
A. NOT OPERATED	1292180	5.5	37	1	1	4	6	11	16	31
B. OPERATED	944242	6.5	55	1	1	4	8	14	19	38
TOTAL 0-19 YRS	500060	4.0	34	1	1	3	4	6	10	34
20-34	483577	4.5	31	1	1	3	5	8	13	29
35-49	298280	5.9	42	1	1	4	7	12	18	33
50-64	354866	6.8	49	1	1	5	8	14	19	36
65+	599639	8.3	54	1	2	6	10	16	21	38
GRAND TOTAL	**2236422**	**5.9**	**45**	**1**	**1**	**4**	**7**	**12**	**18**	**34**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68967	3.6	30	1	1	2	4	6	8	32
20-34	105993	3.5	24	<1	1	2	3	6	10	28
35-49	37023	5.1	40	1	1	3	6	11	17	32
50-64	23122	5.2	35	1	1	4	6	10	15	31
65+	18708	5.6	33	1	1	4	7	11	15	30
B. *Operated*										
0-19 YRS	49863	2.8	8	1	1	2	3	5	7	15
20-34	110200	3.2	6	1	1	3	4	5	7	12
35-49	49020	4.0	12	1	1	3	5	8	10	16
50-64	41390	4.6	17	1	1	3	6	10	12	18
65+	32311	5.8	25	1	1	4	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114074	5.1	66	1	1	3	5	9	17	47
20-34	115798	6.0	57	1	1	3	6	14	23	35
35-49	107154	6.4	47	1	1	4	7	14	21	33
50-64	154293	6.3	36	1	2	5	8	12	17	30
65+	334017	7.3	34	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	51237	4.9	52	1	1	3	5	10	16	41
20-34	151586	5.0	30	1	2	4	5	8	12	30
35-49	105083	6.6	50	1	1	5	8	13	18	38
50-64	136061	8.2	71	1	2	6	10	17	23	45
65+	214603	10.4	84	1	2	8	13	20	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253813	4.1	30	1	1	3	4	8	12	30
B. *Operated*	282784	3.7	12	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	825336	6.5	44	1	2	5	8	13	19	34
B. *Operated*	658570	7.6	66	1	2	5	10	16	22	43
1. SINGLE DX	536597	3.9	21	1	1	3	4	8	11	24
2. MULTIPLE DX	1483906	7.0	54	1	2	5	9	14	20	38
A. NOT OPERATED	1079149	5.9	42	1	1	4	7	12	17	33
B. OPERATED	941354	6.5	53	1	1	4	8	14	19	37
TOTAL 0-19 YRS	284141	4.3	45	1	1	3	4	8	13	40
20-34	483577	4.5	31	1	1	3	5	8	13	29
35-49	298280	5.9	42	1	1	4	7	12	18	33
50-64	354866	6.8	49	1	1	5	8	14	19	36
65+	599639	8.3	54	1	2	6	10	16	21	38
GRAND TOTAL	**2020503**	**6.2**	**47**	**1**	**1**	**4**	**7**	**13**	**18**	**35**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1229	2.7	3	1	1	2	3	5	6	8
20-34	476	2.6	3	1	1	2	3	5	6	10
35-49	222	3.1	5	1	1	3	4	6	7	14
50-64	126	3.4	5	1	1	3	4	6	7	12
65+	90	3.5	7	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	33	5.2	53	1	2	4	4	7	14	43
20-34	47	4.6	7	2	2	4	6	7	11	15
35-49	21	5.4	8	2	2	4	7	10	11	11
50-64	9	4.1	4	2	2	4	5	8	8	8
65+	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3565	3.3	7	1	1	3	4	5	7	12
20-34	1099	3.3	5	1	1	3	4	6	8	11
35-49	680	3.9	7	1	2	3	5	7	9	15
50-64	713	4.3	7	1	2	4	5	8	9	15
65+	1196	5.2	15	1	2	4	6	10	13	18
B. *Operated*										
0-19 YRS	73	9.3	142	1	2	6	9	29	40	92
20-34	75	6.8	55	1	2	5	7	12	15	48
35-49	61	8.1	38	2	3	7	10	16	18	33
50-64	81	8.4	37	2	3	6	10	17	20	31
65+	138	11.7	87	3	5	8	15	22	31	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2143	2.8	3	1	1	2	4	5	6	10
B. *Operated*	113	4.9	20	2	2	4	5	8	11	25
2. MULTIPLE DX										
A. *Not Operated*	7253	3.8	8	1	1	3	4	7	9	14
B. *Operated*	428	9.3	77	2	3	6	11	19	30	56
1. SINGLE DX	2256	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	7681	4.1	14	1	1	3	5	7	10	18
A. NOT OPERATED	9396	3.5	7	1	1	3	4	6	8	14
B. OPERATED	541	8.4	68	2	3	6	10	17	24	50
TOTAL 0-19 YRS	4900	3.2	9	1	1	3	4	5	7	12
20-34	1697	3.3	7	1	1	3	4	6	8	12
35-49	984	4.0	10	1	1	3	5	7	10	17
50-64	929	4.5	11	1	2	4	5	8	11	18
65+	1427	5.8	25	1	2	4	7	11	15	25
GRAND TOTAL	**9937**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	16	1	1	3	5	11	13	13
20-34	15	10.9	72	1	3	8	16	23	28	30
35-49	9	7.2	16	3	3	6	11	13	13	13
50-64	9	5.4	11	<1	1	4	8	10	11	11
65+	8	9.3	50	1	1	9	14	19	21	21
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	8.3	20	<1	1	8	12	13	14	14
35-49	6	5.8	18	1	1	5	8	12	13	13
50-64	10	6.9	19	1	2	6	8	13	16	16
65+	5	7.0	13	3	3	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.0	25	1	1	6	9	16	16	16
20-34	31	13.2	124	2	3	10	16	23	41	54
35-49	36	11.5	46	1	3	11	15	21	23	31
50-64	34	11.4	80	1	3	11	15	17	19	52
65+	86	12.8	70	3	4	11	18	25	27	36
B. *Operated*										
0-19 YRS	3	8.3	5	7	7	7	10	11	11	11
20-34	15	9.8	52	1	2	8	12	20	26	28
35-49	27	17.6	158	4	6	13	25	36	44	51
50-64	48	15.0	87	3	6	14	21	29	32	42
65+	84	14.9	112	3	5	13	17	30	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	8.0	42	1	2	5	12	16	21	30
B. *Operated*	30	7.0	16	1	2	7	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	199	12.0	74	2	3	10	16	23	26	47
B. *Operated*	177	14.8	107	3	5	13	19	30	34	51
1. SINGLE DX	78	7.6	32	1	2	6	11	14	19	28
2. MULTIPLE DX	376	13.3	91	2	3	11	17	25	31	51
A. NOT OPERATED	247	11.2	70	2	3	10	15	22	26	42
B. OPERATED	207	13.7	102	2	4	11	17	28	33	51
TOTAL 0-19 YRS	23	6.3	19	1	1	5	9	14	16	16
20-34	69	11.4	85	1	3	9	15	20	29	52
35-49	78	12.7	94	2	3	11	15	25	33	49
50-64	101	12.1	81	2	3	10	16	22	30	47
65+	183	13.5	89	3	4	12	17	26	31	50
GRAND TOTAL	**454**	**12.4**	**86**	**2**	**3**	**10**	**16**	**24**	**30**	**51**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.0	1	6	6	7	8	8	8	8
35-49	3	18.3	514	1	1	10	35	44	44	44
50-64	2	9.0	72	3	3	9	15	15	15	15
65+										
B. *Operated*										
0-19 YRS	4	7.0	41	<1	<1	5	11	16	16	16
20-34	6	11.2	35	2	3	11	17	18	18	18
35-49										
50-64	2	8.5	113	1	1	8	16	16	16	16
65+	3	17.0	93	10	10	13	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	3	7.7	44	2	2	6	13	15	15	15
50-64	6	12.7	148	5	5	8	12	34	37	37
65+	12	13.1	114	2	2	10	17	32	35	35
B. *Operated*										
0-19 YRS	4	32.3	1081	3	3	27	59	71	71	71
20-34	5	12.8	60	5	5	10	20	22	22	22
35-49	8	16.4	124	3	4	14	21	34	38	38
50-64	17	13.3	143	4	5	10	16	21	43	55
65+	26	24.7	543	4	5	17	29	62	75	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	10.8	173	1	2	7	11	32	44	44
B. *Operated*	15	10.9	56	<1	1	10	16	18	25	28
2. MULTIPLE DX										
A. *Not Operated*	24	11.3	101	2	2	9	12	31	36	37
B. *Operated*	60	19.9	382	4	5	14	22	51	66	93
1. SINGLE DX	24	10.8	94	1	1	9	15	19	33	44
2. MULTIPLE DX	84	17.4	314	3	4	11	21	39	59	87
A. NOT OPERATED	33	11.2	116	2	2	8	12	32	37	44
B. OPERATED	75	18.1	328	3	4	12	21	47	61	89
TOTAL 0-19 YRS	10	16.3	565	<1	1	5	16	59	71	71
20-34	16	10.3	36	2	3	9	14	20	21	22
35-49	14	14.9	169	1	2	12	17	39	43	44
50-64	27	12.5	126	2	4	9	15	21	40	55
65+	41	20.8	404	3	5	13	28	51	66	95
GRAND TOTAL	**108**	**16.0**	**272**	**2**	**3**	**10**	**18**	**36**	**55**	**81**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	2.4	1	1	1	2	3	4	4	7
20-34	74	2.9	1	1	2	3	3	4	5	7
35-49	17	2.9	2	1	1	3	4	5	5	5
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	48	1.3		1	1	1	2	2	3	3
20-34	8	1.4		1	1	1	2	2	2	2
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	625	2.8	2	1	1	2	3	5	6	8
20-34	192	3.3	2	1	2	3	4	5	6	9
35-49	79	3.7	2	1	2	4	5	6	6	8
50-64	37	3.9	2	2	2	4	5	6	7	7
65+	22	5.4	12	2	3	4	6	9	13	18
B. *Operated*										
0-19 YRS	35	2.8	7	1	1	2	3	7	10	10
20-34	9	2.6	3	1	1	2	4	5	5	5
35-49	4	8.8	57	4	4	5	13	20	20	20
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.6	1	1	1	2	3	4	5	7
B. *Operated*	58	1.5	2	1	1	1	2	2	3	11
2. MULTIPLE DX										
A. *Not Operated*	955	3.1	3	1	1	3	4	5	6	9
B. *Operated*	50	3.6	14	1	1	2	5	9	10	20
1. SINGLE DX	323	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1005	3.1	3	1	1	3	4	5	6	10
A. NOT OPERATED	1220	3.0	3	1	1	3	4	5	6	8
B. OPERATED	108	2.5	9	1	1	1	2	6	9	16
TOTAL 0-19 YRS	877	2.6	2	1	1	2	3	4	5	9
20-34	283	3.1	2	1	2	3	4	5	6	8
35-49	102	3.8	6	1	2	4	5	6	7	16
50-64	42	3.9	3	2	2	4	5	7	7	9
65+	24	5.6	13	2	3	4	6	10	14	18
GRAND TOTAL	**1328**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	4.6	8	1	2	4	6	9	10	13
20-34	35	4.9	9	1	2	4	6	9	11	15
35-49	22	6.5	16	2	2	6	7	13	16	17
50-64	25	6.7	32	2	2	5	7	14	23	25
65+	61	7.5	26	1	2	7	10	13	17	26
B. *Operated*										
0-19 YRS	6	7.2	16	4	4	5	10	14	14	14
20-34	3	12.0	79	2	2	15	18	19	19	19
35-49	4	10.3	26	4	4	10	14	16	16	16
50-64	1	10.0		10	10	10	10	10	10	10
65+	6	17.8	126	6	6	15	27	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	855	5.5	14	1	2	5	7	10	12	20
20-34	291	8.0	28	2	3	7	11	15	17	26
35-49	339	9.9	50	3	4	8	12	18	24	35
50-64	917	9.8	41	3	4	8	12	17	21	36
65+	4179	10.8	41	4	5	9	13	18	23	36
B. *Operated*										
0-19 YRS	69	11.7	77	3	3	10	14	21	30	45
20-34	122	17.9	189	4	4	15	25	40	54	99+
35-49	170	17.6	175	4	6	14	22	34	42	86
50-64	349	18.1	186	5	7	14	22	34	48	71
65+	1222	18.7	139	6	8	15	23	34	45	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	5.2	13	1	2	4	7	10	12	18
B. *Operated*	20	11.9	69	3	4	10	15	23	31	35
2. MULTIPLE DX										
A. *Not Operated*	6581	9.8	41	3	4	8	12	17	21	34
B. *Operated*	1932	18.2	153	5	7	15	23	34	45	71
1. SINGLE DX	468	5.5	17	1	2	4	7	10	13	22
2. MULTIPLE DX	8513	11.7	79	3	4	9	14	22	29	49
A. NOT OPERATED	7029	9.5	40	2	3	8	12	17	21	33
B. OPERATED	1952	18.1	152	5	7	15	23	34	45	71
TOTAL 0-19 YRS	1235	5.6	19	1	2	4	7	10	13	20
20-34	451	10.5	91	2	3	8	13	23	29	67
35-49	535	12.2	102	3	4	9	15	24	31	62
50-64	1292	12.0	94	3	4	9	14	22	30	55
65+	5468	12.5	74	4	5	10	15	23	29	48
GRAND TOTAL	**8981**	**11.4**	**77**	**3**	**4**	**9**	**14**	**21**	**28**	**48**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	6.2	15	1	2	5	9	11	13	21
20-34	37	4.9	7	2	2	4	6	9	11	13
35-49	25	6.0	17	2	2	4	8	13	15	17
50-64	23	5.0	6	2	3	5	6	8	10	13
65+	13	6.0	11	2	3	6	8	11	12	12
B. *Operated*										
0-19 YRS	8	8.9	22	<1	1	9	11	15	17	17
20-34	4	8.8	99	1	1	5	15	23	23	23
35-49	5	8.2	43	1	1	7	10	19	19	19
50-64	2	11.0	98	4	4	11	18	18	18	18
65+	3	6.3	12	3	3	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	6.8	33	2	2	5	9	13	15	30
20-34	68	5.3	18	2	2	4	6	9	12	28
35-49	75	6.2	19	2	3	5	7	10	13	27
50-64	77	7.1	38	2	2	6	9	11	21	37
65+	194	9.1	43	3	3	7	11	18	23	34
B. *Operated*										
0-19 YRS	18	7.4	15	2	3	8	9	13	15	16
20-34	20	11.5	64	3	4	10	13	25	29	32
35-49	21	27.6	625	4	4	22	39	71	84	84
50-64	44	21.1	222	4	5	17	28	45	50	67
65+	63	17.4	148	4	6	14	21	36	46	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	5.8	13	2	2	5	8	11	13	17
B. *Operated*	22	8.5	37	<1	1	8	10	18	21	23
2. MULTIPLE DX										
A. *Not Operated*	654	7.3	35	2	2	6	9	13	18	31
B. *Operated*	166	17.9	230	4	4	14	24	38	49	81
1. SINGLE DX	277	6.1	15	2	2	5	8	11	13	20
2. MULTIPLE DX	820	9.4	92	2	2	7	11	20	27	50
A. NOT OPERATED	909	6.9	29	2	2	6	9	13	17	28
B. OPERATED	188	16.8	216	3	4	12	22	36	47	77
TOTAL 0-19 YRS	423	6.6	25	2	2	5	9	12	14	25
20-34	129	6.3	29	2	2	5	7	11	17	31
35-49	126	9.8	180	2	3	6	9	21	32	84
50-64	146	11.1	132	2	3	7	14	26	37	56
65+	273	10.8	78	3	3	8	14	21	27	48
GRAND TOTAL	**1097**	**8.6**	**75**	**2**	**2**	**6**	**10**	**17**	**24**	**47**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	634	3.3	3	1	2	3	4	5	7	10
20-34	340	3.5	4	1	2	3	4	6	7	9
35-49	68	4.5	13	2	2	3	5	8	13	20
50-64	10	6.0	12	3	3	5	6	12	14	14
65+	7	12.4	329	3	3	5	10	45	53	53
B. *Operated*										
0-19 YRS	4	4.8	6	3	3	4	6	8	8	8
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	4.1	6	2	2	3	5	7	9	14
20-34	232	4.3	7	1	2	4	5	8	9	12
35-49	88	5.3	11	1	2	5	7	9	11	18
50-64	30	8.3	30	3	3	7	11	15	16	29
65+	23	7.0	10	3	3	7	8	12	14	14
B. *Operated*										
0-19 YRS	15	7.0	21	2	2	6	9	10	18	20
20-34	14	7.8	14	3	4	7	9	12	17	18
35-49	6	16.0	192	4	4	11	26	38	39	39
50-64	3	14.0	229	2	2	9	25	31	31	31
65+	5	17.8	90	10	10	13	27	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1059	3.5	6	1	2	3	4	6	7	12
B. *Operated*	8	4.3	3	2	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	845	4.5	9	2	2	4	5	9	10	15
B. *Operated*	43	10.3	72	2	3	8	10	26	30	39
1. SINGLE DX	1067	3.5	6	1	2	3	4	6	7	12
2. MULTIPLE DX	888	4.8	13	2	2	4	6	9	11	19
A. NOT OPERATED	1904	3.9	8	1	2	3	5	7	9	14
B. OPERATED	51	9.3	66	2	3	7	10	22	30	39
TOTAL 0-19 YRS	1125	3.7	5	1	2	3	4	6	8	12
20-34	589	3.9	6	1	2	3	5	7	8	12
35-49	162	5.3	22	1	2	4	6	9	14	25
50-64	44	8.1	37	2	3	6	10	15	20	31
65+	35	9.6	91	3	3	7	10	14	29	53
GRAND TOTAL	**1955**	**4.1**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	3.0	3	1	1	3	4	5	6	10
20-34	56	4.6	6	2	2	4	6	8	10	13
35-49	26	4.0	6	1	2	3	5	7	8	12
50-64	34	4.4	7	1	1	4	6	7	9	13
65+	66	5.3	8	2	2	5	7	8	9	18
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	4	3.8	8	1	1	3	6	7	7	7
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	5	10.6	28	8	8	8	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	661	3.8	7	1	1	3	5	7	9	14
20-34	141	4.9	7	1	2	4	7	8	10	13
35-49	92	5.7	13	1	2	5	7	9	11	22
50-64	209	6.8	18	2	3	6	8	12	15	25
65+	717	7.5	28	2	3	7	9	13	17	29
B. *Operated*										
0-19 YRS	17	15.7	385	2	2	7	18	56	65	65
20-34	17	12.6	236	2	3	9	14	22	53	68
35-49	17	12.9	136	3	3	8	19	31	38	42
50-64	29	10.6	45	3	5	9	13	16	23	38
65+	104	14.3	207	1	3	10	18	27	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.8	6	1	1	3	5	7	8	12
B. *Operated*	18	5.8	21	1	1	6	8	9	16	20
2. MULTIPLE DX										
A. *Not Operated*	1820	5.8	20	1	2	5	7	11	14	25
B. *Operated*	184	13.6	192	2	3	9	16	26	41	73
1. SINGLE DX	423	3.9	6	1	1	3	5	7	8	12
2. MULTIPLE DX	2004	6.5	40	1	2	5	8	12	16	30
A. NOT OPERATED	2225	5.4	18	1	2	4	7	10	13	23
B. OPERATED	202	12.9	181	2	3	9	16	25	39	73
TOTAL 0-19 YRS	904	3.9	16	1	1	3	4	7	9	17
20-34	218	5.4	28	1	2	4	7	9	12	18
35-49	139	6.2	32	1	2	5	7	11	16	32
50-64	274	6.9	21	2	3	6	8	13	16	26
65+	892	8.2	53	2	3	7	9	15	21	33
GRAND TOTAL	**2427**	**6.1**	**35**	**1**	**2**	**5**	**7**	**11**	**15**	**28**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.8	12	1	1	4	6	8	9	19
20-34	172	5.5	11	1	2	5	7	10	12	16
35-49	69	7.1	30	2	2	5	8	15	21	26
50-64	22	6.1	18	1	2	5	10	12	14	16
65+	9	4.9	5	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	4	4.8	5	2	2	5	6	7	7	7
35-49	4	3.0	11	1	1	2	5	8	8	8
50-64	3	6.0	3	5	5	5	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	6.2	34	1	2	5	7	10	13	34
20-34	227	5.9	21	2	2	5	7	10	14	30
35-49	106	7.8	29	3	3	6	10	16	19	28
50-64	72	7.8	39	2	3	6	9	15	20	35
65+	63	7.2	13	2	3	6	10	12	14	16
B. *Operated*										
0-19 YRS	2	15.5	145	7	7	15	24	24	24	24
20-34	11	8.1	34	1	1	8	12	17	18	18
35-49	15	10.5	34	1	2	10	14	18	22	23
50-64	14	9.1	16	2	2	10	11	14	15	15
65+	20	11.4	48	1	2	11	15	21	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	5.7	16	1	2	5	7	10	13	21
B. *Operated*	11	4.5	7	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	519	6.8	26	2	3	5	8	12	16	29
B. *Operated*	62	10.2	36	1	2	10	13	18	23	27
1. SINGLE DX	343	5.7	15	1	2	5	7	10	13	21
2. MULTIPLE DX	581	7.1	28	2	3	6	9	14	17	29
A. NOT OPERATED	851	6.4	22	2	2	5	8	11	15	28
B. OPERATED	73	9.3	36	1	2	9	13	17	22	26
TOTAL 0-19 YRS	113	5.6	25	1	2	5	6	9	13	31
20-34	414	5.8	17	2	2	5	7	10	13	20
35-49	194	7.7	30	2	3	6	9	16	21	27
50-64	111	7.6	31	2	2	6	10	14	17	33
65+	92	7.8	23	2	3	7	11	14	16	26
GRAND TOTAL	**924**	**6.6**	**24**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	321	3.5	4	1	2	3	4	5	7	11
20-34	102	4.1	6	1	2	4	5	7	9	13
35-49	21	5.1	5	2	2	4	7	8	9	10
50-64	5	4.6	5	1	1	5	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	5.7	30	2	2	3	10	12	12	12
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	899	4.0	5	1	2	4	5	7	8	11
20-34	189	4.2	4	2	2	4	5	7	8	11
35-49	43	6.2	25	2	3	5	8	11	12	33
50-64	21	6.3	11	3	3	6	8	10	13	17
65+	11	5.4	4	3	3	5	7	8	9	9
B. *Operated*										
0-19 YRS	22	7.0	14	2	3	6	9	14	14	14
20-34	11	7.0	16	1	3	6	8	14	16	16
35-49	4	5.5		5	5	5	6	6	6	6
50-64	2	9.0	32	5	5	9	13	13	13	13
65+	4	7.0	18	4	4	6	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	3.7	5	1	2	3	5	6	7	12
B. *Operated*	6	6.0	12	2	2	6	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	1163	4.2	6	1	2	4	5	7	8	11
B. *Operated*	43	7.0	13	2	4	6	9	13	14	16
1. SINGLE DX	455	3.8	5	1	2	3	5	6	7	12
2. MULTIPLE DX	1206	4.3	6	2	2	4	5	7	9	13
A. NOT OPERATED	1612	4.1	6	1	2	4	5	7	8	12
B. OPERATED	49	6.9	13	2	3	6	8	13	14	16
TOTAL 0-19 YRS	1245	3.9	5	1	2	4	5	6	8	12
20-34	303	4.3	6	1	2	4	5	7	9	13
35-49	70	5.9	17	2	3	5	7	9	11	29
50-64	28	6.2	11	2	3	5	8	10	13	17
65+	15	5.8	7	3	3	5	7	9	12	13
GRAND TOTAL	**1661**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	30	1.6	1	<1	<1	1	2	3	4	4
20-34	108	1.6	2	<1	<1	1	2	3	4	8
35-49	27	1.3		<1	1	1	1	2	2	3
50-64	5	1.2		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	9	2	2	2	5	8	8	8
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	17	1.6	1	1	1	1	2	3	4	4
20-34	69	2.8	21	1	1	2	3	4	5	32
35-49	40	4.1	77	1	1	2	4	7	11	56
50-64	14	3.4	4	1	1	3	5	6	6	6
65+	5	3.2	2	1	1	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	40	<1	<1	1	9	12	12	12
B. *Operated*	170	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	6	1	1	2	4	7	8	8
B. *Operated*	145	3.1	32	1	1	2	3	5	7	39
1. SINGLE DX	173	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	152	3.1	31	1	1	2	3	5	8	37
A. NOT OPERATED	10	3.4	14	<1	<1	2	4	10	12	12
B. OPERATED	315	2.3	16	<1	1	1	2	4	5	11
TOTAL 0-19 YRS	51	1.8	1	<1	1	2	2	3	4	8
20-34	179	2.1	9	<1	<1	1	2	4	5	10
35-49	70	3.0	47	1	1	1	3	5	11	47
50-64	20	2.9	4	1	1	2	4	6	6	6
65+	5	3.2	2	1	1	4	4	4	4	4
GRAND TOTAL	**325**	**2.3**	**16**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1076	2.8	3	1	1	3	4	5	6	8
20-34	221	3.1	3	1	1	3	4	6	6	9
35-49	118	3.1	3	1	1	3	4	5	7	8
50-64	47	3.9	8	1	1	3	5	8	10	12
65+	23	3.4	6	<1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	20	2.9	3	<1	<1	3	4	5	6	7
20-34	16	4.3	16	<1	1	3	6	12	12	12
35-49	5	5.8	14	2	2	5	9	11	11	11
50-64	5	3.0	9	1	1	2	4	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2037	3.0	4	1	1	3	4	5	7	11
20-34	596	3.5	7	1	1	3	4	6	8	15
35-49	422	4.1	14	1	2	3	5	7	9	15
50-64	409	4.5	12	1	2	4	5	9	10	18
65+	536	5.0	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	51	8.4	175	1	2	5	6	15	44	67
20-34	67	11.1	117	1	2	7	14	28	34	58
35-49	52	11.3	104	4	4	9	12	23	27	63
50-64	43	12.1	99	2	3	10	15	20	33	53
65+	47	13.2	110	3	3	9	18	30	37	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1485	2.9	3	1	1	3	4	5	6	9
B. *Operated*	47	3.7	9	<1	1	3	5	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	4000	3.6	8	1	1	3	4	7	9	14
B. *Operated*	260	11.1	122	2	3	8	13	23	35	61
1. SINGLE DX	1532	3.0	3	1	1	3	4	5	6	10
2. MULTIPLE DX	4260	4.1	18	1	1	3	5	7	10	22
A. NOT OPERATED	5485	3.5	7	1	1	3	4	6	8	13
B. OPERATED	307	10.0	112	1	2	7	12	22	34	57
TOTAL 0-19 YRS	3184	3.0	7	1	1	3	4	5	6	11
20-34	900	4.0	18	1	1	3	4	7	9	26
35-49	597	4.6	24	1	2	3	5	8	11	25
50-64	504	5.1	23	1	2	4	6	9	13	22
65+	607	5.6	24	1	2	4	6	10	13	26
GRAND TOTAL	**5792**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	10	1	1	4	6	9	11	13
20-34	24	4.9	5	2	2	5	6	8	10	10
35-49	6	3.5	7	1	1	3	6	7	7	7
50-64	8	4.1	6	1	1	4	6	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.7	11	1	2	4	6	8	11	17
20-34	8	4.6	6	2	2	4	5	9	10	10
35-49	12	5.3	15	2	2	5	6	10	15	16
50-64	12	5.8	8	3	3	4	8	10	11	11
65+	13	5.9	16	3	3	4	8	12	15	16
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	8.3	37	3	3	7	13	15	15	15
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.5	7	1	1	4	6	8	10	13
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	72	5.2	11	2	2	4	6	10	11	17
B. *Operated*	5	7.8	24	3	3	7	11	15	15	15
1. SINGLE DX	61	4.6	7	1	1	4	6	8	10	13
2. MULTIPLE DX	77	5.4	12	2	2	4	7	10	14	17
A. NOT OPERATED	132	4.9	9	1	2	4	6	9	10	16
B. OPERATED	6	8.0	19	3	3	8	10	14	15	15
TOTAL 0-19 YRS	48	4.6	10	1	1	4	6	8	11	17
20-34	35	5.1	8	2	2	4	6	10	10	15
35-49	19	4.9	13	1	1	5	6	9	13	16
50-64	20	5.2	8	1	2	4	7	9	10	11
65+	16	5.8	16	2	3	4	8	11	14	16
GRAND TOTAL	**138**	**5.0**	**10**	**1**	**2**	**4**	**6**	**10**	**11**	**16**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.2	4	2	2	4	5	7	8	13
20-34	83	4.2	6	1	2	3	5	8	9	12
35-49	11	5.2	15	1	2	4	7	11	15	15
50-64	6	6.3	23	1	1	5	8	14	15	15
65+	4	5.3	24	1	1	5	9	10	10	10
B. *Operated*										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	19	3.7	7	1	1	3	6	8	9	9
35-49	5	2.8	6	<1	<1	2	4	7	7	7
50-64	1	14.0		14	14	14	14	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.7	8	2	2	4	6	8	11	15
20-34	130	4.8	10	2	2	4	5	7	9	22
35-49	25	5.5	9	2	2	5	7	10	11	15
50-64	19	8.0	23	<1	1	10	11	14	16	16
65+	24	8.0	37	<1	1	7	12	15	18	23
B. *Operated*										
0-19 YRS	11	5.6	4	3	3	6	7	9	9	9
20-34	22	6.0	15	1	1	5	10	11	13	14
35-49	13	6.9	49	1	1	3	13	19	19	19
50-64	14	11.7	186	1	1	7	13	34	44	47
65+	15	10.4	92	2	2	7	13	23	33	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	4.3	7	1	2	4	5	8	9	15
B. *Operated*	29	3.9	10	1	1	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	268	5.3	14	2	2	4	6	10	13	20
B. *Operated*	75	8.1	69	1	1	6	11	19	24	44
1. SINGLE DX	209	4.3	7	1	1	4	5	8	9	15
2. MULTIPLE DX	343	5.9	27	1	2	5	7	11	15	28
A. NOT OPERATED	448	4.9	11	1	2	4	6	9	11	16
B. OPERATED	104	6.9	56	1	1	5	8	14	20	41
TOTAL 0-19 YRS	161	4.5	6	2	2	4	5	7	8	15
20-34	254	4.6	9	1	2	4	6	8	10	14
35-49	54	5.5	20	1	1	4	7	13	15	19
50-64	40	9.2	81	1	1	8	11	16	28	47
65+	43	8.6	55	1	1	7	12	17	23	36
GRAND TOTAL	**552**	**5.3**	**20**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	3	1	1	3	5	6	7	7
20-34	7	4.1	6	2	2	3	5	8	9	9
35-49	7	5.3	3	3	3	6	6	8	8	8
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	7	9.4	184	2	2	5	7	33	40	40
35-49	9	14.0	317	1	2	9	14	43	59	59
50-64	10	8.7	29	1	2	8	12	16	20	20
65+	5	9.2	38	2	2	8	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.6	14	1	2	3	6	8	14	20
20-34	47	6.6	22	2	2	6	9	14	15	20
35-49	38	8.2	85	1	2	6	9	17	27	51
50-64	56	8.5	35	3	3	7	10	14	21	36
65+	112	9.0	27	3	4	8	12	15	17	29
B. *Operated*										
0-19 YRS	10	21.9	370	6	6	17	22	55	66	66
20-34	26	22.5	379	6	7	15	30	58	72	78
35-49	54	16.9	251	2	3	12	26	44	70	99+
50-64	54	15.1	113	2	3	12	22	31	37	40
65+	66	15.2	116	5	5	12	19	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.2	4	1	2	4	6	7	8	9
B. *Operated*	31	10.5	140	1	2	8	12	20	39	59
2. MULTIPLE DX										
A. *Not Operated*	304	7.7	35	2	2	6	10	14	18	33
B. *Operated*	210	16.8	196	3	5	13	22	36	48	86
1. SINGLE DX	62	7.3	81	1	2	5	8	13	20	57
2. MULTIPLE DX	514	11.4	121	2	3	8	14	23	35	69
A. NOT OPERATED	335	7.4	33	2	2	6	9	14	17	32
B. OPERATED	241	16.0	193	2	4	12	21	35	46	80
TOTAL 0-19 YRS	76	6.7	90	1	2	4	7	14	20	61
20-34	87	11.4	190	2	2	7	13	22	38	75
35-49	108	12.9	197	2	3	8	19	34	51	99+
50-64	122	11.4	79	3	3	9	14	23	31	39
65+	183	11.2	68	3	4	9	13	21	26	44
GRAND TOTAL	**576**	**11.0**	**118**	**2**	**3**	**8**	**13**	**22**	**34**	**68**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	4	12.0	49	3	3	13	17	18	18	18
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	12	1	1	5	8	11	11	11
20-34	8	4.5	3	2	2	4	6	7	7	7
35-49	8	8.1	17	4	4	7	9	15	17	17
50-64	3	9.0	4	7	7	9	10	11	11	11
65+	5	9.2	52	3	3	6	15	20	20	20
B. *Operated*										
0-19 YRS	6	5.2	9	3	3	4	5	10	11	11
20-34	4	8.8	24	5	5	7	12	16	16	16
35-49	7	9.9	191	2	2	5	7	34	41	41
50-64	2	31.5	545	15	15	31	48	48	48	48
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	9	1	1	3	6	9	9	9
B. *Operated*	8	8.5	39	2	2	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	31	6.8	18	2	3	5	9	12	17	20
B. *Operated*	20	10.3	152	2	3	5	9	28	44	48
1. SINGLE DX	15	6.5	28	1	2	5	9	17	18	18
2. MULTIPLE DX	51	8.2	71	2	3	5	9	15	20	48
A. NOT OPERATED	38	6.3	17	1	2	5	9	11	15	20
B. OPERATED	28	9.8	117	2	3	5	10	18	42	48
TOTAL 0-19 YRS	19	4.8	8	1	2	4	5	10	11	11
20-34	17	7.5	25	2	3	6	9	17	18	18
35-49	16	8.4	89	1	2	5	8	16	34	41
50-64	7	14.4	235	2	3	9	14	41	48	48
65+	7	8.3	37	3	3	6	11	19	20	20
GRAND TOTAL	**66**	**7.8**	**61**	**2**	**2**	**5**	**9**	**16**	**18**	**47**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	9	2	2	3	6	9	10	10
20-34	17	3.4	3	1	2	3	4	6	7	8
35-49	14	4.6	7	1	2	4	5	9	10	11
50-64	5	3.2	8	1	1	2	4	8	8	8
65+										
B. *Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	63	4.4	19	<1	1	3	6	10	12	23
35-49	57	3.1	6	1	1	2	4	7	9	9
50-64	21	5.0	28	1	1	3	6	13	16	20
65+	6	5.5	26	1	1	4	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.5	13	1	2	3	6	9	12	17
20-34	77	6.9	26	2	2	6	8	13	17	28
35-49	80	7.3	29	2	3	6	9	13	18	32
50-64	55	7.9	17	2	3	8	11	13	15	17
65+	58	7.5	21	2	3	7	10	14	15	22
B. *Operated*										
0-19 YRS	12	13.8	67	3	4	14	17	27	29	29
20-34	134	9.9	51	1	2	8	15	22	24	40
35-49	111	10.2	127	1	1	7	13	25	30	64
50-64	67	11.6	192	1	1	7	16	25	37	85
65+	25	11.5	84	1	1	12	18	24	27	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.0	6	1	2	3	4	8	9	11
B. *Operated*	149	4.1	17	1	1	3	5	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	322	6.9	23	2	2	6	9	13	16	26
B. *Operated*	349	10.6	105	1	2	8	15	24	27	62
1. SINGLE DX	199	4.1	14	1	1	3	5	9	11	20
2. MULTIPLE DX	671	8.8	69	1	2	7	12	18	24	37
A. NOT OPERATED	372	6.5	22	2	2	5	8	13	15	25
B. OPERATED	498	8.6	87	1	1	6	12	20	25	39
TOTAL 0-19 YRS	80	6.0	32	1	2	4	8	14	18	28
20-34	291	7.5	40	1	2	6	10	18	23	28
35-49	262	7.5	72	1	1	5	9	16	25	39
50-64	148	9.0	103	1	1	7	12	17	23	40
65+	89	8.5	42	1	2	7	12	17	22	31
GRAND TOTAL	**870**	**7.7**	**60**	**1**	**1**	**6**	**10**	**17**	**23**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	8.0	94	2	2	3	11	25	25	25
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	5	11.4	114	3	3	4	22	25	25	25
35-49	7	31.7	911	2	3	23	61	75	76	76
50-64	2	10.0	32	6	6	10	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	7	7.6	67	2	2	3	9	22	25	25
B. *Operated*	14	21.4	574	2	3	13	25	71	75	76
1. SINGLE DX	4	3.5	6	1	1	3	5	6	6	6
2. MULTIPLE DX	21	16.8	437	2	2	7	23	47	73	76
A. NOT OPERATED	8	7.3	59	2	2	4	8	20	25	25
B. OPERATED	17	18.1	519	1	2	7	23	63	74	76
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	9.7	109	1	1	4	21	25	25	25
35-49	10	23.2	796	2	2	9	31	73	76	76
50-64	7	8.6	69	2	2	6	12	23	25	25
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**25**	**14.6**	**390**	**1**	**2**	**6**	**21**	**31**	**72**	**76**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	17	4.2	13	<1	1	4	5	7	13	16
65+	11	4.7	42	1	1	2	5	15	22	23
B. *Operated*										
0-19 YRS	9	5.1	20	1	1	3	9	12	12	12
20-34	15	4.8	22	1	1	3	4	15	15	15
35-49	58	4.9	57	1	1	3	4	11	19	47
50-64	151	4.7	22	1	1	3	6	13	15	20
65+	113	4.5	19	1	1	3	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	10	4.6	8	<1	<1	5	6	8	10	10
35-49	25	6.4	44	1	1	5	7	12	22	33
50-64	85	8.2	92	1	2	6	9	18	21	60
65+	69	7.9	40	1	2	6	11	16	19	31
B. *Operated*										
0-19 YRS	6	9.0	157	1	1	4	8	31	34	34
20-34	13	9.5	54	2	3	7	12	19	27	29
35-49	132	11.4	148	1	1	8	15	26	37	60
50-64	404	12.8	164	1	2	9	18	29	38	77
65+	451	11.5	176	1	2	7	15	24	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.2	20	1	1	3	5	7	15	23
B. *Operated*	346	4.7	27	1	1	3	6	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	191	7.6	62	1	2	6	10	16	20	39
B. *Operated*	1006	12.0	166	1	2	8	16	27	37	74
1. SINGLE DX	380	4.6	26	1	1	3	6	11	15	24
2. MULTIPLE DX	1197	11.3	152	1	2	7	15	25	35	69
A. NOT OPERATED	225	7.1	57	1	1	5	9	15	19	35
B. OPERATED	1352	10.1	140	1	1	6	14	23	32	65
TOTAL 0-19 YRS	17	6.6	62	1	1	4	8	12	26	34
20-34	41	6.0	32	1	1	4	8	14	16	29
35-49	218	9.0	118	1	1	5	11	22	32	52
50-64	657	10.1	130	1	1	6	14	23	33	68
65+	644	9.8	140	1	1	6	13	22	31	65
GRAND TOTAL	**1577**	**9.7**	**130**	**1**	**1**	**6**	**13**	**22**	**31**	**63**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	5.7	3	4	4	5	6	9	9	9
65+	8	4.6	18	1	1	3	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	4.4	4	1	1	5	5	6	6	6
50-64	34	9.1	53	1	1	9	12	14	27	33
65+	22	9.5	79	1	1	7	11	21	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	20	7.2	42	1	1	5	10	18	22	24
50-64	50	9.6	63	2	3	6	13	23	25	38
65+	83	8.5	39	2	3	7	11	16	21	33
B. *Operated*										
0-19 YRS										
20-34	2	24.0	50	19	19	24	29	29	29	29
35-49	32	21.9	489	3	7	14	30	58	96	99+
50-64	172	15.3	177	1	2	12	19	36	50	94
65+	278	15.5	167	2	4	12	20	34	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.9	11	1	1	5	6	11	11	11
B. *Operated*	62	8.9	58	1	1	7	12	18	25	37
2. MULTIPLE DX										
A. *Not Operated*	154	8.6	47	2	2	6	11	18	24	36
B. *Operated*	484	15.9	193	2	3	12	20	36	47	99
1. SINGLE DX	77	8.1	51	1	1	6	11	15	22	36
2. MULTIPLE DX	638	14.1	167	2	3	11	18	31	42	88
A. NOT OPERATED	169	8.3	45	2	2	6	10	17	23	34
B. OPERATED	546	15.1	182	2	3	12	19	34	47	98
TOTAL 0-19 YRS										
20-34	4	15.3	123	4	4	14	24	29	29	29
35-49	58	15.0	341	1	2	10	17	36	71	99+
50-64	262	13.2	144	1	2	10	17	29	41	73
65+	391	13.4	142	2	3	11	17	27	40	72
GRAND TOTAL	**715**	**13.5**	**158**	**2**	**3**	**10**	**17**	**29**	**41**	**85**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	23.0		23	23	23	23	23	23	23
50-64	4	5.8	31	2	2	3	9	14	14	14
65+	7	3.7	16	1	1	2	5	11	12	12
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49	8	9.9	21	3	4	10	13	15	16	16
50-64	28	11.1	29	3	3	12	14	16	20	26
65+	35	12.9	83	2	4	11	15	22	33	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.8	8	3	3	7	9	9	9	9
35-49	12	5.5	17	<1	1	5	10	11	12	12
50-64	44	8.5	56	1	2	6	10	21	24	35
65+	104	8.1	65	2	2	6	9	15	19	48
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	12	22.7	212	4	5	21	28	47	50	51
35-49	71	14.3	130	3	6	11	17	27	30	76
50-64	209	16.1	133	4	7	13	20	27	36	67
65+	642	16.9	134	4	6	14	21	31	38	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.0	47	1	1	3	8	17	22	23
B. *Operated*	73	11.7	54	2	4	11	14	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	164	8.0	58	1	2	6	9	16	21	45
B. *Operated*	935	16.6	135	4	6	14	20	30	38	64
1. SINGLE DX	85	10.9	56	2	2	10	14	17	24	43
2. MULTIPLE DX	1099	15.3	133	3	5	12	19	29	37	55
A. NOT OPERATED	176	7.9	57	1	2	6	9	16	21	44
B. OPERATED	1008	16.2	131	4	6	13	20	30	37	59
TOTAL 0-19 YRS	2	13.5	61	8	8	13	19	19	19	19
20-34	17	18.1	201	3	4	14	25	43	49	51
35-49	92	12.8	114	2	3	11	15	24	29	66
50-64	285	14.3	119	2	4	12	17	26	33	65
65+	788	15.4	132	3	4	13	20	30	38	52
GRAND TOTAL	**1184**	**15.0**	**128**	**3**	**4**	**12**	**19**	**28**	**36**	**54**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	4	10.3	2	9	9	10	11	12	12	12
65+	6	17.5	90	5	6	15	26	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	6	4.8	10	1	1	6	7	8	8	8
65+	10	6.7	20	1	1	7	8	13	16	16
B. *Operated*										
0-19 YRS										
20-34	3	20.0	471	6	6	9	36	45	45	45
35-49	21	23.1	447	6	8	12	31	60	69	78
50-64	45	21.0	338	7	8	16	24	34	62	92
65+	92	17.1	105	7	8	14	20	32	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	12.9	54	5	6	11	15	26	30	31
2. MULTIPLE DX										
A. *Not Operated*	20	5.8	13	1	1	6	7	10	13	16
B. *Operated*	161	19.0	220	7	8	14	22	37	51	92
1. SINGLE DX	14	12.9	54	5	6	11	15	26	30	31
2. MULTIPLE DX	181	17.5	214	4	7	13	21	34	48	91
A. NOT OPERATED	20	5.8	13	1	1	6	7	10	13	16
B. OPERATED	175	18.5	209	7	8	14	22	34	48	91
TOTAL 0-19 YRS										
20-34	6	13.2	245	5	5	7	9	41	45	45
35-49	26	20.0	403	4	4	11	25	58	64	78
50-64	55	18.4	307	3	7	13	22	33	53	92
65+	108	16.1	104	5	7	13	20	32	40	79
GRAND TOTAL	**195**	**17.2**	**204**	**4**	**7**	**13**	**20**	**33**	**46**	**90**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	7	6.4	71	1	1	4	6	21	25	25
65+	11	6.1	47	<1	1	4	6	15	25	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	10.6	8	7	7	10	13	14	15	15
35-49	52	10.1	16	6	7	9	12	15	19	25
50-64	222	9.6	10	6	7	9	11	14	15	23
65+	321	10.6	16	6	7	10	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	7.1	18	2	3	6	9	13	16	17
35-49	27	6.8	55	1	1	5	8	14	18	38
50-64	114	7.6	36	2	2	6	10	14	21	32
65+	356	8.2	49	2	2	6	10	17	20	41
B. *Operated*										
0-19 YRS	8	12.5	49	3	3	13	17	21	23	23
20-34	40	11.2	31	5	6	9	13	18	24	30
35-49	224	12.2	41	6	7	10	14	21	26	60
50-64	1266	13.0	56	6	7	11	15	21	27	43
65+	3964	15.0	72	7	8	13	18	25	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.1	50	<1	1	4	6	18	26	26
B. *Operated*	606	10.2	14	6	7	9	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	509	7.9	46	2	2	6	10	15	20	36
B. *Operated*	5502	14.4	68	7	8	12	17	24	29	46
1. SINGLE DX	625	10.0	15	5	7	9	12	15	17	25
2. MULTIPLE DX	6011	13.8	69	5	7	12	16	23	29	46
A. NOT OPERATED	528	7.9	46	1	2	6	10	15	20	36
B. OPERATED	6108	14.0	64	7	8	12	16	23	29	45
TOTAL 0-19 YRS	9	11.4	53	3	3	11	16	21	23	23
20-34	62	10.3	27	4	5	9	13	17	20	30
35-49	304	11.4	41	4	6	10	14	20	24	45
50-64	1609	12.1	51	5	7	10	14	20	25	40
65+	4652	14.1	71	5	7	12	17	23	29	46
GRAND TOTAL	**6636**	**13.5**	**65**	**5**	**7**	**11**	**16**	**22**	**28**	**45**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	14	4.5	18	<1	1	4	6	8	15	17
65+	8	3.6	8	<1	<1	3	6	7	8	8
B. *Operated*										
0-19 YRS										
20-34	4	6.0	38	2	2	4	10	15	15	15
35-49	44	8.1	22	1	2	9	11	15	16	17
50-64	148	10.0	29	1	3	10	12	16	19	32
65+	220	10.2	37	1	2	10	14	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	5.5	15	2	2	4	8	11	11	11
35-49	20	5.8	16	1	2	5	8	12	14	15
50-64	71	8.9	114	1	2	6	11	17	23	65
65+	173	7.4	43	1	2	5	10	15	19	36
B. *Operated*										
0-19 YRS										
20-34	16	15.3	242	2	3	13	17	19	55	70
35-49	138	12.0	36	3	4	11	15	19	24	32
50-64	650	14.2	88	4	7	12	16	23	29	57
65+	1577	14.5	78	3	5	13	18	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.0	12	<1	<1	4	6	7	10	17
B. *Operated*	416	9.9	33	1	2	10	12	17	19	31
2. MULTIPLE DX										
A. *Not Operated*	268	7.6	60	1	2	5	10	15	19	43
B. *Operated*	2381	14.3	80	3	6	13	17	24	30	52
1. SINGLE DX	441	9.5	33	1	2	10	12	17	19	31
2. MULTIPLE DX	2649	13.6	82	3	4	12	16	23	29	52
A. NOT OPERATED	293	7.3	57	1	2	5	9	14	18	43
B. OPERATED	2797	13.6	75	2	5	12	16	23	29	50
TOTAL 0-19 YRS										
20-34	24	12.1	186	2	2	11	16	18	34	70
35-49	205	10.4	36	2	3	10	13	17	21	30
50-64	883	12.9	84	3	4	11	15	22	28	53
65+	1978	13.3	76	2	4	12	17	23	29	47
GRAND TOTAL	**3090**	**13.0**	**77**	**2**	**4**	**12**	**16**	**22**	**28**	**49**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	5.0	47	1	1	2	7	17	17	17
50-64	6	5.3	26	1	1	4	6	14	15	15
65+	8	4.6	9	1	2	4	6	9	10	10
B. *Operated*										
0-19 YRS	7	8.4	23	3	3	7	12	15	16	16
20-34	8	5.0	14	1	1	4	6	11	13	13
35-49	15	9.9	47	1	3	8	15	21	23	24
50-64	32	10.4	57	1	1	8	17	21	25	26
65+	17	10.9	62	1	2	10	15	19	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.6	20	1	2	6	11	13	14	14
20-34	7	3.9	5	1	1	4	6	7	7	7
35-49	23	7.0	22	2	3	6	9	16	46	99+
50-64	58	8.8	114	1	1	6	10	18	24	67
65+	110	7.8	31	2	2	6	10	16	19	27
B. *Operated*										
0-19 YRS	13	14.5	112	2	2	12	25	30	31	31
20-34	27	13.2	68	5	6	10	16	28	32	38
35-49	52	14.1	100	3	4	12	17	27	33	52
50-64	192	15.3	99	4	6	12	19	30	34	50
65+	441	15.5	112	4	6	14	19	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.9	21	1	1	4	6	13	16	17
B. *Operated*	79	9.7	50	1	2	8	15	19	24	30
2. MULTIPLE DX										
A. *Not Operated*	211	7.8	52	1	2	6	10	16	19	51
B. *Operated*	725	15.2	106	4	6	13	19	27	33	54
1. SINGLE DX	98	8.8	47	1	1	7	14	18	22	29
2. MULTIPLE DX	936	13.5	103	2	4	11	18	25	32	54
A. NOT OPERATED	230	7.6	50	1	2	6	9	16	19	45
B. OPERATED	804	14.7	103	3	5	13	18	26	32	53
TOTAL 0-19 YRS	33	10.1	67	2	2	9	13	25	30	31
20-34	42	10.1	65	1	3	8	13	19	30	38
35-49	95	11.2	79	2	3	9	15	22	32	78
50-64	288	13.2	104	2	3	11	18	27	33	51
65+	576	13.7	104	2	4	12	18	24	30	54
GRAND TOTAL	**1034**	**13.1**	**100**	**2**	**3**	**11**	**17**	**25**	**31**	**52**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	13	3.5	6	1	1	4	5	7	8	8
65+	15	7.2	44	2	3	5	8	12	25	29
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	14	10.9	83	2	4	9	12	18	35	40
50-64	25	9.4	65	1	1	9	14	20	25	30
65+	26	9.6	49	1	1	9	16	20	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.0	43	2	2	10	14	15	15	15
35-49	20	9.2	58	2	2	6	13	22	26	28
50-64	122	8.5	48	2	2	7	11	15	21	37
65+	233	8.4	59	2	3	6	10	17	21	40
B. *Operated*										
0-19 YRS										
20-34	4	13.8	85	4	4	13	21	25	25	25
35-49	57	21.5	436	4	5	16	25	41	73	97
50-64	309	16.5	144	3	5	14	21	31	40	58
65+	684	17.4	122	5	7	15	21	31	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.4	28	1	1	4	7	9	13	29
B. *Operated*	66	9.8	60	1	1	9	13	20	22	38
2. MULTIPLE DX										
A. *Not Operated*	378	8.5	55	2	2	7	11	17	21	38
B. *Operated*	1054	17.4	146	4	6	15	21	31	41	67
1. SINGLE DX	95	8.5	54	1	1	7	12	18	22	35
2. MULTIPLE DX	1432	15.0	137	3	4	12	19	28	37	60
A. NOT OPERATED	407	8.3	53	2	2	6	10	17	21	36
B. OPERATED	1120	16.9	144	3	6	15	21	31	40	66
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	11.6	54	2	3	10	16	23	25	25
35-49	91	17.2	328	3	4	12	20	32	65	96
50-64	469	13.7	127	2	2	11	18	27	37	53
65+	958	14.8	119	3	4	13	19	28	36	56
GRAND TOTAL	**1527**	**14.6**	**134**	**2**	**3**	**12**	**19**	**28**	**37**	**59**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	17	3.7	4	1	1	4	5	7	8	8
50-64	68	5.6	33	1	1	4	7	10	17	31
65+	71	5.9	37	1	1	4	6	14	23	30
B. *Operated*										
0-19 YRS										
20-34	4	13.3	189	2	2	11	24	30	30	30
35-49	75	8.0	52	1	2	7	9	17	21	42
50-64	323	8.0	28	1	2	8	10	15	18	24
65+	297	7.8	24	1	2	8	10	14	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	8.1	40	<1	1	6	11	17	22	23
35-49	191	6.9	61	1	2	5	8	14	20	28
50-64	1019	7.7	47	1	2	6	10	16	21	32
65+	1307	8.3	45	2	2	7	10	16	21	34
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	12.3	155	1	2	8	16	28	46	50
35-49	407	11.7	92	2	3	10	14	23	30	48
50-64	2401	11.6	78	2	3	9	15	21	28	45
65+	3227	12.7	89	2	4	10	16	24	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	5.5	32	1	1	4	6	10	16	30
B. *Operated*	699	7.9	30	1	2	8	10	15	19	24
2. MULTIPLE DX										
A. *Not Operated*	2529	7.9	47	2	2	6	10	16	21	33
B. *Operated*	6063	12.2	86	2	3	10	15	23	29	48
1. SINGLE DX	855	7.5	31	1	2	7	10	14	18	27
2. MULTIPLE DX	8592	10.9	78	2	3	9	14	21	27	45
A. NOT OPERATED	2685	7.8	46	2	2	6	10	16	21	32
B. OPERATED	6762	11.7	81	2	3	10	15	22	28	47
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	43	11.2	124	1	2	7	14	25	35	50
35-49	690	9.8	83	1	2	7	12	20	26	47
50-64	3811	10.1	68	2	2	8	13	19	26	41
65+	4902	11.1	78	2	3	9	14	21	28	45
GRAND TOTAL	**9447**	**10.6**	**75**	**2**	**3**	**9**	**14**	**21**	**26**	**44**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	2.5	4	1	1	2	3	6	6	6
65+	5	6.2	7	2	2	7	8	9	9	9
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	4.0	19	<1	<1	2	7	9	9	9
35-49	23	7.7	39	1	1	8	11	16	21	22
50-64	108	7.4	45	1	1	7	11	15	20	33
65+	77	6.0	34	1	1	3	9	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	4	3.8	10	1	1	3	6	8	8	8
35-49	12	7.2	41	1	1	5	11	18	20	20
50-64	41	5.7	19	1	1	4	7	14	16	16
65+	57	8.5	66	1	1	6	11	18	31	35
B. *Operated*										
0-19 YRS	7	9.9	82	2	2	5	13	25	28	28
20-34	12	14.6	141	2	2	12	25	31	35	36
35-49	67	13.2	102	1	2	10	19	27	34	49
50-64	309	12.9	124	1	1	11	17	26	33	57
65+	343	13.6	137	1	2	12	18	27	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.3	7	1	1	4	6	8	9	9
B. *Operated*	212	6.9	40	1	1	5	11	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	117	7.1	45	1	1	5	9	16	20	35
B. *Operated*	738	13.3	127	1	2	11	18	27	35	57
1. SINGLE DX	224	6.7	39	1	1	5	10	15	18	25
2. MULTIPLE DX	855	12.4	121	1	2	10	16	26	33	55
A. NOT OPERATED	129	6.9	42	1	1	5	8	15	19	35
B. OPERATED	950	11.9	115	1	1	10	16	25	32	54
TOTAL 0-19 YRS	11	8.3	54	2	3	5	10	20	27	28
20-34	19	10.6	118	<1	1	7	16	29	33	36
35-49	103	11.2	86	1	1	9	16	22	29	44
50-64	464	10.9	103	1	1	9	15	22	30	46
65+	482	11.7	120	1	1	10	15	25	33	56
GRAND TOTAL	**1079**	**11.3**	**109**	**1**	**1**	**9**	**15**	**24**	**30**	**50**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.8	15	<1	<1	3	8	11	11	11
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	7	5.1	24	1	1	3	7	14	15	15
65+	5	9.0	28	2	2	11	13	14	14	14
B. *Operated*										
0-19 YRS	47	5.7	16	1	2	6	8	10	12	22
20-34	44	8.3	70	1	2	6	9	14	23	51
35-49	34	5.0	19	1	1	4	8	9	13	22
50-64	66	6.3	22	1	1	5	10	14	15	86
65+	51	5.4	16	1	2	5	7	10	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.5	18	<1	1	4	6	9	12	22
20-34	18	5.5	19	1	1	4	9	12	14	15
35-49	14	7.6	57	1	1	6	10	15	27	31
50-64	33	6.6	31	1	2	5	7	14	18	29
65+	33	8.9	101	2	2	4	9	23	33	45
B. *Operated*										
0-19 YRS	30	14.9	260	1	2	10	17	43	50	66
20-34	44	12.5	199	1	2	8	17	24	46	70
35-49	36	11.5	127	1	2	8	15	32	38	44
50-64	92	13.1	131	2	3	10	17	25	34	62
65+	164	11.6	100	1	2	9	14	25	36	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.2	20	<1	1	3	8	13	14	15
B. *Operated*	242	6.2	28	1	2	5	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	132	6.6	48	1	1	5	8	13	22	36
B. *Operated*	366	12.3	134	1	2	9	16	26	38	61
1. SINGLE DX	267	6.1	28	1	1	5	8	12	14	26
2. MULTIPLE DX	498	10.8	118	1	2	8	13	24	35	52
A. NOT OPERATED	157	6.4	44	1	1	4	8	13	20	34
B. OPERATED	608	9.9	101	1	2	7	12	21	31	52
TOTAL 0-19 YRS	119	7.6	94	1	1	5	9	15	22	55
20-34	109	9.4	119	1	2	6	12	19	24	61
35-49	86	8.1	78	1	1	5	9	19	31	42
50-64	198	9.5	85	1	2	7	12	20	27	62
65+	253	9.9	87	1	2	7	12	22	33	45
GRAND TOTAL	**765**	**9.2**	**91**	**1**	**2**	**6**	**11**	**20**	**28**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	3	6.0	7	4	4	5	8	9	9	9
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	53	3.4	5	1	1	3	5	7	8	12
35-49	108	4.0	10	1	1	3	5	9	10	15
50-64	94	4.4	8	1	1	4	6	8	11	13
65+	65	4.1	18	1	1	3	6	8	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.4	16	<1	<1	4	5	11	14	14
35-49	11	3.6	5	1	1	4	5	7	8	8
50-64	17	4.9	14	<1	1	4	6	11	14	15
65+	20	5.8	14	1	2	5	8	12	14	14
B. *Operated*										
0-19 YRS	8	6.9	68	1	1	4	8	21	26	26
20-34	28	4.8	15	1	1	4	6	10	14	16
35-49	57	4.9	13	1	1	4	7	11	12	14
50-64	80	6.6	69	1	1	5	8	11	18	54
65+	142	6.9	36	1	2	5	8	15	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	8	1	1	4	6	9	9	9
B. *Operated*	323	4.0	10	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	57	4.9	13	<1	1	4	6	10	14	15
B. *Operated*	315	6.3	39	1	1	5	8	12	18	27
1. SINGLE DX	331	4.0	10	1	1	3	5	8	10	13
2. MULTIPLE DX	372	6.1	35	1	1	5	7	12	16	26
A. NOT OPERATED	65	4.8	12	<1	1	4	6	9	14	15
B. OPERATED	638	5.1	26	1	1	4	7	11	13	25
TOTAL 0-19 YRS	11	5.7	53	1	1	3	6	16	25	26
20-34	90	4.0	10	1	1	3	5	8	11	15
35-49	178	4.3	11	1	1	3	6	9	11	14
50-64	194	5.4	35	1	1	4	7	10	12	23
65+	230	5.9	30	1	1	4	7	13	18	27
GRAND TOTAL	**703**	**5.1**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	8	4.0	17	1	1	3	4	11	14	14
35-49	24	2.8	11	<1	1	2	3	6	10	16
50-64	70	3.3	14	1	1	2	4	7	11	21
65+	127	3.0	15	1	1	2	3	7	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	4	1	1	3	4	5	5	5
35-49	5	11.0	321	2	2	4	14	43	43	43
50-64	5	3.2	8	1	1	2	4	8	8	8
65+	17	4.7	11	1	1	4	7	8	11	13
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	26	5.1	29	1	1	3	6	13	17	23
50-64	111	7.4	86	1	1	4	9	18	25	48
65+	344	6.7	81	1	1	4	7	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	231	3.1	14	1	1	2	3	6	10	19
2. MULTIPLE DX										
A. *Not Operated*	31	5.2	57	1	1	4	6	8	13	43
B. *Operated*	487	6.7	78	1	1	4	8	16	22	49
1. SINGLE DX	232	3.1	14	1	1	2	3	6	10	19
2. MULTIPLE DX	518	6.6	77	1	1	4	7	16	22	48
A. NOT OPERATED	32	5.1	56	1	1	3	6	8	13	43
B. OPERATED	718	5.6	60	1	1	3	6	12	19	45
TOTAL 0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	16	3.4	10	1	1	3	4	5	11	14
35-49	55	4.6	47	1	1	2	5	12	16	42
50-64	186	5.8	61	1	1	3	7	12	19	39
65+	489	5.6	64	1	1	3	7	12	19	46
GRAND TOTAL	**750**	**5.5**	**60**	**1**	**1**	**3**	**6**	**12**	**19**	**45**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	13	5.3	10	2	2	4	8	10	11	11
65+	9	3.7	3	<1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	125	4.1	3	2	2	4	5	7	7	10
35-49	705	4.3	4	1	2	4	5	7	8	10
50-64	1043	4.7	5	1	2	4	6	7	8	11
65+	1009	5.0	6	1	2	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	79	1	1	3	8	22	22	22
35-49	69	9.7	144	2	3	6	10	21	27	75
50-64	126	7.1	50	1	1	5	8	15	20	35
65+	151	7.2	47	1	1	6	10	14	18	49
B. *Operated*										
0-19 YRS										
20-34	131	5.3	14	2	3	5	6	8	11	25
35-49	958	5.7	14	2	3	5	7	9	11	19
50-64	1926	6.2	17	2	3	5	7	10	12	23
65+	3070	6.8	18	2	3	6	8	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.3	7	1	2	4	5	9	10	11
B. *Operated*	2884	4.7	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	351	7.6	68	1	1	5	9	16	22	46
B. *Operated*	6085	6.4	17	2	3	6	8	10	13	23
1. SINGLE DX	2910	4.7	5	1	2	4	6	7	8	11
2. MULTIPLE DX	6436	6.5	20	2	3	6	8	10	14	25
A. NOT OPERATED	377	7.4	64	1	1	5	9	15	22	45
B. OPERATED	8969	5.8	14	2	3	5	7	9	12	21
TOTAL 0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	261	4.8	10	2	2	4	5	7	9	22
35-49	1736	5.2	17	2	2	5	6	8	10	19
50-64	3108	5.7	15	2	2	5	7	9	11	21
65+	4239	6.4	17	2	3	6	8	10	13	23
GRAND TOTAL	**9346**	**5.9**	**16**	**2**	**3**	**5**	**7**	**9**	**12**	**22**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.8	3	1	1	2	4	5	6	6
35-49	36	3.0	2	1	1	3	4	4	6	9
50-64	17	2.5	2	1	1	2	3	4	5	6
65+	20	3.3	1	1	2	3	4	5	5	6
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	63	5.9	11	1	2	6	7	10	13	16
35-49	101	5.9	13	1	2	5	8	11	12	16
50-64	56	5.2	12	1	1	4	7	10	12	15
65+	37	5.1	24	1	1	4	7	9	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	4.6	9	1	1	4	5	9	10	13
35-49	55	8.9	119	1	2	4	10	19	41	44
50-64	65	5.4	41	1	2	4	7	12	15	43
65+	59	6.5	34	1	2	4	7	13	20	30
B. *Operated*										
0-19 YRS										
20-34	81	8.1	29	2	4	7	9	16	17	29
35-49	203	8.7	40	2	3	7	11	16	19	35
50-64	148	9.3	66	2	2	7	12	18	23	44
65+	159	9.0	61	1	2	7	11	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.9	2	1	1	3	4	5	6	8
B. *Operated*	258	5.6	14	1	2	5	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	207	6.5	57	1	2	4	7	14	19	43
B. *Operated*	591	8.8	51	2	3	7	11	17	22	40
1. SINGLE DX	341	5.0	12	1	1	4	7	10	11	16
2. MULTIPLE DX	798	8.2	53	1	2	6	10	17	21	42
A. NOT OPERATED	290	5.5	44	1	2	4	6	11	17	43
B. OPERATED	849	7.9	42	1	2	6	10	15	19	34
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	182	6.5	20	1	2	6	8	11	16	27
35-49	395	7.5	44	1	2	6	10	15	19	41
50-64	286	7.2	51	1	2	5	9	15	18	43
65+	275	7.5	50	1	2	5	9	17	22	35
GRAND TOTAL	**1139**	**7.3**	**43**	**1**	**2**	**6**	**9**	**15**	**19**	**38**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64	24	3.1	1	1	2	3	4	5	5	6
65+	25	2.7	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	53	6.3	6	3	4	6	8	9	10	15
50-64	193	5.7	6	1	3	6	7	8	10	13
65+	183	6.3	7	2	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	3.8	4	1	1	4	5	6	6	6
50-64	57	3.8	9	1	1	3	5	8	10	14
65+	91	5.8	30	1	1	4	6	11	18	31
B. *Operated*										
0-19 YRS	2	15.0	2	14	14	15	16	16	16	16
20-34	26	6.3	15	1	2	6	8	10	12	20
35-49	151	6.3	10	2	3	6	7	10	12	20
50-64	574	7.0	21	2	4	6	8	11	13	23
65+	910	8.5	30	3	4	7	10	15	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.2	7	1	1	3	4	4	5	20
B. *Operated*	431	6.1	7	2	3	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	156	5.0	22	1	1	4	6	10	12	26
B. *Operated*	1663	7.8	26	2	4	7	9	13	17	26
1. SINGLE DX	486	5.7	7	2	2	6	7	9	10	15
2. MULTIPLE DX	1819	7.5	26	2	3	7	9	13	17	26
A. NOT OPERATED	211	4.5	19	1	1	3	5	8	12	24
B. OPERATED	2094	7.4	22	2	4	7	8	12	15	24
TOTAL 0-19 YRS	3	17.0	13	14	14	16	20	21	21	21
20-34	29	6.2	15	1	1	6	8	10	11	20
35-49	216	6.2	9	2	3	6	7	10	12	17
50-64	848	6.4	17	2	3	6	7	10	12	21
65+	1209	7.8	28	2	3	7	9	14	18	30
GRAND TOTAL	**2305**	**7.1**	**23**	**2**	**3**	**6**	**8**	**12**	**15**	**24**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	12	2.9	4	1	1	2	4	6	7	7
65+	9	5.4	29	2	2	3	6	14	19	19
B. *Operated*										
0-19 YRS	6	6.0	6	3	3	5	9	9	9	9
20-34	21	5.8	3	3	4	6	7	8	9	9
35-49	33	6.3	7	2	3	6	8	9	10	15
50-64	57	7.7	12	3	5	7	9	11	14	21
65+	38	8.2	23	2	4	8	9	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	10.5	142	3	3	6	18	28	28	28
35-49	24	7.5	279	1	1	3	6	10	38	84
50-64	92	6.1	42	1	1	4	7	12	25	31
65+	122	6.8	32	1	2	5	9	14	18	27
B. *Operated*										
0-19 YRS	8	6.9	4	4	4	7	8	9	10	10
20-34	52	7.9	15	4	4	6	10	14	16	20
35-49	169	10.3	59	4	5	8	12	18	23	50
50-64	396	12.0	77	5	5	10	14	20	25	43
65+	465	14.9	83	6	7	12	18	26	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.9	14	1	1	3	5	7	11	19
B. *Operated*	155	7.2	13	2	4	7	9	10	15	21
2. MULTIPLE DX										
A. *Not Operated*	243	6.7	61	1	1	4	8	13	21	33
B. *Operated*	1090	12.7	77	5	6	11	16	22	29	47
1. SINGLE DX	179	6.8	14	2	2	6	8	10	14	21
2. MULTIPLE DX	1333	11.6	80	2	4	9	15	21	28	46
A. NOT OPERATED	267	6.4	57	1	1	4	8	13	19	32
B. OPERATED	1245	12.0	73	5	5	10	15	21	28	46
TOTAL 0-19 YRS	17	5.7	7	1	2	6	8	9	10	10
20-34	78	7.4	18	3	4	6	9	13	16	26
35-49	226	9.5	76	2	4	7	10	18	21	56
50-64	557	10.4	69	2	3	9	13	18	24	37
65+	634	12.8	81	2	4	11	17	23	30	47
GRAND TOTAL	**1512**	**11.0**	**75**	**2**	**4**	**9**	**14**	**20**	**26**	**43**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	3.3	7	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34										
35-49	13	6.9	37	1	2	6	9	14	22	24
50-64	17	7.3	28	1	1	7	9	16	18	19
65+	40	5.6	13	1	1	5	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	8.0	127	1	1	2	16	21	21	21
50-64	8	5.9	16	2	2	5	10	11	11	11
65+	40	7.3	26	1	2	6	10	15	17	21
B. *Operated*										
0-19 YRS	8	9.4	47	1	2	7	14	20	22	22
20-34	5	8.0	6	6	6	7	10	11	11	11
35-49	28	8.1	27	1	2	8	11	15	16	21
50-64	54	13.1	150	2	3	10	16	24	39	68
65+	151	12.4	75	2	4	11	16	22	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	5	1	1	3	4	7	7	7
B. *Operated*	73	6.1	21	1	1	6	8	11	16	23
2. MULTIPLE DX										
A. *Not Operated*	53	7.2	27	1	2	6	10	15	19	21
B. *Operated*	246	11.9	85	2	3	10	15	22	29	48
1. SINGLE DX	78	5.9	20	1	1	5	8	11	15	23
2. MULTIPLE DX	299	11.0	78	2	2	9	14	21	26	47
A. NOT OPERATED	58	6.8	26	1	1	6	10	15	18	21
B. OPERATED	319	10.5	76	1	2	9	13	21	24	46
TOTAL 0-19 YRS	12	7.9	42	1	1	6	12	17	21	22
20-34	6	7.5	6	5	5	7	10	11	11	11
35-49	44	7.8	33	1	2	7	11	15	21	24
50-64	80	11.0	117	1	2	9	13	21	33	63
65+	235	10.2	64	1	2	8	14	19	22	40
GRAND TOTAL	**377**	**10.0**	**70**	**1**	**2**	**8**	**13**	**19**	**22**	**44**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	15	5.9	14	1	1	5	8	12	13	13
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	14	4.8	11	1	1	4	7	10	11	11
50-64	296	5.8	19	1	1	5	8	11	15	21
65+	836	5.2	13	1	1	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	108	6.9	54	1	2	4	9	17	21	40
65+	405	7.8	50	2	2	6	10	15	21	29
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34										
35-49	17	10.9	129	<1	1	8	12	20	40	50
50-64	853	7.8	34	1	2	6	10	15	19	29
65+	4353	7.5	31	2	3	6	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.9	13	1	1	5	8	12	13	13
B. *Operated*	1150	5.3	14	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	516	7.6	51	1	2	6	10	15	21	30
B. *Operated*	5225	7.6	32	2	2	6	9	14	18	29
1. SINGLE DX	1166	5.3	14	1	1	5	7	10	12	18
2. MULTIPLE DX	5741	7.6	33	2	2	6	9	14	18	29
A. NOT OPERATED	532	7.6	50	1	2	6	10	15	21	30
B. OPERATED	6375	7.2	29	1	2	6	9	14	17	28
TOTAL 0-19 YRS	5	6.2	8	2	2	7	8	9	9	9
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	33	7.8	80	1	1	7	10	13	20	50
50-64	1258	7.3	33	1	2	6	10	14	18	29
65+	5609	7.2	30	1	2	6	9	13	17	28
GRAND TOTAL	**6907**	**7.2**	**31**	**1**	**2**	**6**	**9**	**14**	**17**	**29**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	19	1	1	3	7	11	11	11
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	20	3.8	7	1	1	3	5	8	9	10
20-34	118	2.8	8	1	1	2	3	5	9	16
35-49	50	4.1	30	1	1	3	4	7	12	37
50-64	21	6.0	170	1	1	4	4	7	33	62
65+	10	2.4	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	19	6.9	15	3	3	5	11	13	14	14
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	4	4.0	3	2	2	4	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	11	7.5	17	1	2	9	11	12	12	12
20-34	73	7.6	45	1	2	7	10	16	20	39
35-49	39	11.5	271	1	1	6	14	24	37	95
50-64	18	8.1	70	3	4	6	7	13	30	40
65+	34	7.5	36	1	2	5	11	18	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	15	1	1	4	9	11	11	11
B. *Operated*	219	3.5	28	1	1	2	4	6	10	25
2. MULTIPLE DX										
A. *Not Operated*	28	5.9	13	2	2	5	8	12	14	14
B. *Operated*	175	8.5	95	1	1	6	10	17	20	42
1. SINGLE DX	226	3.5	28	1	1	2	4	6	10	23
2. MULTIPLE DX	203	8.1	85	1	2	6	10	16	19	42
A. NOT OPERATED	35	5.8	13	2	2	4	8	11	13	14
B. OPERATED	394	5.7	64	1	1	3	7	12	17	41
TOTAL 0-19 YRS	33	5.1	13	1	1	4	9	10	12	12
20-34	214	4.9	26	1	1	3	7	11	14	22
35-49	94	7.1	141	1	1	3	7	15	26	71
50-64	43	6.7	111	1	1	4	6	9	23	62
65+	45	6.4	33	1	1	4	9	17	18	20
GRAND TOTAL	**429**	**5.7**	**60**	**1**	**1**	**3**	**7**	**12**	**16**	**40**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	2.7	6	1	1	2	3	7	8	8
65+	9	3.3	9	1	1	3	4	8	10	10
B. *Operated*										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	8	2.8	4	<1	<1	2	4	6	7	7
35-49	74	3.2	11	1	1	2	3	8	12	15
50-64	356	3.8	18	1	1	2	4	9	12	18
65+	699	4.1	15	1	1	3	5	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	5	5.2	9	1	1	6	7	9	9	9
50-64	34	6.6	53	1	1	4	8	14	24	35
65+	146	6.7	62	1	2	5	8	12	19	35
B. *Operated*										
0-19 YRS	4	4.8	12	1	1	4	7	9	9	9
20-34	4	6.3	25	2	2	5	10	13	13	13
35-49	80	6.7	66	1	1	3	8	19	25	35
50-64	660	6.9	56	1	1	4	9	15	21	37
65+	2598	7.3	58	1	2	5	9	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.2	7	1	1	2	4	8	9	10
B. *Operated*	1141	3.9	16	1	1	3	5	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	186	6.6	58	1	1	5	8	12	19	34
B. *Operated*	3346	7.2	58	1	2	5	9	16	21	40
1. SINGLE DX	1158	3.9	16	1	1	3	5	9	13	18
2. MULTIPLE DX	3532	7.2	58	1	2	5	9	16	21	39
A. NOT OPERATED	203	6.3	55	1	1	5	8	12	18	34
B. OPERATED	4487	6.4	49	1	1	4	8	14	19	36
TOTAL 0-19 YRS	9	4.0	10	1	1	3	6	9	9	9
20-34	12	3.9	12	<1	1	3	5	9	12	13
35-49	160	5.0	41	1	1	3	5	12	19	34
50-64	1057	5.8	45	1	1	4	7	13	18	35
65+	3452	6.6	51	1	1	4	8	14	19	37
GRAND TOTAL	**4690**	**6.4**	**50**	**1**	**1**	**4**	**8**	**14**	**19**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	4	4.8	11	1	1	5	7	8	8	8
50-64	3	8.3	104	1	1	4	16	20	20	20
65+	7	4.0	3	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	20	9.6	33	3	4	9	11	18	24	26
20-34	17	6.2	19	1	1	6	8	9	16	19
35-49	46	7.7	12	1	4	7	10	13	15	16
50-64	82	8.6	21	2	4	8	10	15	17	25
65+	62	8.8	17	1	4	8	11	14	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.4	33	1	1	3	8	15	19	20
20-34	5	7.4	7	4	4	9	9	10	10	10
35-49	22	6.9	48	1	1	5	9	13	23	33
50-64	88	6.9	24	2	3	6	8	14	16	28
65+	120	8.4	42	2	2	6	12	18	22	31
B. *Operated*										
0-19 YRS	18	16.4	210	3	4	12	24	37	52	59
20-34	20	12.3	31	3	4	12	17	20	20	20
35-49	93	11.2	30	3	6	10	14	19	22	29
50-64	391	11.6	69	2	4	10	14	20	28	39
65+	638	13.1	86	3	5	10	16	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.5	19	1	1	3	5	8	15	20
B. *Operated*	227	8.4	19	1	4	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	251	7.6	36	1	2	6	9	15	20	31
B. *Operated*	1160	12.5	77	3	4	10	15	23	30	49
1. SINGLE DX	245	8.1	20	1	3	8	10	14	16	24
2. MULTIPLE DX	1411	11.6	73	2	3	9	14	22	28	45
A. NOT OPERATED	269	7.3	35	1	2	6	9	15	20	31
B. OPERATED	1387	11.8	70	2	4	10	14	22	27	47
TOTAL 0-19 YRS	56	10.3	108	1	1	8	13	24	27	58
20-34	44	9.0	32	1	3	8	12	19	20	20
35-49	165	9.5	30	2	3	8	11	16	20	31
50-64	564	10.4	58	2	3	9	13	18	24	37
65+	827	12.0	78	2	4	10	15	23	30	49
GRAND TOTAL	**1656**	**11.1**	**67**	**2**	**3**	**9**	**14**	**21**	**26**	**45**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.5	4	1	1	3	4	7	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	2.3	4	<1	<1	1	3	6	6	6
50-64	10	3.6	9	1	1	2	4	8	11	11
65+	20	3.3	4	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.5	27	4	4	7	12	16	16	16
20-34										
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	10	11.5	71	1	1	9	21	23	24	24
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	16	5.0	17	1	1	3	6	11	15	17
65+	24	6.1	47	1	1	4	8	11	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	8	<1	<1	2	5	7	7	7
B. *Operated*	50	3.2	5	1	1	3	4	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	24	1	1	7	9	14	16	16
B. *Operated*	55	6.6	43	1	1	5	8	14	22	33
1. SINGLE DX	54	3.2	5	<1	1	3	4	7	7	11
2. MULTIPLE DX	63	6.6	40	1	1	5	8	15	21	33
A. NOT OPERATED	12	5.7	21	<1	<1	5	8	12	15	16
B. OPERATED	105	5.0	28	1	1	3	7	10	15	28
TOTAL 0-19 YRS	29	6.8	43	<1	1	4	8	19	22	24
20-34	3	4.7	8	3	3	3	7	8	8	8
35-49	13	3.5	9	<1	1	2	5	8	10	11
50-64	28	4.5	14	1	1	3	6	10	12	17
65+	44	4.8	29	1	1	3	7	8	12	34
GRAND TOTAL	**117**	**5.1**	**27**	**1**	**1**	**3**	**7**	**10**	**15**	**27**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	3	1	1	2	3	5	6	6
20-34	10	4.6	6	<1	1	4	7	8	8	8
35-49	19	7.9	60	1	2	6	8	23	24	25
50-64	27	7.4	44	1	2	6	9	17	22	32
65+	27	7.8	52	1	2	6	9	16	28	30
B. *Operated*										
0-19 YRS	45	8.4	25	1	2	8	12	16	17	19
20-34	50	9.3	36	1	2	9	12	16	19	35
35-49	74	9.4	62	2	3	8	12	16	21	51
50-64	83	11.7	143	2	3	9	14	17	24	79
65+	51	14.2	130	2	3	12	17	24	34	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.4	25	1	1	3	5	9	16	28
20-34	42	6.1	54	1	2	4	6	12	16	45
35-49	91	9.3	57	2	2	7	12	20	25	36
50-64	131	9.1	79	2	2	7	10	20	27	48
65+	146	9.7	42	2	3	8	13	19	22	28
B. *Operated*										
0-19 YRS	85	16.1	290	1	2	12	22	39	57	99+
20-34	66	12.7	117	2	5	10	14	24	30	60
35-49	99	13.5	90	4	4	12	16	27	41	99+
50-64	154	15.8	114	4	5	13	21	27	34	65
65+	175	19.4	178	5	6	16	25	38	49	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	6.7	43	1	1	5	7	16	23	31
B. *Operated*	303	10.7	88	1	2	9	14	17	22	56
2. MULTIPLE DX										
A. *Not Operated*	466	8.5	57	1	2	6	11	18	23	38
B. *Operated*	579	16.2	160	3	5	13	21	32	45	85
1. SINGLE DX	397	9.7	80	1	2	8	12	17	22	53
2. MULTIPLE DX	1045	12.8	129	2	3	10	17	26	36	60
A. NOT OPERATED	560	8.2	55	1	2	6	10	18	23	37
B. OPERATED	882	14.3	142	2	4	11	17	27	38	68
TOTAL 0-19 YRS	197	10.2	166	1	1	7	14	23	36	99
20-34	168	9.6	78	1	2	8	12	17	24	56
35-49	283	10.7	74	2	3	9	14	22	27	57
50-64	395	12.1	113	2	3	9	16	23	29	52
65+	399	14.4	135	2	4	11	18	28	38	58
GRAND TOTAL	**1442**	**11.9**	**117**	**2**	**2**	**9**	**15**	**24**	**33**	**59**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	7	15.6	140	1	2	16	20	34	37	37
35-49	3	10.7	112	1	1	9	19	22	22	22
50-64	4	9.3	30	2	2	10	13	14	14	14
65+	5	22.4	299	11	11	16	27	53	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	87	1	1	2	5	23	25	25
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	6.5	10	4	4	5	8	12	12	12
65+	6	11.0	26	7	7	9	11	20	21	21
B. *Operated*										
0-19 YRS	12	18.3	237	3	4	13	20	43	56	58
20-34	7	23.7	494	2	3	20	34	61	66	66
35-49	8	17.1	58	6	7	15	24	27	28	28
50-64	19	19.4	450	2	4	12	26	41	71	92
65+	19	25.9	296	4	6	22	38	52	62	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	21	14.3	151	1	1	14	17	28	44	53
2. MULTIPLE DX										
A. *Not Operated*	21	7.2	38	1	1	5	9	16	23	25
B. *Operated*	65	21.3	315	3	5	16	29	42	60	88
1. SINGLE DX	22	13.7	152	1	1	13	16	26	43	53
2. MULTIPLE DX	86	17.8	283	2	3	13	23	39	58	83
A. NOT OPERATED	22	6.9	38	1	1	5	9	15	23	25
B. OPERATED	86	19.6	282	2	4	15	24	40	58	83
TOTAL 0-19 YRS	21	12.8	198	1	1	10	19	30	46	58
20-34	16	17.4	305	1	2	15	21	39	58	66
35-49	12	14.5	74	1	4	14	22	26	28	28
50-64	29	15.3	327	2	3	10	16	34	47	92
65+	30	22.3	265	5	7	16	32	47	58	65
GRAND TOTAL	**108**	**17.0**	**258**	**1**	**2**	**13**	**21**	**38**	**53**	**77**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.4	2	<1	1	2	3	4	6	6
20-34	13	2.2	1	1	1	2	3	4	5	5
35-49	13	2.4	2	1	1	2	3	4	5	5
50-64	5	2.4	3	1	1	2	3	5	5	5
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	18	4.6	14	1	2	3	5	10	13	15
20-34	100	2.9	2	1	1	3	3	4	6	9
35-49	80	3.5	3	1	2	3	4	6	7	10
50-64	52	3.7	3	1	2	4	5	5	7	10
65+	28	4.7	5	2	3	4	5	9	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.9	90	<1	1	4	8	24	32	34
20-34	10	2.6	2	<1	<1	2	3	5	6	6
35-49	20	5.9	74	<1	1	3	7	12	27	39
50-64	28	5.3	23	1	2	3	7	14	15	19
65+	33	6.5	39	2	2	4	8	14	18	31
B. *Operated*										
0-19 YRS	37	8.4	61	1	2	6	11	14	23	43
20-34	99	5.0	11	2	2	4	5	10	12	17
35-49	99	5.2	40	1	2	4	5	10	14	39
50-64	103	6.4	62	1	2	4	7	12	17	49
65+	115	8.3	53	2	3	6	9	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.3	2	1	1	2	3	4	5	6
B. *Operated*	278	3.5	4	1	2	3	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	104	5.8	44	1	1	3	7	14	19	36
B. *Operated*	453	6.5	45	2	2	4	7	13	18	43
1. SINGLE DX	323	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	557	6.3	45	1	2	4	7	13	18	41
A. NOT OPERATED	149	4.8	34	1	1	3	5	11	15	34
B. OPERATED	731	5.3	32	1	2	4	6	10	14	31
TOTAL 0-19 YRS	79	6.6	50	1	1	4	8	13	18	40
20-34	222	3.8	7	1	1	3	4	7	10	14
35-49	212	4.4	27	1	2	3	5	8	11	28
50-64	188	5.4	40	1	2	4	5	10	14	43
65+	179	7.3	44	2	2	5	8	15	22	36
GRAND TOTAL	**880**	**5.2**	**32**	**1**	**2**	**4**	**5**	**10**	**14**	**33**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	7	3	3	5	8	10	10	10
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	9.0	187	<1	<1	2	13	33	38	38
50-64	29	5.3	20	1	1	4	5	10	13	24
65+	36	5.7	17	<1	1	5	9	12	13	15
B. *Operated*										
0-19 YRS	10	7.6	14	2	3	7	11	12	13	13
20-34	14	10.2	363	2	2	5	7	16	63	76
35-49	54	5.9	21	1	2	5	7	12	14	26
50-64	80	6.0	23	1	1	5	9	12	16	22
65+	93	5.5	31	<1	1	4	7	11	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.8	86	<1	1	4	7	17	25	50
20-34	155	7.7	58	1	2	5	10	17	27	42
35-49	651	7.7	48	1	2	5	9	17	23	32
50-64	1999	8.3	55	1	2	6	10	17	23	36
65+	3398	8.9	50	2	3	7	11	18	23	35
B. *Operated*										
0-19 YRS	77	11.2	87	2	3	9	14	20	31	52
20-34	263	11.2	113	2	3	8	14	22	35	53
35-49	931	11.6	130	1	2	8	15	23	32	60
50-64	2656	11.8	110	1	2	9	15	25	33	55
65+	3823	12.5	97	2	3	10	16	25	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	5.8	32	<1	1	4	8	11	14	33
B. *Operated*	251	6.1	44	1	1	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	6245	8.6	52	2	2	7	11	18	23	36
B. *Operated*	7750	12.1	106	2	3	9	16	24	32	53
1. SINGLE DX	334	6.0	41	1	1	5	8	12	16	28
2. MULTIPLE DX	13995	10.5	85	2	2	8	14	22	28	47
A. NOT OPERATED	6328	8.5	52	2	2	6	11	18	23	36
B. OPERATED	8001	11.9	105	2	2	9	15	24	32	52
TOTAL 0-19 YRS	137	9.2	81	1	2	6	12	18	26	51
20-34	434	9.9	103	1	2	7	12	21	32	57
35-49	1644	9.9	98	1	2	7	13	21	28	51
50-64	4764	10.2	88	1	2	8	13	21	28	49
65+	7350	10.7	78	2	3	8	14	22	28	43
GRAND TOTAL	**14329**	**10.4**	**84**	**2**	**2**	**8**	**13**	**21**	**28**	**47**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	1	1	3	4	5	5	5
20-34	20	2.5	4	<1	1	2	4	6	7	7
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	3	7.7	44	2	2	6	13	15	15	15
65+	2	6.5	13	4	4	6	9	9	9	9
B. *Operated*										
0-19 YRS	44	5.2	9	1	1	5	8	9	10	11
20-34	137	5.1	12	1	1	5	7	9	12	17
35-49	52	5.9	18	1	1	5	8	11	15	20
50-64	21	4.3	11	1	1	3	5	10	11	12
65+	11	7.3	35	<1	<1	6	9	17	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.7	32	1	1	4	8	11	19	23
20-34	54	4.7	18	1	1	3	7	12	14	17
35-49	19	6.1	30	<1	1	4	8	15	18	20
50-64	25	4.6	8	1	1	4	6	9	10	11
65+	30	7.0	53	1	1	4	8	16	21	34
B. *Operated*										
0-19 YRS	33	15.4	201	2	2	8	26	40	43	46
20-34	122	11.9	153	1	2	7	15	31	40	54
35-49	60	10.4	74	1	2	8	13	24	31	36
50-64	56	12.0	73	1	2	10	16	26	31	35
65+	54	12.4	90	2	2	10	19	22	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.5	8	1	1	3	5	7	9	15
B. *Operated*	265	5.3	14	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	144	5.5	27	1	1	4	7	12	15	24
B. *Operated*	325	12.1	119	1	2	8	16	30	35	51
1. SINGLE DX	300	5.1	14	1	1	5	7	9	12	18
2. MULTIPLE DX	469	10.0	100	1	1	7	14	23	33	47
A. NOT OPERATED	179	5.1	24	1	1	4	7	12	15	22
B. OPERATED	590	9.0	83	1	1	6	11	20	31	45
TOTAL 0-19 YRS	101	8.4	97	1	1	6	8	22	34	44
20-34	333	7.4	76	1	1	5	8	15	23	51
35-49	133	7.9	49	1	1	6	10	16	23	32
50-64	105	8.6	57	1	2	6	11	18	26	34
65+	97	10.0	76	1	1	7	15	21	25	42
GRAND TOTAL	**769**	**8.1**	**72**	**1**	**1**	**6**	**10**	**18**	**26**	**42**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.0	14	<1	<1	3	5	8	11	20
20-34	5	7.2	19	5	5	5	8	15	15	15
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	4	5.0	25	1	1	3	8	12	12	12
65+	9	5.8	18	<1	<1	6	10	11	11	11
B. *Operated*										
0-19 YRS	51	8.9	52	1	2	7	11	21	26	30
20-34	9	6.6	31	1	1	6	7	15	20	20
35-49	10	9.6	113	1	1	5	15	27	33	33
50-64	12	5.8	35	1	2	4	6	14	22	23
65+	10	6.6	18	1	2	5	10	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	6.9	48	1	1	5	8	14	20	38
20-34	12	6.5	16	1	1	7	9	12	14	14
35-49	11	5.6	12	2	2	5	6	10	15	15
50-64	59	8.4	67	1	2	6	10	18	25	42
65+	104	7.9	51	1	2	6	9	16	22	38
B. *Operated*										
0-19 YRS	91	15.4	145	2	3	12	22	31	36	58
20-34	37	26.7	373	4	6	21	36	56	67	80
35-49	15	21.1	285	5	5	12	38	42	50	53
50-64	69	14.7	264	2	3	10	18	37	49	78
65+	119	12.8	148	2	3	9	16	25	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.5	16	<1	<1	3	6	10	12	19
B. *Operated*	92	8.1	50	1	2	6	10	19	24	32
2. MULTIPLE DX										
A. *Not Operated*	276	7.5	50	1	2	6	9	16	22	39
B. *Operated*	331	15.8	218	2	3	11	20	36	47	74
1. SINGLE DX	152	6.7	39	<1	1	5	8	15	22	30
2. MULTIPLE DX	607	12.1	159	2	2	8	15	28	39	63
A. NOT OPERATED	336	7.0	45	1	1	5	8	14	21	37
B. OPERATED	423	14.2	191	2	3	10	18	30	43	71
TOTAL 0-19 YRS	271	9.7	94	1	1	7	12	24	30	43
20-34	63	18.4	324	1	3	12	25	47	59	79
35-49	39	12.3	189	1	2	6	15	38	41	53
50-64	144	11.1	169	1	2	7	13	23	39	73
65+	242	10.2	103	2	2	7	12	22	27	55
GRAND TOTAL	**759**	**10.0**	**139**	**1**	**2**	**7**	**14**	**25**	**35**	**60**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.9	15	1	1	5	7	12	14	15
20-34	10	8.5	238	1	1	3	6	30	52	52
35-49	9	11.7	171	2	2	5	16	35	39	39
50-64	9	8.1	200	1	1	4	7	31	45	45
65+	16	3.2	5	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	12	14.3	109	1	5	11	17	32	37	38
20-34	9	5.9	12	1	1	7	8	10	11	11
35-49	14	6.6	36	1	2	6	8	11	22	25
50-64	20	9.6	80	2	2	6	11	26	28	29
65+	16	15.7	336	2	2	7	23	50	54	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	8.1	58	<1	1	5	11	19	21	38
20-34	40	6.7	24	<1	1	6	9	13	18	22
35-49	39	10.1	97	2	2	6	13	22	34	44
50-64	64	9.4	97	1	2	7	11	19	26	60
65+	195	8.0	61	1	2	5	10	17	27	38
B. *Operated*										
0-19 YRS	48	26.1	334	4	6	26	36	46	57	92
20-34	64	26.2	274	3	5	26	36	47	54	76
35-49	87	23.3	277	3	4	24	32	48	60	89
50-64	144	24.8	378	2	3	23	36	51	61	90
65+	207	17.9	240	2	4	11	29	39	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.8	97	1	1	4	7	12	32	51
B. *Operated*	71	10.7	133	2	2	7	11	28	38	55
2. MULTIPLE DX										
A. *Not Operated*	390	8.3	67	1	2	6	11	18	26	39
B. *Operated*	550	22.2	304	2	4	19	33	46	57	89
1. SINGLE DX	133	8.9	119	1	1	6	9	25	37	53
2. MULTIPLE DX	940	16.5	252	2	2	10	26	38	48	70
A. NOT OPERATED	452	8.1	71	1	2	5	10	17	27	44
B. OPERATED	621	20.9	298	2	3	15	32	45	55	84
TOTAL 0-19 YRS	130	15.0	232	1	2	9	21	37	45	66
20-34	123	17.0	262	1	2	9	28	39	49	66
35-49	149	17.5	245	2	3	12	26	39	51	71
50-64	237	18.7	325	1	2	12	28	43	56	89
65+	434	12.8	180	2	2	8	16	34	42	61
GRAND TOTAL	**1073**	**15.5**	**242**	**1**	**2**	**9**	**25**	**37**	**47**	**70**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	7	1	1	4	6	8	8	8
20-34	14	4.2	8	<1	1	3	5	10	10	10
35-49	26	4.7	10	1	1	4	6	9	10	12
50-64	49	4.9	17	1	1	4	6	10	14	21
65+	38	5.5	23	1	2	4	7	12	17	24
B. *Operated*										
0-19 YRS	21	7.1	17	1	1	8	10	13	13	14
20-34	45	7.0	51	1	1	4	9	16	21	36
35-49	96	5.7	30	1	1	4	8	11	14	34
50-64	166	5.9	32	1	1	4	8	13	16	30
65+	156	5.7	27	1	1	4	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.1	12	1	1	5	8	9	11	14
20-34	45	6.0	33	1	1	5	7	11	15	31
35-49	80	7.6	41	1	2	6	11	15	21	30
50-64	288	8.1	45	1	2	6	11	17	22	35
65+	554	9.5	83	2	2	7	11	20	27	46
B. *Operated*										
0-19 YRS	37	12.9	124	2	4	10	14	31	42	44
20-34	101	12.2	129	2	3	9	14	30	37	50
35-49	177	12.7	159	2	3	9	15	29	37	62
50-64	488	12.7	129	2	3	10	16	26	37	56
65+	989	13.6	140	2	3	11	17	27	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	4.9	16	1	2	4	6	10	13	22
B. *Operated*	484	6.0	31	1	1	4	8	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	989	8.7	66	1	2	6	11	18	24	43
B. *Operated*	1792	13.2	138	2	3	10	16	27	37	64
1. SINGLE DX	617	5.7	28	1	1	4	8	12	16	27
2. MULTIPLE DX	2781	11.6	117	2	3	9	14	24	33	58
A. NOT OPERATED	1122	8.2	61	1	2	6	10	17	23	41
B. OPERATED	2276	11.7	124	1	2	9	15	25	34	59
TOTAL 0-19 YRS	86	8.9	73	1	2	7	11	16	28	44
20-34	205	9.2	91	1	2	6	11	24	31	47
35-49	379	9.3	101	1	2	7	11	21	29	50
50-64	991	9.9	92	1	2	7	13	21	28	49
65+	1737	11.4	116	2	2	8	14	24	33	60
GRAND TOTAL	**3398**	**10.5**	**106**	**1**	**2**	**8**	**13**	**22**	**31**	**54**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	17	2.7	4	1	1	2	3	7	8	8
20-34	122	2.2	1	1	1	2	3	4	4	7
35-49	150	2.2	2	1	1	2	3	4	5	7
50-64	155	2.3	1	1	1	2	3	4	4	6
65+	113	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	11	5.7	49	1	1	2	8	16	23	24
20-34	26	3.2	4	1	1	2	4	7	8	9
35-49	55	2.8	3	1	1	2	4	5	6	10
50-64	120	3.3	6	1	1	3	4	6	7	13
65+	141	3.5	8	1	1	3	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	557	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	12	1	1	4	7	9	9	9
B. *Operated*	353	3.4	7	1	1	3	4	6	8	18
1. SINGLE DX	558	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	357	3.4	7	1	1	3	4	6	8	18
A. NOT OPERATED	5	3.8	11	<1	<1	3	6	9	9	9
B. OPERATED	910	2.7	4	1	1	2	3	5	6	10
TOTAL 0-19 YRS	28	3.9	23	1	1	2	4	8	12	24
20-34	148	2.4	2	1	1	2	3	4	5	8
35-49	206	2.4	2	1	1	2	3	4	5	9
50-64	277	2.7	4	1	1	2	3	4	6	9
65+	256	3.1	5	1	1	3	4	5	6	15
GRAND TOTAL	**915**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	2.4	3	<1	<1	2	3	5	5	5
50-64	10	1.6	1	<1	<1	1	2	3	4	4
65+	7	2.1	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	15	3.9	10	1	1	2	6	9	9	9
20-34	24	5.9	20	<1	1	5	9	13	14	15
35-49	51	5.2	11	<1	1	6	8	9	10	13
50-64	87	5.7	16	1	1	6	9	11	12	15
65+	134	5.4	17	<1	1	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	2	4	5	5	5
20-34	10	7.3	114	1	1	3	6	23	37	37
35-49	12	4.2	7	<1	1	4	6	8	8	8
50-64	24	4.5	13	1	1	3	5	11	13	14
65+	58	5.7	27	<1	1	4	7	14	17	25
B. *Operated*										
0-19 YRS	17	8.0	23	1	1	8	11	14	17	18
20-34	56	7.6	18	1	2	7	10	13	16	17
35-49	118	7.2	41	1	1	6	9	13	21	36
50-64	368	7.5	38	1	1	7	10	15	18	25
65+	790	8.0	60	1	1	7	10	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.2	3	<1	<1	1	3	4	5	7
B. *Operated*	311	5.4	16	1	1	5	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	109	5.3	28	1	1	4	6	12	16	30
B. *Operated*	1349	7.8	50	1	1	7	10	15	18	32
1. SINGLE DX	336	5.2	15	<1	1	4	8	10	12	15
2. MULTIPLE DX	1458	7.6	49	1	1	6	10	15	18	32
A. NOT OPERATED	134	4.7	25	<1	1	3	5	11	14	27
B. OPERATED	1660	7.3	45	1	1	6	10	14	17	30
TOTAL 0-19 YRS	39	5.5	19	1	1	4	9	12	14	18
20-34	91	7.1	28	1	1	6	10	13	15	29
35-49	186	6.3	31	1	1	5	8	11	15	29
50-64	489	6.9	34	1	1	6	9	14	16	24
65+	989	7.5	53	1	1	6	10	14	18	34
GRAND TOTAL	**1794**	**7.1**	**44**	**1**	**1**	**6**	**10**	**14**	**17**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	34	2.2	7	1	1	1	1	5	9	12
20-34	32	4.3	14	<1	1	3	7	9	13	14
35-49	48	4.0	7	1	1	3	6	8	8	10
50-64	48	4.2	9	1	1	3	6	9	9	11
65+	23	5.2	23	1	1	3	7	9	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64	2	5.0	32	<1	<1	4	9	9	9	9
65+	4	8.5	82	3	3	4	13	22	22	22
B. *Operated*										
0-19 YRS	34	3.7	27	<1	1	1	4	12	15	24
20-34	25	5.8	28	1	1	5	9	11	19	21
35-49	25	6.7	32	<1	1	7	9	12	18	26
50-64	73	6.5	27	1	1	5	9	14	18	21
65+	65	10.3	161	1	2	7	11	17	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	185	3.9	11	1	1	3	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	7	6.9	50	<1	1	4	8	19	22	22
B. *Operated*	222	7.1	71	1	1	5	9	14	20	56
1. SINGLE DX	186	3.9	11	1	1	3	6	9	10	14
2. MULTIPLE DX	229	7.1	70	1	1	5	9	14	20	56
A. NOT OPERATED	8	7.3	45	<1	1	5	9	18	22	22
B. OPERATED	407	5.7	46	1	1	4	8	11	15	30
TOTAL 0-19 YRS	69	3.0	17	1	1	1	4	7	12	22
20-34	57	5.0	20	1	1	4	7	10	14	21
35-49	73	4.9	17	1	1	4	8	9	11	23
50-64	124	5.6	21	1	1	5	8	10	15	20
65+	92	9.0	126	1	2	6	10	17	24	64
GRAND TOTAL	**415**	**5.7**	**46**	**1**	**1**	**4**	**8**	**11**	**15**	**29**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	285	2.2	3	1	1	2	3	4	6	10
20-34	185	2.9	8	<1	1	2	4	6	7	15
35-49	237	2.3	4	<1	1	2	3	4	5	10
50-64	170	2.4	6	1	1	2	3	5	8	16
65+	79	3.1	8	<1	<1	2	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	4	4	4
20-34	5	2.8	6	<1	<1	2	4	7	7	7
35-49	2	8.0		8	8	8	8	8	8	8
50-64	7	3.7	16	<1	<1	3	5	11	12	12
65+	8	4.0	3	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	70	4.1	44	1	1	2	4	8	10	45
20-34	100	3.7	11	1	1	3	5	8	11	17
35-49	176	4.2	20	1	1	2	6	8	12	22
50-64	202	4.8	70	1	1	3	5	9	13	42
65+	169	7.0	69	1	1	4	9	18	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*	956	2.5	5	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	31	3.4	7	<1	<1	3	5	7	8	12
B. *Operated*	717	5.0	48	1	1	3	6	10	16	31
1. SINGLE DX	963	2.5	5	<1	1	2	3	5	7	10
2. MULTIPLE DX	748	4.9	46	1	1	3	6	10	15	31
A. NOT OPERATED	38	3.2	6	<1	<1	3	4	7	8	12
B. OPERATED	1673	3.5	25	1	1	2	4	8	10	22
TOTAL 0-19 YRS	365	2.5	11	1	1	2	3	5	7	10
20-34	290	3.2	9	1	1	2	4	7	8	16
35-49	419	3.1	12	<1	1	2	4	7	9	20
50-64	381	3.7	42	1	1	2	4	8	11	18
65+	256	5.7	51	1	1	3	7	12	22	32
GRAND TOTAL	**1711**	**3.5**	**25**	**1**	**1**	**2**	**4**	**8**	**10**	**22**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	3	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	260	2.4	6	<1	1	2	3	5	7	12
20-34	74	3.3	8	<1	1	2	5	7	8	13
35-49	56	3.1	8	<1	1	2	5	7	9	12
50-64	43	3.6	10	<1	1	2	5	8	10	14
65+	31	2.7	10	<1	<1	2	3	5	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.0	22	<1	<1	2	7	14	55	99+
20-34	6	3.7	9	1	1	2	7	8	8	8
35-49	9	4.2	11	1	1	3	6	10	11	11
50-64	10	5.2	7	2	2	5	8	9	10	10
65+	16	6.6	19	1	1	6	9	11	16	18
B. *Operated*										
0-19 YRS	104	4.2	26	1	1	2	5	10	13	28
20-34	43	6.1	28	1	1	5	8	13	17	25
35-49	65	7.4	140	1	1	4	8	12	37	64
50-64	65	7.6	172	1	1	4	10	18	20	88
65+	84	8.2	64	1	1	6	12	17	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	464	2.8	7	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	61	4.9	16	<1	1	4	8	10	14	90
B. *Operated*	361	6.5	84	1	1	3	8	14	21	43
1. SINGLE DX	476	2.8	7	<1	1	2	3	6	8	13
2. MULTIPLE DX	422	6.3	74	1	1	3	8	14	20	46
A. NOT OPERATED	73	4.5	15	<1	1	3	7	10	11	80
B. OPERATED	825	4.4	44	<1	1	2	5	10	14	30
TOTAL 0-19 YRS	393	3.0	13	<1	1	2	3	7	9	22
20-34	124	4.3	16	<1	1	3	6	8	12	24
35-49	132	5.3	77	<1	1	3	6	10	12	55
50-64	118	5.9	102	1	1	3	7	14	18	51
65+	131	6.7	51	<1	1	4	10	16	19	36
GRAND TOTAL	**898**	**4.4**	**42**	**<1**	**1**	**2**	**5**	**10**	**14**	**31**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	10	2.4	5	<1	<1	1	4	6	7	7
20-34	17	1.6	1	<1	<1	1	2	3	4	4
35-49	32	1.8	1	<1	<1	1	2	3	4	5
50-64	21	1.8	1	<1	<1	1	2	4	4	5
65+	15	1.7	3	<1	<1	1	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	6	2.2	4	1	1	1	3	6	6	6
20-34	23	2.9	4	<1	1	2	4	6	7	7
35-49	64	2.9	6	<1	1	2	4	6	6	14
50-64	52	2.8	4	1	1	2	3	6	8	10
65+	47	2.9	6	1	1	2	3	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	95	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	192	2.9	5	<1	1	2	3	6	7	13
1. SINGLE DX	96	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	193	2.8	5	<1	1	2	3	6	7	13
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	287	2.5	4	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	16	2.3	4	<1	<1	1	3	6	7	7
20-34	40	2.3	3	<1	<1	2	3	5	6	7
35-49	96	2.6	4	<1	<1	2	3	5	6	13
50-64	74	2.5	4	<1	1	2	3	5	7	10
65+	63	2.6	6	<1	<1	2	3	6	7	13
GRAND TOTAL	**289**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49	17	2.5	2	1	1	2	4	4	5	6
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	5	3.4	3	1	1	3	5	5	5	5
20-34	244	4.8	3	2	3	5	6	7	7	11
35-49	816	5.1	2	3	4	5	6	7	7	9
50-64	114	5.2	3	1	4	5	6	7	8	10
65+	17	5.8	5	1	2	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	2.5	4	<1	<1	1	4	5	7	9
35-49	91	2.7	6	<1	<1	1	4	6	8	12
50-64	18	2.4	4	<1	<1	2	3	6	7	8
65+	11	4.9	10	<1	<1	6	7	9	10	10
B. *Operated*										
0-19 YRS	6	5.0	4	2	2	5	6	8	8	8
20-34	1121	5.5	4	2	3	5	6	8	9	13
35-49	6683	5.7	5	3	4	5	6	8	9	13
50-64	1286	6.0	6	4	4	6	7	8	10	16
65+	160	7.7	30	3	4	7	8	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	2	<1	1	2	3	4	5	6
B. *Operated*	1196	5.1	3	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	155	2.8	6	<1	<1	1	4	7	8	11
B. *Operated*	9256	5.7	5	3	4	5	6	8	9	14
1. SINGLE DX	1219	5.0	3	2	3	5	6	7	7	9
2. MULTIPLE DX	9411	5.7	6	3	4	5	6	8	9	14
A. NOT OPERATED	178	2.7	6	<1	<1	2	4	7	8	11
B. OPERATED	10452	5.7	5	3	4	5	6	8	9	14
TOTAL 0-19 YRS	11	4.3	4	1	2	5	5	7	8	8
20-34	1404	5.3	4	2	3	5	6	7	9	13
35-49	7607	5.6	5	3	4	5	6	8	9	13
50-64	1420	5.9	6	3	4	6	7	8	10	15
65+	188	7.4	27	2	4	7	8	12	15	24
GRAND TOTAL	**10630**	**5.6**	**5**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	9	4.6	4	1	2	4	6	7	7	7
50-64	5	3.2	3	1	1	3	5	5	5	5
65+	3	4.0	7	1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	14	5.0	14	1	1	4	5	12	14	14
35-49	68	5.6	3	3	4	5	7	8	9	11
50-64	26	6.3	14	1	2	6	7	12	15	18
65+	10	6.8	12	2	3	7	8	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	21	4.0	3	1	1	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	118	5.8	7	2	3	5	7	8	11	16
1. SINGLE DX	21	4.0	3	1	1	4	5	6	7	7
2. MULTIPLE DX	119	5.8	7	2	3	5	7	8	11	16
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	139	5.5	7	1	2	5	7	8	11	15
TOTAL 0-19 YRS										
20-34	18	4.8	11	1	1	4	5	10	13	14
35-49	78	5.5	3	2	4	5	6	8	9	11
50-64	31	5.8	13	1	2	5	7	10	14	18
65+	13	6.2	12	1	2	6	7	10	14	15
GRAND TOTAL	**140**	**5.5**	**7**	**1**	**2**	**5**	**7**	**8**	**10**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	105	4.5	2	3	3	4	5	6	7	10
20-34	350	4.2	1	2	3	4	5	5	6	7
35-49	122	5.0	3	3	3	5	6	7	8	11
50-64	86	5.5	5	3	4	5	6	8	10	14
65+	49	6.0	4	3	4	6	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	9	3.1	5	<1	<1	3	5	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	78	5.1	4	3	3	5	6	7	9	13
20-34	483	4.8	4	3	3	5	5	7	8	11
35-49	452	5.8	6	3	4	5	7	9	10	15
50-64	304	7.0	11	4	4	6	8	11	13	21
65+	287	9.1	48	5	5	7	10	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.8	8	1	1	5	7	8	8	8
B. *Operated*	712	4.6	3	3	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	14	2.9	5	<1	<1	2	5	6	7	7
B. *Operated*	1604	6.3	16	3	4	5	7	10	12	20
1. SINGLE DX	717	4.6	3	3	3	4	5	6	7	11
2. MULTIPLE DX	1618	6.2	16	3	4	5	7	10	12	20
A. NOT OPERATED	19	3.4	6	<1	<1	3	6	7	8	8
B. OPERATED	2316	5.8	12	3	3	5	6	9	11	18
TOTAL 0-19 YRS	188	4.7	3	3	3	4	5	6	8	11
20-34	843	4.5	3	3	3	4	5	6	7	10
35-49	576	5.6	5	3	3	5	6	8	9	14
50-64	391	6.6	10	4	4	6	8	10	13	20
65+	337	8.7	43	4	5	7	10	14	17	28
GRAND TOTAL	**2335**	**5.7**	**12**	**3**	**3**	**5**	**6**	**9**	**11**	**18**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	12	2.5	2	<1	<1	3	4	4	5	5
35-49	8	3.4	3	1	1	4	5	5	5	5
50-64	4	2.8	5	1	1	2	4	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	5.9	10	2	2	5	7	11	12	12
35-49	18	4.9	6	1	1	5	6	7	10	11
50-64	8	4.3	5	2	2	4	6	7	7	7
65+	4	2.8	1	2	2	3	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	25	2.9	3	<1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	37	4.7	6	1	2	5	6	7	10	12
1. SINGLE DX	26	2.8	3	<1	<1	3	4	5	5	6
2. MULTIPLE DX	37	4.7	6	1	2	5	6	7	10	12
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	62	4.0	6	1	1	4	5	7	7	12
TOTAL 0-19 YRS										
20-34	19	3.7	8	<1	<1	3	5	7	10	12
35-49	27	4.3	6	1	1	5	6	7	8	11
50-64	12	3.8	5	1	1	3	6	7	7	7
65+	5	3.0	1	2	2	3	4	4	4	4
GRAND TOTAL	**63**	**3.9**	**6**	**<1**	**1**	**4**	**5**	**7**	**7**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	15	1.7	1	1	1	1	2	3	4	4
35-49	4	1.8		<1	<1	2	2	2	2	2
50-64	4	2.0	1	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	4	4.0	13	1	1	3	6	9	9	9
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	4	1.5		1	1	1	2	2	2	2
65+	12	3.8	11	1	1	2	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	27	1.7	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	28	2.9	7	1	1	2	3	9	9	10
1. SINGLE DX	27	1.7	1	<1	1	2	2	3	3	4
2. MULTIPLE DX	29	2.8	7	1	1	2	3	8	9	10
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	55	2.3	4	1	1	2	3	4	9	10
TOTAL 0-19 YRS	8	1.4		1	1	1	2	2	2	2
20-34	19	2.2	4	1	1	1	3	4	7	9
35-49	9	1.9	1	<1	<1	2	2	3	3	3
50-64	8	1.8	1	1	1	2	2	3	3	3
65+	12	3.8	11	1	1	2	6	9	10	10
GRAND TOTAL	**56**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**9**	**10**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64	10	3.9	15	<1	<1	2	7	10	12	12
65+	11	4.5	10	1	1	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	6.5	18	1	1	7	9	11	11	11
35-49	5	6.0	11	2	2	5	8	11	11	11
50-64	32	5.8	23	1	1	5	9	12	16	20
65+	49	5.6	21	1	1	4	8	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	25	4.1	11	<1	1	3	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	91	5.7	21	1	1	4	8	11	14	23
1. SINGLE DX	26	4.0	11	<1	1	3	7	8	10	12
2. MULTIPLE DX	93	5.6	20	1	1	4	8	11	14	23
A. NOT OPERATED	3	2.3	2	1	1	2	3	4	4	4
B. OPERATED	116	5.4	19	1	1	4	8	11	13	22
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	6.5	18	1	1	7	9	11	11	11
35-49	9	5.2	9	1	1	5	7	9	11	11
50-64	42	5.4	22	<1	1	4	8	11	15	20
65+	62	5.3	19	1	1	4	8	10	13	24
GRAND TOTAL	**119**	**5.3**	**19**	**1**	**1**	**4**	**8**	**11**	**13**	**22**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	4	3.5	10	<1	<1	2	5	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64										
65+	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	2.0	4	<1	<1	1	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	5	4.2	17	1	1	3	6	11	11	11
1. SINGLE DX	12	2.0	4	<1	<1	1	2	4	7	8
2. MULTIPLE DX	6	5.5	24	1	1	4	11	12	12	12
A. NOT OPERATED	1	12.0		12	12	12	12	12	12	12
B. OPERATED	17	2.6	8	<1	1	1	3	7	10	11
TOTAL 0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34	4	3.5	10	<1	<1	2	5	8	8	8
35-49	3	4.3	33	1	1	1	9	11	11	11
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	3.0	2	2	2	3	4	5	5	5
GRAND TOTAL	**18**	**3.2**	**13**	**<1**	**1**	**2**	**3**	**10**	**12**	**12**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	9	7.3	12	<1	2	7	9	12	13	13
20-34	18	8.6	15	1	3	9	11	14	15	16
35-49	65	9.0	17	2	4	9	11	14	15	22
50-64	62	8.8	30	1	2	8	10	18	21	23
65+	56	8.6	58	1	1	8	11	14	22	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	10	2	2	3	7	8	8	8
35-49	10	5.8	14	1	1	5	7	11	14	14
50-64	25	5.5	41	<1	1	3	7	17	21	26
65+	62	7.4	35	1	2	6	9	15	18	34
B. *Operated*										
0-19 YRS	15	12.1	74	2	2	9	20	24	26	27
20-34	30	15.3	215	2	3	11	17	32	43	70
35-49	90	12.9	96	1	4	11	17	22	32	89
50-64	163	15.3	211	2	4	11	19	31	41	85
65+	211	18.8	215	3	5	15	24	37	51	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.2	4	1	1	3	5	6	6	6
B. *Operated*	210	8.7	31	1	2	8	11	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	100	6.7	34	1	1	5	8	14	18	31
B. *Operated*	509	16.2	193	2	4	12	21	32	44	74
1. SINGLE DX	221	8.5	31	1	2	8	11	14	18	25
2. MULTIPLE DX	609	14.7	179	2	3	11	18	30	42	72
A. NOT OPERATED	111	6.4	32	1	1	5	8	14	18	30
B. OPERATED	719	14.0	157	2	3	10	17	28	37	70
TOTAL 0-19 YRS	24	10.3	55	1	2	9	14	24	25	27
20-34	53	11.9	142	2	2	10	12	31	33	69
35-49	169	10.8	64	1	3	10	13	19	23	66
50-64	252	12.6	161	1	2	9	15	26	34	71
65+	332	14.8	181	2	3	10	19	30	44	68
GRAND TOTAL	**830**	**13.0**	**147**	**1**	**2**	**10**	**16**	**27**	**35**	**69**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	32	2.1	1	1	1	2	3	4	4	4
20-34	169	2.5	1	1	1	2	3	4	4	7
35-49	230	2.6	2	1	1	2	3	4	5	8
50-64	150	3.1	7	1	1	3	4	5	6	9
65+	37	3.0	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	8	2.3	2	1	1	2	3	5	5	5
20-34	58	3.1	5	1	1	3	4	5	6	16
35-49	145	3.0	3	1	1	3	4	5	6	12
50-64	163	3.7	7	1	1	3	4	6	9	12
65+	110	5.0	23	1	2	4	5	8	10	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	618	2.7	3	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*	484	3.7	10	1	1	3	4	6	8	17
1. SINGLE DX	618	2.7	3	1	1	3	3	4	5	7
2. MULTIPLE DX	486	3.7	10	1	1	3	4	6	8	17
A. NOT OPERATED	2	4.5	5	3	3	4	6	6	6	6
B. OPERATED	1102	3.1	6	1	1	3	4	5	6	11
TOTAL 0-19 YRS	40	2.2	1	1	1	2	3	4	4	5
20-34	227	2.7	2	1	1	2	3	4	5	7
35-49	375	2.8	2	1	1	3	3	4	5	9
50-64	314	3.4	7	1	1	3	4	5	7	12
65+	148	4.5	18	1	2	4	5	8	9	31
GRAND TOTAL	**1104**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	4	4.3	11	1	1	4	7	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	21	6.8	14	2	2	7	8	11	16	17
35-49	26	6.1	19	2	2	5	8	11	16	20
50-64	45	5.0	8	2	2	4	6	10	11	13
65+	35	6.1	17	2	3	5	9	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	4.3	16	<1	1	3	5	11	14	14
35-49	14	5.3	12	1	1	5	6	12	13	13
50-64	14	5.3	5	2	3	5	7	9	9	9
65+	17	8.6	35	1	1	8	13	17	19	19
B. *Operated*										
0-19 YRS	12	7.3	48	3	3	5	7	16	26	28
20-34	48	7.4	24	2	2	7	9	11	19	27
35-49	72	8.1	56	2	2	5	10	17	28	34
50-64	137	10.1	84	2	3	7	14	20	36	61
65+	144	9.9	109	2	3	6	12	18	27	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.6	5	<1	<1	3	5	7	8	8
B. *Operated*	128	5.8	14	2	2	5	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	55	6.2	20	1	1	5	8	13	15	19
B. *Operated*	413	9.3	80	2	3	6	12	18	28	57
1. SINGLE DX	138	5.7	13	2	2	5	8	10	13	20
2. MULTIPLE DX	468	8.9	74	2	3	6	11	17	25	54
A. NOT OPERATED	65	5.8	18	1	1	5	8	12	15	19
B. OPERATED	541	8.5	67	2	3	6	10	17	22	48
TOTAL 0-19 YRS	16	6.6	39	1	2	5	7	11	23	28
20-34	80	6.8	21	1	2	6	8	11	16	25
35-49	116	7.2	42	1	2	5	9	16	20	32
50-64	197	8.5	66	2	3	6	11	17	24	50
65+	197	9.1	87	2	3	6	12	17	22	61
GRAND TOTAL	**606**	**8.2**	**62**	**2**	**2**	**6**	**10**	**16**	**21**	**46**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	326	3.7	3	1	1	4	5	6	6	8
35-49	142	3.9	3	1	1	4	5	6	7	8
50-64	31	4.4	5	1	1	5	6	7	7	8
65+	16	4.8	4	<1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	4	3.0	8	1	1	2	5	7	7	7
20-34	396	4.6	3	1	2	5	6	6	7	9
35-49	353	5.1	5	2	3	5	6	7	9	13
50-64	100	5.7	8	2	3	5	7	8	10	19
65+	60	6.7	23	1	2	6	8	11	13	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	516	3.8	3	1	1	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	17	1.8	3	<1	<1	1	2	4	6	7
B. *Operated*	913	5.0	6	1	3	5	6	7	8	13
1. SINGLE DX	518	3.8	3	1	1	4	5	6	7	8
2. MULTIPLE DX	930	5.0	6	1	2	5	6	7	8	13
A. NOT OPERATED	19	1.7	2	<1	<1	1	2	4	6	7
B. OPERATED	1429	4.6	5	1	1	5	6	7	8	12
TOTAL 0-19 YRS	5	2.6	7	1	1	1	4	7	7	7
20-34	730	4.2	3	1	1	4	5	6	7	8
35-49	502	4.7	5	1	2	5	6	7	8	12
50-64	131	5.4	7	1	2	5	6	8	9	17
65+	80	6.2	19	1	1	6	7	10	12	28
GRAND TOTAL	**1448**	**4.6**	**5**	**1**	**1**	**5**	**6**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	13	3.2	6	<1	1	2	5	7	8	8
35-49	63	3.6	4	1	1	3	5	6	7	10
50-64	98	4.2	8	1	1	4	6	8	10	14
65+	65	4.6	11	1	1	4	7	9	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	5.8	67	1	1	2	10	18	18	18
65+	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34	25	5.9	14	1	2	5	7	11	14	16
35-49	101	5.6	16	1	2	5	6	9	13	23
50-64	180	6.7	35	1	2	5	9	12	16	21
65+	332	8.4	70	1	2	6	11	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*	239	4.1	8	1	1	3	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	9	4.3	29	1	1	2	5	13	18	18
B. *Operated*	638	7.4	50	1	2	6	9	15	19	34
1. SINGLE DX	241	4.1	8	1	1	3	6	8	9	14
2. MULTIPLE DX	647	7.3	50	1	2	5	9	15	19	34
A. NOT OPERATED	11	4.4	24	1	1	2	6	11	17	18
B. OPERATED	877	6.5	41	1	2	5	8	13	18	33
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	39	5.0	12	1	1	5	6	10	12	16
35-49	165	4.8	12	1	1	4	6	8	11	22
50-64	282	5.8	27	1	1	5	7	11	14	20
65+	401	7.7	61	1	2	6	10	16	21	35
GRAND TOTAL	**888**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	7	<1	1	2	4	7	9	10
20-34	13	2.8	2	<1	1	2	4	5	6	6
35-49	15	4.7	73	<1	<1	2	4	7	28	35
50-64	21	5.9	123	1	1	3	5	9	30	53
65+	17	3.9	8	1	2	3	5	9	10	11
B. *Operated*										
0-19 YRS	94	4.9	24	1	1	3	6	10	18	24
20-34	119	3.6	8	1	1	3	4	8	9	11
35-49	126	3.8	7	1	1	3	5	8	9	11
50-64	173	4.2	17	1	1	3	6	9	11	24
65+	143	4.3	13	1	1	3	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.3	112	<1	1	2	5	9	28	56
20-34	59	3.6	8	<1	1	3	4	7	10	15
35-49	55	4.2	11	<1	1	3	6	10	10	17
50-64	110	4.9	22	<1	1	4	6	10	14	25
65+	262	5.9	21	1	2	5	8	12	15	21
B. *Operated*										
0-19 YRS	60	7.1	28	1	1	6	9	15	18	24
20-34	111	5.8	23	1	1	5	7	10	15	27
35-49	200	6.5	45	1	2	5	8	11	19	52
50-64	360	7.8	55	1	1	6	10	16	24	38
65+	715	9.5	72	1	2	8	12	19	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.1	46	<1	1	3	4	7	10	47
B. *Operated*	655	4.1	14	1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	519	5.2	25	1	1	4	6	11	14	24
B. *Operated*	1446	8.3	60	1	2	6	10	17	24	42
1. SINGLE DX	741	4.1	17	1	1	3	5	9	11	18
2. MULTIPLE DX	1965	7.5	53	1	1	6	10	16	21	39
A. NOT OPERATED	605	5.0	28	1	1	4	6	10	14	25
B. OPERATED	2101	7.0	50	1	1	5	9	15	20	38
TOTAL 0-19 YRS	207	5.4	39	1	1	3	7	11	17	28
20-34	302	4.3	14	1	1	3	6	9	10	21
35-49	396	5.3	31	1	1	4	7	9	12	33
50-64	664	6.3	44	1	1	5	8	13	18	36
65+	1137	7.9	57	1	2	6	10	16	22	41
GRAND TOTAL	**2706**	**6.6**	**45**	**1**	**1**	**5**	**9**	**14**	**19**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	2.5	4	<1	<1	2	4	5	5	5
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	7.3	37	2	2	6	12	14	14	14
B. *Operated*										
0-19 YRS	14	2.2	1	1	1	2	3	4	4	4
20-34	145	2.6	2	1	1	2	3	4	5	7
35-49	200	2.9	3	1	1	3	4	4	5	11
50-64	158	3.1	3	1	2	3	4	4	5	14
65+	68	3.4	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	8	1	1	5	7	7	7	7
35-49	14	2.4	7	<1	<1	1	3	5	9	10
50-64	9	4.6	12	<1	<1	5	7	9	10	10
65+	20	4.2	4	1	2	4	6	7	8	9
B. *Operated*										
0-19 YRS	7	3.1	1	2	2	3	4	4	4	4
20-34	61	2.7	1	1	1	3	3	4	4	6
35-49	122	4.0	8	2	2	3	4	6	8	18
50-64	178	3.9	7	2	2	3	5	6	8	19
65+	171	6.3	52	2	2	4	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	14	<1	<1	2	4	8	13	14
B. *Operated*	585	2.9	2	1	1	3	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	47	3.8	7	<1	<1	3	6	7	9	10
B. *Operated*	539	4.5	22	2	2	4	5	8	11	21
1. SINGLE DX	597	2.9	3	1	1	3	4	4	5	10
2. MULTIPLE DX	586	4.5	21	1	2	4	5	8	11	21
A. NOT OPERATED	59	3.7	8	<1	<1	3	6	7	9	14
B. OPERATED	1124	3.7	13	1	2	3	4	6	8	16
TOTAL 0-19 YRS	22	2.5	1	1	1	2	3	4	4	4
20-34	212	2.7	2	1	1	2	3	4	5	7
35-49	340	3.3	5	1	1	3	4	5	6	12
50-64	347	3.6	6	1	2	3	4	6	7	15
65+	262	5.4	36	2	2	4	6	10	13	22
GRAND TOTAL	**1183**	**3.7**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	2	1	1	3	4	5	6	6
20-34	35	4.0	5	1	2	3	5	7	8	9
35-49	36	4.1	7	1	1	4	5	7	10	12
50-64	18	3.4	3	1	1	3	4	6	8	8
65+	14	4.8	8	1	2	4	6	8	11	12
B. *Operated*										
0-19 YRS	25	3.2	1	1	2	4	4	4	5	5
20-34	83	3.5	4	1	2	3	4	6	8	12
35-49	102	3.3	3	1	2	3	4	5	7	9
50-64	58	3.7	9	2	2	3	4	6	8	22
65+	27	4.1	7	1	1	4	5	6	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.5	17	1	1	3	6	11	13	18
20-34	84	4.3	9	1	1	4	6	8	11	14
35-49	127	5.7	19	2	2	5	7	9	12	22
50-64	162	6.0	17	2	2	5	7	10	13	24
65+	269	8.1	31	2	3	7	10	14	19	32
B. *Operated*										
0-19 YRS	8	4.9	19	1	1	4	5	12	15	15
20-34	66	4.3	16	1	2	3	5	8	9	27
35-49	88	4.7	15	1	2	4	5	9	12	22
50-64	99	5.0	14	1	2	4	6	10	11	21
65+	95	11.1	157	2	3	7	13	26	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.0	5	1	2	3	5	7	9	12
B. *Operated*	295	3.5	5	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	671	6.5	24	2	2	5	8	12	15	27
B. *Operated*	356	6.4	60	1	2	4	7	12	21	39
1. SINGLE DX	409	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX	1027	6.5	37	1	2	5	8	12	17	31
A. NOT OPERATED	785	6.1	22	1	2	5	8	11	14	24
B. OPERATED	651	5.1	37	1	2	4	5	9	14	30
TOTAL 0-19 YRS	73	3.9	10	1	1	3	4	6	12	17
20-34	268	4.0	9	1	1	3	5	7	9	13
35-49	353	4.6	13	1	2	4	5	8	10	19
50-64	337	5.1	15	2	2	4	6	9	12	23
65+	405	8.4	61	2	3	6	10	15	22	41
GRAND TOTAL	**1436**	**5.7**	**29**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	4.7	5	1	2	5	6	8	9	11
20-34	53	4.4	23	1	1	4	6	6	7	34
35-49	50	5.4	11	2	2	5	7	10	11	18
50-64	50	5.1	6	2	2	5	6	9	10	12
65+	18	5.9	25	1	2	4	6	13	18	21
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	6.3	85	1	1	1	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	5.1	8	1	2	5	7	8	10	13
20-34	104	5.9	57	1	1	4	7	10	27	37
35-49	194	5.3	14	1	1	5	7	9	11	19
50-64	327	5.6	11	2	2	5	7	9	11	18
65+	206	6.1	14	1	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	4	6.5	44	1	1	4	11	16	16	16
20-34	8	5.4	17	1	1	4	8	12	13	13
35-49	26	10.0	128	1	2	5	12	30	35	49
50-64	46	8.8	28	2	3	8	12	17	18	21
65+	26	14.7	190	3	4	9	18	30	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	4.9	11	1	2	4	6	8	10	17
B. *Operated*	9	3.7	27	1	1	1	4	12	17	17
2. MULTIPLE DX										
A. *Not Operated*	992	5.6	17	1	2	5	7	9	11	22
B. *Operated*	110	10.1	95	2	2	7	13	19	31	57
1. SINGLE DX	288	4.9	11	1	1	4	6	8	10	18
2. MULTIPLE DX	1102	6.0	26	1	2	5	7	10	13	31
A. NOT OPERATED	1271	5.4	15	1	2	5	7	9	11	21
B. OPERATED	119	9.6	92	1	2	7	12	19	29	55
TOTAL 0-19 YRS	273	4.9	7	1	2	5	6	8	10	13
20-34	166	5.4	44	1	1	4	6	8	13	37
35-49	274	5.7	25	1	2	5	7	10	12	31
50-64	424	5.9	13	2	2	5	8	10	13	19
65+	253	7.0	39	1	2	6	8	13	18	31
GRAND TOTAL	**1390**	**5.8**	**23**	**1**	**2**	**5**	**7**	**10**	**13**	**28**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	539	4.0	6	1	1	3	5	7	9	11
20-34	374	4.0	6	1	2	3	5	7	9	12
35-49	129	4.8	7	1	2	4	6	8	9	13
50-64	67	6.3	12	2	3	6	8	11	13	18
65+	43	6.5	13	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	8	6.1	6	3	3	6	8	9	10	10
20-34	9	5.1	6	2	2	5	7	9	9	9
35-49	2	8.5	113	1	1	8	16	16	16	16
50-64										
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	952	4.4	11	1	2	4	6	8	10	16
20-34	1150	5.0	12	2	2	4	6	9	10	17
35-49	620	6.3	16	2	2	5	8	11	14	21
50-64	573	7.6	22	2	3	7	9	13	17	25
65+	819	9.0	36	3	4	8	11	16	21	35
B. *Operated*										
0-19 YRS	36	10.1	88	3	3	8	10	17	35	48
20-34	98	12.4	152	2	4	8	14	27	32	68
35-49	126	10.9	68	3	4	9	13	20	26	81
50-64	122	18.7	285	4	5	14	24	42	60	93
65+	160	16.6	121	4	6	13	21	33	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1152	4.3	7	1	2	4	6	8	9	13
B. *Operated*	21	5.8	11	2	2	5	8	9	13	16
2. MULTIPLE DX										
A. *Not Operated*	4114	6.2	22	2	2	5	8	11	15	24
B. *Operated*	542	14.5	158	3	4	10	18	30	42	76
1. SINGLE DX	1173	4.3	7	1	2	4	6	8	9	13
2. MULTIPLE DX	4656	7.2	45	2	2	6	9	13	18	35
A. NOT OPERATED	5266	5.8	19	1	2	5	7	10	13	22
B. OPERATED	563	14.2	155	3	4	10	17	29	42	76
TOTAL 0-19 YRS	1535	4.4	11	1	2	4	6	8	10	16
20-34	1631	5.2	23	1	2	4	6	9	11	24
35-49	877	6.7	26	2	2	6	9	13	15	25
50-64	762	9.3	80	2	3	7	10	17	24	51
65+	1024	10.1	56	3	4	8	12	18	25	41
GRAND TOTAL	**5829**	**6.6**	**38**	**2**	**2**	**5**	**8**	**12**	**17**	**33**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	373	5.1	7	2	2	5	7	8	10	12
20-34	357	4.6	6	1	2	4	6	8	9	13
35-49	396	4.9	8	2	2	4	6	8	10	14
50-64	504	5.2	7	2	3	5	6	8	10	14
65+	348	6.0	23	2	3	5	7	10	12	24
B. *Operated*										
0-19 YRS										
20-34	10	5.0	10	2	2	4	6	10	13	13
35-49	15	4.3	9	1	1	3	7	8	10	10
50-64	27	6.1	30	1	1	5	8	11	20	23
65+	35	5.3	36	1	1	2	8	14	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	533	5.3	13	1	2	4	7	10	12	21
20-34	1411	5.5	20	1	2	5	7	9	12	24
35-49	2527	6.2	14	2	3	5	8	10	13	19
50-64	4511	6.4	15	2	3	6	8	11	13	20
65+	5851	7.1	20	2	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	31	7.5	39	1	2	6	10	14	15	34
20-34	318	9.6	69	1	2	7	13	23	30	59
35-49	737	11.5	90	2	3	9	15	23	30	54
50-64	1547	13.0	131	2	3	10	16	26	36	64
65+	2074	14.8	137	3	4	12	19	29	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1978	5.2	10	2	2	5	6	9	10	14
B. *Operated*	87	5.3	26	1	1	4	8	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	14833	6.5	17	2	3	6	8	11	14	21
B. *Operated*	4707	13.3	125	2	3	10	17	27	35	60
1. SINGLE DX	2065	5.2	11	2	2	5	6	9	10	15
2. MULTIPLE DX	19540	8.2	82	2	3	6	9	15	21	39
A. NOT OPERATED	16811	6.4	17	2	3	6	8	11	13	21
B. OPERATED	4794	13.2	125	2	3	10	17	27	35	60
TOTAL 0-19 YRS	937	5.3	12	1	2	5	7	9	11	18
20-34	2096	6.0	28	1	2	5	7	11	15	30
35-49	3675	7.1	34	2	3	6	8	13	17	32
50-64	6589	7.9	50	2	3	6	9	14	20	40
65+	8308	9.0	61	2	3	7	11	17	23	42
GRAND TOTAL	**21605**	**7.9**	**49**	**2**	**3**	**6**	**9**	**15**	**20**	**38**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	9	2.2	2	<1	<1	2	3	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.8	3	1	1	4	5	6	6	6
20-34	37	4.6	4	1	2	5	6	7	8	9
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	2	1	1	2	3	5	5	5
20-34	29	4.5	14	1	1	5	5	9	11	19
35-49	5	4.8		4	4	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	16	4.6	3	2	2	5	6	7	8	8
20-34	160	4.5	4	1	2	4	5	7	8	11
35-49	32	4.9	6	2	2	5	6	7	8	15
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	4.0	4	2	2	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	2	<1	1	2	4	4	5	5
B. *Operated*	47	4.4	4	1	1	4	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	42	4.1	11	1	1	4	5	6	10	19
B. *Operated*	212	4.6	4	2	2	5	6	7	8	11
1. SINGLE DX	60	4.0	4	1	1	4	5	6	7	9
2. MULTIPLE DX	254	4.5	5	1	2	5	5	7	8	11
A. NOT OPERATED	55	3.7	9	1	1	3	5	5	9	19
B. OPERATED	259	4.5	4	1	2	5	6	7	8	11
TOTAL 0-19 YRS	32	3.8	3	1	1	4	5	6	7	8
20-34	235	4.4	5	1	2	4	5	7	8	11
35-49	42	4.7	5	1	2	5	6	7	8	15
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	3	4.0	4	2	2	4	5	6	6	6
GRAND TOTAL	**314**	**4.4**	**5**	**1**	**2**	**4**	**5**	**7**	**8**	**11**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.0	3	1	1	1	2	4	6	9
20-34	57	3.7	6	1	1	3	5	7	9	12
35-49	41	3.7	5	1	1	3	5	7	8	11
50-64	25	3.6	5	1	1	3	5	8	8	8
65+	35	4.3	11	<1	1	4	6	8	12	14
B. *Operated*										
0-19 YRS	5	5.4	37	1	1	3	8	16	16	16
20-34	14	3.4	7	1	1	3	4	6	10	11
35-49	11	3.5	2	2	2	3	5	6	6	6
50-64	18	5.1	38	2	2	3	4	7	20	29
65+	9	5.0	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	3.1	9	1	1	2	4	7	9	16
20-34	335	4.4	26	1	1	3	5	8	10	26
35-49	377	4.9	16	1	1	4	7	10	13	19
50-64	713	5.3	17	1	1	4	7	11	13	21
65+	1885	6.1	20	2	2	5	8	11	15	22
B. *Operated*										
0-19 YRS	26	10.3	152	1	2	6	11	34	59	99+
20-34	51	9.6	47	2	3	8	11	19	26	34
35-49	87	9.3	99	2	3	7	10	20	32	88
50-64	141	10.0	134	2	3	7	11	20	27	70
65+	239	12.5	131	2	4	9	16	25	36	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	3.2	6	1	1	2	4	7	8	12
B. *Operated*	57	4.4	17	1	2	4	5	7	10	28
2. MULTIPLE DX										
A. *Not Operated*	3609	5.4	20	1	1	4	7	10	13	22
B. *Operated*	544	11.0	121	2	3	8	13	24	34	72
1. SINGLE DX	304	3.4	8	1	1	3	5	7	8	13
2. MULTIPLE DX	4153	6.1	36	1	2	5	8	12	16	30
A. NOT OPERATED	3856	5.3	19	1	1	4	7	10	13	21
B. OPERATED	601	10.3	115	2	3	7	12	23	33	70
TOTAL 0-19 YRS	419	3.4	20	1	1	2	4	7	10	29
20-34	457	4.9	28	1	1	4	6	10	12	26
35-49	516	5.5	32	1	1	4	7	11	14	33
50-64	897	6.0	38	1	2	4	7	12	16	29
65+	2168	6.8	36	2	2	5	8	13	17	30
GRAND TOTAL	**4457**	**6.0**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

75: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	10	<1	<1	3	6	8	8	8
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	4	6.3	23	2	2	5	9	13	13	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.7	52	3	3	4	13	16	16	16
65+	6	3.5	4	2	2	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	11.5	242	1	2	6	10	34	45	80
20-34	28	12.7	257	2	2	7	11	39	58	59
35-49	31	10.7	75	3	3	8	14	28	30	34
50-64	112	9.3	48	2	3	7	11	18	20	37
65+	393	8.8	41	2	3	7	11	16	20	36
B. *Operated*										
0-19 YRS	15	13.5	100	3	6	10	24	35	81	99+
20-34	15	13.9	78	5	6	12	21	29	30	30
35-49	32	17.2	224	3	5	11	24	42	50	61
50-64	62	13.5	164	3	4	11	16	24	48	97
65+	250	12.2	84	2	3	10	17	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.8	13	<1	2	5	8	11	12	13
B. *Operated*	12	4.2	16	2	2	3	4	10	15	16
2. MULTIPLE DX										
A. *Not Operated*	623	9.4	73	2	3	7	11	18	26	46
B. *Operated*	374	12.9	111	2	4	10	17	26	35	74
1. SINGLE DX	27	5.1	14	1	2	4	7	11	13	16
2. MULTIPLE DX	997	10.7	90	2	3	8	14	21	31	57
A. NOT OPERATED	638	9.3	72	2	3	7	11	18	26	46
B. OPERATED	386	12.7	110	2	3	10	17	26	35	72
TOTAL 0-19 YRS	79	11.4	203	1	2	6	11	34	44	95
20-34	46	12.7	182	2	2	8	13	30	44	59
35-49	66	13.6	156	3	3	9	18	30	42	59
50-64	180	10.6	91	2	3	8	14	19	26	73
65+	653	10.0	60	2	3	8	13	19	26	44
GRAND TOTAL	**1024**	**10.6**	**89**	**2**	**3**	**8**	**14**	**21**	**30**	**57**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	9.2	18	2	3	9	13	14	15	17
20-34	33	9.5	29	2	3	10	12	17	22	23
35-49	3	9.0	12	7	7	7	12	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	10.7	44	3	3	14	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	11.3	33	2	4	11	14	16	20	30
20-34	99	11.7	32	3	5	12	14	16	21	34
35-49	12	9.2	15	4	5	8	13	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	37	15.1	61	4	5	15	19	22	39	99+
20-34	5	14.6	32	6	6	14	19	21	21	21
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	9.3	21	2	3	9	13	14	16	23
B. *Operated*	4	11.0	30	3	3	13	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	428	11.3	32	3	4	11	14	16	20	30
B. *Operated*	42	15.1	56	4	5	15	19	21	35	99+
1. SINGLE DX	100	9.4	22	2	3	9	13	15	16	22
2. MULTIPLE DX	470	11.6	35	3	4	12	14	17	21	31
A. NOT OPERATED	524	10.9	31	2	4	11	14	16	19	29
B. OPERATED	46	14.7	55	4	4	15	18	21	31	99+
TOTAL 0-19 YRS	415	11.3	35	2	3	11	14	17	20	31
20-34	140	11.3	32	3	4	12	14	17	21	30
35-49	15	9.1	13	4	5	8	13	14	15	15
50-64										
65+										
GRAND TOTAL	**570**	**11.2**	**34**	**3**	**4**	**11**	**14**	**17**	**20**	**31**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	7	4.6	23	1	1	1	8	12	13	13
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	6.3	5	2	3	7	8	8	8	8
20-34	109	6.7	4	4	5	7	8	8	9	14
35-49	72	7.0	4	4	5	7	8	9	10	14
50-64	9	8.4	23	4	4	6	12	16	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	13.1	345	<1	1	3	20	44	54	59
20-34	36	6.8	267	<1	<1	2	3	9	40	88
35-49	50	4.6	53	<1	<1	2	5	9	14	43
50-64	18	4.8	13	<1	1	4	8	10	12	14
65+	7	3.3	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	11	5.9	8	2	2	6	8	10	10	10
20-34	242	7.5	19	4	5	7	8	9	12	24
35-49	375	8.2	52	4	5	7	9	11	13	58
50-64	84	8.7	26	4	5	8	10	12	17	34
65+	2	9.0	32	5	5	9	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.8	14	1	1	2	7	9	12	13
B. *Operated*	197	6.9	5	4	5	7	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	127	6.3	146	<1	<1	3	5	12	31	66
B. *Operated*	714	8.0	37	4	5	7	8	11	13	39
1. SINGLE DX	210	6.7	6	3	4	7	8	9	11	15
2. MULTIPLE DX	841	7.7	54	1	3	7	8	11	14	44
A. NOT OPERATED	140	6.0	134	<1	<1	3	5	11	25	62
B. OPERATED	911	7.8	31	4	5	7	8	10	13	30
TOTAL 0-19 YRS	37	8.9	162	1	1	5	8	21	43	59
20-34	394	7.2	37	2	3	7	8	9	12	27
35-49	500	7.7	47	2	4	7	8	10	13	43
50-64	111	8.0	25	2	3	8	10	13	17	29
65+	9	4.6	15	1	1	3	6	11	13	13
GRAND TOTAL	**1051**	**7.5**	**45**	**2**	**3**	**7**	**8**	**10**	**13**	**43**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.9	8	<1	<1	2	3	7	8	16
20-34	71	4.3	25	<1	<1	2	5	12	14	26
35-49	41	4.8	38	<1	1	2	6	11	13	35
50-64	14	3.4	8	<1	1	2	4	7	10	11
65+	14	5.6	12	2	3	4	7	10	14	15
B. *Operated*										
0-19 YRS	17	3.8	4	1	1	3	5	7	8	8
20-34	40	3.8	7	1	1	3	5	7	9	14
35-49	70	2.7	3	1	1	2	4	6	6	7
50-64	24	2.5	7	<1	1	2	3	5	8	13
65+	8	6.8	88	1	1	2	9	23	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	4.2	22	<1	<1	3	5	9	14	22
20-34	179	4.5	60	<1	<1	2	6	9	13	28
35-49	360	3.5	17	<1	<1	<1	5	9	12	17
50-64	380	4.9	31	<1	<1	3	7	11	15	30
65+	368	8.1	39	1	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	43	9.0	93	1	2	6	11	21	28	50
20-34	97	8.8	76	1	2	6	11	18	27	45
35-49	149	8.7	115	1	2	5	10	18	30	56
50-64	144	8.6	59	1	2	6	12	17	22	40
65+	151	12.0	125	2	3	8	15	26	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.0	21	<1	<1	2	5	9	13	23
B. *Operated*	159	3.3	9	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	1453	5.2	35	<1	<1	3	7	12	15	28
B. *Operated*	584	9.6	97	1	2	6	12	19	29	52
1. SINGLE DX	359	3.7	16	<1	<1	2	5	7	11	19
2. MULTIPLE DX	2037	6.5	57	<1	<1	4	8	14	19	40
A. NOT OPERATED	1653	5.1	33	<1	<1	3	7	11	15	28
B. OPERATED	743	8.2	85	1	1	5	10	17	26	49
TOTAL 0-19 YRS	286	4.6	32	<1	<1	3	6	10	15	28
20-34	387	5.5	56	<1	<1	4	6	13	16	35
35-49	620	4.7	45	<1	<1	2	6	11	14	40
50-64	562	5.7	40	<1	<1	4	8	13	17	34
65+	541	9.1	66	1	3	7	11	18	24	45
GRAND TOTAL	**2396**	**6.0**	**52**	**<1**	**<1**	**4**	**8**	**14**	**18**	**38**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.9	3	1	1	3	4	5	5	5
35-49	20	3.9	4	2	2	4	5	7	7	8
50-64	23	3.9	7	1	2	3	5	6	9	14
65+	15	3.2	2	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	8.0	91	2	2	3	15	19	19	19
35-49	6	2.3	2	1	1	2	3	5	5	5
50-64	6	3.0	3	1	1	3	4	6	6	6
65+	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	4.7	12	1	1	3	8	9	9	9
35-49	49	4.3	5	1	2	4	6	8	8	9
50-64	90	6.1	25	2	2	5	7	10	18	30
65+	233	6.1	18	2	2	5	8	10	12	22
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	10.0	98	3	3	10	17	17	17	17
35-49	13	6.5	28	1	2	4	10	14	19	20
50-64	24	9.7	120	2	3	7	12	15	30	57
65+	49	10.5	63	2	3	8	13	19	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.6	4	1	2	3	5	6	7	13
B. *Operated*	20	3.3	16	1	1	2	4	5	12	19
2. MULTIPLE DX										
A. *Not Operated*	380	5.8	18	2	2	5	7	10	12	22
B. *Operated*	89	9.7	73	2	3	8	12	18	21	52
1. SINGLE DX	86	3.5	7	1	1	3	4	6	7	17
2. MULTIPLE DX	469	6.6	31	2	2	5	8	12	14	31
A. NOT OPERATED	446	5.5	17	2	2	5	7	9	11	22
B. OPERATED	109	8.5	68	1	2	6	12	17	20	49
TOTAL 0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	20	5.0	25	1	1	3	6	13	18	19
35-49	88	4.4	9	1	2	4	6	8	9	17
50-64	143	6.2	39	2	2	5	7	11	16	37
65+	301	6.6	28	2	2	5	8	12	14	30
GRAND TOTAL	**555**	**6.1**	**28**	**2**	**2**	**5**	**8**	**11**	**14**	**28**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.3	3	1	1	2	2	4	6	11
20-34	28	2.3	2	1	1	2	3	4	5	5
35-49	41	3.0	3	1	1	3	4	5	6	9
50-64	31	3.2	7	1	1	3	3	6	10	13
65+	114	5.4	19	1	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+	7	23.4	840	3	3	8	38	72	80	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3816	3.1	8	1	1	3	4	5	6	12
20-34	1193	3.5	8	1	1	3	4	6	8	14
35-49	1320	4.5	15	1	2	4	5	8	11	20
50-64	2351	5.8	23	2	2	4	7	11	14	24
65+	11089	7.0	26	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	75	10.4	174	1	1	5	14	25	45	60
20-34	84	8.9	107	1	1	5	11	19	41	82
35-49	162	11.2	107	2	3	8	13	24	32	61
50-64	318	12.0	119	2	3	9	15	23	32	66
65+	1298	13.6	125	3	4	11	16	26	35	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.6	11	1	1	3	4	7	10	18
B. *Operated*	11	16.0	612	1	1	3	21	57	78	80
2. MULTIPLE DX										
A. *Not Operated*	19769	5.7	23	1	2	4	7	11	14	24
B. *Operated*	1937	12.8	125	2	3	10	16	26	35	65
1. SINGLE DX	327	4.0	34	1	1	3	4	7	10	26
2. MULTIPLE DX	21706	6.3	36	1	2	5	8	12	16	31
A. NOT OPERATED	20085	5.7	23	1	2	4	7	11	14	24
B. OPERATED	1948	12.8	127	2	3	10	16	26	35	65
TOTAL 0-19 YRS	3995	3.2	12	1	1	3	4	5	7	14
20-34	1305	3.8	16	1	1	3	4	7	9	19
35-49	1525	5.2	29	1	2	4	6	10	13	29
50-64	2700	6.5	39	1	2	5	8	13	17	32
65+	12508	7.6	41	2	3	6	9	14	19	33
GRAND TOTAL	**22033**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	2	1	1	3	4	5	6	6
20-34	12	2.5	1	1	1	3	3	4	4	4
35-49	21	3.0	4	<1	1	3	4	6	7	7
50-64	21	3.5	3	2	2	3	4	6	7	7
65+	35	4.3	5	1	2	4	6	7	8	10
B. *Operated*										
0-19 YRS	7	3.6	4	1	1	3	5	6	6	6
20-34	7	3.4	2	2	2	3	4	6	6	6
35-49	12	3.9	4	1	1	4	5	6	7	7
50-64	9	5.4	4	2	3	6	7	8	8	8
65+	10	6.7	12	3	3	5	9	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.2	8	1	1	3	4	6	7	19
20-34	93	4.3	7	1	2	4	5	7	9	16
35-49	184	4.1	8	1	1	4	5	7	8	14
50-64	278	4.4	10	1	1	4	6	8	9	14
65+	1322	5.7	14	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	11	4.8	13	1	1	3	6	11	12	12
20-34	29	6.7	45	1	1	5	7	14	18	35
35-49	105	5.5	9	2	2	5	7	10	11	13
50-64	148	8.5	34	2	3	7	11	14	19	35
65+	526	9.1	45	3	3	8	11	15	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.4	4	1	1	3	4	6	7	9
B. *Operated*	45	4.7	7	1	2	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1961	5.2	13	1	2	5	7	9	12	19
B. *Operated*	819	8.4	39	2	3	7	10	14	18	35
1. SINGLE DX	163	3.8	5	1	1	3	5	7	7	11
2. MULTIPLE DX	2780	6.2	23	1	2	5	8	11	14	25
A. NOT OPERATED	2079	5.1	13	1	2	4	7	9	12	18
B. OPERATED	864	8.2	38	2	3	7	10	14	18	35
TOTAL 0-19 YRS	131	3.3	7	1	1	3	4	6	7	15
20-34	141	4.6	15	1	1	4	5	7	11	19
35-49	322	4.5	9	1	2	4	6	8	10	14
50-64	456	5.7	21	1	1	5	7	11	14	23
65+	1893	6.7	25	2	2	6	8	12	15	27
GRAND TOTAL	**2943**	**6.0**	**22**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	4.5	9	1	2	4	5	8	11	17
20-34	743	6.0	18	1	2	5	7	10	14	22
35-49	148	5.8	10	2	3	5	7	9	12	21
50-64	12	5.8	7	2	2	6	8	9	10	10
65+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	20	10.2	29	2	3	9	14	15	20	25
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	459	5.2	14	1	2	4	7	9	12	20
20-34	934	6.9	28	2	2	6	9	12	16	29
35-49	242	6.6	14	2	3	6	8	11	15	19
50-64	19	6.7	34	2	2	5	7	15	22	25
65+	7	5.0	16	2	2	3	8	11	12	12
B. *Operated*										
0-19 YRS	18	9.6	85	2	3	6	12	23	34	38
20-34	100	16.6	176	4	5	12	21	33	47	64
35-49	29	16.8	251	2	4	12	19	41	57	62
50-64	5	13.6	223	3	3	8	17	40	40	40
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1264	5.6	15	1	2	5	7	10	13	20
B. *Operated*	21	10.2	28	2	3	10	14	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	1661	6.4	23	2	2	5	8	11	15	25
B. *Operated*	153	15.6	182	3	4	12	19	34	47	64
1. SINGLE DX	1285	5.6	15	2	2	5	7	10	13	20
2. MULTIPLE DX	1814	7.2	43	2	2	6	9	13	18	37
A. NOT OPERATED	2925	6.0	19	2	2	5	7	11	14	23
B. OPERATED	174	15.0	166	3	4	11	17	32	46	63
TOTAL 0-19 YRS	834	5.0	14	1	2	4	6	9	12	18
20-34	1797	7.1	37	2	2	6	9	13	18	33
35-49	420	7.0	36	2	3	6	8	12	16	35
50-64	36	7.4	52	2	2	6	8	10	23	40
65+	12	4.9	9	2	2	5	6	10	12	12
GRAND TOTAL	**3099**	**6.5**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.3	6	<1	<1	1	3	5	5	15
20-34	40	2.7	8	<1	<1	2	3	4	9	15
35-49	20	6.3	63	1	1	3	6	20	26	29
50-64	34	3.5	7	<1	1	2	6	8	9	10
65+	118	3.2	13	1	1	2	4	6	8	19
B. *Operated*										
0-19 YRS	35	4.1	8	1	2	3	5	7	11	15
20-34	21	5.3	18	1	2	4	7	9	15	20
35-49	14	6.6	39	2	2	6	7	11	23	27
50-64	23	6.0	11	1	2	5	8	11	12	13
65+	29	6.2	21	2	2	5	8	12	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.1	7	<1	1	2	4	6	8	15
20-34	158	3.7	12	1	1	2	5	8	10	16
35-49	266	4.8	20	1	1	3	6	10	14	23
50-64	655	4.9	26	1	1	4	6	10	13	21
65+	2281	5.4	22	1	1	4	7	10	14	24
B. *Operated*										
0-19 YRS	68	7.7	73	1	1	5	8	23	27	38
20-34	83	10.3	96	2	3	7	13	19	28	59
35-49	133	9.2	92	2	3	7	10	16	22	59
50-64	243	9.7	99	2	3	7	11	18	26	50
65+	857	9.4	50	2	3	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	3.0	13	<1	<1	2	4	6	8	21
B. *Operated*	122	5.5	17	1	2	4	7	10	12	24
2. MULTIPLE DX										
A. *Not Operated*	3604	5.0	21	1	1	4	7	10	13	22
B. *Operated*	1384	9.4	67	2	3	7	12	17	23	47
1. SINGLE DX	448	3.7	15	<1	1	3	5	8	10	23
2. MULTIPLE DX	4988	6.2	38	1	1	5	8	13	16	29
A. NOT OPERATED	3930	4.9	21	1	1	4	6	10	13	22
B. OPERATED	1506	9.1	64	2	3	7	11	17	23	47
TOTAL 0-19 YRS	461	3.7	20	<1	1	2	4	7	10	26
20-34	302	5.5	44	1	1	3	7	13	17	31
35-49	433	6.3	48	1	1	4	8	13	18	30
50-64	955	6.1	48	1	1	5	8	12	16	30
65+	3285	6.4	32	1	1	5	8	13	16	29
GRAND TOTAL	**5436**	**6.0**	**37**	**1**	**1**	**4**	**8**	**12**	**16**	**29**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	6	<1	1	3	5	7	8	9
20-34	20	9.1	69	1	2	5	13	23	26	27
35-49	4	5.8	14	3	3	5	8	11	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34	5	13.2	126	6	6	9	16	33	33	33
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	5.6	80	<1	1	3	5	11	22	51
20-34	24	4.7	8	1	2	4	6	9	10	12
35-49	17	4.5	16	1	1	4	5	7	14	18
50-64	6	5.8	14	2	2	5	9	11	11	11
65+	7	5.1	7	2	2	5	7	9	10	10
B. *Operated*										
0-19 YRS	5	11.0	113	6	6	6	13	30	30	30
20-34	4	19.8	243	3	3	21	33	34	34	34
35-49	3	10.7	5	8	8	12	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	6.3	40	1	1	4	7	15	22	27
B. *Operated*	5	13.2	126	6	6	9	16	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	92	5.2	39	1	1	4	6	9	13	40
B. *Operated*	12	13.8	127	3	5	9	21	33	34	34
1. SINGLE DX	50	7.0	51	1	1	5	9	17	26	33
2. MULTIPLE DX	104	6.2	56	1	1	4	7	12	20	42
A. NOT OPERATED	137	5.5	39	1	1	4	6	11	19	30
B. OPERATED	17	13.6	119	4	6	9	17	33	34	34
TOTAL 0-19 YRS	63	5.4	61	<1	1	3	6	8	21	48
20-34	53	8.3	71	1	2	5	10	22	31	34
35-49	24	5.5	17	1	1	4	7	12	14	18
50-64	7	6.0	12	2	2	7	9	11	11	11
65+	7	5.1	7	2	2	5	7	9	10	10
GRAND TOTAL	**154**	**6.4**	**54**	**1**	**1**	**4**	**7**	**12**	**23**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	3.0	5	1	1	2	4	5	7	12
20-34	24	4.6	30	<1	1	3	6	8	14	28
35-49	65	2.3	7	<1	1	1	3	5	7	15
50-64	44	4.1	14	1	1	3	6	9	12	16
65+	28	5.1	13	<1	1	4	7	11	12	12
B. *Operated*										
0-19 YRS	99	4.0	6	1	1	4	5	7	9	13
20-34	45	6.6	32	2	2	5	7	11	21	32
35-49	34	6.9	18	3	3	6	8	11	16	22
50-64	36	7.1	13	3	3	7	9	11	13	20
65+	32	7.0	23	2	3	5	8	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	4.3	12	1	1	3	5	8	11	19
20-34	166	4.9	12	1	2	4	6	10	12	18
35-49	255	6.3	23	1	2	5	8	11	14	23
50-64	417	6.4	21	1	2	6	8	12	14	27
65+	817	7.0	30	1	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	139	7.4	94	1	1	5	8	13	27	51
20-34	138	7.8	38	2	3	6	10	16	22	30
35-49	142	9.0	46	2	3	7	11	17	22	38
50-64	242	10.8	81	2	3	8	13	21	28	49
65+	525	11.8	92	3	4	9	14	24	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	3.3	9	1	1	2	4	6	9	15
B. *Operated*	246	5.7	18	1	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	2030	6.1	23	1	2	5	8	12	15	25
B. *Operated*	1186	10.3	81	2	3	8	13	21	27	46
1. SINGLE DX	612	4.3	14	1	1	3	5	8	11	20
2. MULTIPLE DX	3216	7.6	48	1	2	6	9	15	21	36
A. NOT OPERATED	2396	5.7	22	1	1	5	7	11	14	24
B. OPERATED	1432	9.5	73	2	3	7	12	19	26	44
TOTAL 0-19 YRS	818	4.5	25	1	1	3	5	8	11	25
20-34	373	6.2	27	1	2	5	7	11	17	28
35-49	496	6.6	31	1	1	5	8	13	17	29
50-64	739	7.7	44	1	2	6	9	15	21	36
65+	1402	8.7	58	2	2	7	11	17	23	38
GRAND TOTAL	**3828**	**7.1**	**44**	**1**	**2**	**5**	**9**	**14**	**19**	**33**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	679	1.9	1	1	1	2	2	3	4	6
20-34	136	2.1	2	1	1	2	2	3	4	9
35-49	23	1.8	1	<1	1	2	2	3	4	5
50-64	5	3.4	3	1	1	3	4	6	6	6
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	294	3.2	2	2	2	3	4	5	5	7
20-34	107	3.5	1	2	2	3	4	5	6	7
35-49	16	3.8	4	1	2	3	5	7	8	8
50-64	5	3.2	1	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	490	2.3	2	1	1	2	3	4	5	8
20-34	88	2.4	2	1	1	2	3	4	5	7
35-49	17	2.6	3	1	1	2	4	4	6	7
50-64	12	3.4	3	1	1	3	4	6	7	7
65+	8	4.6	10	2	2	3	7	9	10	10
B. *Operated*										
0-19 YRS	214	4.3	4	2	2	4	5	7	9	11
20-34	91	4.7	5	2	2	4	5	7	9	14
35-49	16	6.2	18	1	1	6	7	12	15	17
50-64	3	8.0	37	4	4	5	12	15	15	15
65+	4	7.5	4	5	5	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	846	1.9	1	1	1	2	2	3	4	6
B. *Operated*	423	3.3	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	615	2.3	2	1	1	2	3	4	5	8
B. *Operated*	328	4.5	6	2	2	4	5	7	10	14
1. SINGLE DX	1269	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX	943	3.1	5	1	1	3	4	6	7	11
A. NOT OPERATED	1461	2.1	2	1	1	2	3	4	4	7
B. OPERATED	751	3.8	4	2	2	3	5	6	7	11
TOTAL 0-19 YRS	1677	2.5	3	1	1	2	3	4	5	9
20-34	422	3.1	3	1	1	3	4	5	6	9
35-49	72	3.4	8	1	1	2	4	7	8	16
50-64	25	3.9	7	1	2	3	4	6	9	15
65+	16	4.6	11	1	1	3	7	10	10	10
GRAND TOTAL	**2212**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.8	3	1	2	4	5	6	7	9
20-34	10	4.0	6	1	1	4	5	7	9	9
35-49	8	3.3	2	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	2.9	5	<1	<1	2	4	7	8	8
20-34	27	3.3	21	<1	<1	1	3	8	15	21
35-49	16	3.3	8	1	1	2	4	8	10	11
50-64	13	1.8	1	1	1	2	2	3	4	4
65+	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	4.4	9	2	2	4	5	8	9	17
20-34	17	4.3	7	1	1	4	6	9	9	9
35-49	8	4.3	7	<1	1	4	6	8	8	8
50-64	5	3.0	1	2	2	3	4	4	4	4
65+	6	3.8	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	40	5.2	16	<1	1	4	7	10	13	19
20-34	31	6.2	84	1	1	4	8	11	17	51
35-49	19	4.7	27	1	1	2	6	13	17	20
50-64	15	5.3	16	1	1	5	8	11	13	13
65+	10	6.6	97	<1	<1	2	7	22	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.8	3	1	2	4	5	6	7	9
B. *Operated*	100	2.8	9	<1	1	2	3	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	159	4.3	8	2	2	4	5	8	9	14
B. *Operated*	115	5.5	42	1	1	4	7	11	14	39
1. SINGLE DX	230	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	274	4.8	23	1	1	4	6	9	11	25
A. NOT OPERATED	289	4.1	6	1	2	4	5	7	8	11
B. OPERATED	215	4.3	28	<1	1	3	6	9	12	25
TOTAL 0-19 YRS	315	4.1	8	1	1	4	5	7	9	14
20-34	85	4.6	40	1	1	3	5	9	12	40
35-49	51	4.0	14	1	1	3	5	8	11	20
50-64	33	3.6	10	1	1	2	5	9	11	13
65+	20	4.7	52	<1	<1	2	5	9	22	33
GRAND TOTAL	**504**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	15	12.8	134	1	1	13	19	30	36	38
35-49	12	13.9	346	1	1	6	16	41	62	66
50-64	16	9.8	190	1	1	4	14	21	45	55
65+	37	11.2	146	1	1	8	13	28	40	52
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	10.9	146	1	1	5	20	29	38	39
20-34	79	17.6	303	2	2	13	24	40	58	84
35-49	69	14.9	174	2	3	11	22	30	38	68
50-64	116	13.0	163	1	2	9	19	31	35	58
65+	564	9.8	78	2	3	7	12	23	26	43
B. *Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	6	8.3	46	2	2	6	12	19	20	20
50-64	19	16.3	351	3	3	9	21	35	62	81
65+	59	12.0	110	1	1	9	19	26	37	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	11.3	174	1	1	6	16	29	40	62
B. *Operated*	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	849	11.4	126	2	2	7	15	25	32	54
B. *Operated*	85	12.8	159	1	1	9	19	27	38	67
1. SINGLE DX	86	11.0	170	1	1	5	16	28	39	62
2. MULTIPLE DX	934	11.5	129	2	2	7	15	25	33	55
A. NOT OPERATED	932	11.4	130	1	2	7	15	25	33	56
B. OPERATED	88	12.4	157	1	1	8	18	27	38	65
TOTAL 0-19 YRS	24	9.7	138	<1	1	3	19	25	38	39
20-34	95	16.8	275	1	2	13	23	36	52	80
35-49	87	14.3	188	2	2	10	21	30	39	69
50-64	153	13.0	187	1	2	9	18	31	38	71
65+	661	10.0	85	2	2	7	13	23	27	43
GRAND TOTAL	**1020**	**11.5**	**132**	**1**	**2**	**7**	**15**	**26**	**33**	**57**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.6	1	1	1	1	2	3	4	6
20-34	60	3.4	9	<1	<1	2	5	7	9	14
35-49	39	4.8	11	1	1	4	7	9	11	16
50-64	40	6.4	40	<1	1	4	8	17	20	27
65+	226	9.9	96	1	2	7	12	21	28	47
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	3	2.3		2	2	2	3	3	3	3
65+	5	9.8	153	1	1	5	15	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	8.1	324	1	1	2	4	39	79	99+
20-34	250	9.6	192	1	1	5	10	21	38	74
35-49	181	10.0	122	1	1	6	13	25	31	56
50-64	271	12.0	120	2	3	9	16	26	34	78
65+	2011	9.8	58	2	3	8	13	20	25	40
B. *Operated*										
0-19 YRS	11	6.3	61	1	1	3	10	18	25	26
20-34	21	5.8	29	<1	1	3	12	13	15	17
35-49	18	11.1	73	1	2	10	17	22	30	34
50-64	38	13.5	150	<1	1	9	22	30	40	44
65+	192	14.8	133	3	4	12	20	28	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	6.8	67	1	1	4	8	16	23	41
B. *Operated*	9	7.8	95	1	1	3	11	24	31	31
2. MULTIPLE DX										
A. *Not Operated*	2860	9.9	94	1	2	7	13	21	28	56
B. *Operated*	280	13.4	128	1	2	11	19	28	34	44
1. SINGLE DX	444	6.9	67	1	1	4	8	16	23	41
2. MULTIPLE DX	3140	10.2	98	1	2	7	13	21	28	53
A. NOT OPERATED	3295	9.5	91	1	2	7	12	20	27	51
B. OPERATED	289	13.2	127	1	2	11	18	28	34	44
TOTAL 0-19 YRS	228	6.0	220	1	1	2	3	14	59	99+
20-34	331	8.2	154	1	1	4	8	19	30	72
35-49	239	9.3	104	1	1	6	12	22	27	51
50-64	352	11.4	117	1	2	8	15	26	33	53
65+	2434	10.2	70	2	3	8	13	21	27	41
GRAND TOTAL	**3584**	**9.8**	**95**	**1**	**2**	**7**	**13**	**21**	**28**	**51**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	17	12.5	82	1	2	12	17	23	31	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	21.0	200	11	11	21	31	31	31	31
50-64	22	11.5	102	2	4	9	14	22	35	48
65+	249	10.6	54	3	4	9	14	20	23	39
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	20.4	204	7	8	17	24	44	52	52
65+	23	13.7	155	3	4	10	15	30	43	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	12.2	79	1	2	12	16	23	31	35
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	273	10.7	59	3	4	9	14	20	26	42
B. *Operated*	31	15.5	170	4	5	10	18	32	51	57
1. SINGLE DX	19	12.5	77	1	2	12	17	23	30	35
2. MULTIPLE DX	304	11.2	72	3	4	9	14	20	28	50
A. NOT OPERATED	291	10.8	60	2	3	9	14	20	27	41
B. OPERATED	32	15.5	164	4	5	11	18	31	50	57
TOTAL 0-19 YRS										
20-34										
35-49	2	21.0	200	11	11	21	31	31	31	31
50-64	31	13.7	136	3	4	10	17	26	47	52
65+	290	11.0	64	2	4	9	14	20	27	41
GRAND TOTAL	**323**	**11.3**	**72**	**3**	**4**	**9**	**14**	**20**	**28**	**49**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	61	3.2	9	<1	1	2	4	6	8	20
35-49	72	4.1	24	1	1	3	4	7	13	27
50-64	36	5.3	36	1	2	4	6	10	14	35
65+	7	11.0	60	2	2	10	17	22	23	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.7	59	<1	1	3	5	22	23	23
20-34	808	5.9	54	1	2	4	5	13	22	32
35-49	1169	5.7	33	2	2	4	5	11	19	30
50-64	733	6.7	41	2	2	5	7	12	21	33
65+	255	8.5	52	2	3	6	11	18	23	32
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	11.8	180	2	3	8	13	33	48	52
35-49	43	13.1	123	3	4	8	17	26	39	54
50-64	42	12.3	106	2	3	9	20	22	32	52
65+	17	15.5	143	3	4	14	20	30	42	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	4.3	24	<1	1	3	4	9	14	27
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2988	6.2	43	2	2	4	6	13	22	31
B. *Operated*	122	12.9	127	2	3	8	17	27	39	53
1. SINGLE DX	177	4.3	24	<1	1	3	4	9	14	27
2. MULTIPLE DX	3110	6.5	48	2	2	4	7	14	22	33
A. NOT OPERATED	3165	6.1	42	1	2	4	6	12	22	31
B. OPERATED	122	12.9	127	2	3	8	17	27	39	53
TOTAL 0-19 YRS	25	6.3	55	<1	1	3	5	22	22	23
20-34	888	5.8	54	1	2	4	5	12	22	33
35-49	1284	5.8	37	1	2	4	6	12	20	30
50-64	811	6.9	45	2	2	5	8	13	22	34
65+	279	9.0	60	2	3	6	12	19	26	43
GRAND TOTAL	**3287**	**6.4**	**47**	**1**	**2**	**4**	**7**	**14**	**22**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.6	41	<1	<1	1	3	9	21	26
20-34	59	4.8	33	1	1	3	5	11	20	94
35-49	21	4.5	7	1	2	4	5	7	11	13
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	9	6.6	47	2	2	4	7	18	24	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	10.4	186	1	1	4	13	30	39	67
20-34	963	5.1	38	2	2	4	4	7	16	34
35-49	422	4.8	21	2	2	4	5	7	13	31
50-64	140	6.5	44	1	1	4	7	15	22	34
65+	281	7.1	41	1	2	5	8	14	19	33
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	13	7.9	40	2	3	6	17	29	84	99+
35-49	8	8.1	32	1	2	7	12	17	18	18
50-64	7	11.6	31	5	5	12	17	19	19	19
65+	26	10.9	84	2	4	8	11	24	35	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.6	29	1	1	3	5	9	17	62
B. *Operated*	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1871	5.6	42	1	2	4	5	10	19	34
B. *Operated*	55	10.1	61	2	4	8	13	21	31	96
1. SINGLE DX	111	4.6	28	1	1	3	5	8	17	60
2. MULTIPLE DX	1926	5.7	43	1	2	4	5	11	19	34
A. NOT OPERATED	1979	5.6	41	1	2	4	5	10	19	34
B. OPERATED	58	9.8	59	2	4	7	12	21	30	95
TOTAL 0-19 YRS	83	9.2	163	<1	1	3	10	30	34	62
20-34	1036	5.1	38	1	2	4	4	7	18	35
35-49	452	4.9	21	2	2	4	5	8	13	31
50-64	150	6.6	44	1	1	4	7	15	19	34
65+	316	7.4	46	1	2	6	8	14	21	36
GRAND TOTAL	**2037**	**5.7**	**42**	**1**	**2**	**4**	**5**	**11**	**19**	**35**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	20.7	218	4	5	18	31	47	62	99+
20-34	965	16.5	212	1	3	13	21	35	46	71
35-49	528	15.3	141	2	4	13	20	31	39	59
50-64	180	14.7	142	2	3	12	20	28	40	53
65+	36	17.5	119	2	7	16	22	30	41	48
B. *Operated*										
0-19 YRS										
20-34	4	28.5	176	14	14	27	37	46	46	46
35-49	2	20.5	85	14	14	20	27	27	27	27
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	19.4	209	2	3	16	28	41	50	64
20-34	826	16.9	175	2	4	14	22	35	44	72
35-49	608	16.1	152	3	4	13	21	31	38	69
50-64	316	17.9	156	3	4	16	24	34	41	60
65+	166	17.2	156	3	5	15	22	31	41	52
B. *Operated*										
0-19 YRS	3	35.7	129	23	23	39	43	45	45	45
20-34	26	23.6	396	5	6	16	30	62	66	79
35-49	34	21.7	124	8	10	20	27	45	53	99+
50-64	16	22.9	131	6	8	21	30	40	41	42
65+	6	35.0	347	4	6	38	52	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1775	16.1	183	2	3	13	21	33	45	67
B. *Operated*	7	24.4	130	14	14	25	28	43	46	46
2. MULTIPLE DX										
A. *Not Operated*	1966	16.9	164	3	4	14	22	34	42	67
B. *Operated*	85	24.0	229	6	8	20	31	49	56	92
1. SINGLE DX	1782	16.2	183	2	3	13	21	33	45	67
2. MULTIPLE DX	2051	17.2	169	3	4	14	23	34	43	67
A. NOT OPERATED	3741	16.5	173	2	4	13	22	34	43	67
B. OPERATED	92	24.0	220	6	8	21	31	47	54	91
TOTAL 0-19 YRS	119	20.5	216	3	5	18	29	46	52	99+
20-34	1821	16.8	198	2	3	13	22	35	46	71
35-49	1172	15.9	147	3	4	13	21	31	39	62
50-64	513	16.9	153	2	4	14	23	32	41	56
65+	208	17.7	161	3	5	15	23	32	45	52
GRAND TOTAL	**3833**	**16.7**	**175**	**2**	**4**	**14**	**22**	**34**	**44**	**67**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	22.9	602	2	3	12	48	61	62	62
20-34	63	17.7	146	2	4	16	25	36	39	58
35-49	11	17.0	201	2	2	15	21	41	45	45
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	4	5.0	10	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	19.8	156	2	5	21	25	36	45	47
20-34	42	16.0	98	4	5	14	20	28	38	48
35-49	17	17.4	152	2	5	16	23	28	45	54
50-64	9	15.4	81	1	2	15	21	27	28	28
65+	5	12.8	110	4	4	11	18	30	30	30
B. *Operated*										
0-19 YRS	2	34.5	221	24	24	34	45	45	45	45
20-34	2	29.0	2	28	28	29	30	30	30	30
35-49	2	16.5	265	5	5	16	28	28	28	28
50-64	2	5.5	13	3	3	5	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	17.5	203	2	3	14	22	38	45	62
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	85	16.6	113	3	4	15	22	28	37	52
B. *Operated*	8	21.4	216	3	4	26	29	40	45	45
1. SINGLE DX	91	17.5	203	2	3	14	22	38	45	62
2. MULTIPLE DX	93	17.0	121	3	4	16	23	29	41	51
A. NOT OPERATED	176	17.0	159	2	3	15	22	34	42	61
B. OPERATED	8	21.4	216	3	4	26	29	40	45	45
TOTAL 0-19 YRS	25	22.3	347	2	4	19	27	58	61	62
20-34	107	17.3	126	3	5	16	22	34	38	53
35-49	30	17.2	162	2	3	15	22	34	45	54
50-64	13	12.5	78	1	2	15	17	26	28	28
65+	9	9.3	76	1	2	7	12	24	30	30
GRAND TOTAL	**184**	**17.2**	**161**	**2**	**3**	**15**	**22**	**35**	**43**	**61**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	19.2	298	1	2	14	29	42	53	82
20-34	1437	16.0	181	1	3	12	21	35	44	62
35-49	817	15.0	150	2	3	12	19	30	38	65
50-64	350	15.0	135	2	3	12	20	29	38	58
65+	61	13.1	77	2	4	11	19	24	30	41
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	22.9	343	4	5	18	34	50	81	99+
20-34	1606	17.2	204	2	4	13	22	35	45	74
35-49	1196	15.9	147	3	4	13	21	32	41	65
50-64	723	17.2	166	3	5	14	22	35	43	71
65+	236	17.6	163	3	5	14	24	35	45	76
B. *Operated*										
0-19 YRS	8	30.3	137	18	19	27	39	47	51	51
20-34	50	23.8	341	5	6	20	28	47	85	99+
35-49	65	25.0	260	7	9	21	35	52	76	99+
50-64	49	23.2	151	8	10	20	31	41	48	59
65+	23	27.7	213	8	11	27	39	49	53	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2789	15.7	169	2	3	12	21	33	42	62
B. *Operated*	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	3927	17.1	184	3	4	14	22	35	44	74
B. *Operated*	195	24.8	242	7	9	21	33	47	58	99+
1. SINGLE DX	2791	15.6	169	2	3	12	21	33	42	62
2. MULTIPLE DX	4122	17.4	190	3	4	14	23	36	45	76
A. NOT OPERATED	6716	16.5	179	2	4	13	22	34	43	69
B. OPERATED	197	24.7	241	6	9	20	33	47	58	99+
TOTAL 0-19 YRS	298	21.6	322	2	4	16	32	47	58	99+
20-34	3094	16.8	196	2	3	13	22	35	45	67
35-49	2079	15.8	154	2	4	13	20	31	40	71
50-64	1122	16.8	158	2	4	14	22	34	42	59
65+	320	17.5	160	3	5	14	23	35	44	65
GRAND TOTAL	**6913**	**16.7**	**182**	**2**	**4**	**13**	**22**	**35**	**44**	**72**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	26.9	430	7	8	23	45	70	93	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	34.0	501	6	7	29	47	73	85	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	26.9	430	7	8	23	45	70	93	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	48	34.0	501	6	7	29	47	73	85	99+
B. *Operated*										
1. SINGLE DX	19	26.9	430	7	8	23	45	70	93	99+
2. MULTIPLE DX	48	34.0	501	6	7	29	47	73	85	99+
A. NOT OPERATED	67	32.0	484	6	7	28	47	73	87	99+
B. OPERATED										
TOTAL 0-19 YRS	67	32.0	484	6	7	28	47	73	87	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**67**	**32.0**	**484**	**6**	**7**	**28**	**47**	**73**	**87**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	20.1	239	2	4	17	30	44	59	99+
20-34	1173	13.8	150	1	2	10	19	30	40	56
35-49	1255	14.0	121	2	3	12	19	29	36	53
50-64	767	15.7	141	2	4	13	21	32	39	58
65+	552	18.8	149	3	5	17	26	35	40	63
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	20.5	90	13	13	17	27	34	34	34
50-64	2	32.0	18	29	29	32	35	35	35	35
65+	5	24.8	462	10	10	14	36	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	863	25.0	418	3	5	20	37	58	74	99+
20-34	2740	15.1	163	2	3	12	20	31	40	67
35-49	2994	15.2	128	2	4	13	20	30	37	57
50-64	2046	17.0	147	3	4	14	22	32	41	60
65+	2291	19.1	184	3	5	16	25	36	45	67
B. *Operated*										
0-19 YRS	22	27.5	524	2	3	21	46	74	85	99+
20-34	140	22.8	240	3	7	20	31	44	52	95
35-49	210	20.9	204	5	6	18	28	39	51	88
50-64	180	24.8	195	7	10	21	34	43	52	64
65+	244	23.4	164	6	9	21	30	41	52	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4059	15.4	150	2	3	13	21	32	40	60
B. *Operated*	12	23.8	218	10	11	18	31	43	58	61
2. MULTIPLE DX										
A. *Not Operated*	10934	17.1	183	3	4	14	23	34	44	73
B. *Operated*	796	23.0	206	5	8	20	30	42	52	79
1. SINGLE DX	4071	15.4	151	2	3	13	21	32	40	60
2. MULTIPLE DX	11730	17.5	186	3	4	14	23	35	45	73
A. NOT OPERATED	14993	16.6	174	2	4	14	22	34	43	70
B. OPERATED	808	23.1	206	5	8	20	30	42	52	78
TOTAL 0-19 YRS	1197	23.8	377	3	4	19	35	57	72	99+
20-34	4054	15.0	164	2	3	12	20	31	41	66
35-49	4463	15.2	131	2	4	13	20	30	37	56
50-64	2995	17.2	153	3	4	14	23	33	42	60
65+	3092	19.4	178	3	5	17	26	36	44	67
GRAND TOTAL	**15801**	**17.0**	**178**	**2**	**4**	**14**	**23**	**34**	**44**	**70**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	19.7	210	3	4	17	27	36	44	72
20-34	845	15.5	144	2	3	13	20	30	39	60
35-49	769	15.6	126	2	4	13	21	31	38	56
50-64	367	17.4	143	4	5	15	22	31	41	59
65+	142	17.3	159	3	4	15	23	35	44	71
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	24.5	41	20	20	29	82	99+	99+	99+
65+	2	35.0	32	31	31	35	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	25.0	420	2	4	20	35	55	71	97
20-34	1251	16.5	160	2	4	14	21	32	39	67
35-49	1219	16.8	144	3	4	14	22	31	38	62
50-64	860	18.1	150	4	6	16	23	34	41	64
65+	543	18.7	140	4	6	17	24	34	41	61
B. *Operated*										
0-19 YRS	10	28.9	662	3	4	18	46	69	76	76
20-34	50	21.3	113	7	8	19	29	36	42	50
35-49	73	24.9	221	7	9	21	33	47	56	72
50-64	62	22.6	195	6	8	19	31	43	48	71
65+	42	24.7	198	8	10	19	38	45	53	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	16.2	144	2	4	14	21	32	39	60
B. *Operated*	6	25.0	96	12	13	29	37	88	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4142	17.7	171	3	5	15	23	34	42	70
B. *Operated*	237	23.7	204	7	9	19	31	44	52	72
1. SINGLE DX	2275	16.2	144	2	4	14	21	32	40	60
2. MULTIPLE DX	4379	18.1	175	3	5	15	23	35	43	70
A. NOT OPERATED	6411	17.2	162	3	4	15	22	33	41	65
B. OPERATED	243	23.7	201	7	9	19	32	44	53	74
TOTAL 0-19 YRS	425	23.2	358	3	4	19	32	52	64	95
20-34	2147	16.2	153	2	4	14	21	32	39	63
35-49	2062	16.6	143	3	4	14	22	31	39	59
50-64	1291	18.1	150	4	6	16	23	34	42	65
65+	729	18.8	149	4	5	17	24	35	42	61
GRAND TOTAL	**6654**	**17.4**	**165**	**3**	**4**	**15**	**23**	**34**	**42**	**66**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	13.3	158	1	2	9	21	28	38	57
20-34	270	10.8	104	1	1	8	14	23	31	43
35-49	201	10.4	97	1	1	8	13	21	27	53
50-64	108	11.5	101	1	2	8	16	23	31	54
65+	75	9.6	47	1	2	8	14	20	23	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	20.5	399	2	3	14	31	50	71	88
20-34	462	12.3	111	2	2	10	17	27	32	58
35-49	398	12.9	124	1	2	10	17	28	36	58
50-64	373	11.4	84	2	2	9	16	22	30	41
65+	803	10.1	77	2	3	7	13	21	28	44
B. *Operated*										
0-19 YRS	1	28.0		28	28	64	99+	99+	99+	99+
20-34	16	15.3	116	2	3	14	19	36	37	37
35-49	23	17.9	137	5	6	18	25	32	40	52
50-64	32	15.1	90	3	5	12	23	29	32	37
65+	70	12.5	126	2	3	10	14	28	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	10.8	100	1	1	8	15	23	29	51
B. *Operated*	5	3.8	9	<1	<1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2169	12.0	119	2	3	9	16	26	34	56
B. *Operated*	142	14.4	120	2	4	12	19	30	37	57
1. SINGLE DX	713	10.8	99	1	1	8	15	23	29	51
2. MULTIPLE DX	2311	12.1	120	2	3	9	16	26	34	56
A. NOT OPERATED	2877	11.7	115	1	2	9	16	25	32	55
B. OPERATED	147	14.0	120	2	3	11	19	30	37	55
TOTAL 0-19 YRS	188	18.5	338	1	2	12	26	46	61	94
20-34	748	11.8	109	1	2	9	16	26	32	51
35-49	625	12.2	118	1	2	9	16	27	34	56
50-64	514	11.6	88	2	3	9	17	23	30	44
65+	949	10.2	78	2	3	8	13	21	28	47
GRAND TOTAL	**3024**	**11.8**	**115**	**1**	**2**	**9**	**16**	**25**	**33**	**54**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	10.4	206	<1	1	3	13	37	44	44
20-34	150	6.4	47	1	1	4	9	14	18	34
35-49	127	6.0	41	1	1	4	7	15	18	31
50-64	58	5.3	22	<1	1	3	7	13	16	20
65+	42	4.5	19	<1	1	3	6	12	14	18
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	7.8	169	1	1	2	10	31	31	31
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	11.0	187	1	1	5	15	29	42	68
20-34	386	7.8	68	1	1	5	10	18	25	40
35-49	474	7.8	68	1	1	4	11	20	24	40
50-64	378	6.3	48	1	1	4	7	14	21	33
65+	397	6.5	40	1	2	4	9	14	19	31
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	10.9	50	2	3	10	17	21	25	26
35-49	20	12.0	120	2	3	7	21	28	34	39
50-64	17	7.9	73	1	2	4	9	16	29	36
65+	17	9.8	53	1	2	8	13	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	6.3	55	1	1	3	8	14	21	39
B. *Operated*	8	6.3	102	1	1	3	4	23	31	31
2. MULTIPLE DX										
A. *Not Operated*	1707	7.3	63	1	1	4	9	17	24	40
B. *Operated*	73	10.2	75	2	2	7	14	23	27	38
1. SINGLE DX	423	6.3	56	1	1	3	8	14	21	39
2. MULTIPLE DX	1780	7.4	63	1	1	4	9	18	24	39
A. NOT OPERATED	2122	7.1	61	1	1	4	9	17	23	39
B. OPERATED	81	9.8	78	1	2	7	14	23	28	38
TOTAL 0-19 YRS	111	10.7	191	1	1	4	14	33	43	57
20-34	555	7.5	62	1	1	5	10	17	25	36
35-49	626	7.6	65	1	1	4	11	19	24	37
50-64	455	6.3	45	1	1	4	7	14	20	34
65+	456	6.5	39	1	2	4	9	14	19	30
GRAND TOTAL	**2203**	**7.2**	**62**	**1**	**1**	**4**	**9**	**17**	**24**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	26.5	395	1	4	26	41	58	68	99+
20-34	419	9.8	87	1	1	7	13	22	29	43
35-49	365	10.5	91	1	2	7	15	23	30	45
50-64	115	12.1	141	2	2	9	15	22	37	83
65+	67	11.4	74	1	2	8	15	25	29	41
B. *Operated*										
0-19 YRS										
20-34	1	39.0		39	39	39	39	39	39	39
35-49	2	11.5	1	11	11	11	12	12	12	12
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	26.5	454	2	4	22	43	64	84	99+
20-34	1195	11.5	111	1	2	8	16	26	31	56
35-49	1085	11.9	101	2	3	9	16	26	31	47
50-64	528	10.7	80	2	3	8	15	22	29	44
65+	429	11.3	97	2	3	9	15	24	31	48
B. *Operated*										
0-19 YRS	18	32.2	414	7	13	32	60	99+	99+	99+
20-34	46	17.7	247	3	4	15	20	30	47	93
35-49	49	17.9	232	4	5	14	24	31	44	97
50-64	34	17.5	176	4	6	12	23	33	44	64
65+	38	14.9	101	3	4	13	19	27	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	13.9	203	1	2	9	18	35	44	75
B. *Operated*	4	16.3	246	3	3	11	25	39	39	39
2. MULTIPLE DX										
A. *Not Operated*	3825	13.8	184	2	3	10	18	30	44	83
B. *Operated*	185	18.5	233	3	5	15	24	38	59	99+
1. SINGLE DX	1239	13.9	203	1	2	9	18	36	44	75
2. MULTIPLE DX	4010	14.0	187	2	3	10	19	31	44	84
A. NOT OPERATED	5060	13.8	189	1	2	9	18	31	44	79
B. OPERATED	189	18.5	232	3	5	15	24	39	58	99+
TOTAL 0-19 YRS	875	26.6	435	2	4	23	42	62	80	99+
20-34	1661	11.3	111	1	2	8	16	25	31	51
35-49	1501	11.7	104	2	2	9	16	25	31	45
50-64	677	11.3	97	2	3	9	15	23	30	53
65+	535	11.5	95	2	3	9	15	25	31	48
GRAND TOTAL	**5249**	**14.0**	**191**	**1**	**2**	**10**	**19**	**32**	**44**	**81**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	13.4	249	1	1	7	20	41	47	73
20-34	316	9.5	119	<1	1	5	12	25	34	48
35-49	137	10.6	183	<1	1	6	13	24	39	67
50-64	53	9.1	181	1	1	5	11	19	26	89
65+	16	11.1	158	1	1	7	15	21	42	51
B. *Operated*										
0-19 YRS										
20-34	17	9.4	49	1	2	7	14	21	21	21
35-49	32	7.7	53	1	1	5	10	18	22	32
50-64	14	2.6	2	1	1	2	4	5	5	5
65+	5	4.4	2	2	2	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	355	14.8	298	1	1	7	22	42	59	99+
20-34	826	9.4	102	1	1	6	12	20	27	58
35-49	509	9.9	90	1	2	7	14	24	30	47
50-64	209	10.1	94	1	2	7	13	23	29	42
65+	203	9.4	83	1	2	6	14	21	29	43
B. *Operated*										
0-19 YRS	9	25.7	808	1	2	18	81	99+	99+	99+
20-34	59	12.7	144	1	2	8	19	31	38	56
35-49	46	16.7	261	2	3	14	22	29	38	97
50-64	38	8.4	108	1	2	4	9	19	28	55
65+	18	10.6	62	1	2	9	18	20	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	702	10.7	172	<1	1	6	14	27	40	63
B. *Operated*	68	6.8	43	1	1	5	9	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	2102	10.5	133	1	1	7	14	25	34	74
B. *Operated*	170	13.3	204	1	2	9	19	29	42	99
1. SINGLE DX	770	10.4	162	1	1	6	13	27	39	61
2. MULTIPLE DX	2272	10.7	139	1	1	7	14	25	34	79
A. NOT OPERATED	2804	10.5	143	1	1	6	14	26	36	69
B. OPERATED	238	11.4	166	1	2	7	17	26	34	97
TOTAL 0-19 YRS	544	14.5	290	1	1	7	22	43	56	99+
20-34	1218	9.6	108	1	1	6	13	21	30	54
35-49	724	10.4	119	1	1	7	14	24	30	52
50-64	314	9.4	108	1	1	6	12	22	28	51
65+	242	9.5	85	1	2	6	14	21	28	45
GRAND TOTAL	**3042**	**10.6**	**145**	**1**	**1**	**6**	**14**	**26**	**36**	**73**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	10.3	202	<1	<1	2	22	31	39	55
20-34	1273	10.3	113	1	1	4	22	28	29	31
35-49	1293	9.7	105	1	1	4	21	28	29	32
50-64	512	9.6	106	1	2	4	16	28	30	35
65+	81	9.1	84	1	2	4	16	26	28	29
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	26.0	2	25	25	26	27	27	27	27
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	30.5	1013	8	8	30	53	53	53	53
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1304	25.0	216	2	3	27	36	42	47	57
20-34	6456	14.8	118	1	2	14	25	29	30	35
35-49	5474	13.2	113	2	2	8	23	28	30	35
50-64	2672	13.0	113	2	3	8	23	28	30	36
65+	966	12.4	109	2	2	8	21	28	31	38
B. *Operated*										
0-19 YRS	13	25.5	180	2	5	28	34	39	47	49
20-34	139	17.5	112	1	3	21	27	29	31	35
35-49	160	18.7	115	3	5	21	26	30	34	48
50-64	108	16.7	133	3	4	14	25	34	37	51
65+	63	16.9	160	2	3	12	27	33	39	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3298	9.9	112	1	1	4	21	28	29	33
B. *Operated*	8	21.0	252	4	5	22	26	45	53	53
2. MULTIPLE DX										
A. *Not Operated*	16872	14.7	132	2	2	11	25	29	32	42
B. *Operated*	483	17.9	127	2	4	18	27	31	35	49
1. SINGLE DX	3306	10.0	112	1	1	4	21	28	29	34
2. MULTIPLE DX	17355	14.7	133	2	2	11	25	29	32	42
A. NOT OPERATED	20170	13.9	132	1	2	9	24	29	31	42
B. OPERATED	491	17.9	129	2	4	19	27	31	35	49
TOTAL 0-19 YRS	1457	23.6	233	1	2	25	35	42	46	56
20-34	7870	14.2	120	1	2	11	24	29	30	35
35-49	6928	12.7	114	1	2	7	23	28	30	35
50-64	3294	12.6	115	2	2	7	23	28	30	37
65+	1112	12.4	112	2	2	8	21	28	31	38
GRAND TOTAL	**20661**	**14.0**	**132**	**1**	**2**	**9**	**24**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	31	1	1	5	10	14	14	14
20-34	213	7.6	72	1	2	4	6	23	28	35
35-49	83	7.6	59	1	2	4	7	23	24	28
50-64	4	17.5	262	5	5	13	30	39	39	39
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	24.2	503	2	3	20	34	63	75	86
20-34	690	12.1	94	2	3	7	21	27	29	36
35-49	376	12.7	89	2	3	8	21	26	28	36
50-64	34	15.8	96	4	4	16	23	28	32	36
65+	21	13.2	143	2	3	7	28	32	33	34
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	28	16.0	74	4	6	15	23	29	30	32
35-49	15	14.7	90	2	4	12	23	28	29	29
50-64	7	18.7	103	7	7	22	27	31	32	32
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	7.7	70	1	2	4	7	23	28	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1146	12.7	105	2	3	8	21	28	30	37
B. *Operated*	52	15.6	81	4	5	13	23	29	29	32
1. SINGLE DX	305	7.7	70	1	2	4	7	23	28	35
2. MULTIPLE DX	1198	12.8	104	2	3	8	21	28	30	37
A. NOT OPERATED	1451	11.6	102	2	3	7	21	27	29	37
B. OPERATED	52	15.6	81	4	5	13	23	29	29	32
TOTAL 0-19 YRS	30	21.4	463	1	2	16	29	52	71	86
20-34	931	11.2	92	2	3	7	20	27	29	36
35-49	474	11.9	88	2	3	7	21	25	28	35
50-64	45	16.4	105	4	5	17	23	29	34	39
65+	23	12.4	138	2	3	7	25	32	33	34
GRAND TOTAL	**1503**	**11.8**	**102**	**2**	**3**	**7**	**21**	**27**	**29**	**37**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	27.7	360	2	3	28	44	46	59	82
20-34	464	11.4	95	2	2	6	21	27	29	33
35-49	103	12.7	102	2	3	8	21	26	30	37
50-64	5	5.8	9	1	1	7	8	8	8	8
65+	6	9.7	200	<1	<1	4	9	35	38	38
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	32.0		32	32	32	32	32	32	32
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	736	27.0	240	3	5	28	37	43	51	81
20-34	2204	16.1	106	2	3	19	24	29	30	38
35-49	656	16.6	109	3	3	20	24	29	31	38
50-64	73	16.3	151	2	3	11	27	34	37	44
65+	48	17.8	122	3	5	16	27	33	37	46
B. *Operated*										
0-19 YRS	12	41.9	231	27	28	40	55	82	97	99+
20-34	43	20.0	82	3	4	22	25	30	34	36
35-49	23	15.9	88	2	2	15	24	28	30	32
50-64	4	21.8	65	13	13	22	28	30	30	30
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	14.2	175	2	2	8	23	30	40	59
B. *Operated*	2	18.5	365	5	5	18	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	3717	18.4	152	2	3	20	28	32	39	52
B. *Operated*	82	22.2	171	2	5	23	28	37	46	92
1. SINGLE DX	693	14.2	175	2	2	8	23	30	40	59
2. MULTIPLE DX	3799	18.5	152	2	3	20	28	32	39	52
A. NOT OPERATED	4408	17.7	158	2	3	20	27	32	39	52
B. OPERATED	84	22.1	172	2	5	23	28	37	45	92
TOTAL 0-19 YRS	861	27.3	258	3	5	29	38	46	52	83
20-34	2712	15.4	107	2	3	17	23	29	30	37
35-49	783	16.1	109	2	3	18	24	29	31	38
50-64	82	16.0	145	2	3	11	27	33	36	44
65+	54	16.9	134	3	4	14	26	33	38	46
GRAND TOTAL	**4492**	**17.8**	**158**	**2**	**3**	**20**	**27**	**32**	**39**	**53**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	1.7	15	<1	<1	1	1	2	3	18
20-34	152	2.2	21	<1	<1	1	1	3	8	28
35-49	69	3.7	36	<1	1	1	3	9	20	29
50-64	20	3.4	17	<1	<1	2	3	9	14	18
65+	4	2.0	4	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	6.9	165	<1	<1	2	6	21	42	56
20-34	437	6.0	74	<1	<1	2	5	21	28	32
35-49	240	5.7	67	<1	1	3	5	17	22	35
50-64	157	5.7	69	<1	1	3	5	15	27	36
65+	66	3.9	15	1	1	3	5	7	9	26
B. *Operated*										
0-19 YRS	9	1.9	4	<1	<1	1	2	5	7	7
20-34	16	3.6	17	<1	<1	1	6	10	13	14
35-49	11	4.8	25	<1	<1	2	7	13	16	16
50-64	6	15.0	159	2	2	14	24	31	32	32
65+	7	3.4	16	<1	<1	1	6	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	2.3	21	<1	<1	1	2	3	7	28
B. *Operated*	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1212	6.0	93	<1	<1	2	5	19	29	46
B. *Operated*	49	4.9	45	<1	<1	2	7	13	22	32
1. SINGLE DX	460	2.3	20	<1	<1	1	2	3	7	28
2. MULTIPLE DX	1261	6.0	91	<1	<1	2	5	19	29	46
A. NOT OPERATED	1669	5.0	76	<1	<1	2	4	15	27	43
B. OPERATED	52	4.8	42	<1	<1	2	7	12	21	32
TOTAL 0-19 YRS	533	4.8	109	<1	<1	1	3	9	29	50
20-34	606	5.0	62	<1	<1	2	4	17	27	32
35-49	320	5.3	60	<1	1	2	4	16	21	33
50-64	185	5.8	68	<1	1	3	5	18	27	35
65+	77	3.7	15	<1	1	3	5	7	10	24
GRAND TOTAL	**1721**	**5.0**	**75**	**<1**	**<1**	**2**	**4**	**14**	**26**	**43**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	8.6	140	<1	1	3	10	29	34	49
20-34	251	9.6	96	1	1	4	21	25	28	33
35-49	54	8.3	84	1	2	4	9	26	28	33
50-64	4	4.3	1	3	3	4	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	24.9	421	1	2	20	44	54	60	78
20-34	735	12.6	112	1	2	8	22	28	29	35
35-49	195	10.8	101	1	2	6	20	28	30	35
50-64	24	9.1	88	1	2	6	10	17	34	42
65+	9	9.1	48	3	3	7	11	21	23	23
B. *Operated*										
0-19 YRS	1	42.0		42	42	42	42	42	42	42
20-34	37	20.4	116	2	5	21	28	34	37	43
35-49	6	13.3	83	1	2	14	16	27	28	28
50-64	2	16.5	221	6	6	16	27	27	27	27
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	9.2	97	1	1	4	18	26	28	34
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1138	14.1	178	1	2	9	23	29	42	60
B. *Operated*	46	19.8	125	1	4	20	28	34	40	43
1. SINGLE DX	347	9.2	97	1	1	4	18	26	28	34
2. MULTIPLE DX	1184	14.3	177	1	2	9	23	30	42	59
A. NOT OPERATED	1485	12.9	164	1	2	7	22	29	34	56
B. OPERATED	46	19.8	125	1	4	20	28	34	40	43
TOTAL 0-19 YRS	213	22.2	409	1	1	16	43	51	59	78
20-34	1023	12.1	112	1	2	7	22	28	29	35
35-49	255	10.3	98	1	2	6	18	28	29	33
50-64	30	8.9	85	2	2	6	10	21	31	42
65+	10	8.7	45	3	3	6	9	20	23	23
GRAND TOTAL	**1531**	**13.1**	**164**	**1**	**2**	**7**	**22**	**29**	**35**	**55**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.9	2	<1	1	3	4	5	5	6
20-34	15	3.1	6	1	1	2	4	7	8	9
35-49	21	2.9	6	<1	1	2	3	6	9	11
50-64	13	2.6	4	1	1	2	3	6	7	7
65+	6	4.0	10	1	1	3	4	9	10	10
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.9	72	1	1	3	4	7	24	49
20-34	97	5.0	38	1	1	3	5	12	18	36
35-49	126	5.2	32	1	1	4	6	10	17	32
50-64	103	4.3	19	1	1	3	6	8	13	24
65+	128	4.3	11	1	1	4	5	8	10	20
B. *Operated*										
0-19 YRS	9	8.0	126	1	1	5	8	25	37	37
20-34	15	6.5	45	<1	<1	4	8	19	23	24
35-49	18	5.5	18	1	1	6	7	8	15	19
50-64	21	7.4	39	1	1	7	11	13	20	27
65+	11	5.9	13	1	2	5	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.0	5	1	1	2	4	6	7	11
B. *Operated*	9	2.3	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	504	4.7	29	1	1	3	5	9	13	32
B. *Operated*	74	6.6	40	1	1	5	8	12	19	35
1. SINGLE DX	86	2.9	4	1	1	2	4	6	7	11
2. MULTIPLE DX	578	5.0	31	1	1	3	6	10	15	32
A. NOT OPERATED	581	4.5	26	1	1	3	5	8	12	31
B. OPERATED	83	6.2	37	1	1	5	8	11	19	34
TOTAL 0-19 YRS	84	4.6	57	1	1	3	4	7	14	45
20-34	129	4.9	35	1	1	3	5	11	19	33
35-49	167	4.9	27	1	1	3	6	9	16	32
50-64	138	4.6	22	1	1	3	6	11	13	27
65+	146	4.4	11	1	1	4	5	9	10	19
GRAND TOTAL	**664**	**4.7**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	691	14.8	212	1	1	9	23	38	44	72
20-34	687	6.6	54	<1	1	4	9	14	20	40
35-49	356	7.3	54	1	1	5	10	15	19	41
50-64	110	6.7	51	1	1	4	9	14	20	41
65+	40	9.9	98	<1	1	6	16	25	27	43
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	20.5	145	12	12	20	29	29	29	29
50-64	2	10.5	181	1	1	10	20	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1264	16.4	256	1	2	11	25	41	52	99+
20-34	1753	9.1	88	1	1	6	12	21	28	49
35-49	1131	9.7	92	1	1	7	13	23	30	39
50-64	392	10.5	95	1	2	8	14	26	30	49
65+	287	9.2	51	1	2	7	13	19	23	35
B. *Operated*										
0-19 YRS	20	18.7	282	2	3	11	29	53	75	99+
20-34	42	15.1	197	1	2	10	18	41	44	57
35-49	33	13.8	91	3	4	13	18	31	33	39
50-64	21	14.2	80	2	4	15	18	25	31	37
65+	26	16.3	161	3	4	13	21	31	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	9.8	127	1	1	6	13	25	36	51
B. *Operated*	6	12.5	108	1	1	10	20	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	4827	11.3	141	1	2	7	15	28	36	64
B. *Operated*	142	15.4	158	2	3	12	20	37	44	60
1. SINGLE DX	1890	9.8	127	1	1	6	13	25	36	51
2. MULTIPLE DX	4969	11.4	142	1	2	7	15	28	37	63
A. NOT OPERATED	6711	10.9	137	1	1	7	14	28	36	61
B. OPERATED	148	15.3	156	2	3	12	20	35	44	57
TOTAL 0-19 YRS	1976	15.8	241	1	2	10	24	40	49	99+
20-34	2483	8.5	83	1	1	6	11	19	28	45
35-49	1522	9.2	84	1	1	6	12	21	29	40
50-64	525	9.9	88	1	1	7	14	24	30	46
65+	353	9.8	67	1	2	7	14	21	27	43
GRAND TOTAL	**6859**	**11.0**	**138**	**1**	**1**	**7**	**14**	**28**	**37**	**61**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	682	21.8	414	1	2	17	34	52	78	99+
20-34	251	11.3	187	<1	1	5	15	30	41	69
35-49	123	8.0	104	1	1	4	10	20	30	70
50-64	52	9.2	123	1	1	6	14	21	28	60
65+	26	8.0	62	1	1	4	10	22	25	27
B. *Operated*										
0-19 YRS	3	14.7	341	4	4	4	28	36	36	36
20-34	6	3.5	8	1	1	3	5	8	8	8
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1784	26.0	501	2	3	22	42	68	90	99+
20-34	852	12.7	199	1	2	7	18	32	44	74
35-49	538	10.1	135	1	2	5	14	25	34	54
50-64	334	8.7	78	2	2	5	11	21	28	44
65+	384	8.7	71	2	2	6	11	18	23	41
B. *Operated*										
0-19 YRS	40	33.5	882	3	3	25	69	93	99+	99+
20-34	41	14.2	181	1	3	9	22	32	47	60
35-49	44	11.2	137	1	2	7	13	24	40	50
50-64	37	11.5	79	2	3	10	15	22	33	38
65+	47	10.1	75	2	2	8	11	22	34	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1134	17.1	343	1	2	10	27	44	64	99+
B. *Operated*	14	6.4	79	1	1	4	7	11	30	36
2. MULTIPLE DX										
A. *Not Operated*	3892	17.7	365	1	2	10	27	48	67	99+
B. *Operated*	209	15.9	334	2	3	9	20	46	70	99+
1. SINGLE DX	1148	17.0	341	1	2	10	27	44	64	99+
2. MULTIPLE DX	4101	17.6	364	1	2	10	27	48	68	99+
A. NOT OPERATED	5026	17.6	360	1	2	10	27	47	67	99+
B. OPERATED	223	15.3	323	1	2	9	19	44	68	99+
TOTAL 0-19 YRS	2509	25.0	487	2	3	20	40	66	87	99+
20-34	1150	12.4	195	1	1	7	18	32	43	71
35-49	707	9.8	130	1	1	5	13	25	34	55
50-64	425	9.0	83	1	2	6	11	21	28	44
65+	458	8.8	71	2	2	6	11	18	24	39
GRAND TOTAL	**5249**	**17.5**	**359**	**1**	**2**	**10**	**27**	**47**	**67**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	11.6	161	1	1	5	19	32	35	35
20-34	6	7.8	155	1	1	3	5	30	33	33
35-49	3	10.7	72	2	2	11	17	19	19	19
50-64	3	4.0	9	<1	<1	4	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	13.7	183	2	3	8	16	40	45	45
20-34	27	15.5	156	1	2	14	25	39	49	99+
35-49	12	10.7	41	2	4	10	14	39	89	99+
50-64	9	15.2	100	3	4	15	21	30	33	33
65+	2	17.5	365	4	4	17	31	31	31	31
B. *Operated*										
0-19 YRS	5	4.0	14	1	1	3	6	10	10	10
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	16.3	618	1	1	6	31	53	53	53
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	9.1	113	<1	1	4	13	28	34	35
B. *Operated*	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	73	14.2	138	2	3	10	21	34	44	99+
B. *Operated*	10	9.6	250	1	1	4	10	32	53	53
1. SINGLE DX	22	8.1	103	<1	1	4	11	25	34	35
2. MULTIPLE DX	83	13.6	150	1	2	10	20	34	45	99+
A. NOT OPERATED	92	13.1	136	1	2	10	20	33	43	99+
B. OPERATED	13	7.9	198	1	1	3	10	19	47	53
TOTAL 0-19 YRS	38	11.2	154	1	1	6	14	34	42	45
20-34	34	14.0	155	1	1	12	23	34	42	99+
35-49	19	11.8	141	1	1	10	15	38	76	99+
50-64	12	12.4	100	<1	2	9	19	27	32	33
65+	2	17.5	365	4	4	17	31	31	31	31
GRAND TOTAL	**105**	**12.5**	**145**	**1**	**1**	**9**	**20**	**33**	**43**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	8.9	18	2	2	10	11	13	15	21
20-34	35	5.6	10	1	2	5	7	10	11	14
35-49	32	8.5	69	2	2	7	11	14	19	47
50-64	13	7.5	36	<1	1	6	10	17	20	21
65+	3	8.3	30	2	2	11	12	12	12	12
B. *Operated*										
0-19 YRS	25	14.0	57	5	8	12	15	27	31	33
20-34	17	7.8	118	1	1	5	9	18	36	45
35-49	31	7.9	148	1	1	3	9	21	38	56
50-64	22	4.9	26	1	1	2	9	11	15	19
65+	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	10.2	29	2	3	10	12	15	17	27
20-34	66	6.4	19	1	2	6	9	12	14	22
35-49	70	11.1	79	1	2	9	14	24	27	45
50-64	70	11.2	68	1	3	10	15	21	27	42
65+	62	13.9	53	3	6	14	18	22	28	92
B. *Operated*										
0-19 YRS	52	17.8	117	3	8	15	22	34	40	55
20-34	48	17.2	225	3	3	13	23	31	47	75
35-49	65	14.3	252	1	1	9	20	38	50	68
50-64	70	15.9	291	1	1	10	22	43	47	88
65+	65	20.3	310	1	2	15	30	52	57	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	8.5	23	1	2	10	11	13	15	21
B. *Operated*	100	8.4	97	1	1	6	11	18	29	50
2. MULTIPLE DX										
A. *Not Operated*	677	10.4	42	2	3	10	13	16	21	38
B. *Operated*	300	17.1	247	1	2	12	23	41	52	68
1. SINGLE DX	463	8.4	39	1	2	9	11	14	16	33
2. MULTIPLE DX	977	12.4	114	2	3	10	15	24	34	57
A. NOT OPERATED	1040	9.7	36	2	3	10	12	15	19	34
B. OPERATED	400	14.9	223	1	1	11	20	34	47	67
TOTAL 0-19 YRS	766	10.4	37	2	3	10	12	15	19	34
20-34	166	9.5	110	1	2	7	11	22	27	63
35-49	198	11.2	149	1	2	8	14	26	39	58
50-64	175	12.0	162	1	1	9	16	25	40	57
65+	135	16.4	193	1	2	14	21	36	53	72
GRAND TOTAL	**1440**	**11.2**	**93**	**1**	**2**	**10**	**13**	**21**	**29**	**55**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	15	7.3	28	1	2	7	9	17	18	19
65+	39	7.1	20	2	3	6	8	13	18	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	4.0	9	1	1	4	6	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	14.0	32	10	10	14	18	18	18	18
35-49	6	4.2	4	1	1	4	6	6	6	6
50-64	82	8.8	38	2	3	7	11	16	21	34
65+	591	9.3	55	3	3	8	11	17	21	36
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	15.2	166	3	3	9	22	36	41	41
65+	83	15.7	126	4	5	13	20	31	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.0	22	2	2	6	9	13	18	22
B. *Operated*	3	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	682	9.2	53	2	3	8	11	17	21	36
B. *Operated*	92	15.6	128	3	5	13	20	31	41	58
1. SINGLE DX	58	6.9	22	1	2	6	8	13	18	22
2. MULTIPLE DX	774	10.0	66	3	3	8	12	18	24	42
A. NOT OPERATED	737	9.1	51	2	3	7	11	17	21	35
B. OPERATED	95	15.3	128	3	4	12	19	31	40	57
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	14.0	32	10	10	14	18	18	18	18
35-49	7	3.9	4	1	1	4	6	6	6	6
50-64	109	9.0	49	2	2	7	11	18	22	39
65+	713	9.9	66	3	3	8	12	18	24	42
GRAND TOTAL	**832**	**9.8**	**63**	**2**	**3**	**8**	**12**	**18**	**24**	**41**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	16	1	1	9	10	11	11	11
20-34	155	6.7	19	1	2	6	9	11	13	26
35-49	215	7.7	24	1	2	7	10	14	19	23
50-64	55	8.0	26	1	3	8	10	15	19	26
65+	4	9.0	7	5	5	10	11	11	11	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	4.0	12	1	1	2	7	9	10	11
35-49	32	6.6	36	1	1	4	10	16	20	24
50-64	6	5.8	18	1	1	5	7	12	13	13
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	14.4	225	1	2	8	22	40	43	43
20-34	190	10.3	86	2	3	8	12	18	25	55
35-49	321	9.4	54	2	3	9	12	15	20	29
50-64	167	10.0	49	2	3	9	12	18	24	37
65+	41	9.6	64	2	3	8	12	17	23	46
B. *Operated*										
0-19 YRS										
20-34	42	12.1	128	2	3	9	17	21	40	55
35-49	100	11.8	155	2	2	9	14	28	40	99+
50-64	52	11.8	71	3	4	9	15	23	34	37
65+	15	17.9	171	3	4	16	26	51	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	7.4	23	1	2	7	10	12	18	24
B. *Operated*	61	5.9	33	1	1	4	8	13	19	27
2. MULTIPLE DX										
A. *Not Operated*	727	9.8	64	2	3	9	12	17	22	40
B. *Operated*	209	12.3	130	2	3	9	16	28	39	99+
1. SINGLE DX	496	7.2	24	1	2	6	10	12	18	25
2. MULTIPLE DX	936	10.4	79	2	3	9	13	19	26	53
A. NOT OPERATED	1162	8.9	50	2	3	8	11	16	21	32
B. OPERATED	270	10.8	115	1	2	8	14	23	36	99+
TOTAL 0-19 YRS	15	10.7	136	1	1	9	12	42	83	99+
20-34	408	8.8	66	1	2	7	10	16	21	44
35-49	668	9.1	61	2	2	8	11	16	21	39
50-64	280	9.9	49	2	3	9	12	19	23	37
65+	61	11.9	100	2	3	10	16	25	39	94
GRAND TOTAL	**1432**	**9.3**	**63**	**2**	**2**	**8**	**11**	**17**	**23**	**43**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	3.3	16	1	1	2	4	6	9	23
20-34	400	3.5	14	1	1	3	4	6	9	23
35-49	198	3.2	9	1	1	2	4	6	8	16
50-64	87	3.2	5	<1	1	3	4	6	6	14
65+	71	3.7	6	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	15	3.9	5	1	2	3	5	8	9	9
20-34	25	10.0	100	2	3	8	11	21	34	48
35-49	12	6.0	23	<1	1	4	9	14	15	15
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1053	5.4	58	1	1	3	5	11	22	41
20-34	801	5.0	32	1	1	4	6	10	13	30
35-49	753	5.1	21	1	1	4	6	10	15	24
50-64	785	5.8	32	1	2	4	7	11	17	27
65+	1204	6.2	20	2	2	5	8	12	16	22
B. *Operated*										
0-19 YRS	46	10.7	127	1	2	6	18	27	34	99+
20-34	86	7.0	38	1	1	6	10	15	16	78
35-49	63	9.0	64	2	3	7	11	16	22	47
50-64	103	12.3	111	2	3	10	16	22	31	57
65+	142	13.9	166	3	4	11	16	28	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1297	3.4	13	1	1	3	4	6	8	19
B. *Operated*	54	7.2	60	1	2	5	9	13	20	47
2. MULTIPLE DX										
A. *Not Operated*	4596	5.6	33	1	1	4	7	11	16	30
B. *Operated*	440	11.2	116	2	2	8	14	23	31	65
1. SINGLE DX	1351	3.5	15	1	1	3	4	6	9	21
2. MULTIPLE DX	5036	6.1	43	1	1	4	7	12	18	34
A. NOT OPERATED	5893	5.1	29	1	1	4	6	10	15	29
B. OPERATED	494	10.7	111	2	2	8	13	22	30	63
TOTAL 0-19 YRS	1655	4.8	47	1	1	3	5	9	17	39
20-34	1312	4.8	29	1	1	3	5	10	13	29
35-49	1026	5.0	23	1	1	4	6	10	15	25
50-64	976	6.3	43	1	2	4	7	13	18	32
65+	1418	6.9	40	2	2	5	8	14	17	30
GRAND TOTAL	**6387**	**5.5**	**38**	**1**	**1**	**4**	**6**	**11**	**16**	**32**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	3.9	27	1	1	3	4	7	10	35
20-34	191	3.8	27	1	1	3	4	7	11	45
35-49	170	4.1	12	1	1	3	5	8	12	19
50-64	90	4.5	23	1	1	3	5	8	11	28
65+	98	6.4	35	1	1	5	8	12	20	32
B. *Operated*										
0-19 YRS	155	4.8	13	1	1	3	7	10	12	16
20-34	130	4.7	25	1	1	3	6	10	15	28
35-49	130	4.9	31	1	1	3	7	11	14	33
50-64	100	4.6	22	1	1	3	7	9	13	27
65+	89	6.3	28	1	1	5	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	382	6.3	105	1	1	3	6	14	21	80
20-34	456	7.5	123	1	1	4	8	14	22	77
35-49	442	7.4	81	1	2	5	8	15	26	52
50-64	568	10.5	175	2	2	6	11	21	43	80
65+	1873	9.9	92	2	3	7	12	19	28	55
B. *Operated*										
0-19 YRS	341	8.9	132	1	2	5	10	23	31	99+
20-34	278	10.6	164	1	1	7	14	27	54	99+
35-49	304	11.7	221	1	2	7	13	24	45	80
50-64	443	12.9	212	1	2	8	16	31	43	93
65+	765	13.8	131	2	3	11	18	29	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	690	4.4	25	1	1	3	5	8	12	28
B. *Operated*	604	5.0	23	1	1	3	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	3721	9.0	110	1	2	6	10	18	28	62
B. *Operated*	2131	12.1	168	1	2	8	16	28	42	99+
1. SINGLE DX	1294	4.7	24	1	1	3	6	10	13	27
2. MULTIPLE DX	5852	10.2	134	1	2	7	12	22	33	76
A. NOT OPERATED	4411	8.3	100	1	2	5	10	17	25	61
B. OPERATED	2735	10.5	145	1	2	7	13	24	35	91
TOTAL 0-19 YRS	1019	6.6	92	1	1	4	7	14	24	80
20-34	1055	7.3	110	1	1	4	8	15	26	93
35-49	1046	7.8	112	1	1	5	8	16	26	59
50-64	1201	10.4	172	1	2	6	12	23	40	81
65+	2825	10.8	103	2	3	8	13	22	31	57
GRAND TOTAL	**7146**	**9.2**	**118**	**1**	**2**	**6**	**11**	**20**	**31**	**70**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	2.4	3	1	1	2	3	4	6	10
20-34	439	3.3	6	1	1	3	4	6	8	12
35-49	310	3.5	7	1	1	3	5	7	9	14
50-64	83	3.3	4	<1	1	3	4	6	7	10
65+	12	3.7	8	1	1	3	5	8	10	10
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	34	3.3	5	1	1	2	5	7	8	9
35-49	42	3.2	4	1	1	3	4	6	8	9
50-64	13	3.5	10	1	1	3	4	9	11	12
65+	5	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	3.4	8	1	1	2	4	7	10	15
20-34	698	4.6	14	1	1	3	6	9	11	19
35-49	740	5.2	16	1	2	4	7	10	13	19
50-64	314	5.0	14	1	2	4	6	10	13	18
65+	128	5.1	15	1	2	4	7	10	13	19
B. *Operated*										
0-19 YRS	12	5.3	14	2	2	4	8	11	14	14
20-34	80	6.8	56	1	2	5	8	12	21	47
35-49	73	5.5	10	2	2	5	7	10	13	16
50-64	64	5.3	26	1	1	4	6	8	10	33
65+	20	5.7	11	1	2	5	8	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.2	6	1	1	2	4	6	8	12
B. *Operated*	100	3.2	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	2094	4.8	14	1	1	4	6	10	12	18
B. *Operated*	249	5.9	29	1	2	5	7	10	14	26
1. SINGLE DX	1125	3.2	6	1	1	2	4	6	8	12
2. MULTIPLE DX	2343	4.9	16	1	1	4	6	10	12	19
A. NOT OPERATED	3119	4.3	12	1	1	3	5	9	11	18
B. OPERATED	349	5.1	24	1	2	4	6	9	12	25
TOTAL 0-19 YRS	413	3.0	7	1	1	2	3	6	9	13
20-34	1251	4.2	14	1	1	3	5	9	11	19
35-49	1165	4.7	13	1	1	4	6	9	12	18
50-64	474	4.7	14	1	2	4	6	9	12	18
65+	165	5.0	14	1	2	4	7	10	13	19
GRAND TOTAL	**3468**	**4.3**	**13**	**1**	**1**	**3**	**5**	**9**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	3	3.0	3	2	2	2	4	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	65	1.7	2	<1	<1	1	2	3	4	9
35-49	131	1.9	3	<1	<1	1	2	4	6	9
50-64	96	1.7	2	<1	<1	1	2	2	4	9
65+	44	1.7	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	3.4	8	<1	<1	2	6	7	8	8
35-49	16	4.2	16	1	1	3	6	8	14	16
50-64	22	4.3	17	<1	1	3	5	8	14	20
65+	10	3.6	4	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	64	2.5	4	1	1	2	3	5	7	10
35-49	148	2.7	6	<1	1	2	3	6	8	13
50-64	179	2.8	21	1	1	2	3	5	7	16
65+	111	3.5	28	<1	1	2	4	8	11	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	1	1	1	2	3	4	5	5
B. *Operated*	337	1.8	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	57	4.0	12	1	1	3	5	7	9	20
B. *Operated*	504	2.9	16	1	1	2	3	6	8	15
1. SINGLE DX	348	1.8	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX	561	3.0	16	1	1	2	3	6	8	16
A. NOT OPERATED	68	3.8	11	1	1	3	5	7	8	19
B. OPERATED	841	2.5	11	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	4	3.3	10	1	1	2	5	8	8	8
20-34	140	2.2	3	<1	<1	2	2	5	6	10
35-49	298	2.4	5	<1	<1	2	3	6	7	13
50-64	300	2.6	15	<1	1	2	3	5	7	16
65+	167	3.1	20	<1	1	2	3	7	10	21
GRAND TOTAL	**909**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.0	166	<1	1	4	6	13	25	87
20-34	101	5.2	25	1	1	3	7	11	14	28
35-49	143	5.7	50	1	1	4	7	9	14	46
50-64	100	4.5	22	1	1	3	5	8	11	30
65+	74	4.5	10	1	1	4	6	10	11	14
B. *Operated*										
0-19 YRS	54	2.9	6	1	1	2	4	6	8	14
20-34	328	2.9	8	1	1	2	4	5	8	14
35-49	416	2.9	6	1	1	2	4	6	8	14
50-64	310	3.1	10	1	1	2	4	7	10	15
65+	171	3.1	9	1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	10.0	122	1	2	5	12	28	32	50
20-34	181	5.6	30	1	1	4	7	11	15	27
35-49	324	6.0	33	1	2	4	7	11	16	38
50-64	370	6.3	30	1	2	5	8	12	16	28
65+	625	6.7	23	2	2	6	8	13	16	24
B. *Operated*										
0-19 YRS	52	6.8	137	1	1	3	5	14	34	59
20-34	294	5.7	88	1	1	3	6	12	24	83
35-49	431	4.8	34	1	1	3	6	10	14	30
50-64	414	5.9	76	1	1	3	7	13	18	63
65+	450	8.6	89	1	1	6	11	19	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	5.3	45	1	1	4	6	10	13	30
B. *Operated*	1279	3.0	8	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	1552	6.4	32	1	2	5	8	12	16	29
B. *Operated*	1641	6.3	75	1	1	4	8	14	21	59
1. SINGLE DX	1748	3.6	19	1	1	2	4	8	10	18
2. MULTIPLE DX	3193	6.4	54	1	1	4	8	13	19	42
A. NOT OPERATED	2021	6.2	35	1	2	5	8	12	16	30
B. OPERATED	2920	4.9	48	1	1	3	5	10	16	39
TOTAL 0-19 YRS	209	6.6	112	1	1	3	6	14	26	57
20-34	904	4.6	42	1	1	3	5	10	14	32
35-49	1314	4.6	28	1	1	3	5	9	13	30
50-64	1194	5.2	42	1	1	3	6	11	15	36
65+	1320	6.7	46	1	1	5	9	14	18	36
GRAND TOTAL	**4941**	**5.4**	**43**	**1**	**1**	**3**	**7**	**11**	**16**	**34**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	46	2.8	3	1	1	2	4	5	6	7
20-34	103	2.7	4	1	1	2	3	5	7	11
35-49	120	2.6	4	1	1	2	3	5	6	10
50-64	318	2.3	2	1	1	2	3	4	5	8
65+	341	2.6	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	1.8	1	1	1	1	2	4	4	4
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	5	2.2	3	<1	<1	2	3	5	5	5
65+	13	2.2	5	<1	<1	1	2	6	8	9
B. *Operated*										
0-19 YRS	50	3.4	6	1	1	3	5	6	7	14
20-34	154	3.6	8	1	1	3	5	7	8	13
35-49	188	3.5	6	1	1	3	4	7	9	12
50-64	386	3.1	4	1	1	3	4	6	6	11
65+	569	3.2	4	1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	928	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	30	2.1	4	<1	<1	1	2	5	8	9
B. *Operated*	1347	3.3	5	1	1	3	4	6	7	11
1. SINGLE DX	931	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	1377	3.3	5	1	1	3	4	6	7	11
A. NOT OPERATED	33	2.1	4	<1	<1	1	2	5	8	9
B. OPERATED	2275	3.0	4	1	1	2	4	6	7	10
TOTAL 0-19 YRS	98	3.1	4	1	1	3	4	6	7	11
20-34	265	3.2	7	1	1	2	4	6	8	13
35-49	312	3.1	5	1	1	3	4	6	8	12
50-64	710	2.7	3	1	1	2	3	5	6	10
65+	923	3.0	4	1	1	3	4	5	7	10
GRAND TOTAL	**2308**	**3.0**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	**10**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	2.2	7	<1	<1	1	3	7	7	7
50-64	13	1.4		<1	<1	1	2	2	2	2
65+	16	1.6	1	1	1	1	2	3	4	4
B. *Operated*										
0-19 YRS	10	2.1	1	1	1	2	3	4	4	4
20-34	8	1.9	1	1	1	2	3	4	4	4
35-49	34	2.6	3	1	1	2	4	4	5	9
50-64	76	2.5	2	1	1	2	3	4	4	9
65+	145	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	2.6	6	1	1	2	3	7	7	7
50-64	14	3.2	8	1	1	2	6	8	9	9
65+	67	2.9	9	1	1	2	3	6	11	14
B. *Operated*										
0-19 YRS	8	2.6	2	1	1	2	4	5	5	5
20-34	12	4.3	15	1	1	3	6	10	13	14
35-49	31	3.5	6	1	1	3	4	7	8	9
50-64	94	2.8	3	1	1	2	4	5	6	9
65+	426	3.2	8	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.7	1	<1	1	1	2	3	4	7
B. *Operated*	273	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	86	3.0	8	1	1	2	3	7	9	14
B. *Operated*	571	3.2	7	1	1	2	4	6	8	14
1. SINGLE DX	310	2.4	2	1	1	2	3	4	4	9
2. MULTIPLE DX	657	3.2	7	1	1	2	4	6	8	14
A. NOT OPERATED	123	2.6	7	1	1	2	3	6	8	14
B. OPERATED	844	3.0	5	1	1	2	4	5	7	11
TOTAL 0-19 YRS	19	2.3	1	1	1	2	3	4	5	5
20-34	22	3.3	10	1	1	2	4	8	11	14
35-49	75	2.9	4	1	1	2	4	7	8	9
50-64	197	2.6	3	1	1	2	3	5	6	9
65+	654	3.0	7	1	1	2	3	5	8	14
GRAND TOTAL	**967**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	10	2.1	1	1	1	2	2	3	4	4
B. *Operated*										
0-19 YRS	10	1.5	1	1	1	1	2	3	3	3
20-34	7	2.6	1	1	1	2	4	4	4	4
35-49	12	3.8	9	1	1	3	5	9	11	11
50-64	23	2.2	1	1	1	2	3	4	5	5
65+	57	2.1	3	<1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	5	4.2	6	1	1	4	6	7	7	7
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	12	3.8	7	<1	1	3	5	8	10	10
65+	30	2.7	6	1	1	2	3	7	7	10
B. *Operated*										
0-19 YRS	12	2.3	5	1	1	1	3	5	8	9
20-34	21	5.0	55	1	1	3	5	8	21	36
35-49	26	4.0	5	1	1	4	5	7	8	10
50-64	54	4.4	37	1	1	3	4	11	18	35
65+	141	3.2	7	1	1	2	4	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.3	1	1	1	2	3	4	4	4
B. *Operated*	109	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	53	3.0	6	1	1	2	4	7	7	10
B. *Operated*	254	3.6	18	1	1	3	4	7	10	23
1. SINGLE DX	120	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX	307	3.5	15	1	1	2	4	7	10	21
A. NOT OPERATED	64	2.9	5	1	1	2	4	7	7	10
B. OPERATED	363	3.2	14	1	1	2	4	6	9	20
TOTAL 0-19 YRS	25	1.9	3	1	1	1	2	3	5	9
20-34	34	4.4	35	1	1	3	4	7	9	36
35-49	41	3.8	6	1	1	4	5	7	9	11
50-64	89	3.7	25	1	1	2	4	7	12	31
65+	238	2.8	6	1	1	2	3	5	8	12
GRAND TOTAL	**427**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	31	1.7	1	<1	<1	2	2	2	3	6
50-64	186	1.5	1	<1	<1	1	2	2	3	4
65+	745	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.3		1	1	1	2	2	2	2
50-64	11	3.0	11	<1	<1	1	4	9	11	11
65+	33	3.5	34	<1	<1	2	3	7	13	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	60	2.5	9	1	1	2	2	4	7	18
50-64	336	2.1	3	1	1	2	2	3	6	10
65+	1791	2.1	4	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*	962	1.5	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	48	3.2	26	<1	<1	1	3	7	11	32
B. *Operated*	2187	2.1	4	1	1	2	2	3	4	9
1. SINGLE DX	966	1.5	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX	2235	2.1	4	1	1	2	2	3	4	10
A. NOT OPERATED	52	3.1	24	<1	<1	1	3	7	11	32
B. OPERATED	3149	1.9	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS										
20-34										
35-49	95	2.2	6	<1	1	2	2	3	5	17
50-64	533	1.9	3	<1	<1	2	2	3	4	10
65+	2573	1.9	3	<1	<1	2	2	3	4	8
GRAND TOTAL	**3201**	**1.9**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.7	2	<1	<1	1	2	4	6	6
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	7	1.7		1	1	2	2	2	2	2
50-64	17	1.5		1	1	2	2	2	2	2
65+	9	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.9	9	1	1	3	7	8	9	9
20-34	11	2.6	2	1	1	2	4	5	5	5
35-49	19	1.8	1	1	1	2	2	2	4	6
50-64	47	1.9	1	1	1	2	2	3	4	6
65+	59	2.3	2	1	1	2	3	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	47	1.7	1	1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	145	2.2	2	1	1	2	3	4	5	9
1. SINGLE DX	48	1.7	1	1	1	2	2	2	3	6
2. MULTIPLE DX	147	2.2	2	1	1	2	2	4	5	9
A. NOT OPERATED	3	1.7		1	1	2	2	2	2	2
B. OPERATED	192	2.1	2	1	1	2	2	3	4	8
TOTAL 0-19 YRS	22	2.6	6	<1	1	2	3	7	8	9
20-34	15	2.4	2	1	1	2	4	4	5	5
35-49	26	1.8	1	1	1	2	2	2	3	6
50-64	64	1.8	1	1	1	2	2	3	3	6
65+	68	2.2	2	1	1	2	3	3	4	8
GRAND TOTAL	**195**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	5	4.0	5	1	1	4	5	7	7	7
35-49	6	2.3	2	1	1	2	3	5	5	5
50-64	4	4.3	11	1	1	4	7	8	8	8
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	201	1.1		<1	<1	1	1	2	2	2
20-34	48	1.3		<1	<1	1	1	2	3	4
35-49	26	1.2		<1	<1	1	1	2	2	2
50-64	12	1.3		<1	<1	1	2	2	2	2
65+	11	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	3	<1	<1	1	2	5	6	6
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	7	4.0	6	1	1	3	6	8	8	8
50-64	24	4.5	9	1	1	4	6	9	10	13
65+	47	4.2	6	1	2	4	5	8	9	11
B. *Operated*										
0-19 YRS	68	1.3		<1	<1	1	2	2	2	5
20-34	22	1.7	3	<1	<1	1	2	3	6	9
35-49	28	2.1	4	<1	1	1	2	4	6	11
50-64	36	3.5	20	<1	<1	1	4	13	14	16
65+	21	4.6	17	1	1	3	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.0	4	1	1	2	4	6	7	8
B. *Operated*	298	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	99	3.8	6	<1	1	3	5	8	9	12
B. *Operated*	175	2.3	9	<1	1	1	2	5	10	14
1. SINGLE DX	321	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	274	2.9	8	<1	1	2	4	7	9	14
A. NOT OPERATED	122	3.7	6	1	1	3	5	7	9	12
B. OPERATED	473	1.6	4	<1	<1	1	1	2	4	13
TOTAL 0-19 YRS	293	1.2		<1	<1	1	1	2	2	5
20-34	78	1.7	2	<1	1	1	2	3	5	8
35-49	67	1.9	3	<1	1	1	2	4	5	10
50-64	76	3.5	14	<1	1	2	5	9	13	16
65+	81	4.0	8	1	1	3	5	8	11	13
GRAND TOTAL	**595**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**7**	**13**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.0	3	<1	<1	3	4	5	6	10
20-34	25	4.1	12	1	1	3	5	9	11	17
35-49	17	4.0	11	<1	1	3	5	8	11	13
50-64	17	4.8	9	1	1	4	6	9	11	12
65+	26	5.0	7	1	2	5	7	8	9	11
B. *Operated*										
0-19 YRS	41	2.1	4	<1	1	1	2	5	7	10
20-34	89	1.7	1	1	1	1	2	3	3	5
35-49	114	1.8	1	1	1	1	2	3	3	6
50-64	125	2.0	3	1	1	2	2	3	4	11
65+	330	2.2	3	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.7	9	1	1	3	5	6	8	21
20-34	47	4.7	14	1	1	4	7	10	12	16
35-49	33	4.9	12	1	1	5	6	9	14	15
50-64	37	5.7	37	1	1	4	7	10	14	37
65+	115	6.1	25	<1	1	5	8	11	16	24
B. *Operated*										
0-19 YRS	45	2.6	4	1	1	2	4	6	7	9
20-34	59	2.7	6	1	1	2	3	6	6	15
35-49	103	2.3	3	1	1	2	3	5	6	7
50-64	233	2.4	5	1	1	2	3	5	7	12
65+	894	3.1	12	1	1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	3.8	7	<1	1	3	5	8	9	13
B. *Operated*	699	2.0	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	354	5.0	19	1	1	4	6	10	13	22
B. *Operated*	1334	2.9	10	1	1	2	3	5	7	15
1. SINGLE DX	853	2.3	4	1	1	2	3	4	6	10
2. MULTIPLE DX	1688	3.3	12	1	1	2	4	6	9	19
A. NOT OPERATED	508	4.6	16	1	1	4	6	9	11	22
B. OPERATED	2033	2.6	7	1	1	2	3	5	6	14
TOTAL 0-19 YRS	277	3.1	6	<1	1	3	4	5	7	10
20-34	220	2.9	8	1	1	2	3	6	9	15
35-49	267	2.5	5	1	1	2	3	5	6	13
50-64	412	2.7	8	1	1	2	3	6	8	13
65+	1365	3.2	12	1	1	2	4	6	8	19
GRAND TOTAL	**2541**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	3.3	3	1	2	3	4	6	7	10
20-34	50	4.1	7	1	1	4	6	8	8	12
35-49	25	3.3	4	<1	1	3	5	6	7	9
50-64	18	3.5	9	1	1	2	5	7	10	12
65+	30	4.0	8	1	1	4	6	7	9	14
B. *Operated*										
0-19 YRS	23	2.5	3	1	1	2	3	6	7	7
20-34	33	3.2	9	1	1	2	4	7	9	15
35-49	26	2.8	11	<1	1	2	3	8	10	16
50-64	81	2.7	7	<1	1	2	3	5	7	17
65+	140	2.3	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	462	4.1	5	1	2	4	5	7	8	13
20-34	93	4.7	13	1	1	4	5	8	11	21
35-49	74	5.3	16	1	2	4	7	9	13	23
50-64	111	5.1	21	1	1	4	6	10	13	27
65+	176	5.1	13	1	1	4	7	10	12	18
B. *Operated*										
0-19 YRS	56	5.2	20	1	1	5	7	10	12	25
20-34	131	3.7	15	1	1	3	4	7	8	22
35-49	174	3.6	10	1	1	3	4	7	10	16
50-64	294	4.0	13	1	1	3	5	8	10	20
65+	562	4.3	26	1	1	3	5	9	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	3.5	4	1	1	3	4	6	8	11
B. *Operated*	303	2.6	6	1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	916	4.6	10	1	2	4	6	8	10	17
B. *Operated*	1217	4.1	19	1	1	3	5	8	12	23
1. SINGLE DX	722	3.1	5	1	1	2	4	6	7	11
2. MULTIPLE DX	2133	4.3	15	1	1	3	5	8	11	20
A. NOT OPERATED	1335	4.2	9	1	2	4	5	7	10	16
B. OPERATED	1520	3.8	17	1	1	2	5	8	11	21
TOTAL 0-19 YRS	837	3.9	6	1	2	3	5	6	8	12
20-34	307	4.0	12	1	1	3	5	8	9	20
35-49	299	3.9	11	1	1	3	5	8	10	16
50-64	504	4.0	14	1	1	3	5	8	11	20
65+	908	4.2	20	1	1	3	5	8	12	23
GRAND TOTAL	**2855**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	7	1	1	2	3	7	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	11	3.3	3	1	1	2	5	6	6	6
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	7	2.7	7	<1	<1	1	4	7	8	8
35-49	10	2.6	4	1	1	2	4	6	7	7
50-64	13	1.9	3	1	1	1	2	4	6	7
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.4	2	<1	<1	2	3	4	6	7
20-34	20	2.8	4	<1	1	2	3	5	8	10
35-49	21	3.0	5	<1	1	2	4	7	8	8
50-64	39	3.9	6	1	2	3	6	7	8	11
65+	49	4.5	7	1	1	4	6	8	10	13
B. *Operated*										
0-19 YRS	16	2.1	1	1	1	2	3	4	4	4
20-34	22	2.8	4	1	1	2	3	5	7	9
35-49	28	3.2	8	1	1	3	4	6	7	15
50-64	40	2.8	8	1	1	2	3	5	8	16
65+	49	2.8	11	1	1	1	3	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.9	4	<1	1	2	4	6	7	8
B. *Operated*	37	2.2	3	1	1	1	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	149	3.6	6	1	1	3	5	7	8	12
B. *Operated*	155	2.8	8	1	1	2	3	5	8	16
1. SINGLE DX	61	2.5	4	1	1	2	3	6	7	8
2. MULTIPLE DX	304	3.2	7	1	1	2	4	6	8	14
A. NOT OPERATED	173	3.5	6	1	1	3	5	7	8	12
B. OPERATED	192	2.7	7	1	1	2	3	5	7	16
TOTAL 0-19 YRS	47	2.3	2	<1	1	2	3	4	5	8
20-34	50	2.9	4	1	1	2	3	6	8	10
35-49	62	2.9	6	1	1	2	4	6	7	14
50-64	103	3.2	6	1	1	2	4	6	7	13
65+	103	3.6	10	1	1	3	5	7	10	15
GRAND TOTAL	**365**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	2.6	2	1	1	2	3	4	5	8
20-34	8	2.5	1	1	1	2	3	4	4	4
35-49	5	2.6	1	1	1	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	312	1.4	1	<1	<1	1	2	2	3	7
20-34	188	1.4		1	1	1	2	2	2	3
35-49	159	1.4		1	1	1	2	2	2	3
50-64	150	1.5	1	1	1	1	2	2	3	7
65+	57	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1917	3.0	4	1	1	3	4	5	6	10
20-34	52	4.2	7	1	2	4	5	8	9	14
35-49	52	5.0	14	1	2	4	6	9	13	22
50-64	33	4.6	6	1	1	5	6	7	9	10
65+	30	6.9	30	1	2	4	12	16	18	18
B. *Operated*										
0-19 YRS	1056	1.6	3	<1	1	1	1	3	5	8
20-34	271	1.7	4	1	1	1	2	2	4	11
35-49	207	1.7	3	1	1	1	2	3	4	9
50-64	267	1.7	2	1	1	1	2	3	4	9
65+	128	2.7	11	1	1	2	2	4	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	2.6	2	1	1	2	3	4	5	8
B. *Operated*	866	1.4	1	<1	1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	2084	3.2	5	1	1	3	4	5	7	12
B. *Operated*	1929	1.7	3	1	1	1	2	3	5	11
1. SINGLE DX	1262	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX	4013	2.5	5	1	1	2	3	5	6	11
A. NOT OPERATED	2480	3.1	4	1	1	3	4	5	7	11
B. OPERATED	2795	1.6	3	1	1	1	2	2	4	9
TOTAL 0-19 YRS	3666	2.4	3	1	1	2	3	4	6	9
20-34	519	1.8	4	1	1	1	2	3	5	11
35-49	423	2.0	5	1	1	1	2	4	6	11
50-64	451	1.8	3	1	1	1	2	3	5	9
65+	216	2.9	13	1	1	2	3	6	11	18
GRAND TOTAL	**5275**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.8	8	1	1	3	4	7	10	14
20-34	42	3.9	5	2	2	3	5	7	8	10
35-49	23	3.3	3	1	1	3	4	6	7	7
50-64	8	4.9	12	2	2	4	5	11	13	13
65+	7	6.4	109	1	1	3	3	25	30	30
B. *Operated*										
0-19 YRS	51	2.4	5	<1	<1	1	2	6	8	10
20-34	18	1.8	2	1	1	1	2	4	6	7
35-49	14	2.4	5	<1	<1	1	3	7	7	7
50-64	16	1.3		1	1	1	2	2	3	3
65+	6	3.3	27	1	1	1	2	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	3.7	5	1	1	3	5	6	8	12
20-34	94	4.5	9	2	2	4	5	7	10	19
35-49	88	5.7	14	2	2	5	7	10	11	23
50-64	72	6.4	22	2	2	5	8	12	14	24
65+	73	7.8	61	1	3	6	8	12	30	41
B. *Operated*										
0-19 YRS	149	3.2	24	1	1	1	3	7	11	30
20-34	53	3.5	20	1	1	2	4	10	11	25
35-49	54	3.8	22	1	1	2	4	10	15	20
50-64	51	4.5	62	1	1	2	3	10	21	43
65+	58	8.1	212	1	1	3	7	22	32	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.9	10	1	1	3	4	7	10	15
B. *Operated*	105	2.2	5	<1	1	1	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	631	4.9	17	1	2	4	6	9	11	24
B. *Operated*	365	4.3	60	1	1	2	4	10	16	36
1. SINGLE DX	286	3.3	9	1	1	2	4	6	9	14
2. MULTIPLE DX	996	4.7	33	1	1	3	5	9	12	32
A. NOT OPERATED	812	4.7	16	1	2	4	6	9	11	23
B. OPERATED	470	3.8	49	1	1	2	4	8	14	35
TOTAL 0-19 YRS	605	3.5	10	1	1	3	4	7	9	15
20-34	207	3.9	11	1	1	3	5	7	10	18
35-49	179	4.6	15	1	1	3	6	9	11	21
50-64	147	5.1	35	1	1	3	7	11	14	33
65+	144	7.7	122	1	1	5	8	16	30	47
GRAND TOTAL	**1282**	**4.3**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	1	1	1	2	3	3	4	4
20-34	91	2.8	4	1	1	2	3	5	6	12
35-49	134	2.9	5	1	1	2	4	5	6	11
50-64	213	2.6	2	1	1	2	4	5	5	8
65+	186	3.0	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	9	2.1	2	1	1	2	3	4	4	4
20-34	43	2.7	5	1	1	2	3	6	8	9
35-49	74	2.6	4	1	1	2	3	5	8	9
50-64	78	2.7	4	1	1	2	3	6	7	10
65+	36	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.6	6	1	2	3	4	9	9	10
20-34	138	3.3	5	1	1	3	4	6	8	11
35-49	398	3.6	6	1	1	3	4	7	8	13
50-64	809	3.7	6	1	1	3	5	7	9	13
65+	1483	4.2	8	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	5	2.4	4	1	1	2	3	6	6	6
20-34	18	4.9	28	1	1	3	6	15	19	19
35-49	51	5.4	48	1	1	3	6	10	17	46
50-64	103	5.0	13	1	1	4	7	9	13	18
65+	154	6.2	18	1	2	5	9	13	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	639	2.8	3	1	1	2	4	5	6	8
B. *Operated*	240	2.6	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	2853	3.9	7	1	1	3	5	7	9	13
B. *Operated*	331	5.6	21	1	1	4	8	12	14	18
1. SINGLE DX	879	2.7	4	1	1	2	3	5	7	9
2. MULTIPLE DX	3184	4.1	9	1	1	3	5	8	10	15
A. NOT OPERATED	3492	3.7	7	1	1	3	5	7	8	13
B. OPERATED	571	4.3	16	1	1	3	6	9	13	17
TOTAL 0-19 YRS	54	2.8	4	1	1	2	4	5	8	10
20-34	290	3.2	6	1	1	2	4	6	8	13
35-49	657	3.5	9	1	1	3	4	6	8	16
50-64	1203	3.6	6	1	1	3	4	7	9	13
65+	1859	4.2	9	1	2	3	5	8	10	15
GRAND TOTAL	**4063**	**3.8**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	24	1.6		1	1	2	2	2	2	2
20-34	162	1.5	1	1	1	1	2	3	3	3
35-49	302	1.7	3	1	1	1	2	3	3	4
50-64	230	1.7	1	1	1	1	2	3	3	4
65+	102	1.9	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*										
0-19 YRS	11	1.9	1	1	1	2	2	3	3	3
20-34	33	1.4		1	1	1	2	2	3	3
35-49	79	1.6	1	1	1	1	2	3	3	5
50-64	73	1.7	1	1	1	1	2	3	3	3
65+	87	2.1	1	1	1	2	3	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	820	1.7	2	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	6	2.7	3	<1	<1	2	5	5	5	5
B. *Operated*	283	1.8	1	1	1	2	2	3	3	4
1. SINGLE DX	822	1.7	2	1	1	1	2	3	3	4
2. MULTIPLE DX	289	1.8	1	1	1	2	2	3	3	5
A. NOT OPERATED	8	2.5	3	<1	<1	2	4	5	5	5
B. OPERATED	1103	1.7	1	1	1	1	2	3	3	4
TOTAL 0-19 YRS	35	1.7		1	1	2	2	2	3	3
20-34	196	1.5	1	1	1	1	2	3	3	3
35-49	383	1.7	3	1	1	1	2	3	3	5
50-64	305	1.7	1	1	1	1	2	3	3	4
65+	192	2.0	1	1	1	2	3	3	3	5
GRAND TOTAL	**1111**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	3	<1	<1	3	4	5	5	5
20-34	13	3.5	3	1	2	4	4	6	8	8
35-49	17	3.1	2	1	1	3	4	5	5	5
50-64	24	3.3	1	1	1	3	4	4	5	5
65+	13	3.7	2	1	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	374	1.3	2	1	1	1	1	2	2	4
20-34	242	1.3	1	1	1	1	1	2	3	5
35-49	199	1.4	1	1	1	1	2	2	3	4
50-64	163	1.4		1	1	1	2	2	3	4
65+	63	1.6	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.4	4	<1	<1	2	3	5	6	8
20-34	17	4.5	14	<1	<1	4	6	10	13	15
35-49	24	3.8	3	<1	1	4	5	6	7	8
50-64	39	3.4	4	<1	1	3	5	6	8	9
65+	50	4.8	19	1	1	4	5	8	15	22
B. *Operated*										
0-19 YRS	384	1.3	1	<1	1	1	1	2	2	5
20-34	323	1.8	17	1	1	1	2	2	3	13
35-49	266	1.5	2	1	1	1	2	2	3	8
50-64	244	1.7	2	1	1	1	2	3	4	8
65+	162	1.9	3	1	1	1	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.3	2	1	1	3	4	5	5	7
B. *Operated*	1041	1.3	1	1	1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	155	3.9	10	<1	1	3	5	7	9	20
B. *Operated*	1379	1.6	5	1	1	1	2	2	3	8
1. SINGLE DX	1117	1.5	2	1	1	1	2	3	4	5
2. MULTIPLE DX	1534	1.8	6	1	1	1	2	3	5	9
A. NOT OPERATED	231	3.7	7	<1	1	3	4	6	8	16
B. OPERATED	2420	1.5	4	1	1	1	2	2	3	7
TOTAL 0-19 YRS	792	1.3	2	<1	1	1	1	2	3	5
20-34	595	1.7	10	1	1	1	2	2	4	9
35-49	506	1.6	2	1	1	1	2	3	4	7
50-64	470	1.8	2	1	1	1	2	3	4	8
65+	288	2.4	6	1	1	2	3	5	6	15
GRAND TOTAL	**2651**	**1.7**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.1	26	2	2	5	7	11	14	32
20-34	12	5.4	8	2	3	4	7	10	12	12
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.3	21	2	2	7	9	14	15	23
20-34	21	5.8	20	2	2	5	6	9	15	23
35-49	11	5.6	5	2	3	5	8	9	9	9
50-64	21	6.1	13	2	2	6	7	11	15	17
65+	19	7.5	9	3	4	7	9	11	14	16
B. *Operated*										
0-19 YRS	2	18.5	613	1	1	18	36	36	36	36
20-34	2	15.0	72	9	9	15	21	21	21	21
35-49	10	15.3	75	3	5	14	22	28	33	33
50-64	11	13.7	130	1	1	13	19	32	37	37
65+	12	9.3	21	2	3	10	11	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	5.8	21	2	2	5	7	10	13	30
B. *Operated*	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	114	6.7	16	2	3	6	9	11	14	23
B. *Operated*	37	13.0	88	1	2	11	17	28	35	37
1. SINGLE DX	61	5.8	20	2	2	5	7	10	13	30
2. MULTIPLE DX	151	8.2	41	2	2	7	10	15	22	36
A. NOT OPERATED	173	6.4	18	2	2	5	8	11	14	23
B. OPERATED	39	12.6	88	1	2	11	16	26	35	37
TOTAL 0-19 YRS	86	7.0	34	2	2	6	9	13	15	35
20-34	36	6.2	21	2	3	5	7	9	18	23
35-49	25	9.0	59	2	2	7	12	22	25	33
50-64	34	8.5	61	2	2	6	9	17	27	37
65+	31	8.2	14	3	4	8	11	12	16	18
GRAND TOTAL	**212**	**7.5**	**36**	**2**	**2**	**6**	**9**	**14**	**20**	**34**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	5	3.0	2	2	2	2	4	5	5	5
35-49	7	3.0	2	1	1	3	4	5	5	5
50-64	5	9.6	205	1	1	5	13	35	35	35
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	6	3.2	11	1	1	2	2	9	10	10
20-34	24	5.4	18	1	1	4	9	12	13	14
35-49	40	5.8	21	1	1	4	10	11	13	15
50-64	71	6.4	23	1	1	6	10	13	15	17
65+	37	6.1	39	1	1	2	10	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.5	3	2	2	4	6	7	7	7
20-34	33	4.1	5	2	2	4	5	7	8	10
35-49	65	4.7	16	1	1	3	6	10	13	22
50-64	114	5.7	19	1	2	5	7	10	12	25
65+	208	8.1	46	1	2	7	10	16	22	37
B. *Operated*										
0-19 YRS	17	11.8	334	1	1	7	11	44	60	65
20-34	42	8.8	42	1	2	9	13	17	22	25
35-49	175	9.4	53	1	2	9	13	19	23	29
50-64	341	10.4	113	1	1	9	14	20	26	66
65+	357	12.9	121	1	2	11	18	27	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.6	48	1	1	3	5	5	17	35
B. *Operated*	178	5.9	25	1	1	3	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	428	6.6	33	1	2	5	8	12	18	30
B. *Operated*	932	11.1	107	1	2	10	15	23	29	54
1. SINGLE DX	200	5.8	27	1	1	3	9	13	15	21
2. MULTIPLE DX	1360	9.7	88	1	2	8	13	21	26	49
A. NOT OPERATED	450	6.5	34	1	2	5	8	12	18	32
B. OPERATED	1110	10.3	97	1	1	9	14	21	27	51
TOTAL 0-19 YRS	33	8.0	186	1	1	3	8	15	46	65
20-34	104	6.2	27	1	2	4	9	14	16	24
35-49	287	7.7	43	1	1	6	11	17	20	28
50-64	531	8.9	85	1	1	7	12	18	23	49
65+	605	10.8	96	1	2	8	15	23	29	48
GRAND TOTAL	**1560**	**9.2**	**82**	**1**	**2**	**7**	**12**	**20**	**25**	**47**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.0	2	1	1	3	4	5	6	6
20-34	67	3.1	3	1	1	3	4	5	7	9
35-49	176	3.6	6	1	1	3	4	7	8	14
50-64	204	3.7	6	1	2	3	5	6	8	14
65+	141	4.1	26	1	1	3	5	7	8	20
B. *Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	14	2.4	4	<1	<1	1	4	6	6	6
35-49	35	3.0	9	<1	1	2	4	6	8	15
50-64	49	3.5	11	1	1	2	5	9	12	15
65+	15	5.0	38	1	1	4	5	13	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.1	9	1	1	3	5	8	10	15
20-34	270	4.0	5	1	2	4	5	7	8	11
35-49	1117	4.5	8	1	2	4	5	8	10	15
50-64	1598	4.8	10	1	2	4	6	9	10	17
65+	1982	5.2	14	1	2	4	6	10	12	19
B. *Operated*										
0-19 YRS	10	4.4	21	1	1	3	6	11	16	16
20-34	51	6.8	54	1	1	6	9	11	13	49
35-49	200	6.9	42	1	2	5	8	14	19	40
50-64	305	5.8	24	1	1	5	8	12	15	27
65+	358	7.7	44	1	1	6	10	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	3.7	10	1	1	3	4	6	8	14
B. *Operated*	116	3.4	13	<1	1	2	5	6	11	18
2. MULTIPLE DX										
A. *Not Operated*	5018	4.8	11	1	2	4	6	9	11	17
B. *Operated*	924	6.8	38	1	1	5	9	14	19	32
1. SINGLE DX	720	3.6	11	1	1	3	4	6	8	14
2. MULTIPLE DX	5942	5.1	16	1	2	4	6	9	12	20
A. NOT OPERATED	5622	4.7	11	1	2	4	6	9	11	17
B. OPERATED	1040	6.4	36	1	1	5	8	13	18	30
TOTAL 0-19 YRS	80	3.9	9	1	1	3	5	7	10	16
20-34	402	4.2	12	1	1	4	5	8	9	13
35-49	1528	4.6	13	1	2	4	6	8	11	18
50-64	2156	4.8	12	1	2	4	6	9	11	19
65+	2496	5.5	20	1	2	4	7	10	13	22
GRAND TOTAL	**6662**	**5.0**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	4.3	15	2	2	3	6	10	10	10
35-49	30	4.4	3	1	2	4	6	7	7	8
50-64	43	4.8	10	1	2	4	6	8	12	14
65+	54	5.5	7	2	2	5	8	10	10	11
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	2.8	11	1	1	2	2	8	11	11
50-64	12	2.2	5	1	1	1	2	6	8	8
65+	12	5.0	27	1	2	3	6	12	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	3	<1	<1	3	4	6	6	6
20-34	15	6.6	12	2	3	6	8	11	14	15
35-49	181	5.6	10	2	2	5	7	10	12	19
50-64	618	6.7	21	2	2	6	8	12	14	23
65+	1771	7.7	26	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS										
20-34	5	9.2	19	3	3	10	11	15	15	15
35-49	49	8.8	247	1	1	5	9	16	26	83
50-64	150	7.6	47	1	1	6	10	16	24	42
65+	259	11.5	92	2	2	10	14	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	5.0	7	1	2	5	7	9	10	13
B. *Operated*	33	3.3	15	1	1	2	3	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	2590	7.3	24	2	3	6	9	13	16	25
B. *Operated*	463	10.0	96	1	2	8	13	20	27	46
1. SINGLE DX	165	4.7	9	1	1	4	6	8	10	14
2. MULTIPLE DX	3053	7.7	35	2	3	6	9	14	17	31
A. NOT OPERATED	2722	7.2	23	2	3	6	9	13	16	24
B. OPERATED	496	9.5	93	1	1	8	12	19	24	45
TOTAL 0-19 YRS	6	3.5	3	<1	<1	3	5	6	6	6
20-34	25	6.6	15	2	2	6	10	11	15	15
35-49	268	6.0	54	1	1	5	7	10	13	23
50-64	823	6.7	25	2	2	6	9	12	15	27
65+	2096	8.1	35	2	3	7	10	14	18	32
GRAND TOTAL	**3218**	**7.5**	**35**	**2**	**3**	**6**	**9**	**14**	**17**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	11	2	2	4	7	9	9	9
20-34	5	6.6	19	3	3	5	10	13	13	13
35-49	10	4.1	6	1	1	4	5	7	9	9
50-64	9	7.8	21	1	2	7	13	14	14	14
65+	4	5.3	12	1	1	6	8	8	8	8
B. *Operated*										
0-19 YRS	6	3.8	7	1	1	3	7	7	7	7
20-34	19	3.8	10	1	1	3	4	8	11	13
35-49	21	4.0	17	1	1	2	5	9	15	18
50-64	38	4.9	22	1	1	3	7	10	15	22
65+	28	3.8	16	1	1	2	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.4	29	1	2	4	11	15	16	17
20-34	29	5.9	34	1	1	4	7	14	18	26
35-49	57	6.1	23	1	2	5	8	14	17	21
50-64	104	7.1	42	2	2	5	9	15	17	38
65+	237	8.4	32	2	3	7	11	16	18	32
B. *Operated*										
0-19 YRS	20	12.5	271	1	1	8	15	25	51	74
20-34	47	8.0	45	1	2	6	11	20	23	24
35-49	96	8.1	45	1	2	7	12	17	19	32
50-64	181	9.0	56	1	2	8	12	18	22	38
65+	216	12.4	134	2	2	10	16	30	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.7	14	1	1	5	8	13	13	14
B. *Operated*	112	4.2	16	1	1	2	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	450	7.5	34	2	2	6	10	15	18	28
B. *Operated*	560	10.2	94	1	2	8	13	21	30	46
1. SINGLE DX	144	4.5	16	1	1	3	6	10	13	18
2. MULTIPLE DX	1010	9.0	69	2	2	7	12	18	23	39
A. NOT OPERATED	482	7.4	33	2	2	6	9	15	17	27
B. OPERA...	672	9.2	86	1	2	7	12	19	26	42
TOTAL 0-19 YRS	53	8.3	124	1	1	4	12	17	22	73
20-34	100	6.5	36	1	2	4	8	15	21	25
35-49	184	6.8	35	1	2	5	10	15	18	26
50-64	332	7.9	48	1	2	6	11	15	20	37
65+	485	9.9	82	2	2	8	12	19	30	42
GRAND TOTAL	**1154**	**8.5**	**64**	**1**	**2**	**6**	**11**	**17**	**22**	**38**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	33	6.5	9	1	3	7	9	10	11	13
35-49	355	7.8	9	2	4	8	9	11	13	15
50-64	696	8.1	11	3	4	8	10	12	13	17
65+	584	8.7	17	3	4	8	10	13	15	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	37	7.1	5	3	4	7	9	10	11	12
35-49	226	7.5	9	2	4	7	9	11	12	18
50-64	306	7.6	13	2	3	8	9	12	13	19
65+	139	9.2	39	3	5	9	10	13	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	6	4	5	7	9	11	12	12
20-34	96	8.4	20	2	3	8	10	13	18	23
35-49	1360	8.7	16	3	4	9	10	13	15	22
50-64	4535	9.4	19	4	5	9	11	14	16	24
65+	10437	10.5	24	4	6	10	12	16	19	28
B. *Operated*										
0-19 YRS	8	15.4	172	7	7	12	14	37	47	47
20-34	87	8.8	17	3	4	9	10	13	16	25
35-49	1182	9.7	34	2	4	9	11	15	19	31
50-64	2867	11.3	52	2	5	10	14	19	23	40
65+	2807	14.4	84	4	6	12	17	25	31	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1668	8.2	13	3	4	8	10	12	14	18
B. *Operated*	709	7.9	17	2	4	8	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	16441	10.0	22	4	5	9	12	15	18	27
B. *Operated*	6951	12.2	65	3	5	10	15	21	27	45
1. SINGLE DX	2377	8.1	14	3	4	8	10	12	14	18
2. MULTIPLE DX	23392	10.7	36	4	5	10	13	17	21	34
A. NOT OPERATED	18109	9.8	22	4	5	9	12	15	18	27
B. OPERATED	7660	11.8	62	3	5	10	14	20	26	44
TOTAL 0-19 YRS	22	10.2	78	3	5	8	12	14	28	47
20-34	253	8.1	16	3	4	8	10	12	15	22
35-49	3123	8.9	22	3	4	8	11	14	16	26
50-64	8404	9.9	30	3	5	9	12	15	19	31
65+	13967	11.2	39	4	6	10	13	18	22	35
GRAND TOTAL	**25769**	**10.4**	**35**	**4**	**5**	**9**	**12**	**16**	**20**	**33**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	52	3.1	5	1	1	2	4	5	7	12
35-49	372	2.8	3	1	1	3	4	5	6	9
50-64	489	2.9	3	1	1	3	4	5	6	10
65+	365	3.0	5	1	1	3	4	5	6	9
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	3.4	4	<1	1	3	5	6	7	8
35-49	165	2.2	2	1	1	2	2	4	6	8
50-64	334	2.3	3	1	1	2	2	4	6	9
65+	121	2.6	7	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	4	1	1	5	5	6	6	6
20-34	201	3.4	4	1	1	3	4	6	8	10
35-49	1930	3.7	6	1	1	3	5	7	8	12
50-64	4448	4.0	7	1	2	3	5	7	9	13
65+	7965	4.5	8	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	6	4.7	15	1	1	4	8	10	10	10
20-34	61	4.1	12	1	1	2	6	9	10	17
35-49	1144	3.7	12	1	1	2	5	8	10	16
50-64	3385	4.1	18	1	1	2	5	9	12	19
65+	2532	5.7	30	1	1	4	8	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	2.9	3	1	1	3	4	5	6	9
B. *Operated*	638	2.3	4	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	14554	4.2	7	1	2	4	5	7	9	14
B. *Operated*	7128	4.6	22	1	1	3	6	10	13	22
1. SINGLE DX	1916	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	21682	4.3	12	1	1	3	5	8	11	17
A. NOT OPERATED	15832	4.1	7	1	2	3	5	7	9	14
B. OPERATED	7766	4.4	21	1	1	2	6	10	13	22
TOTAL 0-19 YRS	17	4.0	8	1	1	5	6	8	9	10
20-34	331	3.5	6	1	1	3	4	7	8	12
35-49	3611	3.5	7	1	1	3	4	7	8	14
50-64	8656	3.9	11	1	1	3	5	8	10	16
65+	10983	4.7	14	1	2	4	6	9	11	19
GRAND TOTAL	**23598**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	3.3	3	1	1	3	4	6	7	7
35-49	343	3.3	3	1	1	3	4	6	7	9
50-64	606	3.5	5	1	1	3	4	6	7	11
65+	649	4.0	9	1	2	3	5	7	9	16
B. *Operated*										
0-19 YRS										
20-34	5	4.2	10	1	1	5	6	8	8	8
35-49	91	4.7	11	1	1	4	7	9	10	16
50-64	177	5.2	20	1	1	4	6	11	12	23
65+	107	5.3	18	1	2	4	6	10	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	6	1	1	3	5	8	9	9
20-34	126	4.1	7	1	2	3	5	7	9	14
35-49	2056	4.2	8	1	2	4	5	7	9	15
50-64	6225	4.7	8	2	2	4	6	8	10	14
65+	13045	5.5	12	2	2	5	7	9	12	18
B. *Operated*										
0-19 YRS	4	9.0	15	4	4	10	12	12	12	12
20-34	43	5.4	20	1	2	4	7	9	14	24
35-49	1132	6.9	30	2	2	6	9	13	15	23
50-64	3769	7.8	43	2	2	7	10	15	18	31
65+	3741	9.8	67	2	2	8	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1632	3.7	6	1	2	3	5	6	8	12
B. *Operated*	380	5.1	17	1	1	4	6	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	21461	5.1	11	2	2	4	6	9	11	16
B. *Operated*	8689	8.6	53	2	2	7	11	16	21	36
1. SINGLE DX	2012	3.9	8	1	1	3	5	7	9	16
2. MULTIPLE DX	30150	6.1	25	2	2	5	8	11	15	24
A. NOT OPERATED	23093	5.0	10	2	2	4	6	9	11	16
B. OPERATED	9069	8.4	52	2	2	7	11	16	21	36
TOTAL 0-19 YRS	13	5.5	13	1	2	4	8	12	12	12
20-34	208	4.3	10	1	2	4	5	8	9	19
35-49	3622	5.0	16	1	2	4	6	10	12	18
50-64	10777	5.7	23	1	2	5	7	11	14	22
65+	17542	6.3	27	2	2	5	8	12	15	26
GRAND TOTAL	**32162**	**6.0**	**24**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.4	4	<1	1	3	4	6	7	7
35-49	34	3.3	11	<1	1	2	4	6	9	18
50-64	89	3.6	11	<1	1	2	4	9	12	16
65+	78	5.9	27	1	2	4	8	14	16	25
B. *Operated*										
0-19 YRS	5	3.0	12	<1	<1	2	4	9	9	9
20-34	33	2.8	7	1	1	2	3	5	11	12
35-49	789	3.3	9	1	1	2	4	8	10	14
50-64	2232	3.7	12	1	1	2	4	9	11	16
65+	1071	5.1	28	1	1	2	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	29	4.2	24	1	1	3	4	7	9	28
35-49	328	4.0	6	1	1	4	5	7	8	13
50-64	1028	4.3	9	1	1	4	5	8	10	15
65+	1350	5.4	14	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	8	7.5	72	1	1	5	10	22	26	26
20-34	100	4.6	26	1	1	2	6	11	15	26
35-49	2612	5.2	27	1	1	3	8	11	14	22
50-64	9156	6.1	42	1	1	3	9	13	17	30
65+	6640	8.1	67	1	1	6	12	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	4.4	18	1	1	3	5	10	14	21
B. *Operated*	4130	4.0	16	1	1	2	5	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2738	4.8	11	1	2	4	6	9	11	17
B. *Operated*	18516	6.7	50	1	1	4	10	15	19	33
1. SINGLE DX	4339	4.0	16	1	1	2	5	10	12	18
2. MULTIPLE DX	21254	6.5	45	1	1	4	9	14	18	32
A. NOT OPERATED	2947	4.8	12	1	1	4	6	9	11	17
B. OPERATED	22646	6.2	45	1	1	3	9	14	18	31
TOTAL 0-19 YRS	16	5.2	43	<1	1	2	7	12	22	26
20-34	170	4.1	21	1	1	2	5	10	12	27
35-49	3763	4.7	22	1	1	3	7	10	13	21
50-64	12505	5.5	35	1	1	3	8	12	16	27
65+	9139	7.3	56	1	1	5	10	16	21	35
GRAND TOTAL	**25593**	**6.0**	**41**	**1**	**1**	**3**	**9**	**13**	**17**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	2	5	5	6	7	8	8	8
20-34	70	7.6	7	4	5	7	9	11	13	15
35-49	58	7.5	9	1	4	8	9	11	13	16
50-64	72	8.3	10	3	5	8	10	12	13	18
65+	71	8.9	11	5	5	9	11	13	15	19
B. *Operated*										
0-19 YRS										
20-34	14	8.1	10	5	5	7	9	14	16	16
35-49	18	9.1	10	4	5	9	11	13	15	15
50-64	16	11.3	28	3	7	11	13	21	23	23
65+	13	11.9	31	2	5	13	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.0	21	2	3	7	10	15	18	18
20-34	169	8.5	12	2	4	8	11	12	14	19
35-49	271	9.1	22	3	4	8	11	15	16	27
50-64	605	10.1	21	4	6	9	12	15	18	26
65+	1440	11.0	23	5	6	10	13	17	20	29
B. *Operated*										
0-19 YRS	5	11.0	73	1	1	12	16	23	23	23
20-34	86	12.1	39	5	6	10	14	19	26	36
35-49	114	13.3	73	5	7	12	15	21	28	52
50-64	229	12.7	42	6	7	11	15	21	24	37
65+	412	14.8	68	5	7	12	18	26	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	8.1	9	3	5	8	10	12	13	18
B. *Operated*	61	10.0	20	4	5	9	12	15	20	23
2. MULTIPLE DX										
A. *Not Operated*	2494	10.4	22	4	6	10	12	16	19	28
B. *Operated*	846	13.7	60	5	7	12	16	23	28	46
1. SINGLE DX	336	8.5	12	3	5	8	10	13	15	19
2. MULTIPLE DX	3340	11.2	34	5	6	10	13	18	22	34
A. NOT OPERATED	2769	10.1	22	4	6	9	12	15	18	28
B. OPERATED	907	13.5	58	5	7	12	16	22	28	45
TOTAL 0-19 YRS	18	8.5	30	1	3	7	10	17	21	23
20-34	339	9.2	20	4	5	9	11	14	17	26
35-49	461	9.9	36	3	5	9	12	15	19	37
50-64	922	10.6	27	4	6	10	12	17	20	29
65+	1936	11.7	35	5	6	10	14	18	23	36
GRAND TOTAL	**3676**	**11.0**	**33**	**4**	**6**	**10**	**13**	**17**	**21**	**33**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	13.0	151	4	4	8	22	27	27	27
35-49	4	14.0	125	5	5	12	23	28	28	28
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	35.0		35	35	35	35	35	35	35
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	20.4	189	2	3	22	29	33	46	51
20-34	52	21.2	184	2	4	19	31	42	44	47
35-49	45	16.8	149	2	4	15	27	34	43	46
50-64	51	13.0	81	1	2	12	17	28	31	32
65+	113	22.2	180	5	7	20	30	41	47	66
B. *Operated*										
0-19 YRS	3	58.7	1072	22	22	69	81	85	85	85
20-34	55	28.1	180	7	9	29	37	44	48	62
35-49	53	30.9	195	10	14	30	38	46	54	82
50-64	47	33.5	348	9	12	30	45	52	63	95
65+	67	31.4	158	13	16	32	40	48	52	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.7	100	1	2	6	18	27	28	28
B. *Operated*	3	18.7	206	8	8	13	29	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	277	19.4	168	2	4	17	28	36	45	51
B. *Operated*	225	31.3	230	9	12	30	41	48	55	84
1. SINGLE DX	13	12.5	121	1	3	8	20	29	34	35
2. MULTIPLE DX	502	24.7	231	4	6	24	33	45	49	72
A. NOT OPERATED	287	19.0	168	2	4	16	28	36	45	51
B. OPERATED	228	31.1	231	9	12	30	40	48	55	84
TOTAL 0-19 YRS	19	26.5	482	2	3	26	31	62	78	85
20-34	111	24.3	194	4	6	26	33	44	45	57
35-49	102	24.0	221	4	5	24	32	43	47	69
50-64	100	22.8	310	2	4	17	31	46	52	89
65+	183	25.3	194	5	8	24	34	46	49	61
GRAND TOTAL	**515**	**24.4**	**231**	**4**	**5**	**23**	**33**	**45**	**49**	**71**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	4	<1	1	2	3	6	7	8
20-34	42	2.1	3	<1	<1	1	3	4	6	8
35-49	88	2.9	35	1	1	2	3	5	6	37
50-64	82	2.0	2	<1	1	2	3	4	5	6
65+	55	2.6	3	1	1	2	3	4	5	13
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.8	7	1	1	3	6	7	7	7
35-49	4	2.3		2	2	2	3	3	3	3
50-64	4	1.5		1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.3	6	1	1	3	4	7	10	10
20-34	83	2.7	6	1	1	2	3	5	7	14
35-49	200	3.2	5	1	1	3	4	6	8	12
50-64	445	3.5	5	1	1	3	5	6	7	13
65+	801	4.6	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	7.9	98	1	1	4	10	25	30	30
35-49	15	5.5	13	1	1	4	9	10	11	11
50-64	47	6.1	10	2	2	6	8	10	13	13
65+	70	8.7	41	2	2	7	12	17	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	2.4	12	<1	1	2	3	4	5	8
B. *Operated*	15	2.5	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1559	4.0	9	1	1	3	5	7	10	15
B. *Operated*	142	7.4	32	2	2	6	10	14	18	30
1. SINGLE DX	308	2.4	12	<1	1	2	3	4	5	8
2. MULTIPLE DX	1701	4.3	11	1	1	3	5	8	10	17
A. NOT OPERATED	1852	3.7	10	1	1	3	5	7	9	15
B. OPERATED	157	6.9	31	1	2	6	9	13	17	30
TOTAL 0-19 YRS	59	2.9	5	<1	1	2	4	6	8	10
20-34	138	2.8	11	<1	1	2	3	6	8	18
35-49	307	3.2	14	1	1	2	4	6	8	12
50-64	578	3.5	6	1	1	3	5	7	8	13
65+	927	4.8	14	1	2	4	6	9	12	20
GRAND TOTAL	**2009**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	5	5	5
20-34	100	1.9	2	<1	1	1	2	4	5	7
35-49	169	2.3	3	<1	<1	2	3	5	6	9
50-64	288	2.4	3	<1	1	2	3	5	6	9
65+	303	2.8	4	1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	9	3.1	5	1	1	2	4	7	8	8
50-64	13	3.9	7	1	1	3	6	8	8	8
65+	5	4.0	16	1	1	2	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.6	7	<1	<1	3	4	8	9	11
20-34	165	3.2	5	1	1	3	4	7	8	10
35-49	508	3.2	7	<1	1	2	4	7	8	13
50-64	1804	4.2	10	1	1	3	5	8	10	16
65+	5705	5.4	15	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	18	6.3	82	<1	<1	3	8	13	29	39
35-49	45	5.5	17	1	2	4	7	11	13	19
50-64	201	8.1	64	1	2	6	10	16	26	40
65+	615	10.5	75	2	3	9	13	21	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	29	3.7	7	1	1	3	6	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	8209	4.9	14	1	1	4	6	9	12	18
B. *Operated*	881	9.6	72	1	2	8	12	19	27	42
1. SINGLE DX	893	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	9090	5.4	21	1	2	4	7	10	13	24
A. NOT OPERATED	9073	4.7	13	1	1	4	6	9	11	18
B. OPERATED	910	9.4	71	1	2	7	12	19	27	41
TOTAL 0-19 YRS	33	3.7	6	<1	<1	4	5	8	8	11
20-34	285	2.9	10	<1	1	2	4	6	8	12
35-49	731	3.2	7	<1	1	2	4	7	8	13
50-64	2306	4.3	16	1	1	3	5	8	11	20
65+	6628	5.7	23	1	2	5	7	11	14	25
GRAND TOTAL	**9983**	**5.1**	**21**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.5	6	<1	<1	2	3	4	5	15
20-34	133	3.2	19	<1	1	2	4	5	7	54
35-49	238	2.7	6	<1	1	2	3	5	6	11
50-64	252	3.2	4	1	1	3	4	6	7	10
65+	263	3.8	8	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	32	4.3	9	1	1	3	6	9	10	12
20-34	26	3.2	6	<1	1	2	5	7	8	8
35-49	64	3.3	10	1	1	2	4	7	10	17
50-64	86	3.7	6	1	1	3	5	7	9	12
65+	233	4.9	10	1	2	4	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	3.3	6	1	1	3	4	7	8	12
20-34	454	3.6	9	1	1	3	4	6	8	15
35-49	1076	4.0	10	1	1	3	5	7	10	15
50-64	2800	4.7	12	1	2	4	6	8	11	19
65+	7749	5.8	17	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	55	8.5	185	1	2	5	10	16	20	91
20-34	78	5.8	56	1	1	3	7	12	24	86
35-49	259	7.7	67	1	2	6	9	14	23	43
50-64	909	8.3	55	2	2	7	10	16	20	39
65+	3835	8.8	39	2	3	7	11	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	3.2	8	1	1	3	4	6	8	14
B. *Operated*	441	4.3	9	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	12248	5.3	15	1	2	4	7	10	12	20
B. *Operated*	5136	8.6	46	2	3	7	11	16	21	36
1. SINGLE DX	1379	3.6	9	1	1	3	4	7	9	14
2. MULTIPLE DX	17384	6.3	27	1	2	5	8	12	15	25
A. NOT OPERATED	13186	5.1	15	1	2	4	6	9	12	20
B. OPERATED	5577	8.3	44	2	2	7	10	16	20	35
TOTAL 0-19 YRS	308	4.2	42	1	1	3	5	9	10	20
20-34	691	3.7	16	1	1	3	4	7	10	24
35-49	1637	4.3	20	1	1	3	5	8	11	24
50-64	4047	5.4	24	1	2	4	7	10	14	24
65+	12080	6.7	26	2	2	5	8	13	16	26
GRAND TOTAL	**18763**	**6.1**	**26**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	17	1	1	6	9	9	9	9
20-34	1	10.0		10	10	10	10	10	10	10
35-49	31	5.1	11	1	2	4	7	9	12	15
50-64	175	5.6	14	1	2	5	7	10	13	19
65+	637	5.4	14	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.3	16	<1	<1	1	6	8	8	8
50-64	13	4.0	8	1	1	3	5	8	10	10
65+	11	9.8	52	1	2	9	14	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	5.8	29	1	2	4	7	12	16	30
20-34	144	6.6	21	2	2	5	8	13	16	24
35-49	1021	6.6	22	2	3	6	8	12	15	23
50-64	6021	7.2	24	2	3	6	9	13	16	25
65+	29456	7.8	27	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	18	13.4	225	1	1	10	19	20	48	67
20-34	36	10.1	84	2	2	8	12	19	26	50
35-49	212	12.3	150	2	3	9	14	24	36	69
50-64	910	13.0	112	2	4	10	16	25	35	61
65+	3140	14.1	102	4	5	12	18	26	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	5.5	14	1	2	5	7	10	13	19
B. *Operated*	29	6.1	32	1	1	4	8	13	21	23
2. MULTIPLE DX										
A. *Not Operated*	36781	7.7	27	2	3	6	10	14	17	27
B. *Operated*	4316	13.7	107	3	4	11	17	26	33	56
1. SINGLE DX	877	5.5	15	1	2	5	7	10	13	20
2. MULTIPLE DX	41097	8.3	38	2	3	7	10	15	19	32
A. NOT OPERATED	37629	7.6	26	2	3	6	9	14	17	26
B. OPERATED	4345	13.7	107	3	4	11	17	26	33	56
TOTAL 0-19 YRS	162	6.7	55	1	2	4	8	15	19	33
20-34	182	7.3	35	2	2	6	9	14	18	27
35-49	1267	7.5	47	2	3	6	9	14	18	36
50-64	7119	7.8	39	2	3	6	10	14	19	34
65+	33244	8.4	37	2	3	7	10	15	19	31
GRAND TOTAL	**41974**	**8.3**	**38**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.5	7	1	1	3	5	6	7	17
20-34	164	3.4	10	1	1	3	4	6	8	12
35-49	161	3.4	5	1	1	3	5	6	7	10
50-64	112	3.7	8	1	1	3	4	7	11	15
65+	57	4.8	16	1	1	4	6	9	10	24
B. *Operated*										
0-19 YRS	35	3.0	5	1	1	2	5	7	7	8
20-34	74	4.4	12	1	1	3	6	10	12	15
35-49	158	4.3	20	1	1	2	7	10	11	24
50-64	268	4.2	19	1	1	2	6	10	12	19
65+	135	5.9	72	1	1	2	9	13	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	4.8	12	1	1	4	6	9	12	17
20-34	458	4.5	15	1	2	4	5	9	11	20
35-49	791	5.4	20	1	2	4	7	10	13	23
50-64	1406	6.6	26	2	2	5	8	13	17	27
65+	2047	7.5	25	2	3	6	10	14	17	26
B. *Operated*										
0-19 YRS	107	6.0	38	<1	1	4	8	14	17	31
20-34	195	7.5	54	1	1	5	10	15	25	33
35-49	596	7.3	65	1	1	5	10	17	21	47
50-64	1472	8.7	88	1	1	6	11	19	26	56
65+	1642	10.7	100	1	2	9	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	3.6	9	1	1	3	5	6	8	17
B. *Operated*	670	4.5	29	1	1	2	7	11	12	19
2. MULTIPLE DX										
A. *Not Operated*	4834	6.5	24	2	2	5	8	12	16	25
B. *Operated*	4012	9.2	89	1	1	7	12	20	27	48
1. SINGLE DX	1218	4.1	20	1	1	3	5	9	11	18
2. MULTIPLE DX	8846	7.7	55	1	2	6	10	16	21	38
A. NOT OPERATED	5382	6.2	23	1	2	5	8	12	15	25
B. OPERATED	4682	8.5	83	1	1	6	12	19	25	47
TOTAL 0-19 YRS	328	4.8	20	1	1	4	6	10	13	23
20-34	891	5.0	24	1	1	3	6	10	13	28
35-49	1706	5.7	36	1	1	4	7	12	16	29
50-64	3258	7.3	55	1	2	5	9	15	21	41
65+	3881	8.7	61	1	2	7	11	17	23	39
GRAND TOTAL	**10064**	**7.3**	**52**	**1**	**2**	**5**	**10**	**15**	**20**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	1.8		1	1	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	13	3.6	7	2	2	3	4	9	10	10
50-64	35	4.9	8	1	2	5	6	9	10	14
65+	104	6.3	22	2	2	6	7	12	17	62
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	23	3.3	12	1	1	2	3	9	11	15
50-64	54	5.3	29	1	1	3	8	13	15	24
65+	45	5.4	16	2	2	4	7	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*	7	1.9		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	153	5.7	18	1	2	5	7	11	15	31
B. *Operated*	123	4.9	21	1	1	3	6	12	14	21
1. SINGLE DX	9	3.0	12	1	1	2	2	8	12	12
2. MULTIPLE DX	276	5.4	20	1	2	4	7	12	15	23
A. NOT OPERATED	155	5.7	18	1	2	5	7	11	15	30
B. OPERATED	130	4.8	21	1	1	2	6	12	14	21
TOTAL 0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	36	3.4	10	1	1	2	3	9	10	15
50-64	96	4.9	20	1	1	3	6	12	14	22
65+	151	6.0	21	2	2	5	7	12	16	31
GRAND TOTAL	**285**	**5.3**	**20**	**1**	**2**	**4**	**7**	**12**	**14**	**23**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		1	1	1	1	1	1	1
35-49	5	5.8	68	1	1	1	9	20	20	20
50-64	2	8.0	8	6	6	8	10	10	10	10
65+	2	9.5	5	8	8	9	11	11	11	11
B. *Operated*										
0-19 YRS	4	10.3	71	2	2	8	15	22	22	22
20-34	27	12.9	69	1	1	11	17	25	29	34
35-49	24	11.9	63	<1	2	11	18	22	24	28
50-64	32	14.1	83	1	2	12	18	29	31	35
65+	7	11.7	57	2	2	11	18	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	25.5	613	8	8	25	43	43	43	43
20-34	4	7.0	101	1	1	2	12	22	22	22
35-49	9	9.9	85	<1	<1	7	20	23	25	25
50-64	18	7.4	34	1	1	5	10	16	19	21
65+	55	12.8	41	3	5	11	19	21	23	32
B. *Operated*										
0-19 YRS	8	22.0	917	6	6	11	18	73	96	96
20-34	26	20.6	386	2	4	14	22	48	60	91
35-49	56	20.0	130	7	9	18	27	39	57	99+
50-64	94	24.2	262	2	8	21	33	48	61	89
65+	71	28.0	346	6	11	22	35	61	66	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.6	35	1	1	4	9	14	19	20
B. *Operated*	94	12.8	70	1	2	11	18	24	29	35
2. MULTIPLE DX										
A. *Not Operated*	88	11.4	61	1	2	10	17	21	23	39
B. *Operated*	255	23.9	292	5	8	19	32	49	64	99+
1. SINGLE DX	106	12.0	71	1	1	11	17	23	28	34
2. MULTIPLE DX	343	20.7	262	2	5	17	27	42	61	99+
A. NOT OPERATED	100	10.7	61	1	1	9	16	21	23	37
B. OPERATED	349	20.9	256	2	6	17	28	41	61	99+
TOTAL 0-19 YRS	14	19.1	593	3	6	9	19	48	85	96
20-34	60	15.2	229	1	1	12	19	34	43	87
35-49	94	16.2	126	1	2	15	22	32	44	99+
50-64	146	19.7	231	2	3	16	27	39	50	77
65+	135	20.7	260	4	7	17	25	41	62	96
GRAND TOTAL	**449**	**18.7**	**230**	**2**	**3**	**15**	**24**	**38**	**52**	**96**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	13.0	247	2	2	6	25	31	31	31
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	8	16.5	330	<1	<1	14	18	47	58	58
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	7	19.6	94	9	9	22	31	80	99+	99+
35-49	19	28.7	231	8	9	27	32	49	62	72
50-64	7	30.9	109	16	18	30	34	47	50	50
65+	8	20.9	150	9	9	16	32	39	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	13	14.1	249	<1	1	8	17	36	54	58
B. *Operated*	42	25.8	178	9	10	27	32	48	58	99+
1. SINGLE DX										
2. MULTIPLE DX	55	23.0	216	3	7	23	31	47	56	98
A. NOT OPERATED	13	14.1	249	<1	1	8	17	36	54	58
B. OPERATED	42	25.8	178	9	10	27	32	48	58	99+
TOTAL 0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	7	19.6	94	9	9	22	31	80	99+	99+
35-49	22	26.6	252	4	7	27	32	48	58	72
50-64	9	25.3	202	5	6	29	33	44	50	50
65+	16	18.7	229	<1	2	14	24	40	53	58
GRAND TOTAL	**55**	**23.0**	**216**	**3**	**7**	**23**	**31**	**47**	**56**	**98**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	5	1	1	4	6	7	7	7
20-34	2	12.5	221	2	2	12	23	23	23	23
35-49	6	15.3	503	<1	<1	8	14	55	60	60
50-64	10	5.7	19	<1	<1	5	10	11	12	12
65+	47	8.0	27	2	3	7	11	14	17	26
B. *Operated*										
0-19 YRS	12	7.2	27	2	3	6	8	13	21	22
20-34	16	6.4	31	1	1	5	8	12	20	23
35-49	22	8.9	143	2	3	6	8	16	36	59
50-64	22	8.6	16	4	4	7	12	14	16	18
65+	50	10.8	61	4	5	8	15	19	27	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.7	31	1	1	8	11	15	16	16
20-34	12	11.0	403	1	2	5	7	31	68	74
35-49	36	8.2	46	<1	1	6	12	16	23	30
50-64	134	11.1	131	2	3	8	12	21	31	67
65+	558	11.3	58	3	4	10	15	20	26	39
B. *Operated*										
0-19 YRS	30	10.6	117	1	2	7	12	24	39	47
20-34	22	12.0	63	3	4	10	19	27	54	99+
35-49	44	22.4	519	4	5	13	31	51	79	94
50-64	130	16.9	191	4	4	13	21	37	59	99+
65+	335	19.4	164	5	7	17	26	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	8.2	68	1	1	7	11	14	23	53
B. *Operated*	122	9.1	61	2	3	7	11	16	22	46
2. MULTIPLE DX										
A. *Not Operated*	747	11.0	75	2	4	9	14	20	26	48
B. *Operated*	561	18.3	197	4	5	14	25	37	50	99+
1. SINGLE DX	192	8.8	63	1	2	7	11	16	23	51
2. MULTIPLE DX	1308	14.1	140	3	4	11	18	29	38	76
A. NOT OPERATED	817	10.8	75	2	3	9	14	20	26	49
B. OPERATED	683	16.6	185	3	5	13	22	34	47	97
TOTAL 0-19 YRS	54	8.9	78	1	1	7	10	19	26	47
20-34	52	10.1	132	1	2	7	12	24	29	99
35-49	108	14.5	321	1	2	8	15	36	59	91
50-64	296	13.3	156	2	3	9	16	28	39	76
65+	990	13.8	108	3	4	11	18	27	34	63
GRAND TOTAL	**1500**	**13.5**	**134**	**3**	**4**	**10**	**17**	**27**	**37**	**74**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	98	4	4	11	18	18	18	18
20-34	3	8.3	65	1	1	7	14	17	17	17
35-49	13	20.7	391	4	5	14	25	60	63	64
50-64	53	19.3	291	5	6	15	24	38	69	99
65+	229	14.4	88	5	6	12	18	24	29	53
B. *Operated*										
0-19 YRS	3	13.7	96	8	8	8	21	25	25	25
20-34	3	27.7	289	15	15	21	40	47	47	47
35-49	10	27.4	324	9	9	18	44	53	57	57
50-64	35	23.7	233	7	8	21	30	53	54	63
65+	82	25.1	313	7	9	19	32	51	59	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	300	15.5	140	5	6	12	19	27	36	72
B. *Operated*	133	24.7	284	7	8	20	32	51	56	84
1. SINGLE DX										
2. MULTIPLE DX	433	18.3	202	5	7	14	21	36	52	77
A. NOT OPERATED	300	15.5	140	5	6	12	19	27	36	72
B. OPERATED	133	24.7	284	7	8	20	32	51	56	84
TOTAL 0-19 YRS	5	12.6	75	4	4	8	20	25	25	25
20-34	6	18.0	254	1	2	16	21	44	47	47
35-49	23	23.6	357	4	5	15	37	57	61	64
50-64	88	21.1	270	5	7	18	28	49	64	93
65+	311	17.2	169	5	7	13	20	32	46	72
GRAND TOTAL	**433**	**18.3**	**202**	**5**	**7**	**14**	**21**	**36**	**52**	**77**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	15	3.1	5	1	1	2	5	7	8	8
65+	27	4.1	5	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	10.7	120	2	2	7	19	23	23	23
35-49	48	5.2	17	1	1	4	6	12	15	16
50-64	426	4.3	8	1	1	4	5	8	10	13
65+	826	4.4	9	1	1	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	19	4.9	12	1	1	4	7	11	13	13
50-64	131	4.7	10	1	1	4	6	10	11	13
65+	555	5.6	21	1	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	7	10.9	196	1	1	5	13	36	41	41
20-34	7	5.9	12	1	1	7	9	10	10	10
35-49	153	6.6	51	1	2	5	8	12	15	35
50-64	1764	6.1	22	1	2	5	8	11	15	24
65+	4451	6.9	32	1	2	6	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.7	5	1	1	3	5	8	8	8
B. *Operated*	1303	4.4	9	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	708	5.4	19	1	2	4	7	10	13	19
B. *Operated*	6382	6.7	30	1	2	5	8	12	16	29
1. SINGLE DX	1348	4.4	9	1	1	4	5	8	10	16
2. MULTIPLE DX	7090	6.6	29	1	2	5	8	12	16	28
A. NOT OPERATED	753	5.3	18	1	2	4	7	10	12	19
B. OPERATED	7685	6.3	27	1	2	5	8	12	15	27
TOTAL 0-19 YRS	8	10.0	174	1	2	5	10	33	41	41
20-34	13	6.0	37	1	1	4	8	13	21	23
35-49	222	6.1	40	1	2	5	8	12	14	30
50-64	2336	5.7	19	1	2	5	7	11	13	22
65+	5859	6.4	29	1	2	5	8	12	16	27
GRAND TOTAL	**8438**	**6.2**	**27**	**1**	**2**	**5**	**8**	**12**	**15**	**26**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	17	10.5	91	2	4	8	12	21	35	41
65+	47	8.7	26	3	3	8	10	15	17	30
B. *Operated*										
0-19 YRS										
20-34	4	9.3	45	2	2	8	14	18	18	18
35-49	12	11.8	195	2	3	7	14	29	49	53
50-64	83	11.1	104	1	2	9	13	24	35	48
65+	198	13.3	209	2	3	9	15	27	41	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	65	9.2	42	3	4	8	11	15	21	39
B. *Operated*	297	12.6	177	2	2	9	15	26	39	85
1. SINGLE DX										
2. MULTIPLE DX	362	11.9	154	2	3	9	14	24	36	77
A. NOT OPERATED	65	9.2	42	3	4	8	11	15	21	39
B. OPERATED	297	12.6	177	2	2	9	15	26	39	85
TOTAL 0-19 YRS										
20-34	4	9.3	45	2	2	8	14	18	18	18
35-49	13	11.8	179	2	3	7	13	25	48	53
50-64	100	11.0	101	1	2	9	13	23	35	48
65+	245	12.4	177	2	3	9	14	25	37	91
GRAND TOTAL	**362**	**11.9**	**154**	**2**	**3**	**9**	**14**	**24**	**36**	**77**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.7	11	1	1	6	8	10	10	10
35-49	23	6.1	20	2	2	5	8	10	15	22
50-64	78	6.1	10	2	2	6	8	10	12	16
65+	297	6.9	28	2	3	6	8	12	15	28
B. *Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	13	5.9	19	2	2	4	8	13	14	14
35-49	21	7.5	125	1	1	5	8	14	33	53
50-64	44	9.3	208	1	2	5	9	19	32	91
65+	56	6.8	44	1	2	5	8	11	16	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.9	108	1	2	4	6	17	35	41
20-34	34	8.1	39	2	3	6	12	16	19	32
35-49	178	8.7	67	2	3	7	10	15	20	35
50-64	1081	8.8	47	3	3	7	11	16	21	36
65+	6001	9.6	48	3	4	8	12	17	22	35
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	9.3	84	2	2	6	11	20	33	40
35-49	122	11.2	151	2	3	8	13	24	34	90
50-64	458	13.0	161	2	3	9	15	27	42	92
65+	1148	14.1	128	3	4	11	18	28	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	6.6	24	2	2	6	8	12	15	24
B. *Operated*	137	7.5	106	1	2	5	8	13	19	58
2. MULTIPLE DX										
A. *Not Operated*	7309	9.4	48	3	4	8	12	17	22	35
B. *Operated*	1756	13.5	138	2	4	10	17	28	39	66
1. SINGLE DX	542	6.9	45	2	2	6	8	12	15	34
2. MULTIPLE DX	9065	10.2	68	3	4	8	12	19	25	46
A. NOT OPERATED	7714	9.3	47	3	3	8	11	17	21	35
B. OPERATED	1893	13.1	138	2	3	10	16	27	38	66
TOTAL 0-19 YRS	19	6.8	89	1	2	4	5	17	30	41
20-34	81	8.0	49	2	2	6	11	15	20	38
35-49	344	9.4	99	2	3	7	11	17	25	62
50-64	1661	9.9	85	2	3	7	12	18	26	53
65+	7502	10.1	62	3	4	8	12	19	24	43
GRAND TOTAL	**9607**	**10.0**	**67**	**3**	**3**	**8**	**12**	**18**	**24**	**45**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.1	128	5	5	8	12	32	39	39
20-34	19	14.0	275	3	4	7	14	40	57	66
35-49	80	11.5	115	2	3	9	13	23	28	67
50-64	507	12.6	113	3	4	10	15	23	31	60
65+	2771	12.3	78	4	5	10	15	22	28	50
B. *Operated*										
0-19 YRS	4	6.0	17	1	1	6	9	11	11	11
20-34	10	18.6	261	5	5	12	26	46	50	50
35-49	35	16.4	175	4	5	12	21	44	53	99+
50-64	142	20.1	363	5	6	13	23	51	72	99+
65+	503	18.8	188	5	7	15	22	39	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3385	12.3	85	4	5	10	15	22	28	54
B. *Operated*	694	18.8	224	5	6	14	22	43	53	92
1. SINGLE DX										
2. MULTIPLE DX	4079	13.4	115	4	5	11	16	24	34	64
A. NOT OPERATED	3385	12.3	85	4	5	10	15	22	28	54
B. OPERATED	694	18.8	224	5	6	14	22	43	53	92
TOTAL 0-19 YRS	12	10.1	96	1	4	7	10	22	37	39
20-34	29	15.6	266	4	4	8	16	45	51	66
35-49	115	13.0	137	2	4	10	16	25	38	87
50-64	649	14.2	177	3	5	10	16	27	46	79
65+	3274	13.3	100	4	5	11	16	24	32	59
GRAND TOTAL	**4079**	**13.4**	**115**	**4**	**5**	**11**	**16**	**24**	**34**	**64**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	21	2.8	2	1	1	3	4	5	6	6
35-49	62	3.0	4	<1	1	3	4	6	7	9
50-64	206	3.4	4	1	1	3	4	6	7	10
65+	493	3.6	6	1	1	3	5	6	8	13
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	45	3.4	4	1	1	3	4	6	7	8
50-64	148	3.8	7	1	1	3	5	7	8	15
65+	143	4.2	31	1	1	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	2	1	2	3	4	6	6	6
20-34	68	3.9	6	1	1	3	5	6	9	14
35-49	346	4.2	6	1	1	4	6	7	9	13
50-64	1610	4.7	10	1	2	4	6	8	10	17
65+	7996	5.3	15	2	2	4	7	9	12	20
B. *Operated*										
0-19 YRS	5	7.2	27	3	3	4	11	15	15	15
20-34	25	5.6	8	1	2	5	8	9	11	11
35-49	167	5.1	13	1	2	4	7	10	12	18
50-64	703	6.0	22	1	2	5	8	11	14	24
65+	1685	7.7	46	2	2	6	9	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	3.5	5	1	1	3	4	6	7	12
B. *Operated*	337	3.9	17	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	10033	5.2	14	2	2	4	6	9	11	19
B. *Operated*	2585	7.1	38	1	2	6	9	14	18	29
1. SINGLE DX	1121	3.6	9	1	1	3	5	7	8	13
2. MULTIPLE DX	12618	5.6	20	2	2	5	7	10	13	22
A. NOT OPERATED	10817	5.1	14	1	2	4	6	9	11	18
B. OPERATED	2922	6.7	36	1	2	5	8	13	17	29
TOTAL 0-19 YRS	20	4.3	10	1	2	3	5	8	12	15
20-34	115	4.0	7	1	1	4	5	8	9	13
35-49	620	4.3	8	1	1	4	6	8	10	14
50-64	2667	4.9	13	1	2	4	6	9	11	19
65+	10317	5.6	21	2	2	5	7	10	13	22
GRAND TOTAL	**13739**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	12.5	85	6	6	12	19	19	19	19
35-49	24	7.4	53	2	2	5	7	16	23	36
50-64	84	6.1	51	2	2	5	7	11	14	48
65+	281	7.3	38	2	2	6	9	13	15	34
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.3	20	2	2	6	10	11	11	11
35-49	8	5.0	9	2	2	4	7	9	10	10
50-64	32	4.9	16	1	1	4	7	11	11	17
65+	36	10.5	159	1	2	6	12	24	38	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.0	48	2	2	5	10	20	22	22
20-34	26	8.0	51	1	2	6	9	18	24	30
35-49	107	7.5	25	2	3	7	9	13	19	26
50-64	585	8.1	49	2	3	6	10	15	19	34
65+	3392	8.5	30	3	3	7	11	15	19	28
B. *Operated*										
0-19 YRS	3	6.0	7	3	3	7	8	8	8	8
20-34	10	11.0	224	2	2	6	10	33	52	52
35-49	31	9.8	74	2	2	7	13	20	25	44
50-64	189	10.6	84	2	3	8	13	23	28	86
65+	548	14.8	160	3	5	11	17	29	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	7.1	42	2	2	6	8	12	15	36
B. *Operated*	80	7.4	86	1	1	5	9	13	23	57
2. MULTIPLE DX										
A. *Not Operated*	4117	8.4	32	2	3	7	10	15	19	28
B. *Operated*	781	13.5	142	3	4	10	16	27	39	68
1. SINGLE DX	472	7.1	49	2	2	6	8	13	16	41
2. MULTIPLE DX	4898	9.2	53	2	3	7	11	16	22	41
A. NOT OPERATED	4509	8.3	33	2	3	7	10	15	19	29
B. OPERATED	861	12.9	140	2	3	10	16	26	38	68
TOTAL 0-19 YRS	12	6.7	31	2	2	5	7	15	21	22
20-34	41	8.8	88	2	2	6	10	18	26	52
35-49	170	7.8	38	2	3	6	9	15	20	34
50-64	890	8.3	57	2	2	6	10	16	21	43
65+	4257	9.2	53	3	3	7	11	16	21	41
GRAND TOTAL	**5370**	**9.0**	**53**	**2**	**3**	**7**	**11**	**16**	**21**	**41**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	25	13	13	16	20	20	20	20
20-34	7	9.3	11	6	6	9	10	15	16	16
35-49	39	10.5	110	3	3	7	13	22	26	59
50-64	266	10.5	68	2	3	8	13	18	25	46
65+	1440	10.5	64	3	4	9	13	18	24	43
B. *Operated*										
0-19 YRS	3	15.0	13	11	11	16	17	18	18	18
20-34	3	7.7	30	2	2	8	12	13	13	13
35-49	19	13.9	139	4	5	10	16	31	44	51
50-64	67	10.6	80	2	4	8	13	21	39	90
65+	207	15.8	135	4	5	13	20	31	37	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1754	10.5	65	3	4	9	13	18	24	47
B. *Operated*	299	14.5	125	4	4	11	18	30	37	70
1. SINGLE DX										
2. MULTIPLE DX	2053	11.1	76	3	4	9	13	20	27	50
A. NOT OPERATED	1754	10.5	65	3	4	9	13	18	24	47
B. OPERATED	299	14.5	125	4	4	11	18	30	37	70
TOTAL 0-19 YRS	5	15.6	13	11	11	16	18	20	20	20
20-34	10	8.8	15	2	4	8	10	14	16	16
35-49	58	11.6	120	3	4	8	13	24	31	58
50-64	333	10.5	70	2	3	8	13	19	27	48
65+	1647	11.2	76	3	4	9	14	20	27	49
GRAND TOTAL	**2053**	**11.1**	**76**	**3**	**4**	**9**	**13**	**20**	**27**	**50**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	14	3.1	2	1	2	3	4	5	7	7
35-49	41	3.0	3	1	1	3	4	6	7	8
50-64	56	3.7	9	1	1	3	4	8	12	15
65+	80	4.5	16	1	1	3	5	10	14	20
B. *Operated*										
0-19 YRS	6	6.3	19	2	2	5	11	12	12	12
20-34	17	4.8	19	<1	1	3	8	12	14	15
35-49	42	6.0	19	1	1	6	9	12	14	16
50-64	39	5.7	36	1	1	3	8	14	19	26
65+	44	4.1	20	1	1	2	4	9	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.7	58	1	2	4	7	17	26	30
20-34	66	5.0	32	1	1	4	6	9	12	38
35-49	284	5.1	17	1	2	4	6	9	13	18
50-64	535	5.8	35	1	2	4	7	11	14	26
65+	1805	6.5	24	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	8	27.3	1201	3	3	10	49	84	87	87
20-34	49	13.3	317	1	1	8	14	29	46	86
35-49	76	10.9	72	2	3	9	14	21	30	42
50-64	242	10.9	181	1	1	7	13	23	31	75
65+	407	9.1	82	1	2	7	12	17	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.8	10	1	1	3	5	8	11	16
B. *Operated*	148	5.3	24	1	1	3	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2706	6.2	26	2	2	5	8	11	15	24
B. *Operated*	782	10.3	140	1	2	7	12	20	27	76
1. SINGLE DX	342	4.4	17	1	1	3	6	10	13	21
2. MULTIPLE DX	3488	7.1	54	1	2	5	9	13	17	38
A. NOT OPERATED	2900	6.0	25	1	2	5	7	11	14	23
B. OPERATED	930	9.5	125	1	2	7	12	19	26	68
TOTAL 0-19 YRS	33	11.3	378	1	2	5	11	23	71	87
20-34	146	7.6	139	1	1	4	8	14	22	86
35-49	443	6.0	30	1	2	4	7	12	16	30
50-64	872	7.0	80	1	2	4	8	14	20	42
65+	2336	6.8	35	2	2	5	8	13	16	26
GRAND TOTAL	**3830**	**6.8**	**52**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	2.3	1	<1	<1	3	3	3	3	3
65+	8	6.9	28	1	1	6	9	15	17	17
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.3	6	3	3	7	8	8	8	8
35-49	38	4.5	13	1	1	3	7	10	11	13
50-64	148	4.2	15	1	1	2	7	10	12	18
65+	138	5.0	25	1	1	2	8	13	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34										
35-49	10	3.4	4	1	1	3	4	6	7	7
50-64	60	4.5	14	1	1	3	7	10	11	16
65+	180	6.0	27	1	1	4	8	12	17	26
B. *Operated*										
0-19 YRS	5	7.8	11	4	4	8	10	12	12	12
20-34	15	7.1	76	<1	2	5	7	11	30	37
35-49	218	8.0	53	1	1	7	10	18	24	59
50-64	953	9.1	80	1	1	7	12	19	27	46
65+	2102	11.5	104	1	2	9	15	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.2	22	<1	1	4	8	11	16	17
B. *Operated*	329	4.6	19	1	1	2	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	252	5.5	23	1	1	4	8	12	15	24
B. *Operated*	3293	10.6	95	1	1	8	14	22	30	48
1. SINGLE DX	342	4.6	19	1	1	2	7	11	13	19
2. MULTIPLE DX	3545	10.2	92	1	1	8	14	21	29	47
A. NOT OPERATED	265	5.5	23	1	1	4	8	12	15	24
B. OPERATED	3622	10.0	91	1	1	8	13	21	29	46
TOTAL 0-19 YRS	8	6.1	15	1	1	6	9	11	12	12
20-34	19	6.9	60	1	2	6	8	10	25	37
35-49	268	7.3	48	1	1	6	10	17	23	41
50-64	1164	8.2	72	1	1	6	11	18	24	45
65+	2428	10.7	97	1	1	8	14	22	30	47
GRAND TOTAL	**3887**	**9.7**	**88**	**1**	**1**	**8**	**13**	**21**	**28**	**46**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	19	6.6	57	1	1	3	7	20	24	27
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	7.2	6	3	3	9	9	9	9	9
50-64	93	8.6	16	1	2	9	11	11	13	70
65+	129	9.5	22	1	2	10	12	16	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	6.3	44	2	2	4	10	16	16	16
50-64	32	3.9	9	<1	1	4	6	8	10	11
65+	261	6.3	35	1	1	4	8	14	19	31
B. *Operated*										
0-19 YRS	4	5.0	17	<1	<1	5	8	9	9	9
20-34	13	16.4	290	1	3	11	21	34	61	67
35-49	27	12.3	152	1	2	10	12	23	34	66
50-64	631	12.1	68	2	5	10	13	21	28	49
65+	1779	14.6	127	2	5	12	17	26	35	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.9	50	<1	1	3	6	19	23	27
B. *Operated*	233	9.0	19	1	2	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	299	6.0	32	1	1	4	7	13	18	31
B. *Operated*	2454	13.9	114	2	5	11	16	24	33	73
1. SINGLE DX	256	8.8	23	1	2	9	11	14	17	27
2. MULTIPLE DX	2753	13.1	111	2	3	11	15	24	32	66
A. NOT OPERATED	322	6.0	33	1	1	4	7	14	19	30
B. OPERATED	2687	13.5	108	2	4	11	16	24	32	69
TOTAL 0-19 YRS	6	4.3	13	<1	<1	3	8	9	9	9
20-34	16	14.4	251	2	3	9	18	26	55	67
35-49	41	10.3	112	1	2	9	11	16	26	66
50-64	758	11.3	62	2	3	10	13	19	26	48
65+	2188	13.2	118	2	3	11	16	24	32	80
GRAND TOTAL	**3009**	**12.7**	**105**	**2**	**3**	**11**	**15**	**23**	**31**	**66**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	2.0		2	2	2	2	2	2	2
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	11	6.1	23	1	1	4	11	13	13	13
35-49	22	4.2	11	<1	1	3	5	10	11	12
50-64	35	6.9	17	1	1	7	9	12	15	17
65+	52	7.7	26	1	2	7	9	12	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	3.3	4	1	1	4	5	5	5	5
65+	18	6.9	23	1	1	6	12	13	15	17
B. *Operated*										
0-19 YRS	4	6.3	29	1	1	5	10	13	13	13
20-34	15	15.7	193	1	3	9	24	38	45	48
35-49	54	13.6	189	1	1	10	21	29	38	77
50-64	148	10.1	49	2	3	8	13	19	23	45
65+	330	11.5	103	2	3	9	15	20	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.0	9	2	2	3	5	9	11	11
B. *Operated*	123	6.6	21	1	1	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	24	5.8	22	<1	1	5	9	13	14	17
B. *Operated*	551	11.4	99	2	3	9	14	21	29	57
1. SINGLE DX	132	6.4	21	1	1	6	9	12	14	21
2. MULTIPLE DX	575	11.2	97	2	2	9	14	21	29	56
A. NOT OPERATED	33	5.3	19	1	1	4	7	12	13	17
B. OPERATED	674	10.5	88	1	2	8	13	20	27	53
TOTAL 0-19 YRS	8	4.1	18	1	1	2	6	11	13	13
20-34	28	11.1	135	1	1	8	13	28	39	48
35-49	81	10.3	150	1	1	6	13	26	32	67
50-64	188	9.4	44	1	2	8	12	18	20	44
65+	402	10.8	91	2	3	9	13	19	26	55
GRAND TOTAL	**707**	**10.3**	**86**	**1**	**2**	**8**	**13**	**19**	**27**	**53**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	3	5	5	7	8	9	9	9
20-34	9	6.1	9	2	2	7	8	10	10	10
35-49	7	6.3	10	2	2	6	8	11	12	12
50-64	23	5.1	26	<1	1	3	7	10	16	23
65+	30	5.2	13	1	1	5	7	11	12	15
B. *Operated*										
0-19 YRS	5	9.4	19	5	5	10	12	16	16	16
20-34	23	7.5	34	1	2	6	11	18	19	21
35-49	131	5.2	15	1	1	5	8	10	12	16
50-64	354	5.7	15	1	1	6	8	11	12	16
65+	303	5.7	18	1	1	5	9	11	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	7.1	9	3	3	7	9	11	11	11
35-49	27	6.7	28	1	1	6	10	12	15	23
50-64	73	6.2	22	1	1	5	9	11	12	27
65+	251	7.3	28	1	2	7	9	13	16	29
B. *Operated*										
0-19 YRS	5	16.0	61	9	9	11	24	25	25	25
20-34	52	12.5	198	1	2	9	13	27	50	74
35-49	359	10.3	109	1	2	8	12	19	28	64
50-64	1618	10.1	73	1	2	8	13	19	26	45
65+	2901	11.9	97	1	2	10	15	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.5	15	1	1	5	7	10	12	21
B. *Operated*	816	5.7	17	1	1	5	8	11	12	18
2. MULTIPLE DX										
A. *Not Operated*	360	7.0	27	1	1	7	9	12	15	29
B. *Operated*	4935	11.2	92	1	2	9	14	22	29	53
1. SINGLE DX	889	5.7	17	1	1	5	8	11	12	18
2. MULTIPLE DX	5295	10.9	88	1	2	9	14	22	29	53
A. NOT OPERATED	433	6.8	25	1	1	6	9	12	14	29
B. OPERATED	5751	10.4	85	1	2	9	13	21	28	52
TOTAL 0-19 YRS	15	11.3	38	5	5	10	13	24	25	25
20-34	92	10.2	128	1	2	8	11	19	28	67
35-49	524	8.8	85	1	1	7	11	16	22	57
50-64	2068	9.2	64	1	2	8	12	17	23	41
65+	3485	10.9	89	1	2	9	14	22	29	52
GRAND TOTAL	**6184**	**10.2**	**81**	**1**	**2**	**8**	**13**	**20**	**27**	**51**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.4	8	1	1	4	6	8	9	15
20-34	15	4.1	9	1	2	4	4	10	11	11
35-49	15	4.3	4	1	3	4	5	8	9	9
50-64	32	3.8	11	<1	1	2	5	8	12	15
65+	43	5.4	36	<1	1	4	7	12	23	25
B. *Operated*										
0-19 YRS	10	2.6	1	1	1	3	4	4	4	4
20-34	30	9.0	157	1	2	4	10	25	45	52
35-49	82	3.3	10	1	1	2	4	7	10	17
50-64	231	4.1	20	1	1	2	6	10	12	16
65+	210	4.5	23	1	1	2	6	11	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	4.9	8	2	2	4	7	9	10	14
20-34	54	5.9	22	<1	1	4	8	12	15	21
35-49	74	6.4	34	1	1	4	8	17	20	26
50-64	165	5.7	51	1	1	4	7	10	14	34
65+	446	6.3	23	1	1	5	8	12	17	23
B. *Operated*										
0-19 YRS	23	10.3	235	<1	1	3	14	36	77	99+
20-34	70	8.0	55	1	2	6	12	18	35	99+
35-49	261	7.4	103	1	1	5	9	14	23	53
50-64	861	8.2	82	1	1	6	10	18	26	44
65+	1467	10.0	105	1	2	7	13	22	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	4.5	15	1	1	4	6	8	11	24
B. *Operated*	563	4.4	28	1	1	2	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	832	6.0	28	1	1	5	8	12	17	23
B. *Operated*	2682	9.1	98	1	1	6	12	20	28	51
1. SINGLE DX	750	4.4	25	1	1	3	6	10	12	23
2. MULTIPLE DX	3514	8.4	83	1	1	6	11	18	25	47
A. NOT OPERATED	1019	5.7	26	1	1	4	7	11	15	23
B. OPERATED	3245	8.3	89	1	1	6	11	19	26	49
TOTAL 0-19 YRS	208	5.2	35	1	2	4	7	9	13	47
20-34	169	7.2	60	1	2	5	9	17	21	90
35-49	432	6.3	73	1	1	4	8	13	19	42
50-64	1289	7.0	68	1	1	5	9	15	21	42
65+	2166	8.6	83	1	1	6	11	20	25	46
GRAND TOTAL	**4264**	**7.7**	**75**	**1**	**1**	**5**	**10**	**17**	**23**	**46**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	5.7	9	1	2	6	7	9	12	14
20-34	214	6.3	9	2	3	6	8	10	12	14
35-49	332	6.5	10	2	3	6	8	10	11	16
50-64	314	7.0	11	2	3	7	9	11	13	18
65+	273	6.8	9	3	3	7	8	10	12	18
B. *Operated*										
0-19 YRS	20	6.2	20	1	1	5	9	12	15	16
20-34	146	6.2	12	1	2	6	9	11	12	15
35-49	194	6.3	12	2	2	6	8	11	13	16
50-64	180	6.6	12	2	2	6	8	11	13	17
65+	111	7.2	21	1	2	7	10	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.4	11	2	2	6	8	12	13	13
20-34	279	7.3	18	2	3	7	10	12	14	24
35-49	610	7.4	16	2	3	7	10	12	14	21
50-64	1048	7.9	17	3	4	7	9	13	15	24
65+	1795	8.2	15	3	4	8	10	13	15	21
B. *Operated*										
0-19 YRS	24	9.4	55	2	2	8	12	19	24	35
20-34	252	7.8	26	2	2	7	10	14	18	26
35-49	412	8.4	25	2	3	8	10	15	18	25
50-64	656	8.9	35	2	3	8	11	15	20	32
65+	1125	10.2	50	3	4	9	12	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1164	6.7	10	2	3	6	8	10	12	17
B. *Operated*	651	6.5	14	1	2	6	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	3762	7.9	16	3	4	7	10	13	15	21
B. *Operated*	2469	9.3	40	2	3	8	11	16	20	34
1. SINGLE DX	1815	6.6	11	2	3	6	8	11	12	17
2. MULTIPLE DX	6231	8.5	26	3	3	8	10	14	17	28
A. NOT OPERATED	4926	7.6	15	3	3	7	9	12	14	21
B. OPERATED	3120	8.7	36	2	3	8	11	15	19	30
TOTAL 0-19 YRS	105	6.8	23	1	2	6	8	13	14	26
20-34	891	7.0	18	2	2	6	9	12	14	22
35-49	1548	7.4	17	2	3	7	9	12	15	21
50-64	2198	7.9	22	2	3	7	10	13	15	27
65+	3304	8.8	28	3	4	8	11	14	17	29
GRAND TOTAL	**8046**	**8.1**	**23**	**2**	**3**	**7**	**10**	**13**	**16**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	13	7.3	27	1	1	6	10	16	17	17
50-64	16	8.1	33	2	3	8	10	14	22	25
65+	21	9.2	44	2	3	7	12	21	24	26
B. *Operated*										
0-19 YRS	10	3.1	5	1	1	2	6	7	7	7
20-34	370	2.4	2	1	1	2	3	4	5	8
35-49	596	2.8	6	1	1	2	3	4	6	17
50-64	379	3.6	16	1	1	3	4	6	10	22
65+	124	4.9	29	1	1	3	6	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	16	6.1	41	<1	<1	4	8	14	22	25
35-49	63	7.6	24	1	2	7	11	15	17	22
50-64	130	8.5	38	1	3	7	11	15	18	38
65+	385	8.8	27	3	4	8	11	16	20	26
B. *Operated*										
0-19 YRS	7	3.4	2	1	1	4	5	5	5	5
20-34	135	4.9	37	1	1	3	5	9	18	32
35-49	310	4.9	31	1	1	3	5	11	15	26
50-64	366	7.5	76	1	1	4	9	20	28	37
65+	412	13.5	167	2	2	10	18	31	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	8.4	35	1	2	7	10	16	23	26
B. *Operated*	1479	3.1	10	1	1	2	4	5	7	18
2. MULTIPLE DX										
A. *Not Operated*	596	8.5	30	2	3	7	11	16	19	26
B. *Operated*	1230	8.5	104	1	1	4	11	21	30	51
1. SINGLE DX	1530	3.3	12	1	1	2	4	6	8	20
2. MULTIPLE DX	1826	8.5	80	1	2	6	11	19	26	43
A. NOT OPERATED	647	8.5	30	2	3	7	11	16	19	26
B. OPERATED	2709	5.6	60	1	1	3	5	14	21	38
TOTAL 0-19 YRS	19	3.3	4	1	1	2	5	7	7	7
20-34	522	3.2	14	1	1	2	3	5	7	25
35-49	982	3.8	18	1	1	3	4	7	12	22
50-64	891	6.0	48	1	1	4	7	13	21	36
65+	942	10.3	98	1	2	8	13	21	29	56
GRAND TOTAL	**3356**	**6.1**	**55**	**1**	**1**	**3**	**7**	**14**	**20**	**37**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	1	1	1	2	4	4	4
20-34	24	2.8	3	<1	1	2	4	6	6	7
35-49	24	2.7	1	1	1	2	4	4	5	5
50-64	14	2.4	2	<1	<1	2	3	4	5	6
65+	13	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	7	3.9	17	1	1	3	4	11	13	13
20-34	221	3.1	3	1	1	3	4	5	6	7
35-49	291	3.2	3	1	1	3	4	5	7	9
50-64	156	3.1	3	1	1	3	4	5	6	8
65+	74	3.6	17	1	1	3	4	5	7	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	3	5	5	5
20-34	63	3.3	6	1	1	3	4	6	9	11
35-49	107	3.5	7	<1	1	3	5	6	8	14
50-64	113	3.6	4	1	1	3	5	6	7	10
65+	176	4.2	6	1	1	4	6	7	9	10
B. *Operated*										
0-19 YRS	25	3.4	2	1	2	3	4	6	6	7
20-34	1093	3.4	4	1	2	3	4	5	6	10
35-49	1767	3.5	4	1	2	3	4	6	7	11
50-64	1451	3.8	6	1	2	3	5	6	8	13
65+	799	4.9	14	1	2	4	6	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.6	2	<1	1	2	3	5	6	7
B. *Operated*	749	3.2	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	466	3.7	6	1	1	3	5	7	8	11
B. *Operated*	5135	3.8	6	1	2	3	5	6	8	13
1. SINGLE DX	829	3.1	4	1	1	3	4	5	6	8
2. MULTIPLE DX	5601	3.8	6	1	2	3	5	6	8	13
A. NOT OPERATED	546	3.6	5	1	1	3	5	6	8	10
B. OPERATED	5884	3.7	6	1	2	3	5	6	8	13
TOTAL 0-19 YRS	44	3.1	4	1	1	3	4	5	6	13
20-34	1401	3.4	3	1	1	3	4	5	6	10
35-49	2189	3.4	4	1	1	3	4	6	7	11
50-64	1734	3.7	6	1	2	3	5	6	8	12
65+	1062	4.7	13	1	2	4	6	8	11	16
GRAND TOTAL	**6430**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.0	15	1	1	4	7	9	13	17
20-34	108	5.9	12	1	1	6	8	10	13	14
35-49	120	6.3	9	1	2	6	8	11	12	14
50-64	153	6.0	11	1	2	6	8	10	11	21
65+	164	6.6	15	1	2	6	8	11	12	23
B. *Operated*										
0-19 YRS	66	2.5	8	1	1	1	2	7	9	15
20-34	170	4.5	15	1	1	3	7	10	12	15
35-49	136	6.3	19	1	1	6	8	11	14	21
50-64	127	6.7	11	1	2	7	9	11	11	14
65+	119	8.1	17	2	3	8	10	14	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.8	14	1	1	3	7	9	13	20
20-34	274	6.1	21	1	1	5	8	12	15	25
35-49	486	6.7	31	1	2	6	8	12	15	26
50-64	1056	6.5	18	1	2	6	9	12	14	21
65+	2643	6.7	22	2	2	6	8	12	15	22
B. *Operated*										
0-19 YRS	61	6.5	62	1	1	4	9	13	18	44
20-34	316	7.5	61	1	1	6	10	15	20	36
35-49	428	8.6	56	1	1	7	11	16	22	39
50-64	718	9.2	46	1	2	8	12	17	21	34
65+	1309	10.4	59	2	3	9	12	18	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	6.2	12	1	2	6	8	10	12	17
B. *Operated*	618	5.8	17	1	1	6	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	4530	6.6	22	1	2	6	8	12	14	22
B. *Operated*	2832	9.4	57	1	2	8	12	17	22	39
1. SINGLE DX	1192	6.0	15	1	1	6	8	11	13	17
2. MULTIPLE DX	7362	7.7	37	1	2	7	10	14	18	30
A. NOT OPERATED	5104	6.5	21	1	2	6	8	11	14	22
B. OPERATED	3450	8.8	52	1	1	8	11	16	21	37
TOTAL 0-19 YRS	227	4.6	27	1	1	3	7	10	13	25
20-34	868	6.3	34	1	1	5	9	13	15	27
35-49	1170	7.3	38	1	1	6	9	13	17	30
50-64	2054	7.4	29	1	2	7	10	13	17	26
65+	4235	7.9	36	2	2	7	10	14	18	31
GRAND TOTAL	**8554**	**7.4**	**35**	**1**	**2**	**7**	**10**	**13**	**17**	**29**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1760	2.4	2	1	1	2	3	4	5	8
20-34	276	2.8	2	1	1	3	4	5	5	8
35-49	120	3.3	4	1	1	3	4	6	7	9
50-64	50	3.3	4	1	1	3	4	6	8	9
65+	36	4.2	7	1	2	4	6	7	10	12
B. *Operated*										
0-19 YRS	235	1.6	2	1	1	1	2	3	4	8
20-34	87	1.9	3	1	1	1	2	4	6	8
35-49	11	2.9	4	1	1	2	4	6	7	7
50-64	12	2.7	5	1	1	2	4	6	7	7
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4627	3.1	4	1	1	3	4	5	7	11
20-34	849	3.6	15	1	2	3	4	6	7	11
35-49	493	4.1	5	1	2	4	5	7	8	13
50-64	420	4.9	10	2	2	4	6	8	11	18
65+	648	5.5	14	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	319	2.8	14	1	1	1	3	7	10	22
20-34	116	4.0	25	1	1	3	5	9	11	27
35-49	59	6.1	47	1	1	5	8	10	11	48
50-64	67	7.9	62	1	1	6	10	15	19	50
65+	62	9.5	48	1	2	9	14	20	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2242	2.6	2	1	1	2	3	4	6	8
B. *Operated*	346	1.8	2	1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	7037	3.6	7	1	1	3	4	6	8	13
B. *Operated*	623	4.5	33	1	1	2	6	11	14	30
1. SINGLE DX	2588	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	7660	3.6	10	1	1	3	4	6	9	14
A. NOT OPERATED	9279	3.3	6	1	1	3	4	6	7	12
B. OPERATED	969	3.6	24	1	1	2	4	9	12	26
TOTAL 0-19 YRS	6941	2.9	4	1	1	2	4	5	6	10
20-34	1328	3.4	13	1	1	3	4	6	7	12
35-49	683	4.1	9	1	2	3	5	7	9	13
50-64	549	5.1	17	1	2	4	6	9	11	19
65+	747	5.8	18	2	2	5	7	11	13	22
GRAND TOTAL	**10248**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3322	3.2	3	1	1	3	4	5	6	9
20-34	192	3.2	3	1	1	3	4	5	6	9
35-49	213	4.0	3	2	2	4	5	6	7	11
50-64	148	4.0	3	1	2	4	5	6	7	10
65+	156	4.3	3	2	2	4	5	7	8	9
B. *Operated*										
0-19 YRS	10	6.0	19	1	2	5	9	13	14	14
20-34	4	3.8	5	2	2	3	5	7	7	7
35-49	6	9.0	165	1	1	4	6	32	35	35
50-64	3	3.7		3	3	4	4	4	4	4
65+	5	7.6	31	1	1	7	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5879	4.0	6	1	2	3	5	7	8	13
20-34	863	4.5	9	2	2	4	5	8	9	18
35-49	1436	5.2	13	2	2	4	6	9	11	17
50-64	3453	6.4	17	2	3	5	8	11	14	22
65+	7310	6.9	18	2	3	6	8	12	15	23
B. *Operated*										
0-19 YRS	59	10.5	188	1	3	7	11	20	33	86
20-34	40	7.7	44	2	2	6	9	15	18	38
35-49	115	8.8	53	2	3	6	11	19	27	62
50-64	303	11.2	82	3	4	9	14	20	27	51
65+	563	12.3	100	3	4	10	15	23	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4031	3.4	3	1	1	3	4	6	7	9
B. *Operated*	28	6.4	46	1	2	4	7	13	17	35
2. MULTIPLE DX										
A. *Not Operated*	18941	5.7	15	2	2	5	7	10	13	20
B. *Operated*	1080	11.4	94	3	4	9	14	21	28	52
1. SINGLE DX	4059	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX	20021	6.0	21	2	2	5	7	11	14	24
A. NOT OPERATED	22972	5.3	14	2	2	4	6	9	12	19
B. OPERATED	1108	11.2	93	3	3	9	14	21	28	52
TOTAL 0-19 YRS	9270	3.8	6	1	2	3	5	6	8	12
20-34	1099	4.3	10	1	2	4	5	7	9	18
35-49	1770	5.3	16	2	2	4	6	9	11	22
50-64	3907	6.6	23	2	3	5	8	12	14	25
65+	8034	7.3	26	2	3	6	9	13	16	26
GRAND TOTAL	**24080**	**5.5**	**19**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	174	1.3	1	1	1	1	1	2	2	5
20-34	402	1.4	1	1	1	1	2	2	3	5
35-49	261	1.4	1	1	1	1	2	2	3	5
50-64	97	1.5	1	1	1	1	2	3	3	4
65+	29	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.3	1	<1	<1	2	3	4	4	4
35-49	7	1.0		<1	<1	<1	<1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	564	1.4	1	1	1	1	2	2	3	4
20-34	1472	1.5	1	1	1	1	2	2	3	6
35-49	1131	1.6	1	1	1	1	2	3	3	6
50-64	624	1.7	1	1	1	1	2	3	4	5
65+	227	2.1	4	1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	963	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	21	1.5	1	<1	<1	<1	2	3	4	4
B. *Operated*	4018	1.6	1	1	1	1	2	3	3	6
1. SINGLE DX	966	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX	4039	1.6	1	1	1	1	2	3	3	6
A. NOT OPERATED	24	1.5	1	<1	<1	1	2	3	4	4
B. OPERATED	4981	1.5	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	742	1.4	1	1	1	1	2	2	3	4
20-34	1881	1.5	1	1	1	1	2	2	3	6
35-49	1399	1.5	1	1	1	1	2	2	3	6
50-64	723	1.7	1	1	1	1	2	3	3	5
65+	260	2.0	3	1	1	2	2	3	4	7
GRAND TOTAL	**5005**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.8	2	1	1	1	3	4	4	4
20-34	19	1.5		<1	1	1	2	3	3	3
35-49	37	1.4	1	<1	1	1	2	3	3	4
50-64	17	1.5	1	<1	1	1	2	3	3	3
65+	18	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	2	5.5	41	<1	<1	5	10	10	10	10
50-64	5	4.0	14	1	1	3	6	10	10	10
65+	5	5.4	37	<1	<1	1	11	13	13	13
B. *Operated*										
0-19 YRS	31	2.3	10	1	1	1	2	4	7	18
20-34	86	1.6	1	1	1	1	2	3	4	6
35-49	177	1.7	2	1	1	1	2	3	4	6
50-64	189	1.9	3	1	1	1	2	3	4	10
65+	131	2.3	3	1	1	2	3	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	102	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	15	4.5	19	<1	<1	3	9	11	12	13
B. *Operated*	614	1.9	3	1	1	1	2	3	4	8
1. SINGLE DX	102	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX	629	2.0	3	1	1	1	2	4	5	10
A. NOT OPERATED	15	4.5	19	<1	<1	3	9	11	12	13
B. OPERATED	716	1.9	3	1	1	1	2	3	4	8
TOTAL 0-19 YRS	42	2.2	8	1	1	1	2	4	6	18
20-34	108	1.7	1	1	1	1	2	3	4	6
35-49	216	1.7	2	1	1	1	2	3	4	8
50-64	211	2.0	3	1	1	1	2	3	4	11
65+	154	2.4	4	1	1	2	3	5	7	11
GRAND TOTAL	**731**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.1	2	<1	<1	2	3	4	5	6
20-34	10	1.8	3	<1	<1	1	2	4	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8352	1.1		<1	1	1	1	1	2	3
20-34	1826	1.2		1	1	1	1	2	2	4
35-49	177	1.2		1	1	1	1	2	2	3
50-64	33	1.4		1	1	1	2	2	3	4
65+	8	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.1	3	<1	<1	1	3	5	6	8
20-34	21	2.7	3	<1	<1	2	3	5	7	8
35-49	8	3.8	3	2	2	3	5	6	7	7
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5743	1.2	1	1	1	1	1	2	2	4
20-34	551	1.4	1	1	1	1	2	2	3	5
35-49	102	1.6	2	1	1	1	2	3	4	9
50-64	25	1.9	3	1	1	1	2	3	5	9
65+	17	1.9	4	<1	1	1	2	5	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	10396	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	136	2.3	3	<1	<1	1	3	5	6	8
B. *Operated*	6438	1.2	1	1	1	1	1	2	2	4
1. SINGLE DX	10443	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX	6574	1.3	1	<1	1	1	1	2	2	5
A. NOT OPERATED	183	2.2	3	<1	<1	1	3	5	6	8
B. OPERATED	16834	1.2	1	1	1	1	1	2	2	3
TOTAL 0-19 YRS	14237	1.2	1	<1	1	1	1	2	2	3
20-34	2408	1.3		1	1	1	1	2	2	4
35-49	288	1.4	1	1	1	1	2	2	3	6
50-64	58	1.6	2	1	1	1	2	3	4	9
65+	26	1.8	3	<1	1	1	2	4	6	9
GRAND TOTAL	**17017**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	335	2.6	2	1	1	2	3	5	5	7
20-34	261	2.7	2	1	1	2	3	4	5	8
35-49	81	3.1	3	1	1	3	4	5	6	10
50-64	33	3.0	2	1	1	3	4	5	6	7
65+	19	5.6	28	1	2	4	6	11	18	24
B. *Operated*										
0-19 YRS	345	2.4	4	1	1	2	3	4	6	10
20-34	455	2.1	3	1	1	2	3	4	5	9
35-49	303	1.9	3	1	1	1	2	4	5	9
50-64	238	2.0	5	1	1	1	2	3	6	10
65+	111	1.8	1	1	1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	462	3.4	7	1	1	3	4	5	7	12
20-34	240	3.4	5	1	2	3	4	6	7	9
35-49	185	4.8	16	1	2	4	6	8	11	21
50-64	158	5.1	23	1	2	4	6	9	11	29
65+	137	5.4	17	1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	542	3.1	17	1	1	2	3	6	10	24
20-34	719	2.4	10	1	1	2	3	5	6	12
35-49	746	2.7	16	1	1	2	2	5	8	24
50-64	718	3.0	11	1	1	2	3	7	10	18
65+	455	4.4	32	1	1	2	5	10	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	2.8	3	1	1	2	3	5	6	9
B. *Operated*	1452	2.1	3	1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1182	4.1	12	1	1	3	5	7	9	18
B. *Operated*	3180	3.0	16	1	1	2	3	6	10	21
1. SINGLE DX	2181	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	4362	3.3	15	1	1	2	4	7	10	20
A. NOT OPERATED	1911	3.6	9	1	1	3	4	6	8	14
B. OPERATED	4632	2.7	12	1	1	2	3	5	8	18
TOTAL 0-19 YRS	1684	2.9	9	1	1	2	3	5	7	15
20-34	1675	2.5	6	1	1	2	3	5	6	10
35-49	1315	2.8	13	1	1	2	3	6	8	20
50-64	1147	3.1	12	1	1	2	4	7	9	17
65+	722	4.2	25	1	1	2	5	10	14	29
GRAND TOTAL	**6543**	**3.0**	**12**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6348	3.8	4	1	2	3	5	6	7	10
20-34	1355	4.4	4	2	2	4	5	7	8	11
35-49	1016	4.9	6	2	2	4	6	8	9	12
50-64	800	5.4	7	2	3	5	7	8	10	15
65+	1054	5.9	8	2	3	5	7	10	11	15
B. *Operated*										
0-19 YRS	25	5.8	11	1	2	5	8	12	12	13
20-34	31	8.4	31	2	2	8	11	13	23	25
35-49	26	8.4	18	3	5	7	10	14	18	20
50-64	57	9.4	22	3	4	9	11	16	18	24
65+	47	9.6	16	5	5	9	12	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11088	4.5	10	2	2	4	5	8	10	16
20-34	2447	5.9	16	2	2	5	7	10	14	21
35-49	3018	6.3	15	2	3	5	8	11	13	20
50-64	5986	7.4	22	3	3	6	9	12	15	24
65+	22622	8.8	28	3	4	8	11	15	18	28
B. *Operated*										
0-19 YRS	253	12.6	151	2	3	9	15	25	33	74
20-34	269	13.1	102	3	4	11	17	25	31	60
35-49	455	13.1	78	4	5	11	17	24	33	49
50-64	1095	15.1	137	4	5	12	18	29	39	67
65+	2975	16.6	127	5	6	14	21	31	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10573	4.3	5	2	2	4	5	7	9	12
B. *Operated*	186	8.6	21	2	3	8	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	45161	7.2	25	2	3	6	9	13	16	25
B. *Operated*	5047	15.6	127	4	6	13	19	29	38	64
1. SINGLE DX	10759	4.4	6	2	2	4	5	7	9	13
2. MULTIPLE DX	50208	8.0	41	2	3	6	10	15	19	34
A. NOT OPERATED	55734	6.7	22	2	3	5	8	12	15	24
B. OPERATED	5233	15.3	125	4	5	12	19	29	37	63
TOTAL 0-19 YRS	17714	4.4	11	2	2	4	5	7	9	16
20-34	4102	5.9	22	2	2	5	7	10	14	25
35-49	4515	6.7	25	2	3	5	8	12	15	27
50-64	7938	8.2	44	3	3	7	10	14	19	36
65+	26698	9.5	45	3	4	8	11	17	21	36
GRAND TOTAL	**60967**	**7.4**	**37**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.6	2	1	1	2	3	4	5	9
20-34	102	2.8	3	1	1	2	4	5	6	9
35-49	94	3.6	5	2	2	3	4	5	6	14
50-64	72	3.8	4	1	2	3	5	6	8	11
65+	77	4.2	5	1	1	4	6	7	8	11
B. *Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	483	3.1	3	1	1	3	4	5	7	10
20-34	412	3.4	5	1	1	3	4	6	8	10
35-49	378	3.6	4	1	2	3	5	6	8	11
50-64	515	4.9	9	2	2	4	6	9	10	18
65+	1150	5.9	15	2	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	5	21.4	672	3	3	9	33	66	66	66
20-34	5	8.2	49	3	3	5	12	20	20	20
35-49	14	6.1	15	2	2	5	7	14	15	15
50-64	20	8.2	22	2	3	8	11	15	17	19
65+	45	12.0	84	3	3	10	15	25	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	3.2	4	1	1	3	4	6	7	10
B. *Operated*	5	6.2	20	3	3	4	8	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	2938	4.7	10	1	2	4	6	8	11	17
B. *Operated*	89	10.5	94	3	3	8	14	21	27	58
1. SINGLE DX	517	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	3027	4.8	14	1	2	4	6	9	11	18
A. NOT OPERATED	3450	4.4	10	1	2	4	5	8	10	17
B. OPERATED	94	10.3	91	3	3	7	14	21	27	57
TOTAL 0-19 YRS	658	3.1	10	1	1	3	4	5	7	10
20-34	519	3.3	5	1	1	3	4	6	7	10
35-49	487	3.9	4	1	2	4	5	6	8	11
50-64	607	4.9	10	2	2	4	6	9	11	18
65+	1273	6.0	18	2	2	5	7	11	14	22
GRAND TOTAL	**3544**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	3.0	3	1	1	3	4	5	7	9
20-34	43	3.1	3	1	1	3	4	5	7	8
35-49	46	4.2	12	1	1	3	5	7	11	20
50-64	95	5.3	54	1	2	4	6	8	10	48
65+	82	5.4	10	1	2	5	7	10	11	16
B. *Operated*										
0-19 YRS	9	3.2	9	1	1	2	5	8	9	9
20-34	5	5.0	6	2	2	6	7	8	8	8
35-49	8	5.9	13	<1	<1	6	8	11	12	12
50-64	12	4.3	15	<1	<1	2	8	10	11	11
65+	4	5.0	18	1	1	4	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	860	3.6	5	1	2	3	4	6	8	11
20-34	168	4.0	7	1	2	3	5	7	10	15
35-49	345	4.9	12	1	2	4	6	8	10	21
50-64	882	6.2	18	2	2	5	8	11	14	22
65+	1614	7.2	25	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	21	6.0	25	<1	1	5	7	14	17	18
20-34	16	5.0	9	1	2	5	7	12	69	99+
35-49	53	6.6	27	2	2	5	8	12	15	32
50-64	150	8.5	68	1	2	6	11	15	19	58
65+	196	11.0	70	3	4	8	14	21	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	3.7	13	1	1	3	4	7	8	13
B. *Operated*	38	4.5	12	<1	<1	4	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	3869	5.8	19	2	2	5	7	11	14	21
B. *Operated*	436	9.1	63	2	2	7	12	17	23	54
1. SINGLE DX	697	3.8	13	1	1	3	5	7	8	13
2. MULTIPLE DX	4305	6.1	24	2	2	5	8	11	15	24
A. NOT OPERATED	4528	5.5	19	1	2	4	7	10	13	21
B. OPERATED	474	8.8	61	1	2	7	11	17	22	51
TOTAL 0-19 YRS	1283	3.5	5	1	1	3	4	6	8	11
20-34	232	3.9	7	1	2	3	5	7	9	15
35-49	452	5.0	14	1	2	4	6	9	11	21
50-64	1139	6.4	29	2	2	5	8	11	15	24
65+	1896	7.5	30	2	3	6	9	13	17	31
GRAND TOTAL	**5002**	**5.8**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	1.8	1	<1	<1	1	2	4	4	4
35-49	12	4.7	5	1	2	4	7	8	8	8
50-64	102	6.3	13	2	3	6	8	11	14	18
65+	113	6.5	20	2	3	6	8	10	14	28
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	10.0	4	8	8	10	11	12	12	12
35-49	6	5.8	31	1	1	4	8	15	16	16
50-64	6	8.0	19	3	3	7	11	15	15	15
65+	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	1	1	4	5	6	6	6
20-34	6	4.3	2	3	3	4	6	6	6	6
35-49	95	7.0	86	2	2	5	8	11	14	61
50-64	761	7.7	33	3	3	6	9	14	18	29
65+	1546	8.1	27	3	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	6	8.8	46	3	3	5	17	18	18	18
20-34	10	10.5	21	3	4	11	15	16	16	16
35-49	27	10.9	70	2	2	9	14	22	29	37
50-64	105	14.8	211	2	5	10	18	38	63	99+
65+	177	16.7	166	2	5	14	21	35	50	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	6.2	16	2	2	5	8	11	14	26
B. *Operated*	20	6.2	22	1	1	5	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	2413	7.9	32	2	3	7	9	14	18	29
B. *Operated*	325	15.2	169	2	5	11	19	35	48	99+
1. SINGLE DX	254	6.2	17	2	2	5	8	11	14	25
2. MULTIPLE DX	2738	8.8	54	2	3	7	10	16	21	43
A. NOT OPERATED	2647	7.7	30	2	3	6	9	14	17	29
B. OPERATED	345	14.7	165	2	4	11	19	32	46	99+
TOTAL 0-19 YRS	13	5.8	30	1	1	5	6	17	18	18
20-34	25	6.9	24	1	1	6	11	15	16	16
35-49	140	7.5	76	2	2	6	9	12	20	42
50-64	974	8.3	55	2	3	6	10	15	21	47
65+	1840	8.8	47	2	3	7	10	16	21	38
GRAND TOTAL	**2992**	**8.5**	**51**	**2**	**3**	**7**	**10**	**16**	**20**	**41**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6559	3.1	3	1	1	3	4	5	6	8
20-34	1602	3.5	4	1	1	3	4	6	7	10
35-49	1251	4.1	5	1	2	4	5	7	8	12
50-64	922	4.5	7	1	2	4	6	8	9	13
65+	493	5.0	8	2	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	14	3.9	6	1	2	3	5	7	9	10
20-34	5	4.6	11	1	1	3	7	9	9	9
35-49	7	5.4	12	1	1	5	8	10	10	10
50-64	3	6.7	16	3	3	6	10	11	11	11
65+	4	7.8	7	5	5	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6583	3.7	5	1	2	3	5	6	7	11
20-34	1974	4.4	8	1	2	4	5	8	9	14
35-49	2582	5.2	10	2	2	5	7	9	11	16
50-64	3802	6.0	14	2	3	5	8	10	13	20
65+	4574	6.8	18	2	3	6	8	12	14	22
B. *Operated*										
0-19 YRS	81	6.8	35	1	2	6	8	12	18	36
20-34	77	8.2	38	2	2	7	10	18	23	31
35-49	144	9.7	50	3	4	7	12	18	23	40
50-64	204	10.8	70	2	3	9	13	19	25	53
65+	284	12.5	88	3	5	10	15	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10827	3.4	4	1	2	3	4	6	7	10
B. *Operated*	33	5.0	9	1	2	4	7	10	10	11
2. MULTIPLE DX										
A. *Not Operated*	19515	5.2	12	2	2	4	6	9	11	18
B. *Operated*	790	10.5	69	2	3	8	13	20	26	47
1. SINGLE DX	10860	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	20305	5.4	16	2	2	4	7	10	12	20
A. NOT OPERATED	30342	4.5	10	1	2	4	6	8	10	16
B. OPERATED	823	10.3	68	2	3	8	12	19	26	46
TOTAL 0-19 YRS	13237	3.4	4	1	2	3	4	6	7	10
20-34	3658	4.1	7	1	2	4	5	7	9	13
35-49	3984	5.0	11	2	2	4	6	9	11	17
50-64	4931	6.0	16	2	2	5	7	10	13	21
65+	5355	6.9	22	2	3	6	9	12	15	24
GRAND TOTAL	**31165**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	2	1	1	3	4	5	5	5
20-34	12	3.6	9	1	1	3	4	9	11	11
35-49	64	5.0	5	2	3	5	6	8	9	12
50-64	319	5.3	14	1	2	5	6	9	11	22
65+	351	5.9	13	2	2	5	8	10	12	17
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	3	6.7	32	2	2	5	11	13	13	13
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	12	6.5	30	1	2	4	10	15	18	18
65+	13	7.2	30	1	2	4	12	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.5	9	1	2	4	7	9	11	12
20-34	44	6.5	18	2	2	5	9	12	15	20
35-49	409	6.5	25	2	2	6	8	11	14	25
50-64	2598	7.3	24	2	3	6	9	13	16	26
65+	4927	7.6	29	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	13	10.5	36	2	4	10	14	18	23	24
35-49	66	9.2	40	2	3	7	12	20	24	88
50-64	288	12.1	116	2	3	9	15	25	33	80
65+	522	13.9	133	3	4	11	17	27	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	5.5	13	2	2	5	7	9	12	17
B. *Operated*	32	7.1	28	1	2	5	12	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	8001	7.4	27	2	3	6	9	13	17	27
B. *Operated*	891	12.9	121	2	4	10	16	25	35	64
1. SINGLE DX	791	5.6	13	2	2	5	7	10	12	17
2. MULTIPLE DX	8892	8.0	39	2	3	7	10	14	19	33
A. NOT OPERATED	8760	7.3	26	2	3	6	9	13	16	27
B. OPERATED	923	12.7	118	2	4	10	16	25	34	63
TOTAL 0-19 YRS	40	4.3	9	1	2	3	6	8	11	13
20-34	72	6.7	24	1	2	5	10	14	15	23
35-49	541	6.7	25	2	2	6	8	12	15	27
50-64	3217	7.5	34	2	3	6	9	13	17	32
65+	5813	8.1	41	2	3	7	10	14	19	33
GRAND TOTAL	**9683**	**7.8**	**38**	**2**	**3**	**6**	**9**	**14**	**18**	**33**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	8	<1	1	2	3	6	8	16
20-34	128	3.3	8	1	1	3	4	7	9	16
35-49	32	3.6	23	1	1	2	4	6	9	28
50-64	10	3.3	4	1	1	3	4	6	7	7
65+	3	8.3	10	6	6	7	11	12	12	12
B. *Operated*										
0-19 YRS	98	6.4	20	2	2	5	9	13	14	22
20-34	439	5.5	14	2	2	4	7	10	12	23
35-49	158	6.6	21	2	3	5	8	13	17	23
50-64	43	6.1	11	2	3	5	9	11	12	15
65+	19	5.9	16	2	2	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	35	<1	1	3	5	10	19	27
20-34	53	3.1	3	1	1	3	4	6	8	8
35-49	36	6.3	61	1	1	4	7	10	17	46
50-64	35	6.3	24	1	2	6	8	9	17	26
65+	74	7.4	24	2	2	7	9	13	15	28
B. *Operated*										
0-19 YRS	42	10.3	59	2	3	9	12	20	24	43
20-34	206	9.2	39	3	3	7	12	18	23	32
35-49	154	9.1	46	2	3	7	12	17	23	37
50-64	258	10.6	76	2	3	8	13	21	26	41
65+	355	11.9	68	3	4	10	15	23	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	3.3	10	1	1	2	4	7	9	17
B. *Operated*	757	5.9	16	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	218	5.7	29	1	1	4	7	10	14	28
B. *Operated*	1015	10.5	61	3	4	8	13	21	26	38
1. SINGLE DX	971	5.3	16	1	2	4	7	10	13	22
2. MULTIPLE DX	1233	9.7	59	2	3	7	12	20	25	37
A. NOT OPERATED	432	4.5	21	1	1	3	6	9	12	26
B. OPERATED	1772	8.6	47	2	3	6	11	17	23	34
TOTAL 0-19 YRS	201	6.3	33	1	1	4	9	13	17	26
20-34	826	6.0	23	1	2	4	7	12	16	25
35-49	380	7.3	37	2	2	6	9	14	20	30
50-64	346	9.4	64	2	3	7	12	21	25	38
65+	451	10.9	62	3	4	9	14	22	28	37
GRAND TOTAL	**2204**	**7.8**	**45**	**2**	**2**	**6**	**10**	**16**	**21**	**32**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	2.9	3	1	1	3	4	5	6	10
20-34	136	3.2	11	<1	1	2	4	6	9	17
35-49	119	3.2	6	1	1	3	4	6	9	12
50-64	108	3.4	6	1	1	3	5	7	8	12
65+	119	5.1	11	1	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	71	3.0	14	1	1	1	3	10	10	18
20-34	58	5.5	19	1	1	5	8	12	13	21
35-49	112	6.0	20	1	1	5	8	11	15	23
50-64	137	7.0	43	1	1	6	8	13	19	41
65+	97	7.1	56	1	1	5	9	14	21	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	876	4.5	17	1	1	3	6	9	12	18
20-34	472	5.0	36	1	1	3	6	10	13	29
35-49	742	5.4	30	1	2	4	7	10	13	25
50-64	1609	6.2	25	1	2	5	8	11	15	24
65+	4855	7.9	32	2	3	7	10	15	19	28
B. *Operated*										
0-19 YRS	233	9.9	151	1	1	6	15	24	37	99+
20-34	264	11.1	157	1	1	8	15	25	30	66
35-49	500	10.4	124	1	2	8	12	22	31	68
50-64	924	11.3	118	1	2	8	15	24	31	65
65+	1766	13.8	122	2	3	11	18	28	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	802	3.4	7	1	1	3	4	6	8	12
B. *Operated*	475	6.0	35	1	1	5	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	8554	6.9	31	1	2	5	9	13	17	27
B. *Operated*	3687	12.3	128	1	2	9	16	26	34	63
1. SINGLE DX	1277	4.4	19	1	1	3	6	9	11	21
2. MULTIPLE DX	12241	8.5	66	1	2	6	10	17	23	44
A. NOT OPERATED	9356	6.6	30	1	2	5	8	13	16	26
B. OPERATED	4162	11.6	121	1	2	9	15	24	32	61
TOTAL 0-19 YRS	1500	5.0	40	1	1	3	6	10	15	31
20-34	930	6.5	74	1	1	4	8	14	21	40
35-49	1473	7.0	66	1	2	5	8	14	20	44
50-64	2778	7.8	62	1	2	6	9	16	22	41
65+	6837	9.4	62	2	3	7	12	18	24	43
GRAND TOTAL	**13518**	**8.1**	**63**	**1**	**2**	**6**	**10**	**16**	**22**	**42**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	2	1	1	2	4	5	5	5
20-34	22	3.1	2	1	2	3	4	5	6	6
35-49	13	3.1	6	1	1	3	4	7	9	10
50-64	12	2.5	1	1	1	3	3	4	4	4
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	605	2.5	1	1	1	2	3	4	4	6
20-34	810	2.6	2	1	1	2	3	4	5	6
35-49	389	2.5	2	1	1	2	3	4	5	6
50-64	189	2.1	2	1	1	2	2	3	5	7
65+	46	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.8	10	1	1	3	5	6	7	19
20-34	98	3.4	8	<1	1	3	5	6	9	16
35-49	59	4.1	5	1	1	4	6	7	9	11
50-64	52	4.6	25	<1	1	3	6	8	12	27
65+	38	4.5	11	<1	1	3	6	9	10	16
B. *Operated*										
0-19 YRS	790	2.8	3	1	1	3	4	5	5	10
20-34	777	3.1	5	1	1	3	4	5	6	12
35-49	463	3.2	8	1	1	3	4	5	7	14
50-64	444	3.2	19	1	1	2	3	6	9	22
65+	313	3.4	19	1	1	2	3	7	10	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.8	2	1	1	3	4	5	5	9
B. *Operated*	2039	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	365	3.9	11	<1	1	3	5	7	9	17
B. *Operated*	2787	3.1	9	1	1	3	4	5	7	14
1. SINGLE DX	2105	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	3152	3.2	9	1	1	3	4	5	7	15
A. NOT OPERATED	431	3.8	10	1	1	3	5	7	9	16
B. OPERATED	4826	2.8	6	1	1	2	3	5	6	11
TOTAL 0-19 YRS	1530	2.8	3	1	1	3	3	4	5	9
20-34	1707	2.9	4	1	1	3	3	5	6	10
35-49	924	3.0	5	1	1	3	4	5	6	11
50-64	697	3.0	15	1	1	2	3	5	7	21
65+	399	3.3	17	1	1	2	3	7	9	25
GRAND TOTAL	**5257**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.7	4	1	2	3	5	6	8	11
20-34	36	4.1	18	1	2	3	4	9	10	25
35-49	29	3.4	3	1	1	3	4	5	6	10
50-64	20	4.7	11	2	2	4	4	9	13	15
65+	6	2.8	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	83	2.6	4	<1	1	2	4	5	7	11
20-34	111	2.1	2	1	1	2	3	4	5	7
35-49	105	2.1	4	1	1	2	2	3	5	14
50-64	109	2.0	2	1	1	2	2	3	4	7
65+	67	2.7	5	1	1	2	3	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	4.0	4	1	2	4	5	7	8	11
20-34	61	4.4	11	<1	1	4	6	8	9	19
35-49	52	5.8	28	2	2	5	7	9	20	28
50-64	81	5.7	20	2	2	5	7	9	14	28
65+	143	6.6	14	2	3	6	8	11	15	18
B. *Operated*										
0-19 YRS	85	3.3	5	1	1	3	4	7	9	12
20-34	106	3.1	7	1	1	2	4	6	8	15
35-49	130	3.6	17	1	1	2	4	8	10	22
50-64	193	3.8	18	1	1	3	4	8	11	25
65+	191	5.0	31	1	1	3	6	13	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.8	8	1	2	3	4	6	9	15
B. *Operated*	475	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	544	5.1	13	1	2	4	7	9	11	20
B. *Operated*	705	3.9	18	1	1	3	4	8	12	22
1. SINGLE DX	639	2.6	5	1	1	2	3	5	6	12
2. MULTIPLE DX	1249	4.4	17	1	1	3	5	9	12	20
A. NOT OPERATED	708	4.8	12	1	2	4	6	9	11	19
B. OPERATED	1180	3.2	13	1	1	2	4	7	10	19
TOTAL 0-19 YRS	448	3.5	5	1	1	3	4	7	8	11
20-34	314	3.1	8	1	1	2	4	6	8	16
35-49	316	3.4	15	1	1	2	4	7	10	22
50-64	403	3.7	15	1	1	3	4	8	10	21
65+	407	5.1	22	1	1	4	7	11	14	21
GRAND TOTAL	**1888**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	2.6	3	1	1	2	3	5	6	8
20-34	88	3.0	3	<1	1	3	4	6	7	8
35-49	148	2.8	3	1	1	2	4	5	7	8
50-64	120	3.4	11	1	1	3	4	6	8	20
65+	62	2.9	3	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	64	4.4	13	1	1	4	6	10	11	19
20-34	43	4.5	8	<1	1	5	6	8	10	12
35-49	66	4.7	7	1	1	5	7	8	9	10
50-64	79	4.9	48	1	1	4	6	8	11	47
65+	87	5.0	11	1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	485	3.8	8	1	1	3	5	7	9	15
20-34	395	3.6	7	1	1	3	4	7	8	13
35-49	789	4.0	8	1	1	3	5	7	9	15
50-64	1032	4.2	9	1	1	4	5	7	10	14
65+	1465	4.9	13	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	209	11.3	129	1	1	8	15	27	34	88
20-34	195	7.8	61	2	2	6	8	15	23	42
35-49	405	6.7	31	2	2	6	8	12	16	33
50-64	700	7.7	41	2	2	6	9	15	21	36
65+	1285	8.6	68	2	2	6	10	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	2.9	5	1	1	2	4	5	7	8
B. *Operated*	339	4.8	19	1	1	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	4166	4.3	10	1	1	4	5	8	10	16
B. *Operated*	2794	8.3	61	2	2	6	10	16	23	43
1. SINGLE DX	969	3.5	10	1	1	3	5	7	8	13
2. MULTIPLE DX	6960	5.9	34	1	2	4	7	11	15	32
A. NOT OPERATED	4795	4.1	10	1	1	3	5	7	9	15
B. OPERATED	3133	7.9	58	1	2	6	9	15	22	41
TOTAL 0-19 YRS	970	5.2	44	1	1	3	6	10	16	37
20-34	721	4.7	25	1	1	4	6	8	12	25
35-49	1408	4.7	16	1	1	4	6	8	10	20
50-64	1931	5.5	25	1	2	4	7	10	14	29
65+	2899	6.5	41	1	2	5	8	12	17	33
GRAND TOTAL	**7929**	**5.6**	**32**	**1**	**1**	**4**	**7**	**10**	**15**	**31**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	6	1	1	2	4	7	7	7
20-34	37	3.5	12	1	2	3	4	6	7	22
35-49	50	3.7	2	2	2	3	5	6	6	8
50-64	37	3.4	5	1	1	3	4	5	9	12
65+	25	4.4	5	1	2	4	6	8	8	8
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	6.7	21	2	2	5	10	13	17	19
35-49	46	6.6	9	2	3	6	8	11	12	15
50-64	48	5.9	8	2	2	5	8	9	11	16
65+	11	7.0	19	<1	2	6	11	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.3	2	1	1	4	4	5	6	6
20-34	121	4.7	10	2	2	4	6	9	12	16
35-49	221	5.0	8	2	2	4	6	8	11	15
50-64	286	5.2	9	2	2	5	6	9	11	16
65+	489	5.8	11	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	60	7.1	20	2	3	6	9	14	16	22
35-49	207	6.9	16	2	3	6	9	12	16	20
50-64	322	7.5	41	2	3	6	9	13	16	29
65+	476	8.4	35	2	3	7	10	14	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	3.6	6	1	2	3	4	6	7	12
B. *Operated*	138	6.4	12	2	2	6	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	1132	5.3	10	2	2	5	7	9	12	16
B. *Operated*	1066	7.8	33	2	3	7	9	14	17	31
1. SINGLE DX	292	4.9	11	1	2	4	6	9	11	17
2. MULTIPLE DX	2198	6.5	22	2	2	5	8	12	15	23
A. NOT OPERATED	1286	5.1	10	2	2	4	6	9	11	16
B. OPERATED	1204	7.6	31	2	3	6	9	14	16	30
TOTAL 0-19 YRS	22	3.2	3	1	1	3	4	5	6	7
20-34	250	5.4	15	2	2	4	7	10	13	19
35-49	524	5.7	12	2	2	5	7	10	13	18
50-64	693	6.2	25	2	2	5	8	11	14	23
65+	1001	7.0	24	2	3	6	8	13	15	29
GRAND TOTAL	**2490**	**6.3**	**21**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	26	3.3	2	1	2	3	5	5	6	7
35-49	61	4.2	3	2	2	4	5	7	8	9
50-64	68	4.5	5	2	2	4	6	7	9	12
65+	70	4.3	6	2	2	4	5	8	9	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	6.8	9	3	3	7	9	11	12	15
35-49	46	6.9	13	2	3	7	9	11	14	17
50-64	65	6.9	15	2	3	6	8	12	14	22
65+	59	6.8	10	3	3	7	9	12	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	3	2	2	4	5	6	7	7
20-34	100	4.6	7	1	2	4	6	8	10	15
35-49	211	4.6	8	2	2	4	5	8	10	16
50-64	429	5.8	15	2	3	5	7	10	12	19
65+	1269	6.8	19	2	3	6	8	11	14	24
B. *Operated*										
0-19 YRS	3	7.7	16	4	4	7	11	12	12	12
20-34	61	10.0	226	2	3	6	9	16	45	81
35-49	179	8.6	36	3	3	7	11	16	20	23
50-64	465	9.4	66	3	3	7	11	17	24	42
65+	1418	10.9	88	3	4	8	13	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	4.2	5	2	2	4	5	7	9	11
B. *Operated*	198	6.8	12	2	3	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2024	6.2	17	2	3	5	8	10	13	22
B. *Operated*	2126	10.4	83	3	4	8	12	20	25	54
1. SINGLE DX	424	5.4	10	2	2	5	7	9	11	16
2. MULTIPLE DX	4150	8.3	55	2	3	6	10	15	20	39
A. NOT OPERATED	2250	6.0	16	2	3	5	7	10	13	20
B. OPERATED	2324	10.1	78	3	4	8	12	19	24	52
TOTAL 0-19 YRS	20	4.5	6	2	2	4	6	7	10	12
20-34	214	6.3	75	2	2	5	7	10	13	67
35-49	497	6.2	22	2	2	5	8	11	15	21
50-64	1027	7.4	41	2	3	6	9	13	17	30
65+	2816	8.8	58	3	3	7	10	16	22	41
GRAND TOTAL	**4574**	**8.1**	**52**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.0	2	1	1	3	4	5	6	7
20-34	187	3.3	4	1	1	3	4	6	7	9
35-49	200	3.2	3	1	1	3	4	5	7	9
50-64	108	3.4	4	1	1	3	4	6	7	10
65+	54	3.5	4	1	1	3	5	6	8	9
B. *Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	25	7.0	18	1	2	6	9	15	15	16
35-49	36	7.2	15	2	2	7	9	14	15	16
50-64	25	7.6	10	2	4	8	9	10	12	17
65+	5	6.2	9	2	2	6	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.9	6	1	2	3	4	6	9	15
20-34	402	4.0	5	1	2	4	5	7	8	12
35-49	565	4.4	6	1	2	4	6	8	9	13
50-64	593	4.8	9	2	2	4	6	8	10	17
65+	788	5.6	12	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	6	6.0	10	1	1	6	8	10	10	10
20-34	71	8.3	29	3	3	7	10	14	17	32
35-49	160	9.2	64	2	3	7	10	19	27	39
50-64	213	8.3	23	2	3	7	11	14	16	26
65+	195	9.6	73	2	3	8	11	16	24	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	597	3.3	3	1	1	3	4	6	7	9
B. *Operated*	95	7.1	14	2	2	7	9	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	2410	4.8	9	2	2	4	6	8	10	15
B. *Operated*	645	8.9	49	2	3	7	10	15	22	39
1. SINGLE DX	692	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX	3055	5.7	20	2	2	5	7	10	13	23
A. NOT OPERATED	3007	4.5	8	1	2	4	6	8	9	15
B. OPERATED	740	8.7	45	2	3	7	10	15	20	37
TOTAL 0-19 YRS	120	3.6	5	1	1	3	4	6	8	14
20-34	685	4.4	10	1	2	4	5	8	10	15
35-49	961	5.1	20	1	2	4	6	9	11	26
50-64	939	5.5	14	2	2	4	7	10	13	20
65+	1042	6.3	26	2	2	5	8	11	14	27
GRAND TOTAL	**3747**	**5.3**	**18**	**1**	**2**	**4**	**7**	**9**	**12**	**22**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	3	<1	1	3	4	5	7	8
20-34	119	3.6	3	1	2	3	5	6	7	9
35-49	149	3.6	4	1	2	3	5	6	8	10
50-64	130	4.3	4	2	2	4	5	7	8	10
65+	117	4.7	5	2	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	6	7.5	18	4	4	6	9	14	15	15
20-34	42	8.2	51	2	4	7	9	11	16	49
35-49	78	7.1	9	2	3	7	9	10	12	16
50-64	58	7.6	8	3	4	8	9	12	12	15
65+	64	10.7	40	3	5	10	13	16	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.2	5	1	1	4	6	7	8	11
20-34	207	4.6	7	2	2	4	5	7	10	15
35-49	348	5.0	10	2	2	4	6	8	10	17
50-64	586	5.2	9	2	2	5	6	9	11	16
65+	1662	6.9	19	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	6	11.2	36	5	5	9	17	20	20	20
20-34	101	8.5	34	2	3	7	10	15	18	67
35-49	191	10.6	92	3	4	8	12	17	24	61
50-64	352	10.9	66	3	4	9	14	20	26	41
65+	967	13.4	118	4	5	10	16	25	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	4.0	4	1	2	4	5	7	8	10
B. *Operated*	248	8.4	26	2	4	8	10	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	2842	6.1	16	2	3	5	7	11	13	22
B. *Operated*	1617	12.2	101	3	4	9	15	22	31	57
1. SINGLE DX	787	5.3	15	1	2	5	7	9	11	17
2. MULTIPLE DX	4459	8.3	55	2	3	6	10	16	21	41
A. NOT OPERATED	3381	5.8	15	2	2	5	7	10	13	21
B. OPERATED	1865	11.7	92	3	4	9	14	21	29	54
TOTAL 0-19 YRS	75	4.7	12	1	1	4	6	8	11	19
20-34	469	5.5	20	2	2	5	7	10	12	27
35-49	766	6.3	36	2	2	5	7	12	14	32
50-64	1126	7.0	33	2	3	5	8	13	17	28
65+	2810	9.1	63	3	3	7	11	17	23	43
GRAND TOTAL	**5246**	**7.9**	**50**	**2**	**3**	**6**	**9**	**15**	**20**	**39**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	6.2	20	1	2	4	10	13	16	16
35-49	12	4.4	5	1	2	4	6	8	8	8
50-64	12	4.3	4	1	2	4	5	8	8	8
65+	8	6.6	23	3	3	5	7	15	18	18
B. *Operated*										
0-19 YRS										
20-34	8	8.0	13	1	2	9	10	12	13	13
35-49	10	10.5	62	2	3	8	14	22	30	30
50-64	23	9.5	23	3	4	9	12	16	20	21
65+	18	10.9	36	3	6	10	11	18	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	6	2	2	3	5	7	7	7
20-34	19	5.8	12	2	2	5	8	10	13	16
35-49	29	5.7	10	1	1	6	7	10	13	13
50-64	48	6.0	20	3	3	4	7	11	14	29
65+	146	7.8	36	3	3	7	9	13	18	27
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	20	16.8	111	5	7	15	21	34	40	42
35-49	78	12.2	74	4	6	10	14	23	31	46
50-64	126	12.6	62	3	6	10	16	24	30	40
65+	249	14.9	110	4	5	12	19	28	34	49
SUBTOTALS										
1. SINGLE DX										
A. *Not Operated*	44	5.2	12	1	2	4	7	9	12	18
B. *Operated*	59	9.9	31	2	4	9	11	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	246	7.0	29	2	3	6	8	11	15	26
B. *Operated*	474	13.9	92	4	5	11	17	26	33	46
1. SINGLE DX	103	7.9	29	2	2	7	10	15	18	29
2. MULTIPLE DX	720	11.5	81	3	4	9	15	22	30	44
A. NOT OPERATED	290	6.7	27	2	3	5	8	11	15	25
B. OPERATED	533	13.5	87	4	5	11	17	26	33	45
TOTAL 0-19 YRS	6	4.7	13	2	2	3	7	11	11	11
20-34	58	9.9	71	2	2	8	11	20	28	42
35-49	129	9.9	61	2	3	8	12	17	26	43
50-64	209	10.3	55	3	3	8	13	20	26	38
65+	421	12.1	91	3	4	9	15	23	32	47
GRAND TOTAL	**823**	**11.1**	**76**	**3**	**4**	**8**	**14**	**21**	**28**	**43**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	2.4	2	1	1	2	3	4	5	7
20-34	443	2.6	3	1	1	2	3	5	5	8
35-49	341	3.0	3	1	1	3	4	5	6	9
50-64	182	3.2	5	1	1	3	4	6	7	13
65+	87	3.3	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	10	4.3	10	1	1	3	5	9	12	12
20-34	40	4.3	4	1	2	4	6	7	8	9
35-49	38	5.7	23	2	2	4	7	11	13	27
50-64	27	5.5	28	1	1	4	7	12	15	26
65+	11	5.3	5	1	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1086	2.8	3	1	1	2	3	5	6	10
20-34	1629	3.6	6	1	1	3	5	6	8	12
35-49	1876	4.3	12	1	2	4	5	7	9	14
50-64	1756	4.7	9	1	2	4	6	8	10	17
65+	2482	5.5	13	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	34	4.6	8	2	2	4	5	8	9	16
20-34	236	6.5	30	2	2	5	8	12	16	31
35-49	379	7.7	46	2	3	6	9	14	20	41
50-64	492	7.4	45	2	3	6	8	13	17	34
65+	717	8.7	46	3	3	7	11	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1461	2.7	3	1	1	2	3	5	6	9
B. *Operated*	126	5.0	15	1	2	4	7	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	8829	4.4	10	1	2	4	5	8	10	16
B. *Operated*	1858	7.8	44	2	3	6	9	14	19	34
1. SINGLE DX	1587	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX	10687	5.0	18	1	2	4	6	9	12	20
A. NOT OPERATED	10290	4.2	10	1	1	3	5	8	10	16
B. OPERATED	1984	7.6	43	2	3	6	9	14	19	33
TOTAL 0-19 YRS	1538	2.7	3	1	1	2	3	5	6	10
20-34	2348	3.7	9	1	1	3	5	7	9	15
35-49	2634	4.6	18	1	2	4	6	8	10	20
50-64	2457	5.1	18	1	2	4	6	9	12	20
65+	3297	6.1	22	2	2	5	7	11	15	23
GRAND TOTAL	**12274**	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.6	2	1	1	2	3	5	5	7
20-34	72	3.4	7	<1	1	3	5	6	7	17
35-49	60	4.9	26	1	1	3	6	9	16	29
50-64	39	3.2	7	1	1	2	4	6	9	14
65+	27	3.9	24	<1	1	3	4	7	14	25
B. *Operated*										
0-19 YRS	51	4.2	11	2	2	3	5	7	11	23
20-34	7	10.1	160	1	1	8	9	32	38	38
35-49	15	10.0	49	1	2	8	12	17	27	30
50-64	10	14.5	66	8	8	11	21	27	32	32
65+	8	14.9	163	4	5	11	17	36	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.7	52	1	1	2	4	6	8	29
20-34	230	4.3	25	1	1	3	5	7	11	32
35-49	269	4.5	11	1	2	4	5	8	10	15
50-64	333	5.0	14	1	2	4	6	10	12	19
65+	538	5.6	13	1	2	5	7	10	13	17
B. *Operated*										
0-19 YRS	53	8.4	205	1	1	5	6	16	31	82
20-34	63	10.6	125	1	2	7	14	21	42	48
35-49	140	13.5	100	2	5	10	18	28	36	57
50-64	183	13.1	99	3	5	10	16	26	31	61
65+	298	15.1	191	2	4	11	18	32	43	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	3.6	13	1	1	3	4	7	9	20
B. *Operated*	91	7.7	62	2	2	5	9	17	23	42
2. MULTIPLE DX										
A. *Not Operated*	1573	4.9	20	1	2	4	6	9	12	18
B. *Operated*	737	13.4	149	2	3	10	16	28	40	65
1. SINGLE DX	342	4.7	29	1	1	3	5	9	14	30
2. MULTIPLE DX	2310	7.6	77	1	2	5	9	16	23	47
A. NOT OPERATED	1824	4.7	19	1	1	4	6	9	12	19
B. OPERATED	828	12.8	143	2	3	9	16	27	38	63
TOTAL 0-19 YRS	360	4.3	64	1	1	3	4	7	11	33
20-34	372	5.3	47	1	1	3	6	10	15	42
35-49	484	7.3	56	1	2	5	9	16	23	41
50-64	565	7.7	58	1	2	6	10	16	23	43
65+	871	8.9	97	1	2	6	10	18	28	49
GRAND TOTAL	**2652**	**7.2**	**72**	**1**	**2**	**5**	**8**	**15**	**22**	**45**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.0	1	<1	1	2	2	3	4	6
20-34	21	2.0	1	<1	1	2	2	3	4	4
35-49	5	2.0	5	<1	<1	1	2	6	6	6
50-64	4	3.5	6	1	1	3	5	7	7	7
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	3930	3.1	2	2	2	3	4	5	5	8
20-34	2867	3.3	3	2	2	3	4	5	6	8
35-49	893	3.6	3	2	2	3	4	5	6	9
50-64	340	4.2	3	2	2	4	5	6	8	11
65+	83	5.0	4	3	3	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.9	2	<1	1	1	2	3	4	8
20-34	19	2.1	2	<1	1	2	3	4	5	5
35-49	8	3.1	6	1	1	2	4	7	8	8
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	839	4.3	8	2	2	4	5	7	9	18
20-34	804	4.4	8	2	2	4	5	7	9	15
35-49	368	5.3	11	2	3	4	6	9	11	15
50-64	239	6.4	17	2	3	5	8	11	13	24
65+	165	7.7	26	3	3	6	9	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	8113	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	60	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	2415	4.9	11	2	2	4	6	8	11	18
1. SINGLE DX	8173	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX	2475	4.8	11	2	2	4	6	8	11	18
A. NOT OPERATED	120	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	10528	3.7	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	4825	3.3	3	2	2	3	4	5	6	10
20-34	3711	3.6	4	2	2	3	4	5	6	10
35-49	1274	4.1	6	2	2	4	5	6	8	13
50-64	586	5.1	10	2	3	4	6	9	11	17
65+	252	6.7	20	3	3	5	8	11	15	21
GRAND TOTAL	**10648**	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	6	2	2	3	7	8	8	8
20-34	6	3.8	5	1	1	4	5	7	7	7
35-49	6	4.5	3	3	3	4	6	7	7	7
50-64	4	6.3	12	2	2	6	9	10	10	10
65+	2	10.5	25	7	7	10	14	14	14	14
B. *Operated*										
0-19 YRS	800	6.0	7	2	3	6	7	9	11	13
20-34	424	6.1	7	2	3	6	8	9	10	14
35-49	332	6.7	9	3	3	6	8	10	12	17
50-64	188	7.7	12	3	4	7	9	11	14	19
65+	81	8.1	8	4	5	8	10	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	2	5	5	6	7	8	8	8
20-34	3	8.3	10	6	6	7	11	12	12	12
35-49	7	7.7	11	4	4	8	10	12	13	13
50-64	10	7.7	7	4	4	7	9	11	12	12
65+	15	8.4	19	1	3	8	10	15	16	17
B. *Operated*										
0-19 YRS	641	8.3	19	4	4	7	10	13	17	26
20-34	393	8.7	28	3	4	7	10	14	18	28
35-49	375	9.3	24	4	4	8	11	15	18	30
50-64	417	10.8	33	5	6	9	12	18	23	33
65+	402	12.0	43	5	6	10	14	21	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.1	9	1	2	5	7	8	11	14
B. *Operated*	1825	6.4	8	3	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	40	7.8	11	3	4	7	9	13	14	17
B. *Operated*	2228	9.7	30	4	5	8	11	16	20	30
1. SINGLE DX	1850	6.4	8	2	3	6	8	10	11	15
2. MULTIPLE DX	2268	9.6	30	4	5	8	11	16	20	30
A. NOT OPERATED	65	6.8	12	2	3	7	8	12	14	17
B. OPERATED	4053	8.2	23	3	4	7	10	13	17	28
TOTAL 0-19 YRS	1453	7.0	13	3	3	6	8	11	13	21
20-34	826	7.3	19	3	3	7	9	12	14	24
35-49	720	8.0	19	3	4	7	10	13	16	24
50-64	619	9.8	28	4	5	8	11	17	20	31
65+	500	11.2	39	5	6	10	13	19	25	35
GRAND TOTAL	**4118**	**8.2**	**23**	**3**	**4**	**7**	**10**	**13**	**17**	**28**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.2	2	<1	<1	2	3	4	5	8
20-34	33	1.9	2	<1	<1	1	2	3	5	6
35-49	15	2.5	4	<1	<1	2	4	7	7	7
50-64	3	2.3		2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	322	3.4	3	2	2	3	4	5	6	9
20-34	206	3.7	4	1	2	3	4	6	7	12
35-49	67	3.9	3	2	2	4	5	6	7	10
50-64	23	4.5	5	1	2	4	6	7	9	11
65+	8	5.1	5	2	2	5	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	2	1	1	2	3	4	6	8
20-34	29	2.4	2	1	1	2	3	4	5	7
35-49	7	3.9	13	1	1	3	3	10	12	12
50-64	10	3.4	3	1	1	3	4	6	7	7
65+	9	5.0	16	1	1	5	7	11	12	12
B. *Operated*										
0-19 YRS	194	4.4	5	2	2	4	5	7	8	11
20-34	193	4.8	6	2	2	4	6	8	10	13
35-49	77	5.3	8	2	3	4	7	9	12	13
50-64	28	8.9	34	3	4	7	10	19	22	27
65+	23	9.3	28	3	4	8	14	16	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.1	2	<1	<1	2	3	4	6	8
B. *Operated*	626	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	88	2.9	5	1	1	2	3	5	7	12
B. *Operated*	515	5.1	10	2	3	4	6	9	12	18
1. SINGLE DX	734	3.4	3	1	2	3	4	6	7	10
2. MULTIPLE DX	603	4.8	10	1	2	4	6	8	11	16
A. NOT OPERATED	196	2.5	4	<1	1	2	3	5	7	11
B. OPERATED	1141	4.3	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	606	3.6	4	1	2	3	4	6	7	10
20-34	461	4.0	5	1	2	4	5	7	8	13
35-49	166	4.4	6	1	2	4	5	8	10	13
50-64	64	6.1	23	1	2	5	7	11	16	26
65+	40	7.5	24	1	2	6	10	15	16	23
GRAND TOTAL	**1337**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**13**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.1		<1	<1	1	1	2	2	2
20-34	9	1.1		<1	<1	1	1	2	2	2
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	9	2.2	2	1	1	2	3	5	5	5
65+	11	2.9	4	<1	<1	3	4	6	8	8
B. *Operated*										
0-19 YRS	855	1.5	2	<1	<1	1	2	2	3	4
20-34	2070	1.9	1	1	1	2	2	3	4	5
35-49	2114	2.1	1	1	1	2	3	4	4	6
50-64	2665	2.2	2	1	1	2	3	4	5	6
65+	1763	2.6	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.6	1	<1	<1	1	2	3	4	5
20-34	16	2.2	6	<1	<1	1	2	5	8	10
35-49	18	1.8	2	<1	<1	<1	2	4	5	6
50-64	35	2.3	4	<1	<1	1	3	5	7	7
65+	92	3.1	19	<1	<1	2	3	7	9	27
B. *Operated*										
0-19 YRS	685	1.8	3	<1	1	1	2	3	4	9
20-34	830	2.4	3	1	1	2	3	4	5	9
35-49	1343	2.7	3	1	1	2	3	5	6	9
50-64	2772	3.0	6	1	1	2	4	5	7	11
65+	3943	3.8	10	1	1	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.8	2	<1	<1	1	2	4	4	8
B. *Operated*	9467	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	195	2.5	11	<1	<1	1	3	5	7	20
B. *Operated*	9573	3.1	7	1	1	3	4	6	7	12
1. SINGLE DX	9513	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	9768	3.1	7	1	1	3	4	6	7	12
A. NOT OPERATED	241	2.4	9	<1	<1	1	3	5	7	18
B. OPERATED	19040	2.6	5	1	1	2	3	5	6	10
TOTAL 0-19 YRS	1587	1.6	2	<1	<1	1	2	3	3	7
20-34	2925	2.1	2	1	1	2	3	4	4	7
35-49	3479	2.3	2	1	1	2	3	4	5	7
50-64	5481	2.6	4	1	1	2	3	5	6	9
65+	5809	3.4	8	1	1	3	4	6	8	13
GRAND TOTAL	**19281**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.0		<1	<1	<1	1	1	1	1
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	11	2.3	4	<1	<1	1	3	6	7	7
B. *Operated*										
0-19 YRS	253	1.7	1	<1	1	1	2	3	4	6
20-34	125	2.3	2	1	1	2	3	4	5	6
35-49	86	2.3	2	1	1	2	3	4	4	8
50-64	138	3.0	3	1	1	3	4	6	6	7
65+	193	4.1	7	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	5	1	1	1	1	6	7	7
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.6	2	1	1	2	3	5	5	5
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	41	4.4	21	1	1	3	6	9	15	22
B. *Operated*										
0-19 YRS	212	2.6	7	1	1	2	3	5	6	13
20-34	80	3.6	8	1	1	3	4	7	9	17
35-49	85	4.3	16	1	1	3	5	8	10	25
50-64	211	4.5	13	1	1	4	5	8	13	18
65+	795	6.9	29	2	2	5	9	14	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.9	3	<1	<1	1	2	4	6	7
B. *Operated*	795	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	59	3.8	16	1	1	2	5	8	12	21
B. *Operated*	1383	5.5	24	1	1	4	7	12	16	25
1. SINGLE DX	823	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1442	5.5	24	1	1	4	7	12	16	25
A. NOT OPERATED	87	3.2	13	<1	1	2	4	7	9	20
B. OPERATED	2178	4.5	18	1	1	3	6	9	13	22
TOTAL 0-19 YRS	481	2.1	4	<1	1	1	2	4	5	9
20-34	210	2.8	5	1	1	2	4	5	6	10
35-49	179	3.3	10	1	1	3	4	6	8	18
50-64	355	3.9	9	1	1	3	5	7	10	17
65+	1040	6.3	26	1	2	5	8	13	16	25
GRAND TOTAL	**2265**	**4.4**	**18**	**1**	**1**	**3**	**5**	**9**	**13**	**22**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	74	1.6	2	<1	<1	1	2	3	4	8
20-34	72	1.8	1	1	1	1	2	3	4	6
35-49	155	1.8	1	1	1	2	2	3	3	4
50-64	111	2.4	2	1	1	2	3	4	5	8
65+	50	2.8	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	11	<1	<1	1	2	8	10	10
20-34	3	6.0	13	3	3	5	9	10	10	10
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	9	2.4	5	<1	<1	1	3	6	8	8
65+	9	4.0	10	<1	<1	3	6	9	9	9
B. *Operated*										
0-19 YRS	35	2.4	4	1	1	2	3	4	5	11
20-34	58	3.0	4	1	1	3	4	6	7	10
35-49	155	3.2	5	1	1	3	4	6	9	11
50-64	165	3.5	6	1	1	3	4	6	8	14
65+	147	4.3	11	1	1	4	5	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		<1	<1	1	2	2	2	2
B. *Operated*	462	2.0	2	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	32	3.1	8	<1	<1	2	4	8	10	10
B. *Operated*	560	3.5	7	1	1	3	4	7	9	12
1. SINGLE DX	473	2.0	2	<1	1	2	2	4	4	8
2. MULTIPLE DX	592	3.5	7	1	1	3	4	7	9	12
A. NOT OPERATED	43	2.7	7	<1	<1	2	3	8	9	10
B. OPERATED	1022	2.8	5	1	1	2	4	5	7	11
TOTAL 0-19 YRS	119	1.8	3	<1	<1	1	2	4	5	10
20-34	133	2.4	3	1	1	2	3	4	6	10
35-49	316	2.5	3	1	1	2	3	5	6	10
50-64	289	3.0	5	1	1	2	4	5	7	11
65+	208	3.9	9	1	1	3	5	7	10	12
GRAND TOTAL	**1065**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	1.7	1	1	1	1	3	3	3	3
50-64	6	4.0	12	<1	<1	3	6	10	10	10
65+	5	2.6	6	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	34	2.1	2	1	1	2	3	5	5	7
20-34	215	2.7	3	1	1	2	4	5	6	8
35-49	409	3.3	4	1	1	3	4	6	7	10
50-64	453	3.7	4	1	1	3	5	6	8	9
65+	320	4.2	5	1	1	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	11	1.5	1	<1	<1	1	2	3	3	3
35-49	20	3.0	5	<1	<1	2	4	7	8	8
50-64	40	3.4	6	<1	1	3	5	7	7	11
65+	44	4.0	11	<1	1	3	5	9	11	14
B. *Operated*										
0-19 YRS	28	4.0	13	<1	<1	3	5	8	14	15
20-34	191	4.2	9	1	1	4	5	7	10	17
35-49	578	5.2	19	1	2	4	6	9	12	20
50-64	886	5.3	14	1	2	4	7	9	12	21
65+	924	6.3	22	2	2	5	8	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.8	7	<1	<1	2	3	7	9	10
B. *Operated*	1431	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	117	3.4	8	<1	1	2	4	7	8	13
B. *Operated*	2607	5.6	18	1	2	5	7	10	12	22
1. SINGLE DX	1448	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX	2724	5.5	18	1	2	5	7	10	12	21
A. NOT OPERATED	134	3.3	8	<1	1	2	4	7	8	12
B. OPERATED	4038	4.8	14	1	1	4	6	8	11	19
TOTAL 0-19 YRS	64	2.9	8	<1	1	2	4	6	7	15
20-34	417	3.4	6	1	1	3	5	6	7	11
35-49	1013	4.4	13	1	1	4	5	8	10	17
50-64	1385	4.7	11	1	1	4	6	8	10	19
65+	1293	5.7	19	1	2	5	7	10	13	21
GRAND TOTAL	**4172**	**4.8**	**14**	**1**	**1**	**4**	**6**	**8**	**11**	**19**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	2.8	1	1	1	3	4	5	5	5
35-49	24	2.8	4	<1	1	2	3	5	8	8
50-64	34	2.9	2	1	1	3	4	5	6	7
65+	30	3.5	4	1	1	3	4	7	8	8
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	6.4	2	4	4	7	7	8	8	8
35-49	14	7.2	10	1	3	7	9	11	13	14
50-64	20	5.8	7	2	2	6	8	9	10	10
65+	7	6.7	5	5	5	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	3	<1	1	3	5	6	7	7
20-34	60	3.4	4	<1	1	3	4	6	8	11
35-49	243	3.7	5	1	2	3	5	6	7	11
50-64	426	4.0	5	1	2	4	5	7	8	11
65+	669	4.6	8	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	19	8.8	73	2	3	6	9	16	30	41
20-34	38	7.4	16	3	4	7	8	11	12	27
35-49	142	7.6	14	3	4	7	9	12	14	22
50-64	225	7.7	20	3	3	7	9	12	15	25
65+	221	9.2	29	3	4	8	11	17	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.0	3	1	1	3	4	6	7	8
B. *Operated*	47	6.4	7	2	3	6	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1407	4.2	7	1	2	4	5	7	9	14
B. *Operated*	645	8.2	24	3	4	7	9	14	17	27
1. SINGLE DX	146	4.1	7	1	1	3	6	8	9	11
2. MULTIPLE DX	2052	5.5	15	1	2	5	7	10	12	20
A. NOT OPERATED	1506	4.1	6	1	2	4	5	7	9	13
B. OPERATED	692	8.1	23	3	4	7	9	13	16	26
TOTAL 0-19 YRS	29	7.1	54	2	2	6	7	13	17	41
20-34	114	4.8	11	1	2	4	7	8	10	17
35-49	423	5.1	12	1	2	4	7	9	11	17
50-64	705	5.2	13	1	2	4	7	9	11	16
65+	927	5.7	17	1	2	5	7	10	14	21
GRAND TOTAL	**2198**	**5.4**	**15**	**1**	**2**	**4**	**7**	**9**	**12**	**20**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	8	2.3	2	1	1	2	3	4	5	5
20-34	36	2.4	2	1	1	2	3	5	5	8
35-49	54	2.3	3	1	1	2	3	4	5	9
50-64	54	2.6	7	<1	1	2	3	4	5	18
65+	52	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	4	6.0	11	4	4	5	8	11	11	11
65+	7	6.4	13	3	3	5	9	12	13	13
B. *Operated*										
0-19 YRS	4	3.3	8	1	1	3	5	7	7	7
20-34	22	3.1	6	1	1	2	3	6	9	11
35-49	44	4.6	22	1	2	4	5	8	11	30
50-64	58	4.3	8	1	1	4	6	9	10	14
65+	120	4.8	15	1	1	4	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	5	<1	<1	2	4	6	7	7
B. *Operated*	204	2.7	5	1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	19	5.2	10	1	2	4	6	11	12	13
B. *Operated*	248	4.4	14	1	1	3	6	9	10	20
1. SINGLE DX	211	2.7	5	1	1	2	3	5	6	13
2. MULTIPLE DX	267	4.5	14	1	1	4	6	9	11	20
A. NOT OPERATED	26	4.5	10	<1	1	4	5	10	11	13
B. OPERATED	452	3.7	11	1	1	3	4	8	9	18
TOTAL 0-19 YRS	15	2.9	5	<1	1	2	4	7	8	8
20-34	61	2.7	4	1	1	2	3	5	7	11
35-49	105	3.3	12	1	1	2	4	6	8	21
50-64	118	3.5	8	1	1	3	4	7	10	16
65+	179	4.4	13	1	1	3	5	9	12	19
GRAND TOTAL	**478**	**3.7**	**11**	**1**	**1**	**3**	**4**	**8**	**9**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	5	1.8		1	1	2	2	2	2	2
50-64	7	2.7	6	1	1	2	4	7	7	7
65+	10	2.9	4	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	29	2.6	5	<1	<1	2	3	6	9	9
20-34	92	2.9	4	1	1	2	4	5	7	10
35-49	188	3.5	7	1	1	3	4	6	8	13
50-64	194	3.8	6	1	1	3	5	7	9	12
65+	219	5.6	14	1	2	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49	11	3.4	2	1	1	3	5	5	5	5
50-64	24	4.4	8	<1	1	4	6	8	9	12
65+	111	5.0	9	2	2	4	6	9	10	15
B. *Operated*										
0-19 YRS	20	7.5	75	1	2	5	9	13	28	41
20-34	82	5.5	29	1	1	4	8	12	16	27
35-49	245	5.9	22	1	2	5	8	11	13	21
50-64	467	7.9	61	1	2	6	9	15	19	52
65+	988	9.8	58	2	3	8	12	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.5	3	1	1	2	3	6	6	7
B. *Operated*	722	4.1	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	152	4.7	8	1	2	4	6	8	10	12
B. *Operated*	1802	8.5	55	2	2	7	11	16	21	44
1. SINGLE DX	751	4.0	9	1	1	3	5	8	10	17
2. MULTIPLE DX	1954	8.2	53	2	2	6	10	16	21	41
A. NOT OPERATED	181	4.3	8	1	1	4	6	8	9	12
B. OPERATED	2524	7.3	46	1	2	5	9	14	19	36
TOTAL 0-19 YRS	53	4.3	37	<1	1	3	5	9	11	40
20-34	183	4.0	17	1	1	3	5	9	12	23
35-49	449	4.7	17	1	1	4	6	9	12	19
50-64	692	6.6	47	1	2	5	8	13	17	43
65+	1328	8.6	50	2	3	7	11	17	21	37
GRAND TOTAL	**2705**	**7.1**	**44**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.2	3	<1	1	2	3	4	6	9
20-34	210	3.8	7	1	1	3	4	7	9	15
35-49	282	3.9	6	1	1	4	5	7	8	14
50-64	355	4.3	8	1	2	4	5	7	10	15
65+	412	4.7	10	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	118	5.8	9	2	2	5	8	10	12	14
20-34	118	8.0	11	4	4	7	10	13	16	18
35-49	170	9.8	30	4	5	8	11	16	23	29
50-64	177	10.8	37	5	6	10	12	16	19	39
65+	151	11.4	23	6	7	10	14	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	4.1	32	1	1	3	5	8	10	41
20-34	373	5.0	15	1	2	4	6	9	12	19
35-49	727	5.5	15	1	2	5	7	10	12	20
50-64	1276	5.6	14	2	2	5	7	10	12	19
65+	3640	6.8	22	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	176	10.4	165	3	4	7	11	16	27	86
20-34	315	12.3	73	5	5	10	15	20	27	54
35-49	531	13.8	118	5	6	11	16	25	32	58
50-64	857	14.9	110	5	6	12	18	27	37	63
65+	2168	16.2	111	6	7	13	19	28	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	4.0	8	1	1	3	5	7	9	15
B. *Operated*	734	9.4	28	3	4	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	6183	6.2	20	2	2	5	8	11	14	22
B. *Operated*	4047	15.1	113	5	6	12	18	27	36	59
1. SINGLE DX	2131	5.9	21	1	2	5	8	12	14	23
2. MULTIPLE DX	10230	9.7	75	2	3	7	12	19	25	45
A. NOT OPERATED	7580	5.8	18	1	2	5	7	11	13	22
B. OPERATED	4781	14.2	104	5	6	12	17	25	34	57
TOTAL 0-19 YRS	599	5.9	70	1	1	4	7	11	13	48
20-34	1016	7.4	43	1	2	6	9	15	17	38
35-49	1710	8.3	63	2	2	6	10	16	22	38
50-64	2665	8.8	65	2	2	7	11	17	23	44
65+	6371	10.0	72	2	3	8	13	19	25	44
GRAND TOTAL	**12361**	**9.1**	**68**	**2**	**2**	**7**	**11**	**18**	**24**	**43**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2677	2.3	2	1	1	2	3	4	5	7
20-34	1127	2.4	3	1	1	2	3	4	5	8
35-49	532	2.8	4	1	1	2	3	5	6	9
50-64	280	2.8	4	1	1	3	4	5	6	10
65+	207	3.2	5	1	1	2	4	6	8	11
B. *Operated*										
0-19 YRS	80	3.6	3	2	2	3	5	6	7	9
20-34	91	4.3	6	2	2	4	5	7	10	15
35-49	51	5.1	6	2	2	5	7	8	10	11
50-64	26	5.5	10	2	2	5	7	8	14	14
65+	10	6.9	26	2	2	5	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8289	3.0	3	1	1	3	4	5	6	9
20-34	2464	3.0	4	1	1	3	4	5	7	11
35-49	1782	3.7	6	1	1	3	5	7	8	12
50-64	1810	4.4	10	1	2	4	5	8	10	15
65+	3790	5.3	16	2	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	141	6.4	38	2	2	4	8	12	17	36
20-34	187	6.4	20	2	2	5	8	12	16	24
35-49	218	7.4	37	2	3	6	9	14	18	33
50-64	284	9.8	89	3	3	7	11	20	27	54
65+	465	10.8	75	3	4	8	13	20	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4823	2.5	3	1	1	2	3	4	5	8
B. *Operated*	258	4.5	6	2	2	4	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	18135	3.7	8	1	1	3	4	7	8	14
B. *Operated*	1295	8.9	63	2	3	7	10	17	22	46
1. SINGLE DX	5081	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX	19430	4.0	13	1	1	3	5	7	10	18
A. NOT OPERATED	22958	3.4	7	1	1	3	4	6	8	14
B. OPERATED	1553	8.2	56	2	3	6	10	16	21	38
TOTAL 0-19 YRS	11187	2.9	4	1	1	2	3	5	6	9
20-34	3869	3.0	5	1	1	2	4	6	7	12
35-49	2583	3.8	9	1	1	3	5	7	9	16
50-64	2400	4.9	22	1	2	4	6	9	11	23
65+	4472	5.7	24	2	2	4	7	11	14	25
GRAND TOTAL	**24511**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	49	4.8	5	2	2	4	6	8	9	9
35-49	330	4.6	5	2	2	4	6	7	9	11
50-64	526	4.7	5	2	2	4	6	8	9	12
65+	417	4.7	6	1	2	4	6	8	10	13
B. *Operated*										
0-19 YRS										
20-34	30	7.4	9	4	4	7	8	11	15	17
35-49	83	8.0	10	3	5	8	9	11	12	22
50-64	149	9.5	12	5	6	9	11	13	15	26
65+	97	10.7	14	5	7	10	12	16	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	10	2	2	4	5	10	11	11
20-34	40	4.5	6	1	2	4	6	8	9	10
35-49	400	5.3	7	2	2	5	7	9	10	15
50-64	1297	5.5	8	2	2	5	7	9	11	15
65+	3774	6.2	15	2	3	5	8	10	13	20
B. *Operated*										
0-19 YRS	6	7.0	5	4	4	7	7	11	11	11
20-34	67	9.9	34	4	5	8	12	15	22	36
35-49	351	11.1	32	5	6	10	13	18	21	35
50-64	867	12.1	53	5	6	10	14	20	25	39
65+	1802	13.4	79	4	5	11	16	23	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1324	4.7	5	2	2	4	6	8	9	12
B. *Operated*	359	9.3	13	4	6	9	11	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	5517	6.0	13	2	3	5	7	10	12	18
B. *Operated*	3093	12.7	66	4	5	11	15	22	28	43
1. SINGLE DX	1683	5.7	11	2	2	5	7	10	12	16
2. MULTIPLE DX	8610	8.4	43	2	3	7	10	15	20	33
A. NOT OPERATED	6841	5.7	12	2	2	5	7	9	12	18
B. OPERATED	3452	12.3	62	4	5	10	14	21	26	42
TOTAL 0-19 YRS	14	6.0	7	2	3	6	7	11	11	11
20-34	186	7.0	22	2	2	6	8	12	14	26
35-49	1164	7.0	22	2	3	6	9	12	16	25
50-64	2839	7.6	32	2	3	6	9	13	17	28
65+	6090	8.3	45	2	3	7	10	15	20	34
GRAND TOTAL	**10293**	**7.9**	**38**	**2**	**3**	**6**	**10**	**14**	**19**	**32**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	2	1	1	2	3	5	6	6
20-34	21	2.9	2	<1	1	3	4	5	5	5
35-49	19	2.9	7	<1	<1	3	4	6	9	11
50-64	10	2.5	3	1	1	2	3	5	6	6
65+	5	3.0	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	89	2.7	12	1	1	2	3	5	9	72
20-34	567	2.4	3	1	1	2	3	4	5	9
35-49	567	2.5	3	1	1	2	3	4	6	10
50-64	276	2.6	3	1	1	2	3	5	6	9
65+	101	3.0	5	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	5	1	1	3	4	6	8	10
20-34	31	4.2	7	1	2	3	5	9	10	11
35-49	47	5.2	22	1	2	4	7	10	13	28
50-64	64	5.7	30	1	1	5	7	11	12	37
65+	56	5.8	16	2	2	5	7	11	14	20
B. *Operated*										
0-19 YRS	62	3.2	4	1	1	3	4	6	8	9
20-34	639	3.5	15	1	1	3	4	6	9	17
35-49	864	3.5	16	1	1	3	4	7	9	15
50-64	747	4.3	27	1	1	3	5	9	12	28
65+	474	5.7	43	1	1	4	6	13	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.7	3	<1	1	2	4	5	6	10
B. *Operated*	1600	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	221	5.2	19	1	2	4	6	10	12	22
B. *Operated*	2786	4.1	24	1	1	3	5	8	11	25
1. SINGLE DX	1666	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX	3007	4.2	23	1	1	3	5	8	11	25
A. NOT OPERATED	287	4.6	17	1	1	4	6	9	11	19
B. OPERATED	4386	3.5	17	1	1	2	4	6	9	21
TOTAL 0-19 YRS	185	2.9	8	1	1	2	4	6	8	22
20-34	1258	3.0	9	1	1	2	4	5	7	12
35-49	1497	3.1	11	1	1	2	4	6	8	13
50-64	1097	4.0	22	1	1	3	5	7	11	22
65+	636	5.3	35	1	1	4	6	11	17	30
GRAND TOTAL	**4673**	**3.6**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	3.2	7	1	1	3	4	6	8	15
20-34	502	4.3	10	1	1	4	5	8	10	18
35-49	336	4.3	10	1	1	4	5	9	11	13
50-64	168	3.8	7	<1	1	3	5	8	8	13
65+	153	3.5	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	118	6.1	22	1	2	5	8	10	16	25
20-34	319	7.2	26	1	2	6	9	12	17	27
35-49	232	7.6	31	1	2	6	10	15	17	25
50-64	173	7.2	38	1	2	6	9	15	18	25
65+	154	6.9	21	1	2	6	10	13	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	568	3.6	10	1	1	3	4	7	9	19
20-34	1040	5.3	21	1	2	4	7	10	13	22
35-49	1049	5.2	17	1	2	4	6	9	12	21
50-64	1194	5.6	24	1	2	4	7	11	14	22
65+	2904	6.1	21	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	312	9.4	82	1	2	7	12	22	29	47
20-34	1047	10.0	78	2	3	7	13	20	26	50
35-49	1088	11.0	101	2	3	8	14	22	31	59
50-64	1266	12.0	131	2	3	9	14	25	36	79
65+	2373	12.7	120	2	3	10	16	24	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1490	3.9	9	1	1	3	5	8	9	15
B. *Operated*	996	7.1	28	1	2	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	6755	5.5	21	1	2	4	7	11	14	22
B. *Operated*	6086	11.6	111	2	3	9	15	23	31	60
1. SINGLE DX	2486	5.2	19	1	1	4	7	10	13	22
2. MULTIPLE DX	12841	8.4	73	1	2	6	10	17	24	46
A. NOT OPERATED	8245	5.2	19	1	2	4	7	10	13	21
B. OPERATED	7082	11.0	102	2	3	8	14	22	30	57
TOTAL 0-19 YRS	1329	5.1	34	1	1	3	6	11	16	30
20-34	2908	7.0	46	1	2	5	9	14	20	36
35-49	2705	7.6	59	1	2	5	9	15	21	43
50-64	2801	8.5	83	1	2	6	10	17	25	56
65+	5584	8.8	74	2	2	6	11	18	24	45
GRAND TOTAL	**15327**	**7.9**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	5.7	12	1	2	6	8	11	13	13
35-49	19	5.5	8	2	2	5	7	10	11	12
50-64	11	7.1	47	3	3	4	7	20	23	23
65+	6	5.2	7	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	3.7	21	1	1	1	7	9	9	9
35-49	12	5.0	28	<1	<1	3	7	14	17	18
50-64	6	3.2	8	1	1	2	5	8	8	8
65+	4	4.3	11	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.8	11	3	3	9	10	11	11	11
20-34	185	7.8	33	2	3	6	9	15	20	30
35-49	443	8.0	33	2	3	6	10	15	20	28
50-64	549	8.9	38	2	3	7	11	17	22	32
65+	249	9.6	42	3	4	8	12	16	20	37
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	50	11.7	137	1	3	9	13	26	33	68
35-49	171	10.7	91	2	2	8	14	22	28	58
50-64	200	12.7	155	2	3	9	16	25	33	91
65+	99	13.9	149	2	4	10	19	27	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.8	16	2	2	5	7	10	13	22
B. *Operated*	25	4.3	18	<1	1	2	7	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	1431	8.6	37	2	3	7	11	16	20	31
B. *Operated*	521	12.1	132	1	3	9	15	24	33	71
1. SINGLE DX	88	5.4	17	1	1	5	7	10	13	21
2. MULTIPLE DX	1952	9.5	64	2	3	8	12	18	23	40
A. NOT OPERATED	1494	8.5	36	2	3	7	11	16	20	31
B. OPERATED	546	11.8	129	1	2	9	15	23	32	69
TOTAL 0-19 YRS	6	6.7	16	1	1	7	10	11	11	11
20-34	265	8.2	53	2	2	6	10	15	20	38
35-49	645	8.6	49	2	3	7	11	17	22	35
50-64	766	9.8	71	2	3	8	12	19	25	36
65+	358	10.6	75	2	3	8	13	20	25	57
GRAND TOTAL	**2040**	**9.4**	**63**	**2**	**3**	**7**	**11**	**18**	**23**	**39**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	10	8.1	87	1	1	5	10	22	32	32
35-49	11	5.1	17	1	1	5	6	11	15	15
50-64	15	4.2	19	<1	1	2	6	11	14	15
65+	7	5.9	25	<1	<1	5	10	13	14	14
B. *Operated*										
0-19 YRS	8	2.5	4	1	1	2	4	6	6	6
20-34	35	2.0	4	1	1	1	2	5	7	8
35-49	45	2.0	3	1	1	1	2	4	5	10
50-64	69	3.3	21	1	1	1	4	8	12	28
65+	28	4.1	36	<1	1	1	4	11	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	28	<1	1	3	4	11	18	22
20-34	41	6.3	27	1	1	5	7	14	20	21
35-49	102	6.7	24	1	2	6	9	11	16	28
50-64	225	9.0	45	2	3	7	11	16	22	40
65+	296	9.4	49	2	3	7	12	19	23	39
B. *Operated*										
0-19 YRS	25	8.8	379	1	1	2	6	21	41	97
20-34	61	6.4	88	1	1	2	7	16	20	53
35-49	141	7.3	86	1	1	5	10	16	22	41
50-64	238	9.8	112	1	1	7	14	23	32	45
65+	292	9.7	70	1	1	8	14	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	5.2	32	1	1	3	6	12	15	32
B. *Operated*	185	2.8	15	1	1	1	3	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	682	8.5	43	2	3	7	11	16	21	37
B. *Operated*	757	9.0	98	1	1	6	12	20	28	45
1. SINGLE DX	234	3.3	20	1	1	1	4	8	11	25
2. MULTIPLE DX	1439	8.8	72	1	1	7	11	18	24	41
A. NOT OPERATED	731	8.3	43	1	2	7	10	16	21	36
B. OPERATED	942	7.8	88	1	1	5	10	18	24	42
TOTAL 0-19 YRS	57	5.8	180	1	1	2	4	15	21	92
20-34	147	5.4	53	1	1	3	7	13	20	40
35-49	299	6.2	53	1	1	5	8	12	18	36
50-64	547	8.5	75	1	1	6	11	17	25	41
65+	623	9.2	59	1	1	7	12	19	23	40
GRAND TOTAL	**1673**	**8.0**	**69**	**1**	**1**	**6**	**10**	**17**	**22**	**40**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.4	3	1	1	3	4	6	7	8
20-34	69	5.3	9	2	2	5	7	10	11	15
35-49	51	4.9	12	2	2	4	5	8	11	20
50-64	25	4.9	11	1	1	4	6	12	12	13
65+	13	4.3	2	2	3	4	5	6	7	7
B. *Operated*										
0-19 YRS	9	8.2	72	1	1	4	12	22	26	26
20-34	19	5.5	45	1	1	3	6	13	22	29
35-49	21	4.2	10	1	1	4	6	8	10	12
50-64	24	4.8	54	1	1	2	4	14	21	33
65+	15	3.1	15	1	1	1	4	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.4	7	1	2	4	5	8	9	12
20-34	150	6.4	26	2	2	5	7	12	15	33
35-49	256	7.7	44	2	2	6	9	14	20	39
50-64	425	8.2	35	2	3	7	11	15	19	29
65+	476	8.9	41	3	3	7	12	16	21	32
B. *Operated*										
0-19 YRS	26	9.1	231	1	2	4	8	19	48	71
20-34	61	10.9	203	1	1	7	13	23	41	81
35-49	111	13.1	225	1	2	7	16	36	50	89
50-64	171	12.0	92	1	1	9	17	25	31	40
65+	200	13.5	123	2	3	10	18	27	37	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	4.7	9	1	2	4	6	8	11	18
B. *Operated*	88	4.9	37	1	1	2	6	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	1355	8.0	38	2	3	6	10	15	19	32
B. *Operated*	569	12.5	147	1	2	9	17	27	38	63
1. SINGLE DX	277	4.8	18	1	1	4	6	9	12	24
2. MULTIPLE DX	1924	9.3	74	2	2	7	12	19	25	46
A. NOT OPERATED	1544	7.6	35	2	3	6	9	14	19	31
B. OPERATED	657	11.5	139	1	1	8	16	25	35	60
TOTAL 0-19 YRS	114	5.5	65	1	1	4	6	9	14	52
20-34	299	7.0	63	1	2	5	8	13	18	44
35-49	439	8.6	93	2	2	6	9	18	24	54
50-64	645	8.9	54	1	2	7	12	18	25	35
65+	704	10.0	69	2	3	8	13	20	26	45
GRAND TOTAL	**2201**	**8.7**	**69**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.4	2	1	1	2	3	4	5	6
20-34	306	2.4	2	<1	1	2	3	4	5	7
35-49	312	2.3	2	<1	1	2	3	4	5	7
50-64	221	2.7	3	1	1	2	4	5	7	8
65+	157	3.6	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	247	5.0	5	2	3	5	6	7	9	12
20-34	3148	4.9	3	3	3	5	6	7	8	11
35-49	2765	5.1	4	3	3	5	6	8	9	11
50-64	2146	5.5	4	3	3	5	6	8	9	12
65+	1037	6.5	7	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.0	5	<1	1	2	4	6	9	11
20-34	371	3.2	8	1	1	3	4	6	7	10
35-49	481	3.7	8	1	1	3	5	7	8	14
50-64	816	4.2	8	1	1	4	5	8	9	14
65+	1731	5.5	13	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	234	6.8	16	3	3	6	8	11	13	23
20-34	3049	6.3	12	3	3	6	7	10	12	18
35-49	3986	6.6	14	3	3	6	8	10	13	21
50-64	5331	7.7	21	3	4	7	9	12	15	24
65+	6213	10.2	41	4	5	9	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	2.6	3	<1	1	2	3	5	6	9
B. *Operated*	9343	5.3	4	3	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	3455	4.6	11	1	1	4	6	9	11	16
B. *Operated*	18813	8.0	27	3	4	7	9	13	17	27
1. SINGLE DX	10374	5.0	5	2	3	5	6	8	9	12
2. MULTIPLE DX	22268	7.5	26	2	3	6	9	13	16	26
A. NOT OPERATED	4486	4.2	10	1	1	3	5	8	10	15
B. OPERATED	28156	7.1	21	3	4	6	8	12	15	24
TOTAL 0-19 YRS	572	5.3	11	2	2	5	6	9	11	17
20-34	6874	5.3	8	2	3	5	6	8	10	15
35-49	7544	5.7	11	2	3	5	7	9	11	17
50-64	8514	6.7	17	2	3	6	8	11	13	21
65+	9138	8.7	35	3	4	7	11	15	19	31
GRAND TOTAL	**32642**	**6.7**	**21**	**2**	**3**	**6**	**8**	**11**	**14**	**23**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.5	4	1	1	3	5	7	8	8
20-34	177	3.0	5	<1	1	2	4	6	7	10
35-49	154	2.9	3	<1	1	3	4	6	7	9
50-64	96	3.3	7	<1	1	3	4	6	8	15
65+	74	4.1	11	1	1	4	5	8	9	21
B. *Operated*										
0-19 YRS	31	5.0	10	2	3	4	6	8	9	19
20-34	260	5.3	5	3	3	5	6	8	9	15
35-49	239	5.5	4	3	3	5	6	8	10	13
50-64	151	6.2	8	3	3	6	8	10	11	17
65+	65	8.1	34	4	4	7	8	12	15	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.7	2	1	1	2	3	4	7	8
20-34	232	3.7	6	<1	1	3	5	7	9	12
35-49	248	4.2	8	1	1	3	5	8	11	15
50-64	322	4.8	9	1	2	4	6	8	10	18
65+	528	6.3	17	2	2	5	8	12	14	20
B. *Operated*										
0-19 YRS	32	6.3	10	4	4	5	8	10	12	19
20-34	406	6.7	13	3	4	6	8	11	14	21
35-49	596	7.4	23	3	4	6	9	12	15	24
50-64	526	9.1	57	4	4	7	10	15	20	42
65+	630	11.6	49	5	5	10	14	20	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	3.2	6	<1	1	3	4	6	7	10
B. *Operated*	746	5.8	9	3	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1359	5.1	13	1	2	4	6	9	12	18
B. *Operated*	2190	8.9	40	3	4	7	11	15	20	34
1. SINGLE DX	1268	4.7	9	1	2	4	6	8	9	15
2. MULTIPLE DX	3549	7.4	33	2	3	6	9	13	17	29
A. NOT OPERATED	1881	4.5	11	1	1	4	6	8	11	17
B. OPERATED	2936	8.1	34	3	4	6	10	14	18	31
TOTAL 0-19 YRS	113	4.5	9	1	2	4	6	8	9	19
20-34	1075	5.1	11	1	2	5	6	9	11	18
35-49	1237	5.8	17	1	2	5	7	10	13	21
50-64	1095	6.9	37	2	2	6	8	12	16	31
65+	1297	8.9	41	2	3	7	11	16	20	34
GRAND TOTAL	**4817**	**6.7**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	23	2.5	5	<1	<1	2	3	5	8	10
35-49	15	4.3	53	<1	<1	2	4	7	24	30
50-64	16	3.4	9	1	1	2	4	9	10	11
65+	21	4.2	9	1	2	4	5	7	11	15
B. *Operated*										
0-19 YRS	14	7.2	10	1	1	7	9	11	12	13
20-34	91	6.0	13	1	2	6	8	10	14	19
35-49	71	6.0	11	1	2	6	8	10	11	18
50-64	84	6.2	15	1	1	6	9	11	14	15
65+	119	7.5	24	1	1	7	12	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	7	2	2	4	5	9	9	9
20-34	24	3.8	5	1	1	3	6	7	7	8
35-49	35	5.0	25	1	1	4	6	10	11	29
50-64	63	4.8	11	1	2	4	7	9	11	16
65+	161	6.2	16	2	2	5	8	12	14	20
B. *Operated*										
0-19 YRS	22	9.1	15	5	5	8	10	15	18	20
20-34	141	9.4	89	4	5	7	10	15	19	49
35-49	164	10.1	71	3	4	8	11	17	25	56
50-64	300	10.9	59	3	4	9	13	19	23	51
65+	898	12.8	64	3	5	11	16	22	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.5	16	<1	1	2	4	7	10	26
B. *Operated*	379	6.5	17	1	1	6	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	288	5.5	15	1	2	5	7	10	13	19
B. *Operated*	1525	11.8	67	3	5	10	15	20	26	47
1. SINGLE DX	457	6.0	18	1	1	6	8	12	14	18
2. MULTIPLE DX	1813	10.8	64	2	3	9	14	19	25	44
A. NOT OPERATED	366	5.1	16	1	1	4	7	10	12	20
B. OPERATED	1904	10.8	62	2	4	9	13	19	24	44
TOTAL 0-19 YRS	44	7.6	15	2	3	7	9	13	15	20
20-34	279	7.2	56	1	2	6	8	12	16	32
35-49	285	8.1	54	1	2	7	10	14	21	36
50-64	463	9.0	50	1	2	8	11	17	20	43
65+	1199	11.3	61	2	3	10	14	19	25	42
GRAND TOTAL	**2270**	**9.8**	**59**	**2**	**2**	**8**	**12**	**18**	**22**	**41**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	13.2	105	<1	<1	20	21	21	21	21
20-34	13	3.1	3	1	1	2	4	6	7	7
35-49	18	3.6	4	1	1	3	5	7	7	7
50-64	24	5.4	14	1	2	4	7	12	13	14
65+	28	4.4	4	1	2	4	6	7	8	10
B. *Operated*										
0-19 YRS										
20-34	8	5.5	53	1	1	3	5	18	23	23
35-49	27	6.3	24	1	1	5	10	14	16	16
50-64	19	8.5	20	1	2	9	11	15	17	18
65+	21	7.3	34	1	2	5	10	17	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.1	71	1	1	7	13	15	29	34
20-34	37	4.0	10	1	2	3	4	7	13	16
35-49	46	5.0	13	1	2	4	7	11	13	17
50-64	130	5.5	12	1	2	5	8	10	13	16
65+	286	6.7	15	2	2	6	9	12	15	20
B. *Operated*										
0-19 YRS	6	24.8	367	12	12	16	29	59	62	62
20-34	30	9.9	101	2	3	8	11	15	26	56
35-49	83	11.0	62	2	3	9	14	21	24	41
50-64	142	13.3	120	2	4	11	17	25	39	67
65+	347	14.1	83	2	4	13	18	26	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.8	16	1	1	4	6	8	13	21
B. *Operated*	75	7.1	28	1	1	6	10	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	514	6.1	16	1	2	5	8	11	15	18
B. *Operated*	608	13.4	95	2	4	11	17	25	31	58
1. SINGLE DX	163	5.8	23	1	1	4	8	12	16	21
2. MULTIPLE DX	1122	10.0	72	2	2	8	13	19	26	50
A. NOT OPERATED	602	5.9	17	1	2	5	8	11	14	20
B. OPERATED	683	12.7	91	2	3	11	16	24	30	55
TOTAL 0-19 YRS	26	13.5	173	1	1	11	16	28	40	62
20-34	88	6.0	51	1	2	4	7	12	16	45
35-49	174	7.9	46	1	2	6	10	15	21	40
50-64	315	9.2	76	1	2	7	12	18	23	56
65+	682	10.4	64	2	3	9	14	20	26	42
GRAND TOTAL	**1285**	**9.5**	**68**	**2**	**2**	**7**	**13**	**19**	**24**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.7	4	1	1	3	5	6	7	13
20-34	368	4.6	9	1	2	4	6	8	10	13
35-49	356	5.0	12	1	2	4	6	9	11	16
50-64	191	5.4	9	1	2	5	7	10	11	14
65+	145	5.8	17	2	2	5	7	10	11	28
B. *Operated*										
0-19 YRS	9	12.2	54	1	1	14	18	20	22	22
20-34	39	7.2	57	1	1	5	10	14	16	44
35-49	47	9.5	130	1	2	7	11	19	20	76
50-64	40	8.7	105	1	2	7	10	15	21	64
65+	19	5.8	19	1	1	5	8	11	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	5.2	14	1	2	4	6	9	10	23
20-34	1241	6.1	19	2	3	5	7	10	13	19
35-49	1731	6.7	22	2	3	6	8	12	15	24
50-64	1220	6.6	19	2	3	6	9	12	14	21
65+	1422	7.4	23	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	18	18.9	159	3	6	18	31	37	38	38
20-34	237	15.7	196	3	5	11	18	30	45	77
35-49	450	14.5	148	3	4	11	17	29	43	71
50-64	447	16.0	217	3	5	12	18	33	46	89
65+	523	16.1	163	4	5	12	19	31	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	5.0	11	1	2	4	6	9	10	15
B. *Operated*	154	8.4	87	1	1	7	10	17	20	63
2. MULTIPLE DX										
A. *Not Operated*	5699	6.7	21	2	3	6	8	12	15	23
B. *Operated*	1675	15.6	178	3	5	12	18	31	45	77
1. SINGLE DX	1271	5.4	21	1	2	4	7	10	12	20
2. MULTIPLE DX	7374	8.7	70	2	3	6	10	16	22	49
A. NOT OPERATED	6816	6.4	20	2	3	5	8	11	14	22
B. OPERATED	1829	15.0	175	3	4	11	18	30	44	76
TOTAL 0-19 YRS	169	6.5	49	1	2	4	7	14	22	37
20-34	1885	7.0	51	2	2	5	8	12	17	41
35-49	2584	7.9	54	2	3	6	9	15	20	42
50-64	1898	8.8	82	2	3	6	10	15	22	51
65+	2109	9.4	72	2	3	7	11	17	24	50
GRAND TOTAL	**8645**	**8.2**	**65**	**2**	**3**	**6**	**10**	**15**	**21**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.3	2	<1	1	2	3	4	6	7
20-34	78	2.7	3	1	1	3	3	5	6	8
35-49	54	3.6	9	1	1	3	4	6	11	16
50-64	103	3.8	6	1	1	3	5	7	8	13
65+	156	4.2	6	1	1	4	5	8	9	11
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	8	4.5	9	1	1	4	6	9	10	10
35-49	6	5.0	3	3	3	5	6	8	8	8
50-64	15	7.1	42	1	2	5	8	13	24	28
65+	20	5.9	13	<1	1	5	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	3.5	6	1	1	3	4	6	8	13
20-34	389	3.9	8	1	1	3	5	7	9	14
35-49	536	4.7	10	1	2	4	6	8	10	17
50-64	1163	5.1	11	2	2	4	6	9	10	18
65+	4613	6.4	21	2	3	5	8	11	14	23
B. *Operated*										
0-19 YRS	14	9.6	187	1	3	5	7	24	47	54
20-34	84	6.8	44	2	2	5	8	13	17	42
35-49	195	8.3	75	2	3	6	10	16	21	45
50-64	456	8.3	49	2	3	6	10	15	21	40
65+	1499	10.0	63	3	3	8	12	19	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	3.5	6	1	1	3	5	6	8	13
B. *Operated*	52	5.8	19	1	2	5	7	11	12	28
2. MULTIPLE DX										
A. *Not Operated*	6869	5.9	18	2	2	5	7	10	13	21
B. *Operated*	2248	9.4	62	3	3	7	11	18	24	41
1. SINGLE DX	507	3.7	7	1	1	3	5	7	9	13
2. MULTIPLE DX	9117	6.7	31	2	2	5	8	12	16	29
A. NOT OPERATED	7324	5.7	18	2	2	5	7	10	13	21
B. OPERATED	2300	9.3	61	2	3	7	11	18	24	41
TOTAL 0-19 YRS	249	3.6	17	1	1	3	4	6	8	20
20-34	559	4.2	14	1	1	3	5	8	10	18
35-49	791	5.5	28	1	2	4	6	10	13	25
50-64	1737	5.9	23	2	2	5	7	10	14	27
65+	6288	7.2	33	2	3	6	9	13	17	30
GRAND TOTAL	**9624**	**6.6**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.3	3	1	2	3	4	6	7	9
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	4	5.8	13	1	1	6	8	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	6	6.7	1	5	5	7	7	8	8	8
50-64	2	5.0		5	5	5	5	5	5	5
65+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.7	20	1	2	3	5	11	17	61
20-34	11	6.8	17	2	2	7	9	12	16	16
35-49	38	6.9	27	1	2	6	10	15	17	22
50-64	24	10.0	93	1	3	7	12	23	29	44
65+	45	9.9	64	2	3	8	12	19	21	49
B. *Operated*										
0-19 YRS	19	7.6	134	1	1	4	12	33	76	99+
20-34	17	7.4	10	4	4	7	9	10	15	17
35-49	34	14.6	220	4	5	9	16	30	51	73
50-64	30	18.2	224	5	6	14	22	34	43	80
65+	55	14.6	100	4	5	11	19	31	38	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.6	4	1	1	3	4	7	8	9
B. *Operated*	13	5.8	14	1	2	5	7	10	15	16
2. MULTIPLE DX										
A. *Not Operated*	223	6.8	42	1	2	5	9	15	19	45
B. *Operated*	155	13.7	155	3	4	9	17	30	41	80
1. SINGLE DX	68	4.1	7	1	1	3	5	7	8	15
2. MULTIPLE DX	378	9.6	99	2	2	7	12	20	30	67
A. NOT OPERATED	278	6.2	36	1	2	4	8	13	18	40
B. OPERATED	168	13.1	148	2	4	9	16	29	40	79
TOTAL 0-19 YRS	169	4.7	29	1	1	3	5	10	15	90
20-34	33	6.5	13	2	2	6	9	10	15	17
35-49	80	10.2	120	2	2	8	11	18	27	67
50-64	58	13.9	173	3	4	10	18	27	41	77
65+	106	12.2	86	3	4	9	16	24	32	45
GRAND TOTAL	**446**	**8.8**	**89**	**1**	**2**	**6**	**11**	**19**	**28**	**54**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	5.5	23	1	1	4	8	12	15	24
20-34	15	5.0	10	1	1	5	6	8	12	14
35-49	6	4.5	7	1	1	4	6	8	8	8
50-64	5	8.2	45	2	2	8	13	18	18	18
65+	4	4.5	12	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	38	3.0	8	1	1	2	3	6	10	14
20-34	28	2.2	3	1	1	2	3	5	6	7
35-49	22	2.6	8	1	1	2	2	4	8	14
50-64	18	2.4	6	1	1	2	3	4	8	11
65+	10	2.2	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	5.2	16	1	2	4	7	10	13	23
20-34	33	4.5	8	1	2	4	5	6	10	17
35-49	33	5.0	9	1	2	4	6	10	12	12
50-64	51	8.2	34	2	3	7	12	16	17	26
65+	79	9.4	99	3	4	7	12	15	22	66
B. *Operated*										
0-19 YRS	53	7.2	109	1	1	4	8	15	19	66
20-34	60	5.8	43	1	1	3	8	15	21	29
35-49	90	6.3	46	1	1	4	9	13	18	36
50-64	85	9.2	95	1	1	7	12	20	27	53
65+	84	10.4	96	1	2	8	15	24	35	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	5.4	20	1	1	4	7	12	14	22
B. *Operated*	116	2.6	6	1	1	2	3	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	297	6.7	43	2	2	5	8	14	16	26
B. *Operated*	372	7.9	79	1	1	5	10	18	27	46
1. SINGLE DX	208	3.8	14	1	1	2	5	9	12	17
2. MULTIPLE DX	669	7.4	64	1	1	5	9	15	23	42
A. NOT OPERATED	389	6.4	38	1	2	5	8	13	15	26
B. OPERATED	488	6.7	67	1	1	4	9	16	24	44
TOTAL 0-19 YRS	254	5.4	37	1	1	3	7	11	14	25
20-34	136	4.7	24	1	1	3	6	9	15	28
35-49	151	5.4	32	1	1	4	8	11	15	35
50-64	159	8.1	67	1	1	6	11	17	26	43
65+	177	9.4	93	1	2	6	13	21	26	73
GRAND TOTAL	**877**	**6.6**	**54**	**1**	**1**	**4**	**9**	**14**	**19**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.3	3	2	2	4	5	7	8	8
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	7.5	26	1	1	8	8	15	16	16
20-34	6	4.2	20	1	1	3	4	12	13	13
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.9	11	1	2	4	6	9	11	18
20-34	17	5.4	13	1	2	5	6	12	13	14
35-49	14	5.0	4	2	3	5	7	8	8	8
50-64	19	7.8	26	3	3	6	11	15	19	21
65+	40	8.0	27	3	3	6	11	13	20	24
B. *Operated*										
0-19 YRS	8	12.0	193	1	1	7	17	35	42	42
20-34	8	5.0	24	1	1	2	9	12	13	13
35-49	3	7.3	16	5	5	5	10	12	12	12
50-64	19	10.3	119	1	2	6	16	23	35	44
65+	21	12.6	92	2	3	11	16	26	33	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.1	3	2	2	4	5	7	8	8
B. *Operated*	15	5.3	22	1	1	4	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	128	6.4	19	2	3	5	8	12	14	23
B. *Operated*	59	10.5	102	1	1	8	14	23	34	44
1. SINGLE DX	41	4.5	10	1	1	4	6	8	10	16
2. MULTIPLE DX	187	7.7	49	1	2	5	10	16	21	41
A. NOT OPERATED	154	6.0	17	2	3	5	7	11	14	23
B. OPERATED	74	9.4	90	1	1	7	13	20	28	44
TOTAL 0-19 YRS	74	5.7	32	1	2	4	6	10	17	36
20-34	35	4.8	15	1	1	3	6	12	13	14
35-49	17	5.4	6	2	3	5	7	8	11	12
50-64	40	8.8	70	1	2	6	11	20	23	44
65+	62	9.4	53	2	3	8	12	19	24	38
GRAND TOTAL	**228**	**7.1**	**43**	**1**	**2**	**5**	**9**	**14**	**20**	**40**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	5	<1	<1	3	5	6	6	6
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	11	1.4	1	<1	<1	<1	1	3	3	3
50-64	5	1.8	3	<1	<1	1	2	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	14	6.9	24	3	3	6	6	17	18	18
20-34	25	8.3	73	1	1	6	10	20	28	36
35-49	22	5.4	30	1	1	3	10	12	17	22
50-64	30	4.7	12	1	1	4	8	10	11	13
65+	17	4.5	23	1	1	3	5	9	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.2	14	<1	1	3	5	9	12	16
20-34	35	3.9	9	<1	1	3	5	8	9	14
35-49	57	4.1	16	<1	<1	3	6	8	11	22
50-64	97	7.4	29	1	2	6	9	16	18	26
65+	330	8.4	46	2	2	7	10	15	20	40
B. *Operated*										
0-19 YRS	81	12.7	109	2	3	10	17	30	41	99+
20-34	242	10.0	110	1	1	7	13	22	32	77
35-49	328	11.0	117	1	2	8	14	26	34	50
50-64	381	9.6	84	1	2	7	12	21	27	45
65+	395	12.3	117	2	2	9	18	26	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.9	2	<1	<1	1	3	4	5	6
B. *Operated*	108	5.9	34	1	1	4	8	12	18	30
2. MULTIPLE DX										
A. *Not Operated*	565	7.1	38	1	1	6	9	14	18	31
B. *Operated*	1427	10.9	107	1	2	8	15	24	32	61
1. SINGLE DX	133	5.2	31	<1	1	3	6	11	17	28
2. MULTIPLE DX	1992	9.9	91	1	2	7	13	22	29	53
A. NOT OPERATED	590	6.9	38	1	1	6	9	14	17	31
B. OPERATED	1535	10.6	104	1	2	8	14	23	31	61
TOTAL 0-19 YRS	145	9.2	84	1	2	6	13	20	32	99+
20-34	305	9.1	98	1	1	6	12	21	31	68
35-49	418	9.5	104	1	1	6	12	23	31	49
50-64	513	8.8	71	1	2	6	11	20	24	38
65+	744	10.4	88	2	2	8	14	22	28	51
GRAND TOTAL	**2125**	**9.6**	**88**	**1**	**2**	**7**	**12**	**21**	**28**	**52**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	17	9.9	225	1	2	6	9	16	49	66
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49										
50-64	3	6.3	44	2	2	3	11	14	14	14
65+	6	7.0	28	1	1	6	7	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.1	10	<1	1	5	7	10	11	11
20-34	27	7.5	42	1	1	6	11	14	21	30
35-49	47	7.1	26	2	2	6	10	15	17	23
50-64	150	9.1	43	2	3	8	12	16	22	35
65+	974	10.2	39	3	4	9	13	18	22	33
B. *Operated*										
0-19 YRS	19	17.1	155	2	5	14	27	37	42	43
20-34	47	14.6	192	4	4	11	20	24	27	95
35-49	67	14.9	245	2	2	11	15	31	56	72
50-64	173	15.8	152	3	5	12	19	31	39	59
65+	479	16.9	127	4	6	14	21	33	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	8.0	147	1	2	5	8	12	24	66
B. *Operated*	13	5.7	26	1	1	5	7	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	1217	9.8	40	3	4	8	12	17	22	32
B. *Operated*	785	16.3	147	4	5	13	20	31	40	66
1. SINGLE DX	40	7.2	107	1	1	5	8	13	17	66
2. MULTIPLE DX	2002	12.4	92	3	4	10	15	23	30	49
A. NOT OPERATED	1244	9.8	42	3	4	8	12	17	22	33
B. OPERATED	798	16.2	147	3	5	13	20	31	40	66
TOTAL 0-19 YRS	43	10.0	112	1	1	6	13	29	34	43
20-34	79	11.6	141	1	2	10	14	21	27	76
35-49	116	11.6	166	2	2	8	13	23	33	72
50-64	328	12.6	111	3	3	9	16	26	32	51
65+	1476	12.4	79	3	4	10	16	23	29	46
GRAND TOTAL	**2042**	**12.3**	**93**	**3**	**4**	**10**	**15**	**23**	**30**	**50**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	3.6	3	2	2	3	4	6	7	11
20-34	454	3.7	3	1	2	3	5	6	7	8
35-49	139	4.0	3	2	2	4	5	6	7	10
50-64	63	4.3	3	2	2	4	5	7	8	9
65+	49	4.5	8	1	2	4	5	8	10	16
B. *Operated*										
0-19 YRS	4	3.5	3	1	1	4	5	5	5	5
20-34	19	6.0	6	3	4	5	7	10	11	11
35-49	10	5.3	4	3	3	5	7	8	9	9
50-64	6	7.8	10	3	3	8	10	12	12	12
65+	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	621	4.3	4	2	2	4	5	7	8	11
20-34	1129	4.6	5	2	2	4	6	7	9	12
35-49	491	5.5	12	2	3	5	7	9	11	18
50-64	554	6.2	11	2	3	5	7	10	12	18
65+	1209	7.1	16	3	3	6	9	11	14	23
B. *Operated*										
0-19 YRS	74	6.7	19	3	3	6	8	12	16	24
20-34	146	7.1	13	3	4	6	8	12	15	18
35-49	104	9.1	47	3	3	7	11	15	20	45
50-64	126	11.0	63	4	5	9	12	19	24	52
65+	226	10.9	28	5	5	10	14	18	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	3.8	3	2	2	4	5	6	7	10
B. *Operated*	41	6.1	7	2	3	5	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	4004	5.6	11	2	3	5	7	10	11	17
B. *Operated*	676	9.4	36	3	4	8	11	16	21	30
1. SINGLE DX	1064	3.9	3	2	2	4	5	6	7	11
2. MULTIPLE DX	4680	6.2	17	2	3	5	7	11	13	21
A. NOT OPERATED	5027	5.3	10	2	2	5	6	9	11	16
B. OPERATED	717	9.2	35	3	4	8	11	16	20	29
TOTAL 0-19 YRS	1017	4.3	6	2	2	4	5	7	8	12
20-34	1748	4.6	6	2	2	4	6	7	9	14
35-49	744	5.7	17	2	2	5	7	10	13	21
50-64	749	6.8	23	2	3	6	8	11	14	23
65+	1486	7.6	20	3	3	7	10	13	15	24
GRAND TOTAL	**5744**	**5.8**	**15**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.8	3	1	2	3	5	6	7	10
20-34	261	3.6	3	2	2	3	4	6	7	9
35-49	101	3.9	3	2	2	4	5	6	7	11
50-64	37	4.8	10	1	2	4	5	7	11	18
65+	26	5.4	8	1	2	5	7	10	11	12
B. *Operated*										
0-19 YRS	20	5.6	10	1	2	5	8	10	11	13
20-34	27	6.0	14	2	2	5	7	9	13	20
35-49	16	4.5	15	1	1	3	7	10	13	14
50-64	8	5.9	10	1	2	6	8	10	11	11
65+	7	9.9	83	4	4	7	9	26	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	4.1	5	2	2	4	5	7	9	12
20-34	574	4.9	10	2	2	4	6	8	10	18
35-49	255	5.3	10	2	3	5	6	9	10	20
50-64	283	6.1	11	3	3	5	7	10	13	19
65+	557	7.5	19	3	4	7	9	12	15	28
B. *Operated*										
0-19 YRS	80	6.9	17	2	3	6	9	13	16	18
20-34	96	8.9	35	2	3	7	11	18	22	69
35-49	81	10.1	67	2	3	7	13	20	24	44
50-64	122	11.0	63	4	5	9	14	18	23	53
65+	209	13.5	115	3	5	11	17	23	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	3.9	4	2	2	4	5	6	7	10
B. *Operated*	78	5.9	19	1	2	5	7	10	13	27
2. MULTIPLE DX										
A. *Not Operated*	2049	5.7	13	2	2	5	7	10	12	19
B. *Operated*	588	10.9	76	3	4	8	13	20	25	51
1. SINGLE DX	702	4.1	6	2	2	4	5	7	8	13
2. MULTIPLE DX	2637	6.8	32	2	3	5	8	12	17	29
A. NOT OPERATED	2673	5.3	12	2	2	4	6	9	11	18
B. OPERATED	666	10.3	72	2	3	8	13	19	24	50
TOTAL 0-19 YRS	679	4.4	7	2	2	4	5	8	10	15
20-34	958	5.0	13	2	2	4	6	9	11	20
35-49	453	5.8	23	2	2	5	6	10	15	23
50-64	450	7.3	30	3	3	6	9	13	17	27
65+	799	9.1	51	3	4	7	10	16	21	41
GRAND TOTAL	**3339**	**6.3**	**28**	**2**	**2**	**5**	**7**	**11**	**16**	**26**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	1	<1	1	2	3	3	4	5
20-34	400	1.8	3	<1	1	1	2	3	4	6
35-49	575	1.7	1	<1	1	1	2	3	4	6
50-64	367	1.8	2	<1	1	1	2	3	4	8
65+	115	2.3	5	1	1	2	2	5	7	14
B. *Operated*										
0-19 YRS	23	5.6	26	<1	1	4	7	14	16	20
20-34	215	3.7	8	1	1	3	5	7	9	13
35-49	370	3.4	7	1	1	2	5	7	9	12
50-64	324	3.7	9	1	1	3	5	8	9	14
65+	161	3.9	11	1	1	3	5	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	1	1	1	2	2	3	5	6
20-34	345	2.7	5	1	1	2	3	5	7	11
35-49	499	2.6	5	1	1	2	3	5	7	11
50-64	427	3.0	9	1	1	2	3	5	7	14
65+	303	3.7	11	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	24	6.6	24	2	2	6	9	13	16	22
20-34	212	6.6	25	1	2	5	9	12	16	23
35-49	401	7.0	38	1	2	5	9	15	20	26
50-64	453	6.6	28	1	2	5	9	12	17	25
65+	475	8.1	54	1	2	6	10	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1507	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	1093	3.7	9	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1637	2.9	7	1	1	2	3	6	8	12
B. *Operated*	1565	7.2	38	1	2	6	9	14	19	29
1. SINGLE DX	2600	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX	3202	5.0	27	1	1	3	6	11	15	24
A. NOT OPERATED	3144	2.4	5	1	1	2	3	4	6	11
B. OPERATED	2658	5.7	29	1	1	4	8	12	16	24
TOTAL 0-19 YRS	160	3.2	12	1	1	2	3	6	10	19
20-34	1172	3.3	11	1	1	2	4	7	10	17
35-49	1845	3.4	15	1	1	2	4	7	10	20
50-64	1571	3.9	16	1	1	3	5	9	11	21
65+	1054	5.6	35	1	1	4	7	12	16	26
GRAND TOTAL	**5802**	**3.9**	**19**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	2.0	2	<1	1	2	2	4	4	6
20-34	1328	1.8	1	<1	1	1	2	3	4	5
35-49	1746	1.8	1	<1	1	1	2	3	4	6
50-64	992	1.9	1	<1	1	2	2	3	4	6
65+	230	2.0	1	1	1	2	3	3	4	6
B. *Operated*										
0-19 YRS	76	3.7	7	1	1	3	5	8	8	11
20-34	813	3.7	6	1	1	3	5	7	8	13
35-49	1169	3.8	7	1	1	3	5	7	9	12
50-64	814	4.2	9	1	1	3	6	8	10	14
65+	234	4.6	12	1	1	4	6	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	2.2	2	1	1	2	3	4	5	6
20-34	712	2.2	3	1	1	2	3	4	5	7
35-49	1101	2.2	2	1	1	2	3	4	5	7
50-64	899	2.5	3	1	1	2	3	4	6	9
65+	570	3.0	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	62	4.2	8	1	1	3	6	8	9	14
20-34	557	4.8	11	1	2	4	6	9	11	16
35-49	972	5.1	13	1	2	4	6	9	12	18
50-64	1125	6.0	20	1	2	5	8	12	14	22
65+	896	7.1	31	1	2	6	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4444	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	3106	3.9	8	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	3381	2.4	3	1	1	2	3	4	6	8
B. *Operated*	3612	5.8	20	1	2	5	7	11	14	22
1. SINGLE DX	7550	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	6993	4.2	15	1	1	3	5	8	11	19
A. NOT OPERATED	7825	2.1	2	<1	1	2	3	4	5	7
B. OPERATED	6718	5.0	15	1	1	4	6	9	12	19
TOTAL 0-19 YRS	385	2.7	4	1	1	2	3	6	7	10
20-34	3410	2.8	6	1	1	2	4	6	7	12
35-49	4988	3.0	7	1	1	2	4	6	8	12
50-64	3830	3.7	11	1	1	3	5	8	10	16
65+	1930	5.0	22	1	1	4	6	10	13	23
GRAND TOTAL	**14543**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	2	1	1	2	3	4	5	5
20-34	38	1.9	1	<1	1	2	2	3	4	6
35-49	36	2.3	7	1	1	1	3	6	7	15
50-64	15	2.6	3	<1	1	2	4	4	6	7
65+	10	3.7	7	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	216	5.6	6	1	3	5	7	9	10	13
20-34	123	5.9	13	1	2	6	8	11	13	16
35-49	94	4.8	14	1	1	4	7	10	12	17
50-64	84	5.2	14	1	1	5	7	12	12	13
65+	63	4.7	11	<1	1	5	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	7	1	1	3	5	8	11	11
20-34	67	3.3	5	1	1	3	5	6	7	11
35-49	82	4.5	12	<1	1	3	6	10	12	16
50-64	102	6.2	74	1	1	4	6	12	17	53
65+	234	6.4	24	2	2	5	8	13	16	23
B. *Operated*										
0-19 YRS	382	6.8	34	2	3	6	8	11	13	19
20-34	282	7.3	47	1	2	7	9	12	14	42
35-49	318	7.6	29	1	2	6	10	15	18	27
50-64	438	8.1	41	1	2	7	11	16	20	36
65+	676	9.6	65	1	2	8	13	19	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	2.4	4	1	1	2	3	4	6	10
B. *Operated*	580	5.4	11	1	1	5	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	556	5.4	28	1	1	4	7	11	14	26
B. *Operated*	2096	8.2	48	1	2	7	10	15	20	33
1. SINGLE DX	700	4.9	11	1	1	4	7	9	11	15
2. MULTIPLE DX	2652	7.6	45	1	2	6	10	15	19	33
A. NOT OPERATED	676	4.9	25	1	1	4	6	10	13	22
B. OPERATED	2676	7.6	41	1	2	6	10	14	18	31
TOTAL 0-19 YRS	690	6.0	23	1	2	6	8	10	12	17
20-34	510	6.0	33	1	1	5	8	11	13	19
35-49	530	6.3	25	1	1	5	9	12	16	25
50-64	639	7.3	43	1	1	6	10	14	18	36
65+	983	8.5	54	1	2	7	11	17	22	35
GRAND TOTAL	**3352**	**7.0**	**39**	**1**	**1**	**6**	**9**	**14**	**17**	**30**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	45	1.8	1	<1	1	2	2	3	4	5
35-49	71	2.0	2	<1	1	1	2	4	5	8
50-64	54	1.9	1	<1	1	2	2	3	4	5
65+	14	2.2	3	<1	1	2	2	5	6	7
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	28	3.9	6	1	1	3	5	8	8	10
35-49	34	3.9	7	<1	1	3	4	7	11	12
50-64	32	2.9	4	1	1	2	4	6	7	8
65+	27	3.3	15	1	1	2	4	6	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	53	2.6	4	<1	1	2	3	5	8	10
35-49	73	2.3	3	1	1	2	3	4	4	11
50-64	51	2.7	4	<1	1	2	4	5	6	10
65+	38	3.3	4	1	1	3	5	6	7	10
B. *Operated*										
0-19 YRS	13	6.5	43	1	1	3	9	17	22	23
20-34	33	5.7	34	1	2	4	6	10	14	33
35-49	57	4.4	15	1	1	3	5	10	14	18
50-64	99	5.2	21	1	1	4	6	11	17	22
65+	310	6.1	38	1	2	5	8	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	1.9	2	<1	1	2	2	4	4	7
B. *Operated*	125	3.5	8	1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	217	2.6	4	<1	1	2	3	5	6	10
B. *Operated*	512	5.7	32	1	1	4	7	12	15	24
1. SINGLE DX	311	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	729	4.8	26	1	1	3	6	10	13	23
A. NOT OPERATED	403	2.3	3	<1	1	2	3	4	5	9
B. OPERATED	637	5.3	28	1	1	4	7	11	14	23
TOTAL 0-19 YRS	21	4.7	31	<1	1	2	5	13	19	23
20-34	159	3.2	11	<1	1	2	4	7	9	14
35-49	235	3.0	7	1	1	2	4	5	8	14
50-64	236	3.6	12	1	1	2	4	7	10	20
65+	389	5.5	34	1	1	4	7	12	14	24
GRAND TOTAL	**1040**	**4.1**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.3	1	1	1	2	3	4	5	6
20-34	30	2.5	3	1	1	2	3	4	8	8
35-49	16	2.6	4	<1	1	2	3	5	8	9
50-64	16	3.8	15	1	1	3	4	7	14	17
65+	7	2.4	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	14	3.2	3	1	1	3	4	6	6	6
20-34	46	2.6	4	<1	1	2	3	5	7	9
35-49	37	3.3	31	<1	<1	2	4	5	6	35
50-64	40	3.1	10	<1	<1	2	4	6	11	14
65+	79	2.8	7	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.6	7	1	1	3	4	7	9	14
20-34	121	3.8	8	1	1	3	5	6	8	18
35-49	89	4.3	8	1	1	3	5	8	10	14
50-64	133	4.7	7	1	2	4	6	8	10	13
65+	452	6.8	25	2	3	6	8	11	14	23
B. *Operated*										
0-19 YRS	53	4.5	8	1	1	4	6	8	10	15
20-34	139	6.5	50	1	2	5	8	11	16	50
35-49	185	5.2	27	1	1	4	7	9	12	28
50-64	266	6.2	58	1	1	4	7	12	17	38
65+	762	7.0	32	1	2	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.6	4	1	1	2	3	4	6	11
B. *Operated*	216	2.9	10	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	888	5.5	18	1	2	5	7	10	12	21
B. *Operated*	1405	6.5	37	1	2	5	8	12	16	32
1. SINGLE DX	339	2.8	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	2293	6.1	30	1	2	5	8	11	15	26
A. NOT OPERATED	1011	5.1	17	1	2	4	7	9	12	20
B. OPERATED	1621	6.0	35	1	1	5	7	12	15	30
TOTAL 0-19 YRS	214	3.5	6	1	1	3	4	6	8	14
20-34	336	4.6	27	1	1	3	6	8	11	23
35-49	327	4.6	22	1	1	4	6	8	11	22
50-64	455	5.4	39	1	1	4	6	10	14	30
65+	1300	6.7	29	1	2	5	8	12	16	25
GRAND TOTAL	**2632**	**5.7**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	10.0	162	<1	<1	9	19	19	19	19
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	89	1.9	7	<1	<1	1	2	4	5	17
20-34	110	2.2	4	<1	1	2	3	4	5	11
35-49	81	2.3	4	<1	1	1	3	5	6	11
50-64	58	2.3	5	<1	1	1	3	5	7	12
65+	101	2.7	3	<1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	2	4	4	4
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	11	2.8	5	1	1	2	4	6	9	9
50-64	8	3.9	7	1	1	4	5	8	9	9
65+	33	4.5	6	1	2	4	5	8	10	12
B. *Operated*										
0-19 YRS	104	2.4	4	<1	<1	2	3	5	7	9
20-34	143	3.2	10	1	1	2	3	7	9	18
35-49	164	3.9	15	1	1	3	5	8	10	22
50-64	230	4.0	11	1	1	3	5	8	11	17
65+	614	4.8	15	1	1	4	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	35	<1	<1	1	3	13	19	19
B. *Operated*	439	2.3	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	59	3.8	6	<1	1	3	5	8	9	12
B. *Operated*	1255	4.1	13	1	1	3	5	8	11	19
1. SINGLE DX	448	2.3	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	1314	4.1	13	1	1	3	5	8	11	19
A. NOT OPERATED	68	3.8	10	<1	1	3	5	8	9	18
B. OPERATED	1694	3.7	12	1	1	3	5	8	10	18
TOTAL 0-19 YRS	198	2.2	5	<1	<1	1	3	5	6	10
20-34	259	2.8	7	<1	1	2	3	6	7	15
35-49	258	3.4	12	1	1	2	4	7	9	19
50-64	298	3.7	11	1	1	3	5	8	11	17
65+	749	4.5	13	1	1	4	6	8	11	20
GRAND TOTAL	**1762**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	2.7	2	1	1	2	3	5	5	7
20-34	150	3.0	3	1	1	3	4	5	6	9
35-49	92	2.8	2	1	1	3	4	5	6	8
50-64	70	3.1	12	1	1	2	4	5	7	24
65+	154	4.9	21	1	1	4	6	10	12	21
B. *Operated*										
0-19 YRS	91	2.8	6	<1	<1	2	4	6	9	13
20-34	84	2.8	3	<1	1	2	4	5	6	9
35-49	90	3.7	13	1	1	3	4	7	11	19
50-64	162	3.3	11	1	1	3	4	6	8	12
65+	238	3.3	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1230	3.8	5	1	2	3	5	7	8	11
20-34	919	4.5	13	1	1	4	6	8	11	18
35-49	731	5.6	20	1	2	5	7	10	12	20
50-64	1349	6.1	17	2	2	5	8	11	14	22
65+	6851	7.4	22	2	3	7	9	13	16	25
B. *Operated*										
0-19 YRS	266	5.5	33	1	1	4	7	11	13	22
20-34	342	6.7	54	1	1	5	8	13	20	43
35-49	464	7.2	55	1	1	5	9	15	20	39
50-64	966	7.0	45	1	2	5	9	14	19	37
65+	3290	9.0	68	2	2	7	12	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	792	3.2	7	1	1	3	4	6	7	12
B. *Operated*	665	3.2	8	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	11080	6.5	20	2	2	6	8	12	14	23
B. *Operated*	5328	8.2	61	1	2	6	10	17	22	42
1. SINGLE DX	1457	3.2	8	1	1	3	4	6	8	13
2. MULTIPLE DX	16408	7.1	34	2	2	6	9	13	17	30
A. NOT OPERATED	11872	6.3	20	2	2	5	8	11	14	23
B. OPERATED	5993	7.6	58	1	2	5	10	16	21	39
TOTAL 0-19 YRS	1913	3.8	9	1	1	3	5	7	9	13
20-34	1495	4.8	22	1	1	4	6	9	12	26
35-49	1377	5.8	32	1	2	4	7	11	15	30
50-64	2547	6.2	28	1	2	5	8	12	15	28
65+	10533	7.8	37	2	3	6	10	14	18	31
GRAND TOTAL	**17865**	**6.7**	**33**	**1**	**2**	**5**	**8**	**13**	**17**	**29**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	23	5.7	34	<1	1	4	7	13	19	26
B. *Operated*										
0-19 YRS										
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	43	3.3	3	1	1	4	4	5	6	7
50-64	1074	4.2	3	1	2	4	5	6	8	10
65+	1779	4.6	4	2	3	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	5.6	32	2	2	4	7	53	96	99+
50-64	81	3.8	9	<1	1	3	5	8	10	16
65+	317	4.1	12	<1	1	3	5	8	11	17
B. *Operated*										
0-19 YRS	8	5.3	4	3	3	5	6	8	9	9
20-34	7	5.4	28	1	1	3	7	14	16	16
35-49	109	4.7	8	1	2	4	6	9	11	14
50-64	3210	5.4	10	2	3	5	6	9	11	17
65+	10233	6.5	18	3	3	5	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.5	31	1	1	4	6	13	17	26
B. *Operated*	2900	4.5	4	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	411	4.0	12	<1	1	3	5	8	11	19
B. *Operated*	13567	6.2	16	2	3	5	7	10	13	21
1. SINGLE DX	2926	4.5	4	1	2	4	5	7	8	11
2. MULTIPLE DX	13978	6.1	16	2	3	5	7	10	13	21
A. NOT OPERATED	437	4.1	13	<1	1	3	5	8	12	21
B. OPERATED	16467	5.9	14	2	3	5	7	10	12	20
TOTAL 0-19 YRS	10	4.8	5	1	2	5	6	8	9	9
20-34	12	3.8	20	<1	<1	2	5	10	15	16
35-49	163	4.4	8	1	1	4	5	8	10	20
50-64	4367	5.1	9	2	3	5	6	8	10	16
65+	12352	6.1	16	2	3	5	7	10	13	21
GRAND TOTAL	**16904**	**5.8**	**14**	**2**	**3**	**5**	**7**	**10**	**12**	**20**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	28	3.5	2	1	2	3	4	6	7	7
35-49	38	3.9	4	1	2	4	4	5	8	12
50-64	25	4.4	5	1	2	4	5	9	9	10
65+	8	3.3	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	15	3.1	12	<1	<1	2	3	4	12	15
35-49	8	4.1	9	<1	<1	3	6	9	10	10
50-64	26	3.3	13	<1	1	2	5	7	13	15
65+	18	3.1	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	51	3.2	3	1	1	3	4	6	6	9
35-49	96	4.5	5	2	2	4	6	8	9	11
50-64	160	4.6	5	2	2	4	6	7	9	12
65+	148	5.2	13	1	2	5	6	8	10	14
B. *Operated*										
0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	38	4.2	7	<1	1	4	7	8	9	9
35-49	80	4.5	11	1	1	4	6	8	9	18
50-64	159	6.0	22	1	1	5	8	11	14	19
65+	242	6.4	24	1	2	5	8	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.8	4	1	2	4	4	6	8	11
B. *Operated*	69	3.3	9	<1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	459	4.6	8	2	2	4	6	8	9	12
B. *Operated*	523	5.8	21	1	2	5	7	11	14	23
1. SINGLE DX	171	3.6	6	1	1	3	4	6	8	14
2. MULTIPLE DX	982	5.3	15	1	2	4	7	9	12	21
A. NOT OPERATED	561	4.5	7	2	2	4	6	8	9	12
B. OPERATED	592	5.5	20	1	1	4	7	11	14	22
TOTAL 0-19 YRS	13	3.4	2	1	2	3	5	5	6	6
20-34	132	3.5	5	1	1	3	4	7	8	10
35-49	222	4.4	7	1	2	4	6	8	9	13
50-64	370	5.1	13	1	2	4	7	9	11	17
65+	416	5.8	19	1	2	5	7	11	14	25
GRAND TOTAL	**1153**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	93	1.6	10	<1	<1	1	1	2	3	19
20-34	44	2.5	6	<1	1	2	3	4	7	13
35-49	66	1.8	1	<1	1	1	2	3	4	6
50-64	114	1.8	1	<1	1	1	3	3	4	5
65+	81	2.0	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34										
35-49	4	2.3	4	<1	<1	1	3	5	5	5
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	4	5.5	26	1	1	4	9	12	12	12
B. *Operated*										
0-19 YRS	95	1.8	2	<1	<1	1	2	3	4	10
20-34	42	2.2	2	<1	1	2	3	4	5	8
35-49	66	2.4	4	1	1	2	3	6	7	10
50-64	139	2.5	3	1	1	2	3	5	7	9
65+	180	3.1	7	1	1	2	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*	398	1.9	4	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	19	2.5	8	<1	<1	2	2	6	10	12
B. *Operated*	522	2.5	5	1	1	2	3	5	7	10
1. SINGLE DX	403	1.9	4	<1	1	1	2	3	4	7
2. MULTIPLE DX	541	2.5	5	1	1	2	3	5	7	11
A. NOT OPERATED	24	2.4	6	<1	<1	2	2	5	8	12
B. OPERATED	920	2.3	4	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	199	1.7	6	<1	<1	1	2	3	3	10
20-34	86	2.3	4	<1	1	2	3	4	5	12
35-49	137	2.1	3	<1	1	2	3	4	6	8
50-64	256	2.2	2	1	1	2	3	4	5	8
65+	266	2.8	6	1	1	2	3	5	7	13
GRAND TOTAL	**944**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.8	6	1	1	3	5	7	9	11
20-34	178	3.5	3	1	2	3	4	6	7	9
35-49	114	4.5	6	1	2	4	6	7	9	13
50-64	56	4.6	5	2	2	4	6	7	9	14
65+	36	5.3	7	2	2	5	6	10	12	13
B. *Operated*										
0-19 YRS	39	2.6	5	1	1	2	3	6	7	12
20-34	49	3.1	5	1	1	2	5	6	8	9
35-49	40	2.8	6	<1	1	2	3	6	9	11
50-64	29	4.1	9	1	1	3	6	7	10	14
65+	22	4.1	11	<1	1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.1	5	1	1	4	5	7	9	10
20-34	110	4.8	5	2	2	5	6	8	9	12
35-49	131	5.0	7	2	2	4	6	9	10	14
50-64	152	5.9	8	2	3	5	8	10	11	14
65+	239	6.5	31	2	3	6	8	10	12	20
B. *Operated*										
0-19 YRS	18	3.5	8	1	1	3	5	7	9	11
20-34	55	4.5	12	1	1	4	6	10	12	15
35-49	88	4.7	11	1	1	4	6	10	11	15
50-64	111	5.7	17	1	1	5	8	11	14	19
65+	191	7.9	45	1	2	7	10	14	17	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	4.1	5	1	2	4	5	7	8	12
B. *Operated*	179	3.2	7	1	1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	688	5.6	16	2	3	5	7	9	11	15
B. *Operated*	463	6.2	29	1	1	5	9	12	15	25
1. SINGLE DX	680	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	1151	5.8	21	1	2	5	7	10	12	18
A. NOT OPERATED	1189	4.9	12	1	2	4	6	8	10	14
B. OPERATED	642	5.4	24	1	1	4	7	11	13	21
TOTAL 0-19 YRS	230	3.7	6	1	1	3	5	7	8	11
20-34	392	4.0	6	1	1	4	5	7	8	12
35-49	373	4.5	8	1	1	4	6	8	10	14
50-64	348	5.5	11	1	2	5	7	10	12	15
65+	488	6.8	35	2	2	6	8	12	15	27
GRAND TOTAL	**1831**	**5.1**	**16**	**1**	**2**	**4**	**7**	**9**	**11**	**17**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	47	1.2		<1	<1	1	1	2	2	2
20-34	19	1.2		1	1	1	1	2	2	2
35-49	16	1.1		<1	<1	1	1	2	2	2
50-64	11	1.0		<1	<1	1	1	1	1	1
65+	9	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34										
35-49										
50-64	3	4.3	17	1	1	3	7	9	9	9
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	44	1.7	1	<1	1	1	2	4	4	4
20-34	14	2.7	25	<1	<1	1	2	5	17	20
35-49	30	2.2	4	<1	1	1	3	5	7	8
50-64	42	2.8	16	<1	1	1	2	7	9	24
65+	50	3.3	7	1	1	3	4	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.3	15	1	1	2	5	9	9	9
B. *Operated*	102	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	10	2.7	6	1	1	2	3	6	9	9
B. *Operated*	180	2.6	9	<1	1	1	3	6	8	17
1. SINGLE DX	106	1.3	1	<1	<1	1	1	2	2	6
2. MULTIPLE DX	190	2.6	9	<1	1	1	3	6	8	16
A. NOT OPERATED	14	2.9	7	1	1	2	3	9	9	9
B. OPERATED	282	2.1	6	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	97	1.4	1	<1	<1	1	2	2	4	4
20-34	33	1.8	11	1	1	1	2	2	3	20
35-49	46	1.8	3	<1	<1	1	2	3	7	8
50-64	57	2.5	13	<1	1	1	2	6	9	23
65+	63	3.2	7	<1	1	2	4	7	9	11
GRAND TOTAL	**296**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**7**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	1.8	3	<1	<1	1	2	4	6	8
20-34	22	2.2	3	<1	<1	2	3	4	6	7
35-49	24	2.3	3	<1	1	2	3	5	6	6
50-64	13	2.2	6	1	1	1	2	6	8	9
65+	7	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	436	1.6	2	<1	1	1	2	3	4	7
20-34	203	2.1	3	<1	1	1	3	4	5	9
35-49	153	2.5	4	<1	1	2	3	5	6	11
50-64	237	2.5	3	1	1	2	3	5	5	8
65+	112	3.3	5	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.9	4	<1	1	2	4	6	7	10
20-34	38	4.2	11	<1	1	3	7	8	11	14
35-49	35	4.3	15	<1	1	3	7	8	14	17
50-64	45	3.3	5	<1	1	3	5	6	7	8
65+	39	6.6	14	1	2	6	9	11	13	18
B. *Operated*										
0-19 YRS	189	2.2	3	<1	1	2	3	4	6	9
20-34	199	3.7	38	1	1	2	4	9	11	19
35-49	303	4.2	28	1	1	3	5	7	11	32
50-64	523	4.3	21	1	1	3	5	8	10	19
65+	361	5.4	40	1	1	4	6	11	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.0	3	<1	<1	1	2	4	6	9
B. *Operated*	1141	2.1	3	1	1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	194	4.2	11	<1	1	3	6	9	10	16
B. *Operated*	1575	4.2	27	1	1	3	5	8	11	26
1. SINGLE DX	1239	2.1	3	<1	1	1	3	4	5	9
2. MULTIPLE DX	1769	4.2	26	1	1	3	5	8	11	25
A. NOT OPERATED	292	3.5	9	<1	1	2	5	8	9	15
B. OPERATED	2716	3.3	18	1	1	2	4	6	9	20
TOTAL 0-19 YRS	694	1.8	2	<1	1	1	2	3	5	8
20-34	462	3.0	19	1	1	2	3	6	9	14
35-49	515	3.6	20	1	1	3	4	7	10	21
50-64	818	3.7	15	1	1	3	4	6	9	16
65+	519	5.0	31	1	1	4	6	10	16	27
GRAND TOTAL	**3008**	**3.3**	**17**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	68	2.6	2	<1	<1	2	4	5	6	7
35-49	221	2.2	2	<1	<1	2	3	4	5	7
50-64	155	1.9	3	<1	<1	1	2	4	5	11
65+	62	1.8	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	4.6	28	<1	<1	2	7	14	15	15
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	87	3.1	4	1	1	3	4	6	7	10
35-49	344	3.1	6	1	1	3	4	5	7	11
50-64	301	3.2	7	<1	1	2	4	7	8	15
65+	200	3.0	6	<1	1	2	4	6	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	2	3	3	3	3
B. *Operated*	512	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	15	3.9	18	<1	<1	2	4	11	14	15
B. *Operated*	933	3.1	6	1	1	2	4	6	7	13
1. SINGLE DX	519	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	948	3.1	6	1	1	2	4	6	7	15
A. NOT OPERATED	22	3.3	13	<1	<1	2	4	9	13	15
B. OPERATED	1445	2.7	5	<1	1	2	4	5	7	11
TOTAL 0-19 YRS	8	2.1	3	<1	<1	1	3	5	5	5
20-34	164	3.0	4	<1	1	3	4	5	7	11
35-49	568	2.7	5	<1	1	2	4	5	6	8
50-64	462	2.7	6	<1	1	2	3	6	7	13
65+	265	2.7	5	<1	1	2	3	5	7	14
GRAND TOTAL	**1467**	**2.7**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	22	<1	1	4	10	13	14	14
20-34	34	2.9	2	1	2	3	4	4	6	6
35-49	12	2.9	3	<1	1	2	4	6	6	6
50-64	12	4.1	7	<1	1	4	5	8	9	9
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	228	2.1	1	1	1	2	3	4	4	5
20-34	385	2.6	2	1	1	2	3	4	5	7
35-49	282	2.6	2	<1	1	2	3	5	6	8
50-64	189	2.4	2	<1	1	2	3	4	5	7
65+	58	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.9	2	<1	<1	1	3	4	5	5
20-34	29	4.1	9	1	1	3	5	7	10	15
35-49	26	4.0	7	<1	1	3	6	9	9	10
50-64	21	5.4	11	1	2	4	8	10	12	13
65+	22	6.0	14	1	2	5	8	12	14	14
B. *Operated*										
0-19 YRS	79	2.7	2	1	1	2	3	4	5	10
20-34	234	3.2	5	1	1	3	4	6	8	11
35-49	391	3.2	5	1	1	3	4	6	7	12
50-64	267	3.6	7	1	1	3	4	6	9	14
65+	145	4.0	24	1	1	3	4	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.5	7	<1	1	3	4	6	9	14
B. *Operated*	1142	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	109	4.5	10	<1	1	4	6	9	11	15
B. *Operated*	1116	3.3	8	1	1	3	4	6	8	15
1. SINGLE DX	1214	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1225	3.4	8	1	1	3	4	6	8	14
A. NOT OPERATED	181	4.1	9	<1	1	3	5	8	11	14
B. OPERATED	2258	2.9	5	1	1	2	3	5	6	11
TOTAL 0-19 YRS	329	2.3	3	1	1	2	3	4	5	11
20-34	682	2.9	3	1	1	2	3	5	6	10
35-49	711	3.0	4	1	1	3	4	6	7	10
50-64	489	3.2	6	1	1	3	4	6	8	13
65+	228	3.7	18	1	1	2	4	7	11	20
GRAND TOTAL	**2439**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	2.1	2	1	1	2	3	4	4	8
20-34	436	2.1	2	<1	1	2	3	4	4	6
35-49	88	2.1	3	<1	1	2	2	4	5	11
50-64	3	1.3		1	1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	284	3.5	3	1	1	3	5	6	7	8
20-34	942	3.7	4	1	1	4	5	6	7	10
35-49	249	4.4	4	1	2	4	5	7	8	13
50-64	46	5.3	4	3	3	5	6	7	8	15
65+	18	5.7	3	2	3	6	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	2.3	2	1	1	2	3	4	5	6
20-34	374	2.8	4	1	1	2	4	5	6	9
35-49	127	2.7	3	1	1	2	3	5	6	8
50-64	14	3.6	5	<1	1	3	6	6	7	7
65+	9	4.9	20	1	1	3	7	12	15	15
B. *Operated*										
0-19 YRS	364	4.3	4	1	2	4	5	7	8	11
20-34	2209	4.8	6	1	2	5	6	8	9	13
35-49	1214	5.6	9	3	3	5	6	8	11	17
50-64	174	6.2	7	3	4	6	7	9	10	18
65+	125	8.3	19	4	5	7	10	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	2.1	2	<1	1	2	3	4	4	7
B. *Operated*	1539	3.9	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	723	2.7	3	1	1	2	3	5	6	9
B. *Operated*	4086	5.2	7	1	2	5	6	8	10	15
1. SINGLE DX	2379	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	4809	4.8	8	1	2	4	6	8	9	15
A. NOT OPERATED	1563	2.4	3	1	1	2	3	4	5	8
B. OPERATED	5625	4.8	7	1	2	4	6	8	9	14
TOTAL 0-19 YRS	1159	3.2	4	1	1	3	4	6	7	10
20-34	3961	4.1	6	1	1	4	5	7	8	12
35-49	1678	5.0	8	1	2	5	6	8	10	16
50-64	237	5.8	7	2	3	6	7	8	10	17
65+	153	7.8	18	3	4	7	9	14	17	24
GRAND TOTAL	**7188**	**4.3**	**7**	**1**	**1**	**4**	**5**	**7**	**9**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	643	3.7	3	1	2	3	4	6	7	10
20-34	1629	3.8	8	1	2	3	5	6	7	9
35-49	191	4.5	5	2	2	4	6	7	9	11
50-64	11	4.8	17	1	1	4	6	10	16	16
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	111	5.0	6	2	2	4	7	8	10	12
20-34	541	4.5	6	1	1	4	6	7	9	12
35-49	166	5.3	12	1	2	5	6	9	12	16
50-64	26	5.2	10	<1	1	5	6	9	11	15
65+	4	11.5	191	2	2	6	19	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	631	4.2	6	1	2	4	5	7	8	12
20-34	1749	4.4	5	2	2	4	5	7	8	11
35-49	315	5.3	9	2	2	5	6	9	11	16
50-64	46	5.5	10	1	2	5	7	10	13	14
65+	25	8.6	24	3	4	8	11	13	20	23
B. *Operated*										
0-19 YRS	315	5.8	10	2	2	5	7	10	12	17
20-34	2656	5.3	8	2	3	5	6	9	11	16
35-49	1096	6.3	16	2	3	5	7	10	13	20
50-64	144	6.9	23	3	4	6	8	12	15	29
65+	72	11.8	125	2	4	9	14	19	24	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2476	3.8	7	1	2	4	5	6	7	10
B. *Operated*	848	4.8	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2766	4.5	6	2	2	4	5	7	9	14
B. *Operated*	4283	5.8	14	2	3	5	7	9	12	18
1. SINGLE DX	3324	4.1	7	1	2	4	5	7	8	11
2. MULTIPLE DX	7049	5.3	11	2	2	5	6	8	11	16
A. NOT OPERATED	5242	4.2	7	1	2	4	5	7	8	12
B. OPERATED	5131	5.6	13	2	3	5	7	9	11	18
TOTAL 0-19 YRS	1700	4.3	6	2	2	4	5	7	9	13
20-34	6575	4.7	8	1	2	4	6	7	9	13
35-49	1768	5.8	14	2	3	5	7	9	12	18
50-64	227	6.3	19	2	2	5	7	11	14	23
65+	103	10.9	101	3	4	8	13	19	24	67
GRAND TOTAL	**10373**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	3	1	1	3	4	5	6	6
20-34	29	2.4	3	1	1	2	3	5	6	8
35-49	12	3.0	3	1	1	3	4	5	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	23	4.0	7	<1	1	4	5	7	10	12
20-34	484	4.2	4	1	1	4	5	6	7	10
35-49	388	4.9	2	3	3	5	6	6	7	9
50-64	23	5.4	1	4	4	5	6	7	7	7
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	2	1	1	3	4	5	5	5
20-34	68	3.3	5	<1	1	3	4	6	9	12
35-49	29	2.9	4	<1	<1	2	4	6	6	8
50-64	4	3.0	3	1	1	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	57	4.8	8	1	1	5	6	8	9	17
20-34	2685	5.0	4	2	3	5	6	7	8	12
35-49	3495	5.5	4	3	4	5	6	7	8	13
50-64	372	6.0	5	4	4	6	7	8	10	16
65+	39	6.9	10	2	4	7	8	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.7	3	1	1	2	4	5	6	8
B. *Operated*	921	4.5	3	1	2	5	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	109	3.1	4	<1	1	3	4	5	6	11
B. *Operated*	6648	5.3	4	3	4	5	6	7	8	12
1. SINGLE DX	975	4.4	3	1	2	4	5	6	7	9
2. MULTIPLE DX	6757	5.3	4	3	3	5	6	7	8	12
A. NOT OPERATED	163	3.0	4	1	1	3	4	5	6	10
B. OPERATED	7569	5.2	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	100	4.3	7	1	1	4	6	7	9	15
20-34	3266	4.8	4	1	3	5	6	7	8	11
35-49	3924	5.4	4	3	4	5	6	7	8	12
50-64	400	5.9	5	4	4	6	6	8	9	15
65+	42	6.7	10	2	3	7	8	10	13	18
GRAND TOTAL	**7732**	**5.2**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	13	3.4	4	<1	<1	3	5	6	6	6
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	4	2.8	6	<1	<1	2	4	6	6	6
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	12	3.4	4	1	1	3	4	7	8	8
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	203	5.2	5	1	3	5	6	7	8	13
35-49	231	5.3	4	1	3	5	6	8	8	10
50-64	44	5.6	11	1	1	6	7	10	11	15
65+	20	4.3	7	1	1	4	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.0	12	1	1	3	6	9	9	9
B. *Operated*	22	3.0	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	20	3.3	5	1	1	3	4	7	8	9
B. *Operated*	499	5.3	5	1	2	5	6	8	8	12
1. SINGLE DX	26	3.2	5	<1	<1	3	5	6	7	9
2. MULTIPLE DX	519	5.2	5	1	2	5	6	8	8	12
A. NOT OPERATED	24	3.4	6	1	1	3	4	8	9	9
B. OPERATED	521	5.2	5	1	2	5	6	8	8	12
TOTAL 0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	230	5.0	5	1	2	5	6	7	8	13
35-49	237	5.3	4	1	2	5	6	8	8	10
50-64	49	5.3	11	1	1	5	7	10	11	15
65+	24	4.0	7	1	1	3	6	8	8	9
GRAND TOTAL	**545**	**5.1**	**5**	**1**	**2**	**5**	**6**	**8**	**8**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	4	1	1	3	4	5	9	10
20-34	80	3.4	2	1	2	3	4	6	6	8
35-49	19	3.7	3	1	2	3	4	6	7	8
50-64	4	3.5	4	1	1	4	5	5	5	5
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	26	2.1	3	<1	<1	1	3	5	6	7
20-34	117	2.1	2	<1	1	2	3	4	6	8
35-49	54	1.8	2	<1	1	1	2	4	5	8
50-64	19	2.0	3	<1	<1	1	2	4	6	7
65+	5	3.4	5	2	2	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.9	5	1	1	4	5	7	8	12
20-34	156	3.8	4	1	2	3	4	6	8	11
35-49	60	4.7	6	2	2	4	6	8	9	14
50-64	21	5.3	20	1	2	4	6	8	15	23
65+	22	7.6	14	2	3	7	10	13	15	16
B. *Operated*										
0-19 YRS	39	4.4	11	1	1	4	6	8	11	17
20-34	186	3.9	6	1	1	4	5	6	7	14
35-49	129	4.5	9	1	1	4	6	8	9	16
50-64	50	6.2	39	1	1	4	8	15	18	32
65+	62	8.3	42	1	1	7	12	19	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	3.4	3	1	2	3	4	6	6	9
B. *Operated*	221	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	322	4.3	7	1	2	4	5	8	9	14
B. *Operated*	466	4.9	18	1	1	4	6	9	15	21
1. SINGLE DX	352	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	788	4.7	13	1	1	4	6	8	12	19
A. NOT OPERATED	453	4.1	6	1	2	4	5	7	9	13
B. OPERATED	687	4.0	15	1	1	3	5	8	11	19
TOTAL 0-19 YRS	153	3.6	7	1	1	3	5	7	8	13
20-34	539	3.4	5	1	1	3	5	6	7	11
35-49	262	3.9	8	1	1	3	5	8	9	15
50-64	94	5.0	28	1	1	3	6	13	17	28
65+	92	7.7	33	1	2	6	10	16	19	26
GRAND TOTAL	**1140**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	6.0	21	1	1	7	9	10	10	10
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	165	4.6	4	2	3	4	6	7	8	12
35-49	402	5.1	6	2	3	5	6	7	8	10
50-64	664	5.3	3	3	3	5	6	7	8	11
65+	591	5.6	4	3	3	5	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	1.4	1	<1	<1	1	1	3	4	4
35-49	21	3.1	6	<1	<1	3	4	7	8	8
50-64	30	2.3	11	<1	<1	1	2	5	9	17
65+	50	3.5	11	<1	<1	2	5	8	10	16
B. *Operated*										
0-19 YRS	4	6.5	2	5	5	6	7	8	8	8
20-34	820	5.4	3	3	3	5	6	7	9	11
35-49	1993	5.8	4	3	4	6	7	8	9	13
50-64	2021	6.2	6	3	4	6	7	9	10	14
65+	2300	6.9	9	4	4	6	8	10	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.2	12	1	1	7	8	10	10	10
B. *Operated*	1824	5.3	4	3	3	5	6	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	113	3.0	9	<1	<1	1	4	7	9	16
B. *Operated*	7138	6.2	6	3	4	6	7	9	10	15
1. SINGLE DX	1829	5.3	4	3	3	5	6	8	8	11
2. MULTIPLE DX	7251	6.1	6	3	4	6	7	9	10	15
A. NOT OPERATED	118	3.1	10	<1	<1	2	4	8	9	16
B. OPERATED	8962	6.0	6	3	4	6	7	9	10	14
TOTAL 0-19 YRS	7	6.4	2	4	4	7	8	8	8	8
20-34	997	5.2	4	2	3	5	6	7	8	11
35-49	2416	5.6	5	3	3	5	7	8	9	13
50-64	2716	5.9	5	3	3	6	7	8	10	13
65+	2944	6.6	8	3	4	6	8	9	11	17
GRAND TOTAL	**9080**	**6.0**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**14**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	6	1.8	1	1	1	2	2	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	19	1.9	2	<1	<1	1	3	4	5	5
35-49	18	2.4	5	<1	<1	1	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	9	3.2	3	1	1	3	5	6	6	6
35-49	6	3.2	5	<1	<1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	64	3.9	5	<1	<1	4	5	6	8	10
35-49	99	4.6	5	1	1	5	6	7	9	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.7	1	1	1	1	2	3	4	4
B. *Operated*	39	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	17	3.1	3	<1	1	3	5	6	6	6
B. *Operated*	166	4.3	5	<1	1	4	5	7	9	10
1. SINGLE DX	50	2.0	3	<1	<1	1	3	5	5	8
2. MULTIPLE DX	183	4.2	5	<1	1	4	5	7	8	10
A. NOT OPERATED	28	2.6	3	<1	1	2	4	5	6	6
B. OPERATED	205	3.9	5	<1	1	4	5	7	8	10
TOTAL 0-19 YRS	11	2.5	4	1	1	2	4	6	7	7
20-34	98	3.3	4	<1	<1	3	5	6	7	10
35-49	124	4.2	5	<1	1	4	6	7	8	10
50-64										
65+										
GRAND TOTAL	**233**	**3.8**	**5**	**<1**	**1**	**4**	**5**	**6**	**8**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.8	2	<1	<1	1	2	4	4	7
20-34	102	1.5	1	<1	<1	1	2	3	4	6
35-49	38	1.4	1	<1	<1	1	1	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	51	1.8	2	<1	<1	1	2	4	5	5
20-34	388	2.6	4	<1	<1	2	4	6	6	7
35-49	444	2.9	4	<1	<1	2	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	2.6	2	1	1	2	3	4	5	9
20-34	209	2.3	4	<1	<1	2	3	5	6	10
35-49	152	2.4	4	<1	1	2	3	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	104	2.8	3	1	1	2	4	5	7	9
20-34	1941	4.4	5	1	1	4	6	7	8	12
35-49	3783	4.9	6	1	2	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	883	2.7	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	450	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	5828	4.7	6	1	1	5	6	7	8	12
1. SINGLE DX	1071	2.5	4	<1	<1	2	4	5	6	7
2. MULTIPLE DX	6278	4.6	6	1	1	5	6	7	8	12
A. NOT OPERATED	638	2.1	3	<1	<1	2	3	4	5	9
B. OPERATED	6711	4.5	6	1	1	5	6	7	8	12
TOTAL 0-19 YRS	292	2.4	3	<1	1	2	3	4	5	9
20-34	2640	3.9	6	1	1	4	5	7	7	11
35-49	4417	4.6	6	1	1	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**7349**	**4.3**	**6**	**1**	**1**	**4**	**6**	**7**	**8**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	22	2.0	3	<1	<1	1	4	5	5	5
50-64	70	1.8	3	<1	<1	1	2	3	5	10
65+	30	1.8	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	3.3	5	1	1	3	5	7	7	7
50-64	14	3.1	6	<1	1	3	4	5	9	10
65+	35	4.4	15	1	1	3	5	8	11	21
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	21	4.6	8	1	2	4	5	7	11	14
35-49	113	4.2	5	1	1	4	5	7	8	10
50-64	341	4.1	9	1	1	4	6	7	8	12
65+	280	4.4	23	1	1	3	6	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	<1	<1	2	3	5	5	5
B. *Operated*	122	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	57	3.9	12	1	1	3	5	8	10	20
B. *Operated*	756	4.3	13	1	1	4	6	7	9	16
1. SINGLE DX	129	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	813	4.2	13	1	1	4	6	7	9	16
A. NOT OPERATED	64	3.7	11	<1	1	3	5	7	9	20
B. OPERATED	878	3.9	13	<1	1	3	6	7	9	14
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	21	4.6	8	1	2	4	5	7	11	14
35-49	144	3.9	5	1	1	4	5	7	8	9
50-64	428	3.7	8	<1	1	3	5	7	8	11
65+	348	4.1	21	<1	1	3	6	8	10	21
GRAND TOTAL	**942**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.2	1	1	1	2	3	4	4	5
20-34	41	2.1	3	<1	1	1	3	5	6	7
35-49	12	1.6		<1	<1	1	2	3	3	3
50-64	3	1.0		1	1	1	1	1	1	1
65+	3	3.3	16	1	1	1	6	8	8	8
B. *Operated*										
0-19 YRS	55	3.1	3	<1	<1	3	4	6	6	8
20-34	436	3.0	4	<1	1	3	4	6	7	8
35-49	304	3.8	8	<1	1	4	5	7	8	13
50-64	130	3.8	9	<1	<1	4	5	7	10	15
65+	58	4.4	8	1	1	4	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	2	<1	1	2	3	4	5	5
20-34	66	2.5	3	<1	<1	2	3	5	6	9
35-49	47	3.0	6	<1	<1	2	4	7	7	13
50-64	31	5.2	25	<1	1	4	6	10	20	22
65+	56	5.7	19	2	2	5	7	10	12	29
B. *Operated*										
0-19 YRS	99	4.3	8	1	1	4	6	8	9	16
20-34	1023	4.4	6	1	1	4	5	7	8	12
35-49	1692	5.2	8	1	2	5	6	7	9	15
50-64	871	5.8	18	1	2	5	7	9	12	28
65+	472	7.6	63	1	2	6	8	14	21	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.1	2	1	1	2	3	4	5	8
B. *Operated*	983	3.5	6	<1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	236	3.7	12	<1	1	3	5	7	10	20
B. *Operated*	4157	5.4	16	1	2	5	6	8	10	22
1. SINGLE DX	1078	3.3	6	<1	1	3	5	6	7	11
2. MULTIPLE DX	4393	5.3	16	1	1	5	6	8	10	22
A. NOT OPERATED	331	3.2	10	<1	1	2	4	6	8	16
B. OPERATED	5140	5.0	15	1	1	5	6	8	10	20
TOTAL 0-19 YRS	226	3.3	6	<1	1	3	4	6	8	11
20-34	1566	3.9	6	1	1	4	5	6	7	10
35-49	2055	4.9	8	1	1	5	6	7	8	15
50-64	1035	5.5	17	1	1	5	7	8	11	24
65+	589	7.0	54	1	1	6	8	12	21	43
GRAND TOTAL	**5471**	**4.9**	**15**	**1**	**1**	**5**	**6**	**8**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	1.6	1	<1	1	1	2	3	4	4
20-34	156	2.1	2	<1	1	1	3	4	5	8
35-49	29	1.9	1	1	1	1	3	4	4	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	29	2.7	5	<1	<1	2	4	6	8	8
20-34	387	3.7	4	<1	1	4	5	6	7	9
35-49	481	5.0	5	2	2	5	6	8	9	11
50-64	332	5.7	4	3	4	6	7	8	9	11
65+	126	6.0	6	2	3	6	8	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	2.4	6	1	1	2	3	4	5	12
20-34	269	2.4	2	<1	<1	2	3	5	6	7
35-49	94	3.5	30	<1	<1	2	4	7	8	35
50-64	22	2.5	3	<1	<1	2	3	5	6	8
65+	23	4.8	27	<1	1	4	5	11	16	25
B. *Operated*										
0-19 YRS	69	3.8	4	1	1	4	5	6	7	10
20-34	1625	4.7	5	1	2	5	6	7	8	10
35-49	1525	5.7	9	3	3	5	7	8	9	14
50-64	672	6.4	6	3	4	6	7	10	11	15
65+	406	7.2	13	3	4	7	8	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	1.9	2	<1	1	1	2	3	4	6
B. *Operated*	1355	4.9	5	1	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	529	2.7	9	<1	1	2	3	5	6	13
B. *Operated*	4297	5.5	8	2	3	5	7	8	10	15
1. SINGLE DX	1682	4.3	6	1	1	4	6	7	8	11
2. MULTIPLE DX	4826	5.2	9	1	2	5	6	8	10	15
A. NOT OPERATED	856	2.4	7	<1	1	2	3	4	6	10
B. OPERATED	5652	5.4	7	2	3	5	6	8	10	14
TOTAL 0-19 YRS	357	2.4	4	<1	1	2	3	5	6	8
20-34	2437	4.1	5	1	1	4	5	7	8	10
35-49	2129	5.4	9	2	3	5	6	8	9	13
50-64	1028	6.1	6	3	3	6	7	9	10	15
65+	557	6.8	12	2	3	6	8	11	13	20
GRAND TOTAL	**6508**	**5.0**	**8**	**1**	**2**	**5**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	1	<1	<1	1	3	4	4	4
20-34	47	1.6	1	<1	<1	1	2	3	4	4
35-49	7	2.1	4	1	1	1	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	105	4.2	2	2	3	4	5	6	6	10
20-34	1515	4.1	2	2	3	4	5	5	6	8
35-49	171	4.2	2	2	3	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	34	2.1	2	<1	<1	2	3	4	5	6
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	129	4.8	4	2	3	5	5	7	9	11
20-34	1842	4.5	2	3	3	4	5	6	7	10
35-49	300	4.8	3	3	3	5	5	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	1791	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	44	2.0	2	<1	<1	2	3	4	5	6
B. *Operated*	2271	4.5	2	3	3	4	5	6	7	10
1. SINGLE DX	1852	4.0	2	2	2	4	5	5	6	8
2. MULTIPLE DX	2315	4.5	3	2	3	4	5	6	7	10
A. NOT OPERATED	105	1.8	1	<1	<1	1	2	4	4	6
B. OPERATED	4062	4.3	2	2	3	4	5	6	7	9
TOTAL 0-19 YRS	248	4.3	3	1	2	4	5	6	7	11
20-34	3438	4.2	2	2	3	4	5	6	7	9
35-49	481	4.5	3	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**4167**	**4.3**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34	18	1.4	1	<1	<1	1	2	2	3	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	59	1.5	1	<1	1	1	2	3	4	6
20-34	94	1.4	1	<1	1	1	2	3	3	7
35-49	8	1.9	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.7	2	1	1	2	3	5	6	6
20-34	34	1.8	1	<1	1	2	2	4	4	4
35-49	9	3.6	11	1	1	2	6	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	36	2.9	6	1	1	2	4	5	9	11
20-34	200	3.2	9	1	1	2	4	7	9	14
35-49	46	2.4	4	<1	1	2	3	4	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.4	1	<1	<1	1	2	2	4	4
B. *Operated*	161	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	56	2.3	3	1	1	2	2	4	6	10
B. *Operated*	282	3.1	8	1	1	2	4	7	8	13
1. SINGLE DX	193	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	338	2.9	7	1	1	2	4	6	8	12
A. NOT OPERATED	88	2.0	2	<1	1	2	2	4	5	9
B. OPERATED	443	2.5	6	<1	1	2	3	5	8	11
TOTAL 0-19 YRS	119	2.0	3	<1	1	1	2	4	5	10
20-34	346	2.5	6	<1	1	2	3	6	8	12
35-49	66	2.5	4	<1	1	2	3	6	7	10
50-64										
65+										
GRAND TOTAL	**531**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	4	3.3	1	2	2	3	4	4	4	4
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	5	2.6	1	2	2	2	3	4	4	4
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49										
50-64										
65+										
GRAND TOTAL	**6**	**2.8**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	1.4	1	<1	<1	1	1	2	3	5
20-34	620	1.3	1	<1	<1	1	1	2	3	4
35-49	67	1.3		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1117	1.3		<1	<1	1	1	2	3	4
20-34	5462	1.3	1	<1	<1	1	1	2	2	4
35-49	680	1.3	1	<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	1.7	1	1	1	1	2	3	4	7
20-34	181	1.9	2	<1	1	1	2	4	5	8
35-49	20	2.1	2	<1	<1	2	3	3	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	293	2.1	3	<1	1	2	3	4	5	9
20-34	1275	2.1	4	<1	<1	1	2	4	6	10
35-49	249	2.0	6	<1	<1	1	2	3	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	877	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	7259	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	262	1.9	2	<1	1	1	2	3	5	7
B. *Operated*	1817	2.1	4	<1	<1	1	2	4	5	10
1. SINGLE DX	8136	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	2079	2.0	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	1139	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	9076	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1661	1.4	1	<1	<1	1	2	3	3	5
20-34	7538	1.4	1	<1	<1	1	1	2	3	6
35-49	1016	1.4	2	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**10215**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.0	2	<1	<1	2	3	4	4	8
20-34	206	1.8	1	<1	<1	1	2	3	4	6
35-49	29	1.7	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	137	1.7	1	<1	<1	1	2	3	4	6
20-34	900	1.4	1	<1	<1	1	2	2	3	6
35-49	91	1.4		<1	<1	1	2	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	2	1	1	2	4	5	5	5
20-34	118	2.4	3	<1	1	2	3	5	6	9
35-49	9	2.2	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	79	2.6	3	<1	<1	2	3	6	7	8
20-34	411	2.5	7	<1	1	2	3	5	7	14
35-49	64	2.6	6	<1	1	2	3	6	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	1.9	1	<1	<1	1	2	3	4	6
B. *Operated*	1128	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	158	2.4	3	<1	1	2	3	5	5	9
B. *Operated*	554	2.6	6	<1	1	2	3	5	7	13
1. SINGLE DX	1410	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	712	2.5	5	<1	1	2	3	5	7	12
A. NOT OPERATED	440	2.1	2	<1	1	2	3	4	5	7
B. OPERATED	1682	1.8	3	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	294	2.1	2	<1	<1	2	3	4	5	8
20-34	1635	1.8	3	<1	<1	1	2	4	5	8
35-49	193	1.9	3	<1	<1	1	2	3	4	10
50-64										
65+										
GRAND TOTAL	**2122**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	1.6	1	<1	<1	1	2	3	3	5
20-34	1046	1.9	1	<1	1	2	2	3	4	6
35-49	71	1.8	1	<1	1	1	2	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.2	4	1	1	3	4	6	6	6
20-34	28	1.4		<1	<1	1	2	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.6	4	1	1	2	3	5	6	12
20-34	425	3.0	37	<1	1	2	3	5	6	9
35-49	33	2.6	2	1	1	2	3	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	35	2.8	5	1	1	2	4	5	6	12
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1317	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	36	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	531	2.9	30	1	1	2	3	5	6	9
B. *Operated*	42	2.8	5	1	1	2	4	5	6	12
1. SINGLE DX	1353	1.8	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	573	2.9	28	1	1	2	3	5	6	9
A. NOT OPERATED	1848	2.1	10	<1	1	2	3	4	5	7
B. OPERATED	78	2.3	3	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	281	1.9	2	<1	1	1	2	3	4	7
20-34	1534	2.2	11	<1	1	2	3	4	5	8
35-49	111	2.1	2	<1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**1926**	**2.1**	**9**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	3	<1	<1	1	2	4	6	7
20-34	97	2.2	6	<1	<1	1	2	5	6	14
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4		1	1	1	2	2	2	2
20-34	50	2.5	2	<1	1	2	3	5	5	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.2	5	<1	<1	1	2	4	6	13
B. *Operated*	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	60	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	7	2.0	1	1	1	2	3	3	3	3
1. SINGLE DX	120	2.2	5	<1	<1	1	2	4	6	13
2. MULTIPLE DX	67	2.3	2	<1	1	2	3	4	5	8
A. NOT OPERATED	178	2.2	4	<1	<1	2	3	4	6	12
B. OPERATED	9	2.0	1	<1	<1	2	3	3	3	3
TOTAL 0-19 YRS	24	1.8	2	<1	<1	1	2	3	5	7
20-34	156	2.3	4	<1	<1	2	3	4	6	12
35-49	7	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
GRAND TOTAL	**187**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	2.8	7	1	1	2	3	4	6	10
20-34	1150	2.7	3	1	1	2	3	4	6	9
35-49	120	2.9	4	1	1	2	3	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.7	4	1	1	2	3	5	8	9
20-34	123	2.8	7	<1	<1	2	3	6	8	13
35-49	12	3.0	2	1	1	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	2.9	4	<1	<1	3	4	4	7	12
20-34	485	3.1	5	<1	1	3	4	6	7	12
35-49	59	3.5	5	<1	1	3	4	6	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.3	13	<1	1	3	6	9	12	15
20-34	122	2.8	7	<1	<1	2	4	6	9	13
35-49	15	4.5	15	<1	1	4	7	10	13	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1505	2.7	4	1	1	2	3	4	6	9
B. *Operated*	150	2.8	6	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	630	3.1	5	<1	1	3	4	6	7	12
B. *Operated*	156	3.1	9	<1	<1	2	4	7	10	14
1. SINGLE DX	1655	2.7	4	1	1	2	3	4	6	10
2. MULTIPLE DX	786	3.1	6	<1	<1	3	4	6	7	13
A. NOT OPERATED	2135	2.8	4	1	1	2	3	5	6	10
B. OPERATED	306	3.0	8	<1	<1	2	4	7	8	14
TOTAL 0-19 YRS	355	2.9	7	1	1	2	3	5	7	11
20-34	1880	2.8	4	<1	1	2	3	5	6	11
35-49	206	3.2	5	1	1	3	4	6	7	12
50-64										
65+										
GRAND TOTAL	**2441**	**2.9**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	3.2	4	1	1	3	4	5	7	10
20-34	1804	3.6	4	1	2	3	4	6	8	11
35-49	62	4.2	7	1	2	4	5	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	13	9.2	81	<1	1	6	16	24	25	25
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.1	3	1	1	3	4	5	6	9
20-34	1147	4.0	8	1	2	3	5	7	9	16
35-49	51	4.4	6	1	2	4	6	8	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.3	3	3	3	5	6	7	7	7
20-34	31	9.5	98	1	1	6	16	22	33	41
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2222	3.5	4	1	2	3	4	6	8	11
B. *Operated*	18	7.7	64	<1	1	5	10	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	1418	3.9	7	1	2	3	5	7	8	14
B. *Operated*	36	9.3	90	1	1	6	16	21	30	41
1. SINGLE DX	2240	3.5	5	1	2	3	4	6	8	11
2. MULTIPLE DX	1454	4.0	10	1	2	3	5	7	9	16
A. NOT OPERATED	3640	3.6	6	1	2	3	4	6	8	12
B. OPERATED	54	8.8	80	1	1	5	14	21	25	41
TOTAL 0-19 YRS	583	3.2	4	1	1	3	4	5	7	9
20-34	2995	3.8	7	1	2	3	4	6	8	15
35-49	116	4.4	8	1	2	4	6	8	10	15
50-64										
65+										
GRAND TOTAL	**3694**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1147	1.1	1	<1	<1	<1	1	1	1	3
20-34	4209	1.1		<1	<1	<1	1	1	1	3
35-49	211	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
B. *Operated*										
0-19 YRS	244	1.1		<1	<1	<1	1	1	2	4
20-34	836	1.1		<1	<1	<1	1	1	2	5
35-49	30	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	1.4	1	<1	<1	1	1	2	3	6
20-34	561	1.4	2	<1	<1	1	1	2	3	7
35-49	41	1.5	1	<1	<1	1	2	2	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	22	1.7	2	<1	<1	1	2	4	5	6
20-34	116	1.8	20	<1	<1	1	1	3	4	21
35-49	10	2.6	9	<1	<1	2	3	7	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5567	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	1110	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	783	1.4	2	<1	<1	1	1	2	3	7
B. *Operated*	148	1.9	17	<1	<1	1	2	3	4	12
1. SINGLE DX	6677	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	931	1.5	4	<1	<1	1	1	2	3	7
A. NOT OPERATED	6350	1.1	1	<1	<1	<1	1	1	2	3
B. OPERATED	1258	1.2	2	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1594	1.1	1	<1	<1	<1	1	1	2	4
20-34	5722	1.1	1	<1	<1	<1	1	1	2	4
35-49	292	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**7608**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	3	<1	<1	2	3	4	7	8
20-34	427	2.9	14	<1	1	2	3	5	7	20
35-49	62	2.7	5	<1	1	2	4	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	43	3.3	17	<1	1	2	3	5	15	21
35-49	6	2.5	4	1	1	2	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	4	1	1	3	5	6	6	6
20-34	175	4.2	25	1	1	3	4	11	14	25
35-49	13	2.8	3	1	1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	33	5.3	36	<1	1	4	6	10	13	34
35-49	3	16.3	426	2	2	7	32	40	40	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	2.8	13	<1	1	2	3	5	7	16
B. *Operated*	52	3.1	15	<1	<1	2	3	5	12	21
2. MULTIPLE DX										
A. *Not Operated*	200	4.0	23	1	1	3	4	8	13	25
B. *Operated*	37	6.2	65	<1	1	4	6	12	27	40
1. SINGLE DX	570	2.8	13	<1	1	2	3	5	7	19
2. MULTIPLE DX	237	4.4	30	1	1	3	5	10	13	34
A. NOT OPERATED	718	3.2	16	<1	1	2	4	6	8	21
B. OPERATED	89	4.4	38	<1	1	3	5	8	13	38
TOTAL 0-19 YRS	45	2.5	4	<1	<1	2	4	6	6	8
20-34	678	3.3	19	<1	1	2	4	6	10	21
35-49	84	3.2	21	1	1	2	4	6	7	30
50-64										
65+										
GRAND TOTAL	**807**	**3.3**	**18**	**<1**	**1**	**2**	**4**	**6**	**8**	**21**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	1.8	2	<1	<1	1	2	4	5	7
20-34	594	1.9	2	<1	<1	1	2	3	5	10
35-49	53	1.5	1	<1	<1	1	2	2	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	63	1.5	1	<1	<1	1	2	2	3	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	2.5	5	<1	<1	2	3	6	7	12
20-34	268	2.9	31	<1	<1	2	3	5	7	22
35-49	17	3.2	4	<1	1	3	5	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	25	4.9	50	<1	1	3	5	11	18	35
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	1.9	2	<1	<1	1	2	3	4	9
B. *Operated*	71	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	353	2.8	25	<1	<1	2	3	5	7	18
B. *Operated*	30	4.6	43	<1	1	3	5	10	12	35
1. SINGLE DX	835	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	383	3.0	26	<1	<1	2	3	5	7	21
A. NOT OPERATED	1117	2.2	10	<1	<1	1	2	4	5	11
B. OPERATED	101	2.4	15	<1	<1	1	2	5	7	23
TOTAL 0-19 YRS	195	2.1	3	<1	<1	1	2	4	6	9
20-34	950	2.2	12	<1	<1	1	2	4	5	12
35-49	73	2.0	2	<1	<1	1	2	4	5	8
50-64										
65+										
GRAND TOTAL	**1218**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	2.9	3	<1	1	3	4	5	6	8
20-34	387	2.5	2	<1	<1	2	3	4	5	6
35-49	14	2.6	2	<1	<1	2	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	32	2.4	2	<1	<1	2	3	5	5	6
20-34	61	2.3	2	<1	<1	2	4	5	5	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	3.2	4	<1	1	3	4	5	6	10
20-34	1135	3.1	3	<1	1	3	4	5	7	9
35-49	30	4.2	7	2	2	3	5	8	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.0	4	1	1	3	4	6	7	7
20-34	81	3.4	5	<1	1	3	4	7	8	11
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	2.7	2	<1	<1	2	4	5	5	7
B. *Operated*	94	2.3	2	<1	<1	2	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	1739	3.2	4	<1	1	3	4	5	6	9
B. *Operated*	109	3.4	5	<1	1	3	4	7	8	11
1. SINGLE DX	693	2.6	2	<1	<1	2	4	5	5	7
2. MULTIPLE DX	1848	3.2	4	<1	1	3	4	5	7	10
A. NOT OPERATED	2338	3.0	3	<1	1	3	4	5	6	9
B. OPERATED	203	2.9	4	<1	<1	3	4	5	7	10
TOTAL 0-19 YRS	830	3.1	3	<1	1	3	4	5	6	9
20-34	1664	3.0	3	<1	1	3	4	5	6	9
35-49	47	3.8	7	<1	1	3	5	7	9	14
50-64										
65+										
GRAND TOTAL	**2541**	**3.0**	**3**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.7	2	1	1	3	3	5	5	8
20-34	525	3.2	6	<1	1	3	4	6	8	12
35-49	73	3.5	5	1	2	3	4	6	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.0	2	<1	<1	1	3	5	5	5
20-34	59	2.8	6	<1	<1	2	3	6	8	13
35-49	12	3.1	3	<1	<1	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	563	2.9	10	<1	<1	2	4	6	7	13
20-34	2770	3.3	10	<1	1	3	4	7	9	16
35-49	256	3.9	10	1	1	3	5	8	11	18
50-64										
65+										
B. *Operated*										
0-19 YRS	69	3.3	7	1	1	3	4	7	9	12
20-34	355	5.0	34	<1	1	3	6	12	16	31
35-49	40	6.2	40	1	1	4	7	12	23	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	3.2	6	1	1	3	4	6	8	12
B. *Operated*	80	2.8	5	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	3589	3.3	10	<1	1	2	4	6	8	16
B. *Operated*	464	4.8	31	<1	1	3	6	10	15	30
1. SINGLE DX	747	3.1	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	4053	3.5	13	<1	1	3	4	7	9	18
A. NOT OPERATED	4256	3.3	9	<1	1	3	4	6	8	15
B. OPERATED	544	4.5	28	<1	1	3	6	9	14	28
TOTAL 0-19 YRS	710	2.9	9	<1	<1	2	4	6	7	12
20-34	3709	3.5	12	<1	1	3	4	7	9	18
35-49	381	4.1	13	1	1	3	5	8	11	22
50-64										
65+										
GRAND TOTAL	**4800**	**3.4**	**12**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	981	1.8	3	<1	<1	1	2	3	4	9
20-34	4094	2.0	4	<1	<1	1	2	4	5	11
35-49	246	2.4	9	<1	<1	1	3	5	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	298	2.3	8	<1	<1	1	3	4	6	17
20-34	1685	2.1	6	<1	<1	1	2	4	5	10
35-49	132	2.0	3	<1	<1	1	2	4	5	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	535	2.7	7	<1	<1	2	3	5	7	14
20-34	2388	2.9	13	<1	<1	2	3	5	8	17
35-49	164	3.8	18	<1	<1	2	4	8	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	212	3.1	24	<1	<1	2	4	6	8	20
20-34	1157	3.1	19	<1	<1	2	4	6	10	17
35-49	101	3.8	68	<1	<1	2	3	7	11	54
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5321	2.0	4	<1	<1	1	2	4	5	11
B. *Operated*	2115	2.1	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	3087	2.9	13	<1	<1	2	3	5	8	17
B. *Operated*	1470	3.2	23	<1	<1	2	4	6	10	21
1. SINGLE DX	7436	2.0	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX	4557	3.0	16	<1	<1	2	3	6	8	17
A. NOT OPERATED	8408	2.3	8	<1	<1	1	3	4	6	12
B. OPERATED	3585	2.5	13	<1	<1	1	3	5	7	16
TOTAL 0-19 YRS	2026	2.3	7	<1	<1	1	3	4	6	12
20-34	9324	2.4	9	<1	<1	1	3	5	7	13
35-49	643	2.9	20	<1	<1	2	3	6	8	17
50-64										
65+										
GRAND TOTAL	**11993**	**2.4**	**9**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.6	1	2	2	3	3	4	4	4
20-34	448	2.6	1	1	2	3	3	4	4	6
35-49	38	2.6		2	2	3	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.0	2	1	2	3	3	4	6	9
20-34	335	3.3	5	2	2	3	4	5	5	10
35-49	20	3.7	4	2	2	3	5	6	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	2.9	4	2	2	3	3	4	5	8
20-34	990	2.8	4	1	2	3	3	4	5	9
35-49	92	3.1	7	1	2	3	3	4	5	19
50-64										
65+										
B. *Operated*										
0-19 YRS	236	4.3	11	2	2	3	5	8	11	20
20-34	2221	4.4	18	2	2	4	5	6	9	25
35-49	255	4.8	22	2	2	4	5	7	10	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	2.6	1	1	2	3	3	4	4	5
B. *Operated*	402	3.3	5	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1299	2.9	4	1	2	3	3	4	5	9
B. *Operated*	2712	4.5	18	2	2	4	5	7	9	24
1. SINGLE DX	971	2.9	3	1	2	3	3	4	5	8
2. MULTIPLE DX	4011	3.9	14	2	2	3	4	6	8	21
A. NOT OPERATED	1868	2.8	3	1	2	3	3	4	4	8
B. OPERATED	3114	4.3	16	2	2	3	5	6	9	24
TOTAL 0-19 YRS	583	3.4	7	2	2	3	4	5	8	15
20-34	3994	3.7	12	2	2	3	4	6	7	18
35-49	405	4.2	16	2	2	3	5	6	9	23
50-64										
65+										
GRAND TOTAL	**4982**	**3.7**	**12**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5417	2.4	1	1	1	2	3	3	4	4
20-34	33025	2.4	1	1	1	2	3	3	4	4
35-49	1732	2.5	2	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1708	2.4	1	1	2	2	3	3	4	4
20-34	9808	2.5	1	1	2	2	3	3	4	5
35-49	501	2.6	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	2.7	1	1	2	3	3	4	4	7
20-34	1166	2.7	1	1	2	3	3	4	4	6
35-49	79	2.7	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	116	2.7	1	1	2	3	3	4	4	6
20-34	4464	3.0	1	2	2	3	3	4	4	5
35-49	508	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40174	2.4	1	1	1	2	3	3	4	4
B. *Operated*	12017	2.5	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	1450	2.7	1	1	2	3	3	4	4	6
B. *Operated*	5088	3.0	1	2	2	3	3	4	4	5
1. SINGLE DX	52191	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX	6538	2.9	1	2	2	3	3	4	4	6
A. NOT OPERATED	41624	2.4	1	1	1	2	3	3	4	4
B. OPERATED	17105	2.6	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	7446	2.4	1	1	1	2	3	3	4	4
20-34	48463	2.5	1	1	2	2	3	3	4	5
35-49	2820	2.6	1	1	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**58729**	**2.5**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	2.6	1	1	1	3	3	4	4	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.8	2	3	3	5	6	6	6	6
20-34	104	6.7	93	2	3	5	5	7	17	71
35-49	21	6.0	18	2	3	5	7	11	17	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	22	3.7	9	1	2	3	4	6	12	15
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	22	6.6	36	2	2	4	6	20	21	21
20-34	413	7.6	58	2	3	5	7	15	26	40
35-49	93	7.1	49	3	3	5	7	10	24	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.6	1	1	1	3	3	4	4	5
B. *Operated*	130	6.5	82	2	3	5	5	8	16	65
2. MULTIPLE DX										
A. *Not Operated*	26	3.7	8	1	1	3	4	6	11	15
B. *Operated*	528	7.4	55	2	3	5	7	14	25	40
1. SINGLE DX	160	5.7	69	2	2	4	5	7	14	57
2. MULTIPLE DX	554	7.3	54	2	3	5	7	14	25	40
A. NOT OPERATED	56	3.1	5	1	1	3	3	4	6	15
B. OPERATED	658	7.3	61	2	3	5	7	13	23	41
TOTAL 0-19 YRS	30	5.9	29	1	2	4	6	16	21	21
20-34	566	7.0	62	2	3	5	6	13	23	41
35-49	118	6.8	43	2	3	5	7	10	20	41
50-64										
65+										
GRAND TOTAL	**714**	**6.9**	**58**	**2**	**3**	**5**	**6**	**12**	**22**	**40**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.2	1	<1	1	2	3	3	4	4
20-34	132	2.6	1	1	1	2	3	4	5	6
35-49	14	2.6	1	1	2	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	31	3.6	2	1	2	4	5	5	6	6
20-34	192	3.7	2	1	2	4	5	5	6	8
35-49	16	3.8	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	1	1	1	3	3	4	4	5
20-34	165	2.9	4	1	1	3	3	5	6	12
35-49	14	2.3	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	104	5.2	33	2	2	4	5	7	13	41
20-34	770	4.5	11	2	2	4	5	6	8	21
35-49	77	6.4	100	1	2	5	6	9	13	70
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	2.5	1	1	1	2	3	4	5	6
B. *Operated*	239	3.7	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	204	2.8	3	1	1	3	3	4	6	10
B. *Operated*	951	4.7	21	2	2	4	5	7	9	22
1. SINGLE DX	401	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	1155	4.4	18	1	2	4	5	6	8	21
A. NOT OPERATED	366	2.7	2	1	1	2	3	4	5	8
B. OPERATED	1190	4.5	17	2	2	4	5	6	8	21
TOTAL 0-19 YRS	176	4.3	21	1	2	3	5	6	8	30
20-34	1259	4.0	8	1	2	4	5	6	7	15
35-49	121	5.1	67	1	2	4	5	7	11	40
50-64										
65+										
GRAND TOTAL	**1556**	**4.1**	**14**	**1**	**2**	**4**	**5**	**6**	**7**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	39	2.5	1	1	1	3	3	4	4	5
35-49	8	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	55	2.3	1	1	1	2	3	3	4	5
20-34	463	2.5	1	1	1	2	3	3	4	5
35-49	30	5.9	284	2	2	3	4	4	4	95
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	21	2.8	1	1	1	3	3	4	5	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	45	2.4	1	1	1	2	3	4	4	6
20-34	437	2.9	2	1	2	3	3	4	5	7
35-49	47	3.1	2	1	2	3	4	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.5	1	1	1	2	3	4	4	5
B. *Operated*	548	2.7	16	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	27	2.7	1	1	1	3	3	4	5	6
B. *Operated*	529	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	599	2.7	15	1	1	2	3	4	4	5
2. MULTIPLE DX	556	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	78	2.6	1	1	1	3	3	4	4	6
B. OPERATED	1077	2.8	9	1	2	3	3	4	4	7
TOTAL 0-19 YRS	110	2.4	1	1	1	2	3	4	4	5
20-34	960	2.7	1	1	2	3	3	4	4	6
35-49	85	4.0	101	1	2	3	4	4	5	64
50-64										
65+										
GRAND TOTAL	**1155**	**2.8**	**9**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	1	2	2	2	3	4	4	4
20-34	188	2.6	1	1	1	2	3	4	4	5
35-49	10	3.1	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	2.8	2	1	2	3	3	4	5	7
20-34	106	2.8	1	1	1	3	3	4	5	6
35-49	9	2.8	3	1	1	2	3	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	1	1	1	2	3	4	5	5
20-34	129	2.9	1	2	2	3	3	4	5	6
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.0	2	1	2	3	4	4	4	8
20-34	215	3.1	1	1	2	3	4	4	5	7
35-49	18	3.4	3	1	1	3	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.6	1	1	2	3	3	4	4	5
B. *Operated*	139	2.8	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	155	2.8	1	2	2	3	3	4	5	6
B. *Operated*	263	3.1	2	1	2	3	4	4	5	8
1. SINGLE DX	370	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	418	3.0	1	1	2	3	4	4	5	7
A. NOT OPERATED	386	2.7	1	1	2	3	3	4	4	5
B. OPERATED	402	3.0	1	1	2	3	4	4	5	7
TOTAL 0-19 YRS	109	2.8	1	1	2	3	3	4	4	7
20-34	638	2.8	1	1	2	3	3	4	5	6
35-49	41	3.2	2	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**788**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	1	2	2	3	4	4	4	4
20-34	70	3.2	1	2	2	3	4	5	5	6
35-49	7	3.0		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	5.0	7	3	3	4	5	10	10	10
20-34	74	3.9	1	2	3	4	5	6	6	6
35-49	9	4.3	4	2	2	4	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	1	2	2	2	3	5	5	5
20-34	114	3.8	21	1	2	3	4	5	7	28
35-49	10	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	71	6.4	79	2	2	5	6	9	14	61
20-34	793	5.4	24	2	3	5	6	7	10	25
35-49	84	5.9	13	3	3	5	6	8	11	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.2	1	2	2	3	4	4	5	6
B. *Operated*	89	4.1	2	2	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	131	3.7	18	1	2	3	4	5	6	25
B. *Operated*	948	5.5	27	2	3	5	6	7	10	28
1. SINGLE DX	175	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	1079	5.3	26	2	2	5	6	7	10	28
A. NOT OPERATED	217	3.5	12	1	2	3	4	5	5	20
B. OPERATED	1037	5.4	25	2	3	5	6	7	10	27
TOTAL 0-19 YRS	93	5.8	63	2	2	4	5	8	11	53
20-34	1051	5.0	21	2	2	4	5	7	9	21
35-49	110	5.3	11	2	2	5	6	8	10	23
50-64										
65+										
GRAND TOTAL	**1254**	**5.1**	**23**	**2**	**2**	**4**	**5**	**7**	**9**	**27**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2		2	2	2	2	3	3	3
20-34	115	2.5	1	1	1	2	3	4	4	5
35-49	8	2.4	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	219	4.3	1	3	3	4	5	6	6	7
20-34	1616	4.2	1	2	3	4	5	5	6	6
35-49	80	4.2	1	3	3	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.7	2	1	1	2	3	4	6	6
20-34	52	2.7	1	1	2	3	3	4	5	7
35-49	10	2.7		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	266	5.0	6	2	3	5	5	7	9	16
20-34	2254	4.6	5	2	3	4	5	6	7	11
35-49	235	4.7	4	3	3	5	5	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.5	1	1	1	2	3	4	4	5
B. *Operated*	1915	4.2	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	74	2.7	1	1	2	3	3	4	5	7
B. *Operated*	2755	4.7	5	2	3	4	5	6	7	11
1. SINGLE DX	2050	4.1	1	2	3	4	5	5	6	6
2. MULTIPLE DX	2829	4.6	5	2	3	4	5	6	7	11
A. NOT OPERATED	209	2.6	1	1	1	2	3	4	4	6
B. OPERATED	4670	4.5	3	2	3	4	5	6	6	9
TOTAL 0-19 YRS	509	4.6	4	2	3	4	5	6	7	12
20-34	4037	4.4	3	2	3	4	5	6	6	9
35-49	333	4.5	3	2	3	4	5	6	6	10
50-64										
65+										
GRAND TOTAL	**4879**	**4.4**	**4**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.7	2	1	1	2	3	4	5	7
20-34	516	2.6	1	2	2	3	3	4	4	4
35-49	31	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	102	3.1	2	1	2	3	4	5	5	6
20-34	790	3.5	2	2	2	3	4	5	6	7
35-49	51	3.5	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.8	1	2	2	3	4	4	4	5
20-34	335	2.7	1	1	2	3	3	4	4	6
35-49	19	2.6	1	1	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	495	4.1	3	2	2	4	5	6	7	10
20-34	3481	4.1	4	2	2	4	5	6	6	10
35-49	307	4.6	6	2	2	4	5	6	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	2.6	1	1	2	3	3	4	4	5
B. *Operated*	943	3.5	2	2	2	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	400	2.7	1	1	2	3	3	4	4	6
B. *Operated*	4283	4.2	4	2	2	4	5	6	7	10
1. SINGLE DX	1536	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX	4683	4.0	4	2	2	4	5	6	6	10
A. NOT OPERATED	993	2.6	1	1	2	3	3	4	4	5
B. OPERATED	5226	4.0	4	2	2	4	5	6	6	10
TOTAL 0-19 YRS	689	3.7	3	2	2	4	5	6	6	10
20-34	5122	3.8	3	2	2	4	5	5	6	9
35-49	408	4.2	5	2	2	4	5	6	7	14
50-64										
65+										
GRAND TOTAL	**6219**	**3.8**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	23	2.6	1	1	1	2	4	4	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	253	4.8	1	3	3	5	5	6	7	8
20-34	1156	4.7	1	3	4	5	5	6	6	7
35-49	46	5.0	1	3	4	5	6	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	2	2	2	4	5	5	5	5
20-34	27	3.3	2	1	2	3	4	5	5	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	888	5.2	3	3	4	5	6	7	8	12
20-34	4452	5.0	2	3	4	5	5	6	7	9
35-49	274	5.2	4	3	4	5	6	6	7	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.8	1	1	2	2	4	4	5	6
B. *Operated*	1455	4.7	1	3	4	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	32	3.4	2	2	2	3	4	5	5	6
B. *Operated*	5614	5.0	2	3	4	5	6	6	7	10
1. SINGLE DX	1482	4.7	1	3	3	5	5	6	6	8
2. MULTIPLE DX	5646	5.0	2	3	4	5	6	6	7	10
A. NOT OPERATED	59	3.1	2	1	2	3	4	5	5	6
B. OPERATED	7069	5.0	2	3	4	5	5	6	7	10
TOTAL 0-19 YRS	1149	5.1	3	3	4	5	6	7	8	11
20-34	5658	4.9	2	3	4	5	5	6	7	9
35-49	321	5.2	4	3	4	5	6	6	7	12
50-64										
65+										
GRAND TOTAL	**7128**	**4.9**	**2**	**3**	**4**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.7	1	1	2	3	3	4	4	5
20-34	623	2.7	2	1	2	3	3	4	4	5
35-49	27	2.7	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	202	3.9	2	2	2	4	5	6	6	8
20-34	1257	3.7	2	2	2	4	5	5	6	7
35-49	76	4.0	2	2	2	4	5	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.9	1	1	2	3	4	4	5	7
20-34	481	2.9	1	1	2	3	3	4	5	6
35-49	36	2.9	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	632	4.5	4	2	2	4	6	7	8	10
20-34	3875	4.2	4	2	2	4	5	6	7	9
35-49	257	4.5	2	2	3	4	5	6	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	2.7	1	1	2	3	3	4	4	5
B. *Operated*	1535	3.8	2	2	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	624	2.9	1	1	2	3	3	4	5	6
B. *Operated*	4764	4.2	4	2	2	4	5	6	7	9
1. SINGLE DX	2299	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX	5388	4.1	4	2	2	4	5	6	7	9
A. NOT OPERATED	1388	2.8	1	1	2	3	3	4	4	6
B. OPERATED	6299	4.1	3	2	2	4	5	6	7	9
TOTAL 0-19 YRS	1055	4.0	3	2	2	4	5	6	7	10
20-34	6236	3.8	3	2	2	4	5	6	6	8
35-49	396	4.2	2	2	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**7687**	**3.9**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.3	2	<1	<1	2	3	4	5	5
20-34	94	2.6	1	1	2	2	3	3	4	8
35-49	10	2.6	2	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	30	4.6	4	2	2	4	6	7	9	9
20-34	346	3.8	4	2	2	4	5	5	6	9
35-49	28	3.3	2	2	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	1	<1	<1	2	3	3	3	3
20-34	69	2.9	2	1	2	3	3	4	5	10
35-49	8	3.5	5	2	2	3	4	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	111	4.8	3	2	3	5	6	7	7	11
20-34	1030	4.7	17	2	2	4	5	6	7	13
35-49	122	4.8	5	2	2	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	2.6	1	1	1	2	3	4	4	7
B. *Operated*	404	3.8	3	2	2	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	87	2.9	2	1	2	3	3	4	5	10
B. *Operated*	1263	4.7	14	2	2	5	5	6	7	11
1. SINGLE DX	517	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	1350	4.6	14	2	2	4	5	6	7	11
A. NOT OPERATED	200	2.7	2	1	2	3	3	4	5	9
B. OPERATED	1667	4.5	12	2	2	4	5	6	7	10
TOTAL 0-19 YRS	160	4.5	4	1	2	4	6	6	8	11
20-34	1539	4.3	13	2	2	4	5	6	7	10
35-49	168	4.3	5	2	2	4	6	6	8	10
50-64										
65+										
GRAND TOTAL	**1867**	**4.3**	**11**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2		1	1	2	3	3	3	3
20-34	177	2.7	6	1	1	2	3	4	4	7
35-49	16	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	349	4.4	1	3	3	4	5	6	6	7
20-34	6394	4.4	1	3	3	4	5	6	6	7
35-49	379	4.6	1	3	4	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	5	1	1	3	4	7	9	9
20-34	103	3.0	2	1	1	3	3	5	6	7
35-49	7	2.3	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	335	4.6	1	3	4	5	5	6	6	8
20-34	9263	4.8	3	3	3	5	5	6	7	9
35-49	995	5.0	4	3	4	5	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	2.7	5	1	1	2	3	4	4	7
B. *Operated*	7122	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	120	3.0	2	1	1	3	3	5	6	8
B. *Operated*	10593	4.8	3	3	3	5	5	6	7	9
1. SINGLE DX	7328	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX	10713	4.8	3	3	3	5	5	6	7	9
A. NOT OPERATED	326	2.8	4	1	1	3	3	4	5	7
B. OPERATED	17715	4.7	2	3	3	5	5	6	6	8
TOTAL 0-19 YRS	707	4.5	1	3	3	4	5	6	6	7
20-34	15937	4.6	2	3	3	5	5	6	6	8
35-49	1397	4.8	3	3	4	5	5	6	7	10
50-64										
65+										
GRAND TOTAL	**18041**	**4.6**	**2**	**3**	**3**	**5**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.6	1	1	2	2	3	4	4	6
20-34	973	2.8	2	1	2	3	3	4	4	6
35-49	52	2.8	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	147	2.9	1	1	2	3	3	4	5	7
20-34	933	3.0	7	2	2	3	3	4	5	6
35-49	53	3.3	2	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	180	3.5	17	1	2	3	4	5	6	19
20-34	917	3.3	4	2	2	3	4	5	6	11
35-49	72	3.2	3	1	2	3	4	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	519	4.1	9	2	2	3	5	6	9	16
20-34	3662	4.0	7	2	2	3	5	6	7	14
35-49	314	4.2	7	2	2	4	5	7	8	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1179	2.8	2	1	2	3	3	4	4	6
B. *Operated*	1133	3.0	6	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1169	3.3	6	1	2	3	4	5	6	12
B. *Operated*	4495	4.0	7	2	2	3	5	6	7	14
1. SINGLE DX	2312	2.9	4	2	2	3	3	4	4	6
2. MULTIPLE DX	5664	3.9	7	2	2	3	5	6	7	13
A. NOT OPERATED	2348	3.0	4	1	2	3	3	4	5	8
B. OPERATED	5628	3.8	7	2	2	3	4	6	7	13
TOTAL 0-19 YRS	1000	3.6	8	2	2	3	4	5	7	13
20-34	6485	3.6	6	2	2	3	4	5	6	12
35-49	491	3.8	6	2	2	3	4	6	7	12
50-64										
65+										
GRAND TOTAL	**7976**	**3.6**	**6**	**2**	**2**	**3**	**4**	**5**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	668	2.4	1	1	1	2	3	3	3	4
20-34	5161	2.5	1	1	2	2	3	3	4	4
35-49	310	2.6	1	1	2	3	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	332	2.4	1	1	2	2	3	3	4	5
20-34	2461	2.7	2	1	2	3	3	4	4	5
35-49	131	2.8	1	2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	2.5	1	1	2	2	3	4	4	6
20-34	1495	2.6	1	1	2	3	3	4	4	6
35-49	112	2.8	1	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	411	2.9	2	1	2	3	4	4	5	8
20-34	3789	3.0	2	2	2	3	3	4	5	7
35-49	299	3.1	2	1	2	3	4	5	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6139	2.5	1	1	2	2	3	3	4	4
B. *Operated*	2924	2.6	2	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1847	2.6	1	1	2	3	3	4	4	6
B. *Operated*	4499	3.0	2	2	2	3	3	4	5	7
1. SINGLE DX	9063	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX	6346	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	7986	2.5	1	1	2	2	3	3	4	5
B. OPERATED	7423	2.8	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	1651	2.5	1	1	2	2	3	4	4	6
20-34	12906	2.7	1	1	2	3	3	4	4	6
35-49	852	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**15409**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.4	1	1	1	2	3	3	4	4
20-34	732	2.2	1	1	1	2	3	3	3	4
35-49	36	2.3	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1072	2.3	1	1	1	2	3	3	4	4
20-34	8143	2.3	1	1	1	2	3	3	4	4
35-49	663	2.5	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.4	1	1	2	2	3	3	4	4
20-34	304	2.3	1	1	1	2	3	3	4	5
35-49	19	1.9	1	<1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	634	2.6	2	1	2	2	3	4	4	6
20-34	5752	2.7	1	1	2	3	3	4	4	6
35-49	557	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	896	2.3	1	1	1	2	3	3	4	4
B. *Operated*	9878	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	390	2.3	1	1	1	2	3	3	4	5
B. *Operated*	6943	2.7	1	1	2	3	3	4	4	6
1. SINGLE DX	10774	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	7333	2.7	1	1	2	3	3	4	4	6
A. NOT OPERATED	1286	2.3	1	1	1	2	3	3	4	4
B. OPERATED	16821	2.5	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1901	2.4	1	1	1	2	3	3	4	5
20-34	14931	2.5	1	1	1	2	3	3	4	5
35-49	1275	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**18107**	**2.5**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.5	1	1	2	2	3	3	4	4
20-34	230	2.6	1	1	2	3	3	3	4	5
35-49	8	2.4	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1049	2.6	1	1	2	3	3	4	4	5
20-34	4393	2.7	1	1	2	3	3	4	4	5
35-49	132	2.7	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	3	2	2	3	3	4	7	10
20-34	105	3.0	2	2	2	3	3	4	5	11
35-49	4	3.5	1	3	3	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	863	3.0	4	2	2	3	3	4	5	8
20-34	3558	3.0	1	2	2	3	3	4	5	7
35-49	166	3.0	1	2	2	3	4	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	2.5	1	1	2	3	3	3	4	4
B. *Operated*	5574	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	153	3.0	2	2	2	3	3	4	5	10
B. *Operated*	4587	3.0	2	2	2	3	3	4	5	7
1. SINGLE DX	5876	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	4740	3.0	2	2	2	3	3	4	5	7
A. NOT OPERATED	455	2.7	1	1	2	3	3	4	4	9
B. OPERATED	10161	2.8	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	2020	2.8	2	2	2	3	3	4	4	6
20-34	8286	2.8	1	2	2	3	3	4	4	6
35-49	310	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**10616**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.2	1	1	1	2	3	3	4	4
20-34	369	2.3	1	1	1	2	3	3	4	5
35-49	11	2.7		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	442	2.4	1	1	2	2	3	3	4	4
20-34	2007	2.5	1	1	2	2	3	3	4	5
35-49	78	2.9	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.8	2	2	2	2	3	4	7	7
20-34	153	2.4	1	1	1	2	3	3	4	5
35-49	10	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	408	2.7	1	1	2	3	3	4	5	7
20-34	1946	2.9	2	1	2	3	3	4	5	7
35-49	99	3.2	2	2	2	3	3	5	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	2.3	1	1	1	2	3	3	4	5
B. *Operated*	2527	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	212	2.5	1	1	1	2	3	4	4	7
B. *Operated*	2453	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	2986	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX	2665	2.8	2	1	2	3	3	4	5	7
A. NOT OPERATED	671	2.4	1	1	1	2	3	3	4	5
B. OPERATED	4980	2.7	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	978	2.5	1	1	2	2	3	4	4	6
20-34	4475	2.6	1	1	2	3	3	4	4	6
35-49	198	3.0	2	2	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**5651**	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1158	2.6	2	1	1	2	3	4	5	7
20-34	5440	2.5	1	1	1	2	3	4	4	6
35-49	349	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1887	3.1	2	1	2	3	4	5	6	9
20-34	9660	3.1	4	2	2	3	4	5	5	7
35-49	559	3.1	2	1	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	948	2.8	2	1	1	3	3	4	5	8
20-34	4557	2.7	5	1	1	2	3	4	5	8
35-49	336	2.6	2	1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3997	4.0	8	2	2	3	5	6	8	14
20-34	22411	4.0	10	2	2	3	5	6	8	15
35-49	1957	4.2	7	2	2	4	5	7	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6947	2.5	2	1	1	2	3	4	4	6
B. *Operated*	12106	3.1	3	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	5841	2.7	4	1	1	3	3	4	5	8
B. *Operated*	28365	4.0	9	2	2	3	5	6	8	15
1. SINGLE DX	19053	2.9	3	1	2	3	3	4	5	7
2. MULTIPLE DX	34206	3.8	9	1	2	3	4	6	7	14
A. NOT OPERATED	12788	2.6	3	1	1	2	3	4	4	7
B. OPERATED	40471	3.7	8	2	2	3	4	6	7	13
TOTAL 0-19 YRS	7990	3.4	6	1	2	3	4	6	7	12
20-34	42068	3.4	7	1	2	3	4	5	6	12
35-49	3201	3.7	6	1	2	3	4	6	7	13
50-64										
65+										
GRAND TOTAL	**53259**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.2	2	2	2	3	4	5	6	6
20-34	167	3.4	2	2	2	3	4	6	6	8
35-49	7	3.1	2	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	11	3.5	2	1	2	3	4	5	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.2	7	2	2	4	5	7	8	15
20-34	118	3.8	3	2	2	4	4	6	7	9
35-49	8	4.8	16	2	2	3	5	12	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	11	4.4	6	1	1	4	7	8	8	8
20-34	33	6.5	14	1	2	6	9	12	13	15
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.4	2	2	2	3	4	6	6	8
B. *Operated*	13	3.4	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	158	4.0	4	2	2	4	4	6	8	14
B. *Operated*	44	6.0	13	1	2	5	8	11	12	15
1. SINGLE DX	230	3.4	2	2	2	3	4	6	6	7
2. MULTIPLE DX	202	4.4	7	2	2	4	5	8	10	14
A. NOT OPERATED	375	3.6	3	2	2	3	4	6	7	10
B. OPERATED	57	5.4	11	1	2	5	7	11	12	15
TOTAL 0-19 YRS	88	3.7	4	2	2	3	4	6	8	12
20-34	329	3.9	4	2	2	3	5	6	8	12
35-49	15	4.0	10	2	2	3	5	6	12	14
50-64										
65+										
GRAND TOTAL	**432**	**3.8**	**4**	**2**	**2**	**3**	**5**	**6**	**8**	**12**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	1	<1	<1	2	2	3	4	4
20-34	67	1.5	1	<1	<1	1	2	3	3	5
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	30	1.5	1	<1	<1	1	2	2	3	5
20-34	174	1.4	1	<1	<1	1	2	3	3	5
35-49	10	1.7	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	53	1.8	1	<1	1	2	2	3	3	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	36	2.1	2	<1	1	2	3	4	5	6
20-34	185	2.6	5	<1	1	2	3	5	7	17
35-49	14	2.6	3	<1	1	2	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	214	1.4	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	61	1.9	1	<1	1	2	2	3	4	4
B. *Operated*	235	2.5	5	<1	1	2	3	5	6	12
1. SINGLE DX	297	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	296	2.4	4	<1	1	2	3	5	6	10
A. NOT OPERATED	144	1.7	1	<1	<1	1	2	3	4	4
B. OPERATED	449	2.0	3	<1	1	1	2	4	5	8
TOTAL 0-19 YRS	84	1.9	1	<1	1	2	2	3	4	6
20-34	479	1.9	3	<1	<1	1	2	4	5	8
35-49	30	2.2	2	<1	<1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**593**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.3	13	1	1	3	5	10	12	12
20-34	96	3.7	5	1	1	3	4	8	9	12
35-49	7	2.9	4	1	1	3	3	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.6	29	1	1	2	3	5	14	29
20-34	156	3.2	9	<1	1	2	3	6	10	18
35-49	6	4.2	13	1	1	3	5	10	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.0	20	1	1	2	4	13	16	16
20-34	100	5.0	39	1	1	4	6	9	11	39
35-49	10	5.1	12	1	1	4	6	10	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.6	25	1	1	3	5	14	18	20
20-34	152	4.4	20	1	1	3	5	9	13	20
35-49	20	7.0	28	2	2	5	11	14	17	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.7	6	1	1	3	4	8	9	12
B. *Operated*	190	3.3	12	1	1	2	3	6	11	19
2. MULTIPLE DX										
A. *Not Operated*	129	4.8	34	1	1	3	6	9	12	29
B. *Operated*	198	4.7	21	1	1	3	5	10	15	20
1. SINGLE DX	303	3.4	10	1	1	3	4	7	9	16
2. MULTIPLE DX	327	4.8	26	1	1	3	6	10	14	20
A. NOT OPERATED	242	4.3	21	1	1	3	5	9	10	16
B. OPERATED	388	4.0	17	1	1	3	5	9	12	20
TOTAL 0-19 YRS	83	4.1	23	1	1	2	4	10	16	26
20-34	504	4.0	18	1	1	3	4	8	10	19
35-49	43	5.5	20	1	2	3	7	12	14	19
50-64										
65+										
GRAND TOTAL	**630**	**4.1**	**19**	**1**	**1**	**3**	**5**	**9**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	559	3.6	5	1	2	3	4	6	8	11
20-34	558	3.8	4	1	2	3	5	6	8	10
35-49	372	4.5	10	2	2	4	5	8	10	18
50-64	262	4.8	8	2	2	4	6	8	10	15
65+	200	6.0	17	2	3	5	7	10	13	19
B. *Operated*										
0-19 YRS	229	4.6	8	1	2	4	6	8	9	13
20-34	262	5.1	16	1	1	4	7	10	12	19
35-49	202	5.1	14	1	1	4	7	9	12	19
50-64	111	6.3	27	1	2	5	9	12	16	26
65+	63	7.3	27	1	2	7	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	847	4.2	6	2	2	4	5	7	9	13
20-34	1167	5.5	14	2	2	5	7	10	12	19
35-49	1303	6.2	16	2	3	5	8	11	14	21
50-64	1685	6.9	19	2	3	6	8	12	15	23
65+	3062	8.0	27	3	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	345	6.3	27	2	2	5	8	13	15	23
20-34	756	8.5	59	2	2	6	10	16	23	41
35-49	835	9.3	63	2	3	7	12	20	25	44
50-64	863	11.3	101	3	3	8	14	22	31	53
65+	1216	12.9	103	3	4	10	16	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1951	4.2	8	2	2	4	5	7	9	14
B. *Operated*	867	5.3	16	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	8064	6.7	21	2	3	6	8	12	15	23
B. *Operated*	4015	10.4	84	2	3	8	13	21	28	48
1. SINGLE DX	2818	4.6	10	1	2	4	6	8	10	17
2. MULTIPLE DX	12079	8.0	45	2	3	6	10	15	20	36
A. NOT OPERATED	10015	6.2	19	2	2	5	8	11	14	22
B. OPERATED	4882	9.5	76	2	3	7	12	19	26	46
TOTAL 0-19 YRS	1980	4.5	10	1	2	4	5	8	10	15
20-34	2743	5.9	27	2	2	5	7	11	15	28
35-49	2712	6.9	32	2	2	5	8	13	18	29
50-64	2921	8.0	47	2	3	6	9	15	19	39
65+	4541	9.2	52	3	3	7	11	17	22	40
GRAND TOTAL	**14897**	**7.3**	**40**	**2**	**2**	**6**	**9**	**14**	**18**	**34**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	4.0	6	1	2	3	5	7	9	11
20-34	81	3.9	5	1	1	3	5	7	8	11
35-49	42	3.8	3	1	2	3	5	7	7	7
50-64	21	6.5	9	3	3	6	8	11	12	12
65+	22	5.8	15	1	2	5	7	9	14	19
B. *Operated*										
0-19 YRS	87	4.3	15	1	1	4	5	8	9	25
20-34	63	3.8	5	1	1	4	5	7	8	11
35-49	42	4.4	15	<1	1	4	5	10	11	21
50-64	18	7.1	26	1	2	5	9	16	19	20
65+	17	6.8	31	1	1	5	12	15	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	4.0	5	1	2	3	5	7	8	12
20-34	159	5.1	59	2	2	4	6	8	10	36
35-49	121	5.8	18	2	2	5	7	11	14	27
50-64	196	7.4	32	2	3	6	9	13	16	34
65+	270	7.6	27	3	3	7	9	13	16	31
B. *Operated*										
0-19 YRS	127	5.8	17	1	2	5	8	12	15	19
20-34	153	6.3	49	1	2	5	7	13	17	30
35-49	158	9.0	93	2	2	6	10	19	26	51
50-64	173	9.4	72	2	3	7	11	20	28	41
65+	226	9.6	51	2	3	8	12	18	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	4.2	6	1	2	4	5	7	9	12
B. *Operated*	227	4.6	15	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	1049	5.9	28	2	2	5	7	11	14	26
B. *Operated*	837	8.2	60	1	2	6	10	17	22	41
1. SINGLE DX	570	4.4	10	1	1	4	5	8	10	16
2. MULTIPLE DX	1886	7.0	43	2	2	5	8	13	18	33
A. NOT OPERATED	1392	5.5	23	2	2	4	7	10	12	24
B. OPERATED	1064	7.5	52	1	2	5	9	15	20	39
TOTAL 0-19 YRS	694	4.4	9	1	2	4	5	8	9	16
20-34	456	5.1	39	1	2	4	6	9	12	26
35-49	363	6.8	53	1	2	5	7	13	20	43
50-64	408	8.2	48	2	3	6	10	15	21	41
65+	535	8.3	38	2	3	7	10	15	20	30
GRAND TOTAL	**2456**	**6.4**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	6	1	1	2	5	7	7	7
20-34	5	2.4	4	1	1	1	4	5	5	5
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	393	2.2	2	1	1	2	3	4	5	8
20-34	683	2.3	3	1	1	2	3	4	5	10
35-49	131	2.2	2	1	1	2	3	4	5	9
50-64	33	2.2	1	1	1	2	3	3	4	6
65+	6	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	<1	3	3	3	3
20-34	9	2.6	1	<1	<1	3	3	4	4	4
35-49	2	9.0	18	6	6	9	12	12	12	12
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	7.0	43	1	1	6	12	14	14	14
B. *Operated*										
0-19 YRS	72	3.2	5	1	1	3	4	5	7	14
20-34	139	2.7	3	1	1	2	3	5	6	10
35-49	51	4.6	16	1	1	3	6	12	13	16
50-64	29	4.4	12	1	1	4	5	11	12	14
65+	11	10.3	354	<1	<1	2	7	40	61	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	4	<1	<1	2	4	6	7	7
B. *Operated*	1246	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	22	3.7	13	<1	<1	3	4	9	13	14
B. *Operated*	302	3.6	21	1	1	3	4	6	10	15
1. SINGLE DX	1257	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	324	3.6	20	1	1	3	4	7	10	15
A. NOT OPERATED	33	3.4	10	<1	<1	3	4	7	11	14
B. OPERATED	1548	2.5	6	1	1	2	3	4	6	12
TOTAL 0-19 YRS	477	2.4	3	1	1	2	3	4	5	8
20-34	836	2.4	3	1	1	2	3	4	5	10
35-49	184	2.9	8	1	1	2	3	6	9	14
50-64	64	3.3	7	1	1	2	4	6	10	14
65+	20	7.3	205	<1	<1	2	6	19	44	63
GRAND TOTAL	**1581**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	25	1.4		<1	<1	1	2	3	3	3
20-34	35	2.0	2	<1	<1	1	2	5	6	6
35-49	22	2.3	7	<1	<1	1	2	6	10	12
50-64	22	1.9	2	<1	<1	2	2	4	5	5
65+	6	3.5	8	<1	<1	2	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	2.8	4	1	1	3	4	6	6	6
50-64	3	4.3	6	2	2	4	6	7	7	7
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	8	1.9	1	<1	<1	2	3	4	4	4
20-34	27	2.8	4	<1	<1	2	4	6	7	8
35-49	29	4.1	11	<1	1	3	5	8	10	16
50-64	21	4.3	12	<1	1	3	5	9	12	15
65+	22	4.0	6	<1	1	4	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	110	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	13	3.7	5	<1	1	3	6	7	7	7
B. *Operated*	107	3.6	8	<1	1	3	5	8	9	15
1. SINGLE DX	112	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX	120	3.6	8	<1	1	3	5	7	9	15
A. NOT OPERATED	15	3.5	5	<1	1	3	5	7	7	7
B. OPERATED	217	2.8	6	<1	<1	2	3	6	8	13
TOTAL 0-19 YRS	36	1.8	2	<1	<1	1	2	3	4	7
20-34	63	2.3	3	<1	<1	1	3	5	6	8
35-49	56	3.3	9	<1	<1	2	4	8	9	16
50-64	46	3.2	8	<1	1	2	4	7	8	15
65+	31	3.9	6	<1	1	3	6	8	9	9
GRAND TOTAL	**232**	**2.8**	**6**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	297	5.0	37	1	1	3	5	13	18	27
20-34	182	9.3	94	1	1	5	14	23	31	41
35-49	144	8.6	89	1	1	4	13	25	28	38
50-64	89	10.1	95	1	2	6	15	27	31	37
65+	68	8.6	60	2	2	7	12	18	22	44
B. *Operated*										
0-19 YRS	164	3.8	28	<1	1	2	4	9	14	25
20-34	263	5.6	56	1	1	3	6	13	19	40
35-49	222	4.5	27	1	1	2	6	12	15	24
50-64	177	3.9	39	1	1	2	4	9	13	39
65+	146	6.6	59	1	1	3	8	16	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	482	4.4	24	1	1	3	5	8	12	26
20-34	433	7.8	73	1	1	5	9	18	25	49
35-49	464	9.3	77	1	2	6	12	23	28	40
50-64	575	10.1	81	2	2	7	14	23	28	44
65+	1455	9.7	57	2	3	8	12	19	24	40
B. *Operated*										
0-19 YRS	253	7.8	146	1	1	3	8	22	41	75
20-34	616	12.9	237	1	2	7	18	33	49	99+
35-49	758	12.7	231	1	1	7	16	31	44	84
50-64	955	13.2	222	1	1	8	18	34	46	84
65+	1941	16.9	189	2	3	14	22	34	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	7.6	72	1	1	4	10	20	27	38
B. *Operated*	972	4.9	43	1	1	2	5	12	17	32
2. MULTIPLE DX										
A. *Not Operated*	3409	8.7	65	1	2	6	11	19	25	41
B. *Operated*	4523	14.3	213	1	2	10	20	33	46	82
1. SINGLE DX	1752	6.1	58	1	1	3	7	16	23	37
2. MULTIPLE DX	7932	11.9	157	1	2	8	16	27	38	69
A. NOT OPERATED	4189	8.5	66	1	2	6	11	19	25	40
B. OPERATED	5495	12.7	196	1	1	8	18	30	43	78
TOTAL 0-19 YRS	1196	5.2	55	1	1	3	5	11	18	45
20-34	1494	9.7	148	1	1	5	12	24	35	79
35-49	1588	10.2	152	1	1	6	14	25	34	71
50-64	1796	11.1	160	1	1	7	15	28	38	66
65+	3610	13.4	142	2	3	10	17	28	38	65
GRAND TOTAL	**9684**	**10.9**	**144**	**1**	**2**	**7**	**14**	**26**	**35**	**65**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	8	1	1	3	6	8	10	10
20-34	45	3.5	8	1	1	3	4	8	9	15
35-49	28	5.9	53	1	2	4	5	11	16	40
50-64	15	4.3	8	1	1	4	5	10	10	10
65+	9	7.8	36	3	3	6	8	18	23	23
B. *Operated*										
0-19 YRS	17	4.8	22	1	1	2	7	13	14	15
20-34	16	8.4	195	1	1	4	7	18	46	58
35-49	17	4.5	19	1	1	3	7	12	14	15
50-64	10	8.9	56	2	2	6	15	21	23	23
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	6.9	46	1	1	4	9	15	22	34
20-34	192	6.3	67	1	2	4	7	11	14	60
35-49	173	6.3	27	2	2	5	8	11	16	28
50-64	135	8.3	56	2	2	6	11	17	23	39
65+	131	8.4	48	2	3	7	10	16	18	62
B. *Operated*										
0-19 YRS	22	15.9	396	2	3	8	20	48	69	77
20-34	96	11.0	110	1	2	8	14	26	32	53
35-49	116	12.9	135	1	2	10	16	30	37	75
50-64	82	15.4	271	2	3	10	16	37	52	87
65+	99	14.5	104	3	5	12	17	29	42	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	4.6	22	1	1	4	5	9	11	29
B. *Operated*	61	6.4	72	1	1	3	8	15	19	54
2. MULTIPLE DX										
A. *Not Operated*	698	7.2	50	1	2	5	9	13	18	39
B. *Operated*	415	13.5	163	2	3	10	16	30	42	65
1. SINGLE DX	177	5.2	40	1	1	4	6	10	15	35
2. MULTIPLE DX	1113	9.5	102	1	2	7	11	19	29	57
A. NOT OPERATED	814	6.8	47	1	2	5	8	13	17	38
B. OPERATED	476	12.6	157	1	2	9	15	28	41	63
TOTAL 0-19 YRS	125	7.7	111	1	1	4	9	15	23	66
20-34	349	7.4	83	1	2	5	9	15	21	56
35-49	334	8.5	77	1	2	6	11	17	28	54
50-64	242	10.5	138	1	2	7	11	21	32	58
65+	240	10.9	79	3	3	9	13	22	31	47
GRAND TOTAL	**1290**	**8.9**	**95**	**1**	**2**	**6**	**11**	**18**	**28**	**56**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	5.4	18	2	2	4	7	11	14	23
20-34	28	5.6	11	2	3	5	7	11	14	15
35-49	57	5.6	7	2	3	5	8	9	10	15
50-64	75	6.1	10	2	3	5	9	11	12	14
65+	47	6.6	12	1	3	6	8	10	12	20
B. *Operated*										
0-19 YRS	10	5.4	14	1	1	4	8	11	11	11
20-34	53	5.2	11	1	2	4	7	10	11	14
35-49	137	6.3	17	2	2	5	9	12	13	24
50-64	294	6.7	17	1	2	6	10	12	15	17
65+	201	7.4	20	2	2	7	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.5	16	1	2	4	8	11	13	19
20-34	58	6.4	42	1	2	5	8	10	15	46
35-49	141	6.5	19	1	2	5	8	12	16	25
50-64	304	7.4	26	1	2	6	10	13	16	26
65+	461	7.8	37	2	2	6	10	14	18	30
B. *Operated*										
0-19 YRS	23	8.7	56	1	2	5	16	18	22	28
20-34	80	8.1	66	1	1	6	10	18	23	47
35-49	186	6.9	45	1	2	5	10	13	16	31
50-64	545	8.5	64	1	2	7	11	16	21	47
65+	513	10.1	54	2	3	9	13	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	5.9	12	2	2	5	8	10	12	15
B. *Operated*	695	6.7	18	1	2	6	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	1022	7.3	30	1	2	6	9	13	16	26
B. *Operated*	1347	8.9	59	1	2	7	12	17	21	43
1. SINGLE DX	969	6.4	16	2	2	5	9	12	14	18
2. MULTIPLE DX	2369	8.2	47	1	2	7	11	15	19	35
A. NOT OPERATED	1296	7.0	27	2	2	6	9	13	16	25
B. OPERATED	2042	8.1	46	1	2	7	11	15	19	33
TOTAL 0-19 YRS	158	5.9	23	1	2	4	8	12	16	25
20-34	219	6.6	40	1	2	5	8	12	18	33
35-49	521	6.5	27	1	2	5	9	12	15	24
50-64	1218	7.6	40	1	2	6	10	14	17	30
65+	1222	8.6	42	2	3	7	11	15	19	33
GRAND TOTAL	**3338**	**7.7**	**39**	**1**	**2**	**6**	**10**	**14**	**18**	**30**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.2	2	1	1	2	3	4	4	4
35-49	11	3.8	9	<1	<1	3	5	9	11	11
50-64	25	3.8	8	<1	1	3	4	10	10	11
65+	60	5.1	16	1	2	4	7	9	11	25
B. *Operated*										
0-19 YRS	11	3.6	10	1	1	2	5	9	10	10
20-34	123	4.3	11	1	1	3	6	9	11	14
35-49	383	5.3	15	1	1	4	8	10	12	19
50-64	1528	8.4	18	2	2	9	11	13	15	19
65+	2260	10.7	13	4	7	11	13	15	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	10	3.9	8	1	1	3	6	8	8	8
35-49	47	5.2	11	1	1	5	7	10	11	16
50-64	189	4.6	13	<1	1	4	7	9	12	16
65+	816	5.3	18	1	1	4	7	11	13	19
B. *Operated*										
0-19 YRS	13	6.3	32	1	1	5	6	17	18	18
20-34	136	6.7	28	1	1	5	10	13	16	24
35-49	443	6.5	38	1	1	5	9	13	16	28
50-64	2352	9.7	28	2	3	10	12	15	18	26
65+	6052	12.3	34	5	7	12	15	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.5	13	<1	1	3	6	9	11	19
B. *Operated*	4305	9.2	19	2	3	9	12	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	1065	5.2	17	1	1	4	7	10	12	19
B. *Operated*	8996	11.3	35	2	4	11	14	17	20	30
1. SINGLE DX	4407	9.1	19	2	3	9	12	14	16	20
2. MULTIPLE DX	10061	10.6	37	2	3	10	13	17	20	29
A. NOT OPERATED	1167	5.1	17	1	1	4	7	10	12	19
B. OPERATED	13301	10.6	31	2	4	10	13	16	19	27
TOTAL 0-19 YRS	27	5.1	20	1	1	3	6	10	17	18
20-34	275	5.4	21	1	1	4	8	11	14	22
35-49	894	5.9	27	1	1	4	8	12	14	23
50-64	4094	9.0	25	1	2	9	12	14	17	24
65+	9188	11.3	32	3	5	11	14	17	19	29
GRAND TOTAL	**14468**	**10.2**	**32**	**2**	**3**	**10**	**13**	**16**	**18**	**27**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	5.8	19	1	2	4	7	13	15	20
20-34	49	6.0	24	1	2	4	8	12	19	22
35-49	31	4.3	9	1	1	4	5	9	11	13
50-64	29	5.6	15	1	1	5	8	9	10	19
65+	28	5.1	15	2	2	4	7	10	13	18
B. *Operated*										
0-19 YRS	71	9.7	41	2	3	8	14	19	22	28
20-34	144	5.8	50	1	1	3	7	12	17	37
35-49	161	5.2	26	1	1	4	7	10	12	29
50-64	173	5.5	26	1	1	4	8	11	13	20
65+	104	8.9	29	2	2	9	12	16	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	7.0	31	1	2	5	10	14	19	25
20-34	79	5.9	28	1	2	4	7	12	18	26
35-49	114	6.6	34	1	2	5	8	13	17	32
50-64	137	7.5	30	1	2	6	10	14	20	26
65+	309	7.7	39	2	2	6	9	15	20	34
B. *Operated*										
0-19 YRS	88	12.6	51	2	3	11	17	23	28	30
20-34	171	10.1	105	1	2	7	12	25	38	54
35-49	223	8.7	93	1	1	5	10	24	31	50
50-64	303	10.9	119	1	2	8	14	23	30	56
65+	324	14.5	99	3	4	13	18	25	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	5.5	18	1	2	4	7	11	14	21
B. *Operated*	653	6.5	36	1	1	5	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	746	7.2	34	1	2	5	9	14	19	29
B. *Operated*	1109	11.5	105	1	2	9	15	24	30	51
1. SINGLE DX	869	6.2	32	1	1	4	9	13	16	26
2. MULTIPLE DX	1855	9.8	81	1	2	7	13	21	27	46
A. NOT OPERATED	962	6.8	31	1	2	5	9	14	18	28
B. OPERATED	1762	9.6	85	1	2	7	13	21	27	48
TOTAL 0-19 YRS	345	8.7	42	2	2	7	12	18	22	29
20-34	443	7.5	68	1	1	5	9	16	24	44
35-49	529	6.9	58	1	1	5	8	15	25	41
50-64	642	8.5	76	1	2	6	11	17	23	46
65+	765	10.6	73	2	3	9	14	21	26	42
GRAND TOTAL	**2724**	**8.6**	**68**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	7	2.6	4	<1	<1	2	4	6	6	6
35-49	4	7.0	49	1	1	5	12	16	16	16
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	184	2.5	2	<1	<1	2	3	5	6	7
20-34	331	2.7	3	<1	1	2	4	5	5	10
35-49	211	2.3	3	<1	<1	2	3	5	6	9
50-64	66	2.0	3	<1	<1	1	2	5	6	8
65+	29	2.8	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	18	2.2	3	<1	<1	2	2	5	7	8
35-49	11	6.2	63	<1	<1	3	7	20	25	26
50-64	10	5.2	51	<1	<1	2	5	18	20	20
65+	9	3.4	1	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	227	2.8	5	<1	1	2	4	5	7	12
20-34	541	2.9	5	<1	1	2	4	5	7	10
35-49	335	2.9	11	<1	1	2	3	5	8	19
50-64	262	2.5	5	<1	1	2	3	6	7	9
65+	168	3.3	13	1	1	2	4	8	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	11	<1	1	2	4	6	11	16
B. *Operated*	821	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	52	3.8	26	<1	<1	2	4	8	17	26
B. *Operated*	1533	2.8	7	<1	1	2	4	5	7	14
1. SINGLE DX	845	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	1585	2.9	8	<1	1	2	4	6	7	16
A. NOT OPERATED	76	3.6	21	<1	<1	2	4	8	16	24
B. OPERATED	2354	2.7	6	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	419	2.6	4	<1	1	2	4	5	6	10
20-34	897	2.8	4	<1	1	2	4	5	6	10
35-49	561	2.8	10	<1	<1	2	3	5	8	18
50-64	341	2.5	6	<1	<1	2	3	5	7	13
65+	212	3.2	11	<1	1	2	3	7	11	18
GRAND TOTAL	**2430**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.9	3	1	1	2	4	6	6	8
20-34	46	3.4	5	1	1	3	4	6	8	12
35-49	23	4.3	13	1	1	3	6	9	12	16
50-64	36	3.2	5	1	1	3	4	5	8	11
65+	29	3.5	7	1	1	2	5	7	8	13
B. *Operated*										
0-19 YRS	697	2.6	5	1	1	2	3	4	6	11
20-34	1041	2.7	4	1	1	2	3	5	6	9
35-49	356	3.0	5	1	1	2	4	6	8	13
50-64	122	3.2	8	1	1	2	4	5	10	17
65+	67	5.4	17	1	1	4	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.1	7	<1	1	2	4	7	8	14
20-34	104	3.6	14	<1	1	3	5	8	10	21
35-49	112	4.8	32	1	1	3	6	11	13	30
50-64	140	4.5	16	1	1	3	6	9	12	20
65+	342	5.6	16	1	2	5	7	10	12	22
B. *Operated*										
0-19 YRS	459	3.6	15	1	1	3	4	7	10	18
20-34	651	3.8	17	1	1	3	5	7	9	21
35-49	403	3.9	17	1	1	3	5	8	11	20
50-64	304	5.3	32	1	1	3	7	11	17	29
65+	236	7.4	40	1	1	6	10	16	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.3	6	1	1	3	4	6	8	12
B. *Operated*	2283	2.8	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	814	4.7	17	1	1	4	6	10	12	20
B. *Operated*	2053	4.4	23	1	1	3	5	9	13	23
1. SINGLE DX	2500	2.9	5	1	1	2	3	5	7	12
2. MULTIPLE DX	2867	4.5	21	1	1	3	6	9	13	22
A. NOT OPERATED	1031	4.4	15	1	1	3	6	9	11	19
B. OPERATED	4336	3.6	14	1	1	3	4	7	10	19
TOTAL 0-19 YRS	1355	3.0	8	1	1	2	4	5	7	16
20-34	1842	3.1	9	1	1	2	4	6	7	14
35-49	894	3.6	14	1	1	3	4	7	10	17
50-64	602	4.6	22	1	1	3	6	10	14	24
65+	674	6.1	25	1	1	5	8	12	16	23
GRAND TOTAL	**5367**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	2.3		2	2	2	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.8	4	3	3	4	6	8	8	8
35-49	13	8.1	36	2	3	6	11	15	22	24
50-64	9	11.8	171	2	2	7	13	34	44	44
65+	10	7.3	25	2	2	6	9	15	19	19
B. *Operated*										
0-19 YRS										
20-34	8	4.9	5	2	2	5	7	7	7	7
35-49	11	10.9	97	1	2	9	12	26	36	37
50-64	9	10.0	16	6	6	8	14	16	17	17
65+	10	17.3	102	5	5	17	23	32	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.1	2	2	2	3	4	5	5	5
B. *Operated*	3	6.3	21	1	1	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	40	8.1	58	2	3	6	10	15	21	44
B. *Operated*	38	11.1	75	2	3	8	14	22	33	37
1. SINGLE DX	10	4.1	8	1	1	3	5	9	9	9
2. MULTIPLE DX	78	9.5	68	2	3	7	12	19	26	42
A. NOT OPERATED	47	7.3	53	2	2	5	9	13	20	44
B. OPERATED	41	10.8	72	1	2	8	14	22	31	37
TOTAL 0-19 YRS										
20-34	18	4.9	5	2	2	5	7	8	9	9
35-49	27	8.6	61	1	2	7	11	17	26	37
50-64	22	9.6	81	2	2	7	12	17	28	44
65+	21	12.0	84	3	4	9	18	25	31	37
GRAND TOTAL	**88**	**8.9**	**64**	**2**	**2**	**7**	**11**	**18**	**24**	**41**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	23	1	1	6	10	11	11	11
20-34	15	8.8	70	1	3	6	11	20	30	34
35-49	74	5.0	15	1	1	4	6	8	12	24
50-64	91	5.2	14	1	1	4	6	11	14	18
65+	69	5.7	12	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	69	4.4	12	1	1	4	7	8	10	17
35-49	361	4.4	14	1	1	3	6	10	12	16
50-64	416	4.4	19	1	1	3	6	9	12	20
65+	205	5.7	36	1	1	3	8	14	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	38	5.9	35	<1	1	5	7	11	17	33
35-49	202	6.4	20	1	2	5	8	11	14	26
50-64	455	6.2	21	1	2	5	8	11	13	21
65+	980	6.6	18	2	2	6	9	12	14	23
B. *Operated*										
0-19 YRS	5	12.4	316	2	2	6	16	44	44	44
20-34	82	6.4	67	1	1	5	8	10	15	55
35-49	394	6.2	25	1	1	5	8	12	16	23
50-64	856	6.6	42	1	1	5	9	13	17	30
65+	800	9.1	69	1	1	8	12	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	5.5	17	1	1	5	7	10	13	20
B. *Operated*	1052	4.6	21	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1677	6.4	19	2	2	5	8	12	14	24
B. *Operated*	2137	7.5	52	1	1	6	10	15	20	35
1. SINGLE DX	1305	4.8	20	1	1	4	7	10	13	20
2. MULTIPLE DX	3814	7.0	38	1	2	6	9	13	17	30
A. NOT OPERATED	1930	6.3	19	1	2	5	8	11	14	23
B. OPERATED	3189	6.5	43	1	1	5	9	14	18	30
TOTAL 0-19 YRS	12	7.6	142	1	1	3	8	21	41	44
20-34	204	5.8	44	1	1	4	8	10	15	33
35-49	1031	5.5	20	1	1	5	7	11	14	22
50-64	1818	5.9	31	1	1	5	8	12	15	26
65+	2054	7.5	41	1	2	6	10	15	19	30
GRAND TOTAL	**5119**	**6.5**	**34**	**1**	**1**	**5**	**8**	**13**	**16**	**27**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	5.7	16	<1	1	5	8	10	14	20
20-34	693	5.7	13	1	1	5	7	10	12	18
35-49	1069	5.7	11	1	1	5	8	10	11	15
50-64	513	5.8	12	1	1	5	8	10	12	15
65+	128	6.1	11	1	2	6	8	10	12	17
B. *Operated*										
0-19 YRS	122	4.6	14	1	1	4	6	9	12	20
20-34	3558	5.1	15	1	1	4	7	10	12	17
35-49	5009	5.5	17	1	1	5	7	11	13	20
50-64	2201	5.8	18	1	1	5	8	12	14	19
65+	478	6.1	24	1	1	5	8	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.0	10	1	2	6	8	9	12	14
20-34	549	6.3	14	1	2	6	8	11	13	20
35-49	1095	6.9	22	1	2	6	9	12	15	23
50-64	971	7.2	19	2	3	7	9	12	15	24
65+	885	7.6	22	2	3	7	10	13	16	24
B. *Operated*										
0-19 YRS	34	6.2	19	1	1	5	8	11	16	21
20-34	1307	7.2	26	1	2	6	9	14	17	24
35-49	2617	7.8	37	1	2	7	10	15	19	30
50-64	2276	8.1	35	1	2	7	11	15	18	28
65+	1340	9.7	50	1	2	9	13	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2442	5.7	12	1	1	5	8	10	12	16
B. *Operated*	11368	5.4	17	1	1	5	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	3518	7.0	20	1	2	6	9	12	15	23
B. *Operated*	7574	8.1	37	1	2	7	10	16	19	30
1. SINGLE DX	13810	5.5	16	1	1	5	7	11	13	19
2. MULTIPLE DX	11092	7.8	32	1	2	7	10	15	18	28
A. NOT OPERATED	5960	6.5	17	1	2	6	8	11	14	20
B. OPERATED	18942	6.5	27	1	1	5	9	13	16	24
TOTAL 0-19 YRS	213	5.2	15	1	1	4	7	10	13	20
20-34	6107	5.7	18	1	1	5	8	11	13	20
35-49	9790	6.3	23	1	1	5	8	12	15	23
50-64	5961	6.9	25	1	1	6	9	13	16	24
65+	2831	8.3	38	1	2	7	11	16	19	31
GRAND TOTAL	**24902**	**6.5**	**25**	**1**	**1**	**6**	**9**	**12**	**16**	**24**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	6	1	2	5	7	8	8	8
20-34	67	4.9	12	1	1	4	7	10	12	15
35-49	117	5.1	13	<1	1	5	8	10	12	14
50-64	64	5.5	15	1	1	4	8	12	14	16
65+	14	4.6	11	1	1	4	6	10	11	11
B. *Operated*										
0-19 YRS	5	13.8	262	4	4	5	20	42	42	42
20-34	323	4.7	12	1	1	4	6	9	11	16
35-49	905	4.7	11	1	1	4	6	9	11	16
50-64	422	4.9	13	1	1	4	6	9	11	19
65+	67	5.1	14	1	1	4	7	10	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	50	5.2	10	<1	1	5	7	10	11	13
35-49	181	5.8	15	1	1	5	8	11	13	19
50-64	192	6.6	13	1	2	6	8	12	14	18
65+	127	6.9	18	2	2	6	9	12	15	22
B. *Operated*										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	151	5.2	13	1	1	5	7	10	12	16
35-49	641	6.6	37	1	1	5	9	12	16	26
50-64	526	6.7	28	1	1	6	9	13	16	28
65+	138	8.9	64	1	1	7	12	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	5.1	13	1	1	4	7	10	12	15
B. *Operated*	1722	4.8	13	1	1	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	553	6.3	15	1	2	6	8	11	14	19
B. *Operated*	1458	6.7	34	1	1	6	9	13	16	26
1. SINGLE DX	1992	4.8	13	1	1	4	6	9	12	16
2. MULTIPLE DX	2011	6.6	29	1	1	6	9	13	16	24
A. NOT OPERATED	823	5.9	14	1	1	5	8	11	13	18
B. OPERATED	3180	5.7	24	1	1	5	7	11	14	22
TOTAL 0-19 YRS	18	8.3	82	2	3	6	8	14	31	42
20-34	591	4.9	12	1	1	4	7	9	12	16
35-49	1844	5.5	22	1	1	5	7	11	13	20
50-64	1204	6.0	20	1	1	5	8	11	14	22
65+	346	7.2	37	1	2	6	9	15	18	26
GRAND TOTAL	**4003**	**5.7**	**22**	**1**	**1**	**5**	**7**	**11**	**14**	**21**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	2	1	1	2	4	4	4	4
20-34	51	5.2	9	1	1	5	7	10	11	13
35-49	85	6.0	14	1	1	5	8	12	13	17
50-64	46	5.0	12	1	1	5	7	10	13	14
65+	7	5.1	19	<1	<1	5	7	12	13	13
B. *Operated*										
0-19 YRS	5	6.2	91	1	1	1	9	23	23	23
20-34	79	3.7	16	1	1	2	5	9	11	22
35-49	119	3.3	9	1	1	2	4	8	9	14
50-64	32	3.1	8	1	1	2	4	7	8	12
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.2	14	4	4	7	11	13	13	13
20-34	121	6.3	10	2	3	6	8	10	13	16
35-49	180	7.1	17	2	3	6	9	12	14	23
50-64	118	7.7	15	2	3	7	10	13	14	20
65+	61	6.8	15	2	2	6	9	13	14	18
B. *Operated*										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34	84	7.1	20	1	1	7	10	12	14	21
35-49	147	6.7	22	1	1	6	9	12	14	28
50-64	62	6.1	14	1	1	6	8	11	13	15
65+	10	11.6	100	1	1	11	19	25	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	5.4	12	1	1	5	7	10	12	15
B. *Operated*	236	3.5	13	1	1	2	5	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	485	7.0	15	2	3	6	9	12	14	20
B. *Operated*	306	6.8	23	1	1	6	10	12	15	25
1. SINGLE DX	431	4.4	13	1	1	4	7	9	12	15
2. MULTIPLE DX	791	6.9	18	1	2	6	9	12	14	21
A. NOT OPERATED	680	6.6	14	1	2	6	8	12	13	19
B. OPERATED	542	5.4	21	1	1	4	8	11	14	22
TOTAL 0-19 YRS	19	5.4	31	1	1	4	7	12	18	23
20-34	335	5.7	15	1	1	5	8	11	13	19
35-49	531	6.0	18	1	1	5	8	12	14	21
50-64	258	6.2	16	1	1	6	8	12	14	18
65+	79	7.2	28	1	2	6	10	14	17	28
GRAND TOTAL	**1222**	**6.0**	**18**	**1**	**1**	**5**	**8**	**12**	**14**	**20**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34	42	5.0	9	1	2	4	6	9	10	15
35-49	84	6.3	14	2	2	6	8	11	14	17
50-64	59	5.3	11	1	2	4	7	10	12	16
65+	19	6.9	54	3	3	5	7	10	25	36
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	52	3.0	12	1	1	1	3	8	13	14
35-49	78	4.2	22	1	1	2	6	11	15	20
50-64	42	3.4	14	1	1	2	4	8	13	17
65+	13	3.2	16	1	1	2	4	7	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	69	6.4	25	2	2	5	7	13	17	27
35-49	104	6.9	23	2	3	6	9	11	13	32
50-64	132	7.3	15	2	3	7	9	12	15	21
65+	195	7.3	17	3	3	6	10	12	14	20
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	38	6.1	16	1	1	6	9	12	13	15
35-49	55	7.1	26	1	1	7	9	14	16	28
50-64	54	7.5	32	1	1	6	12	15	16	23
65+	44	8.7	50	1	2	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	5.8	16	1	2	5	8	10	12	17
B. *Operated*	188	3.6	17	1	1	2	4	9	14	18
2. MULTIPLE DX										
A. *Not Operated*	502	7.1	19	2	3	6	9	12	14	22
B. *Operated*	192	7.4	32	1	1	7	10	14	16	29
1. SINGLE DX	395	4.7	18	1	1	4	7	10	13	18
2. MULTIPLE DX	694	7.2	22	1	2	6	9	13	15	25
A. NOT OPERATED	709	6.7	18	2	3	6	8	12	14	21
B. OPERATED	380	5.5	28	1	1	4	8	13	15	23
TOTAL 0-19 YRS	9	4.0	13	1	1	2	7	9	11	11
20-34	201	5.2	18	1	1	4	7	11	14	20
35-49	321	6.1	22	1	1	5	8	11	14	22
50-64	287	6.4	19	1	1	6	9	12	15	21
65+	271	7.3	26	2	3	6	10	13	16	32
GRAND TOTAL	**1089**	**6.3**	**22**	**1**	**1**	**5**	**8**	**12**	**15**	**22**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.7	7	1	1	3	5	7	9	12
20-34	673	4.8	17	1	1	4	6	9	12	19
35-49	931	5.0	14	1	1	4	7	9	12	18
50-64	436	5.0	13	1	1	4	7	10	12	18
65+	148	4.9	12	1	1	4	8	9	11	15
B. *Operated*										
0-19 YRS	43	3.1	16	<1	1	1	3	8	13	20
20-34	755	3.3	11	1	1	2	4	8	10	17
35-49	1198	3.6	12	1	1	2	5	8	10	17
50-64	826	4.5	17	1	1	3	7	10	13	19
65+	508	6.2	24	1	1	6	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.9	9	1	1	3	5	7	9	18
20-34	970	6.2	27	1	1	5	8	12	17	25
35-49	1590	6.5	27	1	2	5	8	12	16	25
50-64	1334	6.3	20	1	2	5	8	12	14	21
65+	1437	6.6	19	1	2	6	9	12	15	21
B. *Operated*										
0-19 YRS	41	6.0	45	1	1	4	8	14	20	32
20-34	682	5.7	36	1	1	3	8	13	17	28
35-49	1351	5.8	39	1	1	4	8	12	16	32
50-64	1456	7.1	38	1	1	6	10	14	18	27
65+	1436	9.4	58	1	2	8	13	18	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2247	4.9	14	1	1	4	7	9	12	19
B. *Operated*	3330	4.2	16	1	1	2	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	5444	6.4	23	1	2	5	8	12	15	24
B. *Operated*	4966	7.2	46	1	1	6	10	15	19	30
1. SINGLE DX	5577	4.5	16	1	1	3	6	9	12	18
2. MULTIPLE DX	10410	6.8	34	1	1	5	9	13	17	27
A. NOT OPERATED	7691	6.0	21	1	1	5	8	11	14	22
B. OPERATED	8296	6.0	36	1	1	4	8	13	17	27
TOTAL 0-19 YRS	256	4.1	16	1	1	3	5	8	11	22
20-34	3080	5.0	24	1	1	4	7	11	14	25
35-49	5070	5.4	26	1	1	4	7	11	14	24
50-64	4052	6.1	26	1	1	5	8	12	15	24
65+	3529	7.6	38	1	1	7	10	15	18	28
GRAND TOTAL	**15987**	**6.0**	**29**	**1**	**1**	**5**	**8**	**12**	**16**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.1	4	1	1	3	4	5	6	11
20-34	66	3.6	4	1	1	3	5	6	7	9
35-49	68	3.2	4	1	1	3	4	6	7	9
50-64	54	3.2	5	<1	1	3	4	5	7	12
65+	33	3.6	3	1	1	4	5	6	7	9
B. *Operated*										
0-19 YRS	107	2.5	4	<1	1	2	3	5	7	10
20-34	392	2.5	4	<1	1	2	3	5	7	11
35-49	621	2.3	3	1	1	2	3	4	5	9
50-64	459	2.8	4	1	1	2	3	5	7	10
65+	139	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.5	3	1	2	3	4	6	7	9
20-34	101	4.3	6	1	1	4	6	8	9	12
35-49	154	4.7	11	1	1	4	6	9	11	19
50-64	194	4.6	8	1	1	4	6	8	10	14
65+	225	5.6	15	1	2	4	8	11	13	18
B. *Operated*										
0-19 YRS	75	3.0	10	<1	1	2	4	7	7	17
20-34	313	3.6	13	1	1	2	4	8	11	20
35-49	636	3.1	7	1	1	2	4	6	9	14
50-64	631	3.7	11	1	1	3	4	7	10	17
65+	336	5.1	18	1	1	4	7	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.2	4	1	1	3	4	5	7	10
B. *Operated*	1718	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	758	4.8	10	1	2	4	6	9	11	16
B. *Operated*	1991	3.7	12	1	1	3	4	8	11	19
1. SINGLE DX	2112	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2749	4.0	12	1	1	3	5	8	11	18
A. NOT OPERATED	1152	4.3	9	1	1	4	5	8	10	15
B. OPERATED	3709	3.2	8	1	1	2	4	6	9	15
TOTAL 0-19 YRS	439	3.0	5	1	1	3	4	6	7	11
20-34	872	3.2	8	1	1	2	4	7	9	14
35-49	1479	3.0	6	1	1	2	4	5	8	13
50-64	1338	3.5	8	1	1	3	4	7	9	15
65+	733	4.7	15	1	1	4	6	10	12	19
GRAND TOTAL	**4861**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	171	2.0	1	1	1	2	3	4	4	5
20-34	304	2.1	1	<1	1	2	3	3	4	6
35-49	427	2.3	2	1	1	2	3	4	5	6
50-64	426	2.4	1	1	1	2	3	4	5	6
65+	187	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	4	5.0	27	<1	<1	3	9	12	12	12
35-49	8	1.9	2	<1	<1	1	3	4	4	4
50-64	13	1.4	1	<1	<1	1	1	3	4	4
65+	14	2.6	9	<1	<1	1	3	8	10	11
B. *Operated*										
0-19 YRS	212	2.4	2	1	1	2	3	4	5	7
20-34	563	2.6	3	1	1	2	3	4	5	7
35-49	982	2.7	2	1	1	2	3	4	5	8
50-64	1695	2.8	3	1	1	3	3	5	5	8
65+	1148	3.3	5	1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	1515	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	42	2.2	7	<1	<1	1	2	5	9	12
B. *Operated*	4600	2.9	3	1	1	3	4	5	6	8
1. SINGLE DX	1523	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	4642	2.8	3	1	1	3	4	5	6	8
A. NOT OPERATED	50	2.2	6	<1	<1	1	3	4	8	12
B. OPERATED	6115	2.7	3	1	1	2	3	5	5	8
TOTAL 0-19 YRS	386	2.2	1	1	1	2	3	4	4	6
20-34	873	2.4	2	1	1	2	3	4	5	7
35-49	1419	2.5	2	1	1	2	3	4	5	7
50-64	2137	2.7	2	1	1	2	3	5	5	8
65+	1350	3.2	5	1	1	3	4	5	7	11
GRAND TOTAL	**6165**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	4	3.0	16	<1	<1	1	5	9	9	9
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	49	1.6	1	<1	<1	1	2	3	4	7
20-34	77	1.6	1	<1	<1	1	2	3	3	4
35-49	78	1.9	3	<1	<1	1	2	4	4	11
50-64	83	2.0	1	<1	1	2	3	3	4	6
65+	35	2.9	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	3.8	5	<1	<1	3	4	8	8	8
50-64	11	3.8	6	1	1	4	6	7	9	9
65+	16	4.6	14	1	1	3	6	11	13	14
B. *Operated*										
0-19 YRS	14	1.4		<1	<1	1	2	2	3	3
20-34	33	2.2	3	<1	<1	2	3	4	5	10
35-49	61	3.8	28	<1	1	2	4	7	11	35
50-64	97	3.5	11	1	1	3	4	7	9	20
65+	80	4.4	12	1	1	3	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	6	<1	<1	2	3	7	9	9
B. *Operated*	322	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	35	4.1	9	1	1	3	6	8	10	14
B. *Operated*	285	3.5	14	<1	1	2	4	7	9	16
1. SINGLE DX	331	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	320	3.6	13	<1	1	3	5	8	9	16
A. NOT OPERATED	44	3.8	9	<1	1	3	5	8	10	14
B. OPERATED	607	2.7	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	63	1.6	1	<1	<1	1	2	3	4	7
20-34	113	1.8	1	<1	<1	1	2	3	4	7
35-49	147	2.8	14	<1	<1	2	3	5	9	16
50-64	195	2.8	7	<1	1	2	3	5	7	12
65+	133	4.0	10	1	1	3	5	8	11	15
GRAND TOTAL	**651**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	11.0	66	2	4	9	14	23	28	42
20-34	23	6.9	26	1	2	7	9	14	18	21
35-49	25	7.9	45	1	2	6	11	14	19	33
50-64	19	7.6	33	1	2	7	10	17	19	19
65+	13	11.2	56	<1	2	10	16	22	24	25
B. *Operated*										
0-19 YRS	68	11.5	99	1	2	8	15	26	32	42
20-34	81	9.3	63	2	3	7	11	19	25	44
35-49	56	10.0	79	1	3	8	14	24	36	96
50-64	62	9.6	85	1	2	6	12	25	32	37
65+	44	9.2	131	1	2	7	10	15	31	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	11.0	64	3	3	9	15	22	29	35
20-34	51	10.5	90	1	3	7	14	22	32	45
35-49	106	12.2	91	3	3	9	15	27	31	45
50-64	132	12.0	87	1	3	9	14	26	29	47
65+	207	13.7	123	3	5	11	16	27	38	59
B. *Operated*										
0-19 YRS	119	18.7	291	3	5	14	23	43	53	88
20-34	208	17.1	236	3	4	12	22	37	53	87
35-49	290	19.0	230	2	4	15	26	42	51	62
50-64	406	16.5	192	3	4	12	21	35	44	74
65+	500	18.0	182	3	5	15	23	39	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	9.2	51	1	2	7	12	19	24	35
B. *Operated*	311	9.9	87	1	2	7	12	24	30	45
2. MULTIPLE DX										
A. *Not Operated*	572	12.4	99	3	4	9	15	25	33	49
B. *Operated*	1523	17.7	210	3	4	14	23	39	47	72
1. SINGLE DX	442	9.7	76	1	2	7	12	21	28	42
2. MULTIPLE DX	2095	16.3	185	3	4	12	21	35	45	65
A. NOT OPERATED	703	11.8	91	2	3	9	14	24	30	48
B. OPERATED	1834	16.4	198	2	4	12	21	36	46	72
TOTAL 0-19 YRS	314	14.0	170	2	3	10	18	28	40	69
20-34	363	13.8	178	2	3	9	17	31	42	71
35-49	477	15.8	187	2	3	12	21	36	46	60
50-64	619	14.6	162	2	4	11	19	32	41	68
65+	764	16.2	168	3	5	12	20	34	45	61
GRAND TOTAL	**2537**	**15.1**	**172**	**2**	**4**	**11**	**20**	**32**	**43**	**62**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	5.4	22	1	1	4	7	12	15	21
20-34	78	2.7	4	<1	1	2	3	5	7	12
35-49	111	2.9	3	1	1	3	3	5	6	11
50-64	87	3.4	5	1	1	3	5	6	8	11
65+	127	5.5	10	1	2	5	8	11	12	14
B. *Operated*										
0-19 YRS	642	4.2	16	1	1	3	5	9	11	22
20-34	634	3.4	7	1	1	3	4	7	8	12
35-49	376	3.9	12	1	1	3	5	8	10	19
50-64	277	5.3	16	1	1	4	8	11	13	18
65+	184	8.1	28	2	2	8	11	15	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.1	29	1	1	3	7	11	17	29
20-34	202	3.5	11	1	1	3	4	7	9	15
35-49	382	4.5	18	1	1	3	5	9	12	25
50-64	548	5.6	23	1	1	4	7	12	15	23
65+	2608	7.7	26	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	308	5.6	41	1	1	3	7	12	16	34
20-34	576	5.2	26	1	1	4	7	11	13	23
35-49	525	7.0	48	1	1	5	9	14	19	35
50-64	718	9.6	71	1	2	8	12	19	25	45
65+	1225	12.5	68	3	4	11	16	23	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	503	4.1	11	1	1	3	5	9	11	15
B. *Operated*	2113	4.4	15	1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3832	6.8	26	1	2	6	9	13	16	25
B. *Operated*	3352	9.1	64	1	2	7	12	19	24	38
1. SINGLE DX	2616	4.3	14	1	1	3	6	9	12	18
2. MULTIPLE DX	7184	7.9	45	1	2	6	10	16	20	34
A. NOT OPERATED	4335	6.5	25	1	2	5	9	12	16	24
B. OPERATED	5465	7.3	51	1	1	5	10	16	21	35
TOTAL 0-19 YRS	1142	4.7	25	1	1	3	6	10	14	27
20-34	1490	4.1	15	1	1	3	5	8	11	19
35-49	1394	5.1	29	1	1	3	6	11	14	29
50-64	1630	7.2	47	1	1	5	10	15	20	35
65+	4144	9.1	43	2	3	8	12	17	21	33
GRAND TOTAL	**9800**	**6.9**	**39**	**1**	**1**	**5**	**9**	**14**	**18**	**31**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	166	3.1	3	1	1	3	4	6	7	8
20-34	58	3.6	9	<1	1	3	5	6	8	18
35-49	50	3.1	6	1	1	2	4	6	9	12
50-64	30	3.2	3	1	2	3	4	5	6	9
65+	5	7.0	35	1	1	6	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	9	<1	<1	1	3	5	10	12
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	12.3	136	2	2	10	21	25	25	25
65+	17	17.8	438	1	2	11	20	57	70	74
B. *Operated*										
0-19 YRS	341	4.0	12	1	1	3	5	6	9	19
20-34	119	4.1	13	1	1	3	5	8	10	23
35-49	105	4.2	18	1	1	3	5	8	11	25
50-64	139	5.4	22	1	2	4	6	11	18	22
65+	85	6.1	25	1	2	4	8	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	1	4	4	5	5	6	6	6
B. *Operated*	309	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	39	9.9	250	<1	1	3	12	24	49	74
B. *Operated*	789	4.5	17	1	1	3	5	9	12	22
1. SINGLE DX	313	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX	828	4.8	29	1	1	3	5	9	13	24
A. NOT OPERATED	43	9.4	229	<1	1	4	11	23	42	74
B. OPERATED	1098	4.2	14	1	1	3	5	8	10	20
TOTAL 0-19 YRS	524	3.7	9	1	1	3	4	6	8	18
20-34	179	3.9	12	1	1	3	5	7	10	20
35-49	158	3.8	14	1	1	3	5	7	10	19
50-64	172	5.1	22	1	2	4	6	10	18	23
65+	108	8.0	105	1	2	5	9	17	20	68
GRAND TOTAL	**1141**	**4.4**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	5.5	42	<1	1	3	8	12	22	26
35-49	14	7.7	191	<1	1	2	9	18	45	53
50-64	8	4.8	4	2	2	5	6	7	7	7
65+	3	4.3	33	<1	<1	1	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	15	2.4	14	1	1	1	2	2	13	16
35-49	28	2.5	5	<1	1	1	3	7	8	8
50-64	23	3.2	4	1	1	3	5	6	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	4.7	9	<1	1	4	6	10	12	12
35-49	37	6.6	21	1	2	5	8	12	18	20
50-64	40	5.7	15	1	2	5	7	11	13	18
65+	56	6.3	14	1	2	6	8	11	14	18
B. *Operated*										
0-19 YRS										
20-34	7	7.9	17	3	3	6	10	14	15	15
35-49	18	7.4	34	1	1	6	11	15	19	21
50-64	25	6.9	35	1	1	5	11	15	20	20
65+	13	10.5	84	1	2	7	16	22	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.0	80	<1	1	3	7	12	19	53
B. *Operated*	67	2.7	7	1	1	2	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	152	6.0	16	1	2	5	8	11	14	20
B. *Operated*	63	7.9	43	1	1	6	12	16	20	32
1. SINGLE DX	109	4.0	37	1	1	2	5	8	12	37
2. MULTIPLE DX	215	6.6	24	1	2	5	9	13	17	21
A. NOT OPERATED	194	6.0	29	1	1	5	8	12	14	23
B. OPERATED	130	5.2	31	1	1	3	7	14	16	24
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	56	4.7	23	1	1	3	6	11	14	25
35-49	97	5.7	46	1	1	4	8	13	15	38
50-64	96	5.3	18	1	1	4	7	12	14	20
65+	73	6.9	29	1	1	6	9	13	18	31
GRAND TOTAL	**324**	**5.7**	**30**	**1**	**1**	**4**	**7**	**12**	**15**	**22**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.5	4	1	1	2	3	5	7	11
20-34	189	4.1	15	1	1	3	5	8	9	21
35-49	211	4.4	23	1	1	3	5	9	12	30
50-64	107	3.8	17	1	1	3	4	8	11	26
65+	50	4.0	6	1	1	4	6	8	9	10
B. *Operated*										
0-19 YRS	376	5.6	18	1	1	6	8	11	12	17
20-34	392	4.1	17	1	1	2	6	9	11	20
35-49	415	3.6	16	1	1	2	4	8	10	22
50-64	373	3.3	15	1	1	2	4	7	10	17
65+	188	3.3	9	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.1	26	<1	1	2	5	9	14	17
20-34	382	5.1	25	1	1	4	6	9	13	24
35-49	583	5.2	18	1	1	4	7	10	12	25
50-64	561	4.9	14	1	2	4	7	9	11	19
65+	621	5.7	31	1	2	4	7	11	14	32
B. *Operated*										
0-19 YRS	606	6.2	75	1	1	3	8	13	23	47
20-34	678	4.6	34	1	1	2	5	11	16	28
35-49	760	5.1	39	1	1	3	6	11	17	33
50-64	758	5.8	48	1	1	3	8	13	18	36
65+	581	6.9	66	1	1	4	9	15	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	3.9	16	1	1	3	5	8	10	23
B. *Operated*	1744	4.0	16	1	1	2	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	2304	5.2	22	1	1	4	7	10	13	24
B. *Operated*	3383	5.7	52	1	1	3	7	13	19	36
1. SINGLE DX	2394	4.0	16	1	1	3	5	9	11	20
2. MULTIPLE DX	5687	5.5	40	1	1	4	7	11	16	33
A. NOT OPERATED	2954	4.9	21	1	1	4	6	9	12	23
B. OPERATED	5127	5.1	40	1	1	3	7	11	16	31
TOTAL 0-19 YRS	1232	5.5	47	1	1	3	8	11	16	37
20-34	1641	4.5	26	1	1	3	6	10	13	26
35-49	1969	4.7	26	1	1	3	6	10	13	27
50-64	1799	4.9	30	1	1	3	6	10	14	27
65+	1440	5.8	43	1	1	4	7	12	16	32
GRAND TOTAL	**8081**	**5.0**	**33**	**1**	**1**	**3**	**7**	**11**	**15**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	4.9	16	1	1	3	7	11	13	13
35-49	13	4.2	5	<1	1	5	6	6	7	7
50-64	3	5.7	5	3	3	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34	7	2.6	3	1	1	2	4	5	5	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	3	5	90	99+	99+
20-34	48	4.8	9	1	2	4	7	9	10	14
35-49	76	4.5	7	1	2	4	6	8	10	14
50-64	33	3.8	4	2	2	3	5	7	8	9
65+	16	4.8	8	2	2	4	7	9	10	10
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	9	4.1	5	1	1	4	6	7	7	7
35-49	7	4.3	11	1	1	4	5	10	11	11
50-64	7	4.7	5	2	2	5	7	8	8	8
65+	2	12.5	85	6	6	12	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.6	8	1	1	5	6	7	9	13
B. *Operated*	12	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	178	4.4	7	1	2	4	5	8	10	14
B. *Operated*	26	5.3	16	1	2	5	7	11	13	19
1. SINGLE DX	37	3.8	7	1	1	3	6	7	7	13
2. MULTIPLE DX	204	4.5	8	1	2	4	6	9	10	16
A. NOT OPERATED	203	4.4	7	1	2	4	6	8	10	14
B. OPERATED	38	4.3	13	1	1	3	5	8	12	19
TOTAL 0-19 YRS	7	4.1	14	1	1	4	8	74	99+	99+
20-34	72	4.5	9	1	1	4	6	9	10	14
35-49	100	4.3	7	1	2	4	6	7	10	13
50-64	44	4.0	4	1	2	3	5	7	8	9
65+	18	5.7	18	2	2	4	9	10	15	19
GRAND TOTAL	**241**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.9	2	<1	<1	1	2	4	4	8
20-34	4	5.3	13	2	2	4	8	10	10	10
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	58	4.0	9	1	1	4	5	8	13	92
20-34	10	4.9	8	2	2	4	6	9	10	10
35-49	11	6.5	15	1	2	6	9	12	13	13
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	4.5	53	<1	1	2	4	9	22	39
20-34	10	6.2	23	<1	<1	4	11	13	14	14
35-49	5	8.2	126	1	1	4	11	28	28	28
50-64	4	5.8	35	<1	<1	4	10	14	14	14
65+	11	8.9	58	1	1	8	13	19	25	26
B. *Operated*										
0-19 YRS	139	9.2	141	1	1	6	11	23	31	86
20-34	15	10.9	46	1	2	10	18	22	77	99+
35-49	21	11.0	158	1	1	6	15	25	41	53
50-64	12	14.2	177	1	3	12	15	28	49	53
65+	8	5.9	25	2	2	4	7	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.3	4	<1	<1	1	3	4	7	10
B. *Operated*	83	4.5	11	1	1	4	6	9	13	71
2. MULTIPLE DX										
A. *Not Operated*	139	5.1	53	<1	1	2	5	13	24	34
B. *Operated*	195	9.7	133	1	1	6	12	22	32	92
1. SINGLE DX	124	3.8	10	<1	1	3	5	8	12	36
2. MULTIPLE DX	334	7.8	105	1	1	4	10	20	27	78
A. NOT OPERATED	180	4.5	44	<1	1	2	4	11	18	31
B. OPERATED	278	8.2	102	1	1	5	10	19	27	95
TOTAL 0-19 YRS	342	6.1	83	1	1	3	6	15	25	77
20-34	39	7.6	33	1	2	6	11	18	21	99+
35-49	37	9.3	110	1	1	6	12	20	31	53
50-64	19	10.7	137	<1	1	10	14	17	37	53
65+	21	7.7	43	1	2	5	12	16	21	26
GRAND TOTAL	**458**	**6.7**	**82**	**1**	**1**	**4**	**8**	**17**	**25**	**74**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	223	1.8	2	<1	1	1	2	4	5	8
20-34	81	2.0	1	1	1	2	2	4	5	6
35-49	35	1.9	3	<1	1	1	2	4	6	8
50-64	22	1.9	1	1	1	2	2	4	5	5
65+	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	12	1	1	2	3	8	12	13
20-34	4	5.8		5	5	6	6	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	135	2.2	7	<1	1	1	2	4	5	15
20-34	36	2.5	4	1	1	2	3	5	7	9
35-49	26	2.3	2	1	1	2	3	4	5	7
50-64	19	2.5	7	1	1	2	3	5	9	12
65+	19	3.4	40	1	1	2	3	4	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	11	<1	<1	2	6	8	11	11
B. *Operated*	365	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	20	3.1	10	<1	<1	2	5	6	10	13
B. *Operated*	235	2.4	8	1	1	2	3	4	6	15
1. SINGLE DX	376	1.9	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	255	2.4	8	1	1	2	3	5	6	14
A. NOT OPERATED	31	3.2	10	<1	<1	2	5	6	11	13
B. OPERATED	600	2.1	4	1	1	1	2	4	5	9
TOTAL 0-19 YRS	376	2.0	4	<1	1	1	2	4	5	9
20-34	123	2.4	3	1	1	2	3	5	6	10
35-49	65	2.2	3	<1	1	2	3	5	6	8
50-64	43	2.1	4	1	1	2	2	5	5	12
65+	24	3.0	32	1	1	2	3	4	12	29
GRAND TOTAL	**631**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.1	7	1	1	2	4	6	9	13
20-34	5	3.8	7	<1	<1	3	5	8	8	8
35-49	3	2.3		2	2	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	6.0	3	4	4	7	7	7	7	7
B. *Operated*										
0-19 YRS	405	4.1	9	1	1	3	6	8	10	15
20-34	75	4.7	16	1	1	3	7	10	12	20
35-49	40	4.7	20	1	1	2	8	9	16	17
50-64	30	4.2	18	1	1	2	7	10	11	19
65+	7	7.4	58	1	1	3	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.4	59	<1	1	3	5	8	10	49
20-34	26	4.4	15	1	1	3	5	9	11	20
35-49	19	3.9	7	<1	1	3	6	8	10	10
50-64	29	3.5	8	1	1	3	4	6	7	15
65+	37	5.9	15	1	2	5	9	12	14	16
B. *Operated*										
0-19 YRS	1217	7.3	97	1	1	5	9	15	21	59
20-34	158	7.3	57	1	1	6	9	16	22	42
35-49	101	8.6	79	1	1	8	11	17	22	49
50-64	122	8.7	106	1	1	7	10	17	24	68
65+	87	10.0	64	1	2	9	14	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.4	7	1	1	3	4	7	8	13
B. *Operated*	557	4.3	12	1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	309	4.4	42	<1	1	3	5	9	11	23
B. *Operated*	1685	7.6	91	1	1	5	10	16	22	54
1. SINGLE DX	592	4.2	12	1	1	3	6	9	11	16
2. MULTIPLE DX	1994	7.1	85	1	1	5	9	15	21	54
A. NOT OPERATED	344	4.3	38	<1	1	3	5	9	11	20
B. OPERATED	2242	6.8	74	1	1	5	8	14	20	50
TOTAL 0-19 YRS	1843	6.2	75	1	1	4	7	13	18	54
20-34	264	6.2	42	1	1	5	8	12	19	32
35-49	163	7.0	59	1	1	5	10	15	18	42
50-64	182	7.1	81	1	1	4	10	15	20	55
65+	134	8.7	52	1	2	7	13	19	23	35
GRAND TOTAL	**2586**	**6.5**	**70**	**1**	**1**	**4**	**8**	**14**	**19**	**47**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	385	2.9	2	1	1	3	4	5	6	8
20-34	8	2.4	1	1	1	2	3	4	4	4
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	1.7	3	<1	<1	1	1	4	5	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	468	3.1	5	1	1	3	4	5	6	13
20-34	11	2.8	5	1	1	2	4	6	8	8
35-49	8	3.4	1	2	2	3	4	5	5	5
50-64	3	3.0	1	2	2	3	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	398	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	38	1.7	3	<1	<1	1	1	4	5	10
B. *Operated*	490	3.1	4	1	1	3	4	5	6	12
1. SINGLE DX	400	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX	528	3.0	5	1	1	3	4	5	6	12
A. NOT OPERATED	40	1.6	3	<1	<1	1	1	3	5	10
B. OPERATED	888	3.0	4	1	1	3	4	5	6	11
TOTAL 0-19 YRS	893	3.0	4	1	1	3	4	5	6	11
20-34	19	2.6	3	1	1	2	4	5	7	8
35-49	12	2.9	2	1	1	3	4	5	5	5
50-64	4	2.5	2	1	1	2	3	4	4	4
65+										
GRAND TOTAL	**928**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	1	<1	1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	357	3.2	2	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	3	1	1	2	4	5	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	161	4.7	10	2	2	4	5	7	9	19
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	1	<1	1	2	3	4	4	4
B. *Operated*	357	3.2	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	14	2.8	3	1	1	2	4	5	7	7
B. *Operated*	161	4.7	10	2	2	4	5	7	9	19
1. SINGLE DX	372	3.1	2	1	1	3	4	5	6	9
2. MULTIPLE DX	175	4.6	10	2	2	4	5	7	9	18
A. NOT OPERATED	29	2.4	2	1	1	2	3	4	5	7
B. OPERATED	518	3.7	5	1	2	3	4	6	7	12
TOTAL 0-19 YRS	547	3.6	5	1	2	3	4	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**547**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.8	7	<1	1	2	3	6	6	15
20-34	2	6.0		6	6	6	6	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	159	4.9	26	1	1	3	7	9	12	30
20-34	36	4.3	6	1	1	4	6	9	9	10
35-49	18	4.8	10	1	1	4	7	9	11	12
50-64	5	4.2	9	1	1	6	6	7	7	7
65+	3	5.0	3	4	4	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	6.2	78	1	1	3	7	12	23	52
20-34	6	6.0	18	2	2	5	9	13	13	13
35-49	7	4.6	11	1	1	5	7	9	10	10
50-64	14	4.9	10	1	2	4	6	10	10	10
65+	21	4.6	7	1	2	4	5	7	11	14
B. *Operated*										
0-19 YRS	357	8.8	127	1	1	5	10	20	31	83
20-34	63	7.1	69	1	1	6	8	11	16	58
35-49	51	7.4	40	1	2	6	9	18	19	35
50-64	37	8.3	34	1	1	8	12	16	17	25
65+	37	11.1	77	2	3	8	13	18	35	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.1	7	<1	1	2	4	6	6	15
B. *Operated*	221	4.8	20	1	1	4	7	9	11	26
2. MULTIPLE DX										
A. *Not Operated*	148	5.7	56	1	1	4	6	11	18	46
B. *Operated*	545	8.6	103	1	1	6	10	18	28	72
1. SINGLE DX	256	4.5	19	1	1	3	6	9	10	25
2. MULTIPLE DX	693	8.0	94	1	1	5	9	17	26	62
A. NOT OPERATED	183	5.2	48	1	1	3	6	10	15	42
B. OPERATED	766	7.5	82	1	1	5	9	16	24	59
TOTAL 0-19 YRS	647	7.1	92	1	1	4	8	17	26	60
20-34	107	6.1	45	1	1	5	8	9	14	38
35-49	77	6.5	31	1	1	5	8	13	18	31
50-64	57	7.0	28	1	1	6	10	15	17	24
65+	61	8.6	59	2	3	7	11	15	22	42
GRAND TOTAL	**949**	**7.0**	**76**	**1**	**1**	**5**	**8**	**15**	**22**	**53**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	271	1.5	1	<1	1	1	2	3	4	5
20-34	28	2.3	3	<1	1	2	3	5	6	9
35-49	10	2.1	1	<1	<1	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	298	1.9	3	1	1	1	2	3	5	8
20-34	34	2.9	6	1	1	2	4	5	9	10
35-49	20	2.2	2	1	1	2	3	4	5	5
50-64	6	3.0	2	1	1	3	4	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	312	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	13	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	361	2.0	3	1	1	1	2	4	5	9
1. SINGLE DX	315	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	374	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	16	1.0		<1	<1	1	1	1	1	1
B. OPERATED	673	1.8	2	<1	1	1	2	3	4	7
TOTAL 0-19 YRS	585	1.7	2	<1	1	1	2	3	4	6
20-34	62	2.6	5	1	1	2	3	5	8	10
35-49	30	2.2	1	1	1	2	3	4	4	5
50-64	8	2.6	2	1	1	2	4	5	5	5
65+	4	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	**689**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	12	<1	<1	1	2	7	12	12
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	411	3.8	9	1	1	3	5	8	10	13
20-34	82	4.1	8	1	1	4	5	8	11	13
35-49	35	4.0	4	<1	1	4	5	7	7	9
50-64	20	6.2	24	1	1	5	8	13	16	19
65+	6	3.0	2	1	1	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	3	<1	<1	2	4	6	6	7
20-34	22	3.4	5	1	1	3	4	8	8	8
35-49	25	3.5	5	1	1	3	5	6	8	11
50-64	22	5.8	18	1	2	5	7	12	16	19
65+	19	6.7	13	1	3	6	8	13	14	15
B. *Operated*										
0-19 YRS	366	4.9	16	1	1	4	7	10	13	19
20-34	130	5.4	16	1	1	5	6	10	13	24
35-49	82	7.2	35	2	3	6	9	13	18	35
50-64	48	7.5	37	2	2	6	9	17	20	27
65+	44	8.4	53	1	2	7	10	17	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.5	8	<1	1	1	3	6	10	12
B. *Operated*	554	3.9	9	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	117	4.3	10	1	1	3	6	8	11	16
B. *Operated*	670	5.7	24	1	1	5	7	11	16	26
1. SINGLE DX	570	3.9	9	1	1	3	5	8	10	13
2. MULTIPLE DX	787	5.5	22	1	1	4	7	11	15	26
A. NOT OPERATED	133	4.1	10	1	1	3	5	8	11	16
B. OPERATED	1224	4.9	18	1	1	4	7	10	12	20
TOTAL 0-19 YRS	816	4.3	12	1	1	3	6	9	11	17
20-34	238	4.7	13	1	1	4	6	9	11	18
35-49	142	5.8	25	1	2	5	7	10	15	26
50-64	91	6.8	29	1	2	5	8	15	19	27
65+	70	7.4	39	1	1	6	9	14	19	32
GRAND TOTAL	**1357**	**4.8**	**17**	**1**	**1**	**4**	**6**	**10**	**12**	**19**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	389	2.5	1	1	1	2	3	4	4	7
20-34	16	3.3	5	1	1	3	5	7	8	8
35-49	5	2.6	3	1	1	3	4	5	5	5
50-64	13	2.8	3	1	1	3	4	5	7	7
65+	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4	1	<1	<1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	284	2.9	2	1	1	3	4	4	5	7
20-34	42	3.1	3	1	1	3	4	5	7	8
35-49	44	3.1	4	1	1	3	4	6	7	9
50-64	62	3.0	3	1	1	3	3	6	7	8
65+	18	3.5	5	1	1	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	427	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	13	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	450	3.0	3	1	1	3	4	5	6	8
1. SINGLE DX	429	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	463	3.0	3	1	1	3	4	5	6	8
A. NOT OPERATED	15	1.3	1	<1	<1	1	1	3	3	3
B. OPERATED	877	2.8	2	1	1	3	3	4	5	8
TOTAL 0-19 YRS	688	2.6	2	1	1	3	3	4	5	7
20-34	58	3.2	3	1	1	3	4	6	7	8
35-49	49	3.1	4	1	1	3	4	6	7	9
50-64	75	2.9	3	1	1	3	3	6	7	8
65+	22	3.3	4	1	1	3	4	7	8	8
GRAND TOTAL	**892**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**8**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.7	6	<1	1	2	4	7	9	12
20-34	20	7.2	68	1	1	4	8	22	27	28
35-49	12	4.3	10	1	2	3	5	9	12	13
50-64	8	4.3	14	1	1	3	6	10	12	12
65+	5	5.6	13	3	3	4	7	12	12	12
B. *Operated*										
0-19 YRS	979	3.6	13	1	1	2	4	7	10	19
20-34	238	3.7	11	1	1	2	5	9	10	13
35-49	142	4.1	13	1	1	2	7	10	11	15
50-64	54	4.6	21	1	1	3	7	10	16	20
65+	20	4.4	18	1	1	3	6	9	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.9	42	<1	<1	2	5	12	19	36
20-34	48	6.1	33	1	1	4	8	15	18	29
35-49	45	6.6	31	2	2	5	9	12	14	35
50-64	48	6.3	41	1	3	5	6	9	15	36
65+	51	6.8	39	2	3	6	8	9	15	44
B. *Operated*										
0-19 YRS	690	5.9	54	1	1	4	7	12	17	31
20-34	205	6.6	78	1	1	4	9	13	16	40
35-49	174	5.7	25	1	1	4	9	11	14	22
50-64	163	7.8	43	1	1	7	11	15	20	33
65+	71	8.9	41	1	2	8	13	17	25	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	3.8	20	<1	1	2	4	8	12	27
B. *Operated*	1433	3.7	13	1	1	2	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	349	5.7	39	<1	1	4	7	11	17	36
B. *Operated*	1303	6.4	53	1	1	4	8	13	18	31
1. SINGLE DX	1557	3.7	13	1	1	2	5	8	11	18
2. MULTIPLE DX	1652	6.3	50	1	1	4	8	13	18	33
A. NOT OPERATED	473	5.2	35	<1	1	3	6	11	15	35
B. OPERATED	2736	5.0	34	1	1	3	7	11	14	26
TOTAL 0-19 YRS	1905	4.5	31	1	1	3	5	9	14	26
20-34	511	5.2	44	1	1	3	8	11	14	27
35-49	373	5.2	21	1	1	3	8	11	13	21
50-64	273	6.8	39	1	1	5	9	13	18	33
65+	147	7.4	38	1	2	6	9	15	18	28
GRAND TOTAL	**3209**	**5.0**	**34**	**1**	**1**	**3**	**7**	**11**	**14**	**27**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1902	2.8	7	1	1	2	3	5	7	15
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	4.0	22	<1	1	2	4	9	15	22
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1485	8.4	123	1	2	4	10	22	31	63
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	101	17.1	228	2	3	12	26	47	61	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1902	2.8	7	1	1	2	3	5	7	15
B. *Operated*	22	4.0	22	<1	1	2	4	9	15	22
2. MULTIPLE DX										
A. *Not Operated*	1485	8.4	123	1	2	4	10	22	31	63
B. *Operated*	101	17.1	228	2	3	12	26	47	61	99+
1. SINGLE DX	1924	2.9	8	1	1	2	3	5	7	15
2. MULTIPLE DX	1586	9.0	134	1	2	4	10	24	34	74
A. NOT OPERATED	3387	5.3	66	1	1	3	5	12	21	44
B. OPERATED	123	14.7	216	1	2	10	22	45	52	99+
TOTAL 0-19 YRS	3510	5.6	74	1	1	3	5	13	23	48
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3510**	**5.6**	**74**	**1**	**1**	**3**	**5**	**13**	**23**	**48**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1298	2.5	4	1	1	2	3	4	5	10
20-34	476	2.7	4	1	1	2	3	5	7	10
35-49	261	2.9	3	1	1	3	4	5	6	11
50-64	142	3.0	3	1	1	3	4	5	6	10
65+	112	4.0	16	1	1	3	5	7	8	22
B. *Operated*										
0-19 YRS	18	3.5	6	1	2	3	5	6	9	11
20-34	17	2.9	3	1	1	2	4	5	6	6
35-49	16	3.2	4	1	1	3	4	7	8	8
50-64	6	5.0	10	1	1	5	6	10	10	10
65+	8	3.8	6	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3097	2.9	5	1	1	2	3	5	6	11
20-34	936	3.8	8	1	1	3	5	8	10	14
35-49	929	4.5	15	1	1	4	6	8	10	21
50-64	1045	5.2	18	1	2	4	6	10	12	20
65+	1798	6.0	18	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	58	6.5	37	1	2	4	7	12	22	29
20-34	80	6.7	55	1	1	5	8	12	16	48
35-49	80	6.8	40	1	2	5	9	13	16	37
50-64	126	10.8	123	2	2	7	14	23	33	66
65+	164	10.3	67	2	3	8	13	19	22	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2289	2.7	4	1	1	2	3	5	6	10
B. *Operated*	65	3.4	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	7805	4.2	13	1	1	3	5	8	11	18
B. *Operated*	508	8.9	74	1	2	7	11	18	23	53
1. SINGLE DX	2354	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	8313	4.5	18	1	1	3	5	9	12	20
A. NOT OPERATED	10094	3.9	11	1	1	3	5	7	10	16
B. OPERATED	573	8.3	70	1	2	6	10	17	22	51
TOTAL 0-19 YRS	4471	2.8	5	1	1	2	3	5	6	12
20-34	1509	3.6	10	1	1	3	4	7	10	14
35-49	1286	4.3	15	1	1	3	5	8	10	20
50-64	1319	5.5	30	1	2	4	6	10	14	28
65+	2082	6.2	23	2	2	5	8	12	15	25
GRAND TOTAL	**10667**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	2.7	2	1	1	2	3	4	5	7
20-34	43	3.4	5	1	1	3	5	6	8	10
35-49	35	3.8	5	1	1	3	5	7	9	11
50-64	38	4.6	10	<1	1	3	6	9	11	14
65+	38	4.7	8	1	2	4	6	8	9	15
B. *Operated*										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	6	4.7	5	2	2	5	6	7	7	7
35-49	4	5.5	10	2	2	5	8	9	9	9
50-64	4	6.0	9	3	3	6	8	9	9	9
65+	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1341	3.3	8	1	1	3	4	5	7	13
20-34	268	4.5	9	1	2	4	6	8	10	17
35-49	239	5.5	35	2	2	4	6	9	12	38
50-64	383	6.0	18	2	2	5	7	11	13	24
65+	693	6.6	22	2	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	46	7.7	72	1	2	5	10	16	22	49
20-34	42	9.5	63	1	2	8	11	17	26	43
35-49	43	10.2	50	2	3	9	14	21	24	30
50-64	101	10.2	40	2	3	10	13	18	22	31
65+	145	12.4	79	3	4	11	16	22	26	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	3.0	4	1	1	3	4	5	6	10
B. *Operated*	21	5.1	9	2	2	4	7	10	10	11
2. MULTIPLE DX										
A. *Not Operated*	2924	4.7	17	1	2	4	6	9	12	21
B. *Operated*	377	10.7	64	2	3	9	14	20	25	46
1. SINGLE DX	635	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	3301	5.4	26	1	2	4	7	11	15	24
A. NOT OPERATED	3538	4.4	15	1	2	3	5	8	11	20
B. OPERATED	398	10.4	63	2	3	9	14	20	24	45
TOTAL 0-19 YRS	1852	3.2	9	1	1	3	4	5	7	14
20-34	359	4.9	18	1	2	4	6	9	11	25
35-49	321	6.0	36	1	2	4	7	11	16	32
50-64	526	6.7	24	2	2	5	8	12	16	27
65+	878	7.5	35	2	2	6	9	15	19	27
GRAND TOTAL	**3936**	**5.0**	**23**	**1**	**2**	**4**	**6**	**10**	**14**	**23**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.3	2	<1	1	2	3	4	5	7
20-34	257	3.0	3	1	1	3	4	5	6	9
35-49	143	3.3	9	1	1	3	4	6	8	19
50-64	54	3.1	7	<1	1	3	4	6	7	17
65+	23	3.4	4	<1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	5	2.8	6	1	1	2	4	7	7	7
20-34	56	2.7	4	1	1	2	4	6	8	9
35-49	37	3.2	12	1	1	2	4	6	7	21
50-64	31	3.2	7	1	1	2	4	7	10	10
65+	6	2.7	3	1	1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	3.1	6	1	1	2	4	6	8	11
20-34	554	4.3	11	1	1	3	5	9	11	18
35-49	460	4.6	16	1	1	4	6	9	12	19
50-64	304	4.6	16	1	1	3	6	9	12	20
65+	249	4.5	10	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	12	2.7	3	<1	<1	2	4	5	6	6
20-34	73	5.6	16	1	1	5	7	12	14	19
35-49	78	5.3	17	1	1	4	7	10	15	19
50-64	81	6.0	17	1	2	5	8	13	14	18
65+	53	7.6	61	2	3	6	9	13	19	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	3.0	5	1	1	3	4	5	7	10
B. *Operated*	135	3.0	7	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1820	4.3	13	1	1	3	5	8	11	18
B. *Operated*	297	5.9	25	1	1	5	7	12	15	20
1. SINGLE DX	728	3.0	5	1	1	2	4	6	7	10
2. MULTIPLE DX	2117	4.5	15	1	1	3	6	9	12	18
A. NOT OPERATED	2413	4.0	11	1	1	3	5	8	10	17
B. OPERATED	432	5.0	21	1	1	4	6	10	14	19
TOTAL 0-19 YRS	386	2.8	4	<1	1	2	3	5	7	11
20-34	940	4.0	10	1	1	3	5	8	10	18
35-49	718	4.3	15	1	1	3	5	9	11	19
50-64	470	4.6	15	1	1	3	6	9	12	18
65+	331	4.9	19	1	2	4	6	9	12	18
GRAND TOTAL	**2845**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.2		<1	<1	1	1	2	3	3
20-34	22	2.3	3	<1	<1	2	3	4	6	7
35-49	33	2.5	2	<1	<1	2	3	5	5	6
50-64	72	2.6	3	<1	1	2	4	5	6	8
65+	75	2.7	3	1	1	2	4	5	6	8
B. *Operated*										
0-19 YRS	10	2.6	6	<1	<1	2	4	6	8	8
20-34	41	3.7	6	1	1	3	5	8	9	10
35-49	79	3.6	5	1	1	3	4	6	7	12
50-64	83	3.8	5	<1	1	4	6	7	8	11
65+	92	4.4	8	1	1	4	6	8	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.6	4	<1	1	2	3	5	7	10
20-34	35	2.7	4	<1	1	2	4	5	5	10
35-49	97	3.5	6	1	1	3	4	6	8	14
50-64	239	3.8	8	1	1	3	5	6	8	14
65+	463	3.7	12	1	1	3	5	6	8	20
B. *Operated*										
0-19 YRS	19	2.2	6	<1	1	1	2	5	8	11
20-34	47	4.6	18	1	1	4	5	8	8	29
35-49	85	5.1	19	1	1	4	6	10	13	25
50-64	226	5.3	17	1	2	5	6	10	13	25
65+	387	5.1	18	1	1	4	6	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.5	2	<1	1	2	3	5	6	7
B. *Operated*	305	3.9	6	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	873	3.6	10	1	1	3	5	6	8	17
B. *Operated*	764	5.1	18	1	1	4	6	9	13	25
1. SINGLE DX	525	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1637	4.3	14	1	1	3	5	8	10	21
A. NOT OPERATED	1093	3.4	8	1	1	3	4	6	7	13
B. OPERATED	1069	4.7	15	1	1	4	6	8	11	24
TOTAL 0-19 YRS	86	2.2	4	<1	1	1	3	5	6	11
20-34	145	3.6	9	<1	1	3	5	7	8	11
35-49	294	3.9	10	1	1	3	4	7	10	18
50-64	620	4.2	11	1	1	4	5	7	9	16
65+	1017	4.2	14	1	1	3	5	8	10	20
GRAND TOTAL	**2162**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.2	9	1	1	3	5	8	11	14
20-34	21	2.3	3	<1	1	2	3	5	6	6
35-49	16	2.6	3	1	1	2	3	5	6	6
50-64	12	2.3	3	<1	<1	2	3	5	6	6
65+	10	2.1	3	<1	<1	2	2	5	7	7
B. *Operated*										
0-19 YRS	58	1.9	4	<1	<1	1	2	4	7	12
20-34	70	1.9	3	<1	<1	1	2	4	5	11
35-49	43	1.8	2	<1	<1	1	2	4	6	7
50-64	28	2.4	3	<1	1	2	3	4	7	9
65+	20	2.3	8	<1	1	2	2	3	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.5	26	<1	1	3	5	8	10	28
20-34	69	3.6	9	1	1	2	4	8	10	16
35-49	84	5.4	45	<1	1	3	6	11	15	39
50-64	155	5.6	26	1	1	4	6	12	16	25
65+	322	7.0	36	1	2	5	9	14	18	30
B. *Operated*										
0-19 YRS	33	4.4	24	1	1	3	5	9	14	26
20-34	70	3.3	10	1	1	2	4	8	9	15
35-49	56	7.7	127	1	1	3	9	19	30	61
50-64	86	8.0	98	1	1	5	10	18	31	51
65+	127	11.2	110	1	1	9	15	27	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.9	5	1	1	2	4	6	7	12
B. *Operated*	219	2.0	4	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	682	6.0	33	1	1	4	8	12	17	29
B. *Operated*	372	7.9	91	1	1	4	10	18	29	48
1. SINGLE DX	299	2.2	4	<1	<1	1	3	4	6	12
2. MULTIPLE DX	1054	6.6	54	1	1	4	9	15	20	40
A. NOT OPERATED	762	5.6	31	1	1	4	7	12	16	28
B. OPERATED	591	5.7	67	<1	1	2	7	14	21	43
TOTAL 0-19 YRS	164	3.5	17	<1	1	2	4	7	10	26
20-34	230	2.9	7	<1	1	2	3	6	8	15
35-49	199	5.0	60	1	1	2	5	10	17	41
50-64	281	5.9	47	1	1	4	7	13	18	39
65+	479	7.8	59	1	2	5	10	17	21	42
GRAND TOTAL	**1353**	**5.7**	**46**	**1**	**1**	**3**	**7**	**13**	**18**	**38**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+	7	14.4	357	1	1	3	23	47	52	52
B. *Operated*										
0-19 YRS	6	3.7	10	1	1	2	6	9	9	9
20-34	13	5.8	28	1	1	5	7	16	17	17
35-49	16	4.4	9	1	1	5	6	10	11	11
50-64	23	8.5	39	2	3	7	12	16	21	27
65+	56	11.1	90	3	3	9	13	21	24	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.4	3	3	3	5	6	8	9	9
35-49	12	6.4	41	1	2	4	6	15	24	25
50-64	39	7.2	15	2	3	7	10	12	14	19
65+	147	8.8	45	2	2	7	11	19	24	32
B. *Operated*										
0-19 YRS	12	8.6	73	1	1	5	14	22	27	28
20-34	56	11.4	170	1	2	8	14	24	36	80
35-49	117	13.5	140	2	3	10	18	30	34	59
50-64	324	17.0	154	3	5	14	22	32	41	60
65+	1065	16.0	131	4	5	13	20	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	11.6	300	<1	<1	3	17	42	52	52
B. *Operated*	114	8.6	64	1	2	7	11	18	22	40
2. MULTIPLE DX										
A. *Not Operated*	205	8.2	38	2	2	7	10	17	22	31
B. *Operated*	1574	15.8	139	3	5	13	20	30	39	63
1. SINGLE DX	123	8.8	79	1	2	7	11	19	24	55
2. MULTIPLE DX	1779	14.9	133	3	4	12	19	29	36	60
A. NOT OPERATED	214	8.4	48	1	2	7	10	18	24	32
B. OPERATED	1688	15.3	137	3	4	13	20	29	37	62
TOTAL 0-19 YRS	18	6.9	56	1	1	4	9	18	24	28
20-34	78	9.7	134	1	1	6	13	18	27	71
35-49	145	11.9	128	1	2	9	15	28	33	52
50-64	386	15.5	145	3	4	13	20	31	38	56
65+	1275	15.0	126	3	5	12	19	28	36	60
GRAND TOTAL	**1902**	**14.5**	**132**	**3**	**4**	**12**	**19**	**28**	**35**	**60**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.1	2	<1	1	2	3	4	5	9
20-34	642	2.3	2	1	1	2	3	4	5	8
35-49	1851	2.4	3	1	1	2	3	4	5	7
50-64	1234	2.6	5	1	1	2	3	5	5	9
65+	408	2.7	4	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	89	2.4	3	1	1	2	3	5	6	9
35-49	678	2.3	3	1	1	2	2	4	5	9
50-64	880	2.0	2	1	1	2	2	3	5	7
65+	266	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.7	3	1	1	2	3	5	6	9
20-34	1382	2.9	3	1	1	2	4	5	6	9
35-49	4849	3.1	4	1	1	3	4	5	7	10
50-64	5820	3.3	5	1	1	3	4	6	7	10
65+	4586	3.8	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	5	4.8	13	2	2	4	6	11	11	11
20-34	165	3.9	10	1	1	3	5	8	9	18
35-49	1233	3.6	8	1	1	2	5	8	9	13
50-64	2086	3.7	13	1	1	2	5	8	10	17
65+	1156	4.5	18	1	1	3	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4201	2.5	4	1	1	2	3	4	5	8
B. *Operated*	1917	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	16786	3.3	5	1	1	3	4	6	7	11
B. *Operated*	4645	3.9	13	1	1	3	5	8	10	17
1. SINGLE DX	6118	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	21431	3.5	7	1	1	3	4	6	8	13
A. NOT OPERATED	20987	3.2	5	1	1	3	4	6	7	11
B. OPERATED	6562	3.4	11	1	1	2	4	7	9	16
TOTAL 0-19 YRS	224	2.5	3	1	1	2	3	5	6	10
20-34	2278	2.7	4	1	1	2	3	5	6	9
35-49	8611	2.9	4	1	1	2	4	5	7	10
50-64	10020	3.2	7	1	1	3	4	6	7	12
65+	6416	3.8	9	1	1	3	5	7	9	15
GRAND TOTAL	**27549**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	2.8	3	1	1	2	3	5	6	9
20-34	23	2.3	4	<1	<1	1	4	6	7	8
35-49	39	1.7	1	1	1	2	2	3	4	4
50-64	35	2.5	5	<1	1	2	3	5	7	13
65+	30	4.0	12	<1	1	3	5	10	12	13
B. *Operated*										
0-19 YRS	15	3.3	6	1	1	3	5	7	8	9
20-34	21	3.0	6	<1	1	2	5	8	8	8
35-49	49	4.1	13	<1	1	3	5	9	12	18
50-64	62	3.2	5	1	1	2	4	7	8	11
65+	27	3.5	11	<1	1	2	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	861	3.6	10	1	1	3	4	7	8	17
20-34	119	3.3	8	1	1	2	4	7	9	15
35-49	216	4.4	22	1	1	3	5	8	12	27
50-64	435	5.1	24	1	1	4	6	9	12	24
65+	833	5.4	17	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	57	8.5	178	1	1	4	9	27	37	98
20-34	66	5.1	27	1	1	3	6	11	17	27
35-49	132	5.2	27	1	1	3	6	13	17	23
50-64	281	5.9	33	1	1	4	7	12	17	32
65+	302	6.7	39	1	1	5	9	15	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	2.7	4	1	1	2	3	5	6	11
B. *Operated*	174	3.5	9	1	1	2	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2464	4.5	16	1	1	3	6	9	12	21
B. *Operated*	838	6.2	44	1	1	4	8	14	18	34
1. SINGLE DX	670	2.9	5	1	1	2	3	6	8	12
2. MULTIPLE DX	3302	4.9	24	1	1	4	6	10	13	27
A. NOT OPERATED	2960	4.2	15	1	1	3	5	8	11	18
B. OPERATED	1012	5.7	39	1	1	4	7	13	18	34
TOTAL 0-19 YRS	1302	3.6	17	1	1	3	4	6	8	22
20-34	229	3.7	14	1	1	3	5	8	10	21
35-49	436	4.4	21	1	1	3	5	9	13	22
50-64	813	5.1	26	1	1	4	6	10	13	27
65+	1192	5.6	23	1	1	4	7	11	15	27
GRAND TOTAL	**3972**	**4.6**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**25**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.1	3	<1	1	2	3	3	6	99+
20-34	136	1.7	1	<1	<1	1	2	3	4	5
35-49	162	1.7	1	<1	<1	1	2	3	4	5
50-64	97	1.9	1	<1	<1	2	2	3	5	7
65+	56	2.1	1	1	1	2	3	4	4	6
B. *Operated*										
0-19 YRS	31	2.7	5	<1	<1	2	4	5	8	11
20-34	36	3.8	4	1	2	3	5	7	8	10
35-49	31	4.2	6	1	1	4	6	8	10	10
50-64	26	4.4	9	1	1	4	6	8	11	13
65+	37	4.6	8	1	2	4	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	10	1	1	2	3	6	9	17
20-34	213	2.7	4	1	1	2	3	5	7	10
35-49	295	2.7	3	1	1	2	4	5	7	9
50-64	302	3.2	8	1	1	3	4	6	8	18
65+	577	4.6	12	1	1	4	6	9	11	18
B. *Operated*										
0-19 YRS	57	4.6	21	<1	1	3	7	11	15	20
20-34	67	5.0	16	1	1	4	7	9	11	22
35-49	130	5.4	11	1	2	5	7	9	13	16
50-64	222	6.2	16	1	2	5	8	11	14	20
65+	538	8.0	38	1	2	7	10	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	161	4.0	7	1	1	4	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	1448	3.6	9	1	1	3	5	7	9	16
B. *Operated*	1014	6.9	29	1	2	6	9	13	17	24
1. SINGLE DX	658	2.3	3	<1	1	2	3	5	6	11
2. MULTIPLE DX	2462	4.9	20	1	1	4	6	10	13	21
A. NOT OPERATED	1945	3.1	8	1	1	2	4	6	8	15
B. OPERATED	1175	6.5	27	1	2	5	9	13	16	23
TOTAL 0-19 YRS	195	3.2	11	<1	1	2	3	8	11	19
20-34	452	2.8	6	<1	1	2	3	6	7	11
35-49	618	3.1	6	<1	1	2	4	6	8	13
50-64	647	4.1	12	1	1	3	5	9	11	17
65+	1208	6.0	26	1	1	5	8	12	15	23
GRAND TOTAL	**3120**	**4.4**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1382	2.0	2	<1	1	2	2	3	4	7
20-34	1320	2.3	3	<1	1	2	3	4	5	9
35-49	710	2.7	4	<1	1	2	4	5	7	10
50-64	310	2.8	4	<1	1	2	4	5	6	9
65+	187	3.1	5	1	1	2	4	6	7	10
B. *Operated*										
0-19 YRS	161	3.6	4	1	2	3	4	6	8	11
20-34	236	3.6	4	1	1	3	5	6	7	12
35-49	78	4.0	8	1	1	3	5	9	10	13
50-64	35	3.8	6	1	1	4	5	7	8	9
65+	23	4.4	10	<1	1	3	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1325	2.4	3	1	1	2	3	4	6	9
20-34	1884	3.2	8	1	1	2	4	6	7	13
35-49	1303	3.7	7	1	1	3	5	7	8	14
50-64	1215	4.1	8	1	1	3	5	7	9	15
65+	1786	4.8	14	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	163	3.9	5	1	1	4	5	6	8	11
20-34	404	5.2	18	1	1	4	7	10	12	23
35-49	293	6.6	24	2	2	5	8	12	15	23
50-64	253	7.0	32	2	2	5	9	13	17	34
65+	311	8.5	43	1	2	7	11	17	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3909	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	533	3.7	5	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	7513	3.7	9	1	1	3	5	7	9	14
B. *Operated*	1424	6.4	28	1	2	5	8	12	17	25
1. SINGLE DX	4442	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	8937	4.1	13	1	1	3	5	8	10	18
A. NOT OPERATED	11422	3.2	7	1	1	2	4	6	8	13
B. OPERATED	1957	5.7	23	1	2	4	7	11	14	23
TOTAL 0-19 YRS	3031	2.3	3	<1	1	2	3	4	5	9
20-34	3844	3.1	8	1	1	2	4	6	8	12
35-49	2384	3.8	10	1	1	3	5	7	9	16
50-64	1813	4.2	12	1	1	3	5	8	10	18
65+	2307	5.2	19	1	2	4	7	10	13	22
GRAND TOTAL	**13379**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.4	3	1	1	2	3	4	6	8
20-34	56	2.3	3	<1	1	2	3	4	5	9
35-49	49	3.2	9	1	1	2	4	6	7	20
50-64	24	3.1	5	<1	1	3	4	7	8	9
65+	41	3.5	10	<1	1	3	4	9	11	13
B. *Operated*										
0-19 YRS	12	6.1	25	1	1	5	8	15	16	16
20-34	21	3.4	8	<1	1	3	5	7	9	11
35-49	26	4.6	14	<1	1	3	6	10	13	15
50-64	23	5.1	12	1	1	5	7	8	11	17
65+	6	5.2	11	1	1	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	3.0	9	1	1	2	4	6	7	14
20-34	269	3.9	15	1	1	3	5	7	9	17
35-49	279	4.1	11	1	1	3	5	9	11	17
50-64	473	5.3	23	1	1	4	6	10	13	23
65+	973	5.5	15	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	86	4.1	87	1	1	1	4	8	19	58
20-34	153	4.0	29	1	1	2	5	8	14	31
35-49	157	4.6	22	1	1	3	7	11	15	93
50-64	185	7.3	79	1	1	5	10	17	25	48
65+	309	8.4	66	1	1	7	11	16	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	2.7	5	1	1	2	4	5	7	11
B. *Operated*	88	4.7	13	1	1	4	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*	2582	4.6	16	1	1	4	6	9	12	20
B. *Operated*	890	6.3	60	1	1	4	8	14	21	40
1. SINGLE DX	399	3.1	7	1	1	2	4	7	8	15
2. MULTIPLE DX	3472	5.0	28	1	1	4	6	10	14	25
A. NOT OPERATED	2893	4.4	15	1	1	3	6	9	11	20
B. OPERATED	978	6.2	56	1	1	4	8	14	19	38
TOTAL 0-19 YRS	827	3.1	16	1	1	2	4	6	7	16
20-34	499	3.7	18	1	1	3	5	7	9	22
35-49	511	4.2	14	1	1	3	6	9	12	21
50-64	705	5.7	38	1	1	4	7	12	17	29
65+	1329	6.1	29	1	2	5	8	12	15	25
GRAND TOTAL	**3871**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	978	2.8	5	1	1	2	3	5	6	11
20-34	392	3.1	12	<1	1	2	4	6	8	15
35-49	409	2.8	5	<1	1	2	3	5	7	12
50-64	444	3.1	8	1	1	2	4	6	7	15
65+	447	3.7	11	1	1	3	5	7	10	17
B. *Operated*										
0-19 YRS	66	2.6	7	<1	<1	2	3	5	8	15
20-34	102	2.5	6	<1	1	2	3	6	7	13
35-49	133	2.3	4	1	1	2	3	4	7	12
50-64	145	2.8	8	1	1	2	3	6	8	19
65+	86	3.7	10	1	1	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2277	4.1	18	1	1	3	5	8	11	22
20-34	1283	4.1	32	1	1	3	5	7	10	31
35-49	1842	4.1	15	1	1	3	5	7	10	19
50-64	3691	5.2	19	1	1	4	6	10	14	22
65+	8990	5.6	22	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	170	8.4	130	1	1	4	11	20	32	70
20-34	261	5.1	65	1	1	3	6	12	17	97
35-49	414	5.6	49	1	1	3	7	12	16	38
50-64	911	9.1	143	1	1	5	11	21	32	77
65+	1525	9.8	109	1	2	7	12	20	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2670	3.0	8	1	1	2	4	6	7	13
B. *Operated*	532	2.7	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	18083	5.1	22	1	1	4	6	10	13	23
B. *Operated*	3281	8.6	111	1	1	6	11	19	29	63
1. SINGLE DX	3202	3.0	7	1	1	2	4	6	7	13
2. MULTIPLE DX	21364	5.6	37	1	1	4	7	11	15	32
A. NOT OPERATED	20753	4.8	20	1	1	4	6	9	13	22
B. OPERATED	3813	7.8	101	1	1	5	10	17	26	61
TOTAL 0-19 YRS	3491	3.9	21	1	1	3	5	8	11	23
20-34	2038	4.0	32	1	1	3	5	7	10	30
35-49	2798	4.1	19	1	1	3	5	8	11	22
50-64	5191	5.6	43	1	1	4	7	11	16	32
65+	11048	6.1	36	1	2	5	7	12	16	31
GRAND TOTAL	**24566**	**5.3**	**34**	**1**	**1**	**4**	**6**	**10**	**14**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	335	1.9	3	1	1	1	2	3	4	10
20-34	22	3.4	24	<1	<1	2	4	6	14	24
35-49	9	7.1	44	3	3	5	8	18	24	24
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	5	3.4	6	<1	<1	3	6	6	6	6
B. *Operated*										
0-19 YRS	48	4.9	24	1	2	4	6	8	11	30
20-34	22	5.2	12	<1	1	5	8	10	11	11
35-49	5	2.8	6	1	1	2	4	7	7	7
50-64	4	8.0	26	3	3	7	11	15	15	15
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	3.4	19	1	1	2	4	7	10	20
20-34	76	4.6	13	1	1	3	7	10	11	17
35-49	34	4.9	11	<1	<1	5	7	9	11	13
50-64	29	6.7	30	1	2	5	9	16	18	23
65+	23	8.7	32	2	2	9	11	16	21	25
B. *Operated*										
0-19 YRS	100	11.3	219	1	2	5	13	32	53	90
20-34	113	13.5	280	1	2	8	16	42	59	99+
35-49	49	14.2	334	1	2	8	17	42	82	99+
50-64	27	16.9	132	3	4	13	27	32	35	47
65+	28	21.8	438	1	2	15	31	50	65	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	2.1	5	1	1	1	2	4	5	10
B. *Operated*	80	5.1	20	1	1	4	7	10	11	27
2. MULTIPLE DX										
A. *Not Operated*	467	4.2	20	1	1	3	5	9	11	21
B. *Operated*	317	13.9	276	1	2	8	17	39	53	99+
1. SINGLE DX	454	2.6	9	1	1	2	3	6	8	15
2. MULTIPLE DX	784	8.1	146	1	1	4	9	19	34	81
A. NOT OPERATED	841	3.3	15	1	1	2	4	7	10	18
B. OPERATED	397	12.1	237	1	2	6	14	34	50	94
TOTAL 0-19 YRS	788	3.8	46	1	1	2	4	7	12	45
20-34	233	8.9	163	1	1	5	10	18	42	90
35-49	97	9.7	196	<1	1	5	9	25	43	91
50-64	63	10.9	99	1	2	8	15	28	31	45
65+	57	14.7	276	1	2	9	19	38	49	87
GRAND TOTAL	**1238**	**6.1**	**103**	**1**	**1**	**3**	**6**	**13**	**25**	**62**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.3	3	<1	1	2	3	5	6	8
20-34	42	4.0	16	<1	1	3	5	8	11	23
35-49	15	3.9	10	<1	1	3	5	7	12	14
50-64	6	4.3	11	1	1	3	6	10	10	10
65+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
0-19 YRS	8	6.6	7	3	3	7	9	10	10	10
20-34	18	6.6	21	1	1	6	11	14	14	14
35-49	7	8.4	95	1	1	3	12	25	28	28
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	4.1	19	1	1	3	5	9	12	19
20-34	122	5.0	18	1	1	4	6	10	14	22
35-49	44	6.3	32	1	2	4	8	13	18	30
50-64	39	7.3	24	1	1	7	10	14	16	20
65+	47	8.0	35	2	2	7	11	15	20	30
B. *Operated*										
0-19 YRS	85	11.3	168	1	2	7	14	30	41	94
20-34	115	13.3	262	1	2	7	15	36	52	77
35-49	45	16.6	376	1	1	10	20	49	60	93
50-64	25	18.0	491	1	2	8	27	45	66	92
65+	30	15.3	166	1	2	13	20	36	41	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	2.8	7	<1	1	2	3	6	7	14
B. *Operated*	37	6.8	31	1	1	6	10	14	14	28
2. MULTIPLE DX										
A. *Not Operated*	462	5.2	24	1	1	4	7	12	14	22
B. *Operated*	300	13.8	263	1	2	8	17	35	50	88
1. SINGLE DX	258	3.4	12	<1	1	2	4	7	10	14
2. MULTIPLE DX	762	8.6	136	1	1	5	10	19	33	63
A. NOT OPERATED	683	4.4	20	1	1	3	6	10	13	21
B. OPERATED	337	13.0	242	1	2	7	16	34	48	85
TOTAL 0-19 YRS	457	4.9	51	1	1	3	6	10	16	42
20-34	297	8.2	129	1	1	5	9	17	30	64
35-49	111	10.3	198	1	1	5	12	25	39	73
50-64	72	10.6	210	1	2	6	12	25	39	84
65+	83	10.4	95	1	2	8	14	22	33	44
GRAND TOTAL	**1020**	**7.3**	**109**	**1**	**1**	**4**	**8**	**16**	**26**	**59**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	9	<1	<1	1	2	7	9	14
20-34	35	2.5	5	<1	<1	1	3	5	9	10
35-49	15	2.2	9	<1	<1	1	1	5	10	12
50-64	3	2.7	4	<1	<1	2	4	5	5	5
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	297	1.9	1	<1	1	1	3	4	4	6
20-34	603	2.3	3	1	1	2	3	4	5	9
35-49	169	2.0	2	1	1	2	2	4	5	7
50-64	53	2.1	2	1	1	2	3	4	5	7
65+	18	2.9	4	<1	1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.0	2	<1	<1	1	2	4	5	6
20-34	163	2.4	3	<1	<1	2	3	5	6	9
35-49	57	3.1	5	<1	1	2	4	7	8	11
50-64	45	2.9	6	<1	1	2	3	7	8	13
65+	84	5.0	11	1	2	4	7	10	12	15
B. *Operated*										
0-19 YRS	649	3.3	15	1	1	2	4	6	8	18
20-34	1206	3.9	18	1	1	3	5	8	11	21
35-49	442	4.4	17	1	1	3	6	10	13	22
50-64	192	5.2	30	1	1	3	6	11	16	26
65+	138	6.2	20	1	2	5	9	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.4	7	<1	<1	1	3	5	9	13
B. *Operated*	1140	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	440	3.0	6	<1	1	2	4	6	8	13
B. *Operated*	2627	4.1	18	1	1	3	5	8	11	21
1. SINGLE DX	1221	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3067	3.9	17	1	1	3	5	8	11	20
A. NOT OPERATED	521	2.9	6	<1	1	2	4	6	8	13
B. OPERATED	3767	3.5	14	1	1	2	4	7	10	18
TOTAL 0-19 YRS	1063	2.8	10	1	1	2	3	5	7	16
20-34	2007	3.3	13	1	1	2	4	7	9	17
35-49	683	3.7	13	1	1	2	5	8	11	18
50-64	293	4.2	23	1	1	3	5	8	11	22
65+	242	5.5	16	1	2	4	8	11	14	20
GRAND TOTAL	**4288**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.3	7	1	1	3	4	6	7	12
20-34	283	4.2	14	1	1	3	6	7	10	16
35-49	176	4.5	11	1	2	4	6	8	10	19
50-64	127	5.0	7	1	2	5	7	9	10	12
65+	164	6.4	15	2	2	6	8	12	13	19
B. *Operated*										
0-19 YRS	26	9.5	48	2	3	7	14	15	25	31
20-34	65	8.5	19	2	3	8	12	14	15	24
35-49	20	9.5	31	1	2	9	13	17	19	20
50-64	9	11.7	163	1	2	8	12	33	43	43
65+	5	9.6	24	2	2	11	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	4.5	19	1	1	3	6	10	12	34
20-34	427	5.1	18	1	1	4	6	10	12	25
35-49	290	5.8	16	1	2	5	8	11	13	21
50-64	428	7.4	39	1	2	6	9	14	16	28
65+	2076	8.2	23	3	3	7	10	14	18	25
B. *Operated*										
0-19 YRS	62	9.9	70	2	3	7	12	21	28	43
20-34	202	11.0	91	2	3	8	14	24	33	45
35-49	111	12.1	93	2	3	10	16	22	32	48
50-64	92	14.6	206	1	2	10	18	31	40	79
65+	248	14.7	124	3	5	12	19	26	35	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	928	4.6	12	1	1	4	6	9	11	17
B. *Operated*	125	9.2	36	2	3	8	12	15	18	34
2. MULTIPLE DX										
A. *Not Operated*	3405	7.3	25	2	2	6	9	13	16	25
B. *Operated*	715	12.8	118	2	3	10	16	26	34	59
1. SINGLE DX	1053	5.1	17	1	1	4	7	10	13	19
2. MULTIPLE DX	4120	8.3	46	2	2	7	10	15	20	34
A. NOT OPERATED	4333	6.7	24	1	2	6	9	12	16	24
B. OPERATED	840	12.3	108	2	3	10	15	24	32	55
TOTAL 0-19 YRS	450	5.1	28	1	1	3	6	11	15	31
20-34	977	6.3	38	1	1	5	8	12	17	34
35-49	597	6.7	37	1	2	5	9	14	18	31
50-64	656	8.0	66	1	2	6	9	14	20	43
65+	2493	8.8	37	2	3	7	11	15	20	31
GRAND TOTAL	**5173**	**7.6**	**42**	**1**	**2**	**6**	**10**	**14**	**19**	**32**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	1.8	1	1	1	1	3	3	3	3
35-49	3	4.7	10	1	1	6	7	7	7	7
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	6	13.2	17	9	9	12	16	20	20	20
20-34	16	12.8	38	5	6	12	17	23	23	23
35-49	4	16.0	53	6	6	17	21	23	23	23
50-64	1	31.0		31	31	31	31	31	31	31
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.0	296	2	2	6	18	43	49	49
20-34	15	9.8	134	1	1	5	16	28	37	40
35-49	8	15.4	832	<1	<1	5	11	63	86	86
50-64	6	7.0	22	1	1	8	10	13	13	13
65+	17	8.5	25	2	4	8	11	14	20	23
B. *Operated*										
0-19 YRS	23	35.1	682	9	10	28	69	99	99+	99+
20-34	59	31.8	410	6	13	29	45	90	99+	99+
35-49	19	22.8	178	9	11	18	28	46	55	55
50-64	11	24.5	328	4	10	25	48	99+	99+	99+
65+	12	22.0	248	7	8	16	38	66	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.0	6	1	1	2	4	7	8	9
B. *Operated*	27	14.0	44	6	6	13	19	23	24	31
2. MULTIPLE DX										
A. *Not Operated*	53	10.3	199	1	1	6	11	21	38	85
B. *Operated*	124	29.4	413	7	11	24	45	89	99+	99+
1. SINGLE DX	45	9.6	58	1	1	8	15	21	23	31
2. MULTIPLE DX	177	23.7	425	2	4	19	38	72	99+	99+
A. NOT OPERATED	71	8.5	160	1	1	5	9	19	28	78
B. OPERATED	151	26.7	381	6	9	21	41	75	99+	99+
TOTAL 0-19 YRS	38	25.8	598	2	3	18	50	86	99+	99+
20-34	99	22.7	399	1	3	19	37	72	99+	99+
35-49	34	18.6	310	1	2	14	23	37	55	86
50-64	21	16.9	266	1	2	13	30	74	99+	99+
65+	30	13.9	153	4	5	11	16	39	57	99+
GRAND TOTAL	**222**	**20.9**	**382**	**1**	**3**	**16**	**33**	**66**	**98**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	1	1	1	2	2	3	4	4
20-34	29	2.3	6	<1	1	2	2	4	7	13
35-49	56	2.9	4	<1	1	2	4	5	7	9
50-64	61	3.2	7	1	1	3	4	6	8	15
65+	52	3.7	5	1	1	3	5	7	9	11
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	3.7	3	2	2	3	5	6	6	6
35-49	5	6.0	34	2	2	4	8	16	16	16
50-64	2	8.5	113	1	1	8	16	16	16	16
65+	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.4	21	1	1	2	4	5	8	33
20-34	296	3.3	5	1	1	3	4	6	8	11
35-49	368	4.4	12	1	1	4	6	9	11	17
50-64	463	5.2	13	1	2	4	7	10	13	19
65+	1096	6.2	19	1	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	26	6.9	18	1	1	6	10	14	15	17
20-34	121	7.5	93	1	2	6	9	13	15	53
35-49	125	8.2	114	1	2	5	10	15	31	59
50-64	130	10.1	82	2	3	8	11	19	26	44
65+	170	11.5	75	3	3	9	15	25	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.0	5	1	1	2	4	6	8	12
B. *Operated*	16	5.7	21	1	2	5	7	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	2290	5.3	16	1	1	4	7	10	13	20
B. *Operated*	572	9.4	88	2	2	7	11	18	26	51
1. SINGLE DX	227	3.2	7	1	1	2	4	6	8	16
2. MULTIPLE DX	2862	6.1	33	1	2	5	8	12	15	31
A. NOT OPERATED	2501	5.1	15	1	1	4	7	10	12	20
B. OPERATED	588	9.3	87	2	2	7	11	18	26	50
TOTAL 0-19 YRS	107	4.1	21	1	1	3	5	8	11	26
20-34	452	4.4	32	1	1	3	5	9	11	22
35-49	554	5.1	37	1	1	4	6	10	12	31
50-64	656	6.0	31	1	2	5	7	11	16	26
65+	1320	6.8	29	1	2	5	9	13	17	30
GRAND TOTAL	**3089**	**5.9**	**32**	**1**	**1**	**5**	**7**	**11**	**15**	**29**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	4.4	27	1	1	3	5	8	11	32
20-34	70	6.0	42	1	2	5	7	10	11	45
35-49	56	6.8	23	2	2	6	8	11	14	33
50-64	54	8.6	92	2	3	7	9	14	21	65
65+	193	7.2	16	2	3	7	9	13	15	20
B. *Operated*										
0-19 YRS	6	5.8	11	2	2	6	8	10	10	10
20-34	8	15.8	111	2	2	14	25	29	30	30
35-49	6	32.8	577	9	10	25	44	72	75	75
50-64	7	16.1	84	9	9	13	18	32	35	35
65+	4	23.5	647	3	3	15	40	60	60	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	6.7	30	1	2	6	8	13	18	22
20-34	168	9.9	94	2	3	7	12	17	31	49
35-49	137	9.5	82	2	3	7	11	17	25	56
50-64	183	11.8	72	3	3	9	13	20	28	44
65+	1497	9.3	35	3	4	8	12	16	20	32
B. *Operated*										
0-19 YRS	84	14.1	157	2	3	10	18	33	41	54
20-34	172	19.4	254	3	5	14	27	44	59	73
35-49	76	21.1	306	5	5	15	31	47	53	83
50-64	90	26.3	411	6	7	20	37	54	70	85
65+	181	18.2	134	5	7	15	22	37	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	6.7	33	1	2	6	8	12	14	30
B. *Operated*	31	18.2	285	2	3	13	23	39	59	75
2. MULTIPLE DX										
A. *Not Operated*	2139	9.3	46	2	3	8	11	16	21	41
B. *Operated*	603	19.5	244	4	5	14	27	43	53	81
1. SINGLE DX	482	7.4	57	1	2	6	9	13	18	41
2. MULTIPLE DX	2742	11.5	108	3	4	9	13	22	33	58
A. NOT OPERATED	2590	8.8	45	2	3	7	11	15	20	39
B. OPERATED	634	19.5	246	3	5	14	26	43	54	81
TOTAL 0-19 YRS	322	8.0	75	1	2	5	9	17	29	45
20-34	418	13.3	180	2	3	8	16	30	44	68
35-49	275	12.7	180	2	3	8	14	32	44	71
50-64	334	14.7	216	3	3	10	16	33	48	76
65+	1875	9.9	52	3	4	8	12	18	23	43
GRAND TOTAL	**3224**	**10.9**	**102**	**2**	**3**	**8**	**13**	**21**	**31**	**57**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.9	18	<1	<1	1	2	8	15	18
20-34	28	2.4	2	<1	1	2	3	5	5	7
35-49	18	2.3	2	<1	1	2	3	4	5	5
50-64	38	2.5	3	<1	1	2	3	5	6	8
65+	126	3.0	3	1	1	3	4	5	7	9
B. *Operated*										
0-19 YRS	1013	3.0	17	1	1	2	3	6	14	21
20-34	142	3.2	8	1	1	2	4	7	8	14
35-49	91	3.0	3	1	1	3	4	5	6	10
50-64	122	3.8	7	1	1	3	5	7	9	15
65+	181	4.7	11	1	1	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.5	19	1	1	2	3	8	15	20
20-34	33	4.7	25	<1	1	3	6	9	15	26
35-49	57	5.2	26	1	1	3	6	13	15	24
50-64	114	4.9	17	1	2	4	6	8	11	23
65+	658	5.9	26	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	326	5.3	60	1	1	3	5	13	19	35
20-34	178	8.8	102	1	2	5	11	21	30	50
35-49	122	6.3	36	1	2	4	7	14	19	31
50-64	257	7.0	47	1	2	5	8	14	19	40
65+	682	8.2	57	1	2	6	11	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	2.8	8	<1	1	2	3	5	8	17
B. *Operated*	1549	3.3	14	1	1	2	4	7	12	20
2. MULTIPLE DX										
A. *Not Operated*	932	5.5	25	1	1	4	7	11	15	25
B. *Operated*	1565	7.3	61	1	1	5	9	15	20	38
1. SINGLE DX	1877	3.2	13	1	1	2	4	7	12	20
2. MULTIPLE DX	2497	6.6	48	1	1	5	8	14	19	35
A. NOT OPERATED	1260	4.8	22	1	1	3	6	10	14	24
B. OPERATED	3114	5.3	42	1	1	3	7	12	17	29
TOTAL 0-19 YRS	1527	3.5	27	1	1	2	3	8	15	22
20-34	381	5.9	61	1	1	4	7	13	20	42
35-49	288	4.8	24	1	1	3	5	11	14	26
50-64	531	5.5	30	1	2	4	6	11	15	29
65+	1647	6.5	38	1	2	5	8	12	17	28
GRAND TOTAL	**4374**	**5.2**	**36**	**1**	**1**	**3**	**6**	**12**	**16**	**26**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.6	4	<1	1	1	2	3	3	14
20-34	31	2.1	1	<1	<1	2	3	4	4	5
35-49	10	1.3		<1	<1	1	1	2	3	3
50-64	10	3.0	3	1	1	2	5	6	6	6
65+	13	2.8	15	<1	<1	1	2	9	13	14
B. *Operated*										
0-19 YRS	1653	1.5	1	<1	1	1	2	3	3	6
20-34	430	2.6	3	1	1	2	3	5	6	10
35-49	343	2.4	4	1	1	2	3	4	6	9
50-64	368	2.3	3	1	1	2	3	4	5	7
65+	386	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.1	2	<1	1	2	3	4	6	6
20-34	53	3.2	5	1	1	3	5	7	8	9
35-49	35	3.5	11	<1	1	3	4	9	11	15
50-64	42	4.8	18	<1	1	3	7	11	14	19
65+	153	6.1	47	1	1	4	6	13	17	34
B. *Operated*										
0-19 YRS	427	3.5	23	1	1	2	4	8	12	27
20-34	436	5.4	32	1	1	4	7	11	13	27
35-49	306	4.7	21	1	1	3	6	10	14	25
50-64	350	4.9	38	1	1	3	5	9	15	41
65+	719	5.4	27	1	1	4	6	11	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.0	4	<1	<1	1	2	3	5	14
B. *Operated*	3180	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	319	4.7	29	1	1	3	6	9	15	30
B. *Operated*	2238	4.9	29	1	1	3	6	10	14	27
1. SINGLE DX	3298	1.9	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	2557	4.8	29	1	1	3	6	10	14	27
A. NOT OPERATED	437	4.0	24	<1	1	2	5	8	13	26
B. OPERATED	5418	3.2	15	1	1	2	4	6	10	20
TOTAL 0-19 YRS	2170	1.9	6	<1	1	1	2	3	5	13
20-34	950	3.9	19	1	1	3	4	8	11	22
35-49	694	3.5	13	1	1	2	4	7	10	21
50-64	770	3.6	21	1	1	2	4	6	9	21
65+	1271	4.6	24	1	1	3	5	10	13	27
GRAND TOTAL	**5855**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**10**	**20**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.0	9	1	1	2	4	7	11	12
20-34	28	2.8	3	<1	1	3	3	6	6	7
35-49	15	2.1	1	1	1	2	3	3	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	240	1.6	1	<1	<1	1	2	3	4	9
20-34	331	1.7	1	<1	<1	1	2	3	4	6
35-49	132	1.7	1	<1	1	1	2	3	3	5
50-64	87	2.1	4	1	1	1	2	5	6	10
65+	31	2.5	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.6	70	1	1	2	3	4	14	44
20-34	30	2.4	4	<1	<1	2	3	5	6	10
35-49	19	3.3	4	1	1	3	4	7	8	8
50-64	11	4.4	16	<1	<1	3	6	10	14	14
65+	15	6.3	141	1	1	3	4	12	39	48
B. *Operated*										
0-19 YRS	179	2.7	6	<1	1	2	3	6	7	11
20-34	429	3.0	9	1	1	2	3	6	8	15
35-49	221	3.5	20	1	1	2	4	7	9	21
50-64	138	2.9	6	1	1	2	4	6	8	12
65+	106	4.2	31	1	1	3	4	8	12	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.6	4	1	1	2	3	5	6	11
B. *Operated*	821	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	101	3.7	42	1	1	2	4	6	9	46
B. *Operated*	1073	3.1	13	1	1	2	4	7	9	15
1. SINGLE DX	885	1.8	2	<1	1	1	2	3	5	8
2. MULTIPLE DX	1174	3.2	15	1	1	2	4	7	9	16
A. NOT OPERATED	165	3.3	27	1	1	2	4	6	7	39
B. OPERATED	1894	2.5	8	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	460	2.2	8	<1	1	1	2	4	6	11
20-34	818	2.4	6	<1	1	2	3	5	7	12
35-49	387	2.8	12	1	1	2	3	6	8	15
50-64	237	2.7	6	1	1	2	3	6	8	12
65+	157	4.0	36	1	1	2	4	8	11	46
GRAND TOTAL	**2059**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	8.8	76	<1	1	5	14	24	25	27
20-34	8	3.9	5	<1	<1	4	6	7	7	7
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64	16	6.5	21	1	2	5	9	14	16	17
65+	97	7.2	40	1	2	6	9	15	21	32
B. *Operated*										
0-19 YRS	87	9.6	81	2	3	6	11	23	29	45
20-34	44	8.3	29	3	4	7	10	14	17	35
35-49	83	8.2	9	4	5	8	10	12	13	16
50-64	272	9.8	18	4	5	9	12	15	18	25
65+	1759	11.2	17	6	7	11	13	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	10.7	192	1	1	3	21	33	42	45
20-34	14	5.4	15	1	2	5	6	11	15	16
35-49	18	12.2	239	<1	1	8	11	43	51	52
50-64	57	7.4	35	1	2	6	9	15	19	29
65+	736	9.3	53	2	3	8	12	17	22	45
B. *Operated*										
0-19 YRS	97	16.6	204	3	3	11	23	36	43	70
20-34	156	15.5	116	5	7	12	17	32	40	50
35-49	169	13.6	87	5	6	12	15	23	30	52
50-64	833	13.3	61	6	7	12	15	21	27	46
65+	10489	13.8	48	7	8	13	16	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	7.1	41	1	1	5	9	16	23	31
B. *Operated*	2245	10.8	20	5	6	10	13	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	848	9.2	59	2	3	7	11	17	22	47
B. *Operated*	11744	13.8	51	6	8	12	16	21	27	42
1. SINGLE DX	2399	10.6	22	4	5	10	13	16	18	27
2. MULTIPLE DX	12592	13.5	53	6	7	12	16	21	26	42
A. NOT OPERATED	1002	8.9	57	1	2	7	11	17	23	45
B. OPERATED	13989	13.4	48	6	7	12	15	20	25	40
TOTAL 0-19 YRS	233	12.5	153	1	2	8	17	31	37	55
20-34	222	13.0	104	3	5	10	15	27	38	49
35-49	277	11.7	78	4	5	10	13	19	27	51
50-64	1178	12.1	53	5	6	11	14	19	24	41
65+	13081	13.2	46	6	7	12	15	20	25	39
GRAND TOTAL	**14991**	**13.1**	**49**	**5**	**7**	**12**	**15**	**20**	**25**	**41**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	314	16.2	134	1	1	17	23	30	37	52
20-34	10	10.3	96	3	3	7	9	27	34	34
35-49	12	17.2	239	2	2	11	32	38	41	41
50-64	8	21.1	401	3	3	12	39	51	54	54
65+	41	8.5	132	1	1	5	9	19	28	65
B. *Operated*										
0-19 YRS	425	11.4	112	1	2	8	18	26	32	45
20-34	108	10.7	75	2	4	9	13	17	23	52
35-49	40	10.1	32	3	4	9	13	18	22	27
50-64	34	11.0	53	4	5	9	13	19	25	38
65+	75	14.3	95	5	6	13	17	22	34	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	17.5	235	1	1	16	25	34	43	83
20-34	31	15.0	430	<1	1	5	12	46	58	83
35-49	18	14.2	269	1	3	7	12	41	52	60
50-64	36	15.8	318	2	4	8	14	48	63	71
65+	275	13.9	208	2	3	8	16	38	47	65
B. *Operated*										
0-19 YRS	429	17.9	223	2	3	14	24	36	48	81
20-34	381	18.0	205	4	6	14	22	37	52	86
35-49	129	19.5	283	4	6	14	23	45	61	90
50-64	152	18.7	226	6	7	14	21	43	52	90
65+	660	16.4	120	5	7	14	19	29	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	15.3	146	1	2	15	23	31	38	54
B. *Operated*	682	11.5	97	1	2	9	16	24	31	46
2. MULTIPLE DX										
A. *Not Operated*	537	15.3	240	1	2	9	21	38	47	83
B. *Operated*	1751	17.5	186	3	6	14	21	34	47	83
1. SINGLE DX	1067	12.9	118	1	2	10	19	27	34	50
2. MULTIPLE DX	2288	17.0	199	3	4	13	21	35	47	83
A. NOT OPERATED	922	15.3	200	1	2	11	22	34	43	65
B. OPERATED	2433	15.8	168	2	4	13	20	32	43	71
TOTAL 0-19 YRS	1345	15.4	176	1	2	13	22	31	39	62
20-34	530	16.2	198	3	5	12	20	34	47	81
35-49	199	17.0	240	3	4	12	20	40	53	86
50-64	230	17.2	226	4	6	12	19	40	52	84
65+	1051	15.3	145	3	5	12	18	30	41	65
GRAND TOTAL	**3355**	**15.7**	**177**	**2**	**3**	**12**	**21**	**33**	**43**	**69**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	1.9	1	1	1	2	2	3	4	6
20-34	92	3.9	93	1	1	2	3	6	9	59
35-49	64	3.4	12	<1	1	3	4	6	8	24
50-64	56	4.1	8	1	1	3	6	8	10	12
65+	64	5.2	10	1	2	4	7	10	12	15
B. *Operated*										
0-19 YRS	664	3.3	9	1	1	3	4	6	8	13
20-34	536	4.9	16	1	1	4	6	9	13	20
35-49	350	5.5	16	1	2	5	7	10	13	19
50-64	211	7.0	60	2	2	5	8	12	16	55
65+	106	8.3	20	2	3	8	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	3.5	6	1	1	3	5	8	8	10
20-34	102	4.5	21	1	1	3	5	9	13	26
35-49	77	5.8	39	1	1	4	7	13	16	37
50-64	105	5.6	18	1	2	5	7	12	14	20
65+	307	7.4	46	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	406	7.1	58	1	1	5	8	16	23	39
20-34	549	10.5	121	2	3	7	12	23	32	56
35-49	390	9.3	79	2	3	7	12	17	26	51
50-64	350	10.9	107	2	3	8	13	21	27	60
65+	376	12.0	114	2	3	9	14	23	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.1	23	1	1	2	4	6	8	13
B. *Operated*	1867	4.9	21	1	1	4	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	670	6.0	34	1	1	5	8	12	15	22
B. *Operated*	2071	9.9	99	2	2	7	12	20	28	54
1. SINGLE DX	2362	4.5	22	1	1	3	5	9	11	20
2. MULTIPLE DX	2741	9.0	86	1	2	6	11	18	25	49
A. NOT OPERATED	1165	4.8	31	1	1	3	6	10	13	20
B. OPERATED	3938	7.5	69	1	2	5	9	15	22	45
TOTAL 0-19 YRS	1368	4.2	26	1	1	3	5	8	12	28
20-34	1279	7.2	75	1	2	5	8	15	22	45
35-49	881	7.1	50	1	2	5	9	14	18	37
50-64	722	8.5	79	1	2	6	10	15	22	51
65+	853	9.4	75	2	3	7	11	17	23	52
GRAND TOTAL	**5103**	**6.9**	**61**	**1**	**1**	**5**	**8**	**14**	**20**	**42**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.2	2	1	1	2	3	4	5	7
20-34	131	2.8	15	<1	1	2	3	4	5	18
35-49	94	2.9	4	1	1	2	4	6	7	10
50-64	75	3.3	4	1	1	3	4	6	7	12
65+	71	3.6	5	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	866	2.7	3	1	1	2	3	5	6	10
20-34	1392	3.5	5	1	1	3	4	6	7	11
35-49	1033	4.1	11	1	2	3	5	7	9	14
50-64	791	4.6	6	1	2	4	6	8	9	13
65+	433	5.9	17	2	3	5	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.9	4	<1	1	2	4	6	7	12
20-34	145	3.5	8	1	1	3	5	6	9	14
35-49	127	4.0	8	1	1	3	5	9	10	13
50-64	142	5.3	53	1	1	4	6	9	11	28
65+	326	6.1	41	1	2	5	7	12	15	22
B. *Operated*										
0-19 YRS	468	5.2	40	1	1	4	6	10	16	34
20-34	1059	5.7	37	1	2	4	6	10	14	33
35-49	803	5.8	24	1	2	5	7	10	14	27
50-64	934	6.9	41	2	3	5	8	12	15	33
65+	1032	8.0	30	2	3	7	10	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	2.9	7	1	1	2	4	5	7	10
B. *Operated*	4515	3.9	8	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	807	4.9	30	1	1	4	6	9	12	20
B. *Operated*	4296	6.5	35	1	2	5	8	12	16	29
1. SINGLE DX	4979	3.8	8	1	1	3	5	7	8	13
2. MULTIPLE DX	5103	6.2	35	1	2	5	7	11	15	28
A. NOT OPERATED	1271	4.1	23	1	1	3	5	8	10	19
B. OPERATED	8811	5.1	23	1	2	4	6	9	12	23
TOTAL 0-19 YRS	1494	3.4	16	1	1	3	4	6	8	19
20-34	2727	4.3	19	1	1	3	5	7	10	21
35-49	2057	4.7	16	1	2	4	6	8	11	20
50-64	1942	5.7	28	1	2	5	7	10	13	21
65+	1862	7.0	29	2	3	6	8	12	16	27
GRAND TOTAL	**10082**	**5.0**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	13	2.1	1	1	1	2	3	4	4	4
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	4	3.5	9	<1	<1	3	6	7	7	7
B. Operated										
0-19 YRS	26	1.7	1	<1	1	1	2	3	4	5
20-34	38	2.2	2	<1	1	2	3	4	5	7
35-49	16	1.6	1	1	1	1	2	3	3	3
50-64	6	2.5	4	1	1	2	3	6	6	6
65+	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	2.8	6	<1	1	2	3	6	8	12
20-34	123	3.0	4	<1	1	2	4	6	7	9
35-49	76	3.7	8	1	1	3	5	7	11	14
50-64	64	4.7	13	1	1	4	5	10	11	20
65+	126	6.0	16	1	2	5	8	11	13	22
B. Operated										
0-19 YRS	45	5.7	112	<1	1	2	6	9	23	66
20-34	54	4.6	48	1	1	3	6	8	12	48
35-49	27	4.8	11	1	1	4	7	10	11	14
50-64	26	6.3	30	1	2	4	6	15	19	22
65+	28	6.0	22	1	1	4	9	13	15	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.1	2	<1	<1	2	3	4	5	7
B. Operated	89	2.0	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	468	4.1	11	1	1	3	5	9	11	14
B. Operated	180	5.4	51	1	1	3	6	12	14	43
1. SINGLE DX	124	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	648	4.5	23	1	1	3	6	9	12	22
A. NOT OPERATED	503	4.0	11	1	1	3	5	8	11	14
B. OPERATED	269	4.3	37	1	1	3	5	9	12	26
TOTAL 0-19 YRS	160	3.3	36	<1	1	2	3	6	10	26
20-34	228	3.2	14	1	1	2	4	6	7	12
35-49	124	3.6	8	1	1	3	5	7	10	14
50-64	99	4.9	17	1	1	4	5	11	14	22
65+	161	5.9	17	1	2	5	8	12	14	22
GRAND TOTAL	**772**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	4	1	1	1	4	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	4	5.8	30	1	1	4	10	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	9	1	1	1	4	7	7	7
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	25.0		25	25	25	25	25	25	25
65+	5	8.4	14	3	3	9	11	13	13	13
B. Operated										
0-19 YRS	10	23.5	522	4	4	20	27	60	79	79
20-34	11	11.0	88	2	2	8	16	27	30	30
35-49	2	17.0	8	15	15	17	19	19	19	19
50-64	4	25.8	864	3	3	16	45	68	68	68
65+	6	33.3	995	4	4	23	72	72	72	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.4	3	1	1	2	4	5	5	5
B. Operated	8	5.1	18	1	1	3	8	12	13	13
2. MULTIPLE DX										
A. Not Operated	13	7.2	49	1	1	7	11	16	23	25
B. Operated	33	21.0	480	2	3	14	26	69	72	79
1. SINGLE DX	17	3.7	11	1	1	3	5	9	12	13
2. MULTIPLE DX	46	17.1	393	1	2	9	23	40	72	79
A. NOT OPERATED	22	5.3	35	1	1	3	7	13	18	25
B. OPERATED	41	17.9	427	2	2	9	23	52	72	79
TOTAL 0-19 YRS	23	12.0	325	1	1	5	16	30	54	79
20-34	19	8.6	68	1	1	7	13	22	28	30
35-49	4	10.0	68	3	3	9	17	19	19	19
50-64	5	25.6	648	3	3	23	36	68	68	68
65+	12	20.3	645	2	3	9	23	72	72	72
GRAND TOTAL	**53**	**13.5**	**324**	**1**	**1**	**7**	**16**	**30**	**69**	**78**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.6	1	<1	<1	1	2	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	83	1.9	1	<1	1	2	2	3	3	6
20-34	327	1.9	1	1	1	2	2	3	4	5
35-49	114	2.2	1	1	1	2	3	4	4	5
50-64	33	2.4	4	<1	<1	2	3	5	8	9
65+	33	2.3	5	<1	<1	1	2	6	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	3	<1	<1	3	3	5	6	6
20-34	20	2.9	4	<1	<1	3	3	6	7	7
35-49	15	2.1	2	<1	<1	2	2	4	5	5
50-64	8	2.5	12	<1	<1	1	2	9	11	11
65+	24	4.5	22	1	1	3	5	9	15	22
B. *Operated*										
0-19 YRS	17	3.2	25	1	1	2	3	4	16	22
20-34	86	3.3	11	<1	1	2	4	6	9	18
35-49	51	3.3	6	<1	1	3	4	7	9	11
50-64	47	3.2	8	1	1	3	4	7	9	15
65+	89	4.6	21	1	1	3	6	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.8	1	<1	<1	2	3	3	3	3
B. *Operated*	590	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	76	3.2	10	<1	<1	2	4	7	9	19
B. *Operated*	290	3.7	13	1	1	3	4	8	11	18
1. SINGLE DX	601	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	366	3.6	13	<1	1	3	4	8	11	19
A. NOT OPERATED	87	3.0	9	<1	<1	2	3	6	8	18
B. OPERATED	880	2.6	6	<1	1	2	3	4	7	14
TOTAL 0-19 YRS	110	2.2	5	1	1	2	3	3	4	13
20-34	440	2.2	3	<1	1	2	3	4	5	9
35-49	182	2.5	3	<1	1	2	3	4	5	10
50-64	89	2.9	7	<1	1	2	3	6	9	14
65+	146	4.0	18	<1	1	2	5	10	14	20
GRAND TOTAL	**967**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	5	3.8	15	<1	<1	1	8	8	8	8
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	5	3.6	5	2	2	2	5	7	7	7
65+	4	3.8	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	187	2.1	2	<1	1	2	3	4	5	6
20-34	332	2.3	3	<1	1	2	3	4	5	8
35-49	176	2.3	3	<1	1	2	3	4	5	10
50-64	81	2.6	7	<1	1	2	3	5	7	18
65+	36	2.8	6	<1	<1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
20-34	15	2.9	6	<1	1	2	5	6	8	9
35-49	8	3.3	14	<1	<1	1	5	10	11	11
50-64	7	2.7	3	<1	<1	2	3	5	6	6
65+	10	5.4	30	1	1	4	6	13	20	20
B. *Operated*										
0-19 YRS	242	2.9	13	<1	1	2	4	5	7	16
20-34	406	3.2	12	<1	1	2	4	6	8	12
35-49	224	2.8	8	<1	1	2	4	6	8	14
50-64	207	2.9	7	1	1	2	4	6	9	14
65+	120	3.7	13	1	1	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.9	5	<1	<1	2	4	7	8	8
B. *Operated*	812	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	49	3.2	11	<1	1	2	4	6	9	20
B. *Operated*	1199	3.1	10	1	1	2	4	6	8	15
1. SINGLE DX	837	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	1248	3.1	11	1	1	2	4	6	8	15
A. NOT OPERATED	74	3.1	9	<1	1	2	4	6	8	18
B. OPERATED	2011	2.7	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	446	2.5	8	<1	1	2	3	5	5	13
20-34	758	2.8	8	<1	1	2	4	5	7	11
35-49	411	2.6	6	<1	1	2	3	5	7	12
50-64	300	2.9	7	1	1	2	4	6	8	14
65+	170	3.6	12	1	1	2	5	7	10	19
GRAND TOTAL	**2085**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	4	<1	<1	1	3	6	7	8
20-34	30	3.9	14	1	1	3	5	8	10	19
35-49	19	4.9	18	<1	<1	4	7	12	14	14
50-64	9	3.8	11	<1	<1	3	5	9	11	11
65+	5	7.8	27	1	1	6	12	14	14	14
B. *Operated*										
0-19 YRS	144	3.1	14	<1	1	2	3	7	13	19
20-34	170	3.5	19	1	1	2	4	7	12	21
35-49	78	4.8	28	<1	1	3	7	12	16	26
50-64	52	4.0	17	1	1	3	5	12	15	15
65+	35	3.5	19	1	1	2	4	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	12	<1	1	3	4	6	12	17
20-34	26	6.0	20	1	2	5	7	11	15	21
35-49	19	6.5	56	1	2	3	8	14	25	33
50-64	26	7.0	16	2	2	6	9	14	14	15
65+	49	6.0	17	2	2	5	8	13	16	16
B. *Operated*										
0-19 YRS	101	6.9	85	1	1	5	8	14	18	53
20-34	199	7.6	63	1	1	5	9	20	23	35
35-49	106	7.6	80	1	1	5	10	15	20	55
50-64	117	9.9	179	1	2	5	10	22	30	69
65+	105	9.0	93	1	1	5	11	20	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.9	14	<1	<1	3	6	9	12	17
B. *Operated*	479	3.7	19	<1	1	2	4	9	14	20
2. MULTIPLE DX										
A. *Not Operated*	142	5.9	22	1	2	4	8	13	15	22
B. *Operated*	628	8.1	97	1	1	5	10	19	24	56
1. SINGLE DX	563	3.7	18	<1	1	2	4	9	13	20
2. MULTIPLE DX	770	7.7	84	1	1	5	10	17	23	53
A. NOT OPERATED	226	5.2	20	1	1	4	7	11	14	19
B. OPERATED	1107	6.2	68	1	1	3	8	15	21	43
TOTAL 0-19 YRS	288	4.4	41	<1	1	2	5	10	15	24
20-34	425	5.6	43	1	1	3	7	13	20	30
35-49	222	6.3	55	1	1	4	8	14	17	41
50-64	204	7.8	116	1	1	4	9	16	25	64
65+	194	7.2	63	1	1	5	10	16	21	43
GRAND TOTAL	**1333**	**6.0**	**60**	**1**	**1**	**3**	**7**	**14**	**20**	**38**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	7	<1	1	3	4	5	8	14
20-34	20	1.9	1	<1	<1	2	2	4	4	4
35-49	8	3.3	1	2	2	3	4	5	5	5
50-64	18	2.3	1	1	1	2	3	4	5	5
65+	11	4.2	5	2	2	3	6	8	8	8
B. *Operated*										
0-19 YRS	195	3.0	3	<1	1	3	4	5	7	8
20-34	294	3.3	5	1	1	3	4	6	7	9
35-49	95	3.2	4	1	1	3	4	6	7	10
50-64	39	3.3	6	<1	1	3	4	5	7	14
65+	17	4.9	9	1	1	4	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.5	6	1	1	1	3	5	9	11
20-34	35	3.4	9	<1	<1	2	4	8	10	13
35-49	26	3.5	8	<1	1	3	4	7	9	13
50-64	48	4.9	10	1	1	4	6	9	13	13
65+	92	5.1	11	2	2	4	6	9	13	18
B. *Operated*										
0-19 YRS	337	3.4	3	1	1	3	4	6	6	10
20-34	482	4.0	7	1	1	4	5	7	9	15
35-49	220	3.9	6	1	1	4	5	6	8	13
50-64	76	4.4	8	1	2	4	5	8	9	17
65+	53	8.4	115	2	2	5	10	15	24	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.8	4	<1	1	2	4	5	6	12
B. *Operated*	640	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	220	4.4	10	1	1	4	6	8	12	15
B. *Operated*	1168	4.0	12	1	1	4	5	7	9	15
1. SINGLE DX	721	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1388	4.1	11	1	1	4	5	7	9	15
A. NOT OPERATED	301	3.9	9	1	1	3	5	7	10	14
B. OPERATED	1808	3.7	9	1	1	3	5	6	8	14
TOTAL 0-19 YRS	575	3.2	3	1	1	3	4	5	6	10
20-34	831	3.7	7	1	1	3	5	7	8	13
35-49	349	3.7	5	1	1	3	5	6	8	12
50-64	181	4.1	8	1	1	3	5	7	9	14
65+	173	6.0	44	2	2	4	7	11	15	27
GRAND TOTAL	**2109**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.6	6	1	1	3	5	7	9	11
20-34	628	5.0	8	1	2	4	6	8	11	14
35-49	645	5.5	10	1	2	5	7	10	12	16
50-64	208	5.2	8	2	2	5	7	9	11	14
65+	50	5.2	6	1	2	5	7	8	9	14
B. *Operated*										
0-19 YRS	8	3.4	9	1	1	2	5	8	9	9
20-34	131	5.4	25	1	1	3	9	13	15	22
35-49	118	5.0	22	1	1	3	7	12	15	22
50-64	26	5.8	44	1	1	2	11	14	22	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.5	10	<1	1	3	6	9	11	15
20-34	769	6.0	16	2	2	5	7	11	13	19
35-49	1047	6.4	14	2	3	5	8	11	13	19
50-64	825	6.4	13	2	3	6	8	11	13	19
65+	563	6.5	15	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	3	3.7	21	1	1	1	7	9	9	9
20-34	127	7.3	34	1	1	6	11	15	17	26
35-49	169	8.7	58	1	1	7	11	16	22	33
50-64	96	8.3	32	1	2	8	11	15	18	31
65+	41	11.4	61	3	4	9	16	21	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1587	5.2	9	1	2	5	7	9	11	14
B. *Operated*	283	5.2	25	1	1	3	8	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	3267	6.3	14	2	3	5	8	11	13	19
B. *Operated*	436	8.4	46	1	1	7	11	16	21	32
1. SINGLE DX	1870	5.2	11	1	2	5	7	9	12	16
2. MULTIPLE DX	3703	6.5	19	2	2	6	8	12	14	22
A. NOT OPERATED	4854	5.9	13	2	2	5	7	10	12	17
B. OPERATED	719	7.2	40	1	1	6	10	15	18	27
TOTAL 0-19 YRS	130	4.0	8	1	1	3	5	8	10	14
20-34	1655	5.6	15	1	2	5	7	10	13	19
35-49	1979	6.2	18	1	2	5	8	11	14	21
50-64	1155	6.3	15	2	2	6	8	11	14	19
65+	654	6.7	19	2	3	6	8	12	14	22
GRAND TOTAL	**5573**	**6.1**	**17**	**1**	**2**	**5**	**8**	**11**	**14**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.5	4	<1	1	2	3	5	7	10
20-34	495	4.3	9	1	1	4	6	8	10	14
35-49	403	4.6	9	1	1	4	6	9	11	14
50-64	150	5.0	9	1	1	4	7	9	10	14
65+	29	4.3	7	1	1	3	6	8	10	11
B. *Operated*										
0-19 YRS	7	4.6	37	<1	<1	3	5	15	18	18
20-34	162	3.8	14	1	1	2	6	9	11	16
35-49	119	4.3	17	1	1	3	7	10	12	18
50-64	24	2.7	5	<1	1	2	3	6	8	10
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.1	6	<1	1	2	4	6	9	11
20-34	1206	5.1	12	1	2	4	6	9	11	18
35-49	1155	5.9	13	2	2	5	7	10	13	19
50-64	667	6.0	15	1	2	5	8	11	13	22
65+	477	5.7	14	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	19	2.7	7	<1	<1	2	3	8	10	10
20-34	217	5.6	26	1	1	4	8	11	14	29
35-49	218	5.0	21	1	1	4	7	11	15	22
50-64	94	8.1	51	1	2	6	10	16	20	41
65+	35	7.9	25	1	2	7	10	16	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1204	4.3	9	1	1	4	6	8	10	14
B. *Operated*	313	3.9	15	1	1	2	6	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	3725	5.5	13	1	2	5	7	10	12	19
B. *Operated*	583	5.8	29	1	1	4	8	12	16	27
1. SINGLE DX	1517	4.2	10	1	1	3	6	9	10	14
2. MULTIPLE DX	4308	5.5	15	1	2	5	7	10	13	20
A. NOT OPERATED	4929	5.2	12	1	2	4	7	9	12	18
B. OPERATED	896	5.2	25	1	1	4	7	11	15	24
TOTAL 0-19 YRS	373	2.9	6	<1	1	2	4	6	8	11
20-34	2080	4.9	13	1	1	4	6	9	11	18
35-49	1895	5.4	14	1	1	5	7	10	12	19
50-64	935	5.9	18	1	2	5	8	11	13	22
65+	542	5.8	15	1	2	5	7	10	13	22
GRAND TOTAL	**5825**	**5.2**	**14**	**1**	**1**	**4**	**7**	**10**	**12**	**19**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.1	2	<1	<1	2	3	4	5	6
20-34	70	2.2	2	<1	<1	2	3	4	5	8
35-49	43	2.2	2	<1	<1	2	3	4	5	6
50-64	20	3.4	16	1	1	2	4	7	13	18
65+	17	2.8	4	1	1	3	4	5	7	8
B. *Operated*										
0-19 YRS	79	1.7	1	<1	1	1	2	3	4	5
20-34	317	2.2	2	1	1	2	3	4	5	6
35-49	420	2.7	3	1	1	2	3	4	5	8
50-64	450	3.3	3	1	1	3	4	5	6	8
65+	148	3.9	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.7	3	<1	1	2	4	5	7	7
20-34	96	3.0	5	1	1	2	4	6	8	11
35-49	111	3.3	7	<1	1	3	4	6	9	14
50-64	111	4.1	10	<1	1	3	5	8	11	16
65+	192	5.5	17	1	2	4	6	11	13	24
B. *Operated*										
0-19 YRS	42	2.7	5	1	1	2	3	6	8	11
20-34	124	3.3	8	1	1	3	4	6	9	18
35-49	190	3.5	7	1	1	3	4	6	8	17
50-64	431	3.8	7	1	2	3	5	6	8	14
65+	278	5.3	12	1	2	5	6	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	2.4	4	<1	1	2	3	4	6	8
B. *Operated*	1414	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	552	4.1	12	1	1	3	5	8	11	16
B. *Operated*	1065	4.0	9	1	1	3	5	7	9	16
1. SINGLE DX	1608	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	1617	4.1	10	1	1	3	5	7	10	16
A. NOT OPERATED	746	3.7	10	<1	1	3	5	7	10	16
B. OPERATED	2479	3.4	6	1	1	3	4	6	7	13
TOTAL 0-19 YRS	207	2.2	2	<1	1	2	3	4	5	8
20-34	607	2.6	4	1	1	2	3	5	6	10
35-49	764	2.9	5	1	1	2	4	5	6	12
50-64	1012	3.6	6	1	1	3	4	6	8	13
65+	635	5.0	12	1	2	4	6	9	11	19
GRAND TOTAL	**3225**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1419	1.4	1	<1	1	1	2	2	3	5
20-34	395	1.8	2	<1	<1	1	2	3	4	9
35-49	127	2.2	5	1	1	1	3	5	6	10
50-64	60	2.1	2	1	1	2	3	4	5	7
65+	31	2.2	2	1	1	1	3	4	5	6
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2102	1.8	3	<1	1	1	2	3	4	8
20-34	1557	2.6	6	<1	1	2	3	5	7	11
35-49	715	3.1	8	1	1	2	4	6	8	14
50-64	482	3.4	7	1	1	3	4	7	8	14
65+	660	4.5	14	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	483	2.5	8	<1	1	2	3	5	6	14
20-34	590	3.1	10	<1	1	2	4	6	10	16
35-49	219	3.6	17	1	1	2	4	8	10	28
50-64	142	5.0	32	1	1	3	6	11	18	29
65+	246	5.1	23	1	1	4	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2033	1.5	1	<1	1	1	2	3	4	6
B. *Operated*	8	2.8	5	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	5516	2.7	7	<1	1	2	3	5	7	13
B. *Operated*	1680	3.4	15	1	1	2	4	7	11	19
1. SINGLE DX	2041	1.5	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	7196	2.8	9	<1	1	2	3	6	8	15
A. NOT OPERATED	7549	2.4	6	<1	1	2	3	5	7	12
B. OPERATED	1688	3.4	15	1	1	2	4	7	11	19
TOTAL 0-19 YRS	4006	1.8	3	<1	1	1	2	3	4	8
20-34	2545	2.6	6	<1	1	2	3	5	7	12
35-49	1063	3.1	9	1	1	2	4	6	8	15
50-64	686	3.6	12	1	1	3	4	7	9	19
65+	937	4.6	16	1	1	3	6	9	12	21
GRAND TOTAL	**9237**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	742	1.7	15	<1	1	1	2	2	4	10
20-34	211	2.7	15	<1	<1	2	3	5	8	24
35-49	73	2.5	5	1	1	2	3	5	8	12
50-64	23	3.0	4	1	1	3	3	5	8	10
65+	31	3.5	10	1	1	2	5	9	10	11
B. *Operated*										
0-19 YRS	34	6.7	63	1	2	5	8	9	11	49
20-34	27	8.8	162	<1	2	7	9	12	23	70
35-49	21	8.7	37	2	4	7	11	18	23	25
50-64	15	10.1	81	2	3	7	13	23	33	36
65+	25	13.3	245	1	3	10	15	22	39	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1256	2.8	34	<1	1	1	2	5	8	33
20-34	761	3.9	57	<1	1	2	4	7	12	45
35-49	376	3.9	29	1	1	3	5	8	11	27
50-64	277	5.2	34	1	1	3	6	12	17	29
65+	521	6.2	91	1	1	4	8	13	18	28
B. *Operated*										
0-19 YRS	356	10.8	246	1	1	4	14	34	52	99+
20-34	377	9.8	202	1	1	4	11	32	53	99+
35-49	157	12.9	252	1	1	6	17	39	59	99+
50-64	143	11.7	176	1	1	7	16	29	39	79
65+	339	13.1	168	1	2	9	18	31	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1080	2.0	14	<1	1	1	2	4	6	12
B. *Operated*	122	9.3	122	1	2	7	10	16	24	73
2. MULTIPLE DX										
A. *Not Operated*	3191	4.0	40	<1	1	2	4	8	13	30
B. *Operated*	1372	11.4	209	1	1	6	15	33	47	99+
1. SINGLE DX	1202	2.8	30	<1	1	1	2	6	9	24
2. MULTIPLE DX	4563	6.2	102	1	1	3	6	15	27	69
A. NOT OPERATED	4271	3.5	34	<1	1	2	4	7	11	28
B. OPERATED	1494	11.2	202	1	1	6	15	32	46	99+
TOTAL 0-19 YRS	2388	3.7	70	<1	1	1	3	7	14	54
20-34	1376	5.4	100	<1	1	2	5	12	25	81
35-49	627	6.2	98	1	1	3	6	14	28	79
50-64	458	7.3	88	1	1	4	8	18	27	40
65+	916	8.8	98	1	1	6	11	20	28	49
GRAND TOTAL	**5765**	**5.5**	**89**	**<1**	**1**	**2**	**5**	**13**	**23**	**61**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	2	<1	1	2	3	4	6	7
20-34	37	2.5	3	<1	1	2	4	5	6	7
35-49	8	4.1	8	<1	<1	4	5	9	10	10
50-64	6	3.5	7	<1	<1	3	5	8	8	8
65+	6	4.2	5	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS	25	4.8	7	2	2	4	7	10	10	10
20-34	78	4.5	4	2	2	4	6	7	8	10
35-49	21	5.4	8	2	2	6	6	9	12	13
50-64	7	6.1	8	4	4	5	8	11	11	11
65+	7	12.7	36	6	6	12	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	3.8	28	1	1	3	4	7	9	35
20-34	175	4.3	11	1	1	4	6	8	10	15
35-49	136	4.3	12	1	1	3	6	8	9	15
50-64	91	5.2	12	1	2	4	7	10	12	16
65+	134	6.9	33	1	2	5	9	13	19	31
B. *Operated*										
0-19 YRS	143	7.8	54	2	3	6	9	15	19	42
20-34	400	8.7	86	2	3	6	10	16	23	54
35-49	197	9.1	61	2	3	7	10	17	27	40
50-64	130	10.5	67	3	3	8	14	22	26	43
65+	146	13.3	135	3	4	10	17	26	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.8	4	<1	1	2	4	5	7	9
B. *Operated*	138	5.2	10	2	2	5	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	618	4.9	19	1	1	4	6	9	12	23
B. *Operated*	1016	9.6	84	2	3	7	11	19	25	51
1. SINGLE DX	215	4.4	9	1	1	4	6	8	10	16
2. MULTIPLE DX	1634	7.8	64	1	2	5	9	16	22	43
A. NOT OPERATED	695	4.7	18	1	1	4	6	9	11	22
B. OPERATED	1154	9.0	77	2	3	6	11	17	24	49
TOTAL 0-19 YRS	270	5.9	42	1	1	4	7	11	16	38
20-34	690	6.8	58	1	2	5	8	13	17	44
35-49	362	7.0	44	1	2	5	8	14	19	37
50-64	234	8.1	49	1	2	6	10	17	22	36
65+	293	10.2	93	2	2	8	13	20	28	52
GRAND TOTAL	**1849**	**7.4**	**59**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	3.4	8	1	1	2	5	7	9	13
20-34	93	2.8	4	<1	1	2	4	6	7	10
35-49	28	3.3	11	1	1	2	3	10	11	13
50-64	5	2.2	3	<1	<1	1	3	5	5	5
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	74	6.2	15	2	2	6	8	9	10	28
20-34	86	6.1	11	2	3	6	7	9	11	22
35-49	25	7.0	12	2	4	7	8	10	14	18
50-64	7	5.7	10	2	2	6	8	10	10	10
65+	7	8.0	23	1	1	9	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	3.5	8	1	1	2	5	8	10	12
20-34	256	3.6	7	1	1	3	4	7	9	14
35-49	109	4.2	15	1	1	3	5	9	10	21
50-64	64	4.9	12	1	1	4	7	10	11	15
65+	90	6.2	34	1	2	5	8	12	15	35
B. *Operated*										
0-19 YRS	349	10.6	101	3	4	8	12	20	26	52
20-34	627	11.5	117	3	4	8	13	23	33	68
35-49	197	11.8	98	4	5	9	14	26	31	57
50-64	122	12.8	93	3	5	10	15	32	41	99+
65+	137	17.2	260	2	3	12	22	37	54	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	3.2	7	1	1	2	4	7	9	13
B. *Operated*	199	6.3	13	2	3	6	8	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	835	4.0	13	1	1	3	5	9	11	15
B. *Operated*	1432	12.0	125	3	4	8	14	24	34	69
1. SINGLE DX	497	4.4	12	1	1	4	6	8	10	15
2. MULTIPLE DX	2267	9.0	99	1	2	7	10	18	28	56
A. NOT OPERATED	1133	3.8	11	1	1	3	5	8	10	14
B. OPERATED	1631	11.3	115	2	4	8	12	23	33	66
TOTAL 0-19 YRS	909	6.4	56	1	1	5	8	12	17	35
20-34	1062	8.4	87	1	1	6	9	16	25	55
35-49	359	8.5	74	1	1	6	10	17	27	44
50-64	198	9.7	77	1	2	8	12	20	33	73
65+	236	12.7	193	2	2	8	15	31	39	73
GRAND TOTAL	**2764**	**8.2**	**86**	**1**	**1**	**6**	**10**	**16**	**25**	**53**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	2	1	1	1	1	4	5	5
20-34	5	3.0	4	1	1	2	4	6	6	6
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	151	2.3	4	<1	1	2	3	4	5	10
20-34	99	2.8	3	<1	1	2	4	5	6	9
35-49	54	3.1	6	1	1	3	4	5	7	15
50-64	18	2.7	2	<1	1	3	4	5	6	6
65+	6	4.0	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	5	<1	1	3	5	6	8	9
20-34	10	1.6		<1	<1	1	2	3	3	3
35-49	5	4.6	19	2	2	2	7	12	12	12
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	3	5.3	4	3	3	6	7	7	7	7
B. *Operated*										
0-19 YRS	199	3.5	8	1	1	3	5	7	8	14
20-34	223	3.8	10	1	1	3	5	7	9	16
35-49	96	4.1	8	1	1	3	6	8	10	14
50-64	50	3.9	5	1	1	4	5	7	9	10
65+	43	5.3	80	1	1	3	5	9	13	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.3	4	1	1	1	3	6	7	7
B. *Operated*	328	2.6	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	43	3.2	6	<1	1	2	4	6	8	12
B. *Operated*	611	3.9	14	1	1	3	5	7	9	15
1. SINGLE DX	345	2.6	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	654	3.8	13	1	1	3	5	7	9	14
A. NOT OPERATED	60	3.0	5	<1	1	2	4	6	8	12
B. OPERATED	939	3.5	11	1	1	3	5	6	8	14
TOTAL 0-19 YRS	379	3.0	7	<1	1	2	4	6	7	14
20-34	337	3.5	8	1	1	3	5	6	8	14
35-49	157	3.8	8	1	1	3	5	7	9	14
50-64	73	3.5	4	1	1	3	5	6	7	10
65+	53	5.1	65	1	1	3	5	8	11	58
GRAND TOTAL	**999**	**3.4**	**10**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.6	1	<1	1	1	2	3	3	4
20-34	45	2.0	1	<1	<1	2	3	4	4	5
35-49	13	1.8	2	<1	<1	1	2	4	5	5
50-64	7	3.1	5	1	1	2	5	7	7	7
65+	5	1.6	2	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	261	1.6	2	<1	<1	1	2	3	5	7
20-34	140	2.0	4	<1	<1	1	2	4	5	8
35-49	28	1.5	1	<1	<1	1	2	2	4	5
50-64	16	2.1	2	<1	<1	2	3	5	5	5
65+	16	2.6	5	1	1	2	3	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	2.5	6	<1	<1	2	3	4	6	15
20-34	210	2.5	3	<1	<1	2	3	5	6	9
35-49	77	3.1	7	1	1	2	4	7	8	14
50-64	50	3.5	31	<1	1	2	4	6	9	36
65+	77	3.9	10	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	549	2.5	5	1	1	2	3	5	7	10
20-34	707	3.2	20	<1	1	2	3	7	9	17
35-49	281	4.2	54	<1	1	2	4	8	12	32
50-64	171	3.7	15	1	1	2	5	7	10	22
65+	229	4.6	23	1	1	3	5	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	1.9	1	<1	<1	1	2	4	4	6
B. *Operated*	461	1.8	3	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	559	2.9	8	<1	1	2	4	6	7	15
B. *Operated*	1937	3.3	21	<1	1	2	4	7	10	22
1. SINGLE DX	580	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	2496	3.2	18	<1	1	2	4	6	9	20
A. NOT OPERATED	678	2.7	7	<1	1	2	3	5	7	14
B. OPERATED	2398	3.0	18	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	1004	2.2	5	<1	1	2	3	4	6	10
20-34	1102	2.8	14	<1	1	2	3	6	8	15
35-49	399	3.7	40	<1	1	2	4	7	10	28
50-64	244	3.5	17	1	1	2	4	7	10	24
65+	327	4.3	19	1	1	3	5	9	13	24
GRAND TOTAL	**3076**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	1.9	1	<1	1	2	2	3	4	7
20-34	171	1.8	2	<1	<1	1	2	3	4	7
35-49	45	1.9	2	<1	<1	1	2	4	5	9
50-64	13	2.0	2	1	1	1	3	4	6	6
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	136	2.1	3	<1	<1	1	3	4	5	10
20-34	137	3.2	7	<1	1	2	5	6	8	13
35-49	40	2.4	4	<1	1	2	3	5	7	10
50-64	8	2.8	5	<1	<1	2	4	6	7	7
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.3	2	<1	<1	2	3	5	6	8
20-34	184	2.5	5	<1	<1	2	3	5	6	12
35-49	72	2.6	5	<1	<1	2	3	6	7	11
50-64	22	3.3	6	<1	1	3	4	8	9	9
65+	12	5.3	15	<1	1	5	8	11	11	11
B. *Operated*										
0-19 YRS	169	4.5	18	1	1	3	6	9	12	23
20-34	341	6.1	56	1	1	4	8	11	17	34
35-49	139	7.3	68	1	1	5	9	15	20	57
50-64	36	8.1	61	<1	1	6	10	20	21	36
65+	22	5.7	21	<1	1	4	9	11	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	323	2.6	5	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	364	2.6	5	<1	<1	2	3	5	7	11
B. *Operated*	707	6.0	49	1	1	4	8	12	17	33
1. SINGLE DX	648	2.2	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1071	4.9	37	<1	1	3	6	10	14	29
A. NOT OPERATED	689	2.2	4	<1	<1	2	3	4	6	10
B. OPERATED	1030	5.0	38	<1	1	3	6	10	14	30
TOTAL 0-19 YRS	473	2.9	9	<1	1	2	3	6	8	14
20-34	833	3.9	29	<1	1	2	5	8	11	22
35-49	296	4.7	40	<1	1	3	6	10	15	28
50-64	79	5.2	37	<1	1	3	7	13	20	32
65+	38	5.2	18	<1	1	3	8	11	13	18
GRAND TOTAL	**1719**	**3.9**	**26**	**<1**	**1**	**2**	**5**	**8**	**11**	**22**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.7	3	<1	1	3	3	5	6	10
20-34	171	2.6	3	<1	1	2	3	5	6	8
35-49	53	3.2	4	1	1	3	4	6	8	8
50-64	22	2.4	2	1	1	2	3	4	5	7
65+	10	2.6	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	519	1.9	4	<1	<1	1	2	4	5	10
20-34	917	2.2	4	<1	<1	1	2	5	7	11
35-49	391	2.2	4	<1	1	1	3	4	6	12
50-64	171	2.1	5	<1	1	1	2	5	5	11
65+	63	2.1	3	1	1	2	3	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.4	23	1	1	3	4	6	6	27
20-34	204	3.5	20	<1	1	2	4	6	9	27
35-49	98	3.5	8	<1	1	3	4	6	10	15
50-64	53	4.2	10	1	1	3	6	8	11	17
65+	37	5.5	29	1	1	4	7	11	11	32
B. *Operated*										
0-19 YRS	553	2.9	12	<1	1	2	3	6	9	18
20-34	1027	3.1	13	<1	1	2	3	7	9	20
35-49	456	3.5	23	<1	1	2	4	8	11	30
50-64	285	3.7	34	1	1	2	4	7	11	36
65+	182	5.0	51	1	1	3	6	10	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	2061	2.1	4	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	510	3.7	18	1	1	3	4	6	9	18
B. *Operated*	2503	3.3	20	1	1	2	4	7	10	24
1. SINGLE DX	2434	2.2	4	<1	1	1	3	4	6	10
2. MULTIPLE DX	3013	3.4	20	1	1	2	4	7	10	23
A. NOT OPERATED	883	3.3	12	<1	1	3	4	6	8	16
B. OPERATED	4564	2.8	13	<1	1	2	3	6	8	18
TOTAL 0-19 YRS	1307	2.5	9	<1	1	2	3	5	7	15
20-34	2319	2.7	10	<1	1	2	3	6	8	15
35-49	998	3.0	14	<1	1	2	3	6	8	19
50-64	531	3.2	21	1	1	2	3	6	9	19
65+	292	4.4	38	1	1	2	5	9	12	33
GRAND TOTAL	**5447**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.7	3	<1	1	2	4	5	6	9
20-34	144	2.8	4	<1	1	2	4	6	7	9
35-49	40	2.5	2	<1	1	2	3	5	6	7
50-64	15	3.0	4	<1	<1	3	5	6	7	7
65+	5	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	422	3.1	11	<1	1	2	4	6	7	19
20-34	357	3.8	19	<1	1	2	4	8	12	24
35-49	114	4.0	22	<1	1	3	5	9	11	56
50-64	51	4.8	32	1	1	3	5	12	21	27
65+	16	7.0	98	<1	1	4	9	13	33	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.2	10	1	1	3	5	7	10	17
20-34	118	3.8	7	1	1	3	5	7	9	14
35-49	41	5.4	19	1	1	4	7	10	15	21
50-64	35	5.6	16	1	2	4	6	12	12	20
65+	48	6.5	28	1	2	5	7	13	20	24
B. *Operated*										
0-19 YRS	287	5.9	35	1	1	4	8	13	19	28
20-34	382	6.9	71	1	1	4	8	16	25	40
35-49	157	8.0	115	1	1	5	9	16	30	60
50-64	113	9.5	80	1	2	7	13	19	26	72
65+	117	10.0	104	2	2	6	14	23	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	2.7	3	<1	1	2	4	5	7	9
B. *Operated*	960	3.6	18	<1	1	2	4	7	11	24
2. MULTIPLE DX										
A. *Not Operated*	348	4.7	14	1	1	4	6	9	12	20
B. *Operated*	1056	7.4	74	1	1	5	9	16	25	48
1. SINGLE DX	1286	3.4	14	<1	1	2	4	7	9	22
2. MULTIPLE DX	1404	6.7	60	1	1	4	8	14	20	41
A. NOT OPERATED	674	3.7	10	1	1	3	5	7	9	17
B. OPERATED	2016	5.6	51	1	1	3	6	13	18	39
TOTAL 0-19 YRS	937	4.0	19	1	1	3	5	8	12	21
20-34	1001	4.8	38	1	1	3	5	10	15	32
35-49	352	5.8	65	1	1	4	7	12	18	59
50-64	214	7.3	58	1	1	5	10	16	22	54
65+	186	8.6	84	1	2	6	11	18	27	48
GRAND TOTAL	**2690**	**5.1**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.4	7	<1	1	1	2	8	9	9
20-34	34	4.0	14	1	1	2	5	10	12	14
35-49	12	3.3	6	1	1	3	4	7	9	9
50-64	3	3.0	12	1	1	1	6	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	7	3.3	11	<1	<1	2	4	9	10	10
35-49	8	4.4	7	1	1	4	6	8	9	9
50-64	4	5.3	62	1	1	2	9	17	17	17
65+	4	8.5	28	3	3	8	13	14	14	14
B. *Operated*										
0-19 YRS	57	8.7	164	<1	1	4	9	23	42	98
20-34	158	6.2	74	<1	1	3	8	15	21	52
35-49	57	9.3	119	1	1	5	13	23	31	51
50-64	31	8.3	264	1	1	3	8	16	26	90
65+	19	9.8	231	1	2	5	9	25	51	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	72	1	1	7	13	13	13	13
B. *Operated*	65	3.4	11	1	1	2	5	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	25	4.8	19	<1	1	3	6	12	15	17
B. *Operated*	322	7.6	125	<1	1	4	9	17	27	67
1. SINGLE DX	67	3.5	12	1	1	2	5	9	11	14
2. MULTIPLE DX	347	7.4	118	<1	1	4	9	17	25	65
A. NOT OPERATED	27	5.0	21	<1	1	3	7	13	14	17
B. OPERATED	387	6.9	108	<1	1	3	8	16	24	61
TOTAL 0-19 YRS	75	7.2	132	<1	1	3	8	20	38	93
20-34	200	5.7	62	<1	1	3	8	13	18	51
35-49	78	7.7	95	1	1	4	11	17	25	50
50-64	38	7.6	223	1	1	3	8	15	25	90
65+	23	9.6	194	1	2	5	11	18	44	65
GRAND TOTAL	**414**	**6.8**	**103**	**<1**	**1**	**3**	**8**	**15**	**23**	**58**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	6	3.7	3	2	2	3	4	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.2	11	<1	1	2	4	8	9	17
20-34	70	3.9	13	1	1	3	4	9	12	19
35-49	40	3.2	9	1	1	2	4	7	9	15
50-64	14	3.1	3	1	1	3	5	5	6	6
65+	9	6.0	32	1	1	4	9	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.1	22	1	1	5	9	13	16	16
20-34	20	3.4	8	<1	<1	2	5	8	9	9
35-49	7	6.4	45	<1	<1	5	7	18	21	21
50-64	8	8.3	19	4	4	7	11	15	15	15
65+	18	4.3	14	1	1	3	7	9	12	14
B. *Operated*										
0-19 YRS	32	2.7	6	<1	<1	2	4	6	7	11
20-34	65	4.7	29	1	1	3	5	10	12	36
35-49	39	5.8	36	1	1	3	7	15	21	23
50-64	36	8.1	128	<1	1	4	10	18	23	64
65+	31	9.3	162	1	1	5	9	21	24	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	4	1	1	3	5	7	7	7
B. *Operated*	177	3.6	12	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	62	5.0	19	<1	1	4	7	9	15	20
B. *Operated*	203	5.9	68	1	1	3	7	12	19	51
1. SINGLE DX	186	3.6	11	1	1	3	5	8	11	16
2. MULTIPLE DX	265	5.7	56	1	1	4	7	12	19	38
A. NOT OPERATED	71	4.8	17	1	1	4	7	9	15	20
B. OPERATED	380	4.8	43	1	1	3	6	11	15	24
TOTAL 0-19 YRS	87	3.3	11	<1	1	2	5	8	9	17
20-34	161	4.1	19	1	1	3	5	9	12	19
35-49	87	4.6	25	1	1	3	6	12	16	23
50-64	58	6.9	86	1	1	4	8	15	19	61
65+	58	7.3	99	1	1	5	9	15	21	65
GRAND TOTAL	**451**	**4.8**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**24**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.5	3	1	1	3	5	5	6	10
20-34	73	3.4	3	1	1	3	5	6	6	8
35-49	27	3.9	4	1	1	4	5	6	7	10
50-64	6	1.8	2	<1	<1	1	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	10.3	24	7	7	8	14	16	16	16
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.6	4	1	1	3	5	6	7	9
20-34	90	3.8	11	1	1	3	5	6	9	20
35-49	33	4.5	9	1	1	5	6	7	9	16
50-64	18	4.4	3	<1	1	5	5	7	7	7
65+	32	3.7	8	1	1	3	5	7	11	12
B. *Operated*										
0-19 YRS	24	4.7	5	1	1	5	6	8	9	9
20-34	28	3.3	4	<1	1	3	5	6	7	10
35-49	13	3.2	3	1	1	3	5	6	6	6
50-64	7	4.6	20	1	1	3	5	12	14	14
65+	6	6.7	30	2	2	4	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.5	3	1	1	3	5	6	6	10
B. *Operated*	11	5.1	19	1	1	4	7	11	16	16
2. MULTIPLE DX										
A. *Not Operated*	316	3.8	7	1	1	4	5	6	7	13
B. *Operated*	78	4.1	8	1	1	4	5	7	10	15
1. SINGLE DX	296	3.5	4	1	1	3	5	6	6	10
2. MULTIPLE DX	394	3.9	7	1	1	4	5	6	8	14
A. NOT OPERATED	601	3.7	5	1	1	3	5	6	7	12
B. OPERATED	89	4.2	9	1	1	4	5	8	10	16
TOTAL 0-19 YRS	348	3.7	4	1	1	3	5	6	7	11
20-34	195	3.6	7	1	1	3	5	6	7	12
35-49	73	4.1	6	1	1	4	5	6	8	15
50-64	33	3.9	7	<1	1	4	5	6	7	14
65+	41	4.1	11	1	1	3	5	9	12	15
GRAND TOTAL	**690**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**7**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	410	1.8	2	<1	1	1	2	3	4	7
20-34	347	2.1	3	<1	1	2	3	4	5	10
35-49	155	2.5	4	1	1	2	3	5	6	10
50-64	86	2.6	5	<1	1	2	3	5	6	13
65+	107	3.4	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	65	3.4	16	<1	1	2	4	9	11	22
20-34	61	2.9	7	1	1	2	3	6	9	13
35-49	36	3.6	9	1	1	3	5	7	11	12
50-64	16	4.3	14	1	1	3	7	10	12	13
65+	16	7.1	29	2	2	5	10	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	899	2.0	2	<1	1	1	2	4	5	8
20-34	1073	2.6	6	<1	1	2	3	5	7	13
35-49	641	3.3	12	<1	1	2	4	7	8	14
50-64	539	4.0	16	1	1	3	5	8	12	20
65+	1408	5.0	14	1	1	4	7	10	12	19
B. *Operated*										
0-19 YRS	145	3.6	19	1	1	2	4	7	11	21
20-34	217	4.0	16	1	1	3	5	8	12	20
35-49	113	6.0	63	1	1	3	7	14	23	45
50-64	115	6.1	30	1	1	5	8	13	18	56
65+	213	9.0	70	2	3	7	11	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1105	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	194	3.6	14	1	1	2	4	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	4560	3.5	11	1	1	2	4	7	10	15
B. *Operated*	803	5.8	44	1	1	4	7	12	17	38
1. SINGLE DX	1299	2.4	5	<1	1	2	3	5	7	13
2. MULTIPLE DX	5363	3.9	17	1	1	3	5	8	11	19
A. NOT OPERATED	5665	3.3	10	<1	1	2	4	7	9	15
B. OPERATED	997	5.4	39	1	1	3	7	12	16	35
TOTAL 0-19 YRS	1519	2.1	5	<1	1	2	2	4	6	11
20-34	1698	2.7	7	<1	1	2	3	5	7	14
35-49	945	3.5	17	<1	1	2	4	7	10	18
50-64	756	4.2	17	1	1	3	5	9	12	22
65+	1744	5.5	23	1	1	4	7	11	13	22
GRAND TOTAL	**6662**	**3.6**	**15**	**1**	**1**	**2**	**4**	**8**	**10**	**18**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.8	3	<1	1	1	2	4	4	12
20-34	39	2.2	2	1	1	2	3	5	6	6
35-49	9	3.2	10	1	1	2	4	8	11	11
50-64	8	2.6	4	1	1	2	3	6	7	7
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	19	2.8	8	<1	1	2	4	6	10	12
20-34	62	4.8	44	1	1	3	6	11	15	42
35-49	33	5.4	37	1	1	2	9	13	20	24
50-64	11	3.5	7	1	1	3	6	7	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	3	1	1	2	3	5	6	8
20-34	48	3.2	6	1	1	2	5	7	9	10
35-49	25	3.4	9	<1	1	3	4	6	11	13
50-64	15	3.7	8	1	1	2	6	8	9	9
65+	8	7.4	45	2	2	4	11	18	19	19
B. *Operated*										
0-19 YRS	52	4.6	32	1	1	2	7	10	16	33
20-34	124	7.5	90	1	1	4	8	23	28	44
35-49	64	5.2	58	1	1	3	6	9	13	48
50-64	52	8.3	174	1	1	3	9	25	41	99
65+	17	9.9	164	1	1	3	13	33	42	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	2.2	4	1	1	1	3	4	6	11
B. *Operated*	127	4.5	33	1	1	2	5	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	138	3.3	9	1	1	2	4	6	9	17
B. *Operated*	309	6.8	93	1	1	3	8	17	27	52
1. SINGLE DX	233	3.4	21	1	1	2	4	8	12	22
2. MULTIPLE DX	447	5.7	69	1	1	3	6	13	24	45
A. NOT OPERATED	244	2.8	7	1	1	2	4	6	8	13
B. OPERATED	436	6.1	77	1	1	3	7	15	25	47
TOTAL 0-19 YRS	161	3.0	14	1	1	2	3	7	9	18
20-34	273	5.4	56	1	1	3	6	10	23	39
35-49	131	4.8	40	1	1	3	6	10	13	39
50-64	86	6.3	113	1	1	3	7	16	27	92
65+	29	8.3	111	1	1	4	11	18	37	45
GRAND TOTAL	**680**	**5.0**	**54**	**1**	**1**	**2**	**5**	**10**	**17**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	5	2.6	2	1	1	2	3	5	5	5
B. *Operated*	10	1.8	2	<1	<1	1	2	4	5	5
1. SINGLE DX	9	1.9	1	<1	<1	1	3	4	4	4
2. MULTIPLE DX	15	2.1	2	<1	<1	2	3	5	5	5
A. NOT OPERATED	10	1.9	2	<1	<1	1	2	4	5	5
B. OPERATED	14	2.1	2	<1	<1	2	3	4	5	5
TOTAL 0-19 YRS	14	1.8	1	<1	<1	1	2	3	4	4
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**24**	**2.0**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**5**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	1.3	1	<1	<1	1	1	2	3	5
20-34	81	1.6	2	<1	<1	1	2	3	5	6
35-49	51	1.4	1	<1	<1	1	2	2	3	5
50-64	42	1.2		<1	<1	1	1	2	2	3
65+	37	1.6	1	1	1	1	2	3	4	4
B. *Operated*										
0-19 YRS	114	1.7	2	<1	<1	1	2	3	4	7
20-34	18	2.6	4	<1	<1	2	3	5	7	8
35-49	15	2.7	8	<1	1	1	4	6	10	11
50-64	9	2.8	7	<1	<1	1	5	7	8	8
65+	8	4.1	11	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	2.1	3	<1	1	2	3	4	5	9
20-34	70	3.1	10	<1	1	2	5	7	11	82
35-49	61	2.9	10	<1	<1	2	3	7	9	19
50-64	95	2.9	9	<1	1	2	4	7	11	14
65+	223	4.5	17	1	1	3	6	10	14	21
B. *Operated*										
0-19 YRS	85	3.9	28	1	1	2	4	13	15	28
20-34	43	6.0	33	1	1	4	8	14	19	22
35-49	41	6.6	63	<1	1	4	8	13	21	44
50-64	57	6.0	50	<1	1	3	8	14	21	36
65+	148	5.7	35	1	1	4	8	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	1.4	1	<1	<1	1	1	2	3	5
B. *Operated*	164	2.0	4	<1	1	1	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	617	3.3	11	<1	1	2	4	8	11	18
B. *Operated*	374	5.5	39	1	1	3	7	13	18	31
1. SINGLE DX	692	1.5	2	<1	<1	1	1	3	4	7
2. MULTIPLE DX	991	4.1	23	1	1	2	5	10	14	25
A. NOT OPERATED	1145	2.4	7	<1	<1	1	3	5	8	15
B. OPERATED	538	4.4	31	<1	1	2	5	11	15	28
TOTAL 0-19 YRS	684	1.9	5	<1	<1	1	2	3	5	13
20-34	212	3.1	13	<1	<1	1	4	7	11	21
35-49	168	3.3	24	<1	1	1	4	8	10	27
50-64	203	3.4	21	<1	<1	1	4	8	13	25
65+	416	4.7	23	1	1	3	6	11	15	25
GRAND TOTAL	**1683**	**3.0**	**16**	**<1**	**1**	**1**	**3**	**7**	**11**	**20**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.9	16	<1	<1	2	5	10	14	16
20-34	14	2.0	2	<1	1	2	2	4	5	5
35-49	7	4.7	6	2	2	4	6	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	49	5.3	30	1	1	3	8	10	20	29
20-34	51	6.4	23	1	1	5	10	13	17	20
35-49	32	5.8	16	1	1	5	9	11	12	17
50-64	7	6.3	22	2	2	5	7	14	16	16
65+	14	9.1	43	1	2	9	12	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.6	104	1	1	5	8	11	13	71
20-34	55	6.5	27	1	1	5	10	14	16	20
35-49	37	6.4	46	1	1	4	9	15	17	34
50-64	23	7.3	45	1	1	6	10	14	24	29
65+	35	10.5	103	2	4	7	12	17	33	55
B. *Operated*										
0-19 YRS	175	14.8	160	2	4	11	19	30	47	95
20-34	140	14.4	127	2	3	12	19	30	38	61
35-49	104	19.1	308	2	4	14	27	50	74	99+
50-64	87	18.2	308	2	3	12	22	47	57	83
65+	82	22.4	266	5	6	18	34	53	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.5	10	<1	1	2	4	7	10	16
B. *Operated*	153	6.2	26	1	1	5	9	12	18	22
2. MULTIPLE DX										
A. *Not Operated*	224	7.2	70	1	1	6	10	14	17	41
B. *Operated*	588	17.0	222	2	4	13	22	39	56	99+
1. SINGLE DX	193	5.6	24	1	1	4	8	11	17	21
2. MULTIPLE DX	812	14.3	199	1	2	10	19	34	52	99+
A. NOT OPERATED	264	6.6	63	1	1	5	9	13	16	36
B. OPERATED	741	14.8	200	2	2	10	20	34	53	99+
TOTAL 0-19 YRS	315	10.8	139	1	2	8	14	24	33	84
20-34	260	10.5	97	1	2	8	15	23	31	54
35-49	180	13.5	232	1	1	9	18	34	57	99+
50-64	118	15.2	261	2	2	10	19	35	55	76
65+	132	17.7	232	3	4	12	23	45	60	99+
GRAND TOTAL	**1005**	**12.6**	**177**	**1**	**2**	**9**	**17**	**29**	**43**	**88**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	3.8	12	1	1	3	5	8	11	15
20-34	116	3.7	13	1	1	2	5	10	12	18
35-49	45	3.4	10	<1	1	2	4	9	10	14
50-64	18	2.2	4	<1	<1	1	3	6	7	7
65+	2	7.5	13	5	5	7	10	10	10	10
B. *Operated*										
0-19 YRS	44	6.3	48	1	1	4	8	15	21	33
20-34	30	6.1	28	1	1	5	8	11	19	25
35-49	23	5.7	37	<1	1	3	6	16	19	23
50-64	11	12.2	468	1	1	5	10	40	73	76
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	620	4.7	24	1	1	3	6	10	14	27
20-34	357	3.8	15	<1	1	2	5	8	11	20
35-49	193	4.9	28	1	1	3	6	12	16	27
50-64	114	7.0	63	1	1	4	9	18	20	46
65+	69	6.2	20	1	2	5	9	11	15	24
B. *Operated*										
0-19 YRS	181	7.9	53	1	2	6	10	18	21	47
20-34	141	8.7	59	1	1	7	12	18	25	37
35-49	90	10.9	62	1	2	9	16	23	26	74
50-64	56	10.6	88	1	1	9	17	23	25	46
65+	41	15.2	350	2	3	9	15	50	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	3.7	12	1	1	2	5	8	11	16
B. *Operated*	109	6.7	81	1	1	4	8	15	20	51
2. MULTIPLE DX										
A. *Not Operated*	1353	4.8	26	1	1	3	6	11	14	26
B. *Operated*	509	9.6	87	1	2	7	13	21	26	55
1. SINGLE DX	482	4.4	29	1	1	3	5	10	12	24
2. MULTIPLE DX	1862	6.1	47	1	1	4	8	14	19	33
A. NOT OPERATED	1726	4.5	23	1	1	3	6	10	13	25
B. OPERATED	618	9.1	87	1	2	7	12	20	25	55
TOTAL 0-19 YRS	1037	5.2	29	1	1	3	7	11	16	28
20-34	644	5.0	29	1	1	3	7	11	14	29
35-49	351	6.3	42	1	1	4	9	16	20	32
50-64	199	7.8	91	1	1	4	10	19	23	49
65+	113	9.5	156	2	2	6	10	16	42	96
GRAND TOTAL	**2344**	**5.7**	**44**	**1**	**1**	**4**	**7**	**13**	**18**	**32**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	1	2	4	5	7
20-34	37	3.5	29	<1	<1	2	4	7	8	33
35-49	13	2.9	3	1	1	3	4	5	6	6
50-64	6	2.7	5	<1	<1	2	5	6	6	6
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	34	2.6	25	<1	1	1	3	4	4	30
20-34	88	2.3	11	1	1	2	3	4	5	22
35-49	28	2.9	9	<1	1	2	3	6	9	15
50-64	7	2.6	7	1	1	1	3	7	8	8
65+	4	4.5	3	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.7	13	1	1	2	5	9	12	16
20-34	52	5.2	52	1	1	3	6	11	14	46
35-49	29	6.4	140	<1	1	3	6	12	22	64
50-64	28	7.0	30	2	2	5	10	18	27	99+
65+	43	6.9	42	1	1	5	9	16	20	29
B. *Operated*										
0-19 YRS	74	2.8	14	1	1	2	3	6	11	80
20-34	155	3.7	38	1	1	2	4	7	11	58
35-49	78	4.6	45	<1	1	2	6	10	22	82
50-64	37	9.2	340	1	1	3	8	13	49	98
65+	20	13.1	283	1	1	6	17	36	52	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.9	15	<1	1	2	4	6	7	25
B. *Operated*	161	2.6	13	1	1	2	3	4	7	27
2. MULTIPLE DX										
A. *Not Operated*	184	5.8	54	1	1	4	7	14	18	58
B. *Operated*	364	4.8	84	1	1	2	5	9	21	93
1. SINGLE DX	251	2.7	13	<1	1	2	3	5	7	28
2. MULTIPLE DX	548	5.1	74	1	1	2	6	11	20	67
A. NOT OPERATED	274	4.8	43	1	1	3	6	11	16	43
B. OPERATED	525	4.1	63	1	1	2	4	8	14	62
TOTAL 0-19 YRS	173	2.8	14	1	1	2	3	5	9	28
20-34	332	3.5	32	1	1	2	4	7	11	35
35-49	148	4.5	53	<1	1	2	5	9	18	64
50-64	78	7.3	176	1	1	4	8	14	36	99+
65+	68	8.6	116	1	1	5	11	20	30	62
GRAND TOTAL	**799**	**4.3**	**56**	**1**	**1**	**2**	**4**	**9**	**15**	**55**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	1.8	3	<1	1	1	2	3	4	10
20-34	200	2.9	15	<1	1	2	3	5	8	20
35-49	76	2.8	6	1	1	2	3	6	9	12
50-64	25	2.5	2	<1	1	2	3	4	5	7
65+	28	5.6	52	1	1	4	6	11	18	38
B. *Operated*										
0-19 YRS	35	4.3	14	<1	1	3	7	10	12	13
20-34	70	4.3	28	<1	1	2	5	11	16	29
35-49	37	5.2	34	<1	1	4	6	11	17	31
50-64	19	5.6	29	1	1	3	8	15	18	19
65+	11	6.3	33	<1	<1	6	9	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	2.7	5	<1	1	2	3	5	7	12
20-34	406	3.2	8	<1	1	2	4	7	9	13
35-49	226	4.0	16	1	1	3	5	8	11	22
50-64	156	4.6	14	1	1	4	6	9	11	21
65+	296	6.1	25	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	104	8.0	119	1	1	4	8	18	30	59
20-34	218	6.8	57	1	1	4	8	15	25	38
35-49	97	8.6	150	1	1	4	8	22	36	67
50-64	63	12.2	178	1	2	7	16	26	40	66
65+	75	10.5	95	2	3	8	13	22	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	2.6	11	<1	1	2	3	5	7	15
B. *Operated*	172	4.8	27	<1	1	3	6	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	1381	4.0	14	1	1	3	5	8	11	18
B. *Operated*	557	8.4	106	1	1	5	10	19	29	55
1. SINGLE DX	713	3.1	15	<1	1	2	3	7	10	19
2. MULTIPLE DX	1938	5.3	45	1	1	3	6	11	16	37
A. NOT OPERATED	1922	3.6	14	1	1	2	4	8	10	18
B. OPERATED	729	7.6	90	1	1	4	9	17	26	46
TOTAL 0-19 YRS	648	3.3	27	<1	1	2	3	7	10	26
20-34	894	4.1	25	1	1	2	5	9	12	29
35-49	436	4.9	50	1	1	3	5	10	16	40
50-64	263	6.3	64	1	1	4	7	13	19	44
65+	410	6.8	42	1	2	5	9	14	17	36
GRAND TOTAL	**2651**	**4.7**	**38**	**1**	**1**	**3**	**5**	**10**	**15**	**33**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1358	1.6	9	<1	<1	1	2	2	3	5
20-34	542	1.8	4	<1	<1	1	2	3	5	9
35-49	230	2.1	3	<1	<1	2	2	3	5	9
50-64	59	2.1	3	<1	<1	2	3	4	5	11
65+	33	3.2	7	1	1	3	4	7	9	12
B. *Operated*										
0-19 YRS	5	3.6	5	1	1	3	5	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	7.0	50	1	1	4	12	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2476	3.3	34	<1	1	2	3	6	10	33
20-34	3198	3.5	24	<1	1	2	4	7	11	26
35-49	1711	4.0	31	1	1	2	4	8	14	26
50-64	787	5.2	35	1	1	3	6	10	15	30
65+	1039	5.7	20	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	35	6.6	157	<1	<1	3	7	12	28	70
20-34	97	8.2	95	1	1	4	10	23	39	99+
35-49	80	10.9	110	2	2	7	14	25	30	55
50-64	48	11.8	166	2	2	8	14	25	27	84
65+	92	10.1	51	2	4	8	13	20	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2222	1.7	7	<1	<1	1	2	3	4	7
B. *Operated*	15	4.3	21	<1	1	3	6	10	16	18
2. MULTIPLE DX										
A. *Not Operated*	9211	3.9	29	<1	1	2	4	8	13	28
B. *Operated*	352	9.6	104	1	2	6	12	22	28	70
1. SINGLE DX	2237	1.7	7	<1	<1	1	2	3	4	7
2. MULTIPLE DX	9563	4.1	33	<1	1	2	4	9	14	29
A. NOT OPERATED	11433	3.5	26	<1	1	2	4	7	11	25
B. OPERATED	367	9.4	101	1	1	6	12	22	27	68
TOTAL 0-19 YRS	3874	2.7	27	<1	1	2	3	5	7	27
20-34	3838	3.4	24	<1	1	2	3	7	11	27
35-49	2024	4.1	33	<1	1	2	4	9	14	27
50-64	895	5.4	42	1	1	3	6	11	16	30
65+	1169	6.0	24	1	1	5	7	12	15	26
GRAND TOTAL	**11800**	**3.7**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**27**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	601	1.8	3	<1	<1	1	2	5	5	6
20-34	194	1.5	1	<1	<1	1	2	2	3	6
35-49	122	1.8	3	<1	1	1	2	3	5	12
50-64	69	1.6	1	<1	1	1	2	3	3	6
65+	36	1.5	1	1	1	1	2	2	3	4
B. *Operated*										
0-19 YRS	7	3.1	4	1	1	3	4	6	7	7
20-34	5	4.2	12	1	1	4	7	9	9	9
35-49	4	5.0	19	1	1	4	8	11	11	11
50-64	5	5.8	29	1	1	4	7	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	2.6	9	<1	1	2	3	5	7	13
20-34	400	2.9	12	<1	1	2	3	6	8	20
35-49	278	2.6	8	<1	1	2	3	5	8	13
50-64	202	3.5	21	<1	1	2	4	8	11	24
65+	183	4.6	26	1	1	3	6	9	14	28
B. *Operated*										
0-19 YRS	19	9.1	420	1	1	2	4	64	91	99+
20-34	23	5.9	32	<1	1	3	8	15	17	20
35-49	19	14.5	283	1	1	7	18	45	52	55
50-64	19	12.0	251	1	2	10	13	22	50	72
65+	14	11.2	97	<1	1	9	12	23	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1022	1.7	2	<1	<1	1	2	4	5	6
B. *Operated*	21	4.4	13	1	1	4	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	1502	3.0	14	<1	1	2	3	6	9	20
B. *Operated*	94	10.3	215	1	1	5	12	23	48	92
1. SINGLE DX	1043	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	1596	3.5	28	<1	1	2	4	7	11	27
A. NOT OPERATED	2524	2.5	9	<1	1	1	3	5	7	16
B. OPERATED	115	9.2	183	1	1	4	11	21	43	89
TOTAL 0-19 YRS	1066	2.3	13	<1	1	1	2	5	6	12
20-34	622	2.6	10	<1	1	1	3	5	8	19
35-49	423	3.0	25	<1	1	2	3	6	9	27
50-64	295	3.6	36	<1	1	2	3	8	12	26
65+	233	4.5	30	1	1	2	6	10	15	32
GRAND TOTAL	**2639**	**2.8**	**19**	**<1**	**1**	**1**	**3**	**6**	**8**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	2.3	10	1	1	1	3	4	6	12
20-34	228	2.0	4	<1	1	1	2	4	5	11
35-49	154	2.1	2	1	1	2	3	4	5	7
50-64	111	2.1	2	1	1	2	3	4	4	10
65+	59	2.4	4	<1	1	2	3	5	8	11
B. *Operated*										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	5	12.6	514	<1	<1	2	18	53	53	53
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	6	7.3	43	1	1	6	9	18	19	19
65+	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	416	3.2	11	1	1	2	4	7	8	12
20-34	413	3.3	10	1	1	2	4	7	9	18
35-49	452	3.2	8	1	1	2	4	6	8	14
50-64	590	4.6	20	1	1	3	6	9	12	27
65+	1315	5.7	23	1	2	4	7	11	14	21
B. *Operated*										
0-19 YRS	34	6.4	177	1	1	2	6	9	31	72
20-34	63	5.5	43	<1	1	3	7	13	19	31
35-49	61	8.0	173	1	1	3	8	19	43	63
50-64	61	9.1	235	1	1	4	11	26	40	99+
65+	179	9.3	112	1	1	7	12	20	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	2.2	5	<1	1	1	3	4	5	11
B. *Operated*	21	7.0	134	<1	1	3	8	16	34	53
2. MULTIPLE DX										
A. *Not Operated*	3186	4.5	18	1	1	3	6	9	12	20
B. *Operated*	398	8.2	135	1	1	5	10	20	31	68
1. SINGLE DX	859	2.3	9	<1	1	2	3	4	6	11
2. MULTIPLE DX	3584	4.9	33	1	1	3	6	10	13	28
A. NOT OPERATED	4024	4.0	17	1	1	3	5	8	11	19
B. OPERATED	419	8.2	135	1	1	4	10	19	31	66
TOTAL 0-19 YRS	742	3.0	19	1	1	2	3	6	8	14
20-34	709	3.2	15	<1	1	2	4	7	9	19
35-49	669	3.4	24	1	1	2	4	6	9	21
50-64	768	4.6	37	1	1	3	6	9	13	31
65+	1555	6.0	34	1	1	4	8	12	15	28
GRAND TOTAL	**4443**	**4.4**	**29**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.5	23	1	1	2	4	5	9	29
20-34	33	4.1	16	<1	1	2	5	10	15	17
35-49	30	4.3	8	<1	1	4	6	8	11	11
50-64	38	4.9	14	1	1	4	7	9	13	18
65+	59	5.8	50	1	1	3	7	15	20	39
B. *Operated*										
0-19 YRS	238	4.5	21	1	1	3	5	8	14	26
20-34	277	4.8	25	1	1	3	6	11	15	25
35-49	329	5.3	30	1	1	3	8	11	14	21
50-64	553	7.0	47	1	1	6	10	14	17	30
65+	856	7.0	48	1	1	5	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.7	20	1	1	3	6	10	14	26
20-34	165	5.5	24	1	1	4	7	11	15	26
35-49	201	6.0	27	1	1	5	8	12	16	24
50-64	307	6.4	56	1	1	5	7	14	17	35
65+	594	6.8	37	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	944	7.0	70	1	1	4	8	16	25	45
20-34	869	7.8	71	1	1	5	10	17	23	45
35-49	1147	8.5	79	1	1	6	11	19	27	46
50-64	2219	9.1	87	1	2	7	12	19	25	47
65+	4170	10.8	109	1	2	8	14	22	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	4.7	26	1	1	3	6	10	15	26
B. *Operated*	2253	6.2	41	1	1	4	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	1424	6.2	36	1	1	5	8	13	16	29
B. *Operated*	9349	9.5	94	1	2	7	12	20	28	50
1. SINGLE DX	2449	6.1	40	1	1	4	9	13	17	26
2. MULTIPLE DX	10773	9.0	88	1	2	6	12	19	27	48
A. NOT OPERATED	1620	6.0	35	1	1	4	8	12	16	29
B. OPERATED	11602	8.8	86	1	1	6	12	18	26	48
TOTAL 0-19 YRS	1375	6.2	56	1	1	4	7	14	20	40
20-34	1344	6.8	56	1	1	4	9	15	21	39
35-49	1707	7.5	64	1	1	5	10	16	24	43
50-64	3117	8.4	77	1	1	6	11	17	23	43
65+	5679	9.8	95	1	2	7	13	19	28	50
GRAND TOTAL	**13222**	**8.5**	**80**	**1**	**1**	**6**	**11**	**18**	**24**	**46**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	1.5	2	<1	<1	1	2	3	3	6
20-34	170	2.1	3	<1	1	1	3	4	5	9
35-49	119	2.2	2	<1	1	2	3	4	6	8
50-64	131	2.5	2	1	1	2	3	5	6	8
65+	164	2.8	3	1	1	2	4	5	6	8
B. *Operated*										
0-19 YRS	228	1.7	2	<1	<1	1	2	3	4	9
20-34	204	2.3	4	<1	1	1	3	5	7	10
35-49	104	2.7	9	<1	1	2	3	5	7	19
50-64	72	2.9	8	1	1	2	3	5	10	16
65+	69	3.8	20	1	1	2	4	8	10	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	1.7	2	<1	1	1	2	3	5	7
20-34	125	2.9	8	1	1	2	3	5	8	17
35-49	133	3.3	13	1	1	2	4	6	8	21
50-64	228	3.6	7	1	1	3	4	7	9	14
65+	473	4.3	10	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	206	1.7	7	1	1	1	1	3	4	15
20-34	308	2.6	8	1	1	2	3	5	8	17
35-49	235	3.2	13	1	1	2	4	8	10	16
50-64	313	3.4	16	1	1	2	4	7	11	15
65+	686	4.7	31	1	1	3	6	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	799	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	677	2.4	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1037	3.6	9	1	1	3	5	7	10	15
B. *Operated*	1748	3.5	20	1	1	2	4	8	12	22
1. SINGLE DX	1476	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	2785	3.6	16	1	1	2	4	8	11	19
A. NOT OPERATED	1836	3.0	7	1	1	2	4	6	8	13
B. OPERATED	2425	3.2	17	1	1	2	4	7	11	19
TOTAL 0-19 YRS	727	1.6	3	<1	1	1	2	3	4	8
20-34	807	2.5	6	1	1	2	3	5	7	14
35-49	591	2.9	10	1	1	2	4	6	8	16
50-64	744	3.3	10	1	1	2	4	6	9	15
65+	1392	4.3	20	1	1	3	5	9	12	24
GRAND TOTAL	**4261**	**3.1**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.4	7	1	2	4	6	7	10	13
20-34	127	4.8	11	1	2	4	6	9	12	17
35-49	110	5.2	9	2	2	5	6	8	11	17
50-64	73	6.2	18	2	2	5	8	11	14	25
65+	71	7.2	31	2	3	6	9	13	15	35
B. *Operated*										
0-19 YRS	64	7.0	40	1	2	5	9	14	19	35
20-34	111	6.8	50	1	2	5	9	13	14	46
35-49	81	7.2	62	1	2	4	8	18	23	45
50-64	89	9.9	99	1	2	8	13	19	23	63
65+	63	8.8	58	1	2	6	11	19	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.0	27	1	1	5	7	10	16	32
20-34	234	5.8	21	2	2	5	7	10	13	22
35-49	224	6.6	24	2	2	6	8	12	15	30
50-64	286	7.9	32	2	3	6	10	14	20	32
65+	421	8.2	29	3	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	99	10.5	149	1	2	8	12	19	31	71
20-34	234	9.8	113	2	2	7	12	19	30	72
35-49	271	12.2	132	2	3	9	16	27	38	75
50-64	368	13.6	142	2	3	10	18	27	36	60
65+	476	14.8	157	3	4	11	19	30	42	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	5.4	15	2	2	4	7	10	13	18
B. *Operated*	408	7.9	64	1	2	6	10	16	22	47
2. MULTIPLE DX										
A. *Not Operated*	1281	7.2	28	2	3	6	9	13	17	30
B. *Operated*	1448	12.9	144	2	3	10	17	27	36	79
1. SINGLE DX	866	6.6	39	1	2	5	8	13	16	32
2. MULTIPLE DX	2729	10.2	98	2	3	7	13	21	29	58
A. NOT OPERATED	1739	6.7	25	2	2	5	8	12	16	29
B. OPERATED	1856	11.8	131	2	3	8	15	25	34	67
TOTAL 0-19 YRS	356	7.1	64	1	2	5	8	13	19	40
20-34	706	7.1	58	1	2	5	8	13	17	42
35-49	686	8.7	77	2	2	6	10	18	26	53
50-64	816	10.5	96	2	3	8	13	21	28	55
65+	1031	11.2	101	2	3	8	14	23	31	60
GRAND TOTAL	**3595**	**9.4**	**86**	**2**	**2**	**7**	**11**	**19**	**27**	**53**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.4	3	1	1	2	3	5	6	9
20-34	84	3.1	6	1	1	2	4	7	9	10
35-49	101	3.7	6	1	1	3	6	7	8	13
50-64	67	4.6	15	1	1	4	6	9	13	20
65+	52	4.2	11	1	1	3	6	9	11	14
B. *Operated*										
0-19 YRS	49	3.5	6	1	1	3	5	7	8	10
20-34	117	4.4	18	1	1	3	6	8	11	28
35-49	131	6.1	40	1	1	5	8	12	14	31
50-64	113	5.8	25	1	1	4	8	11	16	25
65+	114	5.2	23	1	1	4	7	10	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	2.3	4	1	1	2	3	5	7	10
20-34	446	3.2	11	1	1	2	4	7	9	16
35-49	524	3.9	28	1	1	2	5	9	11	18
50-64	543	5.0	24	1	1	4	6	10	13	27
65+	781	5.5	22	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	552	2.8	28	1	1	1	2	6	11	32
20-34	808	3.8	29	1	1	1	5	9	13	29
35-49	934	5.4	59	1	1	2	7	13	20	49
50-64	1063	7.4	105	1	1	4	10	18	27	51
65+	1722	7.4	78	1	1	4	10	17	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	3.7	9	1	1	3	5	8	9	14
B. *Operated*	524	5.2	26	1	1	4	7	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	2596	4.3	21	1	1	3	6	9	12	20
B. *Operated*	5079	6.0	70	1	1	3	8	15	22	42
1. SINGLE DX	873	4.6	19	1	1	3	6	9	12	23
2. MULTIPLE DX	7675	5.4	54	1	1	3	7	13	18	37
A. NOT OPERATED	2945	4.2	19	1	1	3	6	9	12	19
B. OPERATED	5603	5.9	66	1	1	3	8	14	21	41
TOTAL 0-19 YRS	948	2.6	18	1	1	1	2	5	9	26
20-34	1455	3.6	21	1	1	2	4	8	11	24
35-49	1690	4.9	45	1	1	3	6	11	16	41
50-64	1786	6.5	73	1	1	4	8	14	23	42
65+	2669	6.7	59	1	1	4	9	15	21	35
GRAND TOTAL	**8548**	**5.3**	**50**	**1**	**1**	**3**	**7**	**12**	**18**	**35**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.9	1	1	1	2	3	3	4	6
20-34	9	3.2	2	1	1	3	4	5	5	5
35-49	11	2.8	2	1	1	3	4	5	5	5
50-64	3	2.3		2	2	2	3	3	3	3
65+	4	3.8	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.7	9	1	1	3	4	8	11	12
20-34	42	5.2	15	1	1	4	6	13	14	15
35-49	45	5.5	20	1	2	4	6	14	15	22
50-64	62	4.6	34	1	1	3	5	9	15	32
65+	70	4.4	13	1	1	4	5	9	12	17
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	11	12.0	156	4	4	7	20	60	94	99+
35-49	9	6.0	17	1	1	6	8	12	14	14
50-64	18	8.4	60	1	2	6	13	15	26	33
65+	26	11.2	134	1	1	7	12	31	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.4	2	1	1	2	3	5	5	6
B. *Operated*	3	3.0	12	<1	<1	1	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	265	4.6	19	1	1	4	6	10	13	21
B. *Operated*	67	9.5	99	1	2	7	11	26	43	90
1. SINGLE DX	65	2.4	2	1	1	2	3	5	5	7
2. MULTIPLE DX	332	5.6	38	1	1	4	7	12	16	43
A. NOT OPERATED	327	4.2	16	1	1	3	5	8	13	19
B. OPERATED	70	9.2	96	1	1	7	10	22	42	88
TOTAL 0-19 YRS	85	2.9	6	1	1	2	3	6	9	12
20-34	63	6.1	43	1	2	5	7	13	19	92
35-49	65	5.1	17	1	1	4	6	10	15	21
50-64	84	5.4	40	1	1	3	6	13	17	33
65+	100	6.1	52	1	1	4	7	12	17	43
GRAND TOTAL	**397**	**5.1**	**34**	**1**	**1**	**4**	**6**	**11**	**15**	**38**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	400	1.6	1	<1	<1	1	2	3	4	5
35-49	169	1.4	1	<1	<1	1	2	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.1		<1	<1	<1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.2	4	1	1	3	4	7	7	7
20-34	451	2.1	2	1	1	2	3	4	5	7
35-49	207	1.9	2	<1	1	1	2	4	5	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	570	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	8	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	670	2.1	2	<1	1	2	3	4	5	7
1. SINGLE DX	570	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	678	2.1	2	<1	1	2	3	4	5	7
A. NOT OPERATED	8	1.1		<1	<1	<1	1	2	2	2
B. OPERATED	1240	1.8	2	<1	<1	1	2	4	4	6
TOTAL 0-19 YRS	10	3.1	4	1	1	3	4	6	7	7
20-34	858	1.8	2	<1	<1	1	2	4	4	6
35-49	377	1.7	1	<1	<1	1	2	3	4	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
GRAND TOTAL	**1248**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	62.0		62	62	62	62	62	62	62
1500-1749	1	15.0		15	15	15	15	15	15	15
1750-2499	1410	3.0	3	1	2	3	4	5	5	8
2500+	119128	2.7	1	1	2	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	4.0		4	4	4	4	4	4	4
2500+	45	3.0	1	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	45	67.9	230	46	52	67	81	88	91	94
1000-1499	247	40.0	244	18	23	37	50	65	69	99+
1500-1749	403	24.2	91	11	13	23	29	37	43	54
1750-2499	6156	6.8	35	2	2	5	9	15	19	28
2500+	81199	3.4	4	2	2	3	4	5	6	10
B. *Operated*										
1-999 G	98	74.9	317	46	55	91	99+	99+	99+	99+
1000-1499	244	51.9	331	26	32	51	66	81	91	99+
1500-1749	143	34.5	184	18	21	33	42	57	72	99+
1750-2499	560	17.6	152	2	5	15	23	31	39	60
2500+	1543	8.4	106	2	2	6	10	15	23	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120540	2.7	1	1	2	2	3	4	5	6
B. *Operated*	46	3.0	1	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	88050	3.9	15	2	2	3	4	6	8	20
B. *Operated*	2588	18.5	450	2	3	10	26	58	82	99+
1. SINGLE DX	120586	2.7	1	1	2	2	3	4	5	6
2. MULTIPLE DX	90638	4.3	34	2	2	3	5	6	10	31
A. NOT OPERATED	208590	3.2	8	1	2	3	4	5	6	12
B. OPERATED	2634	18.2	446	2	3	10	26	57	81	99+
TOTAL 1-999 G	143	72.7	298	46	52	85	99+	99+	99+	99+
1000-1499	492	46.0	322	21	25	43	60	74	83	99+
1500-1749	547	26.9	136	11	14	25	33	42	49	95
1750-2499	8127	6.9	48	2	2	4	8	16	21	32
2500+	201915	3.0	3	1	2	3	4	5	5	9
GRAND TOTAL	**211224**	**3.4**	**16**	**1**	**2**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.0		21	21	21	21	21	21	21
1500-1749	2	19.5	41	15	15	19	24	24	24	24
1750-2499	215	4.6	4	2	2	4	5	6	8	12
2500+	1085	4.2	2	2	2	4	5	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	6	75.5	198	48	54	78	86	97	99+	99+
1000-1499	75	38.4	230	16	21	35	46	57	69	90
1500-1749	119	24.3	63	13	14	25	30	34	39	44
1750-2499	1148	8.8	45	3	3	6	12	18	23	32
2500+	1191	5.0	8	2	3	5	6	7	9	15
B. *Operated*										
1-999 G	18	78.3	352	47	60	92	99+	99+	99+	99+
1000-1499	54	50.4	415	25	28	52	75	97	99+	99+
1500-1749	43	30.1	101	12	14	33	37	42	49	99+
1750-2499	77	18.9	158	4	6	16	26	35	49	90
2500+	44	18.8	307	2	4	10	31	37	41	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1304	4.3	3	2	2	4	5	6	7	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2539	8.8	89	2	3	5	9	20	29	48
B. *Operated*	236	32.7	575	5	8	30	48	88	99+	99+
1. SINGLE DX	1304	4.3	3	2	2	4	5	6	7	10
2. MULTIPLE DX	2775	10.8	174	3	3	6	12	27	38	86
A. NOT OPERATED	3843	7.3	64	2	3	5	7	15	24	41
B. OPERATED	236	32.7	575	5	8	30	48	88	99+	99+
TOTAL 1-999 G	24	77.6	305	48	57	88	99	99+	99+	99+
1000-1499	131	43.1	343	18	24	41	55	77	96	99+
1500-1749	164	25.8	79	13	14	26	31	38	41	51
1750-2499	1440	8.7	53	2	3	6	11	18	25	34
2500+	2320	4.9	15	2	3	4	5	7	8	21
GRAND TOTAL	**4079**	**8.7**	**129**	**2**	**3**	**5**	**8**	**20**	**32**	**76**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	12	2.5	1	1	1	2	3	4	4	4
2500+	302	2.3	1	1	1	2	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	34.0		34	34	34	34	34	34	34
1500-1749	3	31.3	46	26	26	29	36	39	39	39
1750-2499	70	8.3	67	2	2	6	10	20	21	47
2500+	210	3.4	5	1	1	3	4	6	8	10
B. *Operated*										
1-999 G	1	71.0		71	71	85	99+	99+	99+	99+
1000-1499	3	67.7	432	44	44	79	91	99+	99+	99+
1500-1749										
1750-2499	6	10.7	181	1	1	3	27	29	29	29
2500+	8	4.9	5	1	2	5	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	2.3	1	1	1	2	3	4	5	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	284	5.0	35	1	2	3	5	9	18	32
B. *Operated*	18	20.9	798	1	1	6	57	91	99+	99+
1. SINGLE DX	314	2.3	1	1	1	2	3	4	5	7
2. MULTIPLE DX	302	6.0	92	1	2	3	6	10	22	79
A. NOT OPERATED	598	3.6	19	1	1	2	4	6	9	24
B. OPERATED	18	20.9	798	1	1	6	57	91	99+	99+
TOTAL 1-999 G	1	71.0		71	71	85	99+	99+	99+	99+
1000-1499	4	59.3	572	34	34	76	87	99+	99+	99+
1500-1749	3	31.3	46	26	26	29	36	39	39	39
1750-2499	88	7.7	68	1	2	5	9	20	22	44
2500+	520	2.8	3	1	1	2	3	5	7	9
GRAND TOTAL	**616**	**4.1**	**49**	**1**	**1**	**2**	**4**	**7**	**10**	**47**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	3.8	22	1	1	2	5	12	12	12
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	33.5	2113	1	1	33	66	66	66	66
B. *Operated*										
0-19 YRS	396	1.9	2	<1	1	1	2	3	4	7
20-34	436	1.9	2	<1	1	1	2	3	4	7
35-49	219	2.2	3	<1	1	2	3	4	5	10
50-64	131	2.1	2	<1	1	2	3	4	5	7
65+	111	2.7	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	1.1		<1	<1	<1	1	2	2	2
35-49	4	2.5	4	<1	<1	2	4	5	5	5
50-64	3	3.7	14	<1	<1	2	6	8	8	8
65+	8	1.9	2	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	196	2.7	4	<1	1	2	4	5	6	12
20-34	143	3.9	34	1	1	2	4	8	13	25
35-49	85	3.3	30	1	1	2	4	5	7	36
50-64	95	3.2	8	1	1	2	4	7	9	16
65+	105	4.2	32	1	1	3	5	8	10	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.9	297	1	1	2	3	17	55	66
B. *Operated*	1293	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	25	1.9	3	<1	<1	1	2	4	6	8
B. *Operated*	624	3.4	20	1	1	2	4	6	9	19
1. SINGLE DX	1307	2.1	6	<1	1	2	3	4	5	8
2. MULTIPLE DX	649	3.3	19	1	1	2	4	6	9	18
A. NOT OPERATED	39	3.7	110	<1	<1	1	3	5	10	66
B. OPERATED	1917	2.5	9	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	596	2.2	3	<1	1	2	3	4	5	10
20-34	593	2.4	10	<1	1	2	3	4	6	16
35-49	310	2.5	11	1	1	2	3	5	5	10
50-64	231	2.6	5	<1	1	2	3	5	7	12
65+	226	3.6	35	1	1	2	4	6	10	28
GRAND TOTAL	**1956**	**2.5**	**11**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	4	1	1	1	1	3	7	8
20-34	19	1.5		1	1	1	2	2	2	2
35-49	24	1.6	3	<1	1	1	2	2	5	9
50-64	69	1.8	1	1	1	2	2	2	3	7
65+	94	1.5	1	1	1	1	2	2	3	8
B. *Operated*										
0-19 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
20-34	50	2.2	4	<1	<1	1	2	4	8	11
35-49	37	3.2	6	<1	<1	3	5	7	9	10
50-64	42	4.6	57	<1	<1	2	4	12	20	42
65+	60	4.2	28	<1	<1	3	5	7	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	219	1.6	1	1	1	1	2	2	3	8
B. *Operated*	194	3.5	24	<1	<1	2	4	7	10	25
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	413	2.5	13	<1	<1	1	2	5	8	21
A. NOT OPERATED	220	1.6	1	1	1	1	2	2	3	8
B. OPERATED	194	3.5	24	<1	<1	2	4	7	10	25
TOTAL 0-19 YRS	18	1.5	3	<1	<1	1	1	3	6	8
20-34	69	2.0	3	<1	<1	1	2	4	6	10
35-49	61	2.6	5	<1	<1	1	3	6	8	10
50-64	112	2.8	24	<1	<1	2	2	4	8	30
65+	154	2.6	13	<1	1	1	2	5	7	23
GRAND TOTAL	**414**	**2.5**	**13**	**<1**	**<1**	**1**	**2**	**5**	**8**	**21**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	434	2.8	31	<1	<1	2	3	4	6	23
20-34	642	2.5	29	<1	<1	1	2	4	8	70
35-49	230	2.6	47	<1	<1	1	2	4	8	99+
50-64	256	2.6	25	<1	<1	1	3	5	7	59
65+	283	7.3	136	<1	1	3	7	20	30	77
B. *Operated*										
0-19 YRS	179	3.9	18	<1	1	2	6	9	11	17
20-34	554	3.5	11	<1	1	3	5	7	9	13
35-49	364	4.0	11	<1	1	3	6	8	10	15
50-64	260	4.5	11	1	1	3	7	9	10	13
65+	165	6.4	22	1	1	6	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2359	4.3	58	1	1	2	4	7	14	43
20-34	2120	4.4	58	1	1	2	5	7	16	55
35-49	3888	4.1	43	1	1	2	5	7	11	39
50-64	10036	4.2	46	1	1	2	5	6	11	42
65+	10509	7.0	104	1	1	3	6	19	30	52
B. *Operated*										
0-19 YRS	647	4.2	45	<1	1	2	5	9	13	55
20-34	1214	5.0	74	1	1	3	5	10	17	62
35-49	1534	5.2	48	1	1	3	6	10	16	38
50-64	2222	6.3	77	1	1	4	8	12	20	49
65+	2734	8.2	130	1	1	5	9	19	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1845	3.3	50	<1	<1	1	3	6	13	68
B. *Operated*	1522	4.2	14	<1	1	3	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	28912	5.2	70	1	1	3	5	10	22	47
B. *Operated*	8351	6.4	88	1	1	3	7	13	23	57
1. SINGLE DX	3367	3.7	34	<1	<1	2	4	8	11	33
2. MULTIPLE DX	37263	5.5	75	1	1	3	5	11	22	49
A. NOT OPERATED	30757	5.1	69	1	1	3	5	10	21	48
B. OPERATED	9873	6.0	77	1	1	3	7	12	21	53
TOTAL 0-19 YRS	3619	4.1	51	<1	1	2	4	7	13	42
20-34	4530	4.2	53	<1	1	2	4	8	13	50
35-49	6016	4.3	43	1	1	3	5	8	12	39
50-64	12774	4.5	51	1	1	3	5	8	14	43
65+	13691	7.2	109	1	1	4	7	19	30	55
GRAND TOTAL	**40630**	**5.3**	**71**	**1**	**1**	**3**	**5**	**11**	**21**	**49**

Operation Groups

Length of Stay Tables
Operation Groups

505 Hospitals, North Central Region, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75430	3.1	16	1	1	2	3	5	7	21
20-34	173376	3.1	8	1	1	3	4	5	7	13
35-49	63856	4.1	16	1	1	3	5	8	10	19
50-64	50491	4.6	19	1	1	3	6	9	12	20
65+	39329	5.8	25	1	1	4	8	12	15	22
2. MULTIPLE DX										
0-19 YRS	93730	5.6	78	1	1	3	6	11	20	54
20-34	198338	5.0	32	1	1	4	5	9	13	31
35-49	148194	6.5	46	1	2	5	7	12	18	36
50-64	203053	7.7	59	1	2	6	10	15	21	40
65+	373284	9.3	65	2	2	7	12	18	24	42
TOT. SINGLE DX	402482	3.7	14	1	1	3	4	7	10	18
" MULTIPLE DX	1016599	7.4	59	1	2	5	9	15	21	40
TOTAL 0-19 YRS	169160	4.5	52	1	1	3	4	8	14	42
20-34	371714	4.1	22	1	1	3	5	7	10	25
35-49	212050	5.7	38	1	1	4	7	11	16	32
50-64	253544	7.1	52	1	1	5	9	14	19	38
65+	412613	8.9	63	1	2	7	11	17	23	41
GRAND TOTAL	**1419081**	**6.3**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	7.3	22	2	2	7	9	12	17	27
20-34	117	9.1	39	1	3	8	11	16	19	38
35-49	133	9.4	31	2	4	9	12	16	20	28
50-64	139	12.0	99	3	5	10	14	19	24	58
65+	129	12.5	124	2	4	10	15	20	33	66
2. MULTIPLE DX										
0-19 YRS	220	15.8	278	2	3	11	19	39	57	99+
20-34	174	16.8	211	4	5	12	21	37	57	99+
35-49	263	16.7	157	5	6	13	19	32	46	81
50-64	502	17.8	192	5	6	13	21	35	50	75
65+	737	20.2	184	6	8	16	26	39	51	77
TOT. SINGLE DX	610	10.3	70	2	3	9	12	17	22	46
" MULTIPLE DX	1896	18.3	198	5	6	14	23	36	51	91
TOTAL 0-19 YRS	312	13.3	217	2	2	9	16	30	47	99+
20-34	291	13.7	156	3	4	10	16	31	46	99+
35-49	396	14.3	127	4	5	11	17	28	38	70
50-64	641	16.5	177	5	6	13	20	32	44	74
65+	866	19.1	183	5	7	15	24	36	50	76
GRAND TOTAL	**2506**	**16.3**	**179**	**3**	**5**	**12**	**20**	**34**	**46**	**84**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	6.3	26	2	3	5	7	14	17	29
20-34	47	9.0	19	3	4	8	11	14	17	26
35-49	27	8.0	29	2	3	7	10	15	22	24
50-64	43	9.0	13	3	5	8	12	15	16	16
65+	38	9.9	36	4	5	8	12	21	23	25
2. MULTIPLE DX										
0-19 YRS	81	14.5	253	2	3	8	18	34	48	81
20-34	81	18.3	353	4	4	11	24	50	67	97
35-49	83	20.0	295	4	6	15	27	50	67	99+
50-64	118	18.0	234	4	5	13	23	37	51	84
65+	175	21.1	205	7	8	18	26	39	50	73
TOT. SINGLE DX	222	8.2	26	2	3	7	11	15	20	25
" MULTIPLE DX	538	18.8	258	4	5	14	24	39	56	91
TOTAL 0-19 YRS	148	10.8	167	2	3	6	12	23	35	80
20-34	128	14.9	250	3	4	10	15	35	59	93
35-49	110	17.1	256	3	4	12	22	40	59	99+
50-64	161	15.6	191	4	5	11	18	31	40	75
65+	213	19.1	194	5	7	16	24	35	46	71
GRAND TOTAL	**760**	**15.7**	**214**	**3**	**4**	**11**	**20**	**33**	**48**	**82**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	148	4.8	14	2	2	4	6	9	10	23
20-34	41	5.1	9	1	2	5	7	9	11	15
35-49	15	5.5	9	1	1	6	7	9	11	12
50-64	5	5.4	2	3	3	6	6	7	7	7
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	125	9.2	109	3	3	6	10	20	28	95
20-34	77	9.6	139	2	3	6	9	18	40	90
35-49	37	9.4	154	2	3	5	8	21	39	61
50-64	19	17.2	212	3	4	13	29	40	46	47
65+	23	15.6	237	2	3	10	18	35	58	62
TOT. SINGLE DX	211	4.9	12	2	2	4	6	9	10	21
" MULTIPLE DX	281	10.4	145	2	3	7	11	26	36	84
TOTAL 0-19 YRS	273	6.8	62	2	2	5	7	12	22	37
20-34	118	8.1	98	2	2	5	9	15	33	77
35-49	52	8.3	115	1	2	5	7	18	22	61
50-64	24	14.7	191	3	4	7	26	34	46	47
65+	25	14.7	227	2	3	9	17	30	57	62
GRAND TOTAL	**492**	**8.1**	**95**	**2**	**2**	**5**	**8**	**17**	**28**	**62**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	5.4	14	1	2	4	7	9	12	22
20-34	23	6.5	13	2	3	6	9	12	14	15
35-49	13	6.4	12	3	3	5	8	12	14	15
50-64	13	9.8	62	3	3	7	13	21	29	31
65+	28	10.8	37	5	6	9	13	16	23	34
2. MULTIPLE DX										
0-19 YRS	160	12.3	232	2	2	6	14	38	50	99+
20-34	32	14.3	308	4	4	9	15	33	90	99+
35-49	44	15.6	244	4	5	11	21	34	73	99+
50-64	68	19.2	206	5	6	15	27	38	46	75
65+	185	20.7	185	6	8	18	26	39	48	78
TOT. SINGLE DX	139	7.2	27	2	3	6	9	14	16	31
" MULTIPLE DX	489	16.9	229	3	4	12	22	38	49	99
TOTAL 0-19 YRS	222	10.4	181	2	2	6	10	30	47	98
20-34	55	11.1	197	3	4	8	13	21	42	99+
35-49	57	13.5	206	4	4	9	16	28	62	98
50-64	81	17.7	194	4	5	13	24	36	43	72
65+	213	19.4	177	6	8	16	25	34	46	77
GRAND TOTAL	**628**	**14.7**	**200**	**2**	**3**	**10**	**19**	**32**	**46**	**97**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	5.3	34	1	2	3	6	9	17	30
20-34	25	5.9	15	1	1	5	9	11	14	14
35-49	18	14.6	310	3	4	7	15	50	59	59
50-64	17	6.8	45	1	2	4	8	20	24	24
65+	11	6.6	21	1	1	8	11	12	13	13
2. MULTIPLE DX										
0-19 YRS	611	7.8	117	1	2	4	8	19	31	79
20-34	129	13.8	239	2	3	8	19	37	52	99+
35-49	85	17.5	252	3	4	12	22	42	48	81
50-64	91	16.6	144	2	5	14	21	35	40	59
65+	91	17.9	122	4	6	15	23	37	42	44
TOT. SINGLE DX	242	6.2	58	1	2	4	7	11	20	50
" MULTIPLE DX	1007	11.1	165	1	2	6	14	28	40	79
TOTAL 0-19 YRS	782	7.3	101	1	2	4	8	17	27	66
20-34	154	12.5	211	1	2	8	14	33	47	99
35-49	103	17.0	261	3	4	11	22	42	50	75
50-64	108	15.1	142	2	4	12	21	31	40	57
65+	102	16.6	123	3	5	14	23	36	42	44
GRAND TOTAL	**1249**	**10.2**	**148**	**1**	**2**	**5**	**12**	**26**	**37**	**72**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	8.2	17	1	3	8	10	15	17	18
20-34	136	7.6	23	3	3	7	9	13	16	28
35-49	355	7.2	14	3	4	6	9	13	15	20
50-64	349	8.0	19	4	4	7	9	13	17	23
65+	293	9.4	21	4	5	9	11	15	18	24
2. MULTIPLE DX										
0-19 YRS	69	13.2	144	4	5	8	16	34	46	93
20-34	186	12.2	103	4	5	9	14	24	34	65
35-49	461	10.4	75	3	4	8	11	19	24	46
50-64	834	11.8	96	4	5	9	14	20	29	55
65+	996	14.3	90	5	7	11	17	25	32	57
TOT. SINGLE DX	1153	8.1	19	3	4	7	10	14	16	23
" MULTIPLE DX	2546	12.6	94	4	5	10	15	23	31	57
TOTAL 0-19 YRS	89	12.1	120	4	5	8	14	29	38	86
20-34	322	10.3	75	3	4	8	11	19	28	52
35-49	816	9.0	52	3	4	7	10	15	20	42
50-64	1183	10.7	77	4	4	8	12	18	25	51
65+	1289	13.1	79	5	6	11	16	23	30	51
GRAND TOTAL	**3699**	**11.2**	**75**	**4**	**4**	**9**	**13**	**20**	**27**	**49**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	8.5	34	2	2	7	13	17	26	99+
20-34	91	5.2	29	1	1	3	7	12	17	25
35-49	123	5.8	22	1	1	4	8	12	15	23
50-64	37	6.9	23	1	2	6	10	14	17	20
65+	20	8.5	121	1	1	7	9	11	33	53
2. MULTIPLE DX										
0-19 YRS	94	13.0	196	2	3	8	15	28	45	69
20-34	172	10.3	125	2	2	7	12	22	31	63
35-49	257	10.3	108	2	2	7	13	22	27	61
50-64	234	12.7	157	2	3	9	15	28	35	70
65+	187	16.5	156	2	4	14	21	33	45	56
TOT. SINGLE DX	304	6.2	33	1	1	5	9	13	16	26
" MULTIPLE DX	944	12.4	147	2	3	9	15	27	35	66
TOTAL 0-19 YRS	127	11.8	158	2	2	8	14	27	36	76
20-34	263	8.5	98	1	1	6	11	18	27	41
35-49	380	8.8	85	1	2	6	11	19	23	51
50-64	271	11.9	143	2	3	9	14	25	34	68
65+	207	15.7	158	2	3	12	20	32	45	56
GRAND TOTAL	**1248**	**10.9**	**126**	**1**	**2**	**8**	**13**	**24**	**32**	**64**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.8	3	<1	1	2	3	4	7	10
20-34	69	3.8	31	1	1	2	4	8	9	39
35-49	101	3.6	11	1	1	2	5	8	10	17
50-64	92	3.1	7	1	1	2	4	7	8	13
65+	76	3.3	8	1	1	2	5	8	8	16
2. MULTIPLE DX										
0-19 YRS	19	4.9	46	<1	1	3	5	12	23	30
20-34	71	5.0	32	1	1	3	6	11	16	30
35-49	90	5.2	39	1	1	3	6	11	18	36
50-64	116	5.2	37	1	1	3	7	12	14	34
65+	113	7.9	71	1	1	4	10	21	25	39
TOT. SINGLE DX	359	3.4	13	1	1	2	4	8	9	16
" MULTIPLE DX	409	5.9	48	1	1	3	8	14	21	36
TOTAL 0-19 YRS	40	3.8	24	<1	1	3	4	7	12	30
20-34	140	4.4	32	1	1	3	5	9	12	31
35-49	191	4.3	25	1	1	2	6	9	14	27
50-64	208	4.3	25	1	1	2	6	9	13	30
65+	189	6.1	51	1	1	3	8	15	22	36
GRAND TOTAL	**768**	**4.7**	**33**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.1	1	<1	1	2	3	4	5	7
20-34	261	1.9	2	<1	1	1	2	3	4	10
35-49	328	2.1	3	<1	1	2	2	4	5	9
50-64	257	2.2	3	<1	1	2	2	5	6	10
65+	122	2.1	3	<1	1	2	3	3	5	11
2. MULTIPLE DX										
0-19 YRS	113	3.3	34	1	1	2	3	6	9	35
20-34	350	3.2	16	1	1	2	3	7	10	27
35-49	411	3.5	13	1	1	2	4	8	10	19
50-64	412	3.8	30	1	1	2	4	9	12	23
65+	299	5.0	33	1	1	3	7	11	14	32
TOT. SINGLE DX	1028	2.1	3	<1	1	2	2	4	5	9
" MULTIPLE DX	1585	3.8	24	1	1	2	4	9	12	26
TOTAL 0-19 YRS	173	2.9	23	1	1	2	3	5	6	27
20-34	611	2.6	11	<1	1	2	3	5	9	17
35-49	739	2.9	9	<1	1	2	3	6	9	18
50-64	669	3.2	21	1	1	2	3	7	10	17
65+	421	4.2	27	1	1	2	5	10	13	28
GRAND TOTAL	**2613**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**7**	**10**	**19**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.6	3	1	1	4	5	6	6	6
20-34	26	5.4	9	2	2	5	6	9	13	15
35-49	26	4.4	6	1	1	4	6	8	10	11
50-64	15	8.1	23	3	4	7	10	12	20	22
65+	14	8.7	26	3	3	7	14	15	18	19
2. MULTIPLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	28	7.0	53	2	3	5	7	13	18	40
35-49	32	6.3	9	2	3	6	8	11	12	13
50-64	46	11.2	66	3	4	9	13	21	34	36
65+	105	12.9	77	4	5	11	15	27	29	48
TOT. SINGLE DX	88	5.9	16	2	2	5	7	12	14	21
" MULTIPLE DX	213	10.7	68	3	4	8	13	21	29	38
TOTAL 0-19 YRS	9	3.7	2	1	1	4	5	6	6	6
20-34	54	6.2	32	2	3	5	7	12	15	39
35-49	58	5.5	9	1	2	5	7	11	11	13
50-64	61	10.5	57	3	4	9	12	21	27	36
65+	119	12.4	73	3	5	10	15	24	29	44
GRAND TOTAL	**301**	**9.3**	**57**	**2**	**3**	**7**	**12**	**18**	**26**	**37**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.4	21	<1	<1	4	6	12	14	14
20-34	21	5.6	15	1	2	5	7	10	15	18
35-49	31	4.2	15	<1	1	3	6	9	10	19
50-64	26	4.2	9	1	1	4	7	8	9	11
65+	10	6.0	30	1	1	4	10	14	18	18
2. MULTIPLE DX										
0-19 YRS	13	7.4	226	1	1	2	6	22	50	56
20-34	55	7.3	70	1	1	4	10	15	22	45
35-49	92	7.1	73	1	1	5	9	16	22	50
50-64	78	6.5	49	1	1	4	8	14	17	40
65+	66	7.3	42	1	1	6	10	16	21	33
TOT. SINGLE DX	95	4.7	16	1	1	4	7	10	12	19
" MULTIPLE DX	304	7.0	65	1	1	5	9	15	21	44
TOTAL 0-19 YRS	20	6.4	152	<1	1	2	5	13	35	56
20-34	76	6.8	55	1	1	5	9	15	20	43
35-49	123	6.3	60	1	1	4	8	14	20	37
50-64	104	5.9	40	1	1	4	7	13	16	38
65+	76	7.2	40	1	1	6	10	16	19	32
GRAND TOTAL	**399**	**6.5**	**54**	**1**	**1**	**4**	**8**	**14**	**19**	**39**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	2.6	1	1	1	2	4	4	4	5
20-34	481	2.8	2	1	1	3	3	4	5	8
35-49	594	2.9	2	1	1	3	4	4	5	9
50-64	394	3.2	4	1	2	3	4	5	5	10
65+	155	3.7	3	1	2	3	5	5	6	11
2. MULTIPLE DX										
0-19 YRS	36	5.2	51	1	2	4	5	7	15	43
20-34	265	3.7	8	1	2	3	4	6	8	17
35-49	428	3.7	8	1	2	3	4	6	7	14
50-64	500	4.6	33	1	2	3	5	7	10	28
65+	413	6.6	51	2	2	4	7	13	18	38
TOT. SINGLE DX	1699	3.0	3	1	1	3	4	5	5	9
" MULTIPLE DX	1642	4.7	29	1	2	4	5	8	12	27
TOTAL 0-19 YRS	111	3.4	19	1	1	3	4	5	5	26
20-34	746	3.1	4	1	1	3	4	5	6	11
35-49	1022	3.2	5	1	1	3	4	5	6	12
50-64	894	4.0	21	1	2	3	4	6	8	19
65+	568	5.8	40	2	2	4	6	11	16	31
GRAND TOTAL	**3341**	**3.8**	**16**	**1**	**2**	**3**	**4**	**6**	**8**	**18**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	1.7	1	1	1	1	2	3	3	7
20-34	78	2.3	2	1	1	2	3	4	5	8
35-49	76	2.6	2	1	1	2	3	5	5	10
50-64	69	3.2	3	1	1	3	4	5	6	11
65+	39	3.5	2	1	2	3	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	39	3.3	9	<1	1	2	4	7	11	14
20-34	57	5.3	22	1	1	4	7	10	15	23
35-49	107	6.2	38	1	2	4	7	13	21	31
50-64	180	7.7	93	1	2	4	8	15	25	56
65+	243	8.3	59	2	2	5	10	19	26	39
TOT. SINGLE DX	391	2.4	3	1	1	2	3	4	5	8
" MULTIPLE DX	626	7.2	61	1	2	4	8	15	24	40
TOTAL 0-19 YRS	168	2.0	3	1	1	1	2	4	5	11
20-34	135	3.5	13	1	1	2	4	8	10	23
35-49	183	4.7	27	1	1	3	5	10	14	30
50-64	249	6.4	73	1	2	4	6	13	23	51
65+	282	7.6	54	2	2	5	8	17	25	37
GRAND TOTAL	**1017**	**5.3**	**44**	**1**	**1**	**3**	**6**	**11**	**18**	**31**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	6.2	25	1	1	5	9	14	15	15
20-34	22	7.0	6	3	4	7	8	9	12	15
35-49	21	7.4	7	4	4	7	9	11	13	15
50-64	25	7.2	6	3	4	7	9	10	11	13
65+	20	9.0	18	3	5	8	10	15	18	21
2. MULTIPLE DX										
0-19 YRS	23	10.0	32	4	5	9	12	16	24	28
20-34	59	8.9	18	5	5	8	10	13	19	26
35-49	60	11.8	76	4	5	9	15	21	26	55
50-64	99	13.1	139	4	5	10	15	21	48	84
65+	82	14.8	150	4	6	11	18	25	46	62
TOT. SINGLE DX	97	7.5	11	2	4	7	9	11	14	19
" MULTIPLE DX	323	12.3	104	4	5	9	14	22	28	63
TOTAL 0-19 YRS	32	8.9	32	1	3	8	12	14	21	28
20-34	81	8.4	16	4	5	7	10	12	18	25
35-49	81	10.7	62	4	5	8	12	19	23	50
50-64	124	11.9	118	4	5	9	14	19	35	77
65+	102	13.6	130	4	5	10	15	23	41	61
GRAND TOTAL	**420**	**11.2**	**87**	**4**	**5**	**9**	**13**	**19**	**24**	**61**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.6		<1	<1	1	2	3	3	3
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	7	1.6		<1	<1	2	2	2	2	2
50-64	8	1.4		<1	<1	1	2	3	3	3
65+	13	2.0	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
0-19 YRS	6	2.7	5	1	1	2	3	7	7	7
20-34	4	6.5	41	2	2	4	10	16	16	16
35-49	15	8.6	67	1	1	6	13	19	27	30
50-64	23	6.7	68	1	1	5	10	13	25	38
65+	50	7.2	53	1	1	4	10	17	24	33
TOT. SINGLE DX	40	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	98	7.0	56	1	1	4	10	17	22	36
TOTAL 0-19 YRS	14	2.1	3	<1	<1	2	3	4	6	7
20-34	8	3.8	27	<1	<1	2	4	13	16	16
35-49	22	6.4	56	<1	1	3	7	17	23	30
50-64	31	5.3	56	1	1	2	6	12	18	38
65+	63	6.1	48	1	1	3	8	16	21	32
GRAND TOTAL	**138**	**5.4**	**46**	**<1**	**1**	**2**	**6**	**15**	**18**	**34**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	107	1.4	1	<1	1	1	2	2	3	7
20-34	39	1.8	2	<1	<1	1	2	4	5	8
35-49	32	1.7		<1	1	1	2	3	3	4
50-64	38	1.8	1	<1	1	1	2	4	5	7
65+	32	1.5		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	247	2.9	14	<1	1	2	3	5	8	24
20-34	299	3.3	16	<1	1	2	4	7	10	25
35-49	170	3.5	22	1	1	2	4	8	11	29
50-64	179	4.3	47	1	1	2	4	12	18	41
65+	276	6.6	67	1	1	4	9	16	22	42
TOT. SINGLE DX	248	1.6	1	<1	1	1	2	3	4	7
" MULTIPLE DX	1171	4.2	35	1	1	2	5	10	16	32
TOTAL 0-19 YRS	354	2.5	11	<1	1	1	3	5	7	16
20-34	338	3.2	15	<1	1	2	4	6	10	23
35-49	202	3.2	19	1	1	2	3	7	10	25
50-64	217	3.9	40	1	1	2	3	9	17	41
65+	308	6.1	63	1	1	3	8	15	20	41
GRAND TOTAL	**1419**	**3.7**	**30**	**1**	**1**	**2**	**4**	**9**	**13**	**30**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.7	2	<1	1	1	2	5	5	5
20-34	29	1.3		<1	<1	1	2	2	2	2
35-49	20	1.4		<1	1	1	2	2	3	3
50-64	25	1.5		1	1	1	2	2	3	4
65+	58	1.7	5	1	1	1	2	3	3	17
2. MULTIPLE DX										
0-19 YRS	18	2.1	2	<1	<1	2	3	4	5	6
20-34	25	4.1	114	1	1	2	2	5	18	55
35-49	24	1.8	1	1	1	2	3	3	4	5
50-64	41	2.1	4	1	1	2	2	3	6	13
65+	97	2.4	7	1	1	2	2	4	7	16
TOT. SINGLE DX	147	1.5	2	<1	1	1	2	2	3	6
" MULTIPLE DX	205	2.5	18	1	1	2	2	4	6	16
TOTAL 0-19 YRS	33	1.9	2	<1	<1	1	2	4	5	6
20-34	54	2.6	54	<1	1	1	2	3	5	53
35-49	44	1.6	1	1	1	1	2	3	3	5
50-64	66	1.9	3	1	1	1	2	3	4	12
65+	155	2.2	7	1	1	2	2	3	6	18
GRAND TOTAL	**352**	**2.1**	**12**	**1**	**1**	**1**	**2**	**3**	**5**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.8	8	<1	<1	1	4	8	8	8
20-34										
35-49	5	1.6		1	1	2	2	2	2	2
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	9	11.2	581	1	1	2	7	49	75	75
20-34	5	14.2	273	4	4	4	23	42	42	42
35-49	6	5.5	16	2	2	5	6	12	13	13
50-64	5	8.8	59	2	2	5	16	19	19	19
65+	11	7.5	67	1	1	5	12	20	27	28
TOT. SINGLE DX	17	2.9	9	<1	1	2	3	8	10	11
" MULTIPLE DX	36	9.2	200	1	1	4	11	19	38	75
TOTAL 0-19 YRS	17	7.2	313	<1	1	2	6	10	52	75
20-34	5	14.2	273	4	4	4	23	42	42	42
35-49	11	3.7	13	1	1	2	5	9	13	13
50-64	6	9.2	48	2	2	8	15	19	19	19
65+	14	6.5	57	1	1	4	9	15	25	28
GRAND TOTAL	**53**	**7.2**	**147**	**1**	**1**	**3**	**7**	**15**	**27**	**74**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.7	1	1	1	2	2	3	4	5
20-34	68	1.8		1	1	2	2	3	4	5
35-49	73	2.0	1	1	1	2	2	3	4	6
50-64	83	2.1	3	1	1	2	2	4	5	12
65+	289	2.4	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	19	1.7		1	1	2	2	3	3	3
20-34	29	3.3	7	1	1	3	4	6	7	15
35-49	39	2.6	2	1	1	2	3	5	6	7
50-64	119	2.7	3	1	1	2	3	5	6	12
65+	751	2.8	4	1	1	2	3	5	6	10
TOT. SINGLE DX	531	2.2	2	1	1	2	3	4	5	6
" MULTIPLE DX	957	2.7	4	1	1	2	3	5	6	11
TOTAL 0-19 YRS	37	1.7	1	1	1	2	2	3	3	5
20-34	97	2.3	3	1	1	2	3	4	5	11
35-49	112	2.2	2	1	1	2	3	4	5	7
50-64	202	2.4	4	1	1	2	3	4	5	12
65+	1040	2.7	4	1	1	2	3	4	5	9
GRAND TOTAL	**1488**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.1	5	1	1	3	4	6	7	14
20-34	41	2.9	1	<1	1	3	4	5	5	5
35-49	32	2.6	3	1	1	2	4	5	5	10
50-64	10	2.9	3	1	1	3	4	6	7	7
65+	24	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	59	3.8	4	1	1	3	5	6	8	11
20-34	60	3.6	4	1	1	3	5	7	8	10
35-49	42	4.7	17	1	1	3	6	8	11	24
50-64	37	5.6	23	1	1	4	8	12	16	24
65+	65	5.9	36	1	1	4	8	14	18	30
TOT. SINGLE DX	164	2.8	4	1	1	3	4	5	6	10
" MULTIPLE DX	263	4.7	18	1	1	3	6	9	13	24
TOTAL 0-19 YRS	116	3.5	5	1	1	3	5	6	7	12
20-34	101	3.3	4	1	1	3	4	6	7	9
35-49	74	3.8	12	1	1	3	5	8	9	22
50-64	47	5.0	21	1	1	4	7	10	15	24
65+	89	4.9	30	1	1	3	6	12	15	28
GRAND TOTAL	**427**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.6		1	1	1	2	3	4	4
20-34	16	2.2	1	1	1	2	3	4	4	4
35-49	41	3.0	5	1	1	3	4	5	8	11
50-64	80	2.5	1	1	1	3	3	4	4	5
65+	158	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	25	2.2	3	1	1	1	3	4	6	9
20-34	31	3.4	6	1	1	3	4	8	9	9
35-49	56	4.8	88	1	1	3	4	7	9	68
50-64	119	3.1	4	1	1	3	4	5	8	12
65+	472	3.4	15	1	1	2	4	6	8	19
TOT. SINGLE DX	319	2.5	3	1	1	2	3	4	5	9
" MULTIPLE DX	703	3.4	19	1	1	2	4	6	8	16
TOTAL 0-19 YRS	49	1.9	2	1	1	1	2	3	4	9
20-34	47	3.0	5	1	1	2	4	7	8	9
35-49	97	4.0	53	1	1	3	4	7	9	43
50-64	199	2.8	3	1	1	3	3	5	6	11
65+	630	3.2	13	1	1	2	4	5	8	16
GRAND TOTAL	**1022**	**3.1**	**14**	**1**	**1**	**2**	**4**	**5**	**8**	**12**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.2	9	1	1	2	4	5	10	16
20-34	24	3.0	2	<1	1	3	4	6	6	6
35-49	25	2.8	3	<1	1	2	4	5	6	7
50-64	34	2.6	3	1	1	2	3	5	5	10
65+	52	2.3	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	26	4.9	12	1	2	5	6	8	10	19
20-34	37	4.1	7	1	1	3	6	7	9	13
35-49	23	5.3	37	1	1	3	7	11	22	25
50-64	51	3.2	6	1	1	3	4	6	6	15
65+	176	4.8	23	1	1	3	6	11	15	27
TOT. SINGLE DX	161	2.7	4	1	1	2	3	5	6	10
" MULTIPLE DX	313	4.5	19	1	1	3	5	8	14	23
TOTAL 0-19 YRS	52	4.1	12	1	1	3	5	7	8	19
20-34	61	3.6	6	1	1	3	5	7	8	13
35-49	48	4.0	21	1	1	3	4	8	10	25
50-64	85	2.9	5	1	1	2	4	5	6	13
65+	228	4.2	20	1	1	3	5	9	14	23
GRAND TOTAL	**474**	**3.9**	**15**	**1**	**1**	**3**	**5**	**7**	**11**	**20**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.8	4	1	1	2	4	6	7	7
20-34	2	3.0		3	3	3	3	3	3	3
35-49	7	2.1	2	1	1	2	3	5	5	5
50-64	34	1.9	2	1	1	2	2	3	4	10
65+	122	1.6		1	1	2	2	2	2	5
2. MULTIPLE DX										
0-19 YRS	18	4.0	10	1	1	3	6	9	10	10
20-34	21	4.7	6	1	1	5	7	8	9	10
35-49	31	4.3	8	1	1	4	6	7	11	13
50-64	60	3.2	7	1	1	2	4	7	8	15
65+	372	3.2	14	1	1	2	4	6	11	21
TOT. SINGLE DX	178	1.8	1	1	1	2	2	3	4	7
" MULTIPLE DX	502	3.4	13	1	1	2	4	7	10	20
TOTAL 0-19 YRS	31	3.5	8	1	1	2	6	8	9	10
20-34	23	4.5	6	1	1	4	7	8	9	10
35-49	38	3.9	8	1	1	3	5	6	10	13
50-64	94	2.7	6	1	1	2	3	6	7	13
65+	494	2.8	11	1	1	2	3	5	8	20
GRAND TOTAL	**680**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.5	3	<1	1	1	1	2	4	10
20-34	4	1.3		1	1	1	2	2	2	2
35-49	37	1.9	2	<1	<1	2	2	2	5	9
50-64	171	1.5	1	<1	<1	1	2	2	3	5
65+	635	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	10	2.1	1	1	1	2	3	4	4	4
20-34	16	5.1	52	<1	1	4	4	14	25	29
35-49	80	2.5	7	1	1	2	2	5	7	17
50-64	397	2.5	10	1	1	2	2	5	7	16
65+	1969	2.5	9	1	1	2	2	4	7	16
TOT. SINGLE DX	872	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	2472	2.5	10	1	1	2	2	4	7	16
TOTAL 0-19 YRS	35	1.7	3	1	1	1	2	3	4	10
20-34	20	4.3	44	<1	1	2	4	10	22	29
35-49	117	2.3	6	<1	1	2	2	4	7	16
50-64	568	2.2	8	<1	<1	2	2	3	6	14
65+	2604	2.2	8	<1	<1	2	2	3	6	15
GRAND TOTAL	**3344**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**3**	**6**	**15**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	16	1.3		<1	<1	1	2	2	2	2
65+	41	1.5		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	10	1.9	1	1	1	1	3	4	4	4
50-64	32	2.3	3	1	1	2	2	6	7	8
65+	124	2.2	2	1	1	2	2	3	7	9
TOT. SINGLE DX	61	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	168	2.2	3	1	1	2	2	4	7	8
TOTAL 0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	12	1.9	1	1	1	2	3	4	4	4
50-64	48	2.0	3	<1	1	1	2	5	6	8
65+	165	2.0	2	1	1	2	2	3	5	8
GRAND TOTAL	**229**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.8	2	1	1	2	4	5	6	7
20-34	97	2.7	4	1	1	2	3	6	8	12
35-49	108	2.6	4	1	1	2	3	5	7	14
50-64	309	2.4	2	1	1	2	3	4	5	8
65+	336	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	46	3.4	5	1	1	3	5	7	8	99+
20-34	145	3.9	9	1	1	3	5	7	9	14
35-49	177	3.8	10	1	1	3	5	7	9	15
50-64	369	3.2	5	1	1	3	4	6	8	13
65+	568	3.3	5	1	1	3	4	6	7	11
TOT. SINGLE DX	893	2.5	3	1	1	2	3	4	6	9
" MULTIPLE DX	1305	3.4	6	1	1	3	4	6	8	13
TOTAL 0-19 YRS	89	3.1	4	1	1	3	4	6	7	66
20-34	242	3.4	8	1	1	3	5	7	9	13
35-49	285	3.3	8	1	1	3	4	7	9	14
50-64	678	2.8	4	1	1	2	3	5	6	11
65+	904	3.0	4	1	1	3	4	5	7	10
GRAND TOTAL	**2198**	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.6	2	1	1	2	4	5	6	6
20-34	18	3.4	4	<1	1	3	4	6	8	9
35-49	24	2.3	3	<1	1	2	3	5	7	9
50-64	51	2.5	2	1	1	2	3	5	6	7
65+	92	2.6	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	40	3.2	6	1	1	3	4	6	7	14
20-34	172	3.4	10	1	1	3	4	6	8	20
35-49	138	3.1	4	1	1	2	4	6	8	11
50-64	223	3.5	16	1	1	3	4	6	9	26
65+	378	4.1	35	1	1	2	4	8	12	30
TOT. SINGLE DX	206	2.6	4	1	1	2	3	5	7	10
" MULTIPLE DX	951	3.6	21	1	1	2	4	7	10	25
TOTAL 0-19 YRS	61	3.0	5	1	1	3	4	6	7	13
20-34	190	3.4	10	1	1	3	4	6	8	20
35-49	162	2.9	5	1	1	2	3	6	8	10
50-64	274	3.3	14	1	1	2	4	6	8	20
65+	470	3.8	29	1	1	2	4	7	11	28
GRAND TOTAL	**1157**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	1.1		<1	<1	1	1	2	2	2
20-34	42	1.1		<1	<1	1	1	2	2	3
35-49	28	1.3		<1	<1	1	1	2	3	5
50-64	11	1.3		<1	<1	1	2	2	2	2
65+	7	1.7	1	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	81	1.2		<1	<1	1	1	2	2	3
20-34	26	1.3		<1	1	1	1	2	3	4
35-49	25	1.3		<1	1	1	2	2	3	3
50-64	30	1.4	2	<1	<1	1	1	2	2	9
65+	11	1.9	1	1	1	2	2	4	5	5
TOT. SINGLE DX	290	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	173	1.3	1	<1	<1	1	1	2	2	5
TOTAL 0-19 YRS	283	1.1		<1	<1	1	1	2	2	2
20-34	68	1.2		<1	<1	1	1	2	2	4
35-49	53	1.3		<1	<1	1	1	2	2	5
50-64	41	1.3	2	<1	<1	1	1	2	2	9
65+	18	1.8	1	<1	1	2	2	3	4	5
GRAND TOTAL	**463**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.6	2	1	1	1	2	4	4	4
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
TOT. SINGLE DX	5	1.6	2	1	1	1	2	4	4	4
" MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL 0-19 YRS	5	1.6	2	1	1	1	2	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**6**	**1.5**	**2**	**1**	**1**	**1**	**1**	**4**	**4**	**4**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	2.6	4	<1	<1	2	3	6	7	9
20-34	59	2.8	3	1	1	2	4	5	7	8
35-49	39	3.0	8	1	1	2	3	6	9	16
50-64	42	3.5	19	1	1	2	4	6	12	23
65+	42	2.8	4	1	1	2	3	6	8	10
2. MULTIPLE DX										
0-19 YRS	78	4.1	10	1	1	3	6	8	10	14
20-34	105	4.6	27	1	1	3	5	10	14	31
35-49	91	4.2	19	1	1	3	5	8	14	23
50-64	90	3.9	14	1	1	3	5	7	13	21
65+	193	5.6	53	1	1	3	7	11	17	40
TOT. SINGLE DX	233	2.9	8	1	1	2	4	6	8	17
" MULTIPLE DX	557	4.7	31	1	1	3	6	10	14	31
TOTAL 0-19 YRS	129	3.5	8	1	1	2	5	7	9	14
20-34	164	4.0	19	1	1	3	4	8	11	26
35-49	130	3.9	16	1	1	3	5	7	12	22
50-64	132	3.8	16	1	1	3	4	7	13	23
65+	235	5.1	45	1	1	3	6	11	15	36
GRAND TOTAL	**790**	**4.2**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	2.0	2	<1	<1	1	2	4	5	8
20-34	40	2.0	2	<1	1	1	2	4	6	7
35-49	16	2.1	6	<1	<1	1	2	5	9	11
50-64	11	1.7	2	<1	<1	1	2	4	6	6
65+	19	2.7	5	1	1	2	3	6	11	14
2. MULTIPLE DX										
0-19 YRS	220	4.3	73	<1	1	3	4	5	12	49
20-34	118	4.6	32	<1	1	3	5	10	17	30
35-49	53	5.0	36	<1	1	3	5	16	20	23
50-64	47	6.1	48	1	1	3	8	14	22	33
65+	120	7.0	63	1	1	4	8	16	27	39
TOT. SINGLE DX	209	2.1	3	<1	1	1	2	4	5	9
" MULTIPLE DX	558	5.1	58	1	1	3	5	11	20	38
TOTAL 0-19 YRS	343	3.5	49	<1	1	2	3	5	8	42
20-34	158	3.9	26	<1	1	2	4	8	13	28
35-49	69	4.3	31	<1	1	2	4	14	20	23
50-64	58	5.3	42	1	1	2	7	13	19	33
65+	139	6.4	58	1	1	4	7	15	27	39
GRAND TOTAL	**767**	**4.3**	**45**	**<1**	**1**	**2**	**4**	**9**	**16**	**35**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.4		1	1	1	2	2	2	2
20-34	182	1.5		1	1	1	2	3	3	3
35-49	315	1.7	2	1	1	1	2	3	3	4
50-64	245	1.6		1	1	1	2	3	3	4
65+	107	1.9		1	1	2	3	3	3	4
2. MULTIPLE DX										
0-19 YRS	45	1.3		<1	1	1	2	2	3	3
20-34	77	1.4		1	1	1	2	2	3	5
35-49	124	1.5		1	1	1	2	3	3	4
50-64	107	1.7	1	1	1	1	2	3	3	6
65+	103	2.2	3	1	1	2	3	3	3	12
TOT. SINGLE DX	886	1.7	2	1	1	1	2	3	3	4
" MULTIPLE DX	456	1.7	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	82	1.4		<1	1	1	2	2	2	3
20-34	259	1.5	1	1	1	1	2	3	3	3
35-49	439	1.6	2	1	1	1	2	3	3	4
50-64	352	1.6	1	1	1	1	2	3	3	4
65+	210	2.0	2	1	1	2	3	3	3	5
GRAND TOTAL	**1342**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	387	1.2	2	1	1	1	1	2	2	3
20-34	254	1.3		1	1	1	1	2	2	3
35-49	192	1.2		1	1	1	1	2	2	3
50-64	181	1.3		1	1	1	2	2	2	4
65+	63	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	371	1.3	3	<1	1	1	1	2	2	3
20-34	244	1.7	13	1	1	1	1	2	4	14
35-49	215	1.4	1	1	1	1	2	2	3	6
50-64	231	1.5	1	1	1	1	2	2	3	8
65+	107	2.2	13	1	1	1	2	3	5	24
TOT. SINGLE DX	1077	1.3	1	1	1	1	1	2	2	3
" MULTIPLE DX	1168	1.5	6	1	1	1	2	2	3	9
TOTAL 0-19 YRS	758	1.3	3	1	1	1	1	2	2	3
20-34	498	1.5	7	1	1	1	1	2	3	10
35-49	407	1.3	1	1	1	1	1	2	2	4
50-64	412	1.4	1	1	1	1	2	2	3	6
65+	170	1.9	9	1	1	1	2	2	4	14
GRAND TOTAL	**2245**	**1.4**	**4**	**1**	**1**	**1**	**1**	**2**	**2**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.6	2	<1	<1	1	1	3	4	11
20-34	16	1.8	5	1	1	1	1	3	8	10
35-49	19	1.4	1	<1	1	1	1	2	4	6
50-64	14	4.0	49	<1	1	1	2	10	23	27
65+	5	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	975	2.4	21	<1	1	1	2	6	8	17
20-34	49	3.8	62	<1	1	1	3	10	14	52
35-49	36	3.2	12	1	1	2	4	9	12	15
50-64	41	7.6	126	<1	1	4	9	15	32	57
65+	45	8.1	54	<1	1	6	12	16	24	32
TOT. SINGLE DX	153	1.8	7	<1	<1	1	1	3	6	14
" MULTIPLE DX	1146	2.9	30	<1	1	1	3	7	11	20
TOTAL 0-19 YRS	1074	2.3	20	<1	1	1	2	5	7	16
20-34	65	3.3	49	<1	1	1	2	8	12	47
35-49	55	2.6	9	1	1	1	2	6	10	15
50-64	55	6.7	108	<1	1	2	8	14	26	56
65+	50	7.5	53	<1	1	5	11	16	23	32
GRAND TOTAL	**1299**	**2.8**	**28**	**<1**	**1**	**1**	**2**	**6**	**10**	**20**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	1.6	5	1	1	1	2	2	3	10
20-34	116	1.5		1	1	1	2	2	4	5
35-49	93	1.5		1	1	1	2	3	3	3
50-64	72	1.9	2	1	1	1	2	3	5	10
65+	40	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	331	1.9	11	1	1	1	2	2	5	16
20-34	236	1.7	6	1	1	1	2	2	4	11
35-49	184	1.9	3	1	1	1	2	3	6	9
50-64	214	1.9	2	1	1	1	2	3	5	9
65+	132	2.5	7	1	1	2	3	4	8	17
TOT. SINGLE DX	479	1.6	3	1	1	1	2	3	3	7
" MULTIPLE DX	1097	1.9	7	1	1	1	2	3	5	12
TOTAL 0-19 YRS	489	1.8	9	1	1	1	2	2	4	14
20-34	352	1.6	5	1	1	1	2	2	4	11
35-49	277	1.8	3	1	1	1	2	3	4	9
50-64	286	1.9	3	1	1	1	2	3	5	10
65+	172	2.3	6	1	1	2	2	4	7	15
GRAND TOTAL	**1576**	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**4**	**11**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	1.7	2	<1	1	1	2	3	4	10
20-34	88	1.7	1	1	1	1	2	3	4	7
35-49	119	1.8	1	1	1	2	2	3	4	6
50-64	109	1.8		1	1	2	2	3	3	5
65+	47	2.1	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	139	2.3	30	<1	1	1	2	4	7	19
20-34	96	2.0	4	1	1	1	2	4	7	13
35-49	100	2.4	6	1	1	1	2	5	8	14
50-64	115	2.2	4	1	1	2	2	4	6	12
65+	84	4.7	132	1	1	2	4	8	13	77
TOT. SINGLE DX	437	1.8	1	1	1	1	2	3	4	6
" MULTIPLE DX	534	2.6	32	1	1	1	2	5	8	14
TOTAL 0-19 YRS	213	2.1	21	<1	1	1	2	4	6	12
20-34	184	1.8	3	1	1	1	2	3	5	10
35-49	219	2.1	4	1	1	1	2	4	5	12
50-64	224	2.0	3	1	1	2	2	3	4	10
65+	131	3.8	87	1	1	2	3	6	11	53
GRAND TOTAL	**971**	**2.3**	**19**	**1**	**1**	**1**	**2**	**4**	**5**	**13**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	1.4		1	1	1	2	2	3	6
20-34	122	1.4		1	1	1	2	2	2	4
35-49	89	1.5		1	1	1	2	2	3	4
50-64	37	1.5		1	1	1	2	3	3	3
65+	6	1.8	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	252	1.7	1	1	1	1	2	3	3	5
20-34	660	1.8	8	1	1	1	2	3	3	8
35-49	541	1.8	7	1	1	1	2	3	3	6
50-64	322	2.0	4	1	1	2	2	3	4	10
65+	110	2.2	1	1	1	2	3	4	4	9
TOT. SINGLE DX	307	1.5	1	1	1	1	2	2	3	4
" MULTIPLE DX	1885	1.9	6	1	1	1	2	3	4	8
TOTAL 0-19 YRS	305	1.6	1	1	1	1	2	3	3	6
20-34	782	1.8	7	1	1	1	2	3	3	8
35-49	630	1.7	6	1	1	1	2	3	3	6
50-64	359	2.0	4	1	1	2	2	3	4	10
65+	116	2.2	2	1	1	2	3	4	4	9
GRAND TOTAL	**2192**	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**3**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	253	1.5	1	1	1	1	2	2	3	6
20-34	431	1.5	1	1	1	1	2	2	4	6
35-49	262	1.5		1	1	1	2	2	3	6
50-64	105	1.6	1	1	1	1	2	3	4	7
65+	42	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	622	1.7	7	1	1	1	2	3	3	11
20-34	1215	1.7	4	1	1	1	2	3	4	9
35-49	905	1.8	2	1	1	1	2	3	4	8
50-64	479	2.1	4	1	1	1	2	3	5	13
65+	252	3.2	14	1	1	2	4	7	10	21
TOT. SINGLE DX	1093	1.5	1	1	1	1	2	2	3	6
" MULTIPLE DX	3473	1.9	5	1	1	1	2	3	5	12
TOTAL 0-19 YRS	875	1.7	5	1	1	1	2	3	3	8
20-34	1646	1.7	4	1	1	1	2	3	4	8
35-49	1167	1.7	2	1	1	1	2	3	4	7
50-64	584	2.0	4	1	1	1	2	3	5	13
65+	294	3.0	13	1	1	2	3	6	8	21
GRAND TOTAL	**4566**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	2.1	2	1	1	1	3	5	5	6
20-34	54	2.0	1	1	1	2	2	3	5	7
35-49	50	1.6	1	1	1	1	2	3	4	6
50-64	46	1.8		1	1	2	2	3	3	4
65+	60	2.0	5	1	1	1	2	3	4	18
2. MULTIPLE DX										
0-19 YRS	140	2.0	5	1	1	1	2	4	6	16
20-34	270	1.6	2	1	1	1	2	3	4	9
35-49	291	2.4	21	1	1	1	2	4	6	31
50-64	265	2.4	8	1	1	1	3	5	9	15
65+	253	4.6	29	1	1	2	6	11	15	25
TOT. SINGLE DX	247	1.9	3	1	1	1	2	3	4	6
" MULTIPLE DX	1219	2.7	15	1	1	1	2	6	10	21
TOTAL 0-19 YRS	177	2.0	5	1	1	1	2	4	6	14
20-34	324	1.7	2	1	1	1	2	3	4	9
35-49	341	2.3	19	1	1	1	2	4	6	31
50-64	311	2.3	7	1	1	1	2	5	8	14
65+	313	4.1	26	1	1	2	5	10	15	24
GRAND TOTAL	**1466**	**2.5**	**13**	**1**	**1**	**1**	**2**	**5**	**9**	**21**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	1.4		<1	<1	1	1	3	3	5
20-34	158	2.1	3	1	1	1	3	5	6	9
35-49	102	2.9	4	1	1	3	4	5	6	10
50-64	84	3.7	5	1	1	3	5	6	8	11
65+	88	4.1	6	1	1	4	6	8	8	13
2. MULTIPLE DX										
0-19 YRS	276	3.2	41	1	1	2	3	5	9	36
20-34	402	3.1	12	1	1	2	4	7	10	22
35-49	230	3.5	10	1	1	2	4	8	9	15
50-64	284	5.1	25	1	1	4	6	9	13	23
65+	444	5.5	26	1	2	4	7	10	14	25
TOT. SINGLE DX	532	2.7	5	1	1	2	4	6	7	10
" MULTIPLE DX	1636	4.2	24	1	1	3	5	8	12	24
TOTAL 0-19 YRS	376	2.7	31	<1	1	1	2	5	7	30
20-34	560	2.8	10	1	1	2	3	6	9	15
35-49	332	3.3	8	1	1	2	4	7	9	14
50-64	368	4.8	21	1	1	4	6	8	12	22
65+	532	5.3	23	1	2	4	7	10	13	25
GRAND TOTAL	**2168**	**3.8**	**20**	**1**	**1**	**2**	**5**	**8**	**10**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.2	6	1	1	1	3	3	8	12
20-34	77	2.1	4	1	1	1	2	3	6	13
35-49	105	2.0	3	1	1	1	2	3	5	10
50-64	75	1.9	3	1	1	1	2	3	6	12
65+	31	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	58	4.4	122	1	1	1	2	6	19	70
20-34	142	2.5	6	1	1	2	3	4	8	13
35-49	192	2.7	11	1	1	2	3	5	9	22
50-64	181	3.7	32	1	1	2	3	8	12	36
65+	140	3.8	17	1	1	2	4	9	13	21
TOT. SINGLE DX	307	2.0	4	1	1	1	2	3	5	12
" MULTIPLE DX	713	3.3	26	1	1	2	3	7	11	23
TOTAL 0-19 YRS	77	3.9	94	1	1	1	2	5	18	64
20-34	219	2.4	6	1	1	2	3	4	7	13
35-49	297	2.5	9	1	1	2	2	4	8	20
50-64	256	3.2	24	1	1	2	3	7	11	28
65+	171	3.5	15	1	1	2	4	8	12	20
GRAND TOTAL	**1020**	**2.9**	**20**	**1**	**1**	**2**	**3**	**5**	**9**	**20**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	2.7	7	1	1	1	4	6	8	16
20-34	90	2.4	5	1	1	1	3	6	7	12
35-49	84	2.0	2	1	1	1	2	4	5	11
50-64	68	2.6	8	<1	1	2	3	6	7	19
65+	33	2.6	4	1	1	2	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	139	5.4	35	1	1	3	7	14	17	28
20-34	255	3.7	29	1	1	2	4	8	13	33
35-49	291	3.7	30	1	1	2	4	9	13	30
50-64	282	4.1	54	1	1	2	5	9	13	27
65+	219	5.3	39	1	1	3	7	12	20	31
TOT. SINGLE DX	323	2.4	6	1	1	1	3	5	7	13
" MULTIPLE DX	1186	4.3	39	1	1	2	5	10	14	29
TOTAL 0-19 YRS	187	4.7	30	1	1	2	6	13	16	28
20-34	345	3.3	24	1	1	2	4	7	11	24
35-49	375	3.3	24	1	1	2	3	8	12	26
50-64	350	3.8	46	1	1	2	4	8	11	26
65+	252	5.0	36	1	1	3	6	11	19	30
GRAND TOTAL	**1509**	**3.9**	**32**	**1**	**1**	**2**	**4**	**9**	**13**	**27**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	1.3		<1	<1	1	1	2	3	4
20-34	58	2.9	26	<1	<1	2	2	4	8	29
35-49	33	2.4	10	1	1	2	2	3	5	20
50-64	15	1.7	1	1	1	1	2	2	5	6
65+	10	3.3	23	<1	<1	2	2	10	17	17
2. MULTIPLE DX										
0-19 YRS	232	3.9	61	1	1	2	3	6	15	42
20-34	265	6.6	128	1	1	2	6	20	29	62
35-49	213	7.1	113	1	1	3	8	17	31	54
50-64	257	5.4	63	1	1	2	6	11	22	42
65+	319	7.7	118	1	1	3	9	18	29	56
TOT. SINGLE DX	182	2.2	12	<1	<1	1	2	3	5	25
" MULTIPLE DX	1286	6.2	100	1	1	2	6	15	27	54
TOTAL 0-19 YRS	298	3.3	49	<1	1	2	3	5	11	40
20-34	323	5.9	112	1	1	2	4	17	28	54
35-49	246	6.5	102	1	1	2	7	17	26	54
50-64	272	5.2	61	1	1	2	6	11	22	42
65+	329	7.6	116	1	1	3	9	18	29	55
GRAND TOTAL	**1468**	**5.7**	**91**	**1**	**1**	**2**	**6**	**14**	**25**	**53**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7	2	<1	<1	1	1	5	5	5
20-34	11	5.0	29	1	1	4	5	13	19	20
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	9	2.0	1	1	1	2	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	89	3.4	54	<1	<1	1	2	6	12	43
20-34	20	3.6	10	<1	<1	2	5	9	11	12
35-49	12	12.4	495	1	1	3	10	46	73	77
50-64	8	2.8	1	2	2	3	3	4	5	5
65+	3	22.3	620	6	6	10	41	51	51	51
TOT. SINGLE DX	35	2.8	12	<1	1	2	4	5	7	20
" MULTIPLE DX	132	4.6	103	<1	<1	2	3	10	26	56
TOTAL 0-19 YRS	101	3.2	48	<1	<1	1	2	6	11	40
20-34	31	4.1	17	<1	1	2	5	9	12	20
35-49	14	10.9	435	<1	1	3	8	37	68	77
50-64	17	2.4	1	1	1	2	3	4	5	5
65+	4	17.0	527	1	1	8	30	51	51	51
GRAND TOTAL	**167**	**4.2**	**85**	**<1**	**<1**	**2**	**3**	**8**	**14**	**52**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	1.9		<1	<1	2	3	3	3	4
20-34	18	2.5	2	1	1	2	3	5	6	6
35-49	36	1.9	1	<1	1	2	2	3	5	6
50-64	59	2.1	1	1	1	2	3	3	4	5
65+	19	2.6	2	1	1	2	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	92	3.3	23	1	1	2	3	7	9	76
20-34	68	4.3	36	1	1	2	4	14	20	29
35-49	81	4.6	76	1	1	2	4	9	18	55
50-64	119	2.5	5	1	1	2	3	4	6	16
65+	95	5.5	68	1	1	2	5	14	18	52
TOT. SINGLE DX	160	2.1	1	1	1	2	3	3	5	6
" MULTIPLE DX	455	3.9	40	1	1	2	3	8	15	44
TOTAL 0-19 YRS	120	2.9	19	1	1	2	3	6	8	61
20-34	86	3.9	30	1	1	2	3	8	18	27
35-49	117	3.8	55	1	1	2	3	6	13	42
50-64	178	2.3	4	1	1	2	3	4	5	13
65+	114	5.0	58	1	1	2	4	13	17	49
GRAND TOTAL	**615**	**3.4**	**31**	**1**	**1**	**2**	**3**	**6**	**12**	**29**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	2.0	3	<1	<1	1	2	4	5	11
20-34	235	2.2	2	1	1	2	3	3	4	11
35-49	282	2.1	1	1	1	2	3	4	4	7
50-64	299	2.3	2	1	1	2	3	4	4	8
65+	184	2.7	2	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	44	3.7	12	1	1	2	4	10	12	14
20-34	102	3.0	12	1	1	2	3	5	7	23
35-49	165	3.0	5	1	1	2	3	6	8	14
50-64	283	3.6	12	1	1	3	4	7	9	27
65+	396	4.9	42	1	1	3	5	10	14	25
TOT. SINGLE DX	1065	2.3	2	1	1	2	3	4	5	9
" MULTIPLE DX	990	3.9	24	1	1	3	4	7	11	21
TOTAL 0-19 YRS	109	2.7	7	<1	1	2	3	6	10	13
20-34	337	2.4	6	1	1	2	3	4	5	15
35-49	447	2.4	3	1	1	2	3	4	5	10
50-64	582	2.9	8	1	1	2	3	5	7	16
65+	580	4.2	31	1	1	3	4	8	12	21
GRAND TOTAL	**2055**	**3.1**	**13**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	229	2.8	2	1	1	3	4	5	5	8
20-34	10	2.1	1	1	1	2	3	4	5	5
35-49	8	2.6	1	1	1	3	4	4	4	4
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	279	3.3	4	1	2	3	4	5	6	13
20-34	19	2.2	2	1	1	2	3	5	6	6
35-49	30	3.2	12	1	1	2	4	6	8	19
50-64	25	3.8	19	1	1	2	4	12	15	18
65+	10	3.3	10	1	1	2	3	9	11	11
TOT. SINGLE DX	251	2.8	2	1	1	3	4	5	5	8
" MULTIPLE DX	363	3.3	6	1	1	3	4	5	7	14
TOTAL 0-19 YRS	508	3.1	3	1	1	3	4	5	6	10
20-34	29	2.2	2	1	1	2	3	5	6	6
35-49	38	3.1	10	1	1	2	4	5	7	19
50-64	28	3.7	18	1	1	2	4	10	14	18
65+	11	3.3	9	1	1	2	3	9	11	11
GRAND TOTAL	**614**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	308	2.8	5	1	1	2	3	5	7	10
20-34	88	4.1	10	<1	1	3	6	8	9	18
35-49	75	3.5	11	1	1	2	4	8	9	18
50-64	114	3.6	15	1	1	2	4	7	13	20
65+	101	3.0	7	1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	442	3.6	21	1	1	2	4	7	10	29
20-34	302	4.2	20	<1	1	3	5	9	11	31
35-49	239	5.8	49	1	1	3	7	14	20	38
50-64	332	8.0	98	1	1	5	10	18	27	50
65+	399	7.2	73	1	1	4	9	17	23	44
TOT. SINGLE DX	686	3.2	9	1	1	2	4	7	8	17
" MULTIPLE DX	1714	5.7	55	1	1	3	7	13	20	38
TOTAL 0-19 YRS	750	3.3	15	1	1	2	4	6	9	21
20-34	390	4.2	18	<1	1	3	5	8	11	30
35-49	314	5.2	42	1	1	3	7	12	18	34
50-64	446	6.9	81	1	1	4	8	16	24	47
65+	500	6.3	63	1	1	4	8	15	21	41
GRAND TOTAL	**2400**	**5.0**	**43**	**1**	**1**	**3**	**6**	**11**	**17**	**34**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3143	1.2		1	1	1	1	2	2	3
20-34	1825	1.2		1	1	1	1	2	2	4
35-49	196	1.3		1	1	1	2	2	2	4
50-64	40	1.7	1	1	1	1	2	3	4	5
65+	11	2.8	14	1	1	2	3	8	13	14
2. MULTIPLE DX										
0-19 YRS	1188	1.4	2	1	1	1	1	2	3	7
20-34	612	1.6	3	1	1	1	2	3	4	7
35-49	113	1.9	3	1	1	1	2	4	7	9
50-64	36	1.9	1	1	1	2	2	3	5	7
65+	21	2.4	3	<1	1	2	3	6	7	7
TOT. SINGLE DX	5215	1.2	1	1	1	1	1	2	2	4
" MULTIPLE DX	1970	1.5	3	1	1	1	2	2	3	7
TOTAL 0-19 YRS	4331	1.2	1	1	1	1	1	2	2	5
20-34	2437	1.3	2	1	1	1	1	2	3	5
35-49	309	1.5	2	1	1	1	2	2	3	8
50-64	76	1.8	1	1	1	2	2	3	5	7
65+	32	2.5	7	1	1	2	3	6	7	14
GRAND TOTAL	**7185**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5482	1.1		<1	1	1	1	2	2	2
20-34	138	1.3		1	1	1	1	2	3	3
35-49	6	1.3		1	1	1	2	2	2	2
50-64	3	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	4932	1.2		1	1	1	1	2	2	4
20-34	68	1.4		1	1	1	1	2	2	7
35-49	12	3.6	17	1	1	2	5	9	14	15
50-64	4	2.0		1	1	2	3	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	5629	1.1	1	<1	1	1	1	2	2	3
" MULTIPLE DX	5018	1.2	1	1	1	1	1	2	2	4
TOTAL 0-19 YRS	10414	1.2	1	<1	1	1	1	2	2	3
20-34	206	1.3		1	1	1	1	2	3	4
35-49	18	2.8	12	1	1	2	3	7	12	15
50-64	7	1.6	1	1	1	1	2	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**10647**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.1		<1	<1	1	1	1	2	2
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	307	1.4	2	<1	1	1	1	2	3	10
20-34	7	1.3		<1	<1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	105	1.1		<1	<1	1	1	1	2	2
" MULTIPLE DX	315	1.4	3	<1	1	1	1	2	3	10
TOTAL 0-19 YRS	406	1.3	2	<1	<1	1	1	2	2	9
20-34	12	1.3		<1	<1	1	2	2	2	2
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**420**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**9**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	395	2.0	2	<1	1	1	2	4	5	9
20-34	272	2.1	2	<1	1	2	3	4	5	8
35-49	95	3.0	25	<1	1	2	4	5	6	32
50-64	70	3.0	9	1	1	2	3	7	10	15
65+	36	3.5	6	1	1	2	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	181	2.9	7	1	1	2	4	5	7	16
20-34	176	3.6	21	1	1	3	4	6	11	17
35-49	118	4.7	47	1	1	2	5	9	18	37
50-64	156	6.9	114	1	1	3	8	17	27	67
65+	134	9.8	122	1	1	6	13	23	33	55
TOT. SINGLE DX	868	2.3	6	<1	1	2	3	4	6	9
" MULTIPLE DX	765	5.3	65	1	1	3	5	12	20	47
TOTAL 0-19 YRS	576	2.3	4	<1	1	2	3	4	5	9
20-34	448	2.7	10	<1	1	2	3	5	7	13
35-49	213	4.0	39	1	1	2	4	7	12	38
50-64	226	5.7	85	1	1	2	6	13	20	55
65+	170	8.5	105	1	1	5	10	20	29	53
GRAND TOTAL	**1633**	**3.7**	**36**	**1**	**1**	**2**	**4**	**7**	**12**	**32**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.3	2	<1	1	2	3	4	6	6
20-34	23	2.3	2	<1	<1	2	3	5	6	6
35-49	20	3.2	7	<1	<1	3	4	5	9	13
50-64	25	2.6	3	<1	1	2	3	6	8	8
65+	25	3.0	8	1	1	2	4	5	8	15
2. MULTIPLE DX										
0-19 YRS	171	3.6	11	1	1	3	4	5	7	29
20-34	29	3.4	5	1	1	3	4	8	8	10
35-49	54	5.3	22	1	1	4	6	12	18	20
50-64	91	5.0	24	1	1	4	6	10	12	31
65+	249	5.9	53	1	1	4	6	11	21	41
TOT. SINGLE DX	114	2.7	5	<1	1	2	3	5	6	14
" MULTIPLE DX	594	4.9	33	1	1	3	5	9	14	36
TOTAL 0-19 YRS	192	3.5	11	1	1	3	4	5	6	28
20-34	52	2.9	5	<1	1	2	4	6	8	10
35-49	74	4.7	19	1	1	3	5	10	16	20
50-64	116	4.5	21	1	1	3	5	9	12	26
65+	274	5.6	50	1	1	3	6	11	19	40
GRAND TOTAL	**708**	**4.6**	**29**	**1**	**1**	**3**	**5**	**9**	**13**	**35**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	1.7	4	1	1	1	1	3	6	12
20-34	23	1.6		<1	<1	1	2	3	4	4
35-49	47	1.3		<1	1	1	1	2	3	6
50-64	97	1.5	1	<1	<1	1	1	3	3	7
65+	54	2.4	19	1	1	1	2	2	14	24
2. MULTIPLE DX										
0-19 YRS	57	3.5	42	<1	1	1	3	7	18	38
20-34	31	4.0	40	1	1	1	3	9	19	30
35-49	82	5.8	95	1	1	1	5	16	29	49
50-64	207	4.1	26	1	1	2	6	10	15	24
65+	178	5.6	80	1	1	2	5	16	27	50
TOT. SINGLE DX	264	1.7	5	<1	1	1	1	2	4	15
" MULTIPLE DX	555	4.8	57	1	1	2	5	12	22	33
TOTAL 0-19 YRS	100	2.8	27	1	1	1	2	5	9	31
20-34	54	3.0	25	1	1	1	2	8	10	30
35-49	129	4.2	65	1	1	1	2	13	18	48
50-64	304	3.3	20	<1	1	1	3	9	12	24
65+	232	4.9	68	1	1	2	4	12	24	37
GRAND TOTAL	**819**	**3.8**	**42**	**1**	**1**	**1**	**3**	**9**	**16**	**31**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.5	19	1	1	2	6	10	10	10
20-34	7	6.0	21	1	1	6	9	12	13	13
35-49	9	5.0	24	1	1	2	8	13	15	15
50-64	18	8.6	80	1	2	6	9	15	31	41
65+	17	7.9	39	1	1	6	14	17	18	19
2. MULTIPLE DX										
0-19 YRS	11	6.9	129	1	1	3	7	22	38	40
20-34	7	11.0	281	<1	<1	3	17	40	45	45
35-49	16	7.8	26	1	1	8	12	14	15	16
50-64	71	9.3	106	1	1	7	12	19	22	65
65+	64	13.4	149	2	3	11	16	22	38	70
TOT. SINGLE DX	55	7.1	47	1	1	6	10	15	17	40
" MULTIPLE DX	169	10.6	126	1	1	8	14	21	28	69
TOTAL 0-19 YRS	15	6.0	99	1	1	2	7	10	33	40
20-34	14	8.5	146	<1	1	4	9	24	40	45
35-49	25	6.8	26	1	1	6	11	14	15	16
50-64	89	9.2	100	1	1	6	12	18	22	62
65+	81	12.2	131	1	2	10	15	21	34	67
GRAND TOTAL	**224**	**9.8**	**108**	**1**	**1**	**7**	**13**	**18**	**24**	**59**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	15.0	41	10	10	12	21	25	25	25
50-64	43	12.2	18	6	8	11	14	17	21	27
65+	20	12.6	23	8	8	11	15	20	24	25
2. MULTIPLE DX										
0-19 YRS										
20-34	3	23.7	134	13	13	22	32	36	36	36
35-49	28	20.2	133	8	8	17	25	38	45	51
50-64	152	18.2	93	9	10	15	21	32	40	46
65+	130	20.0	176	9	10	16	24	35	51	97
TOT. SINGLE DX	70	12.5	21	7	8	11	14	19	23	27
" MULTIPLE DX	313	19.2	132	9	10	16	23	34	42	70
TOTAL 0-19 YRS										
20-34	4	20.0	143	9	9	17	29	36	36	36
35-49	34	19.3	119	8	9	17	24	37	43	51
50-64	195	16.8	83	8	9	14	20	30	38	46
65+	150	19.0	162	9	9	15	24	32	48	96
GRAND TOTAL	**383**	**17.9**	**118**	**9**	**9**	**15**	**21**	**32**	**39**	**62**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	11.5	1	11	11	11	12	12	12	12
50-64	10	11.3	98	4	4	6	15	28	33	33
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	16	37.6	455	10	17	33	59	75	92	99+
20-34	15	26.3	587	2	3	22	51	96	99+	99+
35-49	40	24.0	348	5	8	19	30	63	75	99+
50-64	101	31.0	506	2	5	27	51	68	94	99+
65+	172	35.6	437	7	10	35	57	84	99+	99+
TOT. SINGLE DX	17	9.7	64	2	4	7	12	21	29	33
" MULTIPLE DX	344	32.6	466	4	8	31	53	78	99+	99+
TOTAL 0-19 YRS	17	35.9	475	8	11	32	57	75	90	99+
20-34	17	23.6	572	1	2	15	50	92	99+	99+
35-49	42	23.4	339	5	9	19	29	63	73	99+
50-64	111	29.2	501	2	4	26	49	67	92	99+
65+	174	35.2	442	7	9	35	56	83	99+	99+
GRAND TOTAL	**361**	**31.5**	**470**	**4**	**7**	**30**	**52**	**78**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.5	18	1	1	2	5	8	13	19
20-34	9	7.0	128	1	1	4	5	25	37	37
35-49	5	5.4	24	1	1	4	10	12	12	12
50-64	18	8.8	433	<1	1	3	8	12	60	91
65+	15	3.2	28	1	1	1	3	5	18	22
2. MULTIPLE DX										
0-19 YRS	83	19.4	504	1	1	14	35	84	99+	99+
20-34	55	23.3	456	1	3	22	47	99+	99+	99+
35-49	72	19.0	283	1	2	17	34	54	99+	99+
50-64	258	24.7	506	1	1	21	42	67	89	99+
65+	275	27.1	439	1	2	24	43	60	73	99+
TOT. SINGLE DX	69	5.4	142	1	1	2	5	9	19	81
" MULTIPLE DX	743	24.3	462	1	2	21	41	67	99+	99+
TOTAL 0-19 YRS	105	16.1	443	1	1	8	24	64	99	99+
20-34	64	21.0	440	1	2	19	37	92	99+	99+
35-49	77	18.2	277	1	2	16	33	53	99+	99+
50-64	276	23.7	515	1	1	18	40	67	89	99+
65+	290	25.9	446	1	2	23	42	60	72	99+
GRAND TOTAL	**812**	**22.7**	**462**	**1**	**1**	**18**	**40**	**64**	**91**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.9	12	1	2	6	9	12	12	12
20-34	52	5.6	18	1	1	5	8	12	12	20
35-49	65	5.2	17	1	1	4	7	12	14	21
50-64	151	6.7	24	1	1	6	10	13	16	20
65+	126	7.1	26	1	2	6	9	14	19	23
2. MULTIPLE DX										
0-19 YRS	27	10.4	57	1	3	7	16	23	24	29
20-34	207	11.0	70	2	3	9	14	24	29	41
35-49	494	10.6	71	2	2	8	14	22	27	40
50-64	1592	10.9	75	2	3	9	14	21	26	44
65+	2823	12.2	79	2	4	10	16	23	29	46
TOT. SINGLE DX	401	6.5	23	1	1	5	9	13	16	21
" MULTIPLE DX	5143	11.6	77	2	3	10	15	22	28	44
TOTAL 0-19 YRS	34	9.6	49	1	3	7	13	22	23	29
20-34	259	9.9	64	1	2	8	13	20	27	40
35-49	559	9.9	68	1	2	8	13	21	26	39
50-64	1743	10.6	73	2	3	9	14	20	25	43
65+	2949	12.0	78	2	3	10	15	22	28	45
GRAND TOTAL	**5544**	**11.2**	**75**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64	2	14.5	41	10	10	14	19	19	19	19
65+	3	4.3	8	1	1	6	6	6	6	6
TOT. SINGLE DX										
" MULTIPLE DX	11	6.7	30	1	1	6	10	15	19	19
TOTAL 0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64	2	14.5	41	10	10	14	19	19	19	19
65+	3	4.3	8	1	1	6	6	6	6	6
GRAND TOTAL	**11**	**6.7**	**30**	**1**	**1**	**6**	**10**	**15**	**19**	**19**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	7.4	16	2	3	7	10	12	16	17
20-34	61	7.4	17	1	2	7	9	14	16	19
35-49	102	7.4	23	2	3	6	8	15	19	24
50-64	192	7.3	24	1	1	7	9	13	17	21
65+	148	6.5	21	1	1	6	9	13	15	19
2. MULTIPLE DX										
0-19 YRS	55	14.7	238	5	5	11	17	26	39	96
20-34	174	12.6	71	4	5	10	16	24	29	44
35-49	303	11.5	100	2	4	9	15	24	34	69
50-64	916	11.4	79	2	3	9	14	21	28	45
65+	1373	12.6	108	1	3	10	16	24	32	52
TOT. SINGLE DX	517	7.1	22	1	1	7	9	13	17	22
" MULTIPLE DX	2821	12.2	99	2	3	10	15	23	31	52
TOTAL 0-19 YRS	69	13.2	201	4	5	10	15	22	33	92
20-34	235	11.3	63	3	4	9	14	21	28	43
35-49	405	10.6	85	2	3	8	13	21	28	63
50-64	1108	10.7	72	1	3	9	13	20	25	42
65+	1521	12.0	103	1	2	10	15	23	31	50
GRAND TOTAL	**3338**	**11.4**	**90**	**1**	**3**	**9**	**15**	**22**	**29**	**49**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	12.4	70	5	6	9	16	27	30	30
35-49	27	11.4	68	6	7	9	12	18	26	48
50-64	102	10.6	23	5	6	9	12	17	22	27
65+	77	10.7	15	6	7	9	12	18	19	22
2. MULTIPLE DX										
0-19 YRS	14	10.1	30	4	5	8	14	18	22	23
20-34	25	15.7	294	6	7	10	15	55	82	99+
35-49	116	13.9	80	5	6	11	17	27	34	66
50-64	571	14.7	86	7	7	12	18	26	32	55
65+	629	16.1	90	7	8	13	19	29	35	55
TOT. SINGLE DX	215	10.8	28	5	7	9	12	18	21	28
" MULTIPLE DX	1355	15.2	92	7	7	12	18	27	34	57
TOTAL 0-19 YRS	15	10.0	29	4	5	8	13	18	22	23
20-34	33	14.9	238	6	7	10	15	39	74	99+
35-49	143	13.4	79	6	7	10	16	25	34	53
50-64	673	14.1	79	6	7	11	17	25	30	53
65+	706	15.5	85	7	7	13	19	27	34	53
GRAND TOTAL	**1570**	**14.6**	**85**	**7**	**7**	**12**	**18**	**26**	**33**	**55**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	148	2.6	5	1	1	2	3	6	8	12
20-34	55	6.0	29	1	1	5	8	14	15	25
35-49	63	6.3	39	<1	1	5	8	13	18	34
50-64	108	6.4	27	1	1	5	9	14	17	24
65+	77	7.9	56	1	1	7	11	14	15	48
2. MULTIPLE DX										
0-19 YRS	328	8.2	100	1	1	5	10	19	27	47
20-34	234	10.4	93	2	2	8	15	23	28	94
35-49	476	9.8	86	1	2	7	12	21	27	53
50-64	1187	11.1	87	2	3	9	14	22	29	46
65+	1872	13.0	100	2	4	10	17	25	31	52
TOT. SINGLE DX	451	5.3	31	1	1	3	8	12	15	24
" MULTIPLE DX	4097	11.6	97	2	2	9	15	24	30	51
TOTAL 0-19 YRS	476	6.4	78	1	1	3	8	15	23	37
20-34	289	9.6	84	1	2	7	13	22	26	72
35-49	539	9.4	82	1	2	7	12	20	26	51
50-64	1295	10.7	84	2	2	8	14	21	29	45
65+	1949	12.8	99	2	3	10	17	25	31	52
GRAND TOTAL	**4548**	**10.9**	**94**	**1**	**2**	**8**	**15**	**23**	**29**	**49**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	4.1	10	2	2	3	4	6	13	14
20-34	24	4.9	10	2	3	4	5	7	13	17
35-49	16	5.2	9	1	2	5	6	11	12	12
50-64	8	4.9	22	1	1	3	6	13	15	15
65+	4	20.8	621	6	6	9	34	58	58	58
2. MULTIPLE DX										
0-19 YRS	23	7.5	20	1	3	7	10	14	16	17
20-34	40	12.2	144	2	3	8	15	26	39	58
35-49	47	10.8	33	2	4	10	15	20	21	23
50-64	53	14.8	323	2	4	10	17	24	68	94
65+	69	13.8	164	1	4	10	16	29	36	74
TOT. SINGLE DX	65	5.8	55	1	2	4	6	11	14	52
" MULTIPLE DX	232	12.5	159	2	3	9	15	23	32	77
TOTAL 0-19 YRS	36	6.3	19	2	2	4	9	13	15	17
20-34	64	9.4	106	2	3	6	11	19	28	57
35-49	63	9.4	33	2	3	9	14	18	20	23
50-64	61	13.5	294	1	2	9	15	22	51	93
65+	73	14.2	184	1	4	10	16	30	40	75
GRAND TOTAL	**297**	**11.0**	**144**	**2**	**3**	**8**	**14**	**21**	**29**	**75**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	5.7	16	2	2	4	7	11	14	21
20-34	454	5.1	11	2	2	4	6	9	11	23
35-49	166	6.2	16	2	3	5	7	12	14	22
50-64	81	7.3	37	2	3	5	9	12	16	40
65+	55	8.7	31	2	3	8	12	20	20	25
2. MULTIPLE DX										
0-19 YRS	266	13.4	229	3	3	8	14	35	49	85
20-34	538	8.9	79	2	3	6	10	18	23	50
35-49	483	9.9	67	3	3	8	12	19	27	43
50-64	779	10.9	65	3	3	9	14	21	27	38
65+	1212	12.9	89	3	4	10	16	25	31	52
TOT. SINGLE DX	869	5.8	18	2	2	5	7	11	13	22
" MULTIPLE DX	3278	11.4	93	3	4	9	14	23	30	52
TOTAL 0-19 YRS	379	11.1	178	2	3	6	12	27	42	73
20-34	992	7.1	52	2	3	5	8	13	19	38
35-49	649	9.0	57	3	3	7	11	18	23	39
50-64	860	10.6	64	3	3	8	13	21	26	38
65+	1267	12.7	88	3	4	10	16	25	31	52
GRAND TOTAL	**4147**	**10.2**	**82**	**2**	**3**	**8**	**12**	**21**	**28**	**49**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	4.4	9	1	1	4	6	8	10	15
20-34	113	5.0	16	1	1	4	7	10	13	18
35-49	94	4.8	17	1	1	4	7	11	13	19
50-64	102	5.3	24	1	1	4	8	12	15	22
65+	54	5.6	21	1	1	4	8	11	13	25
2. MULTIPLE DX										
0-19 YRS	72	9.9	78	1	3	7	13	26	39	99+
20-34	185	11.0	100	1	2	8	14	26	31	55
35-49	254	11.5	140	1	2	8	14	25	36	57
50-64	508	11.3	112	1	2	8	15	23	32	53
65+	798	12.4	110	2	2	10	16	25	32	51
TOT. SINGLE DX	487	4.9	17	1	1	4	7	10	13	21
" MULTIPLE DX	1817	11.7	113	1	2	9	15	25	32	53
TOTAL 0-19 YRS	196	6.4	42	1	1	5	7	13	23	73
20-34	298	8.7	77	1	1	6	11	18	27	45
35-49	348	9.7	115	1	1	7	12	23	31	54
50-64	610	10.3	103	1	1	8	14	21	29	52
65+	852	12.0	108	1	2	9	16	24	31	51
GRAND TOTAL	**2304**	**10.3**	**101**	**1**	**1**	**8**	**13**	**22**	**30**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	6.6	7	4	4	6	8	10	12	15
20-34	48	8.7	6	5	6	8	10	12	13	16
35-49	60	9.8	10	6	7	9	11	14	15	24
50-64	94	11.2	20	7	8	10	12	16	19	31
65+	56	14.0	123	7	8	12	16	19	21	82
2. MULTIPLE DX										
0-19 YRS	450	12.5	154	5	5	8	14	22	34	68
20-34	141	14.9	103	6	7	11	17	31	39	47
35-49	288	17.3	161	7	8	13	20	30	42	86
50-64	698	16.8	139	8	8	13	19	30	44	80
65+	966	18.5	118	8	9	15	23	32	40	58
TOT. SINGLE DX	378	9.6	34	4	5	9	11	15	16	29
" MULTIPLE DX	2543	16.6	139	6	7	13	20	30	40	70
TOTAL 0-19 YRS	570	11.3	130	4	5	8	11	20	28	67
20-34	189	13.3	86	6	7	10	14	28	37	46
35-49	348	16.0	143	7	8	12	19	28	38	85
50-64	792	16.1	128	7	8	13	18	29	40	77
65+	1022	18.2	119	8	9	15	22	31	40	58
GRAND TOTAL	**2921**	**15.7**	**131**	**5**	**7**	**12**	**19**	**29**	**39**	**67**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	12.0		12	12	12	12	12	12	12
35-49	108	9.4	8	5	6	9	11	14	16	17
50-64	395	10.4	12	6	7	10	12	15	17	22
65+	269	12.8	21	8	8	12	15	19	23	29
2. MULTIPLE DX										
0-19 YRS	2	17.5	145	9	9	17	26	26	26	26
20-34	30	12.5	39	7	7	10	15	23	29	30
35-49	1118	11.7	36	7	7	10	13	17	22	39
50-64	4617	13.0	50	7	8	11	15	20	25	44
65+	4102	15.6	85	8	8	13	18	25	32	58
TOT. SINGLE DX	774	11.1	17	6	7	10	13	16	19	27
" MULTIPLE DX	9869	13.9	66	7	8	12	16	22	28	51
TOTAL 0-19 YRS	2	17.5	145	9	9	17	26	26	26	26
20-34	32	12.5	37	7	7	11	14	23	28	30
35-49	1226	11.5	34	7	7	10	13	17	21	39
50-64	5012	12.8	48	7	8	11	14	20	25	44
65+	4371	15.5	82	8	8	13	18	25	32	56
GRAND TOTAL	**10643**	**13.7**	**63**	**7**	**8**	**12**	**16**	**22**	**28**	**49**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	2.2	2	1	1	2	2	2	5	11
20-34	266	2.8	4	1	1	2	3	6	8	10
35-49	1707	2.6	5	1	1	2	2	6	8	11
50-64	3042	2.4	4	1	1	2	2	5	7	11
65+	1182	2.6	5	1	1	2	2	5	8	12
2. MULTIPLE DX										
0-19 YRS	712	3.2	33	1	1	2	2	5	10	25
20-34	613	4.7	22	1	1	3	7	10	13	27
35-49	5439	4.1	16	1	1	2	6	9	12	18
50-64	14574	4.3	20	1	1	2	6	10	13	20
65+	10137	5.3	28	1	1	3	7	12	15	26
TOT. SINGLE DX	6432	2.5	5	1	1	2	2	5	8	11
" MULTIPLE DX	31475	4.6	23	1	1	2	6	10	13	22
TOTAL 0-19 YRS	947	2.9	26	1	1	2	2	5	9	23
20-34	879	4.1	18	1	1	2	6	9	12	24
35-49	7146	3.8	14	1	1	2	5	9	11	17
50-64	17616	3.9	18	1	1	2	5	9	12	19
65+	11319	5.0	27	1	1	3	7	11	15	25
GRAND TOTAL	**37907**	**4.2**	**21**	**1**	**1**	**2**	**6**	**10**	**13**	**21**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	3.1	2	1	2	3	4	6	6	6
20-34	13	3.5	3	1	1	3	5	6	7	7
35-49	33	3.9	9	1	1	3	5	9	11	12
50-64	107	4.3	11	1	1	3	6	9	11	18
65+	412	4.0	9	1	1	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	50	6.0	20	2	2	5	7	13	17	21
20-34	42	5.9	21	1	2	4	8	10	14	26
35-49	180	8.9	45	2	2	7	12	17	24	30
50-64	903	9.9	55	2	3	8	13	18	22	38
65+	5514	9.7	52	2	3	8	13	18	23	37
TOT. SINGLE DX	583	4.0	10	1	1	3	5	8	10	15
" MULTIPLE DX	6689	9.7	52	2	3	8	13	18	22	37
TOTAL 0-19 YRS	68	5.2	17	2	2	4	6	10	15	21
20-34	55	5.3	18	1	1	4	7	10	11	26
35-49	213	8.2	43	1	2	7	10	16	23	30
50-64	1010	9.3	54	2	3	8	12	18	22	37
65+	5926	9.3	51	2	3	8	12	18	22	36
GRAND TOTAL	**7272**	**9.2**	**51**	**2**	**3**	**8**	**12**	**18**	**22**	**36**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	4.7	6	1	1	5	6	8	9	9
20-34	44	5.6	7	1	2	6	8	9	10	10
35-49	392	4.3	7	2	2	3	6	8	10	12
50-64	855	4.0	7	2	2	3	5	8	9	13
65+	392	4.7	10	2	2	3	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	79	9.5	100	1	2	6	12	17	29	58
20-34	117	9.3	79	2	2	7	12	20	29	48
35-49	1514	6.2	30	2	2	4	8	12	15	26
50-64	3697	6.1	27	2	2	4	8	12	15	25
65+	2430	7.9	50	2	2	6	10	16	21	36
TOT. SINGLE DX	1704	4.3	8	2	2	3	6	8	10	13
" MULTIPLE DX	7837	6.8	38	2	2	5	9	13	17	32
TOTAL 0-19 YRS	100	8.5	85	1	2	6	11	16	23	55
20-34	161	8.3	63	2	2	6	9	17	26	45
35-49	1906	5.8	27	2	2	4	7	11	14	23
50-64	4552	5.7	25	2	2	4	7	11	14	24
65+	2822	7.5	46	2	2	5	10	15	20	35
GRAND TOTAL	**9541**	**6.3**	**33**	**2**	**2**	**4**	**8**	**12**	**16**	**30**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	157	2.9	7	<1	1	2	4	6	8	15
20-34	61	3.5	9	<1	<1	2	5	8	11	12
35-49	66	3.7	11	<1	1	2	6	8	10	15
50-64	93	3.6	13	<1	1	2	5	9	11	17
65+	86	5.0	23	1	1	3	6	12	14	25
2. MULTIPLE DX										
0-19 YRS	1416	4.8	60	1	2	3	5	9	15	49
20-34	245	9.0	63	1	2	7	12	19	25	36
35-49	439	9.0	71	1	2	7	12	19	25	46
50-64	1074	9.1	72	1	2	7	12	20	25	45
65+	2811	11.3	72	2	3	9	15	22	27	42
TOT. SINGLE DX	463	3.6	13	<1	1	2	5	8	12	16
" MULTIPLE DX	5985	9.1	75	1	2	7	12	19	25	44
TOTAL 0-19 YRS	1573	4.6	55	1	1	3	4	8	14	42
20-34	306	7.9	57	1	1	6	11	17	24	35
35-49	505	8.3	67	1	1	6	11	18	24	43
50-64	1167	8.7	70	1	1	7	11	19	24	45
65+	2897	11.1	72	2	3	9	15	22	27	41
GRAND TOTAL	**6448**	**8.7**	**73**	**1**	**2**	**6**	**12**	**19**	**25**	**42**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.9	5	1	1	2	5	7	7	7
20-34	372	2.4	2	1	1	2	3	4	5	7
35-49	580	2.5	1	1	1	2	3	4	5	7
50-64	357	3.1	5	1	1	3	4	5	6	11
65+	102	3.5	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	10	4.1	11	1	1	3	5	9	13	13
20-34	127	3.5	9	1	1	3	4	6	10	18
35-49	283	3.7	11	1	1	3	4	6	9	20
50-64	304	5.3	34	1	1	4	6	11	17	34
65+	159	6.4	74	1	1	4	6	15	19	44
TOT. SINGLE DX	1422	2.7	4	1	1	2	3	5	6	9
" MULTIPLE DX	883	4.7	31	1	1	3	5	9	14	31
TOTAL 0-19 YRS	21	3.5	8	1	1	2	5	7	10	13
20-34	499	2.6	4	1	1	2	3	4	6	12
35-49	863	2.9	5	1	1	2	4	5	6	13
50-64	661	4.1	20	1	1	3	4	7	11	27
65+	261	5.2	50	1	1	3	6	11	15	43
GRAND TOTAL	**2305**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**20**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	5.7	8	1	2	5	7	10	12	12
20-34	15	6.4	21	<1	1	6	9	13	16	17
35-49	82	8.4	20	3	4	8	10	12	15	30
50-64	285	8.3	11	4	5	8	10	12	14	18
65+	212	9.1	14	4	5	9	11	13	17	22
2. MULTIPLE DX										
0-19 YRS	90	12.6	185	3	4	9	13	23	38	87
20-34	173	10.8	117	1	2	8	13	24	32	64
35-49	543	12.7	130	2	3	9	14	28	36	63
50-64	2060	12.6	85	4	5	10	15	23	30	52
65+	3219	15.2	118	5	6	12	18	28	37	63
TOT. SINGLE DX	605	8.5	14	3	4	8	10	13	14	20
" MULTIPLE DX	6085	13.9	111	4	5	11	17	26	34	60
TOTAL 0-19 YRS	101	11.9	171	2	4	8	13	22	32	85
20-34	188	10.5	111	1	2	8	13	23	32	62
35-49	625	12.2	118	2	3	9	13	25	34	62
50-64	2345	12.1	78	4	5	10	14	22	29	48
65+	3431	14.8	114	5	6	12	18	27	36	61
GRAND TOTAL	**6690**	**13.4**	**105**	**4**	**5**	**11**	**16**	**25**	**33**	**58**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	1	23.0		23	23	23	23	23	23	23
" MULTIPLE DX	4	7.8	25	4	4	6	11	15	15	15
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	19.0	32	15	15	19	23	23	23	23
GRAND TOTAL	**5**	**10.8**	**65**	**4**	**4**	**7**	**17**	**23**	**23**	**23**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	2.5	2	1	1	2	4	5	5	5
35-49	8	6.8	53	1	1	2	14	17	18	18
50-64	5	3.4	8	1	1	3	5	8	8	8
65+	4	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	34	6.4	119	<1	<1	3	6	14	20	62
20-34	379	5.4	35	<1	1	4	7	11	17	31
35-49	471	5.8	30	1	1	4	7	12	17	29
50-64	732	6.2	32	1	2	5	8	13	17	30
65+	926	7.0	45	1	2	5	9	14	19	32
TOT. SINGLE DX	28	3.9	20	1	1	2	4	11	16	18
" MULTIPLE DX	2542	6.3	39	1	1	4	8	13	17	31
TOTAL 0-19 YRS	34	6.4	120	<1	<1	3	6	14	20	62
20-34	390	5.3	35	<1	1	4	7	10	17	31
35-49	479	5.8	31	1	1	4	7	12	17	29
50-64	737	6.2	33	1	2	5	8	13	17	30
65+	930	7.0	45	1	2	5	9	14	19	32
GRAND TOTAL	**2570**	**6.3**	**39**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	5.0	13	1	1	4	7	10	11	21
20-34	167	5.8	54	1	1	4	7	13	15	26
35-49	263	5.3	21	1	1	4	7	11	15	22
50-64	788	5.8	21	1	1	5	8	11	13	25
65+	1060	6.0	20	1	2	5	8	11	14	21
2. MULTIPLE DX										
0-19 YRS	2042	20.0	462	2	3	11	29	61	82	99+
20-34	768	9.2	102	1	1	6	12	21	28	54
35-49	1338	10.1	115	1	2	7	12	22	32	52
50-64	4705	9.9	82	2	3	8	12	20	26	50
65+	9552	11.3	96	2	3	9	14	22	30	54
TOT. SINGLE DX	2447	5.8	23	1	1	5	8	11	14	21
" MULTIPLE DX	18405	11.7	144	2	3	8	14	24	35	77
TOTAL 0-19 YRS	2211	18.8	444	1	3	10	26	58	81	99+
20-34	935	8.6	96	1	1	5	11	20	25	53
35-49	1601	9.3	103	1	1	6	11	20	29	51
50-64	5493	9.3	76	1	2	7	11	18	25	48
65+	10612	10.8	92	2	3	8	13	21	29	52
GRAND TOTAL	**20852**	**11.0**	**134**	**1**	**2**	**8**	**13**	**23**	**33**	**74**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	3.2	11	<1	1	2	4	7	9	17
20-34	175	3.8	29	<1	1	2	4	8	12	32
35-49	174	4.0	16	1	1	3	5	8	10	18
50-64	198	4.3	12	1	1	3	6	9	11	16
65+	146	4.9	21	<1	1	4	7	9	13	24
2. MULTIPLE DX										
0-19 YRS	192	5.7	38	1	1	4	7	10	13	53
20-34	273	7.4	61	1	1	6	9	14	19	47
35-49	289	6.9	49	1	1	5	9	15	21	38
50-64	607	8.3	60	1	1	6	11	16	23	39
65+	841	9.4	68	1	2	7	12	19	25	38
TOT. SINGLE DX	857	4.0	18	<1	1	3	5	8	11	21
" MULTIPLE DX	2202	8.2	62	1	1	6	11	17	22	39
TOTAL 0-19 YRS	356	4.5	27	1	1	3	6	9	12	26
20-34	448	6.0	52	1	1	4	8	12	18	46
35-49	463	5.8	39	1	1	4	7	12	17	35
50-64	805	7.3	51	1	1	5	9	15	20	36
65+	987	8.7	64	1	1	7	11	18	24	36
GRAND TOTAL	**3059**	**7.0**	**53**	**1**	**1**	**5**	**9**	**15**	**20**	**37**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.9	17	<1	1	3	9	11	12	12
20-34	21	4.9	31	1	1	3	7	9	17	26
35-49	48	5.0	18	1	1	4	5	11	14	22
50-64	57	5.8	13	1	1	5	7	11	13	20
65+	63	6.0	16	2	2	5	7	11	16	21
2. MULTIPLE DX										
0-19 YRS	11	8.5	44	1	1	7	11	19	23	23
20-34	50	8.6	39	1	2	7	11	17	23	29
35-49	104	9.1	89	2	3	6	10	17	25	57
50-64	287	9.1	93	1	2	6	10	19	26	55
65+	296	9.7	74	2	3	7	12	19	25	50
TOT. SINGLE DX	198	5.5	18	1	1	5	7	11	14	22
" MULTIPLE DX	748	9.3	81	2	3	7	11	19	25	54
TOTAL 0-19 YRS	20	6.9	34	<1	1	6	10	15	20	23
20-34	71	7.5	40	1	1	6	10	16	23	28
35-49	152	7.8	70	1	2	5	9	15	22	41
50-64	344	8.6	82	1	2	6	10	18	24	54
65+	359	9.1	66	2	3	7	11	18	23	44
GRAND TOTAL	**946**	**8.5**	**70**	**1**	**2**	**6**	**10**	**18**	**23**	**42**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49										
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	5	3.4	3	1	1	4	5	5	5	5
TOT. SINGLE DX	5	4.4	6	1	1	4	6	8	8	8
" MULTIPLE DX	11	4.2	8	1	1	4	5	8	11	11
TOTAL 0-19 YRS	3	6.3	2	5	5	6	7	8	8	8
20-34	3	6.7	14	4	4	5	9	11	11	11
35-49										
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	6	3.5	3	1	1	4	5	5	5	5
GRAND TOTAL	**16**	**4.3**	**7**	**1**	**1**	**4**	**5**	**8**	**10**	**11**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	14	40.5	270	25	28	36	42	55	84	92
20-34	27	36.8	211	5	13	36	50	53	54	55
35-49	20	39.1	279	8	19	36	51	60	67	72
50-64	5	30.8	362	1	1	33	40	54	54	54
65+										
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	66	37.8	249	6	23	36	49	54	59	89
TOTAL 0-19 YRS	14	40.5	271	25	28	36	42	55	84	92
20-34	27	36.8	211	5	13	36	50	53	54	55
35-49	21	37.3	331	3	9	36	50	60	67	72
50-64	5	30.8	362	1	1	33	40	54	54	54
65+										
GRAND TOTAL	**67**	**37.3**	**264**	**4**	**15**	**36**	**49**	**54**	**59**	**89**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	5.1	14	1	1	4	6	9	12	20
20-34	178	6.5	23	2	2	6	7	11	18	29
35-49	133	6.8	31	2	2	6	8	11	20	33
50-64	153	6.3	21	2	2	5	8	11	17	23
65+	108	8.3	80	1	2	6	10	14	27	53
2. MULTIPLE DX										
0-19 YRS	505	9.3	86	2	2	6	10	20	28	49
20-34	666	10.9	135	2	3	7	12	23	32	68
35-49	731	11.0	120	2	3	7	13	24	31	62
50-64	1384	11.1	96	2	3	8	14	22	29	50
65+	3570	11.1	72	3	4	9	14	21	27	45
TOT. SINGLE DX	811	6.3	30	1	2	5	7	11	16	31
" MULTIPLE DX	6856	10.9	90	2	3	8	13	21	28	51
TOTAL 0-19 YRS	744	7.9	67	1	2	6	9	15	24	42
20-34	844	10.0	115	2	3	7	11	20	29	64
35-49	864	10.3	109	2	3	7	12	22	31	58
50-64	1537	10.6	91	2	3	8	13	21	28	49
65+	3678	11.0	73	3	4	9	14	21	27	46
GRAND TOTAL	**7667**	**10.4**	**85**	**2**	**3**	**8**	**13**	**21**	**27**	**49**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	8.0	62	1	2	6	9	19	28	37
20-34	60	8.0	50	1	1	6	12	17	22	35
35-49	60	7.5	63	1	1	6	10	17	23	43
50-64	49	8.9	95	1	1	5	11	23	27	46
65+	40	8.2	112	1	1	6	9	15	26	61
2. MULTIPLE DX										
0-19 YRS	359	14.7	198	1	2	11	21	33	46	97
20-34	611	13.8	145	2	3	10	17	29	37	61
35-49	832	12.8	142	2	2	9	17	29	39	63
50-64	1428	13.0	144	2	3	9	17	29	38	57
65+	1803	15.1	138	2	4	12	20	32	41	55
TOT. SINGLE DX	279	8.1	72	1	1	6	10	18	25	42
" MULTIPLE DX	5033	13.9	147	2	3	10	18	30	40	58
TOTAL 0-19 YRS	429	13.6	182	1	2	9	20	32	44	83
20-34	671	13.3	139	2	3	10	17	28	37	59
35-49	892	12.4	139	1	2	8	16	28	38	62
50-64	1477	12.9	143	2	2	9	17	29	38	57
65+	1843	15.0	138	2	4	12	20	31	40	55
GRAND TOTAL	**5312**	**13.6**	**144**	**2**	**3**	**10**	**18**	**29**	**39**	**58**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	4.0	29	<1	1	2	5	8	12	30
20-34	34	4.4	6	<1	1	5	6	7	8	9
35-49	53	4.4	10	1	1	3	7	10	10	12
50-64	95	6.0	56	1	1	5	8	12	14	48
65+	87	5.0	24	1	1	4	7	11	12	29
2. MULTIPLE DX										
0-19 YRS	102	7.2	93	1	1	3	9	18	29	47
20-34	159	8.7	73	1	2	6	10	18	28	60
35-49	387	8.7	99	1	2	6	10	18	27	55
50-64	753	9.7	93	1	2	7	12	19	27	60
65+	1504	9.8	75	1	2	7	12	20	27	48
TOT. SINGLE DX	302	5.0	31	1	1	4	7	10	12	31
" MULTIPLE DX	2905	9.5	84	1	2	7	12	19	27	51
TOTAL 0-19 YRS	135	6.4	79	1	1	3	8	15	27	43
20-34	193	7.9	65	1	1	6	10	16	24	55
35-49	440	8.2	90	1	2	6	10	16	24	52
50-64	848	9.3	90	1	1	7	12	18	27	60
65+	1591	9.6	74	1	2	7	12	20	27	47
GRAND TOTAL	**3207**	**9.1**	**81**	**1**	**2**	**7**	**11**	**18**	**27**	**48**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	398	3.2	2	1	2	3	4	5	6	9
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	3	7.7	6	5	5	8	9	10	10	10
50-64	4	13.3	3	11	11	13	14	15	15	15
65+	3	9.3	44	5	5	6	14	17	17	17
2. MULTIPLE DX										
0-19 YRS	195	5.5	37	2	2	4	6	8	10	38
20-34	6	7.3	41	3	3	5	7	19	20	20
35-49	15	13.0	44	5	7	11	16	24	28	29
50-64	29	17.4	188	6	7	15	21	27	36	79
65+	43	21.4	224	7	9	14	28	43	53	64
TOT. SINGLE DX	410	3.4	4	1	2	3	4	5	6	13
" MULTIPLE DX	288	9.5	119	2	3	5	11	21	29	63
TOTAL 0-19 YRS	593	4.0	15	1	2	3	4	6	7	18
20-34	8	7.1	30	3	3	6	7	16	20	20
35-49	18	12.1	41	4	6	10	15	22	27	29
50-64	33	16.9	167	6	8	14	19	26	33	79
65+	46	20.6	221	6	8	14	27	43	51	64
GRAND TOTAL	**698**	**5.9**	**60**	**1**	**2**	**4**	**6**	**12**	**18**	**44**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	8	6.8	20	3	3	5	11	13	14	14
65+	27	11.4	187	2	2	7	13	24	35	69
2. MULTIPLE DX										
0-19 YRS	64	15.7	282	1	3	11	21	35	65	99
20-34	36	16.3	245	2	3	12	23	45	65	99+
35-49	61	20.5	334	3	5	15	28	53	67	98
50-64	240	19.5	258	3	4	15	28	44	57	99+
65+	1362	17.6	180	3	5	14	22	36	45	70
TOT. SINGLE DX	41	9.3	135	1	2	5	12	21	26	69
" MULTIPLE DX	1763	17.9	202	3	4	14	23	38	48	84
TOTAL 0-19 YRS	66	15.3	278	1	3	11	21	34	64	99
20-34	38	15.6	241	2	3	12	22	42	64	99+
35-49	63	20.0	334	3	5	15	26	52	66	97
50-64	248	19.1	256	3	4	15	27	43	56	99+
65+	1389	17.5	181	3	4	14	22	36	45	70
GRAND TOTAL	**1804**	**17.7**	**202**	**3**	**4**	**14**	**23**	**37**	**48**	**83**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	5.0	8	3	3	4	7	10	10	10
20-34	41	3.9	3	2	2	3	5	6	9	9
35-49	66	4.6	6	2	2	4	6	8	9	14
50-64	73	5.5	18	2	2	4	6	9	11	27
65+	72	6.6	16	2	2	5	8	13	16	18
2. MULTIPLE DX										
0-19 YRS	24	8.6	182	1	2	4	6	27	44	59
20-34	260	7.2	37	2	2	5	9	14	20	31
35-49	535	7.3	32	2	3	6	8	13	18	33
50-64	1033	8.1	43	2	3	7	10	15	20	32
65+	2399	9.2	47	3	4	7	11	16	22	39
TOT. SINGLE DX	258	5.3	13	2	2	4	7	10	12	18
" MULTIPLE DX	4251	8.6	45	3	3	7	10	16	21	35
TOTAL 0-19 YRS	30	7.9	148	1	2	4	6	18	37	59
20-34	301	6.7	34	2	2	5	8	13	19	30
35-49	601	7.0	30	2	3	6	8	13	16	31
50-64	1106	8.0	42	2	3	6	9	15	19	32
65+	2471	9.1	47	3	4	7	11	16	22	39
GRAND TOTAL	**4509**	**8.4**	**44**	**2**	**3**	**7**	**10**	**15**	**20**	**35**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	15	12.3	124	2	3	10	14	19	41	49
35-49	55	10.2	27	5	6	9	12	15	24	30
50-64	58	10.1	16	6	7	9	11	15	20	26
65+	47	12.6	50	7	9	11	13	16	29	47
2. MULTIPLE DX										
0-19 YRS	3	11.3	4	9	9	12	13	13	13	13
20-34	61	16.6	200	6	7	13	20	31	57	98
35-49	199	13.6	62	6	7	11	16	22	33	45
50-64	351	14.7	83	7	8	12	17	24	30	53
65+	653	19.8	162	8	9	17	23	36	49	69
TOT. SINGLE DX	176	11.0	38	6	7	10	12	15	22	44
" MULTIPLE DX	1267	17.3	133	7	8	14	20	31	42	68
TOTAL 0-19 YRS	4	10.5	6	8	8	10	12	13	13	13
20-34	76	15.8	186	5	6	11	19	29	50	95
35-49	254	12.9	57	6	7	10	15	21	28	44
50-64	409	14.0	76	7	7	11	17	24	28	52
65+	700	19.3	158	8	9	16	22	36	47	69
GRAND TOTAL	**1443**	**16.5**	**126**	**7**	**8**	**13**	**19**	**29**	**40**	**66**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	12	14.1	25	9	9	13	14	19	28	29
65+	8	16.1	37	8	8	17	21	23	23	23
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	3	33.3	161	26	26	26	43	48	48	48
35-49	19	23.3	377	10	10	16	28	48	75	87
50-64	73	22.3	263	10	11	17	25	38	50	93
65+	101	23.3	225	10	12	19	28	46	60	99
TOT. SINGLE DX	21	14.9	28	8	9	14	17	22	26	29
" MULTIPLE DX	197	23.1	250	10	11	18	27	43	59	97
TOTAL 0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	3	33.3	161	26	26	26	43	48	48	48
35-49	20	22.8	362	10	10	15	27	45	73	87
50-64	85	21.2	237	10	11	16	23	38	48	93
65+	109	22.8	215	9	11	19	27	44	58	99
GRAND TOTAL	**218**	**22.3**	**234**	**10**	**11**	**17**	**26**	**40**	**54**	**96**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	20	9.1	15	4	5	8	10	16	17	18
35-49	34	8.8	22	5	6	7	9	15	17	30
50-64	26	8.8	6	6	6	8	9	13	15	15
65+	18	12.9	50	5	6	10	16	26	29	29
2. MULTIPLE DX										
0-19 YRS	5	8.2	3	6	6	8	9	11	11	11
20-34	52	12.9	57	5	6	10	16	19	31	42
35-49	135	14.0	117	6	7	10	16	28	37	62
50-64	149	13.8	94	7	8	11	15	23	27	66
65+	193	18.2	166	7	8	15	22	31	46	75
TOT. SINGLE DX	99	9.6	24	5	6	8	10	16	19	30
" MULTIPLE DX	534	15.3	126	6	7	12	17	27	34	67
TOTAL 0-19 YRS	6	7.8	4	6	6	7	9	11	11	11
20-34	72	11.8	48	5	6	10	15	17	24	41
35-49	169	13.0	103	6	6	9	14	27	34	56
50-64	175	13.1	84	6	7	11	14	20	27	62
65+	211	17.7	159	7	8	14	21	30	45	73
GRAND TOTAL	**633**	**14.4**	**115**	**6**	**7**	**11**	**16**	**27**	**32**	**62**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	6.6	13	1	3	6	8	11	13	20
20-34	170	7.3	9	4	5	7	8	10	11	15
35-49	169	7.8	18	4	5	7	9	10	12	16
50-64	75	9.1	20	5	5	8	10	15	17	30
65+	50	12.1	56	5	5	10	15	18	22	44
2. MULTIPLE DX										
0-19 YRS	211	16.4	190	4	5	11	21	37	52	99+
20-34	443	9.2	56	4	5	7	9	15	23	45
35-49	790	9.7	73	5	5	8	9	16	24	61
50-64	544	13.6	128	5	6	10	15	26	38	60
65+	832	17.2	132	7	8	14	21	32	39	68
TOT. SINGLE DX	510	8.1	21	4	5	7	9	12	15	27
" MULTIPLE DX	2820	13.1	119	5	6	9	15	26	35	65
TOTAL 0-19 YRS	257	14.6	173	3	4	10	20	33	49	99+
20-34	613	8.7	44	4	5	7	9	13	18	43
35-49	959	9.4	65	5	5	7	9	14	22	55
50-64	619	13.0	118	5	6	9	15	25	36	59
65+	882	16.9	129	7	8	14	21	32	39	66
GRAND TOTAL	**3330**	**12.3**	**107**	**5**	**5**	**9**	**14**	**24**	**33**	**60**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	5.1	12	1	1	4	7	10	12	18
20-34	113	5.2	12	2	2	4	6	9	11	20
35-49	119	5.4	9	1	2	5	7	9	11	17
50-64	105	5.4	20	1	1	4	8	11	14	26
65+	114	4.6	23	1	1	3	7	9	12	26
2. MULTIPLE DX										
0-19 YRS	160	8.0	140	1	2	5	8	13	20	78
20-34	397	7.1	32	2	3	6	8	13	16	32
35-49	586	7.6	33	2	3	6	9	14	21	30
50-64	1310	8.3	57	1	2	7	10	16	21	38
65+	3133	9.2	58	1	2	7	11	18	23	38
TOT. SINGLE DX	508	5.2	16	1	1	4	7	10	12	18
" MULTIPLE DX	5586	8.6	57	2	2	7	10	16	22	38
TOTAL 0-19 YRS	217	7.3	109	1	2	5	8	12	16	70
20-34	510	6.7	29	2	2	5	8	13	15	26
35-49	705	7.2	30	2	2	6	9	13	19	29
50-64	1415	8.1	56	1	2	7	10	15	20	37
65+	3247	9.0	58	1	2	7	11	17	23	38
GRAND TOTAL	**6094**	**8.3**	**54**	**1**	**2**	**7**	**10**	**16**	**21**	**37**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	8.1	3	5	6	8	10	10	11	11
20-34	39	9.5	16	5	6	9	11	15	18	24
35-49	39	10.6	19	6	7	9	12	17	20	25
50-64	36	11.7	44	5	7	10	12	20	25	39
65+	49	12.4	32	6	7	11	15	19	26	31
2. MULTIPLE DX										
0-19 YRS	100	17.2	354	5	5	11	21	78	99+	99+
20-34	190	13.4	85	6	6	10	16	24	35	52
35-49	241	16.2	171	6	7	12	19	32	44	78
50-64	380	19.4	216	7	8	15	22	39	59	86
65+	858	18.0	135	7	8	15	21	32	43	74
TOT. SINGLE DX	178	10.9	27	6	6	10	12	17	21	30
" MULTIPLE DX	1769	17.5	167	7	8	14	21	33	47	90
TOTAL 0-19 YRS	115	16.0	317	5	6	11	19	65	99+	99+
20-34	229	12.7	76	6	6	10	15	22	31	52
35-49	280	15.5	154	6	7	11	18	28	43	76
50-64	416	18.8	206	7	8	14	22	37	57	83
65+	907	17.7	132	7	8	14	21	31	41	69
GRAND TOTAL	**1947**	**16.9**	**158**	**6**	**7**	**13**	**20**	**32**	**45**	**88**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	10.1	27	5	6	9	10	16	23	28
20-34	102	10.0	18	6	6	9	12	14	17	28
35-49	179	9.9	15	6	6	9	11	15	19	26
50-64	447	10.1	16	6	7	9	11	14	16	26
65+	501	10.8	12	7	8	10	12	16	18	23
2. MULTIPLE DX										
0-19 YRS	79	15.2	153	5	6	11	18	29	35	77
20-34	304	14.6	110	6	7	11	17	26	38	58
35-49	691	13.2	67	7	7	11	15	22	30	56
50-64	2198	13.7	66	7	8	11	16	22	29	49
65+	5921	15.8	86	8	8	13	18	26	33	56
TOT. SINGLE DX	1261	10.3	15	6	7	9	12	15	17	26
" MULTIPLE DX	9193	15.0	83	7	8	12	17	25	32	54
TOTAL 0-19 YRS	111	13.7	122	5	6	10	16	27	31	62
20-34	406	13.5	91	6	7	10	15	24	31	56
35-49	870	12.5	59	6	7	10	14	21	27	52
50-64	2645	13.1	59	7	7	11	15	21	28	47
65+	6422	15.4	83	7	8	13	18	26	32	54
GRAND TOTAL	**10454**	**14.5**	**77**	**7**	**8**	**12**	**17**	**24**	**31**	**52**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	7.9	42	2	3	6	8	19	24	25
20-34	8	6.6	5	3	4	6	8	10	10	10
35-49	11	10.8	40	6	6	9	12	20	27	28
50-64	21	10.2	6	7	7	10	12	13	16	17
65+	29	10.2	19	4	6	9	12	15	19	24
2. MULTIPLE DX										
0-19 YRS	20	18.9	408	4	5	12	19	46	69	86
20-34	38	17.2	294	4	6	12	21	33	49	97
35-49	66	15.8	190	5	6	13	16	29	37	82
50-64	140	16.5	150	7	7	12	19	32	51	99+
65+	378	17.2	126	6	8	14	21	30	39	65
TOT. SINGLE DX	82	9.6	22	4	5	9	11	15	18	27
" MULTIPLE DX	642	17.0	156	6	7	13	20	31	41	78
TOTAL 0-19 YRS	33	14.5	288	3	4	8	15	34	50	86
20-34	46	15.4	259	4	5	10	17	32	42	97
35-49	77	15.1	171	6	6	12	16	28	32	81
50-64	161	15.7	136	7	7	12	17	30	50	98
65+	407	16.7	122	6	7	14	20	30	38	64
GRAND TOTAL	**724**	**16.1**	**146**	**6**	**7**	**13**	**19**	**30**	**39**	**77**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	118	5.5	7	2	2	5	7	9	10	12
20-34	81	7.5	8	3	4	7	9	11	12	19
35-49	92	7.7	8	4	5	7	9	10	13	20
50-64	116	8.2	26	3	4	8	9	11	13	31
65+	133	8.4	9	3	5	9	10	12	14	17
2. MULTIPLE DX										
0-19 YRS	195	9.2	66	3	3	7	10	16	24	64
20-34	285	11.6	72	5	6	9	12	18	30	49
35-49	337	11.9	96	5	6	9	13	20	28	48
50-64	586	13.5	114	5	6	10	15	26	37	69
65+	1059	13.8	89	5	6	11	16	24	34	54
TOT. SINGLE DX	540	7.5	14	3	3	7	9	11	12	17
" MULTIPLE DX	2462	12.8	94	4	5	10	15	23	32	56
TOTAL 0-19 YRS	313	7.8	47	2	3	6	9	13	19	38
20-34	366	10.7	61	4	5	9	11	17	24	48
35-49	429	11.0	80	5	5	9	12	19	27	46
50-64	702	12.7	104	4	6	9	14	24	34	64
65+	1192	13.2	83	4	6	10	16	23	32	52
GRAND TOTAL	**3002**	**11.9**	**84**	**4**	**5**	**9**	**13**	**22**	**30**	**53**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	9	10.8	98	3	3	8	13	28	34	34
35-49	4	15.0	54	8	8	14	21	24	24	24
50-64	16	10.3	12	5	6	10	12	15	17	18
65+	25	14.0	64	6	8	12	14	25	33	42
2. MULTIPLE DX										
0-19 YRS	26	17.1	376	5	6	11	17	39	59	97
20-34	50	18.4	227	6	6	13	28	58	94	99+
35-49	76	19.4	195	5	7	15	25	43	56	89
50-64	241	19.1	206	6	8	15	23	38	54	99+
65+	634	19.2	162	7	8	15	24	36	48	67
TOT. SINGLE DX	56	12.3	53	4	6	11	14	19	28	42
" MULTIPLE DX	1027	19.1	183	6	8	15	24	38	51	94
TOTAL 0-19 YRS	28	16.5	353	5	6	10	16	36	55	97
20-34	59	17.3	213	4	6	12	27	55	77	99+
35-49	80	19.2	188	5	7	15	25	42	55	88
50-64	257	18.5	199	6	7	14	23	37	53	99
65+	659	19.0	160	7	8	15	24	36	47	66
GRAND TOTAL	**1083**	**18.8**	**178**	**6**	**8**	**15**	**23**	**37**	**50**	**93**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5455	3.6	3	2	2	3	4	6	7	11
20-34	3747	3.7	3	2	2	3	4	6	7	10
35-49	1328	4.3	5	2	2	4	5	7	9	12
50-64	562	5.3	7	2	3	5	7	9	10	16
65+	169	6.4	7	3	3	6	8	10	12	15
2. MULTIPLE DX										
0-19 YRS	1993	5.6	17	2	2	4	7	10	13	21
20-34	1657	5.4	12	2	3	4	7	10	12	21
35-49	867	7.0	20	3	3	6	9	12	14	27
50-64	649	8.6	27	3	4	8	10	15	19	31
65+	597	10.3	37	4	5	9	12	18	22	36
TOT. SINGLE DX	11261	3.8	5	2	2	3	4	6	8	11
" MULTIPLE DX	5763	6.6	22	2	3	5	8	12	15	25
TOTAL 0-19 YRS	7448	4.1	8	2	2	3	5	7	9	14
20-34	5404	4.2	7	2	2	4	5	7	9	14
35-49	2195	5.4	13	2	2	4	7	10	12	19
50-64	1211	7.1	21	2	3	6	9	12	16	26
65+	766	9.4	34	3	4	8	11	16	20	33
GRAND TOTAL	**17024**	**4.8**	**12**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	3.6	3	1	2	3	4	7	8	8
20-34	25	4.8	6	2	3	4	5	8	11	13
35-49	8	3.0	1	1	1	3	4	5	5	5
50-64	3	8.0	4	6	6	8	9	10	10	10
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	19	5.2	6	2	3	4	7	9	11	12
20-34	33	5.7	25	2	3	4	5	8	12	31
35-49	19	5.6	10	1	2	5	7	10	13	14
50-64	8	10.8	60	4	4	9	11	24	29	29
65+	2	12.5	13	10	10	12	15	15	15	15
TOT. SINGLE DX	72	4.2	5	2	2	3	5	7	8	12
" MULTIPLE DX	81	6.2	23	2	3	5	7	10	13	30
TOTAL 0-19 YRS	54	4.1	5	2	2	3	5	7	8	12
20-34	58	5.3	17	2	3	4	5	8	11	30
35-49	27	4.8	9	1	2	4	7	8	11	14
50-64	11	10.0	45	4	5	9	10	18	28	29
65+	3	10.0	25	5	5	10	14	15	15	15
GRAND TOTAL	**153**	**5.2**	**15**	**2**	**2**	**4**	**6**	**9**	**11**	**29**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	7.8	5	4	5	7	9	11	13	13
20-34	5	5.8	10	1	1	7	8	9	9	9
35-49	6	6.8	19	3	3	6	8	14	15	15
50-64	4	13.8	73	6	6	11	19	26	26	26
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	13	10.8	51	4	5	10	11	20	30	32
20-34	4	8.5	7	6	6	8	10	12	12	12
35-49	5	10.6	18	7	7	9	12	18	18	18
50-64	17	16.9	66	7	8	15	24	28	33	36
65+	8	11.9	68	6	7	9	11	26	32	32
TOT. SINGLE DX	27	8.1	22	3	4	7	9	13	17	26
" MULTIPLE DX	47	13.0	59	6	6	10	15	26	32	36
TOTAL 0-19 YRS	24	9.5	31	4	6	8	10	13	21	32
20-34	9	7.0	10	1	2	7	9	11	12	12
35-49	11	8.5	21	3	3	8	10	16	18	18
50-64	21	16.3	66	7	8	14	24	27	32	36
65+	9	11.4	62	6	7	9	10	24	32	32
GRAND TOTAL	**74**	**11.2**	**51**	**4**	**5**	**9**	**12**	**24**	**28**	**35**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	3.1	5	<1	1	3	4	7	8	9
20-34	31	4.0	13	1	1	3	5	8	11	18
35-49	44	3.3	8	1	1	2	4	6	9	16
50-64	61	2.7	6	1	1	2	3	7	9	10
65+	109	3.0	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	64	8.7	121	1	1	5	10	19	33	60
20-34	66	7.3	105	1	1	4	7	18	24	64
35-49	92	6.4	35	1	2	5	9	13	15	34
50-64	248	6.7	34	1	2	5	8	13	17	32
65+	713	7.8	48	1	2	6	10	17	22	32
TOT. SINGLE DX	280	3.1	7	1	1	2	4	6	9	14
" MULTIPLE DX	1183	7.5	52	1	2	5	10	16	21	36
TOTAL 0-19 YRS	99	6.7	87	1	1	4	8	15	22	55
20-34	97	6.2	78	1	1	4	6	14	21	52
35-49	136	5.4	29	1	1	4	7	11	15	27
50-64	309	5.9	31	1	1	4	8	13	15	30
65+	822	7.2	45	1	1	5	9	16	21	30
GRAND TOTAL	**1463**	**6.7**	**46**	**1**	**1**	**5**	**9**	**14**	**19**	**32**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.6	3	1	1	2	3	5	6	10
20-34	183	2.5	2	1	1	2	3	5	6	8
35-49	163	2.8	4	1	1	2	4	5	6	11
50-64	54	3.2	4	1	1	3	5	6	7	11
65+	23	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	21	3.2	5	<1	1	3	4	7	9	9
20-34	158	4.8	36	1	1	3	5	9	13	33
35-49	191	4.5	16	1	1	3	6	9	12	25
50-64	163	6.1	36	1	1	4	7	13	16	39
65+	146	6.8	46	1	1	5	8	14	21	38
TOT. SINGLE DX	453	2.7	4	1	1	2	3	5	6	11
" MULTIPLE DX	679	5.4	33	1	1	4	6	11	15	33
TOTAL 0-19 YRS	51	2.8	4	1	1	2	3	5	9	10
20-34	341	3.6	20	1	1	2	4	6	9	28
35-49	354	3.7	12	1	1	3	5	7	10	17
50-64	217	5.4	30	1	1	4	6	12	15	32
65+	169	6.3	43	1	1	4	8	13	20	37
GRAND TOTAL	**1132**	**4.3**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	8.2	4	5	6	8	9	12	13	13
20-34	17	9.6	24	4	6	9	10	14	22	26
35-49	41	10.7	20	5	6	10	12	16	22	24
50-64	101	11.1	19	6	7	10	12	16	19	31
65+	142	12.5	25	6	8	12	14	18	22	33
2. MULTIPLE DX										
0-19 YRS	37	12.8	45	6	6	11	16	24	26	31
20-34	55	13.9	77	6	7	12	16	21	27	51
35-49	172	15.4	145	7	8	12	17	23	34	79
50-64	554	15.2	76	8	9	12	17	24	33	53
65+	1257	16.7	90	8	9	14	19	27	35	61
TOT. SINGLE DX	319	11.4	23	6	7	10	13	17	21	31
" MULTIPLE DX	2075	16.1	91	8	9	14	18	26	34	59
TOTAL 0-19 YRS	55	11.3	37	6	6	9	13	21	25	31
20-34	72	12.9	68	6	6	11	15	21	26	50
35-49	213	14.5	125	7	7	11	16	22	31	70
50-64	655	14.5	70	7	8	12	17	23	31	53
65+	1399	16.3	85	8	9	14	19	26	34	58
GRAND TOTAL	**2394**	**15.4**	**84**	**7**	**8**	**13**	**18**	**25**	**33**	**58**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	198	3.6	6	<1	1	3	5	7	8	15
20-34	590	4.4	12	1	1	4	5	8	10	20
35-49	521	4.4	9	1	1	4	5	8	9	16
50-64	492	4.7	17	1	1	4	6	9	11	15
65+	351	5.4	15	1	1	4	7	10	12	19
2. MULTIPLE DX										
0-19 YRS	529	5.9	55	1	2	4	6	11	16	43
20-34	2750	6.3	37	1	2	5	7	12	16	31
35-49	4213	6.7	33	2	2	5	8	12	16	30
50-64	6203	7.2	35	2	3	6	9	13	17	34
65+	12758	8.5	46	2	3	7	10	16	20	35
TOT. SINGLE DX	2152	4.5	13	1	1	4	6	8	11	18
" MULTIPLE DX	26453	7.7	42	2	3	6	9	14	19	34
TOTAL 0-19 YRS	727	5.3	43	1	1	4	6	9	14	34
20-34	3340	5.9	33	1	2	4	7	11	15	30
35-49	4734	6.4	31	2	2	5	8	12	16	29
50-64	6695	7.0	35	2	2	6	9	13	17	34
65+	13109	8.5	45	2	3	7	10	15	20	35
GRAND TOTAL	**28605**	**7.4**	**40**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.8	1	<1	1	1	2	4	4	4
20-34	160	2.2	1	<1	1	2	3	4	5	6
35-49	199	2.2	1	1	1	2	3	4	4	8
50-64	111	2.3	1	1	1	2	3	4	5	7
65+	37	2.7	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	13	2.7	3	1	1	2	4	5	6	6
20-34	159	2.9	13	1	1	2	3	5	7	12
35-49	259	2.8	4	1	1	2	4	5	8	11
50-64	251	3.2	9	1	1	2	4	6	7	21
65+	114	4.3	35	1	1	3	5	8	12	32
TOT. SINGLE DX	529	2.2	2	1	1	2	3	4	5	7
" MULTIPLE DX	796	3.2	12	1	1	2	4	5	8	16
TOTAL 0-19 YRS	35	2.1	2	1	1	2	3	4	5	6
20-34	319	2.5	8	1	1	2	3	4	5	11
35-49	458	2.5	3	1	1	2	3	4	6	11
50-64	362	2.9	7	1	1	2	4	5	6	13
65+	151	3.9	28	1	1	3	4	7	10	19
GRAND TOTAL	**1325**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.1	1	<1	<1	2	3	4	4	4
20-34	113	1.9	1	1	1	1	2	4	4	7
35-49	71	2.2	2	1	1	2	3	4	5	9
50-64	47	2.4	2	1	1	2	3	5	5	10
65+	20	2.9	3	<1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	17	2.6	4	1	1	2	3	6	8	9
20-34	176	2.8	5	1	1	2	4	5	7	11
35-49	219	3.2	20	1	1	2	4	6	7	24
50-64	180	3.9	21	1	1	2	5	7	10	29
65+	177	5.1	24	1	1	4	6	9	12	29
TOT. SINGLE DX	262	2.2	2	1	1	2	3	4	5	9
" MULTIPLE DX	769	3.7	18	1	1	3	4	7	9	24
TOTAL 0-19 YRS	28	2.4	3	<1	1	2	3	4	6	9
20-34	289	2.5	5	1	1	2	3	5	6	11
35-49	290	3.0	16	1	1	2	3	5	6	18
50-64	227	3.6	18	1	1	2	4	6	10	24
65+	197	4.8	23	1	1	4	6	9	12	28
GRAND TOTAL	**1031**	**3.3**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	208	3.1	2	1	1	3	4	5	6	7
35-49	277	3.2	2	1	1	3	4	5	7	8
50-64	149	3.1	3	1	1	3	4	5	6	8
65+	74	3.6	17	1	1	3	4	5	7	29
2. MULTIPLE DX										
0-19 YRS	26	4.5	23	1	2	3	5	10	14	25
20-34	1123	3.5	5	1	1	3	4	6	7	12
35-49	1808	3.6	5	1	1	3	4	6	7	12
50-64	1479	4.0	10	1	2	3	5	7	9	15
65+	814	5.2	17	1	2	4	6	10	12	21
TOT. SINGLE DX	713	3.2	4	1	1	3	4	5	6	8
" MULTIPLE DX	5250	3.9	9	1	2	3	5	7	9	15
TOTAL 0-19 YRS	31	4.2	20	1	1	3	4	8	11	25
20-34	1331	3.4	5	1	1	3	4	5	6	11
35-49	2085	3.5	5	1	1	3	4	6	7	11
50-64	1628	3.9	10	1	2	3	5	7	8	15
65+	888	5.0	17	1	2	4	6	9	12	22
GRAND TOTAL	**5963**	**3.8**	**9**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	3.9	24	<1	1	2	4	9	17	99+
20-34	183	2.5	3	<1	1	2	3	5	6	9
35-49	146	2.7	4	1	1	2	3	6	7	11
50-64	89	2.8	3	1	1	2	3	5	7	8
65+	43	4.3	24	1	1	3	4	7	11	32
2. MULTIPLE DX										
0-19 YRS	69	5.6	45	1	1	4	6	10	19	40
20-34	223	4.4	42	1	1	3	5	8	11	27
35-49	251	4.3	31	1	1	3	5	8	12	27
50-64	203	5.2	30	1	1	3	6	11	15	31
65+	260	6.6	46	1	1	5	8	14	19	32
TOT. SINGLE DX	509	2.9	8	1	1	2	3	6	7	15
" MULTIPLE DX	1006	5.2	39	1	1	3	6	11	15	32
TOTAL 0-19 YRS	117	4.9	37	1	1	3	5	10	18	60
20-34	406	3.6	25	1	1	2	4	7	9	17
35-49	397	3.7	22	1	1	3	4	7	10	20
50-64	292	4.4	24	1	1	3	5	9	13	26
65+	303	6.2	44	1	1	4	8	13	18	32
GRAND TOTAL	**1515**	**4.4**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	13.0	32	9	9	13	17	17	17	17
20-34	2	20.0	162	11	11	20	29	29	29	29
35-49	3	4.7	10	1	1	6	7	7	7	7
50-64	6	7.8	40	1	1	7	14	16	16	16
65+	5	5.2	26	1	1	4	7	14	14	14
2. MULTIPLE DX										
0-19 YRS	12	15.8	204	2	4	11	17	43	46	47
20-34	18	12.7	75	3	4	8	19	27	30	32
35-49	26	15.8	225	5	5	10	15	41	50	65
50-64	34	18.3	134	1	3	18	25	36	39	40
65+	54	20.0	225	4	6	16	23	39	51	79
TOT. SINGLE DX	18	8.5	55	1	1	7	14	17	24	29
" MULTIPLE DX	144	17.6	185	3	5	14	23	37	43	66
TOTAL 0-19 YRS	14	15.4	176	3	5	11	17	42	46	47
20-34	20	13.5	81	3	5	10	19	28	30	32
35-49	29	14.7	214	4	5	9	14	39	47	65
50-64	40	16.8	133	1	2	15	25	35	38	40
65+	59	18.8	226	2	4	15	23	38	50	78
GRAND TOTAL	**162**	**16.6**	**178**	**2**	**4**	**13**	**21**	**36**	**41**	**64**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	5.3	16	1	1	4	8	11	15	16
20-34	112	5.3	59	1	1	2	6	12	19	43
35-49	123	3.4	16	1	1	2	4	8	12	22
50-64	124	3.2	13	1	1	1	4	8	12	18
65+	59	3.4	22	<1	1	1	4	9	11	26
2. MULTIPLE DX										
0-19 YRS	142	14.4	344	1	1	8	17	47	72	99+
20-34	309	9.0	59	1	1	8	12	19	24	41
35-49	434	9.1	86	1	1	7	12	20	25	50
50-64	768	10.0	86	1	1	8	13	21	29	41
65+	955	11.2	101	1	1	9	15	21	27	56
TOT. SINGLE DX	451	4.0	28	1	1	2	5	9	13	24
" MULTIPLE DX	2608	10.4	104	1	1	8	14	21	29	57
TOTAL 0-19 YRS	175	12.7	295	1	1	7	15	37	64	99+
20-34	421	8.0	62	1	1	6	11	18	23	41
35-49	557	7.9	76	1	1	6	10	18	24	47
50-64	892	9.1	82	1	1	7	12	19	26	41
65+	1014	10.8	100	1	1	9	14	21	26	56
GRAND TOTAL	**3059**	**9.5**	**98**	**1**	**1**	**7**	**13**	**20**	**26**	**53**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	288	5.1	5	2	3	5	6	8	10	14
20-34	3456	5.0	3	3	3	5	6	7	8	11
35-49	3031	5.2	4	3	3	5	6	8	9	12
50-64	2311	5.6	4	3	3	5	7	8	9	13
65+	1138	6.7	9	3	4	6	8	10	13	17
2. MULTIPLE DX										
0-19 YRS	298	7.4	40	3	3	6	9	12	14	34
20-34	3650	6.7	19	3	4	6	8	11	13	23
35-49	4747	7.0	21	3	4	6	8	11	14	24
50-64	6146	8.2	30	3	4	7	10	14	17	31
65+	7558	11.1	52	4	5	9	13	19	23	40
TOT. SINGLE DX	10224	5.4	5	3	3	5	6	8	9	13
" MULTIPLE DX	22399	8.7	38	3	4	7	10	15	19	33
TOTAL 0-19 YRS	586	6.3	24	3	3	5	7	10	12	20
20-34	7106	5.9	13	3	3	5	7	9	11	18
35-49	7778	6.3	16	3	3	5	7	10	12	21
50-64	8457	7.5	25	3	4	6	9	12	15	27
65+	8696	10.5	49	4	5	9	13	18	22	38
GRAND TOTAL	**32623**	**7.6**	**30**	**3**	**4**	**6**	**9**	**13**	**17**	**29**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	9.7	158	1	1	7	10	32	37	37
20-34	27	4.8	24	1	1	3	6	10	19	19
35-49	48	7.2	21	1	2	7	10	15	16	18
50-64	59	6.8	16	1	1	8	9	11	14	18
65+	80	7.6	27	1	1	7	11	16	17	20
2. MULTIPLE DX										
0-19 YRS	12	11.1	48	2	5	11	14	43	89	99+
20-34	66	12.3	105	3	4	9	14	25	35	55
35-49	146	12.6	94	2	3	10	17	27	31	44
50-64	353	13.9	115	2	4	11	18	25	32	54
65+	1022	15.7	106	3	5	14	19	27	35	52
TOT. SINGLE DX	221	7.0	27	1	1	7	10	14	16	20
" MULTIPLE DX	1599	14.8	108	3	5	13	19	27	34	53
TOTAL 0-19 YRS	19	10.6	83	1	1	9	13	33	68	99+
20-34	93	10.1	93	1	2	8	12	19	32	53
35-49	194	11.3	82	1	3	9	15	23	29	42
50-64	412	12.9	107	2	3	10	17	24	31	54
65+	1102	15.1	105	2	4	13	19	27	33	51
GRAND TOTAL	**1820**	**13.9**	**105**	**2**	**3**	**12**	**18**	**26**	**32**	**52**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.7	50	1	1	5	14	17	18	18
20-34	61	4.9	37	1	1	3	6	10	12	41
35-49	77	6.2	36	1	1	5	9	12	18	35
50-64	96	6.5	72	1	1	4	8	17	19	46
65+	66	6.2	43	1	1	4	8	17	20	31
2. MULTIPLE DX										
0-19 YRS	19	15.2	173	1	2	10	18	33	45	52
20-34	129	13.0	184	1	2	8	18	27	37	74
35-49	284	13.1	192	2	2	9	16	31	47	99+
50-64	430	14.3	208	2	3	10	18	31	42	86
65+	649	13.5	157	2	3	10	16	28	42	71
TOT. SINGLE DX	307	6.1	50	1	1	4	8	13	18	35
" MULTIPLE DX	1511	13.6	181	2	3	10	17	29	43	82
TOTAL 0-19 YRS	26	13.2	149	1	1	10	18	29	39	52
20-34	190	10.4	151	1	1	6	13	24	32	68
35-49	361	11.6	167	1	2	8	13	25	44	99
50-64	526	12.8	192	1	2	9	17	28	39	83
65+	715	12.8	151	1	2	9	16	26	40	70
GRAND TOTAL	**1818**	**12.3**	**166**	**1**	**2**	**9**	**15**	**27**	**40**	**79**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	4.5	15	1	1	4	5	7	11	23
20-34	301	4.9	23	1	2	4	6	9	11	27
35-49	247	5.7	39	<1	1	4	7	10	14	38
50-64	265	4.6	12	<1	1	4	6	9	10	18
65+	263	4.5	17	<1	<1	4	6	8	11	19
2. MULTIPLE DX										
0-19 YRS	212	6.2	77	1	2	4	6	11	18	70
20-34	796	7.0	50	1	2	5	8	14	20	34
35-49	1178	6.9	38	2	2	5	8	13	18	34
50-64	2128	7.3	41	2	2	6	9	13	19	34
65+	5681	7.9	37	2	3	6	10	14	18	32
TOT. SINGLE DX	1191	4.9	22	<1	1	4	6	9	12	21
" MULTIPLE DX	9995	7.6	40	2	2	6	9	14	19	33
TOTAL 0-19 YRS	327	5.6	56	1	2	4	6	10	16	43
20-34	1097	6.5	44	1	2	5	7	13	18	33
35-49	1425	6.7	39	1	2	5	8	13	17	34
50-64	2393	7.0	39	2	2	5	8	13	18	32
65+	5944	7.8	37	2	3	6	10	14	18	32
GRAND TOTAL	**11186**	**7.3**	**39**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	933	1.5	1	<1	<1	1	2	3	3	5
20-34	2002	1.9	1	1	1	2	2	3	4	5
35-49	1922	2.0	1	1	1	2	3	4	4	5
50-64	2438	2.2	1	1	1	2	3	4	5	6
65+	1699	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	670	2.2	18	<1	1	1	2	4	5	35
20-34	872	2.5	6	1	1	2	3	4	6	11
35-49	1278	2.8	5	1	1	2	3	5	6	13
50-64	2605	3.1	8	1	1	2	4	5	8	14
65+	4348	4.3	17	1	1	3	5	8	12	22
TOT. SINGLE DX	8994	2.1	2	1	1	2	3	4	5	6
" MULTIPLE DX	9773	3.5	13	1	1	3	4	7	9	18
TOTAL 0-19 YRS	1603	1.8	9	<1	<1	1	2	3	4	9
20-34	2874	2.1	3	1	1	2	3	4	4	8
35-49	3200	2.3	3	1	1	2	3	4	5	8
50-64	5043	2.7	5	1	1	2	3	5	6	11
65+	6047	3.9	14	1	1	3	5	7	10	19
GRAND TOTAL	**18767**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	1.4		<1	1	1	2	2	3	6
20-34	190	2.3	1	1	1	2	3	4	5	7
35-49	277	2.6	1	1	1	2	3	4	5	7
50-64	368	2.7	2	1	1	2	4	5	5	6
65+	258	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	331	2.7	31	1	1	1	2	5	9	29
20-34	128	2.7	2	1	1	2	4	5	6	8
35-49	239	2.9	3	1	1	3	4	5	6	12
50-64	483	3.4	4	1	1	3	4	6	8	12
65+	647	4.8	13	1	2	4	6	9	12	22
TOT. SINGLE DX	1271	2.5	2	1	1	2	3	5	5	7
" MULTIPLE DX	1828	3.7	13	1	1	3	4	7	9	16
TOTAL 0-19 YRS	509	2.2	21	<1	1	1	2	4	7	21
20-34	318	2.4	2	1	1	2	3	4	5	7
35-49	516	2.8	3	1	1	3	4	5	5	8
50-64	851	3.1	4	1	1	3	4	5	6	9
65+	905	4.3	11	1	1	4	5	8	10	19
GRAND TOTAL	**3099**	**3.2**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.4	1	1	1	3	3	4	5	5
20-34	48	2.2	1	1	1	2	3	4	5	5
35-49	77	2.1	1	1	1	2	3	4	4	5
50-64	75	2.6	5	1	1	2	3	4	5	16
65+	132	4.4	9	1	2	4	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	5	4.4	5	1	1	5	6	7	7	7
20-34	25	2.6	4	1	1	2	3	4	7	12
35-49	53	3.0	4	1	1	3	4	5	6	11
50-64	76	4.5	34	1	1	3	5	6	11	41
65+	328	7.0	38	1	2	5	9	14	18	29
TOT. SINGLE DX	341	3.1	6	1	1	2	4	6	8	13
" MULTIPLE DX	487	6.0	35	1	1	4	7	12	16	26
TOTAL 0-19 YRS	14	3.1	4	1	1	3	5	5	7	7
20-34	73	2.4	3	1	1	2	3	4	5	10
35-49	130	2.5	3	1	1	2	3	4	5	10
50-64	151	3.5	21	1	1	3	4	6	6	21
65+	460	6.3	32	1	2	5	8	13	16	24
GRAND TOTAL	**828**	**4.8**	**25**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	1.7	1	<1	<1	1	2	3	4	9
20-34	102	2.0	1	1	1	2	3	4	5	6
35-49	222	2.0	2	1	1	2	3	3	4	6
50-64	179	2.6	2	1	1	2	3	5	6	8
65+	82	3.3	5	1	1	3	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	55	3.8	52	1	1	2	4	6	21	97
20-34	91	3.2	7	1	1	2	4	6	7	17
35-49	257	3.9	11	1	1	3	5	8	10	19
50-64	313	4.4	15	1	1	4	5	8	12	18
65+	354	6.2	28	1	2	5	7	12	15	33
TOT. SINGLE DX	674	2.3	3	1	1	2	3	4	5	8
" MULTIPLE DX	1070	4.7	21	1	1	3	6	10	12	24
TOTAL 0-19 YRS	144	2.5	22	<1	<1	1	2	4	7	51
20-34	193	2.5	5	1	1	2	3	5	6	13
35-49	479	3.0	8	1	1	2	3	6	9	15
50-64	492	3.8	11	1	1	3	5	7	9	17
65+	436	5.6	25	1	1	4	7	11	15	30
GRAND TOTAL	**1744**	**3.8**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.1	2	<1	1	2	3	4	5	7
20-34	254	2.8	3	1	1	2	4	5	6	9
35-49	487	3.4	3	1	1	3	4	6	7	11
50-64	541	3.8	4	1	1	3	5	7	8	10
65+	395	4.5	7	1	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	36	3.9	11	<1	<1	3	5	10	15	99+
20-34	239	4.3	12	1	1	4	5	8	10	18
35-49	701	5.6	24	1	2	5	7	10	13	31
50-64	1125	5.8	19	1	2	5	7	10	13	24
65+	1289	7.3	36	2	2	6	9	14	18	32
TOT. SINGLE DX	1720	3.6	5	1	1	3	5	6	8	11
" MULTIPLE DX	3390	6.2	27	1	2	5	8	11	15	27
TOTAL 0-19 YRS	79	2.9	7	<1	1	2	4	6	9	74
20-34	493	3.5	9	1	1	3	5	6	8	15
35-49	1188	4.7	17	1	1	4	6	8	11	19
50-64	1666	5.1	15	1	2	4	6	9	11	22
65+	1684	6.7	31	2	2	5	8	12	16	26
GRAND TOTAL	**5110**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	6.6	5	4	4	6	9	9	9	9
20-34	10	3.8	7	1	1	3	5	8	9	9
35-49	23	7.5	8	3	4	7	10	11	13	14
50-64	15	6.7	5	3	5	6	9	10	11	11
65+	17	7.2	7	2	3	7	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	29	10.2	65	4	4	8	12	16	20	46
20-34	46	11.6	163	2	4	8	11	26	44	68
35-49	87	9.1	22	4	4	8	12	14	18	28
50-64	143	9.9	63	4	5	8	11	15	23	44
65+	196	12.6	65	5	5	10	15	22	30	42
TOT. SINGLE DX	70	6.7	9	2	3	6	9	11	12	14
" MULTIPLE DX	501	11.0	68	4	5	9	13	19	27	44
TOTAL 0-19 YRS	34	9.6	58	4	4	8	12	16	18	46
20-34	56	10.2	144	1	2	7	10	22	38	67
35-49	110	8.8	20	4	4	8	11	14	18	26
50-64	158	9.6	59	4	5	8	10	15	21	42
65+	213	12.2	63	5	5	10	15	22	29	42
GRAND TOTAL	**571**	**10.5**	**63**	**3**	**5**	**8**	**12**	**18**	**25**	**43**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	3.6	12	<1	1	2	4	8	11	19
20-34	175	4.0	12	1	1	3	5	8	10	16
35-49	138	4.8	14	1	1	4	6	10	14	18
50-64	116	5.4	23	1	1	4	7	12	16	24
65+	88	7.2	30	1	2	6	10	14	17	28
2. MULTIPLE DX										
0-19 YRS	146	8.1	124	1	1	6	9	15	36	94
20-34	381	8.0	58	1	1	6	10	17	23	43
35-49	570	9.5	82	1	2	7	12	19	26	51
50-64	1022	10.8	83	2	3	8	14	21	27	47
65+	1453	12.3	93	2	3	10	16	24	32	52
TOT. SINGLE DX	610	4.9	19	1	1	4	6	10	13	22
" MULTIPLE DX	3572	10.8	89	2	2	8	14	22	29	50
TOTAL 0-19 YRS	239	6.3	85	1	1	4	7	12	22	53
20-34	556	6.8	48	1	1	5	9	15	19	37
35-49	708	8.6	72	1	2	6	11	18	24	46
50-64	1138	10.3	80	2	2	8	13	21	26	46
65+	1541	12.0	91	2	3	10	15	23	31	51
GRAND TOTAL	**4182**	**9.9**	**83**	**1**	**2**	**8**	**13**	**20**	**27**	**48**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	163	5.4	14	2	2	5	7	9	11	23
20-34	334	4.9	9	2	2	4	6	8	10	20
35-49	126	6.5	14	1	2	6	8	12	14	19
50-64	100	9.5	69	3	4	7	11	16	20	57
65+	55	8.6	30	2	3	8	12	14	20	28
2. MULTIPLE DX										
0-19 YRS	269	7.2	38	2	3	6	9	13	19	43
20-34	712	8.0	70	3	3	5	8	14	22	54
35-49	483	10.6	95	3	4	8	12	19	28	67
50-64	524	13.2	106	4	5	11	16	23	32	58
65+	789	15.9	129	5	6	13	19	29	38	70
TOT. SINGLE DX	778	6.1	23	2	2	5	7	11	14	23
" MULTIPLE DX	2777	11.6	107	3	4	9	14	23	31	63
TOTAL 0-19 YRS	432	6.5	31	2	3	5	8	11	16	35
20-34	1046	7.0	53	2	3	5	7	12	19	49
35-49	609	9.7	82	3	4	7	11	17	24	63
50-64	624	12.6	102	4	5	10	15	22	31	58
65+	844	15.4	126	5	6	12	19	28	38	67
GRAND TOTAL	**3555**	**10.4**	**93**	**3**	**3**	**7**	**12**	**20**	**28**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	228	3.2	5	<1	1	3	4	6	8	11
20-34	711	2.8	4	<1	1	2	4	5	7	12
35-49	109	3.0	5	<1	<1	2	4	7	8	11
50-64	18	2.8	8	<1	<1	1	5	8	9	10
65+	6	3.5	6	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	308	4.0	9	1	1	3	5	8	9	14
20-34	1332	4.0	18	1	1	3	5	8	10	18
35-49	286	4.3	21	1	1	3	5	8	11	19
50-64	60	6.9	147	<1	1	3	8	15	24	81
65+	45	8.3	48	1	1	6	12	18	21	28
TOT. SINGLE DX	1072	2.9	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	2031	4.2	22	1	1	3	5	8	10	22
TOTAL 0-19 YRS	536	3.7	8	<1	1	3	5	7	9	12
20-34	2043	3.6	14	<1	1	3	5	7	9	16
35-49	395	3.9	17	<1	1	3	5	8	10	17
50-64	78	6.0	118	<1	1	3	7	12	21	70
65+	51	7.7	46	1	1	5	11	18	21	28
GRAND TOTAL	**3103**	**3.8**	**17**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	6.0	14	1	2	6	8	11	12	20
20-34	246	5.6	11	1	1	5	8	10	12	17
35-49	197	7.4	22	2	2	7	9	13	16	27
50-64	190	8.5	21	2	3	8	11	14	16	24
65+	115	9.9	27	2	4	9	13	16	20	28
2. MULTIPLE DX										
0-19 YRS	225	11.5	220	2	3	7	12	25	34	96
20-34	1011	7.2	49	1	2	5	8	15	19	32
35-49	873	9.5	76	2	3	7	11	19	25	47
50-64	934	12.6	115	3	4	10	15	24	31	61
65+	1470	15.5	120	4	6	13	19	29	36	62
TOT. SINGLE DX	831	7.3	21	1	2	7	10	13	16	24
" MULTIPLE DX	4513	11.7	110	2	3	9	15	23	31	57
TOTAL 0-19 YRS	308	10.0	171	2	3	7	10	19	29	95
20-34	1257	6.9	43	1	2	5	8	13	18	30
35-49	1070	9.1	67	2	3	7	11	18	23	46
50-64	1124	11.9	101	2	4	9	14	22	29	56
65+	1585	15.1	116	4	6	12	19	27	35	60
GRAND TOTAL	5344	11.0	99	2	3	8	14	22	29	54

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	8.7	25	4	4	8	11	13	22	26
20-34	46	6.7	1	5	5	7	7	8	9	11
35-49	75	7.7	7	5	5	7	9	11	15	16
50-64	83	8.8	11	5	6	8	10	12	16	23
65+	55	9.5	11	6	6	9	11	14	18	19
2. MULTIPLE DX										
0-19 YRS	100	9.2	63	3	4	6	11	18	25	79
20-34	114	10.7	68	4	5	8	12	20	27	50
35-49	179	11.3	42	5	6	10	14	19	23	40
50-64	417	12.2	47	5	6	10	15	20	26	38
65+	621	14.5	90	6	7	11	17	26	32	58
TOT. SINGLE DX	289	8.3	11	5	5	8	9	12	15	22
" MULTIPLE DX	1431	12.8	71	5	6	10	16	23	29	49
TOTAL 0-19 YRS	130	9.1	54	3	4	7	11	18	24	67
20-34	160	9.5	52	4	5	7	10	17	22	48
35-49	254	10.3	35	5	5	8	12	16	22	37
50-64	500	11.7	43	5	6	9	14	19	24	37
65+	676	14.1	86	6	7	11	17	25	31	58
GRAND TOTAL	1720	12.0	64	5	6	9	14	22	27	46

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	167	5.4	15	1	2	5	7	11	14	19
20-34	197	6.2	21	1	1	6	8	11	15	23
35-49	195	5.1	11	1	1	5	7	10	12	14
50-64	173	5.6	16	1	1	5	8	11	13	23
65+	97	5.6	14	1	1	5	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	287	9.4	79	1	2	7	12	19	30	52
20-34	461	9.9	83	1	1	8	12	21	28	61
35-49	584	10.7	83	1	2	9	14	22	29	48
50-64	616	10.2	94	1	2	8	13	21	28	59
65+	731	11.6	100	1	2	9	15	23	30	50
TOT. SINGLE DX	829	5.6	16	1	1	5	8	11	13	19
" MULTIPLE DX	2679	10.6	91	1	2	8	14	22	29	52
TOTAL 0-19 YRS	454	7.9	60	1	2	6	10	17	22	44
20-34	658	8.8	68	1	1	7	11	19	25	49
35-49	779	9.3	71	1	2	7	12	20	26	42
50-64	789	9.2	81	1	2	7	11	19	25	49
65+	828	10.9	94	1	2	8	14	22	29	48
GRAND TOTAL	3508	9.4	78	1	2	7	12	20	26	46

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.3	4	1	1	2	2	6	7	7
20-34	95	5.4	10	1	1	5	7	9	11	15
35-49	150	5.9	15	1	1	5	8	11	12	18
50-64	137	6.1	12	1	1	6	8	11	12	16
65+	60	7.0	21	1	1	7	9	13	16	21
2. MULTIPLE DX										
0-19 YRS	19	5.7	24	1	1	5	7	11	17	22
20-34	109	7.2	21	1	2	6	9	12	16	24
35-49	214	8.4	89	1	2	6	10	14	21	56
50-64	334	9.2	54	2	3	8	11	18	22	41
65+	336	11.0	65	2	3	9	14	21	26	48
TOT. SINGLE DX	449	5.9	14	1	1	6	8	11	12	18
" MULTIPLE DX	1012	9.4	63	2	2	8	12	18	22	43
TOTAL 0-19 YRS	26	4.8	21	1	1	3	7	10	13	22
20-34	204	6.3	17	1	2	6	8	11	13	20
35-49	364	7.4	61	1	2	6	9	12	18	34
50-64	471	8.3	44	1	2	7	11	15	20	35
65+	396	10.4	61	2	3	9	13	20	23	47
GRAND TOTAL	**1461**	**8.3**	**51**	**1**	**2**	**7**	**11**	**15**	**20**	**38**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	6.2	5	3	3	6	7	9	11	13
20-34	17	6.9	10	1	2	6	10	11	12	12
35-49	7	7.6	18	2	2	7	10	14	15	15
50-64	10	9.4	32	1	1	11	13	16	18	18
65+	6	11.7	14	7	7	12	14	17	17	17
2. MULTIPLE DX										
0-19 YRS	238	7.7	12	3	4	7	9	12	15	21
20-34	39	10.2	39	4	4	9	11	15	25	35
35-49	53	13.7	55	6	7	12	16	23	31	40
50-64	69	17.1	113	4	7	15	21	36	42	91
65+	128	17.0	89	7	8	15	21	29	33	72
TOT. SINGLE DX	172	6.7	10	2	3	6	8	11	12	17
" MULTIPLE DX	527	12.0	69	4	5	10	15	23	29	51
TOTAL 0-19 YRS	370	7.2	11	3	4	7	9	11	13	18
20-34	56	9.2	33	2	4	8	11	14	21	35
35-49	60	13.0	55	5	6	10	16	22	30	39
50-64	79	16.1	110	3	5	14	19	34	40	87
65+	134	16.7	87	7	8	14	21	28	33	70
GRAND TOTAL	**699**	**10.7**	**59**	**3**	**4**	**9**	**13**	**20**	**27**	**41**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	3.6	6	1	1	3	5	7	8	14
20-34	499	3.4	4	1	1	3	4	6	8	11
35-49	680	3.4	4	1	1	3	5	6	7	10
50-64	439	3.7	5	1	1	3	5	7	8	11
65+	151	3.8	8	1	1	3	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	82	6.4	29	1	2	5	9	12	14	32
20-34	377	4.8	12	1	1	4	6	9	11	19
35-49	565	5.1	15	1	2	4	6	10	12	21
50-64	684	5.8	26	1	2	5	7	11	15	23
65+	603	7.4	45	1	2	6	9	15	20	37
TOT. SINGLE DX	1823	3.5	5	1	1	3	5	6	8	11
" MULTIPLE DX	2311	5.9	27	1	2	5	7	11	16	26
TOTAL 0-19 YRS	136	5.3	22	1	1	4	8	11	13	26
20-34	876	4.0	8	1	1	3	5	7	9	14
35-49	1245	4.2	10	1	1	4	5	8	10	17
50-64	1123	5.0	19	1	1	4	6	9	12	20
65+	754	6.7	40	1	1	5	8	14	18	34
GRAND TOTAL	**4134**	**4.8**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	3.1	9	<1	<1	2	4	6	8	16
20-34	396	3.6	6	1	1	3	5	7	8	12
35-49	505	3.6	7	1	1	3	5	7	8	11
50-64	447	3.8	10	1	1	3	5	8	10	16
65+	325	3.8	12	<1	1	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	327	4.9	25	<1	1	4	6	9	12	25
20-34	926	7.3	75	1	2	5	8	14	23	62
35-49	1359	7.0	43	1	2	5	8	14	19	36
50-64	2043	7.3	48	1	2	5	9	15	19	34
65+	4426	9.1	64	1	2	7	11	18	23	42
TOT. SINGLE DX	1788	3.7	9	<1	1	3	5	7	9	14
" MULTIPLE DX	9081	8.0	59	1	2	6	10	16	22	40
TOTAL 0-19 YRS	442	4.5	22	<1	1	3	6	9	11	23
20-34	1322	6.2	58	1	1	4	7	11	18	54
35-49	1864	6.0	36	1	1	4	7	12	16	33
50-64	2490	6.6	43	1	1	5	8	13	18	32
65+	4751	8.7	62	1	2	7	11	17	23	41
GRAND TOTAL	**10869**	**7.3**	**53**	**1**	**1**	**5**	**9**	**15**	**20**	**38**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	1.8	1	<1	1	2	3	3	4	4
35-49	88	2.3	3	1	1	2	3	4	5	12
50-64	381	2.7	3	1	1	2	3	5	6	10
65+	753	3.0	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	16	4.2	12	1	1	3	6	9	12	14
20-34	63	6.5	66	1	1	5	8	10	20	53
35-49	194	4.9	25	1	1	4	6	9	13	28
50-64	953	5.3	34	1	1	4	6	11	16	31
65+	3550	6.0	31	1	1	4	8	12	17	28
TOT. SINGLE DX	1241	2.8	4	1	1	2	4	5	6	11
" MULTIPLE DX	4776	5.8	33	1	1	4	7	12	17	29
TOTAL 0-19 YRS	17	4.0	13	1	1	3	6	9	12	14
20-34	81	5.5	56	1	1	3	7	10	15	48
35-49	282	4.1	20	1	1	3	5	8	11	23
50-64	1334	4.6	27	1	1	3	5	9	14	28
65+	4303	5.5	28	1	1	4	7	11	15	26
GRAND TOTAL	**6017**	**5.2**	**28**	**1**	**1**	**4**	**6**	**11**	**15**	**27**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	4.3	6	1	2	4	5	8	10	11
20-34	52	4.5	6	1	1	4	6	9	9	10
35-49	93	5.7	22	1	2	4	7	9	12	30
50-64	144	5.8	22	1	1	4	8	12	15	19
65+	192	6.1	30	1	1	4	10	14	17	24
2. MULTIPLE DX										
0-19 YRS	205	9.1	91	1	2	6	11	20	31	76
20-34	148	10.4	129	1	2	7	12	24	39	77
35-49	235	8.2	69	1	2	6	9	18	28	46
50-64	511	9.2	62	1	2	7	12	19	25	44
65+	1718	10.4	97	1	2	8	13	21	28	57
TOT. SINGLE DX	540	5.6	22	1	1	4	8	12	15	22
" MULTIPLE DX	2817	9.9	90	1	2	7	13	21	28	56
TOTAL 0-19 YRS	264	8.0	77	1	2	5	9	18	26	58
20-34	200	8.9	104	1	2	6	10	19	31	66
35-49	328	7.5	57	1	2	6	8	16	23	44
50-64	655	8.4	56	1	2	6	12	17	22	40
65+	1910	10.0	92	1	2	8	13	21	27	56
GRAND TOTAL	**3357**	**9.2**	**82**	**1**	**2**	**7**	**12**	**19**	**26**	**53**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.4		<1	<1	1	2	2	2	2
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	15	3.7	4	1	1	3	5	6	8	9
20-34	9	2.9	4	<1	<1	2	5	6	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	15	4.1	23	<1	<1	1	6	12	16	17
65+	26	8.7	101	1	1	5	9	25	36	38
TOT. SINGLE DX	19	2.5	4	<1	<1	2	3	5	7	9
" MULTIPLE DX	67	5.6	51	<1	1	4	6	12	19	37
TOTAL 0-19 YRS	24	2.8	4	<1	1	2	4	5	7	9
20-34	13	3.3	7	<1	<1	2	5	7	9	9
35-49	5	3.0	3	1	1	3	4	5	5	5
50-64	17	3.9	21	<1	<1	1	5	11	15	17
65+	27	8.4	99	1	1	5	9	24	35	38
GRAND TOTAL	**86**	**4.9**	**42**	**<1**	**1**	**3**	**5**	**9**	**17**	**37**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	334	3.6	7	1	1	3	5	8	9	11
20-34	53	3.3	6	<1	1	3	5	6	7	15
35-49	47	4.2	10	1	1	4	6	7	8	20
50-64	33	4.3	7	1	1	4	6	8	10	11
65+	30	3.8	11	1	1	3	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	219	4.0	13	1	1	3	6	10	12	16
20-34	63	5.1	25	1	1	4	6	10	17	27
35-49	76	6.2	32	1	2	4	8	12	15	31
50-64	110	6.1	38	1	2	5	7	12	16	37
65+	193	6.8	42	1	1	5	8	16	20	35
TOT. SINGLE DX	497	3.7	8	1	1	3	5	8	9	11
" MULTIPLE DX	661	5.5	31	1	1	4	7	12	16	28
TOTAL 0-19 YRS	553	3.8	10	1	1	3	5	8	10	13
20-34	116	4.3	18	1	1	3	6	8	10	23
35-49	123	5.4	25	1	1	4	7	10	14	29
50-64	143	5.7	32	1	1	5	7	11	14	29
65+	223	6.4	40	1	1	4	8	15	19	34
GRAND TOTAL	**1158**	**4.7**	**22**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.8	1	<1	<1	1	2	3	5	6
20-34	36	2.5	4	<1	<1	2	3	6	7	10
35-49	33	3.2	6	<1	<1	2	4	7	9	10
50-64	24	3.0	5	<1	<1	2	4	6	9	9
65+	34	3.7	18	<1	1	3	5	7	8	25
2. MULTIPLE DX										
0-19 YRS	68	4.2	12	<1	1	3	6	10	11	85
20-34	137	6.5	41	1	1	5	8	12	17	38
35-49	185	7.3	69	1	1	5	9	15	22	59
50-64	269	7.9	71	1	1	6	10	15	20	46
65+	752	8.9	48	1	2	7	11	18	23	32
TOT. SINGLE DX	153	2.9	8	<1	<1	2	4	6	8	10
" MULTIPLE DX	1411	8.0	54	1	2	6	10	16	22	41
TOTAL 0-19 YRS	94	3.6	11	<1	<1	3	5	9	11	63
20-34	173	5.6	36	<1	1	4	7	11	15	36
35-49	218	6.7	62	1	1	5	8	14	19	58
50-64	293	7.5	68	1	1	6	9	15	20	46
65+	786	8.6	48	1	2	7	11	18	23	32
GRAND TOTAL	**1564**	**7.5**	**52**	**1**	**1**	**6**	**10**	**16**	**21**	**39**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.7	1	1	1	1	2	3	4	5
20-34	79	2.3	5	<1	1	2	3	4	5	16
35-49	54	2.2	2	1	1	2	3	5	6	7
50-64	45	3.0	5	<1	1	3	4	6	7	12
65+	77	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	59	2.9	12	1	1	2	3	7	11	19
20-34	120	4.6	62	1	1	3	4	8	15	47
35-49	117	4.0	16	1	1	3	5	9	12	20
50-64	200	6.0	38	1	1	4	8	14	18	30
65+	575	6.3	38	1	1	4	8	14	19	31
TOT. SINGLE DX	304	2.5	4	1	1	2	3	5	6	11
" MULTIPLE DX	1071	5.6	39	1	1	4	7	12	17	30
TOTAL 0-19 YRS	108	2.3	7	1	1	1	2	5	7	16
20-34	199	3.7	41	1	1	2	3	7	11	34
35-49	171	3.5	13	1	1	2	4	8	10	16
50-64	245	5.5	34	1	1	4	7	12	16	28
65+	652	5.9	36	1	1	4	7	13	18	30
GRAND TOTAL	**1375**	**4.9**	**33**	**1**	**1**	**3**	**6**	**11**	**16**	**28**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	46	5.4	2	3	4	5	6	8	8	8
35-49	200	5.7	3	3	3	5	7	8	10	11
50-64	156	6.1	4	4	4	6	7	8	9	13
65+	54	7.0	6	3	4	7	9	11	12	12
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	83	6.0	5	3	3	6	7	8	10	15
35-49	365	6.4	7	3	4	6	7	9	11	15
50-64	386	6.8	7	4	4	6	8	10	12	16
65+	251	8.2	17	3	4	7	9	13	16	28
TOT. SINGLE DX	458	6.0	4	3	4	6	7	9	10	12
" MULTIPLE DX	1086	6.9	10	3	4	6	8	10	13	18
TOTAL 0-19 YRS	3	7.0	7	5	5	6	9	10	10	10
20-34	129	5.8	4	3	3	5	7	8	9	14
35-49	565	6.2	6	3	4	6	7	9	10	13
50-64	542	6.6	6	4	4	6	8	10	11	15
65+	305	8.0	16	3	4	7	9	12	15	25
GRAND TOTAL	**1544**	**6.7**	**8**	**3**	**4**	**6**	**8**	**10**	**12**	**17**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	36	4.7	3	2	3	4	6	7	8	9
35-49	155	4.8	3	2	2	5	6	7	8	10
50-64	139	5.4	4	3	3	5	7	8	9	11
65+	60	5.9	5	2	3	6	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	9	5.7	17	1	2	5	7	12	15	15
20-34	36	5.5	14	2	3	4	6	8	10	25
35-49	183	6.0	16	2	3	5	7	9	11	23
50-64	220	5.9	7	3	3	6	7	9	10	13
65+	216	6.8	11	3	4	6	8	11	13	21
TOT. SINGLE DX	392	5.2	4	2	3	5	7	8	9	11
" MULTIPLE DX	664	6.2	12	2	3	6	7	10	12	20
TOTAL 0-19 YRS	11	4.9	17	1	1	3	7	11	15	15
20-34	72	5.1	9	2	3	4	6	8	9	22
35-49	338	5.5	11	2	3	5	6	9	10	17
50-64	359	5.7	6	3	3	5	7	9	10	12
65+	276	6.6	10	3	3	6	8	10	13	19
GRAND TOTAL	**1056**	**5.8**	**9**	**2**	**3**	**5**	**7**	**9**	**10**	**16**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	35	3.9	5	<1	1	3	5	7	8	10
35-49	51	3.0	3	1	1	3	4	5	6	11
50-64	35	4.1	6	1	1	4	6	7	9	12
65+	16	3.3	15	1	1	2	3	7	14	17
2. MULTIPLE DX										
0-19 YRS	14	7.4	20	2	2	6	10	15	17	17
20-34	57	6.1	29	1	2	4	8	11	17	30
35-49	85	6.0	18	1	2	5	8	12	16	20
50-64	119	7.3	30	1	2	6	10	15	19	26
65+	156	8.0	39	1	2	6	10	17	20	29
TOT. SINGLE DX	138	3.5	6	1	1	3	5	7	7	13
" MULTIPLE DX	431	7.1	31	1	2	6	9	15	18	28
TOTAL 0-19 YRS	15	7.0	22	1	2	6	9	15	16	17
20-34	92	5.2	21	1	1	4	7	9	14	27
35-49	136	4.9	15	1	2	4	6	10	13	19
50-64	154	6.6	26	1	2	5	9	13	18	26
65+	172	7.5	39	1	2	6	10	17	19	29
GRAND TOTAL	**569**	**6.2**	**28**	**1**	**2**	**5**	**8**	**14**	**17**	**27**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.9	7	1	1	2	3	7	9	10
20-34	166	1.9	2	1	1	1	2	3	5	8
35-49	310	1.9	2	1	1	1	2	4	6	10
50-64	286	2.2	7	1	1	1	2	4	6	13
65+	131	2.4	10	1	1	1	3	5	9	15
2. MULTIPLE DX										
0-19 YRS	16	4.6	33	1	1	2	5	13	20	22
20-34	69	5.2	19	1	1	4	9	12	16	84
35-49	146	5.1	34	1	1	3	6	13	18	30
50-64	179	5.2	35	1	1	3	6	13	17	35
65+	193	6.9	59	1	1	4	9	17	22	36
TOT. SINGLE DX	907	2.1	5	1	1	1	2	4	6	11
" MULTIPLE DX	603	5.7	42	1	1	3	7	14	18	35
TOTAL 0-19 YRS	30	3.8	21	1	1	2	5	9	14	22
20-34	235	2.9	10	1	1	2	3	7	10	17
35-49	456	2.9	15	1	1	2	3	6	10	23
50-64	465	3.3	20	1	1	2	3	7	12	23
65+	324	5.1	44	1	1	2	6	13	18	35
GRAND TOTAL	**1510**	**3.5**	**23**	**1**	**1**	**2**	**4**	**8**	**13**	**27**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	40	4.5	4	2	3	4	5	6	9	13
50-64	1055	4.4	2	2	3	4	5	6	7	10
65+	2101	4.9	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	14	6.9	21	2	3	6	7	16	18	18
20-34	8	11.0	39	2	3	9	17	19	20	20
35-49	112	6.1	18	2	3	5	7	11	16	23
50-64	3592	6.0	20	3	3	5	7	10	13	23
65+	13984	7.3	29	3	3	6	8	13	17	29
TOT. SINGLE DX	3199	4.8	4	2	3	4	6	7	8	11
" MULTIPLE DX	17710	7.1	28	3	3	6	8	12	16	27
TOTAL 0-19 YRS	16	6.6	20	2	3	5	7	15	17	18
20-34	9	9.9	46	1	1	9	16	19	20	20
35-49	152	5.6	15	2	3	4	6	11	13	23
50-64	4647	5.6	17	3	3	5	6	9	12	20
65+	16085	7.0	27	3	3	6	8	12	16	27
GRAND TOTAL	**20909**	**6.7**	**25**	**3**	**3**	**5**	**8**	**12**	**15**	**26**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	5	6.6	8	2	2	7	8	10	10	10
50-64	113	9.6	14	4	6	9	11	15	17	22
65+	126	9.8	12	5	6	9	12	14	16	21
2. MULTIPLE DX										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	1	13.0		13	13	13	13	13	13	13
35-49	6	18.3	271	7	7	12	21	47	50	50
50-64	270	11.1	22	5	6	10	14	18	21	26
65+	670	12.6	42	6	7	11	15	20	25	35
TOT. SINGLE DX	245	9.6	14	4	6	9	11	14	16	22
" MULTIPLE DX	950	12.2	39	5	7	11	14	19	24	31
TOTAL 0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	1	13.0		13	13	13	13	13	13	13
35-49	11	13.0	177	2	5	8	14	33	49	50
50-64	383	10.6	21	5	6	10	13	17	19	24
65+	796	12.2	39	6	7	11	14	19	24	32
GRAND TOTAL	**1195**	**11.7**	**35**	**5**	**7**	**10**	**14**	**18**	**22**	**30**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.3	34	1	1	2	7	13	13	13
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	8	1.6		1	1	1	2	3	3	3
50-64	147	1.8	1	<1	1	1	2	3	5	7
65+	177	1.8	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	2	11.5	221	1	1	11	22	22	22	22
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	37	5.2	43	<1	1	3	6	11	24	29
50-64	312	4.7	27	1	1	3	6	10	15	27
65+	867	5.9	36	1	1	4	9	13	17	30
TOT. SINGLE DX	350	1.8	2	1	1	1	2	3	4	6
" MULTIPLE DX	1221	5.6	35	1	1	3	8	13	17	29
TOTAL 0-19 YRS	6	6.7	79	1	1	2	13	21	22	22
20-34	7	2.4	2	<1	<1	2	4	4	4	4
35-49	55	4.0	32	1	1	2	4	9	18	29
50-64	459	3.8	21	1	1	2	4	8	12	25
65+	1044	5.2	33	1	1	3	7	12	16	29
GRAND TOTAL	**1571**	**4.8**	**30**	**1**	**1**	**3**	**6**	**12**	**16**	**28**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	2.3	12	<1	1	1	2	4	6	22
20-34	74	2.7	5	<1	1	2	3	6	7	13
35-49	60	2.7	4	<1	1	2	4	6	7	11
50-64	71	2.5	5	<1	1	2	3	5	7	12
65+	34	2.1	6	1	1	1	2	3	5	15
2. MULTIPLE DX										
0-19 YRS	69	2.3	3	<1	1	2	3	5	6	9
20-34	64	5.6	106	1	1	3	5	11	17	70
35-49	87	4.6	19	1	1	3	6	10	13	23
50-64	125	5.2	41	1	1	3	7	13	16	35
65+	134	7.8	121	1	1	4	8	21	32	48
TOT. SINGLE DX	334	2.5	7	<1	1	2	3	5	6	13
" MULTIPLE DX	479	5.5	66	1	1	3	6	11	19	39
TOTAL 0-19 YRS	164	2.3	9	<1	1	1	3	4	6	12
20-34	138	4.0	54	1	1	2	4	8	12	33
35-49	147	3.8	14	1	1	3	5	7	11	22
50-64	196	4.3	30	1	1	2	5	10	14	26
65+	168	6.7	104	1	1	3	7	16	26	41
GRAND TOTAL	**813**	**4.2**	**44**	**1**	**1**	**2**	**5**	**9**	**14**	**33**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	2.1	2	1	1	2	2	5	5	8
20-34	167	2.3	3	1	1	2	3	4	5	11
35-49	76	2.8	5	1	1	2	4	6	6	12
50-64	64	3.0	9	<1	1	2	4	6	10	16
65+	156	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	121	3.8	64	1	1	2	4	7	11	86
20-34	124	4.5	20	1	1	3	6	10	14	21
35-49	89	5.3	42	1	1	3	6	13	15	37
50-64	181	6.4	38	1	1	5	9	13	18	31
65+	948	6.9	51	1	1	4	10	16	21	34
TOT. SINGLE DX	577	2.4	4	1	1	2	3	5	6	11
" MULTIPLE DX	1463	6.3	49	1	1	4	9	15	19	34
TOTAL 0-19 YRS	235	3.0	35	1	1	2	3	5	8	42
20-34	291	3.3	12	1	1	2	4	7	11	17
35-49	165	4.2	27	1	1	3	5	10	13	32
50-64	245	5.5	33	1	1	3	8	11	16	29
65+	1104	6.3	47	1	1	3	9	15	19	34
GRAND TOTAL	**2040**	**5.2**	**39**	**1**	**1**	**3**	**7**	**12**	**17**	**32**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	471	1.5	1	<1	1	1	2	3	3	5
20-34	67	1.9	2	<1	1	1	2	3	5	8
35-49	9	2.1	1	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	320	2.1	10	1	1	1	2	4	5	13
20-34	29	2.7	4	<1	1	2	3	5	7	10
35-49	8	2.9	3	<1	<1	2	3	6	7	7
50-64	4	3.5	11	1	1	3	6	8	8	8
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	551	1.5	1	<1	1	1	2	3	4	5
" MULTIPLE DX	362	2.2	10	1	1	1	2	4	5	14
TOTAL 0-19 YRS	791	1.7	5	<1	1	1	2	3	4	7
20-34	96	2.1	3	<1	1	2	2	4	5	10
35-49	17	2.5	2	<1	1	2	3	4	6	7
50-64	5	3.0	10	1	1	1	5	8	8	8
65+	4	5.0	45	1	1	2	9	15	15	15
GRAND TOTAL	**913**	**1.8**	**5**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	1.5	1	<1	1	1	2	2	3	7
20-34	54	2.1	2	1	1	1	2	4	6	8
35-49	13	1.5		<1	<1	1	2	2	3	3
50-64	9	2.0	1	<1	<1	2	2	4	5	5
65+	4	3.3	5	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	57	2.0	2	<1	1	1	3	3	6	8
20-34	28	2.4	5	<1	1	1	3	5	9	10
35-49	26	3.3	8	1	1	2	4	8	10	13
50-64	21	5.4	41	1	1	3	7	10	20	30
65+	10	8.2	98	1	1	3	14	23	32	32
TOT. SINGLE DX	176	1.7	2	<1	1	1	2	3	5	7
" MULTIPLE DX	142	3.2	19	1	1	2	3	8	10	30
TOTAL 0-19 YRS	153	1.7	2	<1	1	1	2	3	3	8
20-34	82	2.2	3	<1	1	1	2	4	6	10
35-49	39	2.7	7	<1	1	2	3	6	9	13
50-64	30	4.4	31	1	1	3	5	9	11	30
65+	14	6.8	75	1	1	3	9	17	29	32
GRAND TOTAL	**318**	**2.4**	**10**	**1**	**1**	**1**	**3**	**5**	**8**	**14**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	13	1.5	1	<1	<1	<1	1	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	12	2.4	5	1	1	2	3	5	8	9
35-49	9	1.2		<1	<1	1	1	2	2	2
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	3	10.0	129	2	2	5	18	23	23	23
TOT. SINGLE DX	22	1.5	1	<1	<1	<1	1	4	4	4
" MULTIPLE DX	27	2.9	19	<1	1	1	3	5	11	23
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	20	1.9	4	<1	<1	1	2	4	6	9
35-49	22	1.4	1	<1	<1	<1	1	3	4	4
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	3	10.0	129	2	2	5	18	23	23	23
GRAND TOTAL	**49**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**4**	**5**	**23**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.4		<1	<1	1	2	2	3	4
20-34	177	1.9	2	1	1	1	2	4	5	10
35-49	154	1.5		<1	<1	1	2	3	3	4
50-64	136	1.8	1	1	1	1	2	3	4	7
65+	77	2.5	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	121	1.7	1	<1	<1	1	2	3	4	8
20-34	181	1.9	3	<1	1	1	2	4	6	8
35-49	180	2.3	5	<1	1	1	3	5	7	15
50-64	195	2.7	5	1	1	2	3	5	7	12
65+	194	3.3	9	1	1	3	4	6	9	17
TOT. SINGLE DX	700	1.7	2	<1	1	1	2	3	4	8
" MULTIPLE DX	871	2.4	6	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	277	1.5	1	<1	<1	1	2	2	3	7
20-34	358	1.9	3	<1	1	1	2	4	6	9
35-49	334	1.9	3	<1	1	1	2	4	6	11
50-64	331	2.3	4	1	1	2	3	4	6	10
65+	271	3.1	8	1	1	2	4	6	8	15
GRAND TOTAL	**1571**	**2.1**	**4**	**<1**	**1**	**1**	**2**	**4**	**6**	**10**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	1.7	8	<1	<1	1	1	2	3	22
20-34	17	1.2		1	1	1	1	2	2	2
35-49	22	1.1		<1	<1	1	1	2	2	2
50-64	16	1.1		<1	<1	1	1	1	3	3
65+	8	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	72	5.8	100	<1	1	1	4	21	27	49
20-34	21	3.0	15	<1	<1	1	3	8	13	17
35-49	69	5.4	36	1	1	3	8	14	21	27
50-64	73	3.8	18	<1	1	2	5	8	12	23
65+	107	6.0	37	1	1	4	8	13	19	30
TOT. SINGLE DX	116	1.4	4	<1	<1	1	1	2	2	11
" MULTIPLE DX	342	5.2	46	1	1	2	7	12	21	31
TOTAL 0-19 YRS	125	4.1	65	<1	<1	1	2	11	22	48
20-34	38	2.2	9	<1	1	1	2	4	9	17
35-49	91	4.4	31	<1	1	2	6	12	16	26
50-64	89	3.3	16	<1	1	1	5	8	11	22
65+	115	5.7	36	1	1	3	8	12	18	29
GRAND TOTAL	**458**	**4.3**	**38**	**<1**	**1**	**2**	**5**	**11**	**17**	**28**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.8	4	1	1	2	4	5	8	11
20-34	39	4.1	10	<1	1	3	6	9	11	12
35-49	88	5.1	36	1	1	3	5	11	17	35
50-64	202	2.8	4	1	1	3	4	5	6	12
65+	109	3.4	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	63	3.4	25	1	1	3	4	5	6	37
20-34	103	7.7	72	1	1	5	10	21	24	43
35-49	225	5.7	48	1	1	4	5	13	23	33
50-64	505	4.2	19	1	2	4	5	7	9	17
65+	291	4.5	24	1	1	4	5	7	9	23
TOT. SINGLE DX	477	3.5	11	1	1	3	4	6	9	18
" MULTIPLE DX	1187	4.8	32	1	1	4	5	8	13	31
TOTAL 0-19 YRS	102	3.1	18	1	1	2	4	5	7	25
20-34	142	6.7	58	1	1	4	8	15	23	37
35-49	313	5.6	45	1	1	3	5	12	20	34
50-64	707	3.8	16	1	1	3	4	6	8	17
65+	400	4.2	19	1	1	4	5	7	9	18
GRAND TOTAL	**1664**	**4.4**	**27**	**1**	**1**	**3**	**5**	**8**	**11**	**28**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	4.1	2	2	2	4	5	6	7	10
20-34	625	4.1	2	2	2	4	5	6	7	8
35-49	103	4.5	3	2	2	4	5	6	8	11
50-64	16	6.8	6	3	4	6	9	10	11	12
65+	5	4.6	2	3	3	4	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	261	5.1	7	2	3	5	6	8	9	14
20-34	1435	5.0	6	2	3	5	6	7	9	14
35-49	307	5.8	14	2	3	5	7	9	12	22
50-64	50	10.6	164	3	4	8	11	17	19	93
65+	74	14.9	183	5	6	11	16	27	37	88
TOT. SINGLE DX	923	4.2	3	2	2	4	5	6	7	10
" MULTIPLE DX	2127	5.6	21	2	3	5	6	9	11	21
TOTAL 0-19 YRS	435	4.7	6	2	3	4	6	7	8	12
20-34	2060	4.7	5	2	3	4	5	7	8	13
35-49	410	5.5	12	2	3	5	6	9	11	21
50-64	66	9.7	128	3	4	7	11	13	19	83
65+	79	14.2	178	4	5	11	16	27	37	86
GRAND TOTAL	**3050**	**5.2**	**16**	**2**	**3**	**5**	**6**	**8**	**10**	**19**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	4.7	2	3	3	4	5	6	8	11
20-34	602	4.5	2	3	3	4	5	6	7	10
35-49	245	4.7	3	2	3	4	5	7	8	13
50-64	52	5.6	6	3	3	5	6	9	11	15
65+	19	7.1	32	1	2	6	8	16	22	24
2. MULTIPLE DX										
0-19 YRS	180	5.5	6	3	3	5	6	8	10	17
20-34	1632	5.2	6	3	3	5	6	7	9	15
35-49	938	5.7	9	3	3	5	6	8	11	19
50-64	132	8.3	44	3	4	6	9	16	23	37
65+	133	11.3	53	4	5	9	14	22	27	37
TOT. SINGLE DX	1030	4.7	4	3	3	4	5	7	8	12
" MULTIPLE DX	3015	5.8	13	3	3	5	6	9	12	23
TOTAL 0-19 YRS	292	5.2	5	3	3	5	6	8	9	15
20-34	2234	5.0	6	3	3	5	6	7	9	14
35-49	1183	5.5	8	3	3	5	6	8	10	18
50-64	184	7.6	35	3	4	6	8	15	19	34
65+	152	10.8	52	4	5	8	13	21	26	36
GRAND TOTAL	**4045**	**5.5**	11	**3**	**3**	**5**	**6**	**8**	**11**	**20**

662: Bilateral oophorectomy or salpingooophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.7	8	4	4	4	8	9	9	9
20-34	54	5.1	6	3	3	5	6	7	10	17
35-49	106	5.2	3	3	3	5	6	8	9	11
50-64	61	5.6	6	3	3	5	6	8	9	20
65+	34	6.9	8	4	4	6	8	10	14	16
2. MULTIPLE DX										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	343	5.5	11	3	3	5	6	8	9	17
35-49	714	6.4	16	3	4	5	7	10	14	21
50-64	261	8.3	23	4	4	7	10	14	17	25
65+	242	11.0	30	5	5	9	14	19	24	39
TOT. SINGLE DX	258	5.5	6	3	3	5	6	8	9	16
" MULTIPLE DX	1563	7.2	24	3	4	6	8	13	17	27
TOTAL 0-19 YRS	6	6.0	13	3	3	4	9	12	12	12
20-34	397	5.4	11	3	3	5	6	8	9	17
35-49	820	6.2	15	3	4	5	7	10	13	21
50-64	322	7.8	22	4	4	6	9	13	16	25
65+	276	10.5	38	5	5	9	13	19	23	39
GRAND TOTAL	**1821**	**7.0**	21	**3**	**4**	**6**	**8**	**12**	**16**	**25**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.9	2	1	1	3	4	5	6	6
20-34	122	2.8	2	<1	<1	3	4	5	5	7
35-49	20	3.7	4	<1	1	4	5	6	8	9
50-64	2	5.0	2	4	4	5	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	49	4.3	7	1	2	4	5	8	11	99+
20-34	460	4.2	6	1	1	4	5	6	8	13
35-49	85	4.3	5	1	1	4	6	7	8	12
50-64	9	6.9	44	1	1	4	9	18	20	20
65+	5	7.2	7	3	3	7	9	10	10	10
TOT. SINGLE DX	180	2.9	3	<1	1	3	4	5	6	7
" MULTIPLE DX	608	4.3	7	1	1	4	5	7	9	15
TOTAL 0-19 YRS	85	3.7	6	1	1	3	5	6	9	69
20-34	582	3.9	6	1	1	4	5	6	8	13
35-49	105	4.2	5	1	1	4	5	7	8	11
50-64	11	6.5	36	1	1	4	7	18	20	20
65+	5	7.2	7	3	3	7	9	10	10	10
GRAND TOTAL	**788**	**4.0**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	93	1.7	3	<1	<1	<1	1	3	5	12
35-49	39	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	243	2.4	5	<1	1	2	3	4	6	15
35-49	91	2.3	6	<1	1	1	3	4	6	16
50-64	2	8.5	41	4	4	8	13	13	13	13
65+										
TOT. SINGLE DX	134	1.5	3	<1	<1	<1	1	3	4	9
" MULTIPLE DX	337	2.4	6	<1	1	2	3	4	6	15
TOTAL 0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	336	2.2	5	<1	<1	1	3	4	6	15
35-49	130	2.0	5	<1	<1	1	2	4	5	13
50-64	2	8.5	41	4	4	8	13	13	13	13
65+										
GRAND TOTAL	**471**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**14**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	433	2.0	1	<1	<1	1	3	4	4	6
35-49	147	1.9	1	<1	<1	1	2	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	21	4.0	7	1	1	3	4	8	11	12
20-34	2631	3.1	2	1	1	3	4	4	5	8
35-49	532	2.9	4	1	1	3	4	5	5	11
50-64	5	6.4	26	<1	<1	6	11	13	13	13
65+										
TOT. SINGLE DX	580	2.0	2	<1	<1	1	3	4	5	6
" MULTIPLE DX	3189	3.1	3	1	1	3	4	4	5	8
TOTAL 0-19 YRS	21	4.0	7	1	1	3	4	8	11	12
20-34	3064	2.9	3	1	1	3	4	4	5	8
35-49	679	2.7	4	1	1	3	3	4	5	10
50-64	5	6.4	26	<1	<1	6	11	13	13	13
65+										
GRAND TOTAL	**3769**	**2.9**	**3**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	103	4.3	2	2	3	4	5	6	7	10
20-34	1384	4.1	1	2	3	4	5	5	6	7
35-49	194	4.1	2	2	2	4	5	6	7	9
50-64	4	7.3	21	4	4	5	10	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS	149	5.4	7	2	3	5	6	8	11	15
20-34	2108	4.4	2	2	3	4	5	6	7	10
35-49	400	4.8	7	2	3	4	5	7	8	13
50-64	4	8.0	12	5	5	7	10	13	13	13
65+	8	15.3	70	7	7	13	18	29	33	33
TOT. SINGLE DX	1685	4.1	2	2	3	4	5	6	6	8
" MULTIPLE DX	2669	4.6	5	2	3	4	5	6	7	11
TOTAL 0-19 YRS	252	5.0	6	2	3	4	5	7	9	14
20-34	3492	4.3	2	2	3	4	5	6	7	9
35-49	594	4.6	6	2	3	4	5	6	7	11
50-64	8	7.6	14	4	4	6	10	14	14	14
65+	8	15.3	71	7	7	13	18	29	33	33
GRAND TOTAL	**4354**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	133	1.3		<1	1	1	2	2	3	4
35-49	55	1.8	3	<1	<1	1	2	3	7	10
50-64	21	1.8	1	<1	<1	1	2	3	5	7
65+	10	2.0	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	132	1.7	2	1	1	1	2	3	6	7
35-49	80	2.4	13	1	1	1	3	4	6	25
50-64	34	2.2	3	<1	1	2	2	5	7	9
65+	33	3.2	13	1	1	2	4	7	12	17
TOT. SINGLE DX	221	1.5	1	<1	1	1	2	3	3	8
" MULTIPLE DX	283	2.1	7	1	1	1	2	4	6	12
TOTAL 0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	265	1.5	1	<1	1	1	2	2	3	7
35-49	135	2.1	10	<1	1	1	2	4	6	13
50-64	55	2.0	3	<1	1	2	2	5	6	9
65+	43	2.9	11	<1	1	2	3	6	10	17
GRAND TOTAL	**504**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	57	2.0	3	<1	<1	1	2	4	6	9
35-49	38	2.6	10	<1	<1	1	3	4	11	17
50-64	26	3.4	7	<1	1	3	5	7	8	11
65+	28	4.2	6	1	1	4	7	8	8	9
2. MULTIPLE DX										
0-19 YRS	13	7.4	274	1	1	2	5	19	54	62
20-34	130	3.5	27	<1	1	2	4	7	11	27
35-49	146	4.0	18	<1	1	2	6	9	12	21
50-64	129	6.0	71	<1	1	3	7	14	18	50
65+	165	6.9	44	1	1	5	8	15	20	34
TOT. SINGLE DX	155	2.8	7	<1	<1	2	4	7	8	13
" MULTIPLE DX	583	5.2	47	<1	1	3	7	11	17	40
TOTAL 0-19 YRS	19	5.5	191	<1	1	2	3	7	38	62
20-34	187	3.1	20	<1	<1	2	3	7	8	20
35-49	184	3.7	17	<1	1	2	5	8	12	20
50-64	155	5.6	61	<1	1	3	7	12	17	47
65+	193	6.5	40	1	1	5	8	14	20	32
GRAND TOTAL	**738**	**4.7**	**39**	**<1**	**1**	**3**	**6**	**10**	**15**	**28**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.5	3	1	1	2	3	5	6	8
20-34	628	1.9	2	<1	1	2	2	3	4	6
35-49	74	1.8		<1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9	8.7	371	1	1	3	3	38	60	60
20-34	267	3.5	27	1	1	2	4	6	8	18
35-49	32	2.8	6	1	1	2	3	7	10	11
50-64	1	5.0		5	5	5	5	5	5	5
65+										
TOT. SINGLE DX	735	1.9	2	1	1	2	2	3	4	6
" MULTIPLE DX	309	3.5	35	1	1	2	4	6	8	30
TOTAL 0-19 YRS	42	3.8	81	1	1	2	3	5	7	60
20-34	895	2.4	10	1	1	2	3	4	5	11
35-49	106	2.1	3	<1	1	2	2	3	5	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	**1044**	**2.4**	**12**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	139	4.2	2	1	2	4	5	6	7	7
35-49	73	3.6	3	1	1	4	5	6	7	9
50-64	8	4.5	17	1	1	3	5	12	14	14
65+	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	10	4.8	8	<1	<1	5	6	9	10	10
20-34	419	4.7	4	1	2	4	6	7	8	12
35-49	232	4.8	17	1	1	4	6	8	10	22
50-64	38	5.2	16	1	1	4	8	12	13	13
65+	41	8.0	46	1	1	5	12	19	21	24
TOT. SINGLE DX	225	4.0	3	1	1	4	5	6	7	8
" MULTIPLE DX	740	4.9	12	1	1	4	6	8	11	19
TOTAL 0-19 YRS	12	4.7	7	<1	1	5	6	9	10	10
20-34	558	4.6	4	1	2	4	5	7	8	12
35-49	305	4.5	14	1	1	4	5	7	10	19
50-64	46	5.0	16	1	1	4	8	12	13	14
65+	44	7.7	45	1	1	5	12	19	21	24
GRAND TOTAL	**965**	**4.7**	**10**	**1**	**1**	**4**	**6**	**7**	**10**	**19**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	5.3	4	3	3	5	5	9	9	9
20-34	767	5.2	2	3	4	5	6	7	8	10
35-49	1457	5.4	2	4	4	5	6	7	8	10
50-64	489	6.0	2	4	4	6	7	8	9	12
65+	254	6.7	4	4	5	7	8	9	10	15
2. MULTIPLE DX										
0-19 YRS	41	6.6	9	4	4	6	7	10	15	17
20-34	5686	5.6	3	4	4	5	6	8	9	13
35-49	14745	5.9	5	4	4	5	6	8	9	14
50-64	3573	6.7	11	4	4	6	7	9	12	21
65+	1869	8.9	25	5	5	7	10	15	19	29
TOT. SINGLE DX	2973	5.5	3	4	4	5	6	7	8	11
" MULTIPLE DX	25914	6.2	8	4	4	6	7	8	10	18
TOTAL 0-19 YRS	47	6.4	9	4	4	6	7	10	14	17
20-34	6453	5.6	4	4	4	5	6	7	9	13
35-49	16202	5.8	5	4	4	5	6	8	9	14
50-64	4062	6.6	10	4	4	6	7	9	12	19
65+	2123	8.6	23	5	5	7	9	14	18	29
GRAND TOTAL	**28887**	**6.1**	**8**	**4**	**4**	**6**	**7**	**8**	**10**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	351	4.5	1	3	3	4	5	6	7	9
35-49	445	4.8	2	3	3	5	6	7	8	9
50-64	254	5.8	3	3	4	6	7	8	9	12
65+	238	6.3	2	4	4	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	5	4.0	8	1	1	3	7	8	8	8
20-34	1635	5.0	2	3	3	5	6	7	8	11
35-49	3370	5.3	3	3	3	5	6	7	9	12
50-64	1161	6.3	4	4	4	6	7	9	10	14
65+	1104	7.3	9	4	5	7	8	10	12	19
TOT. SINGLE DX	1291	5.2	3	3	3	5	6	7	8	10
" MULTIPLE DX	7276	5.7	5	3	4	5	7	8	9	14
TOTAL 0-19 YRS	9	3.3	7	1	1	3	5	8	8	8
20-34	1986	4.9	3	3	3	5	6	7	8	11
35-49	3815	5.2	4	3	3	5	6	7	8	12
50-64	1415	6.2	5	4	4	6	7	9	10	14
65+	1342	7.1	8	4	5	7	8	10	12	19
GRAND TOTAL	**8567**	**5.6**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	26	8.0	7	4	5	7	9	12	14	15
35-49	36	9.3	6	5	7	9	11	12	13	16
50-64	15	11.0	36	6	6	9	12	15	26	30
65+	12	12.1	44	4	5	10	16	23	25	25
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	28	11.1	28	5	6	10	13	18	23	27
35-49	69	11.4	24	6	6	10	13	17	21	30
50-64	45	16.9	126	7	8	14	19	31	36	69
65+	43	19.0	153	7	9	14	22	37	48	59
TOT. SINGLE DX	90	9.5	18	5	6	9	11	14	16	28
" MULTIPLE DX	186	14.4	90	6	7	12	16	25	32	56
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	54	9.6	21	4	5	8	11	16	18	27
35-49	105	10.7	19	5	6	10	12	16	19	28
50-64	60	15.5	110	6	8	13	17	29	33	66
65+	55	17.5	137	6	7	14	21	33	46	59
GRAND TOTAL	**276**	**12.8**	**71**	**5**	**6**	**11**	**14**	**22**	**30**	**49**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.3	3	<1	<1	1	3	6	6	6
20-34	66	2.0	3	<1	<1	1	2	4	6	12
35-49	9	1.9	1	<1	<1	2	2	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	16	2.6	3	1	1	2	3	6	7	7
20-34	105	3.6	18	1	1	2	4	8	10	26
35-49	14	3.8	37	<1	1	2	4	9	21	24
50-64										
65+										
TOT. SINGLE DX	91	2.0	3	<1	<1	1	2	4	6	10
" MULTIPLE DX	135	3.5	18	1	1	2	4	7	10	25
TOTAL 0-19 YRS	32	2.4	3	<1	1	2	3	6	6	7
20-34	171	3.0	13	<1	<1	2	4	6	8	23
35-49	23	3.0	23	<1	<1	2	3	5	13	24
50-64										
65+										
GRAND TOTAL	**226**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**24**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1170	1.4		<1	<1	1	1	2	3	6
20-34	6043	1.4	1	<1	<1	1	1	2	3	6
35-49	1022	1.4	1	<1	<1	1	1	2	3	7
50-64	131	1.7	1	<1	<1	1	2	3	4	7
65+	67	2.6	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	564	2.7	5	1	1	2	3	5	7	12
20-34	3206	3.0	10	<1	1	2	4	6	8	16
35-49	1748	3.4	26	<1	1	2	4	7	10	22
50-64	577	4.5	34	<1	1	2	5	10	16	35
65+	581	5.5	56	1	1	3	7	13	19	54
TOT. SINGLE DX	8433	1.4	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	6676	3.4	21	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	1734	1.8	3	<1	<1	1	2	4	5	8
20-34	9249	1.9	5	<1	<1	1	2	4	5	10
35-49	2770	2.6	18	<1	<1	1	3	6	8	19
50-64	708	4.0	30	<1	<1	2	5	9	13	34
65+	648	5.2	52	1	1	3	6	12	17	49
GRAND TOTAL	**15109**	**2.3**	**11**	**<1**	**<1**	**1**	**2**	**5**	**7**	**16**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.3		<1	1	1	2	2	3	3
20-34	79	1.4	1	<1	<1	1	1	3	3	10
35-49	8	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	9.5	265	<1	1	4	8	32	53	67
20-34	110	4.4	24	1	1	3	6	9	12	28
35-49	28	3.5	43	<1	1	2	3	6	11	36
50-64										
65+										
TOT. SINGLE DX	114	1.4	1	<1	<1	1	1	2	3	8
" MULTIPLE DX	167	5.1	72	1	1	3	6	10	14	51
TOTAL 0-19 YRS	56	5.6	152	<1	1	2	4	10	35	66
20-34	189	3.2	17	<1	1	1	3	8	10	23
35-49	36	3.0	34	<1	1	2	3	5	7	36
50-64										
65+										
GRAND TOTAL	**281**	**3.6**	**47**	**<1**	**1**	**2**	**3**	**8**	**11**	**43**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	201	1.3		<1	<1	1	1	2	3	5
20-34	994	1.3		<1	<1	1	1	2	3	4
35-49	134	1.2		<1	<1	1	1	2	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	75	2.4	3	<1	<1	2	3	5	7	8
20-34	361	2.3	4	<1	<1	2	3	5	6	13
35-49	54	2.5	13	<1	1	1	2	4	7	22
50-64	6	9.0	35	2	2	8	9	19	20	20
65+	9	9.1	33	4	4	8	11	18	22	22
TOT. SINGLE DX	1332	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	505	2.5	7	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	276	1.6	2	<1	<1	1	2	3	4	7
20-34	1355	1.6	2	<1	<1	1	2	3	4	7
35-49	188	1.6	4	<1	<1	1	1	2	4	13
50-64	7	7.9	38	1	1	8	9	18	20	20
65+	11	7.7	37	1	2	6	11	16	21	22
GRAND TOTAL	**1837**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	21	4.5		3	3	4	5	6	6	6
35-49	6	5.7	4	3	3	5	6	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	5.8	4	4	4	6	7	9	9	9
20-34	161	4.4	2	2	3	4	5	6	7	11
35-49	14	4.7	2	3	3	4	6	7	8	9
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	5	6.2	8	4	4	5	8	11	11	11
TOT. SINGLE DX	29	4.8	2	3	3	5	5	6	7	9
" MULTIPLE DX	188	4.6	3	3	3	4	5	6	8	11
TOTAL 0-19 YRS	5	5.8	4	4	4	6	7	9	9	9
20-34	182	4.4	2	2	3	4	5	6	6	11
35-49	20	5.0	3	3	3	5	6	8	9	9
50-64	4	6.3	6	3	3	6	8	9	9	9
65+	6	5.8	8	4	4	5	7	11	11	11
GRAND TOTAL	**217**	**4.6**	**3**	**3**	**3**	**4**	**5**	**6**	**8**	**11**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.7	2	<1	1	2	4	5	6	6
20-34	100	2.4	3	<1	<1	2	3	5	6	8
35-49	22	2.9	2	<1	1	3	4	5	6	6
50-64	6	3.5		3	3	3	4	4	4	4
65+	5	4.6	5	2	2	4	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	17	3.4	3	<1	<1	3	4	6	7	7
20-34	194	3.4	8	<1	1	3	5	6	7	15
35-49	77	3.5	10	1	1	3	4	6	7	22
50-64	35	3.4	4	1	2	3	4	7	9	10
65+	42	4.1	9	1	2	3	5	9	12	14
TOT. SINGLE DX	155	2.6	3	<1	1	2	4	5	6	8
" MULTIPLE DX	365	3.5	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	39	3.0	3	<1	1	3	4	5	6	7
20-34	294	3.0	7	<1	1	2	4	6	7	13
35-49	99	3.4	9	1	1	3	4	6	7	19
50-64	41	3.4	4	1	2	3	4	7	8	10
65+	47	4.2	9	1	2	3	5	8	11	14
GRAND TOTAL	**520**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**13**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	44	4.0	4	1	1	4	5	6	8	12
35-49	168	4.5	2	2	2	4	6	7	7	10
50-64	327	4.9	3	3	3	5	6	7	8	10
65+	272	5.1	3	2	3	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	136	5.1	8	2	3	5	6	8	10	17
35-49	439	5.5	5	2	3	5	7	8	10	13
50-64	697	5.8	6	3	3	5	7	9	10	13
65+	771	6.4	11	3	4	6	7	9	11	17
TOT. SINGLE DX	811	4.8	4	2	3	5	6	7	8	10
" MULTIPLE DX	2044	5.9	8	3	3	5	7	9	10	15
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	180	4.8	8	1	2	4	6	7	9	15
35-49	607	5.2	5	2	3	5	6	8	9	12
50-64	1024	5.5	5	3	3	5	7	8	10	13
65+	1043	6.1	10	3	3	6	7	9	10	16
GRAND TOTAL	**2855**	**5.6**	**7**	**3**	**3**	**5**	**7**	**8**	**10**	**14**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.5	5	<1	<1	1	4	6	6	11
20-34	128	3.1	3	1	1	3	4	6	7	10
35-49	48	3.1	5	1	1	3	4	7	8	10
50-64	24	4.0	5	1	1	4	6	7	8	9
65+	24	5.1	3	1	3	5	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	39	3.5	6	1	1	3	5	7	9	10
20-34	91	4.3	19	1	1	3	5	9	12	26
35-49	66	5.0	13	1	2	4	6	9	13	21
50-64	67	6.1	11	1	2	6	8	11	13	14
65+	80	7.5	40	2	3	6	9	11	15	44
TOT. SINGLE DX	260	3.3	5	<1	1	3	4	6	8	10
" MULTIPLE DX	343	5.4	22	1	1	5	7	10	12	20
TOTAL 0-19 YRS	75	3.0	6	<1	<1	2	4	7	8	11
20-34	219	3.6	11	1	1	3	4	7	9	16
35-49	114	4.2	11	1	1	4	5	8	10	18
50-64	91	5.5	10	1	2	5	7	10	12	14
65+	104	7.0	33	2	3	6	8	11	13	35
GRAND TOTAL	**603**	**4.5**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**16**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.2	3	<1	1	3	5	6	7	7
20-34	126	3.6	5	1	1	3	5	7	8	11
35-49	53	5.3	28	<1	1	4	6	12	14	32
50-64	45	4.2	11	1	1	3	5	8	11	19
65+	61	4.3	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	86	3.8	7	1	1	3	5	8	8	14
20-34	234	5.0	26	1	1	4	6	10	13	28
35-49	134	5.8	23	1	1	4	8	12	17	22
50-64	157	5.8	34	1	2	5	6	11	13	43
65+	308	7.2	43	1	2	5	8	15	20	38
TOT. SINGLE DX	311	4.1	11	1	1	3	5	8	10	15
" MULTIPLE DX	919	5.9	33	1	1	5	7	12	16	29
TOTAL 0-19 YRS	112	3.6	7	1	1	3	5	8	8	12
20-34	360	4.5	20	1	1	3	6	9	12	23
35-49	187	5.7	25	1	1	4	8	12	15	22
50-64	202	5.5	30	1	2	4	6	10	13	34
65+	369	6.8	38	1	2	5	8	13	17	34
GRAND TOTAL	**1230**	**5.4**	**28**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	2.0	2	1	1	2	2	4	6	7
20-34	155	2.0	1	<1	<1	2	3	4	5	6
35-49	71	2.1	3	1	1	2	3	4	5	10
50-64	33	2.5	2	1	1	2	3	5	5	8
65+	19	3.3	8	1	1	2	4	8	11	11
2. MULTIPLE DX										
0-19 YRS	63	3.3	8	1	1	3	4	6	9	16
20-34	186	3.3	14	<1	1	2	3	6	9	17
35-49	117	5.2	55	1	1	3	5	15	20	42
50-64	99	6.7	83	1	1	4	8	14	18	61
65+	131	6.7	35	1	1	4	9	15	21	28
TOT. SINGLE DX	327	2.1	3	<1	1	2	3	4	5	9
" MULTIPLE DX	596	5.0	40	1	1	3	6	11	17	29
TOTAL 0-19 YRS	112	2.8	6	1	1	2	3	5	7	14
20-34	341	2.7	9	<1	1	2	3	5	6	16
35-49	188	4.1	38	1	1	2	4	8	16	34
50-64	132	5.6	66	1	1	4	6	12	17	58
65+	150	6.3	34	1	1	4	8	14	20	27
GRAND TOTAL	**923**	**4.0**	**29**	**1**	**1**	**2**	**4**	**8**	**13**	**23**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	3.2	14	<1	<1	2	4	10	10	10
35-49	13	7.1	34	2	2	6	8	14	22	24
50-64	15	5.8	21	1	2	4	8	13	16	17
65+	28	6.0	12	2	2	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	16	5.3	23	1	1	3	7	15	17	17
35-49	22	7.7	31	1	2	6	10	17	21	21
50-64	38	12.3	164	2	3	10	15	22	35	73
65+	93	12.2	63	3	4	11	16	22	29	42
TOT. SINGLE DX	61	6.0	19	1	2	5	8	11	14	23
" MULTIPLE DX	171	11.0	82	2	3	9	15	21	28	44
TOTAL 0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	21	4.8	22	<1	1	3	7	12	16	17
35-49	35	7.5	32	2	2	6	9	15	21	24
50-64	53	10.4	132	1	3	8	13	19	27	72
65+	121	10.8	59	2	3	9	14	21	26	41
GRAND TOTAL	**232**	**9.7**	**70**	**1**	**2**	**8**	**13**	**19**	**22**	**41**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.4		<1	<1	1	1	3	3	4
20-34	31	2.4	2	<1	1	2	3	4	6	7
35-49	9	3.1	4	1	1	2	4	6	8	8
50-64	3	7.0	21	3	3	6	10	12	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	21	1.7	1	<1	<1	1	2	3	4	6
20-34	44	3.6	8	1	1	3	4	8	9	15
35-49	10	3.6	6	1	1	3	5	7	9	9
50-64	9	5.4	25	1	2	4	6	14	18	18
65+	15	7.3	43	1	1	6	11	12	23	26
TOT. SINGLE DX	68	2.3	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	99	3.9	16	1	1	3	5	9	11	22
TOTAL 0-19 YRS	45	1.5	1	<1	<1	1	2	3	4	6
20-34	75	3.1	6	1	1	3	4	6	8	14
35-49	19	3.4	5	1	1	3	5	7	9	9
50-64	12	5.8	23	1	2	4	7	14	17	18
65+	16	7.0	42	1	1	6	10	12	22	26
GRAND TOTAL	**167**	**3.3**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	2.5	3	<1	<1	2	4	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	6	13.8	248	1	1	5	32	36	36	36
20-34	16	3.4	7	<1	1	3	4	7	10	11
35-49	7	6.6	51	1	1	4	9	19	21	21
50-64	6	3.0	6	1	1	2	5	7	7	7
65+	4	5.3	14	<1	<1	5	8	10	10	10
TOT. SINGLE DX	9	2.2	4	<1	<1	1	3	6	6	6
" MULTIPLE DX	39	5.7	60	<1	1	3	6	11	27	36
TOTAL 0-19 YRS	8	10.6	213	1	1	4	19	35	36	36
20-34	20	3.3	6	<1	<1	3	4	6	9	11
35-49	9	5.3	45	<1	<1	2	8	17	21	21
50-64	7	3.4	7	1	1	3	6	7	7	7
65+	4	5.3	14	<1	<1	5	8	10	10	10
GRAND TOTAL	**48**	**5.1**	**51**	**<1**	**1**	**3**	**6**	**10**	**22**	**36**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	968	2.6		1	2	3	3	4	4	5
20-34	4998	2.8	2	2	2	3	3	4	4	5
35-49	240	3.3	36	2	2	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1411	3.0	2	2	2	3	3	4	5	8
20-34	6887	3.1	2	2	2	3	4	4	5	7
35-49	440	3.3	2	2	2	3	4	4	5	8
50-64										
65+										
TOT. SINGLE DX	6206	2.8	4	2	2	3	3	4	4	5
" MULTIPLE DX	8738	3.1	3	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2379	2.8	2	2	2	3	3	4	4	6
20-34	11885	3.0	3	2	2	3	3	4	5	6
35-49	680	3.3	14	2	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**14944**	**3.0**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	102	2.4		1	1	2	3	4	4	5
35-49	5	3.2		2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	39	3.4	42	<1	1	2	3	5	7	42
20-34	278	2.9	3	1	1	3	3	4	5	11
35-49	30	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
TOT. SINGLE DX	113	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	347	2.9	8	1	1	3	3	4	5	12
TOTAL 0-19 YRS	45	3.2	37	<1	1	2	3	5	6	42
20-34	380	2.8	3	1	1	3	3	4	5	9
35-49	35	2.6	1	1	1	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**460**	**2.8**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

689: Other extraction procedures to as… 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX			1	1	2	2	3	4	4	6
0-19 YRS	244	2.7		2	2	3	3	4	4	6
20-34	1841	2.8	1	1	2	3	3	4	4	7
35-49	128	2.8								
50-64										
65+										
2. MULTIPLE DX			4	1	2	3	3	4	5	11
0-19 YRS	388	3.1	2	2	2	3	4	4	5	7
20-34	3070	3.1	34	2	2	3	4	5	6	12
35-49	222	3.6								
50-64										
65+										
TOT. SINGLE DX	2213	2.8	1	2	2	3	3	4	4	6
" MULTIPLE DX	3680	3.1	5	2	2	3	4	4	5	8
TOTAL 0-19 YRS	632	2.9	3	1	2	3	3	4	5	9
20-34	4911	3.0	2	2	2	3	3	4	5	7
35-49	350	3.3	23	2	2	3	4	4	5	11
50-64										
65+										
GRAND TOTAL	**5893**	**3.0**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

690: Other procedures to assist deliver… (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX				1	1	2	3	3	4	5
0-19 YRS	11056	2.5		1	2	2	3	3	4	5
20-34	65890	2.5	1	1	1	3	3	4	4	5
35-49	3509	2.6								
50-64										
65+										
2. MULTIPLE DX			3	1	2	3	3	4	5	10
0-19 YRS	4533	2.9	3	1	2	3	3	4	5	8
20-34	29546	2.9	4	1	2	3	4	4	5	9
35-49	2423	3.1								
50-64										
65+			1	1	1	2	3	3	4	5
TOT. SINGLE DX	80455	2.5	3	1	2	3	3	4	5	9
" MULTIPLE DX	36502	2.9	2	1	2	2	3	4	4	7
TOTAL 0-19 YRS	15589	2.6	2	1	2	3	3	4	4	6
20-34	95436	2.6	3	1	2	3	3	4	4	7
35-49	5932	2.8								
50-64										
65+										
GRAND TOTAL	**116957**	**2.6**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

…ist delivery (72.2-72.4; 72.7-72.9;

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1316	4.7	1	3	3	5	5	6	7	8
20-34	11472	4.6	2	3	3	4	5	6	6	7
35-49	685	4.7	1	3	4	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3792	5.5	8	3	4	5	6	8	9	16
20-34	30134	5.2	8	3	4	5	6	7	8	15
35-49	2888	5.4	6	4	4	5	6	7	8	17
50-64										
65+										
TOT. SINGLE DX	13473	4.6	3	3	3	4	5	6	6	8
" MULTIPLE DX	36814	5.3	8	3	4	5	6	7	8	16
TOTAL 0-19 YRS	5108	5.3	7	3	4	5	6	7	9	14
20-34	41606	5.1	7	3	4	5	5	6	7	13
35-49	3573	5.3	6	3	4	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**50287**	**5.1**	**7**	**3**	**4**	**5**	**5**	**6**	**8**	**14**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1316	4.7	1	3	3	5	5	6	7	8
20-34	11472	4.6	2	3	3	4	5	6	6	7
35-49	685	4.7	1	3	4	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3792	5.5	8	3	4	5	6	8	9	16
20-34	30134	5.2	8	3	4	5	6	7	8	15
35-49	2888	5.4	6	4	4	5	6	7	8	17
50-64										
65+										
TOT. SINGLE DX	13473	4.6	3	3	3	4	5	6	6	8
" MULTIPLE DX	36814	5.3	8	3	4	5	6	7	8	16
TOTAL 0-19 YRS	5108	5.3	7	3	4	5	6	7	9	14
20-34	41606	5.1	7	3	4	5	5	6	7	13
35-49	3573	5.3	6	3	4	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**50287**	**5.1**	**7**	**3**	**4**	**5**	**5**	**6**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	4.2	2	2	2	4	5	5	7	9
20-34	409	4.7	17	3	3	4	5	5	6	9
35-49	18	5.3	1	4	4	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	128	5.7	12	3	4	5	6	8	11	26
20-34	1052	6.1	25	3	4	5	6	8	13	27
35-49	151	6.2	14	3	4	5	7	9	11	20
50-64										
65+										
TOT. SINGLE DX	468	4.6	16	3	3	4	5	6	6	9
" MULTIPLE DX	1331	6.1	23	3	4	5	6	9	13	25
TOTAL 0-19 YRS	169	5.3	11	3	3	5	6	7	10	22
20-34	1461	5.7	24	3	3	5	6	8	11	22
35-49	169	6.1	13	4	4	5	7	9	11	19
50-64										
65+										
GRAND TOTAL	**1799**	**5.7**	**22**	**3**	**3**	**5**	**6**	**8**	**10**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.9	1	2	2	4	5	5	6	6
20-34	105	3.7	1	2	3	4	4	5	5	6
35-49	5	3.6	3	1	1	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	4.7		4	4	5	5	5	5	5
20-34	144	4.9	11	2	3	4	5	6	8	25
35-49	12	4.3		3	3	4	5	5	5	5
50-64										
65+										
TOT. SINGLE DX	122	3.7	1	2	3	4	4	5	5	6
" MULTIPLE DX	162	4.8	10	2	3	4	5	6	8	23
TOTAL 0-19 YRS	18	4.2	1	2	3	4	5	5	6	6
20-34	249	4.4	7	2	3	4	5	6	7	12
35-49	17	4.1	1	2	3	4	5	5	6	6
50-64										
65+										
GRAND TOTAL	**284**	**4.3**	**7**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.4		<1	<1	1	2	3	3	3
20-34	20	1.5		<1	<1	1	2	2	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	19	1.9		<1	1	2	2	4	4	4
35-49	4	5.0	30	1	1	3	8	13	13	13
50-64										
65+										
TOT. SINGLE DX	29	1.5		<1	<1	1	2	2	3	3
" MULTIPLE DX	26	2.7	6	<1	1	2	3	4	8	13
TOTAL 0-19 YRS	12	2.3	3	<1	<1	2	3	5	7	7
20-34	39	1.7	1	<1	<1	2	2	3	4	4
35-49	4	5.0	30	1	1	3	8	13	13	13
50-64										
65+										
GRAND TOTAL	**55**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**4**	**13**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	3.7	23	<1	1	2	4	7	14	27
20-34	282	4.2	30	<1	1	2	5	9	16	31
35-49	17	3.1	3	<1	<1	3	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	77	4.4	12	<1	1	4	6	8	11	21
20-34	299	5.7	43	1	1	3	7	13	16	39
35-49	37	5.0	16	<1	1	5	7	9	12	22
50-64										
65+										
TOT. SINGLE DX	359	4.1	28	<1	1	2	5	8	15	28
" MULTIPLE DX	413	5.4	36	1	1	4	6	12	15	34
TOTAL 0-19 YRS	137	4.1	17	<1	1	3	5	7	11	25
20-34	581	4.9	38	<1	1	3	6	12	16	35
35-49	54	4.4	13	<1	1	4	6	8	11	22
50-64										
65+										
GRAND TOTAL	**772**	**4.8**	**32**	**<1**	**1**	**3**	**5**	**10**	**15**	**33**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	908	1.9	1	<1	<1	2	3	3	4	6
20-34	4127	2.1	1	<1	<1	2	3	3	4	5
35-49	247	2.2	1	<1	<1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	363	2.6	5	<1	1	2	3	4	5	9
20-34	2119	2.7	3	<1	1	2	3	4	5	10
35-49	165	3.0	8	1	1	3	3	4	5	19
50-64										
65+										
TOT. SINGLE DX	5282	2.1	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	2647	2.7	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	1271	2.1	2	<1	<1	2	3	3	4	7
20-34	6246	2.3	2	<1	<1	2	3	4	4	7
35-49	412	2.5	4	<1	<1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	**7929**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1499	2.4		1	2	2	3	3	4	5
20-34	8845	2.4		1	1	2	3	3	4	4
35-49	625	2.4		1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1867	2.8	3	1	2	3	3	4	5	9
20-34	11129	2.7	2	1	2	3	3	4	4	7
35-49	898	2.9	3	1	2	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	10969	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	13894	2.8	3	1	2	3	3	4	4	7
TOTAL 0-19 YRS	3366	2.6	2	1	2	2	3	4	4	7
20-34	19974	2.6	2	1	2	2	3	4	4	6
35-49	1523	2.7	2	1	1	3	3	4	4	7
50-64										
65+										
GRAND TOTAL	**24863**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.9	5	1	1	2	4	7	8	8
20-34	27	3.6	19	<1	1	3	3	8	16	19
35-49	25	2.7	5	1	1	2	3	5	9	9
50-64	26	4.3	19	1	1	2	4	12	13	15
65+	13	5.4	6	1	2	6	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	25	3.0	7	1	1	3	3	4	7	15
20-34	31	3.5	15	1	1	3	4	5	7	23
35-49	33	6.4	41	1	2	4	8	12	24	28
50-64	59	10.3	110	1	1	8	14	21	26	60
65+	69	9.9	87	1	2	8	12	21	27	49
TOT. SINGLE DX	104	3.7	13	1	1	3	4	9	11	17
" MULTIPLE DX	217	7.8	75	1	1	4	11	18	24	47
TOTAL 0-19 YRS	38	2.9	7	1	1	3	3	5	8	15
20-34	58	3.5	17	1	1	3	4	5	13	23
35-49	58	4.8	29	1	1	3	5	11	15	28
50-64	85	8.4	90	1	1	5	12	20	24	53
65+	82	9.2	77	1	2	7	11	20	25	48
GRAND TOTAL	**321**	**6.4**	**58**	**1**	**1**	**3**	**9**	**15**	**21**	**39**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	517	2.8	1	1	1	3	3	4	5	7
20-34	738	2.6	1	1	1	3	3	4	5	6
35-49	332	2.6	1	1	1	3	3	4	5	7
50-64	92	2.1	1	1	1	2	3	3	5	6
65+	21	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	446	3.3	2	1	2	3	4	5	5	8
20-34	532	3.4	15	1	2	3	4	5	6	10
35-49	282	3.2	2	1	2	3	4	5	7	9
50-64	124	3.5	16	1	1	3	4	6	9	26
65+	37	7.0	153	1	1	3	4	21	28	69
TOT. SINGLE DX	1700	2.6	2	1	1	3	3	4	5	6
" MULTIPLE DX	1421	3.4	13	1	2	3	4	5	6	11
TOTAL 0-19 YRS	963	3.0	2	1	1	3	4	4	5	7
20-34	1270	2.9	8	1	1	3	4	4	5	7
35-49	614	2.9	2	1	1	3	4	4	5	8
50-64	216	2.9	10	1	1	2	3	5	7	16
65+	58	5.2	103	1	1	3	4	5	24	66
GRAND TOTAL	**3121**	**3.0**	**7**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	2.0	1	1	1	2	3	3	4	5
20-34	137	2.3	1	1	1	2	3	4	5	7
35-49	33	2.2	1	1	1	2	3	4	5	7
50-64	9	2.9	4	1	1	2	4	6	7	7
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	171	3.7	19	1	1	3	4	6	10	24
20-34	249	3.8	10	1	1	3	5	8	10	20
35-49	55	5.0	30	1	1	3	6	13	17	96
50-64	20	6.1	92	1	2	4	6	8	27	46
65+	25	10.6	113	2	3	7	12	20	36	50
TOT. SINGLE DX	268	2.2	2	1	1	2	3	4	5	7
" MULTIPLE DX	520	4.3	25	1	1	3	5	8	12	37
TOTAL 0-19 YRS	258	3.1	14	1	1	2	3	5	7	19
20-34	386	3.2	8	1	1	2	4	6	9	18
35-49	88	4.0	22	1	1	2	5	8	14	75
50-64	29	5.1	66	1	1	3	5	7	11	46
65+	27	10.0	109	2	2	7	12	19	35	50
GRAND TOTAL	**788**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	2.5	2	1	1	2	3	4	5	8
20-34	316	2.6	4	1	1	2	3	5	6	12
35-49	95	2.1	1	1	1	2	3	4	5	6
50-64	31	2.0	1	1	1	1	3	4	4	4
65+	9	3.3	4	1	1	3	4	6	8	8
2. MULTIPLE DX										
0-19 YRS	238	5.1	34	1	1	4	6	10	16	34
20-34	597	5.5	39	1	1	4	6	11	16	34
35-49	256	6.3	43	1	1	4	8	12	19	31
50-64	98	6.1	39	1	2	4	8	11	17	39
65+	56	7.3	22	1	2	7	10	13	15	23
TOT. SINGLE DX	556	2.5	3	1	1	2	3	5	6	11
" MULTIPLE DX	1245	5.7	39	1	1	4	7	11	16	33
TOTAL 0-19 YRS	343	4.3	26	1	1	3	5	8	12	31
20-34	913	4.5	29	1	1	3	5	9	13	30
35-49	351	5.2	36	1	1	3	6	11	15	31
50-64	129	5.1	33	1	1	3	7	10	12	33
65+	65	6.8	21	1	2	7	9	13	15	22
GRAND TOTAL	**1801**	**4.7**	**30**	**1**	**1**	**3**	**6**	**10**	**13**	**30**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.8	1	1	1	2	4	5	5	7
20-34	19	3.1	7	<1	1	2	5	7	9	11
35-49	24	3.0	3	1	1	3	4	5	7	8
50-64	40	2.5	3	1	1	2	3	5	7	8
65+	15	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	45	2.8	2	1	1	2	3	4	5	11
20-34	48	6.6	62	1	1	5	7	14	19	46
35-49	48	3.8	8	1	1	3	5	8	9	15
50-64	63	5.6	113	1	1	2	5	9	25	66
65+	39	5.7	69	1	1	3	5	11	29	37
TOT. SINGLE DX	126	2.7	3	1	1	2	4	5	6	9
" MULTIPLE DX	243	4.9	56	1	1	3	5	10	15	43
TOTAL 0-19 YRS	73	2.8	2	1	1	2	3	4	5	10
20-34	67	5.6	49	1	1	4	6	13	17	43
35-49	72	3.5	7	1	1	3	5	7	8	14
50-64	103	4.4	72	1	1	2	4	8	12	55
65+	54	4.7	53	1	1	2	4	11	21	37
GRAND TOTAL	**369**	**4.2**	**39**	**1**	**1**	**2**	**4**	**8**	**11**	**36**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	359	4.3	19	1	1	3	5	8	10	26
20-34	190	3.3	7	<1	1	3	4	7	8	12
35-49	177	4.4	14	1	1	4	5	7	9	24
50-64	251	4.6	9	1	2	4	6	7	9	13
65+	63	7.3	95	2	2	4	8	11	19	63
2. MULTIPLE DX										
0-19 YRS	431	5.5	36	1	2	4	6	10	15	32
20-34	259	5.5	49	1	1	3	6	12	18	41
35-49	310	5.7	74	1	1	3	6	11	16	46
50-64	406	6.5	58	1	2	4	7	13	17	47
65+	196	8.4	84	1	2	5	10	17	24	52
TOT. SINGLE DX	1040	4.4	19	1	1	3	5	8	10	24
" MULTIPLE DX	1602	6.1	58	1	1	4	7	12	17	42
TOTAL 0-19 YRS	790	4.9	29	1	1	4	6	9	14	29
20-34	449	4.6	33	1	1	3	5	9	14	31
35-49	487	5.3	53	1	1	4	5	9	15	42
50-64	657	5.8	40	1	2	4	6	10	15	38
65+	259	8.1	87	1	2	5	10	16	24	56
GRAND TOTAL	**2642**	**5.5**	**43**	**1**	**1**	**4**	**6**	**10**	**15**	**38**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	2.0	1	1	1	2	3	4	4	5
20-34	249	2.1	1	1	1	2	3	3	4	6
35-49	355	2.4	2	1	1	2	3	4	5	6
50-64	327	2.5	1	1	1	2	3	4	4	6
65+	126	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	208	2.3	1	1	1	2	3	4	5	7
20-34	517	2.6	3	1	1	2	3	4	5	7
35-49	847	2.7	3	1	1	2	3	5	5	8
50-64	1431	2.9	3	1	1	3	4	5	6	9
65+	937	3.5	7	1	1	3	4	6	7	14
TOT. SINGLE DX	1204	2.3	2	1	1	2	3	4	5	6
" MULTIPLE DX	3940	2.9	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	355	2.2	1	1	1	2	3	4	4	6
20-34	766	2.5	3	1	1	2	3	4	5	7
35-49	1202	2.6	3	1	1	2	3	4	5	8
50-64	1758	2.8	3	1	1	3	3	5	5	8
65+	1063	3.4	7	1	1	3	4	6	7	13
GRAND TOTAL	**5144**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	755	2.9	8	1	1	2	3	5	8	15
20-34	805	3.4	17	1	1	2	4	6	9	23
35-49	670	3.2	12	1	1	2	4	6	8	20
50-64	398	4.0	23	1	1	3	4	8	13	24
65+	204	4.5	14	1	1	3	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	474	6.7	111	1	1	3	6	16	27	54
20-34	896	7.3	99	1	1	4	8	18	28	48
35-49	973	6.3	83	1	1	3	7	15	25	54
50-64	1085	8.0	115	1	1	4	9	20	29	51
65+	1035	11.2	141	1	2	7	15	25	35	63
TOT. SINGLE DX	2832	3.4	15	1	1	2	4	6	9	21
" MULTIPLE DX	4463	8.1	114	1	1	4	10	20	29	55
TOTAL 0-19 YRS	1229	4.3	52	1	1	2	4	8	15	40
20-34	1701	5.4	64	1	1	3	5	12	20	43
35-49	1643	5.0	57	1	1	3	5	11	17	41
50-64	1483	6.9	94	1	1	3	8	16	26	48
65+	1239	10.1	126	1	2	6	13	23	31	58
GRAND TOTAL	**7295**	**6.3**	**81**	**1**	**1**	**3**	**7**	**15**	**23**	**47**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	399	5.3	43	1	1	3	6	10	17	42
20-34	261	3.7	13	1	1	3	5	7	8	18
35-49	112	4.9	25	1	1	3	6	9	13	30
50-64	107	5.6	24	1	1	5	7	10	13	28
65+	141	9.7	39	3	4	9	12	16	17	25
2. MULTIPLE DX										
0-19 YRS	277	7.1	104	1	1	4	7	15	24	56
20-34	263	8.3	80	1	1	5	11	21	27	44
35-49	166	10.0	166	1	2	6	11	22	45	69
50-64	207	11.1	123	1	2	8	14	26	35	51
65+	734	13.2	72	4	6	12	16	21	29	51
TOT. SINGLE DX	1020	5.5	35	1	1	4	7	11	15	32
" MULTIPLE DX	1647	10.8	101	1	2	8	14	21	30	52
TOTAL 0-19 YRS	676	6.0	69	1	1	4	6	12	20	50
20-34	524	6.0	52	1	1	3	7	14	22	41
35-49	278	8.0	116	1	1	5	8	16	28	61
50-64	314	9.2	96	1	2	6	11	19	33	47
65+	875	12.7	69	4	5	11	15	20	27	50
GRAND TOTAL	**2667**	**8.8**	**82**	**1**	**1**	**6**	**12**	**18**	**25**	**49**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	453	2.1	5	<1	1	2	2	4	4	12
20-34	565	2.4	11	<1	1	2	3	4	6	12
35-49	312	2.5	4	1	1	2	3	5	6	12
50-64	212	3.3	41	1	1	2	3	5	9	20
65+	205	3.9	17	1	1	3	5	9	12	22
2. MULTIPLE DX										
0-19 YRS	319	4.5	57	1	1	3	4	9	15	45
20-34	344	5.7	64	1	1	3	6	13	20	43
35-49	224	6.2	72	1	1	3	6	15	23	48
50-64	298	6.2	62	1	1	3	7	14	21	42
65+	500	9.0	100	1	1	6	12	20	27	51
TOT. SINGLE DX	1747	2.6	13	<1	1	2	3	5	7	14
" MULTIPLE DX	1685	6.6	77	1	1	4	7	16	23	47
TOTAL 0-19 YRS	772	3.1	28	<1	1	2	3	5	8	31
20-34	909	3.7	35	1	1	2	4	7	12	34
35-49	536	4.0	36	1	1	2	4	8	14	39
50-64	510	5.0	56	1	1	3	5	10	17	39
65+	705	7.5	81	1	1	5	10	17	23	45
GRAND TOTAL	**3432**	**4.6**	**49**	**1**	**1**	**2**	**5**	**10**	**16**	**38**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	13.6	83	2	3	11	21	26	30	35
20-34	27	8.6	12	4	4	8	11	13	15	18
35-49	19	8.1	9	4	4	8	9	13	15	16
50-64	45	9.5	19	4	5	8	12	16	18	21
65+	190	10.9	21	5	6	10	13	16	19	28
2. MULTIPLE DX										
0-19 YRS	96	16.9	105	4	6	16	22	29	34	54
20-34	75	16.4	110	5	6	13	21	34	39	53
35-49	33	17.6	198	5	6	12	25	38	53	54
50-64	103	14.3	107	6	7	11	16	22	39	56
65+	935	13.1	49	6	7	12	16	20	24	40
TOT. SINGLE DX	381	11.1	39	4	5	10	14	20	24	33
" MULTIPLE DX	1242	13.9	68	6	7	12	16	22	28	49
TOTAL 0-19 YRS	196	15.2	97	3	4	13	22	28	33	44
20-34	102	14.3	97	5	5	11	17	27	38	51
35-49	52	14.1	150	4	5	10	15	32	47	54
50-64	148	12.8	85	5	6	10	15	20	31	55
65+	1125	12.8	45	6	7	11	15	19	23	38
GRAND TOTAL	**1623**	**13.2**	**62**	**5**	**6**	**11**	**16**	**22**	**27**	**45**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	7.6	25	2	3	7	10	13	18	26
20-34	105	10.5	38	4	5	9	13	17	23	36
35-49	102	8.6	15	4	4	8	11	13	15	22
50-64	179	9.6	12	4	5	9	12	14	16	20
65+	878	11.5	18	6	7	11	14	17	19	27
2. MULTIPLE DX										
0-19 YRS	227	14.8	124	4	5	12	18	28	39	69
20-34	348	15.7	136	5	6	13	19	28	40	80
35-49	229	15.9	137	5	7	13	19	33	40	90
50-64	619	14.4	109	6	7	12	16	23	32	69
65+	5896	14.1	52	7	8	13	16	22	27	42
TOT. SINGLE DX	1430	10.5	22	4	5	10	13	16	18	26
" MULTIPLE DX	7319	14.2	66	6	7	13	16	23	29	49
TOTAL 0-19 YRS	393	11.7	95	2	3	9	14	24	30	52
20-34	453	14.5	119	5	6	12	17	26	34	67
35-49	331	13.7	111	4	5	11	15	25	37	81
50-64	798	13.4	92	5	6	11	15	22	29	61
65+	6774	13.7	49	6	7	12	16	21	26	41
GRAND TOTAL	**8749**	**13.6**	**61**	**6**	**7**	**12**	**16**	**22**	**27**	**45**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	9.9	119	1	1	4	16	23	32	45
20-34	11	14.7	377	1	2	8	14	49	63	64
35-49	7	8.1	9	6	6	6	11	13	13	13
50-64	9	7.2	44	1	1	6	8	18	23	23
65+	25	10.5	197	1	1	7	11	18	52	60
2. MULTIPLE DX										
0-19 YRS	138	17.2	280	2	2	11	27	40	46	83
20-34	42	20.0	280	5	5	14	26	44	70	99+
35-49	29	16.8	238	1	2	12	21	44	51	63
50-64	24	19.9	373	1	1	13	26	51	66	76
65+	149	15.4	182	2	3	11	18	34	46	68
TOT. SINGLE DX	287	10.0	130	1	1	5	15	23	36	56
" MULTIPLE DX	382	16.9	244	2	3	12	23	40	48	75
TOTAL 0-19 YRS	373	12.6	191	1	2	6	20	31	40	64
20-34	53	18.9	298	3	5	13	25	44	67	99
35-49	36	15.1	205	1	3	11	16	36	49	63
50-64	33	16.5	313	1	1	11	23	34	60	76
65+	174	14.7	186	2	3	11	17	34	46	67
GRAND TOTAL	**669**	**13.9**	**207**	**1**	**2**	**9**	**20**	**34**	**44**	**69**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	324	3.3	19	1	1	2	3	8	15	21
20-34	168	3.2	5	<1	1	3	4	7	8	12
35-49	138	3.2	6	<1	1	2	4	6	8	12
50-64	122	3.3	9	1	1	2	4	7	11	15
65+	105	3.7	15	1	1	2	5	8	10	23
2. MULTIPLE DX										
0-19 YRS	114	5.4	39	<1	1	3	6	14	20	32
20-34	151	8.0	106	1	1	5	9	14	25	65
35-49	123	6.5	49	1	1	4	8	14	19	37
50-64	132	7.7	96	1	2	4	10	15	24	53
65+	212	8.0	99	1	2	5	9	18	22	52
TOT. SINGLE DX	857	3.3	13	1	1	2	4	7	11	19
" MULTIPLE DX	732	7.3	83	1	1	5	9	15	22	50
TOTAL 0-19 YRS	438	3.9	25	1	1	2	4	9	16	24
20-34	319	5.5	59	1	1	4	6	10	13	44
35-49	261	4.8	29	1	1	3	6	9	14	28
50-64	254	5.6	60	1	1	3	6	13	15	45
65+	317	6.6	75	1	1	4	7	14	20	47
GRAND TOTAL	**1589**	**5.1**	**49**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1474	2.6	3	1	1	2	3	5	6	10
20-34	2084	3.4	5	1	1	3	4	6	7	12
35-49	1322	3.9	7	1	1	3	5	7	9	14
50-64	1017	4.7	11	1	2	4	6	8	10	16
65+	612	5.7	12	1	2	5	7	10	13	18
2. MULTIPLE DX										
0-19 YRS	831	5.4	48	1	1	3	6	11	16	35
20-34	1660	6.4	51	1	1	4	7	13	20	40
35-49	1174	6.5	48	1	2	5	7	12	18	35
50-64	1326	7.6	61	2	2	6	9	13	19	47
65+	1545	8.9	53	2	3	7	11	16	22	41
TOT. SINGLE DX	6509	3.7	8	1	1	3	5	7	9	14
" MULTIPLE DX	6536	7.1	54	1	2	5	9	14	20	40
TOTAL 0-19 YRS	2305	3.6	22	1	1	3	4	7	9	24
20-34	3744	4.7	28	1	1	3	5	9	12	29
35-49	2496	5.1	28	1	1	4	6	9	13	27
50-64	2343	6.3	42	1	2	5	7	11	15	37
65+	2157	8.0	44	2	3	6	10	14	19	35
GRAND TOTAL	**13045**	**5.4**	**34**	**1**	**1**	**4**	**6**	**10**	**14**	**30**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2528	2.0	6	<1	1	1	2	3	5	15
20-34	550	3.0	9	<1	1	2	4	6	8	14
35-49	400	3.7	35	1	1	3	4	7	8	19
50-64	343	3.1	12	<1	1	2	4	6	8	17
65+	359	3.2	8	1	1	2	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	773	4.6	58	1	1	2	4	9	18	39
20-34	577	6.0	76	1	1	4	7	11	20	50
35-49	436	5.6	31	1	1	4	7	12	15	30
50-64	501	6.3	53	1	1	4	7	12	17	46
65+	1185	6.8	42	1	1	5	8	14	20	34
TOT. SINGLE DX	4180	2.5	11	<1	1	1	3	5	7	15
" MULTIPLE DX	3472	5.9	53	1	1	4	7	12	18	39
TOTAL 0-19 YRS	3301	2.6	20	<1	1	1	2	5	7	22
20-34	1127	4.5	46	<1	1	3	5	9	12	41
35-49	836	4.7	34	1	1	3	6	10	14	27
50-64	844	5.0	39	1	1	3	6	10	14	37
65+	1544	5.9	37	1	1	4	7	12	18	30
GRAND TOTAL	**7652**	**4.0**	**33**	**1**	**1**	**2**	**5**	**9**	**13**	**29**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	4.3	26	<1	1	2	6	13	16	21
20-34	128	2.2	6	<1	<1	1	2	4	5	16
35-49	41	2.7	6	<1	<1	2	3	6	8	12
50-64	66	4.2	18	<1	1	3	5	10	13	22
65+	127	4.3	44	<1	1	2	6	8	14	32
2. MULTIPLE DX										
0-19 YRS	97	6.0	53	1	1	3	9	13	19	40
20-34	128	7.3	112	1	1	4	9	17	23	63
35-49	86	7.9	131	<1	1	4	10	15	21	73
50-64	122	6.3	52	1	1	4	8	14	20	40
65+	308	7.7	91	1	1	4	9	19	27	55
TOT. SINGLE DX	542	3.7	24	<1	1	2	4	9	13	21
" MULTIPLE DX	741	7.2	89	1	1	4	9	16	24	53
TOTAL 0-19 YRS	277	4.9	37	<1	1	2	7	13	17	26
20-34	256	4.8	66	<1	1	2	5	10	18	30
35-49	127	5.2	97	<1	1	3	7	14	17	60
50-64	188	5.6	41	1	1	3	7	13	16	35
65+	435	6.7	81	1	1	4	7	16	24	54
GRAND TOTAL	**1283**	**5.7**	**64**	**<1**	**1**	**3**	**7**	**14**	**19**	**37**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	3.3	12	1	1	2	4	7	11	19
20-34	192	2.1	1	1	1	2	3	4	5	7
35-49	68	2.9	4	1	1	2	4	5	7	11
50-64	41	3.7	3	1	1	3	5	6	7	7
65+	22	6.3	32	1	1	4	11	15	18	21
2. MULTIPLE DX										
0-19 YRS	87	6.8	46	1	2	5	8	14	17	43
20-34	87	6.0	46	1	1	3	7	16	22	34
35-49	49	4.2	7	1	1	4	6	8	11	99+
50-64	39	8.5	115	2	2	5	8	16	29	62
65+	80	12.0	97	3	3	9	16	22	32	52
TOT. SINGLE DX	435	2.9	7	1	1	2	3	5	7	15
" MULTIPLE DX	342	7.6	67	1	2	5	9	17	22	54
TOTAL 0-19 YRS	199	4.8	30	1	1	3	6	10	15	22
20-34	279	3.3	19	1	1	2	3	6	9	24
35-49	117	3.4	6	1	1	3	4	7	9	41
50-64	80	6.0	63	1	2	5	6	9	16	54
65+	102	10.8	88	1	2	8	15	20	27	50
GRAND TOTAL	**777**	**5.0**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**36**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	346	3.4	15	<1	1	2	3	8	13	20
20-34	263	3.5	16	<1	1	2	4	8	12	21
35-49	185	3.4	15	1	1	2	4	7	10	22
50-64	103	6.0	62	1	1	4	6	15	19	47
65+	67	11.0	120	2	3	8	15	22	29	62
2. MULTIPLE DX										
0-19 YRS	283	6.2	54	1	1	3	9	16	22	32
20-34	356	5.1	53	<1	1	3	6	11	17	44
35-49	271	6.9	92	1	1	3	7	17	28	51
50-64	291	9.0	116	1	1	5	11	23	34	56
65+	366	16.5	231	1	2	13	22	35	47	78
TOT. SINGLE DX	964	4.2	32	<1	1	2	5	10	15	23
" MULTIPLE DX	1567	9.0	132	1	1	4	12	23	32	58
TOTAL 0-19 YRS	629	4.6	35	<1	1	2	5	12	18	28
20-34	619	4.4	38	<1	1	2	5	10	14	33
35-49	456	5.5	64	1	1	3	6	13	22	50
50-64	394	8.2	104	1	1	4	10	21	31	52
65+	433	15.7	218	2	3	12	21	32	47	72
GRAND TOTAL	**2531**	**7.2**	**99**	**1**	**1**	**3**	**9**	**18**	**27**	**51**

717: Excision of intervertebral disc (8

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	5.7	13	2	2	5	7	10	14	20
20-34	2455	6.2	12	2	3	5	8	11	13	18
35-49	3787	6.6	14	2	3	6	8	12	14	20
50-64	1687	7.1	15	2	3	6	9	12	15	21
65+	389	8.2	19	3	3	7	10	15	17	23
2. MULTIPLE DX										
0-19 YRS	33	10.1	83	2	4	7	12	18	30	47
20-34	971	8.5	37	3	4	7	10	15	20	30
35-49	2146	8.8	36	3	4	7	10	15	20	32
50-64	1946	9.6	38	4	4	8	11	17	21	30
65+	1136	12.1	56	4	5	10	15	21	27	40
TOT. SINGLE DX	8403	6.6	15	2	3	6	8	12	14	20
" MULTIPLE DX	6232	9.6	43	3	4	8	12	17	22	33
TOTAL 0-19 YRS	118	6.9	37	2	3	5	7	14	17	37
20-34	3426	6.8	21	2	3	6	8	12	15	23
35-49	5933	7.4	24	3	3	6	9	13	16	25
50-64	3633	8.4	29	3	4	7	10	15	18	27
65+	1525	11.1	50	4	5	9	14	19	24	38
GRAND TOTAL	**14635**	**7.9**	**29**	**3**	**3**	**7**	**10**	**14**	**18**	**28**

718: Excision of semilunar cartilage o

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.8	1	<1	<1	1	2	4	4	5
20-34	263	2.1	2	<1	1	2	3	4	5	7
35-49	225	2.1	2	<1	<1	2	3	4	5	9
50-64	108	2.4	6	<1	<1	2	3	5	6	15
65+	45	2.1	3	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	233	2.5	3	<1	1	2	3	5	5	10
20-34	539	2.6	4	<1	1	2	3	5	7	11
35-49	368	2.6	10	<1	1	2	3	5	7	21
50-64	453	2.7	6	1	1	2	3	5	8	13
65+	286	3.5	37	1	1	2	4	7	11	19
TOT. SINGLE DX	751	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	1879	2.8	11	<1	1	2	3	5	8	14
TOTAL 0-19 YRS	343	2.3	3	<1	<1	2	3	4	5	9
20-34	802	2.4	4	<1	1	2	3	5	6	10
35-49	593	2.4	8	<1	1	2	3	5	6	14
50-64	561	2.6	6	<1	1	2	3	5	7	13
65+	331	3.3	33	1	1	2	3	7	11	19
GRAND TOTAL	**2630**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	234	2.5	12	<1	<1	2	3	4	6	25
20-34	417	2.6	14	<1	1	2	3	5	7	17
35-49	291	2.5	6	<1	1	2	3	5	8	13
50-64	192	3.3	20	<1	1	2	4	7	8	28
65+	96	4.2	20	1	1	3	5	9	14	23
2. MULTIPLE DX										
0-19 YRS	284	3.1	18	<1	1	1	3	6	11	27
20-34	575	3.8	31	<1	1	2	4	8	12	35
35-49	524	3.9	33	1	1	2	4	9	13	28
50-64	495	5.3	59	1	1	3	5	12	22	41
65+	408	9.4	149	1	1	5	12	25	33	62
TOT. SINGLE DX	1230	2.8	14	<1	1	2	3	5	8	19
" MULTIPLE DX	2286	5.0	62	1	1	2	5	12	20	42
TOTAL 0-19 YRS	518	2.8	16	<1	1	2	3	6	8	26
20-34	992	3.3	24	<1	1	2	3	7	10	30
35-49	815	3.4	24	<1	1	2	4	8	11	26
50-64	687	4.7	50	1	1	2	5	11	18	40
65+	504	8.4	129	1	1	4	10	20	29	55
GRAND TOTAL	**3516**	**4.3**	**46**	**<1**	**1**	**2**	**4**	**9**	**16**	**37**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	278	9.1	14	5	6	8	10	13	16	25
20-34	253	8.6	17	4	4	8	10	14	17	23
35-49	349	7.5	17	3	4	6	9	13	16	23
50-64	162	8.7	27	3	4	8	10	15	18	30
65+	29	9.0	19	3	3	8	13	16	16	17
2. MULTIPLE DX										
0-19 YRS	306	14.8	124	6	7	11	18	26	38	76
20-34	294	13.6	88	5	6	11	16	25	34	87
35-49	415	11.9	72	4	5	10	14	22	26	54
50-64	311	12.3	134	4	5	9	13	23	36	91
65+	113	14.6	115	5	6	12	18	30	36	84
TOT. SINGLE DX	1071	8.4	19	3	4	8	10	14	17	23
" MULTIPLE DX	1439	13.2	105	5	5	10	15	25	32	72
TOTAL 0-19 YRS	584	12.1	80	5	6	9	13	22	28	58
20-34	547	11.3	62	4	5	9	13	20	26	53
35-49	764	9.9	52	3	4	8	12	17	23	34
50-64	473	11.1	101	3	4	8	12	20	30	65
65+	142	13.4	100	4	5	11	16	25	36	77
GRAND TOTAL	**2510**	**11.1**	**74**	**4**	**5**	**9**	**13**	**20**	**26**	**54**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	2.7	1	1	1	3	3	4	5	7
20-34	204	3.2	4	1	1	3	4	7	7	10
35-49	187	3.5	5	1	1	3	5	7	8	11
50-64	199	3.5	6	1	1	3	4	6	8	13
65+	78	4.2	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	107	4.2	14	1	1	4	5	7	9	23
20-34	195	4.2	13	1	1	3	5	8	10	19
35-49	217	4.5	12	1	1	4	5	8	10	21
50-64	297	5.1	37	1	1	4	6	9	13	31
65+	213	6.7	48	1	1	5	8	15	18	30
TOT. SINGLE DX	752	3.4	5	1	1	3	4	7	8	11
" MULTIPLE DX	1029	5.0	28	1	1	4	6	10	14	26
TOTAL 0-19 YRS	191	3.5	9	1	1	3	4	5	7	20
20-34	399	3.7	9	1	1	3	5	7	9	16
35-49	404	4.1	9	1	1	3	5	8	10	15
50-64	496	4.5	25	1	1	3	5	8	11	19
65+	291	6.1	39	1	1	4	8	13	17	29
GRAND TOTAL	**1781**	**4.4**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	10.0	1	8	8	10	11	11	11	11
20-34	67	9.2	6	5	6	9	11	13	14	14
35-49	158	9.3	7	6	6	9	11	13	14	19
50-64	723	10.3	8	6	7	10	12	14	15	20
65+	1153	11.5	16	7	8	11	13	16	17	23
2. MULTIPLE DX										
0-19 YRS	6	14.5	24	5	6	16	18	18	18	18
20-34	132	11.9	46	6	7	10	13	20	25	41
35-49	309	12.1	46	6	7	10	13	18	26	40
50-64	1327	12.2	35	7	8	11	13	17	23	39
65+	3894	14.0	50	8	9	12	16	21	26	44
TOT. SINGLE DX	2107	10.9	13	7	7	10	12	15	16	22
" MULTIPLE DX	5668	13.4	47	7	8	12	15	20	25	42
TOTAL 0-19 YRS	12	12.3	17	5	7	11	16	18	18	18
20-34	199	11.0	35	5	6	10	12	15	22	37
35-49	467	11.1	35	6	7	10	12	16	22	36
50-64	2050	11.5	27	7	7	11	13	16	20	35
65+	5047	13.4	43	7	8	12	15	19	24	41
GRAND TOTAL	**7775**	**12.7**	**39**	**7**	**8**	**11**	**14**	**18**	**23**	**39**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.8	29	3	3	6	14	15	15	15
20-34	10	13.3	198	1	4	10	12	13	52	52
35-49	28	9.3	10	5	6	8	11	14	17	18
50-64	107	10.8	17	6	7	10	13	15	18	28
65+	658	11.5	15	6	7	11	14	17	18	23
2. MULTIPLE DX										
0-19 YRS	9	5.2	6	3	3	5	6	9	10	10
20-34	33	10.4	48	2	4	10	12	14	19	43
35-49	49	14.6	60	6	8	12	16	27	38	39
50-64	349	14.7	68	7	8	12	17	23	28	48
65+	3627	14.5	55	7	8	13	17	22	28	45
TOT. SINGLE DX	809	11.3	18	6	7	11	14	16	18	23
" MULTIPLE DX	4067	14.5	57	7	8	13	17	22	28	45
TOTAL 0-19 YRS	15	6.3	16	3	3	5	8	14	15	15
20-34	43	11.1	81	2	4	10	12	14	28	52
35-49	77	12.7	49	6	7	11	14	18	28	39
50-64	456	13.7	60	7	8	12	16	22	27	36
65+	4285	14.1	50	7	8	13	16	21	27	43
GRAND TOTAL	**4876**	**14.0**	**52**	**7**	**8**	**12**	**16**	**21**	**27**	**43**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	378	3.2	2	1	1	3	4	5	6	8
20-34	542	3.6	6	1	1	3	4	6	7	11
35-49	228	5.9	19	1	1	5	9	12	13	24
50-64	726	9.9	12	5	6	10	12	14	16	21
65+	1406	11.0	12	6	7	11	13	15	17	21
2. MULTIPLE DX										
0-19 YRS	442	3.5	5	1	1	3	4	6	7	13
20-34	710	4.6	22	1	2	4	5	8	11	23
35-49	410	6.3	35	1	2	4	8	13	18	25
50-64	1323	11.1	31	3	5	10	13	17	19	31
65+	3749	12.7	30	7	8	12	15	18	22	31
TOT. SINGLE DX	3280	8.3	21	2	2	9	11	14	16	20
" MULTIPLE DX	6634	10.5	39	2	3	10	13	17	20	30
TOTAL 0-19 YRS	820	3.4	4	1	1	3	4	6	7	10
20-34	1252	4.2	16	1	2	3	5	7	9	19
35-49	638	6.2	30	1	1	5	8	12	16	24
50-64	2049	10.7	25	4	6	10	13	16	18	28
65+	5155	12.2	26	7	8	11	14	17	20	29
GRAND TOTAL	**9914**	**9.8**	**34**	**2**	**3**	**10**	**13**	**16**	**19**	**27**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	451	2.2	1	1	1	2	3	4	4	6
20-34	909	2.5	1	1	1	2	3	4	5	7
35-49	550	2.6	2	1	1	2	3	5	5	7
50-64	545	3.2	6	1	1	3	4	5	7	13
65+	251	4.5	11	1	1	4	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	151	2.9	5	1	1	2	3	5	7	14
20-34	431	3.3	6	1	1	3	4	6	8	13
35-49	519	3.2	6	1	1	3	4	5	8	14
50-64	810	3.8	9	1	1	3	4	7	9	19
65+	578	5.4	21	1	2	4	6	10	13	23
TOT. SINGLE DX	2706	2.3	4	1	1	2	3	5	6	10
" MULTIPLE DX	2489	3.9	12	1	1	3	5	7	10	19
TOTAL 0-19 YRS	602	2.3	2	1	1	2	3	4	5	8
20-34	1340	2.7	3	1	1	2	3	5	6	10
35-49	1069	2.9	4	1	1	2	4	5	6	12
50-64	1355	3.6	8	1	1	3	4	6	8	15
65+	829	5.1	19	1	1	4	6	10	12	22
GRAND TOTAL	**5195**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	203	3.8	23	1	1	2	4	9	14	24
20-34	181	3.2	9	1	1	2	4	7	10	15
35-49	131	3.6	18	1	1	2	5	8	11	25
50-64	77	3.0	9	<1	1	2	4	7	9	17
65+	32	6.5	113	1	1	4	7	12	22	59
2. MULTIPLE DX										
0-19 YRS	362	5.1	48	1	1	3	5	11	15	50
20-34	208	6.3	43	1	1	4	8	12	20	36
35-49	194	6.1	63	1	1	4	7	14	19	41
50-64	188	6.2	44	1	1	4	8	14	18	31
65+	161	9.8	74	1	2	8	12	21	28	43
TOT. SINGLE DX	624	3.6	22	1	1	2	4	8	11	20
" MULTIPLE DX	1113	6.3	55	1	1	4	8	14	19	38
TOTAL 0-19 YRS	565	4.6	40	1	1	3	5	10	14	34
20-34	389	4.8	30	1	1	3	6	10	14	30
35-49	325	5.1	47	1	1	3	6	11	17	36
50-64	265	5.3	36	1	1	3	6	12	17	29
65+	193	9.2	82	1	1	7	11	20	27	50
GRAND TOTAL	**1737**	**5.4**	**45**	**1**	**1**	**3**	**6**	**12**	**17**	**34**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	2.6	7	<1	<1	2	3	5	8	14
20-34	124	3.1	45	<1	<1	2	3	5	7	51
35-49	133	2.5	5	<1	<1	2	3	5	8	13
50-64	149	2.8	10	<1	1	2	3	6	10	22
65+	70	3.5	8	1	1	2	5	8	9	13
2. MULTIPLE DX										
0-19 YRS	73	5.8	57	1	1	3	7	14	23	40
20-34	106	8.4	237	1	1	4	8	19	32	86
35-49	163	7.1	64	1	1	4	9	19	24	43
50-64	266	7.9	94	1	1	5	9	17	27	52
65+	317	9.9	98	1	1	7	14	21	28	51
TOT. SINGLE DX	597	2.8	16	<1	<1	2	3	6	8	15
" MULTIPLE DX	925	8.3	105	1	1	5	11	19	26	52
TOTAL 0-19 YRS	194	3.8	28	<1	1	2	4	10	13	26
20-34	230	5.5	140	<1	1	2	4	10	21	73
35-49	296	5.0	43	<1	1	3	5	12	19	34
50-64	415	6.1	70	1	1	3	8	15	20	47
65+	387	8.7	88	1	1	6	12	19	26	50
GRAND TOTAL	**1522**	**6.2**	**77**	**<1**	**1**	**3**	**8**	**15**	**21**	**47**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.3	5	1	1	1	3	6	8	8
20-34	17	2.4	6	<1	1	1	2	8	9	9
35-49	31	1.6		<1	1	1	2	3	3	3
50-64	105	1.7	1	<1	1	1	2	3	4	8
65+	74	1.6		<1	1	1	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	12	3.6	13	1	1	2	4	9	13	14
20-34	18	5.0	22	1	1	4	7	10	16	20
35-49	29	2.8	5	<1	<1	2	4	6	7	11
50-64	72	2.8	23	1	1	2	3	4	6	34
65+	90	2.3	2	1	1	2	3	4	6	8
TOT. SINGLE DX	236	1.7	2	<1	1	1	2	3	4	8
" MULTIPLE DX	221	2.8	12	1	1	2	3	5	8	18
TOTAL 0-19 YRS	21	3.0	10	1	1	2	3	7	11	14
20-34	35	3.7	16	1	1	2	6	8	10	20
35-49	60	2.2	3	<1	1	2	3	4	6	11
50-64	177	2.1	11	1	1	1	2	3	4	15
65+	164	2.0	2	<1	1	2	2	4	5	8
GRAND TOTAL	**457**	**2.2**	**7**	**1**	**1**	**1**	**2**	**4**	**6**	**11**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	196	1.7	2	<1	<1	1	2	3	4	9
20-34	281	1.9	2	<1	<1	1	2	3	5	9
35-49	130	2.5	6	<1	1	2	3	5	9	13
50-64	49	1.6	1	<1	1	1	2	3	4	5
65+	14	2.3	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	205	2.2	14	<1	1	1	2	4	5	12
20-34	361	2.5	7	<1	1	2	3	5	7	12
35-49	156	2.9	19	1	1	2	3	5	7	27
50-64	121	3.0	18	1	1	2	3	6	9	27
65+	58	3.9	27	1	1	2	4	9	13	33
TOT. SINGLE DX	670	1.9	3	<1	<1	1	2	3	5	11
" MULTIPLE DX	901	2.7	14	1	1	2	3	5	8	20
TOTAL 0-19 YRS	401	1.9	8	<1	1	1	2	3	5	11
20-34	642	2.2	6	<1	1	2	2	4	6	10
35-49	286	2.7	14	<1	1	2	3	5	8	21
50-64	170	2.6	14	1	1	2	3	5	7	22
65+	72	3.6	23	1	1	2	4	9	11	30
GRAND TOTAL	**1571**	**2.4**	**10**	**<1**	**1**	**2**	**2**	**4**	**7**	**13**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	2.0	2	<1	<1	1	2	4	5	7
20-34	321	2.2	4	<1	1	2	3	4	5	7
35-49	336	2.8	3	1	1	2	4	5	6	9
50-64	426	3.3	3	1	1	3	4	5	7	9
65+	174	3.7	3	1	2	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	146	2.8	10	<1	1	2	3	5	9	14
20-34	232	4.4	42	1	1	3	4	9	14	38
35-49	268	4.3	44	1	1	3	5	8	12	30
50-64	444	4.9	34	1	1	3	5	9	13	42
65+	331	5.6	31	1	2	4	7	10	14	32
TOT. SINGLE DX	1416	2.8	4	1	1	2	4	5	6	9
" MULTIPLE DX	1421	4.6	35	1	1	3	5	9	12	31
TOTAL 0-19 YRS	305	2.4	6	<1	1	2	3	5	7	11
20-34	553	3.1	21	1	1	2	3	5	8	25
35-49	604	3.4	22	1	1	3	4	6	8	19
50-64	870	4.1	20	1	1	3	5	7	9	23
65+	505	4.9	23	1	2	4	6	9	11	25
GRAND TOTAL	**2837**	**3.7**	**20**	**1**	**1**	**3**	**4**	**7**	**9**	**21**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	390	2.6	4	1	1	2	3	4	5	10
20-34	262	2.7	3	1	1	2	3	5	6	9
35-49	202	2.7	4	1	1	2	3	5	7	11
50-64	101	3.0	4	1	1	3	4	5	7	10
65+	42	5.2	11	1	2	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	492	3.4	32	1	1	2	3	5	8	26
20-34	209	5.6	81	1	1	3	5	14	25	88
35-49	154	6.4	96	1	1	3	6	12	28	59
50-64	143	8.1	236	1	1	4	6	14	40	87
65+	111	8.4	94	1	2	6	10	17	28	88
TOT. SINGLE DX	997	2.8	5	1	1	2	3	5	7	11
" MULTIPLE DX	1109	5.4	87	1	1	3	5	10	19	64
TOTAL 0-19 YRS	882	3.1	20	1	1	2	3	5	7	21
20-34	471	4.0	40	1	1	3	4	6	11	39
35-49	356	4.3	48	1	1	3	4	8	12	36
50-64	244	6.0	146	1	1	3	5	10	16	77
65+	153	7.5	74	1	2	5	9	14	22	79
GRAND TOTAL	**2106**	**4.1**	**49**	**1**	**1**	**3**	**4**	**7**	**11**	**38**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	1.8	1	<1	1	1	2	4	5	6
20-34	123	2.1	4	<1	1	1	2	4	7	11
35-49	72	1.8	1	1	1	1	2	3	4	7
50-64	48	1.9	6	<1	1	1	2	3	5	18
65+	35	2.4	11	1	1	1	2	3	7	20
2. MULTIPLE DX										
0-19 YRS	34	4.1	25	1	1	2	5	9	13	27
20-34	99	4.5	37	1	1	2	4	13	20	29
35-49	93	6.5	82	1	1	3	7	18	22	51
50-64	89	6.8	170	1	1	2	6	18	25	82
65+	100	7.3	75	1	1	4	9	18	25	45
TOT. SINGLE DX	329	2.0	4	<1	1	1	2	4	5	10
" MULTIPLE DX	415	6.0	85	1	1	3	7	16	24	44
TOTAL 0-19 YRS	85	2.7	12	<1	1	2	3	5	8	22
20-34	222	3.1	21	<1	1	2	3	7	13	26
35-49	165	4.4	52	1	1	2	4	11	19	38
50-64	137	5.1	118	1	1	2	4	13	20	62
65+	135	6.0	63	1	1	3	8	14	22	43
GRAND TOTAL	**744**	**4.2**	**53**	**1**	**1**	**2**	**4**	**10**	**18**	**31**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.0	10	3	3	5	8	10	10	10
20-34	5	3.4	8	1	1	3	5	8	8	8
35-49	10	3.7	8	<1	<1	3	5	8	10	10
50-64	4	7.0	66	1	1	4	12	19	19	19
65+	3	8.3	4	6	6	9	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	7	12.0	73	1	1	14	16	23	25	25
20-34	15	9.3	19	2	4	8	11	15	19	20
35-49	10	9.5	103	1	1	4	14	27	30	30
50-64	14	20.7	325	5	5	13	35	53	55	55
65+	23	14.8	226	2	3	11	19	53	72	99+
TOT. SINGLE DX	26	5.0	17	<1	1	4	7	10	12	19
" MULTIPLE DX	69	13.8	177	1	3	9	17	32	53	92
TOTAL 0-19 YRS	11	9.8	56	1	1	10	15	20	25	25
20-34	20	7.9	23	1	2	8	10	14	17	20
35-49	20	6.6	62	<1	1	4	8	19	27	30
50-64	18	17.7	295	2	3	9	20	50	54	55
65+	26	14.0	204	2	3	10	18	47	66	99+
GRAND TOTAL	**95**	**11.4**	**148**	**1**	**1**	**8**	**15**	**26**	**49**	**82**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.9	4	<1	<1	3	4	6	7	8
20-34	28	4.1	14	1	1	3	5	9	15	16
35-49	22	4.4	19	<1	1	3	5	9	16	20
50-64	17	6.9	62	1	1	3	8	19	26	30
65+	27	5.0	23	1	1	3	6	13	17	18
2. MULTIPLE DX										
0-19 YRS	21	5.4	29	1	1	4	7	15	18	20
20-34	61	12.4	131	1	2	10	16	28	42	95
35-49	172	13.8	99	2	3	12	18	27	34	51
50-64	438	13.2	104	2	3	11	18	25	32	54
65+	735	14.8	119	3	4	12	20	29	35	58
TOT. SINGLE DX	117	4.5	23	1	1	3	5	10	16	23
" MULTIPLE DX	1427	13.9	113	2	3	12	18	27	34	57
TOTAL 0-19 YRS	44	4.1	18	<1	1	3	6	8	15	20
20-34	89	9.8	109	1	1	7	14	23	31	84
35-49	194	12.7	99	2	3	11	18	26	32	51
50-64	455	13.0	104	2	3	11	17	25	31	54
65+	762	14.4	120	2	3	12	19	28	35	58
GRAND TOTAL	**1544**	**13.2**	**112**	**2**	**3**	**11**	**18**	**26**	**33**	**56**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	7	14.0	62	4	4	15	21	24	24	24
35-49	13	10.8	39	3	4	9	15	21	22	22
50-64	6	12.7	22	5	6	13	15	19	19	19
65+	26	15.5	136	7	7	12	17	26	38	63
2. MULTIPLE DX										
0-19 YRS	5	10.8	61	6	6	6	15	24	24	24
20-34	57	18.1	195	5	6	14	23	37	49	71
35-49	91	19.3	215	5	7	16	24	39	57	90
50-64	351	21.4	173	6	8	18	27	41	50	69
65+	964	20.0	154	7	8	17	25	36	44	69
TOT. SINGLE DX	54	13.5	88	5	5	11	17	22	26	62
" MULTIPLE DX	1468	20.2	165	6	8	17	26	37	46	71
TOTAL 0-19 YRS	7	9.6	45	6	6	6	11	22	24	24
20-34	64	17.6	182	5	6	14	23	30	45	71
35-49	104	18.3	201	5	6	14	23	37	54	87
50-64	357	21.2	172	6	8	18	27	41	50	69
65+	990	19.9	155	7	8	17	25	36	44	68
GRAND TOTAL	**1522**	**20.0**	**163**	**6**	**8**	**17**	**25**	**37**	**46**	**70**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	8.5	59	4	4	5	13	20	20	20
20-34	7	9.7	13	4	5	10	12	15	15	15
35-49	6	7.8	7	5	5	7	10	12	12	12
50-64	8	14.0	46	4	6	13	15	24	28	28
65+	29	11.2	48	3	4	9	16	22	23	26
2. MULTIPLE DX										
0-19 YRS	8	19.3	469	1	2	8	32	56	62	62
20-34	23	23.5	313	5	6	22	33	44	64	74
35-49	44	23.1	351	6	7	18	33	64	86	99+
50-64	172	19.1	171	6	7	16	23	33	46	85
65+	1057	17.0	138	5	7	14	21	30	41	70
TOT. SINGLE DX	54	10.8	40	4	4	9	15	21	23	28
" MULTIPLE DX	1304	17.6	156	5	7	14	22	32	45	74
TOTAL 0-19 YRS	12	15.7	343	1	3	7	21	47	60	62
20-34	30	20.3	276	4	5	16	25	40	58	74
35-49	50	21.2	335	6	6	15	29	61	81	99+
50-64	180	18.9	167	6	7	15	23	33	45	85
65+	1086	16.9	137	5	7	14	21	30	41	70
GRAND TOTAL	**1358**	**17.4**	**153**	**5**	**7**	**14**	**22**	**32**	**43**	**74**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	6.3	93	1	1	3	4	22	30	30
20-34	7	13.9	314	3	3	5	13	45	53	53
35-49	5	9.8	25	5	5	10	13	17	17	17
50-64	4	6.5	3	4	4	7	8	8	8	8
65+	5	15.4	92	5	5	20	23	24	24	24
2. MULTIPLE DX										
0-19 YRS	7	9.4	117	1	1	5	14	28	31	31
20-34	11	28.4	610	2	5	20	39	69	81	82
35-49	49	17.1	126	4	5	15	24	31	43	99+
50-64	116	23.9	308	6	7	18	33	53	65	99+
65+	186	20.2	226	5	6	17	28	41	50	99+
TOT. SINGLE DX	29	10.3	123	2	2	5	13	24	31	53
" MULTIPLE DX	369	21.0	254	5	6	17	28	44	56	99+
TOTAL 0-19 YRS	15	7.7	100	1	1	4	5	30	31	31
20-34	18	22.7	523	2	3	13	32	59	74	82
35-49	54	16.4	121	4	5	15	22	30	40	98
50-64	120	23.3	308	6	7	18	33	53	63	99+
65+	191	20.1	223	5	6	17	27	41	50	99+
GRAND TOTAL	**398**	**20.2**	**252**	**4**	**5**	**16**	**28**	**43**	**55**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	5.0	9	<1	1	5	7	9	11	11
20-34	21	7.0	17	1	2	6	9	13	14	16
35-49	18	4.9	5	<1	1	5	7	7	9	10
50-64	6	2.8	1	<1	<1	3	3	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	10	6.3	40	1	1	4	8	16	22	22
20-34	12	7.6	25	1	3	7	8	13	21	22
35-49	10	5.4	15	1	1	5	8	11	13	13
50-64	10	6.9	13	4	4	6	7	12	17	17
65+	4	3.5	14	1	1	2	6	9	9	9
TOT. SINGLE DX	58	5.5	12	<1	1	5	7	10	12	16
" MULTIPLE DX	46	6.3	23	1	1	6	8	11	18	22
TOTAL 0-19 YRS	23	5.6	22	<1	1	5	7	11	15	22
20-34	33	7.2	20	1	2	7	9	13	16	22
35-49	28	5.1	9	1	1	5	7	9	11	13
50-64	16	5.4	13	1	2	5	6	8	14	17
65+	4	3.5	14	1	1	2	6	9	9	9
GRAND TOTAL	**104**	**5.8**	**16**	**1**	**1**	**5**	**8**	**10**	**13**	**22**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.6	16	1	1	2	4	11	13	13
20-34	34	2.8	3	1	1	2	3	5	7	9
35-49	22	4.3	34	1	1	3	4	11	19	26
50-64	26	4.8	23	<1	1	3	7	11	17	20
65+	19	8.6	68	2	3	5	10	24	29	31
2. MULTIPLE DX										
0-19 YRS	12	4.5	105	<1	<1	2	2	13	34	37
20-34	23	8.6	161	<1	1	6	7	17	40	60
35-49	54	10.6	212	1	1	6	13	27	39	99+
50-64	95	12.4	128	2	3	9	18	28	30	60
65+	193	13.0	128	2	4	11	15	24	31	75
TOT. SINGLE DX	110	4.6	30	1	1	3	5	10	16	28
" MULTIPLE DX	377	12.0	144	1	2	9	15	26	31	78
TOTAL 0-19 YRS	21	4.1	64	<1	1	2	3	9	24	37
20-34	57	5.1	74	1	1	3	6	8	12	58
35-49	76	8.8	168	1	1	5	12	23	29	99
50-64	121	10.8	115	1	1	7	14	24	30	53
65+	212	12.6	125	2	3	10	15	24	31	73
GRAND TOTAL	**487**	**10.3**	**127**	**1**	**1**	**7**	**14**	**23**	**29**	**72**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	14.7	182	1	1	15	25	28	28	28
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	5.3	13	1	1	5	8	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	6.5	23	2	2	5	8	14	18	18
65+	10	10.4	20	6	6	8	14	17	19	19
TOT. SINGLE DX	8	8.8	82	1	1	5	12	24	28	28
" MULTIPLE DX	23	7.9	24	2	2	7	10	16	18	19
TOTAL 0-19 YRS	3	14.7	182	1	1	15	25	28	28	28
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	14	6.1	20	1	2	5	8	11	16	18
65+	10	10.4	20	6	6	8	14	17	19	19
GRAND TOTAL	**31**	**8.1**	**37**	**1**	**2**	**7**	**10**	**16**	**19**	**28**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.7	2	<1	<1	1	1	4	6	7
20-34	115	2.1	1	<1	<1	2	3	4	5	6
35-49	380	2.3	2	<1	<1	2	3	5	5	7
50-64	415	2.6	4	<1	<1	2	3	5	6	12
65+	258	2.8	5	<1	<1	2	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	23	2.7	4	1	1	2	3	6	7	8
20-34	165	5.3	52	1	1	2	6	13	22	35
35-49	623	4.0	24	1	1	2	5	9	14	28
50-64	791	4.8	28	1	1	3	6	11	15	25
65+	1056	6.3	48	1	1	4	8	14	19	32
TOT. SINGLE DX	1192	2.5	4	<1	<1	2	3	5	6	8
" MULTIPLE DX	2658	5.2	38	1	1	3	6	12	16	29
TOTAL 0-19 YRS	47	2.2	4	<1	1	1	3	6	7	8
20-34	280	4.0	34	<1	1	2	4	8	16	33
35-49	1003	3.4	17	<1	1	2	4	7	10	24
50-64	1206	4.0	21	<1	1	3	5	9	12	22
65+	1314	5.6	42	1	1	4	7	13	17	30
GRAND TOTAL	**3850**	**4.4**	**29**	**<1**	**1**	**3**	**5**	**10**	**14**	**27**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.8	1	1	1	2	2	3	4	4
20-34	23	3.3	2	1	1	3	5	6	6	6
35-49	76	3.7	3	1	2	3	5	6	7	10
50-64	92	4.2	4	1	2	4	5	7	8	11
65+	106	4.7	5	1	1	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	5	3.2	19	<1	<1	1	4	11	11	11
20-34	17	4.1	1	2	2	4	5	6	6	6
35-49	140	5.1	35	1	2	4	6	8	10	41
50-64	186	6.0	23	2	3	5	7	10	13	33
65+	376	6.9	29	2	2	5	8	14	17	30
TOT. SINGLE DX	305	4.1	5	1	1	4	5	7	8	10
" MULTIPLE DX	724	6.2	29	2	2	5	7	11	16	32
TOTAL 0-19 YRS	13	2.3	8	<1	<1	1	2	5	10	11
20-34	40	3.7	2	1	2	4	5	6	6	6
35-49	216	4.6	24	1	2	4	5	7	9	24
50-64	278	5.4	18	2	2	4	6	9	11	22
65+	482	6.4	25	2	2	5	7	12	16	28
GRAND TOTAL	**1029**	**5.6**	**23**	**1**	**2**	**5**	**6**	**10**	**14**	**25**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	77	4.8	3	2	3	4	6	7	8	11
35-49	483	4.7	3	2	3	4	6	7	8	11
50-64	737	5.1	4	2	3	5	6	8	9	11
65+	744	5.4	4	3	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS										
20-34	96	5.3	6	3	3	5	6	8	10	17
35-49	738	5.8	9	3	3	5	7	9	11	15
50-64	1510	6.4	16	3	3	6	7	10	12	24
65+	2380	7.1	17	3	4	6	8	11	14	25
TOT. SINGLE DX	2044	5.1	4	2	3	5	6	8	9	11
" MULTIPLE DX	4724	6.6	15	3	3	6	8	10	13	23
TOTAL 0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	173	5.1	5	3	3	5	6	7	9	14
35-49	1221	5.4	7	3	3	5	6	8	9	14
50-64	2247	6.0	12	3	3	5	7	9	11	20
65+	3124	6.7	15	3	4	6	8	10	13	23
GRAND TOTAL	**6768**	**6.2**	**13**	**3**	**3**	**6**	**7**	**9**	**12**	**20**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	225	2.1	1	1	1	2	3	4	4	5
20-34	429	2.6	2	1	1	2	3	4	6	7
35-49	398	2.8	2	1	1	2	3	5	7	9
50-64	208	2.8	3	1	1	2	3	5	6	9
65+	40	3.0	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	89	2.5	1	1	1	2	3	4	5	7
20-34	354	3.2	9	1	1	3	4	6	7	10
35-49	741	3.4	9	1	1	3	4	6	8	16
50-64	449	3.6	8	1	1	3	4	7	9	14
65+	133	5.4	97	1	1	3	5	9	14	67
TOT. SINGLE DX	1300	2.6	3	1	1	2	3	4	6	8
" MULTIPLE DX	1766	3.5	16	1	1	3	4	6	8	16
TOTAL 0-19 YRS	314	2.2	1	1	1	2	3	4	4	6
20-34	783	2.9	6	1	1	2	3	5	6	9
35-49	1139	3.2	7	1	1	3	4	6	7	13
50-64	657	3.4	7	1	1	3	4	6	8	13
65+	173	4.9	77	1	1	3	5	7	11	54
GRAND TOTAL	**3066**	**3.1**	**10**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	364	2.3	2	1	1	2	3	4	5	8
20-34	655	2.3	3	1	1	2	3	4	5	10
35-49	125	2.1	2	1	1	2	3	4	5	8
50-64	31	2.2	1	1	1	2	3	4	4	6
65+	7	1.9		<1	<1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	83	2.9	4	1	1	2	4	5	6	12
20-34	169	3.0	12	1	1	2	3	5	7	25
35-49	48	4.7	20	1	1	3	6	12	15	21
50-64	33	5.1	19	1	2	4	5	12	14	21
65+	11	4.5	50	<1	<1	2	5	14	24	25
TOT. SINGLE DX	1182	2.3	3	1	1	2	3	4	5	9
" MULTIPLE DX	344	3.4	14	1	1	2	4	6	10	21
TOTAL 0-19 YRS	447	2.4	3	1	1	2	3	4	5	8
20-34	824	2.4	5	1	1	2	3	4	5	11
35-49	173	2.8	8	1	1	2	3	5	8	16
50-64	64	3.7	12	1	1	3	4	6	13	20
65+	18	3.5	32	<1	<1	2	3	7	18	25
GRAND TOTAL	**1526**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	306	2.9	17	<1	<1	2	3	6	10	18
20-34	260	3.3	16	<1	<1	2	4	6	11	19
35-49	266	3.3	18	<1	1	2	3	8	13	22
50-64	226	3.2	12	<1	1	2	4	7	9	25
65+	147	3.6	14	<1	1	2	4	9	12	23
2. MULTIPLE DX										
0-19 YRS	309	6.8	135	1	1	3	7	15	30	80
20-34	473	9.5	147	1	1	5	11	26	33	57
35-49	676	9.2	115	1	1	6	12	23	29	54
50-64	848	8.9	81	1	1	6	11	21	28	44
65+	1231	10.5	96	1	2	8	14	22	29	57
TOT. SINGLE DX	1205	3.2	16	<1	1	2	4	7	10	22
" MULTIPLE DX	3537	9.4	108	1	1	6	12	22	29	57
TOTAL 0-19 YRS	615	4.8	81	<1	1	2	4	10	19	63
20-34	733	7.3	110	1	1	3	8	19	28	52
35-49	942	7.5	95	1	1	4	9	18	28	52
50-64	1074	7.7	72	1	1	5	9	19	27	43
65+	1378	9.8	93	1	2	7	13	21	28	55
GRAND TOTAL	**4742**	**7.8**	**92**	**1**	**1**	**5**	**10**	**19**	**27**	**51**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1092	3.4	15	<1	1	2	4	7	9	20
20-34	1264	4.2	21	<1	1	3	5	9	13	24
35-49	753	4.7	33	1	1	3	6	10	14	24
50-64	432	6.0	56	1	1	4	7	12	18	43
65+	342	6.5	41	1	1	5	8	14	19	32
2. MULTIPLE DX										
0-19 YRS	2566	5.5	64	1	1	3	6	12	18	48
20-34	4135	6.6	88	1	1	3	7	15	24	55
35-49	2786	9.7	139	1	1	6	12	23	33	68
50-64	3017	11.7	155	1	2	8	15	26	39	73
65+	5597	13.4	152	2	3	10	17	29	39	65
TOT. SINGLE DX	3883	4.5	29	1	1	3	5	10	13	27
" MULTIPLE DX	18101	9.9	133	1	1	6	13	23	33	64
TOTAL 0-19 YRS	3658	4.9	51	1	1	3	5	10	15	41
20-34	5399	6.0	73	1	1	3	7	13	21	48
35-49	3539	8.6	121	1	1	5	10	20	29	61
50-64	3449	11.0	146	1	2	7	14	24	37	70
65+	5939	13.0	149	2	3	10	17	28	37	64
GRAND TOTAL	**21984**	**8.9**	**119**	**1**	**1**	**5**	**11**	**21**	**30**	**59**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	148	4.7	26	1	1	3	6	11	16	25
20-34	176	6.6	48	1	1	4	10	15	19	30
35-49	110	6.6	54	1	1	5	9	14	21	39
50-64	91	7.2	99	1	1	4	8	18	23	60
65+	88	8.2	66	1	1	7	11	16	22	46
2. MULTIPLE DX										
0-19 YRS	239	12.0	123	1	2	9	17	25	30	61
20-34	349	13.1	131	1	2	10	18	29	36	53
35-49	281	15.6	228	1	2	11	21	36	52	99+
50-64	296	16.4	213	2	3	12	22	37	52	81
65+	586	18.4	228	2	4	15	23	39	50	86
TOT. SINGLE DX	613	6.5	55	1	1	4	9	14	21	33
" MULTIPLE DX	1751	15.7	198	1	2	12	21	35	46	87
TOTAL 0-19 YRS	387	9.2	99	1	1	6	13	21	26	54
20-34	525	10.9	113	1	1	8	15	26	31	52
35-49	391	13.1	196	1	1	9	18	32	44	99+
50-64	387	14.3	201	1	2	10	21	34	48	74
65+	674	17.1	219	2	3	14	22	38	47	81
GRAND TOTAL	**2364**	**13.3**	**177**	**1**	**2**	**9**	**18**	**31**	**42**	**77**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	3.2	24	<1	1	1	3	6	18	22
20-34	70	5.4	86	1	1	2	6	12	15	57
35-49	41	4.0	31	1	1	2	5	8	13	32
50-64	24	3.9	19	1	1	3	5	7	12	22
65+	17	5.8	34	<1	1	3	7	16	19	21
2. MULTIPLE DX										
0-19 YRS	60	6.1	87	1	1	3	6	22	35	94
20-34	105	14.7	313	1	2	6	25	46	66	99+
35-49	84	15.2	384	1	1	6	23	44	75	99+
50-64	77	18.2	427	1	1	9	25	45	64	89
65+	117	17.4	292	1	2	11	27	43	55	87
TOT. SINGLE DX	193	4.5	49	1	1	2	5	10	16	38
" MULTIPLE DX	443	15.0	322	1	1	6	24	43	59	99+
TOTAL 0-19 YRS	101	5.0	63	1	1	2	5	12	28	72
20-34	175	11.0	242	1	1	4	14	38	49	99+
35-49	125	11.6	295	1	1	4	18	34	59	99+
50-64	101	14.8	367	1	1	5	20	42	60	85
65+	134	15.9	274	1	1	9	24	39	52	84
GRAND TOTAL	**636**	**11.8**	**262**	**1**	**1**	**4**	**17**	**37**	**52**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	173	2.2	4	<1	1	2	2	4	6	14
20-34	129	2.9	4	1	1	2	4	6	7	9
35-49	142	2.5	3	1	1	2	3	5	6	8
50-64	103	2.2	4	1	1	2	2	4	6	12
65+	35	2.0	4	1	1	2	2	3	3	14
2. MULTIPLE DX										
0-19 YRS	206	4.4	85	1	1	2	4	7	13	72
20-34	193	6.4	87	1	1	3	6	14	25	57
35-49	331	4.8	29	1	1	3	6	8	12	34
50-64	402	4.9	38	1	1	3	6	11	15	41
65+	333	8.9	72	1	2	7	11	18	23	51
TOT. SINGLE DX	582	2.4	4	1	1	2	3	5	6	11
" MULTIPLE DX	1465	5.9	60	1	1	4	7	13	19	49
TOTAL 0-19 YRS	379	3.4	49	1	1	2	3	6	8	59
20-34	322	5.0	57	1	1	3	5	9	16	47
35-49	473	4.1	23	1	1	3	5	7	11	29
50-64	505	4.4	33	1	1	2	5	10	14	35
65+	368	8.2	71	1	1	6	10	17	21	48
GRAND TOTAL	**2047**	**4.9**	**47**	**1**	**1**	**3**	**6**	**10**	**15**	**42**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	2.7	7	1	1	2	3	4	8	15
20-34	23	3.3	5	1	1	3	4	7	8	9
35-49	23	5.3	36	<1	1	4	7	12	17	27
50-64	28	2.6	4	1	1	2	4	6	7	8
65+	17	2.2	3	1	1	1	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	60	7.3	89	1	1	4	9	15	19	57
20-34	47	5.9	60	1	1	4	6	15	23	99+
35-49	69	6.2	19	2	2	5	7	10	14	27
50-64	104	8.9	68	2	3	7	11	16	23	52
65+	208	9.7	63	2	3	8	12	17	20	47
TOT. SINGLE DX	122	3.2	12	1	1	2	4	7	9	18
" MULTIPLE DX	488	8.4	63	1	2	6	11	16	20	55
TOTAL 0-19 YRS	91	5.8	66	1	1	3	7	13	19	52
20-34	70	5.1	44	1	1	4	6	11	18	89
35-49	92	5.9	23	1	1	5	7	11	14	28
50-64	132	7.6	62	1	1	5	10	15	20	46
65+	225	9.1	63	1	2	8	11	17	20	42
GRAND TOTAL	**610**	**7.3**	**57**	**1**	**1**	**5**	**9**	**15**	**19**	**45**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	2.9	16	1	1	1	3	7	12	20
20-34	2593	2.8	9	1	1	1	3	7	10	15
35-49	3620	2.9	10	1	1	2	3	7	10	16
50-64	1946	2.8	10	1	1	1	3	7	10	16
65+	628	2.7	10	1	1	1	3	6	9	17
2. MULTIPLE DX										
0-19 YRS	134	3.5	16	1	1	2	3	9	13	36
20-34	1595	4.8	26	1	1	3	7	11	15	24
35-49	2879	4.6	27	1	1	3	6	11	14	26
50-64	2746	5.0	33	1	1	3	7	11	15	26
65+	1940	6.3	43	1	1	4	9	15	20	31
TOT. SINGLE DX	8953	2.8	10	1	1	2	3	7	10	16
" MULTIPLE DX	9294	5.1	33	1	1	3	7	12	16	27
TOTAL 0-19 YRS	300	3.2	16	1	1	2	3	8	13	23
20-34	4188	3.6	17	1	1	2	5	9	12	19
35-49	6499	3.6	19	1	1	2	4	9	12	21
50-64	4692	4.1	25	1	1	2	5	10	13	22
65+	2568	5.4	38	1	1	3	8	13	18	29
GRAND TOTAL	**18247**	**4.0**	**23**	**1**	**1**	**2**	**5**	**10**	**13**	**23**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	3.4	19	1	1	2	3	7	11	28
20-34	210	3.9	23	1	1	2	4	9	14	28
35-49	279	4.1	32	1	1	2	4	8	12	26
50-64	447	3.3	12	1	1	2	4	7	10	19
65+	520	3.2	18	1	1	2	3	7	9	17
2. MULTIPLE DX										
0-19 YRS	95	6.0	44	1	1	4	7	13	16	41
20-34	329	6.4	43	1	1	5	8	14	17	30
35-49	658	6.3	33	1	1	5	8	13	17	31
50-64	2117	5.9	35	1	1	4	8	12	16	31
65+	3729	6.5	40	1	1	5	8	13	17	33
TOT. SINGLE DX	1514	3.5	20	1	1	2	4	7	11	22
" MULTIPLE DX	6928	6.3	39	1	1	5	8	13	17	32
TOTAL 0-19 YRS	153	5.0	36	1	1	3	6	11	14	38
20-34	539	5.4	37	1	1	3	7	12	17	29
35-49	937	5.6	34	1	1	4	7	12	15	29
50-64	2564	5.5	32	1	1	4	7	11	15	29
65+	4249	6.1	39	1	1	4	8	12	16	32
GRAND TOTAL	**8442**	**5.8**	**37**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	8.0	64	4	4	4	12	20	20	20
35-49	31	4.1	7	1	1	3	7	8	9	11
50-64	66	3.6	12	1	1	2	5	9	11	17
65+	18	1.9	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	14	3.8	6	<1	<1	3	5	8	9	9
35-49	136	5.9	17	1	2	5	8	12	13	18
50-64	347	5.7	16	1	1	5	8	11	14	19
65+	362	7.6	45	1	2	7	10	15	18	32
TOT. SINGLE DX	121	3.6	12	1	1	2	5	8	10	19
" MULTIPLE DX	861	6.5	30	1	2	5	8	13	16	26
TOTAL 0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	18	4.7	20	<1	<1	4	5	9	16	20
35-49	167	5.6	16	1	2	5	8	11	12	16
50-64	413	5.4	17	1	1	4	8	11	13	18
65+	380	7.3	45	1	1	6	10	15	18	32
GRAND TOTAL	**982**	**6.1**	**28**	**1**	**1**	**5**	**8**	**12**	**15**	**23**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	3.4	10	1	1	2	4	9	10	14
20-34	552	4.6	13	1	1	3	7	10	12	16
35-49	653	4.6	12	1	1	4	7	10	11	16
50-64	832	4.1	12	1	1	3	6	9	11	15
65+	686	4.5	19	1	1	2	7	10	13	20
2. MULTIPLE DX										
0-19 YRS	159	5.7	39	1	1	4	7	11	15	36
20-34	923	6.7	35	1	1	5	9	13	16	28
35-49	1663	6.9	44	1	1	5	9	13	16	34
50-64	3481	6.6	40	1	1	5	9	13	17	30
65+	5786	7.4	41	1	1	6	10	15	19	31
TOT. SINGLE DX	2873	4.4	14	1	1	3	7	10	11	16
" MULTIPLE DX	12012	7.0	42	1	1	6	9	14	18	31
TOTAL 0-19 YRS	309	4.6	27	1	1	3	6	10	12	28
20-34	1475	5.9	28	1	1	5	8	12	15	24
35-49	2316	6.3	36	1	1	5	9	12	15	29
50-64	4313	6.1	36	1	1	5	8	12	16	28
65+	6472	7.1	40	1	1	6	10	14	18	30
GRAND TOTAL	**14885**	**6.5**	**37**	**1**	**1**	**5**	**9**	**13**	**17**	**29**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8388	3.3	19	1	1	2	4	6	8	20
20-34	11465	3.7	18	1	1	3	4	7	9	23
35-49	7722	4.3	20	1	1	3	5	8	12	24
50-64	5324	4.7	20	1	1	4	6	9	12	22
65+	3936	5.7	25	1	2	4	7	10	14	27
2. MULTIPLE DX										
0-19 YRS	16924	5.5	59	1	1	3	5	10	18	44
20-34	21764	5.6	41	1	1	4	6	11	17	33
35-49	23819	6.1	34	1	2	4	7	12	16	30
50-64	36184	6.8	32	2	2	5	8	13	17	30
65+	84085	7.9	35	2	3	7	10	14	19	31
TOT. SINGLE DX	36835	4.1	21	1	1	3	5	8	11	24
" MULTIPLE DX	182776	7.0	39	1	2	5	9	13	18	32
TOTAL 0-19 YRS	25312	4.8	47	1	1	3	5	8	14	39
20 34	33229	5.0	34	1	1	3	6	9	14	30
35-49	31541	5.6	32	1	1	4	7	11	15	29
50-64	41508	6.5	32	1	2	5	8	12	16	29
65+	88021	7.8	35	2	3	6	10	14	18	30
GRAND TOTAL	**219611**	**6.5**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4772	6.4	105	1	1	3	5	16	31	51
20-34	2235	7.6	68	1	2	5	9	17	24	40
35-49	2100	7.4	57	1	2	5	9	15	21	40
50-64	1392	6.5	52	1	1	4	8	12	20	44
65+	1034	6.7	34	1	2	5	8	14	18	29
2. MULTIPLE DX										
0-19 YRS	7561	7.6	130	1	2	4	7	18	32	65
20-34	4755	8.5	89	1	2	5	10	18	28	49
35-49	5594	8.1	66	2	2	6	9	16	24	43
50-64	7531	8.1	61	2	2	6	9	15	22	43
65+	18271	8.9	57	2	3	7	11	17	22	40
TOT. SINGLE DX	11533	6.9	77	1	1	4	7	15	24	45
" MULTIPLE DX	43712	8.4	76	2	2	6	10	17	24	46
TOTAL 0-19 YRS	12333	7.1	121	1	2	4	6	17	32	60
20-34	6990	8.2	83	1	2	5	9	18	26	46
35-49	7694	7.9	64	1	2	6	9	16	24	42
50-64	8923	7.8	60	1	2	6	9	15	22	43
65+	19305	8.8	56	2	3	7	11	16	22	39
GRAND TOTAL	**55245**	**8.1**	**76**	**1**	**2**	**6**	**9**	**16**	**24**	**46**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4771	3.6	20	1	1	3	4	6	8	28
20-34	3673	4.1	41	<1	<1	2	4	8	14	33
35-49	2487	4.7	37	1	1	3	5	9	16	33
50-64	2163	4.8	31	1	1	3	6	9	12	27
65+	1783	5.4	26	1	1	4	7	10	14	26
2. MULTIPLE DX										
0-19 YRS	12684	5.9	82	1	2	3	5	11	21	57
20-34	7888	5.9	61	1	1	3	6	13	21	44
35-49	10274	6.0	44	1	1	4	7	12	17	34
50-64	19048	6.4	34	1	2	5	8	12	16	30
65+	45446	7.5	34	2	2	6	9	14	18	30
TOT. SINGLE DX	14877	4.3	31	1	1	3	5	8	12	30
" MULTIPLE DX	95340	6.8	45	1	2	5	8	13	18	35
TOTAL 0-19 YRS	17455	5.3	66	1	1	3	5	9	17	50
20-34	11561	5.3	56	<1	1	3	6	11	19	41
35-49	12761	5.7	43	1	1	4	7	11	17	33
50-64	21211	6.2	34	1	2	5	8	12	16	30
65+	47229	7.4	34	2	2	6	9	14	18	29
GRAND TOTAL	**110217**	**6.4**	**44**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct

Group No.	Title
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus

Group No.	Title
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)

Group No.	Title
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

DIAGNOSIS INDEX (continued)

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary

Group No.	Title
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal

Group No.	Title
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine

Group No.	Title
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)

Group No.	Title
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver

Group No.	Title
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast

Group No.	Title
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.3 u 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Northeastern Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102046	3.1	10	1	1	3	3	5	6	13
20-34	80456	3.5	20	<1	1	3	3	5	8	24
35-49	28043	4.6	31	1	1	3	5	9	13	29
50-64	18563	5.3	36	1	1	4	6	10	14	31
65+	15959	5.9	42	1	1	4	7	11	16	35
B. *Operated*										
0-19 YRS	41546	2.7	10	<1	<1	2	3	5	7	14
20-34	91782	3.2	7	<1	1	3	4	6	7	12
35-49	40413	3.8	13	<1	<1	3	5	8	10	17
50-64	30626	4.5	19	<1	1	3	6	10	12	19
65+	24543	5.5	31	<1	1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100227	4.6	41	1	1	3	5	7	12	39
20-34	73424	5.7	53	1	1	3	6	12	20	37
35-49	70400	6.4	49	1	1	4	7	13	19	36
50-64	117098	6.8	47	1	2	5	8	13	18	36
65+	280274	8.7	72	2	2	7	11	17	23	53
B. *Operated*										
0-19 YRS	37128	5.6	84	<1	1	3	6	12	21	60
20-34	109238	5.2	40	1	1	4	6	9	13	36
35-49	77468	6.8	62	1	1	5	8	13	20	45
50-64	101448	8.8	96	1	1	6	11	19	27	57
65+	183519	12.0	146	1	2	9	15	26	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245067	3.7	21	1	1	3	4	6	10	24
B. *Operated*	228910	3.6	13	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	641423	7.1	60	1	2	5	9	14	20	44
B. *Operated*	508801	8.6	104	1	1	6	11	19	28	63
1. SINGLE DX	473977	3.7	17	<1	1	3	4	7	10	20
2. MULTIPLE DX	1150224	7.8	80	1	1	5	9	16	24	53
A. NOT OPERATED	886490	6.2	52	1	1	4	7	13	18	39
B. OPERATED	737711	7.1	81	<1	1	4	8	16	23	53
TOTAL 0-19 YRS	280947	3.9	32	1	1	3	4	6	10	31
20-34	354900	4.4	31	<1	1	3	5	8	12	29
35-49	216324	5.8	46	1	1	4	7	11	17	36
50-64	267735	7.2	64	1	1	5	9	15	21	44
65+	504295	9.7	100	1	2	7	12	20	28	64
GRAND TOTAL	**1624201**	**6.6**	**65**	**1**	**1**	**4**	**8**	**14**	**21**	**46**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48472	3.3	20	<1	1	2	4	6	8	23
20-34	80456	3.5	20	<1	1	3	3	5	8	24
35-49	28043	4.6	31	1	1	3	5	9	13	29
50-64	18563	5.3	36	1	1	4	6	10	14	31
65+	15959	5.9	42	1	1	4	7	11	16	35
B. *Operated*										
0-19 YRS	41533	2.7	10	<1	<1	2	3	5	7	14
20-34	91782	3.2	7	<1	1	3	4	6	7	12
35-49	40413	3.8	13	<1	<1	3	5	8	10	17
50-64	30626	4.5	19	<1	1	3	6	10	12	19
65+	24543	5.5	31	<1	1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59501	4.7	54	1	1	3	5	9	14	55
20-34	73424	5.7	53	1	1	3	6	12	20	37
35-49	70400	6.4	49	1	1	4	7	13	19	36
50-64	117098	6.8	47	1	2	5	8	13	18	36
65+	280274	8.7	72	2	2	7	11	17	23	53
B. *Operated*										
0-19 YRS	35964	5.0	60	<1	1	3	6	11	18	45
20-34	109238	5.2	40	1	1	4	6	9	13	36
35-49	7[illegible]68	6.8	62	1	1	5	8	13	20	45
50-64	101448	8.8	96	1	1	6	11	19	27	57
65+	183519	12.0	146	1	2	9	15	26	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191493	4.0	26	<1	1	3	4	7	11	27
B. *Operated*	228897	3.6	13	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	600697	7.3	62	1	2	5	9	15	21	45
B. *Operated*	507637	8.6	102	1	1	6	11	19	28	62
1. SINGLE DX	420390	3.8	19	<1	1	3	4	7	10	22
2. MULTIPLE DX	1108334	7.9	81	1	1	5	10	17	24	54
A. NOT OPERATED	792190	6.5	56	1	1	4	8	13	19	41
B. OPERATED	736534	7.1	80	<1	1	4	8	16	23	52
TOTAL 0-19 YRS	185470	3.9	37	<1	1	2	4	7	11	34
20-34	354900	4.4	31	<1	1	3	5	8	12	29
35-49	216324	5.8	46	1	1	4	7	11	17	36
50-64	267735	7.2	64	1	1	5	9	15	21	44
65+	504295	9.7	100	1	2	7	12	20	28	64
GRAND TOTAL	**1528724**	**6.8**	**67**	**1**	**1**	**4**	**8**	**14**	**21**	**47**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	923	2.8	4	1	1	2	3	5	6	11
20-34	418	3.1	4	1	1	3	4	5	7	10
35-49	172	3.0	3	1	1	3	4	5	6	9
50-64	115	3.7	12	1	1	3	4	6	8	21
65+	58	3.7	5	<1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	16	6.4	62	1	2	4	5	9	27	35
20-34	42	4.6	4	2	2	4	6	8	8	9
35-49	16	6.8	7	3	4	6	8	10	12	13
50-64	7	5.7	15	2	2	5	6	12	14	14
65+	5	10.8	137	2	2	7	15	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1470	3.4	8	1	1	3	4	6	8	15
20-34	811	3.8	12	1	1	3	5	7	10	17
35-49	462	4.3	12	1	2	3	5	7	10	19
50-64	525	4.6	11	1	2	4	6	9	11	16
65+	980	6.2	36	2	2	5	7	12	15	31
B. *Operated*										
0-19 YRS	40	7.0	60	2	2	5	8	11	15	50
20-34	84	8.1	90	2	3	6	8	15	22	61
35-49	72	11.6	140	2	3	8	13	25	49	90
50-64	83	11.4	154	2	3	7	13	24	32	73
65+	113	14.4	216	2	4	10	16	30	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1686	3.0	5	1	1	2	4	5	7	11
B. *Operated*	86	5.8	24	2	2	5	7	9	11	34
2. MULTIPLE DX										
A. *Not Operated*	4248	4.4	17	1	1	3	5	8	11	20
B. *Operated*	392	11.1	152	2	3	7	12	23	41	85
1. SINGLE DX	1772	3.1	6	1	1	3	4	6	7	11
2. MULTIPLE DX	4640	4.9	32	1	1	3	6	9	13	29
A. NOT OPERATED	5934	4.0	14	1	1	3	5	7	10	18
B. OPERATED	478	10.2	133	2	3	7	11	22	34	82
TOTAL 0-19 YRS	2449	3.2	8	1	1	3	4	6	8	14
20-34	1355	3.9	15	1	1	3	5	7	9	19
35-49	722	4.8	28	1	1	3	5	8	13	29
50-64	730	5.2	32	1	2	4	6	10	14	26
65+	1156	6.9	59	2	2	5	8	13	19	47
GRAND TOTAL	**6412**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	18.0	719	1	1	6	33	58	58	58
20-34	18	13.0	41	5	6	13	14	17	27	34
35-49	18	8.6	17	3	3	8	11	15	17	17
50-64	5	9.0	3	7	7	9	10	11	11	11
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	3	7.0	13	3	3	8	9	10	10	10
20-34	16	15.4	209	1	2	11	21	38	49	54
35-49	14	9.0	29	1	2	8	13	17	18	18
50-64	10	10.0	45	2	2	8	14	21	22	22
65+	8	9.6	14	2	4	10	12	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	13.1	84	1	3	11	16	25	33	35
20-34	51	15.7	332	3	4	9	19	35	41	94
35-49	67	15.8	147	4	5	14	20	28	34	74
50-64	46	19.9	460	3	4	11	27	56	88	99+
65+	66	13.5	160	4	4	10	15	20	28	76
B. *Operated*										
0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	37	23.9	309	5	8	19	32	55	70	99+
35-49	50	18.2	293	4	5	14	23	46	57	99+
50-64	39	20.6	290	3	5	16	25	42	78	99+
65+	73	18.1	227	2	6	16	21	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	11.3	79	3	4	9	14	17	21	58
B. *Operated*	51	11.2	89	2	2	9	14	21	26	54
2. MULTIPLE DX										
A. *Not Operated*	244	15.8	246	3	4	11	18	31	44	94
B. *Operated*	202	19.5	270	3	5	15	24	43	62	99+
1. SINGLE DX	97	11.2	84	2	3	9	14	17	26	56
2. MULTIPLE DX	446	17.5	259	3	5	13	21	36	57	99+
A. NOT OPERATED	290	15.1	221	3	4	11	17	29	41	91
B. OPERATED	253	17.8	244	2	4	14	22	39	56	99+
TOTAL 0-19 YRS	24	12.5	156	1	3	10	15	25	42	58
20-34	122	17.8	278	3	5	13	22	40	55	96
35-49	149	15.1	179	3	4	12	17	29	41	91
50-64	100	18.6	339	3	4	12	22	44	78	99+
65+	148	15.6	190	3	5	12	18	29	39	98
GRAND TOTAL	**543**	**16.4**	**234**	**3**	**4**	**12**	**20**	**34**	**54**	**98**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	18.5	1047	<1	<1	3	35	67	67	67
20-34	7	6.4	40	1	1	3	13	15	15	15
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	9.2	134	1	1	5	9	30	32	32
35-49	4	4.8	5	2	2	5	6	7	7	7
50-64	5	4.4	24	<1	<1	2	6	13	13	13
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	5	12	12	13	15	15	15	15
20-34	8	12.6	172	1	2	11	23	77	99+	99+
35-49	4	7.5	22	3	3	6	10	14	14	14
50-64	6	7.2	5	5	5	7	8	11	11	11
65+	12	10.1	27	4	4	10	13	17	20	21
B. *Operated*										
0-19 YRS	7	19.4	466	2	2	13	30	56	61	61
20-34	21	24.5	253	4	5	21	40	45	52	58
35-49	17	25.9	216	4	10	24	36	56	84	99+
50-64	17	18.4	367	<1	1	10	25	47	63	70
65+	17	22.8	324	1	4	19	34	64	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.8	320	<1	1	3	10	26	59	67
B. *Operated*	17	5.8	57	<1	<1	3	7	12	25	32
2. MULTIPLE DX										
A. *Not Operated*	32	10.1	56	3	4	9	14	18	39	99+
B. *Operated*	79	22.7	295	2	4	19	35	53	63	99+
1. SINGLE DX	30	7.5	168	<1	<1	3	8	15	32	67
2. MULTIPLE DX	111	19.0	258	2	4	15	31	45	61	99+
A. NOT OPERATED	45	10.0	127	1	1	8	14	17	47	99+
B. OPERATED	96	19.7	294	1	2	16	32	47	61	99+
TOTAL 0-19 YRS	14	17.0	482	<1	<1	8	19	62	66	67
20-34	42	17.0	236	1	2	12	25	43	51	99+
35-49	25	19.6	237	2	3	17	32	44	69	99+
50-64	30	12.9	250	<1	1	8	13	36	50	70
65+	30	17.0	237	1	4	14	21	45	66	99+
GRAND TOTAL	**141**	**16.6**	**260**	**1**	**2**	**12**	**22**	**43**	**61**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.4	2	1	1	2	3	4	5	7
20-34	47	2.7	1	1	2	3	3	4	5	5
35-49	9	2.7	1	1	1	3	3	4	4	4
50-64	5	2.8	2	1	1	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	69	1.1		1	1	1	1	1	2	3
20-34	12	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	3.0	3	1	1	3	4	5	6	9
20-34	123	3.5	12	1	2	3	4	5	6	18
35-49	42	3.5	3	1	2	3	4	5	7	9
50-64	26	4.2	2	2	3	4	5	6	7	7
65+	13	5.3	10	1	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	42	1.6	3	1	1	1	1	4	6	8
20-34	10	2.7	6	1	1	2	3	6	9	9
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	11.0	8	9	9	11	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	2.5	2	1	1	2	3	4	4	6
B. *Operated*	82	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	522	3.3	5	1	1	3	4	5	6	10
B. *Operated*	57	2.5	9	1	1	1	2	8	9	13
1. SINGLE DX	271	2.1	2	1	1	2	3	4	4	6
2. MULTIPLE DX	579	3.2	6	1	1	3	4	5	7	10
A. NOT OPERATED	711	3.1	4	1	1	3	4	5	6	10
B. OPERATED	139	1.6	4	1	1	1	1	3	7	12
TOTAL 0-19 YRS	556	2.5	3	1	1	2	3	4	6	9
20-34	192	3.1	9	1	1	3	4	5	6	10
35-49	54	3.6	5	1	1	3	4	6	9	12
50-64	32	3.9	2	2	2	4	5	6	7	7
65+	16	5.9	13	1	2	5	9	11	12	13
GRAND TOTAL	**850**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	4.4	9	1	2	4	5	9	11	15
20-34	12	4.6	3	3	3	4	6	7	8	8
35-49	17	8.8	76	2	3	6	9	14	31	40
50-64	12	6.9	82	2	2	4	5	17	32	35
65+	39	11.1	169	2	3	7	11	20	50	58
B. *Operated*										
0-19 YRS	18	7.0	24	1	2	7	10	13	16	18
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	6.2	41	2	2	4	7	12	15	29
20-34	190	9.2	48	2	3	8	11	17	27	34
35-49	284	11.3	79	3	4	9	13	20	30	50
50-64	639	11.1	71	3	4	9	13	19	28	50
65+	2903	13.0	85	4	5	11	15	23	30	66
B. *Operated*										
0-19 YRS	51	13.9	151	2	4	10	14	33	38	68
20-34	90	21.5	301	3	6	16	29	49	71	99+
35-49	117	19.7	206	5	7	16	27	42	64	99+
50-64	256	21.7	275	5	7	15	30	46	54	87
65+	920	21.9	265	6	8	17	28	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	5.5	37	1	2	4	6	10	13	40
B. *Operated*	24	7.0	23	1	2	6	10	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	4510	11.7	81	3	4	10	14	21	29	57
B. *Operated*	1434	21.4	262	6	7	16	28	46	66	99+
1. SINGLE DX	368	5.6	36	1	2	4	7	11	14	39
2. MULTIPLE DX	5944	14.0	141	3	4	11	17	28	40	84
A. NOT OPERATED	4854	11.3	80	3	4	9	14	20	28	57
B. OPERATED	1458	21.1	261	5	7	16	28	46	66	99+
TOTAL 0-19 YRS	827	6.2	42	2	2	4	7	12	15	35
20-34	295	12.7	157	2	3	8	15	29	36	79
35-49	418	13.5	129	3	4	10	17	29	40	99+
50-64	908	14.0	152	4	5	10	15	30	42	72
65+	3864	15.1	143	5	6	12	17	29	42	96
GRAND TOTAL	**6312**	**13.5**	**139**	**3**	**4**	**10**	**16**	**28**	**39**	**81**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	6.3	13	2	2	6	9	11	12	17
20-34	20	5.8	13	2	2	5	8	11	14	15
35-49	22	6.6	18	2	3	5	10	14	14	14
50-64	17	6.6	23	3	3	5	8	12	18	22
65+	15	5.9	9	3	3	5	7	9	13	15
B. *Operated*										
0-19 YRS	9	8.8	16	2	2	11	11	12	13	13
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	28.0		28	28	28	28	28	28	28
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	7.9	15	2	3	8	11	12	14	17
20-34	68	7.6	49	1	2	6	9	12	17	40
35-49	55	7.8	36	2	2	6	10	15	18	30
50-64	96	8.9	34	3	3	8	12	17	23	68
65+	193	11.2	108	4	5	8	13	22	30	85
B. *Operated*										
0-19 YRS	12	12.8	159	1	2	11	14	29	46	49
20-34	24	20.4	249	2	4	17	31	54	68	99+
35-49	21	14.6	92	2	3	17	21	28	29	30
50-64	36	18.1	254	5	6	14	20	48	68	99+
65+	83	22.3	312	4	5	17	28	48	69	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	6.3	14	2	2	6	9	11	13	18
B. *Operated*	14	8.0	55	1	1	8	11	14	25	28
2. MULTIPLE DX										
A. *Not Operated*	551	9.2	59	2	3	8	11	15	23	41
B. *Operated*	176	19.6	260	3	4	16	25	47	61	99+
1. SINGLE DX	236	6.4	16	2	2	6	9	11	13	19
2. MULTIPLE DX	727	11.7	127	2	3	9	14	24	36	80
A. NOT OPERATED	773	8.4	48	2	3	7	11	14	19	36
B. OPERATED	190	18.8	254	2	4	15	24	45	58	99+
TOTAL 0-19 YRS	308	7.4	21	2	2	7	10	12	13	19
20-34	115	9.8	112	1	2	6	11	20	35	72
35-49	99	9.2	55	2	3	7	13	19	28	30
50-64	149	10.9	101	3	3	8	13	21	32	99+
65+	292	14.1	188	3	4	9	16	30	44	85
GRAND TOTAL	**963**	**10.4**	**105**	**2**	**3**	**8**	**12**	**19**	**30**	**73**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	438	3.6	5	1	2	3	4	6	8	11
20-34	250	3.9	5	1	2	3	5	7	8	12
35-49	65	3.8	5	1	2	3	5	7	8	11
50-64	8	4.1	8	1	1	4	5	9	10	10
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	11	3.7	1	3	3	4	4	5	5	5
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	4.3	9	1	2	4	5	8	10	19
20-34	162	4.9	12	1	2	4	6	10	12	19
35-49	71	6.1	43	2	2	5	7	10	13	47
50-64	23	5.9	13	2	2	5	8	12	14	14
65+	19	7.5	17	2	3	6	11	14	15	16
B. *Operated*										
0-19 YRS	7	5.0	5	3	3	4	7	8	8	8
20-34	11	9.5	81	1	3	7	26	99+	99+	99+
35-49	5	10.0	87	3	3	8	13	26	26	26
50-64	1	5.0		5	5	5	5	5	5	5
65+	10	16.7	83	7	8	16	19	30	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	763	3.7	5	1	2	3	5	6	8	11
B. *Operated*	16	3.9	1	2	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	494	5.0	16	1	2	4	6	9	12	19
B. *Operated*	34	10.6	78	3	3	8	16	27	81	99+
1. SINGLE DX	779	3.7	5	1	2	3	5	6	8	11
2. MULTIPLE DX	528	5.3	22	1	2	4	6	10	13	26
A. NOT OPERATED	1257	4.2	10	1	2	4	5	7	10	14
B. OPERATED	50	8.5	63	3	3	5	11	26	38	99+
TOTAL 0-19 YRS	675	3.9	6	1	2	3	5	6	9	12
20-34	427	4.4	10	1	2	4	5	8	11	22
35-49	142	5.2	28	1	2	4	6	9	11	28
50-64	32	5.4	11	1	2	5	7	11	14	14
65+	31	10.2	57	2	3	8	14	17	22	39
GRAND TOTAL	**1307**	**4.4**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.4	6	1	1	3	4	6	9	12
20-34	49	4.7	7	1	2	4	7	8	9	12
35-49	23	5.0	4	2	3	5	6	8	9	9
50-64	26	4.5	9	1	1	4	6	8	10	13
65+	48	6.2	19	1	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	5	6.2	5	4	4	5	8	9	9	9
20-34	2	8.0	72	2	2	8	14	14	14	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	25.0		25	25	25	25	25	25	25
65+	4	9.0	22	3	3	9	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	353	4.2	22	1	2	3	5	7	8	15
20-34	126	6.1	20	2	2	5	8	12	17	21
35-49	75	8.7	76	2	3	7	11	14	20	59
50-64	151	7.7	34	2	3	6	9	13	17	35
65+	522	9.0	56	2	3	7	11	17	23	37
B. *Operated*										
0-19 YRS	8	5.5	6	2	3	5	7	9	10	10
20-34	18	10.6	59	3	4	9	12	21	30	35
35-49	12	11.5	77	2	2	10	15	25	30	31
50-64	22	16.1	161	5	6	12	19	40	47	48
65+	66	16.3	201	4	5	11	25	46	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	4.3	9	1	1	3	5	8	10	15
B. *Operated*	13	8.5	42	2	2	8	12	16	23	25
2. MULTIPLE DX										
A. *Not Operated*	1227	7.1	45	2	2	5	8	14	18	33
B. *Operated*	126	14.3	157	2	4	10	19	36	47	99+
1. SINGLE DX	302	4.5	11	1	1	3	6	8	11	15
2. MULTIPLE DX	1353	7.8	60	2	2	6	9	15	22	46
A. NOT OPERATED	1516	6.6	39	1	2	5	8	13	17	32
B. OPERATED	139	13.8	149	2	4	10	16	33	47	99+
TOTAL 0-19 YRS	509	4.0	17	1	2	3	5	7	8	14
20-34	195	6.2	23	2	2	5	8	12	15	23
35-49	111	8.2	64	2	3	6	10	15	21	47
50-64	200	8.3	54	2	3	6	10	14	23	45
65+	640	9.5	73	2	3	7	11	19	25	53
GRAND TOTAL	**1655**	**7.2**	**53**	**2**	**2**	**5**	**8**	**14**	**19**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.3	6	1	2	4	6	8	9	10
20-34	105	5.8	14	1	2	5	7	11	13	18
35-49	41	6.6	8	2	3	6	8	10	13	13
50-64	15	8.9	22	2	3	8	13	16	17	18
65+	8	6.3	9	2	3	6	7	11	12	12
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	6.4	63	<1	<1	3	9	20	24	24
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.4	13	1	2	4	7	10	12	18
20-34	174	8.0	40	2	3	7	10	14	21	37
35-49	74	6.8	28	2	3	5	8	12	17	28
50-64	66	8.5	30	2	3	7	10	16	20	28
65+	64	10.0	105	3	4	8	12	18	43	99+
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	7.8	47	1	1	6	13	18	21	21
35-49	11	8.5	61	1	1	8	10	19	28	29
50-64	16	13.3	194	1	1	11	17	21	48	59
65+	15	13.7	74	2	5	12	18	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	6.0	13	2	2	5	8	11	13	17
B. *Operated*	13	5.8	45	<1	<1	2	9	14	22	24
2. MULTIPLE DX										
A. *Not Operated*	408	8.0	45	2	3	6	9	15	21	42
B. *Operated*	54	11.0	104	1	1	9	16	21	30	58
1. SINGLE DX	209	6.0	15	1	2	5	8	11	13	19
2. MULTIPLE DX	462	8.3	53	2	3	7	10	16	22	43
A. NOT OPERATED	604	7.3	36	2	2	6	9	13	17	31
B. OPERATED	67	10.0	96	1	1	8	14	21	29	54
TOTAL 0-19 YRS	60	4.9	10	1	2	4	6	9	11	17
20-34	297	7.2	32	1	2	6	9	13	18	27
35-49	129	6.8	24	1	2	6	8	11	15	28
50-64	98	9.3	57	2	3	7	12	17	21	44
65+	87	10.3	93	3	4	8	13	20	30	99+
GRAND TOTAL	**671**	**7.6**	**42**	**2**	**2**	**6**	**9**	**15**	**19**	**34**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	3.5	3	1	1	3	4	6	7	10
20-34	90	4.4	7	1	2	4	5	8	10	14
35-49	12	6.8	6	3	4	6	9	10	11	11
50-64	5	2.6	1	2	2	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	2	10.0	32	6	6	10	14	14	14	14
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	14.0	2	13	13	14	15	15	15	15
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	556	3.8	5	1	2	3	5	6	8	12
20-34	171	4.5	8	1	2	4	6	8	9	14
35-49	24	5.9	19	2	2	5	7	9	15	23
50-64	5	6.6	7	4	4	5	9	10	10	10
65+	9	15.7	264	3	3	9	22	44	49	49
B. *Operated*										
0-19 YRS	9	4.4	5	1	2	4	5	8	9	9
20-34	8	9.3	23	3	3	9	14	15	15	15
35-49	8	17.0	231	5	6	11	20	43	52	52
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	16.0		16	16	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	3.8	5	1	2	3	5	6	8	11
B. *Operated*	6	11.0	13	6	6	11	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	765	4.1	11	1	2	3	5	7	9	13
B. *Operated*	27	10.3	97	2	3	8	14	18	26	52
1. SINGLE DX	371	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	792	4.4	15	1	2	3	5	7	9	19
A. NOT OPERATED	1130	4.0	9	1	2	3	5	7	9	12
B. OPERATED	33	10.4	81	3	3	9	14	17	21	52
TOTAL 0-19 YRS	825	3.7	5	1	2	3	5	6	7	11
20-34	270	4.6	9	1	2	4	6	8	11	15
35-49	46	8.4	66	2	3	6	9	15	21	52
50-64	11	5.2	11	2	2	4	8	10	11	11
65+	11	15.0	217	3	3	9	17	41	48	49
GRAND TOTAL	**1163**	**4.2**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	4	4	4	7	8	8	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	79	1.3	1	<1	<1	<1	1	2	3	8
20-34	221	1.4	1	<1	<1	1	2	3	3	5
35-49	62	2.0	6	<1	<1	1	2	5	6	14
50-64	21	1.3		<1	<1	1	2	2	3	3
65+	6	2.0	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	11	<1	<1	<1	<1	8	9	9
20-34	7	1.1		<1	<1	<1	<1	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.5	5	<1	<1	2	3	6	8	9
20-34	94	2.0	5	<1	<1	1	2	4	6	13
35-49	43	3.1	12	<1	<1	1	4	9	11	15
50-64	19	2.3	5	<1	<1	1	3	4	8	11
65+	7	2.3	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.2	11	1	1	4	7	8	8	8
B. *Operated*	389	1.5	2	<1	<1	1	1	3	3	8
2. MULTIPLE DX										
A. *Not Operated*	14	1.6	5	<1	<1	<1	<1	3	8	9
B. *Operated*	180	2.4	7	<1	<1	1	3	5	9	14
1. SINGLE DX	394	1.5	2	<1	<1	1	1	3	4	9
2. MULTIPLE DX	194	2.3	7	<1	<1	1	2	5	9	14
A. NOT OPERATED	19	2.3	7	<1	<1	<1	2	8	9	9
B. OPERATED	569	1.8	3	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	105	1.7	3	<1	<1	<1	1	4	6	9
20-34	324	1.6	2	<1	<1	1	2	3	4	8
35-49	106	2.5	9	<1	<1	1	3	5	9	15
50-64	40	1.8	3	<1	<1	1	2	3	4	11
65+	13	2.2	1	<1	1	2	3	4	4	4
GRAND TOTAL	**588**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1201	2.7	2	1	1	2	3	4	5	8
20-34	221	3.2	6	1	1	3	4	6	8	12
35-49	80	3.2	7	1	1	3	4	6	7	15
50-64	43	3.4	6	1	1	3	4	7	8	13
65+	27	3.3	3	1	1	4	4	5	6	8
B. *Operated*										
0-19 YRS	28	3.2	5	<1	<1	3	4	6	9	9
20-34	9	3.3	36	<1	<1	1	2	13	19	19
35-49	8	7.4	37	1	1	5	12	16	17	17
50-64	7	19.6	518	1	1	10	24	59	67	67
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1572	3.2	8	1	1	3	4	5	7	13
20-34	546	4.7	23	1	1	3	5	9	13	28
35-49	325	5.1	23	1	1	4	6	11	16	33
50-64	307	4.5	12	1	2	4	5	8	10	20
65+	530	5.6	44	2	2	4	6	10	13	43
B. *Operated*										
0-19 YRS	48	5.4	43	<1	<1	4	6	11	17	40
20-34	80	16.9	357	1	3	11	23	38	70	97
35-49	63	21.1	391	3	3	17	25	45	79	98
50-64	37	11.6	103	2	3	9	18	23	44	99+
65+	36	11.7	77	3	3	9	14	29	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1572	2.8	3	1	1	2	4	5	6	9
B. *Operated*	54	6.0	101	<1	<1	3	6	15	21	65
2. MULTIPLE DX										
A. *Not Operated*	3280	4.1	19	1	1	3	5	7	10	22
B. *Operated*	264	14.3	261	1	2	9	20	35	56	99+
1. SINGLE DX	1626	2.9	7	1	1	2	4	5	6	11
2. MULTIPLE DX	3544	4.9	44	1	1	3	5	9	14	39
A. NOT OPERATED	4852	3.7	15	1	1	3	4	6	9	19
B. OPERATED	318	12.9	243	1	1	8	19	30	48	99+
TOTAL 0-19 YRS	2849	3.0	7	1	1	3	4	5	6	11
20-34	856	5.4	64	1	1	3	6	10	20	36
35-49	476	6.9	100	1	1	4	7	17	24	84
50-64	394	5.3	35	1	2	4	6	10	15	27
65+	595	5.8	46	1	2	4	7	10	14	50
GRAND TOTAL	**5170**	**4.3**	**33**	**1**	**1**	**3**	**4**	**8**	**11**	**29**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.0	10	1	2	4	6	10	11	15
20-34	31	4.5	8	1	1	4	6	9	11	12
35-49	16	6.2	22	1	2	4	10	14	15	15
50-64	11	5.4	37	1	1	3	8	15	20	21
65+										
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.1	26	1	1	7	10	14	16	18
20-34	18	6.6	10	2	3	6	8	11	13	13
35-49	23	5.6	12	2	2	5	8	11	12	13
50-64	14	6.8	18	2	2	5	10	14	15	15
65+	13	8.4	117	2	2	5	10	20	38	42
B. *Operated*										
0-19 YRS										
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	2	10.0	72	4	4	10	16	16	16	16
65+	3	8.3	57	3	3	5	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.1	15	1	2	4	7	11	13	19
B. *Operated*	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	94	6.8	30	2	2	5	10	13	15	31
B. *Operated*	9	8.1	37	2	2	5	15	17	17	17
1. SINGLE DX	90	5.1	14	1	2	4	7	11	13	19
2. MULTIPLE DX	103	6.9	30	2	2	5	10	14	15	29
A. NOT OPERATED	182	6.0	23	1	2	4	8	12	14	20
B. OPERATED	11	7.9	30	2	3	6	13	16	17	17
TOTAL 0-19 YRS	57	6.0	18	1	1	4	9	13	15	18
20-34	52	5.3	9	1	2	5	7	10	12	13
35-49	41	6.0	17	2	2	4	9	13	14	15
50-64	27	6.4	28	1	2	5	10	15	17	21
65+	16	8.4	101	2	2	5	10	17	34	42
GRAND TOTAL	**193**	**6.1**	**24**	**1**	**2**	**5**	**8**	**12**	**15**	**20**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	4.9	7	1	2	4	6	9	10	11
20-34	75	4.8	6	2	2	4	6	8	8	15
35-49	8	4.9	2	2	3	5	6	7	7	7
50-64	7	4.7	21	<1	<1	2	9	12	12	12
65+	3	8.0	37	<1	<1	11	12	12	12	12
B. *Operated*										
0-19 YRS	6	5.3	15	<1	<1	5	8	11	11	11
20-34	21	3.7	11	<1	<1	2	5	9	11	11
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.9	10	2	3	5	8	10	12	17
20-34	96	5.8	10	1	2	5	7	11	12	15
35-49	23	7.4	21	2	3	7	8	15	18	18
50-64	14	13.0	214	1	2	8	12	35	51	56
65+	20	8.7	92	1	1	6	10	31	66	99+
B. *Operated*										
0-19 YRS	6	4.8	5	2	2	5	6	8	8	8
20-34	30	4.7	22	<1	<1	4	8	12	21	99+
35-49	10	7.1	58	<1	<1	3	14	19	23	23
50-64	4	8.3	104	<1	<1	4	15	23	23	23
65+	7	24.1	754	1	1	21	28	71	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.9	8	1	2	4	6	9	11	15
B. *Operated*	33	3.7	11	<1	<1	2	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	201	6.8	36	1	2	6	8	11	16	47
B. *Operated*	57	7.8	147	<1	1	4	9	22	28	98
1. SINGLE DX	176	4.7	8	<1	1	4	6	9	11	14
2. MULTIPLE DX	258	7.0	60	1	2	5	8	13	20	78
A. NOT OPERATED	344	6.0	25	1	2	5	7	11	13	33
B. OPERATED	90	6.3	100	<1	<1	3	8	15	23	92
TOTAL 0-19 YRS	110	5.4	9	1	2	5	7	10	11	14
20-34	222	5.1	11	1	1	5	7	9	12	17
35-49	45	6.4	26	1	1	5	8	14	18	23
50-64	26	9.6	145	<1	1	6	11	22	38	56
65+	31	12.0	257	1	1	7	16	32	77	99+
GRAND TOTAL	**434**	**6.1**	**40**	**1**	**1**	**5**	**7**	**11**	**15**	**41**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	5	3.2	15	<1	<1	1	5	10	10	10
35-49	8	3.6	19	1	1	1	5	11	13	13
50-64	2	5.0	2	4	4	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	7.8	30	1	1	7	12	16	16	16
50-64	4	25.0	1174	2	2	11	44	76	76	76
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.4	15	<1	<1	3	6	9	14	17
20-34	27	15.5	324	1	2	7	19	43	50	73
35-49	34	14.4	346	1	2	7	14	48	63	73
50-64	35	8.3	36	1	2	7	12	15	27	99+
65+	71	12.6	119	3	4	10	15	20	36	68
B. *Operated*										
0-19 YRS	3	40.3	1057	15	15	29	65	77	77	77
20-34	24	29.0	539	4	5	31	42	83	99+	99+
35-49	40	20.1	288	2	6	14	27	46	62	71
50-64	40	19.7	364	1	2	15	26	49	62	82
65+	40	22.3	479	1	2	16	26	52	74	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.7	13	<1	1	2	6	9	12	13
B. *Operated*	12	12.4	426	<1	1	7	12	34	70	76
2. MULTIPLE DX										
A. *Not Operated*	202	11.1	163	1	2	7	13	22	40	75
B. *Operated*	147	22.4	419	1	3	17	31	55	77	99+
1. SINGLE DX	30	7.2	188	<1	1	3	8	12	16	76
2. MULTIPLE DX	349	15.9	301	1	2	10	20	40	60	98
A. NOT OPERATED	220	10.5	154	1	1	7	13	20	38	74
B. OPERATED	159	21.7	424	1	2	15	30	55	76	99+
TOTAL 0-19 YRS	41	7.0	156	<1	<1	3	7	14	22	77
20-34	57	19.8	448	<1	1	12	35	58	82	99+
35-49	88	15.5	290	1	1	9	18	38	60	72
50-64	81	14.7	275	1	2	9	20	36	60	94
65+	112	15.9	267	1	3	11	18	36	49	87
GRAND TOTAL	**379**	**15.2**	**297**	**1**	**2**	**9**	**19**	**39**	**59**	**93**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	7	7.0	80	<1	1	4	6	23	27	27
35-49										
50-64	2	10.0	8	8	8	10	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	23	2	2	2	7	13	13	13
20-34	6	7.0	15	4	4	5	9	13	14	14
35-49	4	3.3	8	<1	<1	2	5	7	7	7
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	3	6.3	25	1	1	7	10	11	11	11
B. *Operated*										
0-19 YRS	5	6.8	16	2	2	9	10	11	11	11
20-34	3	22.0	91	13	13	21	29	32	32	32
35-49	3	12.3	50	6	6	11	18	20	20	20
50-64	3	22.3	65	15	15	21	28	31	31	31
65+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.2	10	1	1	3	5	9	10	10
B. *Operated*	13	6.2	48	<1	2	3	6	15	25	27
2. MULTIPLE DX										
A. *Not Operated*	20	5.6	15	<1	1	5	8	12	13	14
B. *Operated*	15	14.9	84	2	3	13	21	31	32	32
1. SINGLE DX	19	5.5	35	<1	1	3	6	11	20	27
2. MULTIPLE DX	35	9.6	65	1	2	7	13	21	29	32
A. NOT OPERATED	26	5.2	14	1	1	5	7	11	13	14
B. OPERATED	28	10.9	84	2	2	8	17	25	31	32
TOTAL 0-19 YRS	15	4.7	15	1	2	3	8	11	12	13
20-34	19	8.8	78	1	2	5	12	25	30	32
35-49	9	7.1	36	<1	<1	6	10	16	20	20
50-64	7	14.3	83	5	6	12	19	29	31	31
65+	4	9.8	64	1	1	9	15	20	20	20
GRAND TOTAL	**54**	**8.1**	**58**	**1**	**2**	**5**	**11**	**20**	**26**	**32**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	6	1	1	4	6	8	8	8
20-34	11	5.3	8	2	2	4	8	9	10	10
35-49	9	6.6	70	<1	1	3	7	20	28	28
50-64	3	4.7	22	1	1	3	8	10	10	10
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	4	4.0	9	<1	<1	4	6	7	7	7
20-34	73	3.9	16	<1	1	3	4	10	13	19
35-49	50	3.3	17	<1	<1	2	4	8	13	20
50-64	15	4.2	39	1	1	2	4	6	21	26
65+	8	6.0	33	1	1	4	7	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.5	34	1	2	5	14	16	18	19
20-34	84	13.9	144	1	2	10	20	30	42	50
35-49	100	12.8	119	1	3	10	17	24	32	62
50-64	44	10.1	49	2	2	8	15	21	22	28
65+	32	7.3	17	2	2	7	9	14	15	15
B. *Operated*										
0-19 YRS	7	15.1	158	<1	2	10	24	35	37	37
20-34	233	18.6	156	2	5	17	24	36	44	82
35-49	228	19.5	199	2	4	18	24	37	47	82
50-64	66	14.8	111	1	2	15	22	30	34	41
65+	31	14.5	184	1	1	12	21	32	46	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.2	24	1	1	4	7	9	10	28
B. *Operated*	150	3.9	19	<1	1	2	4	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	278	11.8	103	1	2	9	16	24	30	50
B. *Operated*	565	18.2	171	2	3	17	24	35	44	77
1. SINGLE DX	183	4.1	20	<1	1	2	5	9	13	24
2. MULTIPLE DX	843	16.1	158	2	3	14	22	32	41	65
A. NOT OPERATED	311	11.1	99	1	2	8	15	23	30	50
B. OPERATED	715	15.2	174	1	1	14	22	32	41	66
TOTAL 0-19 YRS	37	7.9	59	<1	1	5	10	16	25	37
20-34	401	14.6	156	1	2	13	21	31	41	63
35-49	387	15.4	183	1	1	13	21	32	42	68
50-64	128	11.7	92	1	2	9	20	25	30	39
65+	73	10.1	102	1	2	7	14	22	28	52
GRAND TOTAL	**1026**	**14.0**	**154**	**1**	**2**	**11**	**21**	**30**	**38**	**62**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	12.5	145	4	4	12	21	21	21	21
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	1	18.0		18	18	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	4	9.5	62	4	4	6	14	21	21	21
B. *Operated*	3	8.7	74	1	1	7	15	18	18	18
1. SINGLE DX	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX	7	9.1	56	1	2	7	15	20	21	21
A. NOT OPERATED	5	8.8	49	4	4	6	11	21	21	21
B. OPERATED	4	7.8	53	1	1	6	12	18	18	18
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	7.6	61	1	1	5	10	21	21	21
65+	2	13.0	50	8	8	13	18	18	18	18
GRAND TOTAL	**9**	**8.3**	**45**	**1**	**2**	**6**	**10**	**20**	**21**	**21**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	8	8.3	92	2	2	4	10	25	30	30
65+	9	10.7	113	1	2	6	15	29	30	30
B. *Operated*										
0-19 YRS	5	3.8	2	2	2	4	5	5	5	5
20-34	10	4.0	29	1	1	2	3	12	19	19
35-49	33	5.2	28	1	1	2	9	14	16	21
50-64	103	5.2	66	<1	1	2	6	13	18	46
65+	93	6.5	90	1	1	3	7	13	21	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	12.2	62	5	5	9	17	25	25	25
35-49	27	8.2	89	1	1	6	8	17	24	49
50-64	58	8.3	41	1	2	7	10	16	21	37
65+	95	10.3	173	1	2	7	13	20	30	83
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	10	10.0	135	<1	<1	6	15	28	37	37
35-49	78	15.4	229	1	1	12	22	31	45	75
50-64	355	13.3	184	1	2	11	16	31	45	72
65+	483	12.0	180	1	2	8	16	29	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.9	86	1	2	5	10	28	30	30
B. *Operated*	244	5.6	67	<1	1	3	6	13	19	41
2. MULTIPLE DX										
A. *Not Operated*	186	9.4	116	1	2	7	11	19	23	70
B. *Operated*	928	12.8	185	1	1	9	16	29	44	79
1. SINGLE DX	264	5.8	69	1	1	3	7	14	20	38
2. MULTIPLE DX	1114	12.2	175	1	2	8	16	28	40	79
A. NOT OPERATED	206	9.3	112	1	2	7	11	20	25	63
B. OPERATED	1172	11.3	169	1	1	7	15	26	38	74
TOTAL 0-19 YRS	8	3.5	2	1	1	4	5	5	5	5
20-34	26	8.0	81	<1	1	5	12	20	27	37
35-49	140	11.4	171	1	1	6	16	26	39	68
50-64	524	11.1	154	1	1	8	14	23	37	65
65+	680	11.0	168	1	1	7	14	26	37	81
GRAND TOTAL	**1378**	**11.0**	**161**	**1**	**1**	**7**	**14**	**25**	**37**	**74**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	4	3.8	8	<1	<1	3	6	7	7	7
65+	6	5.0	9	2	2	4	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34	2	21.5	113	14	14	21	29	29	29	29
35-49	3	12.0	73	4	4	11	18	21	21	21
50-64	15	11.2	79	<1	<1	11	15	25	31	33
65+	17	8.4	139	<1	1	4	11	19	39	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	10	13.2	270	1	2	7	16	39	56	56
50-64	34	9.2	48	2	2	7	13	20	26	29
65+	99	7.3	32	2	2	6	9	15	19	30
B. *Operated*										
0-19 YRS										
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	40	13.5	185	1	2	12	16	24	30	82
50-64	128	18.8	173	2	5	15	26	36	45	71
65+	280	16.3	158	2	3	14	23	35	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.7	7	<1	1	4	6	8	10	10
B. *Operated*	37	10.5	109	<1	1	9	13	24	32	49
2. MULTIPLE DX										
A. *Not Operated*	144	8.2	52	2	2	6	10	17	22	33
B. *Operated*	450	16.7	166	2	3	14	23	35	44	99
1. SINGLE DX	49	9.1	90	<1	1	5	12	21	29	49
2. MULTIPLE DX	594	14.6	152	2	3	12	20	32	41	76
A. NOT OPERATED	156	7.9	50	2	2	6	9	16	21	32
B. OPERATED	487	16.2	164	2	3	14	22	35	43	92
TOTAL 0-19 YRS										
20-34	5	13.4	107	1	1	14	18	29	29	29
35-49	55	13.1	184	1	2	11	16	23	32	81
50-64	181	16.0	157	2	3	13	22	33	40	62
65+	402	13.6	140	2	2	10	19	31	41	83
GRAND TOTAL	**643**	**14.2**	**149**	**2**	**2**	**11**	**20**	**32**	**41**	**70**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64	4	7.5	74	1	1	4	13	20	20	20
65+	3	12.0	1	11	11	12	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	13.9	43	5	6	14	17	24	25	25
50-64	14	11.1	44	3	3	10	17	21	23	23
65+	27	11.8	44	1	2	12	15	21	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	8.9	83	1	2	6	9	27	31	32
50-64	39	6.3	15	1	2	6	9	11	14	18
65+	126	8.8	56	2	2	6	12	18	23	38
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	6	19.7	85	11	11	18	24	34	35	35
35-49	51	16.4	159	3	4	13	21	32	45	62
50-64	224	17.9	155	4	6	15	22	34	43	62
65+	732	19.0	158	6	8	16	23	33	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	8.8	41	1	2	8	12	18	20	20
B. *Operated*	50	12.0	43	2	3	12	15	22	25	27
2. MULTIPLE DX										
A. *Not Operated*	180	8.2	50	2	2	6	10	16	22	33
B. *Operated*	1014	18.7	157	5	7	16	23	33	44	81
1. SINGLE DX	58	11.6	43	2	3	11	15	21	24	27
2. MULTIPLE DX	1194	17.1	155	3	5	14	22	32	42	77
A. NOT OPERATED	188	8.2	49	2	2	6	11	17	22	33
B. OPERATED	1064	18.4	153	5	7	15	23	33	43	80
TOTAL 0-19 YRS	2	12.5	145	4	4	12	21	21	21	21
20-34	7	17.0	121	1	3	14	23	33	35	35
35-49	74	14.7	137	3	3	12	18	27	43	59
50-64	281	15.8	146	3	4	13	19	32	40	59
65+	888	17.3	153	4	5	15	22	31	42	85
GRAND TOTAL	**1252**	**16.8**	**151**	**3**	**5**	**14**	**21**	**31**	**42**	**74**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	11.5	5	10	10	11	13	13	13	13
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	16.0	32	12	12	16	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	6	6.7	27	2	2	4	11	15	15	15
65+	12	11.2	82	4	5	10	12	20	35	38
B. *Operated*										
0-19 YRS										
20-34	1	22.0		22	22	22	22	22	22	22
35-49	12	17.3	271	7	7	11	17	39	62	66
50-64	33	23.2	299	8	8	17	28	53	60	70
65+	73	20.8	227	9	10	16	25	37	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	13.2	16	10	10	12	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	20	9.1	63	1	2	7	12	14	26	38
B. *Operated*	119	21.1	248	8	9	16	25	41	59	94
1. SINGLE DX	5	13.2	16	10	10	12	15	20	20	20
2. MULTIPLE DX	139	19.4	239	5	7	15	23	38	55	92
A. NOT OPERATED	20	9.1	63	1	2	7	12	14	26	38
B. OPERATED	124	20.8	241	8	9	16	24	41	58	93
TOTAL 0-19 YRS										
20-34	1	22.0		22	22	22	22	22	22	22
35-49	16	14.9	223	2	6	10	16	27	55	66
50-64	40	20.5	287	3	6	14	24	50	59	70
65+	87	19.3	212	6	9	15	24	37	45	97
GRAND TOTAL	**144**	**19.2**	**232**	**5**	**7**	**14**	**23**	**38**	**54**	**91**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	5.7	14	<1	1	5	7	12	13	13
65+	13	7.3	31	<1	1	8	10	15	18	19
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	8.3	11	3	3	8	10	13	13	13
35-49	25	8.6	5	4	7	8	10	12	12	12
50-64	198	10.4	23	2	7	10	12	16	19	31
65+	280	10.5	24	2	7	10	12	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	12	8.8	150	1	2	4	10	25	42	45
50-64	90	7.6	52	1	1	6	9	16	22	40
65+	332	10.0	142	1	2	7	12	20	31	77
B. *Operated*										
0-19 YRS	4	11.8	46	3	3	13	17	18	18	18
20-34	19	13.2	134	1	5	11	14	25	44	54
35-49	204	13.2	57	6	7	10	16	22	28	44
50-64	1155	13.7	69	7	8	11	16	22	29	46
65+	4083	16.8	120	7	8	14	20	29	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.5	23	<1	1	5	10	13	15	19
B. *Operated*	510	10.3	23	2	7	10	12	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	435	9.5	124	1	2	6	12	19	27	58
B. *Operated*	5465	16.0	109	7	8	13	19	28	35	63
1. SINGLE DX	535	10.2	23	1	6	10	12	15	19	30
2. MULTIPLE DX	5900	15.5	113	5	7	13	18	27	35	62
A. NOT OPERATED	460	9.3	119	1	2	6	11	19	26	55
B. OPERATED	5975	15.5	104	7	8	13	18	27	34	61
TOTAL 0-19 YRS	6	9.8	36	3	3	8	16	18	18	18
20-34	25	12.0	108	2	3	10	13	15	37	54
35-49	241	12.5	58	4	6	10	15	22	27	45
50-64	1455	12.8	65	4	7	11	15	21	27	42
65+	4708	15.9	120	5	7	13	19	28	36	70
GRAND TOTAL	**6435**	**15.0**	**107**	**4**	**7**	**12**	**18**	**26**	**34**	**61**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.7	32	1	1	4	10	12	12	12
50-64	10	3.8	10	<1	<1	3	5	9	10	10
65+	14	3.6	12	<1	<1	2	5	8	12	13
B. *Operated*										
0-19 YRS										
20-34	5	9.2	22	<1	<1	11	12	13	13	13
35-49	36	8.3	18	2	3	8	11	14	16	18
50-64	143	10.4	30	2	3	10	14	17	20	25
65+	208	9.6	32	1	1	10	12	16	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	7	4.7	12	1	1	3	7	10	11	11
50-64	82	8.5	70	1	2	6	10	16	21	49
65+	216	9.9	109	1	2	7	12	21	29	66
B. *Operated*										
0-19 YRS										
20-34	13	12.4	34	1	2	14	16	19	21	21
35-49	91	13.6	102	2	3	12	16	22	30	62
50-64	620	14.1	57	4	7	13	17	23	28	41
65+	1810	16.6	136	3	5	14	21	30	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.9	12	<1	<1	3	5	10	12	13
B. *Operated*	392	9.8	30	1	2	10	13	16	18	24
2. MULTIPLE DX										
A. *Not Operated*	308	9.3	96	1	2	7	12	19	28	54
B. *Operated*	2534	15.9	116	3	6	14	19	28	36	62
1. SINGLE DX	419	9.4	31	1	2	10	12	16	18	24
2. MULTIPLE DX	2842	15.2	118	2	4	13	19	27	35	62
A. NOT OPERATED	335	8.9	92	1	1	6	11	18	27	53
B. OPERATED	2926	15.1	109	2	5	13	18	26	34	59
TOTAL 0-19 YRS										
20-34	21	10.3	37	<1	1	11	14	18	20	21
35-49	137	11.6	82	1	3	10	15	18	24	53
50-64	855	12.8	58	2	4	12	16	21	27	40
65+	2248	15.3	131	2	4	13	19	28	36	67
GRAND TOTAL	**3261**	**14.4**	**111**	**2**	**4**	**12**	**18**	**26**	**33**	**58**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	2.5	6	1	1	2	4	6	6	6
65+	5	6.6	25	2	2	4	11	13	13	13
B. *Operated*										
0-19 YRS	4	10.5	50	6	6	7	14	21	21	21
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	15	5.0	18	<1	1	4	7	12	12	12
50-64	22	9.3	76	1	1	7	15	22	27	32
65+	16	9.9	79	<1	1	8	16	24	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	16	8.7	57	1	1	8	10	18	27	31
50-64	32	10.5	115	1	1	7	13	25	38	46
65+	102	9.2	69	2	2	6	12	19	23	47
B. *Operated*										
0-19 YRS	7	11.4	215	1	1	7	13	37	43	43
20-34	9	12.9	154	<1	<1	7	21	33	33	33
35-49	51	14.7	97	4	5	13	17	25	33	56
50-64	157	17.0	164	2	4	14	22	35	41	67
65+	413	15.6	118	3	4	14	20	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.1	18	1	1	3	8	12	13	13
B. *Operated*	60	8.3	58	1	1	7	11	21	24	31
2. MULTIPLE DX										
A. *Not Operated*	151	9.4	77	1	2	7	12	19	25	46
B. *Operated*	637	15.8	129	2	4	14	20	29	38	56
1. SINGLE DX	70	7.8	53	1	1	6	11	20	23	31
2. MULTIPLE DX	788	14.6	125	2	3	12	19	28	36	55
A. NOT OPERATED	161	9.1	74	1	2	7	11	19	24	45
B. OPERATED	697	15.2	127	2	4	13	20	29	36	55
TOTAL 0-19 YRS	11	11.1	144	1	2	7	13	30	42	43
20-34	13	10.8	114	<1	1	7	15	32	33	33
35-49	83	11.7	88	1	1	11	16	20	31	51
50-64	215	14.9	156	1	2	12	19	32	38	56
65+	536	14.2	114	2	3	12	19	27	34	54
GRAND TOTAL	**858**	**14.0**	**123**	**2**	**3**	**12**	**19**	**28**	**36**	**53**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	6	3.3	8	1	1	2	7	7	7	7
65+	9	6.3	14	1	1	7	9	11	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	13	14.3	166	2	3	13	17	29	48	52
65+	33	10.4	57	1	1	9	17	20	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	14	8.0	32	1	2	7	13	16	18	19
50-64	86	7.8	45	1	1	6	11	15	22	31
65+	219	9.8	73	2	2	7	12	21	26	35
B. *Operated*										
0-19 YRS										
20-34	3	25.0	39	20	20	23	30	32	32	32
35-49	57	13.3	156	1	2	11	18	24	32	80
50-64	265	17.8	165	2	5	15	22	36	46	71
65+	624	18.8	137	3	6	16	24	34	42	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.9	12	1	1	5	7	10	11	11
B. *Operated*	48	11.2	87	1	1	9	17	21	24	52
2. MULTIPLE DX										
A. *Not Operated*	321	9.1	64	1	2	7	12	19	25	34
B. *Operated*	949	18.2	147	3	6	16	23	34	43	62
1. SINGLE DX	65	9.6	75	1	1	8	14	19	22	49
2. MULTIPLE DX	1270	15.9	142	2	4	13	21	31	38	61
A. NOT OPERATED	338	8.9	62	1	2	7	12	18	25	34
B. OPERATED	997	17.9	147	3	5	15	23	34	42	62
TOTAL 0-19 YRS										
20-34	5	17.6	137	1	1	20	25	32	32	32
35-49	75	11.8	132	1	1	10	16	24	27	71
50-64	370	15.2	154	1	2	13	20	30	42	69
65+	885	16.1	134	2	4	13	22	31	37	57
GRAND TOTAL	**1335**	**15.6**	**140**	**2**	**3**	**13**	**21**	**31**	**38**	**61**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	16	3.5	5	1	2	3	4	5	9	11
50-64	41	3.8	4	1	1	3	5	7	8	8
65+	36	7.0	83	<1	1	4	8	15	17	53
B. *Operated*										
0-19 YRS										
20-34	5	7.6	24	1	1	9	12	12	12	12
35-49	57	6.6	26	1	1	6	10	14	16	19
50-64	291	7.6	36	<1	1	7	11	14	19	29
65+	231	7.6	45	<1	1	7	11	15	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	3	4	4	5	7	8	8	8
20-34	5	4.6	8	2	2	5	6	9	9	9
35-49	130	8.6	60	1	2	6	12	20	27	34
50-64	708	8.5	65	1	2	6	11	18	25	37
65+	1060	9.9	83	2	2	7	13	20	28	47
B. *Operated*										
0-19 YRS	3	6.7	12	3	3	7	9	10	10	10
20-34	23	16.2	112	4	7	11	22	33	39	39
35-49	323	12.7	122	2	3	10	16	27	34	53
50-64	1873	12.4	107	2	3	10	16	24	31	61
65+	2939	13.4	116	2	3	11	17	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.0	37	1	1	3	6	8	14	38
B. *Operated*	584	7.5	38	<1	1	7	11	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	1907	9.3	75	1	2	7	12	20	27	43
B. *Operated*	5161	13.0	113	2	3	11	17	25	32	57
1. SINGLE DX	677	7.2	39	<1	1	6	10	14	18	30
2. MULTIPLE DX	7068	12.0	105	2	2	10	16	24	31	54
A. NOT OPERATED	2000	9.1	74	1	2	7	12	19	26	43
B. OPERATED	5745	12.5	108	1	2	10	16	25	32	55
TOTAL 0-19 YRS	7	6.0	6	3	3	5	8	10	10	10
20-34	33	13.1	104	1	2	11	16	30	38	39
35-49	526	10.8	99	1	2	9	14	23	30	46
50-64	2913	10.9	93	1	2	9	14	22	29	51
65+	4266	12.2	107	2	2	10	16	24	32	54
GRAND TOTAL	**7745**	**11.6**	**101**	**1**	**2**	**9**	**15**	**23**	**30**	**53**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	7	2.7	4	<1	<1	2	5	5	5	5
50-64	4	3.0	3	<1	<1	3	4	5	5	5
65+	6	2.3	5	1	1	2	2	7	7	7
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	6.1	18	<1	1	6	10	12	13	13
35-49	28	5.0	24	<1	<1	2	9	12	14	19
50-64	92	7.9	65	<1	1	3	14	18	24	33
65+	80	6.7	66	<1	1	2	11	17	20	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	13	8.7	198	1	1	4	9	24	48	53
50-64	43	7.5	140	<1	1	4	8	18	55	99+
65+	58	6.6	40	<1	1	5	9	14	20	94
B. *Operated*										
0-19 YRS	7	7.4	4	5	5	8	9	10	10	10
20-34	11	12.6	96	1	2	10	16	28	35	36
35-49	64	14.5	160	1	2	12	20	28	40	66
50-64	277	13.8	182	1	1	12	18	31	40	95
65+	314	12.1	144	1	1	10	16	30	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.1	5	<1	<1	2	5	6	7	8
B. *Operated*	213	6.9	57	<1	1	3	11	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	117	7.1	92	1	1	4	8	15	33	99+
B. *Operated*	673	13.0	159	1	1	11	18	30	40	95
1. SINGLE DX	233	6.6	54	<1	1	2	11	16	19	30
2. MULTIPLE DX	790	12.1	154	1	1	10	16	29	40	99
A. NOT OPERATED	137	6.5	81	<1	1	4	8	14	26	99+
B. OPERATED	886	11.6	141	1	1	10	16	27	37	71
TOTAL 0-19 YRS	9	6.8	4	4	4	7	8	10	10	10
20-34	28	8.2	57	1	1	8	10	16	23	36
35-49	112	10.7	139	<1	1	7	14	24	36	59
50-64	416	11.7	158	1	1	9	16	27	36	92
65+	458	10.4	122	<1	1	8	15	26	38	96
GRAND TOTAL	**1023**	**10.9**	**136**	**1**	**1**	**8**	**15**	**25**	**36**	**75**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	3	1	1	3	4	6	6	7
20-34	7	7.1	106	1	1	4	6	25	30	30
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	9.0	72	3	3	9	15	15	15	15
65+	1	9.0		9	9	54	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	23	6.7	28	2	2	5	9	12	17	26
20-34	14	7.2	125	<1	2	4	5	19	38	44
35-49	28	6.8	47	<1	1	5	8	17	19	31
50-64	55	6.5	32	<1	1	5	9	14	19	26
65+	42	7.4	51	<1	1	6	9	16	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.9	10	<1	1	5	5	9	12	15
20-34	10	7.0	20	1	1	7	8	13	17	17
35-49	2	10.5	13	8	8	10	13	13	13	13
50-64	29	7.0	147	1	1	4	8	15	18	66
65+	49	10.5	196	1	1	6	11	27	45	70
B. *Operated*										
0-19 YRS	26	13.2	280	1	1	7	15	30	60	68
20-34	11	11.0	43	3	5	10	19	46	92	99+
35-49	31	20.4	360	2	3	13	34	48	63	68
50-64	62	11.6	117	1	2	9	17	29	42	99+
65+	161	11.5	147	1	2	8	14	27	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.5	30	1	1	3	5	10	28	99+
B. *Operated*	162	6.9	46	<1	1	5	8	15	19	37
2. MULTIPLE DX										
A. *Not Operated*	122	7.9	121	1	1	5	9	14	25	67
B. *Operated*	291	12.6	176	1	2	9	15	31	46	86
1. SINGLE DX	194	6.5	44	1	1	5	8	15	20	41
2. MULTIPLE DX	413	11.2	164	1	2	7	13	29	42	69
A. NOT OPERATED	154	7.2	104	1	1	5	8	14	28	70
B. OPERATED	453	10.6	137	1	2	7	13	26	37	68
TOTAL 0-19 YRS	101	7.1	94	1	1	5	8	14	23	63
20-34	42	8.1	73	1	2	6	10	20	35	99+
35-49	63	13.4	244	1	1	7	16	36	47	67
50-64	148	8.8	95	1	1	6	12	21	29	99+
65+	253	10.6	141	1	2	7	12	23	42	66
GRAND TOTAL	**607**	**9.7**	**130**	**1**	**1**	**6**	**12**	**22**	**36**	**68**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	4	5.5	14	3	3	4	8	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.8	67	1	1	2	10	18	18	18
20-34	32	3.9	9	1	1	3	5	9	12	13
35-49	70	3.8	10	1	1	3	6	8	9	15
50-64	91	4.0	11	<1	<1	3	6	8	10	18
65+	62	5.5	24	1	1	4	9	12	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.5	13	10	10	12	15	15	15	15
35-49	8	5.4	42	<1	1	3	5	16	21	21
50-64	10	10.3	114	1	1	6	13	28	36	36
65+	10	7.2	43	1	1	5	9	18	21	21
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	15	3.9	7	<1	<1	4	6	7	8	9
35-49	47	5.7	24	1	2	5	8	10	16	25
50-64	76	6.5	37	1	1	5	8	14	22	26
65+	137	7.4	58	1	1	5	10	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	12	1	1	3	4	10	11	11
B. *Operated*	259	4.3	15	<1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	30	8.1	65	1	1	5	10	20	21	36
B. *Operated*	277	6.7	44	1	1	5	8	14	21	36
1. SINGLE DX	266	4.3	14	<1	1	3	6	9	12	18
2. MULTIPLE DX	307	6.8	46	1	1	5	9	15	21	36
A. NOT OPERATED	37	7.3	57	1	1	4	10	19	21	36
B. OPERATED	536	5.5	31	<1	1	4	7	12	16	31
TOTAL 0-19 YRS	6	4.7	44	1	1	2	4	17	18	18
20-34	52	4.1	11	1	1	3	5	9	12	15
35-49	129	4.7	17	1	1	4	6	9	11	23
50-64	177	5.4	30	<1	1	4	7	12	17	26
65+	209	6.8	48	1	1	5	9	14	20	37
GRAND TOTAL	**573**	**5.7**	**33**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	7.0	47	2	2	4	11	17	17	17
B. *Operated*										
0-19 YRS	7	3.4	7	<1	<1	2	6	7	7	7
20-34	20	3.4	12	<1	<1	2	5	8	11	14
35-49	47	2.6	20	<1	<1	2	2	4	5	31
50-64	102	2.0	4	<1	<1	1	2	3	6	12
65+	196	2.5	8	<1	<1	1	2	5	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	7.3	12	2	3	6	10	12	12	12
35-49	10	12.6	258	1	1	7	16	39	53	53
50-64	6	4.2	32	<1	<1	1	6	14	15	15
65+	33	5.5	19	<1	<1	5	7	10	17	19
B. *Operated*										
0-19 YRS										
20-34	18	5.5	17	<1	1	6	7	11	13	14
35-49	40	5.1	33	<1	<1	2	7	14	19	23
50-64	136	5.0	47	<1	<1	2	6	12	18	38
65+	548	5.9	86	<1	1	3	6	13	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.4	37	2	2	4	9	17	17	17
B. *Operated*	372	2.4	9	<1	<1	1	2	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	56	6.8	66	<1	<1	6	8	15	19	51
B. *Operated*	742	5.7	75	<1	<1	3	7	13	20	47
1. SINGLE DX	377	2.5	9	<1	<1	1	2	5	9	16
2. MULTIPLE DX	798	5.7	74	<1	<1	3	7	13	20	49
A. NOT OPERATED	61	6.8	63	<1	1	6	8	15	18	50
B. OPERATED	1114	4.6	55	<1	<1	2	5	11	17	36
TOTAL 0-19 YRS	7	3.4	7	<1	<1	2	6	7	7	7
20-34	45	4.8	15	<1	<1	4	7	11	13	14
35-49	97	4.7	56	<1	<1	2	4	11	20	43
50-64	245	3.7	31	<1	<1	2	4	9	14	25
65+	781	5.0	66	<1	<1	2	5	12	18	43
GRAND TOTAL	**1175**	**4.7**	**56**	**<1**	**<1**	**2**	**5**	**11**	**17**	**36**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	3.8	2	1	2	4	5	5	5	5
50-64	15	4.0	4	1	1	4	6	6	7	7
65+	19	4.2	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	70	4.1	7	<1	<1	4	6	7	10	13
35-49	548	4.5	6	<1	1	4	6	7	8	12
50-64	877	4.8	10	<1	1	5	6	8	9	12
65+	905	5.3	7	1	2	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	5.5	41	<1	<1	3	9	15	15	15
35-49	49	7.3	50	1	1	5	10	15	26	33
50-64	109	8.3	98	<1	1	5	10	20	24	56
65+	172	9.4	91	1	2	6	12	20	30	62
B. *Operated*										
0-19 YRS	3	6.0	4	4	4	6	7	8	8	8
20-34	89	5.8	23	1	1	5	7	9	10	33
35-49	759	5.7	12	1	2	5	7	9	11	21
50-64	1795	6.6	23	1	2	6	8	11	13	25
65+	3090	7.4	34	2	3	6	8	12	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.0	4	1	1	4	6	7	7	7
B. *Operated*	2401	4.9	8	<1	1	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	335	8.7	87	1	1	6	11	19	26	60
B. *Operated*	5736	6.9	28	1	3	6	8	11	14	30
1. SINGLE DX	2447	4.9	8	<1	1	5	6	8	9	12
2. MULTIPLE DX	6071	7.0	31	1	2	6	8	11	15	33
A. NOT OPERATED	381	8.1	79	1	1	5	10	18	25	56
B. OPERATED	8137	6.3	23	1	2	6	8	10	13	24
TOTAL 0-19 YRS	6	4.8	4	2	2	5	6	8	8	8
20-34	164	5.0	17	<1	1	5	6	8	10	19
35-49	1366	5.2	11	1	1	5	7	9	10	16
50-64	2796	6.1	23	1	2	5	7	10	12	24
65+	4186	7.0	32	2	2	6	8	11	15	33
GRAND TOTAL	**8518**	**6.4**	**26**	**1**	**2**	**6**	**8**	**10**	**13**	**27**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.7	6	4	4	7	8	9	9	9
35-49	5	6.2	99	<1	<1	2	8	24	24	24
50-64	11	4.0	7	1	1	4	6	8	8	8
65+	5	3.4		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	33	4.3	11	<1	1	3	6	9	11	12
35-49	74	6.0	95	1	1	4	7	10	13	67
50-64	48	4.8	15	<1	<1	4	6	11	14	15
65+	24	5.1	19	1	2	4	5	9	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.7	55	1	1	4	8	19	25	25
35-49	34	3.9	14	<1	1	3	6	8	10	19
50-64	33	6.5	30	1	1	5	8	12	20	25
65+	42	8.7	57	1	2	7	12	16	20	43
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	54	8.5	23	1	2	9	12	15	17	22
35-49	110	9.1	64	1	2	7	12	20	27	70
50-64	103	9.9	72	1	2	8	13	20	24	45
65+	130	9.0	112	1	1	6	10	19	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	22	1	1	3	6	8	13	24
B. *Operated*	179	5.3	48	1	1	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	118	6.6	40	1	1	5	8	15	19	31
B. *Operated*	398	9.2	76	1	2	7	12	19	25	51
1. SINGLE DX	203	5.2	45	1	1	4	7	10	13	22
2. MULTIPLE DX	516	8.6	69	1	1	6	11	18	24	46
A. NOT OPERATED	142	6.2	37	1	1	4	8	14	19	27
B. OPERATED	577	8.0	70	1	1	6	10	17	22	48
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	99	6.9	25	1	1	6	10	13	16	24
35-49	223	7.2	71	1	1	5	9	14	21	59
50-64	195	7.7	52	1	1	6	10	16	21	37
65+	201	8.3	88	1	2	5	9	18	26	47
GRAND TOTAL	**719**	**7.6**	**64**	**1**	**1**	**6**	**10**	**16**	**21**	**41**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	4.0		4	4	4	4	4	4	4
50-64	6	4.0	4	2	2	3	4	8	8	8
65+	12	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS										
20-34	9	5.7	2	3	4	5	7	8	8	8
35-49	36	6.1	4	2	4	6	7	8	10	11
50-64	138	5.6	7	1	1	6	7	8	9	14
65+	126	5.9	15	<1	1	6	8	9	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.4	3	2	2	3	4	6	6	6
35-49	7	9.3	43	3	3	7	15	19	19	19
50-64	26	8.0	129	<1	<1	3	9	21	29	53
65+	72	6.3	35	1	1	5	7	13	20	33
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	6.7	21	2	2	6	8	10	18	21
35-49	136	6.8	15	2	3	6	8	10	14	26
50-64	534	8.0	40	1	2	7	9	13	17	35
65+	821	9.4	88	1	2	8	11	16	22	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.0	3	<1	1	3	4	5	7	8
B. *Operated*	309	5.8	9	1	1	6	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	110	6.8	56	1	1	5	7	16	21	42
B. *Operated*	1507	8.7	64	1	2	7	10	14	20	46
1. SINGLE DX	331	5.6	10	1	1	6	7	8	10	14
2. MULTIPLE DX	1617	8.5	64	1	2	7	10	15	20	46
A. NOT OPERATED	132	6.1	49	1	1	4	7	15	20	38
B. OPERATED	1816	8.2	56	1	2	7	9	14	18	44
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	30	5.6	13	2	2	5	7	8	10	21
35-49	181	6.8	14	2	3	6	8	10	14	23
50-64	704	7.5	37	1	2	7	8	12	16	32
65+	1031	8.7	76	1	2	7	10	15	20	49
GRAND TOTAL	**1948**	**8.0**	**56**	**1**	**2**	**7**	**9**	**14**	**18**	**43**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	14	1.9	1	1	1	2	2	3	4	5
50-64	12	3.0	3	1	1	3	4	6	6	6
65+	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	18	6.6	4	4	5	6	7	10	11	11
35-49	25	6.7	5	3	4	7	8	9	10	11
50-64	35	8.6	34	<1	1	8	11	14	19	31
65+	24	13.4	311	3	5	8	11	23	67	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	22	6.1	45	1	1	3	9	16	23	24
50-64	91	5.3	29	1	1	3	8	12	13	31
65+	96	8.7	56	1	2	7	11	18	22	40
B. *Operated*										
0-19 YRS	8	7.1	3	5	5	7	8	10	10	10
20-34	35	8.1	12	4	5	8	9	11	16	21
35-49	116	11.0	62	5	5	9	12	18	24	48
50-64	348	13.7	120	5	6	10	16	25	32	62
65+	347	15.3	93	6	7	13	20	28	35	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	2	1	1	2	3	5	6	6
B. *Operated*	104	8.9	90	2	4	7	9	11	18	69
2. MULTIPLE DX										
A. *Not Operated*	212	6.9	45	1	1	5	9	15	21	34
B. *Operated*	854	13.7	99	5	6	11	17	25	32	62
1. SINGLE DX	136	7.4	77	1	1	6	8	11	15	66
2. MULTIPLE DX	1066	12.3	96	2	4	10	15	23	31	58
A. NOT OPERATED	244	6.3	42	1	1	4	9	13	20	33
B. OPERATED	958	13.2	100	5	6	10	16	24	32	62
TOTAL 0-19 YRS	12	7.6	8	5	5	7	8	11	14	15
20-34	55	7.4	10	4	5	7	9	10	12	21
35-49	177	9.0	55	1	2	8	11	16	23	42
50-64	486	11.5	107	1	2	9	15	21	30	54
65+	472	13.7	103	2	5	11	18	26	33	72
GRAND TOTAL	**1202**	**11.8**	**96**	**2**	**3**	**9**	**15**	**22**	**29**	**59**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	6.7	4	5	5	6	8	9	9	9
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	4	2.5	4	<1	<1	2	4	5	5	5
35-49	5	5.0	9	2	2	4	7	9	9	9
50-64	10	6.2	44	<1	<1	2	12	16	17	17
65+	27	10.0	126	2	2	8	11	22	31	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	5	3.6	3	2	2	4	5	6	6	6
65+	25	7.5	32	1	2	6	10	17	18	20
B. *Operated*										
0-19 YRS										
20-34	8	16.6	270	<1	1	8	33	39	41	41
35-49	15	10.2	94	2	3	7	11	19	35	40
50-64	32	11.9	76	2	3	9	16	22	33	37
65+	121	13.0	170	2	3	9	17	26	41	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	8	<1	1	4	6	8	9	9
B. *Operated*	48	7.9	86	<1	1	6	10	15	24	57
2. MULTIPLE DX										
A. *Not Operated*	34	6.5	27	1	2	5	7	16	18	20
B. *Operated*	176	12.7	150	2	3	9	17	26	38	87
1. SINGLE DX	56	7.4	76	<1	1	5	10	14	22	55
2. MULTIPLE DX	210	11.7	135	2	2	8	16	25	36	76
A. NOT OPERATED	42	6.1	24	1	2	5	7	15	17	20
B. OPERATED	224	11.7	140	2	2	8	15	25	36	72
TOTAL 0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	14	10.8	197	<1	<1	5	9	36	40	41
35-49	24	8.1	67	2	3	6	8	19	25	40
50-64	48	9.6	70	1	2	8	14	21	26	37
65+	176	11.7	144	2	2	8	15	24	31	87
GRAND TOTAL	**266**	**10.8**	**125**	**2**	**2**	**8**	**14**	**23**	**32**	**63**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	13	3.7	8	<1	1	3	5	7	10	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	172	5.9	21	<1	1	5	9	12	16	18
65+	578	5.1	12	1	1	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64	65	6.5	98	1	1	4	7	12	21	65
65+	396	9.7	114	1	2	7	12	21	32	72
B. *Operated*										
0-19 YRS	4	9.0	26	2	2	10	12	14	14	14
20-34	1	8.0		8	8	8	8	8	8	8
35-49	13	7.2	12	1	3	8	9	11	13	14
50-64	593	8.6	60	1	2	6	11	17	24	43
65+	3694	8.5	55	2	2	6	10	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.7	8	<1	1	3	6	7	10	11
B. *Operated*	754	5.3	14	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	466	9.2	111	1	2	6	11	20	32	68
B. *Operated*	4305	8.5	56	2	2	6	11	16	22	39
1. SINGLE DX	769	5.2	14	1	1	5	7	10	12	18
2. MULTIPLE DX	4771	8.6	61	2	2	6	11	17	23	41
A. NOT OPERATED	481	9.1	109	1	2	6	11	20	31	66
B. OPERATED	5059	8.0	51	1	2	6	10	16	21	37
TOTAL 0-19 YRS	5	8.4	21	2	2	9	12	14	14	14
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	19	6.2	14	<1	1	7	9	10	12	14
50-64	832	7.9	56	1	2	6	10	16	21	39
65+	4681	8.2	56	1	2	6	10	16	21	39
GRAND TOTAL	**5540**	**8.1**	**56**	**1**	**2**	**6**	**10**	**16**	**21**	**39**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.8	9	1	1	3	5	8	11	12
20-34	91	3.6	20	1	1	2	4	7	11	29
35-49	35	2.6	6	1	1	2	3	6	9	11
50-64	14	2.7	2	<1	1	3	4	4	5	5
65+	13	5.7	14	1	2	5	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	10	4	4	5	8	11	11	11
20-34	15	3.9	5	<1	1	4	5	7	8	9
35-49	3	6.0	7	4	4	5	8	9	9	9
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	2	16.0	50	11	11	16	21	21	21	21
B. *Operated*										
0-19 YRS	4	5.3	7	3	3	4	7	9	9	9
20-34	65	5.8	47	1	1	4	8	12	17	92
35-49	38	6.2	27	1	1	4	9	15	16	20
50-64	22	7.5	34	1	1	6	9	18	20	21
65+	19	6.1	18	1	2	5	9	12	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	3	2	2	4	6	6	6	6
B. *Operated*	172	3.5	15	1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	26	5.7	18	1	2	5	7	11	13	21
B. *Operated*	148	6.2	35	1	1	4	9	14	17	50
1. SINGLE DX	177	3.5	14	1	1	2	4	7	10	20
2. MULTIPLE DX	174	6.1	33	1	1	4	9	13	17	43
A. NOT OPERATED	31	5.5	16	1	2	5	6	10	11	21
B. OPERATED	320	4.7	26	1	1	3	6	11	14	25
TOTAL 0-19 YRS	29	4.5	8	1	1	4	6	9	11	12
20-34	173	4.5	30	1	1	3	5	9	13	46
35-49	77	4.5	20	1	1	3	5	12	15	19
50-64	38	5.6	26	1	1	4	9	13	18	21
65+	34	6.5	22	1	2	5	9	12	16	21
GRAND TOTAL	**351**	**4.8**	**25**	**1**	**1**	**3**	**6**	**11**	**14**	**22**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	4.1	13	<1	<1	3	6	10	11	11
65+	6	3.5	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	15	2.3	2	<1	1	2	3	5	5	5
35-49	70	3.0	8	1	1	2	4	5	11	15
50-64	406	3.8	21	1	1	2	4	8	12	21
65+	740	3.8	12	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	6.3	20	2	2	5	6	14	15	15
50-64	31	6.8	80	1	1	3	8	22	27	37
65+	179	7.5	68	1	1	5	9	16	25	46
B. *Operated*										
0-19 YRS	5	5.2	53	1	1	2	7	18	18	18
20-34	16	12.1	373	1	1	3	12	52	61	63
35-49	97	5.9	35	1	1	4	7	14	22	26
50-64	841	6.5	60	1	1	4	7	15	20	40
65+	3135	7.2	67	1	2	5	8	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.9	8	<1	1	4	6	7	10	11
B. *Operated*	1233	3.7	15	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	217	7.4	68	1	1	5	9	16	25	44
B. *Operated*	4094	7.1	66	1	2	4	8	16	21	40
1. SINGLE DX	1248	3.7	15	1	1	3	4	7	10	19
2. MULTIPLE DX	4311	7.1	66	1	2	4	8	16	22	40
A. NOT OPERATED	232	7.1	65	1	1	5	8	15	25	43
B. OPERATED	5327	6.3	56	1	1	4	7	14	20	36
TOTAL 0-19 YRS	7	5.3	39	1	1	2	8	16	18	18
20-34	32	7.1	207	<1	1	2	4	15	52	63
35-49	174	4.7	25	1	1	3	5	12	15	25
50-64	1286	5.6	49	1	1	3	6	13	19	35
65+	4060	6.6	59	1	2	4	8	15	20	37
GRAND TOTAL	**5559**	**6.3**	**57**	**1**	**1**	**4**	**7**	**14**	**20**	**37**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	12	<1	<1	1	3	9	11	11
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	6.0	35	<1	<1	4	8	16	16	16
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	14.3	280	6	6	8	10	44	52	52
20-34	7	6.4	8	2	2	7	9	10	10	10
35-49	47	7.2	12	1	1	8	9	11	13	15
50-64	77	8.1	13	1	2	8	10	13	14	16
65+	86	7.9	18	1	2	8	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.7	12	<1	<1	2	5	9	11	11
20-34	2	4.0		4	4	4	4	4	4	4
35-49	14	5.4	15	1	1	4	8	11	13	14
50-64	60	7.3	46	1	1	5	9	16	23	34
65+	93	10.8	146	2	3	7	13	21	36	71
B. *Operated*										
0-19 YRS	18	12.9	115	2	4	9	13	33	36	37
20-34	9	17.6	269	2	4	10	26	45	53	53
35-49	59	9.2	22	1	2	9	11	16	19	20
50-64	291	12.5	97	2	4	10	15	21	26	63
65+	588	14.1	119	3	5	12	17	24	32	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.8	17	<1	<1	3	4	10	14	16
B. *Operated*	224	8.0	23	1	2	8	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	179	8.8	98	1	1	6	11	17	25	42
B. *Operated*	965	13.3	109	2	4	11	16	23	30	65
1. SINGLE DX	240	7.7	24	1	2	8	10	13	15	17
2. MULTIPLE DX	1144	12.6	110	2	3	10	15	22	30	63
A. NOT OPERATED	195	8.3	93	1	1	6	11	16	24	41
B. OPERATED	1189	12.3	97	2	4	10	15	21	28	62
TOTAL 0-19 YRS	43	9.1	116	<1	1	6	11	23	36	52
20-34	18	11.7	166	2	3	8	10	30	45	53
35-49	121	7.9	19	1	2	8	10	13	16	20
50-64	433	10.9	79	1	2	9	13	19	25	42
65+	769	13.0	115	2	3	11	16	23	31	65
GRAND TOTAL	**1384**	**11.7**	**98**	**2**	**3**	**10**	**14**	**21**	**28**	**59**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	6	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	13	7.8	363	1	1	2	3	19	61	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	17	1.9	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	15	7.3	314	1	1	2	4	7	55	71
1. SINGLE DX	17	1.9	1	1	1	2	3	3	3	3
2. MULTIPLE DX	15	7.3	314	1	1	2	4	7	55	71
A. NOT OPERATED										
B. OPERATED	32	4.4	150	1	1	2	3	5	7	71
TOTAL 0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	19	6.1	249	1	1	2	3	5	42	71
GRAND TOTAL	**32**	**4.4**	**150**	**1**	**1**	**2**	**3**	**5**	**7**	**71**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.3	68	1	2	5	9	23	26	26
20-34	12	5.7	23	<1	1	5	7	13	17	18
35-49	10	6.4	53	1	1	4	7	17	26	26
50-64	23	8.3	55	1	2	5	12	17	24	32
65+	24	9.7	87	1	2	6	13	22	29	40
B. *Operated*										
0-19 YRS	27	10.2	81	2	2	9	13	18	31	43
20-34	31	8.1	27	2	2	7	10	14	20	24
35-49	30	10.7	52	2	2	10	15	18	20	36
50-64	54	13.4	59	2	4	14	16	24	28	38
65+	25	13.9	110	2	2	10	18	33	37	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.7	102	1	1	4	6	19	52	99+
20-34	32	5.9	24	1	1	5	7	12	19	22
35-49	63	10.3	135	1	1	6	12	24	41	54
50-64	108	12.5	219	1	2	8	18	30	50	99+
65+	134	13.2	117	3	4	11	16	27	46	99+
B. *Operated*										
0-19 YRS	45	17.2	218	2	5	12	25	55	99+	99+
20-34	41	15.9	113	3	5	13	21	28	31	60
35-49	71	14.7	97	4	6	11	19	28	44	89
50-64	127	20.6	332	3	6	15	24	49	71	94
65+	131	23.1	236	5	7	19	32	48	55	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	8.1	60	1	2	5	12	19	26	38
B. *Operated*	167	11.5	66	2	2	10	15	20	29	42
2. MULTIPLE DX										
A. *Not Operated*	366	11.3	146	1	2	8	14	26	44	99+
B. *Operated*	415	19.5	236	4	6	15	25	45	56	99+
1. SINGLE DX	243	10.4	66	1	2	9	14	20	26	40
2. MULTIPLE DX	781	15.7	210	2	3	12	20	37	51	99+
A. NOT OPERATED	442	10.8	132	1	2	7	14	25	40	99+
B. OPERATED	582	17.2	200	2	5	13	21	37	50	88
TOTAL 0-19 YRS	108	12.0	161	1	2	9	15	38	56	99+
20-34	116	10.0	75	1	2	7	13	22	26	43
35-49	174	11.9	105	1	2	9	15	23	38	53
50-64	312	15.6	242	2	3	12	19	36	50	99
65+	314	17.1	189	3	4	13	21	37	50	68
GRAND TOTAL	**1024**	**14.4**	**181**	**2**	**3**	**11**	**18**	**32**	**48**	**99**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	5	7.6	33	2	2	5	12	16	16	16
20-34	3	4.3		4	4	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	49.0		49	49	74	99+	99+	99+	99+
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	12.8	46	6	6	11	17	22	22	22
50-64	3	8.7	32	4	4	7	13	15	15	15
65+	5	10.6	41	4	4	10	13	21	21	21
B. *Operated*										
0-19 YRS	6	13.7	41	6	6	13	18	22	23	23
20-34	8	21.8	702	4	5	14	18	66	86	86
35-49	6	17.0	148	7	7	13	20	38	40	40
50-64	12	24.3	400	3	9	19	24	60	72	74
65+	19	25.6	289	4	8	26	32	48	60	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		1	1	1	2	2	2	2
B. *Operated*	12	6.9	23	2	3	5	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	14	13.3	137	4	4	10	19	49	87	99+
B. *Operated*	51	22.3	327	4	7	17	27	47	68	86
1. SINGLE DX	17	5.3	23	1	1	4	6	15	16	16
2. MULTIPLE DX	65	20.3	297	4	6	15	25	48	70	98
A. NOT OPERATED	19	10.2	128	1	1	7	14	35	74	99+
B. OPERATED	63	19.3	304	3	4	15	24	44	59	84
TOTAL 0-19 YRS	14	12.3	157	1	2	10	18	49	87	99+
20-34	12	16.2	515	4	4	9	16	39	79	86
35-49	13	12.2	111	1	2	10	16	26	37	40
50-64	16	20.3	349	3	4	15	22	51	68	74
65+	27	20.8	267	1	4	16	28	46	52	69
GRAND TOTAL	**82**	**17.2**	**277**	**2**	**3**	**13**	**21**	**44**	**59**	**95**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	8	<1	<1	2	4	8	10	10
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	5	2.6	2	2	2	2	3	5	5	5
50-64										
65+	6	2.8	1	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	8	4.4	12	1	1	3	5	10	12	12
20-34	34	3.8	5	1	2	3	4	8	9	11
35-49	38	3.5	3	1	2	3	4	5	8	10
50-64	38	5.0	22	1	2	4	4	9	18	23
65+	15	6.7	36	1	3	5	7	16	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	14	<1	<1	1	2	11	11	11
20-34	6	6.3	79	<1	<1	2	7	22	24	24
35-49	3	2.3		2	2	2	3	3	3	3
50-64	21	6.6	28	1	1	6	9	14	18	21
65+	24	11.7	129	<1	1	9	18	23	33	53
B. *Operated*										
0-19 YRS	27	14.4	267	3	4	8	15	45	52	70
20-34	55	5.1	21	2	2	4	5	9	11	32
35-49	77	4.9	10	2	2	4	6	8	13	17
50-64	90	7.6	46	2	3	5	9	16	24	35
65+	90	10.4	114	2	3	7	12	23	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.8	4	<1	<1	2	4	5	7	10
B. *Operated*	133	4.4	14	1	2	3	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	67	7.4	75	<1	<1	4	10	18	23	48
B. *Operated*	339	7.9	77	2	3	5	8	16	25	50
1. SINGLE DX	160	4.1	13	1	2	3	4	8	10	23
2. MULTIPLE DX	406	7.8	76	1	2	5	9	17	24	51
A. NOT OPERATED	94	6.1	58	<1	<1	3	9	16	21	40
B. OPERATED	472	6.9	62	2	2	4	7	14	22	49
TOTAL 0-19 YRS	59	8.4	157	<1	<1	5	8	16	40	68
20-34	100	4.6	18	1	2	4	5	8	10	28
35-49	123	4.3	8	1	2	4	5	8	10	16
50-64	149	6.8	38	2	2	4	8	15	22	34
65+	135	9.9	106	2	3	6	12	21	27	54
GRAND TOTAL	**566**	**6.8**	**61**	**1**	**2**	**4**	**8**	**15**	**21**	**49**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	5	2.4	4	<1	<1	1	4	5	5	5
50-64	27	4.0	12	<1	<1	3	6	9	11	14
65+	29	7.3	83	1	1	4	10	13	20	48
B. *Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	8	8.0	25	<1	<1	10	12	13	13	13
35-49	31	4.4	13	<1	1	3	6	10	11	16
50-64	52	5.2	28	<1	<1	3	8	12	16	26
65+	72	5.7	42	<1	<1	3	8	12	16	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.3	44	<1	<1	2	5	8	19	32
20-34	96	7.1	29	1	1	6	10	15	17	27
35-49	496	9.1	78	2	2	6	12	19	25	51
50-64	1810	9.7	77	1	2	7	13	21	26	44
65+	3242	10.9	98	2	3	8	14	22	29	51
B. *Operated*										
0-19 YRS	39	12.7	216	<1	1	8	14	36	42	71
20-34	136	12.0	181	1	2	8	15	29	38	91
35-49	628	11.4	148	1	2	8	14	24	34	74
50-64	2160	12.4	140	1	2	9	16	26	37	60
65+	3546	14.0	160	1	2	10	18	29	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	5.4	45	<1	1	3	7	11	13	44
B. *Operated*	166	5.4	31	<1	<1	3	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	5667	10.3	89	2	2	7	13	22	28	50
B. *Operated*	6509	13.2	154	1	2	10	17	28	38	68
1. SINGLE DX	231	5.4	35	<1	1	3	8	12	14	32
2. MULTIPLE DX	12176	11.8	126	1	2	9	15	25	34	60
A. NOT OPERATED	5732	10.2	89	2	2	7	13	22	28	49
B. OPERATED	6675	13.0	152	1	2	10	17	28	38	67
TOTAL 0-19 YRS	66	9.3	159	<1	<1	5	9	27	37	67
20-34	243	9.9	119	1	2	7	12	21	31	72
35-49	1160	10.2	116	1	2	7	13	22	29	60
50-64	4049	11.0	112	1	2	8	14	23	32	54
65+	6889	12.4	132	2	2	9	16	26	35	64
GRAND TOTAL	**12407**	**11.7**	**125**	**1**	**2**	**9**	**15**	**25**	**33**	**59**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	4	4
20-34	15	1.4	1	<1	1	1	2	3	3	3
35-49	7	4.1	5	1	1	4	6	8	8	8
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	48	5.2	11	<1	1	5	7	9	12	13
20-34	115	5.2	13	1	1	5	7	9	11	18
35-49	36	4.3	9	<1	1	4	7	8	10	11
50-64	29	5.1	17	<1	<1	3	7	11	14	16
65+	13	5.9	33	<1	1	2	9	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.9	7	1	2	4	7	9	9	9
20-34	31	7.7	63	1	1	4	10	19	27	30
35-49	24	6.7	60	<1	1	4	10	12	21	37
50-64	19	7.1	34	1	1	7	10	14	20	24
65+	21	12.8	122	1	3	11	18	26	37	47
B. *Operated*										
0-19 YRS	30	11.2	50	3	4	9	16	24	24	25
20-34	99	10.6	107	1	1	8	13	22	32	55
35-49	61	12.5	202	1	2	7	16	31	43	68
50-64	61	11.4	92	1	2	9	16	25	30	46
65+	52	16.3	118	2	4	15	22	38	42	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.7	9	<1	<1	1	3	6	11	13
B. *Operated*	241	5.1	13	<1	1	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	104	8.1	68	1	1	6	11	18	25	42
B. *Operated*	303	12.2	122	1	2	9	16	26	37	59
1. SINGLE DX	274	4.8	13	<1	1	4	7	9	11	16
2. MULTIPLE DX	407	11.2	111	1	2	8	14	24	32	54
A. NOT OPERATED	137	6.8	59	<1	1	4	10	15	23	38
B. OPERATED	544	9.1	86	1	1	7	11	20	27	49
TOTAL 0-19 YRS	96	6.7	32	<1	1	6	9	13	22	25
20-34	260	7.4	62	1	1	6	9	15	22	48
35-49	128	8.6	123	<1	1	6	10	18	36	64
50-64	110	9.0	69	1	1	7	12	22	26	38
65+	87	13.9	117	1	2	12	18	30	41	80
GRAND TOTAL	**681**	**8.6**	**81**	**1**	**1**	**6**	**11**	**19**	**27**	**48**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	8	<1	<1	2	5	7	9	12
20-34	3	11.3	22	6	6	13	14	15	15	15
35-49	4	20.5	234	5	5	20	33	36	36	36
50-64	7	2.9	3	<1	<1	2	4	6	6	6
65+	5	7.6	39	1	1	6	13	16	16	16
B. *Operated*										
0-19 YRS	35	6.3	68	<1	<1	2	8	13	29	35
20-34	8	22.4	109	5	9	21	26	38	42	42
35-49	4	20.8	235	7	7	17	32	41	41	41
50-64	8	3.4	7	<1	<1	3	5	7	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.9	26	<1	1	4	6	10	15	25
20-34	13	13.0	154	1	2	8	19	32	40	42
35-49	13	5.7	28	1	1	4	9	14	16	17
50-64	29	7.6	65	1	1	5	9	17	28	36
65+	139	9.4	75	1	2	7	12	18	29	55
B. *Operated*										
0-19 YRS	64	19.9	265	1	3	16	26	42	49	75
20-34	25	26.7	180	6	9	30	37	45	47	49
35-49	16	22.2	346	1	2	17	35	52	56	58
50-64	37	16.8	404	3	3	8	24	60	76	99+
65+	107	15.0	185	2	4	10	19	32	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.9	57	<1	<1	3	6	14	23	36
B. *Operated*	57	9.0	115	<1	<1	5	11	25	34	42
2. MULTIPLE DX										
A. *Not Operated*	222	8.6	72	1	2	6	11	17	28	47
B. *Operated*	249	18.2	257	2	4	12	26	42	49	77
1. SINGLE DX	98	7.7	92	<1	<1	4	9	22	32	42
2. MULTIPLE DX	471	13.7	192	1	2	9	17	33	44	76
A. NOT OPERATED	263	8.2	70	<1	1	6	10	17	28	46
B. OPERATED	306	16.5	243	<1	2	11	24	40	47	76
TOTAL 0-19 YRS	149	11.4	190	<1	<1	6	15	32	42	68
20-34	49	21.4	186	3	5	21	31	41	45	49
35-49	37	16.1	253	1	1	9	28	40	49	58
50-64	81	11.0	237	<1	1	6	10	33	56	93
65+	253	11.7	128	2	3	8	15	26	37	54
GRAND TOTAL	**569**	**12.6**	**180**	**<1**	**1**	**8**	**16**	**32**	**42**	**73**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	8	<1	1	3	4	9	11	11
20-34	7	3.3	4	1	1	3	5	7	7	7
35-49	8	11.8	275	<1	1	4	16	41	48	48
50-64	6	3.3	5	2	2	3	3	8	8	8
65+	17	3.8	37	<1	<1	1	3	15	20	21
B. *Operated*										
0-19 YRS	12	12.3	182	<1	1	5	25	34	36	36
20-34	17	12.2	164	<1	1	7	25	32	37	39
35-49	13	12.8	236	1	1	6	26	36	44	46
50-64	10	18.2	416	2	2	7	34	52	58	58
65+	11	6.3	13	2	2	6	8	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.1	128	<1	<1	2	5	15	33	50
20-34	28	6.4	28	1	1	5	8	10	20	26
35-49	37	7.7	122	1	1	3	9	20	37	50
50-64	41	9.3	128	1	1	7	12	20	27	64
65+	213	8.4	101	1	1	4	11	19	26	52
B. *Operated*										
0-19 YRS	39	31.2	370	4	8	33	42	62	73	99+
20-34	55	31.4	433	2	5	30	41	61	67	89
35-49	81	31.8	384	4	6	31	39	58	70	92
50-64	88	25.0	355	2	3	26	37	53	57	94
65+	197	20.7	359	2	3	13	33	45	67	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.8	58	<1	1	2	4	10	20	47
B. *Operated*	63	12.3	195	1	1	6	22	34	41	56
2. MULTIPLE DX										
A. *Not Operated*	339	8.1	101	1	1	4	10	19	26	51
B. *Operated*	460	25.7	393	2	4	25	37	54	66	93
1. SINGLE DX	118	8.8	144	<1	1	4	8	28	35	51
2. MULTIPLE DX	799	18.2	344	1	2	10	29	44	57	80
A. NOT OPERATED	394	7.7	97	1	1	4	9	18	25	51
B. OPERATED	523	24.1	388	2	3	20	36	53	65	91
TOTAL 0-19 YRS	88	17.6	370	<1	1	9	33	48	58	90
20-34	107	20.0	398	1	2	10	33	51	61	81
35-49	139	22.4	414	1	1	18	35	49	60	83
50-64	145	19.2	336	1	2	12	32	50	57	86
65+	438	13.7	253	1	2	7	17	35	46	77
GRAND TOTAL	**917**	**17.0**	**328**	**1**	**2**	**9**	**29**	**43**	**55**	**79**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		<1	<1	1	1	2	3	3
20-34	7	3.0	5	1	1	2	5	6	6	6
35-49	18	5.5	24	<1	<1	4	9	14	16	16
50-64	29	4.4	20	<1	<1	2	8	10	12	19
65+	40	6.5	28	1	1	4	10	12	20	21
B. *Operated*										
0-19 YRS	13	5.7	86	<1	<1	3	5	13	32	36
20-34	39	6.2	48	<1	1	4	9	12	17	39
35-49	70	5.2	47	<1	<1	3	7	11	18	39
50-64	138	4.7	20	<1	<1	3	7	11	15	20
65+	152	6.1	44	<1	1	4	9	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.2	17	5	5	8	14	14	14	14
20-34	38	7.3	62	1	1	5	10	13	17	47
35-49	78	7.1	39	1	1	6	9	14	22	31
50-64	232	8.5	82	1	1	6	10	18	27	54
65+	562	11.5	134	2	2	8	14	25	37	75
B. *Operated*										
0-19 YRS	17	19.7	442	2	3	11	29	40	69	84
20-34	72	19.4	266	2	5	13	24	42	59	68
35-49	135	14.2	218	2	3	11	17	32	50	99+
50-64	440	12.0	135	1	2	9	16	25	36	66
65+	898	15.5	180	2	3	12	20	33	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	5.0	23	<1	1	3	8	11	15	21
B. *Operated*	412	5.5	38	<1	<1	3	7	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	916	10.2	112	1	2	7	13	23	30	65
B. *Operated*	1562	14.6	181	2	3	11	19	32	43	77
1. SINGLE DX	516	5.4	35	<1	<1	3	8	12	16	25
2. MULTIPLE DX	2478	13.0	160	1	2	9	17	28	40	71
A. NOT OPERATED	1020	9.7	105	1	2	7	12	22	29	64
B. OPERATED	1974	12.7	165	1	2	9	16	28	40	69
TOTAL 0-19 YRS	46	10.4	240	<1	<1	5	11	34	39	84
20-34	156	12.4	191	1	1	8	14	35	42	67
35-49	301	9.7	137	<1	1	7	12	21	32	90
50-64	839	9.6	105	1	1	7	13	20	28	56
65+	1652	13.0	158	1	2	10	17	28	41	72
GRAND TOTAL	**2994**	**11.7**	**146**	**1**	**2**	**8**	**15**	**26**	**37**	**67**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	23	3.0	7	<1	1	2	4	8	9	10
20-34	98	2.6	2	<1	1	2	4	5	5	7
35-49	127	2.8	3	1	1	3	4	5	5	10
50-64	129	2.8	3	1	1	3	4	5	6	9
65+	93	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	5	4.2	14	1	1	2	7	10	10	10
B. *Operated*										
0-19 YRS	4	4.3	13	1	1	3	7	9	9	9
20-34	21	3.9	7	<1	1	4	5	8	9	9
35-49	59	3.1	5	1	1	3	4	6	7	12
50-64	116	3.4	6	1	1	3	4	6	8	13
65+	159	4.1	8	1	1	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*	470	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	10	3.0	9	<1	<1	1	5	8	10	10
B. *Operated*	359	3.7	7	1	1	3	5	7	9	14
1. SINGLE DX	477	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	369	3.7	7	1	1	3	5	7	9	14
A. NOT OPERATED	17	2.5	6	<1	<1	1	3	6	9	10
B. OPERATED	829	3.2	5	1	1	3	4	6	7	12
TOTAL 0-19 YRS	29	3.1	8	<1	<1	2	4	8	9	10
20-34	121	2.8	3	<1	1	2	4	5	6	9
35-49	190	2.9	4	1	1	2	4	5	6	11
50-64	247	3.1	4	1	1	3	4	6	7	11
65+	259	3.7	6	1	1	3	5	7	8	14
GRAND TOTAL	**846**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	4	2.0	1	<1	<1	1	3	3	3	3
50-64	20	1.3	1	<1	<1	<1	1	2	3	4
65+	16	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-19 YRS	12	2.8	5	<1	<1	2	4	6	7	7
20-34	15	8.7	54	<1	<1	8	12	21	24	25
35-49	64	3.2	11	<1	<1	<1	5	9	10	11
50-64	167	2.8	10	<1	<1	1	3	8	10	14
65+	168	3.2	15	<1	<1	1	3	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	9	4.1	8	<1	<1	3	6	8	9	9
35-49	7	3.9	5	<1	<1	4	6	7	7	7
50-64	39	3.4	10	<1	<1	2	4	7	10	16
65+	97	4.8	17	<1	1	4	7	10	14	19
B. *Operated*										
0-19 YRS	16	5.1	12	<1	1	6	8	11	69	99+
20-34	39	7.6	24	<1	1	7	11	14	16	20
35-49	95	6.5	25	<1	<1	6	10	13	16	20
50-64	385	6.4	53	<1	<1	5	9	14	16	30
65+	968	7.7	56	<1	1	6	11	17	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.7	2	<1	<1	<1	2	4	5	6
B. *Operated*	426	3.2	15	<1	<1	1	4	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	154	4.3	14	<1	<1	3	6	9	11	18
B. *Operated*	1503	7.3	52	<1	<1	6	10	15	20	34
1. SINGLE DX	468	3.1	14	<1	<1	1	4	9	10	17
2. MULTIPLE DX	1657	7.0	49	<1	<1	5	10	15	19	34
A. NOT OPERATED	196	3.8	12	<1	<1	2	5	8	11	18
B. OPERATED	1929	6.4	47	<1	<1	4	9	14	19	32
TOTAL 0-19 YRS	30	4.0	10	<1	1	3	7	9	12	99+
20-34	65	7.2	30	<1	<1	7	10	15	18	24
35-49	170	5.0	21	<1	<1	4	9	11	14	18
50-64	611	5.0	40	<1	<1	2	8	12	15	23
65+	1249	6.8	50	<1	<1	5	10	15	20	34
GRAND TOTAL	**2125**	**6.1**	**44**	**<1**	**<1**	**4**	**9**	**14**	**18**	**31**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	49	1.7	2	<1	1	1	2	2	5	7
20-34	31	3.7	12	<1	<1	2	6	8	13	13
35-49	41	4.2	10	<1	<1	4	7	8	9	14
50-64	37	4.7	25	<1	1	3	6	9	14	27
65+	20	4.9	20	<1	<1	4	7	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34										
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	4	3.0	2	<1	<1	3	4	4	4	4
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	34	4.5	55	1	1	2	3	9	27	31
20-34	13	3.9	13	<1	1	2	5	10	12	12
35-49	29	6.9	43	1	1	4	9	18	23	24
50-64	77	7.2	57	1	1	7	9	13	17	49
65+	72	8.7	42	1	1	8	12	19	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*	178	3.6	14	<1	<1	2	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	10	4.2	7	<1	<1	4	7	8	9	9
B. *Operated*	225	7.0	49	1	1	5	9	17	20	29
1. SINGLE DX	183	3.5	13	<1	<1	2	5	8	10	17
2. MULTIPLE DX	235	6.9	48	1	1	5	9	16	20	28
A. NOT OPERATED	15	3.3	7	<1	1	3	4	7	9	9
B. OPERATED	403	5.5	36	<1	1	3	8	12	18	26
TOTAL 0-19 YRS	85	2.8	24	<1	1	2	2	5	7	30
20-34	44	3.8	12	<1	<1	2	5	8	12	13
35-49	74	5.2	25	<1	<1	4	8	10	17	24
50-64	120	6.2	46	1	1	5	8	11	17	27
65+	95	7.7	39	1	1	7	11	17	21	24
GRAND TOTAL	**418**	**5.4**	**35**	**<1**	**1**	**3**	**8**	**12**	**18**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	5	3.6	5	<1	<1	3	5	7	7	7
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	5	3.2	7	<1	<1	2	6	6	6	6
B. *Operated*										
0-19 YRS	282	2.4	4	<1	<1	2	3	4	6	7
20-34	288	2.1	3	<1	<1	1	3	4	5	9
35-49	330	2.1	4	<1	<1	1	2	4	5	10
50-64	264	2.0	4	<1	<1	1	2	4	6	13
65+	107	2.6	8	<1	<1	1	3	5	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	1	<1	<1	1	3	4	4	4
20-34	8	2.3	6	<1	<1	1	2	6	8	8
35-49	6	2.0	6	<1	<1	1	1	6	7	7
50-64	10	3.5	21	<1	<1	2	3	10	16	16
65+	10	3.1	10	<1	<1	2	4	8	11	11
B. *Operated*										
0-19 YRS	60	3.8	26	<1	1	2	4	9	14	30
20-34	116	3.0	9	<1	<1	2	4	6	9	16
35-49	193	3.7	21	<1	<1	2	4	9	10	28
50-64	271	3.6	16	<1	<1	2	4	9	12	21
65+	237	4.0	18	<1	<1	2	4	9	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.4	4	<1	<1	2	3	6	7	7
B. *Operated*	1271	2.2	4	<1	<1	1	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	41	2.7	9	<1	<1	1	3	6	9	16
B. *Operated*	877	3.6	18	<1	<1	2	4	9	12	21
1. SINGLE DX	1292	2.2	4	<1	<1	1	3	4	5	10
2. MULTIPLE DX	918	3.6	17	<1	<1	2	4	9	12	20
A. NOT OPERATED	62	2.6	7	<1	<1	2	3	6	8	15
B. OPERATED	2148	2.8	10	<1	<1	2	3	6	9	16
TOTAL 0-19 YRS	354	2.6	8	<1	<1	2	3	5	6	16
20-34	417	2.4	5	<1	<1	2	3	5	6	13
35-49	532	2.6	11	<1	<1	2	3	5	9	17
50-64	548	2.8	11	<1	<1	2	3	6	9	17
65+	359	3.5	15	<1	<1	2	4	8	13	18
GRAND TOTAL	**2210**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**6**	**9**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	11	<1	<1	2	3	9	11	11
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	5	4.0	8	1	1	4	6	8	8	8
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	257	2.3	9	<1	<1	1	2	4	7	16
20-34	83	2.0	4	<1	<1	1	2	4	6	11
35-49	69	2.5	6	<1	<1	1	3	6	7	11
50-64	54	2.5	5	<1	<1	2	3	5	9	10
65+	32	2.6	13	<1	<1	1	3	5	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	5	<1	<1	2	2	5	9	9
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	9	5.3	19	<1	<1	4	8	12	13	13
50-64	6	5.5	9	2	2	5	8	10	10	10
65+	21	4.9	15	1	1	4	7	11	14	15
B. *Operated*										
0-19 YRS	90	4.8	84	<1	<1	2	4	10	18	57
20-34	56	3.6	18	<1	<1	2	4	8	14	22
35-49	70	3.7	15	<1	<1	2	6	10	13	14
50-64	85	4.2	23	<1	<1	2	5	10	16	21
65+	79	5.7	76	<1	<1	2	7	15	19	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.2	7	<1	<1	2	4	7	9	11
B. *Operated*	495	2.3	8	<1	<1	1	2	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	49	4.3	13	<1	<1	3	6	10	13	15
B. *Operated*	380	4.5	46	<1	<1	2	5	11	15	31
1. SINGLE DX	516	2.3	8	<1	<1	1	2	5	7	14
2. MULTIPLE DX	429	4.4	43	<1	<1	2	5	11	14	27
A. NOT OPERATED	70	4.0	11	<1	<1	3	5	9	11	15
B. OPERATED	875	3.2	26	<1	<1	2	3	7	11	22
TOTAL 0-19 YRS	366	2.9	29	<1	<1	1	3	5	9	28
20-34	144	2.7	10	<1	<1	1	3	5	8	16
35-49	153	3.2	11	<1	<1	2	4	8	11	14
50-64	148	3.6	16	<1	<1	2	4	9	11	20
65+	134	4.8	52	<1	<1	2	6	12	17	31
GRAND TOTAL	**945**	**3.3**	**25**	**<1**	**<1**	**2**	**4**	**8**	**11**	**22**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	54	1.4	1	<1	<1	1	2	2	3	5
20-34	126	1.5	7	<1	<1	<1	1	2	2	11
35-49	130	1.4	1	<1	<1	<1	2	2	3	4
50-64	89	1.4	1	<1	<1	1	2	2	3	4
65+	34	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	13	1.3		<1	<1	1	1	2	3	3
20-34	40	1.4		<1	<1	1	2	2	3	3
35-49	158	1.7	1	<1	<1	1	2	3	3	5
50-64	100	1.7	1	<1	<1	1	2	3	4	6
65+	110	2.7	15	<1	<1	2	3	4	6	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	433	1.4	2	<1	<1	<1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	421	1.9	5	<1	<1	1	2	3	4	6
1. SINGLE DX	436	1.4	2	<1	<1	<1	2	2	3	5
2. MULTIPLE DX	425	1.9	5	<1	<1	1	2	3	4	6
A. NOT OPERATED	7	1.3		<1	<1	1	2	2	2	2
B. OPERATED	854	1.7	4	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	68	1.4	1	<1	<1	1	2	2	3	5
20-34	167	1.4	5	<1	<1	<1	1	2	2	5
35-49	290	1.5	1	<1	<1	1	2	3	3	5
50-64	190	1.6	1	<1	<1	1	2	3	3	6
65+	146	2.4	12	<1	<1	2	3	4	5	25
GRAND TOTAL	**861**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.6	4	1	1	4	5	6	6	6
35-49	25	2.9	3	<1	1	3	3	5	7	9
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	237	4.9	5	<1	1	5	6	7	8	11
35-49	668	5.4	4	<1	2	6	6	7	8	11
50-64	121	5.1	6	<1	1	6	6	7	8	12
65+	7	6.0	6	1	2	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	28	2.4	2	<1	<1	2	3	5	5	6
35-49	122	2.5	9	<1	<1	1	3	5	7	20
50-64	13	2.8	7	<1	<1	1	4	7	8	8
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	849	5.4	8	<1	1	6	7	8	10	14
35-49	5949	6.1	6	1	4	6	7	8	9	15
50-64	1153	6.2	8	1	2	6	7	9	10	17
65+	148	8.4	26	2	4	7	9	14	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.9	3	<1	1	3	4	5	6	9
B. *Operated*	1034	5.3	5	<1	2	6	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	168	2.5	7	<1	<1	1	3	5	6	17
B. *Operated*	8101	6.0	7	1	3	6	7	8	10	15
1. SINGLE DX	1070	5.2	5	<1	1	6	6	7	8	11
2. MULTIPLE DX	8269	6.0	7	1	2	6	7	8	10	15
A. NOT OPERATED	204	2.6	7	<1	<1	2	3	5	6	14
B. OPERATED	9135	6.0	7	1	3	6	7	8	10	15
TOTAL 0-19 YRS	5	2.8	4	1	1	2	5	5	5	5
20-34	1121	5.2	7	<1	1	5	6	8	9	13
35-49	6764	5.9	6	1	3	6	7	8	9	14
50-64	1291	6.0	8	1	2	6	7	9	10	17
65+	158	8.2	26	2	2	7	9	13	18	24
GRAND TOTAL	**9339**	**5.9**	**7**	**1**	**2**	**6**	**7**	**8**	**9**	**15**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	7	3.9	8	<1	<1	5	6	8	8	8
50-64	3	5.0	13	1	1	6	7	8	8	8
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	13	3.8	7	<1	<1	4	6	7	9	9
35-49	70	5.8	8	2	2	5	7	9	11	18
50-64	25	5.4	8	<1	2	6	7	8	10	14
65+	4	12.3	76	3	3	11	19	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	14	3.6	8	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*	112	5.7	11	1	2	5	7	9	11	21
1. SINGLE DX	15	3.5	8	<1	<1	2	6	8	8	8
2. MULTIPLE DX	116	5.6	11	1	2	5	7	9	11	21
A. NOT OPERATED	5	3.6	3	2	2	4	5	6	6	6
B. OPERATED	126	5.5	11	1	1	5	7	8	11	21
TOTAL 0-19 YRS										
20-34	18	3.7	6	<1	<1	4	6	7	8	9
35-49	79	5.6	8	1	2	5	7	8	10	18
50-64	28	5.3	9	<1	1	6	7	8	9	14
65+	6	8.5	79	<1	<1	5	15	22	23	23
GRAND TOTAL	**131**	**5.4**	**11**	**1**	**1**	**5**	**7**	**8**	**11**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	71	4.6	2	3	3	4	5	6	8	10
20-34	297	4.7	2	3	3	5	5	6	6	10
35-49	96	5.5	3	3	4	5	6	8	8	12
50-64	62	6.2	5	3	4	6	7	8	9	15
65+	36	7.5	3	5	6	7	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	68	5.7	12	3	3	5	7	8	9	27
20-34	351	5.4	7	3	3	5	6	7	8	11
35-49	348	6.1	5	4	4	6	7	8	9	16
50-64	245	7.4	12	5	5	7	8	11	14	20
65+	250	9.4	51	5	5	7	10	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*	562	5.2	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	5	3.2	5	<1	<1	3	5	6	6	6
B. *Operated*	1262	6.8	18	4	4	6	7	10	13	23
1. SINGLE DX	564	5.2	3	3	3	5	6	7	8	12
2. MULTIPLE DX	1267	6.8	18	3	4	6	7	10	13	23
A. NOT OPERATED	7	3.1	5	<1	<1	3	5	6	6	6
B. OPERATED	1824	6.3	14	3	4	6	7	9	11	21
TOTAL 0-19 YRS	141	5.1	7	3	3	5	6	7	8	13
20-34	650	5.1	5	3	3	5	6	7	7	11
35-49	445	5.9	5	3	4	6	7	8	9	14
50-64	309	7.1	10	4	5	6	8	10	13	18
65+	286	9.2	45	5	5	7	10	15	20	34
GRAND TOTAL	**1831**	**6.3**	**14**	**3**	**4**	**6**	**7**	**9**	**11**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	8	3.6	3	<1	1	4	5	5	5	5
35-49	11	2.5	6	<1	<1	1	4	6	8	8
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	8	3.5	7	<1	<1	3	5	7	8	8
35-49	17	5.1	5	<1	1	5	6	8	9	9
50-64	11	6.8	4	2	4	7	8	9	9	9
65+	10	4.7	15	1	1	4	6	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	2.8	4	<1	<1	2	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	46	5.1	8	<1	1	5	7	9	9	13
1. SINGLE DX	26	2.8	4	<1	<1	2	5	5	6	8
2. MULTIPLE DX	46	5.1	8	<1	1	5	7	9	9	13
A. NOT OPERATED										
B. OPERATED	72	4.3	8	<1	<1	5	6	8	9	12
TOTAL 0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	16	3.6	5	<1	<1	4	5	6	7	8
35-49	28	4.1	7	<1	<1	5	6	8	8	9
50-64	14	5.6	9	<1	<1	6	8	9	9	9
65+	11	4.4	14	<1	1	2	6	11	13	13
GRAND TOTAL	**72**	**4.3**	**8**	**<1**	**<1**	**5**	**6**	**8**	**9**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	3	3	3	3
20-34	11	2.2	3	1	1	2	3	5	7	7
35-49	7	2.0	1	1	1	2	3	3	3	3
50-64	7	3.0	5	<1	<1	2	5	6	6	6
65+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	6	2.2	3	<1	<1	2	3	5	5	5
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	10	5.7	22	<1	1	4	6	13	18	18
65+	18	5.5	10	1	1	5	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	34	2.2	2	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	43	4.3	12	<1	1	3	6	9	11	18
1. SINGLE DX	34	2.2	2	<1	<1	2	3	5	6	7
2. MULTIPLE DX	43	4.3	12	<1	1	3	6	9	11	18
A. NOT OPERATED										
B. OPERATED	77	3.4	9	<1	<1	3	5	7	9	16
TOTAL 0-19 YRS	10	1.6	1	<1	<1	1	3	3	3	3
20-34	17	2.2	3	<1	1	2	3	5	6	7
35-49	12	2.2	2	1	1	2	3	4	5	5
50-64	17	4.6	16	<1	<1	4	5	8	14	18
65+	21	5.0	10	<1	1	5	7	10	11	11
GRAND TOTAL	**77**	**3.4**	**9**	**<1**	**<1**	**3**	**5**	**7**	**9**	**16**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.7	6	<1	<1	2	4	7	7	7
35-49	5	7.4	28	2	2	9	11	14	14	14
50-64	16	2.5	5	<1	<1	2	3	4	8	10
65+	14	2.9	11	<1	<1	2	3	5	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	8	4.6	11	2	2	3	8	9	9	9
50-64	28	6.6	21	1	2	6	9	14	16	18
65+	74	4.9	27	1	1	3	6	10	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	43	3.2	11	<1	<1	2	4	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*	115	5.2	24	1	1	4	7	10	15	26
1. SINGLE DX	43	3.2	11	<1	<1	2	4	9	11	14
2. MULTIPLE DX	117	5.3	24	1	1	4	7	10	15	26
A. NOT OPERATED	2	7.0	50	2	2	7	12	12	12	12
B. OPERATED	158	4.7	21	<1	1	3	6	10	14	25
TOTAL 0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	10	3.0	4	<1	<1	2	5	6	7	7
35-49	13	5.7	18	2	2	3	9	11	13	14
50-64	44	5.1	19	<1	1	4	8	11	15	18
65+	90	4.7	25	1	1	3	5	10	14	27
GRAND TOTAL	**160**	**4.7**	**21**	**<1**	**1**	**3**	**6**	**10**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	12.5	13	10	10	12	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	2.8	19	<1	<1	<1	1	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	2.0	3	<1	<1	1	3	5	5	5
1. SINGLE DX	13	2.8	19	<1	<1	<1	1	11	14	15
2. MULTIPLE DX	5	2.0	3	<1	<1	1	3	5	5	5
A. NOT OPERATED										
B. OPERATED	18	2.6	15	<1	<1	<1	2	8	13	15
TOTAL 0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	2.3	5	<1	<1	<1	4	5	5	5
50-64	2	12.5	13	10	10	12	15	15	15	15
65+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**18**	**2.6**	**15**	**<1**	**<1**	**<1**	**2**	**8**	**13**	**15**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	4	3.8	4	<1	<1	4	5	5	5	5
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	18	7.5	21	1	1	7	11	14	16	16
35-49	47	9.3	34	2	2	8	13	18	20	25
50-64	39	7.5	28	1	2	6	10	16	18	23
65+	24	12.9	79	1	3	11	16	23	33	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	7.0	3	5	5	7	8	9	9	9
50-64	18	4.4	8	1	1	4	8	9	59	99+
65+	81	8.8	60	2	2	7	11	17	21	45
B. *Operated*										
0-19 YRS	8	14.8	132	4	4	11	24	32	33	33
20-34	24	13.7	117	2	5	11	17	25	35	52
35-49	54	12.3	75	2	3	10	17	23	32	38
50-64	97	16.6	261	3	5	12	17	40	60	74
65+	147	18.4	282	3	4	13	24	46	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.7	3	<1	<1	2	4	5	5	5
B. *Operated*	129	9.1	41	1	2	8	12	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	107	7.8	50	1	2	6	9	15	21	71
B. *Operated*	330	16.4	230	3	4	12	19	38	56	99+
1. SINGLE DX	140	8.6	41	1	2	7	12	17	20	30
2. MULTIPLE DX	437	14.3	199	2	3	10	17	33	51	99+
A. NOT OPERATED	118	7.3	48	1	2	5	9	15	21	65
B. OPERATED	459	14.4	187	2	3	11	17	31	48	99
TOTAL 0-19 YRS	11	11.7	122	1	2	7	17	31	33	33
20-34	43	10.9	83	1	3	8	14	22	26	52
35-49	109	10.5	56	2	2	9	14	20	24	36
50-64	158	12.6	194	2	2	9	15	23	52	74
65+	256	14.6	208	2	3	11	19	33	51	99+
GRAND TOTAL	**577**	**12.9**	**167**	**2**	**3**	**9**	**16**	**27**	**43**	**99**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	141	3.1	1	1	2	3	4	4	5	6
35-49	180	3.1	1	1	2	3	4	4	5	6
50-64	113	3.4	1	1	2	3	4	5	5	7
65+	41	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	5	5.8	29	2	2	4	8	15	15	15
65+	3	4.0	3	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	6	3.2		3	3	3	3	4	4	4
20-34	48	3.2	2	1	1	3	4	5	6	7
35-49	89	3.4	2	1	2	3	4	5	6	8
50-64	141	4.4	20	2	3	4	5	6	7	17
65+	101	5.1	11	2	3	4	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	481	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	12	4.6	13	2	2	3	6	9	14	15
B. *Operated*	385	4.2	11	2	2	4	5	6	7	13
1. SINGLE DX	483	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX	397	4.2	12	2	2	4	5	6	7	13
A. NOT OPERATED	14	4.2	12	1	2	3	6	7	13	15
B. OPERATED	866	3.6	6	1	2	3	4	5	6	10
TOTAL 0-19 YRS	12	2.7	1	1	1	3	3	4	4	4
20-34	190	3.1	1	1	2	3	4	5	5	6
35-49	273	3.2	1	1	2	3	4	5	5	7
50-64	260	4.0	12	2	2	4	4	5	6	13
65+	145	4.5	9	2	2	4	5	7	9	14
GRAND TOTAL	**880**	**3.6**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	4.2	6	2	2	4	6	8	8	8
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	2	8.0	18	5	5	8	11	11	11	11
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	12	7.5	3	5	5	7	9	10	11	11
35-49	27	5.2	9	1	2	5	7	9	12	13
50-64	24	4.8	10	1	1	3	7	9	11	12
65+	11	5.3	8	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	4.5	10	1	1	3	9	9	9	9
35-49	5	4.2	15	2	2	2	6	11	11	11
50-64	10	5.6	8	2	2	5	7	10	12	12
65+	17	6.8	20	2	2	6	9	15	15	15
B. *Operated*										
0-19 YRS	8	18.3	457	2	3	10	24	56	65	65
20-34	32	6.9	20	2	3	6	9	14	21	99+
35-49	46	10.1	60	3	3	8	12	22	27	35
50-64	117	8.8	96	2	3	6	11	17	25	54
65+	109	9.7	93	2	3	6	12	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.7	8	<1	1	3	5	8	10	11
B. *Operated*	76	5.4	9	1	2	5	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	44	5.6	14	2	2	5	8	11	14	15
B. *Operated*	312	9.4	92	2	3	6	11	18	26	68
1. SINGLE DX	91	5.2	9	1	2	5	7	9	11	13
2. MULTIPLE DX	356	8.9	84	2	3	6	11	17	26	63
A. NOT OPERATED	59	5.1	13	1	2	4	7	10	13	15
B. OPERATED	388	8.6	78	2	3	6	10	17	25	55
TOTAL 0-19 YRS	14	12.0	304	<1	2	5	11	37	59	65
20-34	56	6.4	15	2	2	6	9	11	15	94
35-49	83	7.8	44	2	2	6	10	15	22	34
50-64	155	7.8	78	2	2	5	9	15	23	39
65+	139	9.0	78	2	3	6	12	17	27	40
GRAND TOTAL	**447**	**8.1**	**71**	**2**	**2**	**6**	**10**	**16**	**23**	**39**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	302	2.8	4	<1	<1	2	4	6	7	8
35-49	174	3.8	5	<1	1	4	6	7	7	9
50-64	48	4.3	7	1	1	4	6	8	8	12
65+	14	5.0	16	1	1	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	7	2.7	11	<1	<1	1	3	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	300	3.9	7	<1	1	4	6	7	8	12
35-49	317	5.1	9	1	1	5	7	8	9	16
50-64	95	5.8	16	1	1	5	7	11	13	22
65+	62	5.2	16	<1	1	5	7	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	539	3.4	5	<1	<1	3	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	12	2.2	7	<1	<1	1	3	28	86	99+
B. *Operated*	775	4.8	10	<1	1	5	6	8	10	15
1. SINGLE DX	540	3.4	5	<1	<1	3	5	7	7	9
2. MULTIPLE DX	787	4.7	10	<1	1	5	6	8	10	15
A. NOT OPERATED	13	2.3	6	<1	<1	1	3	19	82	99+
B. OPERATED	1314	4.2	9	<1	1	4	6	7	9	14
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	608	3.4	6	<1	<1	3	5	7	8	10
35-49	498	4.6	8	<1	1	5	6	7	9	14
50-64	143	5.3	14	1	1	5	7	10	12	31
65+	76	5.2	15	1	1	5	7	10	13	18
GRAND TOTAL	**1327**	**4.2**	**9**	**<1**	**1**	**4**	**6**	**7**	**9**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	13	3.9	19	<1	<1	2	5	10	15	16
35-49	54	4.3	9	<1	<1	4	6	8	10	13
50-64	62	3.9	16	<1	<1	2	5	9	13	19
65+	56	4.6	12	<1	1	4	6	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	11	7.4	38	1	3	5	9	16	23	24
65+	4	8.0	77	1	1	5	14	20	20	20
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	17	4.4	9	<1	1	4	5	8	11	13
35-49	65	6.8	72	<1	1	5	8	13	16	57
50-64	162	7.1	56	<1	1	5	9	14	22	39
65+	300	7.2	40	1	2	6	10	15	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*	185	4.2	13	<1	<1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	18	6.7	40	1	1	5	9	17	22	24
B. *Operated*	545	7.0	48	1	1	5	9	14	18	38
1. SINGLE DX	192	4.2	13	<1	<1	3	6	9	12	16
2. MULTIPLE DX	563	7.0	47	1	1	5	9	14	18	37
A. NOT OPERATED	25	5.5	33	<1	1	4	6	11	21	24
B. OPERATED	730	6.3	40	<1	1	5	9	13	17	31
TOTAL 0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	31	4.1	12	<1	1	3	5	8	13	16
35-49	122	5.5	44	<1	<1	5	7	10	13	36
50-64	237	6.2	46	<1	1	5	8	13	17	38
65+	362	6.8	37	1	1	5	9	14	17	31
GRAND TOTAL	**755**	**6.3**	**40**	**<1**	**1**	**5**	**9**	**13**	**17**	**31**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	3	<1	<1	1	3	5	6	6
20-34	18	2.6	2	<1	1	2	3	5	6	7
35-49	17	3.7	9	<1	<1	2	6	8	10	11
50-64	24	4.4	12	1	1	3	7	9	12	13
65+	27	3.5	4	1	1	4	5	7	8	8
B. *Operated*										
0-19 YRS	59	3.9	11	<1	1	3	6	8	12	16
20-34	95	3.9	9	<1	1	3	5	9	10	13
35-49	100	4.5	13	<1	<1	4	6	9	11	18
50-64	149	3.9	12	<1	<1	2	6	9	12	14
65+	138	3.9	27	<1	1	2	4	9	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.2	4	<1	<1	2	2	4	6	11
20-34	33	3.7	19	<1	<1	2	5	8	9	23
35-49	42	4.0	23	<1	<1	3	4	8	13	27
50-64	100	6.5	32	<1	1	5	8	14	17	31
65+	285	7.8	91	1	1	5	10	16	20	71
B. *Operated*										
0-19 YRS	46	6.7	53	1	1	4	8	13	17	42
20-34	83	5.9	21	<1	1	5	8	12	19	20
35-49	171	6.9	56	1	1	6	8	13	19	56
50-64	308	7.3	36	1	1	6	10	15	18	28
65+	673	9.5	81	1	2	7	12	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.3	7	<1	1	2	5	7	8	12
B. *Operated*	541	4.0	15	<1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	490	6.6	66	<1	1	4	8	14	18	34
B. *Operated*	1281	8.3	63	1	1	6	11	18	22	43
1. SINGLE DX	647	3.9	14	<1	1	3	6	8	11	14
2. MULTIPLE DX	1771	7.8	64	1	1	6	10	17	22	42
A. NOT OPERATED	596	6.0	57	<1	1	4	8	13	17	33
B. OPERATED	1822	7.0	53	1	1	5	9	15	21	38
TOTAL 0-19 YRS	155	4.2	24	<1	<1	2	6	8	13	26
20-34	229	4.5	15	<1	1	4	6	9	12	20
35-49	330	5.6	38	<1	1	5	7	11	14	44
50-64	581	6.2	30	<1	1	5	8	13	16	26
65+	1123	8.2	79	1	1	6	11	18	23	47
GRAND TOTAL	**2418**	**6.8**	**54**	**<1**	**1**	**5**	**9**	**14**	**20**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	3	5.7	8	4	4	4	8	9	9	9
B. *Operated*										
0-19 YRS	10	3.0	1	2	2	3	4	4	4	4
20-34	94	3.1	2	1	2	3	4	4	5	9
35-49	160	3.5	2	2	2	3	4	5	6	8
50-64	108	3.6	2	2	2	4	4	5	6	9
65+	49	3.9	4	2	2	4	5	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	4	<1	<1	2	4	5	5	5
35-49	11	2.2	2	<1	<1	1	4	5	5	5
50-64	10	4.8	26	1	1	2	8	13	15	15
65+	22	7.1	22	1	2	6	10	15	16	17
B. *Operated*										
0-19 YRS	7	2.9	1	2	2	2	4	5	5	5
20-34	40	3.8	1	2	3	4	4	5	6	7
35-49	87	4.3	5	2	2	4	5	6	9	15
50-64	133	4.3	5	2	2	4	5	6	8	14
65+	127	6.3	52	2	3	5	6	10	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	6	1	1	4	4	7	9	9
B. *Operated*	421	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	47	5.1	20	<1	<1	4	8	12	15	17
B. *Operated*	394	4.9	21	2	2	4	5	7	9	27
1. SINGLE DX	430	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX	441	4.9	20	2	2	4	5	8	10	24
A. NOT OPERATED	56	4.9	18	<1	<1	4	7	11	15	17
B. OPERATED	815	4.2	12	2	2	4	5	6	8	15
TOTAL 0-19 YRS	18	3.1	1	2	2	3	4	5	5	5
20-34	138	3.3	2	1	2	3	4	5	5	7
35-49	261	3.7	4	1	2	4	4	5	7	13
50-64	253	4.0	4	2	2	4	5	6	8	14
65+	201	5.8	37	2	2	4	6	10	14	37
GRAND TOTAL	**871**	**4.2**	**12**	**2**	**2**	**4**	**5**	**6**	**8**	**16**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	13	<1	<1	3	4	11	12	12
20-34	25	4.0	4	1	2	4	5	5	9	11
35-49	24	5.2	8	1	2	5	7	9	10	11
50-64	12	3.8	5	1	1	4	6	6	7	7
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	15	4.3	6	1	3	4	5	5	10	12
20-34	86	4.0	3	2	3	4	5	6	6	12
35-49	56	3.7	4	1	2	3	4	5	9	10
50-64	39	3.7	2	2	2	3	5	6	7	8
65+	11	4.0	2	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	4	<1	1	3	4	7	7	7
20-34	47	5.2	11	1	1	5	7	9	12	15
35-49	66	6.5	22	2	2	6	9	11	15	27
50-64	114	7.1	21	2	3	6	9	12	16	24
65+	237	11.2	131	2	3	8	14	19	29	69
B. *Operated*										
0-19 YRS	9	6.4	26	1	2	6	7	14	19	19
20-34	44	5.1	10	2	2	4	7	9	11	16
35-49	47	4.5	7	2	2	4	5	8	10	14
50-64	71	6.4	53	2	2	4	7	14	18	48
65+	73	14.5	279	3	3	8	17	28	64	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.3	8	1	1	4	5	9	10	12
B. *Operated*	207	3.9	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	475	8.8	81	2	2	7	10	17	20	46
B. *Operated*	244	8.2	119	2	2	5	8	16	25	71
1. SINGLE DX	292	4.0	4	1	2	4	5	6	8	12
2. MULTIPLE DX	719	8.6	94	2	2	6	10	17	22	58
A. NOT OPERATED	560	8.1	72	2	2	6	10	15	19	41
B. OPERATED	451	6.2	71	2	2	4	6	10	18	54
TOTAL 0-19 YRS	57	4.4	11	<1	1	4	5	8	12	19
20-34	202	4.5	7	2	2	4	5	7	9	15
35-49	193	5.0	13	1	2	4	6	9	11	18
50-64	236	6.1	28	2	2	5	7	11	16	25
65+	323	11.6	163	2	3	8	14	20	33	76
GRAND TOTAL	**1011**	**7.2**	**72**	**2**	**2**	**5**	**8**	**15**	**19**	**46**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	4.9	6	2	2	5	6	8	9	14
20-34	13	4.2	8	1	1	4	5	9	9	9
35-49	15	3.9	6	1	1	3	6	7	8	8
50-64	13	5.2	5	2	2	5	7	8	9	9
65+	7	6.1	21	2	2	5	8	14	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	12.5	25	9	9	12	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.1	21	1	3	6	7	9	14	98
20-34	49	4.8	11	1	1	5	7	9	11	15
35-49	54	5.6	19	1	2	5	7	10	13	26
50-64	78	6.7	18	2	3	6	8	11	15	26
65+	81	9.4	123	2	3	6	9	16	32	63
B. *Operated*										
0-19 YRS										
20-34	5	7.8	36	3	3	6	10	18	18	18
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64	22	10.7	59	1	1	9	17	22	25	27
65+	12	14.9	92	3	4	13	23	49	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	4.8	7	1	2	4	6	8	9	14
B. *Operated*	4	7.3	46	1	1	5	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	314	6.8	47	1	2	6	8	11	16	52
B. *Operated*	42	11.2	67	1	3	9	17	24	30	99+
1. SINGLE DX	122	4.9	8	1	2	4	6	8	9	15
2. MULTIPLE DX	356	7.3	51	1	2	6	8	14	20	59
A. NOT OPERATED	432	6.3	37	1	2	5	7	10	15	36
B. OPERATED	46	10.9	65	1	2	9	17	23	29	99+
TOTAL 0-19 YRS	122	5.4	13	2	2	5	7	8	10	51
20-34	67	4.9	12	1	1	4	7	9	11	17
35-49	74	5.2	16	1	2	4	7	9	10	24
50-64	115	7.4	27	2	3	7	9	14	19	27
65+	100	9.9	115	2	3	7	11	19	34	82
GRAND TOTAL	**478**	**6.7**	**41**	**1**	**2**	**5**	**8**	**12**	**17**	**44**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	374	3.8	6	1	1	3	5	7	8	11
20-34	297	3.7	4	1	1	3	5	7	8	11
35-49	108	5.0	8	2	2	5	6	9	9	14
50-64	49	6.3	17	1	2	6	8	11	16	20
65+	31	6.2	12	1	3	6	8	10	10	19
B. *Operated*										
0-19 YRS	5	5.6	7	2	2	6	7	9	9	9
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	443	5.0	50	1	1	3	6	9	12	23
20-34	703	5.1	14	1	2	4	6	9	11	19
35-49	460	6.8	26	2	2	6	8	12	15	32
50-64	431	8.5	38	2	3	7	10	14	18	45
65+	672	11.2	82	3	4	9	14	20	27	69
B. *Operated*										
0-19 YRS	11	7.2	17	2	3	6	9	13	17	17
20-34	68	9.9	64	3	4	8	12	16	25	50
35-49	71	13.0	86	4	5	11	16	22	31	92
50-64	85	16.1	164	4	5	13	20	33	51	99+
65+	146	22.0	271	7	8	17	31	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	4.1	7	1	1	4	5	8	9	12
B. *Operated*	9	5.8	6	2	3	5	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2709	7.4	49	2	2	6	9	14	18	36
B. *Operated*	381	16.4	191	4	5	13	21	38	66	99+
1. SINGLE DX	868	4.2	7	1	1	4	6	8	9	12
2. MULTIPLE DX	3090	8.5	75	2	2	6	10	16	23	68
A. NOT OPERATED	3568	6.6	41	1	2	5	8	13	16	34
B. OPERATED	390	16.2	190	4	5	13	21	37	64	99+
TOTAL 0-19 YRS	833	4.5	30	1	1	3	6	8	10	17
20-34	1070	5.0	16	1	2	4	6	9	12	20
35-49	640	7.2	34	2	2	6	9	13	17	34
50-64	566	9.4	63	2	3	8	12	17	23	61
65+	849	12.9	130	3	4	10	15	27	37	99+
GRAND TOTAL	**3958**	**7.6**	**63**	**1**	**2**	**5**	**9**	**15**	**20**	**58**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	4.8	8	1	2	4	6	9	11	37
20-34	238	4.0	5	1	1	4	5	7	8	11
35-49	248	5.1	6	2	2	5	7	8	9	13
50-64	340	5.4	9	2	2	5	7	9	11	15
65+	254	5.9	9	2	3	5	7	10	12	17
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	2.0	1	<1	<1	2	2	3	4	4
35-49	12	2.6	2	<1	1	2	3	5	6	6
50-64	34	4.0	15	1	1	3	5	8	12	20
65+	23	7.0	55	1	2	3	8	19	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	5.8	81	1	1	4	7	10	13	99+
20-34	704	5.7	19	1	2	4	7	11	14	23
35-49	1325	6.7	28	2	2	5	8	12	15	27
50-64	2863	7.3	33	2	3	6	9	12	16	26
65+	4282	8.9	62	3	3	7	10	15	20	57
B. *Operated*										
0-19 YRS	11	8.2	25	2	2	8	10	15	19	19
20-34	191	11.3	212	2	2	7	13	23	38	79
35-49	556	14.0	170	2	3	10	17	33	44	70
50-64	1427	16.4	223	2	3	12	22	38	51	99+
65+	2121	19.2	258	3	5	15	25	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1308	5.1	8	2	2	5	6	9	10	15
B. *Operated*	82	4.4	24	<1	1	3	5	9	16	27
2. MULTIPLE DX										
A. *Not Operated*	9417	7.8	47	2	3	6	9	13	17	40
B. *Operated*	4306	17.2	238	2	3	13	23	40	55	99+
1. SINGLE DX	1390	5.0	9	1	2	5	6	9	10	15
2. MULTIPLE DX	13723	10.7	126	2	3	7	12	22	34	74
A. NOT OPERATED	10725	7.4	43	2	3	6	9	13	17	36
B. OPERATED	4388	17.0	237	2	3	12	22	40	54	99+
TOTAL 0-19 YRS	484	5.3	46	1	2	4	7	9	12	99+
20-34	1144	6.2	54	1	2	4	7	12	15	33
35-49	2141	8.4	73	2	2	6	9	16	24	48
50-64	4664	9.9	108	2	3	7	11	20	31	63
65+	6680	12.0	146	3	3	8	14	25	40	86
GRAND TOTAL	**15113**	**10.2**	**118**	**2**	**3**	**7**	**12**	**21**	**32**	**72**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.0	4	<1	<1	4	5	6	7	7
20-34	41	2.8	4	<1	<1	2	4	6	7	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	18	3.7	6	1	1	3	5	8	9	9
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.3	6	<1	<1	3	5	7	8	8
20-34	102	3.6	12	<1	<1	3	5	7	8	21
35-49	11	3.6	7	<1	<1	3	6	7	8	8
50-64										
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.9	1	1	1	2	3	3	4	4
B. *Operated*	52	3.0	4	<1	<1	2	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	23	3.7	10	<1	1	3	5	8	11	14
B. *Operated*	130	3.7	12	<1	<1	3	5	7	8	17
1. SINGLE DX	64	2.8	4	<1	<1	2	4	5	6	7
2. MULTIPLE DX	153	3.7	11	<1	<1	3	5	7	8	14
A. NOT OPERATED	35	3.1	8	1	1	2	4	7	9	14
B. OPERATED	182	3.5	9	<1	<1	3	5	6	8	14
TOTAL 0-19 YRS	32	3.1	5	<1	<1	2	5	6	7	8
20-34	166	3.4	9	<1	<1	3	5	6	8	14
35-49	17	3.9	12	<1	<1	3	6	8	12	14
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**217**	**3.4**	**9**	**<1**	**<1**	**3**	**5**	**6**	**8**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.6	2	<1	1	1	2	3	4	9
20-34	36	3.5	5	<1	1	3	5	6	8	9
35-49	31	4.5	17	<1	1	4	5	12	13	16
50-64	21	5.2	22	<1	1	4	7	11	16	20
65+	31	4.0	19	1	1	3	5	7	10	24
B. *Operated*										
0-19 YRS	8	5.3	11	1	1	5	8	10	10	10
20-34	8	4.8	18	<1	<1	4	6	12	14	14
35-49	9	5.0	11	<1	<1	5	7	9	10	10
50-64	14	4.1	3	1	2	4	5	6	8	9
65+	5	8.2	39	4	4	4	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	2.5	5	<1	1	2	3	5	6	12
20-34	217	4.4	14	1	1	3	6	9	11	18
35-49	237	5.1	22	1	1	4	6	10	15	23
50-64	519	6.4	56	1	2	4	7	13	17	38
65+	1374	7.4	62	1	2	5	9	14	20	43
B. *Operated*										
0-19 YRS	6	17.5	402	2	2	7	35	48	50	50
20-34	24	10.5	90	<1	3	9	15	39	99+	99+
35-49	74	8.6	83	2	2	5	11	20	24	51
50-64	123	12.8	220	2	3	8	16	37	49	87
65+	204	15.1	255	2	3	10	18	34	44	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	2.9	10	<1	1	2	4	6	10	17
B. *Operated*	44	5.1	13	<1	1	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2531	6.3	51	1	1	4	8	12	17	38
B. *Operated*	431	13.1	212	2	3	9	17	28	45	95
1. SINGLE DX	277	3.3	11	<1	1	2	4	7	10	17
2. MULTIPLE DX	2962	7.3	80	1	2	5	9	15	21	52
A. NOT OPERATED	2764	6.1	48	1	1	4	7	12	17	36
B. OPERATED	475	12.4	199	2	3	8	16	27	44	94
TOTAL 0-19 YRS	312	2.6	15	<1	1	1	3	5	7	14
20-34	285	4.8	22	1	1	4	6	10	14	37
35-49	351	5.8	36	1	1	4	7	12	16	32
50-64	677	7.5	90	1	2	5	8	15	22	56
65+	1614	8.3	92	1	2	6	10	17	24	53
GRAND TOTAL	**3239**	**7.0**	**75**	**1**	**1**	**5**	**8**	**14**	**20**	**50**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	7.1	63	1	1	4	9	21	25	25
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	4	3.5	6	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49										
50-64	2	10.5	61	5	5	10	16	16	16	16
65+	4	7.3	35	1	1	6	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.3	40	2	3	7	10	17	24	28
20-34	14	9.9	105	2	2	6	9	21	36	41
35-49	20	6.8	21	1	2	5	11	16	54	99+
50-64	58	7.9	44	2	3	6	9	15	21	36
65+	217	11.8	122	3	4	9	14	24	62	99+
B. *Operated*										
0-19 YRS	8	7.0	22	2	2	6	13	66	99+	99+
20-34	9	18.4	246	2	5	12	26	45	48	48
35-49	18	16.4	145	3	6	14	19	27	44	55
50-64	32	14.6	206	4	4	10	16	42	62	99+
65+	177	13.7	189	2	3	9	17	31	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.1	39	1	1	4	8	14	22	25
B. *Operated*	9	7.1	29	1	1	5	10	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	328	10.5	99	2	3	8	13	22	37	99+
B. *Operated*	244	14.0	185	2	3	9	17	32	49	95
1. SINGLE DX	25	6.4	35	1	1	5	8	15	18	25
2. MULTIPLE DX	572	12.0	139	2	3	9	15	28	42	99+
A. NOT OPERATED	344	10.3	97	2	3	8	13	22	36	99+
B. OPERATED	253	13.7	181	2	3	9	17	31	47	93
TOTAL 0-19 YRS	36	7.7	40	1	2	5	11	18	27	99+
20-34	27	12.1	153	2	2	9	13	37	42	48
35-49	38	11.4	101	1	3	9	16	25	43	99+
50-64	94	10.2	107	2	3	8	12	20	35	83
65+	402	12.5	151	2	3	9	15	29	43	99+
GRAND TOTAL	**597**	**11.8**	**135**	**2**	**3**	**8**	**15**	**26**	**41**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	11.2	47	3	4	11	13	19	22	41
20-34	48	12.1	43	3	4	12	17	21	24	28
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	3	24.3	352	13	13	14	38	46	46	46
20-34	2	12.5	181	3	3	12	22	22	22	22
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	12.2	41	2	4	12	15	19	22	47
20-34	158	12.9	57	3	5	12	15	21	28	60
35-49	15	15.6	37	9	10	13	20	25	29	30
50-64										
65+										
B. *Operated*										
0-19 YRS	24	22.3	241	4	8	16	34	45	51	63
20-34	30	21.1	161	4	7	17	27	44	46	47
35-49	3	25.0	273	14	14	17	37	44	44	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	11.5	45	3	4	11	14	20	23	33
B. *Operated*	5	19.6	263	3	3	14	28	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	376	12.6	48	3	5	12	15	20	25	50
B. *Operated*	57	21.8	193	4	8	16	29	45	46	62
1. SINGLE DX	149	11.8	53	3	4	11	14	21	24	46
2. MULTIPLE DX	433	13.9	76	3	5	12	16	23	31	54
A. NOT OPERATED	520	12.3	47	3	4	12	15	20	24	45
B. OPERATED	62	21.7	195	4	7	16	29	45	46	61
TOTAL 0-19 YRS	325	12.8	67	3	4	12	14	20	28	49
20-34	238	13.8	75	3	5	12	17	24	30	49
35-49	19	16.9	72	9	10	14	20	28	38	44
50-64										
65+										
GRAND TOTAL	**582**	**13.3**	**71**	**3**	**4**	**12**	**16**	**22**	**29**	**48**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	8	7.0	4	4	4	7	8	10	10	10
20-34	86	6.6	4	4	4	6	8	9	10	13
35-49	71	7.2	5	4	5	7	8	11	12	13
50-64	6	7.3	3	5	5	8	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	21.6	770	2	2	6	57	83	98	99+
20-34	11	3.9	17	1	1	2	6	11	13	13
35-49	18	3.5	11	<1	<1	2	4	7	12	14
50-64	15	8.0	51	<1	1	8	12	21	22	22
65+	9	9.8	125	3	3	6	8	28	39	39
B. *Operated*										
0-19 YRS	6	7.5	6	5	5	7	9	11	11	11
20-34	147	8.1	13	4	5	7	9	12	14	22
35-49	248	8.6	32	4	5	7	9	13	20	31
50-64	67	9.7	90	4	5	7	9	13	32	53
65+	3	26.3	320	11	11	22	40	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.0	16	1	1	5	9	12	12	12
B. *Operated*	171	6.9	5	4	4	6	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	64	8.6	196	<1	1	4	9	21	56	96
B. *Operated*	471	8.7	37	4	5	7	9	13	18	43
1. SINGLE DX	177	6.8	5	4	4	6	8	10	12	13
2. MULTIPLE DX	535	8.7	56	2	4	7	9	13	21	53
A. NOT OPERATED	70	8.4	181	1	1	4	9	21	54	95
B. OPERATED	642	8.2	29	4	5	7	9	12	15	31
TOTAL 0-19 YRS	26	13.2	365	2	3	7	10	58	80	99+
20-34	246	7.3	11	4	4	7	9	11	13	21
35-49	339	8.0	27	4	4	7	9	13	16	30
50-64	89	9.3	76	1	4	7	10	14	22	51
65+	12	13.9	205	3	4	7	17	41	45	46
GRAND TOTAL	**712**	**8.2**	**44**	**3**	**4**	**7**	**9**	**12**	**17**	**47**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.7	3	<1	<1	1	2	3	5	99+
20-34	48	4.0	34	<1	1	2	5	8	13	37
35-49	29	4.4	68	<1	<1	1	4	8	16	44
50-64	25	4.4	62	<1	<1	<1	4	12	20	37
65+	18	2.1	4	<1	<1	1	3	5	7	8
B. *Operated*										
0-19 YRS	13	4.4	12	<1	<1	3	7	9	11	12
20-34	65	3.2	18	<1	<1	2	3	7	11	25
35-49	93	3.2	54	<1	<1	1	3	6	9	46
50-64	45	3.0	14	<1	1	2	4	6	8	23
65+	7	2.0	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	5.8	77	<1	<1	3	7	16	22	71
20-34	192	10.6	133	1	2	6	13	26	35	66
35-49	176	11.9	187	1	2	7	15	29	42	71
50-64	166	8.2	58	1	2	6	11	15	21	42
65+	310	8.8	69	1	2	7	11	17	22	53
B. *Operated*										
0-19 YRS	17	14.4	410	1	2	7	20	88	99+	99+
20-34	168	16.9	243	2	2	13	25	36	49	86
35-49	193	15.3	295	1	2	9	21	37	53	82
50-64	131	10.1	141	1	1	5	16	26	39	99+
65+	150	13.3	228	1	2	9	17	27	37	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	2.8	25	<1	<1	1	2	7	11	55
B. *Operated*	223	3.2	31	<1	<1	1	3	6	9	30
2. MULTIPLE DX										
A. *Not Operated*	978	9.2	105	1	1	6	11	20	30	63
B. *Operated*	659	14.2	243	1	2	9	20	35	49	96
1. SINGLE DX	451	3.0	28	<1	<1	1	3	6	10	37
2. MULTIPLE DX	1637	11.2	166	1	1	7	14	27	38	73
A. NOT OPERATED	1206	8.0	96	<1	1	5	10	18	29	62
B. OPERATED	882	11.4	212	1	1	5	16	29	41	90
TOTAL 0-19 YRS	272	4.6	74	<1	<1	2	5	12	21	99+
20-34	473	11.1	171	1	1	6	15	28	38	75
35-49	491	11.1	218	<1	1	5	14	29	43	69
50-64	367	8.0	87	<1	1	5	11	18	28	54
65+	485	9.9	122	1	2	7	12	20	29	64
GRAND TOTAL	**2088**	**9.4**	**148**	**<1**	**1**	**5**	**12**	**23**	**35**	**71**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	17	3.6	4	2	2	3	5	7	8	8
50-64	20	4.5	7	<1	1	4	5	8	10	12
65+	23	5.4	16	2	2	4	8	11	15	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	3.5	14	1	1	2	6	9	9	9
65+	4	3.5	7	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	7	5.7	29	2	2	3	7	15	17	17
35-49	35	4.5	5	2	2	4	6	7	9	11
50-64	87	5.9	18	2	2	5	7	11	16	21
65+	215	7.9	56	2	3	6	9	15	19	41
B. *Operated*										
0-19 YRS										
20-34	4	4.0	9	1	1	4	6	7	7	7
35-49	9	4.3	6	1	1	3	7	8	8	8
50-64	16	5.8	18	1	1	5	9	11	14	15
65+	52	10.9	122	1	3	8	12	24	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.5	9	2	2	4	5	8	11	17
B. *Operated*	10	3.0	8	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	345	7.0	42	2	2	5	8	13	17	28
B. *Operated*	81	8.8	90	1	2	7	10	16	36	87
1. SINGLE DX	74	4.3	9	1	2	4	5	8	10	16
2. MULTIPLE DX	426	7.4	52	2	2	6	8	14	18	47
A. NOT OPERATED	409	6.6	38	2	2	5	8	12	17	28
B. OPERATED	91	8.2	84	1	1	6	10	16	32	83
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	15	4.5	16	1	2	3	6	8	15	17
35-49	63	4.1	5	1	2	4	6	7	8	11
50-64	127	5.6	16	1	2	4	7	11	14	20
65+	294	8.2	66	2	3	6	9	15	21	60
GRAND TOTAL	**500**	**6.9**	**46**	**2**	**2**	**5**	**8**	**13**	**17**	**41**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.2	2	1	1	2	3	4	4	8
20-34	22	3.1	8	<1	1	2	4	6	9	13
35-49	16	2.6	2	<1	1	2	4	5	6	6
50-64	20	3.4	7	<1	<1	3	5	7	9	11
65+	75	4.6	12	1	1	4	6	8	11	20
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	3	8.0	36	2	2	8	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1430	3.1	8	1	1	2	3	5	7	17
20-34	642	4.4	43	1	1	3	5	7	11	33
35-49	673	5.1	34	1	2	4	6	9	13	24
50-64	1392	6.9	69	1	2	5	8	12	17	51
65+	7369	9.0	83	2	3	7	11	17	25	66
B. *Operated*										
0-19 YRS	27	7.6	52	1	1	5	13	23	99+	99+
20-34	50	7.8	84	1	1	5	8	18	28	52
35-49	84	13.1	217	1	3	8	15	34	45	74
50-64	186	14.4	172	2	3	10	19	36	52	99+
65+	986	17.9	258	3	5	13	23	42	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	3.4	8	1	1	3	4	7	8	13
B. *Operated*	7	4.7	23	1	1	2	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	11506	7.5	72	1	2	5	9	15	21	58
B. *Operated*	1333	16.5	239	3	4	12	22	41	61	99+
1. SINGLE DX	200	3.5	8	1	1	3	4	7	9	14
2. MULTIPLE DX	12839	8.5	97	2	2	6	10	17	27	73
A. NOT OPERATED	11699	7.5	71	1	2	5	9	15	21	57
B. OPERATED	1340	16.4	239	2	4	12	22	40	61	99+
TOTAL 0-19 YRS	1520	3.1	9	1	1	2	4	5	7	20
20-34	715	4.6	45	1	1	3	5	8	12	34
35-49	773	5.9	59	1	2	4	6	11	17	46
50-64	1598	7.7	86	1	2	5	9	15	23	63
65+	8433	10.0	111	2	3	7	12	20	32	90
GRAND TOTAL	**13039**	**8.4**	**96**	**1**	**2**	**6**	**10**	**17**	**26**	**72**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	5	<1	1	4	5	6	9	10
20-34	9	2.8	3	1	1	3	4	5	6	6
35-49	15	3.6	3	1	1	3	5	6	7	7
50-64	12	2.7	2	1	1	2	4	5	5	5
65+	41	3.6	8	<1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	2.8	3	1	1	3	4	5	5	5
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	5	6.2	7	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	4	<1	1	3	5	6	7	7
20-34	50	3.9	5	1	1	4	6	7	9	9
35-49	123	4.7	13	1	2	4	6	9	11	20
50-64	208	5.5	30	1	1	4	7	9	13	33
65+	1194	6.3	39	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	7	8.6	55	1	1	6	13	20	21	21
20-34	26	7.8	35	2	3	6	9	13	23	28
35-49	67	7.6	26	1	2	7	10	13	17	25
50-64	114	8.1	22	2	4	7	10	14	17	25
65+	548	9.7	48	3	3	8	12	18	25	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.4	6	1	1	3	5	6	7	13
B. *Operated*	19	3.8	5	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1609	5.9	35	1	2	5	7	11	15	30
B. *Operated*	762	9.2	42	2	3	8	12	17	23	42
1. SINGLE DX	110	3.5	6	1	1	3	5	6	7	13
2. MULTIPLE DX	2371	7.0	39	1	2	5	9	14	18	39
A. NOT OPERATED	1700	5.8	33	1	1	4	7	11	14	29
B. OPERATED	781	9.0	42	2	3	8	11	17	23	42
TOTAL 0-19 YRS	57	4.0	13	<1	1	3	5	7	11	21
20-34	91	4.9	17	1	1	4	6	9	11	26
35-49	207	5.6	18	1	2	4	7	10	13	23
50-64	338	6.2	28	1	2	5	8	12	14	26
65+	1788	7.2	44	1	2	6	9	14	19	41
GRAND TOTAL	**2481**	**6.8**	**38**	**1**	**2**	**5**	**9**	**13**	**18**	**37**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	278	4.4	9	1	1	4	6	8	10	17
20-34	333	5.6	13	1	2	5	7	10	12	18
35-49	51	5.7	11	1	1	5	9	10	11	15
50-64	3	5.3	2	4	4	5	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	5.5	3	3	3	6	7	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	5.7	23	1	1	5	7	10	13	21
20-34	394	7.9	32	2	3	7	10	14	19	28
35-49	136	9.2	64	2	3	7	11	17	25	47
50-64	27	6.9	14	2	2	7	9	13	14	15
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	8	11.3	149	2	2	4	19	31	35	35
20-34	29	17.2	307	5	5	11	18	56	76	99+
35-49	14	16.0	294	4	4	9	15	50	59	61
50-64	6	10.8	36	5	5	9	12	21	22	22
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	665	5.1	11	1	1	5	6	9	11	17
B. *Operated*	6	5.7	2	3	3	6	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	799	7.4	35	1	2	6	9	14	18	30
B. *Operated*	57	15.4	250	3	4	10	17	45	63	98
1. SINGLE DX	671	5.1	11	1	1	5	6	9	11	17
2. MULTIPLE DX	856	7.9	53	1	2	6	10	15	19	46
A. NOT OPERATED	1464	6.3	26	1	2	5	8	12	15	26
B. OPERATED	63	14.5	234	3	4	10	16	36	62	97
TOTAL 0-19 YRS	527	5.1	18	1	1	4	6	9	12	19
20-34	760	7.2	39	1	2	6	9	13	17	30
35-49	202	8.7	71	1	2	6	10	16	23	52
50-64	36	7.4	18	2	2	7	10	13	15	22
65+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**1527**	**6.7**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.7	10	<1	<1	1	3	7	11	15
20-34	27	3.1	7	<1	1	1	5	8	9	9
35-49	20	2.5	5	1	1	2	3	4	8	11
50-64	51	2.6	10	<1	1	1	3	5	7	17
65+	154	2.6	5	<1	1	2	3	5	7	10
B. *Operated*										
0-19 YRS	22	8.0	262	<1	1	3	7	13	41	78
20-34	12	5.7	8	1	2	6	8	9	10	10
35-49	9	4.6	7	1	1	5	7	8	8	8
50-64	25	6.4	15	1	2	6	8	10	13	19
65+	23	7.1	48	<1	1	5	8	17	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	3.6	19	<1	<1	2	4	9	12	23
20-34	176	3.8	15	1	1	2	5	9	12	16
35-49	279	3.8	19	1	1	2	5	9	12	20
50-64	592	4.8	41	1	1	3	6	10	13	32
65+	2289	6.0	51	1	1	4	7	12	17	37
B. *Operated*										
0-19 YRS	38	7.5	37	1	2	6	8	16	21	30
20-34	50	9.8	90	2	2	7	12	30	33	99
35-49	111	9.1	60	2	2	7	12	17	23	46
50-64	215	10.6	84	2	2	9	13	21	26	65
65+	816	11.5	90	2	3	9	14	22	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	2.7	7	<1	<1	2	3	7	8	14
B. *Operated*	91	6.7	80	1	1	5	8	11	17	57
2. MULTIPLE DX										
A. *Not Operated*	3491	5.4	44	1	1	3	7	11	15	35
B. *Operated*	1230	10.9	85	2	3	8	13	22	28	59
1. SINGLE DX	446	3.5	24	<1	<1	2	4	8	10	17
2. MULTIPLE DX	4721	6.8	61	1	1	5	9	14	20	42
A. NOT OPERATED	3846	5.1	41	1	1	3	6	11	15	33
B. OPERATED	1321	10.6	86	2	3	8	13	21	27	59
TOTAL 0-19 YRS	318	4.1	37	<1	<1	2	5	10	12	26
20-34	265	5.0	33	1	1	3	7	10	15	33
35-49	419	5.2	34	1	1	3	7	12	15	27
50-64	883	6.1	56	1	1	4	8	13	18	38
65+	3282	7.2	65	1	1	5	9	15	21	44
GRAND TOTAL	**5167**	**6.5**	**59**	**1**	**1**	**4**	**8**	**14**	**19**	**41**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.8	7	<1	1	5	6	8	11	13
20-34	8	7.1	42	1	1	5	12	17	18	18
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.7	39	1	1	3	6	14	21	32
20-34	19	5.2	7	1	2	5	7	8	11	12
35-49	4	10.3	21	5	5	10	14	15	15	15
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	3	8.3	42	2	2	8	13	15	15	15
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	3	9.3	184	1	1	2	19	25	25	25
50-64										
65+	2	14.5	5	13	13	16	79	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.3	17	1	1	5	6	11	16	18
B. *Operated*	4	3.3	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	73	5.9	32	1	2	4	7	13	18	30
B. *Operated*	11	8.5	62	1	1	8	15	47	92	99+
1. SINGLE DX	34	5.0	15	1	1	4	6	9	15	18
2. MULTIPLE DX	84	6.3	36	1	2	4	8	15	21	76
A. NOT OPERATED	103	5.7	27	1	1	4	6	13	17	27
B. OPERATED	15	7.1	50	1	2	4	14	24	77	99+
TOTAL 0-19 YRS	69	5.6	30	1	1	4	6	13	15	30
20-34	30	5.6	16	1	2	5	7	10	16	18
35-49	14	6.5	47	1	1	4	8	16	23	25
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	3	16.0	9	13	13	17	59	99+	99+	99+
GRAND TOTAL	**118**	**5.9**	**30**	**1**	**1**	**4**	**7**	**14**	**19**	**53**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.8	6	<1	<1	2	4	6	9	12
20-34	43	4.1	13	<1	<1	3	5	8	11	18
35-49	21	4.7	13	1	1	3	6	10	12	15
50-64	17	4.1	6	1	2	4	5	8	9	10
65+	33	2.6	5	1	1	2	3	6	9	10
B. *Operated*										
0-19 YRS	59	5.3	51	1	1	4	5	9	14	46
20-34	52	6.8	19	1	3	5	8	14	16	22
35-49	33	5.9	7	3	3	6	7	8	12	14
50-64	26	7.8	55	1	2	6	7	17	29	31
65+	18	5.9	13	1	2	5	11	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	4.5	11	<1	1	4	6	9	10	15
20-34	125	5.0	17	1	1	4	7	10	11	22
35-49	147	5.8	21	1	2	5	7	11	14	33
50-64	346	6.7	26	1	2	5	8	13	17	26
65+	660	6.8	45	1	1	5	9	13	18	33
B. *Operated*										
0-19 YRS	66	8.8	97	2	2	6	10	22	37	99+
20-34	119	9.5	70	1	2	7	11	20	26	44
35-49	110	10.5	81	2	3	8	13	21	27	50
50-64	223	11.2	98	3	4	9	14	20	29	63
65+	402	12.6	102	2	3	10	17	24	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.2	8	<1	<1	2	4	7	9	14
B. *Operated*	188	6.2	31	1	2	5	7	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	1567	6.1	31	1	1	5	8	12	16	29
B. *Operated*	920	11.3	95	2	3	8	15	22	31	55
1. SINGLE DX	473	4.4	19	<1	1	3	6	8	11	21
2. MULTIPLE DX	2487	8.0	61	1	2	6	10	17	23	41
A. NOT OPERATED	1852	5.7	28	1	1	4	7	11	15	28
B. OPERATED	1108	10.5	88	2	3	8	13	21	29	54
TOTAL 0-19 YRS	585	4.5	26	<1	1	3	6	9	11	29
20-34	339	6.7	40	1	1	5	8	14	19	32
35-49	311	7.4	45	1	2	6	9	14	20	40
50-64	612	8.3	57	2	2	6	10	16	22	42
65+	1113	8.8	72	1	2	7	11	18	25	43
GRAND TOTAL	**2960**	**7.5**	**56**	**1**	**1**	**5**	**9**	**16**	**21**	**38**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	421	1.7	1	<1	1	2	2	3	4	5
20-34	105	1.9	1	1	1	2	2	3	4	7
35-49	19	1.6		<1	1	2	2	3	3	3
50-64	4	3.3	7	1	1	3	5	6	6	6
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	156	3.9	4	2	2	3	4	6	7	14
20-34	70	3.9	2	2	2	4	5	6	6	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	3.3	1	2	2	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	2.2	2	1	1	2	3	4	5	9
20-34	71	2.4	2	1	1	2	3	4	5	7
35-49	17	3.3	12	<1	1	2	4	5	12	16
50-64	6	3.0	4	1	1	2	3	7	7	7
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	84	4.5	5	2	2	4	5	7	9	14
20-34	44	5.7	11	2	3	5	6	10	15	16
35-49	11	5.2	8	2	2	6	7	9	10	10
50-64	4	7.3	11	4	4	7	10	11	11	11
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	1.8	1	1	1	2	2	3	4	5
B. *Operated*	231	3.9	4	2	2	4	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	340	2.3	3	1	1	2	3	4	5	9
B. *Operated*	144	5.0	8	2	2	4	6	9	11	16
1. SINGLE DX	782	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	484	3.1	6	1	1	2	4	6	7	14
A. NOT OPERATED	891	2.0	2	1	1	2	2	3	4	7
B. OPERATED	375	4.3	5	2	2	4	5	6	9	15
TOTAL 0-19 YRS	903	2.5	3	1	1	2	3	4	5	10
20-34	290	3.1	5	1	1	3	4	6	6	13
35-49	49	3.1	8	1	1	2	4	6	9	16
50-64	17	4.1	8	1	1	4	5	9	10	11
65+	7	2.9	2	1	1	3	4	5	5	5
GRAND TOTAL	**1266**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.1	4	2	2	4	5	7	8	10
20-34	8	3.6	5	1	1	3	5	7	7	7
35-49	5	7.4	110	2	2	2	10	26	26	26
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	34	2.8	7	<1	<1	1	4	7	9	10
20-34	36	3.1	11	<1	<1	2	3	9	12	13
35-49	19	2.3	2	<1	<1	2	2	5	6	7
50-64	16	3.1	8	<1	<1	2	4	7	10	11
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.8	9	1	2	4	5	8	11	15
20-34	11	4.3	6	2	2	3	5	9	10	10
35-49	7	4.9	9	2	2	4	6	10	11	11
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	7	5.3	12	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	23	5.2	13	<1	1	5	7	10	12	15
20-34	35	3.8	15	<1	<1	2	5	10	12	15
35-49	22	4.9	38	1	1	3	6	9	18	30
50-64	11	5.0	11	1	1	5	7	10	11	11
65+	11	4.6	8	<1	1	4	5	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.2	10	2	2	4	5	7	8	22
B. *Operated*	106	2.8	8	<1	<1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	99	4.6	8	1	2	4	5	9	11	15
B. *Operated*	102	4.6	18	<1	1	3	6	10	11	22
1. SINGLE DX	179	3.4	9	<1	<1	2	5	7	9	13
2. MULTIPLE DX	201	4.6	13	<1	1	4	6	9	11	16
A. NOT OPERATED	172	4.5	9	2	2	4	5	8	10	15
B. OPERATED	208	3.7	13	<1	<1	2	5	9	11	15
TOTAL 0-19 YRS	186	4.2	8	<1	1	4	5	8	10	14
20-34	90	3.6	11	<1	<1	2	4	9	11	14
35-49	53	4.2	28	<1	1	2	5	8	11	30
50-64	32	3.6	9	<1	<1	2	5	8	11	11
65+	19	4.7	9	<1	1	4	5	10	11	11
GRAND TOTAL	**380**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	25.6	882	2	2	10	52	67	67	67
20-34	16	15.3	220	1	1	9	29	37	44	47
35-49	9	21.2	619	2	2	14	22	60	84	84
50-64	10	20.2	629	2	2	11	27	62	82	82
65+	27	14.9	214	1	1	9	30	40	50	99+
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	46	<1	<1	2	9	17	20	20
20-34	52	21.1	287	2	3	15	29	50	52	61
35-49	41	14.4	219	2	3	8	17	34	57	59
50-64	85	14.2	201	2	3	9	21	32	46	95
65+	346	12.2	180	2	3	8	14	30	42	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	31.6	985	4	4	21	47	84	84	84
50-64	4	24.0	617	8	8	13	38	61	61	61
65+	40	21.8	344	1	3	18	38	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	17.4	360	1	2	11	29	43	68	97
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	532	13.5	201	2	3	8	17	32	48	93
B. *Operated*	49	23.0	409	2	4	18	37	79	99+	99+
1. SINGLE DX	68	17.2	358	1	2	10	28	43	68	97
2. MULTIPLE DX	581	14.3	225	2	3	9	19	36	52	99+
A. NOT OPERATED	599	13.9	220	2	2	8	18	35	49	95
B. OPERATED	50	22.6	409	2	3	17	37	79	99+	99+
TOTAL 0-19 YRS	13	13.5	421	<1	<1	3	13	51	64	67
20-34	69	19.5	274	1	2	13	29	47	51	60
35-49	55	17.1	355	2	3	12	20	36	59	84
50-64	99	15.2	256	2	3	9	21	35	49	93
65+	413	13.3	205	2	2	8	17	36	51	99+
GRAND TOTAL	**649**	**14.6**	**239**	**2**	**2**	**9**	**20**	**37**	**52**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.6	1	<1	1	1	2	3	4	7
20-34	76	3.5	15	1	1	2	4	8	12	19
35-49	26	6.7	86	<1	1	3	4	23	30	35
50-64	32	10.0	338	1	1	4	8	27	51	92
65+	160	11.5	134	1	2	8	16	25	32	61
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	5.4	61	1	1	3	7	10	18	76
20-34	409	7.7	50	1	2	6	8	14	20	40
35-49	284	7.6	43	2	3	6	8	13	18	34
50-64	209	10.4	108	2	3	7	14	21	31	99+
65+	1394	15.0	225	2	3	10	20	42	70	99+
B. *Operated*										
0-19 YRS	10	1.8	2	1	1	1	28	99+	99+	99+
20-34	12	6.5	43	<1	1	5	9	15	23	24
35-49	6	8.7	95	2	2	6	8	26	28	28
50-64	21	17.8	311	1	2	11	29	45	59	62
65+	162	21.5	436	3	5	15	37	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	7.4	113	1	1	3	8	19	26	55
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2434	12.0	168	2	3	8	15	30	51	99+
B. *Operated*	211	19.0	400	1	3	13	33	88	99+	99+
1. SINGLE DX	371	7.4	113	1	1	3	8	19	26	55
2. MULTIPLE DX	2645	12.5	190	2	3	8	15	34	57	99+
A. NOT OPERATED	2804	11.4	163	1	2	7	14	28	46	99+
B. OPERATED	212	18.9	399	1	3	13	33	88	99+	99+
TOTAL 0-19 YRS	224	4.0	41	1	1	2	5	9	16	99+
20-34	497	7.0	46	1	1	6	8	12	20	36
35-49	316	7.5	47	2	2	6	8	14	19	35
50-64	262	10.9	154	1	2	7	14	25	37	99+
65+	1717	15.3	241	2	3	11	20	44	78	99+
GRAND TOTAL	**3016**	**11.9**	**184**	**1**	**2**	**8**	**15**	**31**	**54**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	7	10.7	97	1	1	10	23	78	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	10	14.9	104	4	5	11	23	30	36	36
65+	181	16.0	231	3	4	11	21	46	66	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	14	23.6	337	5	5	20	35	71	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	9.8	90	1	1	8	21	71	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	193	15.9	222	3	4	11	21	43	64	99+
B. *Operated*	14	23.6	337	5	5	20	35	71	93	99+
1. SINGLE DX	8	9.8	90	1	1	8	21	71	99+	99+
2. MULTIPLE DX	207	16.4	232	3	4	11	22	47	67	99+
A. NOT OPERATED	201	15.6	218	2	4	11	21	43	66	99+
B. OPERATED	14	23.6	337	5	5	20	35	71	93	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	5.7	6	3	3	6	7	8	8	8
50-64	10	14.9	104	4	5	11	23	30	36	36
65+	202	16.3	236	2	4	11	22	48	71	99+
GRAND TOTAL	**215**	**16.1**	**228**	**3**	**4**	**11**	**22**	**47**	**69**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	36	3.7	4	1	2	3	5	6	7	11
35-49	33	4.5	29	1	1	4	4	6	19	28
50-64	26	7.3	35	1	2	6	10	18	20	24
65+	6	4.0	5	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.0	62	1	1	5	6	15	28	33
20-34	1017	5.1	10	2	3	5	5	6	9	18
35-49	1909	5.4	15	2	3	5	5	7	10	18
50-64	935	5.9	17	2	3	5	5	10	14	27
65+	315	9.0	100	2	3	5	10	19	29	66
B. *Operated*										
0-19 YRS										
20-34	17	9.6	74	4	5	7	10	22	33	37
35-49	51	10.0	67	3	3	8	12	18	28	49
50-64	31	18.6	355	3	4	9	28	49	80	99+
65+	17	21.9	344	4	6	18	42	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.9	22	1	2	4	5	9	16	26
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4192	5.7	22	2	3	5	5	8	12	26
B. *Operated*	116	13.9	205	3	4	9	17	39	57	99+
1. SINGLE DX	103	4.9	22	1	2	4	5	9	16	26
2. MULTIPLE DX	4308	6.0	28	2	3	5	5	9	13	31
A. NOT OPERATED	4295	5.7	22	2	3	5	5	8	12	26
B. OPERATED	116	13.9	205	3	4	9	17	39	57	99+
TOTAL 0-19 YRS	18	6.4	58	1	1	5	6	14	26	33
20-34	1070	5.2	11	2	3	5	5	6	9	19
35-49	1993	5.5	17	2	3	5	5	7	10	20
50-64	992	6.4	33	2	3	5	6	11	17	34
65+	338	9.6	118	2	3	5	11	20	37	99+
GRAND TOTAL	**4411**	**5.9**	**28**	**2**	**3**	**5**	**5**	**9**	**13**	**31**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	11	1	2	5	8	10	11	11
20-34	25	5.2	34	<1	1	2	8	14	17	22
35-49	6	3.5	3	2	2	3	5	5	5	5
50-64	5	5.2	25	1	1	2	10	12	12	12
65+	10	4.7	25	1	1	3	5	12	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	8.7	134	1	1	6	9	25	42	49
20-34	260	8.6	75	1	2	7	10	16	23	45
35-49	101	8.1	34	1	1	7	10	16	20	29
50-64	67	8.5	96	1	2	5	9	20	30	50
65+	210	8.5	75	2	2	6	10	17	24	89
B. *Operated*										
0-19 YRS										
20-34	4	7.0	2	5	5	7	8	8	8	8
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	11	10.3	64	1	2	7	16	22	25	25
65+	18	12.7	122	3	4	9	14	35	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	5.0	24	1	1	3	8	12	16	22
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	673	8.5	74	1	2	6	10	17	25	48
B. *Operated*	35	10.9	85	2	3	8	13	23	36	40
1. SINGLE DX	53	5.0	24	1	1	3	8	12	16	22
2. MULTIPLE DX	708	8.6	74	1	2	7	10	17	25	48
A. NOT OPERATED	726	8.2	71	1	2	6	10	17	24	48
B. OPERATED	35	10.9	85	2	3	8	13	23	36	40
TOTAL 0-19 YRS	42	8.2	114	1	1	5	8	19	36	49
20-34	289	8.3	71	1	2	7	9	16	22	44
35-49	109	7.8	33	1	1	7	10	15	19	29
50-64	83	8.6	87	1	2	5	11	20	27	50
65+	238	8.6	78	2	2	6	11	18	24	85
GRAND TOTAL	**761**	**8.4**	**72**	**1**	**2**	**6**	**10**	**17**	**24**	**47**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	21.4	406	2	3	14	36	59	72	99+
20-34	609	18.9	230	2	4	15	26	39	46	81
35-49	313	18.4	207	2	4	15	24	38	46	75
50-64	113	17.5	160	3	4	15	23	33	39	66
65+	32	20.6	164	1	3	20	29	37	38	55
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	25.9	324	3	6	23	36	63	70	99+
20-34	406	20.5	282	3	5	17	28	44	62	99+
35-49	277	20.7	258	3	5	17	28	43	56	84
50-64	158	19.8	176	4	6	16	28	39	55	96
65+	103	23.1	295	3	7	18	34	56	70	99+
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	24.7	295	5	6	37	72	99+	99+	99+
35-49	18	21.9	216	3	6	23	30	53	80	99+
50-64	7	23.9	80	13	14	21	32	35	35	35
65+	7	21.0	155	9	9	18	25	41	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	18.7	220	2	4	15	26	38	46	78
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	973	20.9	261	3	5	17	28	44	61	99+
B. *Operated*	39	22.3	177	5	7	22	33	50	99+	99+
1. SINGLE DX	1103	18.7	219	2	4	15	26	38	46	78
2. MULTIPLE DX	1012	20.9	258	3	5	17	28	45	61	99+
A. NOT OPERATED	2075	19.7	240	3	4	16	27	41	55	88
B. OPERATED	40	22.1	173	5	7	21	33	50	99+	99+
TOTAL 0-19 YRS	65	23.2	364	2	3	19	35	61	71	99+
20-34	1021	19.5	251	2	4	16	27	41	55	90
35-49	608	19.5	231	3	4	16	27	41	53	81
50-64	279	18.9	167	3	5	16	26	35	46	77
65+	142	22.1	257	2	7	19	32	46	62	99+
GRAND TOTAL	**2115**	**19.8**	**239**	**3**	**4**	**16**	**27**	**41**	**55**	**90**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	28.7	571	3	4	27	43	94	99+	99+
20-34	39	16.8	195	2	3	15	22	35	43	69
35-49	11	16.0	107	2	4	14	26	30	33	33
50-64	3	27.3	234	18	18	19	38	45	45	45
65+	2	20.5	265	9	9	20	32	32	32	32
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	27.5	482	4	8	22	35	63	79	79
20-34	30	20.4	297	<1	2	17	29	51	70	99+
35-49	11	16.5	107	9	10	12	19	31	44	45
50-64	4	13.3	20	7	7	14	16	17	17	17
65+	6	20.2	194	8	8	15	31	41	42	42
B. *Operated*										
0-19 YRS										
20-34	2	26.5	841	6	6	26	47	47	47	47
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	21.0	326	2	4	18	29	45	74	99+
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	61	20.4	266	2	6	15	27	46	60	97
B. *Operated*	2	26.5	841	6	6	26	47	47	47	47
1. SINGLE DX	82	21.0	322	3	4	18	28	45	73	99+
2. MULTIPLE DX	63	20.6	272	2	6	15	27	47	58	97
A. NOT OPERATED	142	20.7	298	2	4	17	28	45	69	99+
B. OPERATED	3	25.7	422	6	6	24	41	47	47	47
TOTAL 0-19 YRS	36	28.4	532	3	4	26	43	82	99+	99+
20-34	72	18.7	243	1	3	15	25	45	52	93
35-49	22	16.2	102	4	7	13	22	29	38	45
50-64	7	19.3	145	7	8	17	19	40	45	45
65+	8	20.3	177	8	8	15	31	39	42	42
GRAND TOTAL	**145**	**20.8**	**298**	**2**	**4**	**17**	**28**	**46**	**69**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	22.3	352	1	2	17	33	58	68	99+
20-34	843	18.6	247	2	3	14	26	40	50	76
35-49	462	16.2	207	1	2	13	22	35	43	71
50-64	217	18.6	235	2	4	15	23	38	46	79
65+	58	22.6	371	1	2	18	29	63	94	99+
B. *Operated*										
0-19 YRS										
20-34	2	67.0	18	64	64	67	70	70	70	70
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	25.7	443	1	4	22	40	64	99	99+
20-34	744	19.7	269	2	4	15	26	42	55	95
35-49	574	20.3	248	3	5	17	27	42	53	85
50-64	407	20.1	203	4	6	17	27	40	51	85
65+	197	19.8	244	2	5	17	25	45	60	99+
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	29	27.5	243	7	8	25	37	45	57	71
35-49	29	33.9	457	6	11	31	55	61	68	84
50-64	14	23.3	349	2	6	18	40	68	92	99+
65+	15	35.6	487	7	14	34	86	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1653	18.3	245	1	3	14	25	39	50	78
B. *Operated*	2	67.0	18	64	64	67	70	70	70	70
2. MULTIPLE DX										
A. *Not Operated*	1993	20.2	254	2	5	17	27	42	55	99
B. *Operated*	88	30.3	376	6	9	27	44	67	99	99+
1. SINGLE DX	1655	18.3	248	1	3	14	25	39	50	78
2. MULTIPLE DX	2081	20.6	263	3	5	17	27	44	57	99+
A. NOT OPERATED	3646	19.3	251	2	4	15	26	41	53	93
B. OPERATED	90	31.1	397	6	9	28	47	68	98	99+
TOTAL 0-19 YRS	145	24.0	394	1	3	21	34	63	94	99+
20-34	1618	19.4	261	2	4	15	26	41	52	84
35-49	1065	18.9	245	2	3	15	25	40	51	84
50-64	638	19.7	217	3	5	16	26	40	50	86
65+	270	21.3	295	2	5	18	29	50	90	99+
GRAND TOTAL	**3736**	**19.6**	**257**	**2**	**4**	**16**	**26**	**42**	**55**	**96**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	16	<1	<1	6	9	10	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	20.2	742	1	2	11	69	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.8	16	<1	<1	6	9	10	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	15	20.2	742	1	2	11	69	99+	99+	99+
B. *Operated*										
1. SINGLE DX	4	5.8	16	<1	<1	6	9	10	10	10
2. MULTIPLE DX	15	20.2	742	1	2	11	69	99+	99+	99+
A. NOT OPERATED	19	17.2	616	1	2	9	53	99+	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	19	17.2	616	1	2	9	53	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**19**	**17.2**	**616**	**1**	**2**	**9**	**53**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	19.0	256	2	3	16	30	46	69	99+
20-34	512	13.9	162	1	2	10	19	29	37	65
35-49	515	14.1	112	2	3	12	19	28	34	55
50-64	450	18.7	179	3	5	16	24	36	43	65
65+	475	20.7	199	3	5	18	28	39	50	74
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	49.0		49	49	49	49	49	49	49
50-64										
65+	2	10.5	61	5	5	10	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	22.8	524	2	2	15	35	67	91	99+
20-34	1280	17.0	208	2	3	14	23	34	46	79
35-49	1217	17.0	190	2	4	14	23	34	46	78
50-64	1172	19.3	194	3	5	17	26	36	49	75
65+	1856	21.9	236	3	5	19	30	43	54	93
B. *Operated*										
0-19 YRS	8	22.6	813	2	2	11	32	70	86	86
20-34	40	22.6	237	4	6	19	29	44	54	67
35-49	56	30.6	493	6	7	26	42	69	72	94
50-64	72	29.8	351	6	11	27	37	58	73	99
65+	150	31.2	362	8	12	29	42	66	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2105	16.9	177	2	3	14	23	34	43	70
B. *Operated*	3	23.3	524	5	5	16	41	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	5788	19.3	230	2	4	16	26	39	52	87
B. *Operated*	326	29.5	381	6	9	26	39	64	79	99+
1. SINGLE DX	2108	16.9	177	2	3	14	23	34	43	70
2. MULTIPLE DX	6114	19.8	243	2	4	16	27	40	54	94
A. NOT OPERATED	7893	18.6	217	2	4	15	26	38	50	83
B. OPERATED	329	29.5	381	5	9	26	39	64	78	99+
TOTAL 0-19 YRS	424	21.4	433	2	3	15	32	59	87	99+
20-34	1832	16.2	199	2	3	13	22	34	44	77
35-49	1789	16.6	185	2	4	14	22	33	45	75
50-64	1694	19.6	201	3	5	17	26	37	50	75
65+	2483	22.2	242	3	5	19	30	44	56	97
GRAND TOTAL	**8222**	**19.1**	**228**	**2**	**4**	**16**	**26**	**39**	**52**	**87**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	17.1	271	1	2	12	23	39	53	73
20-34	529	15.9	150	2	4	13	21	31	41	62
35-49	471	15.4	148	2	3	12	21	32	40	61
50-64	267	16.9	155	2	4	15	22	33	39	52
65+	115	17.2	153	2	5	14	23	34	39	68
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	43.5	3445	2	2	43	85	85	85	85
50-64										
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	19.2	310	1	2	14	32	57	73	99+
20-34	650	18.0	221	2	4	14	23	35	53	75
35-49	593	17.7	192	2	4	15	24	37	48	65
50-64	530	18.8	162	3	5	16	26	35	42	58
65+	413	20.1	195	4	6	17	28	38	47	70
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	24	26.7	516	8	10	16	29	73	76	77
35-49	32	23.0	110	9	14	20	27	35	47	57
50-64	38	26.9	287	5	8	26	34	46	80	99+
65+	33	24.6	171	8	10	23	36	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1481	16.1	159	2	4	13	22	33	41	64
B. *Operated*	4	29.3	1430	2	2	15	52	85	85	85
2. MULTIPLE DX										
A. *Not Operated*	2278	18.5	199	2	4	15	25	37	48	71
B. *Operated*	128	25.2	250	8	10	22	31	48	76	99+
1. SINGLE DX	1485	16.1	161	2	4	13	22	33	41	66
2. MULTIPLE DX	2406	18.9	204	3	5	16	25	38	49	75
A. NOT OPERATED	3759	17.6	184	2	4	14	23	35	45	69
B. OPERATED	132	25.3	276	7	10	22	31	48	77	99+
TOTAL 0-19 YRS	192	18.1	287	1	2	13	28	48	61	99+
20-34	1204	17.2	198	2	4	14	22	33	47	75
35-49	1098	16.9	177	2	4	14	22	35	44	65
50-64	835	18.6	169	3	4	16	26	35	42	64
65+	562	19.8	187	4	5	17	27	38	47	73
GRAND TOTAL	**3891**	**17.8**	**189**	**2**	**4**	**15**	**24**	**36**	**46**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	12.1	226	1	1	7	16	28	40	79
20-34	164	13.3	113	1	2	11	20	28	32	38
35-49	104	11.8	87	1	2	10	17	26	31	39
50-64	58	12.9	118	<1	2	11	16	27	35	52
65+	75	13.6	204	1	2	9	19	27	37	83
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	13.7	148	2	2	9	19	34	45	93
20-34	268	13.8	157	1	2	10	18	30	39	59
35-49	184	13.0	125	2	3	10	17	27	35	80
50-64	202	13.9	158	1	2	10	20	28	35	59
65+	500	13.1	169	2	3	9	16	29	44	65
B. *Operated*										
0-19 YRS										
20-34	6	27.8	1141	4	4	14	37	86	92	92
35 49	6	27.7	297	10	11	23	36	56	58	58
50-64	15	16.5	160	2	3	15	16	44	45	45
65+	45	21.2	311	4	6	15	30	43	61	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	12.8	134	1	2	10	18	28	34	53
B. *Operated*	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1217	13.4	157	2	2	10	18	29	39	64
B. *Operated*	72	21.3	337	3	5	16	28	44	60	91
1. SINGLE DX	451	12.8	134	1	2	10	18	28	34	53
2. MULTIPLE DX	1289	13.8	170	2	3	10	18	30	41	66
A. NOT OPERATED	1667	13.2	151	1	2	10	18	29	37	63
B. OPERATED	73	21.2	333	3	5	16	27	44	60	91
TOTAL 0-19 YRS	112	13.0	181	1	2	8	18	32	44	87
20-34	438	13.8	154	1	2	11	19	30	36	60
35-49	294	12.9	119	1	2	10	17	27	34	55
50-64	276	13.9	149	1	2	11	19	28	36	57
65+	620	13.8	187	2	3	9	17	31	44	68
GRAND TOTAL	**1740**	**13.6**	**161**	**1**	**2**	**10**	**18**	**29**	**38**	**64**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	32	<1	<1	2	4	14	19	20
20-34	80	5.8	47	1	1	3	8	12	15	41
35-49	64	5.0	64	<1	1	3	6	10	17	51
50-64	41	4.2	16	1	1	3	6	10	13	18
65+	16	5.1	27	1	1	3	6	15	17	18
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	9.9	136	<1	1	5	15	34	57	99+
20-34	191	9.7	102	1	1	6	14	23	29	50
35-49	222	7.5	83	1	1	4	9	19	25	52
50-64	187	6.6	47	1	2	4	8	17	21	29
65+	174	7.1	91	1	2	4	8	15	22	44
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	20	3.0	14	<1	1	2	3	8	13	16
35-49	13	5.1	70	<1	<1	1	5	16	27	30
50-64	9	8.2	49	1	1	6	15	17	17	17
65+	9	10.3	77	1	1	9	18	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	5.1	43	1	1	3	6	11	16	34
B. *Operated*	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	799	7.8	84	1	1	4	10	19	26	47
B. *Operated*	52	5.8	50	<1	1	2	10	16	22	30
1. SINGLE DX	224	5.1	43	1	1	3	6	11	16	33
2. MULTIPLE DX	851	7.7	82	1	1	4	10	19	25	46
A. NOT OPERATED	1020	7.2	76	1	1	4	9	18	25	47
B. OPERATED	55	5.6	48	<1	1	2	9	16	21	30
TOTAL 0-19 YRS	46	7.4	95	<1	<1	3	10	21	37	99+
20-34	292	8.1	85	1	1	4	11	21	28	47
35-49	301	6.8	79	1	1	3	8	18	25	52
50-64	237	6.3	43	1	1	4	8	16	20	28
65+	199	7.1	85	1	1	4	8	15	22	44
GRAND TOTAL	**1075**	**7.1**	**75**	**1**	**1**	**4**	**9**	**18**	**24**	**46**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	12.5	287	1	1	7	14	26	58	89
20-34	143	8.5	85	1	1	5	12	19	27	48
35-49	104	9.1	70	1	2	6	13	19	24	42
50-64	39	9.8	149	1	2	5	11	21	37	63
65+	29	13.1	115	2	2	8	19	30	35	40
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	26.3	619	2	3	19	56	84	99+	99+
20-34	507	13.6	130	1	2	12	21	27	31	53
35-49	369	13.8	124	1	2	11	21	28	32	54
50-64	227	11.0	92	1	2	8	17	21	27	50
65+	263	10.9	105	2	3	8	14	24	30	61
B. *Operated*										
0-19 YRS	3	13.0	73	4	4	17	60	99+	99+	99+
20-34	9	15.8	149	2	3	18	28	31	33	33
35-49	16	26.8	387	3	7	23	30	63	63	63
50-64	16	15.6	147	2	3	13	20	29	44	50
65+	18	14.7	185	3	4	10	21	25	47	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	10.0	137	1	1	6	14	22	30	61
B. *Operated*	2	9.0	98	2	2	9	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	1577	14.5	207	1	2	10	21	30	52	99+
B. *Operated*	62	18.1	232	2	4	14	24	36	62	95
1. SINGLE DX	409	10.0	136	1	1	6	14	22	30	61
2. MULTIPLE DX	1639	14.7	208	1	2	10	21	30	52	99+
A. NOT OPERATED	1984	13.6	196	1	2	9	20	29	48	98
B. OPERATED	64	17.9	228	2	4	14	24	33	62	94
TOTAL 0-19 YRS	306	22.0	553	1	2	13	42	77	99+	99+
20-34	659	12.5	124	1	2	9	20	27	30	52
35-49	491	13.2	130	1	2	10	21	28	32	56
50-64	282	11.1	103	1	2	8	16	22	28	51
65+	310	11.3	111	2	3	8	15	24	31	62
GRAND TOTAL	**2048**	**13.7**	**197**	**1**	**2**	**9**	**21**	**29**	**49**	**99**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	9.4	275	1	1	3	7	31	63	95
20-34	206	11.2	178	<1	1	7	15	28	36	77
35-49	66	8.5	89	1	1	6	12	16	23	60
50-64	23	7.4	42	1	2	5	10	15	23	28
65+	18	10.7	148	1	1	6	11	32	37	39
B. *Operated*										
0-19 YRS										
20-34	11	7.9	7	2	4	9	9	11	12	12
35-49	5	6.2	15	2	2	6	9	11	11	11
50-64	13	3.8	7	1	1	3	5	8	10	10
65+	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	14.0	369	<1	1	6	21	54	84	99+
20-34	494	10.6	159	1	1	7	14	28	39	97
35-49	273	11.3	209	1	1	6	13	28	41	83
50-64	129	9.9	92	1	2	6	14	24	28	44
65+	159	8.2	58	1	2	6	10	18	26	40
B. *Operated*										
0-19 YRS	2	20.0	722	1	1	20	39	39	39	39
20-34	12	13.1	454	1	1	7	11	36	73	79
35-49	28	13.5	165	1	3	10	20	28	44	54
50-64	22	4.5	15	1	1	3	6	10	13	15
65+	19	16.5	263	1	2	10	21	42	56	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	10.1	176	1	1	6	13	26	36	77
B. *Operated*	32	5.6	10	1	2	5	9	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	1231	10.9	182	1	1	6	14	28	41	99+
B. *Operated*	83	11.9	208	1	1	6	15	26	45	73
1. SINGLE DX	434	9.8	165	1	1	6	12	25	33	71
2. MULTIPLE DX	1314	10.9	183	1	1	6	14	28	41	99
A. NOT OPERATED	1633	10.7	180	1	1	6	14	28	41	94
B. OPERATED	115	10.1	160	1	1	6	11	22	37	67
TOTAL 0-19 YRS	267	12.5	342	1	1	5	15	49	72	99+
20-34	723	10.8	166	1	1	7	15	28	38	90
35-49	372	10.9	183	1	1	6	13	25	38	77
50-64	187	8.5	76	1	2	5	11	22	27	40
65+	199	9.1	89	1	2	6	11	23	31	55
GRAND TOTAL	**1748**	**10.6**	**179**	**1**	**1**	**6**	**13**	**27**	**40**	**89**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	5	<1	<1	1	4	5	6	11
20-34	503	4.3	8	1	1	4	5	7	9	15
35-49	509	4.7	12	1	2	5	5	7	9	25
50-64	201	5.0	17	1	2	5	5	7	12	27
65+	56	5.5	24	<1	1	4	7	12	16	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	10.6	90	1	1	7	20	26	28	32
20-34	3756	9.1	68	1	2	6	10	24	27	28
35-49	3600	8.2	54	2	2	6	9	22	26	29
50-64	1775	8.4	58	2	3	6	9	22	26	31
65+	646	8.2	47	2	2	6	10	20	24	30
B. *Operated*										
0-19 YRS	5	10.6	122	1	1	4	21	25	25	25
20-34	66	14.8	100	3	4	12	24	28	32	37
35-49	80	12.9	85	3	4	9	20	27	31	37
50-64	62	13.2	104	4	4	9	20	29	33	51
65+	41	19.4	440	2	4	12	22	53	68	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1311	4.6	12	1	1	4	5	7	9	21
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	10089	8.7	61	2	2	6	10	23	27	29
B. *Operated*	254	14.5	154	3	4	10	21	29	35	59
1. SINGLE DX	1312	4.6	12	1	1	4	5	7	9	21
2. MULTIPLE DX	10343	8.8	64	2	2	6	10	24	27	30
A. NOT OPERATED	11400	8.2	57	1	2	6	9	23	26	29
B. OPERATED	255	14.5	154	3	4	10	21	29	35	59
TOTAL 0-19 YRS	359	9.6	87	<1	1	6	14	25	27	31
20-34	4325	8.7	64	1	2	6	10	24	27	28
35-49	4189	7.9	51	2	2	6	8	21	26	29
50-64	2039	8.2	57	2	2	5	9	21	26	32
65+	743	8.6	74	2	2	6	10	21	24	41
GRAND TOTAL	**11655**	**8.3**	**60**	**1**	**2**	**6**	**9**	**23**	**26**	**29**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	57	6.9	16	2	3	6	10	12	12	22
35-49	26	7.1	15	2	3	6	11	12	13	15
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	57	2	2	4	13	16	16	16
20-34	237	10.5	51	2	3	9	14	21	27	28
35-49	86	11.8	73	1	2	10	14	26	28	38
50-64	13	15.5	81	5	5	12	23	29	33	34
65+	7	10.9	89	3	3	8	16	27	29	29
B. *Operated*										
0-19 YRS										
20-34	7	21.1	56	12	12	25	27	29	30	30
35-49	2	16.0	288	4	4	16	28	28	28	28
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	89.0		89	89	89	89	89	89	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	7.0	16	2	3	6	11	12	12	20
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	346	11.0	59	2	3	9	14	24	27	29
B. *Operated*	11	25.5	518	4	8	25	28	54	86	89
1. SINGLE DX	84	6.9	16	2	3	6	11	12	12	20
2. MULTIPLE DX	357	11.4	78	2	3	9	14	25	28	34
A. NOT OPERATED	429	10.2	53	2	3	8	14	21	27	29
B. OPERATED	12	23.7	509	4	4	20	27	48	83	89
TOTAL 0-19 YRS	3	7.3	57	2	2	4	13	16	16	16
20-34	301	10.1	49	2	3	8	14	21	26	28
35-49	115	10.7	65	1	2	8	14	25	28	34
50-64	14	15.1	77	5	5	12	23	29	33	34
65+	8	20.6	840	3	3	8	23	71	89	89
GRAND TOTAL	**441**	**10.6**	**69**	**2**	**3**	**8**	**14**	**23**	**27**	**30**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.1	11	1	2	6	9	11	12	12
20-34	121	6.9	22	1	2	5	11	12	13	25
35-49	25	6.2	8	2	3	6	7	11	12	13
50-64	6	20.5	1050	2	2	8	14	79	86	86
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	11.7	130	2	2	7	20	26	28	39
20-34	606	12.1	74	2	3	10	21	25	27	29
35-49	179	10.5	72	1	2	7	14	25	28	34
50-64	37	13.3	71	3	4	12	18	28	30	31
65+	14	16.1	474	1	1	9	21	32	75	87
B. *Operated*										
0-19 YRS	2	26.5	1	26	26	26	27	27	27	27
20-34	8	16.9	44	10	10	14	22	27	28	28
35-49	6	10.7	37	2	2	11	16	18	18	18
50-64	3	16.0	301	5	5	7	29	36	36	36
65+	2	19.5	145	11	11	19	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	7.2	56	1	2	6	10	12	13	26
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	980	11.9	88	2	3	8	20	25	27	31
B. *Operated*	21	16.1	83	4	6	13	24	28	32	36
1. SINGLE DX	170	7.2	56	1	2	6	10	12	13	26
2. MULTIPLE DX	1001	12.0	88	2	3	8	20	25	28	32
A. NOT OPERATED	1149	11.2	86	2	3	7	17	25	27	31
B. OPERATED	22	15.6	85	4	5	13	24	28	31	36
TOTAL 0-19 YRS	162	11.3	122	2	2	7	17	26	28	35
20-34	736	11.3	69	2	3	8	19	25	27	28
35-49	210	10.0	65	1	2	7	14	24	27	33
50-64	46	14.4	193	3	4	11	18	29	32	86
65+	17	15.6	410	1	1	10	21	28	66	87
GRAND TOTAL	**1171**	**11.3**	**86**	**2**	**3**	**8**	**17**	**25**	**27**	**31**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	1.1		<1	<1	1	1	1	2	3
20-34	73	2.2	9	<1	<1	1	2	5	6	18
35-49	25	1.9	4	<1	<1	1	2	5	7	8
50-64	11	4.7	38	<1	<1	3	4	14	21	22
65+	3	3.3	6	<1	<1	3	5	6	6	6
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	199	2.5	26	<1	<1	1	2	4	8	28
20-34	203	5.2	76	<1	<1	2	5	13	21	49
35-49	131	5.4	39	<1	1	3	6	13	21	30
50-64	65	4.8	26	<1	1	3	6	12	18	21
65+	54	5.1	71	1	1	3	5	10	21	55
B. Operated										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	11	3.8	32	<1	<1	1	6	12	18	19
35-49	6	7.2	41	2	2	5	14	16	16	16
50-64	9	3.9	9	<1	<1	3	6	8	9	9
65+	6	6.3	35	1	1	4	9	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	303	1.6	4	<1	<1	1	1	3	4	13
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	652	4.4	49	<1	<1	2	4	10	19	34
B. Operated	38	4.4	24	<1	<1	2	7	13	17	19
1. SINGLE DX	304	1.6	4	<1	<1	1	1	3	4	13
2. MULTIPLE DX	690	4.4	48	<1	<1	2	4	10	19	32
A. NOT OPERATED	955	3.5	37	<1	<1	1	3	7	14	28
B. OPERATED	39	4.3	24	<1	<1	2	6	12	17	19
TOTAL 0-19 YRS	397	1.8	13	<1	<1	1	1	2	4	25
20-34	287	4.4	59	<1	<1	2	4	11	19	40
35-49	162	4.9	35	<1	1	3	6	12	19	28
50-64	85	4.7	25	<1	<1	3	6	10	18	22
65+	63	5.2	64	1	1	3	5	10	19	52
GRAND TOTAL	**994**	**3.5**	**36**	**<1**	**<1**	**1**	**3**	**7**	**14**	**28**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.0	24	<1	<1	2	4	12	15	21
20-34	64	4.6	33	1	1	3	5	8	16	31
35-49	11	4.1	13	1	1	3	5	9	14	14
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	3	6.0	39	1	1	4	11	13	13	13
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	6.8	76	1	1	4	7	19	29	40
20-34	324	7.8	74	1	1	5	9	21	28	43
35-49	84	9.0	62	1	1	6	12	23	28	30
50-64	18	10.8	68	1	3	8	13	27	28	28
65+	12	5.5	14	1	1	5	7	12	13	13
B. Operated										
0-19 YRS	3	10.7	65	2	2	12	16	18	18	18
20-34	11	10.0	81	1	1	7	14	25	29	29
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	41.0		41	41	41	41	41	41	41
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	4.5	28	1	1	3	5	11	14	29
B. Operated										
2. MULTIPLE DX										
A. Not Operated	571	7.8	72	1	1	5	9	21	28	40
B. Operated	17	11.6	120	1	1	7	16	28	37	41
1. SINGLE DX	106	4.5	28	1	1	3	5	11	14	29
2. MULTIPLE DX	588	7.9	73	1	1	5	9	21	28	40
A. NOT OPERATED	677	7.3	66	1	1	4	8	19	28	38
B. OPERATED	17	11.6	120	1	1	7	16	28	37	41
TOTAL 0-19 YRS	162	6.5	68	1	1	3	7	18	28	40
20-34	399	7.3	69	1	1	4	8	20	27	40
35-49	96	8.3	59	1	1	6	11	21	28	30
50-64	21	11.9	104	2	3	7	14	28	34	41
65+	16	5.9	18	1	1	5	9	13	13	13
GRAND TOTAL	**694**	**7.4**	**68**	**1**	**1**	**4**	**8**	**19**	**28**	**39**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	7	<1	<1	2	4	8	9	9
20-34	17	2.9	4	1	1	2	3	6	8	9
35-49	16	3.2	5	<1	<1	3	4	7	8	9
50-64	8	2.6	2	<1	<1	3	4	5	5	5
65+	4	3.5	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	10.5	181	<1	<1	10	20	20	20	20
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	11.3	528	1	1	3	6	33	85	92
20-34	51	4.1	27	1	1	3	5	7	10	29
35-49	52	5.1	35	1	1	4	5	11	14	38
50-64	59	4.7	26	1	1	4	5	7	14	34
65+	99	5.6	35	1	2	4	6	10	15	36
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	5.8	14	3	3	5	8	11	11	11
50-64	3	7.3	25	2	2	8	11	12	12	12
65+	9	8.0	10	4	4	8	11	57	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.0	5	<1	<1	2	4	7	8	9
B. *Operated*	3	9.3	94	<1	<1	7	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	290	5.6	83	1	1	4	5	10	15	43
B. *Operated*	19	7.1	16	2	2	7	11	14	57	99+
1. SINGLE DX	60	3.3	9	<1	<1	3	4	7	9	19
2. MULTIPLE DX	309	5.7	79	1	1	4	6	11	15	62
A. NOT OPERATED	347	5.2	71	1	1	3	5	9	14	39
B. OPERATED	22	7.4	23	1	2	7	11	15	48	99+
TOTAL 0-19 YRS	43	9.0	368	<1	1	3	7	14	60	92
20-34	72	3.9	25	1	1	3	4	7	10	28
35-49	72	4.7	27	<1	1	3	5	10	14	34
50-64	70	4.6	23	1	1	3	5	8	12	32
65+	112	5.7	32	2	2	4	7	11	16	61
GRAND TOTAL	**369**	**5.3**	**68**	**1**	**1**	**3**	**6**	**10**	**14**	**45**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	9.3	126	1	1	5	13	23	31	51
20-34	431	6.7	46	1	1	4	9	16	21	32
35-49	213	6.9	62	1	1	4	8	15	23	44
50-64	53	9.0	86	1	1	5	11	23	30	40
65+	42	10.2	75	2	3	8	13	23	30	37
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	613	13.3	185	1	2	8	18	32	42	94
20-34	1026	8.7	79	1	2	6	11	19	25	41
35-49	565	9.3	80	1	2	7	12	20	26	40
50-64	205	10.1	90	1	2	7	13	21	29	47
65+	224	11.6	176	1	2	7	15	25	41	78
B. *Operated*										
0-19 YRS	8	7.1	56	2	2	3	11	20	22	22
20-34	28	15.0	321	1	2	10	18	30	67	75
35-49	17	11.8	94	1	2	8	16	29	31	31
50-64	3	16.0	1	15	15	16	17	17	17	17
65+	15	20.5	205	2	6	16	28	38	52	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1124	7.9	81	1	1	5	10	19	26	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2633	10.2	116	1	2	7	13	23	32	57
B. *Operated*	71	14.6	208	1	2	12	19	30	38	73
1. SINGLE DX	1124	7.9	81	1	1	5	10	19	26	42
2. MULTIPLE DX	2704	10.4	119	1	2	7	14	23	32	58
A. NOT OPERATED	3757	9.5	107	1	1	6	12	22	30	51
B. OPERATED	71	14.6	208	1	2	12	19	30	38	73
TOTAL 0-19 YRS	1006	11.7	165	1	1	7	16	29	38	82
20-34	1485	8.2	76	1	1	6	11	18	24	41
35-49	795	8.7	76	1	1	6	12	19	26	42
50-64	261	9.9	88	1	2	7	13	22	29	46
65+	281	11.9	166	1	2	8	15	27	39	70
GRAND TOTAL	**3828**	**9.6**	**109**	**1**	**1**	**6**	**13**	**22**	**30**	**53**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	16.8	335	1	1	9	28	47	58	99+
20-34	121	14.5	240	<1	1	8	24	34	46	67
35-49	63	11.5	169	1	2	6	12	29	43	57
50-64	41	9.3	91	1	1	4	17	23	27	38
65+	31	17.6	238	1	4	13	26	36	51	64
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49	6	8.2	121	1	1	4	8	28	30	30
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	583	25.4	710	1	2	16	49	87	99+	99+
20-34	349	13.6	297	1	1	7	19	36	50	99+
35-49	212	9.4	100	1	2	5	14	24	32	99+
50-64	147	8.8	109	1	2	6	12	18	22	55
65+	213	10.7	138	2	3	7	12	24	33	93
B. *Operated*										
0-19 YRS	25	31.3	907	3	3	25	67	98	99+	99+
20-34	19	19.5	428	1	1	15	24	66	84	99+
35-49	19	19.7	424	1	2	11	29	48	67	80
50-64	12	9.7	46	1	2	8	14	19	22	23
65+	29	21.7	387	4	5	15	35	51	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	15.2	278	1	1	8	25	41	52	98
B. *Operated*	11	5.1	73	1	1	2	5	17	29	30
2. MULTIPLE DX										
A. *Not Operated*	1504	16.7	438	1	2	8	24	58	88	99+
B. *Operated*	104	21.8	511	2	3	14	32	69	93	99+
1. SINGLE DX	577	15.0	276	1	1	8	24	40	52	98
2. MULTIPLE DX	1608	17.0	444	1	2	9	24	59	89	99+
A. NOT OPERATED	2070	16.3	394	1	2	8	24	50	80	99+
B. OPERATED	115	20.2	493	1	2	13	30	66	92	99+
TOTAL 0-19 YRS	919	22.6	605	1	2	14	41	78	99	99+
20-34	493	14.0	287	1	1	7	21	36	52	99+
35-49	300	10.4	140	1	2	6	14	28	38	89
50-64	200	9.0	101	1	2	5	12	19	24	50
65+	273	12.7	188	2	3	8	15	31	41	97
GRAND TOTAL	**2185**	**16.5**	**400**	**1**	**2**	**8**	**24**	**51**	**81**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	44	1	1	2	7	17	19	19
20-34	13	3.7	10	1	1	3	4	9	11	12
35-49	6	6.0	16	1	1	6	8	12	12	12
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.3	624	2	2	3	5	54	74	74
20-34	20	13.8	190	2	4	11	19	44	80	99+
35-49	6	27.5	433	10	10	24	31	62	66	66
50-64	7	15.0	300	1	1	5	32	40	41	41
65+										
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	4	52	99+	99+	99+
20-34	2	11.0	72	5	5	11	17	17	17	17
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.2	27	1	1	3	7	12	19	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	41	15.7	324	1	2	9	20	48	69	99+
B. *Operated*	6	7.8	47	1	1	5	17	83	99+	99+
1. SINGLE DX	28	5.2	27	1	1	3	7	12	19	20
2. MULTIPLE DX	47	14.7	294	1	2	9	19	55	75	99+
A. NOT OPERATED	69	11.4	228	1	1	7	13	31	64	95
B. OPERATED	6	7.8	47	1	1	5	17	83	99+	99+
TOTAL 0-19 YRS	18	7.9	290	1	1	3	6	52	88	99+
20-34	35	9.9	136	1	1	7	13	20	54	99+
35-49	13	16.7	303	1	2	10	22	38	61	66
50-64	8	13.9	267	1	1	5	27	40	41	41
65+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	**75**	**11.1**	**214**	**1**	**1**	**6**	**16**	**31**	**65**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	9.8	17	2	3	10	12	14	16	24
20-34	39	8.8	50	1	2	8	11	15	22	37
35-49	23	9.6	126	<1	1	5	11	30	40	41
50-64	13	8.5	19	1	3	8	12	15	15	15
65+	3	11.3	100	1	1	12	19	21	21	21
B. *Operated*										
0-19 YRS	17	9.5	38	<1	1	10	11	19	23	24
20-34	15	5.7	46	<1	1	2	7	18	20	21
35-49	14	5.6	29	<1	1	4	7	12	19	21
50-64	11	5.0	32	<1	<1	2	10	14	15	15
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	11.2	28	2	4	11	14	17	22	26
20-34	61	10.1	54	1	2	9	14	17	23	42
35-49	83	14.9	222	1	3	11	17	27	47	80
50-64	56	12.3	59	3	4	11	16	20	27	40
65+	71	19.7	412	3	4	14	23	36	64	98
B. *Operated*										
0-19 YRS	36	19.4	231	6	7	15	24	58	86	99+
20-34	34	27.7	709	1	3	16	40	72	90	99
35-49	54	20.3	318	1	2	16	40	44	58	99
50-64	57	21.4	332	2	3	15	29	46	54	82
65+	45	25.2	315	5	7	20	37	54	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	9.6	33	1	2	10	12	14	17	37
B. *Operated*	59	6.6	37	<1	1	4	10	15	20	24
2. MULTIPLE DX										
A. *Not Operated*	449	13.2	140	2	3	11	15	23	28	69
B. *Operated*	226	22.5	368	2	3	16	33	48	71	99+
1. SINGLE DX	298	9.0	35	1	1	10	11	14	18	32
2. MULTIPLE DX	675	16.3	236	2	3	12	19	38	48	95
A. NOT OPERATED	688	12.0	106	2	3	11	14	21	26	58
B. OPERATED	285	19.2	341	1	2	14	28	46	62	99+
TOTAL 0-19 YRS	392	11.3	49	2	4	11	13	18	22	56
20-34	149	13.4	260	1	2	9	14	30	44	92
35-49	174	15.1	241	1	2	10	18	42	46	83
50-64	137	15.1	197	1	2	11	18	34	44	77
65+	121	21.3	373	3	4	15	26	48	63	99
GRAND TOTAL	**973**	**14.1**	**185**	**1**	**2**	**11**	**16**	**28**	**44**	**85**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	7	6.4	18	2	2	4	9	13	14	14
65+	34	9.4	155	1	2	7	10	14	23	74
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.5	8	5	5	8	10	12	12	12
50-64	1	7.0	/	7	7	7	7	7	7	7
65+	3	13.3	102	7	7	8	21	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	12.0	30	8	8	10	15	20	20	20
50-64	69	12.5	125	2	3	9	15	24	40	58
65+	507	13.6	166	3	4	10	17	30	52	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	29.3	614	7	7	25	48	56	56	56
50-64	9	24.1	706	1	3	11	33	69	85	85
65+	74	20.5	364	5	7	16	28	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	8.5	129	1	2	6	10	14	20	74
B. *Operated*	8	10.1	40	5	6	8	10	21	25	25
2. MULTIPLE DX										
A. *Not Operated*	581	13.4	160	3	4	9	16	29	50	99+
B. *Operated*	86	21.2	397	5	7	16	29	74	99	99+
1. SINGLE DX	51	8.8	114	1	2	7	10	14	24	73
2. MULTIPLE DX	667	14.4	197	3	4	10	18	33	59	99+
A. NOT OPERATED	624	13.1	159	3	4	9	16	28	47	99+
B. OPERATED	94	20.2	375	5	7	15	27	65	96	99+
TOTAL 0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	12	14.3	214	<1	3	9	16	34	53	56
50-64	86	13.1	185	2	3	9	15	27	41	76
65+	618	14.2	194	3	4	10	17	32	60	99+
GRAND TOTAL	**718**	**14.0**	**193**	**3**	**4**	**10**	**17**	**31**	**56**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	18	1	1	5	9	11	11	11
20-34	99	8.2	50	1	1	7	11	16	21	38
35-49	138	8.2	28	1	3	8	11	15	19	24
50-64	37	9.9	27	3	4	9	13	16	22	24
65+	3	6.7	16	2	2	9	9	9	9	9
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	5.0	33	1	1	3	6	15	18	18
35-49	13	7.0	34	1	1	5	12	16	18	18
50-64	7	6.6	8	3	3	6	8	11	12	12
65+	5	4.2	14	1	1	4	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	30	2	2	12	15	91	99+	99+
20-34	115	11.1	107	2	2	9	14	24	31	74
35-49	208	11.5	82	2	3	10	14	21	31	53
50-64	122	11.7	81	3	4	10	15	22	25	48
65+	25	11.0	85	3	3	8	12	21	31	45
B. *Operated*										
0-19 YRS										
20-34	20	16.5	133	4	4	14	23	37	75	99+
35-49	45	12.5	179	2	2	9	18	36	71	99+
50-64	44	15.4	179	3	4	12	18	29	42	72
65+	14	18.0	239	3	8	13	17	37	58	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	8.4	35	1	2	7	11	16	20	28
B. *Operated*	34	6.2	25	1	1	5	8	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	475	11.4	87	2	3	9	14	22	30	60
B. *Operated*	123	14.8	178	2	3	11	20	33	56	99+
1. SINGLE DX	315	8.2	35	1	2	7	11	15	19	27
2. MULTIPLE DX	598	12.1	107	2	3	10	15	24	33	87
A. NOT OPERATED	756	10.3	70	2	3	9	13	19	25	53
B. OPERATED	157	12.9	157	1	2	10	17	28	53	99+
TOTAL 0-19 YRS	10	8.3	25	1	2	11	13	49	96	99+
20-34	242	10.1	88	1	2	8	14	22	28	63
35-49	404	10.3	75	2	3	9	12	20	28	61
50-64	210	12.0	93	3	4	10	15	22	28	61
65+	47	12.1	134	1	3	10	14	25	36	64
GRAND TOTAL	**913**	**10.7**	**86**	**2**	**3**	**9**	**14**	**21**	**28**	**65**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	409	3.0	9	1	1	2	3	6	8	14
20-34	324	3.6	29	1	1	2	4	7	12	25
35-49	163	3.3	11	1	1	2	4	6	8	22
50-64	96	3.4	6	1	1	3	4	6	8	15
65+	68	4.2	10	<1	1	3	5	9	10	17
B. *Operated*										
0-19 YRS	6	3.3	6	2	2	2	4	8	8	8
20-34	16	11.5	105	1	1	9	14	26	37	41
35-49	8	7.8	67	1	1	5	13	21	22	22
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	727	5.0	32	1	1	3	6	11	16	35
20-34	592	5.3	51	1	1	3	6	11	14	43
35-49	589	5.5	29	1	1	4	7	11	16	30
50-64	616	6.2	41	1	2	5	7	13	18	58
65+	1097	7.9	74	2	2	6	10	15	22	99+
B. *Operated*										
0-19 YRS	40	10.1	58	1	2	9	14	21	24	36
20-34	54	9.4	138	1	2	7	9	21	28	65
35-49	52	10.8	159	1	2	7	14	27	51	99
50-64	57	14.1	248	1	2	9	17	38	50	99
65+	135	16.7	248	3	4	12	21	41	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1060	3.3	15	1	1	2	4	6	9	17
B. *Operated*	35	7.9	75	1	1	4	11	18	26	41
2. MULTIPLE DX										
A. *Not Operated*	3621	6.2	50	1	2	4	7	13	17	51
B. *Operated*	338	13.4	202	2	3	9	16	31	50	99+
1. SINGLE DX	1095	3.5	17	1	1	2	4	7	10	20
2. MULTIPLE DX	3959	6.8	67	1	2	5	8	14	20	64
A. NOT OPERATED	4681	5.6	44	1	1	4	7	11	16	43
B. OPERATED	373	12.9	192	2	2	9	16	30	49	99+
TOTAL 0-19 YRS	1182	4.5	27	1	1	3	5	10	14	30
20-34	986	5.1	52	1	1	3	6	10	14	43
35-49	812	5.4	36	1	1	4	6	12	16	33
50-64	772	6.4	57	1	2	4	7	13	20	59
65+	1302	8.6	97	2	2	6	10	17	28	99+
GRAND TOTAL	**5054**	**6.1**	**58**	**1**	**1**	**4**	**7**	**13**	**18**	**55**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.5	57	<1	<1	2	4	8	55	99+
20-34	127	3.7	10	1	1	3	5	8	10	15
35-49	108	3.6	8	<1	1	2	5	8	9	14
50-64	38	4.4	23	1	1	3	5	9	13	27
65+	77	7.4	40	1	2	6	10	15	25	81
B. *Operated*										
0-19 YRS	90	4.1	18	<1	<1	3	5	8	10	26
20-34	109	5.9	42	<1	1	4	8	13	15	40
35-49	89	4.6	16	1	1	3	8	10	12	18
50-64	59	6.4	43	<1	1	5	8	12	22	33
65+	46	6.9	43	<1	1	5	9	15	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	496	10.8	406	1	2	4	25	99+	99+	99+
20-34	268	7.4	139	1	1	4	7	17	32	97
35-49	295	8.2	115	1	2	5	9	16	30	71
50-64	406	11.3	169	1	2	7	14	28	40	83
65+	1497	14.1	242	2	3	9	17	35	62	99+
B. *Operated*										
0-19 YRS	179	8.5	199	1	1	5	10	23	94	99+
20-34	144	11.7	207	1	2	7	14	26	50	70
35-49	173	10.5	152	1	1	8	13	25	58	99+
50-64	278	14.3	230	1	2	10	19	37	59	99+
65+	603	16.8	245	2	3	13	23	39	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	462	4.3	29	1	1	3	6	9	13	99+
B. *Operated*	393	5.4	31	<1	1	4	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	2962	12.0	243	1	2	7	15	42	86	99+
B. *Operated*	1377	13.9	229	1	2	9	19	35	63	99+
1. SINGLE DX	855	4.8	30	<1	1	3	6	10	14	38
2. MULTIPLE DX	4339	12.6	239	1	2	8	16	38	77	99+
A. NOT OPERATED	3424	10.9	221	1	2	6	13	35	77	99+
B. OPERATED	1770	12.0	197	1	2	8	15	30	53	99+
TOTAL 0-19 YRS	877	8.7	287	1	1	4	9	99+	99+	99+
20-34	648	7.4	119	1	1	4	8	15	26	70
35-49	665	7.6	100	1	1	5	9	15	26	96
50-64	781	11.7	181	1	2	7	15	29	44	99+
65+	2223	14.4	236	2	3	9	19	35	62	99+
GRAND TOTAL	**5194**	**11.3**	**213**	**1**	**2**	**7**	**14**	**32**	**67**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	2	<1	1	2	3	4	6	8
20-34	251	2.8	5	1	1	2	3	6	7	12
35-49	191	2.6	4	1	1	2	3	5	7	9
50-64	61	2.7	3	1	1	2	3	5	7	9
65+	9	2.6	2	<1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	3.2	5	1	1	2	4	7	8	8
35-49	12	3.3	7	1	1	2	4	7	10	10
50-64	5	2.4	2	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	3.0	4	1	1	3	4	5	7	9
20-34	295	3.6	7	1	1	3	5	7	8	15
35-49	355	4.4	29	1	1	3	5	7	12	34
50-64	183	4.0	7	1	1	3	5	8	9	14
65+	88	3.9	6	1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	4	5.5	19	2	2	5	9	11	11	11
20-34	8	4.1	7	2	2	3	5	9	10	10
35-49	25	5.6	19	1	1	5	7	11	15	20
50-64	26	4.2	7	1	1	4	6	8	9	11
65+	7	5.3	23	2	2	3	7	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	2.6	4	1	1	2	3	5	7	9
B. *Operated*	36	3.1	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1023	3.9	14	1	1	3	5	7	9	17
B. *Operated*	70	4.9	13	1	1	4	6	10	11	19
1. SINGLE DX	648	2.7	4	1	1	2	3	5	7	9
2. MULTIPLE DX	1093	4.0	14	1	1	3	5	7	9	18
A. NOT OPERATED	1635	3.4	11	1	1	3	4	7	8	15
B. OPERATED	106	4.3	11	1	1	3	6	9	11	17
TOTAL 0-19 YRS	207	2.7	3	1	1	2	3	5	7	9
20-34	572	3.2	6	1	1	3	4	6	8	12
35-49	583	3.8	21	1	1	3	4	7	10	26
50-64	275	3.7	6	1	1	3	5	8	8	13
65+	104	3.9	7	1	1	3	5	8	9	14
GRAND TOTAL	**1741**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**8**	**15**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	5.0	16	1	1	5	8	9	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	14	1.2		<1	<1	<1	1	2	2	2
20-34	160	1.3	1	<1	<1	<1	1	2	3	4
35-49	286	1.2		<1	<1	<1	1	2	2	4
50-64	243	1.3		<1	<1	<1	1	2	2	4
65+	118	1.3	1	<1	<1	<1	1	2	2	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49	11	3.1	15	<1	<1	2	3	9	14	14
50-64	17	2.1	2	<1	<1	1	3	5	6	6
65+	8	7.5	195	1	1	3	3	80	42	42
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	52	2.1	6	<1	<1	1	3	3	5	17
35-49	168	2.2	10	<1	<1	1	2	4	5	20
50-64	252	1.9	4	<1	<1	1	2	3	5	11
65+	221	1.9	4	<1	<1	1	2	3	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.6	6	1	1	2	2	7	9	9
B. *Operated*	821	1.3	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	42	3.5	43	<1	<1	2	3	6	10	42
B. *Operated*	698	2.0	5	<1	<1	1	2	3	5	12
1. SINGLE DX	831	1.3	1	<1	<1	<1	1	2	2	5
2. MULTIPLE DX	740	2.1	8	<1	<1	1	2	3	5	13
A. NOT OPERATED	52	3.3	36	<1	<1	2	3	6	9	41
B. OPERATED	1519	1.6	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	21	1.5	2	<1	<1	1	1	2	4	7
20-34	219	1.5	2	<1	<1	<1	2	3	3	6
35-49	467	1.6	4	<1	<1	<1	2	3	4	8
50-64	515	1.6	2	<1	<1	1	2	3	4	10
65+	349	1.8	8	<1	<1	1	2	3	4	11
GRAND TOTAL	**1571**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	7.6	175	1	1	4	8	16	42	99+
20-34	73	4.6	35	<1	1	4	5	8	12	39
35-49	90	5.2	26	<1	1	4	6	11	18	25
50-64	59	5.2	30	<1	1	3	7	13	18	25
65+	33	4.9	49	<1	1	3	5	9	20	37
B. *Operated*										
0-19 YRS	65	2.9	4	<1	1	2	4	5	6	10
20-34	256	2.9	6	<1	<1	2	4	5	7	12
35-49	293	2.8	6	<1	<1	2	4	5	8	12
50-64	218	2.8	8	<1	<1	2	3	6	8	12
65+	92	3.2	11	<1	1	2	3	6	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	9.4	122	1	1	4	14	28	34	45
20-34	87	6.0	65	1	1	3	6	13	25	81
35-49	153	6.0	37	1	1	5	7	13	20	36
50-64	276	7.4	64	1	2	5	9	16	20	41
65+	465	7.8	48	1	2	6	10	16	24	43
B. *Operated*										
0-19 YRS	40	5.8	122	<1	1	3	5	10	22	67
20-34	142	5.9	99	<1	1	3	6	11	23	51
35-49	235	4.9	35	<1	1	3	6	10	14	39
50-64	290	6.1	111	1	1	3	6	14	23	87
65+	317	8.4	102	1	1	5	11	20	30	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	5.4	54	<1	1	3	6	11	17	41
B. *Operated*	924	2.9	7	<1	<1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1019	7.4	55	1	2	5	9	16	22	44
B. *Operated*	1024	6.5	91	1	1	3	7	15	23	74
1. SINGLE DX	1225	3.5	19	<1	<1	2	4	7	10	21
2. MULTIPLE DX	2043	6.9	73	1	1	4	8	16	23	62
A. NOT OPERATED	1320	6.9	56	1	1	5	8	15	21	44
B. OPERATED	1948	4.8	54	<1	1	3	5	10	17	49
TOTAL 0-19 YRS	189	6.0	99	1	1	3	5	13	26	77
20-34	558	4.4	44	<1	1	3	5	8	12	39
35-49	771	4.3	25	<1	1	3	5	9	13	29
50-64	843	5.6	66	<1	1	3	7	12	19	44
65+	907	7.5	65	1	1	5	9	17	25	60
GRAND TOTAL	**3268**	**5.6**	**56**	**<1**	**1**	**3**	**7**	**12**	**19**	**46**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	7	3.7	2	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	3.1	3	1	2	3	4	6	6	7
20-34	83	3.2	4	1	2	3	4	5	6	12
35-49	92	3.4	4	1	1	3	4	6	7	10
50-64	217	3.4	3	1	2	3	4	6	6	9
65+	169	3.5	2	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	4	1.8	2	<1	<1	1	3	4	4	4
35-49	7	4.0	7	1	1	4	5	8	9	9
50-64	10	1.9	1	<1	<1	2	3	4	4	4
65+	19	3.4	3	<1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	29	3.6	6	1	1	3	4	6	8	13
20-34	82	3.8	15	1	2	3	4	6	7	26
35-49	100	3.5	4	1	2	3	4	6	7	9
50-64	375	3.5	6	1	1	3	4	6	7	14
65+	618	4.0	7	1	2	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	2	1	1	4	4	5	5	5
B. *Operated*	589	3.4	3	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	43	2.9	4	<1	1	2	4	5	6	9
B. *Operated*	1204	3.8	7	1	2	3	5	6	8	14
1. SINGLE DX	602	3.4	3	1	2	3	4	6	6	9
2. MULTIPLE DX	1247	3.8	7	1	2	3	5	6	8	14
A. NOT OPERATED	56	2.9	3	<1	1	3	4	5	6	9
B. OPERATED	1793	3.6	6	1	2	3	4	6	7	12
TOTAL 0-19 YRS	60	3.3	4	1	1	3	4	6	7	12
20-34	170	3.4	9	1	2	3	4	6	6	14
35-49	201	3.5	4	1	2	3	4	6	7	10
50-64	605	3.4	5	1	1	3	4	6	7	12
65+	813	3.9	6	1	2	3	5	6	8	13
GRAND TOTAL	**1849**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.8		1	1	2	2	2	2	2
65+	15	1.4		1	1	1	2	2	3	3
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	1.8		1	1	2	2	2	2	2
35-49	11	2.4	1	<1	1	2	3	4	4	4
50-64	47	1.9	2	<1	<1	1	2	3	6	6
65+	75	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	9	1.7	2	<1	<1	1	2	4	5	5
65+	31	2.9	6	1	1	2	3	7	8	11
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	6.0	64	<1	<1	3	9	20	20	20
35-49	13	2.8	5	1	1	2	4	6	8	8
50-64	66	2.8	7	<1	1	2	3	4	8	17
65+	232	3.3	9	<1	1	2	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.5		1	1	1	2	2	3	3
B. *Operated*	140	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	41	2.6	5	<1	1	2	3	6	8	11
B. *Operated*	319	3.2	9	<1	1	2	4	7	9	18
1. SINGLE DX	161	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX	360	3.1	9	<1	1	2	4	7	9	18
A. NOT OPERATED	62	2.2	4	1	1	2	2	4	7	11
B. OPERATED	459	2.8	7	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	9	4.1	37	<1	<1	2	3	14	20	20
35-49	26	2.5	3	<1	1	2	3	5	6	8
50-64	127	2.3	5	<1	<1	2	3	4	6	13
65+	353	2.9	7	<1	1	2	4	6	8	12
GRAND TOTAL	**521**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**13**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	3.4		3	3	3	4	4	4	4
65+	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49	8	2.8	7	<1	<1	2	4	7	8	8
50-64	18	2.3	4	<1	<1	2	3	5	7	8
65+	19	2.2	2	<1	<1	2	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	4	6.3	18	3	3	5	9	12	12	12
50-64										
65+	21	5.7	144	<1	1	2	4	9	31	57
B. *Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	7	3.3	4	<1	<1	3	5	6	6	6
35-49	8	1.3		1	1	1	2	2	2	2
50-64	34	2.9	7	<1	<1	2	3	6	7	14
65+	110	2.9	10	<1	<1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.6	2	1	1	3	4	4	5	5
B. *Operated*	50	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	26	5.6	118	<1	1	3	5	10	21	57
B. *Operated*	162	2.9	9	<1	<1	2	3	6	8	14
1. SINGLE DX	63	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	188	3.3	24	<1	<1	2	4	7	9	18
A. NOT OPERATED	39	4.6	80	1	1	3	4	8	11	57
B. OPERATED	212	2.8	7	<1	<1	2	3	6	8	14
TOTAL 0-19 YRS	5	3.6	8	1	1	2	6	8	8	8
20-34	13	2.5	3	<1	<1	2	3	5	6	6
35-49	21	2.8	8	<1	1	2	3	7	10	12
50-64	57	2.8	5	<1	<1	2	3	6	7	14
65+	155	3.2	27	<1	<1	2	3	6	9	21
GRAND TOTAL	**251**	**3.0**	**19**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	49	1.6	1	<1	<1	1	2	2	3	7
50-64	440	1.5		<1	<1	1	2	2	2	3
65+	1840	1.6		<1	<1	2	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	30	1.9	4	<1	<1	1	2	3	8	9
65+	175	2.4	7	<1	<1	1	2	6	8	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	87	1.8	1	<1	<1	2	2	3	4	7
50-64	861	1.8	2	<1	<1	2	2	2	3	8
65+	5947	2.0	5	<1	<1	2	2	3	3	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*	2329	1.6		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	207	2.3	6	<1	<1	1	2	5	8	11
B. *Operated*	6895	2.0	5	<1	<1	2	2	2	3	9
1. SINGLE DX	2335	1.6		<1	<1	1	2	2	2	4
2. MULTIPLE DX	7102	2.0	5	<1	<1	2	2	3	3	9
A. NOT OPERATED	213	2.2	6	<1	<1	1	2	5	8	11
B. OPERATED	9224	1.9	4	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS										
20-34										
35-49	138	1.7	1	<1	<1	2	2	3	4	7
50-64	1331	1.7	1	<1	<1	2	2	2	3	7
65+	7968	1.9	4	<1	<1	2	2	2	3	8
GRAND TOTAL	**9437**	**1.9**	**4**	**<1**	**<1**	**2**	**2**	**2**	**3**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	1.3		<1	<1	1	2	2	2	2
20-34	9	1.9	1	<1	<1	2	2	3	3	3
35-49	16	1.6		<1	<1	2	2	2	2	2
50-64	23	1.5	1	<1	<1	1	2	3	3	4
65+	52	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	4	4.8	20	<1	<1	4	8	10	10	10
65+	7	1.1		<1	<1	1	2	71	99+	99+
B. *Operated*										
0-19 YRS	20	1.8	1	<1	<1	2	2	3	3	3
20-34	16	2.6	13	1	1	2	2	2	12	16
35-49	34	1.9	1	<1	<1	2	2	3	4	6
50-64	74	1.7	1	<1	<1	2	2	2	4	5
65+	152	2.0	3	<1	<1	2	2	3	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	122	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	15	2.4	8	<1	<1	1	4	10	73	99+
B. *Operated*	296	1.9	3	<1	<1	2	2	3	4	11
1. SINGLE DX	122	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX	311	1.9	3	<1	<1	2	2	3	5	13
A. NOT OPERATED	15	2.4	8	<1	<1	1	4	10	73	99+
B. OPERATED	418	1.8	2	<1	<1	2	2	2	4	9
TOTAL 0-19 YRS	42	1.5		<1	<1	1	2	2	3	3
20-34	26	2.3	8	<1	<1	2	2	3	6	16
35-49	53	1.8	1	<1	<1	2	2	3	4	6
50-64	101	1.8	2	<1	<1	2	2	3	4	8
65+	211	1.8	3	<1	<1	1	2	3	4	13
GRAND TOTAL	**433**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	4	1.8		1	1	2	2	2	2	2
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64	3	4.0	7	1	1	5	6	6	6	6
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	568	1.1		<1	<1	<1	1	2	2	2
20-34	65	1.3		<1	<1	1	2	2	2	3
35-49	43	1.7	1	<1	<1	2	2	2	3	5
50-64	9	1.2		<1	<1	1	1	2	2	2
65+	9	2.2	4	<1	<1	1	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	7	<1	<1	1	3	7	9	10
20-34	5	6.8	45	1	1	4	13	15	15	15
35-49	5	3.4	7	2	2	2	4	8	8	8
50-64	22	5.6	17	2	2	4	6	12	15	18
65+	43	4.5	7	1	2	4	6	9	10	12
B. *Operated*										
0-19 YRS	233	1.2		<1	<1	<1	1	2	2	2
20-34	35	1.5	1	<1	<1	1	2	2	3	7
35-49	21	1.7	1	<1	<1	2	2	3	3	4
50-64	20	2.3	6	<1	<1	2	2	5	9	11
65+	35	3.8	17	1	1	2	4	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	3	<1	1	2	3	5	6	6
B. *Operated*	694	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	94	4.4	12	<1	1	3	6	10	12	17
B. *Operated*	344	1.6	3	<1	<1	1	2	2	3	11
1. SINGLE DX	711	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	438	2.2	6	<1	<1	1	2	5	7	13
A. NOT OPERATED	111	4.1	11	<1	1	3	5	9	12	16
B. OPERATED	1038	1.3	1	<1	<1	1	1	2	2	6
TOTAL 0-19 YRS	824	1.2		<1	<1	<1	1	2	2	3
20-34	109	1.6	4	<1	<1	1	2	2	3	14
35-49	73	1.8	1	<1	<1	2	2	3	4	7
50-64	54	3.6	13	<1	<1	2	5	8	12	18
65+	89	3.9	11	1	1	3	5	8	10	18
GRAND TOTAL	**1149**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**2**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.5	5	<1	<1	2	3	5	7	12
20-34	17	2.9	2	1	1	3	4	5	6	6
35-49	11	2.6	4	<1	<1	2	4	6	7	7
50-64	5	2.2	1	1	1	2	3	3	3	3
65+	20	4.5	14	1	1	3	5	11	14	14
B. *Operated*										
0-19 YRS	46	1.4	1	<1	<1	1	2	2	4	5
20-34	44	1.9	2	<1	<1	1	3	4	5	5
35-49	93	1.4	1	<1	<1	1	2	2	3	4
50-64	100	1.6	3	<1	<1	1	2	2	3	11
65+	139	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.7	7	<1	<1	3	5	7	8	14
20-34	29	4.1	9	<1	<1	3	5	7	11	15
35-49	22	5.2	12	<1	<1	5	8	10	11	12
50-64	25	4.4	10	<1	1	4	7	9	9	10
65+	85	6.0	28	<1	1	5	7	12	19	27
B. *Operated*										
0-19 YRS	35	2.8	11	<1	<1	2	4	6	8	18
20-34	49	4.8	62	<1	<1	2	4	13	29	37
35-49	141	1.9	4	<1	<1	1	2	3	4	13
50-64	270	2.0	4	<1	<1	1	2	3	5	13
65+	563	2.6	18	<1	<1	2	3	5	6	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	2.9	6	<1	<1	2	4	6	7	14
B. *Operated*	422	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	247	4.7	16	<1	1	4	6	9	12	21
B. *Operated*	1058	2.5	15	<1	<1	2	2	4	6	18
1. SINGLE DX	538	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	1305	2.9	16	<1	<1	2	3	6	8	20
A. NOT OPERATED	363	4.1	14	<1	<1	3	5	8	11	20
B. OPERATED	1480	2.2	11	<1	<1	1	2	4	5	16
TOTAL 0-19 YRS	230	2.8	6	<1	<1	2	4	6	7	13
20-34	139	3.5	26	<1	<1	2	4	6	11	30
35-49	267	2.0	4	<1	<1	1	2	4	6	12
50-64	400	2.0	4	<1	<1	1	2	4	6	12
65+	807	2.9	18	<1	<1	2	3	5	7	21
GRAND TOTAL	**1843**	**2.6**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	3.3	3	1	1	3	4	5	7	10
20-34	36	3.5	5	<1	<1	3	5	7	8	9
35-49	18	3.4	3	<1	1	3	5	6	6	6
50-64	12	4.7	7	1	1	4	6	9	10	10
65+	16	4.4	5	<1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	28	2.6	5	<1	<1	2	3	6	7	10
20-34	20	3.1	5	<1	<1	2	5	6	8	9
35-49	19	2.8	7	<1	<1	2	3	8	9	9
50-64	46	1.9	1	<1	<1	2	2	3	5	6
65+	113	2.4	7	<1	<1	1	2	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	4.3	10	1	2	3	5	8	10	16
20-34	46	4.1	19	<1	1	3	5	7	10	28
35-49	55	7.1	43	1	1	4	10	19	24	25
50-64	96	5.8	41	1	1	5	7	9	11	45
65+	146	6.2	48	1	1	5	7	12	15	37
B. *Operated*										
0-19 YRS	39	3.7	13	<1	<1	3	4	10	13	14
20-34	65	4.8	64	<1	<1	3	4	7	18	48
35-49	91	4.3	20	<1	1	3	5	9	14	24
50-64	241	3.7	16	<1	<1	2	4	8	11	19
65+	606	3.0	14	<1	<1	2	3	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	3.4	4	1	1	3	4	6	7	10
B. *Operated*	226	2.4	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	630	5.2	28	1	1	4	6	10	12	26
B. *Operated*	1042	3.4	18	<1	<1	2	4	7	11	21
1. SINGLE DX	568	3.0	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX	1672	4.1	23	<1	1	3	5	9	11	24
A. NOT OPERATED	972	4.6	20	1	1	3	5	8	11	23
B. OPERATED	1268	3.3	16	<1	<1	2	4	7	10	20
TOTAL 0-19 YRS	614	3.8	7	1	1	3	5	7	9	13
20-34	167	4.1	32	<1	<1	3	5	7	10	35
35-49	183	4.9	26	1	1	3	5	11	17	25
50-64	395	4.0	22	<1	<1	3	5	8	10	20
65+	881	3.5	20	<1	<1	2	4	8	11	20
GRAND TOTAL	**2240**	**3.8**	**18**	**<1**	**1**	**3**	**5**	**8**	**10**	**21**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	<1	3	3	3	3
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	4	5.8	3	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS	4	3.0	11	<1	<1	1	5	8	8	8
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	5.0	37	1	1	2	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	3	4	4
20-34	9	5.3	5	2	2	6	7	9	9	9
35-49	9	3.7	3	1	1	3	5	6	7	7
50-64	26	3.5	6	<1	1	3	4	7	9	10
65+	35	4.4	13	1	1	3	6	10	13	13
B. *Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	9	4.6	17	2	2	3	5	11	15	15
35-49	12	3.9	13	1	1	3	4	9	13	14
50-64	12	2.8	7	1	1	2	3	6	10	11
65+	31	4.2	11	<1	1	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.8	4	<1	<1	2	4	5	7	8
B. *Operated*	14	2.7	11	<1	<1	1	2	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	87	3.9	8	1	1	3	5	8	10	13
B. *Operated*	68	3.8	11	<1	1	3	5	10	11	15
1. SINGLE DX	34	2.8	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX	155	3.9	10	<1	1	3	5	9	11	14
A. NOT OPERATED	107	3.7	8	<1	1	3	5	7	10	13
B. OPERATED	82	3.6	11	<1	1	2	4	9	11	15
TOTAL 0-19 YRS	21	2.0	3	<1	<1	1	2	4	6	8
20-34	24	4.2	10	1	1	3	6	8	11	15
35-49	26	3.4	8	<1	1	3	4	7	9	14
50-64	45	3.1	5	1	1	3	4	5	9	11
65+	73	4.4	12	1	1	3	6	10	12	13
GRAND TOTAL	**189**	**3.7**	**9**	**<1**	**1**	**3**	**5**	**8**	**10**	**14**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282	2.6	2	1	1	2	3	4	5	8
20-34	9	4.8	71	1	1	2	3	18	27	27
35-49	5	2.4	2	1	1	2	3	5	5	5
50-64	6	1.8	1	1	1	2	2	4	4	4
65+	6	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	761	1.2	2	<1	<1	<1	<1	1	2	7
20-34	81	1.5		<1	1	1	2	2	3	4
35-49	53	1.5		<1	<1	1	2	2	3	3
50-64	72	1.6	1	<1	<1	1	2	3	3	6
65+	29	2.1	3	<1	<1	2	2	4	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	872	3.0	5	1	1	3	4	5	7	13
20-34	28	4.1	20	<1	<1	2	4	12	14	17
35-49	15	4.4	22	1	2	3	4	8	17	20
50-64	25	4.6	17	<1	1	3	5	12	13	17
65+	11	5.8	9	1	1	6	8	10	10	10
B. *Operated*										
0-19 YRS	1032	1.4	3	<1	<1	1	1	2	3	12
20-34	142	2.0	5	<1	1	1	2	3	4	11
35-49	101	2.0	5	<1	1	2	2	3	5	13
50-64	142	1.9	3	1	1	2	2	3	4	11
65+	52	2.2	4	<1	<1	2	3	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.6	4	1	1	2	3	4	5	8
B. *Operated*	996	1.3	1	<1	<1	<1	1	2	2	7
2. MULTIPLE DX										
A. *Not Operated*	951	3.2	6	<1	1	3	4	5	8	13
B. *Operated*	1469	1.6	3	<1	<1	1	2	2	3	12
1. SINGLE DX	1304	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2420	2.2	5	<1	<1	1	3	4	6	13
A. NOT OPERATED	1259	3.0	5	1	1	2	4	5	7	13
B. OPERATED	2465	1.5	3	<1	<1	1	1	2	3	10
TOTAL 0-19 YRS	2947	1.9	4	<1	<1	1	2	4	5	11
20-34	260	2.1	8	<1	1	1	2	3	5	17
35-49	174	2.1	5	<1	1	2	2	3	5	14
50-64	245	2.1	4	<1	1	2	2	3	5	12
65+	98	2.6	5	<1	1	2	3	5	8	12
GRAND TOTAL	**3724**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**12**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	2	1	2	3	4	5	6	9
20-34	26	4.3	4	2	2	4	6	7	8	8
35-49	19	4.1	5	1	2	4	5	7	9	10
50-64	13	4.6	7	2	2	4	5	8	11	12
65+	6	7.5	12	3	3	7	11	12	12	12
B. *Operated*										
0-19 YRS	156	1.4	2	<1	<1	<1	1	2	4	9
20-34	27	1.8	4	<1	<1	1	2	3	5	11
35-49	17	2.5	12	<1	1	2	2	3	11	16
50-64	17	2.5	11	1	1	2	2	3	11	15
65+	10	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	3.8	7	1	1	3	5	7	8	11
20-34	54	5.6	24	1	2	5	7	9	14	32
35-49	46	4.6	6	2	2	4	6	7	9	14
50-64	35	6.1	14	1	2	5	9	11	13	17
65+	51	9.7	167	3	3	6	10	15	29	82
B. *Operated*										
0-19 YRS	179	2.7	24	<1	<1	1	2	6	11	20
20-34	65	3.1	6	1	1	2	4	7	9	11
35-49	40	2.7	15	<1	1	2	3	4	5	25
50-64	55	3.8	15	1	1	2	4	11	11	19
65+	55	10.4	186	1	1	5	13	29	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.7	4	1	2	3	4	6	8	12
B. *Operated*	227	1.7	4	<1	<1	<1	1	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	444	5.0	31	1	2	4	6	9	11	27
B. *Operated*	394	4.0	48	<1	<1	2	3	9	14	39
1. SINGLE DX	408	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	838	4.5	39	<1	1	3	5	9	12	30
A. NOT OPERATED	625	4.6	24	1	2	4	5	8	10	17
B. OPERATED	621	3.1	33	<1	<1	1	3	7	11	29
TOTAL 0-19 YRS	710	2.9	10	<1	<1	2	4	6	8	12
20-34	172	3.9	13	<1	1	3	5	7	10	15
35-49	122	3.6	10	1	1	3	5	7	8	19
50-64	120	4.4	15	1	1	3	6	10	12	18
65+	122	9.2	158	1	2	5	11	19	30	70
GRAND TOTAL	**1246**	**3.9**	**29**	**<1**	**<1**	**3**	**4**	**7**	**11**	**27**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	5	5
20-34	54	2.4	2	1	1	2	3	4	5	7
35-49	90	2.9	4	1	1	3	4	5	7	11
50-64	162	2.8	4	1	1	2	3	5	7	11
65+	132	2.9	3	1	1	2	4	5	6	8
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	9	1.9	1	1	1	2	2	4	4	4
35-49	35	2.2	2	<1	1	2	3	4	5	8
50-64	32	2.6	4	1	1	2	3	6	7	8
65+	16	3.4	7	<1	1	3	4	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	2	<1	1	2	3	5	6	6
20-34	73	3.4	4	1	2	3	4	6	7	12
35-49	163	3.9	13	1	1	3	5	7	9	16
50-64	516	3.8	10	1	1	3	5	7	9	18
65+	1067	4.8	21	1	2	4	6	9	11	20
B. *Operated*										
0-19 YRS	5	4.6	25	<1	<1	3	7	13	13	13
20-34	16	6.1	47	1	1	4	7	20	23	24
35-49	19	5.4	18	1	1	5	8	12	14	15
50-64	31	4.3	15	1	1	3	5	9	12	20
65+	69	9.0	95	2	2	7	11	16	26	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	2.8	3	1	1	2	3	5	6	10
B. *Operated*	99	2.4	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1837	4.4	16	1	1	3	5	8	10	18
B. *Operated*	140	7.0	62	1	1	5	9	13	20	36
1. SINGLE DX	549	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX	1977	4.6	20	1	1	3	6	8	11	20
A. NOT OPERATED	2287	4.1	14	1	1	3	5	8	10	17
B. OPERATED	239	5.1	43	1	1	3	6	12	14	32
TOTAL 0-19 YRS	42	2.3	5	<1	<1	2	3	5	6	13
20-34	152	3.3	8	1	1	3	4	6	7	21
35-49	307	3.5	10	1	1	3	5	7	9	14
50-64	741	3.6	9	1	1	3	4	7	9	16
65+	1284	4.8	24	1	2	4	6	9	11	20
GRAND TOTAL	**2526**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	1.6		1	1	2	2	2	2	2
35-49	12	1.8		1	1	2	2	2	2	2
50-64	19	1.7		1	1	2	2	2	2	2
65+	24	2.1		2	2	2	2	3	3	3
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	75	1.7	1	1	1	2	2	3	3	4
35-49	148	1.7	1	1	1	2	2	3	3	4
50-64	101	1.7	1	1	1	2	2	3	4	5
65+	40	1.8	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	11	2.4	1	2	2	2	2	4	6	6
65+	14	2.9	9	1	1	2	2	4	11	13
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	31	1.9	1	1	1	2	2	3	3	3
35-49	46	1.8	1	1	1	2	2	3	3	4
50-64	60	1.8	1	1	1	2	2	3	4	5
65+	39	2.2	1	1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.9		1	1	2	2	2	2	3
B. *Operated*	368	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	31	2.4	5	1	1	2	2	3	6	13
B. *Operated*	179	1.9	1	1	1	2	2	3	4	5
1. SINGLE DX	432	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	210	1.9	1	1	1	2	2	3	4	6
A. NOT OPERATED	95	2.1	2	1	1	2	2	2	3	10
B. OPERATED	547	1.8	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	8	1.6		1	1	2	2	2	2	2
20-34	117	1.7	1	1	1	2	2	3	3	4
35-49	209	1.7	1	1	1	2	2	3	3	4
50-64	191	1.8	1	1	1	2	2	3	3	5
65+	117	2.1	2	1	1	2	2	3	4	8
GRAND TOTAL	**642**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	2	<1	<1	2	3	4	5	5
20-34	8	3.5	7	1	1	3	5	8	9	9
35-49	7	4.3	10	<1	<1	4	7	9	9	9
50-64	6	4.8	15	1	1	4	9	10	10	10
65+	5	3.6	8	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	249	1.3		<1	<1	1	1	2	2	3
20-34	162	1.5	1	<1	<1	1	2	2	3	7
35-49	123	1.7	1	<1	1	1	2	3	3	6
50-64	101	1.6		<1	1	2	2	3	3	3
65+	40	1.7	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	2	<1	<1	1	2	4	5	5
20-34	9	7.1	27	1	2	5	10	16	16	16
35-49	10	4.0	13	<1	<1	3	5	9	13	13
50-64	25	4.7	19	<1	1	3	6	9	13	21
65+	17	5.8	34	<1	<1	5	8	15	21	23
B. *Operated*										
0-19 YRS	251	1.5	1	<1	1	1	2	2	3	8
20-34	185	1.5	1	1	1	1	2	2	3	8
35-49	169	1.7	1	<1	1	1	2	3	4	6
50-64	157	2.2	7	1	1	2	2	3	5	16
65+	106	2.8	11	<1	1	2	3	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.6	8	<1	1	3	5	9	9	10
B. *Operated*	675	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	75	4.6	21	<1	<1	3	5	9	16	22
B. *Operated*	868	1.8	4	<1	1	1	2	3	4	12
1. SINGLE DX	710	1.6	1	<1	<1	1	2	3	3	8
2. MULTIPLE DX	943	2.0	6	<1	1	1	2	3	5	13
A. NOT OPERATED	110	4.3	17	<1	<1	3	5	9	13	22
B. OPERATED	1543	1.7	2	<1	1	1	2	3	3	8
TOTAL 0-19 YRS	523	1.4	1	<1	<1	1	2	2	3	5
20-34	364	1.7	3	<1	1	1	2	3	4	9
35-49	309	1.8	2	<1	1	1	2	3	4	8
50-64	289	2.3	7	1	1	2	2	4	6	15
65+	168	2.9	12	<1	1	2	3	6	9	22
GRAND TOTAL	**1653**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	7.9	23	2	3	7	10	14	16	24
20-34	13	6.5	48	2	2	5	7	14	25	28
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	3	7.7	54	2	2	5	13	16	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.8	107	2	2	5	11	17	31	49
20-34	13	7.1	17	3	3	7	9	12	16	17
35-49	8	9.4	37	3	4	7	13	19	21	21
50-64	25	7.4	23	2	2	6	10	15	17	21
65+	16	6.8	9	2	2	7	9	10	12	13
B. *Operated*										
0-19 YRS	3	9.3	33	6	6	6	14	16	16	16
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	7	12.6	192	1	2	7	15	37	42	42
65+	5	12.6	50	6	6	10	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.4	29	2	2	7	9	13	17	28
B. *Operated*	6	6.5	28	2	2	5	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	84	7.8	42	2	3	6	10	15	18	40
B. *Operated*	16	11.6	98	2	5	7	16	22	36	42
1. SINGLE DX	51	7.3	29	2	2	6	9	14	16	28
2. MULTIPLE DX	100	8.4	52	2	3	7	10	16	20	45
A. NOT OPERATED	129	7.7	37	2	2	7	10	14	17	32
B. OPERATED	22	10.2	82	1	2	7	16	19	30	42
TOTAL 0-19 YRS	53	8.3	56	2	2	7	10	15	19	48
20-34	26	6.8	32	2	2	5	9	11	19	28
35-49	15	7.9	30	2	3	6	12	16	20	21
50-64	34	8.4	57	1	2	7	11	15	20	42
65+	23	8.2	23	2	3	7	10	14	19	22
GRAND TOTAL	**151**	**8.0**	**44**	**2**	**2**	**7**	**10**	**15**	**19**	**42**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	27.5	545	11	11	27	44	44	44	44
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	8	5.0	17	1	1	5	6	12	14	14
65+	5	10.8	237	2	2	4	15	38	38	38
B. *Operated*										
0-19 YRS	5	3.4	8	1	1	2	5	8	8	8
20-34	12	5.4	20	1	1	4	9	12	13	13
35-49	46	4.9	23	<1	1	2	9	13	14	18
50-64	45	4.4	19	1	1	2	6	11	13	16
65+	27	6.0	42	1	2	2	11	16	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	12	1	1	4	6	10	10	10
20-34	21	5.0	28	<1	<1	4	7	10	17	24
35-49	35	5.0	14	2	2	4	6	6	15	20
50-64	130	6.8	23	2	2	6	9	14	17	23
65+	275	8.4	35	2	3	7	11	17	20	36
B. *Operated*										
0-19 YRS	4	23.8	1032	1	1	12	45	70	70	70
20-34	34	7.0	34	1	2	6	10	14	21	22
35-49	127	9.0	87	1	2	7	12	20	29	45
50-64	327	10.6	172	1	2	8	14	21	35	70
65+	372	12.0	146	2	2	9	17	27	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	8.3	145	1	1	4	7	28	41	44
B. *Operated*	135	4.9	25	1	1	2	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	466	7.5	31	2	2	6	9	16	19	28
B. *Operated*	864	10.9	148	1	2	8	14	24	35	67
1. SINGLE DX	154	5.3	40	1	1	2	9	13	16	37
2. MULTIPLE DX	1330	9.7	109	1	2	7	13	21	28	53
A. NOT OPERATED	485	7.5	35	2	2	6	9	16	19	35
B. OPERATED	999	10.1	135	1	2	8	14	23	31	62
TOTAL 0-19 YRS	16	11.8	362	1	1	4	10	42	62	70
20-34	68	6.0	29	1	1	4	9	12	19	24
35-49	211	7.3	64	1	1	4	10	16	23	39
50-64	510	9.0	123	1	2	6	12	17	26	68
65+	679	10.3	101	2	2	8	14	23	30	50
GRAND TOTAL	**1484**	**9.3**	**104**	**1**	**2**	**6**	**12**	**20**	**27**	**50**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	5	1	1	3	5	7	7	7
20-34	39	3.8	5	1	1	4	5	7	8	10
35-49	111	3.6	5	1	1	3	5	7	8	12
50-64	113	3.2	3	1	1	3	4	6	7	8
65+	91	3.8	11	1	1	3	4	6	9	21
B. *Operated*										
0-19 YRS	6	2.5	8	1	1	2	2	7	8	8
20-34	10	2.9	5	1	1	2	4	6	7	7
35-49	18	3.0	8	1	1	2	3	7	10	12
50-64	18	3.1	7	<1	1	2	5	6	9	10
65+	9	5.9	49	<1	1	3	7	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.5	8	1	1	4	7	9	10	11
20-34	119	4.3	11	1	2	3	5	8	9	20
35-49	498	5.0	14	1	2	4	6	10	12	22
50-64	935	5.2	19	1	2	4	6	9	12	22
65+	1182	6.1	34	2	2	5	7	11	15	35
B. *Operated*										
0-19 YRS	11	10.5	161	1	1	7	10	34	39	40
20-34	28	7.6	48	<1	1	5	10	18	24	29
35-49	73	6.2	33	1	1	5	8	14	16	30
50-64	155	7.1	38	1	1	5	10	14	18	32
65+	203	9.0	138	1	1	6	11	20	30	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	3.6	6	1	1	3	4	6	8	11
B. *Operated*	61	3.4	13	1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	2760	5.5	25	1	2	4	7	10	13	26
B. *Operated*	470	7.9	85	1	1	5	10	17	24	49
1. SINGLE DX	424	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX	3230	5.9	34	1	2	4	7	11	15	30
A. NOT OPERATED	3123	5.3	23	1	2	4	6	10	13	24
B. OPERATED	531	7.4	78	1	1	5	10	15	23	42
TOTAL 0-19 YRS	52	5.4	45	1	1	3	7	9	11	40
20-34	196	4.6	16	1	1	4	6	9	11	24
35-49	700	4.8	15	1	1	4	6	9	12	21
50-64	1221	5.3	21	1	2	4	7	10	13	23
65+	1485	6.4	49	1	2	5	7	12	17	37
GRAND TOTAL	**3654**	**5.6**	**31**	**1**	**2**	**4**	**7**	**10**	**14**	**30**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	19	4.4	3	1	2	4	6	7	8	9
50-64	30	4.5	3	2	2	4	6	7	8	9
65+	57	6.4	28	1	2	5	8	13	17	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.8		1	1	2	2	2	2	2
50-64	9	3.8	4	1	1	4	5	7	7	7
65+	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	11	5.3	5	1	2	6	7	8	9	9
35-49	111	6.6	32	2	2	5	8	12	16	35
50-64	475	7.1	29	2	3	6	8	13	16	35
65+	1894	8.9	54	2	3	7	10	17	22	39
B. *Operated*										
0-19 YRS										
20-34	4	16.8	73	6	6	18	23	25	25	25
35-49	17	9.2	88	1	2	6	10	25	33	36
50-64	87	9.1	109	1	2	6	12	19	29	54
65+	253	15.7	308	2	3	11	19	52	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	5.5	17	2	2	5	7	9	13	25
B. *Operated*	18	2.8	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2493	8.4	49	2	3	7	10	16	21	38
B. *Operated*	361	13.8	255	2	2	10	17	36	77	99+
1. SINGLE DX	126	5.1	16	1	2	4	6	9	12	23
2. MULTIPLE DX	2854	9.1	78	2	3	7	11	17	24	68
A. NOT OPERATED	2601	8.3	48	2	3	6	10	16	20	38
B. OPERATED	379	13.3	248	2	2	9	16	35	71	99+
TOTAL 0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	17	8.1	44	1	2	6	9	20	24	25
35-49	151	6.5	35	2	2	5	8	12	16	36
50-64	601	7.2	39	2	2	6	9	13	18	41
65+	2209	9.6	88	2	3	7	11	18	25	79
GRAND TOTAL	**2980**	**8.9**	**76**	**2**	**3**	**7**	**10**	**17**	**24**	**65**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	8	4.9	6	1	2	5	6	8	9	9
50-64	13	6.3	18	<1	1	5	11	12	12	12
65+	15	4.2	7	2	2	4	6	8	10	10
B. *Operated*										
0-19 YRS	7	2.7	2	1	1	3	3	5	5	5
20-34	5	5.4	32	2	2	2	8	15	15	15
35-49	15	3.2	4	1	1	3	4	7	8	8
50-64	34	5.4	20	1	2	3	8	12	14	18
65+	25	5.2	28	1	1	2	9	15	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.1	98	<1	1	4	9	12	34	40
20-34	22	5.0	20	1	2	3	6	10	16	20
35-49	44	9.2	103	2	3	6	10	19	34	55
50-64	120	7.7	38	1	2	6	11	15	20	32
65+	263	10.0	98	2	3	7	12	18	24	68
B. *Operated*										
0-19 YRS	10	8.4	68	1	1	6	8	23	27	27
20-34	49	9.8	116	2	2	6	11	21	35	53
35-49	79	10.8	102	1	2	8	15	23	29	51
50-64	188	9.9	92	2	2	7	12	22	30	49
65+	216	13.3	203	2	2	9	17	29	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	5.2	11	1	1	4	7	11	12	12
B. *Operated*	86	4.7	19	1	1	3	6	12	15	18
2. MULTIPLE DX										
A. *Not Operated*	463	9.0	81	2	2	7	11	18	22	56
B. *Operated*	542	11.3	141	2	2	8	15	24	35	74
1. SINGLE DX	123	4.8	17	1	1	3	7	11	14	18
2. MULTIPLE DX	1005	10.3	115	2	2	7	13	21	31	70
A. NOT OPERATED	500	8.7	77	2	2	6	11	17	21	55
B. OPERATED	628	10.4	130	1	2	7	13	23	34	72
TOTAL 0-19 YRS	31	6.5	68	1	1	3	7	13	27	40
20-34	77	8.1	86	2	2	5	10	18	24	51
35-49	146	9.2	92	1	2	6	11	21	27	53
50-64	355	8.6	66	1	2	6	12	18	23	43
65+	519	11.0	141	2	2	8	13	22	35	87
GRAND TOTAL	**1128**	**9.7**	**107**	**2**	**2**	**7**	**12**	**20**	**29**	**64**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	20	3	3	8	11	12	12	12
20-34	25	8.4	15	3	4	8	10	15	16	19
35-49	383	8.4	10	2	5	9	10	12	13	16
50-64	803	9.0	9	4	5	9	11	13	14	16
65+	604	9.2	10	4	6	9	11	13	14	19
B. *Operated*										
0-19 YRS										
20-34	11	6.5	14	1	1	7	10	11	11	11
35-49	83	8.6	13	1	3	9	11	12	14	19
50-64	143	10.4	14	3	6	11	13	14	16	21
65+	69	11.1	15	4	7	12	13	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.4	29	<1	3	9	12	16	22	22
20-34	89	8.2	13	2	2	9	10	12	14	21
35-49	1475	9.3	13	3	5	9	11	13	15	19
50-64	5349	10.2	23	4	6	10	12	14	17	26
65+	12234	11.6	40	5	6	10	13	18	22	38
B. *Operated*										
0-19 YRS	2	49.5	2113	17	17	49	82	82	82	82
20-34	58	9.7	19	2	3	10	12	15	16	24
35-49	638	10.5	32	2	4	10	13	17	21	28
50-64	1742	13.2	81	3	6	11	15	22	29	62
65+	2223	17.0	132	6	8	14	20	30	40	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1818	8.9	10	3	5	9	10	12	14	18
B. *Operated*	306	9.9	15	2	4	10	12	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	19158	11.0	33	5	6	10	13	16	20	34
B. *Operated*	4663	14.6	105	4	6	12	17	25	34	66
1. SINGLE DX	2124	9.1	10	3	5	9	11	13	14	18
2. MULTIPLE DX	23811	11.7	50	5	6	10	13	18	23	42
A. NOT OPERATED	20976	10.8	32	5	6	10	12	16	20	33
B. OPERATED	4969	14.3	101	4	6	12	17	25	33	65
TOTAL 0-19 YRS	16	14.1	355	1	3	9	12	21	64	82
20-34	183	8.6	16	2	2	9	10	13	15	23
35-49	2579	9.4	18	3	5	9	11	14	16	23
50-64	8037	10.7	36	4	6	10	12	16	20	34
65+	15130	12.3	56	5	7	11	14	19	25	46
GRAND TOTAL	**25945**	**11.5**	**47**	**4**	**6**	**10**	**13**	**18**	**22**	**41**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	2.5	2	1	1	2	3	4	6	7
35-49	246	3.2	3	1	1	3	4	6	6	8
50-64	374	3.2	15	1	1	3	4	5	6	12
65+	288	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS										
20-34	9	2.3	2	1	1	2	3	5	5	5
35-49	67	2.2	2	1	1	2	2	3	7	9
50-64	116	2.5	3	1	1	2	2	5	7	10
65+	33	2.4	2	1	1	2	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	81	3.5	5	1	1	3	5	6	7	11
35-49	1075	3.8	7	1	2	3	5	7	8	12
50-64	3124	4.2	11	1	2	4	5	7	9	14
65+	5141	4.9	18	2	2	4	6	8	11	20
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	22	3.2	8	<1	1	2	3	8	9	11
35-49	494	4.1	17	1	1	2	5	9	11	22
50-64	1549	4.7	29	1	2	2	7	10	13	23
65+	1112	6.7	51	2	2	4	9	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	931	3.2	8	1	1	3	4	5	7	10
B. *Operated*	225	2.4	3	1	1	2	2	4	7	9
2. MULTIPLE DX										
A. *Not Operated*	9423	4.5	14	1	2	4	5	8	10	17
B. *Operated*	3178	5.3	36	1	2	2	7	12	16	27
1. SINGLE DX	1156	3.1	7	1	1	3	4	5	7	10
2. MULTIPLE DX	12601	4.7	20	1	2	4	6	9	11	22
A. NOT OPERATED	10354	4.4	14	1	2	4	5	8	10	16
B. OPERATED	3403	5.1	34	1	2	2	7	11	15	27
TOTAL 0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	136	3.2	5	1	1	3	4	6	8	11
35-49	1882	3.7	9	1	2	3	5	7	8	15
50-64	5161	4.2	16	1	2	3	5	8	10	17
65+	6574	5.1	23	2	2	4	6	9	12	24
GRAND TOTAL	**13757**	**4.6**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	25	3.8	2	1	2	4	5	6	7	7
35-49	351	3.5	3	1	2	3	4	6	7	9
50-64	794	3.9	5	1	2	3	5	7	8	12
65+	889	4.1	5	2	2	4	5	7	8	11
B. *Operated*										
0-19 YRS										
20-34	4	3.3	4	2	2	3	4	6	6	6
35-49	36	5.6	18	1	2	4	7	12	16	18
50-64	102	5.3	13	2	2	5	8	10	12	17
65+	53	6.5	23	2	2	5	9	13	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.8	9	1	2	4	6	7	12	14
20-34	107	4.1	11	1	2	3	5	7	8	21
35-49	1814	4.5	8	1	2	4	6	8	10	15
50-64	7001	5.0	10	2	2	4	6	9	10	17
65+	15581	6.0	19	2	3	5	7	10	13	21
B. *Operated*										
0-19 YRS										
20-34	26	6.8	25	1	2	5	10	14	17	19
35-49	629	7.1	32	2	2	6	10	13	17	28
50-64	2329	8.6	53	2	2	7	11	16	20	36
65+	2508	11.0	87	2	2	9	14	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2061	3.9	5	1	2	4	5	6	8	11
B. *Operated*	195	5.6	17	2	2	5	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	24519	5.6	16	2	2	5	7	9	12	19
B. *Operated*	5492	9.5	68	2	2	8	12	18	24	44
1. SINGLE DX	2256	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX	30011	6.3	28	2	2	5	8	11	15	27
A. NOT OPERATED	26580	5.4	15	2	2	5	7	9	12	19
B. OPERATED	5687	9.4	67	2	2	8	12	18	23	44
TOTAL 0-19 YRS	18	4.4	9	1	1	4	5	7	11	14
20-34	162	4.5	12	1	2	4	5	8	11	19
35-49	2830	5.0	14	1	2	4	6	9	12	19
50-64	10226	5.8	22	2	2	5	7	11	14	22
65+	19031	6.5	30	2	2	5	8	12	15	28
GRAND TOTAL	**32267**	**6.1**	**26**	**2**	**2**	**5**	**7**	**11**	**15**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	29	2.9	1	1	1	3	4	4	5	6
50-64	65	2.9	4	1	1	2	4	6	7	8
65+	58	3.9	15	1	1	3	5	7	10	24
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	1.8		1	1	2	2	2	2	2
35-49	391	3.1	8	1	1	2	3	8	10	13
50-64	1043	3.5	11	1	1	2	3	9	11	14
65+	551	3.9	17	1	1	2	4	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	2.9	2	1	1	3	4	5	6	6
35-49	233	3.9	6	1	1	3	5	7	9	13
50-64	726	4.9	16	1	1	4	6	9	11	21
65+	1184	6.5	34	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	70	5.9	57	1	1	3	8	13	21	44
35-49	1608	4.7	22	1	1	2	7	11	13	22
50-64	5469	5.9	41	1	1	3	9	13	17	30
65+	3689	7.9	81	1	1	5	11	17	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	3.2	8	1	1	3	4	6	8	13
B. *Operated*	1996	3.5	12	1	1	2	3	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	2157	5.6	25	1	2	4	7	10	14	26
B. *Operated*	10837	6.4	53	1	1	3	9	14	19	34
1. SINGLE DX	2151	3.5	12	1	1	2	3	9	11	15
2. MULTIPLE DX	12994	6.3	49	1	1	4	9	14	18	33
A. NOT OPERATED	2312	5.5	25	1	2	4	7	10	13	25
B. OPERATED	12833	6.0	48	1	1	3	9	13	18	32
TOTAL 0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	96	4.9	45	1	1	2	6	10	17	38
35-49	2261	4.3	18	1	1	2	6	10	12	20
50-64	7303	5.4	35	1	1	3	8	12	15	27
65+	5482	7.1	65	1	1	4	10	16	21	44
GRAND TOTAL	**15145**	**5.9**	**44**	**1**	**1**	**3**	**8**	**13**	**17**	**32**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	15	4	4	8	11	12	12	12
20-34	50	8.4	11	3	5	8	9	12	12	23
35-49	63	8.3	14	1	3	8	11	13	15	18
50-64	63	8.7	8	4	5	8	10	12	14	16
65+	59	9.7	14	5	6	10	12	15	16	23
B. *Operated*										
0-19 YRS										
20-34	4	10.3	1	9	9	10	11	11	11	11
35-49	8	10.1	21	6	6	9	12	18	20	20
50-64	19	11.9	20	5	6	12	16	18	19	19
65+	14	11.1	13	8	8	10	11	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	10.9	56	3	3	10	12	21	30	30
20-34	111	9.9	41	2	3	9	12	17	19	71
35-49	181	10.9	27	4	6	10	13	18	20	28
50-64	419	11.1	34	4	6	10	13	16	19	36
65+	943	13.3	62	6	7	11	15	21	26	45
B. *Operated*										
0-19 YRS	3	14.3	10	12	12	13	17	18	18	18
20-34	41	12.6	22	6	7	12	16	19	20	25
35-49	86	12.6	46	6	7	11	15	19	20	49
50-64	155	13.2	56	6	7	12	15	20	28	72
65+	366	17.3	128	8	9	14	20	30	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	8.8	12	3	5	8	11	13	15	19
B. *Operated*	45	11.2	16	6	6	10	13	18	19	20
2. MULTIPLE DX										
A. *Not Operated*	1664	12.2	51	5	6	11	14	19	24	42
B. *Operated*	651	15.4	97	7	8	13	17	26	33	65
1. SINGLE DX	284	9.2	13	3	5	9	11	14	16	20
2. MULTIPLE DX	2315	13.1	66	5	7	11	15	21	27	51
A. NOT OPERATED	1903	11.8	47	5	6	10	14	19	23	39
B. OPERATED	696	15.2	93	7	8	13	17	25	33	64
TOTAL 0-19 YRS	17	10.9	40	3	4	11	12	17	26	30
20-34	206	10.1	31	2	5	9	12	16	19	41
35-49	338	10.9	31	4	6	10	13	18	20	31
50-64	656	11.4	37	5	6	10	13	17	21	36
65+	1382	14.2	81	6	7	12	16	23	30	53
GRAND TOTAL	**2599**	**12.7**	**62**	**5**	**7**	**11**	**15**	**20**	**26**	**48**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	338	2	2	15	28	28	28	28
20-34	5	10.0	130	2	2	7	13	30	30	30
35-49	2	20.5	145	12	12	20	29	29	29	29
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	8.0	98	1	1	8	15	15	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	22.2	309	2	3	18	38	45	52	54
20-34	82	22.9	203	3	4	22	31	44	46	59
35-49	75	22.8	231	3	5	22	31	42	44	81
50-64	61	20.7	143	4	6	18	29	35	40	51
65+	138	28.5	176	7	13	28	37	46	50	82
B. *Operated*										
0-19 YRS	4	39.5	738	12	12	34	56	77	77	77
20-34	41	38.8	245	12	20	40	47	54	67	88
35-49	36	32.7	183	12	15	34	42	56	63	99+
50-64	37	33.5	361	5	8	31	43	61	72	77
65+	63	34.2	232	10	14	34	45	54	59	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	11.6	128	1	1	7	21	29	30	30
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	371	24.6	200	3	5	26	32	43	47	69
B. *Operated*	181	34.9	260	10	14	34	44	57	66	85
1. SINGLE DX	12	11.6	128	1	1	7	21	29	30	30
2. MULTIPLE DX	552	28.0	243	4	7	29	38	47	55	77
A. NOT OPERATED	383	24.2	203	3	5	26	32	43	47	68
B. OPERATED	181	34.9	260	10	14	34	44	57	66	85
TOTAL 0-19 YRS	21	24.8	402	2	3	28	36	49	64	77
20-34	128	27.5	278	3	4	29	40	48	53	75
35-49	113	25.9	233	4	7	27	34	44	48	95
50-64	99	25.3	265	4	6	26	34	44	60	75
65+	203	30.1	203	8	13	30	39	49	54	76
GRAND TOTAL	**564**	**27.6**	**246**	**4**	**7**	**28**	**37**	**47**	**54**	**77**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	3	<1	<1	2	3	5	6	6
20-34	21	2.4	4	1	1	2	3	6	7	8
35-49	41	2.1	2	<1	<1	2	2	4	5	8
50-64	46	2.6	3	1	1	2	3	5	6	11
65+	46	2.7	5	1	1	2	3	6	7	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	4	<1	1	2	4	5	7	9
20-34	56	2.7	6	<1	1	2	3	6	8	13
35-49	106	3.3	15	1	1	2	4	6	7	23
50-64	283	3.7	9	1	1	3	5	7	10	16
65+	665	5.5	24	1	2	4	7	10	13	24
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	11.2	47	1	2	11	15	20	21	21
50-64	15	7.5	22	2	2	6	12	15	74	99+
65+	42	10.8	58	2	3	9	17	22	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.5	4	1	1	2	3	5	6	10
B. *Operated*	4	2.8	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1134	4.6	19	1	1	3	6	9	12	20
B. *Operated*	65	9.9	49	2	3	8	15	22	27	99+
1. SINGLE DX	174	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1199	4.9	22	1	1	4	6	10	13	23
A. NOT OPERATED	1304	4.3	18	1	1	3	6	8	11	20
B. OPERATED	69	9.5	49	2	2	8	14	21	25	99+
TOTAL 0-19 YRS	42	2.5	3	<1	1	2	4	5	6	9
20-34	78	2.6	5	1	1	2	3	6	8	12
35-49	154	3.3	15	1	1	2	4	6	9	21
50-64	345	3.7	10	1	1	3	5	7	11	17
65+	754	5.6	26	1	2	4	7	11	15	31
GRAND TOTAL	**1373**	**4.6**	**20**	**1**	**1**	**3**	**6**	**9**	**13**	**22**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	96	2.0	1	<1	<1	2	3	3	5	6
35-49	140	2.3	2	<1	1	2	3	5	5	7
50-64	300	2.8	5	<1	1	2	3	5	7	12
65+	336	3.3	14	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	9	3.7	5	2	2	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.9	10	<1	<1	2	3	7	9	15
20-34	151	2.7	8	<1	1	2	3	6	6	11
35-49	408	3.8	12	1	1	3	5	7	10	16
50-64	1714	4.7	15	1	1	4	6	9	12	18
65+	5283	6.3	36	1	2	5	8	11	15	30
B. *Operated*										
0-19 YRS	6	5.8	17	1	1	5	10	11	11	11
20-34	17	6.1	57	<1	1	4	5	17	25	29
35-49	22	11.1	63	3	4	9	16	22	28	32
50-64	157	8.4	66	1	2	7	11	16	22	41
65+	599	13.1	164	2	3	10	16	28	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	2.8	8	<1	1	2	3	5	7	11
B. *Operated*	15	3.3	4	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	7584	5.7	30	1	2	4	7	11	14	26
B. *Operated*	801	11.9	143	2	3	9	14	26	36	99+
1. SINGLE DX	894	2.8	8	<1	1	2	3	5	7	11
2. MULTIPLE DX	8385	6.3	44	1	2	5	8	12	16	35
A. NOT OPERATED	8463	5.4	29	1	1	4	7	10	13	25
B. OPERATED	816	11.7	142	2	2	9	14	26	36	99+
TOTAL 0-19 YRS	41	3.1	10	<1	<1	2	3	8	10	15
20-34	266	2.7	9	<1	1	2	3	5	6	17
35-49	571	3.7	14	<1	1	3	5	7	10	21
50-64	2174	4.7	19	1	1	4	6	9	12	20
65+	6227	6.8	52	1	2	5	8	13	17	42
GRAND TOTAL	**9279**	**6.0**	**42**	**1**	**1**	**4**	**7**	**11**	**15**	**34**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.2	17	<1	<1	2	4	6	7	26
20-34	82	3.0	4	1	1	3	4	6	7	8
35-49	153	3.1	5	1	1	2	4	7	8	11
50-64	217	3.3	8	1	1	3	4	6	7	16
65+	228	4.0	9	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	6	3.8	9	1	1	3	6	9	9	9
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49	15	3.3	4	2	2	2	4	6	8	9
50-64	39	5.6	33	1	1	4	6	10	15	34
65+	158	5.0	8	1	2	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.6	10	1	1	3	4	7	11	16
20-34	269	3.6	8	1	1	3	4	7	9	16
35-49	658	4.3	12	1	1	3	5	8	11	16
50-64	1993	5.2	21	1	2	4	6	10	12	19
65+	5733	6.6	37	2	2	5	8	12	16	30
B. *Operated*										
0-19 YRS	23	11.9	588	1	1	3	8	28	84	98
20-34	30	9.1	49	2	2	8	14	19	32	99+
35-49	106	8.9	97	1	2	6	10	18	27	57
50-64	548	9.9	114	2	2	7	12	19	32	61
65+	3071	10.1	79	3	3	8	12	19	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	719	3.4	8	1	1	3	4	7	8	14
B. *Operated*	221	5.0	12	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	8739	6.0	31	1	2	5	7	11	14	27
B. *Operated*	3778	10.1	87	2	3	8	12	19	26	60
1. SINGLE DX	940	3.8	9	1	1	3	5	7	9	14
2. MULTIPLE DX	12517	7.2	52	2	2	5	9	14	18	39
A. NOT OPERATED	9458	5.8	30	1	2	5	7	11	14	26
B. OPERATED	3999	9.8	85	2	3	8	12	18	25	59
TOTAL 0-19 YRS	154	4.7	104	<1	1	2	5	8	11	74
20-34	384	3.9	13	1	1	3	5	8	11	20
35-49	932	4.6	23	1	1	3	6	9	12	24
50-64	2797	6.0	42	1	2	4	7	11	15	35
65+	9190	7.7	53	2	2	6	9	14	19	40
GRAND TOTAL	**13457**	**7.0**	**49**	**1**	**2**	**5**	**9**	**13**	**18**	**37**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	13	4.2	10	1	1	4	5	8	12	13
50-64	81	4.8	7	2	2	4	6	9	11	14
65+	431	5.5	12	2	2	5	7	9	12	19
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	5	7.8	79	1	1	3	14	22	22	22
65+	11	7.2	56	2	2	4	8	18	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	6.2	19	1	2	5	8	14	15	19
20-34	93	7.7	27	1	3	6	10	15	19	25
35-49	650	7.7	36	2	3	6	10	14	17	31
50-64	4571	8.0	44	2	3	6	9	14	19	36
65+	25459	9.0	55	3	3	7	11	16	22	42
B. *Operated*										
0-19 YRS	15	13.7	215	2	3	9	14	34	51	57
20-34	32	11.4	185	1	1	6	14	26	42	64
35-49	139	11.2	107	2	2	8	13	25	34	47
50-64	683	13.3	118	2	3	10	17	26	34	54
65+	2771	16.7	187	4	5	13	21	34	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	5.4	11	2	2	5	7	9	12	18
B. *Operated*	17	7.1	56	1	2	4	9	20	26	28
2. MULTIPLE DX										
A. *Not Operated*	30842	8.8	53	3	3	7	11	16	21	41
B. *Operated*	3640	15.8	174	3	4	12	20	32	45	99+
1. SINGLE DX	546	5.4	13	2	2	5	7	9	12	19
2. MULTIPLE DX	34482	9.6	71	3	3	7	11	18	24	50
A. NOT OPERATED	31371	8.8	53	2	3	7	11	16	21	40
B. OPERATED	3657	15.7	174	3	4	12	20	32	45	99+
TOTAL 0-19 YRS	87	7.4	59	1	2	5	9	14	17	48
20-34	127	8.6	68	1	2	6	11	16	23	48
35-49	802	8.2	50	2	3	6	10	16	20	42
50-64	5340	8.6	57	2	3	7	10	16	21	40
65+	28672	9.7	73	3	3	7	12	18	25	51
GRAND TOTAL	**35028**	**9.5**	**70**	**3**	**3**	**7**	**11**	**18**	**24**	**49**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.5	7	<1	1	3	5	6	8	13
20-34	146	3.4	4	1	1	3	4	7	8	9
35-49	165	3.2	5	<1	1	3	4	6	8	12
50-64	93	3.6	5	1	1	3	5	6	7	13
65+	85	2.9	5	<1	<1	2	4	6	7	10
B. *Operated*										
0-19 YRS	17	3.6	13	1	1	2	6	9	12	13
20-34	35	3.9	12	1	1	2	6	9	11	15
35-49	86	4.1	18	1	1	2	4	10	12	21
50-64	173	4.7	24	1	1	2	8	12	14	22
65+	129	4.7	38	1	1	2	5	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.1	30	1	1	4	6	9	15	34
20-34	321	4.6	25	1	1	3	5	9	12	30
35-49	585	5.9	36	1	2	4	7	11	15	28
50-64	1136	6.9	27	2	2	6	9	13	16	25
65+	1895	8.7	55	2	3	7	11	16	22	44
B. *Operated*										
0-19 YRS	46	8.7	198	1	1	5	11	16	21	93
20-34	80	11.3	171	1	2	7	15	26	38	72
35-49	314	8.1	73	1	2	5	11	17	24	45
50-64	824	8.6	87	1	2	6	12	20	25	58
65+	1202	11.5	149	2	2	9	15	24	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	3.3	5	<1	1	3	4	6	8	12
B. *Operated*	440	4.5	26	1	1	2	6	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	4005	7.4	43	2	2	6	9	14	18	33
B. *Operated*	2466	10.1	122	1	2	7	14	22	30	59
1. SINGLE DX	966	3.8	15	<1	1	2	4	9	12	18
2. MULTIPLE DX	6471	8.4	75	1	2	6	11	17	23	46
A. NOT OPERATED	4531	6.9	41	1	2	5	8	14	18	32
B. OPERATED	2906	9.2	112	1	2	6	13	21	28	54
TOTAL 0-19 YRS	168	5.6	72	1	1	4	6	12	15	35
20-34	582	5.2	45	1	1	3	6	10	15	37
35-49	1150	6.0	43	1	2	4	8	12	17	34
50-64	2226	7.2	50	1	2	5	9	15	20	36
65+	3311	9.4	91	2	2	7	12	19	26	53
GRAND TOTAL	**7437**	**7.8**	**70**	**1**	**2**	**5**	**10**	**16**	**22**	**44**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	3.2	6	1	1	2	4	7	9	9
50-64	46	4.7	7	1	2	4	6	8	8	15
65+	85	6.7	23	2	2	5	9	15	17	23
B. *Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	8	2.6	3	1	1	2	3	5	6	6
50-64	41	3.8	13	1	1	2	4	9	11	17
65+	28	11.4	279	2	2	5	13	54	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	4	3	3	4	6	7	7	7
B. *Operated*	4	2.5	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	140	5.8	18	1	2	5	7	11	15	22
B. *Operated*	80	6.3	117	1	2	2	7	13	31	88
1. SINGLE DX	7	3.4	4	1	1	3	5	7	7	7
2. MULTIPLE DX	220	6.0	54	1	2	4	7	12	15	59
A. NOT OPERATED	143	5.8	18	1	2	5	7	11	15	22
B. OPERATED	84	6.1	112	1	2	2	6	13	25	87
TOTAL 0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	19	2.8	4	1	1	2	4	6	8	9
50-64	91	4.3	9	1	1	3	6	8	10	16
65+	114	7.8	88	2	2	5	9	15	21	76
GRAND TOTAL	**227**	**5.9**	**52**	**1**	**2**	**4**	**7**	**12**	**15**	**59**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	85	<1	<1	7	14	14	14	14
35-49	6	4.3	21	<1	<1	2	8	12	12	12
50-64	10	2.0	2	<1	<1	2	2	4	5	5
65+	5	11.8	113	<1	<1	14	20	25	25	25
B. *Operated*										
0-19 YRS	2	17.0	392	3	3	17	31	31	31	31
20-34	12	16.3	61	3	6	16	20	27	32	33
35-49	29	14.4	74	1	2	14	20	27	30	33
50-64	14	15.9	182	2	5	15	16	26	52	59
65+	4	12.3	145	1	1	11	22	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	4	3	3	6	7	7	7	7
20-34	1	11.0		11	11	11	11	11	11	11
35-49	15	4.1	29	<1	<1	1	5	14	17	18
50-64	12	5.4	39	<1	<1	4	7	38	88	99+
65+	37	15.7	162	1	2	15	22	46	78	99+
B. *Operated*										
0-19 YRS	3	10.7	50	3	3	12	16	17	17	17
20-34	16	21.4	256	2	3	18	28	45	55	59
35-49	55	22.0	154	8	9	22	32	48	99+	99+
50-64	81	26.9	384	6	7	20	38	58	92	99+
65+	61	29.2	312	5	11	27	47	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.2	45	<1	<1	2	7	15	20	25
B. *Operated*	61	15.0	100	1	2	15	20	26	32	56
2. MULTIPLE DX										
A. *Not Operated*	68	10.8	129	<1	1	8	17	31	52	99+
B. *Operated*	216	25.6	299	5	8	22	37	59	96	99+
1. SINGLE DX	84	12.3	104	<1	1	12	18	25	30	50
2. MULTIPLE DX	284	22.1	298	1	3	19	33	56	93	99+
A. NOT OPERATED	91	9.4	113	<1	<1	5	15	26	48	99+
B. OPERATED	277	23.3	274	3	7	20	32	55	76	99+
TOTAL 0-19 YRS	8	10.3	95	3	3	6	14	27	31	31
20-34	31	18.2	170	2	3	16	21	38	46	59
35-49	105	16.3	153	1	1	16	24	36	53	99+
50-64	117	21.2	373	1	2	17	30	56	87	99+
65+	107	23.1	291	1	3	20	35	59	96	99+
GRAND TOTAL	**368**	**19.9**	**270**	**1**	**2**	**17**	**28**	**52**	**69**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	44.0		44	44	44	44	44	44	44
50-64	4	12.8	105	1	1	13	21	24	24	24
65+	7	22.9	294	7	7	20	34	50	53	53
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	32.0		32	32	66	99+	99+	99+	99+
35-49	6	49.0	780	9	15	67	91	99+	99+	99+
50-64	7	29.7	258	6	10	31	48	86	99+	99+
65+	6	29.7	140	16	16	32	36	45	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	21.3	264	2	5	19	31	47	52	53
B. *Operated*	21	34.5	409	8	13	36	67	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	33	29.7	388	6	8	30	47	96	99+	99+
A. NOT OPERATED	12	21.3	264	2	5	19	31	47	52	53
B. OPERATED	21	34.5	409	8	13	36	67	99+	99+	99+
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	32.0		32	32	66	99+	99+	99+	99+
35-49	7	48.3	654	9	17	66	86	99+	99+	99+
50-64	11	23.5	260	1	4	22	42	66	95	99+
65+	13	26.0	218	7	9	21	37	47	52	53
GRAND TOTAL	**33**	**29.7**	**388**	**6**	**8**	**30**	**47**	**96**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	22	1	1	7	10	12	12	12
20-34	3	5.7	20	1	1	6	9	10	10	10
35-49	8	7.0	47	1	1	5	10	18	21	21
50-64	11	9.1	19	4	4	9	12	15	17	17
65+	40	14.0	310	1	1	9	15	42	49	87
B. *Operated*										
0-19 YRS	4	12.8	156	2	2	12	23	25	25	25
20-34	12	12.4	70	1	3	10	19	24	27	28
35-49	15	8.7	29	2	2	7	13	18	18	18
50-64	13	6.2	22	1	2	6	7	11	18	20
65+	38	13.8	182	5	5	9	14	25	43	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	56	<1	<1	3	9	20	21	21
20-34	12	4.7	14	<1	<1	4	7	10	12	12
35-49	34	12.4	133	2	2	9	17	33	51	99+
50-64	123	13.0	122	2	3	10	17	25	33	99+
65+	580	16.2	167	3	4	13	21	34	45	99+
B. *Operated*										
0-19 YRS	16	19.7	157	4	5	14	29	40	42	43
20-34	19	16.0	180	6	7	11	22	47	81	99+
35-49	48	20.8	307	3	4	18	28	54	68	99+
50-64	98	21.5	335	3	5	17	33	61	99+	99+
65+	285	25.2	364	5	8	21	34	62	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	11.5	205	1	1	8	12	22	44	82
B. *Operated*	82	11.4	115	2	3	8	14	22	27	67
2. MULTIPLE DX										
A. *Not Operated*	760	15.2	159	2	4	12	20	33	44	99+
B. *Operated*	466	23.4	341	4	7	19	32	60	92	99+
1. SINGLE DX	148	11.5	154	1	2	8	14	22	35	75
2. MULTIPLE DX	1226	18.3	244	3	4	14	25	43	65	99+
A. NOT OPERATED	826	14.9	163	2	4	12	20	32	44	99+
B. OPERATED	548	21.6	325	4	6	17	29	57	81	99+
TOTAL 0-19 YRS	35	13.3	140	<1	1	10	21	30	39	43
20-34	46	11.4	117	1	1	9	15	26	37	99+
35-49	105	15.3	216	2	3	10	22	34	56	99+
50-64	245	15.8	220	2	3	12	21	41	67	99+
65+	943	18.7	251	3	5	14	25	43	64	99+
GRAND TOTAL	**1374**	**17.6**	**239**	**2**	**4**	**13**	**24**	**41**	**62**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	34.5	841	14	14	34	55	55	55	55
20-34	2	12.5	5	11	11	12	14	14	14	14
35-49	8	18.8	96	6	7	20	25	33	35	35
50-64	41	23.7	329	5	8	18	31	57	67	99+
65+	192	24.1	333	6	8	19	32	57	76	99+
B. *Operated*										
0-19 YRS										
20-34	4	25.3	110	10	10	29	32	33	33	33
35-49	6	21.8	38	12	15	27	99+	99+	99+	99+
50-64	20	25.7	475	5	6	18	40	70	94	99+
65+	48	30.3	494	8	11	26	51	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	245	23.9	324	5	8	18	31	56	74	99+
B. *Operated*	78	28.2	433	7	10	25	43	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	323	24.9	352	6	8	20	34	67	99+	99+
A. NOT OPERATED	245	23.9	324	5	8	18	31	56	74	99+
B. OPERATED	78	28.2	433	7	10	25	43	99+	99+	99+
TOTAL 0-19 YRS	2	34.5	841	14	14	34	55	55	55	55
20-34	6	21.0	110	10	10	20	31	33	33	33
35-49	14	20.1	69	7	10	23	35	99+	99+	99+
50-64	61	24.3	370	5	7	18	35	57	76	99+
65+	240	25.4	369	7	8	21	34	68	92	99+
GRAND TOTAL	**323**	**24.9**	**352**	**6**	**8**	**20**	**34**	**67**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	81.0		81	81	81	81	81	81	81
50-64	26	5.5	14	1	2	5	6	9	14	19
65+	22	4.5	4	<1	1	5	5	6	8	10
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	17	4.8	11	1	1	5	6	9	12	14
50-64	171	4.6	10	1	1	4	6	8	10	19
65+	233	4.8	15	1	1	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	9	6.3	29	1	1	6	8	15	18	18
50-64	121	6.8	58	1	1	5	9	12	14	41
65+	524	7.9	53	2	2	6	10	15	20	50
B. *Operated*										
0-19 YRS	4	6.5	11	2	2	7	9	9	9	9
20-34	5	3.6	4	1	1	3	5	6	6	6
35-49	91	7.7	49	1	2	6	9	14	23	39
50-64	966	6.9	29	1	2	6	9	13	16	26
65+	1968	8.1	58	2	2	6	10	16	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.5	123	1	1	5	6	8	13	80
B. *Operated*	424	4.7	13	1	1	4	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	656	7.7	53	1	2	6	9	14	20	47
B. *Operated*	3034	7.7	49	1	2	6	9	15	19	37
1. SINGLE DX	475	4.9	25	1	1	4	6	9	11	21
2. MULTIPLE DX	3690	7.7	49	1	2	6	9	15	19	38
A. NOT OPERATED	707	7.6	58	1	2	6	9	14	19	51
B. OPERATED	3458	7.4	45	1	2	6	9	14	19	36
TOTAL 0-19 YRS	7	7.3	11	2	2	9	10	11	11	11
20-34	9	4.9	26	1	1	3	6	13	17	17
35-49	118	7.8	89	1	2	6	9	14	22	54
50-64	1284	6.6	30	1	2	5	8	12	15	25
65+	2747	7.8	54	1	2	6	9	15	20	41
GRAND TOTAL	**4165**	**7.4**	**47**	**1**	**2**	**6**	**9**	**14**	**19**	**36**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	11	14.9	279	2	2	12	17	43	55	56
65+	48	12.3	115	3	3	9	15	29	37	53
B. *Operated*										
0-19 YRS	3	9.7	154	2	2	3	19	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	8.9	69	1	1	5	16	21	22	22
50-64	59	9.5	84	2	3	8	13	23	79	99+
65+	80	12.7	115	2	3	11	16	29	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	61	12.5	139	2	3	9	14	34	37	56
B. *Operated*	151	11.1	102	2	2	9	15	24	48	99+
1. SINGLE DX										
2. MULTIPLE DX	212	11.5	112	2	2	9	15	26	41	99+
A. NOT OPERATED	61	12.5	139	2	3	9	14	34	37	56
B. OPERATED	151	11.1	102	2	2	9	15	24	48	99+
TOTAL 0-19 YRS	3	9.7	154	2	2	3	19	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	8.2	56	1	1	5	14	20	22	22
50-64	70	10.3	115	2	2	9	13	24	64	99+
65+	128	12.6	114	2	3	10	16	29	38	99+
GRAND TOTAL	**212**	**11.5**	**112**	**2**	**2**	**9**	**15**	**26**	**41**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	8	3.5	7	<1	<1	3	4	8	9	9
35-49	16	7.6	35	1	1	6	10	16	21	23
50-64	91	6.9	25	1	2	6	8	12	19	26
65+	263	8.4	43	2	3	7	11	16	20	28
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	5.0	4	3	3	5	6	7	7	7
35-49	9	12.2	60	1	2	13	18	22	24	24
50-64	13	5.1	18	1	1	3	8	11	14	15
65+	14	10.0	76	1	2	7	11	22	31	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	11	1	1	4	8	8	8	8
20-34	18	10.3	135	2	2	6	13	19	39	52
35-49	178	9.7	94	2	3	7	11	21	40	99+
50-64	1204	11.1	135	3	3	8	13	23	35	96
65+	6576	13.1	148	3	4	10	16	27	41	99+
B. *Operated*										
0-19 YRS	4	14.0	355	2	2	6	25	42	42	42
20-34	17	11.8	92	2	2	9	20	26	28	29
35-49	55	12.8	161	2	4	9	16	28	40	99
50-64	268	16.5	270	2	4	12	20	46	72	99+
65+	949	22.7	337	5	7	18	34	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	7.9	38	2	2	6	10	15	19	27
B. *Operated*	40	8.4	53	1	2	7	11	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	7981	12.8	145	3	4	9	15	26	40	99+
B. *Operated*	1293	20.9	322	4	5	16	30	60	99+	99+
1. SINGLE DX	420	7.9	40	2	2	6	10	16	20	27
2. MULTIPLE DX	9274	13.9	178	3	4	10	17	31	50	99+
A. NOT OPERATED	8361	12.5	141	3	4	9	15	26	38	99+
B. OPERATED	1333	20.5	318	4	5	16	29	59	99+	99+
TOTAL 0-19 YRS	12	7.2	128	<1	1	4	8	18	39	42
20-34	46	9.3	95	1	2	6	12	24	27	52
35-49	258	10.3	105	2	3	8	12	22	39	99+
50-64	1576	11.8	157	2	3	8	14	25	39	99+
65+	7802	14.1	178	3	4	10	17	31	50	99+
GRAND TOTAL	**9694**	**13.6**	**173**	**3**	**4**	**10**	**17**	**30**	**49**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	19.4	769	1	1	12	68	97	99+	99+
20-34	8	11.4	135	2	2	10	12	30	38	38
35-49	78	14.4	178	4	5	12	15	23	40	81
50-64	476	15.9	199	4	5	11	19	33	43	86
65+	2545	16.6	182	4	5	13	21	35	50	99+
B. *Operated*										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	5	14.0	94	3	3	12	23	25	25	25
35-49	17	18.3	182	4	5	13	28	49	82	99+
50-64	101	22.6	403	4	6	18	34	81	99+	99+
65+	333	28.2	457	7	9	22	47	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3112	16.4	185	4	5	12	21	35	49	99+
B. *Operated*	458	26.4	438	5	8	21	41	89	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	3570	17.7	229	4	5	13	23	40	62	99+
A. NOT OPERATED	3112	16.4	185	4	5	12	21	35	49	99+
B. OPERATED	458	26.4	438	5	8	21	41	89	99+	99+
TOTAL 0-19 YRS	7	16.6	537	1	2	10	41	90	99+	99+
20-34	13	12.4	112	2	2	10	15	28	36	38
35-49	95	15.1	179	4	5	12	17	28	48	93
50-64	577	17.0	240	4	5	12	21	39	59	99+
65+	2878	17.9	228	4	6	14	23	41	63	99+
GRAND TOTAL	**3570**	**17.7**	**229**	**4**	**5**	**13**	**23**	**40**	**62**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	2.8	2	1	2	3	3	4	6	7
35-49	62	3.5	3	1	1	3	5	6	7	8
50-64	194	3.7	5	1	1	3	5	7	8	11
65+	367	4.0	6	1	2	3	5	7	9	13
B. *Operated*										
0-19 YRS										
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	18	3.2	5	1	1	3	4	6	8	10
50-64	39	3.4	8	<1	<1	2	4	7	10	12
65+	46	4.8	14	1	1	3	7	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	34	2	2	4	8	16	16	16
20-34	51	4.3	11	1	1	3	5	8	12	17
35-49	279	4.8	9	1	2	4	6	9	11	15
50-64	1343	5.1	18	1	2	4	6	9	11	19
65+	7424	7.2	69	2	2	5	8	12	18	58
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	7	5.0	5	2	2	4	7	8	8	8
35-49	69	6.1	17	1	2	5	8	12	14	18
50-64	322	7.6	42	1	2	6	10	16	22	34
65+	1011	10.9	132	2	3	8	13	23	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	3.8	6	1	1	3	5	7	8	11
B. *Operated*	107	3.9	10	1	1	3	5	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	9102	6.8	60	2	2	5	8	12	16	52
B. *Operated*	1411	9.9	108	2	2	7	12	20	30	99+
1. SINGLE DX	744	3.8	6	1	1	3	5	7	9	12
2. MULTIPLE DX	10513	7.2	68	2	2	5	8	13	19	60
A. NOT OPERATED	9739	6.6	57	2	2	5	8	12	16	49
B. OPERATED	1518	9.5	103	1	2	7	12	20	29	99+
TOTAL 0-19 YRS	7	5.1	26	1	1	4	6	14	16	16
20-34	76	4.0	9	1	1	3	5	8	9	16
35-49	428	4.8	10	1	2	4	6	9	11	15
50-64	1898	5.4	22	1	2	4	7	10	13	24
65+	8848	7.5	76	2	2	5	8	13	20	69
GRAND TOTAL	**11257**	**7.0**	**65**	**2**	**2**	**5**	**8**	**13**	**18**	**57**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	9	7.6	29	2	2	7	10	16	17	17
50-64	43	6.4	14	2	3	5	9	11	13	18
65+	77	9.4	97	1	2	7	12	22	29	89
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	14.0	2	13	13	14	15	15	15	15
50-64	8	11.4	114	2	2	8	18	28	29	29
65+	5	9.4	67	5	5	6	11	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	4	7.8	11	4	4	7	10	12	12	12
35-49	44	8.8	49	2	2	7	14	21	25	99+
50-64	406	9.3	107	2	3	7	11	17	21	61
65+	1922	11.7	124	3	4	8	14	24	35	91
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	13	12.7	166	1	3	9	34	99+	99+	99+
50-64	86	11.9	109	3	4	10	14	23	39	99+
65+	224	22.8	386	5	7	18	32	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	8.1	65	2	2	6	10	17	23	68
B. *Operated*	17	10.6	71	2	3	7	13	26	28	29
2. MULTIPLE DX										
A. *Not Operated*	2378	11.3	121	2	3	8	13	22	32	85
B. *Operated*	325	19.4	327	4	5	14	27	64	99+	99+
1. SINGLE DX	150	8.4	65	2	2	6	10	18	26	62
2. MULTIPLE DX	2703	12.2	152	3	3	9	15	26	40	99+
A. NOT OPERATED	2511	11.1	118	2	3	8	13	22	31	84
B. OPERATED	342	18.9	317	4	5	14	27	62	99+	99+
TOTAL 0-19 YRS	5	3.0	4	<1	<1	3	5	5	5	5
20-34	9	6.1	11	2	2	7	8	11	12	12
35-49	68	9.5	68	2	2	7	15	26	36	99+
50-64	543	9.5	101	2	3	7	11	18	25	76
65+	2228	12.8	161	3	4	9	15	27	43	99+
GRAND TOTAL	**2853**	**12.0**	**148**	**2**	**3**	**9**	**14**	**25**	**39**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	7	10.1	18	2	3	10	14	14	14	14
35-49	17	9.3	32	2	3	8	14	18	19	20
50-64	116	13.3	137	3	3	10	16	29	40	77
65+	705	14.4	150	3	4	11	17	31	40	96
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34										
35-49	4	9.0	4	6	6	10	10	10	10	10
50-64	20	21.0	207	3	6	20	33	67	99+	99+
65+	83	27.1	354	7	9	22	39	61	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	846	14.1	145	3	4	11	17	29	39	94
B. *Operated*	109	24.9	328	6	7	20	34	60	88	99+
1. SINGLE DX										
2. MULTIPLE DX	955	15.3	177	3	4	11	19	34	49	99+
A. NOT OPERATED	846	14.1	145	3	4	11	17	29	39	94
B. OPERATED	109	24.9	328	6	7	20	34	60	88	99+
TOTAL 0-19 YRS	3	10.0	37	6	6	7	14	17	17	17
20-34	7	10.1	18	2	3	10	14	14	14	14
35-49	21	9.2	26	2	3	8	11	17	19	20
50-64	136	14.4	153	3	4	10	19	34	50	99+
65+	788	15.7	186	3	5	12	19	34	50	99+
GRAND TOTAL	**955**	**15.3**	**177**	**3**	**4**	**11**	**19**	**34**	**49**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	24	2.8	4	<1	1	2	4	6	7	7
50-64	37	3.8	4	1	2	3	5	7	8	8
65+	35	4.9	12	1	2	4	7	11	12	13
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	10	5.1	10	2	2	5	8	9	10	10
35-49	13	4.9	31	1	1	3	5	17	17	17
50-64	31	6.6	49	1	1	5	9	16	23	29
65+	12	4.7	22	1	1	3	5	12	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	16	<1	<1	7	8	10	10	10
20-34	27	4.7	17	1	1	3	7	11	13	18
35-49	92	5.8	16	1	2	5	8	10	16	19
50-64	276	5.8	22	1	2	5	7	11	15	24
65+	1164	9.1	106	2	2	6	10	18	29	99
B. *Operated*										
0-19 YRS	4	6.0	11	2	2	6	8	10	10	10
20-34	16	16.4	415	1	2	9	16	55	59	61
35-49	44	13.1	235	1	2	9	17	39	56	99+
50-64	96	9.9	223	1	1	5	11	30	66	99+
65+	222	14.5	293	1	2	9	17	49	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.9	7	1	1	3	5	8	10	13
B. *Operated*	68	5.6	33	1	1	3	8	11	18	28
2. MULTIPLE DX										
A. *Not Operated*	1564	8.2	86	2	2	6	9	16	24	87
B. *Operated*	382	13.2	274	1	2	8	15	47	74	99+
1. SINGLE DX	167	4.6	18	1	1	3	6	10	12	23
2. MULTIPLE DX	1946	9.2	127	2	2	6	10	18	33	99+
A. NOT OPERATED	1663	7.9	83	2	2	6	9	15	23	75
B. OPERATED	450	12.1	245	1	2	7	14	36	67	99+
TOTAL 0-19 YRS	12	4.7	12	<1	1	4	7	10	10	10
20-34	55	8.2	154	1	2	4	8	15	43	61
35-49	173	7.2	83	1	1	5	8	16	19	75
50-64	440	6.6	69	1	2	5	8	12	19	68
65+	1433	9.8	137	2	2	7	11	20	36	99+
GRAND TOTAL	**2113**	**8.8**	**120**	**1**	**2**	**6**	**10**	**18**	**31**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	5.5	23	1	1	4	9	12	12	12
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	15	2.9	11	<1	1	2	3	5	12	14
50-64	99	4.7	22	1	1	2	8	11	13	22
65+	101	4.3	29	1	1	2	5	10	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.0		9	9	9	9	9	9	9
35-49	9	4.6	13	1	1	3	6	10	12	12
50-64	44	4.3	28	<1	<1	3	4	8	11	33
65+	137	7.6	72	1	1	5	10	16	20	61
B. *Operated*										
0-19 YRS	3	12.0	13	9	9	11	15	16	16	16
20-34	6	3.3	8	1	1	2	3	8	9	9
35-49	100	9.8	88	1	1	9	12	19	31	45
50-64	605	11.4	149	1	2	8	14	26	39	94
65+	1565	15.5	220	1	2	11	19	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	16	<1	<1	3	6	11	12	12
B. *Operated*	216	4.4	25	1	1	2	6	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	192	6.7	60	1	1	4	8	15	20	55
B. *Operated*	2279	14.1	199	1	2	10	18	33	49	99+
1. SINGLE DX	223	4.4	24	1	1	2	6	11	14	25
2. MULTIPLE DX	2471	13.5	192	1	2	10	17	32	[illegible]	99+
A. NOT OPERATED	199	6.6	59	1	1	4	8	14	[illegible]	54
B. OPERATED	2495	13.3	191	1	2	10	17	31	47	99+
TOTAL 0-19 YRS	4	9.3	39	1	1	10	13	16	16	16
20-34	8	4.8	13	1	1	3	9	9	9	9
35-49	124	8.6	79	1	1	7	11	16	27	45
50-64	752	10.1	132	1	1	8	12	22	34	85
65+	1806	14.2	208	1	2	10	18	34	50	99+
GRAND TOTAL	**2694**	**12.8**	**184**	**1**	**2**	**9**	**16**	**30**	**46**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	3.5	11	1	1	2	6	9	9	9
65+	11	2.5	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	9.0		9	9	9	9	9	9	9
50-64	42	9.4	26	1	2	9	11	15	19	26
65+	84	8.7	27	1	1	9	12	15	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	33	6.1	34	2	2	4	7	15	21	25
65+	234	7.6	88	1	1	5	9	16	23	44
B. *Operated*										
0-19 YRS	2	16.0	288	4	4	16	28	28	28	28
20-34	6	15.2	84	1	2	18	21	25	25	25
35-49	10	13.3	136	1	4	9	14	34	37	37
50-64	487	12.6	78	2	4	11	14	21	28	51
65+	1438	15.2	127	2	5	12	18	27	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.7	5	<1	<1	2	3	6	8	9
B. *Operated*	128	8.9	26	1	1	9	12	15	16	24
2. MULTIPLE DX										
A. *Not Operated*	272	7.3	80	1	1	5	9	16	21	41
B. *Operated*	1943	14.5	116	2	5	12	17	26	35	76
1. SINGLE DX	146	8.1	28	1	1	9	11	14	16	23
2. MULTIPLE DX	2215	13.6	117	2	3	11	16	25	34	74
A. NOT OPERATED	290	7.0	77	1	1	4	8	15	21	40
B. OPERATED	2071	14.2	112	2	4	12	16	25	35	75
TOTAL 0-19 YRS	2	16.0	288	4	4	16	28	28	28	28
20-34	10	10.1	90	1	1	5	19	23	25	25
35-49	14	10.4	121	<1	1	8	10	32	36	37
50-64	568	11.9	74	2	3	10	14	20	28	48
65+	1767	13.8	125	2	2	12	17	26	35	77
GRAND TOTAL	**2361**	**13.3**	**113**	**2**	**2**	**11**	**16**	**24**	**33**	**72**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	3.7	10	1	1	2	6	9	9	9
35-49	11	8.1	46	1	1	8	12	17	22	23
50-64	27	7.5	22	<1	2	7	9	13	18	21
65+	24	7.0	13	1	1	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	10	5.7	41	<1	<1	3	8	15	22	22
65+	14	7.4	72	2	2	4	10	14	30	34
B. *Operated*										
0-19 YRS	4	8.0	29	1	1	8	11	14	14	14
20-34	8	5.0	11	2	2	4	6	10	12	12
35-49	35	12.9	224	2	3	10	13	16	41	86
50-64	112	11.2	109	1	2	9	15	23	25	63
65+	226	12.8	128	2	3	10	16	24	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	6	1	1	2	2	6	8	8
B. *Operated*	74	6.8	22	1	1	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	25	6.4	57	<1	<1	4	8	12	25	34
B. *Operated*	385	12.1	129	2	3	10	15	23	32	74
1. SINGLE DX	82	6.4	22	1	1	6	9	12	14	22
2. MULTIPLE DX	410	11.8	126	2	2	9	15	23	32	71
A. NOT OPERATED	33	5.4	47	<1	1	2	8	12	21	34
B. OPERATED	459	11.3	115	1	2	9	13	22	28	67
TOTAL 0-19 YRS	5	6.6	31	1	1	8	10	14	14	14
20-34	21	4.0	10	1	1	3	6	9	10	12
35-49	47	11.5	182	1	1	10	13	16	28	86
50-64	152	10.1	91	1	2	8	13	21	24	54
65+	267	11.9	118	2	2	9	15	23	34	66
GRAND TOTAL	**492**	**10.9**	**113**	**1**	**2**	**9**	**13**	**21**	**27**	**65**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.8	6	5	5	7	9	11	11	11
35-49	8	7.0	18	2	2	6	9	13	15	15
50-64	14	5.2	12	1	1	5	7	10	11	11
65+	17	4.9	21	<1	1	3	7	13	15	16
B. *Operated*										
0-19 YRS	3	6.3	9	3	3	7	8	9	9	9
20-34	16	6.8	63	<1	1	3	10	15	26	30
35-49	68	6.6	24	1	1	7	9	12	16	24
50-64	186	6.6	26	1	1	6	10	12	15	23
65+	195	7.4	36	1	1	7	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	53	1	1	3	10	17	17	17
20-34	4	5.0	23	2	2	3	8	12	12	12
35-49	29	5.3	9	<1	1	5	8	10	10	12
50-64	102	5.8	23	1	1	4	8	13	16	19
65+	276	8.5	68	1	2	7	10	15	20	45
B. *Operated*										
0-19 YRS	3	8.7	100	1	1	5	16	20	20	20
20-34	26	10.3	237	1	1	7	12	16	29	82
35-49	244	10.2	92	1	2	8	12	21	35	77
50-64	1296	11.3	100	1	2	9	13	21	30	56
65+	2580	13.7	145	2	3	11	17	27	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.7	16	1	1	5	8	11	14	16
B. *Operated*	468	6.9	31	1	1	7	10	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	415	7.5	54	1	1	7	10	14	18	39
B. *Operated*	4149	12.7	130	2	2	10	15	25	35	70
1. SINGLE DX	511	6.8	30	1	1	6	10	13	16	27
2. MULTIPLE DX	4564	12.3	125	1	2	10	15	24	33	70
A. NOT OPERATED	458	7.3	50	1	1	6	9	14	18	38
B. OPERATED	4617	12.1	123	1	2	10	15	24	33	68
TOTAL 0-19 YRS	10	7.0	43	1	1	4	9	18	20	20
20-34	50	8.5	146	1	1	7	11	15	16	82
35-49	349	9.0	73	1	1	8	11	17	27	46
50-64	1598	10.3	90	1	2	9	12	19	27	47
65+	3068	12.8	135	1	2	10	16	25	35	72
GRAND TOTAL	**5075**	**11.7**	**119**	**1**	**2**	**9**	**14**	**23**	**32**	**66**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.9	19	1	1	4	8	11	14	21
20-34	6	5.0	23	<1	<1	3	11	11	11	11
35-49	14	3.9	16	<1	1	3	6	7	14	16
50-64	17	2.7	3	<1	<1	3	3	6	7	7
65+	31	4.5	20	1	1	3	7	10	13	19
B. *Operated*										
0-19 YRS	10	2.5	5	<1	<1	2	3	6	7	7
20-34	19	3.4	7	<1	<1	2	5	7	9	10
35-49	61	4.1	13	1	1	3	6	9	10	19
50-64	123	3.8	12	<1	1	2	5	9	12	14
65+	121	4.5	36	<1	1	2	5	10	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	6.1	23	1	2	5	8	12	14	27
20-34	33	6.2	62	1	2	4	6	12	20	43
35-49	54	6.4	51	<1	<1	4	8	16	23	34
50-64	135	5.9	39	1	1	4	8	12	16	29
65+	369	8.5	88	1	2	6	10	16	24	74
B. *Operated*										
0-19 YRS	14	6.8	23	1	1	6	11	14	15	15
20-34	57	10.2	145	2	2	7	13	21	23	78
35-49	147	9.7	122	1	1	7	11	25	37	65
50-64	601	9.8	131	1	1	7	13	21	34	89
65+	1186	12.6	173	1	2	9	16	28	39	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	4.9	18	1	1	3	7	11	13	20
B. *Operated*	334	4.0	20	<1	1	2	5	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	651	7.4	68	1	1	5	9	15	21	48
B. *Operated*	2005	11.4	157	1	2	8	15	26	37	83
1. SINGLE DX	471	4.3	20	<1	1	3	6	10	12	20
2. MULTIPLE DX	2656	10.5	138	1	2	7	13	23	34	81
A. NOT OPERATED	788	7.0	60	1	1	5	9	14	20	45
B. OPERATED	2339	10.4	144	1	1	7	13	24	35	79
TOTAL 0-19 YRS	153	5.8	21	1	1	5	8	12	14	21
20-34	115	7.6	98	1	1	5	9	20	21	57
35-49	276	7.5	84	1	1	5	9	19	28	55
50-64	876	8.2	103	1	1	5	11	18	25	82
65+	1707	11.0	149	1	2	8	14	25	35	76
GRAND TOTAL	**3127**	**9.5**	**125**	**1**	**1**	**6**	**12**	**21**	**31**	**74**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.3	10	2	3	6	9	11	11	11
20-34	133	6.5	11	1	2	6	8	11	12	17
35-49	201	7.0	12	2	3	7	9	11	12	18
50-64	163	7.6	12	2	3	8	10	11	13	16
65+	165	7.5	10	3	4	7	9	11	13	17
B. *Operated*										
0-19 YRS	12	8.4	24	1	2	8	11	15	18	19
20-34	107	6.3	19	1	1	6	9	12	13	21
35-49	130	6.4	17	1	2	6	9	12	13	20
50-64	103	7.4	19	1	2	7	10	13	16	21
65+	94	7.6	16	2	3	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.0	56	2	2	7	11	20	28	29
20-34	171	8.4	24	2	3	8	10	14	17	25
35-49	454	8.5	22	2	3	8	10	14	18	25
50-64	816	9.0	28	3	4	8	11	14	17	31
65+	1490	9.8	29	3	4	9	12	16	19	29
B. *Operated*										
0-19 YRS	12	10.0	9	6	7	9	12	14	15	15
20-34	134	10.2	121	1	2	8	12	18	27	66
35-49	294	9.5	44	2	3	9	12	17	22	36
50-64	561	10.0	54	2	3	9	12	17	23	36
65+	1024	11.9	74	3	4	10	14	20	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	7.1	11	2	3	7	9	11	12	17
B. *Operated*	446	6.9	18	1	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	2951	9.3	28	3	4	8	11	15	19	27
B. *Operated*	2025	10.9	68	2	3	9	13	19	25	43
1. SINGLE DX	1123	7.0	14	2	2	7	9	11	13	19
2. MULTIPLE DX	4976	9.9	45	3	4	9	12	17	21	37
A. NOT OPERATED	3628	8.9	25	3	4	8	11	14	18	26
B. OPERATED	2471	10.2	61	2	3	9	12	18	23	42
TOTAL 0-19 YRS	59	8.4	29	2	3	8	11	14	17	29
20-34	545	8.0	46	1	2	7	10	14	17	31
35-49	1079	8.3	27	2	3	8	10	14	18	25
50-64	1643	9.1	35	2	3	8	11	15	18	31
65+	2773	10.4	46	3	4	9	12	17	21	39
GRAND TOTAL	**6099**	**9.4**	**40**	**2**	**3**	**8**	**11**	**16**	**20**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	3.1	15	1	1	2	3	4	13	18
35-49	28	2.6	3	1	1	2	3	4	5	9
50-64	20	6.2	17	1	2	6	7	11	16	19
65+	37	8.7	39	2	3	8	10	13	23	33
B. *Operated*										
0-19 YRS	13	2.5	1	<1	1	3	3	4	4	4
20-34	381	2.7	3	1	1	2	3	4	5	7
35-49	566	3.0	10	1	1	2	3	5	6	16
50-64	344	3.5	8	1	1	3	4	6	8	14
65+	122	6.8	87	1	1	3	7	17	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	5.7	25	<1	<1	3	11	13	15	15
35-49	57	8.3	28	<1	1	7	12	17	19	20
50-64	120	11.1	118	2	3	8	13	24	49	99+
65+	363	12.6	98	3	4	10	15	24	32	63
B. *Operated*										
0-19 YRS	3	6.7	41	2	2	4	11	14	14	14
20-34	115	5.9	73	1	2	3	5	12	25	46
35-49	306	6.3	58	1	1	4	6	16	24	30
50-64	361	8.2	104	1	2	4	9	21	28	53
65+	461	15.6	207	2	3	12	23	37	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.5	27	1	1	4	8	10	15	28
B. *Operated*	1426	3.3	15	1	1	3	4	5	7	22
2. MULTIPLE DX										
A. *Not Operated*	555	11.7	95	2	3	9	14	22	31	64
B. *Operated*	1246	10.3	145	1	2	5	14	27	36	78
1. SINGLE DX	1529	3.5	16	1	1	3	4	6	8	23
2. MULTIPLE DX	1801	10.7	130	1	2	7	14	26	35	73
A. NOT OPERATED	658	10.7	90	1	2	8	13	21	29	60
B. OPERATED	2672	6.6	88	1	1	3	6	17	27	54
TOTAL 0-19 YRS	17	3.5	10	<1	1	3	4	6	12	14
20-34	528	3.5	21	1	1	2	4	5	8	26
35-49	957	4.3	29	1	1	3	4	8	15	27
50-64	845	6.7	73	1	2	4	7	15	24	50
65+	983	13.2	154	2	3	10	18	30	41	99+
GRAND TOTAL	**3330**	**7.4**	**91**	**1**	**1**	**4**	**8**	**19**	**28**	**56**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	33	2.2	3	<1	<1	1	3	5	6	6
35-49	43	1.9	1	<1	<1	1	2	4	4	5
50-64	32	1.7	2	<1	<1	<1	2	4	5	5
65+	23	1.9	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-19 YRS	6	2.7	1	1	1	3	4	4	4	4
20-34	168	3.0	2	1	1	3	4	5	6	8
35-49	215	3.1	2	1	1	3	4	5	6	7
50-64	167	3.1	3	1	1	3	4	6	6	10
65+	60	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	38	3.4	6	<1	<1	3	4	8	9	10
35-49	113	3.4	8	<1	<1	3	5	8	9	13
50-64	115	3.6	8	<1	<1	3	5	8	10	13
65+	214	4.8	65	1	1	3	6	8	11	34
B. *Operated*										
0-19 YRS	19	3.2	4	1	1	3	4	6	8	9
20-34	747	3.2	5	1	1	3	4	6	7	13
35-49	1311	3.3	5	1	1	3	4	6	7	11
50-64	1134	3.7	8	1	1	3	5	7	9	14
65+	737	4.8	22	1	1	4	6	9	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	616	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	482	4.1	33	<1	1	3	5	8	10	16
B. *Operated*	3948	3.7	9	1	1	3	5	7	8	15
1. SINGLE DX	749	2.8	3	<1	1	3	4	5	6	7
2. MULTIPLE DX	4430	3.7	12	1	1	3	5	7	9	15
A. NOT OPERATED	615	3.6	27	<1	<1	3	4	7	9	15
B. OPERATED	4564	3.6	9	1	1	3	5	6	8	14
TOTAL 0-19 YRS	29	2.8	3	1	1	2	3	5	6	9
20-34	986	3.1	5	1	1	3	4	6	7	10
35-49	1682	3.3	5	1	1	3	4	6	7	11
50-64	1448	3.6	8	1	1	3	4	6	8	14
65+	1034	4.7	30	1	1	4	5	8	12	19
GRAND TOTAL	**5179**	**3.6**	**11**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.8	9	<1	<1	2	6	9	10	10
20-34	78	6.3	13	1	2	6	9	10	12	19
35-49	99	6.4	16	1	1	6	9	11	14	19
50-64	87	6.6	18	1	1	7	9	12	13	23
65+	107	7.8	25	1	2	8	10	13	17	26
B. *Operated*										
0-19 YRS	96	2.1	5	<1	<1	1	2	4	6	13
20-34	223	3.1	12	<1	1	2	3	8	11	17
35-49	137	5.3	20	<1	1	4	8	11	13	21
50-64	82	6.1	18	<1	1	6	8	11	12	23
65+	68	9.0	38	2	3	8	10	13	18	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.0	28	<1	1	3	6	11	16	28
20-34	157	7.3	36	1	1	6	9	14	17	33
35-49	303	7.1	39	1	2	6	9	12	15	37
50-64	641	7.1	35	1	2	6	9	13	17	26
65+	1702	7.9	37	2	2	7	10	14	17	33
B. *Operated*										
0-19 YRS	58	7.5	100	<1	1	4	10	17	22	55
20-34	269	5.3	32	<1	1	3	8	12	16	29
35-49	323	8.4	78	1	1	7	11	16	22	46
50-64	538	9.6	59	1	2	8	12	17	24	36
65+	947	11.6	95	2	3	9	14	21	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	6.7	19	1	1	6	9	11	14	20
B. *Operated*	606	4.5	21	<1	1	2	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	2853	7.5	37	1	2	7	10	14	17	32
B. *Operated*	2135	9.7	80	1	1	8	12	19	25	47
1. SINGLE DX	998	5.4	21	<1	1	4	8	11	13	21
2. MULTIPLE DX	4988	8.5	56	1	2	7	11	16	20	41
A. NOT OPERATED	3245	7.4	34	1	2	7	10	13	16	30
B. OPERATED	2741	8.6	72	1	1	7	11	17	23	45
TOTAL 0-19 YRS	225	4.3	39	<1	<1	2	5	10	14	32
20-34	727	5.2	27	<1	1	3	8	12	15	28
35-49	862	7.2	49	1	1	6	9	13	18	43
50-64	1348	8.0	44	1	2	7	10	15	19	32
65+	2824	9.2	59	2	2	8	11	16	22	45
GRAND TOTAL	**5986**	**7.9**	**52**	**1**	**1**	**7**	**10**	**15**	**19**	**40**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1351	2.3	2	<1	1	2	3	4	5	9
20-34	202	3.1	7	1	1	3	4	5	6	10
35-49	78	3.1	4	<1	1	3	4	5	7	11
50-64	40	4.8	8	2	3	4	5	9	10	16
65+	29	4.0	5	1	2	4	5	7	8	11
B. *Operated*										
0-19 YRS	150	1.3	1	<1	1	1	1	2	3	6
20-34	73	1.9	3	<1	1	1	2	4	6	10
35-49	22	3.7	15	<1	1	3	5	7	12	19
50-64	6	3.8	6	1	1	4	5	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2227	3.1	6	1	1	3	4	6	7	11
20-34	452	3.7	10	1	2	3	4	6	8	11
35-49	264	4.3	10	1	2	4	5	7	9	15
50-64	284	5.4	14	1	2	4	6	10	12	19
65+	501	7.1	33	2	3	6	9	12	18	34
B. *Operated*										
0-19 YRS	218	3.2	35	1	1	1	2	7	13	32
20-34	104	4.2	58	1	1	2	5	8	16	45
35-49	63	5.7	30	1	1	4	8	13	18	29
50-64	55	6.6	95	1	1	4	7	13	23	64
65+	68	10.3	112	1	1	7	13	27	38	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1700	2.5	3	<1	1	2	3	4	5	10
B. *Operated*	252	1.8	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	3728	4.0	13	1	1	3	5	7	10	17
B. *Operated*	508	5.0	61	1	1	2	6	11	17	41
1. SINGLE DX	1952	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	4236	4.1	19	1	1	3	5	8	10	21
A. NOT OPERATED	5428	3.5	10	1	1	3	4	7	9	15
B. OPERATED	760	4.0	44	1	1	2	4	9	15	37
TOTAL 0-19 YRS	3946	2.8	6	1	1	2	3	5	6	11
20-34	831	3.5	15	1	1	3	4	6	7	16
35-49	427	4.3	13	1	1	3	5	8	10	19
50-64	385	5.5	25	1	2	4	6	10	13	25
65+	599	7.3	42	2	2	5	9	13	19	38
GRAND TOTAL	**6188**	**3.6**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1905	3.3	3	1	1	3	4	6	7	9
20-34	63	3.2	3	1	2	3	4	5	6	12
35-49	68	3.6	4	1	1	3	5	6	7	10
50-64	69	4.5	9	1	2	4	5	8	11	16
65+	77	5.0	7	2	2	4	6	9	11	13
B. *Operated*										
0-19 YRS	6	3.7	5	1	1	3	6	7	7	7
20-34	4	4.5	19	<1	<1	3	8	10	10	10
35-49	2	5.0		5	5	5	5	5	5	5
50-64	5	2.4	4	<1	<1	<1	4	5	5	5
65+	4	5.5	7	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2651	4.1	7	1	2	3	5	7	9	14
20-34	368	4.4	10	1	2	4	5	8	10	18
35-49	580	5.4	16	1	2	5	7	9	12	27
50-64	1976	6.8	25	2	3	6	8	12	14	26
65+	5426	8.0	38	3	3	7	9	14	18	30
B. *Operated*										
0-19 YRS	20	10.7	84	1	2	7	17	22	29	36
20-34	26	5.8	19	1	1	5	7	13	16	18
35-49	48	8.4	49	1	2	7	10	20	32	99+
50-64	168	11.1	106	2	3	8	14	23	36	99+
65+	437	13.4	130	3	5	10	17	29	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2182	3.4	4	1	1	3	4	6	7	10
B. *Operated*	21	4.0	7	<1	<1	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	11001	6.6	29	2	2	5	8	12	15	27
B. *Operated*	699	12.2	117	2	4	9	16	26	39	99+
1. SINGLE DX	2203	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	11700	6.9	36	2	2	5	8	13	16	31
A. NOT OPERATED	13183	6.0	26	2	2	5	7	11	14	26
B. OPERATED	720	11.9	115	2	3	9	16	26	39	99+
TOTAL 0-19 YRS	4582	3.8	6	1	2	3	5	6	8	12
20-34	461	4.3	10	1	2	3	5	8	10	18
35-49	698	5.4	18	1	2	5	7	9	12	28
50-64	2218	7.0	32	2	3	6	8	12	16	32
65+	5944	8.3	47	3	3	7	10	15	20	39
GRAND TOTAL	**13903**	**6.3**	**32**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	351	1.5	1	<1	1	1	2	2	3	4
20-34	847	1.5	1	<1	1	1	2	3	3	4
35-49	365	1.4	1	<1	1	1	2	2	3	4
50-64	171	1.5	1	<1	1	1	2	3	3	5
65+	21	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	14	1.1		<1	<1	<1	<1	1	2	2
35-49	8	1.3	1	<1	<1	<1	1	2	3	3
50-64	9	1.1		<1	<1	<1	1	2	2	2
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	748	1.5	1	1	1	1	2	2	3	4
20-34	1806	1.5	1	1	1	1	2	2	3	4
35-49	1051	1.6	1	1	1	1	2	2	3	5
50-64	568	1.6	3	1	1	1	2	2	3	5
65+	141	1.8	2	<1	1	1	2	3	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	1755	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	40	1.1		<1	<1	<1	1	2	2	3
B. *Operated*	4314	1.5	1	1	1	1	2	2	3	5
1. SINGLE DX	1757	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	4354	1.5	1	1	1	1	2	2	3	5
A. NOT OPERATED	42	1.1		<1	<1	<1	1	2	2	3
B. OPERATED	6069	1.5	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	1106	1.5	1	1	1	1	2	2	3	4
20-34	2668	1.5	1	<1	1	1	2	2	3	4
35-49	1425	1.5	1	<1	1	1	2	2	3	5
50-64	748	1.6	2	1	1	1	2	2	3	5
65+	164	1.7	1	<1	1	1	2	3	3	6
GRAND TOTAL	**6111**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	12	1.4		<1	<1	1	2	2	2	2
20-34	30	1.5	1	<1	<1	1	2	3	3	4
35-49	33	1.5	1	<1	<1	1	2	3	4	4
50-64	33	1.6	1	<1	<1	1	2	3	3	6
65+	26	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	8.0		8	8	8	8	8	8	8
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	4	2.3	6	<1	<1	1	3	6	6	6
B. *Operated*										
0-19 YRS	51	1.7	1	<1	<1	1	2	3	3	5
20-34	113	1.8	2	<1	1	1	2	3	4	8
35-49	152	1.6	1	<1	<1	1	2	3	4	5
50-64	179	2.1	3	<1	1	2	2	4	5	9
65+	130	2.6	9	<1	1	2	3	4	7	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	134	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	11	2.8	6	<1	<1	1	5	7	8	8
B. *Operated*	625	2.0	3	<1	1	2	2	3	5	9
1. SINGLE DX	138	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	636	2.0	3	<1	1	2	2	3	5	9
A. NOT OPERATED	15	2.7	5	<1	<1	1	4	6	7	8
B. OPERATED	759	1.9	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	64	1.7	1	<1	<1	1	2	3	3	5
20-34	146	1.7	2	<1	<1	1	2	3	4	6
35-49	187	1.6	1	<1	<1	1	2	3	4	5
50-64	215	2.1	2	<1	1	2	2	4	5	9
65+	162	2.4	8	<1	<1	2	3	4	6	20
GRAND TOTAL	**774**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	1.3	1	1	1	1	1	2	3	4
20-34	57	1.2		1	1	1	1	2	3	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7095	1.1		<1	1	1	1	2	2	2
20-34	1998	1.3	4	1	1	1	1	2	2	3
35-49	185	1.3		<1	1	1	1	2	2	4
50-64	33	1.4		<1	<1	1	2	2	3	3
65+	11	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	1.4	1	<1	<1	<1	1	3	4	6
20-34	19	1.6	1	<1	<1	1	2	3	3	3
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	4405	1.2		<1	1	1	1	2	2	3
20-34	432	1.5	2	1	1	1	2	2	3	8
35-49	75	1.9	5	1	1	1	2	3	3	15
50-64	19	2.5	5	<1	1	1	4	6	8	9
65+	14	1.6	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	1.3	1	1	1	1	1	2	3	4
B. *Operated*	9322	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	159	1.4	1	<1	<1	<1	1	3	4	6
B. *Operated*	4945	1.2	1	<1	1	1	1	2	2	4
1. SINGLE DX	9455	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX	5104	1.2	1	<1	1	1	1	2	2	4
A. NOT OPERATED	292	1.4	1	<1	<1	1	1	3	3	5
B. OPERATED	14267	1.2	1	<1	1	1	1	2	2	3
TOTAL 0-19 YRS	11708	1.1		<1	1	1	1	2	2	3
20-34	2506	1.4	4	1	1	1	1	2	2	4
35-49	266	1.4	2	<1	1	1	2	2	3	6
50-64	53	1.8	2	<1	<1	1	2	3	6	9
65+	26	1.7	1	<1	1	1	2	3	4	6
GRAND TOTAL	**14559**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	2.8	2	<1	1	3	4	5	6	8
20-34	182	3.0	2	1	1	3	4	5	5	7
35-49	70	2.5	2	<1	1	2	3	4	5	7
50-64	30	2.5	5	<1	<1	2	3	4	5	13
65+	17	3.9	4	1	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	350	2.3	3	<1	1	2	3	5	6	8
20-34	450	2.1	3	<1	<1	2	3	4	5	7
35-49	357	1.7	2	<1	<1	1	2	3	4	10
50-64	267	1.6	1	<1	<1	1	2	3	3	6
65+	113	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	3.6	9	1	1	3	4	7	8	19
20-34	166	3.6	5	1	1	3	4	6	7	13
35-49	109	3.5	6	<1	<1	3	4	6	8	12
50-64	106	4.0	12	<1	1	3	5	8	9	20
65+	104	4.2	11	<1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	365	3.0	18	<1	1	2	3	7	11	28
20-34	506	2.5	11	1	1	2	3	4	7	19
35-49	530	2.3	5	<1	1	2	3	4	7	12
50-64	525	2.9	21	<1	1	2	3	5	11	21
65+	397	4.6	65	<1	1	2	4	10	19	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	2.8	2	<1	1	3	4	5	6	8
B. *Operated*	1537	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	795	3.7	8	1	1	3	5	7	9	16
B. *Operated*	2323	3.0	23	<1	1	2	3	6	9	25
1. SINGLE DX	2158	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	3118	3.2	19	<1	1	2	3	6	9	22
A. NOT OPERATED	1416	3.3	6	<1	1	3	4	6	7	13
B. OPERATED	3860	2.6	15	<1	1	2	3	5	7	19
TOTAL 0-19 YRS	1347	2.9	9	1	1	2	4	5	7	15
20-34	1304	2.6	6	<1	1	2	3	5	6	13
35-49	1066	2.2	4	<1	<1	2	3	4	6	12
50-64	928	2.7	14	<1	<1	2	3	5	8	18
65+	631	4.0	44	<1	1	2	4	8	13	44
GRAND TOTAL	**5276**	**2.8**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2739	3.7	4	1	2	3	5	6	7	11
20-34	801	4.8	7	2	2	4	6	8	10	14
35-49	591	5.2	6	2	2	5	6	9	10	13
50-64	496	5.9	18	2	3	5	7	9	11	16
65+	669	6.7	21	2	3	6	8	11	13	22
B. *Operated*										
0-19 YRS	20	7.2	20	2	2	7	10	13	16	18
20-34	17	7.6	19	2	3	7	9	13	17	19
35-49	33	9.3	45	1	2	7	15	18	23	26
50-64	41	7.9	26	1	2	7	11	15	18	19
65+	21	9.2	44	1	2	8	12	17	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4737	4.8	13	2	2	4	6	8	11	18
20-34	1594	6.7	25	2	3	5	8	12	16	24
35-49	1966	7.3	28	2	3	6	9	12	16	29
50-64	4007	8.6	39	3	3	7	10	14	19	35
65+	17314	10.5	66	3	4	9	12	18	24	54
B. *Operated*										
0-19 YRS	114	14.0	211	2	3	10	19	35	59	99+
20-34	181	13.3	126	3	4	10	17	26	36	75
35-49	364	16.0	185	3	5	12	20	36	46	98
50-64	718	16.7	178	4	6	13	20	33	50	99+
65+	2504	19.6	233	6	7	15	24	43	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5296	4.6	9	1	2	4	6	8	10	14
B. *Operated*	132	8.3	31	1	2	7	12	16	18	27
2. MULTIPLE DX										
A. *Not Operated*	29618	8.9	54	2	3	7	11	16	21	42
B. *Operated*	3881	18.3	216	5	6	14	23	40	60	99+
1. SINGLE DX	5428	4.7	10	1	2	4	6	8	10	15
2. MULTIPLE DX	33499	10.0	82	2	3	8	12	18	26	61
A. NOT OPERATED	34914	8.3	50	2	3	7	10	15	20	39
B. OPERATED	4013	17.9	213	4	6	14	22	39	59	99+
TOTAL 0-19 YRS	7610	4.5	15	1	2	4	5	8	10	19
20-34	2593	6.6	31	2	2	5	8	12	16	29
35-49	2954	7.9	53	2	3	6	9	15	19	42
50-64	5262	9.4	65	3	3	7	11	17	23	50
65+	20508	11.5	94	3	4	9	13	21	29	73
GRAND TOTAL	**38927**	**9.3**	**75**	**2**	**3**	**7**	**11**	**17**	**24**	**57**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.4	2	1	1	2	3	4	5	7
20-34	37	2.8	2	<1	1	3	3	4	5	8
35-49	24	3.3	3	<1	1	3	5	6	7	7
50-64	18	4.8	13	2	2	3	5	12	13	13
65+	26	4.0	12	<1	1	3	6	8	12	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.5	5	1	1	3	4	6	8	14
20-34	107	3.5	6	1	1	3	4	6	9	14
35-49	136	4.4	12	1	2	4	5	9	12	18
50-64	184	5.5	13	2	2	4	7	10	12	18
65+	576	6.8	22	2	2	6	8	13	15	24
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	9.0	56	2	2	6	11	22	23	23
50-64	11	13.2	121	4	4	12	14	30	41	42
65+	36	15.5	226	5	6	12	18	43	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.1	5	1	1	3	4	6	8	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1200	5.5	17	1	2	4	7	11	13	22
B. *Operated*	56	13.9	179	4	4	11	16	28	51	98
1. SINGLE DX	179	3.1	5	1	1	3	4	6	8	13
2. MULTIPLE DX	1256	5.9	27	1	2	4	7	11	14	24
A. NOT OPERATED	1379	5.2	16	1	2	4	6	10	13	21
B. OPERATED	56	13.9	179	4	4	11	16	28	51	98
TOTAL 0-19 YRS	273	3.2	5	1	1	3	4	6	7	12
20-34	145	3.3	5	1	1	3	4	6	8	14
35-49	166	4.4	13	1	2	4	5	8	12	22
50-64	213	5.8	21	2	2	4	7	11	13	25
65+	638	7.2	37	2	2	6	8	13	18	30
GRAND TOTAL	**1435**	**5.5**	**25**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.0	4	1	1	3	4	5	6	11
20-34	13	2.9	8	1	1	2	3	9	9	9
35-49	29	4.6	8	2	2	4	6	9	10	12
50-64	73	5.8	11	1	2	5	7	10	11	20
65+	83	5.7	9	2	3	5	7	9	11	17
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	3.8	10	<1	<1	4	7	7	7	7
35-49	10	2.8	9	<1	<1	1	4	8	10	10
50-64	16	1.3		<1	<1	1	2	2	3	3
65+	8	2.1	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	3.8	9	1	2	3	4	7	8	15
20-34	68	5.0	14	1	1	4	7	10	11	21
35-49	103	5.7	72	1	2	4	7	9	11	50
50-64	488	7.1	21	2	3	6	9	13	16	25
65+	1168	8.7	58	2	3	7	10	16	21	48
B. *Operated*										
0-19 YRS	6	19.8	831	1	1	10	63	95	99+	99+
20-34	11	8.2	53	<1	2	6	11	20	25	26
35-49	22	10.1	91	1	2	7	12	28	32	37
50-64	83	8.9	79	1	1	7	12	18	27	86
65+	173	11.1	151	1	1	10	14	23	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	4.3	9	1	1	4	6	8	10	16
B. *Operated*	42	2.2	4	<1	<1	1	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2053	7.5	46	2	2	6	9	14	18	39
B. *Operated*	295	10.5	136	1	1	8	13	23	34	99+
1. SINGLE DX	405	4.1	9	1	1	3	5	8	9	15
2. MULTIPLE DX	2348	7.9	58	2	2	6	10	15	20	53
A. NOT OPERATED	2416	7.0	42	2	2	6	9	13	17	33
B. OPERATED	337	9.5	127	<1	1	7	12	21	31	99+
TOTAL 0-19 YRS	399	3.7	21	1	1	3	4	7	9	19
20-34	98	5.0	18	1	1	4	7	10	12	24
35-49	164	6.0	62	1	2	4	7	10	13	36
50-64	660	7.0	28	1	2	6	9	13	17	28
65+	1432	8.8	68	2	3	7	10	16	22	71
GRAND TOTAL	**2753**	**7.3**	**53**	**1**	**2**	**6**	**9**	**14**	**19**	**44**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	4	6.5	49	3	3	3	10	17	17	17
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	48	7.7	39	2	3	7	10	13	14	42
65+	72	7.0	26	1	2	6	9	11	17	27
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64	4	8.0	7	4	4	9	10	10	10	10
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	202	2	2	4	12	35	35	35
20-34	3	5.7	5	3	3	7	7	7	7	7
35-49	62	9.5	102	2	2	6	10	19	36	48
50-64	430	9.2	64	2	3	7	11	17	22	46
65+	1152	9.2	58	3	4	7	11	17	22	43
B. *Operated*										
0-19 YRS	4	25.0	21	20	20	24	28	31	31	31
20-34	14	12.5	21	6	6	13	16	18	20	21
35-49	17	13.6	71	2	4	14	19	30	72	99+
50-64	67	18.4	230	4	6	13	24	51	60	99+
65+	141	18.9	347	3	6	14	20	48	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	7.1	31	1	2	6	9	13	16	30
B. *Operated*	8	6.6	16	1	1	7	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	1652	9.2	61	3	3	7	11	17	22	45
B. *Operated*	243	18.1	274	3	6	14	22	47	68	99+
1. SINGLE DX	138	7.1	30	1	2	6	9	13	16	29
2. MULTIPLE DX	1895	10.3	97	3	3	8	12	19	29	84
A. NOT OPERATED	1782	9.0	59	2	3	7	11	17	22	44
B. OPERATED	251	17.7	270	3	6	13	21	47	66	99+
TOTAL 0-19 YRS	12	14.2	153	2	2	10	24	32	35	35
20-34	23	9.8	33	2	3	9	15	17	19	21
35-49	83	10.0	95	2	2	7	12	22	34	82
50-64	549	10.2	91	2	3	8	12	19	26	61
65+	1366	10.1	95	3	4	7	12	18	27	85
GRAND TOTAL	**2033**	**10.1**	**93**	**2**	**3**	**7**	**12**	**19**	**27**	**81**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5415	2.9	3	1	1	3	4	5	6	8
20-34	1869	3.7	5	1	1	3	5	6	7	11
35-49	1398	4.3	6	1	2	4	5	7	9	13
50-64	985	4.9	12	1	2	4	6	8	10	17
65+	503	5.2	11	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	17	4.6	7	1	2	5	6	9	9	9
20-34	7	3.4	2	1	1	4	5	5	5	5
35-49	8	8.3	21	2	3	7	11	15	15	15
50-64	7	7.4	5	5	5	8	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3751	3.5	6	1	1	3	4	6	7	12
20-34	1717	4.7	11	1	2	4	6	8	10	17
35-49	2129	5.7	15	2	2	5	7	10	12	19
50-64	3223	6.6	24	2	3	5	8	11	14	22
65+	3984	7.6	29	3	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	35	6.9	51	1	2	5	8	13	15	43
20-34	53	9.1	50	1	2	7	11	20	26	33
35-49	117	10.7	163	2	2	7	12	20	24	74
50-64	165	13.3	155	4	5	10	15	22	29	84
65+	186	14.7	141	4	5	11	18	31	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10170	3.6	6	1	1	3	4	6	8	11
B. *Operated*	39	5.7	11	1	2	5	8	9	13	15
2. MULTIPLE DX										
A. *Not Operated*	14804	5.7	20	2	2	5	7	10	13	22
B. *Operated*	556	12.4	140	2	4	9	15	24	33	74
1. SINGLE DX	10209	3.6	6	1	1	3	4	6	8	11
2. MULTIPLE DX	15360	6.0	26	2	2	5	7	11	14	25
A. NOT OPERATED	24974	4.8	16	1	2	4	6	9	11	19
B. OPERATED	595	12.0	135	2	3	9	14	23	32	72
TOTAL 0-19 YRS	9218	3.2	5	1	1	3	4	5	6	10
20-34	3646	4.2	9	1	2	4	5	7	9	14
35-49	3652	5.3	18	2	2	4	7	9	11	19
50-64	4380	6.4	29	2	2	5	8	11	14	25
65+	4673	7.6	34	2	3	6	9	13	17	30
GRAND TOTAL	**25569**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	18	1	1	2	4	11	13	13
20-34	13	3.2	6	1	1	2	4	7	9	9
35-49	52	4.7	5	2	2	5	6	7	8	12
50-64	324	5.6	12	2	2	5	7	10	12	19
65+	480	6.4	23	2	3	5	8	11	14	30
B. *Operated*										
0-19 YRS										
20-34	3	11.0	67	4	4	9	17	20	20	20
35-49	5	3.0	2	2	2	3	4	5	5	5
50-64	7	7.4	15	2	2	8	10	12	13	13
65+	10	4.7	15	1	1	3	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.2	18	2	3	4	9	13	15	16
20-34	30	6.6	15	2	2	6	8	13	15	15
35-49	287	7.0	31	2	3	6	8	12	16	30
50-64	2136	8.2	49	2	3	7	10	15	20	42
65+	5184	9.0	53	3	3	7	11	16	21	46
B. *Operated*										
0-19 YRS	3	11.0	13	7	7	12	13	14	14	14
20-34	12	16.3	439	2	5	10	16	37	75	81
35-49	33	12.4	167	<1	1	7	14	35	35	54
50-64	232	17.3	340	2	3	10	21	45	73	99+
65+	545	17.2	269	3	5	13	21	49	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	6.0	18	2	2	5	7	10	13	24
B. *Operated*	25	5.9	22	1	2	4	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	7652	8.7	51	2	3	7	10	15	20	44
B. *Operated*	825	17.0	286	2	5	12	21	45	79	99+
1. SINGLE DX	901	6.0	18	2	2	5	7	10	13	23
2. MULTIPLE DX	8477	9.5	80	2	3	7	11	17	24	70
A. NOT OPERATED	8528	8.4	48	2	3	7	10	15	20	41
B. OPERATED	850	16.7	282	2	4	12	20	44	77	99+
TOTAL 0-19 YRS	25	6.1	21	1	2	4	10	13	14	16
20-34	58	8.1	117	1	2	6	10	15	18	76
35-49	377	7.1	42	2	2	6	8	12	16	35
50-64	2699	8.7	77	2	3	6	10	16	22	54
65+	6219	9.5	75	3	3	7	11	17	24	71
GRAND TOTAL	**9378**	**9.2**	**75**	**2**	**3**	**7**	**11**	**17**	**23**	**64**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.5	4	1	1	2	3	5	7	9
20-34	133	3.4	7	1	1	3	4	7	8	14
35-49	27	4.0	10	<1	1	3	6	8	11	14
50-64	9	7.1	18	3	3	5	10	14	15	15
65+	11	4.9	8	1	2	4	6	10	10	10
B. *Operated*										
0-19 YRS	83	6.0	11	3	3	5	7	10	14	18
20-34	442	6.1	13	2	3	5	8	11	13	19
35-49	148	7.1	26	3	3	6	8	14	17	30
50-64	44	7.8	39	1	2	5	10	18	21	25
65+	20	9.2	44	1	3	7	12	20	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.6	5	1	1	3	5	6	9	10
20-34	41	4.4	15	1	2	3	5	9	12	20
35-49	23	3.9	7	1	1	4	5	8	10	10
50-64	31	5.6	22	1	1	5	7	11	15	21
65+	48	7.2	29	2	3	6	8	12	24	25
B. *Operated*										
0-19 YRS	48	12.2	67	3	4	10	16	24	31	35
20-34	242	9.9	35	3	4	9	13	18	22	26
35-49	114	11.1	61	3	4	9	16	20	24	46
50-64	181	11.2	66	3	4	9	14	21	27	37
65+	309	13.0	152	3	4	9	16	25	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	3.6	8	1	1	3	4	7	10	14
B. *Operated*	737	6.5	18	2	3	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	158	5.3	20	1	1	4	7	11	13	25
B. *Operated*	894	11.5	88	3	4	9	15	22	27	50
1. SINGLE DX	957	5.8	17	1	2	5	7	11	14	21
2. MULTIPLE DX	1052	10.6	83	2	3	8	14	21	25	49
A. NOT OPERATED	378	4.3	14	1	1	3	5	9	11	21
B. OPERATED	1631	9.2	63	3	3	7	11	18	23	38
TOTAL 0-19 YRS	186	6.7	36	1	1	5	8	14	18	32
20-34	858	6.7	23	2	2	5	9	13	17	23
35-49	312	8.1	42	2	3	6	10	17	20	32
50-64	265	9.9	59	2	3	8	13	20	24	36
65+	388	11.8	133	2	3	8	15	24	33	68
GRAND TOTAL	**2009**	**8.3**	**57**	**2**	**2**	**6**	**10**	**17**	**22**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.3	8	1	1	2	4	7	8	15
20-34	107	3.9	14	1	1	3	4	8	11	20
35-49	96	3.9	10	1	1	3	5	7	11	17
50-64	83	3.5	10	<1	1	3	5	7	10	17
65+	99	5.2	17	<1	1	4	7	10	14	20
B. *Operated*										
0-19 YRS	29	7.2	99	1	1	2	13	21	30	39
20-34	41	5.8	32	<1	<1	4	8	14	17	27
35-49	69	6.6	27	1	1	6	9	14	16	26
50-64	107	6.1	26	1	1	5	9	11	17	25
65+	79	6.0	39	<1	<1	3	8	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	5.9	54	1	1	4	7	12	18	34
20-34	337	6.5	43	1	1	4	8	14	18	37
35-49	450	6.2	35	1	1	4	8	12	17	33
50-64	1183	7.4	46	2	2	6	9	14	18	36
65+	4286	9.5	62	2	3	8	12	18	23	43
B. *Operated*										
0-19 YRS	109	12.6	283	1	1	7	19	35	75	99+
20-34	192	13.4	171	1	2	9	19	29	39	98
35-49	355	12.9	159	1	2	9	17	28	40	69
50-64	775	12.2	155	1	2	9	15	26	33	89
65+	1661	16.2	219	2	3	12	20	34	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	3.9	12	1	1	3	5	8	11	18
B. *Operated*	325	6.3	36	<1	1	5	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	6692	8.5	58	2	2	7	11	16	21	41
B. *Operated*	3092	14.5	198	1	2	11	19	31	43	91
1. SINGLE DX	844	4.8	23	<1	1	3	7	10	15	24
2. MULTIPLE DX	9784	10.4	110	2	2	8	13	21	30	67
A. NOT OPERATED	7211	8.2	56	1	2	6	10	16	21	40
B. OPERATED	3417	13.7	189	1	2	10	18	29	41	90
TOTAL 0-19 YRS	708	6.5	90	1	1	3	7	15	23	72
20-34	677	8.0	86	1	1	5	10	19	26	47
35-49	970	8.5	90	1	2	6	10	18	27	48
50-64	2148	8.9	89	1	2	7	11	18	26	57
65+	6125	11.2	113	2	3	8	14	22	31	67
GRAND TOTAL	**10628**	**10.0**	**105**	**1**	**2**	**7**	**12**	**20**	**29**	**65**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	1	1	1	2	3	4	5	5
20-34	28	2.5	1	1	2	2	3	4	4	5
35-49	10	3.5	8	1	1	3	4	8	11	11
50-64	6	2.8	2	1	1	3	4	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	735	1.5	1	<1	<1	1	2	3	4	5
20-34	792	2.0	2	<1	<1	2	3	4	4	6
35-49	250	2.5	7	<1	<1	2	3	4	6	23
50-64	134	2.0	2	<1	<1	2	2	3	4	7
65+	66	1.8	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	3	<1	1	2	4	5	6	9
20-34	118	2.4	2	<1	1	2	3	5	5	8
35-49	33	3.2	16	<1	<1	2	3	6	11	22
50-64	22	4.2	28	<1	<1	3	5	10	18	23
65+	43	4.2	11	1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	710	2.3	6	<1	<1	1	3	4	5	9
20-34	893	2.7	9	<1	1	2	4	5	6	11
35-49	427	2.5	4	<1	1	2	3	4	5	11
50-64	367	2.9	36	<1	1	2	3	5	7	22
65+	387	3.2	39	<1	1	2	3	5	12	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.6	2	1	1	2	3	4	5	10
B. *Operated*	1977	1.9	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	290	3.0	8	<1	<1	2	4	6	8	16
B. *Operated*	2784	2.7	15	<1	<1	2	3	5	6	17
1. SINGLE DX	2037	1.9	2	<1	<1	1	2	4	4	6
2. MULTIPLE DX	3074	2.7	15	<1	<1	2	3	5	6	16
A. NOT OPERATED	350	2.9	7	<1	1	2	4	5	7	15
B. OPERATED	4761	2.3	10	<1	<1	2	3	4	5	13
TOTAL 0-19 YRS	1534	2.0	4	<1	<1	1	3	4	5	7
20-34	1831	2.4	5	<1	<1	2	3	4	5	9
35-49	720	2.5	6	<1	1	2	3	4	6	14
50-64	529	2.7	27	<1	1	2	3	4	7	21
65+	497	3.1	32	<1	1	2	3	5	10	26
GRAND TOTAL	**5111**	**2.4**	**10**	**<1**	**<1**	**2**	**3**	**4**	**5**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.9	3	<1	1	3	4	5	6	8
20-34	32	3.3	3	<1	1	3	4	6	6	8
35-49	24	4.6	15	1	2	3	5	8	16	17
50-64	16	4.1	7	1	2	3	5	8	10	11
65+	16	4.1	6	<1	1	4	5	8	9	10
B. *Operated*										
0-19 YRS	51	2.0	2	<1	<1	1	2	4	5	9
20-34	75	2.5	3	1	1	2	3	5	6	9
35-49	79	2.5	5	<1	1	2	3	4	7	14
50-64	70	2.4	5	<1	1	2	3	4	5	13
65+	60	2.6	6	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.7	6	1	2	3	4	6	8	14
20-34	34	4.3	10	1	1	3	6	9	12	13
35-49	44	5.6	31	<1	1	4	6	11	17	28
50-64	50	5.2	14	1	1	4	7	9	13	22
65+	97	7.8	28	2	3	6	9	14	17	31
B. *Operated*										
0-19 YRS	48	3.6	6	<1	1	3	5	8	9	9
20-34	79	4.6	24	1	1	3	6	10	11	31
35-49	93	3.1	8	1	1	2	3	7	10	14
50-64	146	3.7	11	1	1	3	4	8	12	17
65+	171	5.6	75	1	1	3	6	12	16	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	3.6	6	1	1	3	5	6	8	15
B. *Operated*	335	2.4	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	311	5.5	21	1	2	4	7	11	14	26
B. *Operated*	537	4.3	33	1	1	3	5	9	12	19
1. SINGLE DX	466	2.7	5	<1	1	2	3	5	7	14
2. MULTIPLE DX	848	4.8	29	1	1	3	6	10	13	22
A. NOT OPERATED	442	5.0	17	1	1	4	6	10	13	22
B. OPERATED	872	3.6	23	1	1	2	4	8	11	17
TOTAL 0-19 YRS	228	3.2	5	<1	1	3	4	6	8	10
20-34	220	3.7	12	1	1	3	5	7	10	14
35-49	240	3.5	13	1	1	2	4	7	10	18
50-64	282	3.7	11	1	1	3	4	8	11	17
65+	344	5.6	50	1	1	4	7	12	15	30
GRAND TOTAL	**1314**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**12**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	188	2.8	7	<1	1	2	4	5	7	14
20-34	70	2.5	3	<1	<1	2	3	5	6	9
35-49	92	2.4	2	<1	1	2	3	5	5	8
50-64	107	2.9	4	<1	1	2	4	6	7	10
65+	70	2.9	5	1	1	2	4	5	6	12
B. *Operated*										
0-19 YRS	46	4.5	40	1	1	2	6	10	17	36
20-34	45	3.8	10	<1	<1	3	6	9	9	14
35-49	42	4.2	24	<1	<1	2	6	11	13	24
50-64	53	3.4	13	<1	<1	2	5	8	10	19
65+	73	4.2	19	<1	<1	2	6	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	193	5.0	25	1	1	4	6	10	15	33
20-34	245	4.0	9	1	1	3	5	7	9	14
35-49	474	4.0	8	1	1	3	5	7	9	14
50-64	746	4.4	13	1	1	4	5	8	10	16
65+	1236	5.6	21	1	2	5	7	10	14	25
B. *Operated*										
0-19 YRS	112	13.8	277	1	1	8	17	33	51	87
20-34	130	6.3	25	<1	1	5	8	13	16	22
35-49	241	7.8	76	<1	1	6	9	14	18	56
50-64	437	7.7	58	1	1	6	10	16	22	44
65+	1026	9.4	107	1	2	7	11	19	27	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	2.7	5	<1	1	2	4	5	6	11
B. *Operated*	259	4.0	20	<1	<1	2	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	2894	4.9	37	1	2	4	6	9	12	21
B. *Operated*	1946	8.8	99	1	2	6	11	18	25	58
1. SINGLE DX	786	3.2	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX	4840	6.5	53	1	2	5	8	13	18	41
A. NOT OPERATED	3421	4.5	15	1	1	4	6	8	11	20
B. OPERATED	2205	8.3	92	<1	1	6	10	17	23	55
TOTAL 0-19 YRS	539	6.0	89	1	1	3	6	14	22	58
20-34	490	4.4	14	<1	1	3	5	9	11	19
35-49	849	4.9	31	<1	1	3	6	10	13	24
50-64	1343	5.3	30	1	1	4	6	10	15	31
65+	2405	7.1	61	1	2	5	8	14	20	46
GRAND TOTAL	**5626**	**6.0**	**49**	**1**	**1**	**4**	**7**	**12**	**17**	**38**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	3	2	2	3	5	7	7	7
20-34	30	3.8	4	2	2	3	5	7	8	8
35-49	39	3.9	6	<1	<1	3	5	7	8	12
50-64	29	3.7	4	<1	<1	3	5	7	7	8
65+	28	4.6	20	<1	1	4	5	7	9	25
B. *Operated*										
0-19 YRS										
20-34	10	5.2	11	<1	<1	5	8	9	10	10
35-49	29	6.1	13	<1	<1	5	9	11	11	14
50-64	34	5.0	14	<1	<1	4	8	10	12	16
65+	18	5.2	15	<1	<1	4	7	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	5	2	2	3	5	8	8	8
20-34	49	4.8	9	<1	1	4	7	10	11	13
35-49	118	4.9	9	<1	1	4	7	9	10	15
50-64	144	5.4	16	2	2	5	6	9	12	23
65+	312	6.6	23	2	3	5	8	11	14	24
B. *Operated*										
0-19 YRS	3	10.3	140	3	3	4	19	24	24	24
20-34	32	7.0	35	<1	1	5	9	14	18	29
35-49	83	7.3	18	<1	2	7	9	12	15	22
50-64	165	8.0	35	<1	2	7	11	15	18	32
65+	354	9.8	76	2	3	8	11	18	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	4.0	8	<1	<1	3	5	7	8	14
B. *Operated*	91	5.4	13	<1	<1	5	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	629	5.8	18	1	2	5	7	10	13	21
B. *Operated*	637	8.9	57	<1	3	7	11	17	22	43
1. SINGLE DX	224	4.5	10	<1	<1	4	6	8	10	15
2. MULTIPLE DX	1266	7.4	40	1	2	6	9	13	18	33
A. NOT OPERATED	762	5.5	17	1	2	5	7	10	12	21
B. OPERATED	728	8.5	52	<1	2	7	10	16	21	40
TOTAL 0-19 YRS	16	5.2	28	2	2	4	5	8	19	24
20-34	121	5.2	16	<1	1	4	7	10	12	21
35-49	269	5.6	13	<1	1	5	8	10	12	17
50-64	372	6.4	26	<1	2	5	8	12	16	23
65+	712	8.1	52	2	3	6	10	15	21	41
GRAND TOTAL	**1490**	**6.9**	**36**	**<1**	**2**	**5**	**9**	**13**	**18**	**30**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	21	3.7	3	1	1	3	4	6	7	9
35-49	46	4.3	6	2	2	4	5	6	9	14
50-64	70	4.8	6	2	2	4	6	7	9	15
65+	65	5.0	4	2	3	5	7	8	8	10
B. *Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	11	6.8	8	3	3	7	9	10	11	11
35-49	23	9.1	316	2	3	5	7	12	43	89
50-64	49	7.4	19	3	4	7	9	12	14	28
65+	46	7.1	24	3	4	6	8	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	4	1	1	3	5	6	6	6
20-34	61	4.7	4	1	2	5	6	7	9	11
35-49	118	5.1	9	2	2	4	6	8	10	17
50-64	384	6.1	21	2	3	5	7	9	12	24
65+	970	7.6	30	3	3	6	9	13	18	27
B. *Operated*										
0-19 YRS	4	29.5	433	13	13	23	44	59	59	59
20-34	39	9.8	76	2	2	8	12	18	31	42
35-49	127	8.3	22	3	4	7	11	15	18	23
50-64	347	11.7	124	3	4	9	13	21	32	61
65+	1135	13.6	158	3	4	10	16	28	42	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	4.6	5	2	2	4	6	8	9	14
B. *Operated*	132	7.5	70	3	3	6	9	11	14	43
2. MULTIPLE DX										
A. *Not Operated*	1539	6.9	26	2	3	6	8	12	16	26
B. *Operated*	1652	12.7	142	3	4	9	15	26	37	67
1. SINGLE DX	336	5.7	32	2	3	5	7	9	11	20
2. MULTIPLE DX	3191	9.9	94	3	3	7	11	19	27	57
A. NOT OPERATED	1743	6.6	24	2	3	5	8	11	15	26
B. OPERATED	1784	12.3	139	3	4	9	14	25	36	67
TOTAL 0-19 YRS	15	10.8	232	1	2	5	12	29	51	59
20-34	132	6.2	31	2	2	5	7	11	15	37
35-49	314	6.6	39	2	3	5	8	11	15	24
50-64	850	8.3	69	2	3	6	9	15	20	50
65+	2216	10.6	104	3	4	7	12	21	30	60
GRAND TOTAL	**3527**	**9.5**	**90**	**3**	**3**	**7**	**11**	**18**	**26**	**56**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.4	3	<1	1	3	4	6	6	7
20-34	128	3.4	6	<1	1	3	4	6	7	16
35-49	136	3.6	6	<1	1	3	4	6	7	17
50-64	78	4.2	8	<1	2	4	5	8	10	14
65+	35	3.9	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	15	7.6	12	2	4	7	10	13	14	15
35-49	26	7.7	13	2	3	8	10	12	15	15
50-64	16	6.6	17	<1	<1	8	9	11	13	14
65+	6	4.0	4	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.1	5	1	1	3	4	7	7	10
20-34	177	4.3	6	1	2	4	5	7	8	14
35-49	343	4.4	9	1	2	4	6	8	10	14
50-64	398	5.0	9	2	2	4	6	8	10	17
65+	618	6.2	37	2	2	5	7	11	15	30
B. *Operated*										
0-19 YRS	4	5.5	9	2	2	6	8	8	8	8
20-34	39	10.5	93	1	3	8	12	20	33	48
35-49	87	9.4	82	2	3	7	10	15	24	55
50-64	114	10.9	122	2	3	8	12	21	36	59
65+	162	11.1	115	2	3	8	14	24	32	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	3.7	6	<1	1	3	4	6	7	15
B. *Operated*	64	7.1	13	1	2	8	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	1568	5.2	20	1	2	4	6	9	11	21
B. *Operated*	406	10.6	107	2	3	8	12	20	32	72
1. SINGLE DX	462	4.1	9	<1	1	3	5	8	10	15
2. MULTIPLE DX	1974	6.3	43	2	2	5	7	11	16	41
A. NOT OPERATED	1966	4.9	18	1	2	4	6	9	11	19
B. OPERATED	470	10.1	95	2	3	8	11	18	27	67
TOTAL 0-19 YRS	58	3.5	5	1	1	3	4	7	8	10
20-34	359	4.8	20	1	1	4	6	8	12	20
35-49	592	5.1	23	1	2	4	6	9	11	22
50-64	606	6.1	36	1	2	5	7	11	15	34
65+	821	7.1	55	2	2	5	8	13	18	57
GRAND TOTAL	**2436**	**5.9**	**37**	**1**	**2**	**4**	**7**	**11**	**15**	**32**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.0	8	1	1	3	5	8	10	11
20-34	83	3.7	3	2	2	4	4	6	7	9
35-49	109	4.2	3	2	2	4	5	7	8	9
50-64	139	5.1	12	2	2	4	6	8	10	15
65+	150	5.3	10	2	3	5	6	9	10	13
B. *Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	40	7.4	4	4	5	7	9	10	11	13
35-49	50	8.2	12	3	4	8	10	13	15	18
50-64	57	7.7	11	3	4	8	10	12	13	18
65+	46	9.6	28	3	4	9	12	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.5	16	2	2	4	6	9	16	19
20-34	159	4.6	6	1	2	4	6	7	9	11
35-49	274	5.3	8	2	3	5	6	8	10	17
50-64	576	6.0	27	2	3	5	7	10	12	23
65+	1485	7.8	46	3	3	6	9	13	17	36
B. *Operated*										
0-19 YRS	6	8.7	71	2	2	6	9	23	25	25
20-34	54	10.8	46	4	4	9	14	19	27	34
35-49	129	11.0	119	4	5	9	11	17	22	99
50-64	302	13.5	172	4	5	10	15	26	37	95
65+	868	15.6	179	4	5	11	19	33	46	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	4.7	8	2	2	4	6	8	9	12
B. *Operated*	196	8.2	15	3	4	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	2511	6.9	36	2	3	6	8	12	15	29
B. *Operated*	1359	14.5	169	4	5	10	17	29	43	96
1. SINGLE DX	691	5.7	12	2	2	5	7	10	12	17
2. MULTIPLE DX	3870	9.6	96	3	3	7	11	18	26	62
A. NOT OPERATED	3006	6.6	32	2	3	5	7	11	14	28
B. OPERATED	1555	13.7	154	4	5	10	16	26	41	89
TOTAL 0-19 YRS	40	5.4	21	1	2	4	6	9	15	25
20-34	336	5.7	17	2	2	5	7	10	13	25
35-49	562	6.7	39	2	3	5	8	11	15	26
50-64	1074	8.1	77	2	3	6	9	14	20	56
65+	2549	10.4	103	3	4	7	12	20	29	65
GRAND TOTAL	**4561**	**9.0**	**85**	**2**	**3**	**7**	**10**	**17**	**24**	**57**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	3.8	6	2	2	3	4	8	8	8
35-49	10	4.9	8	<1	1	5	5	9	12	12
50-64	16	5.9	6	3	3	5	7	10	11	11
65+	9	5.6	10	1	2	4	8	10	11	11
B. *Operated*										
0-19 YRS										
20-34	9	10.8	39	<1	3	9	15	20	20	20
35-49	10	14.0	38	7	7	13	16	23	28	28
50-64	21	12.3	46	4	6	12	15	21	29	31
65+	15	12.4	33	3	6	13	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	6.3	40	<1	2	4	6	20	21	21
35-49	24	6.3	22	1	2	6	7	8	15	26
50-64	42	5.7	9	2	3	5	7	8	10	20
65+	132	8.6	35	3	4	7	10	15	18	36
B. *Operated*										
0-19 YRS										
20-34	11	21.5	242	4	7	15	33	46	53	54
35-49	37	14.0	85	3	3	12	18	25	31	47
50-64	87	15.7	148	4	5	12	19	31	44	58
65+	188	18.7	205	5	6	15	23	40	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	5.2	8	1	2	5	7	9	11	12
B. *Operated*	55	12.4	38	4	7	12	16	20	26	31
2. MULTIPLE DX										
A. *Not Operated*	213	7.6	30	3	3	6	9	14	18	31
B. *Operated*	323	17.4	179	4	6	14	21	36	50	68
1. SINGLE DX	99	9.2	37	2	3	8	13	17	21	30
2. MULTIPLE DX	536	13.5	143	3	4	10	17	27	40	61
A. NOT OPERATED	257	7.2	27	2	3	6	8	13	17	28
B. OPERATED	378	16.7	162	4	6	13	20	32	45	63
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	43	10.6	126	1	2	7	14	20	39	54
35-49	81	10.6	66	2	3	8	14	21	27	42
50-64	166	11.8	106	3	4	9	14	24	31	57
65+	344	14.2	152	3	4	11	17	28	42	65
GRAND TOTAL	**635**	**12.8**	**129**	**3**	**4**	**9**	**16**	**26**	**37**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.3	3	1	1	2	3	4	5	7
20-34	292	2.6	2	<1	1	2	3	5	6	8
35-49	221	2.7	3	<1	<1	2	4	5	6	8
50-64	142	2.8	4	<1	<1	2	4	5	6	11
65+	77	3.0	5	<1	<1	2	4	6	7	11
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	31	3.9	6	<1	1	4	5	8	8	11
35-49	30	3.5	8	<1	<1	2	5	8	9	10
50-64	24	4.2	7	<1	<1	4	7	8	8	8
65+	13	3.1	9	<1	<1	2	4	7	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	455	2.7	3	1	1	2	3	5	6	9
20-34	821	3.7	7	1	1	3	4	7	8	15
35-49	970	4.3	11	1	2	4	5	7	9	16
50-64	1192	5.0	16	1	2	4	6	8	11	18
65+	1956	6.4	33	2	2	5	8	11	15	26
B. *Operated*										
0-19 YRS	21	5.0	6	1	2	5	7	10	47	99+
20-34	129	5.8	22	2	2	5	7	10	11	32
35-49	224	7.5	60	1	2	6	8	14	20	42
50-64	318	8.3	59	1	2	6	10	18	21	42
65+	641	10.1	86	2	3	8	12	19	25	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	2.6	3	<1	1	2	3	5	6	8
B. *Operated*	101	3.7	7	<1	<1	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	5394	5.0	20	1	2	4	6	9	12	21
B. *Operated*	1333	8.7	70	2	3	7	10	17	23	54
1. SINGLE DX	1013	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX	6727	5.7	32	1	2	4	7	11	14	27
A. NOT OPERATED	6306	4.6	18	1	1	4	6	8	11	21
B. OPERATED	1434	8.4	67	1	2	6	10	16	23	52
TOTAL 0-19 YRS	659	2.7	3	1	1	2	3	5	6	9
20-34	1273	3.7	8	1	1	3	4	7	8	14
35-49	1445	4.6	19	1	1	4	6	8	11	21
50-64	1676	5.4	26	1	2	4	7	10	14	24
65+	2687	7.1	48	2	2	6	9	13	18	38
GRAND TOTAL	**7740**	**5.3**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.0	1	<1	<1	2	3	3	4	5
20-34	39	3.2	4	<1	<1	3	4	6	8	9
35-49	38	3.6	4	<1	<1	3	5	6	7	9
50-64	26	3.3	7	<1	1	2	4	8	10	10
65+	22	3.7	10	1	1	3	4	9	11	12
B. *Operated*										
0-19 YRS	19	4.2	6	2	2	4	5	7	10	12
20-34	3	10.7	16	7	7	10	14	15	15	15
35-49	9	10.0	52	2	2	8	14	21	25	25
50-64	4	13.5	63	6	6	12	19	24	24	24
65+	8	4.9	18	<1	<1	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.9	103	1	1	3	4	7	13	67
20-34	99	4.1	8	1	2	3	6	8	9	15
35-49	164	4.7	22	1	1	4	6	9	11	23
50-64	192	5.5	22	1	2	4	7	10	15	24
65+	338	7.4	45	2	2	6	9	15	20	46
B. *Operated*										
0-19 YRS	10	6.9	38	1	1	5	8	17	22	22
20-34	28	15.7	200	1	3	11	24	32	37	67
35-49	64	11.6	101	1	2	9	15	28	32	94
50-64	96	12.8	139	1	2	11	18	27	35	90
65+	238	15.0	169	2	4	11	19	31	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.2	5	<1	1	3	4	6	8	11
B. *Operated*	43	6.8	32	1	2	5	9	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	872	5.9	38	1	2	4	7	11	16	36
B. *Operated*	436	13.9	153	2	3	10	18	29	39	81
1. SINGLE DX	199	3.9	13	<1	1	3	5	8	11	20
2. MULTIPLE DX	1308	8.6	90	1	2	6	10	19	27	61
A. NOT OPERATED	1028	5.5	34	1	1	4	7	10	15	29
B. OPERATED	479	13.2	146	2	3	10	18	28	37	78
TOTAL 0-19 YRS	139	4.3	63	1	1	3	4	7	12	60
20-34	169	6.0	58	<1	1	4	6	12	22	34
35-49	275	6.4	48	1	1	4	8	14	21	42
50-64	318	7.6	69	1	2	5	9	17	24	43
65+	606	10.2	107	2	2	7	12	22	31	63
GRAND TOTAL	**1507**	**7.9**	**83**	**1**	**2**	**5**	**9**	**18**	**26**	**58**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.3	2	<1	1	2	3	3	5	9
20-34	38	2.3	1	<1	1	2	3	4	5	6
35-49	15	3.1	6	1	1	2	4	7	9	10
50-64	5	3.2	3	2	2	3	4	6	6	6
65+										
B. *Operated*										
0-19 YRS	2940	3.5	3	2	2	3	4	5	6	8
20-34	2129	3.7	2	2	2	3	4	5	6	8
35-49	651	4.1	3	2	2	4	5	6	7	10
50-64	213	4.6	4	2	3	4	5	7	9	13
65+	49	5.0	6	3	3	4	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.2	3	<1	1	2	3	4	5	10
20-34	21	3.4	10	<1	1	2	4	8	11	13
35-49	9	2.9	4	1	1	3	4	6	7	7
50-64	7	3.0	7	1	1	2	4	7	8	8
65+	8	8.9	89	1	2	5	12	25	29	29
B. *Operated*										
0-19 YRS	563	4.5	9	2	2	4	5	7	9	16
20-34	603	5.1	8	2	3	4	6	8	10	15
35-49	283	5.8	12	2	3	5	7	10	13	19
50-64	177	7.0	14	3	3	6	9	12	15	19
65+	115	9.2	63	4	4	7	11	14	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	2.4	2	<1	1	2	3	4	6	9
B. *Operated*	5982	3.7	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	74	3.4	17	1	1	2	4	7	10	26
B. *Operated*	1741	5.5	15	2	3	4	6	9	12	18
1. SINGLE DX	6097	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX	1815	5.4	15	2	3	4	6	9	12	18
A. NOT OPERATED	189	2.8	8	1	1	2	3	5	7	15
B. OPERATED	7723	4.1	6	2	2	4	5	6	8	13
TOTAL 0-19 YRS	3589	3.6	4	2	2	3	4	5	6	10
20-34	2791	4.0	4	2	2	4	5	6	7	11
35-49	958	4.6	6	2	2	4	5	7	9	14
50-64	402	5.6	10	2	3	5	6	10	12	18
65+	172	8.0	51	3	3	6	9	13	17	35
GRAND TOTAL	**7912**	**4.0**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.7	7	4	5	8	11	12	13	14
20-34	9	8.3	20	4	5	7	9	16	16	16
35-49	10	8.0	12	3	4	8	9	13	16	16
50-64	10	7.0	2	5	5	7	8	9	9	9
65+	7	7.6	15	3	3	7	9	14	15	15
B. *Operated*										
0-19 YRS	672	6.6	9	3	3	6	8	10	11	16
20-34	418	6.3	9	3	3	6	8	9	11	16
35-49	259	7.4	11	3	4	7	9	11	13	20
50-64	160	7.9	11	3	4	8	10	12	13	21
65+	68	8.9	18	4	5	8	11	15	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.7	13	4	4	8	11	14	15	15
20-34	4	5.5	3	4	4	5	7	7	7	7
35-49	6	6.2	9	2	2	6	8	10	10	10
50-64	11	10.8	17	3	6	11	12	17	19	19
65+	19	12.0	104	3	5	9	13	18	36	50
B. *Operated*										
0-19 YRS	446	9.4	35	4	4	8	11	16	20	37
20-34	305	9.0	18	4	5	8	11	14	18	25
35-49	323	10.5	48	4	5	9	13	16	21	33
50-64	373	11.7	73	5	5	10	13	19	25	53
65+	375	14.1	105	5	6	11	17	24	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	8.0	10	4	5	7	9	13	16	16
B. *Operated*	1577	6.9	10	3	3	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	49	9.9	51	3	4	8	12	16	19	50
B. *Operated*	1822	11.0	60	4	5	9	13	18	23	48
1. SINGLE DX	1629	6.9	10	3	3	7	8	11	12	19
2. MULTIPLE DX	1871	10.9	60	4	5	9	13	18	23	49
A. NOT OPERATED	101	8.9	31	3	4	8	10	15	16	34
B. OPERATED	3399	9.1	41	3	4	8	11	15	20	35
TOTAL 0-19 YRS	1143	7.8	21	3	4	7	9	12	16	23
20-34	736	7.4	15	3	4	7	9	12	15	23
35-49	598	9.1	33	4	4	8	11	15	17	29
50-64	554	10.5	56	4	5	9	12	16	22	41
65+	469	13.2	95	5	6	11	15	23	29	62
GRAND TOTAL	**3500**	**9.1**	**41**	**3**	**4**	**8**	**11**	**15**	**19**	**35**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	3	1	1	2	3	5	6	7
20-34	25	2.1	1	1	1	2	3	3	4	5
35-49	5	4.4	6	2	2	3	6	8	8	8
50-64	9	3.3	5	1	1	3	4	7	8	8
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	122	3.9	4	2	2	3	4	6	9	12
20-34	105	4.4	3	2	3	4	5	7	8	11
35-49	37	3.8	2	2	2	4	4	6	7	9
50-64	8	5.5	11	2	2	5	6	11	13	13
65+	4	4.3	5	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	3	1	1	2	4	5	6	6
20-34	15	3.3	8	1	1	2	6	7	9	9
35-49	9	2.6	1	1	1	2	3	4	5	5
50-64	4	6.0	11	4	4	5	8	11	11	11
65+	3	4.7	4	3	3	4	6	7	7	7
B. *Operated*										
0-19 YRS	75	4.2	4	2	3	4	5	7	8	14
20-34	87	5.5	10	2	3	5	7	9	11	21
35-49	33	6.0	6	3	3	6	8	10	11	11
50-64	18	7.3	40	2	4	6	8	9	22	31
65+	19	8.9	27	2	3	9	11	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.6	3	1	1	2	3	5	7	9
B. *Operated*	276	4.1	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	49	3.2	5	1	1	3	4	6	7	11
B. *Operated*	232	5.6	13	2	3	5	7	9	11	21
1. SINGLE DX	346	3.8	4	1	2	3	5	6	8	11
2. MULTIPLE DX	281	5.2	12	1	2	4	6	9	11	21
A. NOT OPERATED	119	2.9	4	1	1	2	4	6	7	10
B. OPERATED	508	4.8	8	2	2	4	6	8	10	17
TOTAL 0-19 YRS	244	3.7	4	1	2	3	4	6	8	12
20-34	232	4.5	7	1	2	4	6	7	9	13
35-49	84	4.6	5	2	2	4	6	8	9	11
50-64	39	5.9	24	1	2	5	7	9	12	31
65+	28	7.6	24	2	2	7	10	13	20	21
GRAND TOTAL	**627**	**4.4**	**8**	**1**	**2**	**4**	**5**	**8**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	5	5
20-34	16	1.7	1	1	1	1	2	3	3	3
35-49	9	1.8	3	<1	<1	1	2	4	6	6
50-64	27	2.3	3	1	1	2	3	4	6	9
65+	20	2.2	2	1	1	2	3	4	5	6
B. *Operated*										
0-19 YRS	1360	1.5	1	<1	<1	1	2	2	3	4
20-34	1960	2.0	1	1	1	2	3	3	4	5
35-49	1766	2.3	2	1	1	2	3	4	5	6
50-64	2357	2.5	2	1	1	2	3	4	5	6
65+	1687	2.7	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	1.4	2	<1	<1	1	1	2	3	8
20-34	42	1.3	1	<1	<1	<1	1	3	3	5
35-49	32	1.9	4	<1	<1	1	2	5	6	9
50-64	60	1.9	4	<1	<1	1	2	4	5	13
65+	104	3.0	11	<1	<1	2	4	7	9	19
B. *Operated*										
0-19 YRS	828	1.6	2	<1	<1	1	2	3	4	6
20-34	819	2.5	2	1	1	2	3	4	5	8
35-49	1328	2.7	3	1	1	2	3	5	6	9
50-64	2863	3.2	5	1	1	3	4	5	7	12
65+	4216	3.9	10	1	1	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.0	2	<1	1	1	3	4	5	8
B. *Operated*	9130	2.2	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	329	2.0	6	<1	<1	1	2	4	7	13
B. *Operated*	10054	3.2	7	1	1	3	4	6	7	13
1. SINGLE DX	9216	2.2	2	<1	1	2	3	4	4	6
2. MULTIPLE DX	10383	3.2	7	1	1	3	4	6	7	13
A. NOT OPERATED	415	2.0	5	<1	<1	1	2	4	6	13
B. OPERATED	19184	2.8	5	1	1	2	3	5	6	11
TOTAL 0-19 YRS	2293	1.5	1	<1	<1	1	2	3	3	5
20-34	2837	2.1	2	1	1	2	3	4	4	6
35-49	3135	2.5	2	1	1	2	3	4	5	8
50-64	5307	2.8	4	1	1	3	4	5	6	10
65+	6027	3.5	8	1	1	3	4	6	8	15
GRAND TOTAL	**19599**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	11	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	231	1.7	1	<1	1	1	2	3	4	5
20-34	86	2.7	2	1	1	2	3	5	5	7
35-49	104	2.8	2	1	1	3	4	5	5	7
50-64	149	3.3	3	1	1	3	4	5	7	10
65+	203	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4	1	<1	<1	1	1	3	3	3
20-34	6	1.8	2	1	1	1	3	4	4	4
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	10	3.8	11	<1	<1	2	7	8	9	9
65+	50	5.2	20	1	1	3	7	12	15	19
B. *Operated*										
0-19 YRS	176	2.7	46	<1	1	2	3	4	5	12
20-34	70	3.3	3	1	1	3	5	6	6	7
35-49	82	4.3	30	1	2	3	4	6	9	37
50-64	227	5.4	21	1	2	4	6	12	14	30
65+	942	8.2	74	2	3	6	10	16	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	773	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	80	4.1	17	<1	1	2	6	10	13	18
B. *Operated*	1497	6.7	61	1	2	5	8	13	19	44
1. SINGLE DX	798	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1577	6.6	59	1	1	4	8	13	18	43
A. NOT OPERATED	105	3.6	14	<1	1	2	5	9	12	17
B. OPERATED	2270	5.4	45	1	1	4	6	11	15	35
TOTAL 0-19 YRS	423	2.1	20	<1	1	1	2	3	5	8
20-34	164	2.9	2	1	1	3	4	5	6	7
35-49	192	3.4	14	1	1	3	4	5	6	11
50-64	390	4.6	15	1	1	3	5	9	12	21
65+	1206	7.3	62	2	2	5	8	14	21	44
GRAND TOTAL	**2375**	**5.3**	**44**	**1**	**1**	**4**	**6**	**11**	**15**	**33**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	143	1.7	1	<1	<1	1	2	3	3	6
20-34	124	2.0	1	<1	1	2	3	3	4	5
35-49	159	2.2	2	<1	<1	2	3	4	5	6
50-64	126	2.5	2	1	1	2	3	4	5	9
65+	40	3.4	3	1	1	3	4	6	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	18	1.7	2	<1	<1	1	2	4	5	5
50-64	13	3.1	7	1	1	2	6	7	8	8
65+	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	44	1.8	2	<1	<1	1	2	3	5	7
20-34	51	2.9	3	1	1	2	4	6	7	8
35-49	172	3.0	4	1	1	3	4	5	6	12
50-64	189	4.4	13	1	1	3	5	9	13	18
65+	114	4.4	9	1	1	4	6	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	592	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	50	2.0	3	<1	<1	1	2	5	6	8
B. *Operated*	570	3.6	9	1	1	3	4	7	10	16
1. SINGLE DX	597	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	620	3.5	8	<1	1	3	4	6	9	15
A. NOT OPERATED	55	1.9	3	<1	<1	1	2	5	6	8
B. OPERATED	1162	2.9	6	<1	1	2	4	5	7	14
TOTAL 0-19 YRS	196	1.7	1	<1	<1	1	2	3	4	7
20-34	180	2.3	2	<1	1	2	3	4	5	7
35-49	353	2.5	3	<1	1	2	3	4	5	8
50-64	328	3.7	10	1	1	3	4	7	10	16
65+	160	4.0	8	1	1	3	5	7	10	15
GRAND TOTAL	**1217**	**2.9**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**13**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64	8	5.3	60	1	1	2	5	19	24	24
65+	7	2.7	5	1	1	1	5	6	6	6
B. *Operated*										
0-19 YRS	44	1.7	1	<1	<1	1	2	3	4	6
20-34	208	2.8	4	<1	1	2	4	5	7	9
35-49	321	3.8	4	1	1	3	5	6	8	10
50-64	343	3.9	5	1	1	4	5	6	8	11
65+	213	4.5	5	1	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	1.9	4	<1	<1	1	2	5	7	7
35-49	21	2.0	2	<1	<1	1	3	4	5	6
50-64	35	2.7	5	<1	<1	2	3	6	8	8
65+	52	4.2	18	<1	1	3	5	8	12	24
B. *Operated*										
0-19 YRS	13	3.6	16	<1	<1	2	4	9	14	15
20-34	155	4.1	12	1	1	4	5	7	8	13
35-49	440	5.4	13	2	2	5	7	9	11	19
50-64	669	5.7	13	2	2	5	7	10	13	21
65+	781	6.8	20	2	3	6	8	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	22	1	1	2	4	6	12	24
B. *Operated*	1129	3.7	5	1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	120	3.1	11	<1	<1	2	4	7	8	18
B. *Operated*	2058	5.9	16	2	2	5	7	10	13	22
1. SINGLE DX	1153	3.7	5	1	1	3	5	7	8	11
2. MULTIPLE DX	2178	5.8	16	1	2	5	7	10	13	22
A. NOT OPERATED	144	3.2	12	<1	<1	2	4	6	8	24
B. OPERATED	3187	5.1	13	1	2	4	6	9	11	20
TOTAL 0-19 YRS	59	2.1	5	<1	<1	1	2	4	6	14
20-34	377	3.3	8	<1	1	3	4	6	7	10
35-49	787	4.6	10	1	2	4	6	8	10	17
50-64	1055	5.0	11	1	2	4	6	9	11	18
65+	1053	6.2	18	2	2	5	8	11	14	23
GRAND TOTAL	**3331**	**5.1**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	2.7	3	<1	<1	2	4	5	6	6
35-49	26	3.0	6	<1	<1	3	4	5	7	13
50-64	39	2.8	3	<1	<1	3	4	5	6	6
65+	13	3.5	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS										
20-34	4	3.3	10	<1	<1	2	5	8	8	8
35-49	5	6.2	35	<1	<1	4	12	13	13	13
50-64	5	8.2	6	4	4	9	10	10	10	10
65+	11	8.1	5	5	5	8	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	36	3.4	4	<1	1	3	5	5	6	12
35-49	159	3.7	6	<1	1	3	5	7	9	13
50-64	263	4.1	5	1	2	4	5	7	9	12
65+	506	5.4	12	2	2	5	6	9	12	20
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	23	7.5	8	3	4	7	8	12	13	15
35-49	72	8.4	13	3	5	8	10	12	15	21
50-64	128	8.8	16	2	4	9	11	14	16	22
65+	157	10.5	52	2	3	9	13	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.9	4	<1	<1	3	4	5	6	11
B. *Operated*	25	7.0	14	<1	<1	8	10	12	12	13
2. MULTIPLE DX										
A. *Not Operated*	964	4.7	10	1	2	4	6	8	10	16
B. *Operated*	382	9.3	31	3	4	9	11	15	18	33
1. SINGLE DX	119	3.8	8	<1	<1	3	5	8	10	13
2. MULTIPLE DX	1346	6.0	20	1	2	5	8	11	14	22
A. NOT OPERATED	1058	4.5	9	1	2	4	6	8	10	16
B. OPERATED	407	9.2	30	2	4	9	11	15	18	31
TOTAL 0-19 YRS	3	6.7	16	3	3	6	10	11	11	11
20-34	78	4.5	9	<1	1	4	6	8	11	14
35-49	262	5.0	12	<1	1	4	7	10	12	16
50-64	435	5.4	14	1	2	4	8	10	12	17
65+	687	6.5	26	2	2	5	8	12	16	24
GRAND TOTAL	**1465**	**5.8**	**19**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	4	62	99+	99+
20-34	53	2.7	4	1	1	2	3	5	6	12
35-49	56	2.4	2	1	1	2	3	4	5	8
50-64	43	2.4	2	<1	1	2	3	4	5	5
65+	42	2.8	6	1	1	2	3	4	5	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	5	5.0	12	<1	<1	5	7	10	10	10
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	9	5.1	23	1	1	2	7	13	14	14
B. *Operated*										
0-19 YRS	4	3.5	11	1	1	3	6	8	8	8
20-34	25	3.4	6	<1	1	3	4	5	8	12
35-49	29	3.7	4	1	1	3	5	7	7	9
50-64	69	4.3	12	1	1	3	5	8	13	18
65+	129	5.4	22	2	2	4	6	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.1	4	1	1	3	4	6	7	7
B. *Operated*	202	2.6	3	1	1	2	3	4	5	14
2. MULTIPLE DX										
A. *Not Operated*	22	4.5	15	<1	1	3	6	11	13	14
B. *Operated*	256	4.7	16	1	1	4	5	8	13	19
1. SINGLE DX	209	2.6	3	1	1	2	3	4	5	14
2. MULTIPLE DX	278	4.7	16	1	1	4	5	9	13	19
A. NOT OPERATED	29	4.1	12	1	1	3	6	10	12	14
B. OPERATED	458	3.7	11	1	1	3	4	7	10	19
TOTAL 0-19 YRS	15	2.5	4	<1	1	2	4	8	72	99+
20-34	85	3.1	5	<1	1	3	4	5	7	12
35-49	87	2.9	4	1	1	2	4	6	7	9
50-64	118	3.6	8	1	1	3	4	7	8	16
65+	182	4.7	19	1	2	3	5	10	15	22
GRAND TOTAL	**487**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**11**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	13	3.3	9	1	1	3	4	9	10	10
65+	26	3.8	7	1	1	3	5	8	10	10
B. *Operated*										
0-19 YRS	24	3.0	5	1	1	2	4	7	8	8
20-34	100	2.7	3	1	1	2	3	5	5	10
35-49	180	3.4	5	1	1	3	4	7	8	10
50-64	176	3.8	5	1	1	3	5	7	9	12
65+	200	5.7	14	1	2	5	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	22	3.3	4	<1	1	3	5	6	7	8
50-64	27	3.9	5	<1	1	4	5	7	9	9
65+	133	6.5	57	2	2	5	8	11	14	36
B. *Operated*										
0-19 YRS	13	6.5	59	1	1	3	9	15	26	29
20-34	65	4.7	10	1	2	4	5	9	10	20
35-49	235	6.7	27	2	2	5	8	12	16	33
50-64	454	8.1	68	2	2	6	9	14	21	45
65+	1031	10.5	75	2	3	8	13	20	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.3	6	1	1	3	4	8	10	10
B. *Operated*	680	4.1	9	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	187	5.6	44	1	2	4	7	10	13	25
B. *Operated*	1798	9.2	67	2	3	7	11	18	24	45
1. SINGLE DX	728	4.0	9	1	1	3	5	8	10	14
2. MULTIPLE DX	1985	8.8	66	2	3	7	11	17	24	44
A. NOT OPERATED	235	5.2	37	1	1	4	7	10	12	23
B. OPERATED	2478	7.8	57	1	2	6	9	15	21	41
TOTAL 0-19 YRS	42	4.0	23	1	1	3	4	8	11	29
20-34	170	3.4	7	1	1	3	4	6	9	12
35-49	441	5.1	19	1	1	4	7	9	13	23
50-64	670	6.7	52	1	2	5	8	12	17	40
65+	1390	9.3	68	2	3	7	11	18	25	46
GRAND TOTAL	**2713**	**7.5**	**55**	**1**	**2**	**6**	**9**	**15**	**21**	**39**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.9	5	1	1	2	3	6	8	11
20-34	148	3.7	4	1	1	3	5	7	7	9
35-49	219	4.0	6	1	2	3	5	7	9	13
50-64	234	4.5	7	1	2	4	6	8	9	12
65+	267	4.9	15	1	2	4	6	8	12	17
B. *Operated*										
0-19 YRS	98	5.9	9	2	3	5	8	11	12	14
20-34	79	8.6	15	4	5	8	10	13	16	24
35-49	111	9.5	29	4	5	8	11	15	17	36
50-64	104	10.6	23	5	6	10	13	17	20	27
65+	104	11.5	35	5	6	10	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	4.3	16	1	1	3	5	8	10	25
20-34	259	4.7	12	1	1	4	6	8	11	17
35-49	419	5.7	18	2	2	5	7	10	13	21
50-64	928	6.5	27	2	2	5	8	12	15	30
65+	2670	7.8	47	2	3	6	9	14	19	36
B. *Operated*										
0-19 YRS	97	10.8	100	3	4	8	12	19	46	99+
20-34	174	13.4	142	4	5	10	15	23	35	69
35-49	329	14.8	133	5	6	11	17	27	38	71
50-64	593	16.2	154	6	7	12	19	29	40	72
65+	1630	18.0	156	6	8	15	21	33+	45	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	998	4.2	9	1	1	3	5	8	9	14
B. *Operated*	496	9.3	26	3	4	8	11	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	4359	7.1	38	2	2	6	9	13	17	32
B. *Operated*	2823	16.7	154	5	7	13	20	31	43	83
1. SINGLE DX	1494	5.9	20	1	2	5	8	11	14	22
2. MULTIPLE DX	7182	10.9	106	2	3	8	13	22	30	60
A. NOT OPERATED	5357	6.5	34	1	2	5	8	12	16	30
B. OPERATED	3319	15.6	142	5	6	12	18	29	39	78
TOTAL 0-19 YRS	408	5.8	40	1	1	4	7	11	13	56
20-34	660	7.2	60	1	2	5	9	14	19	40
35-49	1078	8.5	71	2	2	7	10	16	22	50
50-64	1859	9.6	87	2	3	7	12	18	26	51
65+	4671	11.3	108	2	3	8	14	22	31	61
GRAND TOTAL	**8676**	**10.0**	**95**	**2**	**3**	**7**	**12**	**20**	**27**	**57**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1912	2.2	2	1	1	2	3	4	5	7
20-34	1059	2.3	2	1	1	2	3	4	5	8
35-49	406	2.6	3	1	1	2	3	5	6	8
50-64	241	2.9	3	<1	1	3	4	5	6	8
65+	158	3.1	3	1	1	3	4	6	6	8
B. *Operated*										
0-19 YRS	50	4.6	17	2	2	4	5	6	7	26
20-34	77	4.6	12	<1	2	4	6	8	10	22
35-49	47	4.1	8	<1	<1	4	6	7	9	13
50-64	30	5.7	21	<1	<1	4	8	12	15	18
65+	13	6.8	9	2	3	6	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3497	3.0	4	1	1	3	4	5	6	10
20-34	1314	3.1	5	1	1	3	4	6	7	11
35-49	975	3.7	6	1	1	3	5	7	8	12
50-64	1163	4.5	12	1	1	4	6	8	11	17
65+	2538	6.2	45	2	2	5	7	11	15	34
B. *Operated*										
0-19 YRS	75	8.3	135	2	2	6	9	12	20	78
20-34	142	6.2	19	1	2	5	8	12	16	20
35-49	151	8.8	68	2	3	7	11	17	22	51
50-64	209	10.3	92	2	3	8	12	20	27	50
65+	408	13.1	130	2	3	10	16	27	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3776	2.4	2	1	1	2	3	4	5	8
B. *Operated*	217	4.8	14	<1	1	4	6	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	9487	4.1	18	1	1	3	5	8	10	19
B. *Operated*	985	10.5	103	2	3	7	13	21	30	59
1. SINGLE DX	3993	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	10472	4.7	30	1	1	3	5	9	12	27
A. NOT OPERATED	13263	3.6	14	1	1	3	4	7	9	16
B. OPERATED	1202	9.5	92	2	2	7	12	19	27	55
TOTAL 0-19 YRS	5534	2.8	6	1	1	2	3	5	6	10
20-34	2592	3.0	6	1	1	2	4	6	8	13
35-49	1579	3.9	14	1	1	3	5	7	9	19
50-64	1643	5.0	25	1	1	4	6	9	13	25
65+	3117	6.9	60	2	2	5	8	13	19	44
GRAND TOTAL	**14465**	**4.1**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	71	5.5	12	2	2	5	7	9	10	22
35-49	332	5.0	6	1	2	5	6	8	9	12
50-64	526	5.2	7	2	2	5	7	8	9	14
65+	439	4.9	8	<1	1	5	7	9	10	13
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	27	7.5	9	2	3	7	9	12	13	15
35-49	95	8.9	12	5	6	8	10	15	17	20
50-64	129	10.0	17	5	6	9	11	16	19	23
65+	82	9.9	26	2	4	9	13	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	16.3	26	12	12	15	20	22	22	22
20-34	50	6.0	10	1	2	6	7	10	11	16
35-49	336	5.7	10	2	2	5	7	9	11	16
50-64	1098	6.2	15	2	3	6	8	10	13	18
65+	3664	7.4	32	2	3	6	9	12	16	34
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	67	11.3	38	5	7	9	13	20	25	35
35-49	338	12.4	56	5	6	11	15	20	26	35
50-64	863	13.7	88	5	6	11	16	23	32	51
65+	1850	16.2	145	5	6	13	20	30	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1370	5.1	7	1	2	5	7	8	10	14
B. *Operated*	334	9.5	17	4	5	9	11	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	5151	7.0	27	2	3	6	8	12	15	29
B. *Operated*	3121	15.0	120	5	6	12	18	27	37	71
1. SINGLE DX	1704	5.9	12	1	2	5	8	10	12	19
2. MULTIPLE DX	8272	10.0	77	2	3	8	12	19	26	50
A. NOT OPERATED	6521	6.6	24	2	3	6	8	11	14	26
B. OPERATED	3455	14.5	112	5	6	11	17	26	35	68
TOTAL 0-19 YRS	9	9.7	38	3	3	8	13	19	22	22
20-34	215	7.7	25	2	3	7	9	13	17	27
35-49	1101	7.8	33	2	3	7	10	14	18	30
50-64	2616	8.7	51	2	3	7	10	16	21	37
65+	6035	9.9	83	2	3	7	12	19	27	53
GRAND TOTAL	**9976**	**9.3**	**69**	**2**	**3**	**7**	**11**	**18**	**24**	**46**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	4	<1	<1	2	3	6	6	6
20-34	25	3.0	5	<1	<1	2	4	5	8	10
35-49	19	2.8	4	<1	<1	2	4	6	7	7
50-64	4	4.0	6	1	1	4	6	7	7	7
65+	7	3.0	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	83	2.6	5	<1	1	2	3	4	5	14
20-34	587	2.5	3	<1	1	2	3	4	5	9
35-49	599	2.7	4	1	1	2	3	4	6	11
50-64	287	2.9	4	1	1	2	4	5	7	11
65+	79	3.4	10	<1	1	3	4	6	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	3	<1	<1	2	4	5	5	5
20-34	28	3.2	5	<1	<1	3	5	6	7	9
35-49	32	4.5	15	<1	1	3	6	12	14	15
50-64	28	5.0	8	<1	1	5	7	8	10	11
65+	53	8.9	93	1	2	7	10	18	38	98
B. *Operated*										
0-19 YRS	63	3.7	13	<1	1	3	4	6	9	21
20-34	590	3.6	11	1	1	3	4	7	10	16
35-49	753	3.6	13	1	1	3	4	6	9	22
50-64	658	4.2	31	1	1	3	5	8	11	25
65+	475	6.3	55	1	1	4	8	14	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.0	4	<1	<1	2	4	6	7	10
B. *Operated*	1635	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	152	5.7	43	<1	1	4	7	12	16	53
B. *Operated*	2539	4.2	26	1	1	3	5	8	12	25
1. SINGLE DX	1700	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2691	4.3	27	1	1	3	5	9	12	26
A. NOT OPERATED	217	4.9	33	<1	<1	4	6	10	15	44
B. OPERATED	4174	3.6	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	167	3.0	8	<1	1	2	4	5	7	19
20-34	1230	3.0	7	1	1	2	4	5	7	13
35-49	1403	3.2	9	1	1	3	4	6	8	17
50-64	977	3.8	23	1	1	3	4	7	10	21
65+	614	6.1	54	1	1	4	7	14	19	41
GRAND TOTAL	**4391**	**3.7**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	3.2	9	1	1	2	4	7	8	15
20-34	419	5.2	19	1	1	4	7	10	15	19
35-49	284	5.1	15	1	1	4	7	10	12	18
50-64	173	5.1	22	<1	1	4	6	10	13	26
65+	183	4.3	17	<1	<1	4	6	9	10	13
B. *Operated*										
0-19 YRS	102	6.6	41	1	1	5	8	15	19	35
20-34	303	8.1	49	<1	1	6	10	15	24	36
35-49	229	8.1	55	<1	1	6	10	16	21	34
50-64	183	7.1	34	<1	1	6	10	14	18	28
65+	141	7.0	51	<1	1	6	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	373	4.5	14	1	1	3	6	10	13	19
20-34	684	5.9	36	1	1	5	7	11	15	28
35-49	756	6.0	25	1	2	5	7	11	16	26
50-64	936	6.5	44	1	2	5	8	13	16	41
65+	2888	7.5	59	2	2	6	9	14	20	41
B. *Operated*										
0-19 YRS	213	11.7	176	1	2	8	14	26	29	95
20-34	809	11.6	111	1	2	9	15	23	31	56
35-49	868	12.0	128	2	3	9	15	25	34	63
50-64	1032	12.6	118	1	3	10	16	27	36	56
65+	2307	14.9	203	2	3	11	18	33	48	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1328	4.6	17	<1	1	4	6	9	12	20
B. *Operated*	958	7.6	47	<1	1	6	10	15	21	32
2. MULTIPLE DX										
A. *Not Operated*	5637	6.7	47	1	2	5	8	13	18	35
B. *Operated*	5229	13.3	160	2	3	10	17	28	40	77
1. SINGLE DX	2286	5.9	32	<1	1	4	8	12	16	28
2. MULTIPLE DX	10866	9.9	112	1	2	7	12	21	29	63
A. NOT OPERATED	6965	6.3	42	1	2	5	8	12	17	31
B. OPERATED	6187	12.4	147	1	2	9	15	26	37	74
TOTAL 0-19 YRS	957	6.0	62	1	1	4	7	14	18	35
20-34	2215	8.1	69	1	1	6	10	17	23	42
35-49	2137	8.5	78	1	2	6	10	18	25	45
50-64	2324	9.1	84	1	2	6	11	20	27	49
65+	5519	10.5	132	1	2	7	13	22	32	76
GRAND TOTAL	**13152**	**9.2**	**101**	**1**	**2**	**6**	**11**	**19**	**28**	**58**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (5)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	4.2	4	2	2	4	6	7	8	8
35-49	18	7.9	47	1	2	6	9	19	24	26
50-64	14	8.2	83	1	2	5	10	23	31	33
65+	8	13.1	221	<1	1	8	18	39	44	44
B. *Operated*										
0-19 YRS										
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	17	5.4	24	<1	1	5	7	14	16	17
50-64	21	2.6	5	<1	<1	1	4	6	8	9
65+	15	2.6	10	1	1	1	3	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	121	8.5	76	2	3	6	10	16	20	58
35-49	430	10.3	84	2	3	8	11	20	30	50
50-64	576	11.1	94	2	3	8	14	22	29	49
65+	341	12.0	89	3	3	9	15	24	29	51
B. *Operated*										
0-19 YRS										
20-34	53	15.9	298	1	2	10	24	52	94	99+
35-49	172	14.6	176	1	2	11	20	37	46	68
50-64	292	12.4	204	1	1	9	15	29	40	76
65+	182	13.7	158	1	2	10	17	29	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.9	76	1	2	5	8	21	27	44
B. *Operated*	56	3.4	13	<1	1	2	5	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	1468	10.8	89	2	3	8	13	22	29	50
B. *Operated*	699	13.5	193	1	1	10	17	31	46	85
1. SINGLE DX	108	5.6	48	<1	1	4	7	13	20	38
2. MULTIPLE DX	2167	11.7	124	2	3	8	14	24	33	68
A. NOT OPERATED	1520	10.7	89	2	3	8	13	22	29	50
B. OPERATED	755	12.8	187	1	1	9	16	30	45	81
TOTAL 0-19 YRS										
20-34	189	10.2	146	1	2	7	11	23	43	99+
35-49	637	11.2	111	2	3	8	14	24	36	51
50-64	903	11.3	130	1	2	8	14	23	32	64
65+	546	12.3	114	1	3	9	16	25	31	69
GRAND TOTAL	**2275**	**11.4**	**122**	**1**	**2**	**8**	**14**	**24**	**33**	**66**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	6	2.8	5	1	1	2	5	6	6	6
35-49	12	2.8	5	1	1	2	5	6	6	6
50-64	13	3.3	9	<1	<1	1	5	8	9	9
65+	6	11.3	504	1	1	2	6	52	57	57
B. *Operated*										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	34	3.1	127	<1	<1	1	1	2	2	67
35-49	65	1.6	2	<1	<1	1	2	2	4	9
50-64	69	2.4	7	<1	<1	1	3	7	9	11
65+	46	3.4	48	1	1	1	2	8	10	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	14	<1	<1	2	6	9	13	13
20-34	43	6.6	42	1	1	5	8	13	23	32
35-49	68	7.4	23	2	2	6	10	14	17	22
50-64	204	8.8	48	1	2	7	11	16	23	35
65+	308	11.0	67	3	4	9	13	20	24	37
B. *Operated*										
0-19 YRS	11	14.4	627	<1	1	2	10	55	81	83
20-34	51	4.5	20	1	1	3	7	10	12	24
35-49	132	7.7	95	1	1	4	11	18	23	50
50-64	269	7.5	79	1	1	4	11	18	25	40
65+	305	10.5	109	1	1	9	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.1	79	<1	1	2	5	7	8	57
B. *Operated*	222	2.5	32	<1	<1	1	2	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	634	9.5	56	2	2	8	12	18	22	36
B *Operated*	768	8.6	100	1	1	6	12	20	26	48
1. SINGLE DX	262	2.7	39	<1	<1	1	2	6	8	42
2. MULTIPLE DX	1402	9.0	80	1	1	7	12	19	24	40
A. NOT OPERATED	674	9.1	59	1	2	8	12	18	22	36
B. OPERATED	990	7.2	91	<1	1	3	10	18	24	46
TOTAL 0-19 YRS	33	6.8	232	<1	<1	2	6	11	33	83
20-34	134	4.8	55	<1	<1	2	6	10	13	38
35-49	277	6.0	58	<1	1	3	8	15	20	35
50-64	555	7.2	61	1	1	5	9	16	24	37
65+	665	10.2	91	1	1	8	14	21	25	49
GRAND TOTAL	**1664**	**8.0**	**79**	**1**	**1**	**6**	**11**	**18**	**24**	**40**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.0	3	1	1	2	4	6	7	7
20-34	43	5.3	24	<1	1	4	6	9	20	24
35-49	30	4.4	11	1	1	4	6	8	10	16
50-64	23	5.1	13	1	2	4	6	11	13	15
65+	12	7.4	33	1	1	5	11	17	19	19
B. *Operated*										
0-19 YRS	4	3.8	6	1	1	3	5	7	7	7
20-34	25	4.8	48	<1	<1	1	5	12	24	26
35-49	13	4.5	18	<1	<1	1	8	11	13	13
50-64	24	4.2	46	<1	<1	1	4	10	24	27
65+	12	3.2	20	1	1	1	3	10	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.1	47	<1	1	3	5	11	15	40
20-34	111	6.9	28	2	2	5	9	12	16	28
35-49	188	8.6	69	2	2	6	10	19	23	39
50-64	371	9.5	80	2	3	7	12	19	27	51
65+	487	10.5	94	3	3	7	12	21	28	58
B. *Operated*										
0-19 YRS	9	13.6	169	<1	<1	13	28	68	99+	99+
20-34	48	9.9	107	1	1	6	14	21	34	44
35-49	74	12.9	177	1	1	9	18	26	43	65
50-64	145	14.2	233	1	1	11	20	32	41	96
65+	169	15.3	160	1	2	12	21	32	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.9	18	1	1	4	6	10	15	21
B. *Operated*	78	4.2	35	<1	<1	1	5	11	20	27
2. MULTIPLE DX										
A. *Not Operated*	1193	9.4	80	2	3	7	12	19	26	53
B. *Operated*	445	13.9	182	1	1	11	20	32	41	72
1. SINGLE DX	205	4.6	24	<1	1	3	5	10	16	25
2. MULTIPLE DX	1638	10.6	111	1	2	7	14	22	31	56
A. NOT OPERATED	1320	9.0	75	2	3	6	11	18	25	45
B. OPERATED	523	12.5	172	1	1	9	18	30	37	69
TOTAL 0-19 YRS	68	5.5	57	<1	1	3	5	15	28	89
20-34	227	7.0	48	1	1	5	9	15	19	39
35-49	305	9.0	93	1	1	6	12	20	24	52
50-64	563	10.3	122	1	2	7	13	22	31	53
65+	680	11.5	113	2	3	8	15	25	33	60
GRAND TOTAL	**1843**	**10.0**	**105**	**1**	**2**	**7**	**13**	**22**	**30**	**54**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.2	1	<1	1	2	3	3	4	5
20-34	212	2.5	2	1	1	2	3	5	5	7
35-49	249	2.7	3	1	1	2	3	5	6	9
50-64	188	3.3	5	1	1	3	5	6	7	11
65+	150	3.6	6	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS	178	5.4	3	3	4	5	6	7	9	11
20-34	1930	5.5	4	3	4	5	6	8	9	12
35-49	1905	5.8	4	3	4	5	7	8	9	12
50-64	1492	6.2	5	4	4	6	7	9	10	14
65+	695	7.4	8	4	5	7	9	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	4	<1	<1	2	3	5	6	9
20-34	224	3.4	11	<1	1	2	4	7	8	17
35-49	311	3.8	8	1	1	3	5	7	10	14
50-64	629	4.5	12	1	1	4	6	9	11	16
65+	1509	6.6	25	2	2	6	8	12	15	26
B. *Operated*										
0-19 YRS	126	7.4	18	4	4	6	9	12	14	26
20-34	1852	6.9	13	3	4	6	8	11	13	21
35-49	2643	7.3	13	4	4	6	8	11	14	21
50-64	3772	8.6	26	4	5	7	10	14	17	26
65+	5044	11.6	53	5	6	10	14	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	2.9	4	1	1	2	4	5	7	10
B. *Operated*	6200	6.0	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	2704	5.5	20	1	2	4	7	10	13	22
B. *Operated*	13437	9.2	35	4	5	8	11	15	19	33
1. SINGLE DX	7021	5.6	6	2	3	5	7	8	10	13
2. MULTIPLE DX	16141	8.6	35	3	4	7	10	15	19	32
A. NOT OPERATED	3525	4.9	18	1	1	4	6	10	12	20
B. OPERATED	19637	8.2	28	4	4	7	9	14	17	29
TOTAL 0-19 YRS	357	5.7	11	2	3	5	7	9	11	16
20-34	4218	5.9	10	2	3	5	7	9	11	17
35-49	5108	6.3	10	2	3	6	7	10	12	18
50-64	6081	7.5	21	3	4	7	9	12	15	24
65+	7398	10.0	47	3	4	8	12	17	22	39
GRAND TOTAL	**23162**	**7.7**	**28**	**3**	**4**	**6**	**9**	**13**	**17**	**28**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	4	<1	1	3	5	6	7	7
20-34	128	2.8	3	1	1	2	4	5	6	8
35-49	105	3.1	4	<1	1	3	4	6	7	10
50-64	81	3.0	3	1	1	3	4	6	7	8
65+	54	3.4	3	1	2	3	4	6	7	10
B. *Operated*										
0-19 YRS	12	5.5	4	2	3	6	7	8	8	8
20-34	121	5.7	6	3	3	5	7	9	11	16
35-49	131	6.1	5	3	4	6	7	9	10	12
50-64	102	6.5	8	2	4	5	8	10	11	17
65+	38	7.6	13	3	3	7	10	12	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.7	12	<1	1	5	7	10	12	12
20-34	136	3.8	6	1	1	3	5	7	9	12
35-49	146	4.5	8	1	1	4	6	8	9	13
50-64	247	5.0	13	1	2	4	7	9	12	19
65+	485	7.1	23	2	3	6	9	12	16	23
B. *Operated*										
0-19 YRS	10	8.3	39	3	3	6	10	18	24	24
20-34	205	7.8	19	3	4	6	9	13	17	23
35-49	292	7.8	33	3	4	7	9	13	16	27
50-64	305	10.1	41	4	5	8	13	18	21	33
65+	489	13.6	105	5	6	11	15	23	32	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	3.0	3	1	1	3	4	5	7	9
B. *Operated*	404	6.2	7	3	4	6	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	1025	5.8	18	1	2	5	8	11	13	21
B. *Operated*	1301	10.6	66	4	5	9	12	18	23	45
1. SINGLE DX	789	4.7	8	1	1	4	6	8	10	13
2. MULTIPLE DX	2326	8.4	50	2	3	7	10	15	20	38
A. NOT OPERATED	1410	5.0	15	1	1	4	7	9	12	19
B. OPERATED	1705	9.5	56	4	4	7	11	16	21	40
TOTAL 0-19 YRS	50	5.2	15	1	1	5	7	9	12	24
20-34	590	5.3	14	1	2	5	7	10	12	19
35-49	674	6.1	21	1	2	5	7	10	13	20
50-64	735	7.1	30	1	2	6	9	13	17	28
65+	1066	9.9	71	2	3	8	12	18	23	46
GRAND TOTAL	**3115**	**7.5**	**42**	**1**	**2**	**6**	**9**	**14**	**18**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	17	2.9	3	<1	1	2	4	5	6	7
35-49	17	3.6	16	<1	<1	3	4	7	14	18
50-64	16	3.3	3	1	1	3	4	6	7	7
65+	18	5.3	33	<1	<1	4	6	9	19	26
B. *Operated*										
0-19 YRS	4	8.3	5	5	5	9	10	10	10	10
20-34	54	6.8	17	1	1	6	9	13	15	19
35-49	78	7.6	19	1	2	7	10	14	16	21
50-64	70	7.7	39	1	1	7	11	14	18	31
65+	99	9.2	55	1	2	8	13	18	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	14	2.9	3	<1	1	2	4	5	6	6
35-49	31	4.5	7	1	2	4	6	8	8	13
50-64	56	4.6	10	1	1	4	6	9	10	16
65+	218	6.7	18	2	3	6	8	12	14	20
B. *Operated*										
0-19 YRS	12	13.9	174	3	5	9	15	33	48	51
20-34	93	8.6	19	3	4	8	11	13	16	25
35-49	114	10.3	64	2	4	9	11	19	24	43
50-64	232	11.8	73	3	5	10	14	20	25	52
65+	843	14.3	105	3	5	13	17	24	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.8	14	<1	1	3	4	7	8	24
B. *Operated*	305	8.0	35	1	2	7	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	320	5.9	16	1	2	5	8	11	14	18
B. *Operated*	1294	13.1	93	3	5	11	16	22	29	64
1. SINGLE DX	376	7.2	34	1	1	6	10	14	18	26
2. MULTIPLE DX	1614	11.7	86	2	3	10	15	21	27	61
A. NOT OPERATED	391	5.5	16	1	2	4	7	10	13	18
B. OPERATED	1599	12.1	86	2	3	10	15	21	27	61
TOTAL 0-19 YRS	20	10.7	121	2	3	8	11	21	38	51
20-34	178	7.1	20	1	2	6	10	13	15	21
35-49	240	8.2	44	1	2	7	10	16	20	30
50-64	374	9.6	63	1	2	8	12	17	23	44
65+	1178	12.3	94	2	3	11	16	22	28	63
GRAND TOTAL	**1990**	**10.8**	**79**	**2**	**3**	**9**	**14**	**20**	**25**	**53**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	3.8	3	2	2	3	6	6	6	6
35-49	23	4.1	9	1	2	4	5	6	10	16
50-64	14	4.1	7	<1	1	4	5	8	10	10
65+	19	3.9	5	<1	1	4	5	7	9	9
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	11	5.1	27	1	1	2	9	14	16	16
35-49	15	5.7	30	<1	1	5	8	13	18	20
50-64	14	5.0	20	<1	1	3	7	13	15	15
65+	16	7.9	72	<1	<1	4	14	21	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	6	1	1	4	6	8	8	8
20-34	21	5.5	8	2	2	5	7	9	11	13
35-49	41	7.1	23	2	3	6	8	14	16	25
50-64	87	7.0	19	2	3	6	9	14	15	22
65+	267	8.2	37	2	3	7	10	14	19	35
B. *Operated*										
0-19 YRS	2	31.5	1405	5	5	31	58	58	58	58
20-34	32	11.5	87	1	3	9	14	27	27	42
35-49	79	13.8	244	2	2	10	17	27	50	86
50-64	131	11.4	110	1	2	9	16	25	33	50
65+	355	13.9	112	2	3	12	18	25	34	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.0	6	1	1	4	5	7	9	15
B. *Operated*	58	6.1	37	<1	1	3	9	15	20	25
2. MULTIPLE DX										
A. *Not Operated*	422	7.6	31	2	3	7	10	14	17	28
B. *Operated*	599	13.3	131	1	2	11	18	25	34	60
1. SINGLE DX	121	5.0	22	<1	1	4	6	11	15	22
2. MULTIPLE DX	1021	11.0	97	2	2	8	14	21	27	54
A. NOT OPERATED	485	7.2	29	2	2	6	9	13	16	26
B. OPERATED	657	12.7	127	1	2	10	17	24	33	58
TOTAL 0-19 YRS	11	9.8	262	1	2	5	8	29	56	58
20-34	70	8.0	56	1	2	6	10	18	27	39
35-49	158	9.9	148	1	2	6	12	20	27	64
50-64	246	9.1	73	1	2	7	11	19	26	41
65+	657	11.1	87	2	3	9	15	21	26	51
GRAND TOTAL	**1142**	**10.3**	**93**	**1**	**2**	**8**	**13**	**21**	**26**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.5	8	1	2	4	6	8	12	14
20-34	299	5.0	11	1	2	4	6	9	11	15
35-49	259	5.4	11	1	2	5	7	9	12	17
50-64	170	5.3	10	1	2	5	6	9	11	16
65+	104	5.7	18	2	2	5	7	10	11	27
B. *Operated*										
0-19 YRS	7	6.9	12	1	1	8	10	10	10	10
20-34	30	10.2	87	1	1	8	12	20	22	47
35-49	35	10.0	62	<1	1	9	12	24	26	30
50-64	24	6.3	25	<1	<1	6	9	12	15	21
65+	17	6.5	40	<1	1	3	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.2	39	1	2	5	6	14	20	35
20-34	723	6.7	28	2	3	5	8	12	15	27
35-49	1223	7.4	35	2	3	6	9	13	17	32
50-64	843	7.0	22	2	3	6	9	12	15	26
65+	1036	8.7	39	3	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	11	29.5	815	1	4	19	46	79	80	80
20-34	164	16.6	214	3	5	11	21	36	51	82
35-49	318	18.4	230	3	6	14	23	39	52	98
50-64	334	17.1	204	3	5	13	21	41	54	99+
65+	467	17.5	212	2	5	14	22	37	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	5.2	12	1	2	5	7	9	11	17
B. *Operated*	113	8.6	56	<1	1	7	11	19	23	36
2. MULTIPLE DX										
A. *Not Operated*	3884	7.5	33	2	3	6	9	14	18	31
B. *Operated*	1294	17.6	220	3	5	13	22	38	54	99+
1. SINGLE DX	997	5.6	18	1	2	5	7	10	13	23
2. MULTIPLE DX	5178	10.0	98	2	3	7	12	20	29	61
A. NOT OPERATED	4768	7.1	29	2	3	6	9	13	16	30
B. OPERATED	1407	16.9	213	2	4	12	21	37	52	99+
TOTAL 0-19 YRS	129	7.5	132	1	2	5	7	14	23	79
20-34	1216	7.7	63	2	3	6	9	14	21	44
35-49	1835	9.1	85	2	3	6	10	17	26	52
50-64	1371	9.3	85	2	3	7	11	18	28	57
65+	1624	11.0	105	2	3	8	13	22	30	71
GRAND TOTAL	**6175**	**9.3**	**88**	**2**	**3**	**7**	**11**	**18**	**27**	**57**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	2	1	1	2	3	5	5	7
20-34	71	2.7	3	<1	1	2	4	5	7	8
35-49	62	3.2	3	1	1	3	4	5	6	10
50-64	79	3.5	3	<1	1	4	4	6	6	8
65+	108	4.4	9	<1	1	4	6	8	9	16
B. *Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	6	5.0	11	1	1	6	7	9	9	9
35-49	12	5.6	14	1	2	4	8	12	12	12
50-64	11	8.1	52	3	3	5	10	18	27	28
65+	21	5.7	12	1	2	5	7	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.5	10	1	1	3	4	6	8	20
20-34	303	4.2	16	1	1	3	5	7	10	20
35-49	446	5.1	15	1	2	4	6	10	13	20
50-64	940	5.8	29	2	2	5	7	10	13	25
65+	3700	7.5	44	2	3	6	9	13	18	37
B. *Operated*										
0-19 YRS	23	13.3	268	2	3	7	13	51	54	56
20-34	73	9.1	91	2	2	6	10	24	29	51
35-49	134	8.2	46	2	3	5	10	16	20	37
50-64	368	9.0	67	2	3	7	10	16	22	50
65+	1220	11.6	134	3	4	8	14	23	35	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	3.4	5	1	1	3	4	6	7	10
B. *Operated*	54	5.8	20	1	1	5	7	10	12	28
2. MULTIPLE DX										
A. *Not Operated*	5498	6.7	38	2	2	5	8	12	16	33
B. *Operated*	1818	10.8	116	2	3	8	13	21	31	69
1. SINGLE DX	422	3.7	8	1	1	3	5	7	8	12
2. MULTIPLE DX	7316	7.7	61	2	2	6	9	14	20	44
A. NOT OPERATED	5866	6.5	37	2	2	5	8	12	16	31
B. OPERATED	1872	10.6	114	2	3	7	12	20	31	69
TOTAL 0-19 YRS	184	4.5	50	1	1	3	4	7	12	52
20-34	453	4.7	30	1	1	3	5	9	12	30
35-49	654	5.5	22	1	2	4	7	10	14	24
50-64	1398	6.5	40	2	2	5	8	11	15	31
65+	5049	8.4	69	2	3	6	10	15	22	48
GRAND TOTAL	**7738**	**7.5**	**59**	**2**	**2**	**6**	**9**	**14**	**19**	**43**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.6	4	1	2	3	5	7	7	8
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	3	5.0	19	2	2	3	8	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	6	11.7	63	2	2	10	19	23	23	23
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	4.3	11	<1	<1	3	5	10	11	11
50-64	4	8.0	22	2	2	8	11	13	13	13
65+	3	8.3	34	4	4	6	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	7.0	113	1	1	4	6	19	23	69
20-34	11	7.4	41	1	1	6	10	16	22	23
35-49	20	6.8	19	1	2	6	9	12	16	19
50-64	37	12.2	174	2	2	8	15	28	48	56
65+	49	11.2	219	2	2	7	12	22	33	98
B. *Operated*										
0-19 YRS	8	22.4	849	4	4	10	61	92	99+	99+
20-34	10	11.4	109	2	2	7	18	29	32	32
35-49	19	15.9	132	2	4	13	21	26	41	53
50-64	34	15.1	275	3	3	11	16	28	62	74
65+	43	14.2	169	3	4	11	18	27	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.5	5	1	2	3	4	7	8	10
B. *Operated*	21	7.5	37	<1	1	6	11	17	21	23
2. MULTIPLE DX										
A. *Not Operated*	173	9.3	144	1	2	6	10	20	28	68
B. *Operated*	114	15.1	231	2	3	11	18	31	71	99+
1. SINGLE DX	53	5.1	21	<1	2	3	6	11	15	23
2. MULTIPLE DX	287	11.6	186	2	2	7	14	25	49	99
A. NOT OPERATED	205	8.4	126	1	2	5	9	19	25	63
B. OPERATED	135	13.9	208	2	3	10	18	27	61	99+
TOTAL 0-19 YRS	94	7.8	159	1	2	4	7	19	26	91
20-34	26	7.8	68	1	1	5	10	22	27	32
35-49	46	10.2	87	1	2	7	13	21	25	53
50-64	78	13.0	207	2	3	9	15	24	51	71
65+	96	12.4	190	2	3	9	17	27	43	99+
GRAND TOTAL	**340**	**10.6**	**165**	**2**	**2**	**7**	**12**	**22**	**33**	**98**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.7	11	1	1	4	6	10	11	15
20-34	5	4.2	13	1	1	3	6	10	10	10
35-49	7	1.7		1	1	2	2	2	2	2
50-64	5	1.6		1	1	2	2	2	2	2
65+	9	6.6	23	2	2	4	11	14	15	15
B. *Operated*										
0-19 YRS	29	3.9	27	1	2	2	3	10	20	22
20-34	26	3.5	17	1	1	2	3	7	11	22
35-49	15	2.5	1	1	1	2	3	4	4	4
50-64	16	2.6	2	1	1	2	4	5	5	5
65+	14	6.7	34	1	2	4	11	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.9	25	1	1	4	7	13	19	22
20-34	26	6.3	38	1	2	4	7	19	21	25
35-49	30	5.8	13	2	2	5	8	10	15	15
50-64	36	6.0	14	1	1	5	8	12	13	15
65+	72	9.8	54	1	2	8	13	20	25	34
B. *Operated*										
0-19 YRS	20	3.6	5	1	2	3	4	9	50	99+
20-34	57	7.9	114	1	1	4	10	17	28	56
35-49	78	6.4	53	1	1	3	9	16	23	33
50-64	74	7.7	73	1	2	4	11	18	27	42
65+	74	15.6	211	2	3	11	21	34	39	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.4	12	1	1	3	6	11	12	15
B. *Operated*	100	3.8	19	1	1	2	4	7	14	22
2. MULTIPLE DX										
A. *Not Operated*	216	7.2	35	1	2	6	9	15	20	30
B. *Operated*	303	9.1	119	1	2	4	12	23	32	54
1. SINGLE DX	178	4.0	16	1	1	3	4	10	13	21
2. MULTIPLE DX	519	8.3	85	1	2	5	11	19	26	48
A. NOT OPERATED	294	6.5	31	1	1	5	8	13	19	27
B. OPERATED	403	7.8	99	1	1	3	10	20	28	51
TOTAL 0-19 YRS	153	4.8	19	1	1	3	6	11	15	22
20-34	114	6.4	72	1	1	3	7	14	22	53
35-49	130	5.6	37	1	1	3	7	13	18	32
50-64	131	6.4	49	1	1	4	8	14	21	36
65+	169	11.9	130	2	2	9	16	25	34	51
GRAND TOTAL	**697**	**7.2**	**71**	**1**	**1**	**4**	**9**	**18**	**24**	**43**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.9	7	2	2	4	7	8	9	9
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.4	8	1	2	5	7	9	10	11
20-34	14	6.9	21	3	3	5	9	14	18	19
35-49	10	6.1	7	2	3	6	9	10	10	10
50-64	9	10.1	72	3	3	8	11	23	31	31
65+	35	9.3	45	2	3	7	12	14	25	35
B. *Operated*										
0-19 YRS	5	18.2	187	3	3	14	32	34	34	34
20-34	14	8.4	102	1	1	3	12	25	33	35
35-49	11	11.2	92	2	3	8	15	28	30	30
50-64	14	14.1	32	7	8	12	18	21	26	27
65+	17	18.0	75	6	9	16	22	29	35	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.0	5	2	2	5	7	8	9	9
B. *Operated*	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	92	7.6	32	2	3	6	9	12	14	33
B. *Operated*	61	13.7	91	2	2	12	19	28	32	39
1. SINGLE DX	19	4.8	5	2	2	4	7	8	9	9
2. MULTIPLE DX	153	10.1	64	2	3	8	12	20	29	35
A. NOT OPERATED	108	7.3	29	2	2	6	9	12	14	33
B. OPERATED	64	13.2	92	2	2	12	19	28	32	38
TOTAL 0-19 YRS	42	6.7	43	2	2	5	8	10	21	34
20-34	33	7.2	52	1	2	4	9	15	23	35
35-49	22	8.6	54	2	3	6	10	20	28	30
50-64	23	12.5	49	4	5	12	17	21	28	31
65+	52	12.2	70	2	4	10	14	27	29	39
GRAND TOTAL	**172**	**9.5**	**60**	**2**	**2**	**7**	**12**	**19**	**29**	**35**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	2	12.0	50	7	7	12	17	17	17	17
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	13	8.1	81	1	1	3	14	21	29	31
35-49	15	2.9	6	1	1	2	4	6	9	10
50-64	20	2.6	4	1	1	2	3	4	7	10
65+	38	3.2	8	<1	<1	2	3	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.1	103	1	1	2	5	10	21	55
20-34	28	4.0	12	<1	1	3	6	9	11	15
35-49	43	6.3	46	1	1	5	8	12	20	38
50-64	94	7.8	40	1	2	6	11	16	19	33
65+	290	11.8	152	2	2	8	14	26	41	68
B. *Operated*										
0-19 YRS	65	12.5	171	2	2	7	19	29	44	57
20-34	159	10.6	148	1	2	6	14	26	35	59
35-49	187	8.9	95	1	1	5	13	20	27	51
50-64	358	9.8	124	1	2	6	12	23	30	55
65+	451	13.9	215	1	2	10	19	35	46	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.6	28	<1	<1	2	6	14	17	17
B. *Operated*	89	3.7	20	1	1	2	4	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	488	9.6	117	1	1	7	12	21	29	58
B. *Operated*	1220	11.4	163	1	2	7	15	26	38	69
1. SINGLE DX	101	3.8	20	<1	1	2	4	9	13	24
2. MULTIPLE DX	1708	10.9	150	1	2	7	14	25	37	64
A. NOT OPERATED	500	9.5	115	1	1	6	12	20	29	57
B. OPERATED	1309	10.9	157	1	2	6	15	26	37	64
TOTAL 0-19 YRS	105	9.5	152	1	1	4	11	26	41	57
20-34	201	9.4	129	1	1	5	12	25	32	52
35-49	246	8.1	83	1	1	5	11	18	25	50
50-64	476	9.0	105	1	2	6	11	20	29	53
65+	781	12.6	187	1	2	9	17	28	43	81
GRAND TOTAL	**1809**	**10.5**	**146**	**1**	**2**	**6**	**14**	**25**	**36**	**61**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.7	14	<1	<1	2	6	8	8	8
35-49										
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	4	8.3	41	3	3	6	13	17	17	17
B. *Operated*										
0-19 YRS										
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	4	12.0	129	2	2	10	21	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	4	1	1	3	5	6	6	6
20-34	20	7.3	49	1	2	5	8	13	23	33
35-49	44	7.6	36	1	2	6	10	14	19	30
50-64	115	8.7	44	2	3	7	11	16	20	35
65+	641	11.7	84	3	4	10	14	22	29	58
B. *Operated*										
0-19 YRS	5	15.6	53	8	8	13	20	27	27	27
20-34	31	11.6	66	2	2	10	17	23	28	32
35-49	64	13.1	104	2	3	11	17	28	33	49
50-64	134	17.6	240	2	4	14	22	33	51	95
65+	384	21.3	224	4	7	18	28	42	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.1	28	<1	1	4	9	15	17	17
B. *Operated*	10	7.7	59	2	2	5	8	21	25	25
2. MULTIPLE DX										
A. *Not Operated*	826	10.9	77	2	4	9	14	20	28	52
B. *Operated*	618	19.1	215	3	5	16	24	37	52	99+
1. SINGLE DX	21	6.9	41	1	2	4	8	17	21	25
2. MULTIPLE DX	1444	14.4	153	3	4	11	19	30	40	82
A. NOT OPERATED	837	10.8	77	2	4	9	14	20	28	52
B. OPERATED	628	18.9	215	3	5	16	24	36	52	99+
TOTAL 0-19 YRS	13	7.9	59	1	2	5	12	20	26	27
20-34	57	9.3	60	1	2	7	12	21	27	33
35-49	109	10.8	83	2	2	8	14	21	30	47
50-64	253	13.4	167	2	3	10	16	27	35	79
65+	1033	15.3	158	3	5	12	20	32	42	94
GRAND TOTAL	**1465**	**14.3**	**152**	**2**	**4**	**11**	**18**	**30**	**40**	**82**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	4.0	3	2	2	4	5	7	7	9
20-34	268	4.1	4	1	2	4	5	7	8	10
35-49	93	4.3	4	2	2	4	5	7	9	11
50-64	47	4.5	3	2	2	4	6	7	7	10
65+	20	4.8	6	1	2	4	7	8	9	10
B. *Operated*										
0-19 YRS	8	5.8	4	4	4	5	6	9	10	10
20-34	10	5.9	7	3	3	5	8	10	11	11
35-49	5	9.2	10	6	6	9	11	14	14	14
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.8	8	2	2	4	6	8	10	14
20-34	677	5.0	6	2	2	4	6	8	9	14
35-49	332	6.1	13	2	2	6	7	10	12	19
50-64	362	6.9	20	3	3	6	8	11	14	24
65+	679	9.0	64	3	4	7	10	15	21	44
B. *Operated*										
0-19 YRS	27	6.7	11	2	3	6	8	11	12	16
20-34	87	7.9	28	3	4	7	9	13	15	36
35-49	73	9.0	31	3	3	8	11	17	21	28
50-64	104	11.3	58	3	5	9	13	18	28	43
65+	202	15.5	152	4	6	12	19	28	37	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	578	4.2	4	2	2	4	5	7	8	10
B. *Operated*	25	6.4	8	3	4	5	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	2357	6.5	29	2	3	5	8	11	14	28
B. *Operated*	493	11.8	95	3	4	9	14	22	29	50
1. SINGLE DX	603	4.3	4	2	2	4	5	7	8	10
2. MULTIPLE DX	2850	7.5	45	2	3	6	9	13	18	35
A. NOT OPERATED	2935	6.1	25	2	3	5	7	10	13	24
B. OPERATED	518	11.6	92	3	4	9	14	21	28	50
TOTAL 0-19 YRS	492	4.7	7	2	2	4	6	8	10	13
20-34	1042	5.0	8	2	2	4	6	8	10	15
35-49	503	6.2	16	2	2	5	8	11	13	23
50-64	515	7.5	30	3	3	6	9	13	16	31
65+	901	10.3	91	3	4	8	12	19	26	58
GRAND TOTAL	**3453**	**6.9**	**39**	**2**	**3**	**5**	**8**	**12**	**16**	**32**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.9	4	1	2	4	4	7	7	11
20-34	162	4.3	4	1	2	4	6	7	8	10
35-49	48	4.9	10	2	2	4	6	10	12	15
50-64	28	5.2	7	1	2	5	7	9	11	12
65+	15	6.2	23	<1	1	5	9	12	17	19
B. *Operated*										
0-19 YRS	6	3.5	3	1	1	4	5	5	5	5
20-34	15	4.7	5	1	2	5	6	7	9	10
35-49	11	6.7	11	2	2	8	9	10	11	11
50-64	5	11.8	66	3	3	14	17	22	22	22
65+	6	5.2	12	<1	<1	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	5.0	8	1	2	4	7	9	11	13
20-34	362	5.3	10	2	2	5	7	9	11	17
35-49	159	6.5	15	2	3	6	8	11	13	26
50-64	161	7.2	24	2	3	6	9	12	17	29
65+	279	7.8	26	3	3	7	10	13	17	24
B. *Operated*										
0-19 YRS	34	7.8	30	2	3	7	9	13	23	27
20-34	67	11.4	111	3	4	9	14	21	27	69
35-49	63	12.5	123	4	5	9	14	22	32	69
50-64	72	16.2	229	2	3	12	19	35	59	96
65+	115	17.0	209	4	6	13	21	36	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	4.4	6	1	2	4	5	7	9	12
B. *Operated*	43	6.0	18	1	2	5	8	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	1151	6.3	17	2	3	5	8	11	13	21
B. *Operated*	351	14.1	169	3	4	10	18	27	40	84
1. SINGLE DX	390	4.6	8	1	2	4	6	8	10	15
2. MULTIPLE DX	1502	8.1	63	2	3	6	9	15	21	45
A. NOT OPERATED	1498	5.9	15	2	2	5	7	10	12	21
B. OPERATED	394	13.2	159	2	4	9	17	24	37	84
TOTAL 0-19 YRS	324	5.0	10	1	2	4	6	9	11	14
20-34	606	5.7	23	2	2	5	7	10	13	22
35-49	281	7.6	45	2	3	6	9	13	17	33
50-64	266	9.5	95	2	3	7	11	19	24	67
65+	415	10.3	93	3	3	8	11	20	25	60
GRAND TOTAL	**1892**	**7.4**	**54**	**2**	**3**	**6**	**9**	**13**	**19**	**39**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.2	2	<1	<1	2	3	4	5	7
20-34	233	2.2	3	<1	1	2	3	4	5	10
35-49	362	1.9	2	<1	<1	1	2	3	5	9
50-64	193	2.1	2	1	1	2	3	4	5	7
65+	75	2.4	2	<1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	8	4.4	7	1	2	4	5	9	10	10
20-34	106	6.0	14	1	2	5	7	10	13	21
35-49	158	5.7	14	1	1	5	7	10	12	24
50-64	144	6.2	16	1	2	6	8	11	12	19
65+	67	5.9	14	1	1	5	8	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	5	1	1	3	4	6	7	11
20-34	289	2.7	4	1	1	2	3	5	7	10
35-49	424	2.8	4	1	1	2	4	5	6	10
50-64	386	3.1	5	1	1	3	4	6	8	12
65+	313	4.5	19	1	1	3	6	8	11	22
B. *Operated*										
0-19 YRS	12	5.8	11	1	2	7	8	10	11	11
20-34	133	7.9	52	1	2	6	10	16	20	49
35-49	258	8.3	41	1	2	7	10	15	22	30
50-64	318	8.8	41	2	3	8	11	16	20	33
65+	415	10.4	77	2	3	8	13	20	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	898	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	483	5.9	15	1	2	5	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	1441	3.2	8	1	1	2	4	6	8	13
B. *Operated*	1136	9.1	56	2	3	8	11	17	22	45
1. SINGLE DX	1381	3.4	10	<1	1	2	5	7	10	14
2. MULTIPLE DX	2577	5.8	38	1	1	4	8	12	16	29
A. NOT OPERATED	2339	2.8	6	1	1	2	3	5	7	11
B. OPERATED	1619	8.2	46	1	2	7	10	15	20	35
TOTAL 0-19 YRS	84	3.3	6	<1	1	3	4	7	9	11
20-34	761	3.9	18	1	1	3	5	8	11	20
35-49	1202	4.1	19	<1	1	3	5	9	12	23
50-64	1041	5.1	24	1	1	4	7	10	14	22
65+	870	7.2	55	1	1	5	9	14	20	44
GRAND TOTAL	**3958**	**5.0**	**29**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	2	<1	1	2	3	4	5	8
20-34	948	1.8	1	1	1	2	2	3	4	6
35-49	1300	1.9	2	<1	1	2	2	3	4	6
50-64	727	2.1	2	1	1	2	3	4	5	6
65+	186	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	39	5.2	12	2	2	4	7	10	12	16
20-34	461	4.3	7	1	1	4	6	8	9	13
35-49	688	4.3	9	1	1	4	6	8	10	15
50-64	515	4.7	11	1	1	4	6	9	11	17
65+	188	5.3	14	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.1	1	<1	1	2	3	4	4	6
20-34	527	2.3	2	1	1	2	3	4	6	8
35-49	813	2.3	3	1	1	2	3	4	5	8
50-64	782	2.8	4	1	1	2	3	5	6	12
65+	443	3.2	5	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	17	4.6	10	<1	<1	4	6	8	11	13
20-34	321	6.0	23	1	2	5	8	10	14	23
35-49	619	6.1	17	1	2	5	8	11	13	21
50-64	741	7.0	31	1	2	6	9	13	17	25
65+	688	8.8	49	2	2	7	11	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3261	2.0	2	1	1	2	2	3	4	6
B. *Operated*	1891	4.5	10	1	1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	2629	2.6	4	1	1	2	3	5	6	10
B. *Operated*	2386	7.1	33	1	2	6	9	13	17	29
1. SINGLE DX	5152	2.9	6	1	1	2	4	6	8	12
2. MULTIPLE DX	5015	4.8	23	1	1	3	6	10	13	23
A. NOT OPERATED	5890	2.2	3	1	1	2	3	4	5	8
B. OPERATED	4277	6.0	24	1	2	5	8	11	15	25
TOTAL 0-19 YRS	220	2.9	6	<1	1	2	4	5	8	13
20-34	2257	3.1	8	1	1	2	4	6	8	13
35-49	3420	3.2	9	1	1	3	4	7	9	14
50-64	2765	4.1	16	1	1	3	5	9	12	20
65+	1505	5.9	33	1	1	4	8	12	16	29
GRAND TOTAL	**10167**	**3.8**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.9	5	<1	1	2	4	7	8	8
20-34	24	1.8	1	1	1	2	3	3	3	3
35-49	22	2.8	7	<1	<1	2	3	5	9	13
50-64	18	2.6	5	<1	<1	2	3	5	8	10
65+	14	2.4	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	207	6.3	9	1	3	6	8	10	11	15
20-34	78	5.7	19	<1	1	5	8	10	14	21
35-49	68	5.6	17	1	1	5	8	11	15	19
50-64	76	4.9	17	<1	1	4	7	11	14	17
65+	51	3.7	9	<1	<1	2	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.2	21	<1	<1	2	6	10	14	21
20-34	68	3.8	8	1	1	3	5	7	9	15
35-49	82	3.9	21	<1	1	2	4	9	12	26
50-64	89	5.1	27	1	1	3	6	10	14	28
65+	199	6.9	32	1	2	6	9	14	19	36
B. *Operated*										
0-19 YRS	230	8.3	22	1	2	8	10	15	18	23
20-34	198	7.8	28	1	2	7	11	14	17	25
35-49	258	8.5	57	1	2	7	11	17	24	44
50-64	407	8.5	65	1	2	7	11	18	22	46
65+	556	10.0	91	1	2	8	13	20	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.5	4	<1	1	2	3	5	6	12
B. *Operated*	480	5.6	13	<1	1	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	488	5.4	27	1	1	4	7	11	15	25
B. *Operated*	1649	8.9	63	1	2	7	11	18	22	42
1. SINGLE DX	577	5.1	13	<1	1	5	7	10	12	16
2. MULTIPLE DX	2137	8.1	57	1	2	7	10	17	21	41
A. NOT OPERATED	585	4.9	24	1	1	3	6	10	14	24
B. OPERATED	2129	8.1	53	1	2	7	10	16	20	36
TOTAL 0-19 YRS	506	6.9	18	1	1	6	9	12	15	22
20-34	368	6.2	24	1	1	5	9	13	15	22
35-49	430	6.9	45	1	1	5	9	15	20	32
50-64	590	7.3	55	1	1	5	10	16	21	41
65+	820	8.7	74	1	2	7	12	18	22	46
GRAND TOTAL	**2714**	**7.4**	**49**	**1**	**1**	**6**	**10**	**15**	**20**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	24	1.8	1	<1	1	1	3	3	4	4
35-49	40	1.8	1	1	1	2	2	3	3	7
50-64	24	2.4	4	<1	1	2	3	5	7	10
65+	7	1.6	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34	19	3.1	4	<1	1	3	5	6	6	6
35-49	19	5.3	16	1	1	4	8	10	14	17
50-64	50	3.5	6	1	1	3	4	7	9	11
65+	29	2.9	6	<1	<1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	5	1	1	1	3	6	6	6
20-34	35	3.0	11	1	1	2	4	7	9	17
35-49	57	2.4	2	1	1	2	3	4	6	8
50-64	42	2.8	5	<1	1	2	3	6	7	11
65+	36	4.8	17	1	1	4	7	10	15	17
B. *Operated*										
0-19 YRS	9	6.4	37	<1	1	4	10	16	19	19
20-34	38	4.7	16	1	1	3	6	9	13	20
35-49	43	6.5	23	1	2	5	10	14	17	18
50-64	127	6.0	30	1	1	4	8	13	20	48
65+	346	7.4	46	1	2	5	9	14	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.0	2	1	1	2	2	3	4	9
B. *Operated*	117	3.6	8	<1	1	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	175	3.1	8	1	1	2	4	7	8	17
B. *Operated*	563	6.8	39	1	2	5	9	14	18	36
1. SINGLE DX	215	2.8	6	<1	1	2	3	6	8	11
2. MULTIPLE DX	738	5.9	34	1	1	4	8	13	16	33
A. NOT OPERATED	273	2.7	6	1	1	2	3	6	7	15
B. OPERATED	680	6.2	35	1	1	5	8	13	17	33
TOTAL 0-19 YRS	17	4.5	25	<1	1	2	6	12	17	19
20-34	116	3.3	10	1	1	2	4	7	9	18
35-49	159	3.7	13	1	1	2	4	8	11	17
50-64	243	4.6	20	1	1	3	6	10	14	23
65+	418	6.8	42	1	1	5	9	13	17	38
GRAND TOTAL	**953**	**5.2**	**29**	**1**	**1**	**3**	**7**	**11**	**15**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.8	5	1	1	2	4	7	8	8
20-34	12	1.8	1	<1	<1	2	3	3	4	4
35-49	15	3.7	7	1	1	3	5	8	9	10
50-64	6	3.7	3	1	1	4	5	6	6	6
65+	7	2.1	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	8	1.8	1	<1	<1	<1	2	4	4	4
20-34	36	2.3	2	<1	<1	2	3	4	5	8
35-49	43	2.5	6	<1	<1	2	3	5	6	16
50-64	45	1.9	1	<1	1	2	3	3	4	4
65+	71	2.6	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.2	4	1	1	3	4	6	7	11
20-34	54	3.3	3	1	1	3	4	6	7	9
35-49	44	3.7	4	1	2	4	5	6	8	9
50-64	73	6.3	34	1	2	5	7	12	14	36
65+	224	7.7	56	2	3	6	9	13	19	29
B. *Operated*										
0-19 YRS	27	3.4	6	<1	<1	3	5	6	8	11
20-34	70	3.9	12	<1	1	3	5	7	10	19
35-49	130	4.2	14	<1	1	3	5	9	11	17
50-64	213	5.9	49	1	1	4	7	11	14	37
65+	800	7.1	76	1	1	5	9	14	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.9	5	1	1	2	4	6	8	10
B. *Operated*	203	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	429	6.1	40	1	2	5	7	11	14	27
B. *Operated*	1240	6.3	61	1	1	4	8	13	17	41
1. SINGLE DX	259	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	1669	6.3	56	1	1	4	8	12	17	37
A. NOT OPERATED	485	5.8	37	1	2	4	7	11	14	26
B. OPERATED	1443	5.8	55	<1	1	4	7	12	16	37
TOTAL 0-19 YRS	85	3.0	5	<1	<1	3	4	6	7	11
20-34	172	3.2	7	<1	1	3	4	6	8	15
35-49	232	3.8	10	<1	1	3	5	8	10	14
50-64	337	5.4	40	1	1	3	7	11	14	35
65+	1102	6.9	69	1	1	5	8	13	19	43
GRAND TOTAL	**1928**	**5.8**	**50**	**1**	**1**	**4**	**7**	**11**	**15**	**34**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	11.0	64	3	3	11	17	19	19	19
B. *Operated*										
0-19 YRS	106	1.5	1	<1	<1	<1	1	3	4	7
20-34	88	2.3	4	<1	<1	2	3	4	6	13
35-49	66	2.2	4	<1	<1	2	2	5	6	10
50-64	58	2.5	5	<1	1	2	3	6	7	12
65+	78	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	6	4.7	8	2	2	4	5	10	10	10
50-64	9	2.8	2	<1	<1	3	4	5	5	5
65+	35	4.1	14	<1	1	3	5	8	14	17
B. *Operated*										
0-19 YRS	64	2.7	12	<1	<1	1	3	8	9	18
20-34	101	3.6	13	<1	1	2	4	8	12	16
35-49	131	3.8	11	<1	1	3	5	9	11	34
50-64	209	4.7	28	1	1	3	5	10	15	27
65+	570	5.0	24	1	1	4	6	10	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.9	44	<1	<1	2	7	17	19	19
B. *Operated*	406	2.1	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	65	3.3	10	<1	<1	3	4	5	9	17
B. *Operated*	1075	4.5	22	<1	1	3	5	9	14	26
1. SINGLE DX	414	2.2	4	<1	<1	1	3	4	6	11
2. MULTIPLE DX	1140	4.5	21	<1	1	3	5	9	14	26
A. NOT OPERATED	73	3.5	13	<1	<1	3	4	7	11	19
B. OPERATED	1481	3.9	18	<1	<1	3	5	8	11	22
TOTAL 0-19 YRS	181	1.9	6	<1	<1	<1	1	4	6	14
20-34	196	2.9	9	<1	<1	2	3	7	10	16
35-49	204	3.3	9	<1	<1	2	4	7	10	18
50-64	287	4.1	23	<1	1	3	5	9	13	23
65+	686	4.7	22	1	1	3	6	9	14	27
GRAND TOTAL	**1554**	**3.8**	**18**	**<1**	**<1**	**3**	**5**	**8**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.9	4	1	1	2	4	5	7	11
20-34	99	2.7	3	<1	1	2	4	5	6	7
35-49	62	3.4	18	<1	1	2	4	6	10	29
50-64	76	4.0	10	1	1	3	5	7	11	18
65+	109	4.1	8	1	1	3	6	7	9	14
B. *Operated*										
0-19 YRS	79	2.5	6	<1	<1	1	3	6	8	11
20-34	78	2.7	4	<1	<1	2	4	6	7	10
35-49	93	2.7	5	<1	<1	2	4	5	7	12
50-64	115	2.9	6	<1	<1	2	4	6	8	13
65+	180	3.6	7	<1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	723	4.2	9	1	1	3	5	7	10	15
20-34	591	4.6	12	1	1	4	6	8	11	19
35-49	459	5.9	18	1	2	5	7	11	14	21
50-64	996	6.9	33	2	3	6	8	12	15	26
65+	5444	9.3	63	2	3	7	11	17	23	60
B. *Operated*										
0-19 YRS	206	5.0	25	<1	<1	4	7	10	14	20
20-34	225	7.9	137	<1	1	5	9	16	27	89
35-49	311	6.9	52	<1	1	5	9	15	22	44
50-64	709	7.3	54	<1	1	5	9	16	21	49
65+	2618	11.4	146	2	2	8	14	24	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	553	3.3	7	1	1	3	4	6	7	11
B. *Operated*	545	3.0	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	8213	8.0	52	2	2	6	10	15	20	46
B. *Operated*	4069	9.8	120	1	2	7	12	21	29	74
1. SINGLE DX	1098	3.2	7	<1	<1	2	4	6	8	12
2. MULTIPLE DX	12282	8.6	76	1	2	6	10	17	23	60
A. NOT OPERATED	8766	7.7	51	2	2	6	10	14	19	45
B. OPERATED	4614	9.0	112	1	1	6	11	20	28	69
TOTAL 0-19 YRS	1215	4.0	11	<1	1	3	5	8	10	16
20-34	993	5.0	42	<1	1	4	6	9	13	32
35-49	925	5.7	30	<1	1	4	7	12	16	29
50-64	1896	6.7	40	1	1	5	8	13	17	32
65+	8351	9.8	89	2	3	7	12	19	27	67
GRAND TOTAL	**13380**	**8.2**	**72**	**1**	**2**	**6**	**10**	**16**	**22**	**55**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.8	2	<1	<1	1	3	4	4	4
65+	9	2.9	6	1	1	2	3	7	9	9
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	39	3.0	6	<1	<1	2	5	7	8	9
50-64	837	4.8	6	<1	1	5	6	8	9	13
65+	1535	5.2	6	1	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	5.3	19	1	1	4	8	11	11	11
50-64	104	3.5	14	<1	1	2	4	8	10	22
65+	340	5.4	43	1	1	4	7	12	17	73
B. *Operated*										
0-19 YRS	5	8.2	21	2	2	7	12	14	14	14
20-34	4	5.0	15	<1	<1	4	8	10	10	10
35-49	84	5.4	15	1	1	5	7	11	13	20
50-64	2568	6.1	13	2	3	5	7	10	12	20
65+	8825	7.7	32	3	4	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.4	5	<1	1	2	3	5	8	9
B. *Operated*	2415	5.0	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	453	4.9	36	<1	1	3	6	11	15	45
B. *Operated*	11486	7.3	28	2	3	6	9	12	16	26
1. SINGLE DX	2429	5.0	6	1	2	5	6	8	9	13
2. MULTIPLE DX	11939	7.2	28	2	3	6	9	12	16	27
A. NOT OPERATED	467	4.9	35	<1	1	3	6	11	15	43
B. OPERATED	13901	6.9	25	2	3	6	8	12	15	25
TOTAL 0-19 YRS	10	5.7	17	<1	1	4	7	12	14	14
20-34	8	3.8	10	<1	<1	3	5	9	10	10
35-49	128	4.6	13	<1	<1	4	6	9	13	17
50-64	3513	5.7	12	1	2	5	7	10	12	19
65+	10709	7.3	29	2	3	6	8	13	16	27
GRAND TOTAL	**14368**	**6.9**	**25**	**2**	**3**	**6**	**8**	**12**	**15**	**25**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	30	3.6	3	2	2	3	4	5	6	10
35-49	31	3.8	3	2	2	3	5	6	7	10
50-64	24	4.0	2	2	2	4	5	6	7	7
65+	9	4.0	2	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	15	2.5	8	<1	<1	1	2	8	9	10
35-49	23	1.9	2	<1	<1	1	2	5	6	6
50-64	24	3.2	5	1	1	2	4	6	9	10
65+	18	2.7	7	<1	<1	2	3	5	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	5	2	2	4	6	8	8	8
20-34	43	3.6	3	1	1	4	4	6	7	7
35-49	68	4.5	5	2	2	4	6	8	10	83
50-64	137	5.6	8	2	3	5	7	9	11	14
65+	114	5.4	14	2	2	4	6	9	10	24
B. *Operated*										
0-19 YRS	7	4.4	28	<1	<1	3	4	14	16	16
20-34	33	3.0	5	<1	<1	2	4	6	8	10
35-49	48	3.8	7	<1	<1	3	5	8	8	13
50-64	123	6.0	40	<1	1	5	7	11	15	44
65+	180	7.2	49	1	2	5	9	15	20	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.7	3	2	2	3	5	6	6	10
B. *Operated*	82	2.6	5	<1	<1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	369	5.1	9	2	2	4	6	8	10	17
B. *Operated*	391	6.0	39	<1	1	4	7	13	17	44
1. SINGLE DX	179	3.2	4	<1	<1	3	4	6	7	10
2. MULTIPLE DX	760	5.6	24	1	2	4	7	10	14	27
A. NOT OPERATED	466	4.8	8	2	2	4	6	8	10	17
B. OPERATED	473	5.4	34	<1	1	4	7	12	16	43
TOTAL 0-19 YRS	19	3.9	12	<1	1	3	4	7	12	16
20-34	121	3.3	4	<1	1	3	4	6	7	10
35-49	170	3.8	5	<1	1	3	5	7	8	12
50-64	308	5.5	21	1	2	5	7	10	12	19
65+	321	6.2	34	1	2	5	7	14	17	46
GRAND TOTAL	**939**	**5.1**	**21**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	5.7	30	2	2	3	10	12	12	12
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	110	1.4	1	<1	<1	1	2	2	3	5
20-34	78	2.3	2	<1	1	2	3	4	5	6
35-49	85	1.8	1	<1	1	1	2	3	4	7
50-64	143	2.0	1	<1	<1	2	3	3	4	5
65+	82	2.1	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.3	1	<1	<1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	5.8	68	<1	<1	2	10	18	18	18
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	4	5.0	10	2	2	4	7	9	9	9
B. *Operated*										
0-19 YRS	104	1.6	1	<1	<1	1	2	3	4	7
20-34	41	2.9	8	1	1	2	3	6	9	16
35-49	61	2.8	6	<1	1	2	3	5	7	15
50-64	158	2.8	5	1	1	2	3	6	8	11
65+	204	3.7	11	1	1	3	4	8	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.7	9	1	1	2	3	6	11	12
B. *Operated*	498	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	2.8	13	<1	<1	2	3	6	11	18
B. *Operated*	568	2.9	7	<1	1	2	3	6	8	15
1. SINGLE DX	511	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	593	2.9	8	<1	1	2	3	6	8	15
A. NOT OPERATED	38	2.8	12	<1	1	2	3	5	11	18
B. OPERATED	1066	2.4	5	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	228	1.5	1	<1	<1	1	2	2	3	6
20-34	121	2.5	4	1	1	2	3	4	6	12
35-49	151	2.3	5	<1	1	2	3	4	5	15
50-64	311	2.4	4	<1	1	2	3	4	6	10
65+	293	3.2	9	1	1	3	4	6	9	17
GRAND TOTAL	**1104**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.3	4	<1	1	3	4	6	8	9
20-34	150	3.9	5	1	2	4	5	6	8	11
35-49	78	4.8	5	2	2	5	6	8	9	10
50-64	36	4.6	5	1	2	4	6	8	9	10
65+	26	6.1	10	2	3	5	8	11	13	15
B. *Operated*										
0-19 YRS	18	2.0	1	1	1	2	3	4	4	4
20-34	31	2.7	3	1	1	2	4	5	6	8
35-49	35	3.5	7	<1	<1	3	4	8	8	13
50-64	11	4.6	6	2	2	4	7	8	9	9
65+	12	5.3	16	<1	1	4	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.3	8	1	1	3	6	9	10	11
20-34	76	5.5	21	1	2	5	7	11	13	29
35-49	84	5.3	7	1	3	5	7	8	10	15
50-64	104	6.4	10	2	3	6	8	10	12	18
65+	196	6.8	15	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	22	5.0	13	1	1	4	7	11	13	14
20-34	41	4.2	16	1	1	3	4	9	16	17
35-49	32	8.5	70	1	1	6	10	20	30	36
50-64	37	5.6	12	1	2	5	7	10	14	15
65+	99	8.2	24	1	2	8	11	15	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	4.2	6	1	2	4	6	7	9	11
B. *Operated*	107	3.3	7	1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	486	6.1	13	2	2	5	8	10	12	19
B. *Operated*	231	6.8	28	1	2	6	10	14	16	25
1. SINGLE DX	451	4.0	6	1	1	4	5	7	9	12
2. MULTIPLE DX	717	6.4	18	2	2	5	8	11	14	21
A. NOT OPERATED	830	5.4	11	1	2	5	7	9	11	15
B. OPERATED	338	5.7	24	1	1	4	8	12	15	22
TOTAL 0-19 YRS	120	3.6	7	1	1	3	4	8	9	13
20-34	298	4.2	11	1	1	4	5	7	10	17
35-49	229	5.3	17	1	2	5	7	9	11	23
50-64	188	5.8	9	2	2	5	7	10	12	15
65+	333	7.1	18	2	3	6	9	12	15	21
GRAND TOTAL	**1168**	**5.5**	**15**	**1**	**2**	**5**	**7**	**10**	**12**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	246	1.2		<1	<1	<1	1	2	2	3
20-34	67	1.2		<1	<1	1	1	2	2	3
35-49	50	1.1		<1	<1	1	1	2	2	2
50-64	25	1.2		<1	<1	1	1	2	2	2
65+	20	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.0		<1	<1	<1	1	1	1	1
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	3	6.7	30	1	1	7	11	12	12	12
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	4	1.8	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	77	1.3		<1	<1	1	1	2	3	4
20-34	45	1.2	1	<1	<1	1	1	2	3	5
35-49	63	1.8	2	<1	<1	1	2	4	5	8
50-64	95	2.1	9	<1	<1	2	2	4	5	20
65+	95	2.7	7	<1	<1	2	3	8	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*	408	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	25	1.8	6	<1	<1	<1	1	4	8	12
B. *Operated*	375	1.9	5	<1	<1	1	2	3	5	10
1. SINGLE DX	415	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	400	1.9	5	<1	<1	1	2	3	5	11
A. NOT OPERATED	32	1.7	5	<1	<1	1	1	3	7	12
B. OPERATED	783	1.6	3	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	342	1.2		<1	<1	<1	1	2	2	3
20-34	115	1.2		<1	<1	1	1	2	2	4
35-49	116	1.7	2	<1	<1	1	2	3	4	9
50-64	122	1.9	7	<1	<1	1	2	3	5	14
65+	120	2.5	6	<1	<1	2	3	5	9	11
GRAND TOTAL	**815**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**9**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.0	2	<1	1	1	2	4	5	7
20-34	16	3.8	11	<1	<1	3	5	6	12	14
35-49	6	3.8	1	2	2	4	5	5	5	5
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
0-19 YRS	484	1.5	1	<1	<1	1	2	2	3	6
20-34	222	2.1	21	<1	<1	1	2	3	4	12
35-49	155	2.2	3	<1	<1	2	3	4	5	8
50-64	159	2.9	5	<1	1	2	4	5	6	12
65+	53	2.4	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.3	8	<1	<1	2	5	6	11	13
20-34	31	4.7	10	<1	1	4	6	10	11	12
35-49	29	4.1	13	1	1	3	6	9	11	16
50-64	35	3.7	11	<1	<1	3	5	10	11	12
65+	38	7.1	45	<1	1	4	10	17	21	27
B. *Operated*										
0-19 YRS	178	1.9	3	<1	1	1	2	3	5	10
20-34	148	3.5	14	<1	1	2	5	7	10	16
35-49	189	4.3	53	<1	1	3	5	8	10	32
50-64	366	4.7	68	1	1	3	5	7	10	55
65+	229	5.0	38	1	1	3	5	9	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.7	5	<1	1	2	4	5	6	13
B. *Operated*	1073	2.0	6	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	159	4.7	20	<1	1	3	6	10	14	21
B. *Operated*	1110	4.1	43	<1	1	3	5	7	10	25
1. SINGLE DX	1143	2.0	6	<1	<1	1	2	4	5	8
2. MULTIPLE DX	1269	4.2	40	<1	1	3	5	8	11	22
A. NOT OPERATED	229	4.1	16	<1	1	3	5	10	12	20
B. OPERATED	2183	3.1	26	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	728	1.7	2	<1	<1	1	2	3	4	7
20-34	417	2.9	18	<1	<1	2	3	6	8	15
35-49	379	3.4	30	<1	<1	2	4	7	9	18
50-64	564	4.1	47	<1	1	3	4	7	10	20
65+	324	4.8	34	1	1	3	5	10	17	29
GRAND TOTAL	**2412**	**3.2**	**25**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	5	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	20	1.7	1	<1	<1	1	2	3	4	4
20-34	153	1.5	1	<1	<1	1	2	2	3	5
35-49	489	1.6	1	<1	<1	1	2	3	3	5
50-64	301	1.5	1	<1	<1	1	2	2	3	5
65+	149	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	7	5.0	42	<1	<1	3	5	16	19	19
65+	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	10	1.8	4	<1	<1	1	2	5	7	7
20-34	89	2.1	3	<1	<1	1	3	4	5	10
35-49	390	2.0	4	<1	<1	1	2	4	6	11
50-64	424	2.1	3	<1	<1	2	2	4	6	9
65+	313	2.8	28	<1	<1	2	3	4	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.2		<1	<1	1	1	2	3	3
B. *Operated*	1112	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	19	2.5	18	<1	<1	1	2	5	13	19
B. *Operated*	1226	2.3	10	<1	<1	2	2	4	6	11
1. SINGLE DX	1124	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1245	2.3	10	<1	<1	2	2	4	6	12
A. NOT OPERATED	31	2.0	11	<1	<1	1	1	4	6	19
B. OPERATED	2338	1.9	6	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	30	1.7	2	<1	<1	1	2	3	4	7
20-34	246	1.7	2	<1	<1	1	2	3	4	6
35-49	890	1.8	2	<1	<1	1	2	3	4	9
50-64	737	1.9	3	<1	<1	1	2	3	5	8
65+	466	2.4	19	<1	<1	2	2	4	5	12
GRAND TOTAL	**2369**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	4	1	2	4	6	7	7	7
20-34	27	3.4	4	1	1	3	4	7	8	9
35-49	13	3.7	2	1	2	4	4	5	6	6
50-64	8	2.9	3	1	1	3	4	5	6	6
65+	6	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	241	2.3	1	<1	1	2	3	4	4	5
20-34	466	2.4	2	1	1	2	3	4	4	6
35-49	250	2.7	5	<1	<1	2	3	5	6	13
50-64	159	2.3	2	<1	<1	2	3	4	5	6
65+	65	2.4	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	3	<1	<1	1	3	5	7	7
20-34	20	3.0	3	<1	1	3	4	5	7	8
35-49	30	2.9	11	<1	<1	2	4	6	8	17
50-64	28	2.6	4	<1	<1	2	4	6	7	7
65+	36	5.6	27	<1	<1	4	8	11	18	21
B. *Operated*										
0-19 YRS	80	3.1	6	<1	1	3	4	5	6	17
20-34	236	2.9	4	<1	1	3	3	5	7	11
35-49	297	3.0	8	<1	1	3	4	5	6	13
50-64	225	2.9	4	<1	1	3	4	5	6	11
65+	141	3.2	6	<1	1	2	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.5	4	1	1	3	5	6	7	9
B. *Operated*	1181	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	126	3.5	13	<1	<1	2	4	8	10	20
B. *Operated*	979	3.0	6	<1	1	3	4	5	6	13
1. SINGLE DX	1249	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	1105	3.0	6	<1	1	3	4	5	7	14
A. NOT OPERATED	194	3.5	10	<1	<1	3	4	7	9	19
B. OPERATED	2160	2.7	4	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	347	2.5	3	<1	1	2	3	4	5	7
20-34	749	2.6	2	1	1	2	3	4	5	9
35-49	590	2.9	6	<1	1	2	4	5	6	14
50-64	420	2.7	3	<1	<1	2	3	5	6	10
65+	248	3.3	9	<1	<1	2	4	7	9	15
GRAND TOTAL	**2354**	**2.8**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	2.1	1	1	1	2	3	4	4	6
20-34	522	2.1	2	1	1	2	3	4	5	8
35-49	114	2.5	3	1	1	2	3	4	6	10
50-64	5	1.8	3	<1	<1	1	2	5	5	5
65+	4	3.8	8	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	243	3.6	4	1	1	4	5	6	7	10
20-34	805	3.7	5	<1	1	4	5	6	7	10
35-49	222	4.4	5	<1	1	4	5	7	8	12
50-64	47	5.6	6	1	2	6	7	8	10	12
65+	16	6.8	10	2	3	6	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	2.5	2	1	1	2	3	5	6	8
20-34	324	2.5	3	<1	1	2	3	5	6	8
35-49	98	3.2	6	1	1	2	4	5	10	12
50-64	11	4.5	9	<1	<1	4	7	9	10	10
65+	10	7.2	14	2	2	7	9	12	13	13
B. *Operated*										
0-19 YRS	257	4.4	5	1	1	4	6	7	8	12
20-34	1668	4.6	7	<1	1	5	6	7	9	14
35-49	939	5.8	13	1	2	6	7	8	10	18
50-64	188	6.9	14	2	4	6	8	11	15	22
65+	125	9.4	69	4	5	7	9	14	20	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	2.2	2	1	1	2	3	4	5	8
B. *Operated*	1333	3.9	5	<1	1	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	639	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	3177	5.3	13	1	1	5	6	8	10	17
1. SINGLE DX	2257	3.2	5	<1	1	3	5	6	7	10
2. MULTIPLE DX	3816	4.9	12	1	1	5	6	8	9	16
A. NOT OPERATED	1563	2.4	3	1	1	2	3	4	5	9
B. OPERATED	4510	4.9	11	<1	1	5	6	8	9	16
TOTAL 0-19 YRS	975	3.2	4	1	1	3	4	6	7	9
20-34	3319	3.8	6	<1	1	4	5	7	8	12
35-49	1373	5.1	11	1	2	5	6	8	10	16
50-64	251	6.5	13	1	3	6	7	10	12	20
65+	155	8.9	59	3	5	7	9	14	17	57
GRAND TOTAL	**6073**	**4.2**	**10**	**1**	**1**	**4**	**6**	**7**	**9**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	495	4.1	6	1	2	4	5	7	8	12
20-34	1189	4.2	5	1	2	4	5	7	8	11
35-49	169	5.4	12	2	2	5	7	9	11	23
50-64	8	7.0	20	1	2	6	11	13	13	13
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	80	4.6	8	<1	1	4	6	9	10	12
20-34	374	4.3	10	<1	<1	4	6	8	9	15
35-49	153	4.7	10	<1	1	5	6	8	9	17
50-64	20	4.0	7	<1	<1	4	6	8	9	10
65+	4	4.3	16	<1	<1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.6	6	1	2	4	6	8	9	14
20-34	954	4.9	8	2	2	4	6	8	10	15
35-49	222	5.9	11	1	2	5	8	11	13	15
50-64	21	6.4	14	2	3	5	8	13	14	15
65+	11	6.6	14	1	2	5	9	12	13	13
B. *Operated*										
0-19 YRS	180	5.6	11	1	2	5	7	9	11	19
20-34	1691	5.2	15	<1	1	5	6	8	11	18
35-49	791	6.2	18	<1	1	6	7	11	14	20
50-64	81	9.4	65	<1	2	7	10	19	24	46
65+	38	10.9	80	2	4	9	11	19	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1862	4.3	6	1	2	4	5	7	9	12
B. *Operated*	631	4.4	10	<1	<1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1515	5.0	8	2	2	4	6	9	11	15
B. *Operated*	2781	5.7	19	<1	1	5	7	10	13	20
1. SINGLE DX	2493	4.3	7	1	1	4	5	7	9	13
2. MULTIPLE DX	4296	5.4	15	<1	1	5	7	9	12	19
A. NOT OPERATED	3377	4.6	7	2	2	4	6	8	10	14
B. OPERATED	3412	5.5	17	<1	1	5	7	9	12	20
TOTAL 0-19 YRS	1062	4.5	7	1	2	4	6	8	9	13
20-34	4208	4.7	10	<1	1	4	6	8	10	16
35-49	1335	5.9	15	<1	1	5	7	11	13	19
50-64	130	7.9	49	<1	1	6	10	14	20	42
65+	54	9.4	65	<1	2	7	10	17	24	47
GRAND TOTAL	**6789**	**5.0**	**12**	**<1**	**1**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	2	1	1	2	4	5	5	5
20-34	29	3.3	3	1	1	3	4	6	6	7
35-49	15	2.9	3	<1	1	2	4	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	21	2.3	2	<1	<1	2	3	5	5	6
20-34	315	3.4	5	<1	<1	3	5	6	7	9
35-49	207	4.9	4	<1	1	5	6	7	7	9
50-64	18	5.9	3	2	3	6	7	8	8	8
65+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	8	1	1	4	5	9	9	9
20-34	51	2.8	2	1	1	3	4	5	6	7
35-49	29	3.3	6	<1	<1	3	5	6	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.6	6	<1	<1	3	5	6	8	12
20-34	1494	4.8	5	<1	1	5	6	7	8	12
35-49	2036	5.9	5	2	4	6	7	8	9	14
50-64	225	6.7	5	4	5	6	7	9	11	16
65+	24	7.7	10	4	5	7	9	11	15	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.1	3	1	1	3	4	6	6	7
B. *Operated*	563	4.0	5	<1	<1	4	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	86	3.1	4	<1	1	3	4	6	7	10
B. *Operated*	3816	5.5	6	1	2	6	7	8	9	14
1. SINGLE DX	616	3.9	5	<1	<1	4	5	6	7	9
2. MULTIPLE DX	3902	5.4	6	1	2	6	6	8	9	14
A. NOT OPERATED	139	3.1	4	<1	1	3	4	6	6	10
B. OPERATED	4379	5.3	6	<1	1	5	6	8	8	13
TOTAL 0-19 YRS	72	3.1	5	<1	<1	2	5	6	8	11
20-34	1889	4.5	5	<1	1	5	6	7	8	11
35-49	2287	5.7	5	1	3	6	7	8	9	14
50-64	244	6.6	5	4	5	6	7	9	11	15
65+	26	7.6	10	4	5	7	9	10	14	19
GRAND TOTAL	**4518**	**5.2**	**6**	**<1**	**1**	**5**	**6**	**8**	**8**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	25	1.7	3	<1	<1	<1	1	5	6	8
35-49	36	1.6	1	<1	<1	1	2	3	4	5
50-64	11	1.3		<1	<1	<1	1	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	3.2	3	<1	1	3	4	6	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	126	3.0	8	<1	<1	2	5	7	8	14
35-49	179	3.0	6	<1	<1	1	5	6	7	11
50-64	56	2.3	5	<1	<1	2	2	6	6	14
65+	13	4.8	19	<1	<1	4	7	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	18	<1	<1	3	7	7	7	7
B. *Operated*	77	1.6	2	<1	<1	<1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	20	2.7	3	<1	1	2	3	5	6	7
B. *Operated*	377	3.0	7	<1	<1	2	5	6	7	13
1. SINGLE DX	79	1.6	2	<1	<1	<1	2	3	5	8
2. MULTIPLE DX	397	2.9	7	<1	<1	2	5	6	7	13
A. NOT OPERATED	22	2.8	3	<1	1	2	3	6	7	7
B. OPERATED	454	2.7	6	<1	<1	1	4	6	7	13
TOTAL 0-19 YRS	7	2.6	3	<1	<1	3	4	5	5	5
20-34	164	2.8	7	<1	<1	2	4	6	8	13
35-49	218	2.7	5	<1	<1	1	5	6	7	11
50-64	70	2.1	4	<1	<1	1	2	5	6	13
65+	17	4.1	16	<1	<1	2	6	11	13	14
GRAND TOTAL	**476**	**2.7**	**6**	**<1**	**<1**	**1**	**4**	**6**	**7**	**13**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	4	1	2	3	5	6	8	9
20-34	49	3.4	6	<1	1	3	4	6	9	13
35-49	23	3.7	4	<1	1	3	5	7	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	3	7
20-34	302	1.6	1	<1	<1	1	2	3	4	6
35-49	140	1.5	1	<1	<1	1	2	3	3	5
50-64	30	2.5	10	<1	<1	1	2	6	11	15
65+	6	3.2	7	<1	<1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	3	<1	1	4	5	6	7	7
20-34	60	4.2	4	<1	1	4	6	7	7	8
35-49	30	4.3	3	1	2	4	6	7	7	8
50-64	11	4.8	11	<1	1	4	7	10	11	11
65+	20	9.5	148	1	1	7	11	16	37	57
B. *Operated*										
0-19 YRS	28	2.1	2	1	1	2	3	5	6	6
20-34	123	3.0	13	<1	<1	2	4	6	9	19
35-49	115	3.1	7	<1	<1	2	5	7	8	12
50-64	45	4.6	28	<1	<1	3	5	8	19	27
65+	46	9.6	102	1	1	6	13	26	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.6	5	1	1	3	5	6	8	11
B. *Operated*	518	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	144	4.9	27	1	1	4	6	7	10	19
B. *Operated*	357	4.0	28	<1	<1	2	5	8	13	33
1. SINGLE DX	620	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	501	4.3	28	<1	1	3	5	8	13	31
A. NOT OPERATED	246	4.4	18	1	1	4	5	7	9	16
B. OPERATED	875	2.6	14	<1	<1	1	3	6	8	22
TOTAL 0-19 YRS	118	2.6	3	<1	1	2	4	5	6	8
20-34	534	2.4	5	<1	<1	1	3	5	6	10
35-49	308	2.5	5	<1	<1	2	3	6	7	9
50-64	87	3.9	20	<1	<1	2	5	8	12	24
65+	74	8.9	106	1	1	6	12	23	34	89
GRAND TOTAL	**1121**	**3.0**	**15**	**<1**	**<1**	**2**	**4**	**6**	**8**	**19**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	3.3	4	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	64	4.7	5	2	2	4	5	7	9	13
35-49	212	5.5	4	2	3	5	7	7	8	12
50-64	513	5.9	4	3	4	6	7	8	9	12
65+	489	6.2	5	3	4	6	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	23	1.7	4	<1	<1	1	1	3	8	8
50-64	24	1.5	1	<1	<1	1	2	2	4	6
65+	55	3.9	28	<1	<1	2	5	9	12	28
B. *Operated*										
0-19 YRS	5	5.6		5	5	6	6	6	6	6
20-34	334	5.4	4	3	3	5	6	8	9	12
35-49	1112	6.2	5	3	4	6	7	8	10	15
50-64	1337	6.6	7	4	4	6	8	9	11	15
65+	1703	7.4	13	4	4	7	8	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	3	1	1	2	3	6	6	6
B. *Operated*	1281	5.9	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	105	2.8	17	<1	<1	1	3	6	9	27
B. *Operated*	4491	6.7	9	4	4	6	8	9	11	17
1. SINGLE DX	1287	5.9	4	3	4	6	7	8	9	12
2. MULTIPLE DX	4596	6.6	9	3	4	6	8	9	11	17
A. NOT OPERATED	111	2.8	16	<1	<1	1	3	6	9	27
B. OPERATED	5772	6.5	8	3	4	6	7	9	11	17
TOTAL 0-19 YRS	8	5.4	3	2	3	5	6	7	8	8
20-34	401	5.3	4	2	3	5	6	8	9	12
35-49	1348	6.0	5	3	4	6	7	8	10	15
50-64	1875	6.4	6	3	4	6	7	9	10	14
65+	2251	7.0	12	3	4	7	8	10	12	20
GRAND TOTAL	**5883**	**6.5**	**8**	**3**	**4**	**6**	**7**	**9**	**11**	**17**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	1.5	2	<1	<1	1	1	3	5	6
35-49	21	2.4	4	<1	<1	1	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.5		1	1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	40	2.2	4	<1	<1	1	2	5	6	9
35-49	85	3.0	6	<1	<1	2	5	7	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	40	2.0	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	10	1.4		<1	<1	1	2	2	2	2
B. *Operated*	126	2.7	6	<1	<1	1	4	6	7	10
1. SINGLE DX	43	1.9	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX	136	2.6	5	<1	<1	1	4	6	7	10
A. NOT OPERATED	13	1.3		<1	<1	1	2	2	2	2
B. OPERATED	166	2.5	5	<1	<1	1	4	6	7	9
TOTAL 0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	64	1.9	3	<1	<1	1	2	5	6	9
35-49	111	2.8	6	<1	<1	1	5	6	7	10
50-64										
65+										
GRAND TOTAL	**179**	**2.4**	**5**	**<1**	**<1**	**1**	**4**	**6**	**7**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	1	<1	1	2	2	3	3	4
20-34	65	1.4	1	<1	<1	1	2	2	3	4
35-49	35	1.8	2	<1	<1	1	2	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	43	1.2		<1	<1	1	1	2	2	3
20-34	539	1.7	2	<1	<1	1	2	4	6	7
35-49	784	1.7	2	<1	<1	<1	1	4	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	3	<1	1	2	4	5	6	8
20-34	91	2.3	7	<1	<1	2	2	4	6	17
35-49	113	2.2	5	<1	<1	1	2	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	50	2.1	3	<1	<1	1	3	5	6	99
20-34	1009	3.2	6	<1	<1	2	5	6	7	10
35-49	2619	3.6	8	<1	<1	3	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	1366	1.7	2	<1	<1	1	1	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	252	2.3	5	<1	<1	2	3	5	7	9
B. *Operated*	3678	3.5	7	<1	<1	2	6	7	8	10
1. SINGLE DX	1505	1.7	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX	3930	3.4	7	<1	<1	2	6	7	8	10
A. NOT OPERATED	391	2.0	4	<1	<1	1	2	4	5	9
B. OPERATED	5044	3.0	7	<1	<1	2	5	6	7	10
TOTAL 0-19 YRS	180	1.9	2	<1	<1	1	2	4	5	9
20-34	1704	2.6	5	<1	<1	1	4	6	7	9
35-49	3551	3.1	7	<1	<1	2	5	7	7	10
50-64										
65+										
GRAND TOTAL	**5435**	**2.9**	**6**	**<1**	**<1**	**2**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	68	1.2	1	<1	<1	<1	1	2	2	6
50-64	218	1.3	1	<1	<1	<1	1	2	2	6
65+	78	1.5	2	<1	<1	1	2	2	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	2.1	4	<1	<1	1	2	6	6	6
50-64	23	2.0	4	<1	<1	1	2	4	7	9
65+	25	5.0	25	<1	<1	3	7	13	17	18
B. *Operated*										
0-19 YRS										
20-34	8	3.1	2	<1	1	3	4	5	5	5
35-49	141	2.5	6	<1	<1	1	3	6	7	16
50-64	588	2.3	8	<1	<1	1	2	6	7	14
65+	339	3.1	13	<1	<1	2	3	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	365	1.3	1	<1	<1	1	1	2	2	7
2. MULTIPLE DX										
A. *Not Operated*	59	3.3	15	<1	<1	1	5	7	12	18
B. *Operated*	1076	2.6	10	<1	<1	1	2	6	7	16
1. SINGLE DX	377	1.4	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX	1135	2.6	10	<1	<1	1	2	6	8	17
A. NOT OPERATED	71	3.0	13	<1	<1	1	3	7	11	18
B. OPERATED	1441	2.3	8	<1	<1	1	2	5	7	15
TOTAL 0-19 YRS										
20-34	10	2.7	2	<1	<1	3	4	5	5	5
35-49	221	2.0	5	<1	<1	1	2	5	6	10
50-64	834	2.0	6	<1	<1	1	2	5	7	11
65+	447	2.9	12	<1	<1	2	3	6	9	20
GRAND TOTAL	**1512**	**2.3**	**8**	**<1**	**<1**	**1**	**2**	**6**	**7**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.3	2	<1	<1	2	3	5	5	6
20-34	44	2.2	3	<1	1	2	3	4	5	10
35-49	19	2.4	2	<1	1	2	3	5	6	6
50-64	4	3.0	16	1	1	1	5	9	9	9
65+										
B. *Operated*										
0-19 YRS	64	3.1	6	<1	<1	2	4	7	9	10
20-34	505	2.4	4	<1	<1	1	3	5	6	8
35-49	344	2.5	4	<1	<1	1	4	6	7	9
50-64	157	3.0	8	<1	<1	2	5	7	9	14
65+	45	2.6	4	<1	<1	1	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.4	12	1	1	3	4	5	12	15
20-34	70	2.7	4	<1	<1	2	3	6	7	10
35-49	50	3.3	11	<1	<1	2	4	8	9	17
50-64	20	3.0	6	<1	<1	2	5	7	8	8
65+	58	7.1	36	1	1	6	10	15	25	94
B. *Operated*										
0-19 YRS	76	4.3	21	<1	1	4	5	6	11	31
20-34	786	3.4	8	<1	<1	2	5	6	8	13
35-49	1285	4.1	11	<1	<1	4	6	7	9	16
50-64	716	4.6	24	<1	<1	4	6	8	11	20
65+	413	7.0	66	<1	1	5	8	16	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.3	3	<1	1	2	3	5	5	10
B. *Operated*	1115	2.5	5	<1	<1	1	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	213	4.1	18	<1	<1	3	6	9	13	27
B. *Operated*	3276	4.4	22	<1	<1	4	6	8	11	23
1. SINGLE DX	1212	2.5	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX	3489	4.4	21	<1	<1	4	6	8	11	23
A. NOT OPERATED	310	3.5	14	<1	1	2	4	8	11	24
B. OPERATED	4391	3.9	18	<1	<1	3	6	7	10	20
TOTAL 0-19 YRS	185	3.5	13	<1	<1	3	4	6	9	17
20-34	1405	3.0	6	<1	<1	2	5	6	7	12
35-49	1698	3.8	10	<1	<1	3	6	7	9	14
50-64	897	4.3	21	<1	<1	3	6	8	10	19
65+	516	6.6	59	<1	1	4	8	15	23	41
GRAND TOTAL	**4701**	**3.9**	**18**	**<1**	**<1**	**2**	**6**	**7**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	1.6	1	<1	1	1	2	3	3	4
20-34	123	1.9	2	<1	1	1	2	4	5	8
35-49	27	2.7	3	<1	1	2	3	5	7	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	41	1.8	1	<1	<1	1	2	3	5	6
20-34	424	2.6	4	<1	<1	2	4	6	6	8
35-49	290	4.3	6	<1	<1	4	6	7	8	10
50-64	155	5.9	5	3	3	6	7	9	9	11
65+	67	6.3	8	2	3	6	8	10	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.1	2	<1	1	2	3	4	5	6
20-34	185	2.0	3	<1	<1	1	2	3	5	9
35-49	52	2.8	6	<1	<1	2	3	5	8	13
50-64	12	3.0	5	<1	<1	2	5	6	7	7
65+	15	5.3	72	<1	1	2	5	14	28	33
B. *Operated*										
0-19 YRS	39	2.8	11	<1	<1	1	3	7	10	16
20-34	1121	3.6	6	<1	<1	4	5	6	7	10
35-49	749	5.2	8	<1	1	5	7	8	9	13
50-64	296	6.8	16	2	4	6	8	10	11	22
65+	207	7.2	14	3	3	6	9	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	977	3.9	7	<1	<1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	338	2.3	6	<1	<1	2	3	4	6	12
B. *Operated*	2412	4.8	10	<1	<1	5	6	8	9	15
1. SINGLE DX	1261	3.4	6	<1	<1	3	5	7	8	10
2. MULTIPLE DX	2750	4.5	10	<1	<1	5	6	8	9	14
A. NOT OPERATED	622	2.1	4	<1	<1	1	2	4	5	9
B. OPERATED	3389	4.5	9	<1	<1	5	6	8	9	14
TOTAL 0-19 YRS	286	1.9	3	<1	<1	1	2	3	5	7
20-34	1853	3.1	5	<1	<1	2	5	6	7	10
35-49	1118	4.8	8	<1	<1	5	6	8	9	13
50-64	464	6.4	13	2	3	6	8	9	10	18
65+	290	6.9	16	2	3	6	8	11	14	21
GRAND TOTAL	**4011**	**4.2**	**9**	**<1**	**<1**	**4**	**6**	**8**	**9**	**13**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	3	3	3
20-34	44	2.2	3	<1	1	1	3	4	7	8
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	83	4.0	2	1	2	4	5	6	6	7
20-34	1283	4.4	2	2	3	4	5	6	7	9
35-49	172	4.6	2	2	3	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	22	2.0	1	<1	<1	2	3	3	4	4
35-49	7	2.0	4	<1	<1	1	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	76	5.0	2	3	3	5	6	6	7	11
20-34	1325	4.8	3	3	3	5	5	6	7	11
35-49	267	5.0	3	3	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.1	3	<1	1	1	3	4	6	8
B. *Operated*	1538	4.4	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	32	1.9	1	<1	<1	2	3	4	4	6
B. *Operated*	1668	4.8	3	3	3	5	6	6	7	11
1. SINGLE DX	1592	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX	1700	4.8	3	2	3	5	5	6	7	11
A. NOT OPERATED	86	2.0	2	<1	<1	1	3	4	5	8
B. OPERATED	3206	4.6	2	2	3	5	5	6	7	10
TOTAL 0-19 YRS	168	4.3	2	1	2	4	5	6	7	8
20-34	2674	4.5	3	2	3	4	5	6	7	10
35-49	450	4.8	3	2	3	5	6	7	7	10
50-64										
65+										
GRAND TOTAL	**3292**	**4.5**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	1	<1	1	1	2	3	4	5
20-34	38	1.8	1	<1	<1	2	2	3	4	5
35-49	9	1.9	4	1	1	1	2	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	403	1.5	2	<1	<1	1	2	2	3	5
20-34	1189	1.3		<1	<1	<1	1	2	2	4
35-49	184	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	2	<1	<1	1	3	4	4	4
20-34	37	1.6	1	<1	<1	1	2	3	4	4
35-49	27	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	648	1.2	2	<1	<1	<1	<1	<1	2	6
20-34	1804	1.3	1	<1	<1	<1	<1	2	3	7
35-49	297	1.6	2	<1	<1	<1	2	3	4	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.8	1	<1	1	1	2	3	4	7
B. *Operated*	1776	1.3	1	<1	<1	<1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	72	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	2749	1.3	2	<1	<1	<1	<1	2	3	7
1. SINGLE DX	1838	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	2821	1.3	2	<1	<1	<1	<1	2	3	7
A. NOT OPERATED	134	1.7	1	<1	<1	1	2	3	4	6
B. OPERATED	4525	1.3	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	1074	1.3	2	<1	<1	<1	1	2	2	6
20-34	3068	1.3	1	<1	<1	<1	1	2	3	6
35-49	517	1.5	1	<1	<1	<1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**4659**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
1. SINGLE DX	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	1	5.0		5	5	5	5	5	5	5
A. NOT OPERATED	2	4.0	2	3	3	4	5	5	5	5
B. OPERATED	1	3.0		3	3	3	3	3	3	3
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	1.3		<1	<1	1	1	2	3	4
20-34	463	1.4	1	<1	<1	1	2	2	3	4
35-49	59	1.4	1	<1	<1	1	2	2	3	6
50-64										
65+										
B. *Operated*										
0-19 YRS	855	1.3		<1	<1	1	1	2	3	4
20-34	6359	1.2	1	<1	<1	1	1	2	2	4
35-49	1248	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	3	<1	<1	1	2	4	6	10
20-34	113	1.9	2	<1	<1	1	2	4	5	7
35-49	18	2.5	6	<1	1	1	3	5	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	125	1.9	3	<1	<1	1	2	4	6	9
20-34	1057	1.8	4	<1	<1	1	2	3	5	9
35-49	346	1.6	1	<1	<1	1	2	3	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	1.4	1	<1	<1	1	1	2	3	4
B. *Operated*	8462	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	164	2.0	3	<1	<1	1	2	4	5	10
B. *Operated*	1528	1.7	3	<1	<1	1	2	3	5	9
1. SINGLE DX	9099	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1692	1.8	3	<1	<1	1	2	3	5	9
A. NOT OPERATED	801	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	9990	1.3	1	<1	<1	1	1	2	2	5
TOTAL 0-19 YRS	1128	1.4	1	<1	<1	1	1	2	3	5
20-34	7992	1.3	1	<1	<1	1	1	2	3	5
35-49	1671	1.3	1	<1	<1	1	1	2	2	5
50-64										
65+										
GRAND TOTAL	**10791**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.5	2	<1	1	2	4	4	5	5
20-34	215	2.4	3	<1	<1	2	3	5	6	8
35-49	24	1.8	2	<1	<1	1	2	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	115	1.6	2	<1	<1	1	2	3	4	7
20-34	1228	1.3	1	<1	<1	1	1	2	3	5
35-49	214	1.2	1	<1	<1	1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	3	1	1	3	4	6	7	7
20-34	87	3.3	7	1	1	3	5	7	8	15
35-49	14	2.8	4	<1	<1	2	5	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.4	26	1	1	2	4	6	7	36
20-34	364	2.3	7	<1	<1	1	2	5	6	15
35-49	86	2.0	6	<1	<1	1	2	4	5	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	1557	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	119	3.2	6	1	1	3	4	6	8	12
B. *Operated*	499	2.4	9	<1	<1	1	2	5	6	16
1. SINGLE DX	1841	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	618	2.5	9	<1	<1	1	3	5	7	16
A. NOT OPERATED	403	2.6	4	<1	1	2	4	5	6	9
B. OPERATED	2056	1.6	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	227	2.3	7	<1	<1	2	3	4	6	8
20-34	1894	1.7	3	<1	<1	1	2	3	5	8
35-49	338	1.5	2	<1	<1	1	1	3	4	7
50-64										
65+										
GRAND TOTAL	**2459**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	1.5	1	<1	1	1	2	3	3	6
20-34	703	1.8	1	<1	<1	1	2	3	4	6
35-49	63	1.9	2	<1	<1	1	2	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	18	1.5	1	<1	1	1	2	3	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.7	1	<1	<1	1	2	3	4	4
20-34	166	2.4	4	<1	1	2	3	5	5	12
35-49	30	2.8	6	1	1	2	3	7	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	13	2.4	3	<1	<1	2	3	5	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	875	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	22	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	225	2.4	4	<1	1	2	3	5	6	10
B. *Operated*	16	2.4	3	<1	<1	2	4	5	6	6
1. SINGLE DX	897	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	241	2.4	4	<1	1	2	3	5	6	10
A. NOT OPERATED	1100	1.9	2	<1	1	1	2	4	4	7
B. OPERATED	38	1.9	2	<1	<1	1	2	5	5	6
TOTAL 0-19 YRS	143	1.6	1	<1	1	1	2	3	4	5
20-34	900	1.9	2	<1	<1	1	2	4	4	7
35-49	95	2.2	3	<1	1	2	2	4	6	10
50-64										
65+										
GRAND TOTAL	**1138**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**4**	**4**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.2		<1	<1	1	1	2	2	2
20-34	77	2.1	4	<1	<1	1	2	3	4	14
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	24	2.5	8	<1	1	2	3	5	9	14
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	1.9	3	<1	<1	1	2	3	4	13
B. *Operated*	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	32	2.4	6	<1	<1	2	3	5	7	14
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	97	1.9	3	<1	<1	1	2	3	4	13
2. MULTIPLE DX	33	2.5	6	<1	1	2	3	4	7	14
A. NOT OPERATED	127	2.0	4	<1	<1	1	2	4	5	14
B. OPERATED	3	2.7	2	<1	<1	3	4	4	4	4
TOTAL 0-19 YRS	17	1.3		<1	<1	1	1	2	3	3
20-34	104	2.2	5	<1	<1	2	2	4	5	14
35-49	9	2.0	2	<1	<1	2	2	4	5	5
50-64										
65+										
GRAND TOTAL	**130**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**4**	**14**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.8	7	<1	<1	2	3	5	9	18
20-34	860	2.7	3	<1	1	2	3	5	6	10
35-49	97	3.5	8	1	1	3	4	7	9	15
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.1	13	1	1	2	5	11	12	12
20-34	110	3.0	6	<1	<1	2	3	5	7	14
35-49	14	2.2	1	<1	<1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.1	7	<1	1	2	4	6	10	12
20-34	289	3.5	15	<1	1	3	4	7	9	14
35-49	54	4.4	11	<1	1	3	5	10	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.7	7	<1	<1	3	5	8	8	8
20-34	95	3.3	9	<1	<1	2	4	8	11	12
35-49	10	4.3	23	<1	<1	2	8	12	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	2.8	4	<1	1	2	3	5	7	11
B. *Operated*	138	3.0	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	380	3.6	13	<1	1	3	4	7	9	14
B. *Operated*	115	3.4	10	<1	<1	2	5	8	11	13
1. SINGLE DX	1223	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	495	3.6	13	<1	<1	3	4	7	10	14
A. NOT OPERATED	1465	3.0	7	<1	1	2	4	5	7	12
B. OPERATED	253	3.2	8	<1	<1	2	4	7	9	12
TOTAL 0-19 YRS	189	3.0	8	<1	<1	2	3	5	9	16
20-34	1354	3.0	6	<1	1	2	3	5	7	12
35-49	175	3.7	9	<1	1	3	5	8	10	16
50-64										
65+										
GRAND TOTAL	**1718**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**5**	**8**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	2.8	3	1	1	2	3	5	6	9
20-34	1296	3.7	6	1	2	3	4	6	8	13
35-49	61	5.3	22	1	2	4	6	8	14	30
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	8.7	225	<1	<1	2	6	36	39	39
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	3.2	5	1	1	3	4	6	6	13
20-34	578	4.2	17	1	1	3	5	8	10	22
35-49	43	4.2	6	1	2	4	5	6	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	6	1	1	4	6	8	8	8
20-34	16	13.5	182	3	3	8	15	39	47	50
35-49	4	9.8	172	1	1	4	18	29	29	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1546	3.7	6	1	2	3	4	6	8	13
B. *Operated*	7	8.1	189	<1	<1	4	6	32	39	39
2. MULTIPLE DX										
A. *Not Operated*	694	4.1	15	1	1	3	5	7	10	18
B. *Operated*	27	10.5	143	1	2	7	13	27	42	50
1. SINGLE DX	1553	3.7	7	1	2	3	4	6	8	13
2. MULTIPLE DX	721	4.4	21	1	1	3	5	8	11	26
A. NOT OPERATED	2240	3.8	9	1	2	3	4	7	8	15
B. OPERATED	34	10.0	148	<1	1	6	12	30	41	50
TOTAL 0-19 YRS	270	2.9	3	1	1	2	4	5	6	10
20-34	1896	4.0	12	1	2	3	5	7	9	17
35-49	108	5.0	21	1	2	4	6	8	12	30
50-64										
65+										
GRAND TOTAL	**2274**	**3.9**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**17**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	834	1.0		<1	<1	<1	1	1	1	2
20-34	3497	1.1		<1	<1	<1	1	1	1	3
35-49	225	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	59	1.1	1	<1	<1	<1	1	1	1	6
20-34	390	1.1		<1	<1	<1	1	1	1	4
35-49	25	1.0		<1	<1	<1	<1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	4	<1	<1	1	1	2	4	14
20-34	379	1.4	3	<1	<1	1	1	2	3	7
35-49	30	1.1		<1	<1	<1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	2	<1	<1	2	4	4	4	4
20-34	40	1.3		<1	<1	1	2	2	2	3
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4556	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	474	1.1		<1	<1	<1	1	1	1	4
2. MULTIPLE DX										
A. *Not Operated*	467	1.4	3	<1	<1	1	1	2	3	7
B. *Operated*	51	1.5	1	<1	<1	1	2	2	4	4
1. SINGLE DX	5030	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	518	1.4	2	<1	<1	1	1	2	3	7
A. NOT OPERATED	5023	1.1		<1	<1	<1	1	1	2	3
B. OPERATED	525	1.1		<1	<1	<1	1	1	2	4
TOTAL 0-19 YRS	958	1.1		<1	<1	<1	1	1	1	4
20-34	4306	1.1		<1	<1	<1	1	1	2	3
35-49	284	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
GRAND TOTAL	**5548**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**3**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	5	<1	<1	2	6	6	6	6
20-34	328	3.5	21	<1	1	2	4	7	10	25
35-49	37	4.4	18	<1	1	3	5	10	15	18
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	16	3.8	14	<1	<1	3	5	8	13	15
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.1	174	<1	1	4	5	10	43	54
20-34	91	5.4	72	1	1	3	5	9	29	42
35-49	18	4.8	42	<1	<1	3	5	8	21	29
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	4.5	27	<1	<1	3	4	13	17	17
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	3.5	20	<1	1	2	4	7	10	22
B. *Operated*	21	3.3	11	<1	<1	2	4	7	11	15
2. MULTIPLE DX										
A. *Not Operated*	124	5.5	78	<1	1	3	5	8	29	49
B. *Operated*	12	4.2	20	<1	<1	3	5	9	16	17
1. SINGLE DX	400	3.5	20	<1	1	2	4	7	10	22
2. MULTIPLE DX	136	5.4	73	<1	1	3	5	8	29	48
A. NOT OPERATED	503	4.0	35	<1	1	2	4	7	11	33
B. OPERATED	33	3.6	14	<1	<1	3	4	7	14	17
TOTAL 0-19 YRS	32	5.0	85	<1	1	3	5	7	10	54
20-34	443	3.9	32	<1	1	2	4	7	11	33
35-49	61	4.3	24	<1	<1	3	5	9	14	28
50-64										
65+										
GRAND TOTAL	**536**	**4.0**	**34**	**<1**	**1**	**2**	**4**	**7**	**11**	**33**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.7	2	<1	<1	1	2	3	5	7
20-34	473	2.4	18	<1	<1	1	2	4	5	19
35-49	38	1.8	3	<1	<1	1	2	3	4	12
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.2		<1	<1	1	1	2	3	3
20-34	44	2.8	11	<1	<1	2	3	5	10	17
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.7	1	<1	<1	1	2	3	4	6
20-34	138	3.2	18	<1	<1	2	3	6	8	27
35-49	18	3.0	7	<1	<1	2	4	6	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	15	3.0	5	<1	<1	3	5	6	7	8
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	2.2	15	<1	<1	1	2	4	5	17
B. *Operated*	56	2.7	12	<1	<1	1	3	5	12	17
2. MULTIPLE DX										
A. *Not Operated*	182	2.9	15	<1	<1	2	3	6	7	22
B. *Operated*	18	3.1	5	<1	<1	2	5	7	8	8
1. SINGLE DX	643	2.3	14	<1	<1	1	2	4	5	17
2. MULTIPLE DX	200	2.9	14	<1	<1	2	3	6	7	21
A. NOT OPERATED	769	2.4	15	<1	<1	1	3	4	6	17
B. OPERATED	74	2.8	10	<1	<1	2	3	6	9	17
TOTAL 0-19 YRS	113	1.6	1	<1	<1	1	2	3	5	7
20-34	670	2.6	17	<1	<1	1	3	4	7	19
35-49	60	2.5	8	<1	<1	1	3	5	9	15
50-64										
65+										
GRAND TOTAL	**843**	**2.4**	**14**	**<1**	**<1**	**1**	**3**	**4**	**6**	**17**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.7	4	<1	<1	2	4	6	7	8
20-34	306	3.0	3	<1	1	3	4	5	7	9
35-49	11	2.7	2	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	4	<1	<1	1	4	6	6	6
20-34	24	2.7	4	<1	<1	2	4	6	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	280	3.0	3	<1	<1	3	4	6	6	8
20-34	678	3.0	4	<1	<1	3	4	5	6	10
35-49	14	3.4	5	<1	<1	3	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.9	7	<1	<1	3	6	8	8	8
20-34	46	3.8	5	1	1	3	5	6	9	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	2.9	3	<1	<1	3	4	6	7	9
B. *Operated*	31	2.6	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	972	3.0	4	<1	<1	3	4	5	6	10
B. *Operated*	58	3.9	5	<1	1	3	5	7	9	10
1. SINGLE DX	470	2.9	3	<1	<1	2	4	6	7	9
2. MULTIPLE DX	1030	3.1	4	<1	<1	3	4	6	7	10
A. NOT OPERATED	1411	3.0	4	<1	<1	3	4	6	6	9
B. OPERATED	89	3.4	5	<1	<1	3	5	7	7	10
TOTAL 0-19 YRS	419	2.9	4	<1	<1	3	4	6	7	8
20-34	1054	3.0	4	<1	<1	3	4	5	7	10
35-49	27	3.1	4	<1	<1	3	5	5	6	7
50-64										
65+										
GRAND TOTAL	**1500**	**3.0**	**4**	**<1**	**<1**	**3**	**4**	**6**	**7**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.2	7	<1	<1	2	4	7	10	11
20-34	506	3.3	6	<1	1	3	4	6	8	13
35-49	113	4.6	25	1	1	3	5	8	11	30
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	38	3.6	6	<1	1	3	5	7	9	10
35-49	7	3.0	5	1	1	2	3	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	2.4	7	<1	<1	2	3	5	5	12
20-34	1664	3.1	9	<1	<1	2	4	6	8	15
35-49	182	3.8	18	<1	<1	3	5	8	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.7	26	<1	1	2	4	7	13	29
20-34	189	4.6	27	<1	1	3	6	8	10	29
35-49	28	4.1	14	<1	1	3	6	10	12	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	692	3.5	9	<1	1	3	4	6	8	15
B. *Operated*	49	3.3	6	<1	<1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	2172	3.1	9	<1	<1	2	4	6	8	14
B. *Operated*	254	4.4	25	<1	1	3	6	8	11	29
1. SINGLE DX	741	3.5	9	<1	1	3	4	6	8	14
2. MULTIPLE DX	2426	3.2	11	<1	<1	2	4	6	9	15
A. NOT OPERATED	2864	3.2	9	<1	<1	2	4	6	8	14
B. OPERATED	303	4.2	22	<1	1	3	6	8	10	28
TOTAL 0-19 YRS	440	2.6	8	<1	<1	2	3	5	6	13
20-34	2397	3.3	10	<1	<1	2	4	6	8	15
35-49	330	4.1	20	<1	1	3	5	8	11	27
50-64										
65+										
GRAND TOTAL	**3167**	**3.3**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	587	2.1	8	<1	<1	1	2	4	6	10
20-34	2645	2.2	10	<1	<1	1	2	4	6	13
35-49	221	2.3	5	<1	<1	1	3	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	127	2.5	8	<1	<1	1	3	5	7	15
20-34	962	2.2	6	<1	<1	1	3	4	6	11
35-49	123	2.4	5	<1	<1	2	3	4	6	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	2.9	13	<1	<1	2	3	6	8	20
20-34	1616	3.4	30	<1	<1	2	4	6	10	26
35-49	143	5.2	77	<1	<1	3	5	10	17	54
50-64										
65+										
B. *Operated*										
0-19 YRS	67	2.7	5	<1	<1	1	4	6	7	10
20-34	606	3.3	19	<1	<1	2	4	7	11	22
35-49	79	4.7	54	<1	<1	3	5	8	13	47
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3453	2.2	10	<1	<1	1	2	4	6	13
B. *Operated*	1212	2.2	6	<1	<1	1	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2043	3.4	31	<1	<1	2	4	7	11	27
B. *Operated*	752	3.4	21	<1	<1	2	4	7	10	22
1. SINGLE DX	4665	2.2	9	<1	<1	1	2	4	6	13
2. MULTIPLE DX	2795	3.4	28	<1	<1	2	4	7	10	25
A. NOT OPERATED	5496	2.6	18	<1	<1	1	3	5	8	19
B. OPERATED	1964	2.7	12	<1	<1	1	3	5	7	17
TOTAL 0-19 YRS	1065	2.4	9	<1	<1	1	3	5	7	14
20-34	5829	2.6	16	<1	<1	1	3	5	7	19
35-49	566	3.4	31	<1	<1	2	4	7	9	37
50-64										
65+										
GRAND TOTAL	**7460**	**2.6**	**16**	**<1**	**<1**	**1**	**3**	**5**	**7**	**19**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.9	1	2	2	3	3	4	4	7
20-34	579	2.8	1	2	2	3	3	4	4	5
35-49	66	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	38	4.4	23	2	3	3	4	5	9	32
20-34	367	3.8	8	2	2	3	4	5	7	13
35-49	48	4.1	7	2	2	3	5	6	7	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	3.1	1	2	2	3	3	4	5	7
20-34	827	3.1	2	2	2	3	3	4	5	8
35-49	65	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	127	4.6	10	2	2	4	5	7	9	17
20-34	1474	4.9	23	2	2	4	5	7	9	28
35-49	245	5.4	32	2	2	5	6	8	11	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	718	2.8	1	2	2	3	3	4	4	5
B. *Operated*	453	3.9	9	2	2	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	991	3.1	1	2	2	3	3	4	5	8
B. *Operated*	1846	5.0	23	2	2	4	5	7	9	27
1. SINGLE DX	1171	3.2	4	2	2	3	3	4	5	9
2. MULTIPLE DX	2837	4.3	17	2	2	3	5	6	8	21
A. NOT OPERATED	1709	3.0	1	2	2	3	3	4	4	7
B. OPERATED	2299	4.8	21	2	2	4	5	7	9	26
TOTAL 0-19 YRS	337	3.8	7	2	2	3	4	6	7	13
20-34	3247	4.0	13	2	2	3	4	6	7	17
35-49	424	4.5	21	2	2	4	5	7	8	18
50-64										
65+										
GRAND TOTAL	**4008**	**4.0**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3333	2.7	1	2	2	3	3	4	4	4
20-34	26300	2.7	1	1	2	3	3	4	4	4
35-49	2084	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	811	2.8	1	2	2	3	3	4	4	5
20-34	6461	2.8		2	2	3	3	4	4	4
35-49	415	2.8	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.8	3	1	2	3	3	4	4	11
20-34	825	2.9	1	1	2	3	3	4	4	6
35-49	81	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.8	1	2	2	3	3	4	4	6
20-34	2601	3.3	1	2	2	3	4	4	5	6
35-49	418	3.4	1	2	3	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31717	2.7	1	1	2	3	3	4	4	4
B. *Operated*	7687	2.8		2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1013	2.9	1	1	2	3	3	4	4	6
B. *Operated*	3066	3.3	1	2	2	3	4	4	5	6
1. SINGLE DX	39404	2.7	1	2	2	3	3	4	4	4
2. MULTIPLE DX	4079	3.2	1	2	2	3	4	4	5	6
A. NOT OPERATED	32730	2.7	1	1	2	3	3	4	4	5
B. OPERATED	10753	2.9	1	2	2	3	3	4	4	5
TOTAL 0-19 YRS	4298	2.7	1	2	2	3	3	4	4	5
20-34	36187	2.8	1	2	2	3	3	4	4	5
35-49	2998	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**43483**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	4.4	11	1	1	3	7	9	11	11
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.4	1	3	3	5	5	5	5	5
20-34	130	6.4	23	3	4	5	6	10	17	30
35-49	18	9.3	99	4	4	6	7	23	37	43
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	25	3.3	3	1	1	3	4	5	7	10
35-49	1	41.0		41	41	41	41	41	41	41
50-64										
65+										
B. *Operated*										
0-19 YRS	23	5.1	10	2	3	5	5	7	11	18
20-34	312	9.2	115	3	4	6	8	19	35	57
35-49	70	10.1	117	3	4	6	8	24	39	53
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.0	8	1	1	3	5	8	11	11
B. *Operated*	153	6.7	32	3	4	5	6	11	17	36
2. MULTIPLE DX										
A. *Not Operated*	28	4.5	54	1	1	3	4	6	13	41
B. *Operated*	405	9.1	110	3	4	6	7	19	35	55
1. SINGLE DX	165	6.5	30	3	3	5	6	11	17	35
2. MULTIPLE DX	433	8.8	107	3	3	5	7	19	35	55
A. NOT OPERATED	40	4.4	40	1	1	3	4	7	10	41
B. OPERATED	558	8.5	89	3	4	5	7	18	28	50
TOTAL 0-19 YRS	31	4.7	8	2	2	4	5	6	8	18
20-34	476	8.1	85	3	3	5	7	16	26	50
35-49	91	10.1	120	3	4	6	7	27	41	51
50-64										
65+										
GRAND TOTAL	**598**	**8.2**	**87**	**3**	**3**	**5**	**7**	**17**	**27**	**50**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	1	1	1	3	3	3	4	4
20-34	93	2.7	1	1	2	3	3	4	4	6
35-49	14	2.6	2	1	1	2	3	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.6	2	2	3	5	6	6	6	6
20-34	164	4.5	3	2	2	5	5	6	7	12
35-49	11	3.5	2	<1	1	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	1	3	4	5	6	7
20-34	106	3.6	16	1	1	3	4	6	9	27
35-49	12	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	56	4.9	6	2	2	5	5	7	11	16
20-34	513	5.3	17	2	3	5	6	7	9	25
35-49	66	4.9	4	2	3	5	6	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.7	1	1	1	3	3	4	4	6
B. *Operated*	189	4.4	3	2	2	5	5	6	6	12
2. MULTIPLE DX										
A. *Not Operated*	139	3.4	13	1	1	3	4	5	8	22
B. *Operated*	635	5.2	15	2	3	5	6	7	9	25
1. SINGLE DX	311	3.7	3	1	2	3	5	6	6	10
2. MULTIPLE DX	774	4.9	15	2	2	4	6	7	9	25
A. NOT OPERATED	261	3.1	7	1	1	3	3	4	6	11
B. OPERATED	824	5.0	12	2	3	5	6	7	9	24
TOTAL 0-19 YRS	106	4.2	5	2	2	4	5	6	7	14
20-34	876	4.7	13	2	2	4	5	7	9	24
35-49	103	4.1	4	1	2	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**1085**	**4.6**	**12**	**2**	**2**	**4**	**5**	**6**	**8**	**20**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	1	1	3	3	3	3	3
20-34	26	2.3	1	<1	1	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	40	2.7	1	1	1	3	3	4	4	5
20-34	293	2.7	1	1	2	3	3	4	4	5
35-49	42	3.0	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	8	2.5		2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.1	1	2	2	3	4	4	5	6
20-34	223	3.2	2	2	2	3	4	4	6	8
35-49	35	3.8	5	1	1	3	5	6	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.3	1	1	1	2	3	3	4	4
B. *Operated*	375	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.5		2	2	2	3	3	3	3
B. *Operated*	286	3.3	2	2	2	3	4	5	6	9
1. SINGLE DX	407	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX	298	3.3	2	2	2	3	4	5	6	9
A. NOT OPERATED	44	2.4	1	1	1	2	3	3	4	4
B. OPERATED	661	3.0	1	1	2	3	3	4	5	7
TOTAL 0-19 YRS	76	2.8	1	1	2	3	3	4	4	6
20-34	550	2.9	1	1	2	3	3	4	4	7
35-49	79	3.3	3	1	2	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**705**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	1	1	1	3	4	4	5	6
20-34	170	2.8	1	1	2	3	3	4	4	5
35-49	5	3.0	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.3	1	1	2	3	4	4	4	4
20-34	62	3.0	1	1	2	3	4	4	5	6
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	1	1	1	3	3	4	5	6
20-34	98	3.1	1	2	2	3	4	4	5	7
35-49	11	3.2		2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.4	4	1	2	3	4	7	8	8
20-34	103	3.3	1	2	2	3	4	5	5	7
35-49	19	4.0	18	<1	1	3	4	5	14	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	2.8	1	1	2	3	3	4	4	5
B. *Operated*	77	3.0	1	1	2	3	4	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	132	3.0	1	2	2	3	4	4	5	6
B. *Operated*	136	3.4	4	1	2	3	4	5	6	10
1. SINGLE DX	276	2.9	1	1	2	3	3	4	4	5
2. MULTIPLE DX	268	3.2	3	2	2	3	4	4	5	7
A. NOT OPERATED	331	2.9	1	1	2	3	3	4	4	6
B. OPERATED	213	3.2	3	1	2	3	4	4	5	8
TOTAL 0-19 YRS	72	3.1	2	1	1	3	4	4	6	8
20-34	433	3.0	1	1	2	3	4	4	5	6
35-49	39	3.5	9	1	2	3	4	4	5	21
50-64										
65+										
GRAND TOTAL	**544**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	3	3	3	3	5	7	7	7
20-34	45	3.2	1	2	2	3	4	4	5	7
35-49	8	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	63	4.5	2	2	3	4	6	6	7	8
35-49	4	5.0	2	4	4	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	61	1	1	3	4	19	23	23
20-34	78	4.7	32	2	2	3	4	6	9	38
35-49	7	4.9	12	<1	1	4	6	11	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	35	7.9	61	3	3	6	8	13	21	46
20-34	587	6.0	45	3	3	5	6	8	10	27
35-49	66	6.2	70	2	3	5	7	7	9	62
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.3	1	2	2	3	4	4	5	7
B. *Operated*	69	4.5	2	3	3	4	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	92	4.7	32	1	2	3	4	6	12	36
B. *Operated*	688	6.2	48	3	3	5	6	8	11	34
1. SINGLE DX	127	4.0	2	2	3	4	5	6	7	8
2. MULTIPLE DX	780	6.0	47	3	3	5	6	8	11	35
A. NOT OPERATED	150	4.2	20	2	2	3	4	6	7	27
B. OPERATED	757	6.0	44	3	3	5	6	8	10	27
TOTAL 0-19 YRS	49	7.0	53	2	3	5	7	13	23	46
20-34	773	5.6	38	2	3	5	6	7	10	27
35-49	85	5.8	56	2	3	5	6	7	9	51
50-64										
65+										
GRAND TOTAL	**907**	**5.7**	**41**	**2**	**3**	**5**	**6**	**8**	**10**	**27**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	67	2.6	1	1	2	3	3	3	4	5
35-49	10	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	127	4.7	1	3	3	5	5	6	6	8
20-34	1138	4.7	1	3	3	5	5	6	6	7
35-49	94	4.6	1	2	3	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	4	4	4
20-34	33	3.0	1	2	2	3	3	4	6	6
35-49	6	3.2		3	3	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	153	5.3	5	3	3	5	6	7	9	15
20-34	1677	5.1	3	3	3	5	6	7	8	12
35-49	195	5.2	3	3	4	5	6	7	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.7	1	1	2	3	3	3	4	5
B. *Operated*	1359	4.7	1	3	3	5	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	45	3.0	1	1	2	3	4	4	5	6
B. *Operated*	2025	5.1	3	3	3	5	6	7	8	12
1. SINGLE DX	1440	4.6	1	2	3	5	5	6	6	7
2. MULTIPLE DX	2070	5.1	3	3	3	5	6	7	8	12
A. NOT OPERATED	126	2.8	1	1	2	3	3	4	4	6
B. OPERATED	3384	4.9	3	3	3	5	6	6	7	11
TOTAL 0-19 YRS	290	5.0	3	3	3	5	6	7	8	11
20-34	2915	4.9	3	3	3	5	5	6	7	10
35-49	305	4.9	3	2	3	5	6	6	7	11
50-64										
65+										
GRAND TOTAL	**3510**	**4.9**	**3**	**3**	**3**	**5**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.7	1	1	2	2	3	4	5	5
20-34	272	2.8	1	1	2	3	3	4	4	6
35-49	27	2.9		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.8	2	2	2	3	5	6	6	7
20-34	551	4.1	2	2	2	4	5	6	6	7
35-49	49	4.3	3	2	2	4	6	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.7		1	2	3	3	3	3	3
20-34	224	2.8	1	1	2	3	3	4	4	5
35-49	28	3.3	1	2	2	3	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	199	4.3	2	2	3	4	5	6	7	8
20-34	2023	4.7	4	2	3	5	5	6	7	10
35-49	256	4.8	2	3	3	5	6	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	2.8	1	1	2	3	3	4	4	5
B. *Operated*	649	4.1	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	268	2.8	1	1	2	3	3	4	4	6
B. *Operated*	2478	4.6	3	2	3	5	5	6	7	10
1. SINGLE DX	967	3.6	2	2	2	3	5	6	6	7
2. MULTIPLE DX	2746	4.5	3	2	3	5	5	6	7	10
A. NOT OPERATED	586	2.8	1	1	2	3	3	4	4	6
B. OPERATED	3127	4.5	3	2	3	5	5	6	7	10
TOTAL 0-19 YRS	283	4.0	2	2	2	4	5	6	7	8
20-34	3070	4.2	3	2	2	4	5	6	7	9
35-49	360	4.5	3	2	3	5	5	6	7	10
50-64										
65+										
GRAND TOTAL	**3713**	**4.3**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	3.4	1	2	2	3	4	5	5	6
35-49	3	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	156	5.0	1	4	4	5	6	6	7	8
20-34	1515	5.1	1	4	4	5	6	6	7	7
35-49	101	5.2	1	4	4	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	29	4.1	1	2	3	4	5	6	6	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	533	5.6	3	3	4	5	6	7	9	12
20-34	4591	5.4	2	4	4	5	6	7	7	10
35-49	471	5.6	2	4	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.3	1	2	2	3	4	5	5	6
B. *Operated*	1772	5.1	1	4	4	5	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	32	4.2	2	2	2	4	5	6	7	7
B. *Operated*	5595	5.4	2	4	4	5	6	7	8	11
1. SINGLE DX	1801	5.1	1	4	4	5	6	6	7	7
2. MULTIPLE DX	5627	5.4	2	4	4	5	6	7	8	11
A. NOT OPERATED	61	3.8	2	2	2	3	5	6	6	7
B. OPERATED	7367	5.4	2	4	4	5	6	7	7	10
TOTAL 0-19 YRS	693	5.4	3	4	4	5	6	7	8	11
20-34	6160	5.3	2	4	4	5	6	7	7	10
35-49	575	5.5	2	4	4	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**7428**	**5.3**	**2**	**4**	**4**	**5**	**6**	**7**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.1	1	2	2	3	4	4	5	6
20-34	629	3.0	1	2	2	3	3	4	4	5
35-49	53	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	94	3.9	2	2	2	4	5	5	6	8
20-34	1088	4.0	2	2	2	4	5	6	6	7
35-49	83	3.8	2	2	2	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.3	3	1	2	3	4	4	6	12
20-34	496	3.1	1	2	2	3	4	4	5	6
35-49	34	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	302	4.6	4	2	3	5	6	7	8	10
20-34	2873	4.5	3	2	3	4	5	6	7	9
35-49	290	4.8	3	2	3	5	6	7	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	3.0	1	2	2	3	3	4	4	5
B. *Operated*	1265	4.0	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	594	3.1	1	2	2	3	4	4	5	6
B. *Operated*	3465	4.5	3	2	3	4	5	6	7	10
1. SINGLE DX	2024	3.6	2	2	2	3	4	5	6	7
2. MULTIPLE DX	4059	4.3	3	2	2	4	5	6	7	9
A. NOT OPERATED	1353	3.0	1	2	2	3	3	4	4	6
B. OPERATED	4730	4.4	3	2	3	4	5	6	7	9
TOTAL 0-19 YRS	537	4.1	3	2	2	4	5	6	7	10
20-34	5086	4.1	3	2	2	4	5	6	7	8
35-49	460	4.2	3	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**6083**	**4.1**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	1	1	2	3	4	4	5	5
20-34	103	2.7	1	1	2	3	3	4	4	4
35-49	15	2.9	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.9	1	2	2	4	5	5	6	6
20-34	245	4.3	2	2	2	4	5	6	7	9
35-49	34	4.2	2	2	3	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	10	1	1	2	5	9	10	10
20-34	89	3.7	51	1	1	3	4	5	5	45
35-49	12	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	62	5.3	6	2	3	5	6	8	11	15
20-34	664	5.2	15	2	3	5	6	7	9	20
35-49	120	5.1	3	3	3	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.8	1	1	2	3	3	4	4	5
B. *Operated*	306	4.2	2	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	108	3.7	42	1	1	3	4	5	6	35
B. *Operated*	846	5.2	13	2	3	5	6	7	9	16
1. SINGLE DX	438	3.8	2	2	2	3	5	6	6	8
2. MULTIPLE DX	954	5.1	16	2	3	5	6	7	8	16
A. NOT OPERATED	240	3.2	20	1	2	3	3	4	5	8
B. OPERATED	1152	5.0	10	2	3	5	6	7	8	14
TOTAL 0-19 YRS	110	4.6	5	2	2	4	5	6	9	13
20-34	1101	4.7	15	2	2	4	5	6	8	14
35-49	181	4.6	3	2	3	5	6	7	7	10
50-64										
65+										
GRAND TOTAL	**1392**	**4.7**	**12**	**2**	**2**	**4**	**6**	**6**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	1	2	2	3	4	5	5	5
20-34	194	2.8	1	2	2	3	3	4	5	6
35-49	17	2.8		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	179	4.9	1	3	4	5	6	6	6	8
20-34	4890	5.0	1	3	4	5	6	6	7	8
35-49	493	5.3	1	4	4	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	89	3.0	1	1	2	3	3	4	5	6
35-49	9	3.1	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	147	5.5	4	3	4	5	6	7	8	23
20-34	6626	5.2	3	3	4	5	6	7	7	10
35-49	1096	5.6	2	4	4	5	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.8	1	2	2	3	3	4	5	6
B. *Operated*	5562	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	98	3.0	1	1	2	3	3	4	5	6
B. *Operated*	7869	5.3	3	3	4	5	6	7	7	10
1. SINGLE DX	5781	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX	7967	5.3	3	3	4	5	6	7	7	10
A. NOT OPERATED	317	2.9	1	2	2	3	3	4	5	6
B. OPERATED	13431	5.2	2	3	4	5	6	7	7	9
TOTAL 0-19 YRS	334	5.1	3	3	4	5	6	6	7	11
20-34	11799	5.1	2	3	4	5	6	6	7	9
35-49	1615	5.5	2	3	4	5	6	7	7	9
50-64										
65+										
GRAND TOTAL	**13748**	**5.1**	**2**	**3**	**4**	**5**	**6**	**7**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	3.1	3	2	2	3	3	4	5	15
20-34	1277	3.0	2	2	2	3	3	4	4	6
35-49	120	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	97	3.4	1	2	2	3	4	5	6	8
20-34	748	3.4	1	2	2	3	4	5	6	7
35-49	69	3.5	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	4.1	6	2	2	3	4	6	9	14
20-34	939	3.4	3	2	2	3	4	5	6	10
35-49	95	3.3	3	2	2	3	4	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	318	4.8	14	2	2	4	6	7	9	20
20-34	3348	4.4	7	2	2	4	5	6	7	15
35-49	387	4.6	10	2	2	4	5	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1552	3.1	2	2	2	3	3	4	4	6
B. *Operated*	914	3.4	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1141	3.4	3	2	2	3	4	5	6	12
B. *Operated*	4053	4.5	8	2	2	4	5	6	8	15
1. SINGLE DX	2466	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX	5194	4.2	7	2	2	4	5	6	7	14
A. NOT OPERATED	2693	3.2	2	2	2	3	4	4	5	9
B. OPERATED	4967	4.3	7	2	2	4	5	6	7	13
TOTAL 0-19 YRS	677	4.1	9	2	2	3	5	6	8	15
20-34	6312	3.8	5	2	2	3	4	6	7	12
35-49	671	4.0	7	2	2	3	5	6	7	14
50-64										
65+										
GRAND TOTAL	**7660**	**3.9**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	2.6	1	1	2	3	3	3	4	5
20-34	3388	2.7	1	1	2	3	3	4	4	4
35-49	265	2.7	1	1	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	156	2.8	1	2	2	3	3	4	5	6
20-34	1489	2.9	1	2	2	3	3	4	4	5
35-49	122	3.1	1	2	2	3	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	2.9	1	2	2	3	3	4	4	6
20-34	1038	2.8	1	1	2	3	3	4	4	5
35-49	101	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	166	3.2	2	2	2	3	3	5	6	10
20-34	2012	3.2	2	2	2	3	4	5	5	7
35-49	227	3.6	3	2	2	3	4	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3984	2.7	1	1	2	3	3	4	4	4
B. *Operated*	1767	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	1235	2.8	1	2	2	3	3	4	4	5
B. *Operated*	2405	3.3	2	2	2	3	4	5	6	8
1. SINGLE DX	5751	2.7	1	2	2	3	3	4	4	5
2. MULTIPLE DX	3640	3.1	2	2	2	3	4	5	5	7
A. NOT OPERATED	5219	2.7	1	1	2	3	3	4	4	5
B. OPERATED	4172	3.1	1	2	2	3	3	4	5	7
TOTAL 0-19 YRS	749	2.8	1	2	2	3	3	4	5	6
20-34	7927	2.9	1	2	2	3	3	4	4	6
35-49	715	3.1	2	2	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**9391**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	1	1	1	3	3	3	4	4
20-34	470	2.5	2	1	1	2	3	3	4	5
35-49	38	2.6	1	<1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	684	2.5	1	1	2	3	3	3	4	4
20-34	7139	2.6	1	1	2	3	3	3	4	4
35-49	757	2.6	1	1	1	3	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	1	1	1	3	3	3	4	4
20-34	218	2.6	1	1	2	2	3	4	4	5
35-49	22	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	404	3.0	4	2	2	3	3	4	4	9
20-34	4735	2.9	1	1	2	3	3	4	4	6
35-49	621	3.0	1	2	2	3	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	2.5	2	1	1	2	3	3	4	5
B. *Operated*	8580	2.6	1	1	2	3	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	258	2.6	1	1	2	3	3	4	4	5
B. *Operated*	5760	2.9	1	2	2	3	3	4	4	6
1. SINGLE DX	9139	2.6	1	1	2	3	3	3	4	4
2. MULTIPLE DX	6018	2.9	1	1	2	3	3	4	4	6
A. NOT OPERATED	817	2.5	2	1	1	3	3	3	4	5
B. OPERATED	14340	2.7	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	1157	2.7	2	1	2	3	3	4	4	6
20-34	12562	2.7	1	1	2	3	3	4	4	5
35-49	1438	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**15157**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	1	1	2	3	3	4	5	5
20-34	181	2.5	1	1	1	2	3	4	4	6
35-49	9	2.7	1	2	2	3	3	4	4	4
50-54										
65+										
B. *Operated*										
0-19 YRS	468	2.8	1	2	2	3	3	4	4	5
20-34	2646	2.9	1	2	2	3	3	4	4	5
35-49	146	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	2	2	2	4	5	6	6	6
20-34	71	2.8	1	1	1	3	3	4	4	7
35-49	10	2.9	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	280	3.2	2	2	2	3	3	4	5	8
20-34	2084	3.2	2	2	2	3	4	4	5	6
35-49	165	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	2.5	1	1	1	2	3	4	4	6
B. *Operated*	3260	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	88	2.9	1	1	2	3	3	4	5	7
B. *Operated*	2529	3.2	2	2	2	3	4	4	5	7
1. SINGLE DX	3476	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX	2617	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	304	2.6	1	1	1	3	3	4	4	6
B. OPERATED	5789	3.0	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	781	3.0	1	2	2	3	3	4	4	7
20-34	4982	3.0	1	2	2	3	3	4	4	6
35-49	330	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**6093**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	1	1	2	2	3	4	5	7
20-34	172	2.6	1	1	2	3	3	3	4	4
35-49	10	2.8		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	121	2.6	1	1	2	3	3	3	4	5
20-34	910	2.7	1	1	2	3	3	4	4	5
35-49	56	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	3	1	1	2	3	5	7	7
20-34	87	2.5	1	1	1	2	3	4	4	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	102	3.1	2	2	2	3	3	4	5	10
20-34	823	3.0	2	2	2	3	3	4	5	8
35-49	74	3.5	3	1	2	3	4	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	2.6	1	1	2	3	3	3	4	4
B. *Operated*	1087	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	101	2.6	1	1	1	2	3	4	4	7
B. *Operated*	999	3.1	2	2	2	3	3	4	5	8
1. SINGLE DX	1295	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	1100	3.0	2	2	2	3	3	4	5	8
A. NOT OPERATED	309	2.6	1	1	2	3	3	3	4	6
B. OPERATED	2086	2.9	2	1	2	3	3	4	4	7
TOTAL 0-19 YRS	260	2.8	1	2	2	3	3	4	5	7
20-34	1992	2.8	1	1	2	3	3	4	4	6
35-49	143	3.1	2	1	2	3	3	5	6	9
50-64										
65+										
GRAND TOTAL	**2395**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	627	2.9	2	1	2	3	3	4	5	8
20-34	4330	2.8	1	1	2	3	3	4	4	6
35-49	444	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	869	3.4	2	2	2	3	4	5	6	9
20-34	6159	3.5	3	2	2	3	4	5	6	9
35-49	480	3.8	4	2	2	3	5	6	7	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	469	3.2	3	1	1	3	4	5	6	9
20-34	3190	3.0	5	1	1	3	3	4	5	10
35-49	345	3.2	4	1	2	3	3	4	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1745	4.5	9	2	2	4	5	7	9	15
20-34	13788	4.5	10	2	2	4	5	7	9	16
35-49	1604	5.0	11	2	2	5	6	7	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5401	2.8	2	1	2	3	3	4	4	6
B. *Operated*	7508	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	4004	3.1	4	1	1	3	3	4	5	10
B. *Operated*	17137	4.5	10	2	2	4	5	7	9	16
1. SINGLE DX	12909	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	21141	4.2	9	2	2	4	5	7	8	16
A. NOT OPERATED	9405	2.9	3	1	2	3	3	4	5	8
B. OPERATED	24645	4.2	8	2	2	4	5	6	8	14
TOTAL 0-19 YRS	3710	3.8	6	2	2	3	5	6	8	12
20-34	27467	3.8	7	2	2	3	5	6	7	13
35-49	2873	4.3	8	2	2	4	5	7	8	17
50-64										
65+										
GRAND TOTAL	**34050**	**3.9**	**7**	**2**	**2**	**3**	**5**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.7	3	1	2	4	4	6	8	8
20-34	125	3.9	4	2	2	4	5	6	7	12
35-49	9	4.2	5	1	2	4	5	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	13	4.8	11	<1	1	5	6	10	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	4	2	2	4	5	8	8	8
20-34	79	3.9	3	1	2	4	5	7	7	9
35-49	5	4.2	8	2	2	3	5	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3	7.3	50	<1	<1	6	13	15	15	15
20-34	28	6.8	28	1	2	6	9	11	18	26
35-49	2	9.0	72	3	3	9	15	15	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	3.9	4	2	2	4	5	6	8	11
B. *Operated*	15	4.3	11	<1	1	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	98	4.0	4	2	2	4	5	7	8	9
B. *Operated*	33	6.9	29	1	1	6	10	15	17	26
1. SINGLE DX	186	3.9	4	1	2	4	5	6	8	11
2. MULTIPLE DX	131	4.7	12	1	2	4	6	9	10	19
A. NOT OPERATED	269	3.9	4	2	2	4	5	7	8	9
B. OPERATED	48	6.1	25	1	1	5	9	11	15	26
TOTAL 0-19 YRS	56	3.9	6	1	2	4	5	7	8	15
20-34	245	4.3	8	1	2	4	5	7	9	15
35-49	16	4.8	12	1	2	4	6	9	13	15
50-64										
65+										
GRAND TOTAL	**317**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	40	1.6	1	<1	<1	1	2	2	3	5
35-49	6	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.6	1	1	1	2	2	3	3	3
20-34	151	1.4	1	<1	<1	1	1	2	3	5
35-49	10	2.3	8	<1	<1	1	2	6	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	2	1	1	1	3	5	5	5
20-34	19	2.3	3	1	1	2	3	5	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.9	6	1	1	2	4	5	9	10
20-34	109	2.1	3	<1	1	1	3	5	5	8
35-49	10	2.0	4	<1	<1	1	2	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.6	1	<1	<1	1	2	2	3	5
B. *Operated*	177	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	30	2.2	2	1	1	2	3	5	5	6
B. *Operated*	133	2.2	3	<1	1	1	3	5	6	10
1. SINGLE DX	227	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	163	2.2	3	<1	1	1	3	5	6	9
A. NOT OPERATED	80	1.8	1	<1	1	1	2	3	5	6
B. OPERATED	310	1.8	2	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	41	2.1	3	1	1	2	3	4	5	10
20-34	319	1.7	2	<1	<1	1	2	3	5	6
35-49	30	2.0	4	<1	<1	1	2	4	6	10
50-64										
65+										
GRAND TOTAL	**390**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**6**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	6	1	1	3	4	7	8	8
20-34	74	3.2	5	1	1	3	4	5	8	11
35-49	10	4.6	7	2	2	4	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.9	3	1	1	3	3	6	7	8
20-34	140	3.0	5	1	1	3	3	4	7	14
35-49	17	4.8	17	1	2	3	7	12	14	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	19	2	2	4	6	13	15	15
20-34	62	5.0	17	<1	1	4	6	11	15	18
35-49	13	7.4	19	1	2	6	10	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.0	8	2	2	3	5	7	11	14
20-34	79	5.0	26	1	1	3	5	14	17	24
35-49	7	9.0	69	3	3	7	9	24	27	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.4	5	1	1	3	4	7	8	11
B. *Operated*	174	3.1	6	1	1	3	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	83	5.4	18	1	2	4	7	12	15	18
B. *Operated*	107	5.1	26	1	1	3	6	13	16	27
1. SINGLE DX	265	3.2	6	1	1	3	3	6	8	14
2. MULTIPLE DX	190	5.2	22	1	1	3	6	12	16	23
A. NOT OPERATED	174	4.3	12	1	1	3	5	10	11	17
B. OPERATED	281	3.9	15	1	1	3	4	8	13	18
TOTAL 0-19 YRS	53	3.7	8	1	2	3	4	7	8	15
20-34	355	3.8	13	1	1	3	4	8	12	18
35-49	47	6.1	24	2	2	4	8	13	15	27
50-64										
65+										
GRAND TOTAL	**455**	**4.1**	**14**	**1**	**1**	**3**	**4**	**8**	**13**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	516	3.7	6	1	2	3	4	6	8	14
20-34	551	4.3	6	2	2	4	5	7	9	13
35-49	437	4.5	6	2	2	4	6	8	9	13
50-64	282	5.4	12	2	2	5	6	9	11	15
65+	196	6.1	11	2	2	6	8	10	12	20
B. *Operated*										
0-19 YRS	185	4.5	10	1	1	4	6	8	11	15
20-34	287	5.1	13	1	2	4	7	9	11	19
35-49	155	5.0	12	1	1	4	7	10	11	18
50-64	92	6.8	97	1	1	5	8	11	12	65
65+	69	7.4	37	2	2	6	10	13	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	557	4.4	9	2	2	4	5	7	10	15
20-34	918	5.4	16	2	2	4	7	10	12	20
35-49	1127	6.7	24	2	3	6	8	12	15	26
50-64	1615	7.9	39	3	3	6	9	14	17	37
65+	3250	9.5	58	3	4	8	11	17	22	48
B. *Operated*										
0-19 YRS	264	6.4	29	1	2	5	8	14	17	28
20-34	598	8.1	70	2	2	6	9	14	21	46
35-49	652	10.5	102	2	3	7	13	22	31	53
50-64	912	12.4	133	3	4	9	14	27	38	65
65+	1428	15.2	166	3	5	12	19	33	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1982	4.5	8	2	2	4	6	8	10	15
B. *Operated*	788	5.3	25	1	1	4	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	7467	7.8	43	2	3	6	9	14	18	36
B. *Operated*	3854	12.1	132	2	3	8	15	27	37	66
1. SINGLE DX	2770	4.7	13	1	2	4	6	8	10	15
2. MULTIPLE DX	11321	9.3	77	2	3	7	11	18	26	52
A. NOT OPERATED	9449	7.1	37	2	2	6	9	13	17	33
B. OPERATED	4642	10.9	120	2	3	8	13	24	34	65
TOTAL 0-19 YRS	1522	4.5	12	1	2	4	5	8	11	20
20-34	2354	5.8	29	2	2	4	7	10	13	27
35-49	2371	7.2	46	2	2	5	8	13	19	37
50-64	2901	9.0	73	2	3	7	10	17	25	49
65+	4943	11.0	95	3	4	8	13	21	30	65
GRAND TOTAL	**14091**	**8.4**	**68**	**2**	**3**	**6**	**10**	**16**	**23**	**47**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.8	4	1	2	3	5	7	8	10
20-34	103	4.0	4	1	2	4	5	7	8	11
35-49	53	4.3	13	2	2	3	6	7	9	24
50-64	27	5.0	7	2	2	4	7	9	10	12
65+	20	4.9	8	1	2	4	6	10	11	11
B. *Operated*										
0-19 YRS	99	4.4	22	<1	1	3	6	9	11	29
20-34	87	4.4	14	<1	1	4	6	8	10	22
35-49	54	4.4	15	<1	1	3	5	9	12	20
50-64	34	4.8	19	<1	1	3	7	10	16	17
65+	13	3.8	10	<1	<1	3	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	4.5	6	2	2	4	6	8	9	11
20-34	129	5.4	24	2	2	4	6	9	14	28
35-49	139	6.5	41	2	2	5	8	12	14	36
50-64	161	7.0	20	2	3	6	9	12	15	27
65+	250	8.3	24	3	3	7	10	15	17	26
B. *Operated*										
0-19 YRS	118	6.6	33	1	2	5	8	14	19	28
20-34	113	5.4	21	1	1	4	6	11	15	23
35-49	142	8.7	86	1	2	6	12	18	28	66
50-64	196	8.6	51	1	2	7	11	18	24	43
65+	270	11.3	90	2	3	8	14	22	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	4.1	6	2	2	3	5	7	8	12
B. *Operated*	287	4.4	17	<1	1	3	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	885	6.5	24	2	2	5	8	12	15	26
B. *Operated*	839	8.7	67	1	2	6	11	18	24	50
1. SINGLE DX	654	4.2	11	1	1	3	6	8	9	17
2. MULTIPLE DX	1724	7.6	46	2	2	6	9	15	21	38
A. NOT OPERATED	1252	5.8	20	2	2	5	7	10	13	24
B. OPERATED	1126	7.6	58	1	1	5	9	16	22	44
TOTAL 0-19 YRS	587	4.7	14	1	2	4	6	8	10	22
20-34	432	4.9	17	1	1	4	6	8	13	24
35-49	388	6.7	53	1	2	5	8	13	18	51
50-64	418	7.4	35	1	2	6	9	14	20	32
65+	553	9.5	59	2	3	7	12	18	24	45
GRAND TOTAL	**2378**	**6.7**	**39**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	14	2.9	2	<1	1	3	4	5	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	624	2.3	2	1	1	2	3	4	5	8
20-34	1159	2.4	2	1	1	2	3	4	5	7
35-49	189	2.4	2	1	1	2	3	4	5	9
50-64	34	2.5	2	<1	1	2	4	4	5	6
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	17	1.8	2	<1	<1	1	2	4	5	5
35-49	5	2.6	3	<1	<1	2	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	5.7	9	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS	104	3.1	7	1	1	2	4	5	9	15
20-34	211	3.0	7	<1	1	2	4	5	7	13
35-49	64	3.6	12	1	1	3	4	7	11	19
50-64	26	5.5	76	<1	<1	3	6	12	20	45
65+	15	3.6	8	1	1	3	3	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.5	2	<1	<1	2	3	5	5	6
B. *Operated*	2008	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	31	2.2	4	<1	<1	1	3	5	5	9
B. *Operated*	420	3.3	12	1	1	3	4	6	9	15
1. SINGLE DX	2028	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	451	3.2	11	<1	1	2	4	6	9	14
A. NOT OPERATED	51	2.3	3	<1	<1	2	3	5	5	9
B. OPERATED	2428	2.5	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	737	2.4	3	1	1	2	3	4	5	9
20-34	1401	2.5	3	1	1	2	3	4	5	8
35-49	260	2.7	5	1	1	2	3	4	6	13
50-64	61	3.7	35	<1	1	2	4	6	10	42
65+	20	4.0	7	1	1	3	5	9	10	10
GRAND TOTAL	**2479**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	39	1.2		<1	<1	<1	1	2	2	5
20-34	78	1.2		<1	<1	<1	1	2	3	5
35-49	80	1.4	4	<1	<1	<1	1	2	3	13
50-64	58	1.3	1	<1	<1	<1	1	2	2	7
65+	23	1.3	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34										
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	3	9.0	112	1	1	5	17	21	21	21
B. *Operated*										
0-19 YRS	10	1.9	3	<1	<1	1	2	5	6	6
20-34	24	3.2	9	<1	<1	2	4	6	10	14
35-49	36	3.2	21	<1	<1	1	3	7	13	24
50-64	51	3.9	38	<1	<1	2	4	6	24	30
65+	32	3.3	11	<1	<1	2	5	9	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	278	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	9	4.8	40	<1	<1	3	5	15	21	21
B. *Operated*	153	3.3	21	<1	<1	2	4	7	10	26
1. SINGLE DX	281	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX	162	3.4	22	<1	<1	2	4	7	12	26
A. NOT OPERATED	12	3.8	32	<1	<1	1	5	10	19	21
B. OPERATED	431	2.0	9	<1	<1	<1	2	4	6	18
TOTAL 0-19 YRS	53	1.4	1	<1	<1	<1	1	2	4	6
20-34	102	1.7	3	<1	<1	<1	1	4	5	11
35-49	118	2.0	9	<1	<1	<1	2	4	6	19
50-64	112	2.5	19	<1	<1	1	2	5	6	28
65+	58	2.8	14	<1	<1	1	2	7	10	20
GRAND TOTAL	**443**	**2.1**	**10**	**<1**	**<1**	**<1**	**2**	**4**	**6**	**21**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.1	14	1	1	3	5	8	12	17
20-34	108	5.9	32	<1	1	4	8	16	19	21
35-49	81	6.6	45	1	1	4	9	16	21	34
50-64	67	5.5	34	1	1	3	6	11	19	31
65+	43	7.0	38	1	1	5	10	18	20	22
B. *Operated*										
0-19 YRS	195	2.4	16	<1	<1	1	2	4	7	17
20-34	294	3.6	38	<1	<1	2	4	7	11	28
35-49	223	3.5	24	<1	<1	2	4	8	13	27
50-64	216	3.6	34	<1	<1	1	3	8	15	32
65+	155	6.7	104	<1	<1	3	8	17	23	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	4.9	22	1	1	4	6	10	14	30
20-34	254	6.3	71	1	1	4	7	13	18	46
35-49	333	8.6	91	1	2	6	11	19	25	68
50-64	477	9.5	81	2	2	7	13	20	26	55
65+	1276	12.4	126	2	3	9	15	24	36	70
B. *Operated*										
0-19 YRS	187	7.4	121	<1	<1	3	9	20	29	55
20-34	447	13.8	286	<1	1	6	21	42	51	99+
35-49	546	11.8	240	<1	1	6	15	30	45	93
50-64	846	12.8	205	1	1	9	18	33	46	99+
65+	1804	18.7	292	2	3	14	26	48	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	5.4	29	1	1	3	7	13	19	23
B. *Operated*	1083	3.8	41	<1	<1	2	3	9	14	31
2. MULTIPLE DX										
A. *Not Operated*	2609	10.0	104	1	2	7	13	21	28	66
B. *Operated*	3830	15.3	268	1	1	11	21	40	61	99+
1. SINGLE DX	1558	4.3	38	<1	<1	2	5	10	16	29
2. MULTIPLE DX	6439	13.2	208	1	2	9	17	32	49	99+
A. NOT OPERATED	3084	9.3	96	1	2	7	12	20	27	60
B. OPERATED	4913	12.7	241	<1	1	7	18	34	53	99+
TOTAL 0-19 YRS	827	4.7	44	<1	<1	2	5	10	15	39
20-34	1103	8.5	165	<1	<1	4	9	23	40	74
35-49	1183	9.0	154	<1	1	5	11	22	32	82
50-64	1606	10.3	148	1	1	6	14	26	36	93
65+	3278	15.5	229	1	3	11	20	37	58	99+
GRAND TOTAL	**7997**	**11.4**	**188**	**<1**	**1**	**7**	**15**	**28**	**43**	**99+**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	53	1	1	3	10	19	20	20
20-34	21	3.7	9	1	1	3	4	9	11	12
35-49	15	7.5	62	1	2	6	9	11	28	34
50-64	10	9.3	167	1	2	5	9	28	45	45
65+	3	8.0	4	6	6	8	9	10	10	10
B. *Operated*										
0-19 YRS	13	4.5	11	<1	<1	4	7	9	11	11
20-34	9	4.0	11	1	1	3	5	9	12	12
35-49	12	6.4	26	1	2	6	8	14	17	18
50-64	7	7.6	63	1	1	6	11	21	23	23
65+	4	27.8	1194	7	7	13	48	79	79	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	7.4	71	1	1	3	11	20	28	32
20-34	130	6.6	28	2	2	5	8	13	15	28
35-49	94	7.5	26	2	3	7	9	15	21	99+
50-64	101	9.6	65	2	2	7	12	23	27	69
65+	119	9.8	58	3	3	8	12	19	29	99+
B. *Operated*										
0-19 YRS	17	12.9	251	2	2	8	22	85	99+	99+
20-34	54	13.6	196	2	2	10	16	34	47	65
35-49	78	15.3	230	2	2	11	18	35	43	76
50-64	70	14.2	175	1	2	11	18	32	51	93
65+	66	17.2	262	2	6	13	20	33	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	6.3	57	1	1	4	8	11	18	44
B. *Operated*	45	7.5	144	<1	1	5	8	13	19	79
2. MULTIPLE DX										
A. *Not Operated*	467	8.3	47	2	2	7	11	16	26	88
B. *Operated*	285	15.0	217	2	2	11	19	35	55	99+
1. SINGLE DX	100	6.8	96	1	1	4	8	12	19	62
2. MULTIPLE DX	752	10.8	122	2	2	8	13	24	35	99+
A. NOT OPERATED	522	8.1	48	2	2	6	10	16	26	60
B. OPERATED	330	14.0	214	2	2	10	18	33	51	99+
TOTAL 0-19 YRS	59	8.3	113	<1	1	5	11	24	48	99+
20-34	214	7.9	78	1	2	5	10	15	24	51
35-49	199	10.5	123	2	3	7	13	22	35	90
50-64	188	11.2	114	2	2	8	14	26	35	86
65+	192	12.7	161	3	3	10	15	28	41	99+
GRAND TOTAL	**852**	**10.4**	**120**	**2**	**2**	**7**	**13**	**23**	**34**	**98**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	6.3	33	2	2	4	8	12	20	31
20-34	20	4.6	8	1	1	4	6	9	10	11
35-49	17	5.2	10	2	2	4	7	8	12	14
50-64	42	4.9	10	1	2	4	6	9	13	15
65+	32	6.9	79	1	2	5	7	11	15	52
B. *Operated*										
0-19 YRS	8	4.1	15	<1	<1	2	8	9	10	10
20-34	17	6.0	11	1	2	5	8	11	12	12
35-49	62	4.9	14	1	1	4	6	10	12	16
50-64	112	6.9	26	1	1	5	11	15	17	20
65+	81	8.3	39	1	2	7	12	16	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	7.0	27	2	2	6	10	17	20	96
20-34	32	7.8	72	2	2	5	8	16	28	42
35-49	55	4.8	8	1	1	5	6	10	10	12
50-64	163	6.8	32	1	2	5	9	13	15	46
65+	315	8.3	65	2	3	6	10	15	20	52
B. *Operated*										
0-19 YRS	9	17.7	487	<1	2	10	19	53	74	74
20-34	40	7.4	44	1	1	5	10	16	22	30
35-49	100	7.2	57	1	2	5	10	14	19	45
50-64	326	9.7	73	1	2	9	13	17	23	48
65+	381	12.3	106	2	3	11	16	24	33	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	5.7	31	1	2	4	7	10	14	30
B. *Operated*	280	6.8	28	1	1	5	10	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	619	7.5	49	2	2	6	9	14	18	45
B. *Operated*	856	10.6	92	1	2	9	14	21	27	57
1. SINGLE DX	442	6.4	29	1	2	5	9	14	16	25
2. MULTIPLE DX	1475	9.3	76	1	2	7	12	18	24	55
A. NOT OPERATED	781	7.1	46	1	2	5	9	13	17	43
B. OPERATED	1136	9.6	79	1	2	8	13	19	24	50
TOTAL 0-19 YRS	122	7.3	67	1	2	5	10	15	21	81
20-34	109	6.8	41	1	2	5	8	14	18	35
35-49	234	5.9	32	1	1	4	8	12	15	23
50-64	643	8.2	53	1	2	6	12	16	19	44
65+	809	10.2	86	2	3	8	13	20	27	55
GRAND TOTAL	**1917**	**8.6**	**67**	**1**	**2**	**6**	**12**	**17**	**22**	**46**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	3	1.7		1	1	2	2	2	2	2
35-49	7	2.7	7	<1	<1	2	4	7	8	8
50-64	24	5.1	17	1	1	5	8	11	13	15
65+	51	5.0	14	1	1	4	7	10	15	15
B. *Operated*										
0-19 YRS	10	2.8	12	<1	<1	1	3	8	12	12
20-34	85	3.3	13	<1	1	2	4	7	12	19
35-49	237	4.9	22	<1	1	3	7	11	15	22
50-64	723	8.6	34	<1	1	9	12	15	17	23
65+	962	11.9	25	2	6	12	15	17	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	8	4.5	12	1	1	4	6	10	11	11
35-49	29	4.2	14	<1	1	2	5	11	14	14
50-64	122	5.4	46	<1	1	4	7	11	13	33
65+	590	8.0	94	1	1	6	10	16	25	94
B. *Operated*										
0-19 YRS	7	7.0	68	<1	<1	3	11	21	23	23
20-34	86	5.8	34	<1	1	4	8	13	18	30
35-49	297	7.2	48	<1	1	5	11	15	17	33
50-64	1501	10.4	52	1	2	10	14	17	22	36
65+	3763	14.4	64	4	8	13	16	22	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.7	14	1	1	4	7	10	14	15
B. *Operated*	2017	9.5	35	1	1	10	13	16	18	24
2. MULTIPLE DX										
A. *Not Operated*	751	7.4	83	1	1	5	9	14	21	83
B. *Operated*	5654	12.8	65	2	3	12	16	20	26	48
1. SINGLE DX	2105	9.3	35	1	1	10	13	16	18	24
2. MULTIPLE DX	6405	12.2	70	1	2	12	16	20	25	49
A. NOT OPERATED	839	7.1	76	1	1	5	9	14	20	80
B. OPERATED	7671	11.9	59	1	2	12	15	19	24	42
TOTAL 0-19 YRS	22	4.5	30	<1	<1	2	6	12	17	23
20-34	182	4.5	24	<1	1	3	6	11	14	24
35-49	570	6.0	37	<1	1	4	9	13	16	26
50-64	2370	9.5	48	1	1	9	13	16	20	32
65+	5366	13.1	64	2	4	12	16	20	26	50
GRAND TOTAL	**8510**	**11.5**	**63**	**1**	**2**	**11**	**15**	**19**	**23**	**45**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	6.7	43	<1	1	4	10	16	20	29
20-34	31	4.9	11	2	2	3	7	9	13	14
35-49	29	5.1	20	1	1	4	7	9	16	21
50-64	14	8.6	36	<1	<1	8	15	17	18	18
65+	19	5.0	35	<1	1	4	5	8	19	28
B. *Operated*										
0-19 YRS	26	10.6	47	1	4	10	14	16	22	36
20-34	113	4.8	19	1	1	4	6	11	13	21
35-49	115	5.2	36	<1	1	3	5	12	17	32
50-64	110	5.9	34	<1	1	4	9	12	15	31
65+	44	8.9	56	1	2	8	11	18	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	8.4	48	1	2	6	13	16	26	30
20-34	57	6.8	34	1	1	4	10	15	20	25
35-49	61	7.5	40	1	2	6	10	14	22	31
50-64	84	9.0	61	2	2	7	10	22	27	34
65+	225	10.3	90	2	3	7	12	22	30	54
B. *Operated*										
0-19 YRS	70	14.5	74	3	4	14	20	27	30	38
20-34	122	9.4	101	1	1	6	11	23	32	47
35-49	137	8.1	100	1	1	4	9	24	32	50
50-64	202	13.5	163	1	1	9	20	31	36	56
65+	282	18.3	240	2	3	14	25	40	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	5.9	29	1	1	4	7	14	18	28
B. *Operated*	408	6.0	36	1	1	4	9	13	16	32
2. MULTIPLE DX										
A. *Not Operated*	486	9.1	68	2	2	7	11	21	28	42
B. *Operated*	813	13.7	177	1	2	10	19	31	41	64
1. SINGLE DX	542	6.0	34	1	1	4	8	13	17	30
2. MULTIPLE DX	1299	12.0	141	1	2	8	16	28	35	57
A. NOT OPERATED	620	8.4	62	1	2	6	10	18	25	40
B. OPERATED	1221	11.1	143	1	1	7	15	27	35	56
TOTAL 0-19 YRS	196	10.5	65	1	2	9	15	22	28	34
20-34	323	6.9	56	1	1	4	9	14	22	42
35-49	342	6.7	63	1	1	4	9	15	26	36
50-64	410	10.4	113	1	1	7	14	26	32	49
65+	570	14.0	179	2	3	10	18	31	43	70
GRAND TOTAL	**1841**	**10.2**	**117**	**1**	**2**	**7**	**13**	**24**	**32**	**51**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	<1	<1	2	2	4	4	4
20-34	9	2.8	5	<1	<1	2	4	7	7	7
35-49	4	3.8	4	<1	<1	4	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	293	2.0	2	<1	<1	1	2	4	5	7
20-34	564	2.3	4	<1	<1	2	3	5	6	9
35-49	317	2.1	3	<1	<1	2	2	4	5	8
50-64	129	2.0	3	<1	<1	1	2	4	6	9
65+	27	2.1	4	<1	<1	1	2	4	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	4	<1	<1	1	3	6	6	6
20-34	26	1.6	1	<1	<1	1	2	3	4	4
35-49	23	1.9	3	<1	<1	1	2	5	7	7
50-64	9	1.4	1	<1	<1	1	2	3	3	3
65+	7	4.1	19	<1	<1	2	6	12	13	13
B. *Operated*										
0-19 YRS	225	2.6	4	<1	<1	2	4	5	6	9
20-34	637	2.6	6	<1	<1	2	3	5	7	10
35-49	414	2.3	4	<1	<1	2	3	5	6	11
50-64	351	2.4	4	<1	<1	2	3	4	6	12
65+	159	3.6	39	<1	<1	2	4	7	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.0	4	<1	<1	2	4	6	7	7
B. *Operated*	1330	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	71	2.0	4	<1	<1	1	2	4	7	12
B. *Operated*	1786	2.6	8	<1	<1	2	3	5	7	13
1. SINGLE DX	1351	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1857	2.5	8	<1	<1	2	3	5	7	13
A. NOT OPERATED	92	2.2	4	<1	<1	1	3	5	7	11
B. OPERATED	3116	2.4	6	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	530	2.3	3	<1	<1	2	3	5	5	8
20-34	1236	2.4	5	<1	<1	2	3	5	6	9
35-49	758	2.2	3	<1	<1	2	3	4	6	10
50-64	490	2.3	4	<1	<1	2	3	4	6	11
65+	194	3.5	33	<1	<1	2	3	7	11	22
GRAND TOTAL	**3208**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.9	4	1	1	2	4	5	7	11
20-34	41	3.5	7	<1	<1	3	4	8	9	10
35-49	19	3.3	8	<1	<1	2	6	8	9	9
50-64	15	5.3	15	<1	1	4	8	11	12	12
65+	21	4.4	6	1	2	4	5	8	10	11
B. *Operated*										
0-19 YRS	525	2.6	2	<1	1	2	3	5	5	8
20-34	895	2.9	3	1	1	3	4	5	6	9
35-49	260	2.9	3	<1	1	3	4	5	7	9
50-64	72	2.8	5	<1	<1	2	4	5	7	12
65+	34	5.2	44	<1	1	3	7	12	14	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	4.0	26	<1	<1	2	4	9	17	26
20-34	70	5.2	142	<1	<1	3	5	8	12	83
35-49	71	3.8	13	<1	1	3	5	8	11	20
50-64	76	4.9	15	<1	1	4	7	9	12	20
65+	234	7.5	52	2	2	6	9	14	21	47
B. *Operated*										
0-19 YRS	397	4.4	24	<1	1	3	5	9	13	23
20-34	475	3.7	18	<1	1	3	4	7	10	20
35-49	279	4.4	30	<1	1	3	5	10	14	28
50-64	176	4.9	34	<1	1	3	5	11	16	28
65+	201	9.4	118	<1	1	6	12	22	29	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.4	6	<1	1	3	5	7	9	12
B. *Operated*	1786	2.9	4	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	532	5.8	51	<1	1	4	7	12	17	36
B. *Operated*	1528	4.9	40	<1	1	3	5	10	16	32
1. SINGLE DX	1972	2.9	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	2060	5.1	43	<1	1	3	6	11	16	34
A. NOT OPERATED	718	5.2	41	<1	1	4	6	10	14	30
B. OPERATED	3314	3.8	22	<1	1	3	4	7	10	24
TOTAL 0-19 YRS	1093	3.4	13	<1	1	2	4	6	8	18
20-34	1481	3.3	15	<1	1	3	4	5	7	16
35-49	629	3.7	17	<1	1	3	4	7	10	22
50-64	339	4.5	23	<1	1	3	5	10	12	26
65+	490	8.0	78	1	2	5	10	17	25	64
GRAND TOTAL	**4032**	**4.1**	**25**	**<1**	**1**	**3**	**4**	**8**	**11**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	12.0	100	2	2	12	19	22	22	22
35-49	1	18.0		18	18	18	18	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.0	29	2	2	12	13	14	14	14
35-49	4	5.3	4	4	4	5	6	8	8	8
50-64	3	5.3	14	1	1	7	8	8	8	8
65+	9	6.8	20	2	3	6	8	14	17	17
B. *Operated*										
0-19 YRS										
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	1	16.0		16	16	16	16	16	16	16
50-64	8	15.9	71	5	6	16	18	29	33	33
65+	5	19.8	218	2	2	18	26	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	4	13.5	76	2	2	15	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	20	6.9	18	1	2	6	9	13	15	17
B. *Operated*	16	16.4	101	3	5	16	19	32	40	43
1. SINGLE DX	5	13.2	57	2	2	12	19	22	22	22
2. MULTIPLE DX	36	11.1	76	2	2	9	16	19	29	43
A. NOT OPERATED	21	7.1	18	1	2	6	10	13	15	17
B. OPERATED	20	15.8	93	2	4	16	19	27	38	43
TOTAL 0-19 YRS										
20-34	10	10.8	33	2	2	12	12	18	22	22
35-49	6	9.2	39	4	4	6	16	18	18	18
50-64	11	13.0	77	1	3	11	18	25	32	33
65+	14	11.4	121	2	2	7	17	22	38	43
GRAND TOTAL	**41**	**11.4**	**73**	**2**	**2**	**10**	**16**	**19**	**27**	**43**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	5.7	19	1	1	4	8	13	14	14
35-49	40	4.8	10	<1	1	4	6	10	11	13
50-64	56	4.8	18	1	1	4	6	10	15	20
65+	61	6.2	17	1	1	5	10	12	14	90
B. *Operated*										
0-19 YRS	5	6.2	10	1	1	7	8	9	9	9
20-34	41	3.5	9	1	1	2	5	8	10	13
35-49	160	4.4	14	1	1	3	7	10	13	16
50-64	170	4.9	22	1	1	3	7	11	14	22
65+	100	5.7	26	1	1	4	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	15	5.6	8	1	3	5	8	10	10	10
35-49	110	6.5	20	1	2	5	9	13	16	19
50-64	282	7.0	27	2	2	6	8	14	17	28
65+	828	8.8	61	2	3	7	11	16	22	68
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	42	5.5	24	1	1	4	8	13	17	19
35-49	187	6.8	46	1	1	5	9	13	22	48
50-64	394	8.0	91	1	1	6	9	16	24	47
65+	415	12.0	126	1	2	9	15	25	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	5.4	16	1	1	4	8	11	13	20
B. *Operated*	476	4.8	19	1	1	3	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	1237	8.1	50	2	2	7	10	15	20	41
B. *Operated*	1039	9.3	99	1	1	7	11	20	28	64
1. SINGLE DX	645	5.0	18	1	1	4	7	11	13	21
2. MULTIPLE DX	2276	8.7	72	1	2	7	11	17	24	56
A. NOT OPERATED	1406	7.8	46	1	2	6	10	14	20	40
B. OPERATED	1515	7.9	78	1	1	6	10	17	24	52
TOTAL 0-19 YRS	8	6.5	10	1	2	7	8	10	11	11
20-34	110	4.8	16	1	1	4	7	10	13	18
35-49	497	5.8	28	1	1	5	8	12	15	28
50-64	902	6.9	55	1	1	5	8	14	19	36
65+	1404	9.4	79	1	2	7	12	19	26	68
GRAND TOTAL	**2921**	**7.8**	**63**	**1**	**1**	**6**	**10**	**15**	**21**	**46**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.9	25	<1	1	7	10	13	17	20
20-34	530	6.8	23	1	1	6	9	13	16	23
35-49	870	7.4	23	1	2	7	10	13	16	23
50-64	374	7.6	20	1	2	7	10	13	16	21
65+	103	7.4	12	2	3	7	10	12	14	17
B. *Operated*										
0-19 YRS	115	5.0	17	1	1	4	6	9	13	23
20-34	2395	5.5	18	1	1	5	7	10	13	22
35-49	3141	5.8	22	1	1	5	8	11	14	24
50-64	1252	5.9	22	1	1	5	8	11	15	23
65+	232	7.0	37	1	1	6	9	14	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	28	1	1	7	11	14	14	14
20-34	345	7.3	24	1	1	6	10	13	16	28
35-49	670	8.4	32	1	2	7	11	15	18	29
50-64	742	8.9	36	2	3	8	11	15	19	28
65+	735	9.6	44	2	3	8	12	17	21	32
B. *Operated*										
0-19 YRS	35	7.5	85	1	1	5	7	20	30	43
20-34	790	7.9	45	1	2	7	10	15	20	33
35-49	1572	8.4	42	1	2	7	11	16	20	33
50-64	1279	9.2	57	1	2	7	11	18	24	40
65+	694	12.6	101	1	3	10	17	25	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1898	7.3	22	1	2	7	10	13	16	22
B. *Operated*	7135	5.7	21	1	1	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	2497	8.7	36	1	3	8	11	15	19	31
B. *Operated*	4370	9.2	59	1	2	7	11	18	24	39
1. SINGLE DX	9033	6.0	22	1	1	5	8	11	15	23
2. MULTIPLE DX	6867	9.0	51	1	2	8	11	17	22	36
A. NOT OPERATED	4395	8.1	30	1	2	7	11	14	17	26
B. OPERATED	11505	7.0	39	1	1	6	9	14	19	31
TOTAL 0-19 YRS	176	5.8	33	1	1	5	7	11	15	31
20-34	4060	6.3	26	1	1	5	8	12	15	24
35-49	6253	6.9	30	1	1	6	9	13	17	28
50-64	3647	7.8	39	1	1	7	10	15	19	31
65+	1764	10.3	68	1	3	8	13	20	25	44
GRAND TOTAL	**15900**	**7.3**	**37**	**1**	**1**	**6**	**9**	**14**	**18**	**30**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	2	<1	<1	3	4	5	5	5
20-34	70	5.5	17	1	1	5	7	12	14	17
35-49	115	5.5	16	1	1	5	8	10	14	20
50-64	45	7.5	24	1	2	7	9	13	17	27
65+	12	6.1	17	<1	1	6	8	12	15	16
B. *Operated*										
0-19 YRS	4	4.8	56	1	1	1	9	16	16	16
20-34	216	5.2	20	1	1	4	7	10	14	24
35-49	505	4.8	18	1	1	4	6	9	12	23
50-64	196	4.9	14	1	1	4	7	9	12	21
65+	24	4.6	12	<1	1	4	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.7	29	1	1	8	13	16	16	16
20-34	44	6.7	20	1	2	6	8	14	17	19
35-49	129	6.6	22	1	1	6	9	12	14	25
50-64	114	7.2	28	1	1	7	10	13	15	31
65+	107	8.5	42	2	2	7	11	17	19	35
B. *Operated*										
0-19 YRS	4	4.3	13	1	1	3	7	9	9	9
20-34	90	5.8	19	1	1	5	8	10	13	21
35-49	342	7.0	37	1	1	6	8	12	20	38
50-64	245	7.6	43	1	1	6	9	15	21	30
65+	73	11.9	117	1	2	8	16	24	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	5.8	18	1	1	5	8	12	14	20
B. *Operated*	945	4.9	17	1	1	4	7	10	12	23
2. MULTIPLE DX										
A. *Not Operated*	400	7.3	29	1	1	7	10	14	18	27
B. *Operated*	754	7.5	47	1	1	6	9	15	21	38
1. SINGLE DX	1194	5.1	18	1	1	4	7	10	13	22
2. MULTIPLE DX	1154	7.4	41	1	1	6	9	14	20	33
A. NOT OPERATED	649	6.7	26	1	1	6	9	13	16	25
B. OPERATED	1699	6.1	32	1	1	5	8	12	16	28
TOTAL 0-19 YRS	21	5.2	24	<1	1	3	8	14	16	16
20-34	420	5.5	19	1	1	5	7	11	14	21
35-49	1091	5.8	25	1	1	5	8	11	14	25
50-64	600	6.6	31	1	1	6	8	13	17	28
65+	216	9.1	67	1	2	7	11	18	24	44
GRAND TOTAL	**2348**	**6.3**	**30**	**1**	**1**	**5**	**8**	**12**	**16**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	98	5	5	12	19	19	19	19
20-34	18	5.6	32	<1	<1	4	6	9	19	26
35-49	29	5.6	15	1	1	5	7	12	14	15
50-64	16	8.9	24	1	2	8	13	14	15	16
65+	4	5.3	2	4	4	5	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	30	4.0	16	<1	1	2	7	10	11	14
35-49	39	3.5	14	1	1	1	7	9	11	13
50-64	12	3.2	18	1	1	2	3	10	14	15
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Cperated*										
0-19 YRS	8	7.4	48	2	2	6	9	19	23	23
20-34	28	6.7	26	2	2	5	8	13	17	25
35-49	39	7.8	49	1	2	6	10	15	20	39
50-64	35	7.4	22	3	3	6	9	15	18	21
65+	34	9.7	84	2	3	8	11	15	29	49
B. *Operated*										
0-19 YRS	3	14.0	433	1	1	3	29	38	38	38
20-34	36	5.6	21	1	1	5	7	12	15	21
35-49	47	5.9	20	1	1	6	10	12	13	16
50-64	13	8.6	56	1	1	7	12	17	27	29
65+	9	12.8	74	5	5	9	18	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	6.5	24	1	1	5	8	14	15	25
B. *Operated*	82	3.6	15	1	1	1	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	144	7.9	46	2	3	6	10	14	21	40
B. *Operated*	108	6.9	41	1	1	6	10	13	17	33
1. SINGLE DX	151	4.9	21	1	1	4	8	12	14	19
2. MULTIPLE DX	252	7.5	44	1	1	6	10	14	21	38
A. NOT OPERATED	213	7.5	39	1	2	6	9	14	19	33
B. OPERATED	190	5.5	32	1	1	3	8	12	14	29
TOTAL 0-19 YRS	13	9.6	117	1	2	5	12	26	36	38
20-34	112	5.4	23	1	1	4	8	11	14	25
35-49	154	5.7	27	1	1	5	8	12	14	22
50-64	76	7.3	30	1	1	6	10	14	17	27
65+	48	9.7	76	2	3	8	11	22	29	49
GRAND TOTAL	**403**	**6.5**	**37**	**1**	**1**	**5**	**9**	**13**	**16**	**30**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	61	5.6	14	<1	1	5	8	11	13	14
35-49	100	6.3	13	1	2	6	8	11	13	20
50-64	68	7.0	16	1	2	6	9	12	15	19
65+	27	7.2	24	1	1	7	9	12	15	25
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	64	3.7	16	1	1	2	4	9	14	20
35-49	81	4.1	26	1	1	2	4	12	16	25
50-64	34	3.7	13	1	1	2	4	10	12	13
65+	6	2.0	2	1	1	1	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.0	41	4	4	7	13	18	18	18
20-34	66	7.0	18	1	1	7	8	12	14	23
35-49	118	7.3	16	1	2	7	9	12	15	19
50-64	154	7.2	19	2	2	7	9	12	15	24
65+	242	8.8	34	2	3	7	11	15	20	32
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	41	6.2	30	1	1	4	9	13	17	27
35-49	49	7.2	34	1	1	6	10	16	23	99+
50-64	29	7.5	26	1	2	6	10	15	17	21
65+	47	11.2	69	2	2	9	14	23	28	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	6.4	15	1	2	6	8	11	13	20
B. *Operated*	186	3.9	20	1	1	2	4	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	584	7.9	25	2	3	7	10	14	17	26
B. *Operated*	167	8.2	45	1	2	7	11	17	23	39
1. SINGLE DX	444	5.3	19	1	1	4	8	11	14	20
2. MULTIPLE DX	751	7.9	29	2	2	7	10	14	18	28
A. NOT OPERATED	842	7.4	22	1	2	7	9	13	16	24
B. OPERATED	353	5.9	36	1	1	3	9	14	18	28
TOTAL 0-19 YRS	8	8.6	27	4	4	7	12	17	18	18
20-34	232	5.6	20	1	1	5	8	11	14	22
35-49	348	6.2	22	1	1	6	9	13	16	23
50-64	285	6.8	19	1	2	6	9	12	15	21
65+	322	8.9	39	2	3	8	11	16	22	33
GRAND TOTAL	**1195**	**7.0**	**27**	**1**	**2**	**6**	**9**	**13**	**16**	**26**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.4	7	<1	1	2	5	7	8	13
20-34	447	5.0	14	1	1	4	7	10	12	17
35-49	605	5.9	19	1	1	5	8	11	13	21
50-64	308	5.5	14	1	1	5	8	10	12	17
65+	132	5.9	19	1	1	5	7	11	14	23
B. *Operated*										
0-19 YRS	33	3.1	13	1	1	2	3	8	12	15
20-34	510	3.3	21	1	1	2	4	8	10	20
35-49	690	3.3	12	1	1	2	4	8	10	16
50-64	475	4.7	20	1	1	3	7	11	13	20
65+	260	5.4	21	1	1	4	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.5	42	<1	1	3	5	8	9	45
20-34	517	6.3	32	1	1	5	8	12	15	29
35-49	920	7.1	32	1	2	6	9	13	17	25
50-64	829	7.5	30	1	2	6	10	14	17	27
65+	1059	8.2	47	2	2	7	10	15	19	38
B. *Operated*										
0-19 YRS	15	6.8	68	1	1	4	8	14	28	33
20-34	349	5.9	49	1	1	4	8	13	18	39
35-49	703	6.7	60	1	1	4	9	15	21	34
50-64	775	8.0	50	1	1	7	11	16	22	34
65+	910	11.2	103	1	2	9	14	23	31	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1551	5.5	16	1	1	5	7	10	12	20
B. *Operated*	1968	3.9	18	1	1	2	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3394	7.4	37	1	2	6	10	14	17	31
B. *Operated*	2752	8.4	74	1	1	6	11	18	25	43
1. SINGLE DX	3519	4.6	18	1	1	3	7	10	12	19
2. MULTIPLE DX	6146	7.8	54	1	1	6	10	15	21	37
A. NOT OPERATED	4945	6.8	31	1	1	6	9	13	16	27
B. OPERATED	4720	6.5	56	1	1	4	9	14	20	35
TOTAL 0-19 YRS	176	4.0	27	<1	1	2	5	8	12	29
20-34	1823	5.1	29	1	1	3	7	11	14	24
35-49	2918	5.8	33	1	1	4	8	12	16	26
50-64	2387	6.8	34	1	1	6	9	13	17	29
65+	2361	8.9	68	1	2	7	11	17	24	44
GRAND TOTAL	**9665**	**6.7**	**43**	**1**	**1**	**5**	**9**	**14**	**18**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.4	4	1	1	3	4	7	7	10
20-34	66	3.7	8	1	2	3	5	7	8	18
35-49	63	3.7	6	1	1	3	5	7	9	13
50-64	43	4.2	8	1	1	3	6	8	10	13
65+	20	5.2	22	1	2	3	5	15	16	17
B. *Operated*										
0-19 YRS	134	2.1	3	<1	<1	1	2	4	5	9
20-34	424	2.0	3	<1	<1	1	2	4	5	8
35-49	549	2.2	7	<1	<1	2	3	4	5	8
50-64	409	2.3	4	<1	<1	2	3	5	6	11
65+	90	3.0	18	<1	<1	2	4	7	10	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.9	9	1	1	3	5	7	10	15
20-34	88	5.1	20	1	2	4	6	9	11	28
35-49	98	4.7	9	<1	1	4	7	9	11	15
50-64	163	5.2	12	1	1	5	7	10	12	19
65+	198	6.3	18	2	2	5	8	11	16	19
B. *Operated*										
0-19 YRS	79	2.7	11	<1	<1	2	3	5	7	19
20-34	281	3.2	12	<1	<1	2	4	6	9	18
35-49	489	3.4	11	<1	<1	2	4	7	10	18
50-64	562	3.6	11	<1	1	3	4	7	9	17
65+	307	5.4	41	<1	1	3	6	12	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	3.7	7	1	1	3	5	7	9	15
B. *Operated*	1606	2.2	5	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	622	5.3	15	1	2	4	7	10	12	19
B. *Operated*	1718	3.7	17	<1	<1	3	4	7	11	22
1. SINGLE DX	1915	2.5	6	<1	<1	2	3	5	6	11
2. MULTIPLE DX	2340	4.2	17	<1	1	3	5	8	11	20
A. NOT OPERATED	931	4.8	13	1	1	4	6	9	11	19
B. OPERATED	3324	3.0	12	<1	<1	2	3	6	8	19
TOTAL 0-19 YRS	405	2.9	6	<1	<1	2	4	6	7	14
20-34	859	2.9	9	<1	<1	2	3	6	8	14
35-49	1199	3.0	9	<1	<1	2	4	6	8	14
50-64	1177	3.4	10	<1	<1	3	4	7	9	15
65+	615	5.3	30	<1	<1	4	7	11	17	28
GRAND TOTAL	**4255**	**3.4**	**13**	**<1**	**<1**	**2**	**4**	**7**	**10**	**19**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	163	2.4	8	<1	<1	2	3	4	4	8
20-34	338	2.1	2	<1	<1	2	3	4	4	6
35-49	372	2.2	4	<1	<1	2	3	4	5	8
50-64	326	2.4	3	<1	<1	2	3	4	6	8
65+	121	2.2	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	11	1.3	1	<1	<1	1	1	2	4	4
35-49	15	1.3	1	<1	<1	1	1	2	4	4
50-64	34	1.4	1	<1	<1	1	2	3	3	5
65+	11	2.5	3	<1	<1	2	3	5	7	7
B. *Operated*										
0-19 YRS	176	2.3	2	<1	1	2	3	4	5	7
20-34	583	2.4	3	<1	1	2	3	4	5	7
35-49	772	2.5	2	<1	1	2	3	5	5	8
50-64	1203	2.8	4	<1	1	3	4	5	6	9
65+	791	3.3	14	<1	1	3	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	3	<1	<1	3	4	5	6	6
B. *Operated*	1320	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	73	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	3525	2.8	6	<1	1	2	4	5	6	9
1. SINGLE DX	1329	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	3598	2.7	6	<1	1	2	4	5	6	9
A. NOT OPERATED	82	1.7	2	<1	<1	1	2	4	5	7
B. OPERATED	4845	2.6	5	<1	1	2	3	5	6	8
TOTAL 0-19 YRS	343	2.4	5	<1	<1	2	3	4	5	7
20-34	932	2.3	2	<1	<1	2	3	4	5	7
35-49	1162	2.4	3	<1	<1	2	3	4	5	8
50-64	1566	2.7	4	<1	<1	2	4	5	6	8
65+	924	3.1	12	<1	1	3	4	5	7	12
GRAND TOTAL	**4927**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	3	4.0	13	<1	<1	3	7	8	8	8
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	92	1.4	1	<1	<1	<1	1	2	3	7
20-34	230	1.3	1	<1	<1	<1	1	2	3	5
35-49	137	1.5	1	<1	<1	<1	1	3	4	6
50-64	92	1.7	1	<1	<1	1	2	3	5	6
65+	28	2.0	3	<1	<1	1	2	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	9	3.2	11	<1	<1	1	5	9	9	9
50-64	12	4.8	8	1	2	4	7	9	10	10
65+	11	5.7	15	1	2	5	9	11	12	12
B. *Operated*										
0-19 YRS	21	1.7	1	<1	<1	1	2	3	4	5
20-34	55	1.7	1	<1	<1	1	2	4	4	6
35-49	84	2.3	8	<1	<1	1	3	4	7	18
50-64	102	3.1	13	<1	<1	2	3	6	8	23
65+	75	3.9	29	<1	<1	3	5	7	9	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.4	5	<1	<1	2	3	6	8	8
B. *Operated*	579	1.5	1	<1	<1	<1	1	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	40	4.0	11	<1	<1	3	6	9	10	12
B. *Operated*	337	2.8	13	<1	<1	2	3	5	7	21
1. SINGLE DX	588	1.5	1	<1	<1	<1	1	3	4	6
2. MULTIPLE DX	377	2.9	13	<1	<1	2	3	6	9	20
A. NOT OPERATED	49	3.7	10	<1	<1	3	5	9	10	12
B. OPERATED	916	1.9	6	<1	<1	1	2	4	5	11
TOTAL 0-19 YRS	116	1.4	1	<1	<1	<1	1	2	3	6
20-34	294	1.4	1	<1	<1	<1	1	3	4	5
35-49	230	1.9	4	<1	<1	1	2	3	5	12
50-64	209	2.6	8	<1	<1	2	3	5	7	15
65+	116	3.6	22	<1	<1	2	5	7	10	31
GRAND TOTAL	**965**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	13.9	80	3	4	12	19	25	34	40
20-34	26	10.1	75	1	2	8	13	25	30	37
35-49	24	8.5	33	1	2	8	11	17	20	22
50-64	17	13.6	170	1	2	11	15	25	46	57
65+	9	20.3	519	4	5	13	20	58	78	78
B. *Operated*										
0-19 YRS	47	13.0	136	1	2	10	16	30	39	52
20-34	43	12.1	106	2	2	10	16	23	41	43
35-49	47	10.8	132	1	2	7	16	29	35	99+
50-64	47	13.9	116	2	3	10	20	30	37	45
65+	39	13.0	210	1	2	8	16	26	51	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	17.7	137	3	5	14	27	33	41	45
20-34	56	11.8	119	1	2	8	15	30	38	42
35-49	75	14.5	122	2	3	12	19	28	41	49
50-64	140	15.7	145	3	4	12	21	30	40	63
65+	221	17.7	131	5	6	15	24	34	40	62
B. *Operated*										
0-19 YRS	92	21.0	282	4	5	18	27	43	55	84
20-34	157	21.5	301	2	5	16	30	46	61	99
35-49	225	21.4	299	3	5	15	32	50	55	85
50-64	423	21.7	281	3	5	17	30	46	56	85
65+	586	22.3	274	4	6	18	31	46	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	12.6	115	2	3	11	16	24	33	61
B. *Operated*	223	12.5	137	1	2	9	17	28	40	62
2. MULTIPLE DX										
A. *Not Operated*	557	16.2	135	3	4	13	22	33	41	52
B. *Operated*	1483	21.8	283	3	5	17	30	46	58	92
1. SINGLE DX	355	12.6	128	1	2	10	17	27	36	60
2. MULTIPLE DX	2040	20.3	249	3	5	16	28	43	54	86
A. NOT OPERATED	689	15.5	133	2	4	12	21	31	40	55
B. OPERATED	1706	20.6	273	3	4	16	29	45	56	89
TOTAL 0-19 YRS	260	17.2	185	2	4	14	22	34	43	74
20-34	282	17.1	237	2	3	12	24	41	56	85
35-49	371	17.8	246	2	3	13	23	45	53	81
50-64	627	19.5	244	3	4	15	28	43	53	77
65+	855	20.7	243	4	5	17	29	43	55	92
GRAND TOTAL	**2395**	**19.1**	**238**	**3**	**4**	**15**	**27**	**42**	**52**	**84**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.9	16	<1	<1	2	6	9	13	75
20-34	45	2.8	5	<1	<1	2	3	6	8	9
35-49	75	2.9	4	1	1	3	4	5	6	12
50-64	61	4.0	6	1	1	3	5	8	9	11
65+	99	6.6	20	2	2	5	9	14	16	21
B. *Operated*										
0-19 YRS	563	4.0	11	1	1	3	5	8	10	16
20-34	485	3.6	9	<1	1	3	5	8	9	14
35-49	239	4.6	14	<1	1	4	7	10	13	16
50-64	138	5.2	20	<1	1	4	7	12	15	20
65+	89	8.5	38	<1	1	8	13	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	7.4	184	<1	<1	3	8	20	67	99+
20-34	107	3.7	16	<1	1	3	5	7	11	23
35-49	233	5.1	40	1	1	3	5	10	15	37
50-64	484	6.9	38	1	2	5	9	15	19	30
65+	2214	10.9	92	2	3	9	13	21	27	69
B. *Operated*										
0-19 YRS	248	6.6	71	1	1	4	8	14	21	45
20-34	411	6.1	85	1	1	3	7	12	20	49
35-49	362	8.3	123	<1	1	4	11	18	24	65
50-64	491	11.8	146	1	2	9	15	25	40	92
65+	975	16.9	176	3	5	14	21	34	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	4.3	14	<1	1	3	6	9	12	19
B. *Operated*	1514	4.3	15	<1	1	3	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*	3097	9.5	84	2	2	7	12	19	25	58
B. *Operated*	2487	11.8	156	1	2	9	15	26	37	83
1. SINGLE DX	1874	4.3	14	<1	1	3	6	9	13	17
2. MULTIPLE DX	5584	10.6	118	1	2	8	14	22	30	71
A. NOT OPERATED	3457	9.0	79	1	2	7	11	18	24	58
B. OPERATED	4001	9.0	116	1	1	5	12	20	29	67
TOTAL 0-19 YRS	950	4.8	39	<1	1	3	6	10	14	39
20-34	1048	4.5	41	<1	1	3	5	9	11	27
35-49	909	6.1	67	1	1	4	7	13	18	41
50-64	1174	8.6	87	1	2	6	11	18	25	65
65+	3377	12.5	121	2	3	10	15	24	33	80
GRAND TOTAL	**7458**	**9.0**	**99**	**1**	**1**	**6**	**12**	**19**	**26**	**65**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	15.3	704	1	1	3	29	55	55	55
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	105	3.6	6	<1	1	3	5	6	9	11
20-34	54	3.3	6	<1	<1	2	5	8	8	9
35-49	39	2.3	2	<1	<1	2	3	4	5	8
50-64	31	3.1	6	<1	<1	2	4	6	7	10
65+	6	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	60	<1	<1	1	3	8	25	33
20-34	8	2.9	14	<1	<1	1	4	9	11	11
35-49	9	7.4	101	<1	<1	2	10	24	32	32
50-64	10	4.3	34	<1	<1	2	4	15	17	17
65+	15	16.5	291	1	3	14	17	40	59	66
B. *Operated*										
0-19 YRS	293	5.6	59	<1	<1	4	6	9	17	51
20-34	121	6.5	81	<1	1	4	8	14	19	48
35-49	85	4.2	11	<1	1	3	5	8	10	17
50-64	87	4.8	12	<1	1	4	6	9	12	16
65+	52	6.4	28	1	2	5	9	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	11.0	466	1	1	2	4	50	55	55
B. *Operated*	235	3.2	5	<1	<1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	59	7.7	137	<1	<1	2	10	17	33	64
B. *Operated*	638	5.5	48	<1	1	4	6	10	15	33
1. SINGLE DX	241	3.4	16	<1	<1	3	5	6	8	10
2. MULTIPLE DX	697	5.7	56	<1	1	4	6	11	17	37
A. NOT OPERATED	65	8.0	161	<1	<1	2	10	17	35	64
B. OPERATED	873	4.9	38	<1	<1	4	6	9	13	25
TOTAL 0-19 YRS	419	5.1	52	<1	<1	4	6	9	14	47
20-34	183	5.4	59	<1	<1	3	7	10	16	30
35-49	134	3.9	15	<1	<1	3	5	8	10	20
50-64	129	4.3	12	<1	<1	3	6	9	12	17
65+	73	8.2	96	1	1	5	10	15	27	60
GRAND TOTAL	**938**	**5.1**	**47**	**<1**	**<1**	**4**	**6**	**9**	**14**	**33**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.0	13	<1	<1	5	6	11	11	11
35-49	14	4.3	14	1	1	3	7	10	11	11
50-64	14	5.1	10	2	2	4	6	9	13	14
65+	4	4.3	16	1	1	3	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34	13	4.0	24	1	1	2	5	11	17	18
35-49	9	2.6	11	1	1	1	2	8	11	11
50-64	6	4.3	10	1	1	4	6	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	7	5.4	10	2	2	4	7	10	11	11
35-49	24	7.9	71	1	1	5	9	21	29	32
50-64	32	6.2	26	2	2	4	8	13	15	25
65+	40	8.5	65	2	3	7	9	14	21	49
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	9	6.3	26	2	2	6	7	15	18	18
35-49	16	6.0	42	1	1	3	9	16	20	22
50-64	21	6.5	66	<1	1	5	8	11	24	39
65+	13	12.6	179	1	2	6	22	36	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.7	11	1	1	4	7	10	11	14
B. *Operated*	29	3.5	16	1	1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	105	7.4	50	2	2	5	9	15	21	40
B. *Operated*	61	7.6	79	1	1	5	9	19	32	39
1. SINGLE DX	68	4.2	13	1	1	3	6	10	11	17
2. MULTIPLE DX	166	7.5	60	1	2	5	9	15	25	39
A. NOT OPERATED	144	6.7	41	1	2	5	8	12	17	33
B. OPERATED	90	6.3	62	1	1	4	8	15	22	39
TOTAL 0-19 YRS	5	5.6	11	2	2	5	8	10	10	10
20-34	35	5.1	19	1	1	4	6	11	16	18
35-49	63	5.9	44	1	1	3	8	14	21	31
50-64	73	5.9	33	1	1	5	7	11	15	36
65+	58	9.0	89	1	2	6	9	19	33	48
GRAND TOTAL	**234**	**6.5**	**49**	**1**	**1**	**5**	**8**	**13**	**19**	**39**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	1.5	2	<1	<1	<1	1	3	4	8
20-34	91	3.8	14	<1	1	2	5	9	10	20
35-49	83	3.5	12	<1	1	2	5	7	9	19
50-64	53	3.5	6	1	1	3	5	7	8	10
65+	31	4.9	20	<1	1	3	8	10	16	19
B. *Operated*										
0-19 YRS	249	5.1	16	<1	<1	4	9	10	11	14
20-34	385	3.3	15	<1	1	2	4	8	12	19
35-49	261	3.3	13	<1	<1	2	4	8	9	16
50-64	237	2.8	11	<1	<1	2	3	5	9	18
65+	150	2.7	12	<1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	5.3	168	<1	<1	2	4	10	12	87
20-34	174	4.8	25	<1	1	3	6	9	13	31
35-49	216	4.5	23	1	1	3	5	9	13	29
50-64	225	5.0	27	1	2	4	6	9	15	28
65+	421	6.3	29	1	2	5	8	13	17	25
B. *Operated*										
0-19 YRS	494	6.4	63	1	1	3	10	13	21	41
20-34	576	4.5	37	<1	1	2	5	10	15	31
35-49	514	4.8	42	1	1	3	5	10	14	34
50-64	478	5.3	47	1	1	3	7	11	17	29
65+	408	7.3	87	1	1	4	9	16	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.0	10	<1	<1	2	4	7	9	16
B. *Operated*	1282	3.5	14	<1	<1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1137	5.4	39	1	1	4	7	11	15	32
B. *Operated*	2470	5.5	54	1	1	3	7	12	18	37
1. SINGLE DX	1676	3.4	13	<1	<1	2	4	9	10	17
2. MULTIPLE DX	3607	5.5	50	1	1	3	7	12	17	36
A. NOT OPERATED	1531	4.8	33	<1	1	3	6	10	14	24
B. OPERATED	3752	4.8	42	<1	1	2	6	11	15	31
TOTAL 0-19 YRS	980	5.3	56	<1	<1	3	8	11	14	37
20-34	1226	4.1	27	<1	1	2	5	10	14	29
35-49	1074	4.2	29	<1	1	3	5	9	13	29
50-64	993	4.5	32	<1	1	3	5	10	14	26
65+	1010	6.1	52	1	1	4	8	13	19	40
GRAND TOTAL	**5283**	**4.8**	**39**	**<1**	**1**	**3**	**6**	**11**	**15**	**30**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	6.2	57	1	1	2	12	18	19	19
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	4	1.5		1	1	1	2	2	2	2
35-49	3	5.3	12	2	2	5	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	5.7	11	1	2	5	7	11	12	12
35-49	33	5.6	12	1	2	5	8	9	14	16
50-64	11	5.1	4	3	3	5	6	8	9	9
65+	6	5.3	4	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	7	5.9	37	1	1	3	11	15	16	16
35-49	3	11.0	133	2	2	7	20	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.1	45	1	1	2	7	17	19	19
B. *Operated*	7	3.1	8	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	70	5.6	9	2	2	5	7	9	12	16
B. *Operated*	10	7.4	60	1	1	5	12	20	24	24
1. SINGLE DX	15	4.2	27	1	1	2	4	12	17	19
2. MULTIPLE DX	80	5.8	15	1	2	5	7	11	13	22
A. NOT OPERATED	78	5.5	12	1	2	5	7	11	12	18
B. OPERATED	17	5.6	42	1	1	2	8	15	21	24
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	31	5.1	16	1	1	4	7	11	12	16
35-49	45	6.0	24	1	2	5	8	12	17	24
50-64	12	4.8	5	2	2	4	6	8	9	9
65+	6	5.3	4	3	3	5	7	8	8	8
GRAND TOTAL	**95**	**5.5**	**17**	**1**	**1**	**5**	**7**	**11**	**14**	**22**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.2	9	<1	<1	1	2	5	10	13
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	42	5.0	11	1	2	4	7	9	10	18
20-34	8	6.1	14	2	3	5	7	12	14	14
35-49	5	9.2	67	1	1	5	17	19	19	19
50-64	4	4.5	14	2	2	3	7	10	10	10
65+	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.7	215	<1	<1	3	13	99+	99+	99+
20-34	12	3.0	6	<1	<1	2	5	6	8	8
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	4	23.3	1495	1	1	5	45	81	81	81
65+	6	13.5	411	1	1	5	13	50	54	54
B. *Operated*										
0-19 YRS	95	10.2	134	1	2	6	11	25	37	58
20-34	21	12.4	134	1	1	10	17	25	36	50
35-49	15	8.7	22	2	2	8	13	15	16	16
50-64	16	8.0	32	1	3	7	11	16	20	22
65+	8	12.0	59	3	3	11	18	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	8	<1	<1	1	3	4	10	13
B. *Operated*	61	5.7	17	1	2	5	7	10	16	19
2. MULTIPLE DX										
A. *Not Operated*	90	7.2	244	<1	1	3	8	99+	99+	99+
B. *Operated*	155	10.2	108	1	2	7	13	23	28	55
1. SINGLE DX	84	4.7	17	<1	1	4	7	10	15	19
2. MULTIPLE DX	245	9.1	159	1	1	5	12	26	75	99+
A. NOT OPERATED	113	6.2	199	<1	<1	3	6	83	99+	99+
B. OPERATED	216	8.9	87	1	2	6	11	18	25	52
TOTAL 0-19 YRS	222	7.5	128	<1	1	4	9	25	93	99+
20-34	41	8.4	89	1	1	5	11	20	25	50
35-49	25	7.7	30	1	2	6	12	16	17	19
50-64	24	10.0	256	1	2	6	11	17	40	81
65+	17	11.8	164	1	2	6	16	23	43	54
GRAND TOTAL	**329**	**8.0**	**127**	**<1**	**1**	**5**	**10**	**21**	**52**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.2	1	<1	<1	<1	<1	1	3	5
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	248	1.6	1	<1	<1	1	2	2	3	5
20-34	73	1.8	3	<1	<1	1	2	3	6	8
35-49	32	2.3	13	<1	<1	1	2	3	4	21
50-64	24	2.5	6	<1	<1	2	3	5	7	12
65+	14	2.6	1	1	2	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	4	<1	<1	1	2	5	8	9
20-34	3	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	109	2.6	9	<1	<1	2	3	6	8	16
20-34	29	2.2	2	<1	<1	2	3	4	4	6
35-49	18	2.1	1	<1	<1	2	3	4	4	4
50-64	27	2.1	2	<1	<1	2	2	4	5	8
65+	23	2.1	1	<1	<1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.6	3	<1	<1	<1	1	4	6	9
B. *Operated*	391	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	28	2.0	4	<1	<1	1	2	5	7	9
B. *Operated*	206	2.4	5	<1	<1	2	3	5	6	10
1. SINGLE DX	417	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	234	2.3	5	<1	<1	2	2	5	7	10
A. NOT OPERATED	54	1.8	4	<1	<1	1	1	4	7	9
B. OPERATED	597	2.0	4	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	401	1.8	3	<1	<1	1	2	3	5	9
20-34	108	1.9	2	<1	<1	1	2	4	5	8
35-49	51	2.3	9	<1	<1	1	3	4	4	21
50-64	53	2.2	4	<1	<1	2	2	4	5	12
65+	38	2.4	2	<1	1	2	3	5	5	6
GRAND TOTAL	**651**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.7	5	<1	<1	2	3	6	8	9
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	4.7	7	1	1	4	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	354	3.6	9	<1	1	2	6	8	9	13
20-34	59	5.2	34	1	1	2	8	9	13	33
35-49	38	4.6	19	1	1	2	7	12	14	17
50-64	18	3.6	13	1	1	2	5	9	12	14
65+	5	2.8	6	1	1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	4.0	26	<1	1	2	5	9	14	36
20-34	25	2.2	7	1	1	2	4	8	9	11
35-49	17	6.9	70	1	2	5	6	16	30	36
50-64	24	4.4	6	1	1	4	6	7	8	9
65+	40	5.6	13	1	2	5	7	11	14	17
B. *Operated*										
0-19 YRS	941	7.1	80	1	1	5	9	15	23	51
20-34	114	7.2	79	1	2	5	10	15	21	50
35-49	64	7.0	46	1	2	6	9	12	19	40
50-64	60	9.5	152	1	2	6	11	15	41	64
65+	62	10.8	125	1	1	8	12	32	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.9	5	<1	1	2	4	7	8	9
B. *Operated*	474	3.9	13	1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	260	4.4	23	<1	1	3	6	9	13	35
B. *Operated*	1241	7.4	84	1	1	5	9	15	24	50
1. SINGLE DX	517	3.8	13	<1	1	2	6	8	10	15
2. MULTIPLE DX	1501	6.9	75	1	1	4	9	14	23	49
A. NOT OPERATED	303	4.2	21	<1	1	3	5	8	12	33
B. OPERATED	1715	6.4	67	1	1	4	8	13	19	47
TOTAL 0-19 YRS	1482	5.9	59	1	1	3	8	12	17	47
20-34	200	6.1	58	1	1	3	8	12	17	37
35-49	120	6.2	41	1	2	4	8	12	17	38
50-64	108	7.1	95	1	1	5	8	12	17	57
65+	108	8.4	84	1	1	6	10	18	33	43
GRAND TOTAL	**2018**	**6.1**	**61**	**1**	**1**	**3**	**8**	**12**	**18**	**45**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	229	3.8	4	1	2	4	5	6	7	9
20-34	6	2.5	3	1	1	2	2	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.2		<1	<1	1	1	2	2	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	203	4.4	15	1	2	4	6	7	8	11
20-34	14	2.9	3	1	1	3	4	5	7	7
35-49	5	2.6	2	1	1	2	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	236	3.8	4	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	34	1.2		<1	<1	1	1	2	2	4
B. *Operated*	222	4.3	14	1	2	4	5	7	8	11
1. SINGLE DX	237	3.8	4	1	2	4	5	6	7	9
2. MULTIPLE DX	256	3.9	13	1	1	3	5	7	8	11
A. NOT OPERATED	35	1.2		<1	<1	1	1	2	2	4
B. OPERATED	458	4.0	9	1	2	4	5	7	8	9
TOTAL 0-19 YRS	467	3.9	9	1	1	4	5	7	7	9
20-34	20	2.8	3	1	1	2	4	5	6	7
35-49	6	2.7	1	1	1	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**493**	**3.8**	**9**	**1**	**1**	**3**	**5**	**6**	**7**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.4	3	<1	1	2	3	4	5	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	275	3.7	3	2	2	3	4	5	7	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	1	1	1	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	101	5.0	9	2	2	4	6	8	10	19
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	3	<1	1	2	3	4	5	8
B. *Operated*	275	3.7	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	11	2.0	1	1	1	2	3	3	3	3
B. *Operated*	101	5.0	9	2	2	4	6	8	10	19
1. SINGLE DX	307	3.6	3	1	2	3	4	5	6	10
2. MULTIPLE DX	112	4.7	9	2	2	4	6	7	9	19
A. NOT OPERATED	43	2.3	2	<1	1	2	3	4	5	8
B. OPERATED	376	4.0	5	2	2	4	5	6	8	12
TOTAL 0-19 YRS	419	3.9	5	1	2	4	4	6	8	11
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**419**	**3.9**	**5**	**1**	**2**	**4**	**4**	**6**	**8**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.7	118	<1	<1	1	3	5	11	99+
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	9	3.1	6	<1	<1	2	5	7	8	8
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	189	4.7	40	<1	<1	2	6	10	15	37
20-34	30	3.6	6	<1	1	3	6	7	8	8
35-49	15	3.7	12	<1	1	2	6	8	11	12
50-64	11	5.5	20	<1	<1	5	8	12	14	14
65+	5	4.0	23	<1	<1	1	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	7.2	169	<1	1	3	6	19	35	97
20-34	8	5.0	22	<1	<1	3	7	13	14	14
35-49	9	6.6	33	<1	<1	4	10	16	16	16
50-64	10	5.9	13	<1	1	6	7	11	12	12
65+	27	7.0	33	1	1	5	10	15	18	27
B. *Operated*										
0-19 YRS	270	8.6	140	1	1	5	11	19	32	76
20-34	48	6.2	19	1	1	6	9	11	14	19
35-49	40	7.5	39	1	1	6	10	19	20	23
50-64	23	7.4	30	1	1	8	11	14	17	22
65+	38	9.6	35	1	2	9	13	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.4	90	<1	<1	1	3	5	9	96
B. *Operated*	250	4.5	33	<1	1	2	6	9	12	34
2. MULTIPLE DX										
A. *Not Operated*	133	6.9	111	<1	1	4	8	15	22	92
B. *Operated*	419	8.3	101	1	1	6	11	18	23	67
1. SINGLE DX	315	4.3	45	<1	<1	2	5	9	12	42
2. MULTIPLE DX	552	7.9	104	1	1	5	10	17	23	68
A. NOT OPERATED	198	5.7	106	<1	<1	3	6	13	20	95
B. OPERATED	669	6.9	79	<1	1	4	9	15	21	56
TOTAL 0-19 YRS	587	6.8	113	<1	1	3	8	15	24	77
20-34	89	5.1	16	<1	1	4	7	10	12	19
35-49	73	6.0	31	<1	1	4	8	15	19	22
50-64	47	6.2	24	<1	1	6	10	12	14	22
65+	71	8.1	36	1	1	7	12	17	21	26
GRAND TOTAL	**867**	**6.6**	**85**	**<1**	**1**	**4**	**8**	**14**	**21**	**65**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	351	1.6	1	<1	<1	1	2	2	3	4
20-34	24	2.2	1	<1	1	2	3	4	5	5
35-49	8	1.9	1	<1	<1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.1		<1	<1	<1	1	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	325	1.7	2	<1	<1	1	2	3	4	6
20-34	39	2.9	3	1	1	2	4	6	6	9
35-49	15	2.5	1	1	1	3	3	4	4	4
50-64	5	2.4	1	2	2	2	3	4	4	4
65+	4	1.5	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	385	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	25	1.1		<1	<1	<1	1	1	2	2
B. *Operated*	388	1.9	2	<1	<1	1	2	3	4	7
1. SINGLE DX	395	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	413	1.8	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	35	1.2		<1	<1	<1	1	2	3	3
B. OPERATED	773	1.7	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	706	1.6	1	<1	<1	1	2	3	3	6
20-34	66	2.6	2	<1	1	2	3	5	6	9
35-49	24	2.2	1	<1	1	2	3	4	4	4
50-64	6	2.3	1	2	2	2	2	4	4	4
65+	6	1.3	1	<1	<1	1	1	3	3	3
GRAND TOTAL	**808**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.3		<1	<1	1	2	2	2	2
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	8	2.5	5	<1	<1	1	4	6	6	6
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	454	4.3	14	<1	<1	3	6	10	12	16
20-34	99	3.9	7	<1	<1	4	6	8	9	10
35-49	27	3.5	7	<1	1	3	6	7	8	9
50-64	19	6.3	13	<1	2	6	8	10	14	17
65+	9	4.3	10	<1	<1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.0	6	<1	<1	1	2	5	8	12
20-34	11	4.1	3	<1	1	4	5	6	7	7
35-49	15	3.3	6	1	1	3	5	6	8	9
50-64	24	4.4	13	1	1	4	6	8	11	17
65+	8	6.0	9	2	3	6	7	11	12	12
B. *Operated*										
0-19 YRS	303	7.7	75	<1	1	6	10	16	22	47
20-34	148	4.9	13	<1	1	5	6	9	12	19
35-49	87	5.1	10	<1	1	5	6	9	12	15
50-64	48	8.0	193	1	1	5	8	12	18	84
65+	42	11.2	70	2	3	8	15	24	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.3	4	<1	<1	1	2	6	7	8
B. *Operated*	608	4.3	12	<1	<1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	94	3.4	9	<1	<1	2	5	7	9	15
B. *Operated*	628	6.9	63	<1	1	5	8	14	19	43
1. SINGLE DX	634	4.2	12	<1	<1	3	6	9	11	15
2. MULTIPLE DX	722	6.5	57	<1	1	5	8	13	18	43
A. NOT OPERATED	120	3.2	8	<1	<1	2	5	7	8	14
B. OPERATED	1236	5.6	40	<1	1	4	7	11	15	29
TOTAL 0-19 YRS	807	5.5	40	<1	<1	4	8	12	15	30
20-34	260	4.5	10	<1	<1	4	6	8	10	16
35-49	137	4.5	9	<1	1	4	6	9	10	14
50-64	93	6.6	107	1	1	5	7	10	14	72
65+	59	9.4	60	1	2	8	12	21	25	41
GRAND TOTAL	**1356**	**5.4**	**37**	**<1**	**1**	**4**	**7**	**11**	**14**	**29**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	185	3.6	5	1	1	3	4	6	8	12
20-34	10	2.6	3	1	1	2	4	5	5	5
35-49	9	4.2	9	1	1	4	6	9	10	10
50-64	3	2.3		2	2	2	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.1		<1	<1	1	1	1	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	132	4.6	10	1	2	4	6	8	10	15
20-34	40	3.0	2	1	1	3	4	5	6	6
35-49	36	3.2	4	1	1	3	4	5	7	9
50-64	23	3.3	3	1	2	3	4	5	7	8
65+	19	3.4	4	1	1	3	4	5	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	5	1	1	1	4	5	5	5
B. *Operated*	208	3.6	5	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	22	1.0		<1	<1	1	1	1	2	2
B. *Operated*	250	3.9	7	1	1	3	5	7	9	14
1. SINGLE DX	211	3.6	5	1	1	3	5	6	8	13
2. MULTIPLE DX	272	3.7	7	1	1	3	5	7	9	14
A. NOT OPERATED	25	1.2	1	<1	<1	1	1	1	3	5
B. OPERATED	458	3.8	6	1	1	3	5	7	8	14
TOTAL 0-19 YRS	339	3.8	7	<1	1	3	5	7	8	14
20-34	51	2.9	2	1	1	3	4	5	5	6
35-49	46	3.3	5	1	1	3	4	6	8	10
50-64	27	3.1	3	1	1	3	4	5	6	8
65+	20	3.9	9	1	1	3	4	8	12	14
GRAND TOTAL	**483**	**3.6**	**6**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.8	37	<1	<1	1	2	4	10	41
20-34	13	4.2	14	<1	<1	3	6	10	12	13
35-49	8	4.0	10	<1	<1	3	5	9	11	11
50-64	5	5.0	22	<1	<1	3	9	11	11	11
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	778	3.7	12	<1	1	3	5	7	10	19
20-34	225	2.5	5	<1	<1	2	3	6	8	11
35-49	117	3.6	15	<1	1	2	5	10	12	18
50-64	43	3.0	4	<1	<1	2	4	6	7	8
65+	13	6.5	97	1	1	4	7	15	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	3.3	18	<1	<1	2	4	8	19	99+
20-34	32	4.8	22	<1	1	3	6	10	16	20
35-49	36	6.4	36	<1	1	5	8	14	16	32
50-64	22	7.1	33	1	2	6	8	18	21	24
65+	25	8.5	44	2	2	7	9	21	24	26
B. *Operated*										
0-19 YRS	534	5.7	54	<1	1	4	7	12	18	44
20-34	179	4.4	25	<1	1	2	6	11	16	24
35-49	143	5.1	21	<1	1	4	7	12	14	19
50-64	96	6.2	34	1	1	4	9	15	18	27
65+	50	10.4	77	1	2	8	16	24	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.1	32	<1	<1	1	3	6	11	37
B. *Operated*	1176	3.5	12	<1	<1	2	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	259	4.7	28	<1	<1	3	6	12	19	99+
B. *Operated*	1002	5.7	45	<1	1	4	7	13	18	33
1. SINGLE DX	1314	3.4	14	<1	<1	2	4	7	10	19
2. MULTIPLE DX	1261	5.5	41	<1	1	3	7	12	18	37
A. NOT OPERATED	397	4.2	30	<1	<1	2	5	10	17	99+
B. OPERATED	2178	4.5	28	<1	1	3	6	10	13	25
TOTAL 0-19 YRS	1565	4.3	30	<1	<1	3	5	9	13	33
20-34	449	3.5	16	<1	1	2	4	8	11	20
35-49	304	4.7	21	<1	1	3	7	12	13	20
50-64	166	5.5	28	<1	1	3	8	12	17	25
65+	91	9.1	70	1	2	7	12	22	26	38
GRAND TOTAL	**2575**	**4.4**	**29**	**<1**	**1**	**3**	**6**	**10**	**14**	**27**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1503	3.7	20	1	1	2	4	8	13	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	71	6.8	53	1	1	4	9	14	17	46
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1152	9.1	111	1	2	5	11	21	30	54
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	178	14.1	262	1	3	9	21	43	87	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1503	3.7	20	1	1	2	4	8	13	22
B. *Operated*	71	6.8	53	1	1	4	9	14	17	46
2. MULTIPLE DX										
A. *Not Operated*	1152	9.1	111	1	2	5	11	21	30	54
B. *Operated*	178	14.1	262	1	3	9	21	43	87	99+
1. SINGLE DX	1574	3.8	22	1	1	2	4	8	14	23
2. MULTIPLE DX	1330	9.8	134	1	2	6	12	23	34	88
A. NOT OPERATED	2655	6.0	67	1	1	3	7	15	21	38
B. OPERATED	249	12.0	213	1	2	8	14	34	79	99+
TOTAL 0-19 YRS	2904	6.5	82	1	1	3	7	16	23	52
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2904**	**6.5**	**82**	**1**	**1**	**3**	**7**	**16**	**23**	**52**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1040	2.4	3	<1	1	2	3	4	5	10
20-34	399	2.8	7	1	1	2	3	5	7	10
35-49	198	2.9	4	1	1	2	4	5	7	9
50-64	117	3.1	5	1	1	3	4	6	8	12
65+	90	4.1	6	1	2	3	6	8	9	11
B. *Operated*										
0-19 YRS	7	4.7	16	1	1	4	7	11	12	12
20-34	6	3.8	11	1	1	3	5	9	10	10
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	6	3.8	7	<1	<1	3	5	8	8	8
65+	5	4.0	4	2	2	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1877	2.8	9	1	1	2	3	5	6	11
20-34	625	3.8	12	1	1	3	5	7	9	18
35-49	668	5.2	32	1	2	4	6	10	14	31
50-64	769	5.7	27	1	2	4	7	11	14	33
65+	1584	7.3	56	2	2	5	9	14	18	50
B. *Operated*										
0-19 YRS	54	7.3	69	1	2	4	9	18	22	45
20-34	34	11.0	430	1	1	5	11	17	69	98
35-49	54	8.0	84	1	2	5	8	18	25	53
50-64	75	14.3	282	3	3	9	15	34	61	99+
65+	125	15.0	229	2	3	11	19	48	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1844	2.6	5	1	1	2	3	5	7	11
B. *Operated*	27	4.0	8	1	1	3	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	5523	4.9	31	1	1	3	6	9	13	28
B. *Operated*	342	12.1	220	2	2	8	14	28	59	99+
1. SINGLE DX	1871	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	5865	5.3	45	1	1	4	6	10	15	35
A. NOT OPERATED	7367	4.3	26	1	1	3	5	8	12	25
B. OPERATED	369	11.5	209	2	2	7	14	28	53	99+
TOTAL 0-19 YRS	2978	2.8	8	1	1	2	3	5	6	12
20-34	1064	3.7	25	1	1	3	4	7	9	18
35-49	923	4.9	30	1	1	3	6	9	14	27
50-64	967	6.0	50	1	2	4	7	12	16	41
65+	1804	7.6	70	2	2	6	9	15	21	76
GRAND TOTAL	**7736**	**4.7**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**32**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	2.6	2	1	1	2	3	5	5	7
20-34	58	4.3	8	1	2	4	5	9	10	15
35-49	35	4.5	7	1	1	4	5	8	10	11
50-64	33	4.4	6	2	2	4	5	8	10	12
65+	40	5.4	10	1	2	5	7	10	12	15
B. *Operated*										
0-19 YRS	4	7.8	95	1	1	4	14	22	22	22
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	3	5.3	16	<1	<1	6	8	9	9	9
50-64	5	5.8	14	2	2	5	9	11	11	11
65+	4	12.3	29	6	6	12	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	632	3.4	10	1	1	3	4	6	7	15
20-34	224	5.0	13	2	2	4	6	9	12	21
35-49	222	5.8	12	2	2	5	8	10	13	18
50-64	336	5.9	17	2	2	5	7	10	13	21
65+	876	7.2	29	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	30	8.5	32	1	3	7	13	16	26	99+
20-34	52	10.4	55	3	3	8	14	21	21	41
35-49	48	11.3	60	3	3	9	14	25	27	32
50-64	79	14.1	142	3	4	11	18	25	32	69
65+	157	14.3	100	3	5	13	17	28	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	3.3	5	1	1	3	4	6	8	12
B. *Operated*	18	7.9	34	<1	1	7	11	17	21	22
2. MULTIPLE DX										
A. *Not Operated*	2290	5.6	21	1	2	4	7	11	14	23
B. *Operated*	366	12.8	95	3	4	11	16	25	31	64
1. SINGLE DX	493	3.5	7	1	1	3	4	6	9	13
2. MULTIPLE DX	2656	6.6	37	1	2	5	8	13	18	31
A. NOT OPERATED	2765	5.2	19	1	2	4	7	10	13	22
B. OPERATED	384	12.6	93	3	4	11	16	25	31	63
TOTAL 0-19 YRS	975	3.3	9	1	1	3	4	6	7	16
20-34	336	5.8	23	2	2	4	7	12	15	22
35-49	308	6.5	23	2	2	5	8	12	15	26
50-64	453	7.2	47	2	2	5	8	13	19	34
65+	1077	8.2	45	2	3	6	10	15	21	35
GRAND TOTAL	**3149**	**6.1**	**34**	**1**	**2**	**4**	**7**	**13**	**16**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.6	3	<1	1	2	3	5	6	9
20-34	125	2.9	5	1	1	2	4	5	7	12
35-49	69	3.3	7	1	1	2	4	7	8	14
50-64	33	2.8	7	1	1	2	4	5	7	15
65+	6	3.8	3	2	2	3	4	7	7	7
B. *Operated*										
0-19 YRS										
20-34	10	2.7	5	1	1	2	2	6	8	8
35-49	13	3.2	5	1	1	2	4	6	9	10
50-64	7	2.0	1	1	1	2	2	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.8	7	<1	1	2	3	5	7	15
20-34	196	3.7	8	1	1	3	5	8	10	13
35-49	175	3.4	5	1	1	3	5	7	7	11
50-64	131	5.1	33	1	1	4	6	9	14	34
65+	165	4.8	21	1	2	4	6	8	10	25
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	21	4.3	30	1	1	2	3	13	17	22
35-49	25	4.6	17	<1	1	3	6	10	13	18
50-64	15	7.3	35	2	2	6	8	9	23	27
65+	39	6.5	23	1	1	6	10	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.9	5	1	1	2	4	6	7	12
B. *Operated*	31	2.7	4	1	1	2	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*	736	4.0	15	1	1	3	5	8	10	17
B. *Operated*	102	5.6	25	1	1	4	9	12	16	24
1. SINGLE DX	307	2.9	5	1	1	2	4	6	7	12
2. MULTIPLE DX	838	4.2	16	1	1	3	5	8	11	19
A. NOT OPERATED	1012	3.7	13	1	1	3	5	7	9	15
B. OPERATED	133	4.9	22	1	1	3	7	11	15	23
TOTAL 0-19 YRS	114	2.7	5	<1	1	2	3	5	7	13
20-34	352	3.4	8	1	1	3	4	7	9	13
35-49	282	3.5	7	1	1	3	5	7	9	12
50-64	186	4.8	29	1	1	3	6	9	13	31
65+	211	5.1	21	1	1	4	6	10	12	21
GRAND TOTAL	**1145**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	1	<1	<1	2	2	3	3	3
20-34	26	3.2	3	1	1	3	4	5	6	8
35-49	38	3.0	3	<1	1	3	4	5	6	7
50-64	53	3.5	4	<1	1	3	5	6	6	7
65+	59	2.9	3	1	1	2	4	6	7	8
B. *Operated*										
0-19 YRS	15	3.1	12	<1	<1	1	5	8	11	12
20-34	29	4.7	7	1	1	4	6	9	10	12
35-49	43	3.5	5	1	1	4	5	7	7	8
50-64	70	4.8	7	1	2	5	6	8	9	16
65+	45	3.4	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	2	1	1	2	3	4	6	7
20-34	26	3.4	6	1	1	3	4	6	9	13
35-49	41	4.0	7	1	1	3	5	7	8	13
50-64	151	4.1	8	1	1	4	5	7	9	18
65+	332	4.2	22	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	10	3.2	6	<1	<1	3	4	7	9	9
20-34	29	4.9	8	1	1	4	7	9	9	12
35-49	84	4.8	7	1	2	5	6	8	9	16
50-64	189	5.6	11	1	2	5	7	10	12	18
65+	313	6.0	19	1	2	5	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.1	3	<1	1	3	4	6	6	8
B. *Operated*	202	4.0	6	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	567	4.1	16	1	1	3	5	7	9	18
B. *Operated*	625	5.6	15	1	2	5	7	10	13	21
1. SINGLE DX	391	3.6	5	1	1	3	5	6	7	10
2. MULTIPLE DX	1192	4.9	16	1	1	4	6	9	12	20
A. NOT OPERATED	756	3.8	13	1	1	3	5	7	9	17
B. OPERATED	827	5.2	13	1	2	5	6	9	12	20
TOTAL 0-19 YRS	55	2.6	5	<1	<1	2	3	6	8	12
20-34	110	4.1	7	1	1	4	5	8	9	13
35-49	206	4.0	6	1	1	4	6	7	8	12
50-64	463	4.7	9	1	1	4	6	8	10	17
65+	749	4.8	19	1	1	4	6	9	12	22
GRAND TOTAL	**1583**	**4.5**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	2	1	1	3	4	5	6	6
20-34	23	2.7	5	<1	1	2	4	5	7	11
35-49	11	2.7	4	1	1	2	4	6	7	7
50-64	10	2.7	9	1	1	2	3	7	11	11
65+	6	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	67	1.5	1	<1	<1	1	2	3	3	5
20-34	79	1.7	4	<1	<1	1	2	3	5	13
35-49	48	1.7	1	<1	<1	1	2	3	4	6
50-64	36	2.0	5	<1	<1	1	2	4	6	13
65+	17	2.7	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	5	1	1	4	5	7	8	9
20-34	34	3.5	10	<1	1	3	4	7	11	16
35-49	65	4.3	20	1	1	3	5	8	11	29
50-64	97	5.4	27	1	1	4	7	13	18	67
65+	218	8.1	83	1	2	5	10	19	26	51
B. *Operated*										
0-19 YRS	20	4.0	25	1	1	3	5	6	15	24
20-34	60	3.7	15	<1	<1	2	5	9	11	18
35-49	58	5.1	29	<1	1	3	7	14	21	93
50-64	73	9.2	217	<1	<1	4	10	24	41	99
65+	82	14.2	297	1	1	8	20	37	60	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.7	4	1	1	2	4	5	6	11
B. *Operated*	247	1.8	3	<1	<1	1	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	442	6.3	54	1	1	4	7	15	20	45
B. *Operated*	293	8.3	164	<1	1	3	9	21	35	88
1. SINGLE DX	308	2.0	3	<1	<1	1	2	4	5	12
2. MULTIPLE DX	735	7.1	99	<1	1	4	8	17	25	63
A. NOT OPERATED	503	5.9	49	1	1	4	7	13	19	44
B. OPERATED	540	5.3	101	<1	<1	2	5	14	23	63
TOTAL 0-19 YRS	126	2.6	7	<1	<1	2	3	5	6	13
20-34	196	2.8	9	<1	<1	2	3	7	9	16
35-49	182	3.8	19	<1	1	2	5	8	13	29
50-64	216	6.0	92	<1	1	3	7	14	22	96
65+	323	9.2	141	1	1	5	11	21	28	63
GRAND TOTAL	**1043**	**5.6**	**76**	**<1**	**<1**	**3**	**6**	**13**	**20**	**58**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	19.5	313	7	7	19	32	32	32	32
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	14.0	75	9	9	9	20	24	24	24
B. *Operated*										
0-19 YRS	3	4.0	27	<1	<1	1	8	10	10	10
20-34	10	4.7	10	<1	<1	4	6	9	12	12
35-49	4	6.8	10	2	2	8	9	9	9	9
50-64	14	11.2	92	1	3	9	13	24	35	38
65+	19	13.4	156	2	4	9	15	26	45	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.0	31	6	6	13	16	17	17	17
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	8.7	41	1	1	9	11	18	19	19
50-64	25	7.6	45	1	2	6	8	17	24	29
65+	90	9.5	96	2	3	6	12	17	29	59
B. *Operated*										
0-19 YRS	10	19.9	712	1	2	11	26	60	91	91
20-34	20	17.9	745	1	2	4	12	69	81	86
35-49	63	16.4	187	2	4	14	21	33	38	79
50-64	202	22.1	326	4	5	16	31	53	63	99+
65+	809	20.6	276	4	6	16	27	42	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	12.3	128	2	2	9	20	30	32	32
B. *Operated*	50	9.9	99	<1	1	8	12	18	30	57
2. MULTIPLE DX										
A. *Not Operated*	125	9.1	80	1	2	6	12	17	25	50
B. *Operated*	1104	20.6	293	3	6	15	27	44	62	99+
1. SINGLE DX	57	10.2	101	<1	1	8	12	22	31	56
2. MULTIPLE DX	1229	19.4	283	3	5	14	25	42	59	99+
A. NOT OPERATED	132	9.3	82	1	2	7	12	18	28	48
B. OPERATED	1154	20.1	289	3	5	15	26	43	61	99+
TOTAL 0-19 YRS	17	14.6	458	<1	1	10	16	28	69	91
20-34	33	13.6	495	<1	2	5	10	55	75	86
35-49	73	15.2	173	1	3	13	20	32	37	76
50-64	242	19.9	306	3	4	14	26	48	60	99+
65+	921	19.3	267	3	5	15	25	41	57	99+
GRAND TOTAL	**1286**	**19.0**	**278**	**3**	**4**	**14**	**25**	**41**	**58**	**99**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	2	<1	<1	2	2	4	5	8
20-34	460	2.3	2	<1	1	2	3	4	5	7
35-49	1473	2.5	2	1	1	2	3	4	5	7
50-64	1128	2.6	2	1	1	2	3	4	5	7
65+	418	2.9	3	1	1	3	4	5	6	10
B. *Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	29	2.5	4	1	1	2	3	5	8	9
35-49	202	2.4	3	1	1	2	2	4	6	10
50-64	266	2.3	15	1	1	2	2	3	5	7
65+	71	2.3	3	1	1	2	2	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.3	3	1	1	2	3	4	4	11
20-34	695	2.9	10	1	1	2	3	5	6	11
35-49	3310	3.1	4	1	1	3	4	5	7	10
50-64	4557	3.4	5	1	1	3	4	6	7	11
65+	3710	4.2	19	1	2	3	5	7	9	17
B. *Operated*										
0-19 YRS	5	3.8	21	1	1	2	5	12	12	12
20-34	59	3.9	12	1	1	2	5	9	10	18
35-49	478	3.5	8	1	1	2	5	7	9	14
50-64	836	3.7	12	1	1	2	4	8	10	16
65+	440	5.6	25	1	1	4	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3513	2.5	2	1	1	2	3	4	5	8
B. *Operated*	572	2.4	9	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	12312	3.5	10	1	1	3	4	6	8	12
B. *Operated*	1818	4.1	15	1	1	2	5	9	11	17
1. SINGLE DX	4085	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	14130	3.6	10	1	1	3	4	6	8	14
A. NOT OPERATED	15825	3.3	8	1	1	3	4	6	7	12
B. OPERATED	2390	3.7	14	1	1	2	5	8	10	17
TOTAL 0-19 YRS	83	2.3	4	<1	1	2	3	4	5	12
20-34	1243	2.7	7	1	1	2	3	5	6	10
35-49	5463	2.9	4	1	1	2	4	5	6	10
50-64	6787	3.3	6	1	1	3	4	6	7	11
65+	4639	4.2	18	1	2	3	5	8	10	18
GRAND TOTAL	**18215**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	2.9	12	<1	1	2	3	5	7	21
20-34	12	2.3	3	<1	<1	2	3	5	6	6
35-49	16	3.3	4	<1	1	3	5	6	7	8
50-64	19	2.1	2	<1	<1	2	3	5	5	5
65+	29	3.3	9	<1	<1	2	4	7	11	12
B. *Operated*										
0-19 YRS	10	1.6	1	<1	<1	1	2	3	4	4
20-34	12	3.3	7	<1	<1	2	5	7	8	8
35-49	31	1.9	3	<1	1	2	2	2	6	10
50-64	46	2.6	4	<1	<1	2	4	6	7	9
65+	23	2.0	4	<1	<1	1	2	5	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	4.6	34	1	1	3	5	10	14	35
20-34	76	4.0	14	<1	1	3	5	9	12	19
35-49	115	4.1	12	1	1	3	5	9	10	18
50-64	250	5.3	37	1	1	4	7	10	13	18
65+	544	6.3	32	1	2	5	8	12	15	31
B. *Operated*										
0-19 YRS	37	8.4	184	<1	1	3	11	18	25	78
20-34	28	6.1	83	<1	<1	3	7	12	18	48
35-49	72	5.0	21	1	1	3	6	11	13	25
50-64	198	6.2	32	1	1	4	9	15	19	67
65+	254	7.8	63	<1	1	5	10	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	2.9	10	<1	1	2	4	5	7	17
B. *Operated*	122	2.3	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	1342	5.3	31	1	1	4	7	11	14	28
B. *Operated*	589	6.9	57	1	1	4	9	15	20	48
1. SINGLE DX	481	2.7	9	<1	1	2	3	5	7	12
2. MULTIPLE DX	1931	5.8	40	1	1	4	7	12	16	34
A. NOT OPERATED	1701	4.8	28	1	1	3	6	10	13	27
B. OPERATED	711	6.1	50	<1	1	4	8	14	19	43
TOTAL 0-19 YRS	687	4.1	34	1	1	2	4	8	13	29
20-34	128	4.3	28	<1	1	3	5	9	12	25
35-49	234	4.0	14	1	1	3	5	9	11	20
50-64	513	5.3	32	1	1	4	7	12	15	28
65+	850	6.5	41	1	1	5	8	13	17	35
GRAND TOTAL	**2412**	**5.2**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.2	6	<1	1	2	2	3	5	17
20-34	288	2.1	4	<1	1	2	2	4	4	10
35-49	412	1.8	1	<1	1	1	2	3	4	6
50-64	213	1.9	1	<1	1	2	2	3	4	5
65+	68	2.7	15	<1	1	2	3	5	6	28
B. *Operated*										
0-19 YRS	23	3.0	15	<1	<1	2	3	6	12	19
20-34	38	5.2	21	<1	1	3	6	13	15	21
35-49	53	3.9	7	1	1	3	5	8	9	14
50-64	37	4.9	12	1	1	4	7	9	11	16
65+	12	5.3	16	1	1	4	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	5	1	1	2	4	5	7	11
20-34	223	2.7	4	<1	1	2	3	5	6	12
35-49	324	2.8	8	1	1	2	3	5	7	14
50-64	326	3.3	11	1	1	2	4	6	8	16
65+	537	5.3	47	1	1	4	6	11	14	28
B. *Operated*										
0-19 YRS	32	7.9	75	<1	<1	4	11	24	29	31
20-34	76	5.4	18	1	1	5	7	11	14	23
35-49	102	6.3	18	2	2	5	8	13	16	20
50-64	137	6.1	17	1	1	5	8	11	13	22
65+	430	8.8	58	1	2	7	11	18	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	2.0	3	<1	1	2	2	3	4	7
B. *Operated*	163	4.4	14	<1	1	3	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	1458	3.8	24	1	1	3	5	7	11	22
B. *Operated*	777	7.6	44	1	2	6	10	15	20	32
1. SINGLE DX	1186	2.3	5	<1	1	2	3	4	6	12
2. MULTIPLE DX	2235	5.1	34	1	1	3	6	11	15	27
A. NOT OPERATED	2481	3.1	16	1	1	2	3	6	8	17
B. OPERATED	940	7.1	40	1	2	5	9	14	19	29
TOTAL 0-19 YRS	145	3.8	27	<1	<1	2	4	8	14	29
20-34	625	2.9	8	<1	1	2	3	6	8	15
35-49	891	2.8	8	<1	1	2	3	6	8	15
50-64	713	3.5	11	1	1	2	4	8	10	16
65+	1047	6.6	53	1	1	5	8	13	19	33
GRAND TOTAL	**3421**	**4.2**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1310	1.9	2	<1	1	2	2	3	4	7
20-34	1257	2.5	6	<1	1	2	3	4	6	9
35-49	662	2.7	6	1	1	2	3	5	7	12
50-64	312	2.9	4	<1	1	2	4	6	7	10
65+	165	3.4	7	<1	1	3	4	6	9	14
B. *Operated*										
0-19 YRS	117	3.4	5	1	1	3	4	6	8	12
20-34	185	3.8	8	<1	1	3	4	8	10	13
35-49	78	4.5	11	<1	1	4	6	9	13	15
50-64	21	4.9	19	<1	<1	4	7	11	14	17
65+	20	2.8	10	<1	<1	2	2	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	761	2.4	3	<1	1	2	3	4	6	10
20-34	1175	3.1	7	1	1	2	4	6	8	11
35-49	846	4.0	11	1	1	3	5	7	9	17
50-64	879	4.5	11	1	1	4	6	8	11	18
65+	1448	5.4	30	1	2	4	7	10	13	28
B. *Operated*										
0-19 YRS	92	4.8	34	1	1	4	6	9	12	37
20-34	258	5.3	25	<1	1	4	7	11	14	21
35-49	215	6.7	34	1	1	6	9	13	16	31
50-64	175	7.3	35	1	1	6	10	14	18	41
65+	222	9.5	74	1	2	8	11	18	26	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3706	2.4	5	<1	1	2	3	4	6	9
B. *Operated*	421	3.8	8	<1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	5109	4.0	15	1	1	3	5	8	10	18
B. *Operated*	962	6.9	44	1	1	6	9	13	17	42
1. SINGLF DX	4127	2.5	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	6071	4.5	21	1	1	3	6	9	12	22
A. NOT OPERATED	8815	3.3	11	1	1	2	4	7	8	15
B. OPERATED	1383	6.0	35	1	1	4	8	12	15	32
TOTAL 0-19 YRS	2280	2.3	4	<1	1	2	3	4	6	9
20-34	2875	3.1	9	<1	1	2	4	6	8	13
35-49	1801	3.9	13	1	1	3	5	8	10	18
50-64	1387	4.5	14	1	1	3	6	9	11	18
65+	1855	5.7	35	1	1	4	7	11	14	32
GRAND TOTAL	**10198**	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.4	4	<1	1	2	3	4	6	13
20-34	60	2.3	3	<1	1	1	3	5	6	7
35-49	34	2.5	7	<1	<1	1	3	6	9	12
50-64	26	2.5	5	<1	<1	1	4	6	7	8
65+	27	3.2	7	<1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	5	3.6	16	1	1	1	6	10	10	10
20-34	20	3.6	7	<1	1	2	6	8	8	9
35-49	16	3.9	8	<1	<1	3	6	9	9	9
50-64	17	2.7	9	<1	<1	1	3	8	10	11
65+	19	3.1	12	<1	<1	1	4	6	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	319	3.0	11	1	1	2	3	6	8	17
20-34	151	3.9	24	<1	1	2	5	8	10	36
35-49	199	5.1	54	1	1	3	6	10	14	42
50-64	354	5.9	28	1	1	4	8	12	15	28
65+	686	6.4	47	1	2	5	8	12	16	44
B. *Operated*										
0-19 YRS	68	1.9	6	1	1	1	2	4	8	13
20-34	143	3.3	34	1	1	1	4	8	12	35
35-49	134	5.0	49	1	1	2	6	12	17	37
50-64	142	6.9	63	1	1	4	9	16	23	39
65+	291	9.1	95	1	1	7	12	21	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.5	5	<1	1	2	3	5	6	13
B. *Operated*	77	3.3	9	<1	<1	2	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1709	5.3	37	1	1	4	7	11	14	30
B. *Operated*	778	6.3	68	1	1	3	8	16	22	46
1. SINGLE DX	346	2.7	6	<1	<1	2	3	6	7	13
2. MULTIPLE DX	2487	5.6	47	1	1	4	7	12	17	36
A. NOT OPERATED	1978	4.9	33	1	1	3	6	10	14	29
B. OPERATED	855	6.0	64	1	1	3	8	15	21	45
TOTAL 0-19 YRS	514	2.7	9	1	1	2	3	5	8	15
20-34	374	3.4	24	<1	1	2	4	7	10	32
35-49	383	4.8	46	<1	1	3	6	10	14	33
50-64	539	5.9	36	1	1	4	8	13	16	33
65+	1023	7.1	61	1	1	5	8	15	21	49
GRAND TOTAL	**2833**	**5.2**	**43**	**1**	**1**	**3**	**7**	**11**	**16**	**35**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	3.2	11	<1	1	2	4	6	9	15
20-34	235	2.9	11	1	1	2	3	5	7	24
35-49	248	2.7	5	1	1	2	3	5	7	11
50-64	341	3.0	7	1	1	2	4	6	8	11
65+	408	3.4	7	1	1	3	4	7	8	14
B. *Operated*										
0-19 YRS	39	2.7	8	<1	1	2	3	5	9	15
20-34	81	2.5	23	<1	<1	1	2	4	6	32
35-49	78	2.1	4	<1	<1	1	2	4	5	13
50-64	71	2.4	4	<1	<1	2	3	5	8	10
65+	25	3.3	14	<1	1	2	3	8	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	934	5.5	58	1	1	3	6	12	17	43
20-34	738	4.0	26	1	1	3	5	7	11	24
35-49	1032	4.2	15	1	1	3	5	8	11	20
50-64	2536	5.5	48	1	1	4	6	10	15	38
65+	7613	6.8	47	1	2	5	8	13	18	40
B. *Operated*										
0-19 YRS	116	8.8	237	1	1	3	11	25	59	99+
20-34	150	5.1	94	1	1	2	5	12	19	51
35-49	260	6.4	116	1	1	3	7	15	25	87
50-64	471	9.2	172	1	1	5	11	24	43	99+
65+	1140	12.2	191	1	2	8	15	29	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1763	3.1	9	1	1	2	4	6	8	14
B. *Operated*	294	2.4	10	<1	<1	2	3	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	12853	6.1	45	1	2	4	7	12	16	38
B. *Operated*	2137	10.2	179	1	1	6	13	25	44	99+
1. SINGLE DX	2057	3.0	9	<1	1	2	4	6	8	15
2. MULTIPLE DX	14990	6.7	66	1	1	4	8	13	19	52
A. NOT OPERATED	14616	5.7	42	1	1	4	7	11	16	35
B. OPERATED	2431	9.2	165	1	1	5	12	23	40	99+
TOTAL 0-19 YRS	1620	4.9	56	1	1	3	5	10	15	46
20-34	1204	3.8	32	1	1	2	4	7	11	27
35-49	1618	4.2	31	1	1	3	5	8	11	27
50-64	3419	5.7	63	1	1	4	6	11	17	51
65+	9186	7.3	67	1	2	5	9	15	21	55
GRAND TOTAL	**17047**	**6.2**	**61**	**1**	**1**	**4**	**7**	**13**	**18**	**48**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	2.0	3	1	1	1	2	4	5	8
20-34	18	4.1	30	<1	1	3	5	6	18	25
35-49	10	4.0	11	1	1	3	4	10	11	11
50-64	1	4.0	-	4	4	4	4	4	4	4
65+	3	4.3	16	2	2	2	7	9	9	9
B. *Operated*										
0-19 YRS	49	4.9	29	1	1	4	5	9	13	32
20-34	8	15.8	491	2	3	8	14	54	69	69
35-49	8	9.5	7	6	6	9	12	13	13	13
50-64	4	11.0	61	2	2	12	17	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	3.7	30	1	1	3	4	9	22	99+
20-34	45	7.1	38	1	2	4	9	18	21	24
35-49	29	8.5	138	<1	1	4	9	16	47	48
50-64	22	6.1	50	1	1	3	8	23	52	99+
65+	27	10.6	91	1	1	9	14	25	29	37
B. *Operated*										
0-19 YRS	96	11.2	209	1	2	6	11	31	50	91
20-34	91	17.0	334	2	2	10	22	43	58	81
35-49	33	15.6	251	2	3	13	19	48	63	99+
50-64	30	18.0	267	2	2	11	26	43	47	69
65+	21	16.1	179	2	4	13	30	41	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	2.2	5	1	1	1	2	4	6	10
B. *Operated*	69	7.0	89	1	2	4	8	13	20	62
2. MULTIPLE DX										
A. *Not Operated*	304	5.5	53	1	1	3	7	16	25	99+
B. *Operated*	271	14.8	264	2	2	9	19	41	57	96
1. SINGLE DX	349	3.2	25	1	1	2	3	7	9	23
2. MULTIPLE DX	575	9.9	174	1	1	5	12	28	47	99+
A. NOT OPERATED	584	3.9	33	1	1	2	4	9	16	99+
B. OPERATED	340	13.2	238	1	2	8	16	38	50	84
TOTAL 0-19 YRS	574	4.3	58	1	1	2	4	9	19	99+
20-34	162	12.8	250	1	2	7	16	31	48	77
35-49	80	11.0	170	1	1	7	14	27	47	88
50-64	57	12.7	194	1	2	8	18	37	46	97
65+	51	12.5	131	1	2	10	18	33	39	99
GRAND TOTAL	**924**	**7.3**	**128**	**1**	**1**	**3**	**8**	**20**	**38**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.9	18	1	1	2	3	5	8	26
20-34	29	4.9	8	1	1	5	7	7	8	15
35-49	10	5.6	17	1	1	3	10	11	11	11
50-64	9	5.0	15	2	2	4	6	11	14	14
65+	4	8.8	166	1	1	3	16	28	28	28
B. *Operated*										
0-19 YRS	16	3.5	7	1	1	3	5	8	8	8
20-34	15	6.7	36	1	1	7	8	9	22	26
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	5.1	28	1	1	3	6	12	17	99+
20-34	127	6.1	23	1	1	5	8	14	16	22
35-49	51	8.2	72	1	2	5	11	21	27	39
50-64	39	11.2	324	1	1	5	10	43	73	99+
65+	57	15.9	271	2	3	11	18	38	56	79
B. *Operated*										
0-19 YRS	80	17.6	362	1	2	11	23	46	62	97
20-34	113	14.3	218	1	2	10	20	39	65	99+
35-49	45	15.2	143	2	3	13	20	36	49	99+
50-64	26	25.4	744	1	3	17	37	94	99+	99+
65+	34	20.2	411	2	3	12	29	51	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	3.6	20	1	1	2	4	7	10	27
B. *Operated*	35	5.2	22	1	1	4	8	9	11	26
2. MULTIPLE DX										
A. *Not Operated*	442	7.7	101	1	1	5	9	17	25	89
B. *Operated*	298	16.9	319	1	2	11	22	43	75	99+
1. SINGLE DX	213	3.9	21	1	1	2	5	8	11	27
2. MULTIPLE DX	740	11.4	209	1	1	7	15	29	51	99+
A. NOT OPERATED	620	6.5	81	1	1	4	7	15	22	70
B. OPERATED	333	15.7	300	1	2	10	21	41	71	99+
TOTAL 0-19 YRS	390	6.9	122	1	1	3	7	18	33	96
20-34	284	9.3	116	1	1	6	11	21	30	91
35-49	108	10.9	108	1	2	8	16	23	37	73
50-64	76	15.1	475	1	2	7	18	68	93	99+
65+	95	17.2	318	2	3	11	22	41	64	95
GRAND TOTAL	**953**	**9.7**	**177**	**1**	**1**	**5**	**11**	**24**	**41**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.5	4	<1	1	2	3	4	8	9
20-34	33	1.8	1	<1	<1	1	2	4	4	5
35-49	13	1.8	2	<1	<1	1	2	4	5	5
50-64	3	5.7	20	1	1	6	9	10	10	10
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	405	1.7	2	<1	<1	1	2	3	4	8
20-34	588	2.2	3	<1	<1	2	3	4	5	10
35-49	135	2.5	8	<1	1	1	3	4	8	18
50-64	38	2.0	4	<1	1	1	2	4	4	13
65+	19	3.4	5	1	1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.5	4	<1	1	2	3	5	6	12
20-34	142	2.5	5	<1	<1	2	3	5	6	12
35-49	49	3.0	5	<1	<1	2	4	6	7	10
50-64	35	3.3	5	<1	1	3	4	7	8	11
65+	74	7.8	101	1	1	5	10	16	23	61
B. *Operated*										
0-19 YRS	456	3.5	17	<1	1	2	4	7	10	20
20-34	945	4.1	17	1	1	3	5	8	12	20
35-49	319	5.1	26	1	1	4	7	10	16	24
50-64	104	4.9	44	<1	1	3	6	10	14	42
65+	132	8.5	144	1	2	5	10	18	24	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.1	3	<1	<1	1	2	4	5	10
B. *Operated*	1185	2.1	3	<1	<1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	361	3.8	29	<1	1	2	4	7	12	23
B. *Operated*	1956	4.4	30	1	1	3	5	9	13	24
1. SINGLE DX	1250	2.1	3	<1	<1	1	3	4	5	9
2. MULTIPLE DX	2317	4.3	30	1	1	3	5	9	12	24
A. NOT OPERATED	426	3.5	25	<1	<1	2	4	6	11	21
B. OPERATED	3141	3.6	21	<1	1	2	4	8	11	20
TOTAL 0-19 YRS	936	2.7	10	<1	<1	2	3	5	8	13
20-34	1708	3.2	12	<1	1	2	4	7	9	17
35-49	516	4.1	20	<1	1	3	5	9	12	22
50-64	180	4.0	29	<1	1	2	4	9	12	29
65+	227	7.8	119	1	1	5	10	17	22	72
GRAND TOTAL	**3567**	**3.5**	**22**	**<1**	**1**	**2**	**4**	**8**	**11**	**21**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	4.0	9	1	1	3	5	8	9	15
20-34	285	5.2	34	1	1	4	7	10	12	25
35-49	115	5.4	15	1	1	5	7	10	13	19
50-64	119	5.9	21	1	2	5	7	11	15	24
65+	174	7.2	24	1	2	6	9	14	16	24
B. *Operated*										
0-19 YRS	21	11.4	48	2	3	12	15	23	24	25
20-34	42	10.0	67	2	3	7	13	22	28	40
35-49	15	9.1	28	2	2	9	13	16	19	20
50-64	13	9.1	47	1	2	8	12	16	25	27
65+	3	8.0	39	3	3	6	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	5.5	20	1	2	4	7	12	14	23
20-34	311	6.3	27	1	2	5	8	12	15	27
35-49	212	6.9	28	2	2	6	9	12	14	30
50-64	311	8.0	29	2	3	7	11	15	20	26
65+	1568	11.3	91	3	4	9	14	20	26	55
B. *Operated*										
0-19 YRS	67	10.2	61	2	3	8	13	23	27	34
20-34	173	13.6	238	2	3	9	17	27	37	94
35-49	71	12.3	76	2	4	10	17	23	36	87
50-64	87	18.3	338	2	3	14	24	37	50	94
65+	212	19.4	254	5	6	15	26	42	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	5.6	24	1	1	5	7	11	14	24
B. *Operated*	94	10.0	52	2	3	8	14	20	26	36
2. MULTIPLE DX										
A. *Not Operated*	2539	9.6	72	2	3	8	12	18	23	44
B. *Operated*	610	15.7	230	2	4	11	20	32	47	99
1. SINGLE DX	915	6.0	29	1	1	5	8	12	15	25
2. MULTIPLE DX	3149	10.8	108	2	3	8	13	21	28	64
A. NOT OPERATED	3360	8.6	63	1	2	7	11	16	21	40
B. OPERATED	704	15.0	210	2	4	11	19	30	43	98
TOTAL 0-19 YRS	353	6.2	32	1	1	4	8	14	19	27
20-34	811	7.7	87	1	2	5	9	15	21	48
35-49	413	7.5	38	1	2	6	9	14	20	37
50-64	530	9.3	94	2	2	7	11	19	25	47
65+	1957	11.8	111	3	4	9	14	22	30	73
GRAND TOTAL	**4064**	**9.7**	**94**	**2**	**2**	**7**	**12**	**19**	**26**	**55**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	6	4.3	5	1	1	4	5	8	8	8
35-49	3	9.7	100	2	2	6	17	21	21	21
50-64	1	10.0		10	10	10	10	10	10	10
65+	2	11.0	32	7	7	11	15	15	15	15
B. *Operated*										
0-19 YRS	4	17.0	133	2	2	19	26	27	27	27
20-34	9	14.9	87	2	5	12	20	30	31	31
35-49	4	15.5	55	9	9	13	20	26	26	26
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	8	13.4	135	3	3	10	27	72	99+	99+
35-49	8	10.3	114	2	2	7	14	28	33	33
50-64	7	17.9	275	1	2	13	21	46	52	52
65+	20	11.4	60	2	3	9	17	19	28	35
B. *Operated*										
0-19 YRS	24	25.9	387	9	10	24	66	99+	99+	99+
20-34	50	29.4	335	11	12	28	52	99+	99+	99+
35-49	15	33.7	696	6	14	23	66	99	99+	99+
50-64	12	35.0	725	9	11	33	77	99+	99+	99+
65+	5	31.4	212	14	16	45	87	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.5	29	1	1	5	8	15	19	21
B. *Operated*	18	14.8	85	2	2	13	25	28	30	31
2. MULTIPLE DX										
A. *Not Operated*	47	11.9	110	2	2	9	17	29	37	99+
B. *Operated*	106	29.9	427	10	12	26	62	99+	99+	99+
1. SINGLE DX	33	11.0	75	1	2	9	15	26	28	31
2. MULTIPLE DX	153	24.4	398	3	6	21	45	99+	99+	99+
A. NOT OPERATED	62	10.6	95	2	2	8	15	24	34	94
B. OPERATED	124	27.7	405	9	10	25	52	99+	99+	99+
TOTAL 0-19 YRS	35	20.5	352	2	4	21	32	99+	99+	99+
20-34	73	23.8	326	3	5	23	36	89	99+	99+
35-49	30	22.6	506	2	2	16	30	81	99+	99+
50-64	21	26.5	594	2	6	19	52	90	99+	99+
65+	27	15.1	141	3	4	13	22	47	99+	99+
GRAND TOTAL	**186**	**22.0**	**366**	**2**	**4**	**18**	**34**	**96**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	1	1	2	3	3	3
20-34	52	2.1	1	1	1	2	3	4	4	5
35-49	59	2.4	2	<1	1	2	4	5	5	7
50-64	58	2.9	3	1	1	3	4	5	7	9
65+	59	3.5	16	1	1	2	4	6	10	27
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34										
35-49	3	6.7	4	5	5	6	8	9	9	9
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.3	5	1	1	3	4	6	9	9
20-34	231	3.6	8	1	1	3	5	7	8	12
35-49	318	4.5	16	1	1	3	6	9	11	15
50-64	432	5.2	15	1	2	4	7	10	13	21
65+	971	8.5	88	2	2	6	9	16	23	57
B. *Operated*										
0-19 YRS	20	8.8	28	2	2	8	13	14	18	22
20-34	84	6.3	37	1	1	4	8	11	20	32
35-49	91	9.6	79	2	3	7	11	20	32	47
50-64	96	10.3	124	1	1	7	12	22	31	64
65+	155	14.5	144	3	4	11	18	28	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	2.7	6	1	1	2	3	5	6	10
B. *Operated*	8	6.0	11	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1999	6.5	54	1	2	5	7	12	17	44
B. *Operated*	446	10.8	110	1	2	8	13	23	31	58
1. SINGLE DX	251	2.8	6	1	1	2	3	5	6	10
2. MULTIPLE DX	2445	7.3	67	1	2	5	8	14	20	50
A. NOT OPERATED	2242	6.1	50	1	1	4	7	12	16	42
B. OPERATED	454	10.7	108	1	2	8	13	23	31	58
TOTAL 0-19 YRS	84	4.4	16	1	1	3	6	10	13	20
20-34	367	4.0	16	1	1	3	5	8	10	26
35-49	471	5.2	31	1	1	4	6	11	13	33
50-64	588	5.8	36	1	1	4	7	11	16	27
65+	1186	9.0	97	2	2	6	11	18	27	57
GRAND TOTAL	**2696**	**6.8**	**63**	**1**	**2**	**5**	**8**	**13**	**20**	**48**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	5.0	28	1	1	3	6	10	14	32
20-34	48	7.1	34	2	2	5	9	14	20	27
35-49	32	6.5	12	2	2	6	8	11	13	17
50-64	42	8.5	29	3	3	7	10	14	23	25
65+	178	8.4	36	2	3	7	11	16	18	32
B. *Operated*										
0-19 YRS	9	6.6	18	1	1	6	9	13	14	14
20-34	9	15.8	221	1	3	11	20	41	48	48
35-49	8	9.6	36	3	3	9	13	19	21	21
50-64	1	13.0		13	13	13	13	13	13	13
65+	4	27.0	195	7	7	31	36	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	6.8	45	1	2	5	8	14	17	41
20-34	174	9.5	62	2	3	7	12	18	24	43
35-49	101	13.6	147	2	3	10	17	28	42	61
50-64	145	11.8	72	3	4	9	16	20	30	41
65+	1312	14.3	146	3	4	11	17	27	39	84
B. *Operated*										
0-19 YRS	66	14.7	165	3	3	10	20	33	45	58
20-34	115	23.4	382	4	6	17	30	52	74	98
35-49	71	23.9	285	7	9	17	36	59	95	99+
50-64	52	28.9	296	7	9	26	43	53	61	64
65+	198	24.9	340	6	9	20	33	60	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	7.5	33	2	2	6	10	14	18	31
B. *Operated*	31	12.9	135	1	3	9	15	33	38	48
2. MULTIPLE DX										
A. *Not Operated*	1839	13.2	131	3	4	10	16	25	36	74
B. *Operated*	502	23.5	326	5	7	18	33	54	66	99+
1. SINGLE DX	388	7.9	43	2	2	6	10	15	20	34
2. MULTIPLE DX	2341	15.4	190	3	4	11	19	33	48	94
A. NOT OPERATED	2196	12.2	119	2	3	10	15	23	33	68
B. OPERATED	533	22.9	321	4	6	17	32	53	65	99+
TOTAL 0-19 YRS	239	8.6	87	1	2	5	10	18	29	50
20-34	346	13.9	213	3	3	9	16	31	45	86
35-49	212	15.8	206	2	4	12	20	39	55	99+
50-64	240	14.9	168	3	4	10	18	35	44	61
65+	1692	14.9	174	3	4	11	18	29	46	94
GRAND TOTAL	**2729**	**14.3**	**176**	**3**	**3**	**11**	**17**	**30**	**45**	**84**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.2	22	<1	1	1	3	10	15	23
20-34	20	3.0	6	<1	<1	2	4	7	9	10
35-49	12	2.3	4	1	1	1	3	6	7	7
50-64	17	2.4	3	<1	1	2	4	5	6	6
65+	76	3.3	11	<1	1	2	4	8	11	17
B. *Operated*										
0-19 YRS	670	3.1	16	1	1	2	3	5	14	21
20-34	111	3.7	22	<1	1	3	4	7	9	32
35-49	76	3.8	6	1	1	3	5	8	10	11
50-64	100	4.3	16	1	1	3	5	8	12	22
65+	171	4.7	11	1	1	4	6	8	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.8	23	1	1	2	4	8	17	21
20-34	36	6.1	141	1	1	2	5	8	35	60
35-49	30	5.9	95	1	1	4	5	9	11	56
50-64	92	8.4	186	1	1	4	8	16	26	82
65+	503	9.5	120	1	2	6	11	20	34	85
B. *Operated*										
0-19 YRS	235	5.3	36	1	1	3	6	14	19	28
20-34	133	9.6	139	1	2	5	12	19	33	56
35-49	118	9.7	141	1	2	6	13	22	33	94
50-64	220	9.2	102	1	2	6	11	20	28	51
65+	618	11.3	182	1	2	7	14	25	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	3.1	14	<1	1	2	3	7	11	20
B. *Operated*	1128	3.6	16	1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	701	8.7	125	1	1	5	10	19	33	74
B. *Operated*	1324	9.6	139	1	2	6	12	21	31	79
1. SINGLE DX	1337	3.5	15	1	1	2	4	7	11	20
2. MULTIPLE DX	2025	9.3	134	1	2	5	11	20	32	76
A. NOT OPERATED	910	7.4	105	1	1	4	9	17	26	73
B. OPERATED	2452	6.8	91	1	1	4	8	16	23	48
TOTAL 0-19 YRS	1029	3.7	22	1	1	2	3	8	15	23
20-34	300	6.5	94	1	1	3	7	14	24	46
35-49	236	6.9	92	1	1	4	7	15	24	61
50-64	429	7.6	100	1	1	5	9	15	24	62
65+	1368	9.4	135	1	2	6	11	20	33	88
GRAND TOTAL	**3362**	**7.0**	**95**	**1**	**1**	**4**	**8**	**16**	**24**	**61**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	1.4	1	<1	1	1	2	2	3	5
20-34	15	2.5	8	<1	<1	2	3	5	10	12
35-49	13	2.9	4	1	1	3	4	6	8	8
50-64	12	2.2	2	<1	<1	1	3	4	5	5
65+	12	7.0	175	<1	<1	2	5	22	44	48
B. *Operated*										
0-19 YRS	1193	1.7	2	<1	1	1	2	3	4	6
20-34	414	2.7	4	1	1	2	3	5	6	11
35-49	299	2.5	3	1	1	2	3	5	6	9
50-64	348	2.4	3	1	1	2	3	4	6	9
65+	308	2.7	5	<1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	7	<1	<1	2	4	7	10	99+
20-34	27	4.2	13	<1	1	3	6	10	12	14
35-49	26	3.3	6	<1	1	3	5	7	8	10
50-64	24	5.6	37	1	1	4	7	11	21	28
65+	98	7.5	77	1	1	4	9	15	26	51
B. *Operated*										
0-19 YRS	343	3.5	21	1	1	2	4	7	10	24
20-34	339	5.4	31	1	1	4	6	12	15	32
35-49	239	5.3	49	1	1	3	6	12	19	39
50-64	364	4.7	21	1	1	3	6	10	13	21
65+	665	7.5	109	1	1	4	8	16	27	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.5	24	<1	<1	1	2	5	6	29
B. *Operated*	2562	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	216	5.5	46	1	1	3	7	11	18	50
B. *Operated*	1950	5.6	58	1	1	3	6	12	17	44
1. SINGLE DX	2665	2.2	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	2166	5.6	57	1	1	3	6	12	17	44
A. NOT OPERATED	319	4.5	41	<1	1	3	5	10	14	48
B. OPERATED	4512	3.7	30	1	1	2	4	7	11	28
TOTAL 0-19 YRS	1628	2.1	7	<1	1	1	2	4	6	12
20-34	795	3.9	18	1	1	3	5	8	11	19
35-49	577	3.7	24	1	1	2	4	7	10	29
50-64	748	3.6	14	1	1	3	4	7	10	20
65+	1083	6.1	82	1	1	3	7	13	21	57
GRAND TOTAL	**4831**	**3.7**	**31**	**1**	**1**	**2**	**4**	**8**	**11**	**28**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	4	4	4
20-34	25	3.2	5	1	1	2	5	6	8	9
35-49	10	2.6	5	<1	<1	2	3	6	8	8
50-64	10	2.1	2	1	1	2	3	4	5	5
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	304	1.6	1	<1	<1	1	2	3	4	6
20-34	423	1.8	1	<1	<1	1	2	3	4	6
35-49	180	1.7	2	<1	<1	1	2	3	4	7
50-64	79	2.3	2	<1	1	2	3	4	5	8
65+	40	2.5	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	5	<1	1	2	3	5	7	10
20-34	35	4.0	37	<1	1	3	4	7	8	37
35-49	18	3.1	4	<1	<1	3	5	6	7	7
50-64	14	6.9	30	1	2	4	9	16	18	18
65+	22	9.2	182	<1	1	4	11	23	39	62
B. *Operated*										
0-19 YRS	148	3.4	14	<1	1	2	4	9	11	18
20-34	330	3.0	6	1	1	2	4	6	8	11
35-49	179	3.7	26	1	1	2	4	8	10	28
50-64	118	2.9	6	1	1	2	4	6	8	14
65+	84	4.9	43	1	1	3	5	11	15	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.7	4	<1	1	2	4	6	7	9
B. *Operated*	1026	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	109	5.0	58	<1	1	3	5	10	16	47
B. *Operated*	859	3.4	15	1	1	2	4	7	10	18
1. SINGLE DX	1082	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	968	3.6	20	1	1	2	4	7	10	22
A. NOT OPERATED	165	4.2	41	<1	1	3	4	8	12	35
B. OPERATED	1885	2.5	8	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	480	2.2	6	<1	<1	1	2	4	6	12
20-34	813	2.4	5	<1	1	2	3	5	6	10
35-49	387	2.7	14	<1	1	2	3	6	8	19
50-64	221	2.9	7	1	1	2	4	6	8	15
65+	149	4.8	56	<1	1	3	5	10	15	49
GRAND TOTAL	**2050**	**2.7**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	22.4	541	2	2	16	31	59	72	74
20-34	6	4.3	16	1	1	2	9	10	10	10
35-49	5	9.8	21	4	4	12	13	15	15	15
50-64	12	10.3	89	1	1	8	15	23	32	33
65+	106	9.6	91	1	1	8	12	21	27	50
B. *Operated*										
0-19 YRS	84	8.5	57	2	2	7	9	15	25	42
20-34	37	10.9	92	4	5	8	10	19	24	60
35-49	74	8.9	30	4	4	8	11	14	17	38
50-64	280	11.2	52	5	6	10	13	17	20	47
65+	1179	14.2	54	6	8	13	16	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	11.3	165	1	1	7	14	26	44	53
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	18	17.1	533	1	1	7	24	63	67	68
50-64	51	14.7	176	3	4	11	18	37	57	99
65+	647	14.9	228	2	3	11	18	32	53	99+
B. *Operated*										
0-19 YRS	83	14.6	127	2	4	11	19	29	38	90
20-34	99	15.1	134	3	5	11	19	30	35	64
35-49	144	15.9	143	5	7	13	19	34	49	99+
50-64	739	16.3	125	6	8	13	19	29	41	99+
65+	9065	19.8	169	8	9	16	23	37	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	11.3	170	1	1	8	13	24	36	70
B. *Operated*	1654	13.1	57	5	6	12	15	20	24	41
2. MULTIPLE DX										
A. *Not Operated*	742	14.8	229	2	3	10	18	32	55	99+
B. *Operated*	10130	19.4	166	7	9	16	23	36	52	99+
1. SINGLE DX	1805	12.9	66	4	6	12	15	20	25	46
2. MULTIPLE DX	10872	19.0	172	7	8	16	23	36	52	99+
A. NOT OPERATED	893	14.2	220	1	2	10	18	32	52	99+
B. OPERATED	11784	18.5	156	7	8	15	22	34	48	99+
TOTAL 0-19 YRS	213	12.6	161	2	2	8	15	28	40	72
20-34	144	13.4	125	2	4	10	16	26	35	61
35-49	241	13.7	144	3	5	10	16	27	45	99+
50-64	1082	14.8	113	6	7	12	17	26	38	99+
65+	10997	18.8	164	7	8	15	22	35	50	99+
GRAND TOTAL	**12677**	**18.2**	**161**	**6**	**8**	**15**	**21**	**34**	**48**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	18.3	218	1	2	18	26	37	47	63
20-34	11	12.2	255	<1	<1	5	17	41	47	48
35-49	4	20.8	579	3	3	12	37	55	55	55
50-64	7	17.3	205	6	6	10	27	41	43	43
65+	32	10.0	114	1	1	9	12	19	20	59
B. *Operated*										
0-19 YRS	286	12.1	179	1	1	7	18	28	40	62
20-34	91	10.8	72	1	3	9	13	18	29	50
35-49	29	14.3	338	3	3	9	14	32	49	95
50-64	21	10.3	38	1	2	9	14	21	22	22
65+	56	14.2	118	4	4	12	16	21	33	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	20.9	286	2	3	20	30	42	56	94
20-34	30	18.0	529	1	2	7	20	53	59	92
35-49	14	11.4	183	1	3	6	9	31	44	48
50-64	42	15.6	445	1	1	8	21	53	85	99+
65+	234	20.5	434	2	4	12	30	63	79	99+
B. *Operated*										
0-19 YRS	359	18.7	204	2	3	15	26	42	49	73
20-34	310	19.3	249	5	7	14	22	45	59	99+
35-49	112	21.3	397	3	5	15	27	55	89	99+
50-64	148	23.6	358	3	6	18	31	59	74	99+
65+	528	23.7	309	6	9	18	31	55	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	17.1	216	1	2	15	25	37	47	62
B. *Operated*	483	12.2	155	1	1	9	16	25	37	62
2. MULTIPLE DX										
A. *Not Operated*	441	19.7	394	1	3	13	28	54	75	99+
B. *Operated*	1457	21.4	286	3	6	16	28	48	68	99+
1. SINGLE DX	765	14.0	183	1	1	10	20	30	43	62
2. MULTIPLE DX	1898	21.0	312	3	5	16	28	50	69	99+
A. NOT OPERATED	723	18.7	326	1	2	14	26	47	61	99+
B. OPERATED	1940	19.1	269	2	4	15	25	45	62	99+
TOTAL 0-19 YRS	994	17.0	220	1	2	14	24	37	48	70
20-34	442	17.3	242	2	5	13	20	40	54	99
35-49	159	19.2	378	3	4	13	26	48	80	99+
50-64	218	20.6	357	2	4	15	27	51	73	99+
65+	850	21.7	334	3	6	16	29	55	76	99+
GRAND TOTAL	**2663**	**19.0**	**285**	**2**	**3**	**15**	**25**	**46**	**62**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	2.4	3	1	1	2	3	4	5	8
20-34	72	3.1	8	1	1	2	4	6	6	16
35-49	59	3.6	6	1	1	3	5	7	9	12
50-64	39	5.9	117	1	1	3	5	11	28	58
65+	65	6.1	13	1	2	6	8	11	13	17
B. *Operated*										
0-19 YRS	693	3.6	11	1	1	3	5	7	9	15
20-34	460	5.3	18	1	2	4	7	10	12	23
35-49	310	6.4	35	1	2	5	8	12	18	28
50-64	218	6.7	26	1	2	5	9	13	16	27
65+	90	8.1	30	1	2	7	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.0	120	1	1	3	5	9	11	76
20-34	83	4.9	21	1	1	3	6	11	14	24
35-49	74	7.4	77	1	1	4	8	22	30	44
50-64	88	7.5	64	1	1	5	9	14	21	47
65+	243	10.9	98	2	3	8	14	23	31	72
B. *Operated*										
0-19 YRS	286	8.3	72	1	2	5	10	19	27	42
20-34	459	11.4	133	2	2	8	14	27	40	99+
35-49	277	12.4	176	2	3	9	14	28	52	99+
50-64	306	14.1	166	3	4	10	19	28	49	87
65+	391	15.2	141	2	4	13	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	3.6	19	1	1	3	4	7	9	16
B. *Operated*	1771	5.1	22	1	1	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	557	8.3	87	1	1	5	10	19	26	51
B. *Operated*	1719	12.4	142	2	3	9	16	28	42	99+
1. SINGLE DX	2178	4.8	21	1	1	4	6	10	13	23
2. MULTIPLE DX	2276	11.4	132	1	2	8	15	26	38	99+
A. NOT OPERATED	964	6.3	64	1	1	4	8	13	22	48
B. OPERATED	3490	8.7	94	1	2	6	11	20	29	62
TOTAL 0-19 YRS	1220	4.6	35	1	1	3	5	9	13	29
20-34	1074	7.7	77	1	2	5	9	16	25	60
35-49	720	8.6	101	1	2	6	10	18	28	73
50-64	651	10.2	116	1	2	7	12	22	30	67
65+	789	12.3	114	2	3	9	16	27	40	99+
GRAND TOTAL	**4454**	**8.2**	**89**	**1**	**1**	**5**	**10**	**19**	**27**	**59**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.2	2	<1	1	2	3	4	5	8
20-34	101	3.2	7	<1	1	2	4	7	9	13
35-49	68	3.9	34	1	1	3	4	6	8	42
50-64	54	4.1	9	1	1	3	5	8	11	14
65+	57	4.0	12	<1	1	3	6	9	10	16
B. *Operated*										
0-19 YRS	609	3.1	5	1	1	3	4	6	7	12
20-34	1031	4.1	10	1	1	4	5	7	9	15
35-49	810	4.3	8	1	1	4	5	7	9	15
50-64	663	5.0	10	1	2	5	6	8	11	16
65+	332	6.4	40	2	2	5	7	11	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.4	9	1	1	2	5	8	11	13
20-34	110	4.6	15	1	1	4	6	9	13	19
35-49	85	5.4	13	1	2	5	8	10	13	71
50-64	128	6.7	45	1	2	5	8	14	18	37
65+	290	9.5	106	1	2	7	11	20	35	92
B. *Operated*										
0-19 YRS	340	5.5	32	1	1	4	6	11	16	32
20-34	807	6.4	45	1	2	5	7	12	16	37
35-49	631	6.7	48	1	2	5	8	13	17	41
50-64	720	7.3	46	2	3	5	9	13	20	39
65+	973	10.8	112	3	3	8	13	20	29	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	3.4	13	1	1	3	4	7	9	14
B. *Operated*	3445	4.3	12	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	679	7.1	64	1	2	5	9	14	21	57
B. *Operated*	3471	7.8	67	2	2	6	9	14	21	43
1. SINGLE DX	3799	4.3	13	1	1	4	5	8	10	16
2. MULTIPLE DX	4150	7.7	67	1	2	5	9	14	21	48
A. NOT OPERATED	1033	5.8	49	1	1	4	7	12	17	46
B. OPERATED	6916	6.1	43	1	2	4	7	11	15	34
TOTAL 0-19 YRS	1089	3.8	15	1	1	3	4	7	10	21
20-34	2049	5.0	25	1	1	4	6	9	12	26
35-49	1594	5.3	27	1	2	4	6	9	13	28
50-64	1565	6.2	31	1	2	5	7	11	14	33
65+	1652	9.4	97	2	3	7	11	18	26	61
GRAND TOTAL	**7949**	**6.0**	**44**	**1**	**2**	**4**	**7**	**11**	**16**	**37**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.5		1	1	1	2	3	3	3
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	8	3.4	18	1	1	2	4	11	13	13
50-64	4	2.3	6	<1	<1	1	4	6	6	6
65+										
B. *Operated*										
0-19 YRS	25	1.6	1	<1	1	1	2	3	3	3
20-34	25	2.1	2	<1	1	2	3	4	5	5
35-49	7	3.4	4	1	1	3	5	6	6	6
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.8	10	1	1	2	3	6	9	18
20-34	92	3.3	8	1	1	3	4	8	11	12
35-49	34	4.3	17	1	1	2	6	10	12	18
50-64	38	5.3	19	1	1	4	6	13	15	17
65+	93	9.4	84	1	2	7	11	19	31	83
B. *Operated*										
0-19 YRS	36	5.4	37	1	1	4	6	13	21	28
20-34	50	4.7	17	1	1	4	6	10	12	23
35-49	22	7.5	25	1	2	7	10	13	18	21
50-64	21	9.5	195	1	2	5	10	18	44	65
65+	29	12.1	167	1	1	8	15	25	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.1	6	<1	1	1	2	5	7	13
B. *Operated*	62	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	316	5.4	40	1	1	3	7	12	15	38
B. *Operated*	158	7.2	79	1	1	5	8	15	22	59
1. SINGLE DX	91	2.1	3	<1	1	2	3	4	6	10
2. MULTIPLE DX	474	6.0	54	1	1	4	8	13	18	42
A. NOT OPERATED	345	5.1	38	1	1	3	6	11	15	36
B. OPERATED	220	5.8	63	1	1	3	6	13	19	46
TOTAL 0-19 YRS	132	3.2	16	1	1	2	3	6	9	23
20-34	172	3.5	10	<1	1	3	4	8	11	15
35-49	71	5.1	20	1	1	3	8	11	13	20
50-64	66	6.4	77	1	1	4	8	12	16	59
65+	124	9.9	103	1	2	7	12	21	33	71
GRAND TOTAL	**565**	**5.4**	**47**	**1**	**1**	**3**	**6**	**12**	**16**	**39**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	3	4.7	8	3	3	3	7	8	8	8
35-49	1	20.0		20	20	20	20	20	20	20
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.5	43	2	2	5	12	18	19	19
20-34	8	5.5	31	1	1	2	11	14	14	14
35-49	5	11.2	17	6	6	13	14	16	16	16
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	9.3	64	1	1	10	15	17	17	17
B. *Operated*										
0-19 YRS	11	20.8	425	4	5	15	20	58	69	70
20-34	26	15.5	207	3	3	12	18	33	43	72
35-49	9	26.6	807	4	4	18	39	75	75	75
50-64	6	24.2	351	9	9	18	32	55	58	58
65+	8	10.6	47	2	2	12	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	7	1	1	3	4	8	8	8
B. *Operated*	6	8.0	43	3	3	6	10	19	20	20
2. MULTIPLE DX										
A. *Not Operated*	25	7.9	34	1	1	8	13	16	17	19
B. *Operated*	60	18.3	331	3	4	14	19	43	71	75
1. SINGLE DX	12	5.7	28	1	1	4	8	13	19	20
2. MULTIPLE DX	85	15.3	265	2	2	11	18	32	61	75
A. NOT OPERATED	31	7.0	32	1	1	6	12	15	17	19
B. OPERATED	66	17.4	313	3	3	12	19	36	70	75
TOTAL 0-19 YRS	21	14.0	285	1	2	10	17	33	59	70
20-34	40	11.9	164	1	2	9	15	22	35	72
35-49	15	21.0	520	4	4	13	21	74	75	75
50-64	8	19.8	319	4	5	12	27	50	58	58
65+	13	9.5	45	1	1	10	15	18	19	19
GRAND TOTAL	**97**	**14.1**	**245**	**1**	**2**	**10**	**17**	**28**	**55**	**75**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	4	1.0		1	1	1	1	1	1	1
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	46	2.0	1	<1	1	2	3	4	4	6
20-34	200	2.1	1	<1	1	2	3	4	4	6
35-49	81	2.2	2	<1	1	2	3	4	4	8
50-64	36	1.9	2	<1	<1	1	3	4	4	6
65+	29	2.2	8	<1	<1	1	2	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	15	2.5	4	<1	1	2	3	4	8	9
35-49	10	2.7	14	1	1	2	2	8	13	13
50-64	7	3.7	5	1	1	3	6	7	7	7
65+	17	5.8	51	1	1	4	6	14	25	30
B. *Operated*										
0-19 YRS	15	3.3	8	1	1	2	4	7	11	12
20-34	54	2.7	3	1	1	2	4	5	6	10
35-49	27	2.4	3	<1	1	2	3	4	6	9
50-64	37	4.5	36	1	1	3	5	8	19	31
65+	76	6.7	100	<1	1	3	8	15	35	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.6	1	<1	<1	1	2	4	4	4
B. *Operated*	392	2.1	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	52	3.7	23	1	1	2	4	8	13	30
B. *Operated*	209	4.5	47	1	1	2	5	9	16	48
1. SINGLE DX	407	2.1	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX	261	4.3	42	1	1	2	5	9	14	42
A. NOT OPERATED	67	3.2	19	<1	1	2	4	6	10	27
B. OPERATED	601	2.9	19	<1	1	2	3	5	8	30
TOTAL 0-19 YRS	69	2.2	3	<1	<1	2	3	4	4	11
20-34	273	2.3	2	<1	1	2	3	4	4	8
35-49	122	2.2	3	<1	1	2	3	4	5	10
50-64	80	3.3	19	<1	1	2	4	6	7	28
65+	124	5.4	73	<1	1	2	7	11	30	68
GRAND TOTAL	**668**	**3.0**	**19**	**<1**	**1**	**2**	**3**	**5**	**8**	**30**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	4	<1	<1	1	4	6	6	6
20-34	8	3.4	6	1	1	3	5	7	7	7
35-49	3	1.7	1	<1	<1	<1	2	3	3	3
50-64	5	2.8	4	1	1	2	4	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	268	2.0	3	<1	<1	1	2	4	5	10
20-34	542	1.9	2	<1	<1	1	2	4	5	7
35-49	332	1.7	2	<1	<1	1	2	3	5	7
50-64	148	1.8	2	<1	<1	1	2	4	5	7
65+	28	2.4	3	<1	<1	2	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	5	1	1	2	2	6	8	8
20-34	11	3.2	10	<1	<1	1	5	8	11	11
35-49	17	2.1	5	<1	<1	1	2	5	8	9
50-64	8	4.9	24	<1	<1	3	8	13	13	13
65+	13	3.5	7	<1	1	2	6	8	9	9
B. *Operated*										
0-19 YRS	250	2.2	3	<1	<1	2	3	5	6	9
20-34	531	2.4	5	<1	<1	2	3	5	6	9
35-49	369	2.3	6	<1	<1	1	2	5	8	12
50-64	342	2.5	10	<1	<1	2	3	5	6	16
65+	133	3.5	21	<1	<1	2	3	8	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.8	4	<1	<1	2	4	6	7	7
B. *Operated*	1318	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	59	3.0	9	<1	<1	2	4	8	10	13
B. *Operated*	1625	2.5	7	<1	<1	2	3	5	7	14
1. SINGLE DX	1343	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	1684	2.5	7	<1	<1	2	3	5	7	14
A. NOT OPERATED	84	3.0	8	<1	<1	2	4	7	9	13
B. OPERATED	2943	2.2	5	<1	<1	1	3	4	6	11
TOTAL 0-19 YRS	536	2.1	3	<1	<1	1	3	4	6	9
20-34	1092	2.2	4	<1	<1	1	3	4	5	9
35-49	721	2.0	4	<1	<1	1	2	4	6	11
50-64	503	2.4	8	<1	<1	2	3	4	6	15
65+	175	3.3	17	<1	<1	2	3	7	11	24
GRAND TOTAL	**3027**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**6**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.4	28	<1	<1	1	3	10	16	24
20-34	29	5.1	24	1	1	3	7	14	15	20
35-49	12	4.3	4	1	1	5	6	6	7	7
50-64	9	8.3	96	<1	1	5	9	25	32	32
65+	3	3.3	6	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	135	2.8	17	<1	<1	1	2	7	11	25
20-34	136	2.9	9	<1	<1	2	3	7	9	17
35-49	74	2.8	7	<1	<1	2	4	6	8	14
50-64	32	2.2	3	<1	<1	2	3	4	5	8
65+	14	3.9	28	<1	<1	1	4	11	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.3	9	1	2	5	8	10	10	10
20-34	124	6.4	9	2	3	6	8	10	11	16
35-49	114	6.3	7	2	3	6	8	10	11	14
50-64	55	7.2	11	1	3	7	9	11	14	17
65+	27	9.8	33	3	4	8	12	17	20	29
B. *Operated*										
0-19 YRS	81	8.5	116	1	1	5	9	25	37	49
20-34	144	7.9	103	1	1	5	10	17	28	82
35-49	83	6.0	62	<1	1	4	8	14	17	49
50-64	64	7.4	71	<1	1	4	9	23	28	33
65+	82	12.1	219	<1	1	6	14	34	45	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.7	30	<1	1	3	5	12	15	30
B. *Operated*	391	2.8	11	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	337	6.7	11	2	3	7	8	10	12	18
B. *Operated*	454	8.4	117	1	1	4	10	21	33	61
1. SINGLE DX	468	3.1	15	<1	<1	2	3	7	10	20
2. MULTIPLE DX	791	7.7	73	1	1	6	9	14	25	45
A. NOT OPERATED	414	6.4	15	1	2	6	8	10	13	21
B. OPERATED	845	5.8	76	<1	1	3	7	13	24	44
TOTAL 0-19 YRS	257	4.8	55	<1	1	2	5	11	19	42
20-34	433	5.7	45	1	1	4	7	11	15	37
35-49	283	5.2	25	<1	1	4	7	10	12	18
50-64	160	6.4	42	<1	1	5	8	13	22	32
65+	126	10.5	160	<1	1	6	12	30	37	63
GRAND TOTAL	**1259**	**6.0**	**56**	**<1**	**1**	**4**	**7**	**12**	**18**	**42**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	<1	2	2	3	4	4
20-34	22	3.1	11	<1	<1	2	4	9	12	13
35-49	7	2.4	2	<1	<1	2	3	5	5	5
50-64	12	2.6	5	1	1	2	3	5	8	9
65+	6	6.3	25	1	1	5	10	14	14	14
B. *Operated*										
0-19 YRS	216	3.2	4	<1	<1	3	5	6	6	9
20-34	328	3.3	4	<1	<1	3	5	6	7	9
35-49	101	3.5	8	<1	1	3	5	7	7	16
50-64	38	3.9	5	1	1	4	5	7	8	10
65+	12	4.8	8	1	2	4	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	8	<1	<1	2	4	7	9	9
20-34	23	2.9	3	<1	1	2	4	5	7	8
35-49	24	6.8	53	<1	1	5	8	15	25	33
50-64	33	5.6	28	1	1	4	8	12	26	99+
65+	72	6.4	31	1	2	5	7	12	18	29
B. *Operated*										
0-19 YRS	289	3.8	5	<1	1	4	5	6	7	11
20-34	467	4.1	8	1	1	4	5	7	8	16
35-49	163	4.2	8	<1	1	4	6	8	9	14
50-64	59	4.8	9	1	2	5	6	8	11	17
65+	48	7.9	51	2	2	6	9	16	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.9	8	<1	1	2	3	7	10	14
B. *Operated*	695	3.4	5	<1	<1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	166	5.5	29	1	1	4	7	11	17	32
B. *Operated*	1026	4.3	10	<1	1	4	5	7	9	16
1. SINGLE DX	758	3.3	5	<1	<1	3	5	6	7	10
2. MULTIPLE DX	1192	4.4	13	<1	1	4	6	8	10	21
A. NOT OPERATED	229	4.8	25	<1	1	3	6	10	14	31
B. OPERATED	1721	3.9	8	<1	1	4	5	7	8	14
TOTAL 0-19 YRS	535	3.5	5	<1	1	3	5	6	7	10
20-34	840	3.7	7	<1	1	3	5	7	8	13
35-49	295	4.2	12	<1	1	3	5	8	9	18
50-64	142	4.5	12	1	1	4	6	8	11	34
65+	138	6.8	36	1	2	5	8	13	21	30
GRAND TOTAL	**1950**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.2	4	1	1	3	5	6	7	8
20-34	282	5.2	13	1	2	4	7	10	12	18
35-49	309	5.6	11	1	2	5	7	10	12	17
50-64	118	5.3	16	1	2	4	6	10	12	22
65+	38	5.8	14	2	2	5	7	11	15	18
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	45	3.5	12	<1	1	2	5	7	11	18
35-49	54	3.9	13	1	1	2	6	10	12	14
50-64	13	3.5	14	<1	1	2	4	10	12	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.8	10	1	1	4	7	9	9	15
20-34	313	6.2	17	1	2	5	8	12	14	19
35-49	454	6.4	16	1	2	6	8	11	13	20
50-64	341	6.8	24	2	3	6	8	11	15	23
65+	387	8.0	40	2	3	7	10	14	19	37
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	55	7.9	63	1	1	7	10	17	25	38
35-49	52	8.5	38	1	2	7	11	18	22	25
50-64	35	8.6	54	2	2	6	12	15	24	36
65+	25	15.0	127	5	7	12	17	36	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	5.3	13	1	2	4	7	10	12	18
B. *Operated*	113	3.7	12	1	1	2	6	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	1525	6.8	25	2	2	6	8	12	15	26
B. *Operated*	169	9.2	67	1	1	7	12	18	25	40
1. SINGLE DX	894	5.1	13	1	2	4	7	10	12	18
2. MULTIPLE DX	1694	7.1	29	1	2	6	9	13	16	31
A. NOT OPERATED	2306	6.3	21	1	2	5	8	11	14	22
B. OPERATED	282	7.0	52	1	1	5	10	14	21	37
TOTAL 0-19 YRS	67	3.9	8	1	1	3	6	8	9	14
20-34	695	5.8	20	1	1	5	8	11	14	20
35-49	869	6.1	16	1	2	5	8	11	13	20
50-64	507	6.5	25	2	2	5	8	11	14	26
65+	450	8.2	46	2	3	7	10	15	21	41
GRAND TOTAL	**2588**	**6.4**	**25**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.7	5	<1	1	2	3	5	7	12
20-34	242	4.4	13	1	1	3	6	10	12	16
35-49	203	4.9	13	1	1	4	7	9	11	17
50-64	82	4.4	13	1	1	4	5	9	11	20
65+	19	3.6	8	1	1	3	5	7	10	12
B. *Operated*										
0-19 YRS	4	5.0	38	1	1	3	9	14	14	14
20-34	95	2.4	6	1	1	1	2	6	8	13
35-49	79	2.9	23	1	1	1	2	8	13	29
50-64	22	3.2	13	<1	1	1	3	10	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	3.9	10	<1	1	3	5	7	10	16
20-34	922	5.9	14	1	2	5	7	10	13	21
35-49	816	6.2	13	1	2	6	8	11	13	18
50-64	401	6.1	13	2	2	6	8	10	13	19
65+	278	6.6	21	1	2	5	8	13	16	27
B. *Operated*										
0-19 YRS	7	2.7	8	<1	<1	2	3	8	9	9
20-34	99	5.9	39	1	1	4	8	14	18	31
35-49	110	6.2	42	1	1	4	9	14	17	34
50-64	53	6.9	25	1	1	6	10	16	17	20
65+	21	11.8	105	1	2	9	16	29	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	4.3	12	1	1	3	6	9	11	16
B. *Operated*	201	2.7	14	1	1	1	2	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	2598	6.0	15	1	2	5	8	11	13	19
B. *Operated*	290	6.6	44	1	1	4	9	15	19	35
1. SINGLE DX	841	3.9	13	1	1	3	5	8	11	16
2. MULTIPLE DX	2888	6.0	18	1	2	5	8	11	14	21
A. NOT OPERATED	3238	5.6	15	1	2	5	7	10	13	19
B. OPERATED	491	5.0	35	1	1	2	7	12	16	32
TOTAL 0-19 YRS	286	3.5	9	<1	1	2	5	7	9	15
20-34	1358	5.4	16	1	1	4	7	10	13	21
35-49	1208	5.8	17	1	1	5	7	11	14	19
50-64	558	5.8	15	1	2	5	8	11	13	20
65+	319	6.8	28	1	2	5	9	13	17	30
GRAND TOTAL	**3729**	**5.5**	**17**	**1**	**1**	**5**	**7**	**11**	**13**	**20**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.3	3	<1	1	2	3	5	6	7
20-34	46	2.3	4	<1	<1	2	3	5	6	11
35-49	48	2.8	9	<1	1	2	3	6	9	16
50-64	22	3.1	3	1	1	3	4	5	7	8
65+	16	3.6	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	75	1.7	1	<1	<1	1	2	3	3	5
20-34	317	2.3	2	<1	<1	2	3	4	5	7
35-49	317	2.8	3	<1	1	3	4	5	6	9
50-64	293	3.4	5	1	1	3	4	6	7	11
65+	82	4.1	6	1	2	4	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.3	3	<1	1	2	3	5	6	7
20-34	66	3.1	5	<1	1	3	4	7	8	11
35-49	61	3.2	6	<1	1	3	4	7	8	14
50-64	79	4.1	13	<1	1	3	5	8	12	20
65+	190	6.7	57	1	2	5	8	14	18	65
B. *Operated*										
0-19 YRS	25	2.5	5	<1	1	2	3	6	8	9
20-34	93	2.8	5	1	1	2	3	6	8	12
35-49	149	3.5	9	1	1	3	4	6	7	15
50-64	276	4.8	45	1	2	3	5	9	12	29
65+	233	5.9	32	1	2	4	6	11	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.6	5	<1	1	2	3	5	7	12
B. *Operated*	1084	2.8	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	439	4.8	32	1	1	3	6	10	14	22
B. *Operated*	776	4.6	29	1	1	3	5	8	12	25
1. SINGLE DX	1254	2.8	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	1215	4.7	30	1	1	3	5	9	13	24
A. NOT OPERATED	609	4.2	25	1	1	3	5	9	12	21
B. OPERATED	1860	3.6	15	1	1	3	4	6	8	18
TOTAL 0-19 YRS	181	2.1	2	<1	<1	2	2	4	6	8
20-34	522	2.5	3	<1	1	2	3	5	6	9
35-49	575	3.0	5	1	1	3	4	5	7	12
50-64	670	4.1	22	1	1	3	5	7	10	18
65+	521	5.8	37	1	2	4	6	11	16	27
GRAND TOTAL	**2469**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1388	1.4	1	<1	1	1	2	2	3	4
20-34	458	1.8	2	<1	<1	1	2	3	4	7
35-49	137	2.0	3	<1	1	1	2	4	6	9
50-64	43	2.1	2	1	1	2	3	4	5	5
65+	59	2.2	3	<1	1	2	3	4	6	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1829	1.9	3	<1	1	1	2	4	5	8
20-34	1543	2.8	6	<1	1	2	4	6	8	11
35-49	654	3.7	11	1	1	3	5	8	11	16
50-64	454	3.9	9	1	1	3	5	8	10	15
65+	632	5.9	61	1	1	4	7	11	15	46
B. *Operated*										
0-19 YRS	547	2.5	13	<1	1	2	3	5	7	16
20-34	642	3.6	28	<1	1	2	4	8	12	28
35-49	250	4.0	18	1	1	3	5	9	12	21
50-64	156	4.8	32	1	1	3	5	11	17	28
65+	277	7.6	109	1	1	4	9	17	26	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2085	1.5	1	<1	1	1	2	3	3	6
B. *Operated*	5	2.0	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	5112	3.1	14	1	1	2	4	7	9	15
B. *Operated*	1872	4.0	37	1	1	2	4	9	13	30
1. SINGLE DX	2090	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	6984	3.3	21	1	1	2	4	7	9	20
A. NOT OPERATED	7197	2.6	11	<1	1	2	3	6	8	14
B. OPERATED	1877	4.0	37	1	1	2	4	9	13	30
TOTAL 0-19 YRS	3765	1.8	4	<1	1	1	2	3	4	8
20-34	2643	2.8	11	<1	1	2	3	6	8	15
35-49	1042	3.5	12	1	1	2	4	8	10	16
50-64	654	4.0	15	1	1	3	5	8	11	20
65+	970	6.1	73	1	1	4	7	13	17	52
GRAND TOTAL	**9074**	**2.9**	**17**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	410	1.8	8	<1	1	1	2	3	4	12
20-34	142	3.4	17	<1	1	2	4	8	13	20
35-49	46	2.8	7	<1	1	2	4	6	7	16
50-64	23	3.9	9	1	1	3	6	9	10	11
65+	23	5.7	34	1	1	3	10	15	19	21
B. *Operated*										
0-19 YRS	21	8.1	31	2	3	7	9	15	22	26
20-34	16	8.3	45	<1	1	7	14	14	21	24
35-49	11	7.7	25	1	1	9	13	14	14	14
50-64	13	16.4	531	2	3	9	15	41	80	89
65+	20	8.6	23	2	3	8	11	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	3.6	57	<1	1	2	3	9	18	99+
20-34	456	5.0	69	<1	1	3	5	10	16	56
35-49	184	5.6	38	1	1	4	7	12	17	26
50-64	133	6.0	44	1	1	4	7	13	21	32
65+	412	9.7	113	1	2	7	12	22	34	81
B. *Operated*										
0-19 YRS	195	11.9	269	1	1	5	17	35	55	99+
20-34	244	16.0	393	<1	1	8	25	53	69	99+
35-49	123	16.5	337	1	1	10	25	44	82	99+
50-64	117	14.7	242	1	2	10	21	40	67	99+
65+	295	17.4	279	2	3	12	24	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	2.4	11	<1	1	1	2	5	8	16
B. *Operated*	81	9.5	114	1	2	8	11	15	23	70
2. MULTIPLE DX										
A. *Not Operated*	1759	5.8	76	1	1	3	7	14	22	70
B. *Operated*	974	15.5	311	1	1	9	22	44	67	99+
1. SINGLE DX	725	3.2	28	<1	1	1	3	8	12	21
2. MULTIPLE DX	2733	9.3	181	1	1	4	11	26	41	99+
A. NOT OPERATED	2403	4.9	61	<1	1	2	6	12	19	53
B. OPERATED	1055	15.0	299	1	1	9	21	41	66	99+
TOTAL 0-19 YRS	1200	4.4	86	<1	1	1	3	10	23	86
20-34	858	8.0	178	<1	1	3	8	21	39	94
35-49	364	9.0	164	1	1	4	11	24	37	98
50-64	286	9.9	163	1	1	6	13	26	38	99+
65+	750	12.6	189	1	2	8	16	32	44	99
GRAND TOTAL	**3458**	**8.0**	**155**	**1**	**1**	**3**	**9**	**22**	**36**	**96**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.9	1	<1	1	2	2	4	4	5
20-34	43	3.0	3	<1	1	3	4	5	6	7
35-49	12	2.3	1	<1	<1	2	3	4	4	4
50-64	6	2.3	4	<1	<1	2	3	6	6	6
65+	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	21	4.6	5	2	2	4	7	8	9	9
20-34	67	5.3	17	2	2	4	6	9	13	22
35-49	11	7.9	85	1	1	4	9	23	31	32
50-64	3	4.7	4	3	3	4	6	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.2	17	1	1	3	5	7	11	28
20-34	102	3.9	10	1	1	3	5	8	11	14
35-49	64	5.9	24	1	1	4	9	12	14	23
50-64	93	5.0	12	1	1	4	7	9	12	18
65+	133	7.7	79	1	2	5	9	14	18	58
B. *Operated*										
0-19 YRS	100	8.7	42	2	3	8	10	13	21	39
20-34	269	9.2	64	2	3	7	11	17	28	65
35-49	124	12.0	157	3	3	8	13	30	44	76
50-64	101	11.5	183	3	4	8	12	25	30	88
65+	116	12.7	83	3	4	10	16	24	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.5	2	<1	1	2	3	5	6	7
B. *Operated*	103	5.5	21	2	2	4	7	9	14	27
2. MULTIPLE DX										
A. *Not Operated*	450	5.6	36	1	1	4	7	11	14	29
B. *Operated*	710	10.5	99	3	3	8	12	21	31	76
1. SINGLE DX	192	4.1	15	1	1	3	5	8	9	22
2. MULTIPLE DX	1160	8.6	80	1	2	6	10	17	25	56
A. NOT OPERATED	539	5.1	32	1	1	4	6	10	13	25
B. OPERATED	813	9.9	92	2	3	7	12	20	30	69
TOTAL 0-19 YRS	200	6.2	33	1	2	5	8	12	14	28
20-34	481	7.0	47	1	2	5	8	14	20	39
35-49	211	9.4	114	1	2	6	11	20	35	67
50-64	203	8.2	107	1	2	6	9	15	25	65
65+	257	9.8	86	2	2	7	13	20	31	65
GRAND TOTAL	**1352**	**8.0**	**73**	**1**	**2**	**6**	**10**	**16**	**23**	**51**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	3.6	8	1	1	3	5	8	10	12
20-34	95	2.5	3	<1	1	2	4	5	7	59
35-49	30	3.5	16	1	1	2	4	7	8	22
50-64	9	2.8	2	<1	1	2	4	5	5	5
65+	3	5.0	3	4	4	4	6	7	7	7
B. *Operated*										
0-19 YRS	65	7.5	13	1	4	7	9	12	14	19
20-34	87	6.9	11	2	4	7	8	10	11	21
35-49	22	7.5	14	1	2	7	10	12	15	16
50-64	8	7.5	6	2	3	8	9	10	10	10
65+	5	9.2	3	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	4.2	13	1	1	3	6	9	12	17
20-34	250	4.1	10	1	1	3	5	8	10	14
35-49	96	4.1	23	1	1	3	5	9	12	28
50-64	51	5.1	27	1	1	3	6	10	16	28
65+	78	5.6	14	1	2	4	8	11	12	18
B. *Operated*										
0-19 YRS	252	12.0	122	2	4	8	13	25	34	59
20-34	460	13.6	179	3	5	9	14	30	43	75
35-49	161	15.4	244	2	4	11	16	33	51	93
50-64	96	15.5	195	4	5	11	17	33	55	90
65+	99	17.3	191	2	3	14	24	38	46	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.2	7	1	1	2	4	7	9	12
B. *Operated*	187	7.3	11	2	4	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	752	4.4	15	1	1	3	6	9	11	19
B. *Operated*	1068	14.0	179	2	4	10	15	31	44	75
1. SINGLE DX	503	4.7	13	1	1	4	7	9	11	18
2. MULTIPLE DX	1820	10.0	134	1	1	7	11	22	34	65
A. NOT OPERATED	1068	4.0	13	1	1	3	5	9	11	18
B. OPERATED	1255	13.0	160	2	4	9	14	28	40	74
TOTAL 0-19 YRS	773	6.9	61	1	1	5	8	13	20	39
20-34	892	9.1	119	1	1	7	10	18	30	70
35-49	309	10.2	167	1	1	7	12	22	33	87
50-64	164	11.2	149	1	2	8	14	23	36	76
65+	185	11.9	141	2	2	9	14	30	38	63
GRAND TOTAL	**2323**	**8.9**	**112**	**1**	**1**	**6**	**10**	**18**	**29**	**63**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	6	2.3	2	<1	<1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	100	2.4	3	<1	1	2	3	5	6	9
20-34	80	2.6	4	1	1	2	3	4	5	11
35-49	33	3.2	9	<1	1	2	4	8	11	12
50-64	9	2.4	6	<1	<1	1	3	6	8	8
65+	6	3.2	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0	1	<1	<1	2	2	4	4	4
20-34	16	2.3	1	<1	1	2	3	4	4	4
35-49	6	5.2	12	1	1	5	8	10	10	10
50-64	4	2.8	3	<1	<1	2	4	5	5	5
65+	7	3.1	8	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	126	2.8	4	<1	1	2	4	5	7	11
20-34	156	3.6	9	1	1	3	5	7	9	22
35-49	50	3.2	7	<1	1	2	4	7	9	13
50-64	48	4.0	10	1	1	3	6	8	10	15
65+	51	6.4	94	<1	1	4	8	10	19	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	228	2.6	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	43	2.8	4	<1	1	2	3	6	8	10
B. *Operated*	431	3.7	18	<1	1	3	5	7	9	19
1. SINGLE DX	244	2.5	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	474	3.6	17	<1	1	3	4	7	9	18
A. NOT OPERATED	59	2.5	4	<1	<1	2	3	5	7	10
B. OPERATED	659	3.3	14	<1	1	2	4	7	9	15
TOTAL 0-19 YRS	244	2.6	4	<1	1	2	3	5	6	9
20-34	258	3.2	7	1	1	3	4	6	8	17
35-49	90	3.3	8	<1	1	2	4	7	10	13
50-64	62	3.7	9	<1	1	3	5	7	9	15
65+	64	5.8	78	<1	1	4	8	9	14	61
GRAND TOTAL	**718**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**7**	**9**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.5	4	<1	1	2	3	5	7	12
20-34	50	1.7	1	1	1	1	2	4	5	5
35-49	19	2.8	5	<1	<1	3	3	5	8	10
50-64	6	2.8	7	1	1	2	5	7	7	7
65+	4	2.8		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	194	1.6	1	<1	<1	1	2	3	4	7
20-34	86	2.4	9	<1	<1	1	3	4	6	20
35-49	33	2.2	2	<1	<1	2	3	4	6	7
50-64	21	2.0	2	<1	<1	2	2	3	5	8
65+	13	2.1	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	2.8	5	<1	1	2	4	6	7	11
20-34	141	2.9	9	<1	<1	2	4	6	9	16
35-49	53	2.9	5	1	1	2	4	6	8	10
50-64	31	3.8	12	1	1	3	5	8	12	16
65+	68	6.5	26	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	395	2.5	7	<1	1	2	3	5	8	11
20-34	511	3.8	37	<1	1	2	4	7	10	32
35-49	171	4.0	38	<1	1	2	5	8	12	29
50-64	146	4.0	14	1	1	3	5	8	11	18
65+	253	5.4	45	1	1	3	7	12	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.3	3	1	1	2	3	5	5	10
B. *Operated*	347	1.9	4	<1	<1	1	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	392	3.6	12	<1	1	2	5	8	10	17
B. *Operated*	1476	3.8	29	1	1	2	4	8	11	24
1. SINGLE DX	496	2.0	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX	1868	3.7	25	<1	1	2	4	8	11	21
A. NOT OPERATED	541	3.2	10	<1	1	2	4	7	9	16
B. OPERATED	1823	3.4	25	<1	1	2	4	7	10	21
TOTAL 0-19 YRS	758	2.3	5	<1	1	1	3	5	7	10
20-34	788	3.4	27	<1	1	2	4	6	9	23
35-49	276	3.5	26	<1	1	2	4	7	10	18
50-64	204	3.8	12	1	1	3	5	8	10	17
65+	338	5.4	40	1	1	4	7	12	15	30
GRAND TOTAL	**2364**	**3.4**	**21**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.8	1	1	1	1	2	4	4	6
20-34	155	1.8	2	<1	<1	1	2	3	4	8
35-49	48	1.9	2	<1	<1	1	2	4	5	7
50-64	14	3.7	32	<1	1	2	4	6	19	23
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	105	2.2	3	<1	<1	1	3	5	6	8
20-34	127	3.1	7	<1	1	2	4	7	9	14
35-49	40	3.3	7	<1	1	2	5	7	9	13
50-64	11	4.0	15	1	1	2	8	10	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	4	1	1	2	3	5	7	11
20-34	111	3.0	15	<1	<1	2	3	6	8	23
35-49	35	2.6	3	1	1	2	3	4	5	9
50-64	17	2.7	12	<1	<1	1	3	6	12	15
65+	5	3.6	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	113	4.9	28	1	1	4	7	10	11	33
20-34	250	6.7	85	1	1	5	8	13	18	83
35-49	78	8.4	157	1	1	5	8	22	28	77
50-64	27	8.4	43	1	2	6	14	20	21	22
65+	20	8.3	168	1	2	6	8	10	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	1.9	3	<1	1	1	2	3	4	8
B. *Operated*	283	2.9	6	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	207	2.9	10	<1	1	2	3	5	7	16
B. *Operated*	488	6.7	85	1	1	5	8	12	19	63
1. SINGLE DX	569	2.4	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	695	5.6	66	1	1	3	7	10	16	41
A. NOT OPERATED	493	2.3	6	<1	1	2	3	4	6	13
B. OPERATED	771	5.3	60	1	1	3	6	10	14	40
TOTAL 0-19 YRS	325	3.1	13	<1	1	2	4	7	9	14
20-34	643	4.2	42	<1	1	2	5	9	13	38
35-49	201	4.9	71	<1	1	3	5	9	12	47
50-64	69	5.3	34	1	1	3	7	15	21	23
65+	26	7.1	133	1	1	5	7	8	22	62
GRAND TOTAL	**1264**	**4.1**	**41**	**<1**	**1**	**2**	**5**	**8**	**11**	**32**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.0	3	1	1	3	4	5	6	10
20-34	165	2.9	2	<1	1	3	4	5	6	7
35-49	57	3.2	10	<1	<1	3	4	6	8	21
50-64	25	3.0	3	1	1	3	4	5	6	7
65+	14	3.8	7	1	1	3	5	7	9	10
B. *Operated*										
0-19 YRS	476	2.0	4	<1	<1	1	2	4	6	11
20-34	766	2.2	5	<1	<1	1	3	4	6	10
35-49	309	2.3	6	<1	<1	2	3	5	6	12
50-64	180	2.3	4	<1	<1	1	2	5	7	11
65+	55	2.5	6	<1	1	2	3	5	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	3.6	17	<1	1	3	4	6	10	26
20-34	188	4.6	50	1	1	3	5	8	12	32
35-49	87	4.5	31	1	1	3	5	8	11	36
50-64	55	5.2	16	1	2	4	7	9	12	24
65+	41	6.0	21	1	2	5	8	13	17	20
B. *Operated*										
0-19 YRS	435	2.9	14	<1	1	2	3	7	9	20
20-34	851	3.3	24	<1	1	2	4	7	10	25
35-49	403	3.4	18	1	1	2	4	7	10	22
50-64	246	3.7	29	1	1	2	4	7	12	31
65+	180	5.3	88	1	1	3	5	11	16	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	3.0	4	<1	1	3	4	5	6	10
B. *Operated*	1786	2.2	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	456	4.6	34	1	1	3	5	8	11	24
B. *Operated*	2115	3.5	27	1	1	2	4	7	11	26
1. SINGLE DX	2132	2.3	5	<1	<1	2	3	4	6	10
2. MULTIPLE DX	2571	3.7	28	1	1	2	4	7	11	25
A. NOT OPERATED	802	3.9	21	1	1	3	4	7	9	23
B. OPERATED	3901	2.9	17	<1	1	2	3	6	8	20
TOTAL 0-19 YRS	1081	2.6	9	<1	1	2	3	5	7	14
20-34	1970	3.0	18	<1	1	2	3	6	8	22
35-49	856	3.1	15	<1	1	2	4	6	9	20
50-64	506	3.3	18	<1	1	2	4	7	10	21
65+	290	4.8	61	1	1	3	5	10	15	33
GRAND TOTAL	**4703**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.5	21	<1	1	2	4	7	9	27
20-34	110	3.0	7	1	1	2	4	5	5	18
35-49	31	4.1	8	1	1	3	6	8	10	11
50-64	6	4.3	9	1	1	3	7	9	9	9
65+	7	3.9	8	1	1	3	4	9	10	10
B. *Operated*										
0-19 YRS	348	3.3	13	<1	1	2	4	7	8	22
20-34	274	3.6	22	<1	1	2	4	8	10	16
35-49	101	4.0	21	<1	1	3	5	8	11	28
50-64	44	3.2	8	<1	1	2	4	8	10	12
65+	21	5.4	26	1	1	3	8	12	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	4.1	22	1	1	3	4	7	9	32
20-34	91	3.6	9	1	1	3	5	7	10	16
35-49	35	5.4	30	1	2	3	7	11	15	29
50-64	36	5.0	9	1	1	4	7	8	10	15
65+	34	7.7	31	2	3	5	10	15	21	24
B. *Operated*										
0-19 YRS	232	6.7	50	1	1	5	8	15	21	39
20-34	253	7.0	82	1	1	4	8	14	22	54
35-49	111	9.1	83	1	2	6	12	23	26	49
50-64	85	9.4	106	2	2	6	12	20	28	90
65+	94	12.9	156	1	3	9	15	29	43	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.4	13	1	1	3	4	7	8	17
B. *Operated*	788	3.5	17	<1	1	2	4	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	281	4.7	19	1	1	3	6	9	12	23
B. *Operated*	775	8.2	88	1	1	5	10	19	26	52
1. SINGLE DX	1055	3.5	16	<1	1	2	4	7	9	21
2. MULTIPLE DX	1056	7.3	72	1	1	5	9	16	24	47
A. NOT OPERATED	548	4.0	17	1	1	3	5	8	10	22
B. OPERATED	1563	5.8	58	1	1	3	7	13	20	41
TOTAL 0-19 YRS	778	4.4	28	<1	1	3	5	9	14	28
20-34	728	4.7	42	1	1	3	5	10	13	33
35-49	278	6.2	51	1	1	4	8	14	23	33
50-64	171	6.7	64	1	1	4	8	14	20	65
65+	156	10.3	115	1	2	7	12	23	31	58
GRAND TOTAL	**2111**	**5.4**	**48**	**1**	**1**	**3**	**6**	**11**	**17**	**38**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	12	2.7	4	<1	<1	2	4	6	7	7
20-34	23	2.7	9	<1	<1	1	3	7	10	13
35-49	7	3.4	8	<1	<1	2	6	8	8	8
50-64	4	3.5	4	<1	<1	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	4.2	17	<1	<1	3	6	11	11	11
35-49	2	4.0	18	<1	<1	3	7	7	7	7
50-64	3	5.0	7	3	3	4	7	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	49	5.7	37	1	1	4	7	14	17	99+
20-34	97	7.3	97	<1	1	4	9	18	23	87
35-49	40	9.5	213	<1	1	6	10	33	56	99+
50-64	22	8.4	134	1	1	4	11	32	69	99+
65+	29	15.9	384	1	1	7	25	40	68	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.0	9	1	1	6	7	8	9	9
B. *Operated*	47	2.9	7	<1	<1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	14	3.9	9	<1	<1	3	5	8	10	11
B. *Operated*	237	8.5	149	1	1	5	10	22	37	99+
1. SINGLE DX	57	3.2	8	<1	<1	2	5	7	8	13
2. MULTIPLE DX	251	8.2	142	1	1	4	10	20	36	99+
A. NOT OPERATED	24	4.3	9	<1	1	3	7	8	10	11
B. OPERATED	284	7.5	130	1	1	4	9	19	35	99+
TOTAL 0-19 YRS	66	4.8	30	1	1	3	6	13	17	89
20-34	127	6.3	79	<1	1	3	8	16	20	79
35-49	51	8.4	173	<1	1	6	8	21	35	99+
50-64	31	7.2	98	1	1	4	9	19	49	99+
65+	33	14.3	354	1	1	5	23	39	64	72
GRAND TOTAL	**308**	**7.3**	**121**	**<1**	**1**	**4**	**8**	**18**	**34**	**99+**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	5.3	19	1	1	5	9	9	9	9
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	16	2.3	3	<1	<1	2	3	5	6	6
20-34	46	2.8	7	<1	<1	2	3	6	7	14
35-49	15	2.3	5	<1	1	1	3	6	7	8
50-64	4	4.3	18	<1	<1	3	7	10	10	10
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	19.0	1541	1	1	3	7	90	99	99+
20-34	20	7.8	151	<1	<1	5	9	13	36	57
35-49	4	7.5	40	1	1	6	12	16	16	16
50-64	8	8.4	43	2	2	6	11	19	22	22
65+	11	12.7	114	2	3	11	17	31	35	35
B. *Operated*										
0-19 YRS	19	6.4	164	<1	<1	2	5	15	38	56
20-34	46	5.2	45	1	1	4	6	12	23	99+
35-49	21	6.5	65	1	1	3	8	17	29	30
50-64	19	8.0	42	1	2	5	13	16	22	26
65+	7	6.1	53	<1	<1	3	8	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.0	22	1	1	3	9	12	13	13
B. *Operated*	82	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	49	10.3	267	1	1	6	11	20	36	99
B. *Operated*	112	6.2	67	1	1	4	7	15	25	72
1. SINGLE DX	90	3.0	8	<1	<1	2	4	6	9	14
2. MULTIPLE DX	161	7.5	130	1	1	4	9	16	28	94
A. NOT OPERATED	57	9.6	235	1	1	5	11	18	33	96
B. OPERATED	194	4.8	44	<1	1	3	6	10	16	49
TOTAL 0-19 YRS	42	6.6	291	<1	<1	2	4	10	32	99
20-34	116	4.7	49	<1	1	3	6	10	14	71
35-49	42	5.1	42	1	1	2	7	11	21	30
50-64	32	7.4	39	<1	1	5	10	16	21	26
65+	19	10.2	91	<1	1	7	14	25	32	35
GRAND TOTAL	**251**	**5.9**	**91**	**<1**	**1**	**3**	**6**	**13**	**20**	**57**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.7	3	1	1	4	5	6	6	10
20-34	51	3.1	3	1	1	3	4	5	6	7
35-49	16	4.0	6	1	1	4	6	8	9	9
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	4	5.8	26	1	1	4	9	13	13	13
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.0	3	1	2	4	5	6	7	9
20-34	55	4.1	11	<1	1	4	5	7	11	17
35-49	17	5.9	27	<1	1	4	5	6	18	24
50-64	10	3.7	3	<1	1	4	5	6	6	6
65+	20	4.5	17	<1	<1	3	6	11	15	15
B. *Operated*										
0-19 YRS	15	4.9	9	2	2	4	6	7	12	14
20-34	13	4.2	6	1	1	5	5	7	9	10
35-49	6	2.2	1	<1	<1	2	3	4	4	4
50-64	4	5.0	3	3	3	5	6	7	7	7
65+	8	4.4	8	<1	<1	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	3.6	4	1	1	4	5	6	6	10
B. *Operated*	6	4.7	19	1	1	4	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	184	4.2	9	<1	1	4	5	6	9	17
B. *Operated*	46	4.3	7	1	1	4	6	7	8	14
1. SINGLE DX	194	3.6	4	1	1	4	5	6	6	11
2. MULTIPLE DX	230	4.2	8	<1	1	4	5	7	8	16
A. NOT OPERATED	372	3.9	6	1	1	4	5	6	7	15
B. OPERATED	52	4.3	8	1	1	4	6	7	10	14
TOTAL 0-19 YRS	218	3.9	4	1	1	4	5	6	7	12
20-34	120	3.7	7	<1	1	4	5	6	8	16
35-49	39	4.1	15	<1	1	4	5	6	9	24
50-64	17	4.1	4	1	2	4	5	7	8	8
65+	30	4.4	13	<1	<1	4	6	8	15	15
GRAND TOTAL	**424**	**3.9**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	1.9	2	<1	1	1	2	3	5	7
20-34	292	2.3	4	<1	1	2	3	5	7	10
35-49	124	2.4	3	<1	1	2	3	5	6	10
50-64	71	2.9	7	1	1	2	4	6	9	16
65+	98	4.2	10	1	1	3	5	8	11	16
B. *Operated*										
0-19 YRS	60	2.6	10	<1	<1	1	3	5	7	22
20-34	54	3.2	22	<1	1	2	4	5	8	30
35-49	32	2.0	3	<1	<1	1	3	4	5	8
50-64	21	4.6	17	<1	1	3	6	12	13	14
65+	20	5.0	47	<1	<1	3	5	9	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	2.3	5	<1	1	2	3	4	6	13
20-34	639	2.8	8	<1	1	2	3	5	8	14
35-49	355	3.4	10	1	1	3	4	7	10	19
50-64	338	4.6	37	1	1	3	6	9	11	22
65+	1143	7.7	100	1	2	5	9	15	21	80
B. *Operated*										
0-19 YRS	75	3.0	9	<1	1	2	4	7	8	18
20-34	131	4.9	40	1	1	3	5	9	15	36
35-49	82	5.5	27	1	1	4	6	11	19	23
50-64	54	8.9	120	1	2	6	11	19	28	66
65+	180	10.6	94	1	2	8	15	26	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	2.4	4	<1	1	2	3	5	7	11
B. *Operated*	187	3.1	18	<1	<1	2	4	6	9	27
2. MULTIPLE DX										
A. *Not Operated*	3036	4.8	51	1	1	3	5	10	14	50
B. *Operated*	522	7.1	68	1	1	4	9	18	24	74
1. SINGLE DX	1119	2.5	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	3558	5.1	54	1	1	3	6	11	16	52
A. NOT OPERATED	3968	4.2	41	1	1	2	5	9	12	31
B. OPERATED	709	6.0	58	<1	1	3	7	15	23	55
TOTAL 0-19 YRS	1043	2.2	5	<1	1	2	3	4	6	12
20-34	1116	2.9	12	<1	1	2	3	6	8	17
35-49	593	3.4	11	1	1	2	4	7	10	20
50-64	484	4.8	43	1	1	3	6	9	14	24
65+	1441	7.8	94	1	2	5	9	16	24	85
GRAND TOTAL	**4677**	**4.5**	**44**	**1**	**1**	**3**	**5**	**9**	**14**	**36**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	1	1	1	1	2	3	4	5
20-34	42	2.3	3	<1	1	2	3	4	6	10
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	22	6.2	96	1	1	4	6	13	32	44
20-34	33	3.9	46	<1	<1	2	3	10	14	37
35-49	12	4.3	10	1	1	4	5	9	12	12
50-64	7	1.7	1	<1	<1	2	2	3	3	3
65+	3	12.0	223	<1	<1	6	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	13	1	1	2	6	10	12	13
20-34	32	3.1	6	1	1	2	4	6	9	10
35-49	22	6.1	43	1	1	4	6	16	21	27
50-64	12	4.5	9	1	2	4	6	9	11	11
65+	13	8.8	55	2	2	5	14	19	24	25
B. *Operated*										
0-19 YRS	33	5.4	30	1	1	4	6	17	19	19
20-34	89	5.6	41	1	1	4	7	13	19	76
35-49	31	5.2	33	1	1	3	7	12	22	23
50-64	27	9.4	111	1	1	5	13	25	29	46
65+	11	8.3	113	2	2	5	9	22	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.2	3	1	1	2	3	4	5	11
B. *Operated*	77	4.7	57	<1	1	2	5	9	20	42
2. MULTIPLE DX										
A. *Not Operated*	101	4.8	25	1	1	3	6	11	16	26
B. *Operated*	191	6.2	53	1	1	4	8	16	23	44
1. SINGLE DX	159	3.4	31	<1	1	2	4	6	11	36
2. MULTIPLE DX	292	5.7	43	1	1	3	7	14	19	40
A. NOT OPERATED	183	3.7	17	1	1	2	4	8	12	23
B. OPERATED	268	5.8	54	1	1	3	7	14	23	43
TOTAL 0-19 YRS	101	4.4	36	1	1	2	5	9	17	34
20-34	196	4.2	29	1	1	2	5	9	14	39
35-49	77	4.9	28	1	1	3	6	11	16	26
50-64	49	6.7	72	1	1	4	8	17	25	46
65+	28	9.0	84	1	2	5	11	23	30	39
GRAND TOTAL	**451**	**4.9**	**40**	**1**	**1**	**3**	**6**	**11**	**18**	**39**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.0		<1	<1	1	1	1	1	1
B. *Operated*	6	2.0	4	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	8	2.4	2	<1	<1	2	3	4	4	4
1. SINGLE DX	17	1.4	1	<1	<1	1	1	2	5	6
2. MULTIPLE DX	8	2.4	2	<1	<1	2	3	4	4	4
A. NOT OPERATED	11	1.0		<1	<1	1	1	1	1	1
B. OPERATED	14	2.2	2	<1	<1	2	3	4	6	6
TOTAL 0-19 YRS	14	1.5	1	<1	<1	1	2	3	4	4
20-34	7	1.4	1	<1	<1	1	1	3	4	4
35-49	4	2.8	6	<1	<1	2	4	6	6	6
50-64										
65+										
GRAND TOTAL	**25**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	1.2	1	<1	<1	1	1	2	3	5
20-34	76	1.7	4	<1	<1	1	1	3	6	13
35-49	74	1.6	3	<1	<1	1	1	3	4	12
50-64	84	1.2		<1	<1	1	1	2	2	3
65+	71	1.4	1	<1	<1	1	2	2	3	7
B. *Operated*										
0-19 YRS	98	1.5	2	<1	<1	1	1	3	5	8
20-34	20	3.3	7	<1	<1	2	5	8	9	10
35-49	13	1.2		1	1	1	2	2	2	2
50-64	18	2.9	9	<1	<1	1	3	9	9	9
65+	9	2.0	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	2.5	7	<1	<1	2	3	5	6	15
20-34	52	2.6	8	<1	1	2	3	6	8	16
35-49	61	2.4	11	<1	<1	1	2	6	9	18
50-64	96	2.9	10	<1	1	2	3	6	10	16
65+	236	3.3	14	1	1	2	4	7	9	21
B. *Operated*										
0-19 YRS	52	3.6	14	<1	<1	2	5	7	12	19
20-34	26	7.7	24	1	1	8	10	14	17	18
35-49	41	6.1	64	<1	1	4	7	12	24	42
50-64	61	4.7	55	<1	1	2	5	10	22	94
65+	128	6.8	103	1	1	4	9	15	19	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	1.3	1	<1	<1	1	1	2	3	7
B. *Operated*	158	1.9	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	532	2.9	11	<1	1	2	3	6	9	17
B. *Operated*	308	5.8	68	<1	1	3	8	13	18	84
1. SINGLE DX	832	1.4	2	<1	<1	1	1	2	4	9
2. MULTIPLE DX	840	4.0	34	<1	1	2	5	9	13	31
A. NOT OPERATED	1206	2.0	6	<1	<1	1	2	4	6	15
B. OPERATED	466	4.5	49	<1	1	2	6	10	15	68
TOTAL 0-19 YRS	606	1.7	3	<1	<1	1	1	3	5	10
20-34	174	3.1	12	<1	<1	1	4	8	10	17
35-49	189	2.8	22	<1	<1	1	2	7	10	24
50-64	259	2.8	19	<1	<1	1	3	7	10	28
65+	444	4.0	41	1	1	2	5	9	14	37
GRAND TOTAL	**1672**	**2.7**	**20**	**<1**	**<1**	**1**	**3**	**6**	**10**	**19**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.5	17	2	2	4	6	10	16	18
20-34	14	4.7	23	1	1	3	6	10	16	18
35-49	9	6.2	24	<1	1	5	9	14	16	16
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	2	10.5	61	5	5	10	16	16	16	16
B. *Operated*										
0-19 YRS	43	8.9	74	<1	1	6	14	20	23	46
20-34	37	8.9	106	<1	1	5	10	28	30	40
35-49	15	9.3	48	2	2	7	12	20	25	27
50-64	9	9.0	49	<1	<1	11	13	18	21	21
65+	3	10.0	93	3	3	6	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.6	33	1	1	5	10	17	22	99+
20-34	47	7.4	105	1	1	4	9	16	23	62
35-49	24	9.2	63	2	2	6	12	22	28	29
50-64	21	14.0	279	1	2	9	18	29	51	76
65+	25	12.5	63	1	2	11	17	28	29	29
B. *Operated*										
0-19 YRS	111	17.5	139	2	4	17	26	34	41	76
20-34	139	15.1	172	1	2	13	20	30	41	85
35-49	99	16.7	132	2	4	14	22	36	39	49
50-64	74	25.1	512	3	4	18	36	71	85	99+
65+	104	26.9	430	3	7	21	47	65	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.5	21	1	1	4	7	13	17	18
B. *Operated*	107	9.0	77	<1	1	6	13	21	27	43
2. MULTIPLE DX										
A. *Not Operated*	154	9.2	103	1	1	6	12	20	29	75
B. *Operated*	527	19.6	277	2	4	15	28	47	63	99+
1. SINGLE DX	148	8.0	64	1	1	5	10	19	26	40
2. MULTIPLE DX	681	17.3	256	1	2	13	24	41	61	99+
A. NOT OPERATED	195	8.4	88	1	1	6	11	20	28	70
B. OPERATED	634	17.8	259	1	3	14	25	41	61	99+
TOTAL 0-19 YRS	204	12.9	123	1	2	9	20	29	38	78
20-34	237	12.0	153	1	1	8	17	28	36	72
35-49	147	14.1	119	2	2	12	20	30	38	48
50-64	107	20.9	451	2	3	13	30	68	76	99+
65+	134	23.6	385	2	5	18	39	61	90	99+
GRAND TOTAL	**829**	**15.6**	**234**	**1**	**2**	**11**	**21**	**38**	**54**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	4.2	11	1	1	3	6	8	10	18
20-34	76	4.0	21	<1	1	2	6	10	13	24
35-49	37	4.8	27	<1	1	3	7	12	16	22
50-64	15	4.9	25	1	1	3	7	14	16	17
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	46	7.1	43	1	2	4	10	15	24	26
20-34	26	6.8	28	1	1	6	9	15	17	17
35-49	8	6.9	63	<1	<1	2	12	20	22	22
50-64	6	10.8	84	2	2	9	19	23	24	24
65+	5	6.8	25	2	2	4	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	5.0	21	1	1	3	7	11	14	21
20-34	227	4.6	27	1	1	3	6	10	17	26
35-49	139	5.0	23	1	1	3	7	10	15	25
50-64	91	9.2	75	1	2	6	13	21	28	39
65+	93	8.8	51	1	2	7	12	20	26	71
B. *Operated*										
0-19 YRS	152	9.5	78	1	2	6	14	22	27	46
20-34	146	8.3	64	1	1	6	12	17	20	42
35-49	71	11.7	79	2	2	10	17	22	30	43
50-64	52	11.6	116	2	3	9	13	27	36	50
65+	45	16.7	235	1	3	12	23	39	50	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	4.2	16	1	1	3	6	9	13	20
B. *Operated*	91	7.2	41	1	1	5	11	16	22	25
2. MULTIPLE DX										
A. *Not Operated*	891	5.7	34	1	1	4	8	13	18	32
B. *Operated*	466	10.4	98	1	2	7	14	22	30	49
1. SINGLE DX	412	4.9	23	1	1	3	7	11	14	24
2. MULTIPLE DX	1357	7.3	61	1	1	5	9	17	22	39
A. NOT OPERATED	1212	5.3	30	1	1	3	7	12	17	29
B. OPERATED	557	9.9	90	1	2	7	14	21	28	48
TOTAL 0-19 YRS	729	5.9	36	1	1	4	7	13	18	28
20-34	475	5.8	40	1	1	3	8	14	17	31
35-49	255	6.9	49	1	1	4	10	17	20	31
50-64	164	9.6	86	1	2	7	12	22	31	42
65+	146	11.1	120	1	2	7	15	26	36	65
GRAND TOTAL	**1769**	**6.8**	**53**	**1**	**1**	**4**	**9**	**16**	**21**	**38**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	4	<1	1	2	3	6	8	9
20-34	19	3.4	9	<1	<1	3	5	6	10	13
35-49	13	3.7	15	1	1	2	5	10	11	11
50-64	1	13.0		13	13	13	13	13	13	13
65+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-19 YRS	39	2.0	3	<1	1	1	2	4	6	8
20-34	89	1.8	2	<1	<1	1	2	4	5	8
35-49	34	2.0	3	<1	1	1	2	4	6	8
50-64	11	2.2	3	<1	<1	2	2	5	7	7
65+	2	12.0	242	1	1	12	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	7	<1	<1	2	4	7	9	10
20-34	44	5.0	25	1	1	3	6	11	14	25
35-49	28	8.0	113	<1	1	4	8	23	35	46
50-64	25	5.4	30	<1	1	4	8	10	16	27
65+	38	9.8	86	2	2	8	12	27	40	99+
B. *Operated*										
0-19 YRS	88	2.1	6	<1	1	1	2	4	7	16
20-34	192	3.6	39	<1	<1	2	3	6	14	37
35-49	69	4.3	50	<1	<1	2	5	14	25	99+
50-64	39	8.2	258	<1	<1	2	4	33	64	99+
65+	22	11.1	173	<1	1	8	32	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.4	10	<1	1	2	4	9	11	13
B. *Operated*	175	2.0	5	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	148	6.7	61	1	1	4	8	13	26	46
B. *Operated*	410	4.2	66	<1	<1	2	3	11	26	99+
1. SINGLE DX	229	2.4	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	558	4.9	66	<1	1	2	5	12	26	99+
A. NOT OPERATED	202	5.8	49	1	1	3	8	12	20	44
B. OPERATED	585	3.6	49	<1	<1	2	3	7	17	90
TOTAL 0-19 YRS	158	2.3	5	<1	1	2	2	5	7	15
20-34	344	3.3	27	<1	<1	2	3	6	11	31
35-49	144	4.4	51	<1	<1	2	4	11	23	99+
50-64	76	6.5	146	<1	1	2	6	19	35	94
65+	65	9.9	115	1	1	7	16	38	99+	99+
GRAND TOTAL	**787**	**4.1**	**50**	**<1**	**1**	**2**	**4**	**9**	**18**	**66**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.0	2	<1	1	2	3	4	5	8
20-34	125	2.8	6	<1	1	2	3	5	8	12
35-49	51	3.2	15	1	1	2	4	6	10	26
50-64	30	3.3	20	<1	1	2	3	7	9	24
65+	17	3.7	9	1	1	3	4	8	11	12
B. *Operated*										
0-19 YRS	35	3.4	7	<1	1	3	4	7	9	12
20-34	38	4.1	25	1	1	2	5	8	17	24
35-49	18	4.3	18	<1	<1	3	6	11	14	16
50-64	9	3.6	5	<1	<1	4	5	6	6	6
65+	8	3.9	9	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	2.7	5	<1	1	2	3	6	8	12
20-34	244	3.6	25	<1	1	2	4	8	10	15
35-49	156	4.1	13	1	1	3	5	7	11	14
50-64	134	4.6	24	1	1	3	6	10	12	27
65+	224	7.6	81	1	2	5	9	15	22	44
B. *Operated*										
0-19 YRS	76	9.2	104	1	1	6	12	21	28	49
20-34	146	9.3	205	1	1	5	10	23	47	99+
35-49	68	9.6	100	1	1	6	14	25	31	41
50-64	48	10.3	188	1	2	5	16	26	34	99+
65+	68	15.2	160	1	3	11	23	32	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	2.6	7	1	1	2	3	5	6	12
B. *Operated*	108	3.8	15	<1	1	3	5	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	930	4.6	36	1	1	3	5	10	13	32
B. *Operated*	406	10.4	162	1	1	6	14	26	35	90
1. SINGLE DX	501	2.9	9	1	1	2	3	6	8	14
2. MULTIPLE DX	1336	6.4	81	1	1	4	7	14	24	54
A. NOT OPERATED	1323	4.0	28	1	1	3	5	8	11	27
B. OPERATED	514	9.0	138	1	1	5	11	24	31	76
TOTAL 0-19 YRS	453	3.6	27	<1	1	2	4	8	12	29
20-34	553	4.9	75	<1	1	3	5	10	16	65
35-49	293	5.3	40	1	1	3	6	12	16	35
50-64	221	5.6	64	1	1	3	6	11	23	51
65+	317	8.9	103	1	2	6	11	19	30	51
GRAND TOTAL	**1837**	**5.4**	**64**	**1**	**1**	**3**	**6**	**12**	**20**	**43**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	984	1.7	2	<1	<1	1	2	3	4	7
20-34	412	1.8	2	<1	<1	1	2	3	4	7
35-49	163	1.9	2	<1	<1	1	2	3	5	11
50-64	51	3.1	13	1	1	2	3	6	9	19
65+	32	3.2	8	1	1	3	3	8	10	13
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1683	3.3	32	<1	1	2	3	6	10	31
20-34	2409	3.7	32	<1	1	2	4	8	12	29
35-49	1250	4.5	48	<1	1	2	4	10	15	34
50-64	636	5.5	42	1	1	3	7	12	18	35
65+	866	6.9	47	1	2	5	9	13	18	34
B. *Operated*										
0-19 YRS	18	8.2	96	<1	1	5	7	28	33	33
20-34	64	12.8	300	1	1	5	15	39	59	98
35-49	48	12.0	169	1	2	7	15	33	42	51
50-64	52	16.3	387	1	2	9	19	64	82	99+
65+	91	16.9	212	1	4	12	22	45	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1642	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	6844	4.3	39	<1	1	2	5	9	14	32
B. *Operated*	273	14.4	254	1	2	9	19	39	55	99+
1. SINGLE DX	1644	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	7117	4.7	51	<1	1	2	5	10	16	41
A. NOT OPERATED	8486	3.8	33	<1	1	2	4	8	13	29
B. OPERATED	275	14.3	254	1	2	9	19	39	54	99+
TOTAL 0-19 YRS	2686	2.7	22	<1	1	1	3	5	8	25
20-34	2885	3.6	36	<1	1	2	3	7	12	31
35-49	1462	4.4	49	<1	1	2	4	10	16	37
50-64	739	6.1	72	1	1	3	7	13	20	62
65+	989	7.7	70	1	2	5	9	16	22	51
GRAND TOTAL	**8761**	**4.2**	**43**	**<1**	**1**	**2**	**4**	**9**	**14**	**36**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	445	2.4	5	<1	<1	1	3	5	6	11
20-34	142	1.4	1	<1	<1	1	1	2	3	7
35-49	79	1.5	2	<1	1	1	2	3	4	8
50-64	35	1.7	1	<1	1	1	2	3	4	5
65+	27	1.9	3	<1	1	1	3	5	5	6
B. *Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	2.9	8	<1	1	2	4	6	9	14
20-34	277	3.2	31	<1	1	2	3	6	12	28
35-49	200	2.8	8	<1	1	2	4	6	8	13
50-64	145	3.8	63	1	1	2	4	7	11	48
65+	136	5.5	71	<1	1	3	6	11	20	77
B. *Operated*										
0-19 YRS	16	9.5	62	1	1	8	16	18	24	27
20-34	23	6.9	47	1	1	4	11	16	20	27
35-49	13	16.9	355	1	1	14	22	41	63	68
50-64	10	14.5	147	1	2	10	25	33	40	40
65+	15	20.0	423	3	4	14	22	68	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	728	2.0	4	<1	<1	1	2	5	6	9
B. *Operated*	4	4.8	11	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1065	3.4	30	<1	1	2	4	7	10	22
B. *Operated*	77	12.7	203	1	1	9	17	26	38	68
1. SINGLE DX	732	2.0	4	<1	<1	1	2	5	6	9
2. MULTIPLE DX	1142	4.1	47	<1	1	2	4	9	14	33
A. NOT OPERATED	1793	2.9	20	<1	1	1	3	6	8	19
B. OPERATED	81	12.3	197	1	1	9	16	26	37	68
TOTAL 0-19 YRS	768	2.7	8	<1	<1	1	4	6	8	14
20-34	444	2.9	23	<1	1	1	3	6	9	22
35-49	294	3.1	30	<1	1	1	3	6	9	26
50-64	190	4.0	62	1	1	2	4	8	14	44
65+	178	6.2	107	<1	1	3	7	14	23	72
GRAND TOTAL	**1874**	**3.3**	**31**	**<1**	**1**	**2**	**4**	**6**	**10**	**25**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	242	2.2	4	<1	1	2	3	4	6	8
20-34	128	1.9	1	<1	<1	1	2	4	5	6
35-49	84	2.1	3	<1	1	1	3	4	5	10
50-64	66	2.2	3	<1	1	2	3	4	5	10
65+	39	2.2	5	<1	1	1	2	5	8	10
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	20.5	1107	<1	<1	5	40	70	70	70
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	3.6	23	<1	1	2	4	8	13	29
20-34	229	3.2	8	1	1	2	4	7	8	14
35-49	237	3.8	16	1	1	2	5	9	12	31
50-64	325	4.6	18	1	1	3	6	10	13	22
65+	792	6.8	56	1	1	5	8	13	18	45
B. *Operated*										
0-19 YRS	18	8.6	289	1	1	1	5	55	82	99+
20-34	35	4.9	58	1	1	1	7	13	15	41
35-49	43	10.2	277	1	1	3	12	48	63	99+
50-64	61	10.1	341	1	1	3	10	43	72	98
65+	113	13.0	248	1	1	8	20	44	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	2.1	3	<1	1	1	3	4	5	10
B. *Operated*	9	10.4	507	<1	<1	3	5	46	70	70
2. MULTIPLE DX										
A. *Not Operated*	1894	5.1	35	1	1	3	6	11	15	29
B. *Operated*	270	10.5	255	1	1	4	14	41	70	99+
1. SINGLE DX	568	2.2	11	<1	1	1	3	4	5	10
2. MULTIPLE DX	2164	5.8	66	1	1	3	7	12	19	70
A. NOT OPERATED	2453	4.4	29	1	1	3	6	9	13	26
B. OPERATED	279	10.5	261	1	1	4	13	41	70	99+
TOTAL 0-19 YRS	573	3.2	24	<1	1	2	3	7	10	32
20-34	396	3.1	22	<1	1	2	4	6	8	16
35-49	366	4.2	48	1	1	2	5	9	15	67
50-64	452	5.0	63	1	1	3	5	10	15	48
65+	945	7.4	81	1	1	5	9	15	25	83
GRAND TOTAL	**2732**	**5.0**	**57**	**1**	**1**	**3**	**6**	**11**	**16**	**59**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.5	8	<1	1	3	5	7	10	12
20-34	42	4.3	18	<1	1	2	6	11	13	19
35-49	20	5.1	25	<1	<1	4	6	10	17	22
50-64	22	5.3	20	<1	<1	5	8	9	14	20
65+	44	7.0	86	1	1	4	8	24	26	46
B. *Operated*										
0-19 YRS	120	3.7	8	<1	1	3	4	7	10	15
20-34	249	3.6	11	<1	<1	2	5	9	11	15
35-49	214	4.5	31	<1	<1	3	6	10	12	27
50-64	305	7.0	50	1	1	5	9	15	19	39
65+	477	6.6	65	1	1	4	8	16	20	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	6.2	42	<1	1	4	8	14	18	32
20-34	91	6.1	56	1	1	4	7	9	26	40
35-49	128	6.9	34	1	1	5	9	14	18	31
50-64	206	8.0	89	1	1	6	10	16	28	44
65+	448	7.8	72	1	1	6	9	17	26	54
B. *Operated*										
0-19 YRS	546	8.1	99	1	1	5	9	19	31	56
20-34	587	8.8	157	1	1	5	10	21	33	74
35-49	818	8.6	121	1	1	5	10	20	30	58
50-64	1717	9.5	111	1	1	6	12	22	31	58
65+	3469	11.7	178	1	2	7	15	27	41	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	5.2	38	<1	1	3	7	11	19	30
B. *Operated*	1365	5.5	44	<1	1	3	7	12	16	37
2. MULTIPLE DX										
A. *Not Operated*	995	7.4	66	1	1	5	9	15	24	43
B. *Operated*	7137	10.3	150	1	2	6	13	24	36	69
1. SINGLE DX	1518	5.5	43	<1	1	3	7	12	16	36
2. MULTIPLE DX	8132	9.9	140	1	1	6	12	23	34	67
A. NOT OPERATED	1148	7.1	63	1	1	5	9	15	23	42
B. OPERATED	8502	9.5	136	1	1	6	12	22	33	64
TOTAL 0-19 YRS	813	7.0	77	1	1	4	8	14	24	48
20-34	969	7.0	109	<1	1	4	8	15	26	68
35-49	1180	7.6	96	<1	1	5	9	16	26	54
50-64	2250	9.0	101	1	1	6	12	20	29	55
65+	4438	10.7	158	1	2	7	14	26	38	72
GRAND TOTAL	**9650**	**9.2**	**128**	**1**	**1**	**5**	**11**	**21**	**32**	**62**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	1.7	2	<1	<1	1	2	3	4	8
20-34	141	2.1	3	<1	1	1	3	4	5	10
35-49	71	2.5	4	1	1	2	3	5	6	10
50-64	107	2.9	5	1	1	2	4	5	6	14
65+	122	3.6	11	1	1	3	4	6	8	16
B. *Operated*										
0-19 YRS	150	1.8	3	<1	<1	1	2	3	5	12
20-34	163	2.5	8	<1	1	2	3	5	7	15
35-49	100	2.8	7	<1	1	2	4	5	7	15
50-64	39	2.9	3	1	1	2	4	6	6	7
65+	49	3.6	8	1	1	3	4	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.4	3	1	1	2	3	5	6	10
20-34	79	3.3	12	<1	1	2	4	8	12	16
35-49	73	3.4	7	1	1	3	4	7	8	12
50-64	154	3.7	6	1	1	3	5	6	8	13
65+	364	4.3	21	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	63	1.5	1	1	1	1	2	3	3	7
20-34	172	3.2	15	1	1	2	4	8	9	18
35-49	128	3.8	16	1	1	2	5	9	11	21
50-64	198	3.9	20	1	1	2	5	9	10	26
65+	460	5.0	37	1	1	3	6	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	2.5	5	<1	1	2	3	5	6	10
B. *Operated*	501	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	709	3.9	14	1	1	3	5	7	9	15
B. *Operated*	1021	4.1	26	1	1	2	5	10	13	26
1. SINGLE DX	1065	2.5	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	1730	4.0	21	1	1	3	5	9	12	22
A. NOT OPERATED	1273	3.3	11	1	1	2	4	6	8	14
B. OPERATED	1522	3.6	20	1	1	2	4	8	12	23
TOTAL 0-19 YRS	375	1.8	2	<1	1	1	2	3	4	9
20-34	555	2.7	10	<1	1	2	3	6	9	16
35-49	372	3.2	9	1	1	2	4	7	9	16
50-64	498	3.5	11	1	1	3	5	7	9	14
65+	995	4.5	26	1	1	3	5	9	13	26
GRAND TOTAL	**2795**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	5.1	13	2	2	4	7	9	12	19
20-34	105	5.3	9	2	2	5	7	9	12	16
35-49	97	5.2	9	1	2	5	7	9	11	16
50-64	58	7.3	29	2	3	6	9	13	17	31
65+	47	6.6	14	2	3	6	8	13	14	16
B. *Operated*										
0-19 YRS	45	6.1	19	1	2	5	8	11	15	19
20-34	91	7.2	73	1	1	6	9	12	17	54
35-49	81	6.7	22	1	2	5	10	14	16	19
50-64	60	7.7	38	1	2	6	11	15	19	34
65+	42	8.2	89	1	2	5	11	18	20	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	6.2	26	2	2	5	8	12	16	28
20-34	128	6.6	20	2	2	5	9	13	16	21
35-49	165	8.1	72	2	3	6	10	15	18	79
50-64	214	9.3	57	2	3	7	12	18	24	39
65+	337	9.7	46	2	3	8	12	17	23	37
B. *Operated*										
0-19 YRS	64	11.8	131	2	3	9	14	26	37	58
20-34	153	12.3	201	2	3	7	14	28	39	97
35-49	201	12.6	108	2	3	9	17	28	36	47
50-64	291	15.3	168	2	4	11	20	36	46	87
65+	419	17.6	250	3	4	13	23	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	5.7	14	2	2	5	7	10	13	19
B. *Operated*	319	7.1	48	1	2	5	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	937	8.6	49	2	3	7	11	16	21	37
B. *Operated*	1128	15.1	195	2	3	11	20	34	47	98
1. SINGLE DX	674	6.4	30	1	2	5	8	12	15	23
2. MULTIPLE DX	2065	12.1	139	2	3	9	15	27	37	73
A. NOT OPERATED	1292	7.8	41	2	3	6	10	15	19	33
B. OPERATED	1447	13.3	173	2	3	9	17	30	43	88
TOTAL 0-19 YRS	250	7.4	55	2	2	5	9	14	19	47
20-34	477	8.2	93	2	2	6	10	15	24	55
35-49	544	9.0	75	2	2	6	11	18	27	47
50-64	623	11.8	116	2	3	8	14	27	36	55
65+	845	13.4	166	2	3	9	16	28	42	88
GRAND TOTAL	**2739**	**10.7**	**118**	**2**	**3**	**7**	**13**	**23**	**33**	**66**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.8	5	<1	<1	2	4	6	7	8
20-34	93	2.7	5	1	1	2	3	6	8	9
35-49	68	4.6	13	1	1	4	6	10	12	15
50-64	57	4.9	31	1	1	4	6	9	12	34
65+	56	4.9	20	1	1	4	7	9	11	25
B. *Operated*										
0-19 YRS	28	6.4	140	1	1	3	6	8	35	59
20-34	74	4.4	14	1	1	3	7	9	13	17
35-49	78	5.6	34	<1	1	4	8	11	17	30
50-64	87	5.5	44	1	1	3	7	11	18	40
65+	74	7.0	35	1	1	6	10	15	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.2	13	<1	1	2	4	7	11	21
20-34	193	3.8	20	1	1	2	5	9	11	23
35-49	248	4.5	17	1	1	3	6	10	13	20
50-64	282	5.7	34	1	1	4	7	12	15	30
65+	532	7.0	47	1	1	5	9	14	19	40
B. *Operated*										
0-19 YRS	214	3.9	48	1	1	1	4	11	15	37
20-34	522	5.2	80	1	1	2	5	13	20	49
35-49	532	6.9	130	1	1	3	8	17	29	73
50-64	697	7.9	90	1	1	5	11	20	28	94
65+	1259	9.4	171	1	1	5	12	24	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.9	15	1	1	3	6	9	10	18
B. *Operated*	341	5.7	41	1	1	4	8	11	17	32
2. MULTIPLE DX										
A. *Not Operated*	1355	5.5	34	1	1	4	7	12	15	31
B. *Operated*	3224	7.7	127	1	1	3	10	19	30	70
1. SINGLE DX	657	4.8	29	1	1	3	7	10	13	26
2. MULTIPLE DX	4579	7.0	100	1	1	3	9	16	26	57
A. NOT OPERATED	1671	5.2	31	1	1	4	7	11	15	29
B. OPERATED	3565	7.5	119	1	1	3	10	19	29	67
TOTAL 0-19 YRS	384	3.8	42	1	1	1	4	8	13	35
20-34	882	4.6	54	1	1	2	5	11	16	42
35-49	926	6.0	84	1	1	3	7	13	21	46
50-64	1123	7.0	71	1	1	5	9	16	24	53
65+	1921	8.6	128	1	1	5	11	20	31	70
GRAND TOTAL	**5236**	**6.8**	**92**	**1**	**1**	**3**	**8**	**16**	**25**	**56**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.5	2	1	1	2	4	5	5	6
20-34	9	2.7	1	1	1	3	3	4	4	4
35-49	7	5.1	24	1	1	3	8	13	14	14
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	3	3.0	12	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.5	19	<1	1	2	4	7	15	21
20-34	17	3.3	3	1	1	3	4	6	7	7
35-49	24	5.4	32	1	1	3	6	11	17	28
50-64	38	4.4	17	1	1	3	6	10	13	20
65+	78	4.2	17	1	1	3	5	10	14	18
B. *Operated*										
0-19 YRS	3	5.0	16	1	1	5	8	9	9	9
20-34	3	8.7	12	5	5	9	11	12	12	12
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	14	8.8	63	1	1	6	17	21	24	25
65+	17	5.8	11	1	1	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.1	7	1	1	3	4	6	8	14
B. *Operated*	3	4.3	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	188	4.2	18	1	1	3	5	10	12	21
B. *Operated*	39	6.9	31	1	1	6	9	15	19	25
1. SINGLE DX	45	3.2	7	1	1	3	4	6	8	14
2. MULTIPLE DX	227	4.7	21	1	1	3	6	10	15	22
A. NOT OPERATED	230	4.0	16	1	1	3	5	9	12	20
B. OPERATED	42	6.7	29	1	1	6	9	13	19	25
TOTAL 0-19 YRS	54	3.2	12	1	1	2	4	6	9	21
20-34	31	3.8	6	1	1	3	5	7	9	12
35-49	33	5.2	28	1	1	3	6	11	14	28
50-64	56	5.4	31	1	1	3	7	14	19	25
65+	98	4.4	16	1	1	3	6	10	12	18
GRAND TOTAL	**272**	**4.4**	**19**	**1**	**1**	**3**	**6**	**10**	**14**	**21**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1144	1.4	1	<1	<1	1	2	2	3	4
35-49	560	1.6	1	<1	<1	1	2	3	3	5
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	30	1.3	1	<1	<1	<1	1	2	3	6
35-49	21	1.1		<1	<1	<1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	1013	1.8	2	<1	<1	1	2	3	4	6
35-49	631	1.9	2	<1	<1	1	2	4	5	7
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		1	1	1	2	2	2	2
B. *Operated*	1709	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	51	1.2	1	<1	<1	<1	1	2	2	6
B. *Operated*	1650	1.8	2	<1	<1	1	2	4	4	6
1. SINGLE DX	1713	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	1701	1.8	2	<1	<1	1	2	4	4	6
A. NOT OPERATED	55	1.2	1	<1	<1	<1	1	2	2	6
B. OPERATED	3359	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	7	2.0	1	<1	<1	2	3	4	4	4
20-34	2190	1.6	1	<1	<1	1	2	3	4	5
35-49	1213	1.7	1	<1	<1	1	2	3	4	6
50-64	4	1.8	2	<1	<1	1	2	4	4	4
65+										
GRAND TOTAL	**3414**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	659	3.2	3	2	2	3	4	5	6	10
2500+	52241	3.0	2	1	2	3	3	5	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	13	3.5	2	1	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	24	62.5	259	26	37	65	69	84	89	90
1000-1499	121	39.8	321	14	21	36	49	67	82	99+
1500-1749	157	26.1	117	11	15	25	31	39	44	70
1750-2499	2497	7.9	55	2	2	5	10	17	22	37
2500+	36699	3.8	5	2	2	3	5	6	6	11
B. *Operated*										
1-999 G	43	79.0	226	53	61	94	99+	99+	99+	99+
1000-1499	106	52.8	309	24	33	54	66	85	99	99+
1500-1749	78	38.0	278	20	23	33	44	63	78	99+
1750-2499	221	21.0	162	5	7	19	27	35	4[illegible]	90
2500+	581	8.7	84	2	3	6	10	16	23	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52900	3.0	2	1	2	3	3	5	5	6
B. *Operated*	13	3.5	2	1	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	39498	4.3	19	2	2	3	5	6	8	23
B. *Operated*	1029	21.1	496	2	3	12	33	66	92	99+
1. SINGLE DX	52913	3.0	2	1	2	3	3	5	5	6
2. MULTIPLE DX	40527	4.7	38	2	2	3	5	6	10	35
A. NOT OPERATED	92398	3.5	9	2	2	3	4	5	6	13
B. OPERATED	1042	20.8	494	2	3	12	32	65	92	99+
TOTAL 1-999 G	67	73.1	298	52	55	85	99+	99+	99+	99+
1000-1499	227	45.9	357	20	24	44	59	75	94	99+
1500-1749	235	30.0	201	12	16	28	35	46	60	87
1750-2499	3377	7.8	67	2	2	5	10	18	24	40
2500+	89534	3.3	4	2	2	3	4	5	6	9
GRAND TOTAL	**93440**	**3.7**	**18**	**2**	**2**	**3**	**4**	**5**	**6**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	99	4.7	2	2	3	4	6	7	7	9
2500+	471	4.5	3	2	3	5	6	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	65.7	345	45	45	71	78	81	81	81
1000-1499	33	39.5	346	17	22	32	49	74	75	78
1500-1749	37	25.9	83	12	14	26	32	37	44	48
1750-2499	539	9.6	56	3	4	7	12	19	24	37
2500+	527	5.3	5	3	3	5	6	7	9	15
B. *Operated*										
1-999 G	11	73.5	411	35	54	84	99+	99+	99+	99+
1000-1499	29	55.5	309	29	37	52	68	90	99	99+
1500-1749	22	41.9	115	21	32	41	52	70	99+	99+
1750-2499	53	22.2	133	8	11	19	27	37	41	66
2500+	12	11.2	23	5	6	10	13	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	4.5	2	2	3	5	6	6	7	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1139	9.2	92	3	3	6	9	19	27	54
B. *Operated*	127	36.6	533	8	11	37	54	89	99+	99+
1. SINGLE DX	570	4.5	2	2	3	5	6	6	7	8
2. MULTIPLE DX	1266	11.9	204	3	3	6	13	29	48	90
A. NOT OPERATED	1709	7.6	67	3	3	5	7	15	23	46
B. OPERATED	127	36.6	533	8	11	37	54	89	99+	99+
TOTAL 1-999 G	14	71.9	381	35	48	83	99	99+	99+	99+
1000-1499	62	47.0	388	18	23	48	61	78	90	99+
1500-1749	59	31.9	154	14	17	33	41	51	60	99+
1750-2499	691	9.9	69	3	3	7	13	20	26	41
2500+	1010	5.0	4	3	3	5	6	7	8	14
GRAND TOTAL	**1836**	**9.6**	**153**	**3**	**3**	**5**	**8**	**22**	**37**	**83**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	3	3.0	1	2	2	3	4	4	4	4
2500+	101	2.5	2	1	1	2	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	56.0	450	41	41	56	71	71	71	71
1500-1749	1	27.0		27	27	27	27	27	27	27
1750-2499	17	7.9	57	2	2	4	11	21	23	24
2500+	69	3.6	8	1	1	3	4	7	11	15
B. *Operated*										
1-999 G										
1000-1499	5	51.6	142	39	39	49	63	65	65	65
1500-1749										
1750-2499	1	4.0		4	4	4	4	4	4	4
2500+	2	8.5	1	8	8	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.6	2	1	1	2	3	4	5	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	89	5.9	89	1	1	3	5	13	22	59
B. *Operated*	8	34.9	616	4	5	40	56	64	65	65
1. SINGLE DX	104	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX	97	8.3	191	1	2	3	6	21	42	68
A. NOT OPERATED	193	4.1	44	1	1	3	3	6	12	35
B. OPERATED	8	34.9	616	4	5	40	56	64	65	65
TOTAL 1-999 G										
1000-1499	7	52.9	174	39	39	49	64	70	71	71
1500-1749	1	27.0		27	27	27	27	27	27	27
1750-2499	21	7.0	49	2	2	4	8	20	23	24
2500+	172	3.1	5	1	1	3	3	5	8	14
GRAND TOTAL	**201**	**5.3**	**101**	**1**	**1**	**3**	**4**	**8**	**20**	**64**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	16	2.3	3	<1	<1	2	3	6	7	7
35-49	5	2.0	2	<1	<1	2	3	4	4	4
50-64	8	2.8	9	<1	<1	1	4	8	9	9
65+	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	371	2.0	2	<1	<1	2	2	4	5	8
20-34	475	2.1	3	<1	<1	2	2	4	5	8
35-49	231	2.0	2	<1	<1	2	3	4	5	7
50-64	166	2.6	4	<1	<1	2	3	5	6	12
65+	91	2.6	4	<1	<1	2	4	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.0		<1	<1	1	1	1	1	1
20-34	10	1.8	5	<1	<1	<1	1	5	8	8
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64	6	2.2	2	1	1	2	3	4	4	4
65+	11	5.6	89	<1	<1	1	3	24	27	27
B. *Operated*										
0-19 YRS	268	2.9	17	<1	<1	2	3	5	7	24
20-34	205	3.0	9	<1	1	2	4	6	8	14
35-49	118	2.7	4	<1	<1	2	3	6	7	10
50-64	98	4.2	27	<1	<1	3	4	10	14	31
65+	150	5.0	24	<1	1	4	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.1	4	<1	<1	1	2	5	7	9
B. *Operated*	1334	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	46	2.5	24	<1	<1	1	1	4	11	27
B. *Operated*	839	3.4	16	<1	1	2	4	7	10	24
1. SINGLE DX	1370	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	885	3.4	17	<1	<1	2	4	7	10	24
A. NOT OPERATED	82	2.3	15	<1	<1	1	2	4	7	25
B. OPERATED	2173	2.7	8	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	654	2.4	9	<1	<1	2	3	4	5	11
20-34	706	2.4	5	<1	<1	2	3	4	6	11
35-49	361	2.2	3	<1	<1	2	3	4	6	8
50-64	278	3.2	13	<1	<1	2	4	6	10	22
65+	256	4.1	20	<1	1	3	5	9	12	24
GRAND TOTAL	**2255**	**2.6**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5	3	1	1	1	1	2	5	9
20-34	5	3.6	10	1	1	3	5	9	9	9
35-49	23	3.4	19	1	2	2	3	5	11	23
50-64	10	1.4		1	1	1	2	2	2	2
65+	26	2.7	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	13	5.2	21	<1	1	3	8	13	15	15
35-49	38	1.8	3	<1	<1	<1	2	5	7	99+
50-64	50	3.8	15	<1	<1	2	5	9	13	19
65+	35	4.1	18	1	1	2	6	12	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	86	2.5	7	1	1	2	3	4	5	18
B. *Operated*	139	3.4	14	<1	<1	2	4	9	13	27
1. SINGLE DX	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX	225	3.0	11	<1	<1	2	3	7	12	20
A. NOT OPERATED	87	2.4	7	1	1	2	3	4	5	18
B. OPERATED	141	3.4	14	<1	<1	2	4	9	13	25
TOTAL 0-19 YRS	25	1.4	3	1	1	1	1	2	4	9
20-34	20	4.5	17	<1	<1	3	6	11	13	15
35-49	61	2.4	10	<1	<1	2	3	5	7	91
50-64	60	3.4	13	<1	<1	2	4	8	12	18
65+	62	3.5	11	1	1	2	4	8	12	16
GRAND TOTAL	**228**	**3.0**	**11**	**<1**	**<1**	**2**	**3**	**7**	**12**	**20**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	520	2.3	5	<1	<1	1	3	5	6	12
20-34	574	2.4	15	<1	<1	1	3	4	6	27
35-49	290	2.0	7	<1	<1	1	2	4	5	9
50-64	272	1.8	6	<1	<1	1	2	4	4	16
65+	215	3.1	23	<1	<1	1	3	6	11	25
B. *Operated*										
0-19 YRS	140	3.0	14	<1	<1	2	3	8	10	18
20-34	446	3.4	8	<1	<1	3	5	7	9	11
35-49	371	3.5	10	<1	<1	2	5	9	10	13
50-64	219	4.7	20	<1	<1	2	8	11	12	17
65+	209	5.4	17	<1	1	5	9	11	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1514	4.7	81	<1	<1	2	4	10	26	57
20-34	1951	7.1	113	<1	<1	2	6	28	28	46
35-49	2918	4.8	62	1	1	2	4	8	28	40
50-64	7883	3.9	42	1	1	2	4	6	13	37
65+	8214	6.0	94	1	1	3	5	15	26	52
B. *Operated*										
0-19 YRS	374	5.2	116	<1	1	2	5	10	18	99+
20-34	811	5.1	82	<1	1	3	5	10	16	72
35-49	1168	5.1	42	1	1	3	6	11	16	39
50-64	1956	5.9	61	1	1	3	8	12	17	45
65+	2436	7.7	121	1	1	4	10	16	27	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1871	2.3	11	<1	<1	1	2	4	6	17
B. *Operated*	1385	3.9	13	<1	<1	2	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	22480	5.1	74	1	1	2	5	11	25	47
B. *Operated*	6745	6.3	86	1	1	3	8	13	20	62
1. SINGLE DX	3256	3.0	12	<1	<1	2	4	7	9	15
2. MULTIPLE DX	29225	5.4	77	1	1	2	5	12	24	50
A. NOT OPERATED	24351	4.9	69	<1	1	2	5	10	24	45
B. OPERATED	8130	5.9	75	<1	1	3	7	12	18	55
TOTAL 0-19 YRS	2548	4.2	68	<1	<1	2	4	8	18	57
20-34	3782	5.5	82	<1	<1	2	5	16	28	44
35-49	4747	4.6	50	<1	1	2	5	9	22	38
50-64	10330	4.2	45	1	1	2	5	8	14	38
65+	11074	6.3	98	1	1	3	6	15	25	55
GRAND TOTAL	**32481**	**5.2**	**71**	**<1**	**1**	**2**	**5**	**11**	**22**	**48**

Operation Groups

Length of Stay Tables
Operation Groups

312 Hospitals, Northeastern Region, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57220	2.9	11	<1	<1	2	3	5	7	15
20-34	140263	3.1	7	<1	1	3	4	5	7	12
35-49	52435	3.8	14	<1	1	3	5	8	10	18
50-64	37671	4.6	19	<1	1	3	6	10	12	20
65+	30362	5.6	31	<1	1	4	8	12	15	25
2. MULTIPLE DX										
0-19 YRS	55329	5.5	73	<1	1	3	6	11	19	55
20-34	139445	5.2	38	1	1	4	6	9	14	34
35-49	105502	6.7	56	1	1	5	8	13	19	43
50-64	152075	8.4	80	1	2	6	10	17	24	52
65+	320278	11.0	119	2	2	8	14	23	32	75
TOT. SINGLE DX	317951	3.6	13	<1	1	3	4	7	10	17
" MULTIPLE DX	773429	8.4	91	1	2	6	10	18	26	58
TOTAL 0-19 YRS	112549	4.1	43	<1	1	2	4	8	13	37
20-34	279708	4.1	24	<1	1	3	5	7	10	25
35-49	157937	5.7	44	<1	1	4	7	11	16	36
50-64	190546	7.6	70	1	1	5	10	15	22	47
65+	350640	10.5	114	1	2	8	13	22	31	71
GRAND TOTAL	**1091380**	**7.0**	**73**	**1**	**1**	**4**	**8**	**15**	**22**	**50**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	7.6	41	1	1	7	9	16	22	29
20-34	64	10.9	49	4	4	9	13	21	25	39
35-49	75	10.2	33	2	3	9	13	17	20	32
50-64	89	11.3	71	2	4	9	14	19	26	50
65+	79	11.7	62	2	5	10	15	21	32	41
2. MULTIPLE DX										
0-19 YRS	149	13.5	192	1	2	9	18	37	57	99+
20-34	126	21.1	378	2	5	14	31	57	83	99+
35-49	193	17.5	194	6	6	13	22	41	59	99+
50-64	336	20.7	342	5	6	14	23	49	70	96
65+	524	21.4	241	5	7	17	28	45	56	99+
TOT. SINGLE DX	351	10.6	54	2	3	9	14	19	24	36
" MULTIPLE DX	1328	19.7	274	4	6	14	26	45	62	99+
TOTAL 0-19 YRS	193	12.1	164	1	2	8	15	31	48	99+
20-34	190	17.7	291	3	4	12	23	45	61	99+
35-49	268	15.4	160	4	6	12	19	32	45	99+
50-64	425	18.7	300	4	6	13	21	44	66	93
65+	603	20.2	228	5	7	15	27	44	54	99+
GRAND TOTAL	**1679**	**17.8**	**241**	**3**	**5**	**13**	**22**	**41**	**57**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	8.5	60	2	3	7	10	13	25	43
20-34	24	10.5	164	3	4	8	10	14	31	69
35-49	29	8.6	29	1	2	8	11	17	20	21
50-64	30	13.7	135	4	4	10	16	26	38	59
65+	19	12.7	117	4	5	8	16	24	39	49
2. MULTIPLE DX										
0-19 YRS	54	16.1	239	3	4	10	25	42	68	99+
20-34	61	21.1	220	7	8	16	28	44	70	99+
35-49	58	21.4	170	6	9	18	30	43	56	99+
50-64	77	24.4	353	5	6	18	37	57	71	99+
65+	147	25.9	409	6	8	21	36	70	97	99+
TOT. SINGLE DX	139	10.5	97	2	4	8	12	19	27	60
" MULTIPLE DX	397	22.9	320	5	7	18	33	55	79	99+
TOTAL 0-19 YRS	91	13.0	179	2	4	8	13	37	46	99+
20-34	85	18.1	226	6	6	13	26	40	69	99+
35-49	87	17.1	160	2	5	13	24	39	48	99+
50-64	107	21.4	314	5	6	15	30	53	62	99+
65+	166	24.4	393	5	7	20	34	64	92	99+
GRAND TOTAL	**536**	**19.7**	**291**	**4**	**5**	**14**	**28**	**50**	**69**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	4.4	7	1	2	4	5	8	9	17
20-34	22	4.6	10	1	1	4	7	9	11	14
35-49	9	7.2	7	3	3	8	9	10	11	11
50-64	9	4.4	8	1	1	4	7	9	10	10
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	85	10.4	174	2	3	6	10	25	35	93
20-34	70	11.1	124	2	3	8	12	23	31	65
35-49	30	13.9	207	3	3	8	17	37	44	63
50-64	30	15.0	245	4	4	9	18	39	47	73
65+	15	15.1	146	4	4	10	25	32	40	43
TOT. SINGLE DX	139	4.7	9	1	2	4	6	8	9	15
" MULTIPLE DX	230	12.0	171	2	3	8	13	28	40	78
TOTAL 0-19 YRS	182	7.2	94	2	2	5	7	13	24	80
20-34	92	9.5	105	1	2	7	11	18	27	60
35-49	39	12.4	168	3	3	8	13	33	41	63
50-64	39	12.6	209	2	3	8	11	34	44	73
65+	17	14.0	140	3	4	10	20	32	39	43
GRAND TOTAL	**369**	**9.2**	**122**	**2**	**2**	**6**	**9**	**19**	**31**	**72**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	7.8	35	2	3	7	8	16	24	26
20-34	11	8.3	18	3	4	8	11	15	15	15
35-49	8	6.9	16	1	2	7	8	13	15	15
50-64	10	11.8	38	6	6	9	16	21	26	26
65+	14	9.7	27	3	5	8	13	15	22	24
2. MULTIPLE DX										
0-19 YRS	75	18.2	418	3	3	11	23	51	76	99+
20-34	34	21.1	464	2	4	12	29	51	77	84
35-49	26	16.5	258	6	7	11	21	90	99+	99+
50-64	46	23.2	444	6	6	17	37	77	99+	99+
65+	145	20.0	218	5	5	17	27	41	91	99+
TOT. SINGLE DX	85	8.6	31	3	3	7	10	15	24	26
" MULTIPLE DX	326	19.9	324	3	5	15	27	55	92	99+
TOTAL 0-19 YRS	117	14.5	304	3	3	8	18	36	56	99
20-34	45	18.0	384	3	4	11	20	47	65	84
35-49	34	14.2	217	4	5	10	19	72	99+	99+
50-64	56	21.1	389	6	6	15	30	56	99	99+
65+	159	19.1	210	4	5	15	26	40	81	99+
GRAND TOTAL	**411**	**17.5**	**284**	**3**	**4**	**12**	**24**	**45**	**82**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	4.0	5	2	2	3	5	8	9	12
20-34	29	10.5	116	2	2	7	11	30	38	42
35-49	7	9.0	44	1	2	8	16	18	18	18
50-64	8	6.1	14	2	2	5	9	12	12	12
65+	8	10.6	154	2	2	4	15	31	38	38
2. MULTIPLE DX										
0-19 YRS	319	10.3	189	2	2	5	11	29	46	93
20-34	101	17.3	321	2	3	11	21	60	67	99+
35-49	56	19.8	322	4	6	13	25	50	64	99+
50-64	52	17.0	266	2	3	13	29	46	99+	99+
65+	74	21.8	345	2	4	18	28	61	88	99+
TOT. SINGLE DX	129	6.3	49	2	2	4	7	12	18	39
" MULTIPLE DX	602	14.4	268	2	2	8	19	40	62	99+
TOTAL 0-19 YRS	396	9.1	160	2	2	4	9	24	40	82
20-34	130	15.8	283	2	3	10	20	41	66	99+
35-49	63	18.6	302	3	5	13	22	50	59	99+
50-64	60	15.6	246	2	3	11	25	42	99+	99+
65+	82	20.7	336	2	3	17	27	57	86	99+
GRAND TOTAL	**731**	**12.9**	**239**	**2**	**2**	**7**	**16**	**37**	**59**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.2	87	5	5	7	19	27	27	27
20-34	98	7.2	19	3	3	6	8	11	16	25
35-49	183	7.7	19	3	4	7	9	14	18	23
50-64	194	8.1	17	3	4	7	10	13	16	25
65+	143	9.4	26	5	6	8	11	14	18	38
2. MULTIPLE DX										
0-19 YRS	26	14.9	236	4	5	8	17	41	47	66
20-34	119	13.6	197	4	4	10	16	23	36	88
35-49	290	11.6	92	4	5	9	13	21	33	70
50-64	467	12.6	116	4	5	9	13	28	36	56
65+	620	15.9	152	5	6	12	20	32	43	84
TOT. SINGLE DX	623	8.2	21	3	4	7	10	14	17	27
" MULTIPLE DX	1522	13.9	138	4	5	10	16	29	39	68
TOTAL 0-19 YRS	31	14.5	210	4	5	8	17	38	42	66
20-34	217	10.7	127	3	4	8	11	19	25	71
35-49	473	10.1	68	3	4	8	12	18	26	53
50-64	661	11.3	91	4	5	8	12	22	31	54
65+	763	14.7	135	5	6	11	18	31	39	69
GRAND TOTAL	**2145**	**12.2**	**111**	**4**	**5**	**9**	**14**	**24**	**34**	**64**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	7.1	19	2	4	5	9	15	16	18
20-34	73	6.2	19	1	2	5	8	13	16	23
35-49	68	6.5	26	2	2	5	8	13	16	25
50-64	29	9.4	33	2	3	9	13	18	20	23
65+	21	8.8	33	1	2	8	12	17	20	22
2. MULTIPLE DX										
0-19 YRS	67	15.4	176	4	4	11	21	33	42	66
20-34	93	14.4	226	2	4	10	17	32	63	99+
35-49	91	13.8	163	2	3	10	19	33	54	99+
50-64	124	17.1	268	2	4	12	21	46	61	99+
65+	137	19.6	225	3	5	15	27	44	58	99+
TOT. SINGLE DX	220	7.1	26	1	2	6	9	15	17	25
" MULTIPLE DX	512	16.5	222	2	4	12	22	41	57	99+
TOTAL 0-19 YRS	96	12.9	143	3	4	8	17	29	36	63
20-34	166	10.8	151	2	3	7	13	23	40	96
35-49	159	10.7	117	2	2	7	14	25	38	95
50-64	153	15.6	233	2	3	10	18	42	59	99
65+	158	18.2	213	3	4	14	25	41	56	97
GRAND TOTAL	**732**	**13.6**	**181**	**2**	**3**	**9**	**17**	**33**	**47**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.5	3	<1	<1	2	2	5	6	7
20-34	63	2.3	8	<1	<1	1	3	4	6	20
35-49	84	2.5	8	<1	<1	2	3	4	10	17
50-64	74	2.2	2	<1	<1	2	3	5	6	6
65+	34	2.8	4	<1	1	2	3	6	7	9
2. MULTIPLE DX										
0-19 YRS	26	5.4	25	<1	1	3	8	14	16	19
20-34	60	4.5	41	<1	<1	2	4	11	18	34
35-49	79	5.6	55	<1	<1	3	6	11	19	41
50-64	96	5.7	41	1	1	3	8	13	19	33
65+	82	6.3	105	1	1	3	6	14	26	61
TOT. SINGLE DX	277	2.4	6	<1	<1	2	3	5	6	12
" MULTIPLE DX	343	5.6	59	<1	1	3	6	12	19	38
TOTAL 0-19 YRS	48	4.0	17	<1	<1	2	5	9	14	19
20-34	123	3.4	26	<1	<1	2	3	6	12	31
35-49	163	4.0	33	<1	<1	2	4	10	12	37
50-64	170	4.2	28	<1	<1	2	5	10	13	31
65+	116	5.3	78	1	1	3	5	9	21	53
GRAND TOTAL	**620**	**4.2**	**37**	**<1**	**<1**	**2**	**4**	**9**	**14**	**34**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.9	2	<1	<1	1	2	3	5	7
20-34	335	1.6	1	<1	<1	1	2	3	4	6
35-49	449	1.7	2	<1	<1	1	2	3	4	9
50-64	354	1.5	1	<1	<1	1	2	3	4	6
65+	155	1.6	2	<1	<1	1	2	2	4	11
2. MULTIPLE DX										
0-19 YRS	124	2.3	6	<1	1	2	2	4	8	38
20-34	324	3.0	21	<1	<1	2	3	6	8	32
35-49	346	3.3	35	<1	<1	2	3	6	10	36
50-64	429	2.6	12	<1	<1	2	2	5	8	21
65+	353	3.5	27	<1	<1	2	3	7	15	34
TOT. SINGLE DX	1380	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	1576	3.0	23	<1	<1	2	3	6	10	32
TOTAL 0-19 YRS	211	2.1	5	<1	<1	1	2	4	6	17
20-34	659	2.3	12	<1	<1	1	2	4	6	25
35-49	795	2.4	18	<1	<1	1	2	4	6	23
50-64	783	2.1	8	<1	<1	1	2	4	6	14
65+	508	2.9	21	<1	<1	1	3	6	10	31
GRAND TOTAL	**2956**	**2.4**	**13**	**<1**	**<1**	**1**	**2**	**4**	**7**	**22**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	15	5.3	2	2	4	6	6	7	8	8
35-49	9	6.8	6	3	4	7	9	10	11	11
50-64	9	4.7	11	1	1	4	7	10	10	10
65+	6	16.8	255	2	2	10	28	42	44	44
2. MULTIPLE DX										
0-19 YRS										
20-34	11	8.1	56	<1	1	5	8	22	24	24
35-49	12	7.9	11	4	4	7	10	13	14	14
50-64	47	11.7	62	2	4	10	17	20	28	39
65+	105	16.4	303	4	5	11	19	30	51	92
TOT. SINGLE DX	42	7.0	52	1	2	6	7	10	18	44
" MULTIPLE DX	175	14.1	212	3	4	10	17	26	37	86
TOTAL 0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	26	6.5	26	1	2	5	6	8	22	24
35-49	21	7.4	9	3	4	7	9	12	13	14
50-64	56	10.6	61	1	3	9	15	20	25	39
65+	111	16.5	299	4	5	11	19	30	44	91
GRAND TOTAL	**217**	**12.7**	**188**	**3**	**4**	**9**	**14**	**24**	**33**	**84**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	4.9	7	1	2	4	6	10	10	10
20-34	16	1.9	3	<1	<1	1	2	5	6	7
35-49	14	4.2	15	1	1	3	4	10	14	15
50-64	18	3.9	30	<1	<1	2	4	7	18	25
65+	8	7.9	154	2	2	2	7	29	38	38
2. MULTIPLE DX										
0-19 YRS	4	18.0	1068	<1	<1	2	35	67	67	67
20-34	5	4.4	12	<1	<1	3	7	9	9	9
35-49	16	7.2	66	<1	1	6	8	31	77	99+
50-64	36	6.9	78	<1	<1	3	10	18	27	41
65+	56	12.9	214	1	2	8	18	26	38	85
TOT. SINGLE DX	68	4.1	32	<1	<1	2	5	8	11	36
" MULTIPLE DX	117	10.1	173	<1	1	6	13	25	38	92
TOTAL 0-19 YRS	16	8.2	254	<1	1	4	6	10	50	67
20-34	21	2.5	6	<1	<1	1	3	7	8	9
35-49	30	5.8	44	1	1	4	7	16	33	99+
50-64	54	5.9	64	<1	<1	3	7	14	24	41
65+	64	12.3	207	1	2	7	17	27	38	82
GRAND TOTAL	**185**	**7.9**	**129**	**<1**	**1**	**4**	**9**	**23**	**33**	**80**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	3.5	3	1	2	3	4	5	5	12
20-34	353	3.3	2	1	2	3	4	5	5	7
35-49	428	3.3	1	1	2	3	4	5	5	8
50-64	290	3.5	1	1	2	3	4	5	6	8
65+	115	3.8	5	2	2	3	4	5	6	17
2. MULTIPLE DX										
0-19 YRS	27	4.6	15	2	2	3	5	7	16	19
20-34	175	4.1	4	2	2	4	5	7	8	14
35-49	282	4.2	6	2	2	4	5	6	9	15
50-64	392	4.8	23	2	3	4	5	7	9	18
65+	331	6.7	65	2	3	5	7	11	18	43
TOT. SINGLE DX	1223	3.4	2	1	2	3	4	5	5	9
" MULTIPLE DX	1207	5.1	29	2	2	4	5	8	11	25
TOTAL 0-19 YRS	64	4.0	8	1	2	3	4	5	8	18
20-34	528	3.6	3	1	2	3	4	5	6	10
35-49	710	3.7	4	2	2	3	4	5	7	13
50-64	682	4.3	14	2	2	4	5	6	7	15
65+	446	6.0	52	2	2	4	6	10	15	39
GRAND TOTAL	**2430**	**4.2**	**16**	**2**	**2**	**4**	**5**	**6**	**8**	**18**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	1.7	1	<1	1	1	2	3	4	8
20-34	65	2.6	2	1	1	2	4	5	6	7
35-49	49	2.6	3	1	1	2	3	5	5	12
50-64	55	3.3	3	1	1	3	4	5	8	11
65+	16	5.3	32	1	1	4	5	11	20	24
2. MULTIPLE DX										
0-19 YRS	19	1.9	1	<1	1	2	3	4	52	99+
20-34	53	6.9	61	1	2	4	8	13	26	44
35-49	87	8.7	131	2	2	4	9	21	32	66
50-64	180	6.6	41	2	2	4	7	13	19	39
65+	175	9.9	105	3	3	6	12	23	34	67
TOT. SINGLE DX	305	2.5	5	<1	1	2	3	5	5	11
" MULTIPLE DX	514	7.9	82	2	2	5	8	18	27	56
TOTAL 0-19 YRS	139	1.7	1	<1	1	1	2	3	4	18
20-34	118	4.5	34	1	1	3	5	8	12	37
35-49	136	6.5	94	1	1	4	6	12	25	65
50-64	235	5.8	34	1	2	4	6	11	18	38
65+	191	9.5	101	2	3	6	12	22	31	64
GRAND TOTAL	**819**	**5.9**	**60**	**1**	**1**	**4**	**6**	**12**	**21**	**43**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.1	40	3	3	6	11	19	21	21
20-34	25	8.1	13	2	5	7	10	14	15	16
35-49	19	7.6	4	5	5	7	8	11	13	13
50-64	14	9.6	36	1	4	8	9	22	23	23
65+	8	7.9	4	5	5	8	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	22	10.8	49	4	6	8	13	20	27	34
20-34	30	10.1	36	6	6	8	11	17	22	33
35-49	43	14.7	127	5	6	11	18	24	40	58
50-64	84	13.9	153	3	6	10	16	24	32	75
65+	80	16.7	171	2	5	12	21	33	48	66
TOT. SINGLE DX	73	8.3	16	3	5	7	9	13	16	23
" MULTIPLE DX	259	14.2	136	4	6	10	17	25	35	58
TOTAL 0-19 YRS	29	10.1	47	3	4	8	12	20	24	34
20-34	55	9.2	26	3	5	8	11	14	19	32
35-49	62	12.5	100	5	6	9	14	22	28	58
50-64	98	13.3	139	2	5	9	16	24	28	71
65+	88	15.9	163	2	5	12	20	32	45	65
GRAND TOTAL	**332**	**12.9**	**116**	**4**	**5**	**10**	**15**	**23**	**32**	**57**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.1		<1	<1	<1	1	1	2	2
20-34	11	3.3	47	<1	<1	<1	2	11	23	24
35-49	17	1.2		<1	<1	<1	1	2	3	3
50-64	26	1.3		<1	<1	1	2	2	3	3
65+	28	2.2	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	13	2.1	4	<1	<1	1	2	4	8	9
20-34	6	2.7	7	<1	<1	<1	5	7	7	7
35-49	28	1.9	5	<1	<1	<1	2	4	7	12
50-64	32	3.7	20	<1	<1	2	3	12	13	19
65+	102	5.7	132	<1	<1	2	5	12	18	73
TOT. SINGLE DX	128	1.6	5	<1	<1	<1	1	2	3	12
" MULTIPLE DX	181	4.4	82	<1	<1	2	4	10	14	45
TOTAL 0-19 YRS	59	1.3	1	<1	<1	<1	1	2	2	8
20-34	17	3.1	32	<1	<1	<1	2	7	18	24
35-49	45	1.6	4	<1	<1	<1	1	2	5	12
50-64	58	2.6	13	<1	<1	1	2	7	12	19
65+	130	5.0	106	<1	<1	2	4	10	17	60
GRAND TOTAL	**309**	**3.2**	**52**	**<1**	**<1**	**1**	**2**	**7**	**12**	**28**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	1.4		<1	<1	1	2	2	3	4
20-34	23	1.4		<1	<1	1	2	3	4	4
35-49	66	1.4	2	<1	<1	1	1	2	3	11
50-64	73	1.3		<1	<1	1	2	2	2	3
65+	42	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	187	2.8	6	<1	1	2	3	5	7	16
20-34	232	3.5	28	<1	1	2	4	7	8	40
35-49	193	2.7	12	<1	<1	2	3	5	7	16
50-64	275	2.6	11	<1	1	2	3	5	8	22
65+	336	4.6	49	<1	1	2	5	11	20	99+
TOT. SINGLE DX	284	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	1223	3.3	25	<1	1	2	3	7	11	35
TOTAL 0-19 YRS	267	2.3	5	<1	<1	2	3	5	6	14
20-34	255	3.3	26	<1	1	2	4	7	8	34
35-49	259	2.4	10	<1	<1	1	3	4	6	14
50-64	348	2.3	10	<1	<1	1	2	4	7	19
65+	378	4.2	45	<1	<1	2	4	10	19	88
GRAND TOTAL	**1507**	**3.0**	**21**	**<1**	**<1**	**2**	**3**	**6**	**9**	**27**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.1		<1	<1	1	1	2	2	2
20-34	14	1.4		<1	<1	1	2	2	3	3
35-49	17	1.6		<1	<1	2	2	2	2	2
50-64	16	1.7	1	<1	1	1	2	3	5	6
65+	35	2.1	3	<1	1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	11	3.3	31	<1	<1	1	3	10	19	20
35-49	13	2.0	1	1	1	2	3	4	4	4
50-64	32	2.4	5	1	1	2	2	6	9	10
65+	115	2.5	6	<1	<1	2	3	4	6	16
TOT. SINGLE DX	95	1.7	2	<1	<1	1	2	3	4	9
" MULTIPLE DX	181	2.4	7	<1	1	2	3	4	6	18
TOTAL 0-19 YRS	23	1.3		<1	<1	1	1	2	3	4
20-34	25	2.2	14	<1	<1	1	2	3	7	20
35-49	30	1.8	1	<1	<1	2	2	3	4	4
50-64	48	2.1	4	<1	1	1	2	5	8	10
65+	150	2.4	6	<1	1	2	3	4	6	14
GRAND TOTAL	**276**	**2.2**	**5**	**<1**	**1**	**2**	**2**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.8	4	<1	<1	1	1	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	9.5	61	4	4	9	15	15	15	15
65+	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	6	3.0	7	<1	<1	2	4	8	8	8
35-49	3	3.0	12	<1	<1	1	5	7	7	7
50-64	3	5.3	56	1	1	1	11	14	14	14
65+	14	5.9	93	<1	<1	1	6	26	30	31
TOT. SINGLE DX	15	3.0	14	<1	<1	1	4	6	13	15
" MULTIPLE DX	31	4.4	49	<1	<1	1	4	10	24	31
TOTAL 0-19 YRS	11	1.9	3	<1	<1	1	3	4	6	6
20-34	7	2.7	7	<1	<1	1	4	7	8	8
35-49	5	2.2	7	<1	<1	1	3	7	7	7
50-64	5	7.0	49	1	1	4	14	15	15	15
65+	18	5.2	73	<1	<1	2	5	20	29	31
GRAND TOTAL	**46**	**3.9**	**37**	**<1**	**<1**	**1**	**4**	**8**	**17**	**31**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.3	1	1	1	2	3	4	5	5
20-34	17	2.9	2	1	1	3	4	5	5	5
35-49	12	2.8	3	1	1	3	4	5	7	7
50-64	15	1.6		1	1	1	2	2	4	4
65+	53	2.1	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	5	3.8	9	1	1	2	6	8	8	8
20-34	15	4.2	16	<1	1	3	5	11	14	15
35-49	19	3.6	12	1	1	2	4	9	13	15
50-64	46	3.2	19	<1	1	2	3	6	10	26
65+	241	3.0	14	1	1	2	4	5	7	20
TOT. SINGLE DX	106	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	326	3.1	15	1	1	2	4	6	8	19
TOTAL 0-19 YRS	14	2.9	4	1	1	2	3	6	8	8
20-34	32	3.5	9	1	1	3	4	6	11	15
35-49	31	3.3	9	1	1	3	4	6	11	15
50-64	61	2.8	15	1	1	2	2	5	8	25
65+	294	2.9	12	1	1	2	4	5	6	16
GRAND TOTAL	**432**	**2.9**	**12**	**1**	**1**	**2**	**4**	**5**	**7**	**17**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.9	3	<1	1	2	4	5	7	9
20-34	36	2.4	1	<1	1	2	3	4	5	5
35-49	17	2.1	3	<1	<1	1	3	5	6	7
50-64	12	2.8	21	<1	<1	1	2	8	16	17
65+	15	1.9	2	<1	1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	26	3.4	4	<1	<1	3	5	6	8	10
20-34	43	5.8	59	1	1	3	5	10	29	37
35-49	18	7.1	363	<1	<1	2	4	8	53	83
50-64	29	2.3	5	<1	<1	1	3	6	11	99+
65+	53	3.8	31	<1	<1	2	4	9	18	31
TOT. SINGLE DX	123	2.5	4	<1	<1	2	3	5	6	11
" MULTIPLE DX	169	4.4	65	<1	<1	2	4	8	17	74
TOTAL 0-19 YRS	69	3.1	4	<1	1	3	4	6	7	10
20-34	79	4.3	36	1	1	3	4	6	13	35
35-49	35	4.7	190	<1	<1	1	4	5	8	83
50-64	41	2.4	9	<1	<1	1	3	5	13	99+
65+	68	3.4	26	<1	<1	2	3	9	12	29
GRAND TOTAL	**292**	**3.6**	**40**	**<1**	**<1**	**2**	**4**	**6**	**9**	**34**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.5		<1	<1	1	2	3	3	3
20-34	11	2.4	1	<1	1	2	3	4	6	6
35-49	18	2.5	3	<1	<1	2	3	5	7	8
50-64	51	1.9	1	<1	<1	1	2	3	4	8
65+	75	2.3	2	<1	<1	2	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	13	2.0	3	<1	<1	2	2	4	7	8
20-34	12	3.5	4	<1	<1	3	5	6	7	7
35-49	20	4.0	30	1	1	2	5	7	17	26
50-64	92	3.7	32	<1	<1	2	3	7	13	36
65+	277	3.4	23	<1	<1	2	4	7	9	22
TOT. SINGLE DX	170	2.1	2	<1	<1	2	3	4	6	8
" MULTIPLE DX	414	3.4	25	<1	<1	2	4	7	9	24
TOTAL 0-19 YRS	28	1.8	2	<1	<1	1	2	3	4	8
20-34	23	3.0	3	<1	<1	3	4	6	7	7
35-49	38	3.3	18	<1	1	2	4	6	8	26
50-64	143	3.1	22	<1	<1	2	3	6	9	26
65+	352	3.1	20	<1	<1	2	4	6	9	21
GRAND TOTAL	**584**	**3.1**	**19**	**<1**	**<1**	**2**	**3**	**6**	**8**	**22**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	3.1	9	1	1	2	4	5	11	13
20-34	19	2.2	2	<1	<1	1	3	5	6	7
35-49	11	3.0	6	<1	<1	2	4	7	10	10
50-64	17	2.5	3	<1	1	2	3	6	6	6
65+	27	2.6	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
0-19 YRS	20	4.1	9	1	1	4	5	7	11	14
20-34	25	4.4	19	<1	1	4	5	7	13	22
35-49	16	1.8	2	<1	<1	1	2	4	5	6
50-64	43	4.5	30	<1	<1	2	5	11	15	30
65+	181	3.9	21	<1	1	2	5	9	11	22
TOT. SINGLE DX	89	2.6	5	<1	1	2	3	5	7	13
" MULTIPLE DX	285	3.9	21	<1	1	2	5	8	12	23
TOTAL 0-19 YRS	35	3.7	9	1	1	3	5	7	12	14
20-34	44	3.5	13	<1	1	3	4	7	8	22
35-49	27	2.3	4	<1	<1	2	3	4	7	10
50-64	60	3.9	24	<1	<1	2	5	8	14	29
65+	208	3.7	19	1	1	2	4	9	11	20
GRAND TOTAL	**374**	**3.6**	**17**	**<1**	**1**	**2**	**4**	**7**	**11**	**21**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.2		<1	<1	1	1	2	2	2
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	10	1.8		<1	<1	2	2	2	2	2
50-64	109	1.7		<1	<1	2	2	3	3	4
65+	489	1.7		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	16	1.6		<1	<1	1	2	3	3	3
20-34	6	3.0	2	2	2	2	4	6	6	6
35-49	27	1.7		<1	<1	2	2	3	4	5
50-64	207	2.2	8	<1	<1	2	2	3	5	15
65+	1360	2.3	8	<1	1	2	2	3	4	17
TOT. SINGLE DX	633	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	1616	2.2	9	<1	<1	2	2	3	4	16
TOTAL 0-19 YRS	37	1.4		<1	<1	1	2	2	3	3
20-34	10	3.3	6	1	1	2	4	7	9	9
35-49	37	1.8	1	<1	<1	2	2	3	3	5
50-64	316	2.0	6	<1	<1	2	2	3	4	13
65+	1849	2.1	7	<1	<1	2	2	3	4	14
GRAND TOTAL	**2249**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.3		<1	<1	1	2	2	2	3
20-34	12	1.6		<1	<1	1	2	3	3	3
35-49	58	1.6		<1	<1	1	2	2	3	7
50-64	355	1.5		<1	<1	1	2	2	2	3
65+	1352	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	24	1.9	1	<1	<1	2	2	3	4	7
20-34	21	2.4	10	<1	<1	2	2	3	9	16
35-49	113	1.9	1	<1	<1	2	2	3	4	7
50-64	803	2.2	20	<1	<1	2	2	3	4	14
65+	5085	2.2	16	<1	<1	2	2	3	4	15
TOT. SINGLE DX	1812	1.5		<1	<1	1	2	2	2	4
" MULTIPLE DX	6046	2.2	17	<1	<1	2	2	3	4	15
TOTAL 0-19 YRS	59	1.5	1	<1	<1	1	2	3	3	7
20-34	33	2.1	7	<1	<1	2	2	3	3	16
35-49	171	1.8	1	<1	<1	2	2	3	4	7
50-64	1158	2.0	14	<1	<1	2	2	2	3	11
65+	6437	2.1	13	<1	<1	2	2	2	4	13
GRAND TOTAL	**7858**	**2.1**	**13**	**<1**	**<1**	**2**	**2**	**2**	**4**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	1.5		<1	<1	1	2	2	2	2
50-64	41	1.3		<1	<1	1	2	2	2	2
65+	128	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	6	2.2	5	<1	<1	1	2	6	7	7
50-64	83	2.7	33	<1	<1	2	2	3	4	38
65+	341	1.7		<1	<1	2	2	2	3	5
TOT. SINGLE DX	177	1.4		<1	<1	1	2	2	2	4
" MULTIPLE DX	438	1.9	7	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	12	1.8	3	<1	<1	1	2	4	7	7
50-64	124	2.2	23	<1	<1	1	2	2	3	36
65+	469	1.6	1	<1	<1	1	2	2	3	5
GRAND TOTAL	**615**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	3.3	2	1	2	3	5	6	6	7
20-34	82	3.2	3	1	2	3	4	5	7	13
35-49	93	3.3	3	1	2	3	4	6	7	10
50-64	220	3.4	2	1	2	3	4	6	6	9
65+	167	3.4	2	2	2	3	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	32	4.4	25	1	1	3	4	7	12	29
20-34	88	3.9	13	2	2	3	4	6	6	25
35-49	103	3.4	3	1	2	3	4	6	7	9
50-64	390	3.7	9	1	1	3	4	6	8	15
65+	644	4.0	7	1	2	3	5	7	9	16
TOT. SINGLE DX	586	3.4	3	1	2	3	4	6	6	9
" MULTIPLE DX	1257	3.8	9	1	2	3	5	6	8	16
TOTAL 0-19 YRS	56	3.9	16	1	2	3	5	6	8	28
20-34	170	3.6	9	1	2	3	4	6	7	14
35-49	196	3.4	3	1	2	3	4	6	7	10
50-64	610	3.6	7	1	2	3	4	6	7	13
65+	811	3.9	6	1	2	3	5	6	8	16
GRAND TOTAL	**1843**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.7	8	<1	<1	2	3	5	10	13
20-34	16	2.7	1	2	2	2	3	4	5	6
35-49	11	3.4	5	<1	1	2	5	7	8	8
50-64	20	2.5	1	<1	1	2	3	4	5	6
65+	47	3.3	9	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
0-19 YRS	14	8.6	344	<1	1	3	9	72	93	99+
20-34	71	3.3	5	<1	1	3	4	6	7	13
35-49	61	3.4	4	<1	1	3	4	7	7	11
50-64	184	3.6	26	<1	<1	2	4	7	9	18
65+	339	3.2	9	<1	<1	2	4	7	10	16
TOT. SINGLE DX	112	3.0	6	<1	<1	2	3	6	8	15
" MULTIPLE DX	669	3.4	20	<1	<1	2	4	7	9	16
TOTAL 0-19 YRS	32	5.3	158	<1	<1	2	4	12	63	99+
20-34	87	3.2	4	1	1	3	4	6	7	13
35-49	72	3.4	5	<1	1	3	4	7	7	11
50-64	204	3.5	24	<1	<1	2	4	6	9	17
65+	386	3.2	9	<1	<1	2	4	7	10	16
GRAND TOTAL	**781**	**3.4**	**18**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	570	1.1		<1	<1	<1	1	2	2	2
20-34	64	1.3		<1	<1	1	2	2	2	3
35-49	39	1.5		<1	<1	1	2	2	2	3
50-64	8	1.3		<1	<1	1	2	2	2	2
65+	10	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	251	1.2		<1	<1	1	1	2	2	2
20-34	34	1.2		<1	<1	1	1	2	2	2
35-49	23	1.5		<1	<1	1	2	2	3	3
50-64	19	1.8	3	<1	<1	1	2	2	6	9
65+	22	1.9	1	<1	1	2	2	3	4	6
TOT. SINGLE DX	691	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	349	1.3		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	821	1.1		<1	<1	<1	1	2	2	2
20-34	98	1.3		<1	<1	1	2	2	2	3
35-49	62	1.5		<1	<1	1	2	2	2	3
50-64	27	1.6	2	<1	<1	1	2	2	3	9
65+	32	1.7	1	<1	1	2	2	3	3	6
GRAND TOTAL	**1040**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
TOT. SINGLE DX										
" MULTIPLE DX	7	1.9	5	<1	<1	1	1	6	7	7
TOTAL 0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**7**	**1.9**	**5**	**<1**	**<1**	**1**	**1**	**6**	**7**	**7**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	2.7	5	<1	<1	2	4	7	8	10
20-34	46	2.4	4	<1	<1	2	3	4	5	13
35-49	28	3.9	10	1	1	3	5	9	12	13
50-64	16	2.9	6	1	1	2	3	8	9	10
65+	27	4.8	105	<1	1	2	3	11	19	54
2. MULTIPLE DX										
0-19 YRS	37	3.6	11	<1	1	2	5	9	12	14
20-34	54	4.2	9	1	1	3	5	10	11	96
35-49	55	4.3	15	1	1	3	4	11	13	21
50-64	64	4.1	14	<1	1	3	5	10	13	15
65+	123	6.4	138	1	1	2	7	12	23	71
TOT. SINGLE DX	165	3.2	23	<1	<1	2	3	6	9	13
" MULTIPLE DX	333	4.9	60	1	1	3	6	10	14	68
TOTAL 0-19 YRS	85	3.1	8	<1	<1	2	4	7	9	14
20-34	100	3.4	8	<1	1	3	4	8	10	56
35-49	83	4.2	14	1	1	3	4	10	12	19
50-64	80	3.8	13	<1	1	3	5	9	13	15
65+	150	6.1	132	1	1	2	6	12	21	71
GRAND TOTAL	**498**	**4.4**	**48**	**<1**	**1**	**2**	**5**	**9**	**13**	**48**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.5	1	<1	<1	1	2	2	4	7
20-34	56	1.6	2	<1	<1	1	2	2	4	8
35-49	24	2.0	9	<1	<1	1	2	3	8	16
50-64	18	1.9	7	<1	<1	1	2	3	9	13
65+	27	2.0	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	128	3.0	10	<1	1	2	3	6	8	16
20-34	74	4.0	25	<1	<1	2	5	9	19	82
35-49	51	4.1	95	<1	1	2	4	8	11	69
50-64	60	6.3	107	<1	1	3	7	14	21	60
65+	139	6.8	61	1	1	3	10	18	21	46
TOT. SINGLE DX	281	1.6	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	452	4.9	53	<1	1	2	5	12	18	47
TOTAL 0-19 YRS	284	2.2	6	<1	<1	1	2	4	6	11
20-34	130	3.0	17	<1	<1	1	3	7	10	41
35-49	75	3.4	69	<1	<1	1	3	6	11	56
50-64	78	5.3	88	<1	<1	2	6	12	18	58
65+	166	6.0	55	1	1	3	8	17	21	42
GRAND TOTAL	**733**	**3.6**	**36**	**<1**	**<1**	**2**	**3**	**8**	**13**	**27**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.5		<1	<1	2	2	2	2	2
20-34	85	1.7		1	1	1	2	3	3	5
35-49	154	1.7		1	1	2	2	3	3	4
50-64	111	1.8		1	1	2	2	3	3	5
65+	43	1.7		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	15	1.4		1	1	1	2	2	2	2
20-34	48	1.8		1	1	2	2	3	3	4
35-49	55	1.7		1	1	2	2	3	3	4
50-64	81	1.7		1	1	1	2	3	4	5
65+	54	2.2	1	1	1	2	3	4	5	6
TOT. SINGLE DX	406	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	253	1.8	1	1	1	2	2	3	4	5
TOTAL 0-19 YRS	28	1.5		<1	1	1	2	2	2	2
20-34	133	1.7	1	1	1	2	2	3	3	4
35-49	209	1.7	1	1	1	2	2	3	3	4
50-64	192	1.7	1	1	1	2	2	3	3	5
65+	97	2.0	1	1	1	2	2	4	4	6
GRAND TOTAL	**659**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	231	1.2		<1	<1	1	1	2	2	2
20-34	120	1.4		<1	1	1	2	2	2	4
35-49	87	1.4		<1	1	1	2	2	3	3
50-64	81	1.5		<1	1	1	2	2	3	5
65+	28	1.5		<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	205	1.4	1	<1	1	1	2	2	3	7
20-34	151	1.5	1	1	1	1	2	2	3	9
35-49	128	1.6		<1	<1	1	2	2	3	4
50-64	137	1.8	1	1	1	2	2	3	4	6
65+	63	1.6	1	<1	1	1	2	2	4	6
TOT. SINGLE DX	547	1.3		<1	<1	1	2	2	2	4
" MULTIPLE DX	684	1.6	1	<1	1	1	2	2	3	6
TOTAL 0-19 YRS	436	1.3	1	<1	<1	1	1	2	2	5
20-34	271	1.5	1	1	1	1	2	2	3	4
35-49	215	1.5		<1	1	1	2	2	3	4
50-64	218	1.7	1	<1	1	1	2	3	3	5
65+	91	1.6	1	<1	1	1	2	2	3	6
GRAND TOTAL	**1231**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	766	1.2		<1	<1	<1	<1	1	1	7
20-34	26	1.7	5	<1	<1	<1	1	2	9	11
35-49	20	1.2		<1	<1	1	1	2	2	2
50-64	20	1.1		<1	<1	1	1	1	2	2
65+	9	1.4	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	1007	1.6	9	<1	<1	1	1	2	4	12
20-34	44	3.0	13	<1	<1	2	4	6	9	22
35-49	21	5.7	55	<1	<1	2	11	16	22	28
50-64	30	6.1	89	<1	<1	2	7	16	20	47
65+	38	7.5	56	<1	<1	6	12	17	19	35
TOT. SINGLE DX	841	1.2	1	<1	<1	<1	<1	1	1	7
" MULTIPLE DX	1140	2.0	16	<1	<1	1	1	3	8	19
TOTAL 0-19 YRS	1773	1.4	6	<1	<1	<1	1	1	3	10
20-34	70	2.5	10	<1	<1	1	3	6	8	20
35-49	41	3.5	33	<1	<1	1	2	12	16	28
50-64	50	4.1	59	<1	<1	1	3	11	19	47
65+	47	6.3	51	<1	<1	3	10	16	19	35
GRAND TOTAL	**1981**	**1.7**	**10**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**14**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	1.9	4	<1	1	1	2	3	6	14
20-34	61	1.5		1	1	1	2	3	3	4
35-49	68	2.1	2	1	1	2	2	3	5	9
50-64	53	2.1	3	1	1	2	2	3	3	15
65+	27	2.6	4	1	1	2	3	6	8	9
2. MULTIPLE DX										
0-19 YRS	166	2.5	9	1	1	2	2	5	10	15
20-34	136	2.8	26	1	1	2	3	4	8	27
35-49	109	2.8	17	1	1	2	2	5	8	27
50-64	121	2.8	22	1	1	2	3	4	8	27
65+	77	6.0	115	1	1	3	5	13	25	63
TOT. SINGLE DX	294	2.0	3	1	1	2	2	3	4	9
" MULTIPLE DX	609	3.1	32	1	1	2	3	5	11	30
TOTAL 0-19 YRS	251	2.3	8	1	1	1	2	4	8	15
20-34	197	2.4	19	1	1	2	2	3	6	18
35-49	177	2.5	12	1	1	2	2	4	6	23
50-64	174	2.6	17	1	1	2	2	3	5	18
65+	104	5.1	88	1	1	3	4	9	16	60
GRAND TOTAL	**903**	**2.7**	**23**	**1**	**1**	**2**	**3**	**4**	**8**	**22**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	1.4	1	<1	<1	1	1	2	3	7
20-34	55	1.7	1	<1	<1	1	2	3	4	8
35-49	52	1.8		<1	1	2	2	3	4	4
50-64	54	2.2	2	<1	1	2	3	4	5	8
65+	23	2.4	5	<1	1	2	2	5	8	11
2. MULTIPLE DX										
0-19 YRS	105	2.7	36	<1	<1	1	2	3	11	39
20-34	60	2.1	3	<1	1	1	2	4	6	10
35-49	61	2.0	3	<1	1	1	2	4	5	12
50-64	75	2.8	10	<1	1	2	3	5	8	19
65+	47	3.1	16	<1	1	2	3	7	9	26
TOT. SINGLE DX	264	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	348	2.6	17	<1	1	2	2	5	7	21
TOTAL 0-19 YRS	185	2.2	21	<1	<1	1	2	3	5	23
20-34	115	1.9	3	<1	1	1	2	3	4	10
35-49	113	1.9	2	<1	1	1	2	3	4	9
50-64	129	2.5	7	<1	1	2	3	5	6	16
65+	70	2.9	13	<1	1	2	3	6	9	23
GRAND TOTAL	**612**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**14**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	1.6		<1	1	1	2	3	4	4
20-34	358	1.6		<1	<1	1	2	3	3	4
35-49	169	1.4		<1	1	1	2	2	3	3
50-64	60	1.6		<1	1	1	2	3	3	5
65+	8	1.6	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	417	1.6		1	1	1	2	3	3	5
20-34	922	1.6	1	1	1	1	2	3	3	5
35-49	531	1.7	1	1	1	1	2	3	3	5
50-64	306	1.9	6	1	1	1	2	3	4	11
65+	67	2.4	10	<1	1	1	2	5	7	19
TOT. SINGLE DX	734	1.6	1	<1	1	1	2	3	3	4
" MULTIPLE DX	2243	1.7	2	1	1	1	2	3	3	6
TOTAL 0-19 YRS	556	1.6	1	1	1	1	2	3	4	4
20-34	1280	1.6	1	<1	1	1	2	3	3	5
35-49	700	1.6	1	<1	1	1	2	3	3	5
50-64	366	1.9	6	1	1	1	2	3	4	10
65+	75	2.3	9	1	1	1	2	4	7	18
GRAND TOTAL	**2977**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	315	1.6	1	<1	1	1	2	2	3	6
20-34	685	1.5		<1	1	1	2	2	3	5
35-49	277	1.4		<1	1	1	2	2	3	4
50-64	136	1.5		<1	<1	1	2	2	3	4
65+	31	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	643	1.7	2	1	1	1	2	3	4	8
20-34	1398	1.6	2	<1	1	1	2	2	3	6
35-49	791	1.7	2	<1	1	1	2	3	4	7
50-64	390	1.9	4	1	1	1	2	3	4	13
65+	161	3.7	26	1	1	2	3	9	15	45
TOT. SINGLE DX	1444	1.5	1	<1	1	1	2	2	3	5
" MULTIPLE DX	3383	1.8	4	<1	1	1	2	3	4	10
TOTAL 0-19 YRS	958	1.7	2	<1	1	1	2	3	4	6
20-34	2083	1.6	2	<1	1	1	2	2	3	5
35-49	1068	1.6	2	<1	1	1	2	3	4	6
50-64	526	1.8	4	<1	1	1	2	3	4	11
65+	192	3.3	23	<1	1	2	3	7	14	36
GRAND TOTAL	**4827**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.9	2	<1	<1	1	2	4	5	8
20-34	65	2.0	5	<1	<1	1	2	4	5	16
35-49	57	1.5		<1	<1	1	2	3	3	4
50-64	74	1.8	3	<1	<1	1	2	3	5	11
65+	74	1.6	2	<1	<1	1	2	2	3	10
2. MULTIPLE DX										
0-19 YRS	98	3.1	75	<1	1	1	3	5	7	51
20-34	173	2.5	14	<1	1	1	2	4	8	23
35-49	191	1.9	3	<1	<1	1	2	3	5	13
50-64	247	3.1	46	<1	1	2	3	6	9	21
65+	266	5.4	80	<1	1	2	6	13	23	59
TOT. SINGLE DX	305	1.8	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	975	3.4	46	<1	1	2	3	7	12	33
TOTAL 0-19 YRS	133	2.8	56	<1	<1	1	2	5	7	26
20-34	238	2.4	12	<1	<1	1	2	4	8	22
35-49	248	1.8	3	<1	<1	1	2	3	4	12
50-64	321	2.8	37	<1	<1	2	3	5	9	20
65+	340	4.6	66	<1	<1	2	5	10	18	51
GRAND TOTAL	**1280**	**3.0**	**36**	**<1**	**<1**	**1**	**3**	**6**	**10**	**27**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	257	1.4	1	<1	<1	1	1	2	3	7
20-34	223	1.8	2	<1	<1	1	2	4	5	10
35-49	86	2.4	3	<1	<1	1	4	5	7	8
50-64	81	4.3	7	1	1	4	5	8	9	15
65+	51	3.2	2	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	175	2.5	8	<1	<1	1	3	5	9	14
20-34	340	3.3	10	1	1	2	4	7	9	19
35-49	195	3.7	7	1	1	3	5	7	9	12
50-64	226	5.3	16	1	1	4	6	10	14	21
65+	407	6.2	28	1	2	5	7	12	17	31
TOT. SINGLE DX	698	2.1	4	<1	<1	1	3	5	6	10
" MULTIPLE DX	1343	4.5	19	1	1	3	6	9	12	23
TOTAL 0-19 YRS	432	1.8	5	<1	<1	1	2	3	5	10
20-34	563	2.7	8	<1	<1	2	3	6	8	15
35-49	281	3.3	6	<1	1	2	5	7	8	12
50-64	307	5.0	14	1	1	4	6	10	12	20
65+	458	5.9	27	1	2	5	7	11	16	31
GRAND TOTAL	**2041**	**3.7**	**15**	**<1**	**<1**	**2**	**5**	**8**	**10**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.1	4	1	1	1	2	5	7	8
20-34	82	1.8	3	<1	1	1	2	3	5	13
35-49	90	1.9	4	<1	1	1	2	3	4	15
50-64	56	2.0	1	1	1	2	3	3	4	9
65+	22	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	50	3.8	28	1	1	2	3	11	14	28
20-34	127	2.8	8	1	1	2	3	4	8	16
35-49	187	3.0	12	1	1	2	3	5	9	24
50-64	162	3.0	10	1	1	2	3	5	10	19
65+	108	4.1	26	1	1	2	4	9	12	29
TOT. SINGLE DX	271	1.9	3	1	1	1	2	3	4	10
" MULTIPLE DX	634	3.2	15	1	1	2	3	6	10	20
TOTAL 0-19 YRS	71	3.3	22	1	1	2	3	8	14	26
20-34	209	2.4	7	1	1	2	3	4	6	16
35-49	277	2.6	10	1	1	2	3	4	8	21
50-64	218	2.8	8	1	1	2	3	4	8	18
65+	130	3.7	23	1	1	2	4	8	12	24
GRAND TOTAL	**905**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**9**	**19**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.6	11	<1	<1	1	3	6	8	18
20-34	76	2.9	8	<1	<1	2	4	6	7	17
35-49	51	2.6	6	<1	<1	2	3	6	8	14
50-64	47	2.4	5	<1	1	2	3	4	6	15
65+	21	2.5	3	<1	1	2	4	4	6	8
2. MULTIPLE DX										
0-19 YRS	80	4.3	34	<1	1	2	5	10	15	30
20-34	177	4.3	90	1	1	2	3	6	9	61
35-49	216	3.1	23	1	1	2	3	7	13	24
50-64	208	3.6	23	1	1	2	4	8	12	29
65+	156	5.8	63	1	1	3	6	14	22	39
TOT. SINGLE DX	225	2.7	7	<1	<1	2	4	5	7	16
" MULTIPLE DX	837	4.1	46	1	1	2	4	9	15	38
TOTAL 0-19 YRS	110	3.9	29	<1	<1	2	5	9	15	30
20-34	253	3.9	66	1	1	2	4	6	9	47
35-49	267	3.1	20	<1	1	2	3	7	13	22
50-64	255	3.4	20	1	1	2	3	7	12	27
65+	177	5.4	57	1	1	3	5	13	20	39
GRAND TOTAL	**1062**	**3.8**	**38**	**<1**	**1**	**2**	**4**	**8**	**13**	**36**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	509	1.1		<1	<1	1	1	2	2	3
20-34	356	1.2		<1	<1	<1	1	2	2	2
35-49	45	1.3		<1	<1	1	1	2	3	6
50-64	31	2.3	10	<1	<1	1	2	4	13	15
65+	34	1.6		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	407	2.2	38	<1	<1	1	2	2	4	25
20-34	479	3.2	46	<1	<1	1	2	6	10	38
35-49	272	3.8	57	<1	<1	2	3	9	16	31
50-64	301	4.7	62	<1	1	2	5	12	21	52
65+	424	7.0	150	1	1	2	7	19	33	99+
TOT. SINGLE DX	975	1.2	1	<1	<1	1	1	2	2	3
" MULTIPLE DX	1883	4.1	75	<1	<1	2	3	9	18	65
TOTAL 0-19 YRS	916	1.6	17	<1	<1	1	1	2	3	9
20-34	835	2.3	28	<1	<1	1	2	4	7	25
35-49	317	3.4	50	<1	<1	1	2	8	15	29
50-64	332	4.5	58	<1	<1	2	4	12	20	45
65+	458	6.6	141	<1	1	2	7	18	33	99+
GRAND TOTAL	**2858**	**3.1**	**52**	**<1**	**<1**	**1**	**2**	**6**	**12**	**42**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.7	19	<1	<1	<1	1	1	1	28
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	7	3.6	26	<1	<1	1	3	13	15	15
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	71	3.2	125	<1	<1	<1	1	3	13	96
20-34	55	2.1	6	<1	<1	2	2	2	2	19
35-49	15	3.3	13	<1	<1	1	5	9	11	12
50-64	5	1.8		<1	<1	2	2	3	3	3
65+	3	10.0	49	2	2	13	14	15	15	15
TOT. SINGLE DX	51	1.9	18	<1	<1	<1	1	2	3	28
" MULTIPLE DX	149	2.9	65	<1	<1	1	2	3	12	82
TOTAL 0-19 YRS	108	2.7	89	<1	<1	<1	1	2	4	89
20-34	59	2.1	7	<1	<1	2	2	2	2	19
35-49	17	3.1	12	<1	<1	2	3	9	11	12
50-64	12	2.8	15	<1	<1	2	3	7	14	15
65+	4	7.8	53	1	1	7	14	15	15	15
GRAND TOTAL	**200**	**2.7**	**53**	**<1**	**<1**	**1**	**2**	**3**	**10**	**66**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.8	1	<1	<1	1	2	4	5	5
20-34	18	2.1	1	<1	<1	2	3	4	5	5
35-49	17	1.5		<1	<1	1	2	2	2	2
50-64	33	1.7		<1	<1	1	2	3	3	5
65+	12	3.0	4	<1	1	3	3	6	9	9
2. MULTIPLE DX										
0-19 YRS	61	2.0	2	<1	<1	1	2	5	6	89
20-34	86	2.9	22	<1	1	2	3	5	9	77
35-49	67	2.7	10	<1	1	2	3	6	9	17
50-64	90	4.5	43	1	1	2	5	11	18	37
65+	83	4.4	29	1	1	2	5	12	15	28
TOT. SINGLE DX	104	1.9	2	<1	<1	2	2	3	5	7
" MULTIPLE DX	387	3.4	24	<1	1	2	3	8	14	34
TOTAL 0-19 YRS	85	2.0	2	<1	<1	1	2	5	5	67
20-34	104	2.7	19	<1	1	2	3	5	7	66
35-49	84	2.5	8	<1	1	2	3	5	8	17
50-64	123	3.7	33	<1	1	2	3	9	16	29
65+	95	4.2	26	1	1	2	5	11	15	27
GRAND TOTAL	**491**	**3.1**	**20**	**<1**	**1**	**2**	**3**	**6**	**11**	**27**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	2.1	1	<1	<1	2	3	4	5	5
20-34	168	2.5	1	1	1	2	3	5	5	6
35-49	186	2.8	3	1	1	2	4	5	5	8
50-64	194	2.9	3	1	1	3	3	5	7	11
65+	157	3.0	3	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	33	3.0	3	1	1	2	4	5	6	9
20-34	81	3.5	8	1	1	2	5	6	10	15
35-49	137	3.6	12	1	1	3	4	7	11	18
50-64	250	4.2	18	1	1	3	5	8	13	26
65+	330	4.9	24	1	1	3	5	10	14	27
TOT. SINGLE DX	750	2.8	3	1	1	2	3	5	6	8
" MULTIPLE DX	831	4.3	19	1	1	3	5	8	13	24
TOTAL 0-19 YRS	78	2.5	3	<1	<1	2	4	5	5	8
20-34	249	2.8	4	1	1	2	4	5	6	12
35-49	323	3.1	7	1	1	3	4	5	7	16
50-64	444	3.6	12	1	1	3	4	7	10	16
65+	487	4.3	19	1	1	3	5	8	13	24
GRAND TOTAL	**1581**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**17**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	3.5	3	1	1	3	4	6	7	9
20-34	4	3.3	3	2	2	3	4	6	6	6
35-49	6	2.0		<1	<1	2	3	3	3	3
50-64	4	1.3		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	137	4.5	20	1	2	4	5	7	9	17
20-34	8	3.5	4	1	1	3	4	7	8	8
35-49	7	2.4	2	1	1	2	4	5	5	5
50-64	5	16.8	888	2	2	3	23	70	70	70
65+	3	5.3	1	4	4	6	6	6	6	6
TOT. SINGLE DX	126	3.3	3	1	1	3	4	6	7	9
" MULTIPLE DX	160	4.8	45	1	2	4	5	7	9	47
TOTAL 0-19 YRS	249	4.0	13	1	2	3	5	7	8	11
20-34	12	3.4	4	1	1	3	4	7	8	8
35-49	13	2.2	2	<1	1	2	3	4	5	5
50-64	9	9.9	512	1	1	2	4	45	70	70
65+	3	5.3	1	4	4	6	6	6	6	6
GRAND TOTAL	**286**	**4.1**	**27**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	2.8	4	<1	<1	2	4	6	7	9
20-34	67	3.1	5	<1	<1	2	4	7	8	11
35-49	75	3.4	18	<1	1	2	3	7	13	24
50-64	107	3.3	12	<1	<1	2	4	9	11	17
65+	80	4.5	27	<1	1	2	5	12	17	22
2. MULTIPLE DX										
0-19 YRS	278	3.8	44	<1	1	2	5	7	9	23
20-34	205	4.5	23	<1	1	3	6	10	12	38
35-49	176	6.2	83	<1	1	3	7	13	18	49
50-64	298	8.7	98	1	1	5	12	17	30	52
65+	445	9.5	159	1	1	5	12	23	29	90
TOT. SINGLE DX	568	3.2	11	<1	<1	2	4	7	10	18
" MULTIPLE DX	1402	7.0	100	<1	1	4	8	15	25	59
TOTAL 0-19 YRS	517	3.3	26	<1	<1	2	4	6	8	14
20-34	272	4.1	19	<1	1	3	5	9	11	30
35-49	251	5.4	65	<1	1	3	6	12	16	38
50-64	405	7.2	81	<1	1	4	10	16	23	44
65+	525	8.7	143	1	1	5	11	21	28	82
GRAND TOTAL	**1970**	**5.9**	**77**	**<1**	**1**	**3**	**7**	**13**	**19**	**44**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3096	1.2		<1	1	1	1	2	2	3
20-34	1954	1.4	4	1	1	1	1	2	2	4
35-49	194	1.4		<1	1	1	2	2	2	5
50-64	37	1.5		<1	1	1	2	3	3	5
65+	14	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	878	1.3	2	<1	1	1	1	2	3	7
20-34	473	1.7	2	1	1	1	2	3	4	10
35-49	79	2.0	5	1	1	1	2	3	6	15
50-64	23	3.6	20	1	1	2	3	13	15	15
65+	15	3.6	12	1	1	2	4	10	11	11
TOT. SINGLE DX	5295	1.3	2	<1	1	1	1	2	2	3
" MULTIPLE DX	1468	1.5	3	1	1	1	1	2	3	9
TOTAL 0-19 YRS	3974	1.2	1	<1	1	1	1	2	2	3
20-34	2427	1.4	4	1	1	1	2	2	3	5
35-49	273	1.5	2	1	1	1	2	2	3	10
50-64	60	2.3	9	1	1	1	2	4	10	15
65+	29	2.6	7	<1	1	2	3	7	10	11
GRAND TOTAL	**6763**	**1.3**	**2**	**<1**	**1**	**1**	**1**	**2**	**2**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4043	1.1		<1	<1	1	1	1	2	2
20-34	150	1.2		1	1	1	1	2	2	4
35-49	10	1.2		<1	<1	1	1	2	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	3331	1.2		<1	1	1	1	2	2	3
20-34	55	1.5	3	1	1	1	1	2	2	13
35-49	6	1.3		1	1	1	1	3	3	3
50-64										
65+	3	1.7	1	1	1	1	3	3	3	3
TOT. SINGLE DX	4207	1.1		<1	<1	1	1	1	2	2
" MULTIPLE DX	3395	1.2		<1	1	1	1	2	2	3
TOTAL 0-19 YRS	7374	1.1		<1	1	1	1	2	2	3
20-34	205	1.3	1	1	1	1	1	2	2	5
35-49	16	1.3		<1	1	1	1	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	5	1.4	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**7602**	**1.1**		**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	1.0		<1	<1	1	1	1	1	2
20-34	11	1.1		<1	<1	1	1	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	612	1.2	2	<1	<1	1	1	1	2	3
20-34	8	1.5		1	1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	258	1.0		<1	<1	1	1	1	1	2
" MULTIPLE DX	623	1.2	2	<1	<1	1	1	1	2	3
TOTAL 0-19 YRS	859	1.1	2	<1	<1	1	1	1	2	3
20-34	19	1.3		<1	<1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
GRAND TOTAL	**881**	**1.1**	**2**	**<1**	**<1**	**1**	**1**	**1**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	371	2.2	2	<1	1	2	3	4	5	8
20-34	226	2.4	4	<1	1	2	3	4	5	9
35-49	83	2.6	7	<1	1	2	3	4	6	19
50-64	47	2.5	6	<1	<1	2	3	5	8	14
65+	34	5.3	147	1	1	3	4	8	8	73
2. MULTIPLE DX										
0-19 YRS	117	3.9	23	1	1	3	5	8	12	31
20-34	106	3.6	8	1	1	3	4	7	9	17
35-49	85	5.6	70	1	1	3	5	10	23	45
50-64	119	5.8	45	<1	1	3	8	14	16	35
65+	139	8.1	114	<1	1	4	11	19	28	81
TOT. SINGLE DX	761	2.4	10	<1	1	2	3	4	6	10
" MULTIPLE DX	566	5.5	57	1	1	3	6	13	19	44
TOTAL 0-19 YRS	488	2.6	8	1	1	2	3	5	6	13
20-34	332	2.8	6	1	1	2	3	5	7	14
35-49	168	4.1	42	1	1	2	4	7	15	41
50-64	166	4.8	37	<1	1	2	6	13	15	28
65+	173	7.5	122	<1	1	4	9	18	27	78
GRAND TOTAL	**1327**	**3.7**	**33**	**1**	**1**	**2**	**4**	**7**	**13**	**28**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.6	2	<1	<1	1	2	2	5	8
20-34	25	3.0	3	<1	1	3	4	5	7	8
35-49	18	2.9	3	<1	<1	2	4	5	6	7
50-64	24	4.1	34	<1	1	3	5	6	13	30
65+	24	2.8	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	45	3.2	5	<1	1	3	4	6	7	14
20-34	19	8.6	266	<1	1	2	6	40	53	54
35-49	32	5.2	43	1	1	3	6	12	13	36
50-64	100	6.6	131	1	2	4	6	11	18	77
65+	206	6.5	61	1	1	4	8	15	20	32
TOT. SINGLE DX	112	2.9	10	<1	<1	2	4	5	7	16
" MULTIPLE DX	402	6.2	81	1	1	4	6	13	19	53
TOTAL 0-19 YRS	66	2.7	5	<1	<1	2	3	5	7	13
20-34	44	5.4	122	<1	1	2	4	8	30	54
35-49	50	4.3	29	1	1	3	5	8	13	36
50-64	124	6.1	113	1	1	4	6	9	17	75
65+	230	6.1	57	1	1	4	7	14	20	32
GRAND TOTAL	**514**	**5.4**	**68**	**1**	**1**	**3**	**6**	**11**	**17**	**46**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	1.9	2	<1	<1	1	2	3	6	9
20-34	71	1.2		<1	<1	1	1	2	2	2
35-49	135	1.2		<1	<1	1	1	2	2	3
50-64	192	1.5	1	<1	<1	1	2	2	2	8
65+	86	1.5	1	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
0-19 YRS	62	5.0	97	<1	1	2	3	14	31	49
20-34	44	1.8	1	<1	<1	1	2	3	5	6
35-49	106	3.6	30	<1	<1	1	3	10	14	30
50-64	235	4.0	53	<1	<1	2	3	9	18	38
65+	249	5.1	92	<1	<1	2	3	14	25	62
TOT. SINGLE DX	556	1.5	1	<1	<1	1	2	2	2	7
" MULTIPLE DX	696	4.3	65	<1	<1	2	3	11	20	52
TOTAL 0-19 YRS	134	3.3	49	<1	1	2	2	4	9	36
20-34	115	1.4	1	<1	<1	1	2	2	3	6
35-49	241	2.3	15	<1	<1	1	2	3	9	26
50-64	427	2.9	32	<1	<1	1	2	7	10	26
65+	335	4.2	71	<1	<1	2	2	11	20	61
GRAND TOTAL	**1252**	**3.0**	**39**	**<1**	**<1**	**1**	**2**	**6**	**11**	**38**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	18	11.9	88	<1	1	13	18	19	30	37
65+	8	11.4	64	2	2	11	14	24	27	27
2. MULTIPLE DX										
0-19 YRS	12	3.9	12	1	1	2	6	10	12	12
20-34	6	2.0	1	1	1	2	2	4	4	4
35-49	13	6.6	36	1	1	4	11	14	20	21
50-64	47	11.9	153	<1	1	9	16	28	36	53
65+	40	14.8	109	1	2	14	18	29	40	43
TOT. SINGLE DX	31	10.3	78	<1	1	11	16	19	27	37
" MULTIPLE DX	118	11.0	119	<1	1	9	15	27	32	52
TOTAL 0-19 YRS	13	3.8	12	1	1	2	5	10	12	12
20-34	9	1.7	1	<1	<1	1	2	3	4	4
35-49	14	6.6	33	1	1	5	10	13	19	21
50-64	65	11.9	134	<1	1	11	17	27	34	53
65+	48	14.2	102	1	2	13	18	27	38	43
GRAND TOTAL	**149**	**10.8**	**110**	**<1**	**1**	**9**	**15**	**26**	**31**	**51**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	6	12.5	11	10	10	11	13	18	19	19
50-64	22	16.0	27	8	9	15	19	24	26	28
65+	19	14.5	17	10	10	14	18	20	22	23
2. MULTIPLE DX										
0-19 YRS										
20-34	2	26.5	181	17	17	26	36	36	36	36
35-49	26	23.9	187	12	12	21	33	45	74	99+
50-64	102	21.9	215	10	11	17	25	43	54	99+
65+	105	21.3	163	9	10	15	29	42	66	99+
TOT. SINGLE DX	47	14.9	22	9	10	14	18	22	24	28
" MULTIPLE DX	235	21.9	187	10	11	17	28	43	65	99+
TOTAL 0-19 YRS										
20-34	2	26.5	181	17	17	26	36	36	36	36
35-49	32	21.8	174	10	11	18	28	43	66	99+
50-64	124	20.9	187	10	11	16	23	37	48	99+
65+	124	20.2	147	10	10	15	27	41	53	99+
GRAND TOTAL	**282**	**20.7**	**166**	**10**	**10**	**16**	**25**	**40**	**51**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	56.3	1117	5	18	93	99+	99+	99+	99+
20-34	12	25.1	535	5	6	18	29	66	79	81
35-49	14	32.0	491	7	8	30	63	97	99+	99+
50-64	52	29.2	637	2	6	23	79	99+	99+	99+
65+	83	39.1	844	5	8	47	82	99+	99+	99+
TOT. SINGLE DX	1	12.0		12	12	12	12	12	12	12
" MULTIPLE DX	169	35.3	773	4	8	35	81	99+	99+	99+
TOTAL 0-19 YRS	8	56.3	1118	5	18	93	99+	99+	99+	99+
20-34	12	25.1	535	5	6	18	29	66	79	81
35-49	15	30.7	483	7	9	29	59	95	99+	99+
50-64	52	29.2	637	2	6	23	79	99+	99+	99+
65+	83	39.1	845	5	8	47	82	99+	99+	99+
GRAND TOTAL	**170**	**35.1**	**772**	**4**	**8**	**35**	**81**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	3.8	10	<1	<1	2	6	9	10	10
20-34	8	3.9	14	1	1	2	7	9	10	10
35-49	8	4.0	6	1	1	4	5	8	9	9
50-64	12	9.8	327	1	1	4	9	29	61	66
65+	12	7.8	122	<1	<1	2	11	25	34	36
2. MULTIPLE DX										
0-19 YRS	76	14.3	411	1	1	7	20	56	90	99+
20-34	45	31.8	905	2	2	24	58	96	99+	99+
35-49	61	20.1	497	1	1	16	40	81	99+	99+
50-64	177	27.9	605	1	2	24	53	99	99+	99+
65+	257	32.8	646	2	4	36	63	99+	99+	99+
TOT. SINGLE DX	60	5.8	96	<1	1	3	7	10	18	63
" MULTIPLE DX	616	27.8	646	1	2	24	56	99+	99+	99+
TOTAL 0-19 YRS	96	12.1	346	1	1	6	15	49	79	99+
20-34	53	27.6	869	1	1	14	54	95	99+	99+
35-49	69	18.2	466	1	1	9	35	81	99+	99+
50-64	189	26.8	606	1	2	23	52	96	99+	99+
65+	269	31.7	650	1	3	33	61	99+	99+	99+
GRAND TOTAL	**676**	**25.8**	**636**	**1**	**2**	**21**	**53**	**98**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	8.5	157	<1	1	4	9	24	43	46
20-34	58	5.8	25	<1	1	4	8	12	17	19
35-49	82	4.3	20	<1	<1	2	6	10	15	19
50-64	177	4.7	21	<1	1	3	7	12	14	21
65+	122	4.9	24	<1	<1	3	7	12	15	22
2. MULTIPLE DX										
0-19 YRS	18	11.9	97	1	2	10	15	27	33	37
20-34	351	16.5	128	2	4	15	22	33	40	98
35-49	593	15.4	176	2	3	13	20	29	40	70
50-64	1249	11.1	110	1	2	9	15	22	30	76
65+	2416	13.0	134	2	2	10	17	26	37	66
TOT. SINGLE DX	451	4.9	26	<1	1	3	7	12	15	20
" MULTIPLE DX	4627	13.1	135	1	2	10	17	26	36	69
TOTAL 0-19 YRS	30	10.5	120	1	1	7	15	26	37	46
20-34	409	15.0	128	1	2	13	21	31	38	79
35-49	675	14.0	170	1	2	11	19	28	38	68
50-64	1426	10.3	104	1	1	8	14	21	28	69
65+	2538	12.6	133	1	2	10	16	25	36	64
GRAND TOTAL	**5078**	**12.4**	**131**	**1**	**2**	**10**	**16**	**25**	**34**	**67**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	7	10.0	110	<1	<1	7	16	27	29	29
65+	2	13.0	162	4	4	13	22	22	22	22
TOT. SINGLE DX										
" MULTIPLE DX	10	10.5	94	<1	<1	8	18	25	29	29
TOTAL 0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	7	10.0	111	<1	<1	7	16	27	29	29
65+	2	13.0	162	4	4	13	22	22	22	22
GRAND TOTAL	**10**	**10.5**	**94**	**<1**	**<1**	**8**	**18**	**25**	**29**	**29**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	7.5	21	1	2	6	9	15	17	18
20-34	45	8.7	22	1	4	7	12	16	18	21
35-49	57	7.6	27	1	1	7	10	16	18	21
50-64	125	7.8	29	<1	1	8	10	13	19	26
65+	86	7.3	32	<1	1	8	11	15	19	25
2. MULTIPLE DX										
0-19 YRS	54	12.2	66	2	5	10	16	24	41	99+
20-34	146	15.2	119	4	6	13	19	26	39	81
35-49	232	14.4	144	2	5	11	17	30	43	64
50-64	648	12.8	115	2	4	10	16	24	31	70
65+	982	13.9	134	1	2	11	18	28	36	70
TOT. SINGLE DX	330	7.8	28	1	1	7	10	15	18	25
" MULTIPLE DX	2062	13.6	127	2	3	11	17	26	36	71
TOTAL 0-19 YRS	71	11.1	59	2	4	9	15	24	34	99+
20-34	191	13.7	104	3	5	11	17	25	35	69
35-49	289	13.1	128	1	3	10	16	26	42	61
50-64	773	12.0	105	1	3	9	15	23	29	60
65+	1068	13.4	130	1	2	11	17	27	35	65
GRAND TOTAL	**2392**	**12.8**	**118**	**1**	**3**	**10**	**16**	**25**	**33**	**65**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.3	1	6	6	7	8	9	9	9
20-34	2	15.0	50	10	10	15	20	20	20	20
35-49	22	8.8	7	5	6	8	10	14	14	14
50-64	81	12.4	76	7	8	10	13	20	23	63
65+	52	12.4	50	7	8	10	13	18	31	43
2. MULTIPLE DX										
0-19 YRS	7	15.6	53	7	7	16	22	24	25	25
20-34	20	17.7	123	8	9	14	19	39	41	42
35-49	86	15.3	105	6	8	12	19	29	42	83
50-64	430	15.2	80	7	8	13	19	26	32	71
65+	569	17.5	107	8	9	15	21	30	37	69
TOT. SINGLE DX	163	11.8	57	6	7	10	13	18	23	42
" MULTIPLE DX	1112	16.4	98	7	8	14	20	28	35	70
TOTAL 0-19 YRS	13	11.8	45	6	6	9	17	23	25	25
20-34	22	17.5	115	8	9	14	19	39	40	42
35-49	108	14.0	93	6	6	11	16	27	41	73
50-64	511	14.7	81	7	8	12	18	25	31	71
65+	621	17.1	105	8	9	14	21	29	37	69
GRAND TOTAL	**1275**	**15.8**	**95**	**7**	**8**	**13**	**19**	**27**	**34**	**69**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	2.5	9	<1	1	1	2	5	10	17
20-34	46	6.3	58	<1	<1	4	8	15	23	39
35-49	57	5.4	32	<1	1	3	7	14	16	26
50-64	109	4.6	21	<1	<1	3	7	10	13	21
65+	65	4.8	20	<1	<1	3	8	10	16	19
2. MULTIPLE DX										
0-19 YRS	90	8.9	149	1	1	5	12	21	30	98
20-34	184	13.1	167	1	2	9	18	27	40	78
35-49	300	12.5	125	1	2	9	17	27	36	67
50-64	767	11.5	113	1	2	9	15	23	31	59
65+	1466	14.4	164	2	3	11	18	30	44	99+
TOT. SINGLE DX	372	4.4	26	<1	<1	2	6	11	16	23
" MULTIPLE DX	2807	13.1	148	1	2	10	17	27	39	75
TOTAL 0-19 YRS	185	5.6	88	1	1	2	6	14	20	76
20-34	230	11.7	153	1	1	8	16	26	36	70
35-49	357	11.4	118	1	1	8	15	25	32	65
50-64	876	10.7	107	1	2	8	14	22	30	57
65+	1531	14.0	162	1	2	11	18	29	41	99+
GRAND TOTAL	**3179**	**12.1**	**142**	**1**	**2**	**9**	**16**	**26**	**36**	**73**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	6.5	4	4	4	7	8	9	9	9
20-34	30	5.8	12	2	2	5	7	10	14	17
35-49	11	10.7	95	3	3	6	12	29	32	32
50-64	9	11.1	23	6	7	9	13	19	22	22
65+	3	20.0	25	15	15	20	24	25	25	25
2. MULTIPLE DX										
0-19 YRS	17	10.9	153	2	3	7	11	28	44	51
20-34	40	11.0	106	2	3	7	14	25	34	47
35-49	21	13.5	62	3	5	13	18	21	29	38
50-64	58	13.3	169	2	3	9	15	28	47	64
65+	62	16.6	196	2	3	12	23	34	44	74
TOT. SINGLE DX	59	8.3	40	2	3	6	10	16	24	32
" MULTIPLE DX	198	13.7	155	2	3	10	18	29	43	58
TOTAL 0-19 YRS	23	9.7	117	2	3	7	10	17	38	51
20-34	70	8.7	72	2	3	6	10	19	26	46
35-49	32	12.6	73	3	4	11	17	23	31	38
50-64	67	13.0	149	2	4	9	15	27	45	62
65+	65	16.7	189	2	3	13	23	33	44	73
GRAND TOTAL	**257**	**12.4**	**133**	**2**	**3**	**9**	**15**	**27**	**37**	**51**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	5.4	18	2	2	4	6	8	12	27
20-34	447	5.7	12	2	3	5	7	10	12	19
35-49	164	7.2	29	2	3	6	8	14	16	33
50-64	61	8.6	47	2	3	6	11	19	24	31
65+	39	9.4	59	2	2	7	11	24	28	30
2. MULTIPLE DX										
0-19 YRS	167	12.7	176	2	4	8	13	27	40	84
20-34	428	9.4	59	3	3	7	11	19	26	47
35-49	345	11.8	107	3	4	8	15	25	36	60
50-64	650	12.7	137	3	4	9	15	25	36	90
65+	1114	14.7	148	3	4	11	19	29	38	70
TOT. SINGLE DX	811	6.4	22	2	3	5	8	12	15	27
" MULTIPLE DX	2704	12.9	131	3	4	9	16	26	36	72
TOTAL 0-19 YRS	267	10.0	129	2	3	7	11	23	33	77
20-34	875	7.5	39	2	3	6	9	14	20	34
35-49	509	10.3	87	3	3	7	12	20	31	55
50-64	711	12.4	131	3	4	9	15	25	34	87
65+	1153	14.5	146	3	4	11	18	29	38	70
GRAND TOTAL	**3515**	**11.4**	**114**	**3**	**3**	**8**	**14**	**23**	**32**	**67**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	5.8	12	1	3	6	7	7	8	21
20-34	119	7.1	76	1	1	5	9	13	21	57
35-49	82	5.3	34	<1	1	3	7	11	18	29
50-64	94	5.7	36	<1	1	3	8	14	19	27
65+	70	5.5	51	<1	<1	3	7	13	17	43
2. MULTIPLE DX										
0-19 YRS	76	9.8	70	1	4	7	11	21	30	40
20-34	134	13.2	144	1	2	10	16	27	38	74
35-49	199	13.3	191	1	2	9	17	32	42	85
50-64	446	12.4	129	2	2	9	17	27	34	63
65+	783	13.4	152	1	2	10	18	28	40	86
TOT. SINGLE DX	504	6.0	41	<1	1	5	7	12	16	29
" MULTIPLE DX	1638	12.9	147	1	2	10	17	28	37	70
TOTAL 0-19 YRS	215	7.3	37	1	3	6	7	10	20	37
20-34	253	10.3	121	1	1	8	13	23	30	69
35-49	281	10.9	159	1	1	7	15	27	36	69
50-64	540	11.2	120	1	2	8	15	25	32	51
65+	853	12.7	149	1	2	10	17	28	38	81
GRAND TOTAL	**2142**	**11.3**	**131**	**1**	**2**	**8**	**15**	**25**	**34**	**65**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	7.2	5	5	5	7	8	10	12	14
20-34	28	8.3	5	4	6	8	10	12	12	13
35-49	37	10.6	10	4	7	10	13	14	16	18
50-64	50	11.9	16	7	8	11	14	18	21	22
65+	35	13.5	14	8	9	13	17	19	19	21
2. MULTIPLE DX										
0-19 YRS	335	12.4	94	5	6	9	14	23	32	72
20-34	84	16.7	229	6	7	11	17	40	47	82
35-49	148	17.0	145	7	8	12	20	35	43	62
50-64	437	17.6	190	8	8	13	20	34	48	99
65+	613	19.9	192	8	9	16	23	35	48	83
TOT. SINGLE DX	231	9.8	16	5	5	9	12	16	17	21
" MULTIPLE DX	1617	17.3	177	7	8	13	20	32	44	84
TOTAL 0-19 YRS	416	11.4	82	5	6	9	12	20	28	65
20-34	112	14.6	186	6	7	10	15	32	42	77
35-49	185	15.7	125	7	8	12	18	28	40	62
50-64	487	17.0	176	8	8	13	19	31	44	96
65+	648	19.6	185	8	9	16	23	35	46	83
GRAND TOTAL	**1848**	**16.4**	**163**	**6**	**7**	**12**	**19**	**30**	**42**	**77**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	46	10.3	7	7	8	10	11	13	17	20
50-64	163	10.1	5	7	8	10	11	13	15	18
65+	105	11.9	10	8	9	11	14	16	18	25
2. MULTIPLE DX										
0-19 YRS										
20-34	23	14.8	88	7	8	12	18	25	34	49
35-49	601	11.5	29	7	7	10	13	18	23	35
50-64	2677	13.3	61	7	8	11	15	21	27	48
65+	2234	16.3	108	8	8	13	19	28	38	78
TOT. SINGLE DX	314	10.7	8	7	8	10	12	14	16	20
" MULTIPLE DX	5535	14.4	80	7	8	12	16	24	31	61
TOTAL 0-19 YRS										
20-34	23	14.8	88	7	8	12	18	25	34	49
35-49	647	11.4	28	7	7	10	12	18	22	34
50-64	2840	13.2	59	7	8	11	15	21	27	47
65+	2339	16.1	105	8	8	13	19	28	37	78
GRAND TOTAL	**5849**	**14.2**	**77**	**7**	**8**	**12**	**16**	**23**	**30**	**60**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	1.6		<1	<1	2	2	2	2	6
20-34	99	2.6	4	1	1	2	2	6	8	11
35-49	695	2.8	7	1	1	2	2	7	10	13
50-64	1406	2.8	8	1	1	2	2	6	10	14
65+	694	2.6	6	1	1	2	2	5	8	13
2. MULTIPLE DX										
0-19 YRS	534	2.7	12	<1	1	2	2	5	7	21
20-34	278	4.7	26	1	1	2	6	11	15	26
35-49	2771	4.1	18	1	1	2	5	10	12	21
50-64	7770	4.4	26	1	1	2	6	11	14	23
65+	5420	5.9	47	1	1	2	8	14	18	31
TOT. SINGLE DX	3098	2.6	7	1	1	2	2	5	9	13
" MULTIPLE DX	16773	4.8	32	1	1	2	6	11	15	26
TOTAL 0-19 YRS	738	2.4	9	<1	1	2	2	4	7	16
20-34	377	4.2	22	1	1	2	5	10	13	24
35-49	3466	3.9	17	1	1	2	5	9	12	20
50-64	9176	4.1	24	1	1	2	5	10	13	22
65+	6114	5.5	44	1	1	2	8	13	17	29
GRAND TOTAL	**19871**	**4.4**	**29**	**1**	**1**	**2**	**6**	**11**	**14**	**25**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.1	6	<1	1	4	6	8	9	9
20-34	7	5.6	7	2	2	6	8	9	9	9
35-49	20	3.8	9	<1	1	3	5	8	11	13
50-64	68	4.8	14	1	1	4	6	12	13	16
65+	351	4.3	13	1	1	3	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	25	7.9	93	1	2	6	9	12	25	50
20-34	30	9.3	97	1	2	7	12	17	21	53
35-49	121	9.8	67	2	3	8	12	16	27	45
50-64	756	10.8	91	2	3	9	14	19	27	59
65+	4857	11.2	107	2	3	9	14	21	29	64
TOT. SINGLE DX	455	4.3	13	1	1	4	6	8	11	16
" MULTIPLE DX	5789	11.1	104	2	3	9	14	21	29	62
TOTAL 0-19 YRS	34	6.9	72	1	2	5	7	12	16	50
20-34	37	8.6	82	1	2	7	11	16	20	53
35-49	141	8.9	64	2	2	7	11	16	25	42
50-64	824	10.3	88	2	3	8	14	18	26	57
65+	5208	10.8	104	2	3	8	13	21	28	62
GRAND TOTAL	**6244**	**10.6**	**101**	**2**	**3**	**8**	**13**	**20**	**28**	**61**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	4.7	125	1	1	2	2	7	18	59
20-34	9	6.1	16	2	2	6	7	12	15	15
35-49	136	4.5	12	2	2	3	5	10	11	18
50-64	264	4.5	12	2	2	3	6	10	12	20
65+	100	5.1	15	2	2	4	6	11	13	20
2. MULTIPLE DX										
0-19 YRS	59	8.6	210	1	2	4	10	20	28	90
20-34	75	12.7	130	2	3	10	16	26	39	57
35-49	571	7.0	45	2	3	5	9	13	17	42
50-64	1491	7.1	43	2	3	5	9	14	18	35
65+	883	9.0	53	2	3	7	12	18	23	41
TOT. SINGLE DX	535	4.7	18	2	2	3	6	10	12	20
" MULTIPLE DX	3079	7.8	53	2	3	6	10	15	21	40
TOTAL 0-19 YRS	85	7.4	186	1	2	2	7	18	27	81
20-34	84	12.0	122	2	2	8	16	25	39	55
35-49	707	6.5	40	2	2	4	9	12	16	37
50-64	1755	6.7	40	2	2	5	8	13	18	34
65+	983	8.6	51	2	3	7	11	17	22	40
GRAND TOTAL	**3614**	**7.3**	**49**	**2**	**2**	**5**	**9**	**15**	**20**	**40**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	209	2.7	3	<1	1	2	3	5	6	10
20-34	92	3.0	9	<1	<1	2	4	7	9	16
35-49	109	2.8	10	<1	<1	1	3	8	10	16
50-64	125	3.4	19	<1	<1	1	4	10	13	20
65+	92	4.4	22	<1	1	2	5	11	15	24
2. MULTIPLE DX										
0-19 YRS	641	4.9	32	1	2	3	5	11	15	99+
20-34	210	11.4	147	1	2	8	14	23	40	85
35-49	368	10.7	127	1	1	8	14	25	34	62
50-64	1017	10.2	108	1	1	8	13	22	30	51
65+	2738	12.8	124	2	3	10	17	26	34	64
TOT. SINGLE DX	627	3.1	12	<1	<1	2	4	7	10	18
" MULTIPLE DX	4974	11.0	117	1	2	8	15	24	32	62
TOTAL 0-19 YRS	850	4.3	26	1	1	3	5	8	13	56
20-34	302	8.8	121	<1	1	6	12	19	30	64
35-49	477	8.9	112	<1	1	5	12	21	32	52
50-64	1142	9.4	103	1	1	7	13	20	28	51
65+	2830	12.5	123	1	2	10	17	25	34	64
GRAND TOTAL	**5601**	**10.1**	**111**	**1**	**1**	**7**	**14**	**22**	**31**	**60**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.5	1	<1	1	3	3	4	4	4
20-34	389	2.7	2	1	1	2	3	4	5	7
35-49	553	2.8	3	1	1	2	3	4	5	8
50-64	333	3.3	5	1	1	3	4	6	7	12
65+	92	3.5	6	1	1	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	116	4.9	54	1	2	3	5	8	14	49
35-49	283	4.4	17	1	1	3	5	8	13	27
50-64	285	4.7	30	1	1	3	5	8	12	29
65+	193	7.2	81	1	2	4	8	15	21	54
TOT. SINGLE DX	1380	2.9	4	1	1	3	4	5	6	9
" MULTIPLE DX	879	5.2	42	1	1	3	5	10	14	34
TOTAL 0-19 YRS	15	2.5	1	<1	1	3	4	4	4	4
20-34	505	3.2	15	1	1	2	4	5	6	15
35-49	836	3.3	9	1	1	3	4	6	8	16
50-64	618	3.9	18	1	1	3	4	7	9	21
65+	285	6.0	60	1	2	4	6	12	19	37
GRAND TOTAL	**2259**	**3.8**	**20**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.2	33	1	1	7	9	16	17	17
20-34	11	7.3	58	<1	1	3	14	20	22	22
35-49	49	8.0	23	2	2	8	9	13	17	25
50-64	171	8.7	17	2	4	8	11	14	16	25
65+	167	9.5	38	2	3	9	12	16	18	28
2. MULTIPLE DX										
0-19 YRS	78	10.4	109	2	3	8	12	17	44	89
20-34	147	9.8	81	2	2	7	13	23	31	55
35-49	452	12.6	124	2	2	10	15	27	36	56
50-64	1749	13.8	140	3	5	10	16	26	37	79
65+	3093	17.3	180	5	7	13	21	35	48	94
TOT. SINGLE DX	404	8.9	29	2	3	8	11	15	17	26
" MULTIPLE DX	5519	15.5	164	3	5	12	19	32	43	85
TOTAL 0-19 YRS	84	10.2	105	1	3	8	11	17	43	86
20-34	158	9.6	80	2	2	7	13	22	31	53
35-49	501	12.1	117	2	2	9	15	26	35	56
50-64	1920	13.4	131	3	5	10	15	25	35	77
65+	3260	16.9	176	4	6	13	20	34	47	91
GRAND TOTAL	**5923**	**15.1**	**158**	**3**	**5**	**11**	**18**	**31**	**42**	**85**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	2	22.0	128	14	14	22	30	30	30	30
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	1	7.0		7	7	7	7	7	7	7
" MULTIPLE DX	3	19.7	80	14	14	15	26	30	30	30
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64	2	22.0	128	14	14	22	30	30	30	30
65+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**4**	**16.5**	**94**	**7**	**7**	**14**	**22**	**30**	**30**	**30**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	11.5	221	1	1	11	22	22	22	22
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	10	3.6	1	1	1	4	4	5	6	6
65+	13	6.6	52	1	1	5	9	18	24	25
2. MULTIPLE DX										
0-19 YRS	33	8.3	221	1	2	4	6	15	23	86
20-34	224	5.4	27	1	2	4	6	11	14	28
35-49	408	6.1	35	<1	1	4	8	13	17	30
50-64	771	7.5	67	1	2	5	9	15	21	47
65+	1058	9.6	112	2	2	6	12	20	30	58
TOT. SINGLE DX	35	4.9	32	1	1	4	5	12	20	25
" MULTIPLE DX	2494	8.0	82	1	2	5	10	16	23	50
TOTAL 0-19 YRS	35	8.5	215	1	2	4	7	22	23	86
20-34	232	5.3	27	1	1	4	6	11	13	28
35-49	410	6.1	35	<1	1	4	8	13	17	30
50-64	781	7.5	67	1	2	5	9	15	21	46
65+	1071	9.6	112	1	2	6	12	20	30	58
GRAND TOTAL	**2529**	**8.0**	**81**	**1**	**2**	**5**	**10**	**16**	**23**	**49**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	5.2	18	1	1	4	7	10	13	23
20-34	108	5.5	50	<1	1	2	7	16	22	33
35-49	160	6.7	41	1	1	5	9	15	20	30
50-64	384	6.7	44	1	2	5	8	11	14	37
65+	398	7.0	24	1	2	6	9	13	16	24
2. MULTIPLE DX										
0-19 YRS	909	18.1	383	1	2	10	26	53	74	99+
20-34	542	10.4	193	1	1	6	12	25	42	85
35-49	936	11.2	148	1	2	7	14	26	39	83
50-64	3291	11.3	123	2	2	9	14	23	33	72
65+	6555	13.4	154	2	3	10	17	28	40	84
TOT. SINGLE DX	1182	6.5	35	1	1	5	9	13	16	29
" MULTIPLE DX	12233	12.9	167	2	2	9	16	28	42	89
TOTAL 0-19 YRS	1041	16.4	356	1	2	9	22	50	72	99+
20-34	650	9.6	173	1	1	5	11	24	39	84
35-49	1096	10.5	136	1	2	7	13	25	37	74
50-64	3675	10.8	117	1	2	8	13	22	32	70
65+	6953	13.0	149	2	3	10	16	27	39	83
GRAND TOTAL	**13415**	**12.3**	**159**	**1**	**2**	**9**	**15**	**27**	**40**	**85**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	3.0	9	<1	<1	2	4	7	9	16
20-34	209	2.8	9	<1	<1	2	3	7	10	13
35-49	161	3.2	17	<1	<1	2	3	7	10	27
50-64	163	3.1	12	<1	<1	2	4	7	10	22
65+	117	4.1	15	<1	1	3	5	9	13	19
2. MULTIPLE DX										
0-19 YRS	90	5.4	27	<1	1	4	7	11	13	29
20-34	269	8.4	107	<1	1	5	11	20	31	75
35-49	287	9.8	160	1	1	6	12	21	36	83
50-64	555	8.8	91	1	1	6	11	20	28	48
65+	812	10.5	94	1	2	8	15	22	30	47
TOT. SINGLE DX	831	3.2	12	<1	<1	2	4	7	10	17
" MULTIPLE DX	2013	9.4	103	1	1	6	13	21	29	55
TOTAL 0-19 YRS	271	3.8	16	<1	<1	2	5	9	11	16
20-34	478	5.9	72	<1	<1	3	8	14	22	49
35-49	448	7.4	118	<1	1	4	8	16	26	64
50-64	718	7.5	80	<1	1	4	10	18	26	44
65+	929	9.7	89	1	1	7	14	21	28	45
GRAND TOTAL	**2844**	**7.6**	**85**	**<1**	**1**	**4**	**10**	**18**	**26**	**47**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	6.4	54	<1	<1	3	12	18	18	18
20-34	13	3.9	4	<1	1	4	5	7	8	8
35-49	37	3.8	12	<1	1	4	4	7	9	21
50-64	52	5.2	27	1	1	3	7	12	17	28
65+	49	5.8	14	1	1	5	8	10	13	18
2. MULTIPLE DX										
0-19 YRS	11	4.6	9	1	1	6	7	8	9	9
20-34	44	8.0	42	1	2	7	10	12	18	37
35-49	96	9.3	119	1	2	6	11	22	33	90
50-64	239	9.4	91	2	3	7	11	17	28	66
65+	281	9.8	81	2	3	7	12	20	27	68
TOT. SINGLE DX	159	5.0	20	1	1	4	7	10	16	21
" MULTIPLE DX	671	9.4	87	2	2	7	11	19	28	70
TOTAL 0-19 YRS	19	5.4	27	<1	1	3	7	14	18	18
20-34	57	7.1	36	1	2	6	9	11	14	36
35-49	133	7.8	96	1	1	5	9	20	25	81
50-64	291	8.7	82	1	2	6	10	17	28	58
65+	330	9.2	73	2	2	7	11	18	26	63
GRAND TOTAL	**830**	**8.6**	**77**	**1**	**2**	**6**	**10**	**17**	**26**	**62**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64										
65+	2	24.5	421	10	10	24	39	39	39	39
TOT. SINGLE DX	3	12.0	100	2	2	12	19	22	22	22
" MULTIPLE DX	5	15.4	185	4	4	12	19	39	39	39
TOTAL 0-19 YRS	3	12.7	81	4	4	12	19	22	22	22
20-34	3	8.7	33	2	2	12	12	12	12	12
35-49										
50-64										
65+	2	24.5	421	10	10	24	39	39	39	39
GRAND TOTAL	**8**	**14.1**	**137**	**2**	**3**	**12**	**17**	**34**	**39**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	47.0		47	47	47	47	47	47	47
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15	43.5	157	24	27	44	53	94	99+	99+
20-34	11	45.4	434	10	20	43	56	73	89	90
35-49	3	33.0	37	26	26	36	37	37	37	37
50-64	1	28.0		28	28	28	28	28	28	28
65+										
TOT. SINGLE DX	2	36.0	242	25	25	36	47	47	47	47
" MULTIPLE DX	30	42.6	249	24	26	42	51	76	99	99+
TOTAL 0-19 YRS	16	43.7	148	24	28	45	49	91	99+	99+
20-34	12	43.7	430	11	20	42	54	70	87	90
35-49	3	33.0	37	26	26	36	37	37	37	37
50-64	1	28.0		28	28	28	28	28	28	28
65+										
GRAND TOTAL	**32**	**42.2**	**243**	**24**	**25**	**42**	**49**	**72**	**98**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	167	5.4	26	<1	1	5	7	10	12	33
20-34	157	7.4	43	2	2	6	8	13	18	42
35-49	88	6.8	29	1	2	6	8	12	15	35
50-64	107	6.7	34	<1	2	6	8	11	18	32
65+	81	6.0	19	1	1	5	8	11	13	25
2. MULTIPLE DX										
0-19 YRS	317	12.1	188	1	2	8	14	25	39	81
20-34	577	13.3	158	3	4	9	15	30	42	66
35-49	598	12.5	128	2	3	9	15	28	37	66
50-64	1121	12.3	116	2	3	10	15	25	33	60
65+	3562	13.8	133	3	4	11	17	27	37	73
TOT. SINGLE DX	600	6.4	32	1	1	5	8	11	15	33
" MULTIPLE DX	6175	13.2	136	3	4	10	16	27	37	71
TOTAL 0-19 YRS	484	9.8	143	1	1	7	10	21	34	70
20-34	734	12.0	140	2	4	8	13	27	40	63
35-49	686	11.8	120	2	3	9	15	26	35	64
50-64	1228	11.9	112	2	3	9	14	24	32	59
65+	3643	13.6	133	3	4	11	17	27	36	72
GRAND TOTAL	**6775**	**12.6**	**130**	**2**	**3**	**9**	**15**	**26**	**35**	**69**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	8.9	111	1	2	6	9	21	35	49
20-34	47	9.0	95	1	1	5	11	23	34	39
35-49	46	9.6	132	<1	1	5	12	27	35	58
50-64	38	7.9	205	<1	<1	3	7	19	46	67
65+	21	6.1	55	<1	1	3	7	17	23	29
2. MULTIPLE DX										
0-19 YRS	225	17.0	380	2	2	10	25	51	80	99+
20-34	336	15.8	263	1	2	11	22	37	57	99+
35-49	510	15.4	242	1	2	10	22	38	50	63
50-64	778	12.5	168	1	2	8	18	31	40	65
65+	1069	15.8	242	1	2	11	20	39	56	99+
TOT. SINGLE DX	202	8.6	123	<1	1	5	10	22	34	58
" MULTIPLE DX	2918	14.9	238	1	2	10	20	37	51	99+
TOTAL 0-19 YRS	275	15.5	341	1	2	9	21	47	77	99+
20-34	383	15.0	248	1	2	10	21	36	52	95
35-49	556	14.9	236	1	2	10	21	37	49	62
50-64	816	12.3	171	1	1	7	17	30	40	66
65+	1090	15.6	241	1	2	11	20	39	55	99+
GRAND TOTAL	**3120**	**14.5**	**233**	**1**	**2**	**10**	**20**	**36**	**51**	**96**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	3.0	24	<1	1	2	2	7	8	32
20-34	47	5.6	115	<1	<1	3	5	9	17	67
35-49	56	3.7	19	<1	<1	1	5	11	13	21
50-64	84	3.7	21	<1	<1	1	5	9	13	24
65+	103	4.0	19	<1	<1	2	6	11	13	21
2. MULTIPLE DX										
0-19 YRS	71	5.3	60	1	1	2	6	15	26	88
20-34	127	6.9	61	<1	1	5	9	14	20	40
35-49	318	8.6	126	1	1	6	10	17	25	64
50-64	720	8.8	96	1	1	6	11	20	30	61
65+	1356	10.2	109	1	2	7	13	22	29	69
TOT. SINGLE DX	350	3.9	34	<1	<1	2	5	9	13	25
" MULTIPLE DX	2592	9.3	105	1	1	7	12	20	29	62
TOTAL 0-19 YRS	131	4.3	45	<1	1	2	4	9	19	56
20-34	174	6.5	75	<1	<1	4	8	12	20	50
35-49	374	7.9	114	<1	1	5	9	16	23	62
50-64	804	8.2	91	<1	1	5	11	19	29	60
65+	1459	9.8	106	1	1	7	13	21	28	67
GRAND TOTAL	**2942**	**8.7**	**100**	**<1**	**1**	**6**	**11**	**19**	**28**	**61**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	3.8	5	2	2	3	4	5	7	11
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	16.5	113	9	9	16	24	24	24	24
50-64	2	10.5	5	9	9	10	12	12	12	12
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	102	5.1	9	2	2	4	6	8	10	20
20-34	10	10.8	56	3	4	10	10	21	31	31
35-49	8	15.9	82	6	7	16	26	74	99+	99+
50-64	19	17.6	216	7	8	14	16	58	80	99+
65+	38	20.8	167	9	10	17	27	37	52	62
TOT. SINGLE DX	297	4.0	7	2	2	4	4	6	8	13
" MULTIPLE DX	177	10.6	116	2	3	7	13	24	33	89
TOTAL 0-19 YRS	392	4.1	7	2	2	4	5	6	8	15
20-34	12	9.9	51	3	4	9	10	18	29	31
35-49	10	16.0	77	6	7	16	24	60	97	99+
50-64	21	17.0	200	7	8	14	16	57	77	99+
65+	39	20.5	169	7	9	16	26	36	51	62
GRAND TOTAL	**474**	**6.5**	**58**	**2**	**2**	**4**	**6**	**14**	**21**	**56**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	8.8	25	1	1	9	11	15	15	15
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	7	17.0	118	5	6	16	25	33	34	34
65+	14	17.2	347	4	5	8	21	34	66	75
2. MULTIPLE DX										
0-19 YRS	65	25.4	589	3	5	20	50	93	99+	99+
20-34	27	20.2	327	2	4	17	35	91	99+	99+
35-49	41	19.5	370	1	2	14	41	67	99+	99+
50-64	159	20.5	381	3	4	14	34	63	99+	99+
65+	1292	24.2	434	3	5	19	36	70	97	99+
TOT. SINGLE DX	30	14.1	209	1	4	9	21	28	34	75
" MULTIPLE DX	1584	23.7	433	3	5	18	36	71	99+	99+
TOTAL 0-19 YRS	70	24.3	567	3	5	18	45	90	99+	99+
20-34	29	19.3	316	2	4	16	29	87	99+	99+
35-49	43	18.7	366	1	2	12	40	67	99+	99+
50-64	166	20.4	370	3	4	14	34	60	99+	99+
65+	1306	24.1	434	3	5	19	36	70	97	99+
GRAND TOTAL	**1614**	**23.5**	**430**	**3**	**5**	**18**	**36**	**71**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.9	3	1	1	4	6	6	6	6
20-34	37	4.0	10	<1	<1	3	6	9	11	13
35-49	47	4.1	14	<1	<1	3	5	9	10	22
50-64	79	4.7	10	<1	<1	4	7	8	10	16
65+	53	4.8	8	<1	<1	5	7	9	11	13
2. MULTIPLE DX										
0-19 YRS	16	8.8	71	1	2	6	9	18	30	35
20-34	139	7.8	46	<1	2	6	9	16	24	34
35-49	307	8.2	69	<1	2	6	10	14	22	56
50-64	717	8.5	49	1	3	7	10	16	21	37
65+	2167	11.5	114	3	4	9	13	22	32	66
TOT. SINGLE DX	225	4.5	11	<1	<1	4	6	8	10	15
" MULTIPLE DX	3346	10.4	95	2	3	8	12	20	28	58
TOTAL 0-19 YRS	25	7.0	52	1	2	6	7	17	22	35
20-34	176	7.0	42	<1	1	5	9	15	21	33
35-49	354	7.7	64	<1	1	6	9	14	21	53
50-64	796	8.1	46	<1	2	7	10	15	20	37
65+	2220	11.3	113	3	4	8	13	22	31	65
GRAND TOTAL	**3571**	**10.0**	**92**	**1**	**3**	**8**	**12**	**20**	**27**	**57**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	13	9.6	15	4	6	9	11	14	19	20
35-49	44	11.9	25	7	7	10	14	18	25	28
50-64	42	12.0	19	7	8	11	14	16	22	28
65+	34	13.2	31	8	9	12	15	21	26	32
2. MULTIPLE DX										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	47	19.0	155	8	8	14	24	41	44	54
35-49	131	15.1	134	7	8	11	17	24	38	99
50-64	326	19.1	170	8	9	15	22	37	48	68
65+	704	22.0	193	9	10	18	26	42	52	88
TOT. SINGLE DX	133	12.0	24	7	8	11	14	18	24	29
" MULTIPLE DX	1209	20.3	184	8	9	16	24	40	51	86
TOTAL 0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	60	17.0	140	7	7	12	19	39	42	54
35-49	175	14.3	109	7	7	11	16	23	29	90
50-64	368	18.3	158	8	9	14	21	32	46	67
65+	738	21.5	190	9	10	18	26	42	52	88
GRAND TOTAL	**1342**	**19.5**	**175**	**8**	**9**	**15**	**23**	**37**	**48**	**82**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49	1	13.0		13	13	13	13	13	13	13
50-64	6	11.8	2	9	9	12	12	14	14	14
65+	3	20.0	49	13	13	20	25	27	27	27
2. MULTIPLE DX										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	2	25.0	200	15	15	25	35	35	35	35
35-49	23	18.7	265	7	9	13	15	53	62	63
50-64	75	23.5	129	10	12	21	30	45	51	88
65+	135	22.6	144	11	11	20	27	42	52	99+
TOT. SINGLE DX	11	15.7	44	9	11	13	18	28	29	29
" MULTIPLE DX	236	22.5	151	10	11	20	27	43	52	99+
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	3	26.3	105	15	15	29	33	35	35	35
35-49	24	18.5	255	8	9	13	15	52	62	63
50-64	81	22.7	129	10	12	21	29	44	50	85
65+	138	22.5	142	11	11	20	27	42	52	99+
GRAND TOTAL	**247**	**22.2**	**148**	**10**	**11**	**19**	**27**	**43**	**52**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	9.3	13	5	6	9	10	14	18	20
35-49	19	9.3	15	4	5	8	10	16	18	19
50-64	22	11.7	41	6	6	10	11	21	29	31
65+	7	13.0	14	8	9	13	15	19	20	20
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	18	19.8	172	8	9	15	23	44	50	52
35-49	49	12.5	109	5	6	10	13	19	27	65
50-64	63	15.7	179	7	7	12	17	26	45	86
65+	115	22.6	364	8	9	15	25	45	64	97
TOT. SINGLE DX	67	10.5	24	5	6	9	11	16	20	30
" MULTIPLE DX	246	18.5	266	7	7	13	20	37	51	91
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	37	14.4	116	6	6	10	16	25	44	52
35-49	68	11.6	85	5	6	10	12	18	21	62
50-64	85	14.6	146	6	7	11	16	26	35	77
65+	122	22.0	349	8	9	15	24	45	63	97
GRAND TOTAL	**313**	**16.8**	**225**	**6**	**7**	**11**	**18**	**32**	**49**	**88**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	6.0	8	2	3	6	8	10	12	12
20-34	126	7.0	4	4	5	7	8	10	11	14
35-49	116	8.0	64	4	4	7	9	11	13	41
50-64	48	8.8	10	5	5	8	10	12	13	24
65+	38	10.2	28	3	6	10	11	16	18	33
2. MULTIPLE DX										
0-19 YRS	90	21.5	427	5	5	15	35	83	99+	99+
20-34	243	9.9	52	4	5	8	11	16	21	49
35-49	485	11.1	81	5	5	8	12	22	30	67
50-64	373	14.0	120	5	6	10	16	29	41	99+
65+	725	19.8	200	7	8	15	24	42	55	99+
TOT. SINGLE DX	356	7.8	29	4	4	7	9	11	13	19
" MULTIPLE DX	1916	15.3	164	5	6	11	19	32	48	99+
TOTAL 0-19 YRS	118	17.8	371	3	4	10	28	68	99+	99+
20-34	369	8.9	38	4	5	8	10	13	19	39
35-49	601	10.5	79	4	5	8	11	19	27	66
50-64	421	13.5	111	5	6	10	15	27	39	99+
65+	763	19.4	196	7	8	15	24	40	54	99+
GRAND TOTAL	**2272**	**14.1**	**150**	**5**	**5**	**10**	**16**	**30**	**44**	**99+**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	5.1	20	<1	1	4	6	10	18	22
20-34	141	5.5	17	<1	<1	5	7	11	13	23
35-49	140	4.6	16	<1	<1	4	6	9	13	18
50-64	206	3.4	17	<1	<1	1	5	9	10	22
65+	203	3.5	14	<1	<1	1	5	9	11	16
2. MULTIPLE DX										
0-19 YRS	99	11.0	274	1	2	6	9	21	52	91
20-34	330	8.6	79	1	2	7	9	16	24	53
35-49	475	8.3	64	1	2	6	11	16	20	45
50-64	1070	7.8	48	<1	1	6	10	15	19	38
65+	3281	10.5	100	1	2	8	13	20	29	58
TOT. SINGLE DX	749	4.2	17	<1	<1	3	6	9	12	20
" MULTIPLE DX	5255	9.6	90	1	2	7	12	18	26	55
TOTAL 0-19 YRS	158	8.8	187	1	1	5	8	17	28	85
20-34	471	7.7	63	<1	2	6	9	13	20	47
35-49	615	7.5	56	<1	<1	6	9	14	18	38
50-64	1276	7.1	46	<1	<1	6	9	15	18	35
65+	3484	10.0	98	1	2	8	12	20	28	57
GRAND TOTAL	**6004**	**8.9**	**84**	**<1**	**1**	**7**	**11**	**18**	**25**	**53**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	11.4	66	5	6	8	12	21	34	39
20-34	19	10.2	12	7	7	9	11	16	19	20
35-49	27	11.6	23	6	7	10	15	20	21	22
50-64	25	11.4	28	6	6	10	13	18	26	26
65+	32	12.1	51	5	6	9	15	23	29	33
2. MULTIPLE DX										
0-19 YRS	69	18.4	460	5	6	11	22	79	99+	99+
20-34	139	15.5	158	7	7	12	17	30	45	99+
35-49	152	18.0	226	7	8	12	20	36	53	85
50-64	282	19.8	202	7	8	15	24	43	54	94
65+	761	21.6	227	8	9	17	27	43	60	99+
TOT. SINGLE DX	125	11.4	37	6	7	10	13	20	25	34
" MULTIPLE DX	1403	20.1	231	7	8	15	25	42	59	99+
TOTAL 0-19 YRS	91	16.7	373	5	6	10	16	66	99+	99+
20-34	158	14.9	144	7	7	11	16	27	35	98
35-49	179	17.0	201	7	7	12	19	33	51	79
50-64	307	19.1	194	7	8	14	24	41	54	90
65+	793	21.2	224	8	9	17	26	42	59	99+
GRAND TOTAL	**1528**	**19.4**	**220**	**7**	**8**	**15**	**23**	**40**	**58**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	12.9	126	5	6	8	15	23	42	51
20-34	77	13.0	66	6	6	10	15	27	30	40
35-49	156	10.5	25	6	7	9	11	17	20	32
50-64	337	10.7	15	6	7	10	12	16	19	24
65+	378	11.3	22	7	8	10	12	16	21	29
2. MULTIPLE DX										
0-19 YRS	49	18.8	255	7	8	12	22	36	59	79
20-34	264	15.8	138	7	7	12	18	27	40	68
35-49	649	14.3	74	7	8	11	16	25	32	49
50-64	2108	14.9	95	7	8	12	17	25	33	60
65+	5787	17.9	136	8	9	14	21	31	42	83
TOT. SINGLE DX	965	11.1	26	6	7	10	12	17	21	30
" MULTIPLE DX	8857	16.9	125	8	8	13	20	30	39	77
TOTAL 0-19 YRS	66	17.3	227	6	7	12	20	34	52	78
20-34	341	15.1	123	6	7	12	18	27	37	67
35-49	805	13.6	67	7	7	11	15	23	30	42
50-64	2445	14.3	86	7	8	11	16	23	31	55
65+	6165	17.5	132	8	9	14	21	31	41	81
GRAND TOTAL	**9822**	**16.3**	**118**	**7**	**8**	**13**	**19**	**29**	**38**	**75**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	11.0	38	4	4	10	15	19	19	19
20-34	5	9.6	5	7	7	9	11	13	13	13
35-49	5	9.0	9	4	4	10	11	12	12	12
50-64	8	10.6	20	3	4	12	14	15	15	15
65+	20	10.4	14	4	7	10	12	15	18	19
2. MULTIPLE DX										
0-19 YRS	16	16.6	300	6	6	13	18	24	62	78
20-34	27	11.4	29	4	5	10	15	21	33	99+
35-49	52	13.4	71	6	7	12	17	20	23	59
50-64	108	16.9	179	6	7	12	21	35	47	72
65+	281	18.9	172	8	9	15	22	34	57	99+
TOT. SINGLE DX	42	10.2	15	3	5	10	13	15	18	19
" MULTIPLE DX	484	17.4	164	6	8	14	21	30	49	99+
TOTAL 0-19 YRS	20	15.5	249	5	6	12	18	22	51	78
20-34	32	11.1	26	4	6	10	14	20	25	99+
35-49	57	13.0	67	5	7	11	17	20	23	58
50-64	116	16.5	171	6	6	12	19	32	45	69
65+	301	18.3	167	8	9	15	22	32	53	99+
GRAND TOTAL	**526**	**16.8**	**155**	**6**	**7**	**13**	**20**	**29**	**47**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	5.9	16	2	3	5	7	9	11	27
20-34	67	8.6	8	6	6	8	9	11	12	23
35-49	86	8.1	7	4	5	8	10	12	13	16
50-64	87	9.0	12	4	4	9	11	13	15	21
65+	130	8.6	13	2	5	9	10	12	13	18
2. MULTIPLE DX										
0-19 YRS	113	11.0	93	3	4	8	12	20	38	78
20-34	180	12.8	107	5	5	9	15	28	39	64
35-49	267	13.8	143	5	6	10	14	26	37	69
50-64	549	13.5	120	5	6	10	15	25	36	66
65+	1122	14.8	136	5	6	11	17	28	40	76
TOT. SINGLE DX	447	8.1	13	3	4	8	10	12	13	20
" MULTIPLE DX	2231	14.0	130	5	6	10	16	27	39	70
TOTAL 0-19 YRS	190	8.9	68	3	3	7	10	16	27	57
20-34	247	11.6	84	5	6	9	11	21	34	53
35-49	353	12.4	117	5	5	9	13	23	31	55
50-64	636	12.9	108	4	6	10	14	23	31	63
65+	1252	14.2	128	5	6	11	16	27	38	75
GRAND TOTAL	**2678**	**13.0**	**115**	**4**	**5**	**10**	**14**	**24**	**35**	**66**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.3	8	2	2	7	8	10	11	11
20-34	4	9.8	2	8	8	10	11	11	11	11
35-49	4	9.0	2	8	8	9	10	11	11	11
50-64	19	13.2	59	4	7	10	18	26	30	30
65+	22	11.0	14	5	7	11	13	16	18	19
2. MULTIPLE DX										
0-19 YRS	14	25.1	640	5	5	16	34	96	99	99+
20-34	29	21.6	219	7	8	19	29	61	98	99+
35-49	57	16.7	103	6	7	14	22	33	54	99+
50-64	209	19.2	153	8	9	16	23	34	43	83
65+	589	22.2	215	7	9	18	28	44	67	99+
TOT. SINGLE DX	56	10.9	31	3	6	10	13	18	21	30
" MULTIPLE DX	898	21.2	203	7	9	17	26	42	60	99+
TOTAL 0-19 YRS	21	18.9	502	3	4	11	24	72	98	99+
20-34	33	20.2	208	7	8	16	28	55	92	99+
35-49	61	16.2	101	7	8	14	21	33	51	99+
50-64	228	18.7	148	7	8	16	22	33	42	78
65+	611	21.8	213	7	9	18	28	43	66	99+
GRAND TOTAL	**954**	**20.6**	**199**	**7**	**8**	**17**	**25**	**41**	**58**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3962	4.0	5	2	2	3	4	7	8	11
20-34	2840	4.1	3	2	2	4	5	6	8	11
35-49	958	4.9	9	2	3	4	6	8	9	14
50-64	373	5.9	8	2	3	5	8	10	11	15
65+	121	6.9	15	3	3	6	9	12	14	22
2. MULTIPLE DX										
0-19 YRS	1236	6.3	24	2	3	5	8	12	16	25
20-34	1159	6.2	14	3	3	5	8	11	13	22
35-49	668	7.9	25	3	3	7	10	14	17	29
50-64	567	9.7	52	3	4	8	11	16	21	32
65+	469	12.6	104	4	5	10	15	21	28	67
TOT. SINGLE DX	8254	4.3	6	2	2	4	5	7	9	12
" MULTIPLE DX	4099	7.7	39	3	3	6	9	14	18	33
TOTAL 0-19 YRS	5198	4.6	11	2	2	4	5	8	10	17
20-34	3999	4.7	8	2	2	4	5	8	10	15
35-49	1626	6.2	18	2	3	5	7	11	14	22
50-64	940	8.2	38	3	3	7	10	14	18	28
65+	590	11.4	91	4	4	9	13	20	26	62
GRAND TOTAL	**12353**	**5.4**	**20**	**2**	**2**	**4**	**6**	**10**	**12**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	4.0	2	2	2	4	5	6	8	9
20-34	28	4.7	8	2	3	4	5	7	9	18
35-49	8	6.0	10	3	3	5	8	11	12	12
50-64	8	7.3	23	2	3	5	10	15	17	17
65+										
2. MULTIPLE DX										
0-19 YRS	12	4.8	1	3	3	5	6	6	7	7
20-34	27	5.6	6	3	3	5	7	9	11	13
35-49	8	7.6	26	4	4	6	7	16	20	20
50-64	4	6.0	3	4	4	6	7	8	8	8
65+	3	32.0	111	22	22	31	40	43	43	43
TOT. SINGLE DX	82	4.8	8	2	3	4	5	8	10	18
" MULTIPLE DX	54	7.2	49	3	3	5	7	11	22	43
TOTAL 0-19 YRS	50	4.2	2	2	3	4	5	6	7	9
20-34	55	5.2	8	2	3	4	6	8	10	18
35-49	16	6.8	18	3	3	6	7	12	18	20
50-64	12	6.8	16	2	3	6	9	12	16	17
65+	3	32.0	111	22	22	31	40	43	43	43
GRAND TOTAL	**136**	**5.7**	**25**	**2**	**3**	**4**	**6**	**9**	**13**	**33**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	8.6	26	3	3	9	10	15	21	22
20-34	8	7.5	6	3	4	8	9	10	11	11
35-49	8	8.6	8	5	5	9	10	13	14	14
50-64	4	11.0	54	7	7	8	15	22	22	22
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	10	12.2	92	3	3	9	16	28	33	33
20-34	7	15.0	53	5	6	16	22	24	24	24
35-49	8	12.5	29	8	8	11	14	21	24	24
50-64	7	11.0	14	7	7	9	14	17	17	17
65+	12	16.9	89	6	8	14	19	32	40	41
TOT. SINGLE DX	32	9.0	21	3	4	9	10	15	21	22
" MULTIPLE DX	44	13.8	62	4	6	12	17	24	29	41
TOTAL 0-19 YRS	21	10.3	58	3	3	9	11	22	27	33
20-34	15	11.0	41	3	5	9	15	23	24	24
35-49	16	10.6	22	5	6	9	14	14	21	24
50-64	11	11.0	25	7	7	9	14	19	22	22
65+	13	17.1	83	6	8	15	19	31	39	41
GRAND TOTAL	**76**	**11.8**	**50**	**4**	**5**	**9**	**15**	**22**	**24**	**39**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	4.5	27	<1	1	3	5	10	17	26
20-34	41	3.2	5	<1	<1	2	4	7	8	9
35-49	46	4.3	19	<1	<1	3	5	12	14	18
50-64	85	2.9	5	<1	<1	2	4	6	8	12
65+	158	4.0	19	<1	1	3	4	9	12	23
2. MULTIPLE DX										
0-19 YRS	35	6.8	56	<1	1	4	9	20	24	29
20-34	62	7.2	59	1	1	5	7	14	20	41
35-49	99	7.0	50	1	1	5	8	15	21	40
50-64	240	7.3	69	1	1	5	9	16	24	46
65+	868	8.4	81	1	2	6	11	18	26	47
TOT. SINGLE DX	370	3.7	16	<1	<1	2	4	8	12	20
" MULTIPLE DX	1304	8.0	76	1	1	5	10	18	24	45
TOTAL 0-19 YRS	75	5.6	42	<1	1	3	6	14	22	38
20-34	103	5.6	41	<1	1	4	7	11	17	40
35-49	145	6.1	42	<1	1	4	7	13	18	31
50-64	325	6.1	56	<1	1	4	8	13	20	45
65+	1026	7.7	75	1	1	5	10	17	24	44
GRAND TOTAL	**1674**	**7.0**	**65**	**1**	**1**	**4**	**9**	**16**	**22**	**42**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	3.0	4	<1	1	2	4	6	8	9
20-34	118	2.8	5	1	1	2	3	5	7	13
35-49	111	3.2	8	1	1	3	4	5	9	16
50-64	48	3.6	7	1	1	3	4	7	11	14
65+	13	5.1	17	1	2	3	6	13	14	14
2. MULTIPLE DX										
0-19 YRS	19	5.7	45	<1	1	3	8	11	22	30
20-34	96	5.2	31	1	1	4	6	10	13	34
35-49	122	5.1	32	1	1	3	5	12	20	27
50-64	101	6.3	55	1	1	4	7	12	23	39
65+	103	8.6	63	1	2	7	11	17	21	47
TOT. SINGLE DX	311	3.1	7	1	1	3	4	6	9	14
" MULTIPLE DX	441	6.2	47	1	1	4	8	13	20	36
TOTAL 0-19 YRS	40	4.3	25	<1	1	3	4	9	11	30
20-34	214	3.8	18	1	1	3	4	8	11	17
35-49	233	4.2	22	1	1	3	4	9	13	26
50-64	149	5.4	42	1	1	4	6	11	19	36
65+	116	8.2	59	1	2	6	10	16	20	43
GRAND TOTAL	**752**	**5.0**	**33**	**1**	**1**	**3**	**5**	**11**	**15**	**28**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	12.8	55	6	6	9	19	24	27	27
20-34	16	10.9	6	7	7	11	13	15	15	15
35-49	35	10.1	11	7	7	9	11	15	18	19
50-64	118	11.9	20	7	8	11	14	17	20	28
65+	114	12.3	17	7	8	12	15	17	20	25
2. MULTIPLE DX										
0-19 YRS	28	14.9	99	6	7	12	16	27	34	54
20-34	41	16.6	72	8	9	14	20	33	40	99+
35-49	123	16.6	144	7	9	14	18	26	34	74
50-64	519	15.3	74	8	9	13	17	23	29	54
65+	1316	19.5	131	9	10	16	23	33	44	75
TOT. SINGLE DX	292	11.8	19	7	8	11	14	17	20	26
" MULTIPLE DX	2027	18.1	120	8	9	15	21	30	40	72
TOTAL 0-19 YRS	37	14.4	87	6	7	11	16	26	31	54
20-34	57	15.0	60	8	8	13	18	25	36	96
35-49	158	15.1	123	7	8	12	17	23	33	68
50-64	637	14.7	66	8	9	13	17	22	28	49
65+	1430	18.9	126	9	10	16	22	32	44	74
GRAND TOTAL	**2319**	**17.3**	**111**	**8**	**9**	**14**	**20**	**29**	**39**	**67**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	4.6	18	1	1	3	6	9	15	21
20-34	404	4.4	14	<1	<1	3	6	8	11	20
35-49	438	4.0	14	<1	<1	3	5	8	9	17
50-64	465	4.2	11	<1	<1	4	5	8	11	16
65+	440	4.7	16	<1	<1	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	255	5.7	23	1	1	4	7	11	14	26
20-34	1414	6.7	48	1	2	5	8	12	17	34
35-49	2146	6.8	35	1	2	5	8	13	17	33
50-64	3838	7.8	54	1	2	6	9	14	19	45
65+	9324	9.8	82	2	3	7	12	18	25	55
TOT. SINGLE DX	1845	4.3	14	<1	<1	4	6	8	11	20
" MULTIPLE DX	16977	8.6	68	2	3	7	10	16	22	48
TOTAL 0-19 YRS	353	5.4	22	1	1	4	7	11	14	26
20-34	1818	6.2	42	1	2	5	7	11	16	30
35-49	2584	6.4	33	<1	2	5	8	12	17	31
50-64	4303	7.4	51	1	2	6	9	14	19	42
65+	9764	9.6	81	2	3	7	11	18	25	55
GRAND TOTAL	**18822**	**8.2**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**46**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	2.3	8	<1	<1	1	3	4	4	17
20-34	212	2.4	2	1	1	2	3	4	5	9
35-49	233	2.4	1	1	1	2	3	4	4	7
50-64	115	2.5	2	1	1	2	3	4	5	8
65+	32	2.5	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	19	2.8	7	<1	1	2	4	6	9	12
20-34	212	3.4	13	1	1	3	4	6	9	16
35-49	263	3.3	9	1	1	3	4	6	8	22
50-64	219	3.0	5	1	1	3	4	5	7	11
65+	147	3.9	27	1	1	3	4	6	10	20
TOT. SINGLE DX	623	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	860	3.3	12	1	1	3	4	6	8	18
TOTAL 0-19 YRS	50	2.5	8	<1	<1	2	3	4	6	17
20-34	424	2.9	8	1	1	2	3	5	6	14
35-49	496	2.9	6	1	1	3	3	5	6	13
50-64	334	2.8	5	1	1	2	3	5	6	9
65+	179	3.6	23	1	1	3	4	6	9	19
GRAND TOTAL	**1483**	**2.9**	**8**	**1**	**1**	**3**	**3**	**5**	**6**	**14**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.8	1	<1	<1	1	3	4	5	5
20-34	162	2.0	1	<1	<1	2	3	4	5	7
35-49	100	2.3	3	<1	1	2	3	4	5	10
50-64	51	2.8	5	<1	1	2	3	5	7	16
65+	21	2.1	1	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	19	3.6	19	<1	<1	3	4	7	15	20
20-34	180	2.9	10	1	1	2	4	5	7	14
35-49	208	3.4	11	1	1	3	4	6	9	14
50-64	189	3.7	13	1	1	3	4	6	9	23
65+	167	5.9	80	1	1	4	6	10	13	54
TOT. SINGLE DX	353	2.2	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	763	3.9	28	1	1	3	4	7	10	26
TOTAL 0-19 YRS	38	2.7	11	<1	<1	1	3	5	8	20
20-34	342	2.5	6	<1	1	2	3	5	5	10
35-49	308	3.0	9	<1	1	2	4	5	7	14
50-64	240	3.5	12	1	1	3	4	6	8	19
65+	188	5.4	73	1	1	3	6	10	12	53
GRAND TOTAL	**1116**	**3.3**	**21**	**<1**	**1**	**2**	**4**	**6**	**9**	**17**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.8	1	1	1	3	4	4	4	4
20-34	168	3.0	2	1	1	3	4	5	6	8
35-49	209	3.1	2	1	1	3	4	5	6	7
50-64	161	3.1	3	1	1	3	4	6	6	10
65+	58	3.1	2	1	1	3	4	6	6	7
2. MULTIPLE DX										
0-19 YRS	20	3.1	3	1	1	3	4	6	8	9
20-34	751	3.3	9	1	1	3	4	6	7	14
35-49	1307	3.4	5	1	1	3	4	6	7	11
50-64	1149	3.9	12	1	1	3	5	7	9	21
65+	738	5.0	25	1	1	4	6	10	14	23
TOT. SINGLE DX	601	3.1	3	1	1	3	4	5	6	7
" MULTIPLE DX	3965	3.8	13	1	1	3	5	7	9	18
TOTAL 0-19 YRS	25	3.0	3	1	1	3	4	6	7	9
20-34	919	3.2	8	1	1	3	4	6	7	13
35-49	1516	3.3	5	1	1	3	4	6	7	11
50-64	1310	3.8	11	1	1	3	5	7	9	20
65+	796	4.9	25	1	1	4	6	10	14	23
GRAND TOTAL	**4566**	**3.7**	**11**	**1**	**1**	**3**	**5**	**6**	**8**	**17**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	3.8	18	<1	1	3	5	6	10	28
20-34	192	2.7	2	1	1	2	3	5	6	9
35-49	195	3.0	6	1	1	2	4	6	8	14
50-64	101	3.1	5	<1	1	3	4	5	7	13
65+	42	5.0	104	<1	1	3	5	7	16	66
2. MULTIPLE DX										
0-19 YRS	61	6.2	39	1	2	4	8	13	19	36
20-34	193	3.6	9	1	1	3	5	7	10	19
35-49	242	4.2	15	1	1	3	5	8	10	20
50-64	230	5.6	37	1	1	4	7	12	17	36
65+	240	7.4	86	1	2	5	9	16	22	73
TOT. SINGLE DX	576	3.1	13	1	1	2	4	5	8	15
" MULTIPLE DX	966	5.4	41	1	1	3	6	11	17	34
TOTAL 0-19 YRS	107	5.2	32	1	1	3	6	11	14	32
20-34	385	3.2	7	1	1	2	4	6	8	13
35-49	437	3.7	12	1	1	3	4	7	9	19
50-64	331	4.8	29	1	1	3	5	9	16	34
65+	282	7.1	90	1	1	4	8	15	22	70
GRAND TOTAL	**1542**	**4.5**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	2	14.0	288	2	2	14	26	26	26	26
35-49	3	11.0	12	7	7	13	13	13	13	13
50-64	7	5.3	14	1	1	5	8	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	4	5.8	3	4	4	5	7	8	8	8
20-34	10	13.4	69	5	5	12	18	26	30	30
35-49	9	11.7	99	1	1	10	19	26	29	29
50-64	22	20.9	247	1	2	19	25	47	53	60
65+	40	19.3	141	1	2	20	29	33	36	46
TOT. SINGLE DX	16	7.7	40	1	1	6	11	13	22	26
" MULTIPLE DX	85	17.6	161	1	2	17	27	33	39	56
TOTAL 0-19 YRS	7	5.1	2	4	4	5	6	8	8	8
20-34	12	13.5	83	2	4	12	20	27	30	30
35-49	12	11.5	75	1	1	11	16	24	28	29
50-64	29	17.1	235	1	1	12	22	42	50	60
65+	41	19.1	139	2	3	19	29	33	36	46
GRAND TOTAL	**101**	**16.0**	**155**	**1**	**2**	**14**	**24**	**32**	**37**	**54**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	5.7	28	1	1	4	8	13	16	21
20-34	101	4.3	70	<1	<1	1	5	10	17	48
35-49	117	2.3	7	<1	<1	1	2	6	9	14
50-64	127	2.3	8	<1	<1	1	2	6	8	15
65+	64	3.4	45	<1	1	1	2	8	14	43
2. MULTIPLE DX										
0-19 YRS	62	14.3	373	1	1	8	15	44	76	98
20-34	203	11.0	165	1	1	8	14	30	39	99+
35-49	299	9.2	124	1	1	6	12	24	29	78
50-64	687	10.0	137	1	1	7	14	23	33	59
65+	890	11.6	118	1	1	9	16	25	33	52
TOT. SINGLE DX	432	3.1	30	<1	<1	1	2	8	12	24
" MULTIPLE DX	2141	10.8	138	1	1	8	14	25	35	63
TOTAL 0-19 YRS	85	12.0	294	1	1	7	12	36	56	95
20-34	304	8.8	143	<1	1	5	11	24	35	83
35-49	416	7.2	101	<1	1	3	10	18	28	59
50-64	814	8.8	125	<1	1	5	13	21	31	55
65+	954	11.0	118	1	1	8	15	24	33	52
GRAND TOTAL	**2573**	**9.5**	**128**	**1**	**1**	**6**	**13**	**23**	**32**	**61**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	195	5.6	3	3	4	5	6	8	9	12
20-34	2080	5.6	4	3	4	5	6	8	9	12
35-49	2069	5.9	4	3	4	6	7	8	10	13
50-64	1609	6.4	6	4	4	6	7	9	11	14
65+	758	7.7	9	4	5	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	149	8.8	65	4	4	7	9	14	19	51
20-34	2145	7.3	19	4	4	6	8	12	14	24
35-49	3043	7.7	23	4	4	6	9	12	15	24
50-64	4303	9.3	41	4	5	8	11	15	19	35
65+	6237	12.8	76	5	6	10	15	22	28	54
TOT. SINGLE DX	6711	6.1	6	3	4	6	7	9	10	14
" MULTIPLE DX	15877	10.1	54	4	5	8	12	17	22	43
TOTAL 0-19 YRS	344	7.0	33	3	4	6	8	10	13	38
20-34	4225	6.5	13	3	4	6	7	10	12	20
35-49	5112	7.0	17	4	4	6	8	11	13	21
50-64	5912	8.5	33	4	4	7	10	14	17	30
65+	6995	12.2	72	5	6	10	14	21	27	52
GRAND TOTAL	**22588**	**8.9**	**43**	**4**	**4**	**7**	**10**	**15**	**20**	**37**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	9.7	14	7	7	8	12	14	14	14
20-34	28	6.1	35	1	1	4	9	17	18	19
35-49	38	5.8	25	1	1	4	10	12	14	22
50-64	40	7.2	35	1	1	7	12	16	18	24
65+	72	10.1	65	1	2	9	15	19	22	45
2. MULTIPLE DX										
0-19 YRS	11	14.3	87	<1	2	12	20	27	33	34
20-34	49	9.7	45	1	2	8	13	21	23	27
35-49	124	12.7	131	2	2	10	16	24	29	66
50-64	295	14.3	132	2	3	12	18	29	37	61
65+	1015	16.1	133	2	4	14	20	30	38	63
TOT. SINGLE DX	181	7.9	47	1	1	7	12	17	19	24
" MULTIPLE DX	1494	15.3	132	2	3	13	19	29	37	62
TOTAL 0-19 YRS	14	13.3	73	1	3	11	19	23	32	34
20-34	77	8.4	44	1	1	7	12	19	21	27
35-49	162	11.1	115	1	2	9	15	22	28	53
50-64	335	13.4	126	1	2	11	17	28	36	59
65+	1087	15.7	131	2	4	14	19	29	38	62
GRAND TOTAL	**1675**	**14.5**	**128**	**2**	**3**	**12**	**18**	**28**	**36**	**60**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.9	6	<1	<1	2	4	7	8	8
20-34	33	6.8	52	<1	1	5	9	17	24	32
35-49	66	5.7	32	<1	<1	5	8	10	17	30
50-64	70	6.0	59	<1	<1	3	8	13	22	46
65+	76	5.3	40	<1	<1	2	7	16	21	26
2. MULTIPLE DX										
0-19 YRS	16	16.1	383	1	2	7	17	55	61	63
20-34	113	14.4	274	1	1	9	16	33	58	89
35-49	269	14.8	224	1	2	10	19	35	49	82
50-64	429	14.4	190	1	2	10	18	35	46	80
65+	695	13.8	165	1	2	11	18	30	44	99+
TOT. SINGLE DX	253	5.7	44	<1	<1	3	8	13	19	30
" MULTIPLE DX	1522	14.2	193	1	2	10	18	33	48	91
TOTAL 0-19 YRS	24	11.7	292	<1	1	5	11	42	59	63
20-34	146	12.7	234	1	1	8	14	30	53	83
35-49	335	13.0	199	1	1	8	17	32	43	77
50-64	499	13.2	181	1	2	9	17	33	44	72
65+	771	13.0	160	1	2	10	17	28	41	97
GRAND TOTAL	**1775**	**13.0**	**180**	**1**	**2**	**9**	**17**	**30**	**43**	**83**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	4.3	23	<1	1	3	5	7	10	31
20-34	236	4.8	15	1	1	4	6	10	13	19
35-49	194	4.7	13	<1	1	4	6	10	13	16
50-64	227	5.0	17	<1	<1	4	7	9	12	22
65+	238	5.8	38	<1	1	5	7	11	14	38
2. MULTIPLE DX										
0-19 YRS	170	7.4	69	1	2	5	9	15	25	60
20-34	534	7.0	64	1	2	5	8	14	19	52
35-49	750	7.3	47	1	2	5	9	14	20	37
50-64	1435	7.7	44	1	2	6	10	14	19	42
65+	5117	9.9	91	2	3	7	12	19	27	69
TOT. SINGLE DX	997	5.0	22	<1	1	4	6	10	13	24
" MULTIPLE DX	8006	9.0	78	2	2	7	11	18	25	55
TOTAL 0-19 YRS	272	6.2	54	1	1	4	7	12	19	45
20-34	770	6.3	50	1	2	4	7	12	17	32
35-49	944	6.8	42	1	2	5	8	14	18	35
50-64	1662	7.3	42	1	2	6	9	14	19	37
65+	5355	9.7	90	2	3	7	12	19	26	66
GRAND TOTAL	**9003**	**8.6**	**73**	**1**	**2**	**6**	**10**	**17**	**24**	**52**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1197	1.5		<1	<1	1	2	3	3	5
20-34	1909	2.0	1	1	1	2	3	3	4	5
35-49	1686	2.3	1	1	1	2	3	4	5	6
50-64	2235	2.4	1	1	1	2	3	4	5	7
65+	1732	2.8	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	681	1.9	11	<1	<1	1	2	3	4	9
20-34	866	2.6	2	1	1	2	3	4	5	9
35-49	1293	2.8	5	1	1	2	3	5	6	10
50-64	2747	3.3	8	1	1	3	4	6	8	15
65+	4800	4.8	29	1	1	3	5	9	13	28
TOT. SINGLE DX	8759	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	10387	3.8	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	1878	1.7	5	<1	<1	1	2	3	3	6
20-34	2775	2.2	2	1	1	2	3	4	4	6
35-49	2979	2.5	3	1	1	2	3	4	5	8
50-64	4982	2.9	5	1	1	2	4	5	6	12
65+	6532	4.3	23	1	1	3	5	8	11	24
GRAND TOTAL	**19146**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**7**	**16**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	397	1.5		<1	<1	1	2	2	3	4
20-34	136	2.5	1	1	1	2	3	4	5	5
35-49	179	2.7	1	1	1	3	4	4	5	6
50-64	271	3.0	2	1	1	3	4	5	6	7
65+	166	3.3	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	377	3.8	135	<1	<1	1	2	4	9	86
20-34	75	2.7	2	1	1	3	4	4	5	7
35-49	168	3.1	3	1	1	3	4	5	6	10
50-64	412	3.9	5	1	2	3	5	6	8	12
65+	498	5.3	27	1	2	4	6	10	13	39
TOT. SINGLE DX	1149	2.4	2	<1	1	2	3	4	5	6
" MULTIPLE DX	1530	4.2	45	1	1	3	4	7	10	43
TOTAL 0-19 YRS	774	2.6	68	<1	<1	1	2	3	4	61
20-34	211	2.6	2	1	1	2	3	4	5	6
35-49	347	2.9	2	1	1	3	4	4	5	9
50-64	683	3.5	4	1	1	3	4	6	7	11
65+	664	4.8	22	1	2	4	5	9	11	33
GRAND TOTAL	**2679**	**3.4**	**27**	**<1**	**1**	**3**	**4**	**6**	**8**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.3	1	<1	<1	2	4	33	90	99+
20-34	68	2.3	1	1	1	2	3	4	4	7
35-49	84	2.5	1	1	1	2	3	4	5	6
50-64	81	2.6	2	<1	1	2	4	5	5	6
65+	115	4.2	11	1	1	3	5	8	13	16
2. MULTIPLE DX										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	33	3.0	1	1	1	3	4	5	5	6
35-49	41	3.9	10	1	1	3	4	6	12	17
50-64	112	4.0	11	1	1	3	5	8	9	21
65+	421	7.6	52	2	2	6	9	15	21	38
TOT. SINGLE DX	359	3.0	5	1	1	3	4	5	7	14
" MULTIPLE DX	614	6.4	42	1	2	4	8	13	18	36
TOTAL 0-19 YRS	18	2.2	2	<1	1	2	4	4	57	99+
20-34	101	2.5	2	1	1	2	3	4	5	7
35-49	125	2.9	5	1	1	2	4	5	6	15
50-64	193	3.4	8	1	1	3	4	6	8	17
65+	536	6.9	46	2	2	5	8	14	18	36
GRAND TOTAL	**973**	**5.2**	**31**	**1**	**1**	**4**	**6**	**11**	**15**	**32**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	155	1.7	1	<1	<1	1	2	3	3	6
20-34	163	2.1	1	<1	1	2	3	4	4	6
35-49	242	2.4	2	<1	1	2	3	5	5	7
50-64	185	2.8	2	1	1	2	4	5	6	8
65+	78	4.0	5	1	1	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	53	4.5	199	<1	<1	1	2	6	9	97
20-34	85	3.3	7	1	1	3	4	6	7	17
35-49	261	3.8	12	1	1	3	4	6	9	16
50-64	344	5.4	29	1	2	4	6	11	15	31
65+	343	7.8	67	1	2	5	9	16	21	47
TOT. SINGLE DX	823	2.5	3	<1	1	2	3	5	5	8
" MULTIPLE DX	1086	5.6	46	1	1	4	6	11	16	35
TOTAL 0-19 YRS	208	2.4	53	<1	<1	1	2	3	5	20
20-34	248	2.5	4	<1	1	2	3	4	5	8
35-49	503	3.1	8	<1	1	3	4	5	7	15
50-64	529	4.5	22	1	1	3	5	8	13	23
65+	421	7.1	58	1	2	5	8	15	20	44
GRAND TOTAL	**1909**	**4.2**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.7	1	<1	<1	1	2	3	4	6
20-34	241	2.8	3	1	1	2	4	5	6	9
35-49	374	3.8	4	1	1	3	5	7	8	10
50-64	411	3.9	5	1	1	4	5	7	8	11
65+	273	4.8	6	1	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	16	3.3	13	<1	1	2	4	8	13	15
20-34	173	4.2	13	1	1	3	5	7	8	17
35-49	555	5.7	19	2	2	5	7	10	12	23
50-64	874	6.3	18	2	2	5	8	11	14	23
65+	1128	8.0	46	2	3	7	9	14	20	36
TOT. SINGLE DX	1347	3.8	5	1	1	3	5	7	8	11
" MULTIPLE DX	2746	6.7	31	2	2	6	8	12	16	27
TOTAL 0-19 YRS	64	2.1	5	<1	<1	1	3	4	5	14
20-34	414	3.4	8	1	1	3	4	6	7	12
35-49	929	4.9	14	1	2	4	6	8	11	18
50-64	1285	5.6	16	1	2	5	7	10	13	22
65+	1401	7.4	40	2	3	6	9	13	18	34
GRAND TOTAL	**4093**	**5.8**	**25**	**1**	**2**	**5**	**7**	**10**	**14**	**25**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	11	4.9	14	<1	<1	4	8	11	12	12
35-49	13	6.1	14	1	2	7	8	12	13	13
50-64	13	7.1	14	1	1	8	9	11	13	14
65+	15	9.7	14	5	5	10	11	14	18	20
2. MULTIPLE DX										
0-19 YRS	12	17.8	141	2	5	15	30	34	36	36
20-34	20	8.3	11	3	4	8	10	14	15	16
35-49	45	11.8	106	5	6	9	14	16	30	57
50-64	95	11.7	98	4	5	9	13	18	25	66
65+	141	16.4	141	7	8	13	19	32	48	99+
TOT. SINGLE DX	55	7.0	16	1	1	7	10	12	14	20
" MULTIPLE DX	313	13.8	121	5	6	11	16	26	36	82
TOTAL 0-19 YRS	15	15.3	138	2	4	11	25	33	35	36
20-34	31	7.1	15	1	2	7	9	12	15	16
35-49	58	10.5	91	2	3	8	12	16	20	57
50-64	108	11.1	90	4	5	9	12	18	24	60
65+	156	15.7	133	6	7	12	19	32	45	98
GRAND TOTAL	**368**	**12.8**	**111**	**4**	**5**	**10**	**14**	**24**	**34**	**78**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	4.3	14	<1	1	3	6	9	11	21
20-34	162	4.1	22	<1	1	3	6	8	10	23
35-49	120	4.9	12	<1	1	4	7	10	12	17
50-64	113	5.9	27	<1	1	4	8	13	16	24
65+	61	8.1	130	1	1	5	9	16	20	72
2. MULTIPLE DX										
0-19 YRS	138	6.7	30	1	1	5	9	15	18	28
20-34	274	8.4	118	1	1	6	10	15	26	86
35-49	568	11.8	139	2	2	8	14	24	38	67
50-64	947	11.7	107	2	3	9	15	23	33	62
65+	1364	13.9	149	2	3	11	18	28	39	74
TOT. SINGLE DX	540	5.1	33	<1	1	4	7	11	13	23
" MULTIPLE DX	3291	12.1	132	2	3	9	15	25	35	70
TOTAL 0-19 YRS	222	5.8	26	<1	1	5	7	12	16	24
20-34	436	6.8	87	1	1	5	8	13	18	52
35-49	688	10.6	124	1	2	7	13	22	32	63
50-64	1060	11.1	103	1	2	8	14	22	31	55
65+	1425	13.7	149	2	3	10	17	28	39	74
GRAND TOTAL	**3831**	**11.1**	**124**	**1**	**2**	**8**	**14**	**23**	**32**	**67**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	5.5	9	1	2	5	8	10	12	14
20-34	218	5.6	12	1	2	5	7	9	12	22
35-49	96	6.8	25	2	3	6	8	11	16	31
50-64	69	8.1	17	2	3	8	10	14	15	22
65+	42	8.9	25	2	4	8	12	16	20	21
2. MULTIPLE DX										
0-19 YRS	147	9.5	82	2	3	7	10	22	29	48
20-34	427	9.4	78	3	3	6	11	18	26	51
35-49	283	12.6	152	3	4	8	15	28	37	75
50-64	314	15.6	150	5	6	12	19	32	45	68
65+	528	19.0	188	6	7	15	23	37	50	74
TOT. SINGLE DX	524	6.4	18	1	2	6	8	11	14	23
" MULTIPLE DX	1699	14.1	154	3	4	10	17	29	41	64
TOTAL 0-19 YRS	246	7.9	57	2	3	6	9	14	23	41
20-34	645	8.1	59	2	3	6	9	15	22	46
35-49	379	11.2	127	3	4	7	13	24	32	61
50-64	383	14.3	135	4	5	11	17	28	41	63
65+	570	18.2	183	6	7	14	22	35	49	71
GRAND TOTAL	**2223**	**12.3**	**132**	**3**	**4**	**9**	**15**	**25**	**37**	**61**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	186	2.7	4	<1	<1	2	4	6	7	10
20-34	727	2.1	3	<1	<1	1	2	5	6	9
35-49	158	2.0	2	<1	<1	1	2	5	6	9
50-64	19	1.9	1	<1	<1	2	2	4	6	6
65+	8	2.5	14	<1	<1	1	2	9	12	12
2. MULTIPLE DX										
0-19 YRS	193	3.5	13	<1	<1	3	5	7	8	14
20-34	1224	2.5	7	<1	<1	1	3	6	7	14
35-49	339	2.6	10	<1	<1	1	3	6	9	19
50-64	51	4.5	23	<1	<1	2	6	12	16	21
65+	45	8.7	136	1	1	3	11	26	33	51
TOT. SINGLE DX	1098	2.2	3	<1	<1	1	3	5	6	9
" MULTIPLE DX	1852	2.9	13	<1	<1	1	4	6	8	19
TOTAL 0-19 YRS	379	3.1	9	<1	<1	2	4	6	8	12
20-34	1951	2.4	6	<1	<1	1	3	5	7	11
35-49	497	2.4	8	<1	<1	1	2	5	7	13
50-64	70	3.8	19	<1	<1	2	5	10	13	20
65+	53	7.8	122	1	1	2	9	26	31	51
GRAND TOTAL	**2950**	**2.6**	**9**	**<1**	**<1**	**1**	**3**	**6**	**7**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	6.2	12	<1	1	6	8	11	14	15
20-34	173	5.8	15	<1	<1	5	7	10	14	21
35-49	160	7.1	29	<1	1	6	9	13	15	29
50-64	121	8.6	24	3	3	8	11	15	18	27
65+	84	9.6	26	2	3	9	11	16	20	27
2. MULTIPLE DX										
0-19 YRS	107	12.2	233	2	3	8	11	24	46	79
20-34	616	7.2	82	<1	1	5	8	13	20	57
35-49	596	10.2	96	2	3	7	12	19	29	52
50-64	622	13.2	140	2	4	10	16	25	33	62
65+	1070	16.8	153	5	7	13	21	33	44	94
TOT. SINGLE DX	601	7.3	24	<1	2	7	9	13	16	25
" MULTIPLE DX	3011	12.6	141	2	3	9	15	25	36	71
TOTAL 0-19 YRS	170	10.0	159	1	2	7	10	17	30	70
20-34	789	6.9	68	<1	1	5	7	12	18	49
35-49	756	9.5	84	1	3	7	11	18	27	51
50-64	743	12.4	125	2	3	10	15	23	30	59
65+	1154	16.3	148	4	7	13	20	32	42	87
GRAND TOTAL	**3612**	**11.7**	**126**	**1**	**3**	**9**	**14**	**23**	**33**	**67**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	7.8	99	3	3	5	8	12	26	52
20-34	18	8.3	5	5	6	8	9	12	14	14
35-49	43	8.4	4	5	6	8	9	11	13	15
50-64	76	9.1	5	6	6	8	10	13	14	16
65+	55	9.9	8	7	7	9	11	15	15	20
2. MULTIPLE DX										
0-19 YRS	61	11.1	93	4	5	8	12	22	32	55
20-34	83	12.2	137	4	5	9	13	23	36	94
35-49	110	11.9	76	6	7	10	12	18	21	59
50-64	315	13.8	86	7	7	11	15	23	28	55
65+	588	16.1	126	7	8	13	18	27	35	71
TOT. SINGLE DX	216	8.9	17	4	6	8	10	13	15	18
" MULTIPLE DX	1157	14.5	113	6	7	11	17	25	33	67
TOTAL 0-19 YRS	85	10.2	96	3	3	7	11	21	31	55
20-34	101	11.5	116	4	5	8	12	21	32	91
35-49	153	10.9	58	6	7	9	11	15	20	50
50-64	391	12.9	74	6	7	10	14	21	26	51
65+	643	15.6	119	7	8	12	18	26	35	67
GRAND TOTAL	**1373**	**13.6**	**102**	**6**	**7**	**11**	**15**	**23**	**31**	**61**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	6.2	14	2	2	6	9	11	13	19
20-34	146	6.1	19	1	2	6	8	10	13	25
35-49	149	6.2	14	2	2	6	8	11	13	20
50-64	161	6.7	18	1	2	6	9	12	15	19
65+	79	6.3	18	1	2	5	9	12	14	20
2. MULTIPLE DX										
0-19 YRS	179	10.8	114	2	2	7	14	24	32	66
20-34	307	10.9	97	1	2	9	14	22	31	54
35-49	423	10.5	93	1	2	8	14	21	28	52
50-64	539	11.6	110	1	2	9	15	22	29	59
65+	746	13.1	123	2	2	10	17	27	34	60
TOT. SINGLE DX	655	6.3	17	1	2	6	8	11	13	20
" MULTIPLE DX	2194	11.7	111	1	2	9	15	24	32	57
TOTAL 0-19 YRS	299	8.9	80	2	2	6	10	19	26	53
20-34	453	9.4	78	1	2	7	12	19	25	48
35-49	572	9.4	76	1	2	7	12	18	27	46
50-64	700	10.5	93	1	2	8	13	20	27	54
65+	825	12.4	118	1	2	10	16	25	33	58
GRAND TOTAL	**2849**	**10.5**	**95**	**1**	**2**	**8**	**13**	**21**	**29**	**53**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	12.0	21	7	7	13	15	16	16	16
20-34	77	6.3	10	1	1	6	8	10	12	15
35-49	105	6.6	17	1	2	6	9	12	15	19
50-64	87	8.1	21	1	2	8	11	15	17	20
65+	42	8.5	13	2	4	8	11	13	15	16
2. MULTIPLE DX										
0-19 YRS	12	7.2	18	2	2	7	10	14	15	15
20-34	75	8.0	33	1	2	7	10	16	19	33
35-49	159	9.0	38	2	3	8	12	15	19	36
50-64	206	9.9	57	2	3	8	13	19	24	74
65+	316	12.2	92	2	2	10	17	21	28	51
TOT. SINGLE DX	314	7.2	17	1	2	7	10	13	15	18
" MULTIPLE DX	768	10.4	67	2	2	9	13	20	24	49
TOTAL 0-19 YRS	15	8.1	22	2	2	8	12	15	16	16
20-34	152	7.1	23	1	1	7	9	11	16	23
35-49	264	8.0	31	1	2	7	11	14	18	28
50-64	293	9.3	47	1	3	8	12	17	21	51
65+	358	11.8	84	2	2	10	15	21	27	50
GRAND TOTAL	**1082**	**9.5**	**55**	**1**	**2**	**8**	**12**	**18**	**21**	**45**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	6.5	5	4	4	6	8	10	11	14
20-34	10	7.3	5	2	3	8	9	10	10	10
35-49	7	10.4	15	3	4	11	13	15	15	15
50-64	5	11.4	7	8	8	11	13	15	15	15
65+	6	12.3	35	9	9	10	13	23	24	24
2. MULTIPLE DX										
0-19 YRS	132	10.0	55	4	5	8	11	16	23	52
20-34	31	11.6	18	6	6	12	15	17	17	21
35-49	38	12.8	57	3	6	11	15	22	28	42
50-64	53	19.1	139	8	9	15	24	39	46	55
65+	77	20.6	279	6	9	16	23	34	67	87
TOT. SINGLE DX	158	7.1	9	4	4	6	8	11	13	15
" MULTIPLE DX	331	14.4	137	5	6	11	16	26	35	74
TOTAL 0-19 YRS	262	8.3	33	4	4	7	9	12	16	29
20-34	41	10.5	18	4	6	9	14	17	17	21
35-49	45	12.4	51	3	6	11	14	22	27	42
50-64	58	18.4	132	8	8	14	22	38	45	55
65+	83	20.0	265	6	9	16	23	34	62	87
GRAND TOTAL	**489**	**12.0**	**107**	**4**	**5**	**9**	**14**	**22**	**29**	**58**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	6.0	15	<1	1	5	9	12	13	15
20-34	250	3.9	5	1	1	3	5	7	8	14
35-49	350	3.9	6	1	1	3	5	7	9	12
50-64	279	3.9	6	1	1	3	5	7	8	14
65+	102	4.6	10	1	2	4	6	8	11	17
2. MULTIPLE DX										
0-19 YRS	50	9.3	23	2	3	8	12	16	19	19
20-34	171	5.4	15	1	2	5	7	10	12	19
35-49	302	5.8	22	1	2	5	7	10	13	24
50-64	388	6.0	24	1	2	5	8	11	15	30
65+	403	8.5	63	2	2	7	11	17	25	42
TOT. SINGLE DX	1020	4.1	7	1	1	4	5	7	9	14
" MULTIPLE DX	1314	6.8	36	1	2	5	9	13	17	32
TOTAL 0-19 YRS	89	7.9	22	1	2	7	11	15	16	19
20-34	421	4.5	10	1	1	4	6	8	10	16
35-49	652	4.8	15	1	1	4	6	9	11	17
50-64	667	5.1	18	1	1	4	7	10	12	18
65+	505	7.8	55	1	2	6	10	15	22	39
GRAND TOTAL	**2334**	**5.6**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	2.4	4	<1	<1	1	4	6	7	10
20-34	280	3.5	7	<1	<1	3	5	7	8	13
35-49	400	3.5	7	<1	<1	3	5	7	8	14
50-64	409	3.4	7	<1	<1	3	5	7	9	14
65+	342	3.4	10	<1	<1	2	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	194	4.5	55	<1	<1	2	5	10	13	43
20-34	584	6.5	57	<1	1	5	8	13	17	38
35-49	902	6.6	41	<1	1	5	8	14	19	32
50-64	1680	7.2	63	<1	1	5	9	15	21	45
65+	4354	10.1	113	1	2	7	13	22	32	91
TOT. SINGLE DX	1552	3.4	8	<1	<1	3	5	7	8	15
" MULTIPLE DX	7714	8.7	91	1	1	6	11	19	27	65
TOTAL 0-19 YRS	315	3.7	37	<1	<1	1	4	8	11	30
20-34	864	5.6	44	<1	1	4	7	11	15	29
35-49	1302	5.6	33	<1	1	4	7	12	16	30
50-64	2089	6.4	55	<1	1	4	8	13	20	38
65+	4696	9.7	109	1	2	7	12	21	30	85
GRAND TOTAL	**9266**	**7.8**	**81**	**<1**	**1**	**5**	**10**	**17**	**24**	**57**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.0		1	1	2	3	3	3	3
20-34	30	3.1	8	<1	<1	2	4	7	9	14
35-49	110	2.6	4	<1	<1	2	3	5	5	13
50-64	447	2.8	5	<1	1	2	4	6	7	11
65+	801	3.2	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	9	8.0	83	<1	<1	5	22	62	99+	99+
20-34	56	6.8	104	1	1	3	8	15	23	62
35-49	177	4.6	20	1	1	3	6	11	15	24
50-64	1097	4.8	40	1	1	3	6	9	14	30
65+	4152	6.2	51	1	1	4	7	13	18	36
TOT. SINGLE DX	1394	3.0	6	1	1	2	4	6	7	11
" MULTIPLE DX	5491	5.9	49	1	1	4	7	13	17	36
TOTAL 0-19 YRS	15	5.6	57	<1	1	3	7	25	77	99+
20-34	86	5.5	74	<1	1	3	6	13	17	54
35-49	287	3.8	15	<1	1	2	5	8	13	23
50-64	1544	4.2	31	1	1	3	5	8	11	23
65+	4953	5.7	46	1	1	4	7	12	17	34
GRAND TOTAL	6885	5.3	42	1	1	3	6	11	16	33

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	5.3	17	<1	1	5	7	10	14	19
20-34	42	4.0	14	<1	<1	3	5	8	10	21
35-49	80	4.7	11	1	1	4	6	9	11	16
50-64	111	6.4	47	1	1	4	8	14	19	39
65+	120	5.9	34	<1	1	4	9	13	17	30
2. MULTIPLE DX										
0-19 YRS	124	12.1	141	1	1	8	18	29	34	77
20-34	107	10.1	179	1	1	6	13	22	30	99+
35-49	164	8.8	101	1	2	7	11	17	26	90
50-64	430	10.6	101	1	2	8	14	22	31	60
65+	1322	12.4	137	2	2	9	16	27	39	99+
TOT. SINGLE DX	382	5.5	30	<1	1	4	7	12	16	28
" MULTIPLE DX	2147	11.6	131	1	2	9	15	25	35	92
TOTAL 0-19 YRS	153	10.8	125	1	1	7	16	25	32	69
20-34	149	8.4	140	<1	1	5	11	19	24	99
35-49	244	7.4	75	1	1	5	9	14	23	55
50-64	541	9.7	93	1	2	7	13	20	29	57
65+	1442	11.8	132	1	2	9	16	26	37	92
GRAND TOTAL	2529	10.7	120	1	2	8	14	23	33	74

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.1		<1	<1	<1	<1	1	2	3
20-34	4	1.3		<1	<1	<1	1	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.8	2	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	22	2.3	6	<1	<1	1	2	7	8	9
20-34	5	19.4	615	1	1	2	45	49	49	49
35-49	9	2.6	3	1	1	2	4	5	6	6
50-64	13	7.5	93	<1	<1	4	8	26	30	31
65+	22	8.8	96	1	1	6	11	17	32	45
TOT. SINGLE DX	59	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	71	6.5	103	<1	<1	3	7	14	31	48
TOTAL 0-19 YRS	70	1.5	2	<1	<1	<1	1	2	4	9
20-34	9	11.3	399	<1	<1	1	13	47	49	49
35-49	11	2.3	3	1	1	1	4	5	6	6
50-64	14	7.1	89	<1	<1	4	7	26	30	31
65+	26	7.7	88	<1	1	4	11	15	27	45
GRAND TOTAL	130	4.1	63	<1	<1	1	3	9	15	46

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	304	4.3	14	<1	1	3	6	10	12	17
20-34	65	3.4	7	<1	<1	3	5	7	9	14
35-49	35	4.2	5	<1	1	4	5	8	8	10
50-64	23	3.7	5	<1	1	3	5	7	8	9
65+	40	2.9	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	151	6.0	28	1	1	4	9	13	17	20
20-34	59	4.7	23	<1	<1	3	7	10	14	26
35-49	49	4.6	12	<1	1	4	6	10	13	15
50-64	68	4.8	19	<1	1	4	7	11	16	19
65+	162	6.2	50	1	1	4	7	15	19	38
TOT. SINGLE DX	467	4.0	11	<1	<1	3	6	9	11	16
" MULTIPLE DX	489	5.6	33	1	1	4	8	12	16	26
TOTAL 0-19 YRS	455	4.9	20	<1	1	3	7	11	14	19
20-34	124	4.0	16	<1	<1	3	5	9	11	21
35-49	84	4.4	10	<1	1	4	6	8	11	14
50-64	91	4.5	16	<1	1	3	6	9	15	18
65+	202	5.5	43	1	1	4	6	13	16	36
GRAND TOTAL	956	4.8	23	<1	1	3	6	10	14	22

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.2		<1	<1	<1	<1	1	3	5
20-34	20	3.8	19	<1	<1	2	5	7	14	20
35-49	16	3.1	9	<1	<1	2	4	9	10	11
50-64	19	3.2	10	<1	1	2	3	8	12	13
65+	18	2.2	4	<1	<1	1	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	46	2.5	9	<1	<1	<1	2	8	10	13
20-34	72	5.2	16	<1	1	4	8	11	13	16
35-49	103	5.6	26	<1	<1	4	8	12	15	25
50-64	155	7.3	53	1	1	5	9	17	24	53
65+	611	10.4	124	1	2	7	13	23	33	86
TOT. SINGLE DX	98	2.6	9	<1	<1	1	3	6	9	17
" MULTIPLE DX	987	8.6	95	<1	1	6	11	19	27	70
TOTAL 0-19 YRS	71	2.1	7	<1	<1	<1	1	5	8	13
20-34	92	4.9	17	<1	1	3	7	11	13	18
35-49	119	5.2	25	<1	<1	4	7	11	14	25
50-64	174	6.8	51	1	1	5	9	15	23	48
65+	629	10.1	123	1	2	7	13	23	32	84
GRAND TOTAL	**1085**	**8.1**	**91**	**<1**	**1**	**5**	**10**	**18**	**26**	**64**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.1	3	<1	<1	1	2	4	7	8
20-34	66	2.3	2	<1	1	2	3	3	5	11
35-49	43	2.3	2	<1	<1	2	3	5	6	8
50-64	48	2.5	4	<1	1	2	3	5	6	13
65+	56	2.7	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	24	5.0	50	<1	1	2	5	11	23	32
20-34	66	5.4	128	1	1	2	5	10	16	78
35-49	77	5.5	37	1	1	3	7	14	20	28
50-64	160	5.6	49	1	1	3	7	11	16	50
65+	454	6.7	69	1	1	4	8	13	22	44
TOT. SINGLE DX	246	2.4	3	<1	<1	2	3	4	6	10
" MULTIPLE DX	781	6.2	66	1	1	4	7	13	21	45
TOTAL 0-19 YRS	57	3.3	25	<1	<1	2	3	8	9	31
20-34	132	3.8	68	<1	1	2	4	7	10	35
35-49	120	4.4	27	1	1	2	5	10	17	25
50-64	208	4.9	41	1	1	3	5	10	14	48
65+	510	6.3	63	1	1	4	7	13	20	43
GRAND TOTAL	**1027**	**5.3**	**54**	**1**	**1**	**3**	**6**	**11**	**17**	**42**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	23	5.6	7	2	3	5	7	7	10	15
35-49	84	6.0	3	3	3	6	7	9	9	10
50-64	85	6.9	4	4	5	7	8	9	10	16
65+	44	6.9	5	3	3	7	9	10	10	11
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	26	6.1	4	3	3	6	7	8	10	12
35-49	190	7.1	7	4	4	7	8	10	12	17
50-64	165	7.3	7	4	5	7	9	10	12	24
65+	136	8.5	12	4	5	8	10	13	16	19
TOT. SINGLE DX	237	6.4	5	3	3	6	8	9	10	12
" MULTIPLE DX	518	7.5	9	4	5	7	9	11	13	18
TOTAL 0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	49	5.9	6	3	3	6	7	8	9	15
35-49	274	6.8	6	3	4	6	8	9	10	16
50-64	250	7.2	6	4	5	7	8	9	11	18
65+	180	8.1	11	3	4	8	9	12	15	19
GRAND TOTAL	**755**	**7.2**	**8**	**3**	**4**	**7**	**8**	**10**	**12**	**18**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	14	4.9	4	2	3	4	6	8	10	10
35-49	54	4.9	2	3	3	5	6	7	8	9
50-64	45	5.1	2	3	3	5	6	7	8	9
65+	24	5.9	6	3	3	5	7	10	11	12
2. MULTIPLE DX										
0-19 YRS										
20-34	12	4.5	2	2	3	4	6	7	7	7
35-49	55	6.2	9	2	3	5	8	9	10	20
50-64	87	6.2	5	3	3	6	7	9	10	16
65+	104	8.0	33	3	3	6	9	16	21	32
TOT. SINGLE DX	137	5.1	4	3	3	5	6	8	8	11
" MULTIPLE DX	258	6.9	19	3	3	6	8	10	15	26
TOTAL 0-19 YRS										
20-34	26	4.7	4	2	3	4	6	7	8	10
35-49	109	5.6	6	3	3	5	7	8	9	15
50-64	132	5.8	5	3	3	6	7	8	10	13
65+	128	7.6	29	3	3	6	8	13	20	32
GRAND TOTAL	**395**	**6.3**	**14**	**3**	**3**	**6**	**7**	**9**	**12**	**24**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.8	7	3	3	5	8	9	9	9
20-34	32	3.9	5	1	1	3	5	7	9	10
35-49	43	4.8	10	1	2	4	6	9	12	14
50-64	40	4.2	16	1	1	3	5	10	15	18
65+	12	4.7	10	<1	1	4	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	16	5.9	18	<1	1	5	8	13	15	16
20-34	51	6.3	64	1	1	5	7	11	16	55
35-49	69	6.0	22	1	2	5	7	10	16	27
50-64	102	8.1	79	1	2	6	11	17	21	80
65+	151	10.1	97	1	2	8	14	20	26	40
TOT. SINGLE DX	131	4.4	11	1	1	3	6	9	12	17
" MULTIPLE DX	389	8.2	74	1	2	6	11	17	20	51
TOTAL 0-19 YRS	20	5.9	16	<1	1	5	8	11	14	16
20-34	83	5.4	43	1	1	4	6	9	13	43
35-49	112	5.6	18	1	2	5	7	10	13	24
50-64	142	7.0	64	1	1	5	9	16	18	66
65+	163	9.7	93	1	2	8	13	19	25	39
GRAND TOTAL	**520**	**7.2**	**61**	**1**	**1**	**5**	**9**	**16**	**20**	**41**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	15	3.6	18	<1	<1	1	5	11	13	14
35-49	29	3.6	12	<1	1	2	5	10	11	12
50-64	18	3.4	13	<1	1	2	5	9	12	14
65+	16	2.6	8	<1	<1	1	3	5	10	12
2. MULTIPLE DX										
0-19 YRS	3	9.0	67	2	2	7	15	18	18	18
20-34	19	8.4	38	1	2	8	10	15	22	27
35-49	19	10.2	37	3	4	9	12	20	24	26
50-64	37	8.1	50	1	1	7	11	18	22	34
65+	74	11.9	176	1	2	9	13	26	36	65
TOT. SINGLE DX	81	3.3	12	<1	<1	1	5	9	12	14
" MULTIPLE DX	152	10.2	110	1	2	8	12	21	31	63
TOTAL 0-19 YRS	6	5.8	41	<1	<1	4	7	17	18	18
20-34	34	6.3	35	<1	1	5	10	14	15	27
35-49	48	6.2	32	1	1	5	9	12	18	26
50-64	55	6.6	43	1	1	4	9	14	20	33
65+	90	10.2	159	1	1	8	11	23	35	64
GRAND TOTAL	**233**	**7.8**	**87**	**1**	**1**	**6**	**10**	**15**	**24**	**61**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	23	4.3	3	<1	1	4	5	7	8	8
50-64	709	5.2	3	3	3	5	6	7	9	11
65+	1593	5.5	4	3	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	8	7.4	27	<1	1	7	12	14	14	14
20-34	3	8.0	4	6	6	8	9	10	10	10
35-49	77	6.3	12	3	3	5	8	11	13	20
50-64	2593	6.8	21	3	4	6	7	11	15	25
65+	11170	9.0	60	3	4	7	10	17	23	45
TOT. SINGLE DX	2328	5.4	4	3	3	5	6	8	9	12
" MULTIPLE DX	13851	8.6	54	3	4	6	10	16	21	44
TOTAL 0-19 YRS	10	6.5	25	<1	1	5	11	14	14	14
20-34	4	7.3	5	5	5	7	9	10	10	10
35-49	100	5.9	11	2	3	5	7	11	13	19
50-64	3302	6.5	18	3	4	5	7	10	13	24
65+	12763	8.6	55	3	4	6	9	16	21	44
GRAND TOTAL	**16179**	**8.1**	**48**	**3**	**4**	**6**	**9**	**15**	**20**	**41**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	79	10.5	12	6	7	10	12	16	17	22
65+	120	9.9	11	5	7	9	11	14	17	22
2. MULTIPLE DX										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34										
35-49	6	7.2	25	1	1	9	10	13	13	13
50-64	279	11.5	27	6	7	10	14	18	21	33
65+	952	12.7	36	7	7	11	15	19	24	33
TOT. SINGLE DX	200	10.2	12	6	7	10	12	15	17	22
" MULTIPLE DX	1239	12.4	34	6	7	11	15	19	23	33
TOTAL 0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34										
35-49	7	7.4	21	1	1	9	10	12	13	13
50-64	358	11.3	25	6	7	10	13	17	20	31
65+	1072	12.4	34	6	7	11	14	19	24	33
GRAND TOTAL	**1439**	**12.1**	**32**	**6**	**7**	**11**	**14**	**18**	**22**	**32**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	4.0	28	<1	<1	1	7	12	12	12
35-49	26	1.9	3	<1	<1	1	2	4	6	9
50-64	148	1.8	1	<1	<1	1	2	3	4	5
65+	242	2.3	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	5	15.4	286	2	2	10	19	45	45	45
20-34	14	7.2	114	<1	<1	3	9	21	36	40
35-49	33	4.1	18	1	1	2	6	8	13	21
50-64	286	4.6	38	<1	1	2	5	11	17	34
65+	842	6.1	64	<1	1	3	8	14	19	37
TOT. SINGLE DX	420	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	1180	5.7	59	<1	1	3	7	13	19	39
TOTAL 0-19 YRS	5	15.4	286	2	2	10	19	45	45	45
20-34	18	6.5	95	<1	<1	2	9	17	32	40
35-49	59	3.1	13	<1	<1	2	4	8	9	20
50-64	434	3.7	27	<1	<1	2	4	8	13	28
65+	1084	5.2	53	<1	1	3	6	13	18	34
GRAND TOTAL	**1600**	**4.8**	**47**	**<1**	**<1**	**2**	**5**	**11**	**17**	**33**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	1.7	2	<1	<1	1	2	3	4	9
20-34	63	3.0	66	<1	<1	2	3	4	6	8
35-49	65	2.7	3	<1	1	2	4	5	7	8
50-64	56	3.0	8	<1	<1	2	4	7	11	14
65+	39	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	48	2.7	6	<1	<1	2	3	6	9	12
20-34	38	6.1	182	1	1	3	5	8	10	26
35-49	56	5.8	26	1	2	4	7	14	19	21
50-64	102	6.0	100	1	1	3	6	15	23	29
65+	110	5.1	29	1	1	3	6	12	15	30
TOT. SINGLE DX	292	2.5	18	<1	1	2	3	5	6	12
" MULTIPLE DX	354	5.3	63	1	1	3	6	10	16	40
TOTAL 0-19 YRS	117	2.1	4	<1	<1	1	2	5	6	11
20-34	101	4.2	111	<1	1	2	4	6	8	26
35-49	121	4.1	16	1	1	3	5	9	13	21
50-64	158	5.0	70	1	1	2	5	11	16	42
65+	149	4.3	24	1	1	3	5	9	14	23
GRAND TOTAL	**646**	**4.0**	**44**	**<1**	**1**	**2**	**4**	**8**	**12**	**31**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	2.0	1	<1	1	2	3	3	5	6
20-34	147	2.6	3	1	1	2	3	4	6	12
35-49	59	2.5	5	<1	1	2	3	5	8	13
50-64	46	3.3	7	1	1	2	4	7	10	13
65+	112	2.6	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	81	2.3	4	<1	<1	2	3	5	6	13
20-34	117	4.3	30	1	1	3	5	8	12	29
35-49	72	4.3	14	1	1	3	5	10	14	19
50-64	164	6.4	74	1	1	3	7	15	23	46
65+	884	7.7	92	1	1	4	10	19	25	52
TOT. SINGLE DX	464	2.5	4	1	1	2	3	4	6	12
" MULTIPLE DX	1318	6.7	78	1	1	3	8	16	23	40
TOTAL 0-19 YRS	181	2.1	3	<1	<1	2	3	4	5	10
20-34	264	3.3	16	1	1	2	4	6	9	17
35-49	131	3.5	12	1	1	2	4	8	11	17
50-64	210	5.8	61	1	1	3	6	12	22	39
65+	996	7.1	85	1	1	3	9	18	24	50
GRAND TOTAL	**1782**	**5.6**	**62**	**1**	**1**	**3**	**6**	**13**	**20**	**36**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	569	1.6		<1	<1	1	2	2	3	6
20-34	64	1.8	1	<1	1	1	2	3	4	6
35-49	6	2.8	1	2	2	3	3	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	359	1.8	2	<1	<1	1	2	3	4	6
20-34	36	2.7	3	<1	<1	2	4	6	6	9
35-49	8	2.3	2	1	1	2		5	5	5
50-64										
65+	3	2.3	1	1	1	3	3	3	3	3
TOT. SINGLE DX	641	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	406	1.9	3	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	928	1.7	2	<1	<1	1	2	3	3	6
20-34	100	2.1	2	<1	1	2	3	4	5	8
35-49	14	2.5	2	1	1	2	3	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	2.3	1	1	1	2	3	3	3	3
GRAND TOTAL	**1047**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	1.4		<1	1	1	2	2	3	5
20-34	51	1.9	2	<1	<1	1	2	4	5	8
35-49	16	2.0	1	<1	<1	2	3	4	4	4
50-64	7	2.3	2	1	1	2	3	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	58	1.9	4	<1	1	1	2	3	6	12
20-34	46	3.3	16	<1	1	2	3	6	17	19
35-49	23	6.3	321	<1	<1	2	4	7	36	88
50-64	10	4.2	11	<1	<1	3	5	10	11	11
65+	10	7.0	56	1	1	3	10	19	23	23
TOT. SINGLE DX	205	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	147	3.5	62	<1	1	2	3	7	11	25
TOTAL 0-19 YRS	188	1.6	2	<1	1	1	2	3	3	8
20-34	97	2.6	9	<1	<1	2	3	4	7	18
35-49	39	4.5	191	<1	<1	2	3	6	8	88
50-64	17	3.4	8	<1	1	3	4	8	10	11
65+	11	6.5	54	1	1	3	10	19	23	23
GRAND TOTAL	**352**	**2.4**	**28**	**<1**	**<1**	**1**	**2**	**4**	**7**	**17**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	47	1.0		<1	<1	<1	<1	1	1	2
35-49	34	1.1		<1	<1	<1	<1	1	2	3
50-64	3	2.0	3	<1	<1	<1	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.0	51	<1	<1	1	4	10	24	27
35-49	8	1.3		<1	<1	1	1	2	3	3
50-64										
65+	4	7.0	12	4	4	7	10	11	11	11
TOT. SINGLE DX	84	1.1		<1	<1	<1	<1	1	2	4
" MULTIPLE DX	26	3.5	30	<1	<1	1	4	9	14	27
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	60	1.7	12	<1	<1	<1	1	2	4	25
35-49	42	1.1		<1	<1	<1	<1	1	3	3
50-64	3	2.0	3	<1	<1	<1	3	4	4	4
65+	4	7.0	13	4	4	7	10	11	11	11
GRAND TOTAL	**110**	**1.7**	**8**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**17**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	214	1.5		<1	<1	1	2	2	3	5
20-34	318	1.8		<1	1	1	2	3	4	5
35-49	268	1.6	1	<1	<1	1	2	3	3	5
50-64	173	1.9	1	<1	1	2	2	3	4	6
65+	63	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	118	1.7	1	<1	<1	1	2	3	4	7
20-34	219	2.1	3	<1	1	2	3	4	5	12
35-49	153	2.4	9	<1	1	2	3	5	6	14
50-64	185	2.7	3	<1	1	2	3	4	7	10
65+	184	4.2	24	1	1	3	4	9	13	23
TOT. SINGLE DX	1036	1.7	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	859	2.7	10	<1	1	2	3	5	8	16
TOTAL 0-19 YRS	332	1.6	1	<1	<1	1	2	3	3	6
20-34	537	1.9	2	<1	1	1	2	3	4	7
35-49	421	1.9	4	<1	<1	1	2	3	4	10
50-64	358	2.3	3	<1	1	2	3	4	5	9
65+	247	3.7	19	1	1	3	4	8	11	21
GRAND TOTAL	**1895**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	300	2.1	9	<1	<1	1	2	4	8	17
20-34	81	1.2		<1	<1	1	1	2	2	3
35-49	66	1.2		<1	<1	1	1	2	2	5
50-64	30	1.3		<1	<1	1	1	2	2	5
65+	23	1.6		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	173	5.7	62	<1	<1	2	7	16	26	86
20-34	57	2.6	12	<1	<1	1	2	8	11	16
35-49	87	3.0	39	<1	<1	1	3	6	9	40
50-64	142	2.8	11	<1	<1	2	3	6	9	15
65+	153	4.7	30	<1	1	2	6	13	17	22
TOT. SINGLE DX	500	1.7	6	<1	<1	1	1	2	5	14
" MULTIPLE DX	612	4.1	36	<1	<1	2	5	10	15	37
TOTAL 0-19 YRS	473	3.4	32	<1	<1	1	3	9	14	38
20-34	138	1.7	6	<1	<1	1	1	2	7	15
35-49	153	2.2	23	<1	<1	1	2	4	6	13
50-64	172	2.5	10	<1	<1	1	2	6	8	14
65+	176	4.3	28	<1	<1	2	5	12	16	21
GRAND TOTAL	**1112**	**3.0**	**24**	**<1**	**<1**	**1**	**2**	**8**	**13**	**27**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.5	7	<1	<1	1	3	6	9	13
20-34	47	2.2	3	<1	<1	2	2	6	7	9
35-49	45	3.0	5	<1	<1	2	4	6	6	13
50-64	98	3.4	3	1	1	3	5	5	7	10
65+	43	4.0	12	1	1	3	4	8	12	19
2. MULTIPLE DX										
0-19 YRS	42	3.0	7	<1	<1	2	4	8	10	10
20-34	70	6.8	62	<1	<1	5	7	15	20	45
35-49	133	5.1	40	1	1	4	5	9	14	41
50-64	315	4.8	44	1	2	4	5	8	10	22
65+	167	5.1	15	1	2	4	6	9	16	20
TOT. SINGLE DX	286	3.0	6	<1	<1	2	4	6	7	13
" MULTIPLE DX	727	5.0	37	1	1	4	5	9	14	30
TOTAL 0-19 YRS	95	2.7	7	<1	<1	1	4	6	10	12
20-34	117	4.9	44	<1	<1	3	6	11	16	38
35-49	178	4.6	33	<1	1	3	5	8	12	39
50-64	413	4.5	35	1	1	4	5	7	9	20
65+	210	4.9	15	1	1	4	6	9	13	20
GRAND TOTAL	**1013**	**4.5**	**29**	**<1**	**1**	**3**	**5**	**8**	**11**	**21**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	4.6	3	2	3	4	5	6	8	11
20-34	625	4.6	2	2	3	5	5	6	7	9
35-49	93	5.0	3	2	3	5	6	7	8	11
50-64	11	6.1	5	3	3	6	7	10	11	11
65+	9	8.4	9	5	5	7	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	215	5.7	43	3	3	5	6	7	8	16
20-34	1284	5.3	9	2	3	5	6	7	8	13
35-49	346	5.6	11	2	3	5	7	8	9	12
50-64	35	9.3	45	4	4	8	11	14	17	42
65+	62	13.5	91	5	5	9	21	29	36	93
TOT. SINGLE DX	876	4.7	3	2	3	5	5	6	7	11
" MULTIPLE DX	1942	5.7	19	2	3	5	6	8	10	23
TOTAL 0-19 YRS	353	5.3	28	3	3	5	6	7	8	15
20-34	1909	5.0	8	2	3	5	6	7	8	12
35-49	439	5.5	10	2	3	5	6	8	9	12
50-64	46	8.5	37	3	4	7	11	13	16	42
65+	71	12.9	84	5	5	9	18	29	33	88
GRAND TOTAL	**2818**	**5.4**	**15**	**2**	**3**	**5**	**6**	**7**	**9**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	5.1	4	3	3	5	6	7	9	14
20-34	348	5.0	3	3	3	5	6	7	8	11
35-49	207	5.2	4	3	3	5	6	7	8	15
50-64	33	6.3	8	2	3	6	8	10	12	14
65+	8	7.8	7	5	5	7	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	103	6.3	21	3	3	5	7	9	11	33
20-34	985	5.7	5	3	4	5	6	8	9	15
35-49	684	6.2	10	3	4	6	7	9	12	20
50-64	126	9.3	30	4	4	7	12	17	21	29
65+	122	12.4	75	5	5	9	16	23	28	45
TOT. SINGLE DX	676	5.2	4	3	3	5	6	7	8	13
" MULTIPLE DX	2020	6.5	16	3	4	6	7	10	14	24
TOTAL 0-19 YRS	183	5.8	14	3	3	5	6	9	10	27
20-34	1333	5.5	5	3	3	5	6	8	9	14
35-49	891	6.0	9	3	4	5	7	8	11	19
50-64	159	8.7	27	3	4	7	10	15	20	28
65+	130	12.1	73	5	5	9	16	23	28	43
GRAND TOTAL	**2696**	**6.2**	**14**	**3**	**4**	**5**	**7**	**9**	**13**	**22**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	15	4.9	8	1	3	4	5	8	12	14
35-49	39	6.4	7	4	4	6	7	10	13	16
50-64	47	6.6	7	4	5	6	7	9	12	20
65+	20	10.0	165	5	5	7	8	12	38	64
2. MULTIPLE DX										
0-19 YRS	6	6.3	3	4	4	6	7	9	9	9
20-34	116	6.5	14	3	4	6	7	10	15	23
35-49	339	6.6	11	4	4	6	7	9	12	22
50-64	150	10.6	43	5	5	8	13	20	22	42
65+	177	12.8	108	5	6	9	15	24	36	61
TOT. SINGLE DX	125	6.8	34	3	4	6	7	9	13	31
" MULTIPLE DX	788	8.7	47	4	4	7	9	16	21	42
TOTAL 0-19 YRS	10	5.4	4	3	3	5	7	8	9	9
20-34	131	6.4	14	3	4	5	7	10	15	22
35-49	378	6.5	11	4	4	6	7	9	12	21
50-64	197	9.7	38	5	5	7	11	19	22	37
65+	197	12.5	114	5	6	9	14	24	36	63
GRAND TOTAL	**913**	**8.5**	**45**	**4**	**4**	**6**	**9**	**15**	**20**	**42**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	2.7	2	<1	1	2	3	5	6	10
20-34	139	3.0	6	<1	<1	2	5	6	7	13
35-49	26	3.6	8	<1	<1	3	6	6	9	12
50-64	2	1.0		1	1	1	1	1	1	1
65+	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	44	4.6	17	<1	1	4	5	9	14	20
20-34	510	4.2	7	<1	<1	4	6	7	7	14
35-49	137	3.9	15	<1	<1	4	5	7	8	21
50-64	12	10.8	551	<1	<1	5	7	31	77	85
65+	3	5.7	6	3	3	6	7	8	8	8
TOT. SINGLE DX	222	3.0	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	706	4.3	19	<1	<1	4	6	7	8	16
TOTAL 0-19 YRS	95	3.6	10	<1	1	3	4	6	9	20
20-34	649	3.9	8	<1	<1	4	5	6	7	13
35-49	163	3.9	14	<1	<1	4	6	7	8	18
50-64	14	9.4	479	<1	<1	4	6	16	70	85
65+	7	4.0	5	2	2	3	5	8	8	8
GRAND TOTAL	**928**	**4.0**	**16**	**<1**	**<1**	**4**	**5**	**6**	**8**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	351	1.2		<1	<1	<1	1	2	2	4
35-49	152	1.3		<1	<1	<1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	538	1.5	2	<1	<1	<1	1	3	4	8
35-49	328	1.4		<1	<1	<1	1	2	4	6
50-64	1	3.0		3	3	3	3	3	3	3
65+										
TOT. SINGLE DX	505	1.2		<1	<1	<1	1	2	3	5
" MULTIPLE DX	869	1.5	2	<1	<1	<1	1	2	4	7
TOTAL 0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	889	1.4	2	<1	<1	<1	1	2	3	6
35-49	480	1.4	1	<1	<1	<1	1	2	3	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	**1374**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

	TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1.	SINGLE DX										
	0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
	20-34	782	1.7		<1	<1	1	2	3	4	5
	35-49	385	2.1	19	<1	<1	1	2	3	4	8
	50-64										
	65+										
2.	MULTIPLE DX										
	0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
	20-34	1958	3.1	2	1	1	3	4	4	5	7
	35-49	673	3.0	2	1	1	3	4	5	6	9
	50-64	5	8.6	33	4	4	6	12	18	18	18
	65+										
TOT.	SINGLE DX	1168	1.8	7	<1	<1	1	2	3	4	6
"	MULTIPLE DX	2640	3.1	3	1	1	3	4	5	5	8
TOTAL	0-19 YRS	5	3.2	2	<1	<1	3	4	5	5	5
	20-34	2740	2.7	2	<1	1	3	3	4	5	7
	35-49	1058	2.7	9	<1	1	2	3	5	5	9
	50-64	5	8.6	33	4	4	6	12	18	18	18
	65+										
GRAND TOTAL		3808	2.7	4	<1	1	3	3	4	5	7

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

	TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1.	SINGLE DX										
	0-19 YRS	73	4.3	1	2	3	4	5	6	6	7
	20-34	1276	4.3	1	2	3	4	5	6	6	8
	35-49	217	4.4	2	1	2	5	5	6	7	8
	50-64	1	3.0		3	3	3	3	3	3	3
	65+										
2.	MULTIPLE DX										
	0-19 YRS	94	5.3	4	3	3	5	6	7	8	16
	20-34	1586	4.8	3	2	3	5	5	6	7	12
	35-49	375	4.9	4	2	3	5	6	7	9	12
	50-64	5	9.6	36	4	4	7	14	19	19	19
	65+	4	19.0	206	6	6	16	30	38	38	38
TOT.	SINGLE DX	1567	4.3	2	2	3	4	5	6	6	8
"	MULTIPLE DX	2064	4.8	4	2	3	5	6	7	8	13
TOTAL	0-19 YRS	167	4.9	4	2	3	5	5	6	7	13
	20-34	2862	4.6	3	2	3	4	5	6	7	10
	35-49	592	4.7	4	2	3	5	6	7	8	11
	50-64	6	8.5	36	3	3	6	12	18	19	19
	65+	4	19.0	207	6	6	16	30	38	38	38
GRAND TOTAL		3631	4.6	3	2	3	5	5	6	7	11

667: Conization of cervix (67.2)

	TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1.	SINGLE DX										
	0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
	20-34	284	1.5		<1	<1	1	2	3	3	4
	35-49	153	1.6		<1	<1	1	2	3	3	5
	50-64	43	1.8		<1	1	2	2	3	3	3
	65+	11	1.7	1	1	1	1	2	3	4	4
2.	MULTIPLE DX										
	0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
	20-34	236	1.6	1	<1	<1	1	2	3	3	5
	35-49	165	2.2	11	<1	<1	1	2	3	5	22
	50-64	66	2.2	7	<1	<1	1	2	4	7	17
	65+	43	2.9	13	<1	1	2	3	6	11	20
TOT.	SINGLE DX	496	1.6	1	<1	<1	1	2	3	3	4
"	MULTIPLE DX	513	2.0	6	<1	<1	1	2	3	4	14
TOTAL	0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
	20-34	520	1.6	1	<1	<1	1	2	3	3	4
	35-49	318	1.9	6	<1	<1	1	2	3	4	13
	50-64	109	2.0	5	<1	1	2	2	3	4	14
	65+	54	2.6	11	<1	1	2	2	5	9	20
GRAND TOTAL		1009	1.8	4	<1	<1	1	2	3	3	10

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

	TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1.	SINGLE DX										
	0-19 YRS	12	1.1		<1	<1	<1	<1	1	2	2
	20-34	185	1.3		<1	<1	<1	1	2	3	4
	35-49	122	1.4		<1	<1	1	2	2	3	4
	50-64	68	2.3	7	<1	<1	1	2	4	9	15
	65+	25	3.0	4	<1	<1	2	4	5	7	9
2.	MULTIPLE DX										
	0-19 YRS	20	4.0	27	<1	<1	2	5	9	16	23
	20-34	287	2.0	9	<1	<1	1	2	3	5	21
	35-49	484	2.2	9	<1	<1	1	2	4	7	18
	50-64	242	2.9	26	<1	<1	2	2	6	9	28
	65+	200	6.1	59	<1	1	3	8	15	19	43
TOT.	SINGLE DX	412	1.6	2	<1	<1	1	2	3	4	9
"	MULTIPLE DX	1233	2.9	23	<1	<1	1	2	6	10	25
TOTAL	0-19 YRS	32	2.9	19	<1	<1	1	3	8	9	23
	20-34	472	1.7	6	<1	<1	1	2	3	4	12
	35-49	606	2.0	8	<1	<1	1	2	3	6	18
	50-64	310	2.8	22	<1	<1	2	2	6	9	26
	65+	225	5.7	54	<1	1	3	7	14	18	43
GRAND TOTAL		1645	2.6	18	<1	<1	1	2	5	9	23

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	3.6	7	<1	1	3	5	6	11	12
20-34	439	2.3	3	<1	1	2	3	4	5	7
35-49	79	2.3	1	<1	1	2	3	4	5	7
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	9	4.2	9	1	1	3	5	10	10	10
20-34	175	3.5	10	1	1	3	4	6	9	19
35-49	47	3.5	6	1	1	3	4	7	9	15
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	543	2.3	3	<1	1	2	3	4	5	8
" MULTIPLE DX	235	3.5	10	1	1	3	4	7	10	18
TOTAL 0-19 YRS	32	3.8	8	1	1	3	4	9	10	12
20-34	614	2.6	6	<1	1	2	3	4	6	13
35-49	126	2.7	4	1	1	2	3	4	7	11
50-64	5	2.4	4	1	1	2	3	6	6	6
65+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**778**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	177	4.9	4	<1	1	5	6	7	8	10
35-49	82	5.0	5	1	1	5	6	7	8	13
50-64	12	1.6	1	<1	<1	1	2	4	4	4
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	409	5.1	7	<1	1	5	6	7	9	13
35-49	309	5.1	9	<1	1	5	6	8	9	12
50-64	61	4.0	28	<1	<1	2	5	11	15	26
65+	60	7.5	136	<1	1	3	9	19	30	98
TOT. SINGLE DX	276	4.8	5	<1	1	5	6	7	8	11
" MULTIPLE DX	842	5.2	19	<1	1	5	6	8	10	22
TOTAL 0-19 YRS	5	4.0	5	1	1	4	6	6	6	6
20-34	586	5.1	6	<1	1	5	6	7	8	13
35-49	391	5.0	8	<1	1	5	6	8	9	12
50-64	73	3.6	25	<1	<1	1	4	10	14	26
65+	63	7.3	131	<1	1	3	8	18	30	97
GRAND TOTAL	**1118**	**5.1**	**16**	**<1**	**1**	**5**	**6**	**8**	**9**	**18**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	357	5.7	3	4	4	5	6	7	8	11
35-49	953	6.0	2	4	4	6	7	8	8	11
50-64	349	6.5	2	4	5	6	7	8	9	13
65+	155	7.6	9	5	5	7	8	10	12	21
2. MULTIPLE DX										
0-19 YRS	10	5.9	9	<1	1	6	8	10	12	12
20-34	2129	6.2	5	4	4	6	7	8	10	15
35-49	9497	6.5	5	4	5	6	7	8	10	16
50-64	2700	7.8	20	5	5	7	8	11	15	28
65+	1336	10.4	64	5	6	8	11	17	23	45
TOT. SINGLE DX	1816	6.2	3	4	5	6	7	8	9	12
" MULTIPLE DX	15672	7.0	15	4	5	6	7	9	12	22
TOTAL 0-19 YRS	12	5.7	8	<1	2	6	7	9	12	12
20-34	2486	6.2	5	4	4	6	7	8	9	15
35-49	10450	6.5	5	4	5	6	7	8	10	16
50-64	3049	7.6	19	5	5	7	8	11	14	28
65+	1491	10.1	59	5	6	8	11	16	22	43
GRAND TOTAL	**17488**	**7.0**	**13**	**4**	**5**	**6**	**7**	**9**	**12**	**21**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	144	4.6	1	3	3	4	5	6	7	9
35-49	248	5.0	2	3	3	5	6	7	7	9
50-64	242	6.2	2	4	4	6	7	8	9	13
65+	231	6.7	5	4	5	6	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	539	5.3	3	3	4	5	6	7	9	11
35-49	1467	5.6	3	3	4	5	6	8	9	13
50-64	774	6.9	6	4	5	6	8	9	11	17
65+	947	7.6	9	5	5	7	8	11	14	19
TOT. SINGLE DX	866	5.7	4	3	4	6	7	8	9	12
" MULTIPLE DX	3729	6.4	7	4	4	6	7	9	11	17
TOTAL 0-19 YRS	3	5.7		5	5	6	6	6	6	6
20-34	683	5.1	3	3	3	5	6	7	8	11
35-49	1715	5.6	4	3	4	5	6	8	9	13
50-64	1016	6.7	6	4	5	6	8	9	10	15
65+	1178	7.4	9	5	5	7	8	10	13	18
GRAND TOTAL	**4595**	**6.2**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**16**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	8	8.9	5	5	6	9	10	12	12	12
35-49	14	13.8	402	5	6	9	10	21	69	83
50-64	6	10.7	16	7	7	9	12	17	18	18
65+	4	10.5	1	9	9	10	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	30	12.4	24	6	7	12	13	17	22	31
35-49	39	14.0	50	7	8	12	18	26	33	99+
50-64	46	15.8	77	7	9	13	19	29	39	41
65+	44	20.2	344	7	8	14	21	36	62	96
TOT. SINGLE DX	32	11.6	177	5	6	9	11	13	18	83
" MULTIPLE DX	160	15.9	140	7	8	12	17	30	37	94
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	38	11.6	22	6	7	12	13	16	20	31
35-49	53	13.9	137	6	7	11	15	25	34	99
50-64	52	15.3	73	7	8	13	18	26	38	41
65+	48	19.4	322	7	8	14	19	35	57	96
GRAND TOTAL	**192**	**15.2**	**148**	**7**	**7**	**12**	**16**	**26**	**35**	**90**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	1.2		<1	<1	<1	1	2	3	5
20-34	317	1.2		<1	<1	<1	1	1	2	5
35-49	56	1.1		<1	<1	<1	1	1	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	4.3	58	<1	1	2	4	7	24	33
20-34	111	3.2	21	<1	<1	2	3	8	12	27
35-49	42	2.3	4	<1	<1	2	2	5	7	10
50-64										
65+										
TOT. SINGLE DX	436	1.2		<1	<1	<1	1	1	2	5
" MULTIPLE DX	170	3.1	21	<1	<1	2	3	7	10	28
TOTAL 0-19 YRS	80	1.9	14	<1	<1	1	1	3	5	25
20-34	428	1.7	7	<1	<1	<1	1	3	5	14
35-49	98	1.6	2	<1	<1	1	2	3	4	9
50-64										
65+										
GRAND TOTAL	**606**	**1.7**	**7**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**13**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	888	1.3		<1	<1	1	1	2	3	5
20-34	7009	1.3	1	<1	<1	1	1	2	3	5
35-49	2131	1.2		<1	<1	1	1	2	2	5
50-64	308	1.4	1	<1	<1	<1	1	2	3	7
65+	122	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	277	2.3	4	<1	<1	2	3	5	7	13
20-34	2913	2.2	6	<1	<1	1	2	5	6	11
35-49	3012	2.1	12	<1	<1	1	2	4	7	15
50-64	1041	2.8	30	<1	<1	1	2	6	10	27
65+	702	5.0	73	<1	<1	2	5	13	19	62
TOT. SINGLE DX	10458	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	7945	2.5	19	<1	<1	1	2	5	8	20
TOTAL 0-19 YRS	1165	1.6	2	<1	<1	1	2	3	4	7
20-34	9922	1.5	3	<1	<1	1	1	3	4	7
35-49	5143	1.7	8	<1	<1	1	2	3	5	11
50-64	1349	2.5	24	<1	<1	1	2	5	8	22
65+	824	4.5	64	<1	<1	2	4	11	17	57
GRAND TOTAL	**18403**	**1.8**	**9**	**<1**	**<1**	**1**	**2**	**3**	**5**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.1		<1	<1	<1	<1	1	3	4
20-34	635	1.1		<1	<1	<1	<1	1	1	3
35-49	133	1.0		<1	<1	<1	<1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	608	1.3	14	<1	<1	<1	<1	<1	<1	6
20-34	1660	1.4	6	<1	<1	<1	<1	1	2	12
35-49	249	1.4	1	<1	<1	<1	1	2	3	8
50-64										
65+										
TOT. SINGLE DX	878	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	2517	1.4	8	<1	<1	<1	<1	1	2	8
TOTAL 0-19 YRS	718	1.2	12	<1	<1	<1	<1	<1	1	5
20-34	2295	1.3	5	<1	<1	<1	<1	1	2	7
35-49	382	1.3	1	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**3395**	**1.3**	**6**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	1.3		<1	<1	1	1	2	3	5
20-34	1479	1.1		<1	<1	1	1	1	2	3
35-49	292	1.1		<1	<1	1	1	1	2	3
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	41	2.6	8	<1	<1	2	3	6	8	16
20-34	333	2.0	4	<1	<1	1	2	4	6	12
35-49	119	1.8	3	<1	<1	1	2	3	5	12
50-64	6	11.8	72	<1	<1	16	18	19	19	19
65+	7	7.3	109	<1	<1	3	8	26	30	30
TOT. SINGLE DX	1939	1.1		<1	<1	1	1	2	2	4
" MULTIPLE DX	506	2.2	8	<1	<1	1	2	4	6	17
TOTAL 0-19 YRS	206	1.6	2	<1	<1	1	2	2	4	8
20-34	1812	1.3	1	<1	<1	1	1	2	3	6
35-49	411	1.3	1	<1	<1	1	1	2	3	6
50-64	9	8.2	74	<1	<1	1	17	19	19	19
65+	7	7.3	109	<1	<1	3	8	26	30	30
GRAND TOTAL	**2445**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	3.8	3	1	1	4	5	6	7	7
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	5	6.0		5	5	6	6	7	7	7
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	42	4.6	3	1	1	5	6	7	7	7
35-49	20	5.6	2	2	4	5	6	8	8	9
50-64	9	6.9	8	1	3	7	8	11	12	12
65+	13	11.8	61	4	6	9	16	21	31	34
TOT. SINGLE DX	27	4.4	3	1	2	5	6	6	7	7
" MULTIPLE DX	85	6.2	18	1	3	5	7	9	13	28
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	58	4.4	3	1	1	5	6	7	7	7
35-49	23	5.3	3	2	4	5	6	7	8	9
50-64	14	6.6	6	2	5	6	7	9	11	12
65+	15	10.9	58	4	4	8	14	17	30	34
GRAND TOTAL	**112**	**5.7**	**15**	**1**	**2**	**5**	**7**	**8**	**10**	**24**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.4	2	1	1	2	4	5	5	5
20-34	89	2.7	3	<1	<1	2	4	5	6	9
35-49	32	2.7	3	<1	<1	2	4	6	6	7
50-64	10	2.4	1	<1	<1	3	3	4	4	4
65+	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	13	3.8	7	1	1	4	5	7	10	11
20-34	175	4.0	18	<1	<1	3	5	7	9	24
35-49	84	3.2	6	<1	<1	3	5	6	8	12
50-64	39	4.6	8	1	2	4	6	9	12	13
65+	38	5.2	16	1	2	4	5	13	15	15
TOT. SINGLE DX	154	2.7	3	<1	<1	2	4	5	6	8
" MULTIPLE DX	349	4.0	14	<1	<1	3	5	7	11	17
TOTAL 0-19 YRS	33	2.9	5	1	1	2	4	5	6	11
20-34	264	3.6	14	<1	<1	3	5	6	8	19
35-49	116	3.1	5	<1	<1	2	5	6	8	11
50-64	49	4.2	8	1	1	3	5	8	11	13
65+	41	5.0	15	1	2	4	5	13	14	15
GRAND TOTAL	**503**	**3.6**	**11**	**<1**	**<1**	**3**	**5**	**6**	**8**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	4.8	7	2	2	4	6	9	11	11
35-49	101	5.2	5	2	3	5	7	8	9	13
50-64	237	5.4	4	2	3	5	6	8	9	12
65+	211	5.8	4	3	4	6	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	53	5.2	6	2	3	5	6	9	10	16
35-49	270	6.1	4	3	4	6	7	9	10	13
50-64	481	6.3	7	3	4	6	7	9	11	13
65+	515	7.1	16	3	4	7	8	10	12	20
TOT. SINGLE DX	566	5.5	5	2	3	5	7	8	9	12
" MULTIPLE DX	1321	6.5	11	3	4	6	8	9	11	16
TOTAL 0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	70	5.1	7	2	2	5	6	9	10	15
35-49	371	5.9	5	3	3	6	7	8	10	13
50-64	718	6.0	7	3	4	6	7	9	10	13
65+	726	6.7	14	3	4	6	8	10	12	20
GRAND TOTAL	**1887**	**6.2**	**9**	**3**	**4**	**6**	**7**	**9**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.7	8	<1	<1	1	3	8	10	10
20-34	98	3.2	6	<1	<1	2	4	8	9	11
35-49	24	3.8	12	<1	1	2	5	9	12	14
50-64	19	5.2	12	1	1	5	7	10	12	14
65+	12	5.5	4	1	2	6	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	38	5.9	35	1	1	3	9	14	20	23
20-34	54	4.8	15	1	1	4	6	10	13	19
35-49	34	4.1	6	1	1	4	6	7	9	10
50-64	35	7.3	34	1	2	6	8	12	17	34
65+	46	10.6	84	1	1	8	15	19	24	56
TOT. SINGLE DX	180	3.6	9	<1	<1	2	5	8	9	13
" MULTIPLE DX	207	6.6	41	1	1	5	8	14	18	29
TOTAL 0-19 YRS	65	4.6	27	<1	<1	2	8	11	15	23
20-34	152	3.8	10	<1	1	3	5	9	10	13
35-49	58	4.0	9	1	1	3	6	8	10	14
50-64	54	6.5	28	1	1	6	7	11	16	33
65+	58	9.6	72	1	1	7	13	18	22	53
GRAND TOTAL	**387**	**5.2**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	2.1	5	<1	<1	1	2	6	8	10
20-34	146	2.9	10	<1	<1	1	4	7	9	17
35-49	41	2.8	7	<1	<1	1	4	7	8	13
50-64	28	3.8	7	<1	<1	3	6	7	8	12
65+	31	4.6	8	1	1	5	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	65	3.8	12	<1	1	3	5	9	12	15
20-34	186	4.5	28	<1	<1	3	5	11	15	30
35-49	86	5.8	34	<1	1	4	9	13	16	32
50-64	84	7.5	87	1	2	5	8	12	23	60
65+	239	8.5	105	1	2	6	9	18	32	79
TOT. SINGLE DX	294	3.0	9	<1	<1	2	4	7	9	14
" MULTIPLE DX	660	6.5	66	<1	1	4	8	13	19	48
TOTAL 0-19 YRS	113	3.1	10	<1	<1	2	4	8	10	15
20-34	332	3.8	21	<1	<1	2	5	9	12	25
35-49	127	4.8	28	<1	<1	3	7	12	14	30
50-64	112	6.6	70	<1	1	5	7	11	20	54
65+	270	8.1	96	1	2	5	8	17	30	76
GRAND TOTAL	**954**	**5.4**	**51**	**<1**	**<1**	**4**	**6**	**11**	**17**	**44**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	1.8	2	<1	<1	1	2	3	6	9
20-34	342	1.5	1	<1	<1	1	2	3	3	6
35-49	160	1.5	1	<1	<1	1	2	2	3	7
50-64	48	1.7	4	<1	<1	1	2	2	4	15
65+	24	2.8	10	<1	<1	2	3	10	11	12
2. MULTIPLE DX										
0-19 YRS	49	3.1	10	1	1	2	4	8	8	19
20-34	169	3.2	22	<1	<1	2	3	5	9	28
35-49	108	3.5	21	<1	<1	2	4	8	10	29
50-64	70	6.8	102	<1	<1	3	7	19	27	57
65+	119	10.2	130	1	1	6	14	28	35	76
TOT. SINGLE DX	646	1.6	2	<1	<1	1	2	3	3	9
" MULTIPLE DX	515	5.4	65	<1	1	3	6	14	23	43
TOTAL 0-19 YRS	121	2.3	6	<1	<1	1	3	5	8	12
20-34	511	2.1	9	<1	<1	1	2	3	5	15
35-49	268	2.3	10	<1	<1	1	2	4	8	17
50-64	118	4.7	68	<1	<1	2	4	13	24	40
65+	143	9.0	118	<1	1	5	12	25	34	68
GRAND TOTAL	**1161**	**3.3**	**33**	**<1**	**<1**	**1**	**3**	**7**	**13**	**31**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	1.8	2	<1	<1	<1	2	4	6	6
35-49	9	4.9	16	2	2	3	8	11	13	13
50-64	7	10.7	35	2	2	12	16	17	17	17
65+	18	11.6	153	2	3	9	11	21	44	57
2. MULTIPLE DX										
0-19 YRS										
20-34	13	9.8	178	<1	1	4	10	37	40	41
35-49	15	9.4	90	<1	1	8	11	15	34	40
50-64	14	13.6	91	2	3	14	19	23	34	37
65+	70	15.8	161	3	4	12	21	34	49	92
TOT. SINGLE DX	44	7.8	87	<1	<1	6	11	15	19	57
" MULTIPLE DX	112	14.0	149	1	3	10	19	31	41	77
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	6.5	119	<1	<1	2	6	21	38	41
35-49	24	7.7	66	1	2	6	10	13	22	40
50-64	21	12.6	72	2	3	12	17	20	28	37
65+	88	15.0	161	3	4	11	19	30	49	86
GRAND TOTAL	**156**	**12.3**	**139**	**1**	**2**	**9**	**17**	**26**	**40**	**64**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.8	2	<1	<1	1	2	3	4	8
20-34	24	2.5	3	<1	<1	2	3	4	8	9
35-49	9	1.8	1	<1	<1	1	2	4	4	4
50-64	5	1.2		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	13	1.7	2	<1	<1	1	2	4	6	6
20-34	23	2.7	4	<1	1	2	4	5	7	10
35-49	5	3.4	3	1	1	3	4	6	6	6
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+	12	6.5	16	2	2	6	10	12	13	13
TOT. SINGLE DX	71	2.0	3	<1	<1	1	2	4	4	9
" MULTIPLE DX	55	3.4	9	<1	1	2	5	8	11	13
TOTAL 0-19 YRS	46	1.8	2	<1	<1	1	2	3	5	8
20-34	47	2.6	4	<1	<1	2	3	5	7	10
35-49	14	2.4	3	<1	<1	2	4	4	6	6
50-64	7	1.7	2	<1	<1	1	2	4	5	5
65+	12	6.5	16	2	2	6	10	12	13	13
GRAND TOTAL	**126**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**6**	**8**	**12**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	8	2.3	12	<1	<1	1	1	8	11	11
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	10	6.7	149	<1	<1	2	6	24	41	41
35-49	9	1.9	5	<1	<1	<1	1	6	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	8	10.6	175	<1	<1	6	16	33	37	37
TOT. SINGLE DX	15	2.2	7	<1	<1	1	3	4	9	11
" MULTIPLE DX	34	5.4	93	<1	<1	1	6	10	35	41
TOTAL 0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	18	4.7	90	<1	<1	1	5	10	29	41
35-49	12	2.1	4	<1	<1	1	2	5	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	9	9.9	158	<1	<1	6	12	32	37	37
GRAND TOTAL	**49**	**4.4**	**68**	**<1**	**<1**	**1**	**4**	**8**	**26**	**41**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	339	2.9		2	2	3	3	4	4	5
20-34	2755	3.0		2	2	3	3	4	4	5
35-49	202	3.1		2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	406	3.2	1	2	2	3	4	4	5	7
20-34	3319	3.4	3	2	2	3	4	4	5	8
35-49	310	3.4	1	2	2	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	3296	3.0	1	2	2	3	3	4	4	5
" MULTIPLE DX	4035	3.4	3	2	2	3	4	4	5	8
TOTAL 0-19 YRS	745	3.1	1	2	2	3	4	4	5	6
20-34	6074	3.2	2	2	2	3	4	4	5	7
35-49	512	3.3	1	2	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**7331**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.5		1	1	3	3	3	3	3
20-34	100	2.8		1	2	3	3	4	4	5
35-49	14	2.5		1	2	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	2.6	5	1	1	2	3	4	7	12
20-34	234	3.1	4	1	1	3	3	4	5	14
35-49	25	4.2	18	1	1	3	4	7	16	20
50-64										
65+										
TOT. SINGLE DX	120	2.7	1	1	2	3	3	4	4	5
" MULTIPLE DX	282	3.1	6	1	1	3	3	4	5	16
TOTAL 0-19 YRS	29	2.6	4	1	1	2	3	4	5	12
20-34	334	3.0	3	1	1	3	3	4	5	10
35-49	39	3.6	13	1	1	3	3	5	11	20
50-64										
65+										
GRAND TOTAL	**402**	**3.0**	**4**	**1**	**1**	**3**	**3**	**4**	**5**	**14**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	2.8		2	2	3	3	4	4	5
20-34	1266	2.9	1	2	2	3	3	4	4	5
35-49	95	2.9	1	<1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	243	3.2	1	2	2	3	4	4	5	10
20-34	1910	3.3	1	2	2	3	4	4	5	8
35-49	197	3.6	8	2	2	3	4	5	6	17
50-64										
65+										
TOT. SINGLE DX	1565	2.9	1	2	2	3	3	4	4	5
" MULTIPLE DX	2350	3.3	2	2	2	3	4	4	5	8
TOTAL 0-19 YRS	447	3.0	1	2	2	3	3	4	5	7
20-34	3176	3.1	2	2	2	3	4	4	5	7
35-49	292	3.4	6	2	2	3	4	4	5	16
50-64										
65+										
GRAND TOTAL	**3915**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5646	2.8		1	2	3	3	4	4	5
20-34	46070	2.8		1	2	3	3	4	4	5
35-49	3702	2.8		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1844	3.3	4	1	2	3	4	5	6	12
20-34	17746	3.2	4	1	2	3	4	4	5	9
35-49	1923	3.3	3	2	2	3	4	5	5	9
50-64										
65+										
TOT. SINGLE DX	55418	2.8	1	1	2	3	3	4	4	5
" MULTIPLE DX	21513	3.2	4	1	2	3	4	4	5	9
TOTAL 0-19 YRS	7490	2.9	2	1	2	3	3	4	4	7
20-34	63816	2.9	2	1	2	3	3	4	4	6
35-49	5625	3.0	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**76931**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	727	5.1	2	3	4	5	6	6	7	9
20-34	9615	5.1	1	4	4	5	6	6	7	8
35-49	878	5.5	3	4	4	5	6	7	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2003	5.9	7	4	4	5	6	8	10	16
20-34	23496	5.7	8	4	4	5	6	7	8	16
35-49	3262	6.0	9	4	4	5	6	7	9	17
50-64										
65+										
TOT. SINGLE DX	11220	5.2	2	4	4	5	6	6	7	8
" MULTIPLE DX	28761	5.7	9	4	4	5	6	7	9	16
TOTAL 0-19 YRS	2730	5.7	6	4	4	5	6	7	9	15
20-34	33111	5.5	7	4	4	5	6	7	8	14
35-49	4140	5.9	8	4	4	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**39981**	**5.6**	**7**	**4**	**4**	**5**	**6**	**7**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	5.3	1	4	4	5	6	6	8	9
20-34	268	5.1	2	3	4	5	6	7	7	10
35-49	25	5.4	1	3	4	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	54	6.4	4	3	4	6	8	10	11	12
20-34	599	6.5	23	4	4	5	7	9	13	35
35-49	96	7.3	24	4	4	6	7	11	19	28
50-64										
65+										
TOT. SINGLE DX	312	5.1	2	3	4	5	6	7	7	10
" MULTIPLE DX	749	6.6	23	4	4	5	7	10	13	33
TOTAL 0-19 YRS	73	6.1	4	4	4	6	7	9	10	12
20-34	867	6.1	18	3	4	5	6	8	11	32
35-49	121	6.9	21	4	4	6	7	10	16	28
50-64										
65+										
GRAND TOTAL	**1061**	**6.2**	**17**	**3**	**4**	**5**	**6**	**8**	**11**	**28**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.9	2	1	1	4	5	6	6	6
20-34	83	4.2	2	2	2	4	5	6	7	9
35-49	7	4.4	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	88	4.5	2	2	3	4	5	6	7	11
35-49	12	4.8	3	2	3	5	7	26	86	99+
50-64										
65+										
TOT. SINGLE DX	104	4.2	2	1	2	4	5	6	6	8
" MULTIPLE DX	103	4.5	3	2	3	4	5	7	7	52
TOTAL 0-19 YRS	17	4.0	2	1	2	4	5	6	6	6
20-34	171	4.4	2	2	3	4	5	6	7	9
35-49	19	4.7	3	2	2	5	6	8	54	99+
50-64										
65+										
GRAND TOTAL	**207**	**4.4**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	1.8	2	1	1	2	2	2	3	4
20-34	367	1.7		1	1	2	2	2	3	4
35-49	35	1.8	1	1	1	2	2	2	2	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	3.7	34	1	1	2	3	7	18	29
20-34	63	3.0	5	1	1	2	3	6	7	15
35-49	13	1.8		<1	<1	2	2	3	4	4
50-64										
65+										
TOT. SINGLE DX	641	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	103	3.0	13	1	1	2	3	6	8	22
TOTAL 0-19 YRS	266	2.0	6	1	1	2	2	2	3	15
20-34	430	1.9	1	1	1	2	2	3	3	6
35-49	48	1.8	2	1	1	2	2	2	3	9
50-64										
65+										
GRAND TOTAL	**744**	**1.9**	**3**	**1**	**1**	**2**	**2**	**2**	**3**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.8	24	<1	<1	3	7	11	17	20
20-34	90	4.5	26	<1	1	3	5	8	14	30
35-49	12	8.0	65	<1	1	4	14	19	26	27
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	18	3.8	4	<1	1	4	6	6	7	7
20-34	111	6.7	51	1	1	4	9	17	21	36
35-49	14	11.6	449	1	1	6	8	22	70	84
50-64										
65+										
TOT. SINGLE DX	122	4.9	31	<1	1	3	5	11	16	29
" MULTIPLE DX	143	6.8	85	1	1	4	8	15	20	43
TOTAL 0-19 YRS	38	4.3	15	<1	1	3	6	8	12	20
20-34	201	5.7	42	1	1	3	7	13	19	34
35-49	26	10.0	266	1	1	6	12	16	38	84
50-64										
65+										
GRAND TOTAL	**265**	**5.9**	**61**	**1**	**1**	**4**	**7**	**13**	**19**	**34**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	442	2.4	1	<1	<1	2	3	4	4	6
20-34	3120	2.5	1	<1	<1	3	3	4	4	6
35-49	246	2.5	1	<1	<1	2	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	191	3.2	6	<1	1	3	4	5	7	15
20-34	1388	3.2	3	1	1	3	4	5	6	10
35-49	136	3.7	21	<1	1	3	4	5	7	25
50-64										
65+										
TOT. SINGLE DX	3808	2.5	2	<1	<1	3	3	4	4	6
" MULTIPLE DX	1715	3.2	6	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	633	2.7	3	<1	<1	3	3	4	5	9
20-34	4508	2.7	2	<1	<1	3	3	4	5	8
35-49	382	2.9	9	<1	<1	3	3	4	6	9
50-64										
65+										
GRAND TOTAL	**5523**	**2.7**	**3**	**<1**	**<1**	**3**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1078	2.6		2	2	3	3	3	4	5
20-34	9119	2.6		1	2	3	3	4	4	4
35-49	856	2.6		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1005	3.2	5	2	2	3	3	4	5	11
20-34	9144	3.0	1	2	2	3	3	4	5	7
35-49	1021	3.2	4	1	2	3	4	4	5	8
50-64										
65+										
TOT. SINGLE DX	11053	2.6	1	1	2	3	3	4	4	5
" MULTIPLE DX	11170	3.0	2	2	2	3	3	4	5	7
TOTAL 0-19 YRS	2083	2.9	3	2	2	3	3	4	4	7
20-34	18263	2.8	1	1	2	3	3	4	4	6
35-49	1877	2.9	3	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**22223**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	3.1	3	<1	<1	3	4	5	7	8
20-34	16	3.5	7	1	1	3	5	8	9	10
35-49	15	5.7	42	<1	1	4	7	15	21	23
50-64	14	4.6	31	1	1	3	5	9	20	23
65+	11	4.8	24	1	1	2	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	36	6.4	152	1	1	4	4	8	16	76
20-34	45	5.2	73	<1	1	4	4	7	12	58
35-49	23	6.7	61	1	1	4	7	14	25	37
50-64	30	10.1	132	1	1	3	14	29	36	39
65+	54	10.3	153	1	1	6	15	29	48	98
TOT. SINGLE DX	76	4.2	20	1	1	3	5	10	14	23
" MULTIPLE DX	188	7.9	122	1	1	4	8	19	35	69
TOTAL 0-19 YRS	56	5.2	101	<1	1	4	4	8	13	72
20-34	61	4.8	56	<1	1	4	4	7	10	54
35-49	38	6.3	53	1	1	4	7	14	21	37
50-64	44	8.3	106	1	1	3	13	23	36	39
65+	65	9.4	135	1	1	4	13	27	39	93
GRAND TOTAL	**264**	**6.8**	**95**	**1**	**1**	**4**	**7**	**16**	**26**	**58**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	2.8	1	1	1	3	3	4	5	7
20-34	417	2.7	2	1	1	3	3	4	5	8
35-49	167	2.5	2	1	1	2	3	4	5	10
50-64	54	2.3	1	1	1	2	3	3	4	6
65+	13	2.2	2	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	226	4.3	12	1	2	4	5	6	8	22
20-34	378	3.7	5	1	2	3	4	5	7	14
35-49	140	3.2	2	1	1	3	4	5	5	8
50-64	48	4.1	28	1	1	3	4	7	15	31
65+	16	7.6	174	1	1	3	5	18	42	53
TOT. SINGLE DX	825	2.7	2	1	1	3	3	4	5	7
" MULTIPLE DX	808	3.9	12	1	2	3	4	6	7	20
TOTAL 0-19 YRS	400	3.6	8	1	2	3	4	5	7	20
20-34	795	3.2	4	1	1	3	4	5	6	12
35-49	307	2.8	2	1	1	3	4	4	5	9
50-64	102	3.1	15	1	1	2	3	5	7	25
65+	29	5.1	102	1	1	3	3	13	20	53
GRAND TOTAL	**1633**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**14**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	2.4	2	<1	1	2	3	4	5	9
20-34	161	2.3	1	1	1	2	3	4	5	6
35-49	20	3.9	23	1	1	2	4	8	15	22
50-64	3	2.7		2	2	3	3	3	3	3
65+	4	3.3	3	2	2	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	141	3.9	13	1	1	3	5	7	12	20
20-34	229	4.5	18	1	1	3	5	8	14	21
35-49	58	6.4	23	2	2	5	8	15	20	93
50-64	16	5.8	34	1	1	3	8	15	19	21
65+	20	6.8	44	2	2	5	9	12	22	31
TOT. SINGLE DX	273	2.4	3	1	1	2	3	4	5	9
" MULTIPLE DX	464	4.7	20	1	1	3	6	10	14	25
TOTAL 0-19 YRS	226	3.3	10	1	1	2	4	6	9	17
20-34	390	3.6	12	1	1	3	4	7	10	18
35-49	78	5.8	24	1	2	4	7	14	20	78
50-64	19	5.3	30	1	1	3	8	14	19	21
65+	24	6.2	39	2	2	4	7	12	18	31
GRAND TOTAL	**737**	**3.9**	**15**	**1**	**1**	**3**	**4**	**8**	**12**	**21**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.8	4	1	1	2	4	5	8	10
20-34	221	2.9	4	1	1	2	4	6	8	11
35-49	69	2.9	7	1	1	2	3	7	9	16
50-64	19	2.6	7	<1	1	2	3	4	9	13
65+	7	4.9	5	2	2	5	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	155	5.7	36	1	1	4	7	11	13	29
20-34	396	6.2	44	1	1	4	7	12	20	38
35-49	148	7.5	48	1	1	5	9	18	21	36
50-64	47	6.9	63	1	2	5	9	13	17	52
65+	49	11.9	111	2	2	10	14	25	32	56
TOT. SINGLE DX	389	2.9	5	1	1	2	4	6	8	12
" MULTIPLE DX	795	6.7	51	1	1	5	8	14	20	39
TOTAL 0-19 YRS	228	4.7	28	1	1	4	6	10	12	28
20-34	617	5.0	33	1	1	3	6	10	15	33
35-49	217	6.0	40	1	1	4	8	15	19	34
50-64	66	5.7	51	1	1	4	6	12	14	47
65+	56	11.0	104	2	2	9	13	23	30	55
GRAND TOTAL	**1184**	**5.5**	**39**	**1**	**1**	**4**	**6**	**11**	**17**	**34**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.9	1	1	1	3	4	5	6	6
20-34	15	2.9	4	<1	<1	2	4	7	7	7
35-49	20	2.2	2	1	1	2	3	4	6	8
50-64	7	1.7		<1	<1	2	2	2	2	2
65+	7	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	19	3.9	6	1	1	3	5	8	10	11
20-34	21	6.1	148	<1	1	3	5	9	32	58
35-49	10	5.5	16	1	1	4	6	12	13	13
50-64	15	11.4	226	1	1	7	14	23	50	59
65+	18	12.8	414	1	1	4	14	38	67	82
TOT. SINGLE DX	61	2.4	3	<1	1	2	3	4	6	8
" MULTIPLE DX	83	7.9	177	1	1	4	8	15	31	74
TOTAL 0-19 YRS	31	3.5	5	1	1	3	4	6	9	11
20-34	36	4.8	89	<1	1	3	5	7	10	58
35-49	30	3.3	9	1	1	2	4	7	12	13
50-64	22	8.3	172	<1	1	2	9	22	37	59
65+	25	9.7	320	<1	1	2	10	22	54	82
GRAND TOTAL	**144**	**5.6**	**110**	**1**	**1**	**3**	**5**	**10**	**17**	**60**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	5.4	32	1	1	4	6	11	15	33
20-34	150	3.5	18	<1	1	3	4	6	9	23
35-49	145	3.8	8	<1	<1	3	5	7	8	15
50-64	146	5.8	16	1	1	5	7	10	12	23
65+	30	6.2	14	1	2	5	8	12	13	17
2. MULTIPLE DX										
0-19 YRS	329	7.5	70	1	2	5	8	16	22	47
20-34	186	7.3	138	<1	<1	4	7	15	31	69
35-49	182	5.8	73	<1	1	3	6	12	19	65
50-64	244	6.4	43	1	1	5	8	11	15	43
65+	139	11.8	217	1	2	7	13	30	56	80
TOT. SINGLE DX	675	4.8	21	<1	1	4	6	9	12	23
" MULTIPLE DX	1080	7.5	98	<1	1	5	8	15	24	60
TOTAL 0-19 YRS	533	6.7	57	1	1	5	7	14	21	43
20-34	336	5.6	88	<1	1	3	6	10	19	56
35-49	327	4.9	45	<1	1	3	6	9	15	45
50-64	390	6.2	33	1	1	5	8	11	14	35
65+	169	10.8	186	1	2	7	12	22	47	76
GRAND TOTAL	**1755**	**6.5**	**70**	**<1**	**1**	**4**	**7**	**13**	**19**	**51**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	2.4	8	<1	<1	2	3	4	5	8
20-34	273	2.2	1	<1	<1	2	3	4	5	6
35-49	277	2.2	2	<1	<1	2	3	4	5	8
50-64	224	2.6	2	<1	<1	2	3	5	6	8
65+	74	2.5	2	<1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	180	2.4	1	1	1	2	3	4	5	6
20-34	515	2.4	2	<1	1	2	3	4	5	7
35-49	676	2.6	3	<1	1	2	3	5	6	9
50-64	1034	2.9	4	<1	1	3	4	5	6	10
65+	660	3.6	25	<1	1	3	4	6	8	17
TOT. SINGLE DX	1008	2.4	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	3065	2.9	8	<1	1	2	4	5	6	10
TOTAL 0-19 YRS	340	2.4	5	<1	1	2	3	4	5	7
20-34	788	2.3	2	<1	1	2	3	4	5	7
35-49	953	2.5	3	<1	1	2	3	4	6	8
50-64	1258	2.8	4	<1	1	3	4	5	6	9
65+	734	3.5	23	<1	1	3	4	6	7	17
GRAND TOTAL	**4073**	**2.7**	**7**	**<1**	**1**	**2**	**4**	**5**	**6**	**9**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	662	3.3	16	<1	1	2	4	6	8	16
20-34	723	3.1	13	<1	<1	2	4	5	8	19
35-49	569	3.1	8	<1	<1	2	4	6	8	16
50-64	401	3.7	22	<1	<1	2	4	7	10	27
65+	152	5.1	55	<1	<1	3	6	12	15	44
2. MULTIPLE DX										
0-19 YRS	387	8.2	144	1	1	4	9	22	32	61
20-34	747	8.4	190	<1	1	3	8	23	41	87
35-49	751	7.0	118	<1	1	3	7	17	31	65
50-64	950	9.6	177	1	1	4	11	26	40	61
65+	861	13.6	234	1	2	8	19	37	51	99+
TOT. SINGLE DX	2507	3.4	17	<1	<1	2	4	6	9	21
" MULTIPLE DX	3696	9.6	183	<1	1	4	11	26	42	77
TOTAL 0-19 YRS	1049	5.1	69	<1	1	3	5	11	18	52
20-34	1470	5.8	110	<1	1	3	5	12	24	60
35-49	1320	5.3	75	<1	<1	3	5	11	20	51
50-64	1351	7.9	138	<1	1	4	8	20	33	58
65+	1013	12.4	217	1	1	7	16	32	47	99+
GRAND TOTAL	**6203**	**7.1**	**126**	**<1**	**1**	**3**	**7**	**18**	**30**	**63**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	299	5.8	49	1	1	4	6	10	18	38
20-34	187	4.1	18	1	1	3	5	8	10	23
35-49	104	6.1	107	<1	1	4	7	10	16	69
50-64	61	6.2	17	1	2	5	9	13	14	17
65+	77	10.8	36	2	3	11	14	18	20	35
2. MULTIPLE DX										
0-19 YRS	149	7.4	57	1	2	5	9	16	23	35
20-34	168	9.4	175	1	1	5	11	21	33	95
35-49	96	8.7	150	1	2	5	8	18	32	73
50-64	159	12.9	164	1	3	9	16	27	42	63
65+	480	17.1	166	5	6	14	21	34	45	99+
TOT. SINGLE DX	728	6.0	49	1	1	4	7	12	17	37
" MULTIPLE DX	1052	13.1	166	2	2	10	17	28	39	87
TOTAL 0-19 YRS	448	6.3	52	1	1	4	7	13	20	37
20-34	355	6.6	100	1	1	4	7	14	22	71
35-49	200	7.3	129	1	1	4	7	13	23	72
50-64	220	11.0	132	1	2	8	13	24	32	63
65+	557	16.3	153	4	6	13	20	31	41	99
GRAND TOTAL	**1780**	**10.2**	**130**	**1**	**2**	**7**	**13**	**22**	**32**	**70**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	399	2.1	2	<1	<1	2	3	4	5	8
20-34	560	2.3	4	<1	<1	2	3	4	6	11
35-49	291	2.9	15	<1	<1	2	3	5	8	21
50-64	205	3.2	19	<1	<1	2	4	6	9	34
65+	150	4.4	54	<1	1	2	4	8	16	44
2. MULTIPLE DX										
0-19 YRS	345	4.1	71	<1	1	2	4	7	13	50
20-34	335	4.9	70	1	1	3	4	8	17	44
35-49	230	5.4	60	<1	1	2	6	12	23	42
50-64	213	6.4	67	<1	1	3	7	14	23	44
65+	422	10.7	173	1	1	6	13	30	43	99+
TOT. SINGLE DX	1605	2.7	13	<1	<1	2	3	5	7	17
" MULTIPLE DX	1545	6.6	104	<1	1	3	7	15	29	55
TOTAL 0-19 YRS	744	3.0	36	<1	<1	2	3	5	7	30
20-34	895	3.3	31	<1	<1	2	3	6	8	29
35-49	521	4.0	37	<1	<1	2	4	8	13	34
50-64	418	4.8	46	<1	1	3	5	11	16	44
65+	572	9.0	150	1	1	5	11	23	38	91
GRAND TOTAL	**3150**	**4.6**	**61**	**<1**	**<1**	**2**	**4**	**10**	**16**	**46**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	15.8	301	2	3	8	21	43	58	75
20-34	22	11.5	26	5	6	10	14	20	22	22
35-49	12	8.6	13	4	5	7	11	14	15	15
50-64	34	9.4	24	3	4	9	12	16	18	27
65+	86	12.7	68	6	6	12	15	18	21	58
2. MULTIPLE DX										
0-19 YRS	85	16.9	151	5	6	13	19	39	48	53
20-34	70	15.4	129	6	7	13	18	28	45	95
35-49	35	23.1	438	5	6	15	35	51	88	99+
50-64	84	14.1	127	5	6	11	16	22	35	71
65+	565	19.4	189	7	8	16	22	36	59	99+
TOT. SINGLE DX	206	12.6	116	4	5	10	14	21	28	68
" MULTIPLE DX	839	18.4	188	6	7	15	21	36	51	99+
TOTAL 0-19 YRS	137	16.5	207	2	4	12	20	40	49	64
20-34	92	14.5	107	5	6	12	17	23	37	89
35-49	47	19.4	368	5	6	12	27	48	81	99+
50-64	118	12.8	102	4	5	10	15	20	32	67
65+	651	18.5	178	6	8	15	21	34	54	99+
GRAND TOTAL	**1045**	**17.3**	**179**	**5**	**6**	**14**	**20**	**34**	**50**	**99**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	7.8	41	2	3	6	9	14	17	40
20-34	89	10.8	74	4	5	9	13	17	21	58
35-49	74	9.5	37	3	4	8	11	15	20	40
50-64	198	10.8	27	5	6	10	14	17	21	27
65+	702	14.4	63	6	8	13	17	21	27	45
2. MULTIPLE DX										
0-19 YRS	168	15.7	163	4	5	12	20	30	42	95
20-34	266	17.5	163	5	7	13	21	36	50	97
35-49	183	18.0	208	5	7	14	22	37	66	99+
50-64	581	17.9	154	7	8	14	21	34	47	99+
65+	5611	20.3	181	8	9	17	24	40	59	99+
TOT. SINGLE DX	1193	12.5	60	4	5	11	15	20	24	44
" MULTIPLE DX	6809	19.8	180	7	9	16	24	39	58	99+
TOTAL 0-19 YRS	298	12.3	126	3	4	9	15	25	34	75
20-34	355	15.8	149	5	6	12	19	31	47	83
35-49	257	15.6	174	5	6	12	19	31	54	99+
50-64	779	16.1	132	6	7	13	18	29	43	93
65+	6313	19.7	172	8	9	16	24	37	55	99+
GRAND TOTAL	**8002**	**18.7**	**169**	**6**	**8**	**15**	**22**	**36**	**52**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	9.0	91	1	1	5	15	22	26	43
20-34	7	7.3	10	4	4	7	8	13	14	14
35-49	2	18.5	545	2	2	18	35	35	35	35
50-64	12	8.6	38	1	1	8	13	17	19	19
65+	29	10.0	61	1	2	9	13	18	24	38
2. MULTIPLE DX										
0-19 YRS	131	18.3	202	2	2	17	27	38	46	76
20-34	28	19.0	344	2	4	13	21	51	65	75
35-49	24	22.2	406	2	4	17	39	49	86	99+
50-64	31	12.9	125	3	4	11	16	43	93	99+
65+	139	22.2	386	3	4	16	31	60	80	99+
TOT. SINGLE DX	227	9.2	85	1	1	5	14	22	25	43
" MULTIPLE DX	353	19.7	298	2	3	16	27	47	66	99+
TOTAL 0-19 YRS	308	13.0	159	1	1	8	20	30	39	62
20-34	35	16.7	298	2	4	10	20	33	63	75
35-49	26	21.9	397	2	3	17	38	49	84	99+
50-64	43	11.7	104	1	3	10	16	32	65	99+
65+	168	20.1	351	2	3	15	25	53	73	99+
GRAND TOTAL	**580**	**15.6**	**240**	**1**	**2**	**12**	**22**	**38**	**52**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	261	3.5	32	<1	1	2	3	7	15	27
20-34	215	3.2	14	<1	<1	2	4	6	10	21
35-49	136	3.6	20	<1	1	2	5	7	10	16
50-64	127	3.4	14	<1	1	2	4	7	10	21
65+	100	3.3	10	<1	1	2	4	7	10	16
2. MULTIPLE DX										
0-19 YRS	84	7.5	98	1	1	3	9	21	29	48
20-34	146	8.1	88	1	1	4	9	18	29	42
35-49	104	7.7	137	1	1	4	9	15	22	74
50-64	121	6.8	91	1	1	4	7	14	23	58
65+	173	10.0	143	1	2	6	14	22	31	78
TOT. SINGLE DX	839	3.4	21	<1	1	2	4	7	11	21
" MULTIPLE DX	628	8.2	114	1	1	4	10	19	29	60
TOTAL 0-19 YRS	345	4.5	52	<1	1	2	4	13	18	35
20-34	361	5.1	50	<1	1	3	5	11	18	38
35-49	240	5.4	75	1	1	3	6	11	15	49
50-64	248	5.1	55	1	1	3	5	10	16	43
65+	273	7.6	105	1	1	4	9	18	25	63
GRAND TOTAL	**1467**	**5.5**	**66**	**1**	**1**	**3**	**6**	**13**	**19**	**45**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1123	2.9	6	1	1	2	4	5	7	11
20-34	1581	3.8	8	1	1	3	5	7	9	14
35-49	1005	4.4	10	1	1	4	5	8	10	18
50-64	764	5.3	15	1	2	5	6	9	13	18
65+	433	6.0	18	2	2	5	7	11	15	20
2. MULTIPLE DX										
0-19 YRS	560	6.1	45	1	1	4	7	13	20	36
20-34	1245	7.9	95	1	1	5	9	17	26	54
35-49	875	8.4	105	1	2	5	9	18	29	69
50-64	986	8.6	82	2	2	6	10	17	25	55
65+	1344	11.5	109	2	3	8	14	24	34	63
TOT. SINGLE DX	4906	4.2	11	1	1	3	5	8	10	16
" MULTIPLE DX	5010	8.9	96	1	2	6	10	19	28	58
TOTAL 0-19 YRS	1683	4.0	22	1	1	3	5	7	11	27
20-34	2826	5.6	51	1	1	4	6	11	16	39
35-49	1880	6.3	59	1	2	4	7	12	18	48
50-64	1750	7.2	56	1	2	5	8	14	20	45
65+	1777	10.1	93	2	3	7	13	20	29	58
GRAND TOTAL	**9916**	**6.5**	**60**	**1**	**1**	**4**	**7**	**13**	**20**	**44**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1989	2.1	7	<1	1	1	2	4	5	15
20-34	565	3.2	10	<1	1	2	4	6	9	15
35-49	417	3.6	17	1	1	2	4	7	9	24
50-64	401	3.2	7	1	1	2	4	7	9	16
65+	331	4.3	44	<1	1	2	5	9	13	25
2. MULTIPLE DX										
0-19 YRS	638	4.8	43	1	1	3	5	11	18	38
20-34	585	7.6	101	1	1	4	8	19	32	66
35-49	401	6.7	77	1	1	4	8	13	20	53
50-64	491	8.0	96	1	1	5	9	20	29	52
65+	1164	10.2	155	1	2	6	13	24	36	93
TOT. SINGLE DX	3703	2.8	13	<1	1	2	3	5	8	16
" MULTIPLE DX	3279	7.9	110	1	1	4	9	19	29	67
TOTAL 0-19 YRS	2627	2.8	17	<1	1	1	3	5	9	21
20-34	1150	5.4	62	1	1	3	6	11	19	52
35-49	818	5.1	49	1	1	3	6	10	16	41
50-64	892	5.8	62	1	1	3	7	12	21	47
65+	1495	8.9	137	1	1	5	11	20	30	84
GRAND TOTAL	**6982**	**5.2**	**65**	**1**	**1**	**3**	**6**	**12**	**19**	**49**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	3.6	25	<1	1	1	4	9	18	23
20-34	143	2.0	4	<1	<1	1	2	5	6	10
35-49	63	2.5	9	<1	<1	1	3	5	10	16
50-64	54	3.7	43	<1	1	1	3	10	13	44
65+	90	4.3	33	<1	<1	2	5	9	14	34
2. MULTIPLE DX										
0-19 YRS	60	7.5	85	1	1	4	8	20	27	43
20-34	115	7.2	120	1	1	4	8	16	25	70
35-49	63	8.7	200	1	1	4	10	18	61	95
50-64	90	5.3	40	1	1	3	5	14	17	32
65+	250	8.9	122	1	1	5	11	29	39	99+
TOT. SINGLE DX	490	3.2	21	<1	<1	1	3	7	11	23
" MULTIPLE DX	578	7.8	115	1	1	4	9	19	34	75
TOTAL 0-19 YRS	200	4.8	46	<1	1	2	6	13	20	35
20-34	258	4.3	62	<1	<1	2	5	10	15	36
35-49	126	5.6	114	<1	<1	2	5	13	18	71
50-64	144	4.7	42	<1	1	2	5	12	16	36
65+	340	7.7	103	<1	1	4	9	21	35	99+
GRAND TOTAL	**1068**	**5.7**	**77**	**<1**	**1**	**3**	**6**	**14**	**24**	**60**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.6	24	<1	<1	2	4	6	12	29
20-34	130	2.7	4	1	1	2	3	5	6	12
35-49	63	2.5	2	<1	1	2	3	5	6	7
50-64	32	3.6	5	<1	1	3	5	6	7	12
65+	18	7.8	20	2	3	6	12	15	16	17
2. MULTIPLE DX										
0-19 YRS	54	7.5	86	<1	1	4	9	20	27	50
20-34	63	6.4	54	1	1	4	8	15	17	42
35-49	41	6.6	62	1	1	4	7	14	29	37
50-64	27	6.6	54	1	1	5	7	13	19	39
65+	40	16.7	360	1	3	12	19	42	81	99+
TOT. SINGLE DX	318	3.3	11	<1	1	2	4	6	10	16
" MULTIPLE DX	225	8.5	130	1	1	5	9	20	34	75
TOTAL 0-19 YRS	129	5.3	53	<1	<1	3	5	12	23	35
20-34	193	3.9	24	1	1	2	4	8	14	25
35-49	104	4.1	30	1	1	3	5	7	10	35
50-64	59	4.9	29	1	1	4	6	8	13	37
65+	58	14.0	270	2	3	10	15	37	57	99+
GRAND TOTAL	**543**	**5.4**	**67**	**<1**	**1**	**3**	**6**	**12**	**18**	**42**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	283	3.0	9	<1	1	2	4	6	9	16
20-34	307	3.0	11	<1	1	2	3	6	9	20
35-49	183	2.9	13	<1	<1	2	3	6	10	21
50-64	88	4.0	22	<1	<1	2	4	11	14	25
65+	34	9.7	129	1	1	5	10	29	39	41
2. MULTIPLE DX										
0-19 YRS	265	6.1	59	<1	1	3	7	15	22	41
20-34	300	4.9	46	<1	1	2	5	10	21	35
35-49	210	5.9	75	<1	<1	3	7	13	20	50
50-64	199	10.7	187	1	1	5	15	31	45	90
65+	254	19.6	348	2	2	14	27	52	60	83
TOT. SINGLE DX	895	3.3	19	<1	1	2	4	7	11	25
" MULTIPLE DX	1228	9.3	170	<1	1	4	11	25	40	65
TOTAL 0-19 YRS	548	4.5	36	<1	1	2	5	11	16	30
20-34	607	3.9	30	<1	1	2	4	8	13	33
35-49	393	4.5	49	<1	<1	2	4	11	16	39
50-64	287	8.7	146	<1	1	4	11	25	36	74
65+	288	18.4	332	1	2	13	25	45	58	83
GRAND TOTAL	**2123**	**6.8**	**115**	**<1**	**1**	**3**	**7**	**18**	**29**	**57**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	6.8	23	2	3	6	7	13	16	29
20-34	1671	6.7	16	3	3	6	8	11	15	23
35-49	2412	7.0	19	3	3	6	8	12	15	25
50-64	925	7.4	18	3	4	6	9	12	16	24
65+	198	8.9	32	3	4	8	11	17	20	27
2. MULTIPLE DX										
0-19 YRS	35	9.7	77	3	3	6	12	20	28	43
20-34	598	9.4	59	4	4	7	10	16	22	44
35-49	1375	9.2	40	3	4	7	11	17	21	36
50-64	1184	10.6	65	4	4	8	12	20	26	45
65+	637	14.4	105	5	6	11	18	28	35	58
TOT. SINGLE DX	5291	7.0	19	3	3	6	8	12	15	25
" MULTIPLE DX	3829	10.5	65	4	4	8	12	20	26	45
TOTAL 0-19 YRS	120	7.6	40	2	3	6	8	15	20	35
20-34	2269	7.4	29	3	3	6	8	13	17	28
35-49	3787	7.8	28	3	4	6	9	13	18	29
50-64	2109	9.2	47	3	4	7	11	17	22	35
65+	835	13.1	93	4	5	10	16	26	33	53
GRAND TOTAL	**9120**	**8.5**	**41**	**3**	**4**	**7**	**10**	**15**	**21**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	190	1.7	1	<1	<1	1	2	3	4	8
20-34	517	1.9	3	<1	<1	1	2	3	4	7
35-49	381	1.8	1	<1	<1	1	2	3	4	6
50-64	196	1.9	1	<1	<1	1	2	4	5	7
65+	43	2.2	4	<1	<1	1	3	4	7	11
2. MULTIPLE DX										
0-19 YRS	234	2.1	3	<1	<1	2	2	4	5	9
20-34	620	2.2	3	<1	<1	2	3	4	5	9
35-49	520	2.3	9	<1	<1	1	2	4	6	14
50-64	620	2.3	5	<1	<1	2	3	4	6	11
65+	266	3.0	12	<1	1	2	3	6	10	21
TOT. SINGLE DX	1327	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	2260	2.3	7	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	424	1.9	3	<1	<1	1	2	3	5	8
20-34	1137	2.1	4	<1	<1	1	2	4	5	8
35-49	901	2.1	6	<1	<1	1	2	4	5	12
50-64	816	2.2	4	<1	<1	2	3	4	6	10
65+	309	2.9	12	<1	<1	2	3	6	10	20
GRAND TOTAL	**3587**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	428	1.9	5	<1	<1	1	2	4	4	8
20-34	668	1.8	1	<1	<1	1	2	3	4	7
35-49	390	2.3	15	<1	<1	1	2	4	6	17
50-64	231	2.8	15	<1	<1	1	3	6	9	21
65+	78	3.3	20	<1	<1	2	4	7	16	79
2. MULTIPLE DX										
0-19 YRS	350	3.1	18	<1	<1	2	3	6	11	25
20-34	629	2.9	25	<1	<1	2	3	5	9	30
35-49	496	3.9	54	<1	<1	2	3	8	14	31
50-64	496	4.7	58	<1	<1	2	4	11	22	56
65+	354	9.8	184	<1	1	4	11	28	43	67
TOT. SINGLE DX	1795	2.1	8	<1	<1	1	2	4	5	13
" MULTIPLE DX	2325	4.6	67	<1	<1	2	4	10	21	47
TOTAL 0-19 YRS	778	2.4	12	<1	<1	1	2	4	7	20
20-34	1297	2.3	14	<1	<1	1	2	4	6	16
35-49	886	3.2	38	<1	<1	2	3	6	10	30
50-64	727	4.1	45	<1	<1	2	4	9	17	45
65+	432	8.7	161	<1	1	3	10	27	42	67
GRAND TOTAL	**4120**	**3.5**	**43**	**<1**	**<1**	**2**	**3**	**7**	**12**	**39**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	143	9.4	13	5	6	9	10	13	15	26
20-34	97	10.3	30	5	5	9	12	16	20	35
35-49	84	9.4	15	4	5	9	11	14	16	24
50-64	37	8.1	14	3	4	7	9	13	17	20
65+	6	17.0	97	5	5	16	23	30	31	31
2. MULTIPLE DX										
0-19 YRS	239	13.7	103	6	7	11	14	26	38	99+
20-34	167	16.1	212	5	6	12	18	32	57	99+
35-49	156	12.0	86	4	5	9	14	22	32	72
50-64	106	16.4	202	5	6	12	19	33	55	99+
65+	69	22.0	290	6	8	16	27	44	67	99
TOT. SINGLE DX	367	9.6	21	5	5	9	11	14	18	26
" MULTIPLE DX	737	15.0	163	5	6	11	17	30	43	99+
TOTAL 0-19 YRS	382	12.1	74	5	7	10	12	23	28	79
20-34	264	14.0	153	5	6	10	15	29	40	99+
35-49	240	11.1	63	4	5	9	13	18	27	49
50-64	143	14.3	167	4	5	11	17	30	45	99+
65+	75	21.6	276	5	8	16	27	43	67	99
GRAND TOTAL	**1104**	**13.2**	**122**	**5**	**6**	**10**	**14**	**26**	**35**	**98**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	3.5	3	1	1	3	5	6	7	8
20-34	143	3.3	5	<1	<1	3	4	6	8	13
35-49	119	3.9	27	<1	1	3	5	6	10	27
50-64	132	3.8	15	<1	1	3	5	7	10	20
65+	36	3.0	10	<1	<1	2	4	9	10	13
2. MULTIPLE DX										
0-19 YRS	80	5.4	21	<1	1	4	6	10	16	25
20-34	160	4.5	10	1	1	4	6	9	10	17
35-49	142	4.9	27	1	1	4	6	9	11	26
50-64	171	5.0	33	<1	1	4	6	8	10	38
65+	119	5.4	39	<1	1	4	7	12	14	67
TOT. SINGLE DX	476	3.6	14	<1	1	3	5	7	8	14
" MULTIPLE DX	672	5.0	26	1	1	4	6	9	13	26
TOTAL 0-19 YRS	126	4.7	16	1	1	4	6	8	11	25
20-34	303	3.9	8	<1	1	3	5	7	9	14
35-49	261	4.5	27	<1	1	3	5	8	10	24
50-64	303	4.5	26	<1	1	3	5	8	10	34
65+	155	4.8	34	<1	1	3	6	11	13	51
GRAND TOTAL	**1148**	**4.4**	**22**	**<1**	**1**	**3**	**5**	**8**	**10**	**25**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	42	10.2	10	6	7	10	12	15	16	20
35-49	80	10.7	15	6	7	10	13	15	17	25
50-64	337	12.4	36	7	8	11	14	17	20	45
65+	561	13.1	27	8	9	12	15	17	20	37
2. MULTIPLE DX										
0-19 YRS	8	21.4	724	6	6	13	18	67	87	87
20-34	74	14.1	87	6	7	11	16	23	27	65
35-49	187	13.6	68	7	8	12	15	19	30	57
50-64	892	14.6	73	8	8	12	16	22	29	68
65+	2795	17.4	115	8	9	15	19	29	39	89
TOT. SINGLE DX	1022	12.5	29	7	8	12	14	17	20	36
" MULTIPLE DX	3956	16.6	106	8	9	14	18	27	37	83
TOTAL 0-19 YRS	10	18.3	609	2	4	11	16	53	87	87
20-34	116	12.7	63	6	7	11	14	20	26	52
35-49	267	12.7	54	6	7	11	14	18	26	50
50-64	1229	14.0	64	8	8	12	16	21	26	65
65+	3356	16.7	103	8	9	14	18	27	37	82
GRAND TOTAL	**4978**	**15.7**	**93**	**8**	**9**	**13**	**17**	**25**	**34**	**72**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	8.3	20	2	3	8	11	15	16	16
20-34	4	8.0	2	6	6	8	9	10	10	10
35-49	10	10.8	45	4	4	8	14	21	27	27
50-64	50	12.3	114	6	6	11	13	17	18	82
65+	342	14.3	38	7	8	14	16	20	24	39
2. MULTIPLE DX										
0-19 YRS	9	13.4	60	5	6	10	18	26	28	28
20-34	13	14.0	52	9	10	12	13	25	33	35
35-49	40	19.6	268	8	8	12	26	39	54	84
50-64	257	17.2	139	7	9	14	19	32	49	99+
65+	2808	19.8	169	8	10	16	23	37	54	99+
TOT. SINGLE DX	418	13.8	49	6	8	13	16	19	24	39
" MULTIPLE DX	3127	19.6	169	8	9	16	23	37	54	99+
TOTAL 0-19 YRS	21	10.5	42	3	4	9	15	19	25	28
20-34	17	12.6	47	7	8	11	12	21	31	35
35-49	50	17.8	234	6	8	12	20	36	53	84
50-64	307	16.4	139	7	8	13	18	30	47	99+
65+	3150	19.2	159	8	9	16	22	36	50	99+
GRAND TOTAL	**3545**	**18.9**	**158**	**8**	**9**	**15**	**21**	**35**	**50**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	292	3.6	3	1	1	3	5	6	7	9
20-34	432	4.0	9	1	1	4	5	6	7	12
35-49	137	5.4	14	1	1	5	7	10	12	19
50-64	267	10.5	23	2	4	11	14	16	18	23
65+	488	12.9	23	6	7	13	15	18	21	29
2. MULTIPLE DX										
0-19 YRS	332	4.5	20	1	1	4	5	7	9	14
20-34	584	4.7	24	1	1	4	5	7	9	18
35-49	254	6.7	37	1	1	5	9	14	17	26
50-64	663	12.8	60	2	5	12	16	20	24	47
65+	2110	15.1	60	8	9	14	17	22	27	50
TOT. SINGLE DX	1616	7.8	32	1	2	6	12	16	17	23
" MULTIPLE DX	3943	11.8	70	2	3	11	15	20	25	47
TOTAL 0-19 YRS	624	4.1	13	1	1	4	5	6	7	11
20-34	1016	4.4	18	1	1	4	5	7	8	16
35-49	391	6.3	30	1	1	5	8	12	16	25
50-64	930	12.2	51	2	4	12	15	18	23	37
65+	2598	14.7	54	7	9	14	16	21	26	48
GRAND TOTAL	**5559**	**10.6**	**62**	**1**	**2**	**10**	**15**	**18**	**23**	**40**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	343	2.5	1	1	1	2	3	4	5	6
20-34	792	2.7	1	<1	1	3	4	4	5	7
35-49	420	2.6	2	<1	1	2	3	4	6	8
50-64	303	3.0	4	<1	1	3	4	5	6	11
65+	113	4.1	8	<1	1	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	111	3.0	2	1	1	3	4	5	6	8
20-34	338	3.1	22	1	1	2	4	5	7	18
35-49	344	3.4	18	1	1	3	4	6	8	24
50-64	518	4.2	45	<1	1	3	4	7	11	32
65+	400	6.0	62	1	1	4	7	12	17	65
TOT. SINGLE DX	1971	2.8	3	<1	1	2	4	5	6	8
" MULTIPLE DX	1711	4.2	38	1	1	3	5	8	11	28
TOTAL 0-19 YRS	454	2.6	2	1	1	2	3	5	5	7
20-34	1130	2.8	8	<1	1	2	4	5	5	8
35-49	764	3.0	10	<1	1	2	3	5	7	13
50-64	821	3.8	30	<1	1	3	4	6	9	20
65+	513	5.6	51	1	1	4	6	11	16	39
GRAND TOTAL	**3682**	**3.4**	**20**	**<1**	**1**	**3**	**4**	**6**	**8**	**18**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	2.9	9	<1	<1	2	3	6	9	15
20-34	170	2.7	7	<1	<1	2	3	6	8	15
35-49	158	3.0	31	<1	<1	2	3	5	9	28
50-64	124	2.3	6	<1	<1	1	3	5	8	13
65+	31	4.3	53	<1	<1	1	5	8	23	35
2. MULTIPLE DX										
0-19 YRS	254	6.6	67	<1	1	4	7	15	19	45
20-34	188	6.8	112	1	1	4	7	13	18	66
35-49	160	7.5	102	<1	1	4	9	19	28	47
50-64	145	9.6	149	<1	<1	6	13	26	44	99+
65+	164	11.4	210	<1	1	6	14	29	42	97
TOT. SINGLE DX	637	2.8	16	<1	<1	2	3	6	9	18
" MULTIPLE DX	911	8.1	124	<1	1	4	9	19	30	69
TOTAL 0-19 YRS	408	5.2	49	<1	1	3	6	11	18	37
20-34	358	4.9	66	<1	<1	3	5	10	14	53
35-49	318	5.3	72	<1	<1	3	5	11	20	44
50-64	269	6.2	96	<1	<1	3	7	15	27	65
65+	195	10.2	192	<1	<1	5	13	25	36	94
GRAND TOTAL	**1548**	**6.0**	**87**	**<1**	**<1**	**3**	**6**	**14**	**21**	**54**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	1.7	3	<1	<1	1	2	3	5	11
20-34	311	1.5	1	<1	<1	<1	1	3	4	6
35-49	232	2.2	6	<1	<1	1	2	4	7	15
50-64	146	1.9	4	<1	<1	1	2	3	5	13
65+	78	4.0	35	<1	<1	2	4	9	17	35
2. MULTIPLE DX										
0-19 YRS	61	4.2	77	<1	<1	2	3	9	12	61
20-34	97	5.5	117	<1	<1	2	4	14	24	67
35-49	164	5.4	72	<1	<1	2	5	16	25	94
50-64	231	6.2	50	<1	<1	3	9	17	23	32
65+	302	9.8	136	<1	1	6	14	23	29	82
TOT. SINGLE DX	944	2.0	7	<1	<1	1	2	4	6	14
" MULTIPLE DX	855	7.1	98	<1	<1	3	9	19	26	66
TOTAL 0-19 YRS	238	2.4	23	<1	<1	1	2	4	7	13
20-34	408	2.5	32	<1	<1	1	2	4	7	26
35-49	396	3.5	36	<1	<1	1	3	8	15	40
50-64	377	4.6	37	<1	<1	2	5	13	19	29
65+	380	8.6	121	<1	<1	4	12	22	28	81
GRAND TOTAL	**1799**	**4.4**	**57**	**<1**	**<1**	**2**	**4**	**12**	**18**	**37**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.8	19	<1	<1	2	6	11	15	15
20-34	26	1.9	2	<1	<1	1	2	4	5	8
35-49	35	1.6	1	<1	<1	1	2	3	4	6
50-64	127	1.8	1	<1	<1	1	2	3	4	7
65+	101	1.7		<1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	19	3.0	7	<1	1	2	3	7	10	12
20-34	23	3.3	12	<1	1	2	4	5	10	18
35-49	40	3.6	39	<1	<1	2	3	8	17	34
50-64	111	2.5	4	<1	<1	2	3	5	6	13
65+	121	3.2	15	<1	<1	2	3	8	11	21
TOT. SINGLE DX	299	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	314	3.0	14	<1	<1	2	3	6	10	21
TOTAL 0-19 YRS	29	3.3	11	<1	1	2	4	7	12	15
20-34	49	2.6	8	<1	<1	2	3	5	6	18
35-49	75	2.7	22	<1	<1	1	2	4	9	31
50-64	238	2.1	3	<1	<1	2	2	4	5	11
65+	222	2.5	9	<1	<1	2	3	4	8	20
GRAND TOTAL	**613**	**2.4**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	196	1.5	1	<1	<1	1	2	3	4	6
20-34	314	1.7	1	<1	<1	1	2	3	4	6
35-49	124	1.7	1	<1	<1	1	2	3	4	6
50-64	62	1.7	2	<1	<1	1	2	3	4	10
65+	16	2.3	4	<1	1	2	2	3	8	10
2. MULTIPLE DX										
0-19 YRS	182	2.1	8	<1	1	1	2	4	5	15
20-34	358	2.5	7	<1	1	2	3	5	7	14
35-49	178	2.3	2	<1	1	2	3	4	5	9
50-64	97	2.3	2	<1	1	2	3	4	6	8
65+	49	3.0	17	<1	1	2	3	5	11	27
TOT. SINGLE DX	712	1.7	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	864	2.4	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	378	1.8	5	<1	<1	1	2	3	5	10
20-34	672	2.1	5	<1	<1	1	2	4	5	12
35-49	302	2.0	2	<1	<1	2	2	4	4	8
50-64	159	2.0	2	<1	<1	2	2	4	5	8
65+	65	2.8	15	<1	1	2	3	5	10	25
GRAND TOTAL	**1576**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	2.2	2	<1	<1	2	3	4	6	9
20-34	267	2.3	2	<1	<1	2	3	4	5	9
35-49	237	3.0	4	<1	1	3	4	5	7	10
50-64	255	3.2	4	<1	1	3	4	6	7	11
65+	86	3.8	10	<1	<1	3	4	7	9	20
2. MULTIPLE DX										
0-19 YRS	84	5.0	62	<1	1	2	5	10	31	80
20-34	198	4.3	56	<1	1	3	4	8	13	66
35-49	236	4.5	39	1	1	3	5	8	11	21
50-64	320	4.9	24	<1	1	4	6	10	14	28
65+	256	6.8	64	1	2	5	7	15	20	46
TOT. SINGLE DX	959	2.8	5	<1	1	2	4	5	6	10
" MULTIPLE DX	1094	5.2	46	1	1	3	6	10	15	38
TOTAL 0-19 YRS	198	3.4	30	<1	1	2	3	7	9	40
20-34	465	3.2	27	<1	1	2	4	6	8	27
35-49	473	3.8	22	<1	1	3	4	7	9	17
50-64	575	4.1	16	<1	1	3	5	8	11	19
65+	342	6.1	53	1	1	4	6	13	19	39
GRAND TOTAL	**2053**	**4.1**	**28**	**<1**	**1**	**3**	**5**	**7**	**11**	**29**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	241	3.3	4	<1	1	3	4	6	8	10
20-34	241	3.0	3	1	1	3	4	5	6	9
35-49	204	3.3	6	1	1	3	4	5	8	14
50-64	116	3.3	4	1	1	3	4	6	7	10
65+	44	4.9	14	<1	1	4	6	11	13	19
2. MULTIPLE DX										
0-19 YRS	325	4.7	48	1	1	3	5	8	12	45
20-34	173	6.4	79	1	1	4	7	14	25	46
35-49	123	5.7	53	1	1	4	6	14	23	99+
50-64	135	7.8	129	1	2	4	8	17	31	91
65+	113	8.0	89	2	2	5	9	18	23	79
TOT. SINGLE DX	846	3.3	5	1	1	3	4	6	7	12
" MULTIPLE DX	869	6.1	74	1	1	4	6	12	21	60
TOTAL 0-19 YRS	566	4.1	30	1	1	3	4	7	9	22
20-34	414	4.4	38	1	1	3	5	8	11	37
35-49	327	4.2	26	1	1	3	4	8	13	37
50-64	251	5.7	76	1	1	3	6	10	18	55
65+	157	7.1	70	1	2	5	8	15	20	66
GRAND TOTAL	**1715**	**4.7**	**42**	**1**	**1**	**3**	**5**	**8**	**13**	**44**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.9		1	1	2	2	3	4	4
20-34	64	1.8	1	<1	1	1	2	3	4	6
35-49	47	2.0	2	<1	<1	1	2	4	5	9
50-64	36	2.2	2	<1	<1	2	3	4	4	9
65+	16	2.2	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	25	3.8	17	1	1	2	4	7	16	17
20-34	77	5.0	70	1	1	3	3	12	21	42
35-49	74	4.9	52	<1	1	2	5	12	27	32
50-64	61	5.2	63	<1	1	2	5	13	19	45
65+	83	7.8	110	<1	1	4	10	18	31	51
TOT. SINGLE DX	183	2.0	2	<1	1	2	2	4	4	8
" MULTIPLE DX	320	5.7	72	<1	1	3	5	14	25	47
TOTAL 0-19 YRS	45	2.9	11	1	1	2	3	5	9	17
20-34	141	3.5	41	<1	1	2	3	5	13	42
35-49	121	3.8	35	<1	<1	2	3	8	15	30
50-64	97	4.1	43	<1	1	2	4	9	15	41
65+	99	6.9	97	<1	1	3	8	14	29	51
GRAND TOTAL	**503**	**4.3**	**50**	**<1**	**1**	**2**	**4**	**10**	**16**	**42**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	4.5	14	2	2	3	7	10	10	10
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	5	8.6	22	3	3	7	13	14	14	14
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	3	22.0	247	5	5	25	33	36	36	36
50-64	5	10.8	82	2	2	9	26	93	99+	99+
65+	9	19.3	353	5	5	10	29	52	55	55
TOT. SINGLE DX	10	5.2	19	1	1	3	10	12	12	12
" MULTIPLE DX	25	14.4	188	3	5	10	23	46	64	99+
TOTAL 0-19 YRS	5	8.6	22	3	3	7	13	14	14	14
20-34	7	6.0	13	2	2	5	10	10	10	10
35-49	6	12.2	216	1	1	4	25	35	36	36
50-64	7	9.9	64	2	2	9	19	78	99+	99+
65+	10	18.6	320	5	5	11	23	51	55	55
GRAND TOTAL	**35**	**11.8**	**156**	**2**	**2**	**8**	**13**	**35**	**53**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.5	8	<1	<1	2	6	8	9	9
20-34	14	9.2	73	1	2	5	10	20	30	33
35-49	9	4.9	21	1	1	3	7	13	14	14
50-64	11	4.7	20	<1	<1	2	9	11	12	12
65+	23	8.5	59	<1	1	6	13	18	26	30
2. MULTIPLE DX										
0-19 YRS	12	6.8	38	1	1	5	9	17	20	21
20-34	39	12.5	204	2	2	9	14	21	42	79
35-49	152	16.2	186	2	3	13	20	36	47	68
50-64	430	18.6	240	3	4	14	25	40	52	84
65+	853	18.3	205	3	5	15	24	39	47	98
TOT. SINGLE DX	70	6.5	44	<1	1	4	9	14	19	32
" MULTIPLE DX	1486	17.9	214	3	4	14	23	38	48	88
TOTAL 0-19 YRS	25	5.1	24	<1	1	5	7	11	16	21
20-34	53	11.4	171	2	2	9	14	20	32	78
35-49	161	15.6	184	1	2	13	19	34	46	67
50-64	441	18.3	240	3	4	14	24	39	52	84
65+	876	18.0	204	3	5	15	24	39	46	98
GRAND TOTAL	**1556**	**17.4**	**212**	**2**	**3**	**14**	**23**	**38**	**48**	**87**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	12.0		12	12	12	12	12	12	12
35-49	6	16.5	93	7	7	14	25	29	30	30
50-64	4	10.5	13	6	6	10	13	15	15	15
65+	3	13.3	42	7	7	13	18	20	20	20
2. MULTIPLE DX										
0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	24	19.4	461	3	4	12	25	81	86	99+
35-49	73	23.4	218	6	8	21	35	53	68	99+
50-64	277	27.8	294	8	11	24	40	57	74	99+
65+	750	27.7	349	8	10	23	37	63	89	99+
TOT. SINGLE DX	15	13.6	49	6	7	11	18	25	29	30
" MULTIPLE DX	1126	27.3	331	8	10	22	38	59	84	99+
TOTAL 0-19 YRS	3	12.7	8	11	11	11	15	16	16	16
20-34	25	19.1	444	3	4	12	24	77	86	99+
35-49	79	22.9	211	6	8	20	33	52	65	99+
50-64	281	27.6	295	8	11	23	40	56	74	99+
65+	753	27.7	349	8	10	23	37	63	89	99+
GRAND TOTAL	**1141**	**27.1**	**330**	**8**	**10**	**22**	**38**	**59**	**83**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	1	11.0		11	11	55	99+	99+	99+	99+
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	17	11.2	48	5	6	9	14	15	28	35
2. MULTIPLE DX										
0-19 YRS	5	21.2	270	5	5	15	33	46	46	46
20-34	5	18.8	94	8	9	19	34	93	99+	99+
35-49	20	22.4	192	6	8	21	33	49	73	99+
50-64	112	25.5	268	6	7	23	36	52	78	99+
65+	830	21.8	299	6	7	16	28	54	75	99+
TOT. SINGLE DX	23	11.6	47	5	6	10	14	27	54	99+
" MULTIPLE DX	972	22.2	293	6	7	17	30	53	76	99+
TOTAL 0-19 YRS	6	22.0	220	5	6	20	29	44	46	46
20-34	7	16.4	80	8	9	15	27	80	99+	99+
35-49	21	21.8	189	6	8	21	36	61	99+	99+
50-64	114	25.2	269	6	7	23	35	51	75	99+
65+	847	21.6	297	6	7	16	28	53	74	99+
GRAND TOTAL	**995**	**22.0**	**290**	**6**	**7**	**17**	**30**	**53**	**76**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	3	26.3	1432	3	3	6	54	70	70	70
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	12.7	40	9	9	9	17	20	20	20
65+	4	13.5	7	10	10	14	15	16	16	16
2 MULTIPLE DX										
0-19 YRS	5	12.6	70	2	2	11	20	22	22	22
20-34	12	17.6	220	4	5	15	20	44	51	52
35-49	39	19.9	176	6	7	17	26	45	54	99+
50-64	148	28.3	350	6	7	26	40	56	67	99+
65+	285	28.6	346	7	10	24	40	58	71	99+
TOT. SINGLE DX	14	13.3	296	3	3	9	15	25	60	70
" MULTIPLE DX	489	27.4	336	6	8	23	39	57	68	99+
TOTAL 0-19 YRS	8	9.3	61	2	2	6	15	21	22	22
20-34	15	19.3	391	3	4	13	21	52	65	70
35-49	40	19.6	179	5	6	17	25	45	54	99+
50-64	151	27.9	348	6	7	25	40	56	67	99+
65+	289	28.4	345	7	10	23	40	57	71	99+
GRAND TOTAL	**503**	**27.0**	**340**	**6**	**7**	**23**	**39**	**57**	**68**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.9	2	<1	1	2	2	3	5	7
20-34	13	6.2	65	<1	1	4	7	13	28	32
35-49	8	7.3	57	2	2	5	8	20	25	25
50-64	5	3.2	7	1	1	2	4	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	7	5.1	27	1	1	2	9	13	14	14
20-34	14	8.0	31	1	2	7	11	14	21	23
35-49	8	6.4	93	1	1	4	11	72	99+	99+
50-64	5	6.0	15	2	2	5	9	11	11	11
65+	4	25.8	2011	2	2	4	49	93	93	93
TOT. SINGLE DX	45	4.2	34	<1	1	2	4	8	13	32
" MULTIPLE DX	38	8.7	234	1	1	5	10	19	65	99+
TOTAL 0-19 YRS	26	2.8	10	<1	1	2	2	7	11	14
20-34	27	7.1	47	1	1	5	9	13	24	32
35-49	16	6.8	71	1	2	4	7	29	75	99+
50-64	10	4.6	12	1	1	3	8	10	11	11
65+	4	25.8	2012	2	2	4	49	93	93	93
GRAND TOTAL	**83**	**6.3**	**129**	**1**	**1**	**3**	**7**	**11**	**26**	**98**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.1	2	1	1	2	3	5	5	5
20-34	22	3.1	7	<1	<1	2	4	7	9	11
35-49	22	3.4	8	<1	<1	2	5	8	9	10
50-64	10	4.2	9	<1	<1	4	7	8	8	8
65+	9	7.0	63	<1	<1	2	14	19	22	22
2. MULTIPLE DX										
0-19 YRS	10	2.5	1	1	1	3	3	4	5	5
20-34	24	10.3	278	<1	1	6	11	19	39	84
35-49	40	11.7	287	1	1	6	15	27	44	93
50-64	70	12.9	99	1	3	10	16	30	36	46
65+	129	16.6	242	3	3	12	22	35	50	99
TOT. SINGLE DX	75	3.6	15	<1	1	2	5	8	11	20
" MULTIPLE DX	273	13.8	214	1	2	10	17	33	42	91
TOTAL 0-19 YRS	22	2.3	2	1	1	2	3	5	5	5
20-34	46	6.9	159	<1	1	3	8	12	19	84
35-49	62	8.7	202	<1	1	4	9	19	36	87
50-64	80	11.8	96	1	1	9	15	27	35	45
65+	138	16.0	236	2	3	12	21	35	47	99
GRAND TOTAL	**348**	**11.6**	**189**	**1**	**1**	**8**	**15**	**27**	**36**	**84**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	12.5	221	2	2	12	23	23	23	23
65+	6	14.3	252	3	3	9	13	43	46	46
TOT. SINGLE DX	1	17.0		17	17	17	17	17	17	17
" MULTIPLE DX	10	11.6	189	1	1	7	13	34	46	46
TOTAL 0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	14.0	117	2	2	17	21	23	23	23
65+	6	14.3	252	3	3	9	13	43	46	46
GRAND TOTAL	**11**	**12.1**	**173**	**1**	**2**	**8**	**16**	**32**	**45**	**46**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	1.5		<1	<1	1	2	2	4	5
20-34	348	1.6	3	<1	<1	1	2	2	4	5
35-49	868	1.8	1	<1	<1	1	2	3	5	7
50-64	731	2.1	4	<1	<1	1	2	4	5	8
65+	482	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	30	2.0	4	<1	<1	1	2	4	6	12
20-34	207	2.5	15	<1	<1	1	2	4	7	23
35-49	859	2.7	14	<1	<1	1	3	5	9	23
50-64	1143	3.7	23	<1	<1	2	4	8	12	33
65+	1521	6.1	78	<1	1	3	7	14	21	56
TOT. SINGLE DX	2523	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	3760	4.3	45	<1	<1	2	5	10	15	40
TOTAL 0-19 YRS	124	1.6	2	<1	<1	1	2	3	4	8
20-34	555	1.9	8	<1	<1	1	2	3	4	12
35-49	1727	2.2	8	<1	<1	1	2	4	6	14
50-64	1874	3.1	17	<1	<1	2	3	6	10	24
65+	2003	5.3	63	<1	1	3	6	11	17	50
GRAND TOTAL	**6283**	**3.4**	**30**	**<1**	**<1**	**2**	**4**	**7**	**11**	**30**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.5		1	1	1	2	2	2	2
20-34	13	2.5	1	<1	1	2	3	4	4	4
35-49	34	5.2	8	2	3	5	6	8	13	15
50-64	43	4.1	3	1	2	4	5	6	8	9
65+	54	4.2	3	1	2	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	5	5.6	57	1	1	2	8	19	19	19
20-34	9	6.0	29	3	3	4	6	14	20	20
35-49	55	5.0	22	1	3	4	6	7	9	35
50-64	117	6.7	54	1	2	5	7	10	16	49
65+	321	8.2	75	2	3	6	9	14	24	99+
TOT. SINGLE DX	156	4.0	5	1	1	4	5	7	8	14
" MULTIPLE DX	507	7.4	65	2	3	6	8	12	19	65
TOTAL 0-19 YRS	17	2.7	18	1	1	2	2	4	14	19
20-34	22	3.9	15	1	1	3	4	6	12	20
35-49	89	5.1	17	1	3	4	6	8	9	28
50-64	160	6.0	42	1	2	5	6	9	11	44
65+	375	7.6	67	2	3	6	8	13	20	91
GRAND TOTAL	**663**	**6.6**	**53**	**2**	**2**	**5**	**7**	**11**	**16**	**59**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	33	6.0	5	4	4	6	6	10	11	14
35-49	324	5.6	4	2	3	5	7	8	9	12
50-64	533	5.8	10	3	3	6	7	8	9	12
65+	604	6.1	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	52	6.2	3	4	4	6	7	9	9	11
35-49	522	6.3	8	3	4	6	8	9	11	16
50-64	1265	7.2	16	3	4	6	8	11	13	22
65+	2102	7.9	25	4	4	7	9	12	16	29
TOT. SINGLE DX	1494	5.9	7	3	4	6	7	8	10	13
" MULTIPLE DX	3943	7.5	20	3	4	7	8	11	14	25
TOTAL 0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	85	6.1	4	4	4	6	7	9	10	13
35-49	846	6.0	7	3	4	6	7	9	11	15
50-64	1798	6.8	15	3	4	6	8	10	12	20
65+	2706	7.5	22	3	4	7	8	11	15	27
GRAND TOTAL	**5437**	**7.0**	**17**	**3**	**4**	**6**	**8**	**10**	**13**	**23**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	2.3	1	1	1	2	3	4	4	5
20-34	533	2.3	1	1	1	2	3	4	4	6
35-49	274	2.6	5	<1	1	2	3	5	6	9
50-64	131	2.7	2	1	1	3	4	4	5	9
65+	36	2.8	6	<1	1	2	4	5	10	11
2. MULTIPLE DX										
0-19 YRS	91	2.9	2	1	1	3	3	5	6	11
20-34	300	3.1	9	<1	1	2	3	5	7	19
35-49	549	3.4	15	1	1	3	4	6	7	17
50-64	324	3.4	8	1	1	3	4	6	8	16
65+	131	5.7	69	1	1	3	5	13	20	51
TOT. SINGLE DX	1223	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	1395	3.5	17	1	1	3	4	6	8	22
TOTAL 0-19 YRS	340	2.5	2	1	1	2	3	4	4	6
20-34	833	2.6	5	1	1	2	3	4	5	10
35-49	823	3.1	12	1	1	3	4	6	7	13
50-64	455	3.2	7	1	1	3	4	5	7	14
65+	167	5.0	57	1	1	3	5	11	18	49
GRAND TOTAL	**2618**	**3.0**	**11**	**1**	**1**	**2**	**4**	**5**	**6**	**14**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	611	2.3	2	1	1	2	3	4	5	8
20-34	1134	2.4	2	1	1	2	3	4	5	7
35-49	191	2.3	2	<1	1	2	3	4	5	9
50-64	33	2.3	1	<1	<1	2	3	4	4	5
65+	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	114	3.1	6	1	1	2	4	5	8	15
20-34	212	3.0	6	<1	1	2	4	5	8	13
35-49	66	3.7	12	1	1	3	4	8	12	19
50-64	27	6.3	88	<1	<1	3	6	14	29	45
65+	16	4.1	10	1	1	3	4	10	11	11
TOT. SINGLE DX	1972	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	435	3.4	13	1	1	3	4	6	10	18
TOTAL 0-19 YRS	725	2.4	3	1	1	2	3	4	5	9
20-34	1346	2.5	3	1	1	2	3	4	5	8
35-49	257	2.7	5	<1	1	2	3	4	6	14
50-64	60	4.1	44	<1	<1	2	4	7	13	43
65+	19	4.1	9	1	1	3	5	10	11	11
GRAND TOTAL	**2407**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	362	2.0	9	<1	<1	1	2	3	5	14
20-34	410	2.5	12	<1	<1	1	3	5	8	17
35-49	402	1.9	5	<1	<1	1	2	3	6	11
50-64	318	2.4	9	<1	<1	1	3	5	7	16
65+	199	4.2	82	<1	<1	2	5	8	12	57
2. MULTIPLE DX										
0-19 YRS	224	5.9	68	<1	<1	3	7	15	23	48
20-34	383	7.2	117	<1	<1	4	8	21	31	80
35-49	500	7.8	118	<1	<1	4	9	19	30	70
50-64	778	8.6	126	<1	<1	5	11	22	30	73
65+	1249	11.5	180	<1	1	8	15	26	41	99+
TOT. SINGLE DX	1691	2.5	18	<1	<1	1	2	5	8	17
" MULTIPLE DX	3134	9.3	145	<1	1	6	12	22	33	92
TOTAL 0-19 YRS	586	3.5	36	<1	<1	1	3	9	13	37
20-34	793	4.8	69	<1	<1	2	5	10	22	57
35-49	902	5.2	77	<1	<1	2	5	13	20	53
50-64	1096	6.8	100	<1	<1	3	8	17	27	63
65+	1448	10.5	173	<1	1	7	13	24	38	99+
GRAND TOTAL	**4825**	**6.9**	**111**	**<1**	**<1**	**3**	**8**	**17**	**27**	**73**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	927	3.6	16	<1	<1	2	4	8	11	22
20-34	1058	4.4	26	<1	1	3	5	9	12	28
35-49	562	4.5	26	<1	1	3	5	10	14	27
50-64	415	5.1	51	<1	1	3	6	10	14	35
65+	309	6.7	71	<1	1	4	9	15	21	46
2. MULTIPLE DX										
0-19 YRS	1922	5.2	53	1	1	3	6	12	18	43
20-34	3002	6.9	97	1	1	4	8	15	26	55
35-49	2084	9.9	142	1	1	6	12	23	35	68
50-64	2669	12.7	194	1	2	9	16	31	46	99+
65+	5482	16.2	262	2	3	11	21	42	67	99+
TOT. SINGLE DX	3271	4.5	32	<1	1	3	5	9	14	28
" MULTIPLE DX	15159	11.5	193	1	1	7	15	30	45	99+
TOTAL 0-19 YRS	2849	4.7	42	<1	1	3	5	10	15	39
20-34	4060	6.2	80	<1	1	3	7	13	23	48
35-49	2646	8.8	123	1	1	5	11	21	31	61
50-64	3084	11.7	182	1	2	8	15	29	42	99+
65+	5791	15.7	257	1	2	11	21	41	64	99+
GRAND TOTAL	**18430**	**10.3**	**171**	**1**	**1**	**6**	**13**	**26**	**41**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	5.7	47	1	1	3	8	14	16	39
20-34	117	5.9	77	<1	<1	3	7	12	22	50
35-49	70	6.3	46	<1	<1	4	8	16	21	33
50-64	62	6.9	63	<1	1	3	11	17	26	32
65+	76	11.1	122	1	2	8	15	27	34	48
2. MULTIPLE DX										
0-19 YRS	146	14.7	137	1	2	13	21	28	34	50
20-34	210	15.3	173	1	2	13	20	31	43	75
35-49	199	17.1	249	1	2	13	24	36	46	85
50-64	299	18.7	267	2	3	14	27	46	55	99+
65+	589	22.8	277	2	4	20	32	46	61	99+
TOT. SINGLE DX	408	7.0	76	<1	1	4	9	16	25	45
" MULTIPLE DX	1443	19.2	252	2	3	16	27	42	53	99+
TOTAL 0-19 YRS	229	11.4	123	1	1	8	17	26	31	47
20-34	327	11.9	159	1	1	8	16	27	40	70
35-49	269	14.3	218	1	1	10	20	32	42	82
50-64	361	16.7	253	1	2	12	24	41	52	99+
65+	665	21.5	273	2	3	19	31	45	59	99+
GRAND TOTAL	**1851**	**16.6**	**239**	**1**	**2**	**13**	**24**	**38**	**49**	**89**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	5.1	51	<1	<1	2	5	15	24	31
20-34	59	2.8	5	<1	1	2	4	6	8	12
35-49	37	4.9	55	<1	1	2	4	12	26	33
50-64	22	3.2	18	<1	1	2	2	7	14	20
65+	16	3.6	31	1	1	2	3	9	19	23
2. MULTIPLE DX										
0-19 YRS	30	6.5	86	1	1	2	9	17	26	43
20-34	111	10.6	213	1	1	4	15	32	43	64
35-49	51	16.1	345	1	1	8	29	41	66	99+
50-64	56	14.9	320	1	1	8	23	37	49	87
65+	89	18.1	339	1	2	11	29	55	71	99+
TOT. SINGLE DX	166	3.9	30	<1	1	2	4	7	13	32
" MULTIPLE DX	337	13.8	284	1	1	7	22	39	56	99+
TOTAL 0-19 YRS	62	5.8	68	<1	1	2	7	16	25	42
20-34	170	7.9	155	<1	1	3	7	24	36	60
35-49	88	11.4	253	1	1	4	16	34	43	96
50-64	78	11.6	262	1	1	4	16	33	44	82
65+	105	15.9	319	1	1	8	27	51	63	99+
GRAND TOTAL	**503**	**10.5**	**222**	**1**	**1**	**4**	**13**	**32**	**44**	**90**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	1.9	1	<1	<1	2	2	3	4	6
20-34	156	2.2	14	<1	<1	1	3	4	5	7
35-49	172	2.1	3	<1	<1	1	2	4	6	10
50-64	137	1.8	3	<1	<1	1	2	3	5	11
65+	49	2.4	15	<1	1	1	2	4	9	21
2. MULTIPLE DX										
0-19 YRS	139	3.5	21	<1	<1	2	4	7	9	44
20-34	176	3.9	28	<1	<1	2	4	7	13	31
35-49	265	5.5	76	1	1	3	5	10	21	63
50-64	324	6.2	102	1	1	3	6	15	22	59
65+	415	13.6	238	1	1	10	18	39	81	99+
TOT. SINGLE DX	691	2.0	6	<1	<1	1	2	4	5	9
" MULTIPLE DX	1319	7.8	138	1	1	4	9	21	34	99+
TOTAL 0-19 YRS	316	2.6	11	<1	<1	2	3	5	7	25
20-34	332	3.1	23	<1	<1	2	4	5	8	30
35-49	437	4.1	50	<1	1	2	5	8	11	62
50-64	461	4.9	77	<1	1	2	4	11	18	57
65+	464	12.4	227	1	1	8	16	33	78	99+
GRAND TOTAL	**2010**	**5.8**	**100**	**<1**	**1**	**2**	**6**	**15**	**26**	**90**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.8	23	1	1	2	6	11	11	11
20-34	5	3.4	9	1	1	2	6	8	8	8
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	6	1.7	1	<1	<1	1	2	4	4	4
65+	6	5.8	22	1	1	5	9	13	13	13
2. MULTIPLE DX										
0-19 YRS	9	3.4	6	1	1	2	5	8	8	8
20-34	4	3.8	3	2	2	3	5	6	6	6
35-49	9	3.8	9	1	1	4	4	9	11	11
50-64	17	11.6	237	1	2	6	13	41	52	54
65+	52	18.3	395	3	4	10	28	61	96	99+
TOT. SINGLE DX	26	3.3	12	<1	1	2	4	9	11	13
" MULTIPLE DX	91	13.5	306	1	2	6	17	51	77	99+
TOTAL 0-19 YRS	13	3.5	10	1	1	2	5	9	11	11
20-34	9	3.6	6	1	1	3	5	7	8	8
35-49	14	3.0	7	1	1	2	4	6	10	11
50-64	23	9.0	193	<1	1	4	9	23	49	54
65+	58	17.0	371	2	4	10	25	60	92	99+
GRAND TOTAL	**117**	**11.2**	**258**	**1**	**1**	**5**	**13**	**37**	**60**	**99+**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	2.7	11	<1	1	2	2	6	11	19
20-34	1726	2.8	10	1	1	2	3	7	10	17
35-49	2210	2.7	11	1	1	1	2	6	10	16
50-64	1074	2.8	11	1	1	1	3	7	11	16
65+	325	2.5	9	1	1	1	2	6	9	18
2. MULTIPLE DX										
0-19 YRS	98	5.0	87	1	1	2	4	12	23	55
20-34	922	4.8	31	1	1	3	6	11	16	27
35-49	1474	4.8	37	1	1	2	6	12	17	30
50-64	1397	5.6	48	1	1	3	7	14	20	35
65+	1015	8.2	92	1	1	4	12	20	25	59
TOT. SINGLE DX	5457	2.7	11	1	1	1	3	7	10	17
" MULTIPLE DX	4906	5.8	53	1	1	3	8	14	20	37
TOTAL 0-19 YRS	220	3.7	46	1	1	2	3	7	15	32
20-34	2648	3.5	19	1	1	2	4	9	12	20
35-49	3684	3.5	23	1	1	2	4	9	13	24
50-64	2471	4.4	34	1	1	2	5	11	15	31
65+	1340	6.8	78	1	1	3	9	18	23	51
GRAND TOTAL	**10363**	**4.2**	**33**	**1**	**1**	**2**	**5**	**10**	**15**	**29**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	3.4	18	1	1	2	3	8	10	25
20-34	100	3.4	10	1	1	2	4	8	9	18
35-49	130	4.2	22	1	1	2	5	10	17	20
50-64	213	3.3	12	<1	1	2	4	7	9	22
65+	171	3.4	17	1	1	2	3	7	11	22
2. MULTIPLE DX										
0-19 YRS	40	6.0	34	1	1	3	8	15	19	24
20-34	129	5.8	49	1	1	3	7	12	20	36
35-49	309	6.4	50	1	1	4	8	14	22	38
50-64	920	7.2	61	1	1	5	9	15	21	39
65+	1480	7.7	76	1	2	5	10	15	23	52
TOT. SINGLE DX	650	3.5	16	1	1	2	4	8	11	21
" MULTIPLE DX	2878	7.3	68	1	2	5	9	15	22	43
TOTAL 0-19 YRS	76	4.8	28	1	1	2	6	13	17	25
20-34	229	4.8	34	1	1	3	6	10	16	27
35-49	439	5.8	43	1	1	3	7	14	19	35
50-64	1133	6.5	55	1	1	4	8	14	20	37
65+	1651	7.3	72	1	1	5	9	15	22	50
GRAND TOTAL	**3528**	**6.6**	**60**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	12	2.5	1	2	2	2	3	4	6	6
50-64	9	3.0	3	2	2	2	3	6	8	8
65+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS										
20-34	8	4.4	17	1	1	3	7	11	12	12
35-49	126	5.1	19	2	2	3	7	11	15	20
50-64	341	4.9	20	2	2	3	7	11	15	18
65+	206	6.8	42	2	2	5	10	15	19	32
TOT. SINGLE DX	23	3.1	4	2	2	2	3	7	8	8
" MULTIPLE DX	681	5.5	27	2	2	3	7	12	16	28
TOTAL 0-19 YRS										
20-34	8	4.4	17	1	1	3	7	11	12	12
35-49	138	4.9	18	2	2	3	6	11	14	19
50-64	350	4.8	20	2	2	3	6	11	15	18
65+	208	6.9	42	2	2	5	9	15	19	32
GRAND TOTAL	**704**	**5.4**	**27**	**2**	**2**	**3**	**7**	**12**	**15**	**28**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	3.9	13	<1	1	2	5	10	11	18
20-34	373	4.6	16	1	1	3	7	10	13	18
35-49	474	4.5	13	1	1	3	7	10	12	16
50-64	505	4.3	16	1	1	2	7	10	12	17
65+	510	4.3	15	1	1	2	7	10	11	18
2. MULTIPLE DX										
0-19 YRS	106	7.5	74	1	1	5	9	17	22	48
20-34	514	7.7	81	1	2	6	9	15	18	58
35-49	1063	7.4	46	1	1	6	10	15	19	32
50-64	2706	7.1	49	1	1	5	10	14	18	31
65+	4780	8.5	66	1	2	7	11	17	22	45
TOT. SINGLE DX	1946	4.4	16	1	1	3	7	10	12	17
" MULTIPLE DX	9169	7.9	61	1	1	6	11	15	20	40
TOTAL 0-19 YRS	190	5.9	51	1	1	3	8	14	18	37
20-34	887	6.4	56	1	1	5	9	13	16	42
35-49	1537	6.5	38	1	1	5	9	13	17	28
50-64	3211	6.6	45	1	1	5	9	13	17	30
65+	5290	8.1	63	1	1	7	11	16	21	43
GRAND TOTAL	**11115**	**7.3**	**55**	**1**	**1**	**6**	**10**	**15**	**19**	**38**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5142	3.3	15	1	1	2	4	6	8	18
20-34	8755	3.9	23	1	1	3	5	7	10	23
35-49	5587	4.3	17	1	1	3	5	9	11	21
50-64	4040	5.0	21	1	1	4	6	10	12	24
65+	3035	6.2	35	1	2	5	8	12	16	31
2. MULTIPLE DX										
0-19 YRS	7405	5.3	51	1	1	3	6	10	15	40
20-34	13847	5.7	40	1	1	4	7	11	16	34
35-49	15349	6.8	47	1	2	5	8	13	18	38
50-64	27336	7.9	53	2	2	6	10	15	20	39
65+	72046	10.1	88	2	3	8	12	19	27	63
TOT. SINGLE DX	26559	4.3	23	1	1	3	5	8	11	23
" MULTIPLE DX	135983	8.6	73	2	2	6	10	17	23	51
TOTAL 0-19 YRS	12547	4.5	38	1	1	3	5	8	12	33
20-34	22602	5.0	35	1	1	3	6	10	14	30
35-49	20936	6.1	41	1	2	4	8	12	16	34
50-64	31376	7.5	51	2	2	6	9	14	19	38
65+	75081	10.0	87	2	3	8	12	19	27	62
GRAND TOTAL	**162542**	**7.9**	**68**	**1**	**2**	**6**	**10**	**15**	**22**	**48**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2784	4.5	37	1	1	3	4	8	15	34
20-34	1276	6.0	32	1	1	4	7	12	16	30
35-49	1203	6.3	28	1	2	5	8	11	15	27
50-64	767	6.4	26	1	2	5	8	12	15	25
65+	671	7.4	46	1	2	6	9	14	17	35
2. MULTIPLE DX										
0-19 YRS	3414	6.7	85	1	2	4	7	14	23	58
20-34	2804	7.4	64	1	2	5	8	14	19	52
35-49	3115	7.8	53	2	2	6	9	14	20	46
50-64	4630	9.2	83	2	3	7	11	17	26	55
65+	12259	11.5	121	3	3	8	14	22	34	84
TOT. SINGLE DX	6701	5.6	36	1	1	4	7	11	15	31
" MULTIPLE DX	26222	9.6	99	2	3	7	11	19	28	65
TOTAL 0-19 YRS	6198	5.7	65	1	1	3	6	12	20	47
20-34	4080	7.0	55	1	2	5	8	13	18	44
35-49	4318	7.4	47	2	2	6	9	14	19	41
50-64	5397	8.8	76	2	3	7	10	16	24	52
65+	12930	11.3	118	2	3	8	13	22	33	81
GRAND TOTAL	**32923**	**8.8**	**89**	**2**	**2**	**6**	**10**	**18**	**26**	**59**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3366	3.4	22	<1	1	3	4	6	7	19
20-34	3009	3.3	26	<1	<1	2	4	6	9	29
35-49	2116	4.3	21	1	1	3	5	9	11	26
50-64	1942	4.8	18	1	1	4	6	10	11	20
65+	1733	5.3	23	1	2	4	7	10	12	25
2. MULTIPLE DX										
0-19 YRS	6625	6.2	88	1	1	4	6	12	23	67
20-34	5269	5.8	66	1	1	3	6	12	20	44
35-49	7656	6.1	47	1	1	4	7	12	17	37
50-64	17253	7.0	45	1	2	5	9	13	18	37
65+	44953	8.9	70	2	3	7	11	17	23	53
TOT. SINGLE DX	12166	4.0	23	<1	1	3	5	8	11	25
" MULTIPLE DX	81756	7.9	66	1	2	6	10	15	21	49
TOTAL 0-19 YRS	9991	5.2	68	1	1	3	5	9	17	56
20-34	8278	4.9	53	<1	1	3	5	10	17	39
35-49	9772	5.7	42	1	1	4	7	11	16	34
50-64	19195	6.8	44	1	2	5	9	13	17	35
65+	46686	8.8	69	2	3	7	11	16	23	52
GRAND TOTAL	93922	7.4	62	1	2	5	9	14	20	45

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct

Group No.	Title
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)

Group No.	Title
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary

Group No.	Title
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal

Group No.	Title
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
	Debridement (continued)
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine

Group No.	Title
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy

Group No.	Title
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)

Group No.	Title
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver

Group No.	Title
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast

Group No.	Title
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.4u 1/88



LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Southern Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145139	2.9	8	1	1	2	3	5	6	12
20-34	70306	3.2	14	1	1	2	3	5	8	19
35-49	29975	4.3	23	1	1	3	5	9	12	25
50-64	19800	4.8	25	1	1	3	6	9	13	26
65+	16668	5.5	30	1	1	4	7	10	14	29
B. *Operated*										
0-19 YRS	42465	2.9	10	<1	1	2	3	6	8	16
20-34	79031	3.3	7	1	1	3	4	6	7	13
35-49	40809	4.2	13	1	1	3	6	8	10	17
50-64	31527	4.8	17	1	1	4	6	10	12	19
65+	24371	5.8	25	1	1	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132275	4.5	39	1	1	3	5	7	12	37
20-34	71273	5.3	44	1	1	3	6	10	17	35
35-49	74808	5.7	38	1	1	4	7	11	16	31
50-64	111318	6.1	34	1	2	5	7	12	16	30
65+	240571	7.3	38	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	44905	6.5	105	1	1	3	7	14	25	68
20-34	111437	5.0	30	1	2	4	6	8	12	30
35-49	82496	6.5	43	1	2	5	7	12	17	36
50-64	91382	8.1	67	1	2	6	10	16	22	44
65+	143918	10.1	85	2	2	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281888	3.4	14	1	1	3	4	6	8	19
B. *Operated*	218203	3.9	13	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	630245	6.1	40	1	2	4	7	12	16	32
B. *Operated*	474138	7.6	67	1	2	5	9	15	22	45
1. SINGLE DX	500091	3.6	14	1	1	3	4	7	9	18
2. MULTIPLE DX	1104383	6.7	52	1	2	5	8	14	19	38
A. NOT OPERATED	912133	5.3	33	1	1	4	6	10	14	30
B. OPERATED	692341	6.4	53	1	1	4	8	13	19	38
TOTAL 0-19 YRS	364784	3.9	33	1	1	3	4	6	10	32
20-34	332047	4.3	25	1	1	3	5	7	11	28
35-49	228088	5.6	34	1	1	4	7	11	15	30
50-64	254027	6.6	44	1	2	5	8	13	18	34
65+	425528	8.1	56	2	2	6	10	16	21	39
GRAND TOTAL	**1604474**	**5.8**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54290	3.3	20	1	1	2	4	6	8	22
20-34	70306	3.2	14	1	1	2	3	5	8	19
35-49	29975	4.3	23	1	1	3	5	9	12	25
50-64	19800	4.8	25	1	1	3	6	9	13	26
65+	16668	5.5	30	1	1	4	7	10	14	29
B. *Operated*										
0-19 YRS	42436	2.9	10	<1	1	2	3	6	8	16
20-34	79031	3.3	7	1	1	3	4	6	7	13
35-49	40809	4.2	13	1	1	3	6	8	10	17
50-64	31527	4.8	17	1	1	4	6	10	12	19
65+	24371	5.8	25	1	1	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78530	4.8	54	1	1	3	5	9	14	45
20-34	71273	5.3	44	1	1	3	6	10	17	35
35-49	74808	5.7	38	1	1	4	7	11	16	31
50-64	111318	6.1	34	1	2	5	7	12	16	30
65+	240571	7.3	38	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	42550	5.7	72	1	1	3	6	12	20	51
20-34	111437	5.0	30	1	2	4	6	8	12	30
35-49	82496	6.5	43	1	2	5	7	12	17	36
50-64	91382	8.1	67	1	2	6	10	16	22	44
65+	143918	10.1	85	2	2	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191039	3.8	20	1	1	3	4	7	10	23
B. *Operated*	218174	3.9	13	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	576500	6.3	41	1	2	5	8	12	17	33
B. *Operated*	471783	7.5	64	1	2	5	9	15	21	43
1. SINGLE DX	409213	3.8	16	1	1	3	5	8	10	20
2. MULTIPLE DX	1048283	6.8	52	1	2	5	8	14	19	38
A. NOT OPERATED	767539	5.7	37	1	1	4	7	11	15	31
B. OPERATED	689957	6.4	51	1	1	4	8	13	18	37
TOTAL 0-19 YRS	217806	4.3	41	1	1	3	4	8	12	37
20-34	332047	4.3	25	1	1	3	5	7	11	28
35-49	228088	5.6	34	1	1	4	7	11	15	30
50-64	254027	6.6	44	1	2	5	8	13	18	34
65+	425528	8.1	56	2	2	6	10	16	21	39
GRAND TOTAL	**1457496**	**6.0**	**44**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1359	2.9	4	1	1	2	4	5	6	10
20-34	491	2.6	4	1	1	2	3	5	6	11
35-49	252	3.1	4	1	1	3	4	6	7	11
50-64	138	3.5	7	1	1	3	4	6	7	14
65+	88	3.8	5	1	1	4	5	7	7	11
B. *Operated*										
0-19 YRS	18	4.4	10	1	1	3	6	9	12	13
20-34	39	4.4	7	2	2	4	5	7	10	16
35-49	14	5.3	15	2	3	4	5	11	16	17
50-64	5	4.8	4	3	3	5	6	8	8	8
65+	5	8.2	11	4	4	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2845	3.3	7	1	1	3	4	6	7	14
20-34	924	3.1	5	1	1	3	4	6	7	11
35-49	593	3.7	6	1	2	3	5	6	8	12
50-64	588	4.3	8	1	2	4	5	8	10	17
65+	1076	5.4	18	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	69	9.9	144	2	3	7	9	24	32	96
20-34	66	5.7	13	2	2	5	7	10	12	20
35-49	59	7.2	23	2	3	6	8	13	18	24
50-64	65	8.0	39	2	3	6	9	17	19	36
65+	134	11.3	110	3	4	8	13	21	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2328	2.9	4	1	1	2	4	5	7	11
B. *Operated*	81	4.8	10	2	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	6026	3.8	9	1	1	3	5	7	9	16
B. *Operated*	393	9.0	79	2	3	6	10	18	25	55
1. SINGLE DX	2409	3.0	4	1	1	2	4	5	7	11
2. MULTIPLE DX	6419	4.1	15	1	1	3	5	7	10	19
A. NOT OPERATED	8354	3.6	8	1	1	3	4	6	8	15
B. OPERATED	474	8.2	70	2	3	6	9	17	23	48
TOTAL 0-19 YRS	4291	3.3	9	1	1	3	4	6	7	14
20-34	1520	3.1	5	1	1	3	4	6	7	12
35-49	918	3.8	8	1	1	3	5	7	8	13
50-64	796	4.5	11	1	2	4	5	8	11	18
65+	1303	5.9	30	1	2	4	7	11	15	30
GRAND TOTAL	**8828**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.8	38	1	2	6	11	15	21	24
20-34	21	7.7	13	3	4	7	10	13	14	15
35-49	20	8.9	23	3	4	8	11	17	19	20
50-64	8	13.5	133	3	4	9	18	33	38	38
65+	18	10.5	37	2	3	8	13	20	21	21
B. *Operated*										
0-19 YRS	4	6.3	52	2	2	3	10	17	17	17
20-34	6	11.5	34	5	5	11	14	20	21	21
35-49	8	6.4	9	2	2	7	9	10	10	10
50-64	10	11.2	27	5	6	10	13	20	21	21
65+	17	7.6	5	2	5	8	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	8	1	2	6	8	9	10	10
20-34	26	10.6	70	2	3	9	11	27	33	33
35-49	59	11.7	78	1	3	10	16	18	25	53
50-64	75	11.2	72	2	3	9	14	19	28	89
65+	109	12.5	72	3	5	11	15	23	27	45
B. *Operated*										
0-19 YRS	3	53.0	1548	17	17	47	83	95	95	95
20-34	25	15.8	365	4	4	10	16	26	68	87
35-49	36	18.4	300	5	6	12	23	40	48	92
50-64	77	12.0	53	3	3	11	15	20	25	41
65+	123	15.5	116	4	5	11	22	30	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	9.1	38	2	3	7	12	18	21	33
B. *Operated*	45	8.6	21	2	3	8	10	14	19	21
2. MULTIPLE DX										
A. *Not Operated*	280	11.5	72	2	3	10	14	20	27	52
B. *Operated*	264	15.3	175	3	5	11	19	29	40	83
1. SINGLE DX	128	9.0	31	2	3	8	11	17	21	27
2. MULTIPLE DX	544	13.4	125	3	4	10	16	26	34	56
A. NOT OPERATED	363	11.0	65	2	3	9	14	19	26	46
B. OPERATED	309	14.3	158	3	5	10	18	28	37	72
TOTAL 0-19 YRS	34	10.9	296	1	2	6	11	18	42	95
20-34	78	11.6	152	3	4	8	13	21	31	80
35-49	123	12.8	142	2	4	9	16	24	34	65
50-64	170	11.7	62	3	3	10	15	20	27	54
65+	267	13.4	90	4	5	10	17	27	34	46
GRAND TOTAL	**672**	**12.5**	**110**	**3**	**4**	**10**	**15**	**24**	**31**	**54**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.3	9	6	6	10	11	12	12	12
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	16	1	1	2	5	10	11	11
20-34	3	7.0	91	<1	<1	2	14	18	18	18
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64										
65+	3	12.0	79	5	5	9	19	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.8	80	2	2	13	19	23	23	23
20-34	6	10.2	89	1	1	6	20	24	24	24
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	7	15.3	85	4	4	12	24	26	26	26
65+	11	13.8	210	3	4	10	14	32	54	56
B. *Operated*										
0-19 YRS	4	39.5	1334	8	8	29	62	92	92	92
20-34	9	15.4	110	2	4	14	23	29	33	33
35-49	7	19.7	193	3	4	22	28	38	41	41
50-64	7	20.3	260	4	5	10	34	42	44	44
65+	19	23.3	425	7	8	12	29	59	75	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	15	1	1	6	10	12	12	12
B. *Operated*	14	7.0	45	<1	1	5	11	18	21	22
2. MULTIPLE DX										
A. *Not Operated*	31	12.3	123	1	2	10	16	24	26	56
B. *Operated*	46	22.2	377	4	6	18	29	41	74	92
1. SINGLE DX	20	7.0	35	<1	1	6	10	15	20	22
2. MULTIPLE DX	77	18.2	295	2	4	11	24	34	52	88
A. NOT OPERATED	37	11.4	108	1	2	9	15	24	26	56
B. OPERATED	60	18.6	339	1	2	11	26	36	59	90
TOTAL 0-19 YRS	14	16.4	577	1	1	9	23	39	80	92
20-34	21	11.9	87	1	1	8	20	24	28	33
35-49	15	12.0	145	1	1	7	19	28	38	41
50-64	14	17.8	166	4	4	11	26	35	42	44
65+	33	19.1	334	5	6	11	23	41	[illegible]	76
GRAND TOTAL	**97**	**15.9**	**262**	**1**	**2**	**10**	**23**	**33**	**43**	**84**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.5	2	1	1	2	3	4	5	7
20-34	73	2.8	2	1	1	3	4	4	5	8
35-49	23	3.1	2	1	2	3	4	5	5	5
50-64	12	2.8	1	2	2	3	3	4	4	4
65+	7	3.4	2	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	13	1.8	5	<1	<1	1	2	4	8	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	456	2.9	2	1	1	3	3	5	6	8
20-34	169	3.2	2	1	2	3	4	5	6	7
35-49	88	4.0	5	2	2	4	5	6	8	13
50-64	49	4.0	4	1	2	4	5	6	7	12
65+	26	4.9	3	2	3	5	6	7	8	9
B. *Operated*										
0-19 YRS	15	2.7	9	<1	1	1	3	8	10	11
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	2.7	2	1	1	2	3	4	5	6
B. *Operated*	17	1.7	4	<1	1	1	2	3	7	9
2. MULTIPLE DX										
A. *Not Operated*	788	3.2	3	1	2	3	4	5	6	8
B. *Operated*	21	3.3	8	<1	1	2	5	8	9	11
1. SINGLE DX	271	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	809	3.2	3	1	1	3	4	5	6	8
A. NOT OPERATED	1042	3.1	3	1	1	3	4	5	6	8
B. OPERATED	38	2.6	7	<1	1	1	3	7	9	11
TOTAL 0-19 YRS	623	2.8	2	1	1	2	3	5	6	8
20-34	245	3.1	2	1	2	3	4	5	6	7
35-49	116	3.8	5	1	2	3	5	6	8	12
50-64	63	3.7	3	1	2	3	4	6	7	11
65+	33	4.6	3	2	2	5	6	7	8	9
GRAND TOTAL	**1080**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	4.6	8	1	2	4	5	10	11	14
20-34	17	8.6	101	2	2	5	9	21	35	42
35-49	11	6.0	17	2	2	5	6	14	14	14
50-64	24	7.7	41	2	3	6	9	15	25	26
65+	54	8.2	29	3	3	7	10	14	16	34
B. *Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	4	5.8	2	4	4	6	7	7	7	7
35-49										
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	835	5.9	17	2	2	5	8	11	13	19
20-34	164	7.9	39	2	3	7	9	15	19	34
35-49	266	8.1	24	3	3	7	10	14	18	29
50-64	591	9.3	44	3	4	8	11	15	21	35
65+	2930	10.6	50	4	5	9	13	18	23	41
B. *Operated*										
0-19 YRS	81	16.2	260	3	5	11	18	37	54	99+
20-34	54	16.4	253	3	5	10	19	37	49	77
35-49	98	15.8	141	5	6	12	18	30	48	60
50-64	210	18.4	213	4	6	15	22	35	50	71
65+	719	17.7	152	5	7	14	22	33	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	5.4	17	2	2	4	7	10	12	20
B. *Operated*	8	6.0	5	4	4	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	4786	9.4	45	3	3	8	11	16	20	36
B. *Operated*	1162	17.5	174	5	6	14	21	34	47	81
1. SINGLE DX	497	5.4	17	2	2	4	7	10	12	20
2. MULTIPLE DX	5948	11.0	80	3	4	9	13	20	28	50
A. NOT OPERATED	5275	9.0	43	2	3	8	11	16	20	35
B. OPERATED	1170	17.4	174	5	6	14	21	34	47	81
TOTAL 0-19 YRS	1302	6.2	36	2	2	4	8	11	14	28
20-34	239	9.8	103	2	3	7	10	19	28	55
35-49	375	10.1	66	3	4	8	12	18	24	49
50-64	825	11.6	102	3	4	9	14	22	31	60
65+	3704	11.9	77	4	5	10	14	21	29	50
GRAND TOTAL	**6445**	**10.5**	**78**	**3**	**3**	**9**	**13**	**19**	**27**	**49**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	6.7	19	2	2	6	9	12	15	22
20-34	29	5.8	9	2	2	5	8	10	11	11
35-49	16	4.8	12	1	2	4	7	9	12	14
50-64	14	6.8	14	2	3	6	8	13	15	15
65+	11	5.6	16	2	2	5	7	11	16	16
B. *Operated*										
0-19 YRS	8	8.0	33	1	1	8	12	15	16	16
20-34	7	7.7	77	2	2	4	10	23	26	26
35-49	1	18.0		18	18	18	18	18	18	18
50-64	5	6.2	5	4	4	6	7	10	10	10
65+	3	6.0	49	1	1	3	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	7.1	23	2	2	6	10	14	16	21
20-34	53	6.9	49	2	2	5	7	11	21	44
35-49	50	6.8	36	2	3	5	7	14	18	34
50-64	73	6.4	13	2	2	5	8	12	14	15
65+	154	9.5	51	3	3	7	12	19	25	41
B. *Operated*										
0-19 YRS	36	12.7	196	3	3	10	13	21	31	85
20-34	18	9.1	44	2	3	7	13	25	68	99+
35-49	20	9.1	25	3	4	7	12	17	19	21
50-64	31	17.5	271	6	6	12	21	34	45	90
65+	51	15.0	164	4	6	11	18	30	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	6.4	17	2	2	5	9	12	14	21
B. *Operated*	24	7.7	41	1	1	5	11	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	509	7.7	35	2	3	6	10	15	19	29
B. *Operated*	156	13.5	166	3	4	11	14	26	42	99
1. SINGLE DX	278	6.6	19	2	2	5	9	12	15	22
2. MULTIPLE DX	665	9.1	72	2	3	7	11	17	23	53
A. NOT OPERATED	763	7.3	29	2	2	6	9	14	17	27
B. OPERATED	180	12.8	153	3	4	10	14	24	34	97
TOTAL 0-19 YRS	407	7.4	39	2	2	6	10	14	16	26
20-34	107	7.0	39	2	2	5	8	13	21	68
35-49	87	7.1	32	2	2	5	8	15	18	31
50-64	123	9.2	99	2	3	7	11	15	23	58
65+	219	10.6	81	3	3	8	12	21	27	58
GRAND TOTAL	**943**	**8.3**	**58**	**2**	**3**	**6**	**10**	**15**	**21**	**44**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	786	3.5	3	1	1	3	4	6	7	10
20-34	327	3.4	5	1	2	3	4	6	8	12
35-49	76	4.0	4	1	1	4	5	7	8	10
50-64	13	3.8	6	1	1	3	5	8	8	8
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	5	5.4	14	3	3	4	7	12	12	12
20-34	3	7.0	1	6	6	7	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	469	4.2	7	1	2	4	5	7	9	14
20-34	198	4.2	7	2	2	3	5	7	10	15
35-49	57	5.2	15	1	2	4	7	11	12	21
50-64	32	6.0	13	2	3	5	8	12	14	16
65+	17	9.3	38	3	4	7	12	18	23	26
B. *Operated*										
0-19 YRS	18	11.3	302	3	3	7	10	17	55	79
20-34	7	5.3	3	4	4	5	6	8	9	9
35-49	3	5.0	7	3	3	4	7	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	17.0	259	4	4	12	29	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1204	3.5	4	1	2	3	4	6	7	10
B. *Operated*	9	5.9	8	3	3	5	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	773	4.5	9	2	2	4	5	8	11	16
B. *Operated*	32	9.9	197	3	3	6	9	15	33	79
1. SINGLE DX	1213	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	805	4.7	18	2	2	4	5	8	11	18
A. NOT OPERATED	1977	3.9	6	1	2	3	5	7	8	13
B. OPERATED	41	9.0	157	3	3	5	9	13	26	79
TOTAL 0-19 YRS	1278	3.9	10	1	2	3	4	7	8	12
20-34	535	3.8	6	1	2	3	5	7	8	14
35-49	137	4.5	9	1	2	4	6	9	10	14
50-64	46	5.5	12	2	2	5	7	10	13	16
65+	22	9.8	65	3	4	6	12	20	30	35
GRAND TOTAL	**2018**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	3.5	7	1	1	3	4	6	9	12
20-34	48	4.4	12	<1	1	3	5	10	12	15
35-49	21	5.6	10	1	2	5	7	9	11	14
50-64	45	4.8	8	1	2	4	6	9	11	13
65+	67	5.8	11	2	2	6	7	8	10	23
B. *Operated*										
0-19 YRS	3	7.0	91	1	1	2	14	18	18	18
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	20.0	242	9	9	20	31	31	31	31
50-64	4	5.0	8	3	3	4	7	9	9	9
65+	8	6.4	8	2	2	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	470	4.1	10	1	2	3	5	7	10	18
20-34	78	5.5	12	1	2	5	7	9	11	19
35-49	68	5.5	9	2	2	5	7	9	11	16
50-64	165	6.2	13	2	3	5	8	10	12	20
65+	463	8.0	35	2	3	7	9	14	18	34
B. *Operated*										
0-19 YRS	17	15.3	246	4	4	10	12	44	51	54
20-34	10	14.6	272	3	3	11	15	39	59	59
35-49	9	7.8	40	1	1	9	11	17	20	20
50-64	28	11.4	170	2	2	7	12	25	33	65
65+	72	13.3	156	2	3	10	15	29	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	4.4	9	1	1	4	6	8	10	14
B. *Operated*	19	7.2	51	1	2	5	9	15	25	31
2. MULTIPLE DX										
A. *Not Operated*	1244	6.0	23	2	2	5	7	11	14	24
B. *Operated*	136	12.9	169	2	3	9	15	28	43	66
1. SINGLE DX	376	4.5	12	1	2	4	6	8	10	17
2. MULTIPLE DX	1380	6.7	41	2	2	5	8	12	17	35
A. NOT OPERATED	1601	5.6	20	1	2	5	7	10	14	23
B. OPERATED	155	12.2	158	2	2	9	14	27	42	65
TOTAL 0-19 YRS	666	4.2	18	1	2	3	5	7	10	23
20-34	138	5.7	35	1	2	4	7	11	14	24
35-49	100	6.0	18	1	2	5	8	11	13	25
50-64	242	6.5	33	2	2	5	8	11	14	25
65+	610	8.4	50	2	3	7	10	15	20	39
GRAND TOTAL	**1756**	**6.2**	**36**	**2**	**2**	**5**	**7**	**11**	**15**	**30**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.9	8	1	2	5	7	9	10	13
20-34	136	5.6	12	2	2	5	7	10	12	21
35-49	49	5.8	14	2	2	5	7	10	12	20
50-64	22	5.4	8	2	2	5	6	10	11	11
65+	8	5.6	9	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	6.8	39	1	1	5	12	16	16	16
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.0	9	2	2	4	6	8	10	18
20-34	202	6.0	19	1	2	5	7	10	13	19
35-49	80	6.6	15	2	3	5	9	12	14	19
50-64	62	8.3	23	2	3	7	11	16	18	21
65+	62	7.7	18	2	3	7	10	13	15	23
B. *Operated*										
0-19 YRS	3	19.3	852	1	1	4	41	53	53	53
20-34	14	7.2	22	1	2	7	8	14	18	19
35-49	13	5.5	15	1	1	5	7	11	14	15
50-64	12	10.0	71	1	2	7	15	45	90	99+
65+	25	13.5	96	3	4	9	19	26	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	5.5	11	2	2	5	7	10	11	19
B. *Operated*	15	4.6	20	1	1	2	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	457	6.5	19	2	2	5	8	12	15	20
B. *Operated*	67	10.3	94	1	2	7	14	23	35	91
1. SINGLE DX	283	5.4	11	2	2	5	7	10	11	19
2. MULTIPLE DX	524	7.0	30	2	2	6	8	13	18	32
A. NOT OPERATED	725	6.1	16	2	2	5	8	11	13	20
B. OPERATED	82	9.2	84	1	2	7	12	21	32	84
TOTAL 0-19 YRS	109	5.2	29	1	2	4	6	8	10	32
20-34	358	5.9	17	1	2	5	7	10	13	20
35-49	147	6.1	15	2	2	5	8	11	14	19
50-64	97	7.9	27	2	3	7	10	16	19	67
65+	96	9.0	44	3	3	7	11	18	22	37
GRAND TOTAL	**807**	**6.4**	**24**	**2**	**2**	**5**	**8**	**12**	**15**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	213	3.5	3	1	2	3	4	6	7	9
20-34	58	4.1	6	1	1	4	6	8	9	12
35-49	7	4.3	14	1	1	3	8	10	10	10
50-64	3	7.0	7	4	4	8	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	6	5.5	12	2	2	5	7	11	11	11
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	477	3.8	4	1	2	3	5	7	8	10
20-34	103	4.3	8	1	1	4	6	8	9	16
35-49	53	3.7	21	1	1	3	4	9	10	29
50-64	22	2.1	4	<1	1	1	3	6	7	7
65+	4	3.8	5	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	11	8.0	35	3	3	6	10	16	23	24
20-34	8	8.9	13	5	5	8	12	14	14	14
35-49	4	11.5	52	5	5	10	17	20	20	20
50-64										
65+	2	9.5	61	4	4	9	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.7	4	1	2	3	4	7	8	10
B. *Operated*	9	6.3	19	2	2	5	8	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	659	3.8	6	1	1	3	5	7	8	11
B. *Operated*	25	9.0	29	3	4	7	11	15	21	24
1. SINGLE DX	290	3.7	5	1	2	3	5	7	8	11
2. MULTIPLE DX	684	4.0	8	1	1	3	5	7	9	15
A. NOT OPERATED	940	3.8	6	1	1	3	5	7	8	11
B. OPERATED	34	8.3	27	2	4	7	10	15	19	24
TOTAL 0-19 YRS	707	3.8	5	1	2	3	5	7	8	11
20-34	170	4.5	9	1	1	4	6	8	10	16
35-49	65	4.3	24	1	1	3	5	9	14	28
50-64	26	3.2	12	<1	1	1	4	8	10	15
65+	6	5.7	24	2	2	4	7	14	15	15
GRAND TOTAL	**974**	**3.9**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.6	1	<1	<1	1	2	4	4	5
20-34	92	2.0	1	<1	<1	2	3	4	4	5
35-49	44	2.1	2	<1	1	2	3	4	5	6
50-64	13	2.6	9	1	1	2	3	5	11	12
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	11	2.9	5	1	1	2	4	6	8	8
20-34	48	2.8	5	1	1	2	4	6	8	10
35-49	30	2.9	4	1	1	2	4	5	8	10
50-64	13	2.9	4	<1	1	2	4	6	8	8
65+	13	2.8	3	1	1	2	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*	180	2.0	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	11	<1	<1	2	5	8	8	8
B. *Operated*	115	2.9	4	1	1	2	4	5	8	10
1. SINGLE DX	183	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	119	2.9	4	1	1	2	4	6	8	10
A. NOT OPERATED	7	2.4	7	<1	<1	1	3	7	8	8
B. OPERATED	295	2.4	3	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	43	2.1	3	<1	<1	1	3	4	6	8
20-34	142	2.3	3	<1	1	2	3	4	5	8
35-49	75	2.4	3	1	1	2	3	5	5	9
50-64	27	2.7	6	<1	1	2	3	5	9	12
65+	15	2.9	3	1	1	2	4	5	6	6
GRAND TOTAL	**302**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1233	2.8	2	1	1	3	4	4	5	7
20-34	226	3.2	11	1	1	3	4	5	7	10
35-49	118	3.7	7	1	1	3	4	7	9	15
50-64	45	3.6	4	1	1	3	5	6	7	12
65+	25	3.8	4	1	2	4	5	7	7	8
B. *Operated*										
0-19 YRS	22	3.5	3	1	2	3	4	6	8	9
20-34	14	3.7	9	<1	<1	3	5	8	10	11
35-49	11	6.1	34	1	1	5	9	15	20	20
50-64	3	13.0	61	8	8	9	19	22	22	22
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1740	3.1	5	1	1	3	4	5	6	11
20-34	612	3.7	8	1	1	3	4	7	9	16
35-49	403	4.2	12	1	1	3	5	7	9	19
50-64	295	4.6	15	1	2	4	5	9	12	22
65+	437	5.2	17	2	2	4	6	9	12	26
B. *Operated*										
0-19 YRS	57	8.2	103	1	2	5	10	24	49	99+
20-34	56	8.4	52	1	2	7	11	16	23	38
35-49	40	11.3	89	2	2	7	18	27	30	34
50-64	26	11.3	62	3	4	8	14	24	29	29
65+	45	10.8	74	3	4	10	12	20	24	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1647	2.9	4	1	1	3	4	5	6	8
B. *Operated*	52	4.6	18	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	3487	3.7	9	1	1	3	4	6	8	16
B. *Operated*	224	9.7	78	2	2	7	12	23	28	73
1. SINGLE DX	1699	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	3711	4.1	15	1	1	3	5	7	10	23
A. NOT OPERATED	5134	3.5	8	1	1	3	4	6	7	14
B. OPERATED	276	8.7	71	1	2	6	11	21	26	61
TOTAL 0-19 YRS	3052	3.1	6	1	1	3	4	5	6	11
20-34	908	3.8	13	1	1	3	4	7	9	19
35-49	572	4.6	20	1	1	3	5	8	12	27
50-64	369	5.0	21	1	2	4	6	10	13	28
65+	509	5.6	24	2	2	4	6	10	13	28
GRAND TOTAL	**5410**	**3.7**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.7	3	1	2	3	5	6	8	8
20-34	56	3.7	3	2	2	3	4	7	8	10
35-49	21	3.4	2	1	2	3	4	5	6	6
50-64	16	6.1	12	2	3	5	8	12	13	14
65+	5	4.8	9	2	2	4	6	10	10	10
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.6	13	1	2	4	5	7	9	23
20-34	44	4.9	18	1	1	4	6	9	11	25
35-49	27	5.3	6	2	3	5	7	9	11	11
50-64	21	5.6	16	2	2	4	5	13	15	17
65+	10	5.3	6	2	2	5	7	8	9	9
B. *Operated*										
0-19 YRS	3	10.7	14	8	8	9	13	15	15	15
20-34	4	4.0	13	1	1	3	6	9	9	9
35-49	6	17.7	438	3	3	11	19	54	58	58
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	3	18.0	208	6	6	14	29	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.9	5	2	2	3	5	7	8	12
B. *Operated*	4	6.5	20	3	3	5	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	139	5.0	13	1	2	4	6	9	11	23
B. *Operated*	18	12.3	194	1	2	7	15	29	48	58
1. SINGLE DX	173	4.0	5	2	2	3	5	7	8	13
2. MULTIPLE DX	157	5.9	38	1	2	4	7	9	15	33
A. NOT OPERATED	308	4.4	9	1	2	4	5	8	9	15
B. OPERATED	22	11.2	165	2	3	7	14	23	44	58
TOTAL 0-19 YRS	113	4.2	9	1	2	4	5	7	8	18
20-34	104	4.3	10	1	2	3	5	8	9	19
35-49	56	5.9	61	2	2	4	6	9	15	56
50-64	39	5.8	13	2	3	4	7	12	14	17
65+	18	7.3	54	2	2	5	8	13	26	34
GRAND TOTAL	**330**	**4.9**	**22**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	5.1	8	1	2	5	7	9	11	13
20-34	74	4.4	4	2	2	4	5	6	8	14
35-49	16	6.1	19	2	3	5	8	9	17	20
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*										
0-19 YRS	10	2.7	6	1	1	2	3	7	8	8
20-34	21	2.5	3	<1	1	2	3	5	6	8
35-49	6	3.8	17	1	1	2	4	11	12	12
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.7	8	2	2	5	7	10	11	12
20-34	120	5.7	17	2	3	5	7	9	12	23
35-49	29	4.9	7	1	2	4	6	10	10	11
50-64	7	8.7	37	1	1	10	13	17	18	18
65+	19	9.1	34	1	2	9	12	15	21	26
B. *Operated*										
0-19 YRS	14	7.6	13	2	3	7	11	12	14	15
20-34	19	7.4	57	1	1	4	7	19	24	28
35-49	12	8.9	60	2	3	7	9	21	29	30
50-64	3	11.7	56	4	4	12	17	19	19	19
65+	12	12.6	63	1	2	15	17	22	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.8	8	1	2	4	6	8	10	15
B. *Operated*	40	2.8	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	272	5.9	15	2	2	5	7	10	12	17
B. *Operated*	60	9.0	49	1	2	7	13	19	24	30
1. SINGLE DX	212	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX	332	6.5	23	2	2	5	8	11	15	28
A. NOT OPERATED	444	5.5	13	2	2	5	7	10	11	16
B. OPERATED	100	6.5	41	1	1	4	8	17	19	29
TOTAL 0-19 YRS	198	5.4	9	1	2	5	7	10	11	14
20-34	234	5.1	16	1	2	4	6	8	12	21
35-49	63	5.9	23	1	2	4	7	10	14	29
50-64	13	7.7	43	1	1	5	12	18	19	19
65+	36	9.4	47	1	1	9	15	17	24	28
GRAND TOTAL	**544**	**5.7**	**18**	**1**	**2**	**5**	**7**	**10**	**14**	**21**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	8.2	271	1	1	3	5	24	55	60
20-34	3	5.7	9	3	3	5	8	9	9	9
35-49	3	13.7	177	5	5	7	23	29	29	29
50-64	6	12.0	296	3	3	5	7	43	47	47
65+	3	8.0	49	1	1	8	13	15	15	15
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	9	4.9	12	1	2	4	5	11	13	13
35-49	6	8.2	23	1	1	8	11	15	15	15
50-64	8	7.3	6	3	4	7	9	10	11	11
65+	4	5.5	28	<1	<1	5	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.6	13	1	1	4	5	8	14	16
20-34	34	10.6	136	1	2	6	12	28	32	57
35-49	41	6.0	11	1	2	5	8	11	12	14
50-64	41	10.7	165	2	3	7	12	20	32	77
65+	94	9.1	44	2	3	7	11	18	24	35
B. *Operated*										
0-19 YRS	11	21.1	199	1	3	21	35	39	40	40
20-34	18	24.1	376	4	8	17	28	60	69	71
35-49	50	15.7	216	2	3	14	18	27	34	85
50-64	55	18.1	362	2	3	11	28	71	99+	99+
65+	79	17.4	243	3	4	12	23	44	54	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	9.3	196	1	1	5	8	26	49	60
B. *Operated*	29	6.3	14	<1	1	6	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*	236	8.6	72	2	2	6	11	16	24	44
B. *Operated*	213	17.9	276	2	4	13	24	46	66	99+
1. SINGLE DX	56	7.8	102	1	1	5	8	13	25	59
2. MULTIPLE DX	449	13.0	190	2	3	9	16	30	46	99
A. NOT OPERATED	263	8.6	84	1	2	6	10	16	25	56
B. OPERATED	242	16.5	259	2	3	11	21	41	62	99+
TOTAL 0-19 YRS	51	9.0	149	1	1	4	8	25	39	60
20-34	64	13.3	224	2	3	8	15	29	49	70
35-49	100	11.2	138	2	2	8	15	20	28	75
50-64	110	14.2	269	2	3	9	17	46	79	99+
65+	180	12.7	148	2	4	9	15	27	42	74
GRAND TOTAL	**505**	**12.4**	**183**	**2**	**3**	**8**	**15**	**29**	**46**	**95**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	2	1	1	3	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.0	10	1	1	3	4	9	12	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	3	1	1	3	5	6	6	6
20-34	4	3.0	4	2	2	2	4	6	6	6
35-49	10	5.9	12	2	2	5	9	10	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	10	7.0	15	3	3	6	9	12	15	15
B. *Operated*										
0-19 YRS	7	3.4	3	2	2	3	4	6	7	7
20-34	6	8.8	53	2	2	6	12	21	22	22
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+	5	8.2	13	3	3	8	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.4	1	1	1	2	3	4	4	4
B. *Operated*	14	4.6	9	1	1	4	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	37	5.0	11	2	2	4	7	10	11	15
B. *Operated*	20	6.2	25	2	2	4	8	12	17	22
1. SINGLE DX	26	3.6	6	1	1	3	4	7	9	12
2. MULTIPLE DX	57	5.4	16	2	2	4	8	10	13	22
A. NOT OPERATED	49	4.4	9	1	2	3	6	9	10	15
B. OPERATED	34	5.5	18	1	2	4	7	12	13	22
TOTAL 0-19 YRS	37	3.4	5	1	1	3	4	6	7	12
20-34	13	5.6	33	2	2	4	6	14	20	22
35-49	15	5.0	10	2	2	4	7	10	11	11
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	16	7.4	13	3	3	8	9	13	14	15
GRAND TOTAL	**83**	**4.9**	**13**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	5	1	1	2	4	7	9	9
20-34	19	3.9	4	2	2	3	5	7	8	8
35-49	13	6.4	20	3	3	5	8	14	16	17
50-64	4	5.3	12	1	1	6	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	100	3.5	8	1	1	3	5	7	9	15
35-49	47	3.9	14	1	1	2	6	9	10	18
50-64	14	4.9	14	<1	1	4	7	11	12	12
65+	3	4.0	13	<1	<1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.0	18	1	2	6	7	12	15	17
20-34	72	7.3	34	1	2	5	9	18	19	25
35-49	74	7.2	70	2	2	5	8	13	21	55
50-64	33	9.8	50	4	4	8	12	19	22	38
65+	36	8.7	34	3	4	8	11	13	19	34
B. *Operated*										
0-19 YRS	12	12.3	101	2	3	9	15	30	34	35
20-34	122	11.9	88	2	2	9	19	25	29	42
35-49	97	11.3	89	2	2	8	16	27	30	40
50-64	50	11.2	224	1	2	7	13	23	30	99
65+	29	11.4	103	2	2	9	14	24	35	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.6	10	2	2	4	6	8	10	17
B. *Operated*	170	3.7	10	1	1	3	5	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	236	7.7	46	2	2	6	10	15	20	35
B. *Operated*	310	11.6	111	2	2	8	16	25	30	43
1. SINGLE DX	217	3.9	10	1	1	3	5	8	9	17
2. MULTIPLE DX	546	9.9	86	2	2	7	13	22	28	41
A. NOT OPERATED	283	7.2	42	2	2	6	9	14	19	31
B. OPERATED	480	8.8	89	1	1	5	12	22	28	40
TOTAL 0-19 YRS	50	6.6	44	1	2	5	8	14	17	35
20-34	313	7.7	58	1	2	5	9	19	24	33
35-49	231	8.2	71	1	2	6	10	19	27	38
50-64	101	9.7	133	1	2	7	11	20	25	68
65+	68	9.7	65	2	3	8	11	19	26	44
GRAND TOTAL	**763**	**8.2**	**72**	**1**	**2**	**6**	**10**	**19**	**24**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	3.5	13	1	1	3	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	5.8	25	1	1	3	10	13	13	13
B. *Operated*	7	4.0	6	1	1	4	6	7	7	7
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	12	4.8	13	1	1	4	7	10	13	13
A. NOT OPERATED	6	6.0	20	1	1	5	9	13	13	13
B. OPERATED	7	4.0	6	1	1	4	6	7	7	7
TOTAL 0-19 YRS	3	5.7	41	1	1	3	10	13	13	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	4	4.8	12	1	1	4	7	9	9	9
GRAND TOTAL	**13**	**4.9**	**13**	**1**	**1**	**4**	**7**	**10**	**12**	**13**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34										
35-49	2	15.0	162	6	6	15	24	24	24	24
50-64	11	3.3	4	<1	1	3	5	6	7	7
65+	17	4.9	13	<1	1	4	7	11	13	13
B. *Operated*										
0-19 YRS	8	5.5	33	1	1	4	7	15	18	18
20-34	14	2.5	4	<1	1	2	3	5	7	8
35-49	36	4.8	32	1	1	3	6	10	14	32
50-64	109	6.6	50	1	1	4	9	17	20	35
65+	113	5.4	34	1	1	3	7	11	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	2	2	3	5	6	6	6
20-34	4	3.3	3	<1	<1	3	4	5	5	5
35-49	17	4.2	9	1	2	3	5	10	11	11
50-64	62	7.4	32	1	2	6	10	15	19	26
65+	57	8.6	80	1	2	6	10	24	29	41
B. *Operated*										
0-19 YRS	4	8.8	50	1	1	8	13	18	18	18
20-34	13	6.3	156	<1	1	2	4	17	41	47
35-49	77	10.0	89	1	1	6	16	25	28	39
50-64	301	11.0	144	1	2	7	15	26	36	70
65+	389	10.7	145	1	2	7	14	23	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	21	<1	1	4	6	10	13	24
B. *Operated*	280	5.7	39	1	1	3	7	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	145	7.3	48	1	2	5	9	15	24	33
B. *Operated*	784	10.7	138	1	2	7	14	25	34	56
1. SINGLE DX	313	5.6	37	1	1	3	7	12	18	32
2. MULTIPLE DX	929	10.1	126	1	2	6	13	24	33	54
A. NOT OPERATED	178	6.8	44	1	2	5	8	14	23	32
B. OPERATED	1064	9.3	117	1	1	6	12	22	32	54
TOTAL 0-19 YRS	20	5.4	25	1	1	4	7	13	18	18
20-34	31	4.2	68	<1	<1	2	4	7	10	47
35-49	132	7.9	70	1	1	4	10	24	27	36
50-64	483	9.4	109	1	1	6	12	22	30	56
65+	576	9.3	117	1	2	6	11	20	32	47
GRAND TOTAL	**1242**	**9.0**	**107**	**1**	**1**	**6**	**11**	**21**	**30**	**52**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.3	8	1	1	6	6	6	6	6
50-64	9	4.9	5	2	2	5	6	8	9	9
65+	3	2.7	8	<1	<1	1	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	11.9	74	3	3	10	18	26	28	28
50-64	27	9.0	49	1	2	9	12	18	21	33
65+	25	8.6	56	1	1	6	13	19	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	4.0	3	1	2	4	5	7	7	7
50-64	43	6.0	24	1	1	5	8	12	17	21
65+	56	7.1	34	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	33	19.4	371	2	3	14	25	45	70	80
50-64	126	16.0	128	2	4	14	20	31	42	52
65+	178	15.4	176	2	3	12	21	33	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.3	6	<1	1	5	6	7	8	9
B. *Operated*	61	9.3	54	1	2	8	12	19	25	33
2. MULTIPLE DX										
A. *Not Operated*	109	6.4	28	1	1	5	9	12	17	27
B. *Operated*	338	16.0	177	2	3	13	21	32	47	72
1. SINGLE DX	76	8.3	49	1	1	6	11	18	21	32
2. MULTIPLE DX	447	13.6	158	2	3	10	18	28	41	65
A. NOT OPERATED	124	6.1	26	1	1	5	8	11	16	26
B. OPERATED	399	15.0	164	2	3	12	20	30	43	68
TOTAL 0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	54	14.7	276	1	3	10	17	30	55	80
50-64	205	12.5	110	1	2	10	17	27	32	51
65+	262	12.9	146	2	3	9	17	28	36	65
GRAND TOTAL	**523**	**12.9**	**145**	**1**	**2**	**10**	**17**	**28**	**36**	**64**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	9.0	48	1	1	13	13	13	13	13
50-64	4	3.0	1	2	2	3	4	4	4	4
65+	6	3.7	4	1	1	3	4	7	7	7
B. *Operated*										
0-19 YRS										
20-34	2	6.0		6	6	6	6	6	6	6
35-49	9	9.4	48	1	1	9	13	20	21	21
50-64	18	14.9	227	3	5	11	15	31	55	67
65+	37	11.3	37	2	4	10	15	19	23	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	20	7.4	43	2	2	5	9	14	22	29
50-64	30	10.3	178	1	2	7	12	19	25	73
65+	95	7.6	59	1	2	5	10	17	23	43
B. *Operated*										
0-19 YRS										
20-34	11	16.0	55	4	5	16	17	28	29	29
35-49	52	15.3	149	3	4	11	20	30	50	53
50-64	156	17.0	162	4	6	14	20	31	41	82
65+	451	15.6	94	4	6	14	20	28	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.6	15	1	1	3	4	13	13	13
B. *Operated*	66	11.9	90	2	3	10	15	20	25	62
2. MULTIPLE DX										
A. *Not Operated*	146	8.1	81	1	2	6	10	17	23	51
B. *Operated*	670	15.9	113	4	6	14	20	28	34	57
1. SINGLE DX	80	10.6	85	1	2	9	13	19	22	58
2. MULTIPLE DX	816	14.5	116	3	4	12	18	27	33	56
A. NOT OPERATED	160	7.8	76	1	2	5	10	16	23	48
B. OPERATED	736	15.6	112	4	5	13	19	28	34	57
TOTAL 0-19 YRS										
20-34	15	13.1	65	3	4	14	17	27	28	29
35-49	84	12.5	120	2	3	10	15	25	34	53
50-64	208	15.6	174	2	4	13	19	29	38	78
65+	589	13.9	94	3	4	12	18	26	31	54
GRAND TOTAL	**896**	**14.2**	**115**	**2**	**4**	**12**	**18**	**27**	**33**	**57**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	13.5	61	8	8	13	19	19	19	19
50-64	1	14.0		14	14	14	14	14	14	14
65+	4	14.5	16	11	11	14	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	5	5.4	16	1	1	6	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	11	9.5	15	4	5	9	13	15	16	16
50-64	19	16.5	81	7	8	14	18	29	38	43
65+	76	16.7	65	7	9	15	21	27	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	7	14.1	18	8	9	14	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	9	3.8	13	1	1	2	6	9	11	11
B. *Operated*	108	15.8	66	5	7	14	20	27	31	45
1. SINGLE DX	8	13.0	26	5	6	13	18	19	19	19
2. MULTIPLE DX	117	14.8	72	3	5	13	19	26	31	44
A. NOT OPERATED	10	3.9	11	1	1	3	6	9	11	11
B. OPERATED	115	15.7	63	5	7	14	20	26	31	44
TOTAL 0-19 YRS										
20-34	4	4.8	27	1	1	3	8	12	12	12
35-49	14	9.5	25	2	4	9	14	16	18	19
50-64	21	15.8	80	5	7	14	17	28	37	43
65+	86	15.8	67	5	7	14	20	27	30	43
GRAND TOTAL	**125**	**14.7**	**69**	**3**	**5**	**13**	**19**	**26**	**30**	**44**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	4.4	14	2	2	3	6	11	11	11
50-64	13	6.2	24	1	1	5	9	14	16	16
65+	9	6.6	101	1	1	4	5	22	33	33
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	11	7.3	7	1	3	7	9	10	11	11
35-49	48	9.2	9	4	6	9	11	13	14	16
50-64	188	10.1	15	6	7	9	11	15	17	26
65+	246	10.6	23	4	7	10	12	15	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	10.0	115	1	1	5	14	28	31	31
35-49	20	9.1	181	1	2	5	7	20	42	61
50-64	89	7.6	58	1	1	5	9	17	23	41
65+	217	8.2	51	2	2	6	10	16	22	41
B. *Operated*										
0-19 YRS	5	15.8	38	10	10	15	18	26	26	26
20-34	33	11.3	57	3	5	10	14	18	20	45
35-49	173	12.3	46	5	7	10	14	19	28	39
50-64	766	12.3	51	5	7	11	14	21	27	41
65+	2512	14.6	75	6	8	12	17	24	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.9	44	1	1	4	7	12	18	33
B. *Operated*	495	10.2	19	5	7	9	12	15	17	29
2. MULTIPLE DX										
A. *Not Operated*	334	8.1	61	1	2	6	10	16	23	44
B. *Operated*	3489	14.0	69	6	7	12	16	23	30	46
1. SINGLE DX	523	10.0	21	4	6	9	11	14	17	29
2. MULTIPLE DX	3823	13.5	71	4	6	11	16	23	30	46
A. NOT OPERATED	362	8.0	60	1	2	6	9	16	23	43
B. OPERATED	3984	13.5	64	6	7	11	15	22	29	45
TOTAL 0-19 YRS	8	12.6	42	6	6	11	15	23	26	26
20-34	52	10.1	54	2	3	9	13	17	20	45
35-49	246	11.2	51	3	5	10	13	17	25	39
50-64	1056	11.5	47	3	6	10	13	19	24	38
65+	2984	13.8	73	4	7	12	16	23	30	46
GRAND TOTAL	**4346**	**13.0**	**66**	**4**	**6**	**11**	**15**	**22**	**29**	**45**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.7	12	1	1	5	7	8	8	8
65+	9	8.6	60	1	2	5	13	21	25	25
B. *Operated*										
0-19 YRS										
20-34	4	10.3	14	7	7	10	13	14	14	14
35-49	44	10.3	18	2	4	10	13	16	18	19
50-64	119	10.4	24	3	4	10	13	16	18	27
65+	133	9.3	31	2	2	9	12	16	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	9	5.1	30	<1	<1	4	5	14	19	19
50-64	56	7.0	41	1	2	5	9	14	17	36
65+	96	6.8	28	1	2	5	10	15	17	22
B. *Operated*										
0-19 YRS	5	11.2	66	1	1	9	19	20	20	20
20-34	16	13.8	163	5	6	10	12	31	48	55
35-49	97	13.3	59	3	6	11	16	25	30	40
50-64	374	12.9	43	3	6	12	15	21	25	34
65+	899	14.9	96	3	6	13	18	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.3	46	1	1	5	10	17	23	25
B. *Operated*	300	9.9	26	2	3	10	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	165	6.7	32	1	2	5	9	15	17	24
B. *Operated*	1391	14.2	81	3	6	12	17	24	29	50
1. SINGLE DX	313	9.8	27	2	3	10	12	16	18	27
2. MULTIPLE DX	1556	13.4	81	2	4	12	17	23	28	49
A. NOT OPERATED	178	6.7	33	1	1	5	9	15	18	25
B. OPERATED	1691	13.4	74	3	5	12	16	23	27	48
TOTAL 0-19 YRS	6	9.8	64	1	1	8	19	20	20	20
20-34	23	11.6	130	2	3	9	12	19	41	55
35-49	151	11.9	50	2	4	11	15	20	26	37
50-64	552	11.7	42	2	4	11	14	19	23	34
65+	1137	13.5	90	2	3	12	17	23	28	51
GRAND TOTAL	**1869**	**12.8**	**73**	**2**	**3**	**11**	**16**	**22**	**27**	**47**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34										
35-49	4	4.0	9	1	1	4	6	7	7	7
50-64	7	6.0	11	2	2	5	8	11	12	12
65+	8	6.5	19	1	2	6	7	13	16	16
B. *Operated*										
0-19 YRS	11	9.8	29	1	2	9	14	16	18	18
20-34	3	18.0	268	4	4	14	30	36	36	36
35-49	17	7.8	8	2	5	8	9	11	13	14
50-64	29	10.9	82	2	2	9	13	27	31	38
65+	33	12.0	144	1	3	9	12	19	34	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.4	19	1	1	4	9	12	13	13
20-34	4	5.3	1	4	4	5	6	6	6	6
35-49	7	13.6	428	1	2	6	10	50	60	60
50-64	35	6.7	17	1	1	6	10	13	15	15
65+	75	6.9	28	2	2	5	8	15	18	26
B. *Operated*										
0-19 YRS	18	14.2	72	3	5	14	19	33	72	99+
20-34	8	12.4	77	1	2	11	19	25	26	26
35-49	41	12.7	82	3	3	11	16	21	28	50
50-64	98	14.8	155	2	3	11	19	29	42	64
65+	242	13.8	99	3	4	11	17	26	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.0	14	<1	1	5	7	9	13	16
B. *Operated*	93	10.8	90	1	3	9	12	18	31	55
2. MULTIPLE DX										
A. *Not Operated*	132	7.0	44	1	2	5	9	13	16	32
B. *Operated*	407	13.9	109	3	4	11	18	26	34	58
1. SINGLE DX	116	9.7	80	1	2	8	12	16	27	48
2. MULTIPLE DX	539	12.2	101	2	3	10	16	25	30	55
A. NOT OPERATED	155	6.7	40	1	2	5	8	13	16	26
B. OPERATED	500	13.4	106	2	3	11	16	26	33	59
TOTAL 0-19 YRS	44	9.7	59	1	1	9	14	19	29	99+
20-34	15	11.6	97	2	4	7	15	26	33	36
35-49	69	11.1	96	2	3	9	14	19	26	58
50-64	169	12.1	119	1	3	9	15	27	35	60
65+	358	12.0	94	2	3	10	15	24	29	51
GRAND TOTAL	**655**	**11.8**	**98**	**2**	**3**	**9**	**15**	**23**	**30**	**55**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.3	7	2	2	3	6	8	8	8
50-64	6	4.7	3	2	2	5	6	7	7	7
65+	9	6.8	40	1	1	4	10	17	21	21
B. *Operated*										
0-19 YRS										
20-34	2	20.5	221	10	10	20	31	31	31	31
35-49	1	3.0		3	3	3	3	3	3	3
50-64	15	10.1	41	1	1	12	14	18	20	21
65+	21	8.7	35	1	1	9	12	16	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	25.0		25	25	25	25	25	25	25
35-49	19	7.5	39	2	2	5	8	19	21	22
50-64	61	7.8	40	1	2	7	10	13	18	37
65+	182	8.2	40	2	3	7	10	17	21	28
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	12.2	53	7	7	9	14	25	25	25
35-49	43	14.1	77	4	5	11	19	25	32	42
50-64	213	16.1	163	2	5	13	19	31	36	68
65+	461	15.8	90	5	6	14	20	27	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.6	21	1	2	4	7	11	16	21
B. *Operated*	39	9.7	47	1	1	10	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	264	8.1	41	2	2	6	10	17	21	28
B. *Operated*	723	15.7	110	4	6	13	19	29	35	55
1. SINGLE DX	58	8.3	42	1	2	7	12	18	21	30
2. MULTIPLE DX	987	13.7	103	2	4	11	18	26	33	48
A. NOT OPERATED	283	7.9	40	2	2	6	10	17	21	28
B. OPERATED	762	15.4	109	3	5	13	19	28	35	53
TOTAL 0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	8	15.9	90	7	8	10	25	29	31	31
35-49	67	11.4	73	2	3	8	16	24	27	41
50-64	295	13.8	141	2	3	11	17	28	35	63
65+	673	13.4	86	2	4	12	17	25	32	46
GRAND TOTAL	**1045**	**13.4**	**101**	**2**	**3**	**11**	**17**	**26**	**32**	**47**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	17	3.4	12	1	1	2	4	10	12	12
50-64	48	4.5	18	1	1	3	5	10	15	21
65+	49	4.6	25	1	1	4	5	9	12	32
B. *Operated*										
0-19 YRS										
20-34	8	6.5	7	3	3	7	8	10	11	11
35-49	65	6.5	13	2	2	6	8	12	13	17
50-64	334	8.2	34	1	2	8	11	15	19	30
65+	258	7.9	35	1	2	7	11	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	12	5.3	10	1	2	5	7	9	12	12
35-49	152	7.2	54	2	2	5	8	15	23	35
50-64	666	7.0	49	1	2	5	9	15	19	33
65+	859	8.1	53	2	2	6	10	16	21	33
B. *Operated*										
0-19 YRS	11	12.1	35	5	6	11	13	23	24	24
20-34	18	13.4	87	2	3	11	23	29	31	32
35-49	321	9.6	42	2	3	8	12	18	22	31
50-64	1825	10.5	60	2	3	9	14	20	25	36
65+	2595	11.4	76	2	3	9	14	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	4.3	20	1	1	3	5	9	12	25
B. *Operated*	665	7.9	32	1	2	7	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	1692	7.5	52	1	2	6	9	16	21	33
B. *Operated*	4770	11.0	68	2	3	9	14	21	26	43
1. SINGLE DX	781	7.4	32	1	1	6	10	14	18	30
2. MULTIPLE DX	6462	10.1	66	2	3	8	13	20	25	41
A. NOT OPERATED	1808	7.3	50	1	2	5	9	15	21	33
B. OPERATED	5435	10.6	64	2	3	9	14	20	25	41
TOTAL 0-19 YRS	14	10.1	43	1	3	9	12	22	24	24
20-34	40	9.1	58	1	2	7	11	23	28	32
35-49	555	8.4	43	2	2	7	11	16	22	32
50-64	2873	9.3	56	2	2	8	12	18	23	35
65+	3761	10.3	70	2	3	8	13	20	25	43
GRAND TOTAL	**7243**	**9.8**	**63**	**2**	**2**	**8**	**13**	**19**	**24**	**38**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	8	2.4	2	<1	<1	2	3	4	5	5
65+	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	7	4.6	13	1	1	5	7	9	10	10
20-34	2	8.0		8	8	8	8	8	8	8
35-49	41	6.0	25	1	1	6	9	14	15	19
50-64	106	5.6	30	<1	1	4	9	13	18	24
65+	56	5.5	23	<1	1	3	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	16	1	1	4	8	11	11	11
20-34	9	6.9	60	2	2	3	8	20	26	26
35-49	7	5.3	27	1	1	2	9	13	14	14
50-64	40	5.8	33	1	1	4	7	12	15	32
65+	60	7.3	50	1	2	5	9	14	22	37
B. *Operated*										
0-19 YRS	5	11.8	84	4	4	9	16	27	27	27
20-34	8	19.3	782	1	2	9	17	67	87	87
35-49	45	12.4	108	2	2	10	15	28	30	56
50-64	215	11.6	81	1	2	11	16	21	28	71
65+	250	12.7	142	1	2	11	17	26	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	212	5.7	26	<1	1	4	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	122	6.5	42	1	1	5	8	13	19	35
B. *Operated*	523	12.3	122	1	2	10	16	25	30	71
1. SINGLE DX	227	5.4	25	<1	1	3	9	12	15	21
2. MULTIPLE DX	645	11.2	112	1	2	9	15	24	30	57
A. NOT OPERATED	137	6.1	39	1	1	4	8	13	17	34
B. OPERATED	735	10.4	104	1	1	9	14	21	28	56
TOTAL 0-19 YRS	18	6.7	40	1	1	6	9	12	21	27
20-34	19	12.2	369	1	2	8	11	24	59	87
35-49	97	8.8	73	1	1	7	13	19	26	44
50-64	369	9.0	68	1	1	7	13	19	24	53
65+	369	10.6	117	1	1	8	14	24	29	52
GRAND TOTAL	**872**	**9.7**	**96**	**1**	**1**	**8**	**13**	**20**	**28**	**54**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.2	90	1	1	3	4	4	6	67
20-34	14	6.1	74	1	2	4	5	12	30	35
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	80	6.9	43	2	2	5	9	12	17	39
20-34	35	8.8	44	2	4	7	11	16	20	37
35-49	37	7.8	28	1	2	7	11	15	18	24
50-64	56	6.0	28	<1	1	4	8	16	18	23
65+	71	9.6	118	1	2	7	10	20	33	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.6	31	2	2	4	6	11	17	30
20-34	22	3.8	10	<1	1	3	5	7	10	15
35-49	14	8.8	80	<1	<1	5	13	22	28	30
50-64	16	7.4	39	1	2	5	11	17	21	23
65+	23	8.8	82	3	4	6	8	20	29	45
B. *Operated*										
0-19 YRS	62	10.4	102	2	3	7	11	24	34	53
20-34	18	9.8	59	1	3	7	14	20	27	31
35-49	31	10.1	85	1	2	8	13	24	30	38
50-64	56	11.4	90	2	3	9	14	25	31	43
65+	124	10.1	96	2	2	7	13	22	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.6	79	1	1	3	4	5	9	62
B. *Operated*	279	7.8	58	1	2	6	10	16	20	40
2. MULTIPLE DX										
A. *Not Operated*	143	6.3	43	1	2	4	7	14	20	32
B. *Operated*	291	10.4	92	2	2	7	13	23	31	46
1. SINGLE DX	345	7.2	64	1	2	5	9	14	19	41
2. MULTIPLE DX	434	9.1	79	2	2	6	11	20	30	43
A. NOT OPERATED	209	5.8	55	1	2	4	6	11	19	39
B. OPERATED	570	9.1	77	2	2	7	11	19	29	43
TOTAL 0-19 YRS	257	6.9	67	2	2	4	8	14	22	41
20-34	89	7.3	47	1	2	5	8	15	21	36
35-49	83	8.8	57	1	2	7	12	18	26	35
50-64	130	8.4	62	1	2	6	11	18	24	41
65+	220	9.8	100	2	2	7	11	21	32	51
GRAND TOTAL	**779**	**8.2**	**73**	**1**	**2**	**6**	**10**	**17**	**25**	**43**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	5.0	16	<1	<1	5	8	9	9	9
20-34	52	3.3	7	<1	1	2	4	7	8	13
35-49	82	3.8	8	1	1	3	5	7	9	13
50-64	73	3.8	7	1	1	3	5	7	9	13
65+	64	4.8	16	<1	1	4	6	9	12	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	12	5.4	46	<1	1	3	6	13	24	26
50-64	13	7.9	24	1	2	8	12	15	15	15
65+	16	5.3	19	1	1	4	6	13	15	16
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	17	3.8	6	<1	1	3	5	8	9	9
35-49	41	5.0	19	1	1	4	6	10	14	24
50-64	56	6.0	24	1	2	4	8	12	16	25
65+	119	7.0	32	1	1	5	9	16	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	4	2	2	4	6	7	7	7
B. *Operated*	274	4.0	9	<1	1	3	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	45	6.0	26	1	1	4	7	14	15	26
B. *Operated*	234	6.2	27	1	2	4	8	13	18	24
1. SINGLE DX	278	4.0	9	<1	1	3	5	8	9	15
2. MULTIPLE DX	279	6.2	27	1	1	4	8	14	17	24
A. NOT OPERATED	49	5.8	25	1	1	4	7	14	15	26
B. OPERATED	508	5.0	19	1	1	4	6	10	14	24
TOTAL 0-19 YRS	5	4.0	11	<1	<1	4	6	9	9	9
20-34	74	3.5	6	<1	1	3	5	7	9	12
35-49	136	4.3	15	1	1	3	6	8	12	24
50-64	143	5.0	17	1	1	4	6	11	14	18
65+	199	6.2	27	1	1	5	8	14	18	25
GRAND TOTAL	**557**	**5.1**	**19**	**1**	**1**	**4**	**6**	**11**	**14**	**24**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	20	3.4	10	<1	<1	2	5	7	10	13
35-49	48	2.6	8	<1	<1	1	3	6	9	14
50-64	73	2.3	4	<1	<1	1	3	5	6	9
65+	195	2.9	6	<1	<1	2	4	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	4	6.3	14	1	1	7	9	10	10	10
35-49	5	4.8	17	1	1	5	7	11	11	11
50-64	3	4.0	27	<1	<1	1	8	10	10	10
65+	34	3.1	17	<1	1	1	3	7	15	18
B. *Operated*										
0-19 YRS										
20-34	7	5.7	44	1	1	3	8	17	19	19
35-49	44	5.6	98	<1	1	2	5	13	23	52
50-64	137	3.8	16	<1	1	2	4	10	14	19
65+	435	4.9	45	<1	1	2	6	11	16	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	1	1	1	2	2	3	3	3
B. *Operated*	341	2.7	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	48	3.6	16	<1	1	2	5	9	12	18
B. *Operated*	623	4.7	43	<1	1	2	5	10	15	42
1. SINGLE DX	345	2.7	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX	671	4.7	41	<1	1	2	5	10	15	39
A. NOT OPERATED	52	3.5	15	<1	1	2	5	8	11	18
B. OPERATED	964	4.0	31	<1	<1	2	5	9	13	27
TOTAL 0-19 YRS	8	2.1	2	<1	<1	2	3	5	5	5
20-34	32	4.2	18	<1	<1	2	6	9	13	19
35-49	97	4.1	51	<1	<1	2	4	9	13	48
50-64	213	3.3	13	<1	<1	2	4	8	11	18
65+	666	4.2	33	<1	<1	2	5	9	14	29
GRAND TOTAL	**1016**	**4.0**	**30**	**<1**	**<1**	**2**	**5**	**9**	**13**	**25**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	8	3.4	8	<1	<1	3	5	8	9	9
50-64	14	3.9	11	<1	1	3	7	9	9	9
65+	9	2.8	6	<1	<1	2	3	7	9	9
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	94	4.8	6	1	2	5	6	8	9	14
35-49	576	4.6	6	1	2	4	6	8	9	12
50-64	847	4.9	5	1	2	5	6	8	9	11
65+	836	5.4	7	2	2	5	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.6	14	<1	1	5	9	11	11	11
35-49	56	6.6	62	1	1	5	8	14	15	51
50-64	95	7.1	62	1	1	5	8	15	21	46
65+	112	7.1	81	1	1	6	8	13	16	54
B. *Operated*										
0-19 YRS	4	7.5	6	5	5	7	9	11	11	11
20-34	119	5.7	14	1	2	5	7	11	13	18
35-49	645	5.8	15	2	3	5	7	9	11	21
50-64	1214	6.5	21	2	3	6	8	10	14	26
65+	2097	7.1	18	3	3	6	8	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.4	8	<1	<1	3	4	9	9	9
B. *Operated*	2356	5.0	6	1	2	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	271	7.0	68	1	1	5	8	13	18	48
B. *Operated*	4079	6.7	19	2	3	6	8	11	14	25
1. SINGLE DX	2389	5.0	6	1	2	5	6	8	9	12
2. MULTIPLE DX	4350	6.7	22	2	3	6	8	11	14	26
A. NOT OPERATED	304	6.6	63	1	1	5	8	13	17	45
B. OPERATED	6435	6.1	15	2	3	5	7	10	12	21
TOTAL 0-19 YRS	7	5.7	10	1	2	5	7	10	11	11
20-34	223	5.3	11	1	2	5	7	9	12	15
35-49	1285	5.3	13	1	2	5	6	8	10	16
50-64	2170	5.9	17	2	2	5	7	9	12	22
65+	3054	6.6	18	2	3	6	8	11	13	23
GRAND TOTAL	**6739**	**6.1**	**17**	**2**	**3**	**5**	**7**	**10**	**12**	**21**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	2.9	1	1	2	3	3	4	5	5
35-49	30	2.8	1	1	1	3	3	4	4	4
50-64	29	3.9	32	2	2	3	3	4	6	33
65+	41	3.7	7	2	2	3	4	5	5	19
B. *Operated*										
0-19 YRS	5	5.0	22	<1	<1	2	9	11	11	11
20-34	70	5.2	8	1	1	5	7	9	10	12
35-49	74	4.9	10	1	1	4	7	9	10	15
50-64	31	3.9	7	1	1	4	4	7	8	15
65+	34	4.3	9	1	2	4	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	18	4.8	17	1	2	3	4	13	14	14
35-49	59	5.5	15	1	2	5	8	10	12	21
50-64	83	5.2	17	1	2	4	6	11	15	21
65+	57	5.5	20	2	2	4	7	10	12	28
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	80	6.8	28	1	2	6	8	13	16	29
35-49	152	7.8	48	2	2	6	9	14	20	38
50-64	141	8.3	88	1	2	6	10	17	22	58
65+	147	7.1	45	1	2	5	9	16	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.4	11	1	2	3	3	4	5	24
B. *Operated*	214	4.7	9	1	1	4	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	218	5.3	17	1	2	4	7	11	13	21
B. *Operated*	522	7.6	55	1	2	6	9	15	21	35
1. SINGLE DX	329	4.3	10	1	1	3	5	8	10	15
2. MULTIPLE DX	740	6.9	45	1	2	5	9	14	19	32
A. NOT OPERATED	333	4.7	16	1	2	3	5	9	12	21
B. OPERATED	736	6.7	43	1	2	5	8	13	17	32
TOTAL 0-19 YRS	8	5.3	13	<1	1	5	8	10	11	11
20-34	183	5.7	18	1	2	5	7	10	13	25
35-49	315	6.2	31	1	2	5	8	11	14	29
50-64	284	6.4	56	1	2	4	8	13	19	33
65+	279	5.9	32	2	2	4	7	12	18	31
GRAND TOTAL	**1069**	**6.1**	**36**	**1**	**2**	**4**	**8**	**12**	**16**	**30**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.7		3	3	4	4	4	4	4
50-64	21	3.4	4	1	1	3	4	7	8	8
65+	28	3.0	1	2	2	3	4	4	4	5
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	5.7	6	2	2	6	8	9	9	9
35-49	25	5.6	4	1	2	6	6	7	9	11
50-64	108	5.6	6	1	2	6	7	9	9	14
65+	119	5.7	8	1	2	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	38	6.5	80	2	2	4	6	13	25	50
65+	62	5.2	81	1	1	3	4	9	13	63
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	17	6.1	4	2	5	6	7	8	10	11
35-49	90	6.1	10	1	2	6	7	10	11	18
50-64	356	7.4	15	2	4	7	8	12	15	22
65+	594	8.3	35	2	3	7	9	14	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.2	2	1	2	3	4	4	7	8
B. *Operated*	260	5.7	7	1	2	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	105	5.7	77	1	2	3	5	10	15	59
B. *Operated*	1058	7.8	26	2	3	7	9	13	16	28
1. SINGLE DX	312	5.3	7	1	2	5	7	8	9	13
2. MULTIPLE DX	1163	7.6	31	2	3	7	9	12	16	29
A. NOT OPERATED	157	4.9	53	1	2	3	4	8	13	49
B. OPERATED	1318	7.4	23	2	3	7	8	12	15	27
TOTAL 0-19 YRS	3	8.3	44	4	4	5	13	16	16	16
20-34	25	6.1	5	2	4	6	7	9	10	11
35-49	121	5.9	8	1	2	6	7	9	11	18
50-64	523	6.8	18	2	3	6	8	11	14	23
65+	803	7.5	35	2	2	7	9	13	17	32
GRAND TOTAL	**1475**	**7.1**	**27**	**2**	**3**	**6**	**8**	**11**	**15**	**28**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	16	1	1	1	6	8	8	8
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	9	1.6	1	<1	<1	1	2	3	3	3
50-64	23	2.3	4	1	1	2	3	5	8	9
65+	15	1.5		1	1	1	2	2	3	3
B. *Operated*										
0-19 YRS	5	5.6	4	4	4	5	6	9	9	9
20-34	14	6.9	15	4	5	5	8	11	17	19
35-49	23	8.0	13	3	4	7	11	12	14	17
50-64	42	7.1	16	1	2	7	9	12	15	18
65+	27	9.9	31	3	6	8	12	15	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	24	6.0	57	1	1	3	5	19	25	27
50-64	81	4.5	24	1	1	2	5	12	15	23
65+	95	7.6	52	1	1	5	10	17	24	33
B. *Operated*										
0-19 YRS	5	9.2	26	6	6	7	11	18	18	18
20-34	40	8.9	29	4	4	7	11	16	21	28
35-49	104	9.6	32	4	5	8	11	16	20	34
50-64	267	11.9	85	5	6	9	14	20	30	48
65+	296	13.9	95	5	6	11	16	25	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.0	3	1	1	1	2	4	7	9
B. *Operated*	111	7.9	19	3	4	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	207	6.1	42	1	1	3	8	14	22	29
B. *Operated*	712	12.2	80	5	6	9	14	21	30	47
1. SINGLE DX	164	6.0	21	1	1	5	8	12	14	22
2. MULTIPLE DX	919	10.8	78	2	3	8	13	20	27	44
A. NOT OPERATED	260	5.2	37	1	1	3	7	13	19	28
B. OPERATED	823	11.6	74	4	5	9	14	20	28	44
TOTAL 0-19 YRS	16	6.2	15	1	1	6	7	9	15	18
20-34	61	7.7	27	1	3	6	9	15	19	27
35-49	160	8.4	35	1	2	7	11	16	19	31
50-64	413	9.4	73	1	2	8	11	18	25	44
65+	433	11.8	89	2	3	9	15	23	29	46
GRAND TOTAL	**1083**	**10.1**	**73**	**1**	**2**	**8**	**12**	**20**	**26**	**42**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	15.5	113	8	8	15	23	23	23	23
65+	7	2.6	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	5	5.6	11	2	2	5	8	10	10	10
20-34	7	6.0	15	2	2	4	8	12	13	13
35-49	8	4.0	9	1	1	3	4	9	11	11
50-64	10	8.3	35	3	3	6	11	18	19	19
65+	28	5.3	13	<1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	22	1	1	3	8	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	2.8	3	<1	<1	2	4	6	6	6
65+	20	6.7	57	1	2	4	6	15	26	33
B. *Operated*										
0-19 YRS	4	9.3	41	2	2	9	14	16	16	16
20-34	8	5.3	13	2	2	4	7	11	12	12
35-49	21	7.8	26	2	2	8	11	15	18	21
50-64	47	13.6	141	2	3	10	15	33	40	52
65+	105	11.2	80	2	3	8	17	24	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.7	30	1	1	3	5	8	19	23
B. *Operated*	58	5.7	17	1	2	4	8	11	15	19
2. MULTIPLE DX										
A. *Not Operated*	35	5.1	38	<1	1	3	5	11	17	33
B. *Operated*	185	11.1	89	2	3	8	14	24	32	44
1. SINGLE DX	73	5.5	20	1	2	4	8	11	16	22
2. MULTIPLE DX	220	10.2	86	2	2	7	13	23	32	44
A. NOT OPERATED	50	5.0	35	1	1	3	5	10	19	33
B. OPERATED	243	9.8	77	2	2	7	12	22	28	43
TOTAL 0-19 YRS	17	5.5	20	1	1	3	8	12	15	16
20-34	16	5.5	13	2	2	4	8	12	13	13
35-49	32	6.4	24	1	2	5	9	14	15	21
50-64	68	11.4	119	1	2	8	13	31	35	50
65+	160	9.2	70	2	2	6	12	22	25	39
GRAND TOTAL	**293**	**9.0**	**73**	**2**	**2**	**6**	**12**	**21**	**26**	**41**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.6	16	1	1	3	7	11	11	11
65+	19	6.6	45	<1	1	4	10	13	23	29
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	8	9.5	40	2	3	9	12	19	22	22
50-64	308	6.1	15	1	1	6	8	11	14	17
65+	713	5.3	13	1	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	9.6	34	6	6	7	11	20	20	20
50-64	65	6.4	32	1	2	4	8	15	24	88
65+	383	7.5	53	2	2	6	9	14	19	38
B. *Operated*										
0-19 YRS	4	5.5	7	3	3	5	7	9	9	9
20-34										
35-49	14	11.0	65	1	4	8	15	24	29	31
50-64	524	7.3	40	1	2	6	9	14	17	32
65+	3217	7.3	30	2	3	6	9	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.2	39	<1	1	4	9	12	19	29
B. *Operated*	1030	5.5	14	1	1	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	455	7.3	50	2	2	5	9	14	19	39
B. *Operated*	3759	7.4	31	2	3	6	9	14	17	29
1. SINGLE DX	1054	5.6	15	1	1	5	7	10	13	17
2. MULTIPLE DX	4214	7.4	33	2	2	6	9	14	17	30
A. NOT OPERATED	479	7.3	49	1	2	5	9	14	19	38
B. OPERATED	4789	7.0	28	1	2	6	9	13	16	27
TOTAL 0-19 YRS	5	7.2	20	3	3	6	10	14	14	14
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	27	10.3	49	2	4	8	14	22	24	31
50-64	902	6.8	31	1	2	6	9	13	16	26
65+	4332	7.0	30	2	2	6	8	13	16	28
GRAND TOTAL	**5268**	**7.0**	**30**	**1**	**2**	**6**	**9**	**13**	**16**	**28**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.3	4	1	1	3	5	6	6	6
35-49	3	3.3	4	<1	<1	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	4.3	5	<1	1	5	6	7	8	8
20-34	76	3.8	9	1	1	3	4	8	11	15
35-49	32	3.8	35	1	1	2	3	9	11	33
50-64	14	3.0	2	2	2	2	4	5	6	6
65+	8	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	<1	<1	2	5	7	7	7
20-34	18	5.1	12	<1	1	5	5	11	14	14
35-49	12	5.7	25	2	2	5	6	11	20	21
50-64	3	5.7	2	4	4	6	7	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	8	5.3	17	<1	<1	4	7	12	13	13
20-34	40	8.0	45	2	2	7	10	15	32	99+
35-49	22	9.8	204	1	1	4	10	21	44	66
50-64	17	7.9	34	1	1	6	11	17	18	19
65+	25	5.9	22	1	2	4	9	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.3	3	<1	<1	4	5	6	6	6
B. *Operated*	142	3.7	13	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	38	5.1	14	<1	2	5	6	7	14	21
B. *Operated*	112	7.7	67	1	2	6	10	15	20	79
1. SINGLE DX	153	3.7	13	1	1	3	4	7	10	15
2. MULTIPLE DX	150	7.0	55	1	2	5	9	14	19	66
A. NOT OPERATED	49	4.7	12	<1	1	4	5	7	13	21
B. OPERATED	254	5.5	41	1	1	3	7	11	15	35
TOTAL 0-19 YRS	24	4.4	9	<1	<1	4	6	8	10	13
20-34	140	5.1	23	1	1	4	7	11	14	41
35-49	69	6.0	90	1	1	3	5	11	21	60
50-64	35	5.6	23	1	2	4	7	13	17	19
65+	35	5.1	18	1	2	4	6	10	14	20
GRAND TOTAL	**303**	**5.3**	**36**	**1**	**1**	**4**	**6**	**11**	**15**	**34**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	4.6	14	2	2	3	6	11	11	11
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	2.3	1	1	1	2	3	4	5	5
35-49	48	3.3	8	1	1	3	4	7	10	15
50-64	272	3.6	14	1	1	2	4	6	11	21
65+	553	4.0	16	1	1	3	4	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	18	6.4	23	1	2	6	8	12	17	21
65+	70	8.7	122	1	2	5	9	18	31	67
B. *Operated*										
0-19 YRS	5	21.8	579	5	5	11	33	63	63	63
20-34	4	4.0	15	1	1	3	7	9	9	9
35-49	66	5.6	32	1	1	4	7	12	15	30
50-64	456	6.3	35	1	2	4	9	14	17	27
65+	1643	6.9	46	1	2	5	8	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.5	8	1	1	3	4	8	11	11
B. *Operated*	886	3.8	15	1	1	3	4	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	92	7.9	99	1	2	5	9	16	21	62
B. *Operated*	2174	6.7	45	1	2	5	8	14	19	36
1. SINGLE DX	896	3.8	15	1	1	3	4	7	11	19
2. MULTIPLE DX	2266	6.8	47	1	2	5	8	14	19	37
A. NOT OPERATED	102	7.5	92	1	2	5	8	15	21	60
B. OPERATED	3060	5.9	38	1	1	4	7	13	17	31
TOTAL 0-19 YRS	9	13.1	396	2	2	5	14	47	63	63
20-34	15	2.7	5	1	1	2	3	5	8	9
35-49	119	4.5	22	1	1	3	5	11	14	29
50-64	748	5.3	29	1	1	3	6	13	16	25
65+	2271	6.2	43	1	2	4	7	13	18	35
GRAND TOTAL	**3162**	**5.9**	**40**	**1**	**1**	**4**	**7**	**13**	**17**	**32**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	4	3.3	8	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	14	9.7	18	4	4	9	12	15	19	20
20-34	5	9.0	1	8	8	9	10	10	10	10
35-49	25	7.8	11	2	3	8	10	11	13	15
50-64	73	8.0	13	1	3	8	9	13	15	19
65+	82	7.3	18	1	1	8	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.0	4	1	1	4	5	6	8	8
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	15	5.1	6	1	3	4	7	8	10	11
50-64	44	6.3	40	1	1	4	7	18	21	27
65+	73	10.2	102	2	2	6	13	25	37	43
B. *Operated*										
0-19 YRS	29	11.1	37	4	5	9	14	22	24	26
20-34	14	13.1	119	4	4	10	15	30	40	43
35-49	66	9.4	25	3	4	8	11	17	20	25
50-64	245	11.0	58	3	5	9	12	19	23	43
65+	435	12.2	55	4	5	11	14	21	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	4	<1	<1	3	4	5	7	7
B. *Operated*	199	7.8	15	1	2	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	147	7.9	69	1	2	5	9	19	26	41
B. *Operated*	789	11.6	54	3	5	10	14	20	25	41
1. SINGLE DX	210	7.6	16	1	2	8	10	12	14	20
2. MULTIPLE DX	936	11.0	59	2	4	10	13	20	25	41
A. NOT OPERATED	158	7.5	66	1	1	5	9	18	26	41
B. OPERATED	988	10.8	49	3	4	9	13	19	23	39
TOTAL 0-19 YRS	59	8.7	34	1	2	7	12	15	22	26
20-34	22	10.7	87	2	3	9	11	22	35	43
35-49	107	8.4	21	2	3	8	10	13	17	25
50-64	364	9.8	49	2	3	8	12	17	22	41
65+	594	11.3	59	2	4	10	14	20	26	41
GRAND TOTAL	**1146**	**10.4**	**52**	**2**	**3**	**9**	**12**	**19**	**23**	**40**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.0		<1	<1	1	1	1	1	1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	13	2.3	1	<1	1	2	3	4	5	5
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	10	2.2	2	<1	<1	2	3	4	4	4
65+	12	3.4	5	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	3	<1	<1	<1	3	5	5	5
20-34										
35-49										
50-64										
65+	8	6.0	43	1	1	3	7	17	21	21
B. *Operated*										
0-19 YRS	4	9.0	113	<1	<1	5	16	24	24	24
20-34										
35-49	2	5.0		5	5	5	5	5	5	5
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	23	7.9	389	1	2	4	5	8	40	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.1		<1	<1	1	1	1	2	2
B. *Operated*	42	2.9	5	<1	1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	13	4.5	30	<1	<1	3	5	11	19	21
B. *Operated*	33	7.3	281	1	2	4	5	8	22	98
1. SINGLE DX	59	2.3	4	<1	<1	2	3	4	8	9
2. MULTIPLE DX	46	6.5	210	<1	1	4	5	9	22	98
A. NOT OPERATED	30	2.5	16	<1	<1	1	2	5	9	21
B. OPERATED	75	4.8	129	1	1	3	4	8	9	79
TOTAL 0-19 YRS	38	2.4	15	<1	<1	1	2	5	7	24
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49	6	4.0	9	1	1	4	5	9	9	9
50-64	15	2.5	2	<1	1	2	4	4	6	6
65+	43	6.3	216	1	2	3	5	8	13	98
GRAND TOTAL	**105**	**4.2**	**97**	**<1**	**<1**	**2**	**4**	**8**	**9**	**57**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	8	<1	1	3	4	5	10	12
20-34	6	4.3	5	1	1	5	6	7	7	7
35-49	10	4.0	16	<1	<1	2	6	10	13	13
50-64	19	8.5	94	2	2	5	8	22	32	40
65+	24	7.6	38	1	2	6	9	15	22	27
B. *Operated*										
0-19 YRS	75	9.1	36	1	1	8	12	17	22	26
20-34	34	10.8	79	2	2	9	14	18	29	46
35-49	55	8.1	16	2	2	8	10	14	15	17
50-64	64	12.0	98	2	3	10	15	20	39	44
65+	33	12.1	30	2	5	12	15	20	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.0	34	1	1	3	6	11	15	37
20-34	33	9.2	104	1	2	5	13	26	34	37
35-49	48	7.8	126	<1	<1	5	9	15	24	66
50-64	96	8.0	57	1	2	6	11	18	21	41
65+	101	11.2	137	1	3	7	14	22	34	63
B. *Operated*										
0-19 YRS	106	14.3	202	2	3	10	17	34	45	75
20-34	50	10.9	106	2	3	8	13	24	28	99+
35-49	61	14.0	110	3	5	12	17	24	33	57
50-64	80	17.0	237	3	4	12	21	31	47	88
65+	119	16.5	108	5	7	14	22	27	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.2	44	1	1	4	7	13	21	37
B. *Operated*	261	10.2	53	1	2	9	13	17	22	44
2. MULTIPLE DX										
A. *Not Operated*	336	8.5	95	1	1	5	10	20	25	55
B. *Operated*	416	15.0	159	3	4	12	18	28	40	73
1. SINGLE DX	335	9.3	54	1	2	8	12	17	21	43
2. MULTIPLE DX	752	12.1	141	1	2	9	15	25	35	67
A. NOT OPERATED	410	8.1	86	1	1	5	10	19	24	54
B. OPERATED	677	13.1	124	2	3	11	16	25	35	65
TOTAL 0-19 YRS	254	10.0	119	1	1	7	12	19	31	59
20-34	123	10.1	94	1	2	8	13	22	32	76
35-49	174	9.8	89	1	2	8	12	18	23	57
50-64	259	11.8	139	2	2	9	14	24	36	59
65+	277	13.3	111	2	3	11	18	25	31	56
GRAND TOTAL	**1087**	**11.2**	**116**	**1**	**2**	**9**	**14**	**22**	**31**	**58**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	13	7.5	36	1	1	9	11	16	18	19
20-34	6	6.5	13	2	2	6	9	12	12	12
35-49	3	8.3	6	6	6	8	10	11	11	11
50-64										
65+	3	6.7	10	3	3	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	9	8.0	50	1	1	5	14	18	20	20
B. *Operated*										
0-19 YRS	10	13.0	132	1	1	12	16	32	38	38
20-34	5	11.2	35	2	2	13	14	18	18	18
35-49	3	7.3	57	2	2	4	13	16	16	16
50-64	8	13.6	174	3	4	8	17	37	43	43
65+	11	24.0	502	3	7	16	25	66	72	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	7	1	1	3	5	7	7	7
B. *Operated*	25	7.3	22	1	2	8	10	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	13	7.1	39	1	1	5	12	15	19	20
B. *Operated*	37	15.7	246	2	2	12	18	36	55	73
1. SINGLE DX	30	6.6	22	1	1	6	10	12	15	19
2. MULTIPLE DX	50	13.5	205	1	2	11	16	26	43	73
A. NOT OPERATED	18	6.1	32	1	1	4	9	14	18	20
B. OPERATED	62	12.3	171	1	2	10	13	25	40	72
TOTAL 0-19 YRS	26	9.1	77	1	1	8	12	19	28	38
20-34	13	8.1	27	1	2	9	12	14	17	18
35-49	7	7.7	22	2	2	7	10	15	16	16
50-64	10	11.5	155	3	3	7	12	32	43	43
65+	24	15.0	308	1	2	11	17	29	65	73
GRAND TOTAL	**80**	**10.9**	**146**	**1**	**1**	**9**	**13**	**21**	**32**	**69**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	1	1	2	2	3	3	3
20-34	7	3.6	2	2	2	3	5	6	6	6
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	8	2.8	7	<1	<1	2	3	7	9	9
65+	3	17.3	617	2	2	4	35	46	46	46
B. *Operated*										
0-19 YRS	28	7.1	114	1	2	4	7	11	23	58
20-34	50	4.1	9	1	2	3	4	8	10	17
35-49	52	3.5	3	2	2	3	4	6	7	8
50-64	29	4.0	5	2	2	3	4	7	8	13
65+	13	5.5	8	2	3	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.9	20	1	1	4	7	10	14	19
20-34	11	2.5	1	<1	1	2	3	4	4	4
35-49	16	3.6	5	1	1	3	4	7	9	10
50-64	14	5.3	31	1	2	3	7	11	20	22
65+	14	7.3	28	<1	2	6	11	13	18	20
B. *Operated*										
0-19 YRS	38	18.4	490	1	2	10	20	54	71	95
20-34	49	4.8	27	2	2	3	5	9	10	36
35-49	52	5.5	22	2	2	4	6	12	17	22
50-64	57	6.6	28	2	3	5	8	12	21	27
65+	64	10.2	100	3	4	7	12	19	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.0	62	1	1	2	4	5	9	46
B. *Operated*	172	4.5	24	2	2	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	77	4.8	19	1	1	3	7	11	12	21
B. *Operated*	260	8.7	130	2	2	5	9	17	28	57
1. SINGLE DX	204	4.4	30	1	2	3	4	8	9	31
2. MULTIPLE DX	337	7.8	107	2	2	4	8	16	22	56
A. NOT OPERATED	109	4.5	31	1	1	3	5	10	11	32
B. OPERATED	432	7.0	92	2	2	4	7	13	21	56
TOTAL 0-19 YRS	96	10.6	270	1	1	5	10	24	54	88
20-34	117	4.2	15	2	2	3	4	8	10	23
35-49	126	4.3	12	1	2	3	5	8	10	20
50-64	108	5.4	22	2	2	4	6	10	15	24
65+	94	9.3	91	2	3	6	11	17	29	53
GRAND TOTAL	**541**	**6.5**	**80**	**1**	**2**	**4**	**7**	**12**	**19**	**55**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	5	1	1	3	4	8	8	8
20-34	2	2.0		2	2	2	2	2	2	2
35-49	11	7.5	55	1	1	4	13	20	22	22
50-64	21	5.0	13	<1	1	4	7	10	13	15
65+	34	8.9	60	1	2	6	12	17	24	37
B. *Operated*										
0-19 YRS	18	6.7	38	1	2	4	7	16	21	25
20-34	12	7.1	28	1	2	5	8	17	18	18
35-49	38	5.7	10	1	2	5	7	11	12	14
50-64	108	6.5	36	1	1	5	8	14	18	30
65+	100	7.7	74	1	1	6	9	16	21	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.7	19	<1	1	3	5	12	16	17
20-34	98	5.6	29	1	1	4	7	13	18	25
35-49	446	7.2	61	1	2	5	8	15	21	33
50-64	1279	7.9	56	1	2	6	10	17	22	36
65+	2188	8.5	55	2	2	6	11	17	22	38
B. *Operated*										
0-19 YRS	47	11.5	113	2	2	8	14	25	38	51
20-34	131	10.9	116	1	2	8	14	22	34	62
35-49	603	10.7	98	2	2	8	13	21	31	48
50-64	1570	10.7	90	2	2	8	14	22	30	51
65+	2384	11.5	92	2	3	9	15	23	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	7.0	43	1	1	5	8	15	20	34
B. *Operated*	276	6.9	46	1	1	5	9	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	4053	8.1	55	1	2	6	10	17	22	36
B. *Operated*	4735	11.1	93	2	3	9	14	22	30	49
1. SINGLE DX	350	6.9	45	1	1	5	8	15	19	31
2. MULTIPLE DX	8788	9.7	78	2	2	7	12	20	26	44
A. NOT OPERATED	4127	8.1	55	1	2	6	10	17	22	36
B. OPERATED	5011	10.9	91	2	2	8	14	22	30	48
TOTAL 0-19 YRS	113	7.8	70	1	1	5	10	17	25	45
20-34	243	8.5	82	1	1	6	10	18	23	42
35-49	1098	9.1	83	1	2	7	11	19	27	42
50-64	2978	9.3	75	1	2	7	12	19	25	45
65+	4706	10.0	76	2	2	8	13	21	27	44
GRAND TOTAL	**9138**	**9.6**	**77**	**2**	**2**	**7**	**12**	**20**	**26**	**43**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	1	1	3	3	4	4	4
20-34	13	3.2	15	<1	<1	1	3	11	13	13
35-49	5	6.8	86	1	1	3	10	23	23	23
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	41	5.9	28	<1	1	5	7	10	17	30
20-34	59	4.9	9	1	1	5	7	9	10	12
35-49	29	6.2	11	2	2	5	9	11	12	13
50-64	14	6.9	27	<1	1	5	11	15	17	18
65+	3	4.3	16	2	2	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	17	2	2	5	7	13	15	15
20-34	31	3.0	8	1	1	2	4	6	8	14
35-49	11	8.5	50	3	3	6	11	19	26	27
50-64	17	9.3	136	2	2	5	10	19	39	50
65+	7	5.9	32	1	1	2	9	15	16	16
B. *Operated*										
0-19 YRS	19	6.3	24	1	1	5	9	11	17	22
20-34	53	7.8	33	1	2	7	9	18	20	28
35-49	32	9.9	61	1	2	8	15	22	26	30
50-64	28	8.5	39	1	2	7	10	14	17	33
65+	35	15.1	156	3	5	12	18	27	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.6	25	<1	1	2	3	10	15	23
B. *Operated*	146	5.6	17	1	1	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	74	5.9	51	1	1	4	7	13	17	44
B. *Operated*	167	9.7	72	1	2	7	13	19	25	40
1. SINGLE DX	171	5.3	18	1	1	5	7	10	12	22
2. MULTIPLE DX	241	8.5	68	1	2	7	11	18	23	43
A. NOT OPERATED	99	5.3	45	1	1	3	6	12	17	39
B. OPERATED	313	7.8	50	1	2	6	10	15	20	31
TOTAL 0-19 YRS	73	5.8	24	1	1	5	7	10	15	28
20-34	156	5.3	21	1	1	4	7	10	14	20
35-49	77	8.1	43	1	2	6	10	17	24	29
50-64	61	8.1	62	1	2	7	10	15	18	48
65+	45	12.9	143	2	2	10	17	25	33	68
GRAND TOTAL	**412**	**7.2**	**50**	**1**	**1**	**5**	**9**	**15**	**19**	**31**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.6	21	1	1	3	4	6	11	30
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.2	2	2	2	3	4	5	5	5
65+	8	11.0	135	1	1	7	18	30	31	31
B. *Operated*										
0-19 YRS	93	7.2	51	<1	1	6	9	16	24	33
20-34	11	8.3	31	2	2	7	11	17	20	20
35-49	3	9.0	169	1	1	2	18	24	24	24
50-64	2	4.0		4	4	4	4	4	4	4
65+	9	5.0	21	<1	1	4	6	12	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	5.2	25	1	1	3	7	11	14	24
20-34	16	5.7	28	1	2	4	6	8	19	24
35-49	16	4.4	18	<1	1	3	6	11	14	16
50-64	36	6.0	20	1	2	5	8	10	14	23
65+	77	8.0	50	1	2	5	11	15	25	33
B. *Operated*										
0-19 YRS	112	15.3	191	2	3	11	21	35	44	68
20-34	26	26.1	513	5	6	21	34	45	89	94
35-49	10	14.8	127	3	3	12	20	33	35	35
50-64	43	14.4	293	2	2	6	19	42	54	68
65+	68	11.3	94	3	3	8	14	25	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.0	31	1	1	3	4	7	12	32
B. *Operated*	118	7.2	48	<1	1	5	9	16	23	31
2. MULTIPLE DX										
A. *Not Operated*	383	5.8	30	1	1	4	7	13	15	28
B. *Operated*	259	15.2	225	2	3	10	21	35	44	81
1. SINGLE DX	225	5.7	42	<1	1	3	7	14	20	32
2. MULTIPLE DX	642	9.6	129	1	2	6	11	23	33	54
A. NOT OPERATED	490	5.4	31	1	1	3	7	12	15	29
B. OPERATED	377	12.7	183	1	2	8	16	31	39	66
TOTAL 0-19 YRS	533	7.4	81	1	1	4	8	17	25	44
20-34	56	15.5	348	2	2	8	22	36	44	94
35-49	30	8.2	85	1	1	4	11	22	31	35
50-64	86	10.0	173	2	2	5	9	24	42	65
65+	162	9.4	73	1	2	7	12	22	28	36
GRAND TOTAL	**867**	**8.6**	**110**	**1**	**1**	**5**	**10**	**21**	**30**	**50**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.4	7	<1	1	3	5	7	9	11
20-34	10	8.0	281	<1	<1	1	7	32	55	55
35-49	15	5.7	59	<1	1	2	8	19	24	26
50-64	10	4.1	55	1	1	2	3	14	25	25
65+	20	5.3	63	<1	1	2	6	17	27	28
B. *Operated*										
0-19 YRS	23	12.7	189	1	2	9	12	39	47	55
20-34	15	10.9	148	<1	1	5	17	30	35	37
35-49	16	16.3	224	1	1	8	32	34	37	38
50-64	15	16.1	481	2	2	7	21	40	73	84
65+	16	10.1	225	1	1	6	9	30	51	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.9	47	1	1	4	6	13	22	35
20-34	28	7.9	47	2	2	5	11	18	24	26
35-49	27	5.3	21	1	1	3	7	12	16	19
50-64	48	7.5	67	<1	1	5	10	17	25	41
65+	121	7.4	57	1	1	5	9	16	22	41
B. *Operated*										
0-19 YRS	42	23.6	320	2	4	22	35	49	59	64
20-34	61	24.7	250	2	4	27	31	41	55	77
35-49	69	21.1	262	2	3	21	34	40	48	69
50-64	81	20.9	352	2	3	16	35	44	61	83
65+	127	19.2	266	3	4	14	28	48	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	4.7	59	<1	1	2	5	9	23	43
B. *Operated*	85	13.2	241	1	2	7	14	34	41	75
2. MULTIPLE DX										
A. *Not Operated*	292	6.9	52	1	1	5	9	15	23	38
B. *Operated*	380	21.3	288	2	4	17	31	45	57	78
1. SINGLE DX	180	8.7	162	<1	1	4	9	29	35	58
2. MULTIPLE DX	672	15.0	236	1	2	9	24	37	47	73
A. NOT OPERATED	387	6.4	55	1	1	4	8	14	23	39
B. OPERATED	465	19.8	288	2	3	14	30	43	55	78
TOTAL 0-19 YRS	173	10.5	183	1	1	5	11	32	43	60
20-34	114	17.3	249	1	1	11	28	37	49	67
35-49	127	15.3	230	1	1	8	27	36	41	61
50-64	154	15.1	296	1	1	8	23	39	45	84
65+	284	12.7	194	1	2	7	17	32	47	73
GRAND TOTAL	**852**	**13.7**	**227**	**1**	**1**	**7**	**21**	**36**	**45**	**71**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	10	1	1	2	3	9	11	11
20-34	4	3.3	6	2	2	2	5	7	7	7
35-49	20	4.2	22	1	1	3	5	8	15	22
50-64	32	4.2	13	1	1	3	5	10	11	16
65+	35	5.4	16	1	1	4	8	12	14	14
B. *Operated*										
0-19 YRS	27	7.0	33	1	1	6	10	14	18	25
20-34	22	7.3	29	1	2	8	10	13	20	22
35-49	36	5.7	22	1	1	3	9	13	15	17
50-64	133	6.4	26	1	2	5	9	13	16	27
65+	133	7.1	39	1	2	5	9	14	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.2	12	1	1	3	5	8	14	15
20-34	18	6.4	25	1	2	5	9	13	17	20
35-49	57	8.0	82	1	2	5	9	19	25	53
50-64	187	7.4	38	1	2	6	9	16	20	32
65+	362	8.8	71	2	2	6	11	19	25	46
B. *Operated*										
0-19 YRS	43	16.5	221	2	3	13	25	37	52	99+
20-34	32	11.3	80	2	3	10	16	22	42	99+
35-49	101	12.8	193	2	2	8	16	28	43	70
50-64	338	11.9	120	2	3	9	15	26	33	55
65+	671	13.3	129	2	3	10	17	25	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.3	15	1	1	3	6	10	12	19
B. *Operated*	351	6.7	31	1	2	5	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	655	8.0	59	1	2	6	10	17	23	43
B. *Operated*	1185	12.9	134	2	3	10	17	26	37	65
1. SINGLE DX	458	6.1	28	1	1	5	9	12	16	26
2. MULTIPLE DX	1840	11.2	113	2	2	8	14	23	32	57
A. NOT OPERATED	762	7.5	55	1	2	5	9	15	21	35
B. OPERATED	1536	11.5	118	2	2	8	15	24	33	59
TOTAL 0-19 YRS	117	9.2	125	1	1	5	12	25	35	85
20-34	76	8.6	53	1	2	7	11	21	22	85
35-49	214	9.5	128	1	2	6	12	20	31	58
50-64	690	9.3	82	1	2	7	11	20	27	44
65+	1201	11.0	105	2	2	8	14	22	31	55
GRAND TOTAL	**2298**	**10.2**	**100**	**2**	**2**	**7**	**13**	**22**	**30**	**55**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	22	2.3	3	<1	1	2	3	4	6	8
20-34	63	2.5	2	1	1	2	3	4	5	8
35-49	85	2.2	1	1	1	2	3	4	4	5
50-64	101	2.6	1	1	1	2	3	4	5	6
65+	67	3.0	2	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	11	3.7	21	1	1	2	4	9	16	17
20-34	16	3.8	11	1	2	3	4	10	12	13
35-49	42	2.6	3	1	1	2	3	4	7	9
50-64	59	2.8	2	1	1	3	4	5	5	9
65+	93	3.7	5	1	2	3	4	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	338	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	5	3.2	9	1	1	2	5	8	8	8
B. *Operated*	221	3.3	5	1	1	3	4	5	8	13
1. SINGLE DX	339	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	226	3.3	5	1	1	3	4	5	8	13
A. NOT OPERATED	6	3.0	7	1	1	2	4	8	8	8
B. OPERATED	559	2.8	3	1	1	3	3	4	5	9
TOTAL 0-19 YRS	33	2.8	9	1	1	2	4	4	7	17
20-34	79	2.8	4	1	1	2	3	4	5	12
35-49	128	2.3	2	1	1	2	3	4	4	8
50-64	163	2.7	2	1	1	2	3	4	5	6
65+	162	3.4	4	1	1	3	4	5	7	11
GRAND TOTAL	**565**	**2.8**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	2.8	2	<1	<1	3	4	4	4	4
35-49	9	2.3	2	<1	<1	2	3	4	4	4
50-64	8	3.0	5	1	1	2	4	6	7	7
65+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	29	3.2	7	1	1	2	4	8	10	11
20-34	19	5.3	12	1	1	5	8	11	12	12
35-49	50	5.1	15	<1	1	5	8	10	11	16
50-64	120	4.7	14	<1	1	3	8	10	11	16
65+	141	4.1	16	<1	<1	2	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	11	3.8	9	<1	1	2	4	9	10	10
35-49	9	3.1	7	1	1	2	4	8	8	8
50-64	35	3.8	9	1	1	3	5	8	10	13
65+	66	3.9	8	1	1	3	6	8	10	14
B. *Operated*										
0-19 YRS	27	5.5	24	2	2	4	7	15	29	99+
20-34	38	5.6	35	1	1	3	7	14	19	26
35-49	123	5.7	18	1	1	4	9	11	13	20
50-64	336	5.9	35	1	1	4	8	11	16	32
65+	[illegible]	6.6	46	1	1	5	9	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.4	2	<1	<1	2	3	4	5	7
B. *Operated*	359	4.4	14	<1	1	3	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	127	3.7	8	1	1	3	5	8	10	13
B. *Operated*	1246	6.3	39	1	1	4	9	13	16	31
1. SINGLE DX	387	4.3	14	<1	1	3	7	10	11	15
2. MULTIPLE DX	1373	6.0	37	1	1	4	9	12	16	31
A. NOT OPERATED	155	3.5	7	1	1	3	5	8	9	13
B. OPERATED	1605	5.9	34	1	1	4	8	12	15	30
TOTAL 0-19 YRS	64	4.0	15	1	1	3	5	11	14	88
20-34	72	5.1	23	1	1	3	7	11	15	25
35-49	191	5.3	16	1	1	4	8	11	12	18
50-64	499	5.4	28	1	1	4	8	11	14	23
65+	934	6.0	39	1	1	4	9	13	16	31
GRAND TOTAL	**1760**	**5.7**	**32**	**1**	**1**	**4**	**8**	**12**	**15**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	149	1.7	3	<1	<1	1	2	2	4	10
20-34	17	3.3	10	<1	1	1	7	8	9	10
35-49	37	3.8	9	<1	1	3	6	8	9	11
50-64	25	5.0	20	<1	1	3	8	12	14	15
65+	17	5.1	13	<1	1	5	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	3	1	1	4	5	5	5	5
20-34	4	4.8		4	4	5	5	5	5	5
35-49										
50-64	2	9.0	98	2	2	9	16	16	16	16
65+										
B. *Operated*										
0-19 YRS	57	3.3	27	<1	1	2	3	7	13	32
20-34	10	7.0	11	1	1	8	9	10	10	10
35-49	36	4.6	14	1	1	3	7	10	12	15
50-64	46	8.3	34	1	2	7	10	18	20	21
65+	39	7.3	44	1	1	6	10	15	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	5	1	1	2	5	6	7	7
B. *Operated*	245	2.7	8	<1	<1	1	3	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	11	5.1	15	1	2	5	5	10	15	16
B. *Operated*	188	5.8	33	1	1	4	8	13	18	29
1. SINGLE DX	253	2.7	8	<1	<1	1	3	8	9	12
2. MULTIPLE DX	199	5.8	32	1	1	4	8	13	18	29
A. NOT OPERATED	19	4.2	12	1	1	4	5	6	12	16
B. OPERATED	433	4.0	21	<1	1	2	6	10	13	21
TOTAL 0-19 YRS	216	2.1	9	<1	<1	1	2	4	7	16
20-34	31	4.7	11	1	1	5	8	9	10	10
35-49	74	4.1	12	<1	1	3	7	9	10	15
50-64	75	7.2	31	1	1	6	10	17	18	21
65+	56	6.6	36	1	1	5	10	14	16	30
GRAND TOTAL	**452**	**4.0**	**21**	**<1**	**1**	**2**	**6**	**10**	**13**	**21**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	256	2.4	4	<1	1	2	3	5	7	10
20-34	176	2.7	5	<1	1	2	3	6	8	11
35-49	232	2.7	11	<1	<1	2	3	5	7	12
50-64	219	2.5	7	<1	<1	2	3	5	7	12
65+	84	2.8	7	<1	<1	2	3	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	7	1.9	1	1	1	1	3	3	3	3
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	13	2.5	3	<1	<1	2	4	5	6	6
65+	6	3.3	9	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	74	4.7	11	1	1	4	6	9	12	16
20-34	68	4.2	21	1	1	3	5	7	10	31
35-49	126	4.7	64	1	1	3	5	9	10	43
50-64	164	4.4	19	1	1	3	5	11	14	20
65+	130	5.6	39	1	1	4	8	11	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.9	2	<1	<1	2	3	4	5	5
B. *Operated*	967	2.6	7	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	33	2.5	4	<1	1	2	3	5	6	9
B. *Operated*	562	4.8	33	1	1	3	6	10	13	30
1. SINGLE DX	983	2.6	7	<1	<1	2	3	5	7	11
2. MULTIPLE DX	595	4.6	32	1	1	3	5	9	13	30
A. NOT OPERATED	49	2.3	3	<1	1	2	3	5	5	9
B. OPERATED	1529	3.4	17	<1	1	2	4	7	10	17
TOTAL 0-19 YRS	337	2.9	6	<1	1	2	4	7	8	12
20-34	254	3.0	10	<1	1	2	3	6	9	13
35-49	364	3.4	30	<1	1	2	4	6	9	19
50-64	401	3.3	13	<1	1	2	4	7	11	19
65+	222	4.4	27	<1	1	3	5	10	12	33
GRAND TOTAL	**1578**	**3.4**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	9	<1	<1	1	2	7	11	11
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	257	2.7	8	<1	<1	2	3	6	8	11
20-34	60	2.7	6	<1	1	2	4	5	8	13
35-49	43	3.0	9	<1	<1	2	3	7	10	15
50-64	39	2.8	6	<1	<1	2	3	7	9	10
65+	28	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	23	<1	<1	2	5	10	15	20
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	11	2.6	3	<1	<1	3	4	5	6	6
50-64	5	1.8	2	1	1	1	2	4	4	4
65+	11	5.1	9	1	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	92	5.3	60	1	1	3	6	10	29	78
20-34	38	3.7	11	<1	<1	3	5	8	9	18
35-49	46	4.6	49	<1	<1	2	5	11	17	42
50-64	63	5.3	29	<1	1	3	8	14	17	23
65+	45	5.7	34	<1	1	4	8	12	20	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.3	5	<1	<1	2	2	4	8	11
B. *Operated*	427	2.7	8	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	52	3.6	12	<1	1	3	5	8	11	20
B. *Operated*	284	5.0	41	<1	1	3	6	10	17	47
1. SINGLE DX	447	2.7	7	<1	<1	2	3	6	8	11
2. MULTIPLE DX	336	4.8	36	<1	1	3	6	10	16	43
A. NOT OPERATED	72	3.2	11	<1	<1	2	4	7	11	18
B. OPERATED	711	3.7	22	<1	1	2	4	8	11	32
TOTAL 0-19 YRS	380	3.4	23	<1	1	2	4	7	10	33
20-34	106	3.0	8	<1	<1	2	4	6	8	15
35-49	103	3.7	26	<1	<1	2	4	7	11	31
50-64	108	4.2	21	<1	1	2	6	10	14	22
65+	86	4.5	22	<1	1	3	6	10	13	76
GRAND TOTAL	**783**	**3.6**	**21**	**<1**	**1**	**2**	**4**	**8**	**11**	**31**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	46	1.4		<1	<1	1	2	2	3	4
20-34	61	1.5		<1	<1	1	2	2	3	3
35-49	65	1.6	1	<1	<1	2	2	2	3	5
50-64	65	1.8	1	<1	<1	2	2	3	3	5
65+	28	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	32	2.2	2	<1	<1	2	2	4	6	8
35-49	96	2.5	4	<1	<1	2	3	5	6	12
50-64	92	2.5	6	<1	<1	2	3	4	6	16
65+	70	2.7	3	1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	265	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	297	2.5	4	<1	<1	2	3	4	6	10
1. SINGLE DX	268	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	302	2.5	4	<1	<1	2	3	4	6	10
A. NOT OPERATED	8	1.6	1	<1	<1	1	2	3	3	3
B. OPERATED	562	2.1	3	<1	<1	2	2	3	5	8
TOTAL 0-19 YRS	53	1.5		<1	<1	1	2	2	3	4
20-34	94	1.7	1	<1	<1	1	2	3	3	7
35-49	162	2.1	3	<1	<1	2	2	4	5	10
50-64	160	2.2	4	<1	<1	2	2	3	4	8
65+	101	2.5	3	<1	1	2	3	5	6	9
GRAND TOTAL	**570**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**3**	**5**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.8	2	1	1	3	4	5	5	5
35-49	14	2.9	6	<1	1	2	4	7	9	9
50-64	3	3.7	6	1	1	4	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	294	5.2	3	3	4	5	6	7	8	11
35-49	633	5.4	4	3	4	5	6	7	8	10
50-64	82	5.5	4	2	4	5	6	7	8	13
65+	11	6.8	14	2	2	6	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	46	2.7	3	1	1	2	4	5	6	8
35-49	105	2.4	4	<1	<1	2	3	5	6	11
50-64	10	3.9	27	<1	<1	2	5	12	18	18
65+	9	5.3	10	2	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	9	5.9	5	3	3	6	7	9	10	10
20-34	1371	5.6	4	3	4	5	6	7	9	13
35-49	6067	5.9	4	4	4	6	6	8	9	13
50-64	978	6.3	7	3	4	6	7	8	10	17
65+	168	7.8	20	4	4	7	8	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.9	4	<1	1	2	4	6	7	9
B. *Operated*	1023	5.4	4	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	171	2.7	6	<1	1	2	4	6	6	13
B. *Operated*	8593	5.9	4	4	4	6	7	8	9	14
1. SINGLE DX	1048	5.3	4	2	4	5	6	7	8	11
2. MULTIPLE DX	8764	5.8	5	3	4	6	6	8	9	14
A. NOT OPERATED	196	2.8	6	<1	1	2	4	6	7	13
B. OPERATED	9616	5.8	4	4	4	6	6	8	9	13
TOTAL 0-19 YRS	13	5.3	4	3	3	5	7	8	10	10
20-34	1719	5.5	4	3	4	5	6	7	8	13
35-49	6819	5.8	4	3	4	6	6	8	9	12
50-64	1073	6.2	7	3	4	6	7	8	10	17
65+	188	7.6	19	3	4	7	8	13	15	29
GRAND TOTAL	**9812**	**5.8**	**5**	**3**	**4**	**6**	**6**	**8**	**9**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	5.7	3	2	3	6	7	8	8	8
35-49	11	4.1	7	1	1	4	5	8	10	10
50-64	2	8.5	13	6	6	8	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	32	5.5	4	3	3	5	7	8	8	10
35-49	78	5.8	6	3	4	5	6	8	10	17
50-64	18	4.9	4	1	2	5	6	7	8	9
65+	8	4.6	15	1	1	4	6	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	23	5.2	7	1	2	5	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	136	5.5	6	2	3	5	6	8	9	15
1. SINGLE DX	23	5.2	7	1	2	5	7	8	10	11
2. MULTIPLE DX	137	5.5	6	2	3	5	6	8	9	15
A. NOT OPERATED	1	1.0	.	<1	<1	<1	<1	<1	<1	<1
B. OPERATED	159	5.5	6	2	3	5	6	8	9	14
TOTAL 0-19 YRS										
20-34	42	5.6	3	2	3	5	7	8	8	10
35-49	90	5.5	6	2	3	5	6	8	10	16
50-64	20	5.3	5	1	2	5	6	8	10	11
65+	8	4.6	15	1	1	4	6	11	13	13
GRAND TOTAL	**160**	**5.5**	**6**	**2**	**3**	**5**	**6**	**8**	**9**	**14**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	83	4.7	1	3	3	5	5	6	7	8
20-34	226	4.6	2	3	3	4	5	6	7	8
35-49	68	5.3	2	4	4	5	6	7	8	10
50-64	53	6.5	8	4	5	6	7	8	9	24
65+	26	6.7	2	4	5	7	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	58	4.7	2	3	3	5	5	7	7	9
20-34	322	5.2	4	3	3	5	6	7	9	13
35-49	308	5.8	4	4	4	6	6	8	9	14
50-64	202	7.0	12	4	5	6	8	10	12	19
65+	192	8.8	21	4	5	7	10	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*	456	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	7	4.1	3	1	2	4	5	7	7	7
B. *Operated*	1082	6.3	10	3	4	6	7	9	12	19
1. SINGLE DX	458	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX	1089	6.3	10	3	4	6	7	9	12	18
A. NOT OPERATED	9	4.6	3	1	2	4	6	7	7	7
B. OPERATED	1538	5.9	8	3	4	5	7	9	11	17
TOTAL 0-19 YRS	145	4.7	2	3	3	5	5	6	7	9
20-34	550	4.9	3	3	3	5	6	7	8	11
35-49	378	5.7	3	4	4	5	6	8	9	13
50-64	256	6.9	11	4	5	6	7	10	12	20
65+	218	8.6	20	4	5	7	10	14	17	27
GRAND TOTAL	**1547**	**5.9**	**8**	**3**	**4**	**5**	**7**	**8**	**11**	**17**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	11	3.6	5	1	1	4	6	7	7	7
35-49	8	4.3	5	1	1	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	5.0	6	1	2	5	6	7	10	11
35-49	19	5.5	8	1	2	5	7	9	11	12
50-64	12	5.1	13	1	2	4	6	10	13	14
65+	6	5.0	3	3	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	22	3.7	4	<1	1	4	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	51	5.2	7	1	2	5	6	9	11	14
1. SINGLE DX	22	3.7	4	<1	1	4	6	6	7	7
2. MULTIPLE DX	51	5.2	7	1	2	5	6	9	11	14
A. NOT OPERATED										
B. OPERATED	73	4.8	7	1	1	5	6	7	10	14
TOTAL 0-19 YRS	4	3.3	4	<1	<1	3	5	5	5	5
20-34	24	4.4	5	1	1	4	6	6	8	11
35-49	27	5.1	7	1	2	5	7	8	10	12
50-64	12	5.1	13	1	2	4	6	10	13	14
65+	6	5.0	3	3	3	5	6	7	7	7
GRAND TOTAL	**73**	**4.8**	**7**	**1**	**1**	**5**	**6**	**7**	**10**	**14**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.6		<1	<1	2	2	2	2	2
20-34	14	1.5		<1	1	1	2	2	3	3
35-49	8	1.8	1	1	1	2	2	3	3	3
50-64	4	3.0	7	1	1	2	5	7	7	7
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	7	5.3	48	1	1	1	8	17	19	19
35-49	6	2.0		1	1	2	2	3	3	3
50-64	4	4.5	6	2	2	4	6	8	8	8
65+	4	3.0	2	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	34	1.9	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	23	3.9	18	1	1	2	4	9	13	19
1. SINGLE DX	34	1.9	1	<1	1	2	2	3	3	7
2. MULTIPLE DX	23	3.9	18	1	1	2	4	9	13	19
A. NOT OPERATED										
B. OPERATED	57	2.7	9	<1	1	2	3	5	9	18
TOTAL 0-19 YRS	7	2.6	8	<1	<1	2	2	8	9	9
20-34	21	2.8	18	<1	1	1	2	6	14	19
35-49	14	1.9	1	1	1	2	2	3	3	3
50-64	8	3.8	7	1	1	3	6	8	8	8
65+	7	2.9	1	2	2	3	3	5	5	5
GRAND TOTAL	**57**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**9**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.8	7	1	1	3	5	8	8	8
35-49	5	5.2	8	1	1	6	7	8	8	8
50-64	9	3.4	10	1	1	1	6	8	9	9
65+	6	5.3	59	1	1	2	3	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	10.7	14	8	8	9	13	15	15	15
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	7	9.6	58	2	2	9	11	22	25	25
50-64	18	5.4	11	1	2	5	8	10	11	12
65+	42	5.9	29	1	2	4	8	13	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	26	4.2	18	1	1	3	6	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	73	6.2	27	1	2	5	9	13	18	25
1. SINGLE DX	27	4.2	18	1	1	3	6	8	11	21
2. MULTIPLE DX	74	6.2	27	1	2	5	9	13	17	25
A. NOT OPERATED	2	2.0	2	<1	<1	1	3	3	3	3
B. OPERATED	99	5.7	25	1	1	4	8	12	17	25
TOTAL 0-19 YRS	5	7.4	27	2	2	8	10	15	15	15
20-34	9	3.2	5	<1	<1	3	4	7	8	8
35-49	12	7.8	39	1	2	7	9	15	24	25
50-64	27	4.8	11	1	1	5	7	10	11	12
65+	48	5.9	32	1	2	3	8	13	20	25
GRAND TOTAL	**101**	**5.6**	**25**	**1**	**1**	**4**	**8**	**11**	**16**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	2.2	5	<1	<1	2	2	4	8	9
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	4	3.5	2	2	2	3	4	5	5	5
1. SINGLE DX	14	2.2	5	<1	<1	2	2	4	8	9
2. MULTIPLE DX	5	3.0	3	<1	<1	3	4	5	5	5
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	18	2.5	4	<1	<1	2	3	5	7	9
TOTAL 0-19 YRS	11	1.6		<1	<1	2	2	3	3	3
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65+										
GRAND TOTAL	**19**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**9**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	5	2.6	4	1	1	2	3	6	6	6
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	10	8.4	27	2	2	8	13	15	16	16
20-34	23	8.1	11	2	4	8	10	12	14	15
35-49	59	8.6	83	2	2	8	10	13	15	66
50-64	50	9.2	33	2	4	9	11	14	16	39
65+	22	11.0	57	2	3	9	15	20	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	6.7	59	1	1	2	15	18	18	18
35-49	3	26.7	1612	2	2	5	56	73	73	73
50-64	9	3.8	8	1	1	4	5	8	10	10
65+	55	6.4	27	1	2	5	8	12	19	25
B. *Operated*										
0-19 YRS	19	12.3	148	3	4	8	14	28	42	53
20-34	14	10.8	66	2	4	9	12	20	31	34
35-49	55	14.7	176	4	6	12	16	25	57	99
50-64	102	13.3	135	2	2	10	18	24	47	79
65+	113	14.5	105	2	4	12	19	29	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.6	5	1	1	2	3	6	7	8
B. *Operated*	164	9.0	50	2	2	8	10	14	17	38
2. MULTIPLE DX										
A. *Not Operated*	74	6.8	87	1	1	4	8	13	20	61
B. *Operated*	303	13.8	128	2	4	11	17	25	42	90
1. SINGLE DX	180	8.5	50	1	2	8	10	14	16	38
2. MULTIPLE DX	377	12.5	128	2	2	10	16	24	35	79
A. NOT OPERATED	90	6.1	75	1	1	4	8	11	18	54
B. OPERATED	467	12.2	106	2	3	10	15	22	34	71
TOTAL 0-19 YRS	32	10.3	104	1	2	8	13	20	28	53
20-34	45	8.5	36	1	2	8	10	15	18	34
35-49	120	11.7	164	2	2	9	13	18	27	87
50-64	166	11.2	102	2	2	9	13	22	30	60
65+	194	11.6	89	2	2	9	15	24	33	52
GRAND TOTAL	**557**	**11.2**	**106**	**1**	**2**	**9**	**13**	**21**	**29**	**71**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	2.3	1	<1	1	2	3	3	4	5
20-34	149	2.7	1	1	1	3	3	4	4	7
35-49	172	2.7	1	1	1	3	3	4	4	7
50-64	85	2.8	1	1	1	3	4	4	4	6
65+	52	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	2	10.0	72	4	4	10	16	16	16	16
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	40	3.2	2	1	2	3	4	4	5	8
35-49	95	3.4	3	1	1	3	4	5	6	11
50-64	89	4.1	9	2	2	3	4	6	9	20
65+	91	4.7	8	2	2	4	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	482	2.8	1	1	1	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	3	7.7	52	3	3	4	13	16	16	16
B. *Operated*	321	3.9	6	1	2	3	4	6	8	15
1. SINGLE DX	483	2.8	1	1	1	3	3	4	4	7
2. MULTIPLE DX	324	4.0	7	1	2	3	4	6	8	15
A. NOT OPERATED	4	6.8	38	3	3	4	10	16	16	16
B. OPERATED	803	3.2	4	1	1	3	4	5	6	11
TOTAL 0-19 YRS	31	2.3	1	1	1	2	3	4	4	5
20-34	189	2.8	1	1	1	3	3	4	4	7
35-49	268	3.0	2	1	1	3	4	5	5	8
50-64	174	3.4	6	1	2	3	4	5	6	14
65+	145	4.2	7	2	2	4	5	6	9	16
GRAND TOTAL	**807**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	2	3.0		3	3	3	3	3	3	3
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	4	6.5	2	5	5	6	7	8	8	8
20-34	19	6.1	4	3	3	6	7	9	9	9
35-49	27	6.5	10	2	3	7	7	11	13	14
50-64	35	6.9	32	2	2	5	9	13	19	30
65+	27	7.7	42	3	3	5	10	13	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	2.3		2	2	2	3	3	3	3
35-49	11	3.5	5	1	1	3	4	7	8	8
50-64	14	4.7	9	<1	1	4	7	8	10	11
65+	13	8.5	109	<1	2	5	7	26	36	38
B. *Operated*										
0-19 YRS	7	10.1	16	7	7	8	12	17	18	18
20-34	26	6.3	16	2	2	6	7	11	15	21
35-49	62	9.4	47	3	3	8	11	18	23	39
50-64	113	7.4	48	2	3	5	9	15	22	39
65+	122	9.2	89	2	3	6	11	20	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	1	<1	1	2	3	3	4	4
B. *Operated*	112	6.9	23	2	3	6	8	11	14	32
2. MULTIPLE DX										
A. *Not Operated*	44	5.2	39	1	2	3	6	8	15	38
B. *Operated*	330	8.4	60	2	3	6	10	18	22	40
1. SINGLE DX	126	6.3	23	1	2	5	8	11	13	31
2. MULTIPLE DX	374	8.1	59	2	3	6	10	17	22	40
A. NOT OPERATED	58	4.5	32	<1	1	3	5	8	10	37
B. OPERATED	442	8.0	51	2	3	6	10	16	21	35
TOTAL 0-19 YRS	17	6.4	21	1	1	7	8	12	16	18
20-34	51	5.8	11	2	2	6	7	9	11	21
35-49	104	7.8	36	2	3	7	10	14	20	32
50-64	164	7.0	41	2	2	5	8	14	19	32
65+	164	8.8	82	2	3	6	11	19	23	40
GRAND TOTAL	**500**	**7.6**	**50**	**2**	**3**	**6**	**9**	**15**	**21**	**36**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	4	1	1	3	5	6	6	6
20-34	328	3.8	4	1	1	4	5	6	7	8
35-49	120	4.2	3	1	1	4	5	7	7	9
50-64	35	4.7	4	1	1	5	6	7	8	9
65+	18	4.2	11	<1	1	3	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.3	4	<1	<1	1	3	6	6	6
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	8	2.3	3	1	1	2	3	5	6	6
20-34	378	4.6	4	1	1	5	6	7	8	11
35-49	280	5.4	6	2	3	5	6	7	8	16
50-64	94	5.5	7	1	2	6	7	8	10	16
65+	53	6.1	11	2	2	6	8	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	505	4.0	4	1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	16	1.8	3	<1	<1	1	2	5	6	6
B. *Operated*	813	5.1	6	1	2	5	6	7	8	14
1. SINGLE DX	506	4.0	4	1	1	4	5	6	7	9
2. MULTIPLE DX	829	5.0	6	1	2	5	6	7	8	13
A. NOT OPERATED	17	1.9	3	<1	<1	1	2	5	6	6
B. OPERATED	1318	4.7	5	1	1	5	6	7	8	12
TOTAL 0-19 YRS	12	2.7	3	1	1	2	4	6	6	6
20-34	715	4.2	4	1	1	4	6	7	7	9
35-49	406	5.0	6	1	2	5	6	7	8	14
50-64	131	5.2	7	1	2	5	6	8	9	14
65+	71	5.6	12	1	1	6	7	9	12	18
GRAND TOTAL	**1335**	**4.6**	**5**	**1**	**1**	**5**	**6**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	4.3	8	<1	1	4	5	9	11	11
35-49	41	4.5	7	1	1	4	6	8	10	11
50-64	74	4.3	14	1	1	4	5	8	12	21
65+	72	3.6	7	<1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	6	1.8	1	<1	<1	1	2	4	4	4
65+	6	3.5	8	<1	<1	3	3	8	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	6.6	28	1	2	6	7	12	20	22
35-49	72	5.1	9	1	2	5	7	10	11	12
50-64	121	5.4	13	1	2	5	7	10	12	18
65+	230	7.2	30	1	2	6	10	15	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.0	32	2	2	6	10	10	10	10
B. *Operated*	199	4.1	9	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	13	2.5	5	<1	<1	2	3	5	8	9
B. *Operated*	437	6.3	22	1	2	5	8	12	16	22
1. SINGLE DX	201	4.1	10	1	1	4	5	8	10	15
2. MULTIPLE DX	450	6.2	22	1	2	5	8	12	15	22
A. NOT OPERATED	15	3.0	8	<1	<1	2	3	9	10	10
B. OPERATED	636	5.6	19	1	1	5	7	11	14	22
TOTAL 0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	25	5.4	19	<1	1	5	6	10	14	22
35-49	113	4.9	8	1	2	5	7	9	11	12
50-64	202	4.9	13	1	1	4	6	9	12	19
65+	309	6.2	26	1	1	5	8	13	16	24
GRAND TOTAL	**651**	**5.6**	**19**	**1**	**1**	**5**	**7**	**11**	**14**	**22**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	2	<1	<1	2	3	4	6	7
20-34	10	2.9	8	<1	<1	2	4	7	10	10
35-49	14	3.0	12	1	1	2	3	7	12	14
50-64	17	4.5	11	1	2	3	5	10	12	13
65+	26	4.7	9	1	2	4	6	10	11	12
B. *Operated*										
0-19 YRS	85	5.1	33	<1	1	4	7	8	14	36
20-34	114	5.0	17	1	1	4	6	10	12	22
35-49	105	4.2	13	1	1	3	6	9	11	18
50-64	130	5.1	18	1	1	4	7	11	14	19
65+	127	5.1	22	1	1	3	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.2	11	<1	1	2	4	8	10	16
20-34	39	5.4	63	1	1	3	6	11	13	49
35-49	43	3.7	9	1	1	3	5	8	10	14
50-64	67	5.8	33	1	1	4	8	12	14	35
65+	189	6.3	40	1	1	5	8	13	21	32
B. *Operated*										
0-19 YRS	62	8.1	40	1	2	6	12	15	24	26
20-34	96	6.8	43	1	2	5	7	14	18	37
35-49	179	6.6	42	1	2	5	8	13	15	54
50-64	225	8.1	71	1	2	6	10	15	20	55
65+	426	8.7	74	2	2	7	11	17	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.6	9	1	1	3	5	7	11	14
B. *Operated*	561	4.9	20	1	1	4	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	387	5.5	35	1	1	4	7	12	14	32
B. *Operated*	988	7.9	63	1	2	6	10	16	21	48
1. SINGLE DX	649	4.7	19	1	1	3	7	10	12	21
2. MULTIPLE DX	1375	7.2	56	1	2	5	9	14	20	45
A. NOT OPERATED	475	5.1	31	1	1	3	7	11	14	25
B. OPERATED	1549	6.8	50	1	1	5	9	14	18	41
TOTAL 0-19 YRS	217	5.2	31	1	1	3	7	12	15	26
20-34	259	5.6	34	1	1	4	6	12	15	28
35-49	341	5.3	29	1	1	4	7	10	14	34
50-64	439	6.7	49	1	1	5	9	13	17	33
65+	768	7.4	57	1	2	5	9	15	21	43
GRAND TOTAL	**2024**	**6.4**	**46**	**1**	**1**	**5**	**8**	**13**	**17**	**38**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	1	<1	<1	3	3	3	3	3
35-49	4	2.5	2	<1	<1	2	3	4	4	4
50-64	4	3.0	3	1	1	3	4	5	5	5
65+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	22	2.9	1	1	1	3	3	4	5	5
20-34	131	2.9	2	1	1	3	4	4	5	7
35-49	211	3.0	2	1	1	3	4	5	5	7
50-64	199	3.2	2	1	2	3	4	5	5	7
65+	75	3.5	3	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	10	4.6	6	1	1	5	7	8	8	8
35-49	9	2.4	5	<1	<1	2	3	6	7	7
50-64	8	2.9	2	<1	<1	3	4	5	5	5
65+	22	5.1	11	1	2	4	7	9	12	15
B. *Operated*										
0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	51	3.2	2	1	2	3	4	5	6	8
35-49	122	4.0	6	1	2	3	5	7	8	14
50-64	155	4.4	10	2	2	4	5	7	8	18
65+	155	5.5	13	3	3	4	6	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.8	3	<1	<1	2	4	5	7	7
B. *Operated*	638	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	53	4.1	8	<1	1	4	5	8	8	15
B. *Operated*	490	4.5	10	2	2	4	5	8	10	18
1. SINGLE DX	652	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX	543	4.5	10	2	2	4	5	8	10	18
A. NOT OPERATED	67	3.8	7	<1	1	3	5	7	8	14
B. OPERATED	1128	3.7	6	1	2	3	4	6	8	13
TOTAL 0-19 YRS	33	2.9	1	1	1	3	4	4	4	5
20-34	195	3.1	2	1	2	3	4	5	6	8
35-49	346	3.3	4	1	1	3	4	5	6	12
50-64	366	3.7	5	1	2	3	4	5	7	10
65+	255	4.9	11	2	2	4	6	8	11	21
GRAND TOTAL	**1195**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	7	1	1	2	4	7	8	9
20-34	28	4.4	8	<1	1	4	6	9	10	11
35-49	30	4.2	6	1	1	4	6	8	10	10
50-64	19	5.1	9	1	1	5	8	9	10	11
65+	8	7.9	32	4	4	5	9	18	21	21
B. *Operated*										
0-19 YRS	27	3.2	3	1	1	3	4	5	6	9
20-34	110	3.8	5	2	2	3	4	6	7	15
35-49	96	3.3	3	2	2	3	4	4	6	11
50-64	62	3.7	3	2	2	3	4	6	7	9
65+	20	3.6	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	4	2	2	3	4	7	8	10
20-34	78	5.1	16	1	1	4	7	10	13	21
35-49	116	5.2	13	1	2	4	7	11	14	16
50-64	138	5.9	18	2	2	5	7	10	13	25
65+	218	8.6	48	2	3	7	10	18	22	32
B. *Operated*										
0-19 YRS	8	7.8	91	3	3	4	7	24	31	31
20-34	49	4.2	5	1	2	4	5	7	9	12
35-49	80	5.2	12	2	2	4	6	11	12	16
50-64	76	5.7	35	2	2	4	5	11	16	34
65+	76	9.9	70	3	3	7	13	24	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.5	10	1	1	4	6	9	10	16
B. *Operated*	315	3.6	4	2	2	3	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	573	6.6	30	1	2	5	8	13	17	28
B. *Operated*	289	6.4	39	2	2	4	7	12	19	34
1. SINGLE DX	417	3.8	5	1	2	3	4	6	8	13
2. MULTIPLE DX	862	6.5	33	2	2	5	8	13	18	31
A. NOT OPERATED	675	6.3	28	1	2	5	8	12	16	27
B. OPERATED	604	4.9	22	2	2	4	5	8	13	30
TOTAL 0-19 YRS	75	3.8	14	1	1	3	4	7	8	26
20-34	265	4.3	9	1	2	4	5	7	10	17
35-49	322	4.5	10	1	2	4	5	8	12	15
50-64	295	5.3	19	2	2	4	6	9	11	29
65+	322	8.6	52	2	3	6	10	18	24	34
GRAND TOTAL	**1279**	**5.6**	**26**	**1**	**2**	**4**	**6**	**11**	**15**	**28**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	7.0	115	2	3	5	6	8	13	88
20-34	43	4.2	4	1	2	4	6	7	8	9
35-49	52	4.9	3	2	3	5	6	7	8	10
50-64	49	5.3	7	2	2	5	7	9	12	13
65+	13	4.8	5	1	2	5	6	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	4.1	26	<1	<1	3	6	7	9	42
20-34	115	4.8	13	1	1	4	6	8	10	21
35-49	207	5.2	11	2	2	5	6	9	11	20
50-64	300	5.6	13	2	2	5	7	10	13	19
65+	181	6.6	20	2	3	6	8	11	14	25
B. *Operated*										
0-19 YRS	4	7.8	13	5	5	6	10	13	13	13
20-34	13	5.6	12	<1	2	5	7	11	13	13
35-49	26	7.4	16	1	1	7	11	13	13	14
50-64	39	7.6	32	1	2	6	10	17	21	24
65+	17	9.9	44	2	2	9	11	20	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	5.9	60	2	2	5	6	8	10	63
B. *Operated*	4	4.5	7	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1016	5.3	17	1	1	5	7	9	12	23
B. *Operated*	99	7.7	27	1	2	6	11	14	18	26
1. SINGLE DX	315	5.9	60	2	2	5	6	8	10	62
2. MULTIPLE DX	1115	5.5	19	1	1	5	7	10	13	24
A. NOT OPERATED	1327	5.4	27	1	2	5	7	9	11	26
B. OPERATED	103	7.6	27	1	2	6	10	13	18	26
TOTAL 0-19 YRS	371	5.3	65	<1	<1	5	6	8	10	80
20-34	171	4.7	11	1	1	4	6	8	10	18
35-49	285	5.3	10	2	2	5	6	9	11	15
50-64	390	5.7	15	2	2	5	7	10	14	21
65+	213	6.7	22	2	3	6	8	11	15	26
GRAND TOTAL	**1430**	**5.6**	**28**	**1**	**2**	**5**	**7**	**9**	**12**	**26**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	449	3.7	9	1	1	3	5	7	9	21
20-34	284	3.7	4	1	2	3	5	6	7	10
35-49	128	4.4	7	1	1	4	6	8	9	13
50-64	54	5.1	6	2	2	5	7	8	10	13
65+	33	8.2	75	1	2	6	11	16	21	47
B. *Operated*										
0-19 YRS	5	3.6	4	1	1	4	5	6	6	6
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	1	18.0		18	18	18	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	611	4.6	13	1	2	4	6	8	10	18
20-34	804	4.7	9	2	2	4	6	8	10	16
35-49	580	6.4	18	2	2	5	8	12	14	22
50-64	467	7.2	19	2	3	6	9	12	16	22
65+	619	9.0	41	3	3	8	11	15	21	35
B. *Operated*										
0-19 YRS	28	7.0	36	2	3	6	8	10	16	34
20-34	75	8.9	68	3	4	7	10	16	20	57
35-49	80	10.9	69	3	4	8	13	23	30	39
50-64	63	15.3	112	5	7	13	18	27	42	52
65+	95	18.4	209	5	6	15	22	37	51	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	948	4.0	10	1	1	3	5	7	9	16
B. *Operated*	11	5.5	20	1	2	5	6	11	17	18
2. MULTIPLE DX										
A. *Not Operated*	3081	6.2	22	2	2	5	8	11	14	25
B. *Operated*	341	13.0	129	3	4	10	16	25	38	67
1. SINGLE DX	959	4.1	10	1	1	3	5	7	9	16
2. MULTIPLE DX	3422	6.9	37	2	2	5	8	13	17	33
A. NOT OPERATED	4029	5.7	20	1	2	5	7	11	14	23
B. OPERATED	352	12.8	127	3	4	9	16	25	37	67
TOTAL 0-19 YRS	1093	4.3	12	1	1	3	5	8	10	19
20-34	1166	4.7	13	2	2	4	6	8	10	17
35-49	790	6.5	24	2	2	5	8	12	15	27
50-64	585	7.9	35	2	3	7	10	14	18	30
65+	747	10.2	73	3	3	8	12	19	25	47
GRAND TOTAL	**4381**	**6.3**	**33**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	4.9	13	2	2	4	6	8	9	21
20-34	202	4.3	5	2	2	4	5	7	8	14
35-49	289	4.7	8	2	2	4	6	8	10	17
50-64	320	5.1	7	2	2	4	6	9	10	14
65+	298	5.9	11	2	3	5	7	9	12	17
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	11	3.5	6	1	1	3	4	8	9	9
35-49	14	5.9	24	1	2	5	7	9	18	21
50-64	24	4.0	16	<1	1	2	4	10	13	17
65+	20	7.1	85	1	2	4	9	14	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	5.0	12	1	2	4	6	8	10	12
20-34	678	5.5	20	1	2	5	7	10	12	25
35-49	1524	5.7	14	2	2	5	7	10	12	18
50-64	2766	6.2	13	2	3	5	8	10	13	19
65+	3843	7.0	24	2	3	6	8	12	15	26
B. *Operated*										
0-19 YRS	16	6.1	16	2	2	5	8	12	15	16
20-34	183	8.4	59	2	3	6	11	15	26	35
35-49	544	11.4	146	2	2	8	14	23	34	60
50-64	1124	12.9	124	2	3	10	16	27	35	63
65+	1460	14.1	123	3	4	11	18	27	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1314	5.0	9	2	2	4	6	8	10	17
B. *Operated*	71	5.2	36	1	1	3	7	10	16	38
2. MULTIPLE DX										
A. *Not Operated*	9059	6.4	19	2	3	5	8	11	14	22
B. *Operated*	3327	12.9	125	2	3	10	16	26	34	63
1. SINGLE DX	1385	5.0	10	2	2	4	6	8	10	17
2. MULTIPLE DX	12386	8.1	56	2	3	6	9	15	21	42
A. NOT OPERATED	10373	6.2	18	2	3	5	8	11	13	21
B. OPERATED	3398	12.7	125	2	3	10	16	26	34	63
TOTAL 0-19 YRS	471	5.0	12	1	2	4	6	8	10	17
20-34	1074	5.8	25	2	2	4	7	11	14	31
35-49	2371	6.9	50	2	2	5	8	12	17	41
50-64	4234	7.8	52	2	3	6	9	14	20	41
65+	5621	8.8	59	2	3	7	10	17	23	43
GRAND TOTAL	**13771**	**7.8**	**52**	**2**	**3**	**6**	**9**	**15**	**20**	**41**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	8	2.9	2	1	1	3	4	5	5	5
20-34	28	4.3	5	<1	1	4	5	6	7	12
35-49	4	5.0	2	3	3	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	13	3.1	4	1	1	2	4	7	7	7
35-49	5	6.6	13	1	1	8	9	10	10	10
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	11	4.9	6	1	2	5	6	9	9	9
20-34	106	4.7	5	<1	1	5	6	8	9	10
35-49	27	5.8	6	1	2	6	7	8	10	13
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	5	1	1	2	5	6	6	6
B. *Operated*	40	4.1	4	<1	1	4	5	6	6	12
2. MULTIPLE DX										
A. *Not Operated*	24	3.8	8	1	1	3	6	8	9	10
B. *Operated*	146	4.9	6	1	1	5	6	8	9	11
1. SINGLE DX	45	4.0	4	1	1	4	5	6	6	12
2. MULTIPLE DX	170	4.8	6	1	1	5	6	8	9	10
A. NOT OPERATED	29	3.7	7	1	1	2	5	8	9	10
B. OPERATED	186	4.7	5	1	1	5	6	8	9	11
TOTAL 0-19 YRS	24	3.5	5	1	1	3	5	6	9	9
20-34	149	4.4	5	<1	1	4	6	7	8	10
35-49	37	5.8	6	1	2	6	7	9	10	13
50-64	3	6.7	4	5	5	6	8	9	9	9
65+	2	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**215**	**4.6**	**6**	**1**	**1**	**5**	**6**	**8**	**9**	**11**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.8	7	1	1	2	3	7	9	13
20-34	53	2.6	3	1	1	2	3	4	5	11
35-49	40	3.0	4	1	1	3	4	5	6	10
50-64	40	4.2	13	<1	1	3	5	8	11	21
65+	46	4.1	9	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	8	4.3	8	1	1	3	6	8	9	9
20-34	9	4.4	7	1	1	5	7	8	8	8
35-49	17	4.8	21	1	1	3	5	12	16	18
50-64	14	4.9	21	1	1	3	5	15	15	15
65+	16	8.1	114	2	2	5	8	10	36	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	3.7	16	1	1	2	4	8	11	20
20-34	200	3.7	7	1	1	3	5	7	9	13
35-49	310	4.7	16	1	1	4	6	9	12	25
50-64	525	5.2	19	1	1	4	7	10	13	25
65+	1435	6.1	26	1	2	5	8	11	15	26
B. *Operated*										
0-19 YRS	15	18.9	628	2	2	5	28	55	81	90
20-34	32	11.4	148	1	2	8	13	26	29	62
35-49	76	9.4	71	2	3	8	11	21	30	88
50-64	109	9.7	119	2	3	6	10	19	27	64
65+	224	10.9	87	3	3	8	14	22	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	3.2	7	1	1	3	4	6	9	14
B. *Operated*	64	5.5	41	1	1	4	7	9	15	43
2. MULTIPLE DX										
A. *Not Operated*	2666	5.4	22	1	1	4	7	11	13	23
B. *Operated*	456	10.6	115	2	3	8	13	23	33	63
1. SINGLE DX	323	3.7	15	1	1	3	4	7	10	16
2. MULTIPLE DX	3122	6.2	39	1	2	5	8	12	16	33
A. NOT OPERATED	2925	5.2	21	1	1	4	7	10	13	23
B. OPERATED	520	10.0	109	2	3	7	12	21	32	62
TOTAL 0-19 YRS	299	4.2	54	1	1	2	4	8	12	36
20-34	294	4.4	28	1	1	3	5	9	11	27
35-49	443	5.4	28	1	1	4	7	10	13	31
50-64	688	5.8	37	1	2	4	7	11	15	28
65+	1721	6.7	37	2	2	5	8	13	17	35
GRAND TOTAL	**3445**	**6.0**	**37**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.9	46	1	2	4	8	17	24	25
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	4.5	12	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	13.5	270	2	3	6	15	33	55	82
20-34	22	10.0	67	1	2	8	11	25	28	31
35-49	23	6.6	14	1	2	7	8	12	14	14
50-64	60	8.7	69	1	2	6	12	19	25	42
65+	255	9.0	66	2	3	7	11	18	21	62
B. *Operated*										
0-19 YRS	22	20.2	404	3	4	14	30	52	96	99+
20-34	9	17.9	107	9	10	14	20	34	43	43
35-49	18	21.7	470	7	8	15	23	42	76	98
50-64	21	19.6	437	5	6	11	20	43	70	96
65+	129	14.2	149	3	4	11	18	29	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.5	38	<1	1	5	8	[illegible]	22	25
B. *Operated*	6	3.5	10	1	1	2	[illegible]	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	420	9.6	95	2	3	[illegible]	11	19	27	59
B. *Operated*	199	16.3	236	3	4	[illegible]	19	35	43	97
1. SINGLE DX	20	5.6	31	<1	1	4	7	10	18	25
2. MULTIPLE DX	619	11.7	150	2	[illegible]	8	14	24	35	79
A. NOT OPERATED	434	9.5	93	2	2	7	11	19	27	59
B. OPERATED	205	15.9	234	3	4	11	19	35	42	97
TOTAL 0-19 YRS	93	14.3	286	2	3	7	21	34	55	97
20-34	33	11.8	89	1	2	10	15	24	30	43
35-49	41	13.2	265	2	3	9	14	24	42	98
50-64	83	11.3	181	2	2	7	13	23	38	80
65+	389	10.7	99	2	3	8	13	20	28	65
GRAND TOTAL	**639**	**11.5**	**147**	**2**	**3**	**8**	**14**	**23**	**35**	**78**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	10.0	43	3	3	10	12	16	18	35
20-34	32	11.7	24	2	4	11	14	18	22	23
35-49	2	16.0	50	11	11	16	21	21	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	13	11.2	89	1	1	11	14	23	33	35
20-34	3	12.7	10	9	9	14	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	11.5	75	2	3	10	14	19	22	50
20-34	73	11.6	31	4	4	11	14	18	20	33
35-49	4	7.3	13	4	4	6	10	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	46	17.6	150	3	4	15	25	34	44	54
20-34	8	18.1	84	8	9	15	25	32	33	33
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	10.4	40	3	3	10	13	16	21	29
B. *Operated*	16	11.5	73	1	1	11	15	20	30	35
2. MULTIPLE DX										
A. *Not Operated*	328	11.5	64	2	3	11	14	18	22	40
B. *Operated*	54	17.6	139	3	4	15	25	33	42	54
1. SINGLE DX	184	10.5	43	2	3	10	13	16	21	33
2. MULTIPLE DX	382	12.4	79	2	4	11	15	21	28	49
A. NOT OPERATED	496	11.1	56	2	3	10	14	18	21	37
B. OPERATED	70	16.2	129	2	3	14	22	32	35	52
TOTAL 0-19 YRS	444	11.7	77	2	3	10	14	20	26	50
20-34	116	12.1	34	3	5	11	15	18	22	34
35-49	6	10.2	38	4	4	9	12	20	21	21
50-64										
65+										
GRAND TOTAL	**566**	**11.8**	**68**	**2**	**3**	**10**	**14**	**20**	**25**	**46**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	9	44.9	1906	<1	1	30	91	91	91	91
35-49	4	7.8	90	3	3	3	13	22	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	23	4.2	6	2	2	4	5	7	10	12
20-34	244	4.8	5	2	2	5	6	8	9	10
35-49	224	5.0	17	2	2	5	6	8	8	11
50-64	33	5.8	21	2	2	4	8	10	12	25
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	14.6	223	2	2	9	23	41	47	49
20-34	15	2.3	3	<1	<1	1	3	6	6	6
35-49	39	4.2	15	<1	1	3	6	11	13	14
50-64	22	6.8	72	1	1	4	7	17	29	36
65+	7	5.0	6	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	24	5.9	11	2	3	5	7	8	12	19
20-34	371	5.6	13	2	3	5	7	8	9	16
35-49	465	6.9	36	2	3	6	8	11	13	47
50-64	106	8.8	130	2	3	6	8	12	16	74
65+	6	4.8	5	2	2	5	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	26.2	1392	<1	1	4	44	91	91	91
B. *Operated*	524	4.9	11	2	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	102	6.5	79	<1	1	4	7	13	28	47
B. *Operated*	972	6.6	37	2	3	6	7	9	12	41
1. SINGLE DX	541	5.6	66	2	2	5	6	8	9	32
2. MULTIPLE DX	1074	6.6	41	2	3	6	7	10	13	45
A. NOT OPERATED	119	9.3	304	<1	1	4	8	23	41	91
B. OPERATED	1496	6.0	29	2	2	5	7	9	11	26
TOTAL 0-19 YRS	70	7.5	84	2	2	5	8	12	30	48
20-34	639	5.8	56	2	2	5	6	8	9	30
35-49	732	6.2	30	2	2	6	7	10	12	32
50-64	161	7.9	100	2	2	6	8	12	16	70
65+	13	4.9	5	2	2	5	7	8	8	8
GRAND TOTAL	**1615**	**6.2**	**50**	**2**	**2**	**5**	**7**	**9**	**12**	**44**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.5	8	<1	1	2	4	6	8	17
20-34	18	4.0	20	<1	<1	3	5	9	16	19
35-49	17	4.2	10	1	1	3	7	9	11	12
50-64	15	3.3	4	<1	<1	3	5	6	6	6
65+	14	3.7	8	<1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	49	3.4	7	1	1	3	4	7	8	14
20-34	32	2.9	6	<1	1	2	3	5	9	13
35-49	39	2.9	7	<1	1	2	4	6	9	12
50-64	26	4.3	63	<1	1	2	4	5	19	41
65+	17	7.1	100	1	1	3	8	22	34	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	5.2	27	1	1	3	7	12	18	25
20-34	117	6.5	26	1	1	5	9	15	17	47
35-49	149	6.6	34	1	2	5	9	15	20	29
50-64	142	7.1	32	2	2	5	9	14	19	26
65+	236	8.4	86	1	2	6	10	16	21	56
B. *Operated*										
0-19 YRS	70	13.4	267	1	2	7	18	34	66	96
20-34	96	11.2	133	1	1	8	14	26	30	60
35-49	124	10.4	137	1	2	6	14	22	33	61
50-64	95	8.6	101	1	1	5	11	22	30	83
65+	109	10.0	84	1	2	8	12	21	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.6	9	<1	1	3	5	7	9	17
B. *Operated*	163	3.7	26	1	1	3	4	7	10	37
2. MULTIPLE DX										
A. *Not Operated*	866	6.8	46	1	1	5	9	14	19	30
B. *Operated*	494	10.6	137	1	2	7	13	24	33	74
1. SINGLE DX	296	3.7	18	<1	1	3	4	7	9	22
2. MULTIPLE DX	1360	8.2	82	1	2	5	10	18	24	53
A. NOT OPERATED	999	6.4	43	1	1	5	8	13	18	29
B. OPERATED	657	8.9	118	1	1	5	12	21	30	67
TOTAL 0-19 YRS	410	6.1	74	1	1	3	7	14	20	58
20-34	263	7.6	71	1	1	5	10	17	23	45
35-49	329	7.5	75	1	1	5	9	17	23	38
50-64	278	7.2	59	1	1	5	9	15	21	46
65+	376	8.7	84	1	2	7	10	16	24	50
GRAND TOTAL	**1656**	**7.4**	**74**	**1**	**1**	**5**	**9**	**16**	**22**	**46**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.0	2	1	1	2	3	4	4	4
35-49	18	3.7	4	1	1	3	5	7	7	7
50-64	22	4.4	4	1	2	4	5	8	9	9
65+	15	4.2	6	1	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	7.3	16	3	3	7	10	12	12	12
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	4	5.0	5	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	3.1	2	2	2	3	4	6	6	6
35-49	54	5.4	12	2	2	4	7	10	12	18
50-64	104	4.7	6	1	2	4	6	8	9	12
65+	221	6.5	41	2	2	5	8	11	16	31
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	5.9	10	2	2	5	8	11	11	11
50-64	21	6.1	21	1	1	6	8	14	15	16
65+	45	10.8	98	2	3	8	15	20	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.9	4	1	1	4	5	7	8	9
B. *Operated*	14	4.6	10	1	1	4	5	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	389	5.8	28	2	2	5	7	10	12	22
B. *Operated*	74	8.9	71	1	2	6	12	18	22	90
1. SINGLE DX	75	4.0	5	1	1	4	5	7	9	11
2. MULTIPLE DX	463	6.3	36	2	2	5	8	11	16	27
A. NOT OPERATED	450	5.5	25	1	2	4	7	9	12	20
B. OPERATED	88	8.2	64	1	2	6	12	18	20	84
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	17	2.6	2	1	1	2	3	5	6	6
35-49	83	5.2	11	1	2	4	7	10	11	17
50-64	150	4.8	8	1	2	4	6	9	10	14
65+	285	7.0	50	2	2	5	8	13	18	54
GRAND TOTAL	**538**	**6.0**	**32**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.5	3	1	1	2	3	4	5	11
20-34	36	2.6	4	1	1	2	4	5	6	10
35-49	41	3.2	4	<1	1	3	4	6	7	8
50-64	42	3.6	5	1	1	3	4	7	9	10
65+	120	5.1	19	1	2	3	6	11	14	22
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	1	48.0		48	48	48	48	48	48	48
65+	6	16.8	90	4	4	20	24	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2030	3.3	11	1	1	3	4	5	7	16
20-34	789	3.3	6	1	1	3	4	6	7	13
35-49	876	4.6	21	1	2	3	5	9	11	20
50-64	1633	5.6	22	1	2	4	7	11	14	22
65+	7549	7.2	39	2	2	6	9	13	17	35
B. *Operated*										
0-19 YRS	48	11.1	109	2	2	8	15	28	32	46
20-34	53	6.0	20	1	1	5	8	12	14	22
35-49	105	9.0	98	2	2	5	11	18	32	54
50-64	197	10.4	90	2	2	8	13	20	29	53
65+	828	13.8	136	3	4	11	17	27	36	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	3.6	10	1	1	3	4	7	10	18
B. *Operated*	10	16.6	204	3	3	13	24	37	48	48
2. MULTIPLE DX										
A. *Not Operated*	12877	5.9	32	1	2	4	7	11	15	29
B. *Operated*	1231	12.4	124	2	3	9	15	25	33	70
1. SINGLE DX	366	4.0	19	1	1	3	4	8	11	24
2. MULTIPLE DX	14108	6.5	43	1	2	5	8	13	17	35
A. NOT OPERATED	13233	5.9	31	1	2	4	7	11	15	29
B. OPERATED	1241	12.4	124	2	3	9	16	25	33	69
TOTAL 0-19 YRS	2196	3.4	14	1	1	3	4	6	7	18
20-34	878	3.5	7	1	1	3	4	6	8	14
35-49	1024	5.0	30	1	2	4	6	10	12	31
50-64	1873	6.1	32	1	2	4	7	12	15	30
65+	8503	7.8	52	2	2	6	9	15	20	39
GRAND TOTAL	**14474**	**6.4**	**43**	**1**	**2**	**5**	**8**	**13**	**17**	**35**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	1	1	1	2	3	4	5	6
20-34	8	4.6	17	1	1	3	5	12	14	14
35-49	14	2.9	2	<1	1	3	4	5	5	5
50-64	12	3.8	3	1	1	4	5	6	6	6
65+	32	4.2	9	1	1	3	6	7	8	15
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	4	5.0	15	2	2	4	8	10	10	10
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	7	4.6	6	1	1	4	6	8	9	9
65+	10	4.6	6	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.2	6	<1	1	3	4	6	7	15
20-34	75	3.7	4	1	1	4	5	6	7	9
35-49	149	4.1	5	1	2	4	5	7	9	12
50-64	197	4.5	11	1	1	4	6	9	11	15
65+	887	5.4	21	1	2	5	7	10	12	21
B. *Operated*										
0-19 YRS	6	4.5	8	<1	<1	4	7	8	8	8
20-34	27	5.0	7	2	2	5	7	9	10	11
35-49	67	6.0	18	1	1	5	8	9	13	26
50-64	100	7.9	87	2	3	6	8	14	18	61
65+	399	7.9	25	3	3	7	10	14	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.5	6	1	1	3	5	6	7	15
B. *Operated*	25	4.6	6	1	2	4	6	9	9	10
2. MULTIPLE DX										
A. *Not Operated*	1363	5.0	16	1	2	4	6	9	11	19
B. *Operated*	599	7.5	34	2	3	6	9	13	16	28
1. SINGLE DX	111	3.7	6	1	1	3	5	7	9	14
2. MULTIPLE DX	1962	5.7	23	1	2	5	7	11	13	22
A. NOT OPERATED	1449	4.9	16	1	2	4	6	9	11	18
B. OPERATED	624	7.4	33	2	3	6	9	13	16	28
TOTAL 0-19 YRS	83	3.1	5	<1	1	3	4	6	7	13
20-34	114	4.1	6	1	2	4	5	7	9	12
35-49	232	4.6	10	1	1	4	6	8	9	14
50-64	316	5.6	37	1	2	4	6	10	14	23
65+	1328	6.1	23	1	2	5	8	11	14	22
GRAND TOTAL	**2073**	**5.6**	**22**	**1**	**2**	**5**	**7**	**10**	**13**	**21**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	481	3.9	7	1	1	3	5	7	9	13
20-34	555	5.3	12	1	2	5	7	9	11	17
35-49	93	5.7	11	1	2	5	7	10	12	17
50-64	9	3.7	7	1	1	3	5	8	9	9
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	4.5	1	3	3	4	5	6	6	6
20-34	10	8.7	21	1	1	9	13	14	14	14
35-49	7	6.1	5	3	3	5	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	757	4.6	11	1	1	4	6	8	10	19
20-34	661	6.2	18	2	2	5	8	11	14	22
35-49	204	6.9	31	2	2	6	8	12	16	35
50-64	40	6.6	56	1	2	5	7	11	14	48
65+	17	4.2	11	1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS	43	8.4	52	2	2	7	12	16	19	42
20-34	41	10.9	115	3	3	9	13	18	25	66
35-49	20	18.1	212	5	5	13	22	47	49	50
50-64	6	9.5	12	4	4	9	12	14	14	14
65+	2	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1139	4.7	10	1	2	4	6	8	10	15
B. *Operated*	23	6.8	14	2	3	6	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	1679	5.5	18	1	2	5	7	10	13	22
B. *Operated*	112	11.0	111	2	3	9	13	20	31	56
1. SINGLE DX	1162	4.8	10	1	2	4	6	8	10	15
2. MULTIPLE DX	1791	5.9	25	1	2	5	7	11	14	24
A. NOT OPERATED	2818	5.2	15	1	2	4	7	9	12	20
B. OPERATED	135	10.3	96	2	3	8	12	19	24	52
TOTAL 0-19 YRS	1287	4.5	11	1	1	4	6	8	10	18
20-34	1267	6.0	20	2	2	5	8	10	13	22
35-49	324	7.2	43	2	2	6	8	12	18	42
50-64	55	6.4	45	1	2	5	8	12	14	46
65+	20	4.0	9	1	1	3	5	9	10	11
GRAND TOTAL	**2953**	**5.5**	**20**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.6	6	<1	1	2	3	6	8	12
20-34	35	3.5	13	1	1	2	5	8	11	18
35-49	35	2.4	3	1	1	2	3	5	7	7
50-64	31	2.8	13	<1	<1	1	4	7	13	15
65+	127	2.7	8	<1	1	2	4	5	7	18
B. *Operated*										
0-19 YRS	45	4.3	8	1	2	4	5	7	12	14
20-34	12	6.1	11	1	2	6	9	10	11	11
35-49	14	5.9	21	1	1	5	7	15	16	16
50-64	11	6.2	16	1	3	6	7	12	17	17
65+	29	5.9	15	2	2	4	7	13	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	3.7	14	1	1	3	5	8	11	20
20-34	124	3.9	12	1	1	3	5	8	10	19
35-49	255	4.6	24	1	1	3	6	10	14	22
50-64	489	4.6	21	1	1	3	6	10	13	22
65+	1843	5.1	23	1	1	4	7	10	13	23
B. *Operated*										
0-19 YRS	66	9.7	71	2	3	7	13	19	28	42
20-34	66	8.8	189	1	2	6	9	16	29	90
35-49	99	7.9	50	<1	1	7	10	15	22	38
50-64	203	8.9	62	1	2	7	11	18	25	42
65+	634	8.8	69	2	3	7	10	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	2.7	8	<1	1	2	4	6	8	15
B. *Operated*	111	5.3	13	1	2	4	6	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2921	4.8	22	1	1	3	6	10	13	23
B. *Operated*	1068	8.8	73	1	2	7	10	17	24	44
1. SINGLE DX	467	3.4	10	<1	1	2	4	7	10	16
2. MULTIPLE DX	3989	5.9	39	1	1	4	7	12	16	31
A. NOT OPERATED	3277	4.6	21	1	1	3	6	10	13	21
B. OPERATED	1179	8.4	69	1	2	6	10	16	23	42
TOTAL 0-19 YRS	449	4.4	24	1	1	3	5	9	14	27
20-34	237	5.3	66	1	1	4	6	10	14	34
35-49	403	5.2	31	1	1	4	7	12	15	30
50-64	734	5.8	35	1	1	4	8	12	16	30
65+	2633	5.8	37	1	1	4	7	12	16	31
GRAND TOTAL	**4456**	**5.6**	**36**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.7	14	1	2	4	7	13	14	14
20-34	12	3.7	3	1	2	3	5	6	6	6
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.4	42	1	1	3	6	13	17	35
20-34	23	4.3	6	1	2	3	6	8	9	10
35-49	10	5.2	8	2	2	4	7	9	10	10
50-64	4	4.5	7	2	2	4	6	8	8	8
65+										
B. *Operated*										
0-19 YRS	6	9.3	94	2	2	4	18	24	25	25
20-34	3	4.7	5	2	2	6	6	6	6	6
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.7	10	1	2	4	6	8	13	14
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	76	5.0	24	1	1	3	6	10	13	30
B. *Operated*	10	7.7	58	2	2	5	7	21	25	25
1. SINGLE DX	35	4.8	11	1	2	4	6	10	13	14
2. MULTIPLE DX	86	5.3	29	1	2	3	7	10	16	31
A. NOT OPERATED	110	4.9	20	1	1	3	6	10	13	24
B. OPERATED	11	7.9	53	2	2	6	9	21	25	25
TOTAL 0-19 YRS	65	5.9	38	1	1	4	7	14	17	33
20-34	38	4.1	5	1	2	3	6	8	9	10
35-49	13	4.5	8	1	2	4	7	9	10	10
50-64	5	5.0	7	2	2	5	7	8	8	8
65+										
GRAND TOTAL	**121**	**5.2**	**23**	**1**	**2**	**4**	**6**	**10**	**14**	**28**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	3.5	10	1	1	3	4	6	11	19
20-34	27	4.3	5	2	2	3	6	7	8	11
35-49	22	4.0	8	1	1	3	6	8	9	10
50-64	20	3.9	15	<1	1	3	5	8	13	17
65+	30	4.1	6	1	1	4	6	6	10	10
B. *Operated*										
0-19 YRS	87	4.5	7	1	2	4	6	7	9	16
20-34	51	6.8	10	3	4	6	8	11	12	20
35-49	30	6.8	13	1	2	7	7	13	14	17
50-64	25	7.0	16	2	3	6	9	12	14	18
65+	22	8.2	42	3	3	7	9	14	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	365	4.4	11	1	1	4	6	8	10	19
20-34	127	5.1	21	1	2	4	7	9	11	23
35-49	171	5.6	16	1	2	5	7	10	12	22
50-64	316	5.9	15	1	2	5	8	11	13	20
65+	619	6.7	33	1	2	5	8	13	17	34
B. *Operated*										
0-19 YRS	120	8.7	66	1	2	6	11	21	28	37
20-34	89	8.8	129	2	2	6	9	16	25	72
35-49	83	10.3	86	2	2	8	12	20	33	48
50-64	179	9.3	50	2	3	7	11	19	22	34
65+	353	11.5	73	3	4	9	15	24	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	3.7	9	1	1	3	5	7	10	17
B. *Operated*	215	6.1	15	2	2	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1598	5.8	22	1	2	5	7	11	14	24
B. *Operated*	824	10.2	75	2	3	8	13	21	27	43
1. SINGLE DX	463	4.8	13	1	1	4	6	9	11	19
2. MULTIPLE DX	2422	7.3	45	1	2	5	9	14	20	37
A. NOT OPERATED	1846	5.5	21	1	1	4	7	10	13	22
B. OPERATED	1039	9.4	66	2	3	7	11	19	25	41
TOTAL 0-19 YRS	721	4.9	22	1	1	4	6	10	14	28
20-34	294	6.5	53	1	2	5	7	11	15	29
35-49	306	6.9	38	1	2	5	9	12	17	36
50-64	540	7.0	29	1	2	6	9	13	18	30
65+	1024	8.3	51	2	2	6	10	17	23	41
GRAND TOTAL	**2885**	**6.9**	**40**	**1**	**2**	**5**	**8**	**14**	**18**	**34**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	318	1.8	1	1	1	2	2	3	4	5
20-34	99	1.8	1	1	1	2	2	3	4	7
35-49	14	2.1	1	<1	<1	2	3	4	4	4
50-64	7	2.1		1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	251	3.2	2	1	2	3	4	5	6	9
20-34	85	3.7	3	2	2	3	4	6	8	9
35-49	15	3.9	1	1	3	4	5	5	5	5
50-64	2	7.5	25	4	4	7	11	11	11	11
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	2.0	1	1	1	2	3	3	4	8
20-34	47	2.7	2	1	1	2	4	4	5	8
35-49	16	2.8	3	1	1	2	3	4	7	8
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	5	5.4	30	1	1	4	7	15	15	15
B. Operated										
0-19 YRS	124	4.0	4	2	2	4	5	6	8	13
20-34	67	5.2	8	2	3	4	6	8	10	16
35-49	7	6.7	14	3	3	6	9	12	13	13
50-64	4	7.3	36	3	3	5	11	16	16	16
65+	5	7.0	2	6	6	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	439	1.8	1	1	1	2	2	3	4	5
B. Operated	355	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	258	2.3	2	1	1	2	3	4	4	8
B. Operated	207	4.6	7	2	2	4	5	8	9	16
1. SINGLE DX	794	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	465	3.3	6	1	1	3	4	6	8	15
A. NOT OPERATED	697	2.0	2	1	1	2	3	3	4	7
B. OPERATED	562	3.8	4	2	2	3	4	6	8	13
TOTAL 0-19 YRS	877	2.6	3	1	1	2	3	4	5	8
20-34	298	3.3	5	1	1	3	4	6	8	12
35-49	52	3.4	5	1	1	3	4	6	8	13
50-64	19	3.8	14	1	1	3	4	9	14	16
65+	13	5.5	13	1	2	4	7	10	14	15
GRAND TOTAL	**1259**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	4.6	5	2	2	4	6	7	8	12
20-34	7	4.3	3	2	2	5	6	6	6	6
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	4	5.3	22	1	1	4	8	12	12	12
65+	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	22	4.2	7	1	1	3	7	8	9	9
20-34	29	2.0	3	<1	<1	1	2	3	7	9
35-49	13	2.2	1	<1	<1	2	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	6	2.7	3	<1	<1	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	4.3	7	1	2	4	5	8	10	14
20-34	14	3.9	1	3	3	4	4	5	6	6
35-49	5	6.8	14	3	3	6	10	12	12	12
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	8	3.0	6	1	1	2	4	7	8	8
B. Operated										
0-19 YRS	31	5.7	16	1	1	5	7	12	14	17
20-34	19	4.1	5	<1	1	4	6	8	9	9
35-49	13	3.8	8	1	1	3	5	8	10	10
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	10	6.0	32	1	1	3	8	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	4.6	5	2	2	4	6	7	8	12
B. Operated	72	2.7	5	<1	1	2	3	7	8	9
2. MULTIPLE DX										
A. Not Operated	101	4.3	7	1	2	4	5	8	10	13
B. Operated	78	4.9	14	1	1	4	7	10	13	18
1. SINGLE DX	167	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	179	4.6	10	1	2	4	6	9	11	16
A. NOT OPERATED	196	4.4	6	1	2	4	6	7	10	12
B. OPERATED	150	3.8	10	1	1	3	5	8	10	17
TOTAL 0-19 YRS	202	4.6	8	1	2	4	6	8	10	14
20-34	69	3.2	4	<1	1	3	4	6	7	9
35-49	35	3.6	7	1	1	3	4	8	10	12
50-64	14	4.4	9	<1	1	4	6	8	11	12
65+	26	4.2	16	1	1	3	5	8	14	18
GRAND TOTAL	**346**	**4.2**	**8**	**1**	**1**	**4**	**6**	**8**	**10**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	125	<1	<1	4	11	28	32	32
20-34	14	10.7	98	1	2	7	18	29	31	31
35-49	12	4.8	21	1	1	3	7	13	14	14
50-64	13	6.0	29	2	2	3	8	16	18	19
65+	25	6.7	35	1	2	5	10	16	19	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	102	1	1	2	5	25	33	35
20-34	33	11.4	158	1	1	7	16	25	33	61
35-49	44	7.5	33	1	1	6	11	16	19	23
50-64	102	8.9	83	1	2	5	12	21	28	45
65+	394	8.5	53	2	2	6	11	17	23	37
B. *Operated*										
0-19 YRS										
20-34	4	25.0	397	7	7	24	65	99+	99+	99+
35-49	6	24.3	587	3	3	17	49	56	57	57
50-64	9	13.8	145	2	2	10	23	33	33	33
65+	44	12.9	127	3	4	8	19	29	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	7.2	53	1	1	4	9	17	24	32
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	587	8.6	64	1	2	6	11	19	24	40
B. *Operated*	63	14.9	192	2	3	8	23	36	51	94
1. SINGLE DX	71	7.2	53	1	1	4	9	17	24	32
2. MULTIPLE DX	650	9.2	80	1	2	6	11	20	27	50
A. NOT OPERATED	658	8.4	63	1	2	6	11	18	24	38
B. OPERATED	63	14.9	192	2	3	8	23	36	51	94
TOTAL 0-19 YRS	21	7.2	105	<1	1	3	6	27	33	35
20-34	51	12.3	165	1	2	7	19	30	51	99
35-49	62	8.6	104	1	1	5	12	17	25	56
50-64	124	8.9	83	1	2	5	12	21	30	43
65+	463	8.8	61	2	2	7	11	18	24	41
GRAND TOTAL	**721**	**9.0**	**77**	**1**	**2**	**6**	**11**	**20**	**27**	**50**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.1	14	<1	1	1	2	5	20	99+
20-34	64	3.7	24	<1	1	2	3	9	18	24
35-49	20	6.9	45	1	1	4	13	15	20	25
50-64	36	8.0	92	1	1	5	10	16	19	55
65+	187	9.9	86	1	2	7	13	21	25	65
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	4	7.5	12	4	4	7	10	12	12	12
65+	5	10.6	60	3	3	9	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	6.3	139	1	1	2	5	18	25	69
20-34	107	9.2	211	1	1	4	9	17	37	80
35-49	101	9.1	92	1	2	7	10	20	33	46
50-64	179	11.5	189	2	2	7	14	26	39	73
65+	1518	10.3	97	2	3	8	13	21	30	60
B. *Operated*										
0-19 YRS	5	14.8	340	1	1	2	35	35	35	35
20-34	11	10.5	452	1	1	4	9	82	97	99+
35-49	7	14.6	265	1	1	6	30	39	40	40
50-64	28	15.1	238	2	3	11	22	60	99+	99+
65+	180	17.4	210	3	4	13	23	35	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	7.3	72	1	1	4	10	17	24	73
B. *Operated*	10	9.2	33	3	3	8	12	18	21	21
2. MULTIPLE DX										
A. *Not Operated*	1998	10.1	114	1	2	7	12	21	30	62
B. *Operated*	231	16.6	226	2	3	12	23	37	50	99+
1. SINGLE DX	373	7.3	71	1	1	4	10	17	24	71
2. MULTIPLE DX	2229	10.8	129	2	2	7	13	24	34	72
A. NOT OPERATED	2361	9.6	108	1	2	7	12	20	29	62
B. OPERATED	241	16.3	220	2	3	12	22	36	49	99+
TOTAL 0-19 YRS	154	5.1	105	1	1	2	4	16	28	99
20-34	183	7.3	163	<1	1	3	8	16	30	83
35-49	128	9.0	94	1	1	6	11	21	34	46
50-64	247	11.3	180	1	2	7	14	26	42	81
65+	1890	10.9	111	2	3	8	13	23	32	61
GRAND TOTAL	**2602**	**10.3**	**122**	**1**	**2**	**7**	**13**	**22**	**33**	**72**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	6	9.5	28	6	6	8	9	19	20	20
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.0	79	1	1	5	15	18	18	18
50-64	26	14.3	113	3	4	10	18	29	39	46
65+	189	10.9	110	2	3	8	14	21	31	56
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	18.0		18	18	18	18	18	18	18
65+	22	14.3	52	7	8	13	19	21	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.6	30	3	4	7	9	18	20	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	218	11.3	111	2	3	8	15	22	31	55
B. *Operated*	24	14.8	50	7	8	13	19	21	27	39
1. SINGLE DX	7	8.6	30	3	4	7	9	18	20	20
2. MULTIPLE DX	242	11.6	106	2	3	9	15	22	31	54
A. NOT OPERATED	225	11.2	108	2	3	8	14	22	31	55
B. OPERATED	24	14.8	50	7	8	13	19	21	27	39
TOTAL 0-19 YRS										
20-34										
35-49	4	11.3	95	1	1	11	19	21	21	21
50-64	28	14.0	110	3	3	10	18	28	38	46
65+	217	11.2	103	2	3	8	14	20	30	55
GRAND TOTAL	**249**	**11.5**	**103**	**2**	**3**	**9**	**15**	**22**	**31**	**54**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	58	2.7	8	<1	1	2	3	4	6	18
35-49	80	3.1	4	1	1	3	4	6	7	9
50-64	44	4.0	6	1	1	4	5	7	9	14
65+	10	5.2	10	2	2	4	7	10	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	69	<1	<1	2	9	21	22	22
20-34	257	6.0	44	1	2	4	6	13	22	30
35-49	611	5.7	33	1	2	4	7	11	19	29
50-64	443	6.9	56	1	2	5	8	15	22	34
65+	224	8.3	47	2	2	6	11	18	23	29
B. *Operated*										
0-19 YRS										
20-34	7	7.6	40	1	1	6	9	18	20	20
35-49	26	12.4	96	3	3	9	17	29	33	33
50-64	26	11.3	89	2	2	9	14	30	33	35
65+	23	17.2	197	5	7	12	19	42	50	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	3.3	7	1	1	3	4	6	8	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1541	6.5	44	1	2	4	7	14	21	32
B. *Operated*	82	13.0	122	2	3	9	17	30	34	55
1. SINGLE DX	193	3.3	7	1	1	3	4	6	8	15
2. MULTIPLE DX	1623	6.8	50	1	2	4	8	15	22	33
A. NOT OPERATED	1734	6.1	41	1	2	4	7	13	20	30
B. OPERATED	82	13.0	122	2	3	9	17	30	34	55
TOTAL 0-19 YRS	7	5.6	60	<1	<1	2	7	19	22	22
20-34	322	5.4	39	1	1	3	6	12	20	30
35-49	717	5.6	34	1	1	4	6	11	19	30
50-64	513	6.9	55	1	2	4	8	15	21	34
65+	257	8.9	65	2	2	6	12	19	25	42
GRAND TOTAL	**1816**	**6.4**	**47**	**1**	**2**	**4**	**7**	**14**	**21**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	4	<1	<1	3	4	6	7	7
20-34	26	3.7	16	<1	1	3	5	7	10	21
35-49	17	4.2	28	<1	1	3	3	12	18	21
50-64	11	4.8	23	1	1	3	8	12	16	16
65+	11	3.5	3	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	11.8	234	1	1	5	17	36	43	54
20-34	71	8.5	92	1	2	6	10	20	30	47
35-49	66	6.6	48	1	1	4	7	17	25	32
50-64	77	6.2	24	1	2	5	8	11	15	28
65+	194	7.2	38	1	2	6	9	13	18	31
B. *Operated*										
0-19 YRS										
20-34	5	25.0	896	1	1	10	51	67	67	67
35-49	4	11.3	5	8	8	12	13	13	13	13
50-64	11	14.0	91	3	3	15	20	27	34	35
65+	16	8.8	34	3	3	7	11	17	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.9	16	<1	1	3	4	7	12	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	433	7.4	58	1	2	5	9	15	23	41
B. *Operated*	36	12.9	173	2	3	9	15	25	43	67
1. SINGLE DX	75	3.9	16	<1	1	3	4	7	12	21
2. MULTIPLE DX	469	7.8	69	1	2	5	9	16	24	46
A. NOT OPERATED	508	6.9	53	1	1	5	8	14	21	38
B. OPERATED	36	12.9	173	2	3	9	15	25	43	67
TOTAL 0-19 YRS	35	9.4	182	1	1	4	9	33	39	54
20-34	102	8.1	122	1	1	5	8	20	33	57
35-49	87	6.4	44	1	1	4	8	15	21	31
50-64	99	6.9	37	1	2	5	8	15	20	33
65+	221	7.2	37	1	2	5	9	13	17	30
GRAND TOTAL	**544**	**7.3**	**63**	**1**	**1**	**5**	**9**	**15**	**22**	**44**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	16.2	220	1	2	16	20	32	35	77
20-34	406	11.1	94	1	2	9	16	22	28	45
35-49	270	11.6	98	2	2	10	15	23	29	58
50-64	100	12.2	80	2	3	11	15	25	35	99+
65+	24	17.5	144	2	3	15	21	36	45	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	9.5	61	4	4	9	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	26.2	533	<1	1	24	39	70	95	99+
20-34	227	13.8	169	2	3	11	17	29	39	91
35-49	211	12.4	75	2	4	11	16	25	31	39
50-64	127	14.1	88	3	5	13	18	27	32	47
65+	69	14.1	77	3	5	14	19	25	27	48
B. *Operated*										
0-19 YRS										
20-34	5	24.0	71	13	13	28	31	31	31	31
35-49	12	21.3	279	7	9	20	22	39	66	71
50-64	18	28.3	322	8	9	27	36	67	90	99+
65+	5	22.4	156	9	9	25	31	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	11.7	100	1	2	10	16	23	30	53
B. *Operated*	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	655	13.9	129	2	4	11	18	27	36	70
B. *Operated*	40	24.9	252	8	9	24	31	50	74	99+
1. SINGLE DX	831	11.7	100	1	2	10	16	23	30	53
2. MULTIPLE DX	695	14.5	143	2	4	12	19	29	37	82
A. NOT OPERATED	1484	12.7	114	1	2	11	17	25	33	61
B. OPERATED	42	24.2	253	8	9	23	31	50	73	99+
TOTAL 0-19 YRS	50	20.4	369	1	1	18	28	50	76	99+
20-34	638	12.2	123	1	2	9	16	24	32	69
35-49	495	12.2	94	2	3	10	15	24	30	51
50-64	245	14.4	116	3	4	12	19	30	39	99+
65+	98	15.4	99	2	5	14	20	28	36	48
GRAND TOTAL	**1526**	**13.0**	**121**	**1**	**3**	**11**	**17**	**26**	**33**	**69**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	29.1	305	7	9	26	47	53	56	56
20-34	18	9.4	60	1	2	7	11	23	25	25
35-49	9	15.8	63	1	5	14	22	26	28	28
50-64	3	12.0	75	7	7	7	18	22	22	22
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	25.4	388	3	4	21	42	55	56	56
20-34	18	14.3	110	2	3	13	17	33	37	37
35-49	10	12.1	45	1	3	11	16	21	25	25
50-64	3	7.7	82	1	1	4	14	18	18	18
65+	3	6.7	30	3	3	4	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34	2	26.0	32	22	22	26	30	30	30	30
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	15.6	171	1	3	13	22	28	48	56
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	41	14.6	151	2	3	13	18	30	43	56
B. *Operated*	2	26.0	32	22	22	26	30	30	30	30
1. SINGLE DX	39	15.6	171	1	3	13	22	28	48	56
2. MULTIPLE DX	43	15.1	150	2	3	13	20	31	41	56
A. NOT OPERATED	80	15.1	159	1	3	13	21	27	48	56
B. OPERATED	2	26.0	32	22	22	26	30	30	30	30
TOTAL 0-19 YRS	16	27.5	321	4	7	21	48	55	56	56
20-34	38	12.6	95	2	3	9	19	25	34	37
35-49	19	13.8	54	1	3	14	17	25	27	28
50-64	6	9.8	69	1	1	7	18	22	22	22
65+	3	6.7	30	3	3	4	11	13	13	13
GRAND TOTAL	**82**	**15.4**	**158**	**1**	**3**	**13**	**21**	**29**	**48**	**56**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	16.3	210	2	3	11	25	32	53	88
20-34	739	12.5	140	1	2	9	16	27	35	59
35-49	546	11.3	81	1	2	9	15	22	29	42
50-64	248	14.0	109	2	3	12	18	27	34	56
65+	57	17.7	208	3	5	14	20	37	42	88
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	21.3	396	1	2	17	37	69	99+	99+
20-34	583	14.7	176	2	3	11	19	29	38	68
35-49	516	13.8	144	2	3	11	18	28	35	68
50-64	337	14.8	142	3	4	12	20	29	36	69
65+	158	14.9	114	3	4	12	20	29	33	52
B. *Operated*										
0-19 YRS	3	24.0	1141	4	4	34	81	99+	99+	99+
20-34	16	20.8	240	6	7	16	22	47	59	63
35-49	15	19.5	313	5	7	15	21	26	66	80
50-64	22	22.7	127	8	12	19	32	37	46	50
65+	15	26.7	435	6	8	20	31	45	79	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1674	12.7	124	1	2	9	17	27	34	56
B. *Operated*	2	20.0	2	19	19	20	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	1660	14.7	164	2	3	11	19	30	37	71
B. *Operated*	71	22.5	278	5	7	17	30	46	63	98
1. SINGLE DX	1676	12.7	124	1	2	10	17	27	34	56
2. MULTIPLE DX	1731	15.0	170	2	3	12	20	31	40	77
A. NOT OPERATED	3334	13.7	145	2	3	10	18	28	36	66
B. OPERATED	73	22.4	271	5	7	17	30	45	63	98
TOTAL 0-19 YRS	153	18.6	305	2	3	15	29	51	73	99+
20-34	1338	13.5	159	1	2	10	17	28	36	63
35-49	1078	12.6	116	2	3	10	16	25	32	56
50-64	608	14.8	130	2	4	12	20	28	35	59
65+	230	16.4	164	3	4	13	21	31	40	69
GRAND TOTAL	**3407**	**13.9**	**149**	**2**	**3**	**11**	**18**	**28**	**36**	**67**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	12.0	185	2	2	7	19	26	44	53
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	29.0		29	29	64	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	20.4	543	2	2	19	63	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	24.7	1412	1	1	36	84	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	12.0	185	2	2	7	19	26	44	53
B. *Operated*	1	29.0		29	29	64	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	31	20.4	543	2	2	19	63	99+	99+	99+
B. *Operated*	3	24.7	1412	1	1	36	84	99+	99+	99+
1. SINGLE DX	18	12.9	190	2	2	8	24	43	79	99+
2. MULTIPLE DX	34	20.8	580	1	2	19	68	99+	99+	99+
A. NOT OPERATED	48	17.4	426	2	2	12	33	99+	99+	99+
B. OPERATED	4	25.8	946	1	1	48	99+	99+	99+	99+
TOTAL 0-19 YRS	52	18.1	453	2	2	14	38	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**52**	**18.1**	**453**	**2**	**2**	**14**	**38**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	22.3	415	1	3	16	35	60	72	99+
20-34	640	12.5	130	1	2	9	16	28	35	54
35-49	689	13.3	129	1	3	10	18	28	36	61
50-64	431	15.7	152	2	4	13	21	31	41	62
65+	367	18.4	167	3	5	15	25	36	44	60
B. *Operated*										
0-19 YRS	1	63.0		63	63	63	63	63	63	63
20-34	4	24.5	31	19	19	23	28	32	32	32
35-49	3	13.0	49	8	8	10	18	21	21	21
50-64	4	23.8	262	7	7	24	37	40	40	40
65+	8	23.8	107	7	10	22	31	38	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	361	28.9	590	2	3	23	50	72	89	99+
20-34	1244	14.9	165	2	3	11	21	31	41	62
35-49	1506	14.9	149	3	4	12	20	30	38	59
50-64	1175	15.9	158	3	4	13	21	31	39	67
65+	1268	18.1	203	3	5	14	24	37	49	70
B. *Operated*										
0-19 YRS	12	45.1	951	4	13	48	85	94	99	99+
20-34	65	18.2	152	3	3	16	26	35	41	48
35-49	97	21.7	255	6	7	18	27	43	64	91
50-64	105	20.3	120	5	7	18	28	34	41	50
65+	120	24.1	320	6	7	20	32	45	64	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2293	15.0	169	2	3	12	20	32	42	66
B. *Operated*	20	24.3	190	7	8	21	33	40	52	63
2. MULTIPLE DX										
A. *Not Operated*	5554	16.8	207	2	4	13	22	35	48	77
B. *Operated*	399	22.2	260	4	6	18	30	42	56	94
1. SINGLE DX	2313	15.1	169	2	3	12	20	32	42	66
2. MULTIPLE DX	5953	17.1	212	3	4	13	23	35	48	79
A. NOT OPERATED	7847	16.2	196	2	3	12	22	34	46	73
B. OPERATED	419	22.3	256	5	6	19	30	42	56	93
TOTAL 0-19 YRS	540	27.3	559	2	3	21	46	71	88	99+
20-34	1953	14.3	155	1	3	11	19	30	40	60
35-49	2295	14.7	150	2	3	12	20	30	39	63
50-64	1715	16.1	155	3	4	13	22	32	40	66
65+	1763	18.6	205	3	5	15	25	37	48	73
GRAND TOTAL	**8266**	**16.5**	**201**	**2**	**3**	**13**	**22**	**35**	**46**	**75**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	19.1	288	3	4	13	28	46	51	79
20-34	424	13.2	104	1	2	11	18	26	34	51
35-49	432	12.7	98	2	3	11	17	24	30	43
50-64	229	14.7	97	2	4	13	19	29	32	52
65+	98	16.2	99	5	5	14	22	31	37	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	24.8	488	2	5	21	46	99+	99+	99+
20-34	454	15.1	154	3	4	11	19	31	39	63
35-49	585	15.3	155	3	4	12	21	31	43	70
50-64	422	16.5	141	3	5	14	21	31	38	72
65+	331	19.1	212	3	5	16	25	36	51	70
B. *Operated*										
0-19 YRS	2	34.5	1105	11	11	34	58	58	58	58
20-34	21	21.1	190	6	8	18	26	36	52	67
35-49	44	21.3	169	6	9	17	28	46	53	99+
50-64	33	20.5	208	4	7	17	26	32	54	74
65+	28	32.3	283	12	14	30	41	56	70	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	13.8	112	2	3	11	18	27	34	51
B. *Operated*	3	9.0	9	6	6	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1860	16.5	178	3	4	13	22	33	45	86
B. *Operated*	128	23.7	232	7	9	20	29	47	56	79
1. SINGLE DX	1251	13.8	112	2	3	11	18	27	34	51
2. MULTIPLE DX	1988	17.0	185	3	4	14	22	35	47	86
A. NOT OPERATED	3108	15.5	153	2	4	13	20	31	40	75
B. OPERATED	131	23.3	232	6	9	19	29	46	56	79
TOTAL 0-19 YRS	135	22.2	400	3	4	15	37	76	99+	99+
20-34	899	14.3	133	2	3	11	19	28	36	59
35-49	1061	14.5	136	2	4	12	19	29	39	61
50-64	686	16.1	131	3	5	14	21	30	38	65
65+	458	19.3	204	4	5	16	25	38	47	70
GRAND TOTAL	**3239**	**15.8**	**159**	**2**	**4**	**13**	**21**	**31**	**41**	**75**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	14.6	139	2	3	11	21	34	40	45
20-34	163	8.7	77	1	1	6	12	19	28	37
35-49	130	10.2	70	1	2	8	15	22	25	36
50-64	95	9.9	132	1	1	6	13	20	29	68
65+	122	10.6	85	2	3	8	13	22	26	50
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	10.5	5	9	9	10	12	12	12	12
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	20.3	522	1	2	14	31	81	99+	99+
20-34	249	9.9	67	1	2	8	13	21	25	36
35-49	222	9.1	68	1	2	7	13	19	24	38
50-64	275	10.5	120	2	2	7	13	21	30	61
65+	807	9.9	84	2	2	7	13	21	27	46
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	10	77	99+	99+	99+
20-34	11	14.1	275	1	2	4	26	40	49	50
35-49	6	9.7	133	2	2	6	7	30	33	33
50-64	30	18.3	248	3	4	15	21	38	44	77
65+	68	19.0	314	3	4	14	25	63	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	10.1	93	1	2	7	13	21	29	48
B. *Operated*	4	6.5	23	2	2	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1633	10.4	112	1	2	7	13	22	30	62
B. *Operated*	117	17.7	281	2	3	13	24	51	79	99+
1. SINGLE DX	553	10.1	92	1	2	7	13	21	29	48
2. MULTIPLE DX	1750	10.9	126	1	2	7	14	24	33	77
A. NOT OPERATED	2182	10.3	107	1	2	7	13	22	30	57
B. OPERATED	121	17.3	277	2	3	13	24	50	78	99+
TOTAL 0-19 YRS	121	18.2	398	1	2	11	28	56	98	99+
20-34	423	9.5	77	1	2	7	13	20	28	40
35-49	358	9.5	70	1	2	7	13	20	25	38
50-64	402	11.0	136	1	2	8	14	21	33	69
65+	999	10.6	105	2	2	7	14	23	31	60
GRAND TOTAL	**2303**	**10.7**	**118**	**1**	**2**	**7**	**14**	**23**	**32**	**68**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.8	18	<1	<1	3	4	9	15	18
20-34	104	4.6	28	<1	1	3	6	11	15	29
35-49	96	5.2	48	1	1	3	5	13	24	34
50-64	51	5.1	13	1	1	4	6	11	12	17
65+	17	12.5	215	<1	1	8	15	31	50	59
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	11.3	477	1	1	3	16	99+	99+	99+
20-34	269	7.1	58	1	2	4	8	16	27	36
35-49	342	5.8	35	1	1	4	7	13	19	29
50-64	250	6.3	43	1	1	4	8	15	21	30
65+	260	6.3	35	1	2	4	7	15	21	25
B. *Operated*										
0-19 YRS	3	56.0	2223	2	2	83	94	99+	99+	99+
20-34	10	12.9	197	1	1	7	20	36	43	43
35-49	21	8.8	73	1	1	6	13	21	30	32
50-64	17	7.6	49	1	2	5	10	17	25	29
65+	8	9.3	29	3	3	9	13	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	5.3	45	<1	1	3	6	12	18	32
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1179	6.6	65	1	1	4	7	15	22	60
B. *Operated*	59	11.6	260	1	2	7	13	29	60	99
1. SINGLE DX	290	5.3	44	<1	1	3	6	12	18	32
2. MULTIPLE DX	1238	6.8	75	1	1	4	8	16	23	84
A. NOT OPERATED	1468	6.3	61	1	1	4	7	15	22	48
B. OPERATED	60	11.5	256	1	2	7	13	29	58	99
TOTAL 0-19 YRS	82	11.0	483	1	1	3	12	93	99+	99+
20-34	383	6.6	55	1	1	4	7	15	24	36
35-49	460	5.8	40	1	1	3	7	14	19	31
50-64	318	6.2	39	1	1	4	8	13	20	29
65+	285	6.8	47	1	2	4	8	16	21	31
GRAND TOTAL	**1528**	**6.5**	**69**	**1**	**1**	**4**	**7**	**15**	**22**	**59**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	12.0	137	1	1	9	18	27	40	80
20-34	293	6.9	38	1	2	5	9	14	19	35
35-49	235	7.9	40	1	2	6	10	17	21	30
50-64	119	7.7	50	1	2	6	9	17	23	39
65+	59	10.0	60	2	2	7	13	20	25	38
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	16.5	181	7	7	16	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	24.4	472	2	3	21	43	84	99+	99+
20-34	537	10.2	101	1	2	7	13	24	30	45
35-49	620	10.0	84	2	2	7	13	22	28	45
50-64	370	10.1	79	2	3	7	13	22	27	45
65+	342	9.6	64	2	3	7	12	19	24	38
B. *Operated*										
0-19 YRS	5	34.2	423	8	8	45	48	56	56	56
20-34	31	17.8	230	3	4	11	27	37	48	68
35-49	31	16.2	149	4	5	13	18	37	46	49
50-64	33	12.6	69	3	4	11	16	22	28	42
65+	26	17.2	328	4	5	10	20	48	65	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	804	8.2	57	1	2	6	11	18	23	37
B. *Operated*	3	13.3	120	7	7	7	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	2102	11.6	147	2	2	8	15	27	37	98
B. *Operated*	126	16.6	205	3	5	12	20	39	48	70
1. SINGLE DX	807	8.2	57	1	2	6	11	18	23	37
2. MULTIPLE DX	2228	11.9	152	2	2	8	15	28	38	96
A. NOT OPERATED	2906	10.7	125	1	2	7	14	24	32	79
B. OPERATED	129	16.5	202	3	5	12	20	37	48	69
TOTAL 0-19 YRS	336	20.9	406	1	2	16	35	69	99+	99+
20-34	861	9.4	89	1	2	7	12	22	29	42
35-49	886	9.6	77	2	2	7	12	21	28	44
50-64	523	9.7	73	2	3	7	13	21	26	43
65+	429	10.2	82	2	3	7	13	20	25	47
GRAND TOTAL	**3035**	**10.9**	**129**	**2**	**2**	**7**	**14**	**24**	**34**	**78**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	6.3	84	<1	1	3	7	18	29	75
20-34	197	7.5	102	1	1	4	9	18	24	60
35-49	114	8.4	93	1	1	5	11	21	28	46
50-64	47	6.9	76	1	1	4	10	15	19	53
65+	18	8.2	89	<1	1	5	9	24	33	35
B. *Operated*										
0-19 YRS										
20-34	11	5.1	17	1	1	4	6	11	16	16
35-49	7	3.7	7	1	1	3	4	8	9	9
50-64	22	3.1	2	1	2	3	4	5	6	6
65+	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	13.2	293	1	1	5	21	38	55	99+
20-34	491	8.8	126	1	1	5	10	22	30	64
35-49	305	8.6	80	1	1	6	11	19	27	44
50-64	174	8.6	74	1	2	6	10	18	27	47
65+	171	8.3	68	2	2	5	10	18	29	44
B. *Operated*										
0-19 YRS	8	19.6	356	3	4	12	32	50	52	52
20-34	23	14.2	150	<1	2	9	23	35	37	37
35-49	28	10.8	89	2	3	7	18	24	30	38
50-64	29	8.7	97	<1	1	5	12	24	34	39
65+	21	10.3	70	1	2	8	14	25	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	7.4	92	1	1	4	9	19	26	53
B. *Operated*	43	3.7	7	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	1343	9.3	129	1	1	5	11	23	33	64
B. *Operated*	109	11.5	123	1	2	7	17	27	37	48
1. SINGLE DX	538	7.1	87	1	1	4	9	18	25	52
2. MULTIPLE DX	1452	9.5	129	1	1	5	11	24	34	64
A. NOT OPERATED	1838	8.8	120	1	1	5	11	22	31	64
B. OPERATED	152	9.3	102	1	2	5	11	25	34	46
TOTAL 0-19 YRS	329	10.8	230	1	1	4	13	33	50	99+
20-34	722	8.6	120	1	1	5	10	21	30	63
35-49	454	8.6	83	1	1	5	11	21	27	44
50-64	272	7.9	73	1	1	5	10	17	25	47
65+	213	8.4	69	1	2	5	10	19	29	43
GRAND TOTAL	**1990**	**8.8**	**118**	**1**	**1**	**5**	**11**	**22**	**32**	**63**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	10.4	289	<1	<1	2	11	35	53	65
20-34	255	7.6	78	1	1	4	9	23	28	31
35-49	401	7.0	66	1	1	4	7	23	28	31
50-64	172	6.6	50	1	1	4	7	15	28	32
65+	64	7.2	42	1	2	5	9	15	21	30
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	23.7	192	1	3	28	31	42	43	57
20-34	1589	17.4	167	1	2	17	28	32	41	43
35-49	1972	14.3	146	1	2	9	28	30	34	42
50-64	1466	13.4	138	2	2	7	27	29	32	42
65+	619	13.1	126	2	3	8	21	28	35	42
B. *Operated*										
0-19 YRS	3	39.3	41	32	32	42	43	44	44	44
20-34	49	22.7	134	2	3	28	30	35	37	42
35-49	88	17.4	130	3	4	15	28	31	36	45
50-64	84	19.6	162	3	4	20	29	38	46	99+
65+	48	15.1	107	3	3	13	23	28	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	7.2	69	1	1	4	8	21	28	31
B. *Operated*	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	5838	15.1	154	2	2	10	28	30	36	43
B. *Operated*	272	18.8	144	3	4	19	28	32	41	55
1. SINGLE DX	913	7.2	69	1	1	4	8	21	28	31
2. MULTIPLE DX	6110	15.3	154	2	2	10	28	30	36	43
A. NOT OPERATED	6749	14.0	150	1	2	8	27	30	35	42
B. OPERATED	274	18.7	145	3	4	19	28	32	41	55
TOTAL 0-19 YRS	214	22.7	216	1	2	27	30	42	44	60
20-34	1894	16.2	166	1	2	14	28	31	39	42
35-49	2461	13.2	140	1	2	7	27	29	32	42
50-64	1723	13.0	137	2	2	7	26	29	32	42
65+	731	12.7	120	2	3	8	21	28	35	42
GRAND TOTAL	**7023**	**14.2**	**151**	**1**	**2**	**8**	**27**	**30**	**35**	**43**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	45	10.3	81	1	2	6	18	26	27	29
35-49	12	8.4	88	1	2	5	10	19	33	36
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	30.8	58	25	25	28	35	42	42	42
20-34	230	16.2	162	2	3	11	28	35	42	44
35-49	74	16.3	156	2	4	12	28	33	42	45
50-64	22	16.9	151	4	4	12	29	36	41	42
65+	12	16.8	170	3	3	13	25	34	46	48
B. *Operated*										
0-19 YRS										
20-34	9	27.2	232	6	7	28	32	49	58	58
35-49	3	21.7	140	8	8	28	29	29	29	29
50-64	2	15.5	13	13	13	15	18	18	18	18
65+	1	25.0		25	25	25	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	9.9	80	1	2	6	14	26	28	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	342	16.4	160	2	3	12	28	35	42	45
B. *Operated*	15	24.4	172	6	8	26	30	35	52	58
1. SINGLE DX	58	9.9	80	1	2	6	14	26	28	35
2. MULTIPLE DX	357	16.8	163	2	3	13	28	35	42	45
A. NOT OPERATED	400	15.5	154	2	3	10	27	33	42	44
B. OPERATED	15	24.4	172	6	8	26	30	35	52	58
TOTAL 0-19 YRS	4	30.8	58	25	25	28	35	42	42	42
20-34	284	15.6	160	2	3	10	26	34	42	45
35-49	89	15.4	153	2	3	11	28	32	42	45
50-64	24	16.8	138	4	5	12	26	35	41	42
65+	14	16.6	157	3	3	13	25	30	44	48
GRAND TOTAL	**415**	**15.8**	**157**	**2**	**3**	**11**	**27**	**33**	**42**	**45**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	24.8	432	1	1	28	36	54	65	70
20-34	74	10.1	90	1	1	6	16	28	29	34
35-49	18	12.6	113	1	2	8	28	28	29	30
50-64	7	10.9	168	<1	<1	7	16	33	37	37
65+	3	13.7	200	5	5	6	24	30	30	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	29.4	262	3	5	30	42	45	54	70
20-34	556	22.9	192	2	3	27	32	42	42	49
35-49	138	20.2	177	2	3	19	29	42	42	45
50-64	58	20.1	142	2	4	23	28	36	40	43
65+	39	17.3	148	4	5	12	27	37	42	44
B. *Operated*										
0-19 YRS	2	57.0	338	44	44	57	70	70	70	70
20-34	27	26.5	87	11	15	28	30	39	43	49
35-49	9	32.9	51	20	23	33	38	42	43	43
50-64	6	15.0	50	4	5	16	20	23	23	23
65+	1	25.0		25	25	25	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	12.6	165	<1	1	7	21	30	34	60
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	962	23.3	207	2	4	27	33	42	43	56
B. *Operated*	45	27.6	141	9	14	28	32	42	45	70
1. SINGLE DX	118	12.6	165	<1	1	7	21	30	34	60
2. MULTIPLE DX	1007	23.5	205	2	4	27	33	42	43	56
A. NOT OPERATED	1080	22.1	213	2	3	25	32	42	43	56
B. OPERATED	45	27.6	141	9	14	28	32	42	45	70
TOTAL 0-19 YRS	189	29.3	283	2	4	30	42	46	55	71
20-34	657	21.6	194	2	3	26	31	42	42	49
35-49	165	20.1	177	2	3	20	29	42	42	45
50-64	71	18.8	143	2	3	21	28	35	38	43
65+	43	17.2	146	4	5	12	27	36	42	44
GRAND TOTAL	**1125**	**22.3**	**212**	**2**	**3**	**25**	**32**	**42**	**43**	**56**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.8	75	<1	<1	1	1	2	9	58
20-34	71	2.5	16	<1	<1	1	3	4	7	27
35-49	81	4.5	41	<1	1	2	4	8	24	29
50-64	49	4.2	26	1	1	3	4	10	12	32
65+	8	8.3	124	1	1	4	8	27	35	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	11.3	265	<1	<1	2	19	41	46	58
20-34	241	7.2	92	<1	<1	2	8	27	29	35
35-49	199	7.6	84	<1	1	3	9	27	29	35
50-64	145	6.2	49	1	1	4	6	13	26	32
65+	54	5.9	54	1	1	3	6	15	28	29
B. *Operated*										
0-19 YRS	5	8.4	144	<1	<1	2	14	29	29	29
20-34	19	4.5	76	<1	<1	1	3	18	29	31
35-49	4	11.5	65	5	5	9	17	23	23	23
50-64	7	15.6	140	3	3	10	28	29	29	29
65+	2	11.0	50	6	6	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	3.6	46	<1	<1	1	3	7	12	33
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	760	7.7	109	<1	1	3	8	28	30	44
B. *Operated*	37	8.2	104	<1	<1	3	10	28	29	31
1. SINGLE DX	303	3.6	45	<1	<1	1	3	7	12	33
2. MULTIPLE DX	797	7.7	109	<1	1	3	8	28	30	44
A. NOT OPERATED	1062	6.5	94	<1	1	2	6	21	29	43
B. OPERATED	38	8.1	101	<1	<1	3	10	28	29	31
TOTAL 0-19 YRS	219	7.6	198	<1	<1	1	4	31	43	58
20-34	331	6.0	78	<1	<1	2	6	22	29	34
35-49	284	6.7	74	<1	1	3	7	22	28	33
50-64	202	6.0	49	1	1	4	6	12	27	32
65+	64	6.4	61	1	1	3	6	16	28	34
GRAND TOTAL	**1100**	**6.5**	**95**	**<1**	**1**	**2**	**6**	**22**	**29**	**43**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	11.8	224	<1	1	5	18	35	47	53
20-34	119	7.5	77	<1	1	4	7	21	28	38
35-49	41	6.5	42	<1	1	5	8	14	24	29
50-64	6	11.0	127	1	1	8	14	30	32	32
65+	3	8.0	25	3	3	8	12	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	23.9	302	1	2	21	38	44	54	72
20-34	491	15.5	144	1	2	13	28	30	32	43
35-49	122	13.7	118	1	2	10	23	30	30	39
50-64	49	10.1	102	1	2	7	13	28	33	42
65+	35	12.1	59	2	3	11	18	22	26	29
B. *Operated*										
0-19 YRS	9	29.7	393	3	6	24	46	55	59	59
20-34	16	24.8	211	2	3	28	30	41	53	58
35-49	8	22.6	111	9	9	24	31	35	37	37
50-64	4	9.5	28	3	3	9	13	16	16	16
65+	4	11.3	2	10	10	11	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	8.3	102	<1	1	5	9	27	30	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	929	16.9	192	1	2	14	28	35	42	57
B. *Operated*	41	22.6	222	3	5	21	30	43	54	59
1. SINGLE DX	211	8.3	102	<1	1	5	9	27	30	49
2. MULTIPLE DX	970	17.2	194	1	2	14	28	35	42	58
A. NOT OPERATED	1140	15.3	187	1	2	10	28	32	41	54
B. OPERATED	41	22.6	222	3	5	21	30	43	54	59
TOTAL 0-19 YRS	283	22.3	312	1	2	18	36	44	53	70
20-34	626	14.2	145	1	2	9	27	30	32	43
35-49	171	12.4	113	1	2	8	21	30	30	38
50-64	59	10.1	97	1	2	7	13	28	33	42
65+	42	11.7	51	2	3	11	17	22	25	29
GRAND TOTAL	**1181**	**15.6**	**189**	**1**	**2**	**11**	**28**	**33**	**41**	**57**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.6	3	1	1	2	3	4	7	8
20-34	26	3.2	4	1	1	3	5	7	7	7
35-49	19	2.9	3	1	1	3	4	5	7	7
50-64	6	3.8	15	1	1	2	5	10	11	11
65+	4	3.3	11	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	4.0		4	4	4	4	4	4	4
35-49	4	3.8	7	1	1	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	7.8	241	<1	1	3	5	14	48	79
20-34	60	4.2	17	<1	1	3	5	8	9	27
35-49	76	6.1	57	1	1	4	6	13	27	36
50-64	65	7.2	124	1	1	4	6	16	30	68
65+	92	4.5	13	1	2	3	5	8	13	21
B. *Operated*										
0-19 YRS	1	83.0		83	83	83	83	83	83	83
20-34	4	8.5	18	4	4	8	12	13	13	13
35-49	7	5.4	11	2	2	5	8	10	10	10
50-64	13	4.9	20	1	1	4	6	10	16	18
65+	11	5.5	7	2	2	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	3.0	4	1	1	2	4	6	7	10
B. *Operated*	8	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	336	5.7	75	1	1	3	6	11	17	43
B. *Operated*	36	7.8	179	1	2	5	8	11	16	83
1. SINGLE DX	91	3.0	4	1	1	2	4	6	7	10
2. MULTIPLE DX	372	5.9	85	1	1	4	6	11	18	57
A. NOT OPERATED	419	5.2	62	1	1	3	5	9	15	38
B. OPERATED	44	7.0	150	1	2	5	7	10	14	83
TOTAL 0-19 YRS	74	6.7	227	1	1	2	4	11	35	82
20-34	92	4.1	14	1	1	3	5	8	9	22
35-49	106	5.4	43	1	1	3	6	12	17	36
50-64	84	6.6	101	1	1	4	6	15	28	60
65+	107	4.5	12	1	2	3	6	8	10	20
GRAND TOTAL	**463**	**5.4**	**70**	**1**	**1**	**3**	**5**	**9**	**15**	**40**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	12.7	233	1	1	8	16	33	50	88
20-34	425	5.5	42	<1	1	3	7	12	17	34
35-49	275	5.5	28	1	1	4	7	12	17	26
50-64	88	6.6	40	1	1	5	9	15	18	34
65+	26	7.5	61	1	2	5	9	16	24	37
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64	1	18.0		18	18	18	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	686	16.8	356	1	1	10	26	44	64	97
20-34	907	7.8	75	1	1	5	10	18	24	38
35-49	599	7.7	55	1	1	5	10	18	23	36
50-64	272	8.5	82	1	2	6	10	18	28	48
65+	201	8.2	42	1	2	6	11	18	23	28
B. *Operated*										
0-19 YRS	18	16.5	139	<1	1	14	20	37	39	40
20-34	25	9.2	62	<1	1	7	14	21	24	29
35-49	31	11.7	85	1	2	10	17	26	40	99+
50-64	8	11.0	159	2	2	6	13	32	40	40
65+	13	10.4	25	4	5	9	13	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1232	8.0	115	1	1	4	10	18	29	63
B. *Operated*	3	7.0	91	<1	<1	2	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	2665	10.2	156	1	1	6	12	25	33	75
B. *Operated*	95	11.7	89	1	2	9	17	24	37	73
1. SINGLE DX	1235	8.0	115	1	1	4	10	18	29	63
2. MULTIPLE DX	2760	10.2	154	1	1	6	12	25	34	75
A. NOT OPERATED	3897	9.5	144	1	1	5	11	23	32	69
B. OPERATED	98	11.6	89	1	2	9	17	24	37	72
TOTAL 0-19 YRS	1122	15.2	310	1	1	9	21	40	59	95
20-34	1359	7.1	66	1	1	4	9	17	23	36
35-49	905	7.1	50	1	1	5	9	17	22	35
50-64	369	8.1	74	1	2	5	10	16	26	43
65+	240	8.2	43	1	2	6	11	18	22	29
GRAND TOTAL	**3995**	**9.6**	**143**	**1**	**1**	**5**	**11**	**23**	**32**	**69**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	422	16.1	339	1	1	10	23	46	66	99+
20-34	290	7.7	90	<1	1	4	10	22	28	53
35-49	189	6.7	57	1	1	5	8	14	20	36
50-64	79	9.5	82	1	2	6	13	21	28	46
65+	53	9.9	90	2	2	6	13	23	29	49
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	3	16.3	426	2	2	7	32	40	40	40
35-49	7	6.7	16	1	1	7	10	11	11	11
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1047	24.2	548	1	2	19	42	79	99+	99+
20-34	683	9.2	124	1	2	5	11	22	34	72
35-49	603	7.9	62	1	2	5	10	18	25	39
50-64	399	8.7	69	1	2	6	11	20	27	38
65+	408	9.0	77	2	2	6	11	18	25	41
B. *Operated*										
0-19 YRS	29	35.4	974	2	4	29	79	98	99+	99+
20-34	41	11.7	136	2	2	7	17	34	42	99+
35-49	55	11.1	80	3	3	9	15	22	25	52
50-64	27	15.4	265	1	2	12	21	33	45	79
65+	42	12.6	120	4	5	8	18	27	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1033	11.2	202	1	1	5	14	29	44	84
B. *Operated*	17	6.9	84	1	1	5	8	11	30	40
2. MULTIPLE DX										
A. *Not Operated*	3140	13.9	294	1	2	7	18	41	66	99+
B. *Operated*	194	15.8	323	2	3	9	22	38	79	99+
1. SINGLE DX	1050	11.1	200	1	1	5	14	29	44	84
2. MULTIPLE DX	3334	14.0	296	1	2	7	18	40	66	99+
A. NOT OPERATED	4173	13.2	272	1	2	7	17	37	62	99+
B. OPERATED	211	15.1	309	2	2	9	20	35	77	99+
TOTAL 0-19 YRS	1501	22.1	513	1	2	15	36	72	99	99+
20-34	1017	8.9	116	1	1	5	11	24	32	65
35-49	854	7.8	62	1	2	5	10	18	24	39
50-64	508	9.2	83	1	2	6	12	20	27	40
65+	504	9.3	83	2	2	6	11	20	26	46
GRAND TOTAL	**4384**	**13.3**	**274**	**1**	**2**	**7**	**17**	**37**	**62**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.9	94	1	1	5	13	25	30	31
20-34	2	10.0	8	8	8	10	12	12	12	12
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	11.1	150	1	2	7	16	31	48	99+
20-34	43	10.0	61	2	3	8	12	21	25	40
35-49	29	13.3	108	2	4	9	17	27	32	47
50-64	7	16.4	428	2	2	12	14	52	62	62
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS	7	12.9	204	2	2	5	18	37	41	41
20-34	5	10.6	55	5	5	6	17	21	21	21
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.0	73	1	1	7	12	22	29	31
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	125	11.6	122	2	2	8	16	27	37	71
B. *Operated*	16	11.1	108	2	2	6	16	21	35	41
1. SINGLE DX	15	8.9	68	1	1	8	12	21	28	31
2. MULTIPLE DX	141	11.6	120	2	2	8	16	26	38	65
A. NOT OPERATED	139	11.4	117	1	2	8	15	27	34	66
B. OPERATED	17	10.9	102	2	2	6	16	21	34	41
TOTAL 0-19 YRS	63	10.9	142	1	2	7	16	31	42	94
20-34	50	10.1	57	2	3	8	13	21	23	40
35-49	32	12.5	105	2	3	9	17	27	31	47
50-64	9	15.2	329	2	2	12	14	43	62	62
65+	2	17.5	25	14	14	17	21	21	21	21
GRAND TOTAL	**156**	**11.3**	**115**	**1**	**2**	**8**	**16**	**26**	**34**	**62**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	346	9.1	17	2	3	10	11	14	15	22
20-34	38	6.1	14	<1	1	6	8	10	14	17
35-49	29	4.6	13	1	1	3	6	11	12	13
50-64	15	5.9	24	1	1	6	10	13	15	16
65+	6	5.7	35	1	1	3	11	15	15	15
B. *Operated*										
0-19 YRS	31	12.8	47	5	6	11	16	21	29	35
20-34	14	4.2	20	<1	1	3	4	12	15	16
35-49	22	5.1	22	1	1	3	9	13	14	15
50-64	10	5.9	25	1	1	5	8	14	16	16
65+	9	9.8	98	1	1	9	15	25	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	459	11.6	30	3	5	11	14	17	22	31
20-34	68	7.5	30	1	2	5	11	14	18	24
35-49	52	9.8	51	1	2	8	14	19	20	33
50-64	53	11.5	86	1	2	11	16	21	26	46
65+	64	14.5	147	2	4	12	16	31	42	61
B. *Operated*										
0-19 YRS	125	20.3	212	5	7	16	26	40	53	85
20-34	32	18.3	200	3	6	15	27	41	60	99+
35-49	44	13.4	184	1	2	10	18	31	54	99+
50-64	53	16.8	301	3	3	10	21	50	62	67
65+	41	21.5	199	2	5	18	33	43	49	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	8.4	19	1	2	10	11	13	15	21
B. *Operated*	86	8.3	51	1	1	7	12	16	20	33
2. MULTIPLE DX										
A. *Not Operated*	696	11.3	49	2	3	11	14	18	23	39
B. *Operated*	295	18.6	225	3	4	15	25	40	52	90
1. SINGLE DX	520	8.4	24	1	2	10	11	14	16	23
2. MULTIPLE DX	991	13.5	112	2	3	11	16	25	36	64
A. NOT OPERATED	1130	10.2	39	1	3	10	12	16	21	34
B. OPERATED	381	16.3	204	1	2	12	21	37	49	78
TOTAL 0-19 YRS	961	11.9	61	2	4	11	14	19	24	45
20-34	152	9.1	83	1	2	7	12	18	31	62
35-49	147	9.1	90	1	1	7	12	19	29	70
50-64	131	12.6	176	1	2	9	16	26	46	65
65+	120	16.1	172	1	2	13	20	37	45	55
GRAND TOTAL	**1511**	**11.7**	**88**	**1**	**3**	**10**	**14**	**21**	**30**	**53**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.3	17	5	5	7	11	13	13	13
50-64	17	6.8	38	2	2	5	8	13	22	27
65+	34	7.7	14	3	4	7	10	11	16	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	11.8	61	3	3	10	20	23	24	24
50-64	49	9.4	72	2	3	7	10	17	24	50
65+	413	9.5	46	2	3	8	12	18	23	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	13	8.5	17	2	3	8	10	16	16	16
65+	49	14.5	183	2	4	11	18	32	34	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.4	21	2	3	6	10	12	16	27
B. *Operated*	3	6.0	19	3	3	4	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	473	9.5	49	2	3	8	12	18	23	37
B. *Operated*	63	13.3	151	2	4	10	16	30	33	76
1. SINGLE DX	57	7.4	20	2	3	6	10	12	16	26
2. MULTIPLE DX	536	9.9	62	2	3	8	13	19	25	39
A. NOT OPERATED	527	9.3	46	2	3	8	12	17	23	36
B. OPERATED	66	12.9	147	2	4	10	15	29	33	74
TOTAL 0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	15	10.8	48	3	3	9	15	22	23	24
50-64	79	8.7	56	2	3	7	10	16	22	46
65+	498	9.8	60	2	3	8	12	18	25	38
GRAND TOTAL	**593**	**9.7**	**59**	**2**	**3**	**8**	**12**	**18**	**24**	**38**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	5	2	2	3	5	7	7	7
20-34	44	5.0	11	1	1	4	7	10	11	14
35-49	76	7.1	34	1	2	6	9	12	20	31
50-64	22	5.5	13	1	1	4	9	11	12	12
65+										
B. *Operated*										
0-19 YRS										
20-34	12	3.9	12	1	1	2	6	9	12	12
35-49	7	2.9	8	<1	<1	2	3	8	9	9
50-64	4	5.3	52	1	1	2	9	16	16	16
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	2	2	4	5	6	6	6
20-34	69	6.8	19	2	2	6	8	13	17	20
35-49	118	8.1	46	2	2	6	11	18	22	33
50-64	77	8.9	36	2	3	8	12	16	18	34
65+	16	9.6	52	1	2	8	12	19	25	28
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	21	13.2	140	3	3	9	15	34	41	43
35-49	31	12.1	245	1	2	6	13	25	57	71
50-64	25	15.1	120	3	4	13	18	37	38	40
65+	3	18.0	388	2	2	12	33	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	6.0	23	1	1	5	8	11	13	28
B. *Operated*	24	3.8	15	<1	1	2	4	9	13	16
2. MULTIPLE DX										
A. *Not Operated*	285	8.0	37	2	2	7	10	17	19	30
B. *Operated*	81	13.5	175	2	3	9	15	33	40	67
1. SINGLE DX	175	5.7	23	1	1	5	8	11	13	26
2. MULTIPLE DX	366	9.2	72	2	2	7	11	18	26	40
A. NOT OPERATED	436	7.3	33	1	2	6	9	15	19	29
B. OPERATED	105	11.3	155	1	2	7	13	28	39	64
TOTAL 0-19 YRS	15	4.2	8	2	2	3	6	7	11	12
20-34	146	6.9	40	1	2	6	8	13	17	39
35-49	232	8.2	69	1	2	6	10	18	22	40
50-64	128	9.4	58	2	2	8	13	18	20	39
65+	20	10.5	95	1	2	8	13	23	34	40
GRAND TOTAL	**541**	**8.1**	**59**	**1**	**2**	**6**	**10**	**17**	**21**	**39**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	640	3.1	9	1	1	2	4	6	8	15
20-34	222	2.7	4	1	1	2	3	5	6	10
35-49	103	3.4	10	1	1	2	4	6	9	18
50-64	57	3.7	11	1	1	3	4	8	11	19
65+	47	3.4	7	1	1	3	4	7	8	15
B. *Operated*										
0-19 YRS	19	5.2	12	1	2	4	7	10	13	14
20-34	6	6.3	22	2	2	5	9	13	14	14
35-49	9	3.8	3	1	2	3	5	6	7	7
50-64										
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	955	4.6	34	1	1	3	5	9	12	31
20-34	396	4.7	39	1	1	3	5	9	13	35
35-49	426	5.1	28	1	1	4	6	10	15	24
50-64	512	5.9	27	2	2	4	7	13	17	28
65+	871	6.5	33	2	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	70	15.1	199	3	4	11	21	33	50	96
20-34	28	5.6	12	1	1	5	8	10	11	16
35-49	34	10.6	67	1	2	9	15	25	28	32
50-64	49	13.0	225	2	2	8	16	35	49	65
65+	82	13.2	118	2	3	10	20	31	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1069	3.1	8	1	1	2	4	6	8	15
B. *Operated*	36	5.1	12	1	2	4	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	3160	5.4	33	1	1	4	6	11	15	28
B. *Operated*	263	12.6	147	2	3	9	16	29	44	99+
1. SINGLE DX	1105	3.1	9	1	1	2	4	6	8	15
2. MULTIPLE DX	3423	5.9	45	1	1	4	7	12	17	37
A. NOT OPERATED	4229	4.8	28	1	1	3	6	10	14	25
B. OPERATED	299	11.7	137	2	3	8	15	28	40	99+
TOTAL 0-19 YRS	1684	4.5	36	1	1	3	5	9	13	31
20-34	652	4.0	27	1	1	3	5	7	11	23
35-49	572	5.1	29	1	1	3	6	10	16	25
50-64	618	6.2	45	1	2	4	7	13	18	37
65+	1002	6.9	42	1	2	5	8	14	20	40
GRAND TOTAL	**4528**	**5.3**	**38**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.9	5	1	1	2	4	6	8	13
20-34	163	3.5	11	1	1	3	4	7	10	17
35-49	102	4.0	18	1	1	3	4	8	10	27
50-64	86	4.0	12	1	1	3	5	8	13	16
65+	88	5.1	20	1	1	4	6	11	13	25
B. *Operated*										
0-19 YRS	197	4.6	16	1	1	3	6	9	13	23
20-34	92	4.5	17	1	1	3	6	9	11	23
35-49	106	4.9	14	1	1	4	7	11	13	15
50-64	60	5.2	17	1	2	4	7	10	15	21
65+	65	7.6	47	1	2	5	11	16	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	496	6.5	92	1	1	4	6	15	25	52
20-34	304	7.4	159	1	1	4	7	15	33	99
35-49	306	7.5	121	1	1	4	8	14	29	63
50-64	414	10.7	180	1	2	6	12	25	40	69
65+	1416	11.5	145	2	3	8	14	25	35	61
B. *Operated*										
0-19 YRS	491	10.0	214	1	2	6	10	23	56	99+
20-34	192	8.8	100	1	2	6	12	21	39	99+
35-49	222	9.5	114	1	2	6	11	22	30	67
50-64	246	12.7	207	2	2	8	16	29	44	94
65+	459	14.8	237	2	3	10	18	32	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	3.7	13	1	1	3	5	8	10	17
B. *Operated*	520	5.1	21	1	1	4	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	2936	9.7	144	1	2	5	11	23	35	66
B. *Operated*	1610	11.6	197	2	2	7	14	27	48	99+
1. SINGLE DX	1130	4.4	17	1	1	3	5	9	13	23
2. MULTIPLE DX	4546	10.4	164	1	2	6	12	24	38	86
A. NOT OPERATED	3546	8.7	127	1	1	5	10	19	31	60
B. OPERATED	2130	10.0	162	1	2	6	12	22	37	99+
TOTAL 0-19 YRS	1355	7.0	120	1	1	4	7	15	26	91
20-34	751	6.6	98	1	1	4	7	14	26	99+
35-49	736	7.2	93	1	1	4	8	15	24	58
50-64	806	10.2	166	1	2	6	12	23	38	73
65+	2028	11.8	162	2	3	8	14	26	37	73
GRAND TOTAL	**5676**	**9.2**	**140**	**1**	**2**	**5**	**11**	**21**	**33**	**78**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.1	2	1	1	2	3	4	4	7
20-34	337	3.0	5	1	1	2	4	6	7	12
35-49	245	3.2	5	1	1	3	4	6	7	12
50-64	73	3.2	6	1	1	3	4	7	8	13
65+	7	5.4	23	<1	<1	3	10	13	13	13
B. *Operated*										
0-19 YRS	8	4.0	19	1	1	3	5	11	14	14
20-34	33	3.3	4	1	1	2	5	6	7	8
35-49	24	2.7	5	1	1	2	3	5	9	10
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.8	4	1	1	2	3	5	7	10
20-34	419	3.9	10	1	1	3	5	7	9	14
35-49	450	4.3	12	1	1	3	5	8	10	20
50-64	220	4.1	10	1	2	3	5	7	11	16
65+	84	4.4	10	1	2	4	5	8	12	16
B. *Operated*										
0-19 YRS	7	4.1	15	1	1	3	7	10	11	11
20-34	41	4.8	17	1	2	3	6	10	14	21
35-49	47	5.2	14	1	2	4	7	11	13	17
50-64	30	5.2	16	1	2	4	7	10	14	18
65+	9	5.6	12	1	1	5	9	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	808	2.9	5	1	1	2	4	5	7	12
B. *Operated*	71	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1286	4.0	10	1	1	3	5	7	10	17
B. *Operated*	134	5.1	15	1	2	4	7	10	12	18
1. SINGLE DX	879	2.9	5	1	1	2	4	5	7	13
2. MULTIPLE DX	1420	4.1	11	1	1	3	5	8	10	17
A. NOT OPERATED	2094	3.6	8	1	1	3	4	7	9	15
B. OPERATED	205	4.4	12	1	1	3	6	9	12	17
TOTAL 0-19 YRS	274	2.5	4	1	1	2	3	4	6	12
20-34	830	3.6	8	1	1	3	4	7	8	14
35-49	766	3.9	10	1	1	3	5	7	10	17
50-64	327	4.0	10	1	1	3	5	8	11	16
65+	102	4.5	11	1	2	4	5	9	12	16
GRAND TOTAL	**2299**	**3.7**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.8	1	1	1	2	2	4	4	4
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	4	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	93	1.4	1	<1	<1	1	2	2	2	5
35-49	177	1.7	1	<1	<1	1	2	3	4	6
50-64	146	1.7	2	<1	<1	1	2	3	4	8
65+	68	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	9	2.8	2	<1	<1	3	4	5	5	5
35-49	8	3.6	4	<1	1	3	5	7	7	7
50-64	9	5.4	57	1	1	3	5	18	25	25
65+	10	3.8	10	<1	<1	3	6	9	9	9
B. *Operated*										
0-19 YRS	7	7.1	163	1	1	2	4	30	36	36
20-34	52	2.3	3	<1	<1	2	3	5	6	8
35-49	129	2.5	4	<1	1	2	3	6	7	10
50-64	149	3.3	26	<1	<1	2	3	5	8	30
65+	87	3.4	13	<1	1	2	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.9	1	1	1	2	2	4	4	4
B. *Operated*	488	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	37	4.1	18	<1	1	3	5	8	9	25
B. *Operated*	424	3.0	16	<1	1	2	3	6	8	18
1. SINGLE DX	507	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	461	3.1	16	<1	1	2	3	6	8	24
A. NOT OPERATED	56	3.3	13	<1	1	2	4	7	9	24
B. OPERATED	912	2.3	9	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	13	5.1	91	<1	<1	2	3	14	32	36
20-34	160	1.8	2	<1	<1	1	2	3	5	7
35-49	322	2.1	3	<1	<1	2	2	4	6	10
50-64	308	2.6	16	<1	<1	2	3	4	6	19
65+	165	2.6	9	<1	<1	2	3	6	9	11
GRAND TOTAL	**968**	**2.3**	**9**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	5.5	21	1	1	4	8	11	13	26
20-34	83	5.3	29	1	1	4	6	10	16	31
35-49	90	4.5	17	<1	1	3	6	9	11	24
50-64	74	4.7	16	1	1	3	6	11	14	20
65+	48	3.9	7	1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	49	3.3	4	1	1	3	4	7	8	9
20-34	275	3.3	6	1	1	3	4	6	8	11
35-49	354	3.6	15	<1	<1	3	4	7	10	19
50-64	279	3.4	10	<1	1	2	4	8	9	17
65+	164	3.1	8	<1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	8.6	168	1	2	5	9	16	24	83
20-34	107	5.1	28	1	1	3	5	11	13	31
35-49	202	5.9	40	1	1	4	7	11	14	35
50-64	282	6.2	63	1	1	4	8	11	17	45
65+	355	6.5	30	2	2	5	8	13	15	32
B. *Operated*										
0-19 YRS	59	8.1	185	1	2	4	6	18	28	75
20-34	180	6.5	89	1	1	4	7	11	18	62
35-49	309	6.2	65	1	1	4	7	13	18	44
50-64	303	6.2	85	1	1	4	7	12	17	69
65+	330	8.4	124	1	2	5	10	20	31	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	4.8	19	1	1	4	6	10	12	24
B. *Operated*	1121	3.4	10	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	996	6.3	48	1	2	4	8	12	15	36
B. *Operated*	1181	7.0	97	1	1	4	8	14	23	70
1. SINGLE DX	1484	3.7	13	<1	1	3	5	8	10	18
2. MULTIPLE DX	2177	6.6	75	1	2	4	8	13	20	57
A. NOT OPERATED	1359	5.9	41	1	1	4	7	11	14	29
B. OPERATED	2302	5.2	58	1	1	3	6	10	15	41
TOTAL 0-19 YRS	226	6.4	96	1	1	4	7	12	18	71
20-34	645	4.7	37	1	1	3	5	9	12	33
35-49	955	5.0	38	<1	1	3	6	10	13	34
50-64	938	5.3	52	1	1	3	6	10	15	35
65+	897	6.5	63	1	2	4	8	13	19	50
GRAND TOTAL	**3661**	**5.5**	**52**	**1**	**1**	**4**	**6**	**11**	**15**	**36**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.1	3	1	1	3	4	5	7	8
20-34	38	3.7	6	1	1	3	5	7	8	13
35-49	64	3.9	7	1	2	3	5	7	9	15
50-64	168	3.4	4	1	2	3	4	6	7	10
65+	174	3.4	2	2	2	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+	7	2.0	2	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS	54	4.1	5	1	2	4	5	6	8	14
20-34	60	4.5	14	1	2	4	5	7	10	25
35-49	113	4.7	9	2	2	4	5	8	11	15
50-64	265	3.9	5	2	2	3	5	6	8	12
65+	395	4.0	7	2	2	3	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	481	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	17	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	887	4.1	7	2	2	3	5	7	8	14
1. SINGLE DX	482	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	904	4.1	7	1	2	3	5	7	8	14
A. NOT OPERATED	18	2.1	2	<1	<1	1	3	5	5	5
B. OPERATED	1368	3.9	6	1	2	3	5	7	8	14
TOTAL 0-19 YRS	97	3.5	5	1	1	3	5	6	7	13
20-34	101	4.2	11	1	2	4	5	7	9	20
35-49	177	4.4	8	2	2	4	5	8	11	16
50-64	435	3.7	5	1	2	3	5	6	7	11
65+	576	3.8	6	2	2	3	4	7	8	12
GRAND TOTAL	**1386**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	8	1.3		1	1	1	2	2	2	2
65+	12	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	3.8	10	1	1	3	6	8	8	8
35-49	11	2.5	2	<1	<1	2	4	5	5	5
50-64	41	2.2	2	<1	<1	2	3	4	5	5
65+	66	3.0	6	<1	1	2	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64	9	4.8	21	1	1	2	7	12	14	14
65+	21	3.0	11	1	1	2	3	8	12	13
B. *Operated*										
0-19 YRS	6	3.8	21	1	1	2	4	12	13	13
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	10	3.2	4	1	1	3	4	6	8	8
50-64	40	3.6	11	1	1	2	4	7	13	14
65+	139	3.7	16	1	1	3	5	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.5	1	<1	1	1	2	3	3	4
B. *Operated*	124	2.7	4	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	41	3.2	11	1	1	2	4	8	12	14
B. *Operated*	197	3.6	15	1	1	3	4	7	9	16
1. SINGLE DX	151	2.5	4	<1	1	2		5	6	10
2. MULTIPLE DX	238	3.6	14	1	1	2	4	7	10	15
A. NOT OPERATED	68	2.5	8	1	1	2	3	5	9	14
B. OPERATED	321	3.3	11	1	1	2	4	6	9	14
TOTAL 0-19 YRS	16	2.5	9	<1	<1	2	3	4	10	13
20-34	10	3.0	5	1	1	3	4	6	8	8
35-49	27	2.6	3	<1	1	2	3	5	6	8
50-64	98	2.9	8	<1	1	2	3	6	8	14
65+	238	3.3	12	1	1	2	4	7	9	15
GRAND TOTAL	**389**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	13	3.9	12	1	1	2	4	11	12	12
50-64	9	2.8	4	<1	<1	2	4	6	7	7
65+	28	2.7	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	5	8.8	28	1	1	11	12	14	14	14
35-49	5	4.4	24	1	1	2	6	13	13	13
50-64	11	3.5	12	1	1	2	4	9	13	13
65+	20	3.5	6	<1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	9	4.2	27	1	1	2	4	13	17	17
20-34	11	3.1	1	1	1	3	4	4	4	4
35-49	10	3.7	6	1	1	3	4	7	10	10
50-64	42	3.6	7	1	1	3	4	7	9	15
65+	58	4.0	11	<1	1	3	4	9	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	<1	<1	2	3	3	3	3
B. *Operated*	56	2.9	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	48	3.8	13	1	1	2	5	11	13	14
B. *Operated*	130	3.8	10	1	1	3	4	8	10	16
1. SINGLE DX	62	2.8	6	<1	<1	2	4	5	8	12
2. MULTIPLE DX	178	3.8	10	1	1	3	4	8	12	16
A. NOT OPERATED	54	3.6	12	1	1	2	4	10	13	14
B. OPERATED	186	3.5	9	<1	1	3	4	7	10	16
TOTAL 0-19 YRS	21	2.5	13	1	1	1	2	5	12	17
20-34	18	4.4	15	1	1	3	4	12	13	14
35-49	29	3.9	11	1	1	3	4	11	12	13
50-64	65	3.4	8	1	1	2	4	7	9	15
65+	107	3.5	8	<1	1	3	4	7	9	15
GRAND TOTAL	**240**	**3.5**	**9**	**<1**	**1**	**2**	**4**	**7**	**11**	**15**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34										
35-49	28	1.6	1	<1	<1	1	2	3	3	4
50-64	175	1.6		<1	<1	1	2	2	3	4
65+	750	1.4	1	<1	<1	<1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	7	7.4	130	<1	<1	2	11	28	31	31
65+	40	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	38	4.4	173	<1	1	2	3	5	6	83
50-64	273	2.1	5	<1	1	2	2	3	4	8
65+	1337	2.1	4	<1	<1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	953	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	49	2.7	22	<1	<1	1	2	4	7	31
B. *Operated*	1648	2.1	8	<1	<1	2	2	3	4	8
1. SINGLE DX	956	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	1697	2.2	8	<1	<1	2	2	3	4	9
A. NOT OPERATED	52	2.6	20	<1	<1	1	2	4	6	31
B. OPERATED	2601	1.9	5	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS										
20-34										
35-49	69	3.2	97	<1	1	2	2	4	5	68
50-64	456	2.0	5	<1	<1	2	2	3	4	8
65+	2128	1.9	3	<1	<1	2	2	3	4	6
GRAND TOTAL	**2653**	**1.9**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.2	4	<1	1	2	3	3	6	11
20-34	8	2.1	4	<1	<1	1	2	6	7	7
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	20	1.2		<1	<1	1	1	2	2	2
65+	11	1.5		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	25	2.4	2	1	1	2	3	5	5	6
20-34	10	6.0	106	<1	<1	3	5	20	35	35
35-49	13	2.7	6	1	1	2	3	5	9	10
50-64	28	2.0	1	1	1	2	2	3	4	4
65+	72	2.2	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	69	1.7	2	<1	<1	1	2	3	3	10
2. MULTIPLE DX										
A. *Not Operated*	6	2.3	1	1	1	2	3	4	4	4
B. *Operated*	148	2.5	9	1	1	2	3	4	5	10
1. SINGLE DX	69	1.7	2	<1	<1	1	2	3	3	10
2. MULTIPLE DX	154	2.5	9	1	1	2	3	4	5	10
A. NOT OPERATED	6	2.3	1	1	1	2	3	4	4	4
B. OPERATED	217	2.2	7	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	52	2.3	3	1	1	2	3	4	5	11
20-34	18	4.3	62	<1	<1	2	4	6	24	35
35-49	18	2.3	5	<1	<1	2	3	4	8	10
50-64	51	1.7	1	<1	<1	1	2	3	3	4
65+	84	2.1	2	1	1	2	2	3	5	7
GRAND TOTAL	**223**	**2.2**	**7**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	1	1	1	2	3	3	3
20-34	3	3.0	7	<1	<1	2	5	6	6	6
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	277	1.4		<1	<1	1	2	2	2	3
20-34	25	1.4	1	<1	<1	1	2	2	3	4
35-49	18	1.4		<1	1	1	2	2	3	3
50-64	9	2.6	5	1	1	2	3	6	7	7
65+	7	2.9	7	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	8	<1	<1	2	3	8	10	10
20-34	10	2.3	2	<1	<1	2	4	4	4	4
35-49	11	3.0	2	1	1	2	4	5	6	6
50-64	19	3.1	3	1	1	3	4	6	6	6
65+	27	4.4	9	1	1	4	6	8	10	14
B. *Operated*										
0-19 YRS	132	1.4		<1	<1	1	2	2	3	4
20-34	20	2.6	5	<1	1	2	2	5	8	10
35-49	17	3.1	8	1	1	2	3	8	10	11
50-64	15	3.7	6	<1	1	3	4	7	9	10
65+	32	4.0	7	1	1	3	6	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.1	2	<1	1	2	3	4	5	6
B. *Operated*	336	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	80	3.4	6	<1	1	3	5	6	8	13
B. *Operated*	216	2.2	4	<1	<1	2	2	4	7	10
1. SINGLE DX	358	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	296	2.5	5	<1	<1	2	3	6	7	10
A. NOT OPERATED	102	3.1	5	<1	1	3	4	6	7	12
B. OPERATED	552	1.7	2	<1	<1	1	2	2	4	9
TOTAL 0-19 YRS	431	1.4	1	<1	<1	1	2	2	2	4
20-34	58	2.1	3	<1	<1	2	2	4	5	10
35-49	49	2.4	4	1	1	2	3	5	7	11
50-64	46	3.2	4	1	1	3	4	6	7	10
65+	70	3.9	8	1	1	3	6	8	9	13
GRAND TOTAL	**654**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**6**	**9**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.1	2	<1	1	3	4	5	6	7
20-34	20	5.0	24	2	2	3	5	13	18	19
35-49	11	4.2	3	3	3	3	5	7	9	8
50-64	13	4.8	18	1	1	4	5	11	16	17
65+	21	5.0	8	1	2	4	6	10	11	11
B. *Operated*										
0-19 YRS	61	2.2	3	<1	<1	2	3	4	6	9
20-34	48	2.2	2	1	1	2	3	5	5	6
35-49	70	1.9	1	1	1	2	2	3	4	5
50-64	77	2.2	3	<1	<1	2	3	4	5	11
65+	212	2.1	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.9	4	1	1	4	5	6	8	10
20-34	32	4.4	6	1	2	4	6	8	10	10
35-49	32	5.3	20	<1	1	4	6	9	18	21
50-64	30	5.6	13	1	2	5	7	10	14	16
65+	76	5.9	54	<1	1	4	7	11	16	49
B. *Operated*										
0-19 YRS	48	2.9	4	1	1	2	4	6	7	9
20-34	51	3.2	6	1	1	3	3	7	8	12
35-49	87	3.1	24	<1	1	2	3	6	9	31
50-64	112	2.8	6	1	1	2	3	5	6	16
65+	458	3.0	7	1	1	2	3	5	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.9	9	1	1	3	5	7	9	18
B. *Operated*	468	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	291	4.8	21	1	1	4	6	8	10	19
B. *Operated*	756	3.0	9	1	1	2	3	5	8	14
1. SINGLE DX	597	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX	1047	3.5	13	1	1	3	4	6	9	17
A. NOT OPERATED	420	4.5	17	1	1	4	5	8	10	19
B. OPERATED	1224	2.6	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	294	3.2	4	<1	1	3	4	6	7	10
20-34	151	3.4	8	1	1	3	4	7	9	18
35-49	200	3.1	15	<1	1	2	4	6	8	20
50-64	232	3.0	8	<1	1	2	4	6	9	16
65+	767	3.1	12	<1	1	2	3	5	8	16
GRAND TOTAL	**1644**	**3.1**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	3.4	3	1	2	3	4	6	7	10
20-34	31	3.8	4	1	2	3	5	6	8	11
35-49	30	4.0	9	1	1	3	4	8	9	15
50-64	21	3.8	6	1	1	3	5	7	9	10
65+	22	3.8	3	2	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	36	3.3	9	<1	1	2	4	8	10	13
20-34	25	3.0	5	<1	1	3	4	7	8	10
35-49	22	4.0	25	<1	<1	2	3	12	16	20
50-64	60	2.4	3	<1	1	2	3	5	6	7
65+	109	2.6	6	<1	<1	2	3	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	4.3	5	1	2	4	6	7	9	11
20-34	61	4.1	7	1	1	3	5	8	9	13
35-49	65	4.9	12	1	1	4	7	10	11	16
50-64	59	4.6	11	1	1	4	6	8	11	17
65+	108	5.4	22	1	1	4	7	11	12	25
B. *Operated*										
0-19 YRS	91	4.6	43	1	1	3	5	10	13	42
20-34	72	4.4	16	1	1	3	5	11	13	20
35-49	87	4.8	20	1	1	4	7	8	11	28
50-64	145	4.4	14	1	2	3	5	10	13	20
65+	349	4.0	12	1	1	3	4	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	3.6	4	1	2	3	4	6	8	10
B. *Operated*	252	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	633	4.5	10	1	2	4	6	8	10	14
B. *Operated*	744	4.3	18	1	1	3	5	9	12	21
1. SINGLE DX	611	3.3	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	1377	4.4	14	1	1	3	6	9	11	17
A. NOT OPERATED	992	4.2	8	1	2	3	5	8	9	14
B. OPERATED	996	3.9	15	1	1	3	4	8	12	19
TOTAL 0-19 YRS	722	4.0	10	1	2	3	5	7	9	13
20-34	189	4.0	10	1	1	3	5	8	11	16
35-49	204	4.6	16	1	1	3	6	10	12	18
50-64	285	4.0	11	1	1	3	5	8	10	17
65+	588	4.0	13	<1	1	3	5	9	11	16
GRAND TOTAL	**1988**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	3	1	1	2	5	6	6	6
20-34	4	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	3.1	2	1	1	3	4	5	5	5
65+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	9	1.3		1	1	1	2	2	2	2
35-49	10	2.4	2	<1	<1	2	4	5	5	5
50-64	5	1.2		1	1	1	2	2	2	2
65+	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	4	1	1	3	4	6	7	7
20-34	12	3.6	7	1	1	3	5	7	10	11
35-49	15	3.3	2	1	1	4	4	5	6	6
50-64	19	4.4	11	1	2	3	6	9	12	14
65+	43	4.3	8	1	2	4	6	7	8	18
B. *Operated*										
0-19 YRS	12	2.3	8	<1	<1	2	2	5	10	11
20-34	11	2.0	1	1	1	2	3	3	3	3
35-49	19	3.1	5	<1	1	3	3	5	9	11
50-64	22	5.1	22	1	1	4	6	13	16	19
65+	42	3.3	4	1	1	3	4	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.6	2	1	1	2	4	5	5	6
B. *Operated*	33	1.6	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	99	4.0	7	1	2	3	5	7	9	16
B. *Operated*	106	3.4	9	1	1	3	4	7	10	16
1. SINGLE DX	60	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	205	3.7	8	1	1	3	4	7	9	16
A. NOT OPERATED	126	3.7	7	1	1	3	5	6	8	15
B. OPERATED	139	3.0	7	1	1	2	3	6	9	15
TOTAL 0-19 YRS	35	2.6	5	<1	1	2	3	6	7	11
20-34	36	2.3	4	1	1	2	3	5	5	11
35-49	45	3.0	3	<1	1	3	4	5	6	11
50-64	55	4.2	14	1	1	3	5	9	13	19
65+	94	3.6	6	1	1	3	5	7	7	14
GRAND TOTAL	**265**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351	2.7	2	1	1	2	3	5	5	7
20-34	6	3.3	1	2	2	3	4	5	5	5
35-49										
50-64	3	5.0	7	2	2	6	7	7	7	7
65+	2	32.5	1861	2	2	32	63	63	63	63
B. *Operated*										
0-19 YRS	491	1.4	9	<1	<1	<1	1	2	3	8
20-34	54	1.5	1	<1	1	1	2	2	2	7
35-49	57	1.7	3	<1	1	1	2	2	3	13
50-64	54	1.5	1	1	1	1	2	2	3	4
65+	12	1.8	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1413	3.1	4	1	1	3	4	5	7	10
20-34	53	3.8	9	1	1	3	5	6	7	18
35-49	30	4.7	12	<1	1	4	6	9	9	18
50-64	24	4.0	7	<1	1	4	5	7	10	12
65+	17	7.0	52	<1	1	5	7	20	26	27
B. *Operated*										
0-19 YRS	920	1.8	4	<1	<1	1	2	3	5	10
20-34	115	1.9	3	1	1	1	2	3	4	11
35-49	112	1.9	2	1	1	2	2	3	4	9
50-64	101	2.2	5	1	1	2	2	4	6	13
65+	41	2.5	5	<1	1	2	3	4	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	2.9	12	1	1	2	3	5	6	7
B. *Operated*	668	1.5	7	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	1537	3.2	5	1	1	3	4	6	7	11
B. *Operated*	1289	1.9	4	<1	<1	1	2	3	5	11
1. SINGLE DX	1030	2.0	9	<1	<1	1	2	4	5	8
2. MULTIPLE DX	2826	2.6	5	<1	1	2	3	5	6	11
A. NOT OPERATED	1899	3.1	6	1	1	3	4	5	7	11
B. OPERATED	1957	1.7	5	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	3175	2.4	5	<1	<1	2	3	5	6	10
20-34	228	2.3	4	1	1	2	3	4	5	13
35-49	199	2.3	5	<1	1	2	2	4	7	12
50-64	182	2.3	4	1	1	2	3	4	6	12
65+	72	4.3	68	<1	1	2	4	7	14	55
GRAND TOTAL	**3856**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	5	1	1	3	4	6	8	12
20-34	40	3.0	2	1	1	3	4	5	6	99+
35-49	20	3.0	1	2	2	3	3	4	6	7
50-64	11	5.0	2	3	3	5	6	7	7	7
65+	13	12.5	446	2	2	7	11	31	72	81
B. *Operated*										
0-19 YRS	63	3.2	13	<1	1	2	4	7	11	18
20-34	30	2.4	4	<1	1	1	3	5	7	8
35-49	24	3.3	16	1	1	2	3	6	15	17
50-64	26	2.3	7	1	1	2	2	4	6	14
65+	9	4.3	17	<1	1	2	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	3.6	11	1	1	3	4	6	7	16
20-34	60	4.4	5	2	2	4	5	7	8	13
35-49	34	6.0	25	2	2	5	7	10	13	30
50-64	39	6.3	19	2	3	5	7	12	14	24
65+	48	7.5	17	3	3	7	10	13	16	18
B. *Operated*										
0-19 YRS	158	4.1	29	1	1	2	5	9	13	28
20-34	57	3.6	18	1	1	2	3	11	15	18
35-49	60	3.9	26	1	1	2	4	8	14	29
50-64	50	6.4	146	1	1	2	7	13	22	80
65+	59	10.9	159	1	1	6	15	28	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.1	45	1	2	3	4	7	10	79
B. *Operated*	152	3.0	11	1	1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	427	4.6	15	1	2	4	6	8	12	18
B. *Operated*	384	5.3	68	1	1	2	6	13	18	43
1. SINGLE DX	304	3.5	28	1	1	3	4	7	10	18
2. MULTIPLE DX	811	5.0	40	1	1	3	6	10	14	31
A. NOT OPERATED	579	4.5	23	1	2	3	5	8	11	19
B. OPERATED	536	4.7	53	1	1	2	5	11	16	39
TOTAL 0-19 YRS	535	3.7	16	1	1	3	4	7	9	18
20-34	187	3.5	9	1	1	3	4	7	10	18
35-49	138	4.2	21	1	1	3	5	8	13	30
50-64	126	5.4	67	1	1	3	6	12	14	41
65+	129	9.4	127	1	2	6	11	19	28	64
GRAND TOTAL	**1115**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	<1	<1	3	3	4	4	4
20-34	57	2.5	2	1	1	2	3	5	5	7
35-49	106	2.8	2	1	1	3	4	5	6	7
50-64	151	2.7	3	1	1	2	3	5	6	15
65+	136	2.9	3	1	1	2	3	5	7	9
B. *Operated*										
0-19 YRS	6	2.3	6	<1	<1	1	3	7	7	7
20-34	18	1.7	1	<1	<1	1	2	3	4	4
35-49	26	2.9	6	1	1	2	4	8	8	9
50-64	26	3.4	9	1	1	3	3	7	11	15
65+	13	2.4	2	1	1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	3	1	1	3	5	5	6	6
20-34	94	3.4	6	1	1	3	4	7	7	13
35-49	243	3.4	5	1	1	3	4	6	8	11
50-64	515	3.9	8	1	1	3	5	7	8	15
65+	941	4.3	8	1	2	4	5	7	10	14
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	9	5.1	29	1	1	2	6	15	17	17
35-49	20	4.4	13	1	1	3	6	10	12	13
50-64	54	4.6	9	1	2	4	6	9	10	13
65+	80	6.7	54	1	2	4	8	12	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	2.7	3	1	1	2	3	5	6	8
B. *Operated*	89	2.7	6	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1809	4.0	8	1	2	3	5	7	9	14
B. *Operated*	166	5.6	33	1	2	4	7	11	13	38
1. SINGLE DX	547	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1975	4.2	10	1	2	3	5	7	10	15
A. NOT OPERATED	2267	3.8	7	1	1	3	5	7	8	14
B. OPERATED	255	4.6	25	1	1	3	5	10	12	25
TOTAL 0-19 YRS	33	2.8	3	<1	1	3	4	5	6	7
20-34	178	3.1	6	1	1	2	4	6	7	15
35-49	395	3.3	5	1	1	3	4	6	8	11
50-64	746	3.7	8	1	1	3	5	7	9	15
65+	1170	4.3	11	1	2	3	5	8	10	16
GRAND TOTAL	**2522**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	80	1.5		1	1	1	2	2	3	3
35-49	87	1.5		1	1	1	2	2	3	4
50-64	67	1.6	1	1	1	1	2	2	3	4
65+	32	1.7		1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	39	1.4		1	1	1	2	2	2	4
35-49	42	1.7	1	1	1	1	2	3	4	4
50-64	49	1.7	1	1	1	2	2	3	3	4
65+	26	2.1	2	1	1	2	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	271	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	158	1.7	1	1	1	1	2	3	4	4
1. SINGLE DX	272	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX	159	1.7	1	1	1	1	2	3	4	4
A. NOT OPERATED	2	3.0		3	3	3	3	3	3	3
B. OPERATED	429	1.6	1	1	1	1	2	2	3	4
TOTAL 0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	120	1.5		1	1	1	2	2	3	4
35-49	129	1.6	1	1	1	1	2	2	3	4
50-64	117	1.6	1	1	1	2	2	2	3	4
65+	58	1.8	1	1	1	2	2	3	3	8
GRAND TOTAL	**431**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	3	3	3
20-34	8	4.1	4	1	1	4	6	7	7	7
35-49	13	2.8	3	1	1	3	4	5	5	5
50-64	9	3.2	3	1	1	3	5	5	5	5
65+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	339	1.3		<1	<1	1	1	2	2	3
20-34	184	1.5	1	<1	1	1	2	3	3	8
35-49	132	1.6	1	<1	1	1	2	3	3	6
50-64	98	1.8	3	<1	1	1	2	3	4	11
65+	44	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	10	<1	1	3	5	10	11	12
20-34	17	4.0	9	<1	1	3	6	7	10	12
35-49	17	3.1	4	<1	<1	3	4	6	7	7
50-64	25	3.6	8	<1	1	3	4	6	11	13
65+	35	4.6	6	2	2	4	6	9	10	11
B. *Operated*										
0-19 YRS	332	1.7	4	<1	1	1	2	3	3	9
20-34	217	1.6	1	<1	1	1	2	3	3	6
35-49	191	1.9	2	<1	1	2	2	3	5	8
50-64	173	1.9	2	<1	1	2	2	3	4	9
65+	98	2.4	6	<1	1	2	3	4	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.0	3	1	1	3	4	5	6	7
B. *Operated*	797	1.5	1	<1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	120	4.0	8	<1	1	3	5	7	10	12
B. *Operated*	1011	1.8	3	<1	1	1	2	3	4	9
1. SINGLE DX	839	1.6	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	1131	2.0	4	<1	1	1	2	4	6	10
A. NOT OPERATED	162	3.7	6	<1	1	3	5	7	10	12
B. OPERATED	1808	1.7	2	<1	1	1	2	3	3	8
TOTAL 0-19 YRS	705	1.6	3	<1	1	1	2	2	3	9
20-34	426	1.7	2	<1	1	1	2	3	5	8
35-49	353	1.9	2	<1	1	2	2	3	5	8
50-64	305	2.1	3	<1	1	2	2	4	5	11
65+	181	2.7	6	<1	1	2	3	5	7	11
GRAND TOTAL	**1970**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	6.3	23	2	2	4	8	13	18	20
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	3	5.0	4	3	3	5	6	7	7	7
50-64										
65+	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.4	26	3	3	5	8	12	16	27
20-34	12	3.7	2	1	2	4	5	6	6	6
35-49	8	12.3	247	5	5	7	8	38	51	51
50-64	11	5.3	6	1	2	6	7	8	9	9
65+	13	8.3	14	2	4	8	10	13	16	17
B. *Operated*										
0-19 YRS	4	14.3	289	1	1	9	26	38	38	38
20-34	1	12.0		12	12	12	12	12	12	12
35-49	7	6.3	12	1	1	7	9	10	10	10
50-64	6	9.2	49	3	3	7	11	21	22	22
65+	6	15.7	460	2	2	8	11	54	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	6.0	20	2	2	4	8	12	17	20
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	75	6.8	43	2	3	5	8	11	15	45
B. *Operated*	24	10.9	167	1	2	8	11	24	44	59
1. SINGLE DX	51	6.0	20	2	2	4	8	12	17	20
2. MULTIPLE DX	99	7.8	75	1	2	6	9	12	20	55
A. NOT OPERATED	124	6.5	34	2	2	5	8	11	16	33
B. OPERATED	26	10.4	157	1	2	7	11	21	42	59
TOTAL 0-19 YRS	76	6.8	37	2	2	4	8	14	18	35
20-34	17	3.9	6	1	2	3	5	6	10	12
35-49	18	8.7	117	1	2	7	8	10	35	51
50-64	18	6.4	22	2	3	6	8	10	18	22
65+	21	10.4	136	2	4	8	11	14	36	59
GRAND TOTAL	**150**	**7.2**	**56**	**2**	**2**	**5**	**8**	**12**	**17**	**51**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.2	7	1	1	2	6	6	6	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	7	3.0	1	2	2	3	3	5	5	5
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	8	5.9	15	1	1	6	9	11	11	11
20-34	11	5.6	14	1	1	7	9	10	10	10
35-49	33	6.7	24	1	2	7	9	13	17	19
50-64	20	8.6	71	1	1	9	12	14	26	38
65+	8	8.9	52	1	1	8	13	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	1	1	1	2	3	4	4	4
20-34	15	3.3	11	1	1	2	3	4	12	15
35-49	45	4.9	12	1	2	4	6	8	10	22
50-64	62	7.4	114	1	2	4	8	14	18	72
65+	105	8.4	46	2	3	6	10	16	22	36
B. *Operated*										
0-19 YRS	14	5.3	20	1	1	3	8	11	15	16
20-34	27	9.7	73	1	2	8	13	22	28	37
35-49	115	10.1	94	1	2	9	12	22	30	51
50-64	212	9.4	106	1	1	7	12	20	31	61
65+	151	13.1	122	2	2	12	19	28	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.1	5	1	1	2	4	6	8	9
B. *Operated*	80	7.2	36	1	1	8	10	13	16	33
2. MULTIPLE DX										
A. *Not Operated*	237	6.9	56	1	2	5	8	14	20	33
B. *Operated*	519	10.6	107	1	2	9	15	22	31	54
1. SINGLE DX	97	6.4	33	1	1	5	9	12	15	30
2. MULTIPLE DX	756	9.4	94	1	2	7	13	21	29	45
A. NOT OPERATED	254	6.6	54	1	2	5	8	14	19	32
B. OPERATED	599	10.1	99	1	2	9	13	22	30	49
TOTAL 0-19 YRS	33	4.4	14	1	1	3	8	10	11	16
20-34	58	6.7	48	1	1	4	9	15	21	36
35-49	196	8.2	68	1	2	6	11	17	23	41
50-64	301	8.8	104	1	1	6	12	18	27	61
65+	265	11.1	94	2	2	8	16	23	30	44
GRAND TOTAL	**853**	**9.1**	**88**	**1**	**2**	**7**	**12**	**20**	**27**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.2	2	1	1	2	3	4	4	6
20-34	101	3.3	3	1	1	3	4	6	7	9
35-49	234	3.5	5	1	1	3	4	6	8	12
50-64	235	3.8	8	1	1	3	5	7	8	17
65+	139	3.8	5	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	17	2.8	5	<1	<1	2	3	6	8	9
35-49	37	3.0	6	1	1	2	3	7	8	10
50-64	44	3.6	11	<1	1	3	5	7	8	20
65+	16	5.4	41	<1	1	3	6	15	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	5	1	1	3	5	6	8	12
20-34	324	3.8	5	1	2	3	5	7	8	11
35-49	1031	4.3	10	1	2	4	5	8	10	18
50-64	1441	4.7	11	1	2	4	6	8	11	15
65+	1482	5.2	16	1	2	4	6	9	11	21
B. *Operated*										
0-19 YRS	21	5.0	19	1	1	3	7	9	15	20
20-34	70	4.7	13	1	1	4	7	10	13	17
35-49	171	5.7	23	1	2	4	7	12	14	24
50-64	260	5.6	20	1	1	4	8	11	13	22
65+	213	6.7	34	1	1	5	8	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	3.6	6	1	1	3	5	6	8	11
B. *Operated*	119	3.5	12	<1	1	2	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	4341	4.7	12	1	2	4	6	8	11	18
B. *Operated*	735	5.8	24	1	2	4	8	12	15	25
1. SINGLE DX	860	3.6	7	1	1	3	5	7	8	15
2. MULTIPLE DX	5076	4.9	14	1	2	4	6	9	11	20
A. NOT OPERATED	5082	4.5	11	1	2	4	6	8	10	17
B. OPERATED	854	5.5	23	1	1	4	7	11	14	24
TOTAL 0-19 YRS	121	3.4	7	1	1	3	4	7	8	14
20-34	512	3.8	6	1	1	3	5	7	8	13
35-49	1473	4.3	11	1	2	3	5	8	10	18
50-64	1980	4.7	12	1	2	4	6	9	11	18
65+	1850	5.3	17	1	2	4	7	10	12	23
GRAND TOTAL	**5936**	**4.7**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.2	6	2	2	5	7	8	8	8
35-49	21	4.6	6	1	2	4	6	8	10	11
50-64	44	4.7	7	2	2	4	6	7	9	15
65+	70	4.8	8	1	2	4	6	9	11	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	4.0	19	<1	<1	2	5	12	13	13
50-64	16	2.3	4	<1	<1	2	2	4	8	9
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	5	1	1	5	6	7	7	7
20-34	24	6.0	21	1	2	5	7	14	16	19
35-49	166	5.5	13	1	2	5	7	10	12	21
50-64	523	6.9	23	2	3	6	8	12	16	24
65+	1685	7.6	30	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	7.6	95	1	1	4	7	25	29	29
35-49	46	5.3	21	1	1	4	8	12	17	20
50-64	153	6.5	44	1	1	4	8	17	19	35
65+	220	11.0	101	2	2	9	14	21	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.7	7	1	2	4	6	8	10	14
B. *Operated*	26	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*	2403	7.3	28	2	3	6	9	13	17	27
B. *Operated*	427	8.7	77	1	2	6	11	18	24	40
1. SINGLE DX	166	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX	2830	7.5	35	2	2	6	9	14	18	31
A. NOT OPERATED	2543	7.1	27	2	3	6	9	13	17	27
B. OPERATED	453	8.4	75	1	2	6	11	18	24	38
TOTAL 0-19 YRS	6	4.3	4	1	1	5	5	7	7	7
20-34	36	6.2	31	1	2	5	7	13	18	29
35-49	240	5.3	14	1	2	4	7	10	12	20
50-64	736	6.5	26	1	2	5	8	13	17	27
65+	1978	7.9	39	2	3	6	10	15	19	32
GRAND TOTAL	**2996**	**7.3**	**34**	**2**	**2**	**6**	**9**	**14**	**18**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	6	4.0	6	2	2	3	7	7	7	7
50-64	8	4.8	9	1	1	4	7	9	10	10
65+	9	5.9	13	2	2	6	7	11	13	13
B. *Operated*										
0-19 YRS	8	4.9	14	1	1	4	6	11	13	13
20-34	10	4.5	14	1	1	3	5	11	11	11
35-49	21	3.5	10	1	1	3	4	6	10	16
50-64	17	4.0	12	1	1	3	5	11	11	11
65+	14	4.8	17	1	2	3	6	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.7	11	1	1	2	5	8	13	14
20-34	18	5.6	24	<1	1	3	10	13	15	17
35-49	49	5.3	16	1	1	4	8	10	14	18
50-64	88	6.7	42	2	2	4	8	12	16	40
65+	209	7.8	32	2	2	7	10	15	20	29
B. *Operated*										
0-19 YRS	17	10.6	67	1	2	9	15	19	28	33
20-34	64	7.8	71	1	2	5	9	17	29	40
35-49	123	10.3	76	2	2	8	14	23	29	41
50-64	202	8.4	50	2	2	6	11	18	23	37
65+	216	10.5	94	2	2	8	13	23	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.6	9	1	2	4	6	9	10	13
B. *Operated*	70	4.2	12	1	1	3	5	11	11	16
2. MULTIPLE DX										
A. *Not Operated*	407	6.7	31	1	2	5	9	13	17	29
B. *Operated*	622	9.5	74	2	2	7	13	20	28	39
1. SINGLE DX	99	4.3	11	1	1	3	6	10	11	16
2. MULTIPLE DX	1029	8.4	59	2	2	6	11	18	24	38
A. NOT OPERATED	436	6.6	30	1	2	5	9	13	16	28
B. OPERATED	692	9.0	70	2	2	6	12	19	26	38
TOTAL 0-19 YRS	71	5.5	32	1	1	4	6	14	15	30
20-34	95	6.9	55	1	1	4	9	14	20	39
35-49	199	8.2	60	1	2	5	10	18	25	36
50-64	315	7.6	46	2	2	5	10	17	21	38
65+	448	9.0	63	2	2	7	11	19	25	38
GRAND TOTAL	**1128**	**8.1**	**56**	**1**	**2**	**6**	**10**	**17**	**23**	**37**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	7.2	9	1	3	7	10	10	11	12
35-49	245	7.4	9	2	3	8	10	11	12	14
50-64	624	7.8	10	2	3	8	10	12	13	15
65+	492	8.7	29	3	4	8	10	13	14	20
B. *Operated*										
0-19 YRS										
20-34	13	7.2	12	3	3	7	10	12	13	13
35-49	121	8.2	11	2	4	8	10	13	13	18
50-64	134	8.5	13	2	4	8	10	13	16	19
65+	55	9.9	34	1	2	9	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.4	19	1	2	7	9	14	16	16
20-34	47	7.5	11	2	4	8	9	10	13	20
35-49	922	8.4	16	2	4	8	10	12	14	19
50-64	3218	9.1	17	3	5	9	11	14	16	24
65+	7773	10.3	27	4	6	9	12	16	19	29
B. *Operated*										
0-19 YRS	2	13.5	41	9	9	13	18	18	18	18
20-34	63	9.1	35	2	3	8	11	14	19	33
35-49	855	9.8	39	2	4	9	12	15	18	32
50-64	1871	11.2	46	3	5	10	13	19	23	34
65+	1718	14.5	81	5	7	13	17	25	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1381	8.1	17	2	4	8	10	12	13	17
B. *Operated*	323	8.5	16	2	3	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	11969	9.8	24	4	5	9	11	15	18	28
B. *Operated*	4509	12.2	61	3	5	11	14	21	26	42
1. SINGLE DX	1704	8.1	17	2	4	8	10	12	13	18
2. MULTIPLE DX	16478	10.4	35	4	5	9	12	16	21	32
A. NOT OPERATED	13350	9.6	23	3	5	9	11	14	17	27
B. OPERATED	4832	11.9	59	3	5	10	14	20	25	40
TOTAL 0-19 YRS	11	8.5	25	1	3	8	11	17	18	18
20-34	143	8.2	22	2	3	8	10	13	15	33
35-49	2143	8.8	25	2	3	8	11	13	16	25
50-64	5847	9.6	27	3	5	9	11	15	18	28
65+	10038	10.9	39	4	6	10	13	17	22	34
GRAND TOTAL	**18182**	**10.2**	**34**	**3**	**5**	**9**	**12**	**16**	**20**	**32**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	2.6	1	1	2	2	3	4	5	5
35-49	195	2.8	3	1	1	2	4	5	6	10
50-64	336	2.9	3	1	1	3	4	5	6	8
65+	310	3.3	4	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	51	2.7	3	1	1	2	4	5	6	8
50-64	86	2.4	3	1	1	2	3	5	6	9
65+	42	3.9	14	1	1	2	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	11	1	1	4	8	9	9	9
20-34	91	3.7	9	1	1	3	4	7	8	19
35-49	1087	3.6	5	1	1	3	4	7	8	11
50-64	3031	4.1	8	1	2	3	5	7	9	14
65+	6012	4.7	10	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	35	5.1	12	1	2	4	7	10	13	15
35-49	593	4.1	13	1	1	3	5	9	11	16
50-64	1739	5.1	23	1	1	3	7	11	14	21
65+	1278	6.4	42	1	1	4	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	3.0	3	1	1	3	4	5	6	8
B. *Operated*	181	2.9	5	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	10228	4.4	9	1	2	4	5	8	9	15
B. *Operated*	3647	5.4	29	1	1	3	8	12	15	26
1. SINGLE DX	1045	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	13875	4.7	14	1	2	4	6	9	11	19
A. NOT OPERATED	11092	4.3	8	1	2	4	5	7	9	15
B. OPERATED	3828	5.3	28	1	1	3	7	12	15	25
TOTAL 0-19 YRS	10	4.1	9	1	1	3	6	9	9	9
20-34	150	3.8	9	1	1	3	5	7	9	17
35-49	1926	3.7	7	1	1	3	4	7	9	13
50-64	5192	4.4	13	1	1	3	5	8	11	17
65+	7642	4.9	16	1	2	4	6	9	12	20
GRAND TOTAL	**14920**	**4.5**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	2.6	3	1	1	2	3	5	7	8
35-49	162	3.5	5	1	1	3	4	6	8	11
50-64	409	3.5	4	1	1	3	5	6	7	11
65+	638	4.0	5	1	2	4	5	7	8	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	42	4.2	7	1	2	4	5	8	10	11
50-64	93	5.5	17	1	1	4	7	10	15	20
65+	59	4.8	11	1	1	5	7	9	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.8	9	2	2	6	7	11	12	12
20-34	56	3.8	4	2	2	3	5	7	8	8
35-49	1030	4.1	8	1	2	4	5	7	8	12
50-64	3999	4.6	7	2	2	4	6	8	9	14
65+	10124	5.3	10	2	2	5	6	9	11	17
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	26	5.6	17	1	2	5	7	12	14	19
35-49	648	6.9	28	1	2	6	9	13	16	27
50-64	2137	7.6	31	1	2	7	10	14	17	26
65+	2295	9.7	61	2	2	8	13	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1224	3.8	5	1	2	3	5	6	8	11
B. *Operated*	194	5.0	13	1	1	4	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	15228	5.0	9	2	2	4	6	8	10	16
B. *Operated*	5108	8.4	45	2	2	7	11	16	20	33
1. SINGLE DX	1418	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	20336	5.9	21	2	2	5	7	11	14	23
A. NOT OPERATED	16452	4.9	9	2	2	4	6	8	10	16
B. OPERATED	5302	8.3	45	2	2	7	11	16	20	33
TOTAL 0-19 YRS	22	5.7	10	1	2	5	7	11	12	12
20-34	96	4.1	8	1	2	3	5	8	9	16
35-49	1882	5.0	16	1	2	4	6	9	12	21
50-64	6638	5.5	17	1	2	4	7	10	13	20
65+	13116	6.0	22	2	2	5	7	11	14	24
GRAND TOTAL	**21754**	**5.8**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**23**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	1	4	4	5	5	6	6	6
35-49	35	3.0	2	<1	1	3	4	5	5	7
50-64	56	3.1	5	1	1	3	4	5	7	12
65+	48	4.7	36	<1	1	4	5	7	10	42
B. *Operated*										
0-19 YRS	6	2.7	5	<1	<1	2	3	7	7	7
20-34	15	3.7	8	1	1	3	5	9	9	9
35-49	355	4.0	12	1	1	2	6	9	11	18
50-64	877	4.3	16	1	1	2	7	10	12	18
65+	321	5.1	21	1	1	3	8	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	16	4.2	7	1	1	4	5	9	10	10
35-49	273	4.3	8	1	2	4	5	8	10	14
50-64	884	4.5	10	1	2	4	6	8	11	17
65+	1184	5.6	16	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	15	6.1	37	1	1	4	10	15	19	21
20-34	78	5.6	22	1	1	4	8	12	14	24
35-49	1602	5.4	24	1	1	3	8	11	14	23
50-64	4805	6.5	34	1	2	4	9	13	17	27
65+	3445	8.2	55	1	2	7	12	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.7	15	<1	1	3	4	6	7	15
B. *Operated*	1574	4.4	16	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2360	5.0	13	1	2	4	6	9	12	18
B. *Operated*	9945	6.9	41	1	2	5	10	14	18	29
1. SINGLE DX	1717	4.3	16	1	1	2	7	10	12	17
2. MULTIPLE DX	12305	6.5	36	1	2	5	9	14	17	28
A. NOT OPERATED	2503	4.9	13	1	2	4	6	9	12	18
B. OPERATED	11519	6.6	38	1	1	4	9	14	17	28
TOTAL 0-19 YRS	24	5.1	26	<1	1	3	6	13	17	21
20-34	113	5.1	18	1	1	4	8	10	13	21
35-49	2265	5.0	20	1	1	3	8	11	13	21
50-64	6622	5.9	29	1	1	4	9	12	15	25
65+	4998	7.3	45	1	2	5	10	15	19	31
GRAND TOTAL	**14022**	**6.3**	**34**	**1**	**2**	**4**	**9**	**13**	**16**	**27**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	49	6.8	7	2	3	7	8	10	11	13
35-49	65	7.7	11	1	3	8	10	12	13	15
50-64	59	8.2	13	3	4	8	11	13	15	18
65+	83	9.3	14	4	5	9	12	13	16	21
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	8.1	26	2	3	6	10	16	19	19
35-49	9	9.7	9	6	6	9	11	14	16	16
50-64	11	9.0	20	1	3	9	10	16	18	18
65+	10	9.1	9	5	6	8	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.7	39	1	2	9	15	18	18	18
20-34	93	8.7	14	3	5	8	10	12	14	24
35-49	203	9.6	15	4	5	9	12	14	16	24
50-64	435	10.5	35	4	6	10	12	15	19	32
65+	1008	11.2	29	5	6	10	13	17	20	31
B. *Operated*										
0-19 YRS	6	12.2	49	5	5	11	15	23	24	24
20-34	40	11.2	33	4	5	10	13	17	21	35
35-49	66	12.0	60	6	7	10	14	19	28	91
50-64	119	14.5	70	7	7	12	18	25	31	43
65+	243	15.5	124	5	7	12	19	26	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	8.2	12	3	4	8	10	12	14	19
B. *Operated*	40	9.0	15	3	5	9	10	14	17	19
2. MULTIPLE DX										
A. *Not Operated*	1746	10.7	29	4	6	10	13	16	19	30
B. *Operated*	474	14.3	95	5	7	11	17	24	34	61
1. SINGLE DX	298	8.3	13	3	4	8	10	13	14	19
2. MULTIPLE DX	2220	11.5	45	5	6	10	13	18	23	39
A. NOT OPERATED	2004	10.4	27	4	5	10	12	15	18	29
B. OPERATED	514	13.9	90	5	7	11	17	23	32	59
TOTAL 0-19 YRS	16	10.6	33	2	5	9	14	18	22	24
20-34	191	8.7	19	3	4	8	10	13	16	27
35-49	343	9.7	24	4	5	9	12	14	17	27
50-64	624	11.0	43	4	6	10	13	17	22	35
65+	1344	11.9	48	5	6	10	14	18	23	41
GRAND TOTAL	**2518**	**11.1**	**42**	**4**	**6**	**10**	**13**	**17**	**21**	**38**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	14.5	313	2	2	14	27	27	27	27
35-49	2	18.0	32	14	14	18	22	22	22	22
50-64	4	18.8	133	2	2	22	26	28	28	28
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	32.0		32	32	32	32	32	32	32
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	14.0	32	10	10	14	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	20.1	266	1	3	15	33	43	45	46
20-34	27	15.7	127	1	2	15	21	30	37	45
35-49	16	28.9	189	9	15	26	43	47	49	50
50-64	41	20.8	151	4	7	17	30	41	44	47
65+	62	25.1	156	7	10	23	36	44	48	94
B. *Operated*										
0-19 YRS	4	36.8	361	9	9	43	48	52	52	52
20-34	28	33.8	271	11	17	31	43	53	70	85
35-49	21	29.5	174	7	12	31	36	47	56	58
50-64	21	31.1	221	9	15	31	40	51	62	63
65+	37	27.8	205	9	11	25	42	48	54	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	17.0	98	2	2	21	25	28	28	28
B. *Operated*	5	19.8	107	10	10	18	30	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	160	22.3	174	3	6	20	31	43	46	53
B. *Operated*	111	30.6	222	10	13	30	41	50	58	75
1. SINGLE DX	14	18.0	95	2	2	19	27	29	31	32
2. MULTIPLE DX	271	25.7	209	4	8	25	35	45	50	67
A. NOT OPERATED	169	22.0	171	3	6	20	31	43	46	52
B. OPERATED	116	30.1	221	10	11	29	40	49	57	74
TOTAL 0-19 YRS	19	24.1	302	2	3	27	42	45	49	52
20-34	58	24.6	275	2	4	22	33	44	52	84
35-49	40	28.2	178	8	12	28	36	46	52	58
50-64	68	23.6	189	2	8	21	31	43	45	63
65+	100	26.0	174	7	11	24	36	45	51	79
GRAND TOTAL	**285**	**25.3**	**206**	**4**	**8**	**24**	**33**	**45**	**50**	**66**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	4	1	1	2	3	4	7	10
20-34	33	2.0	1	1	1	2	2	3	4	6
35-49	42	2.2	2	<1	<1	2	3	4	5	6
50-64	72	3.1	51	1	1	2	3	4	5	91
65+	44	2.6	2	1	1	2	4	4	5	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	3.4	5	1	1	3	5	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.8	5	<1	1	2	4	5	7	12
20-34	43	3.0	4	1	1	2	4	6	8	10
35-49	136	3.0	3	1	1	3	4	5	6	8
50-64	255	4.2	14	1	1	3	5	8	10	27
65+	595	5.1	33	1	2	4	6	9	13	24
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	13	3.7	1	2	2	4	4	5	6	6
50-64	32	6.2	18	2	2	5	8	14	15	17
65+	49	9.3	102	2	3	7	10	17	28	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.6	19	1	1	2	3	4	5	28
B. *Operated*	6	3.2	5	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1058	4.5	23	1	1	3	5	8	11	22
B. *Operated*	101	7.2	60	1	2	5	8	14	18	50
1. SINGLE DX	221	2.6	18	1	1	2	3	4	5	25
2. MULTIPLE DX	1159	4.7	27	1	1	4	6	8	12	24
A. NOT OPERATED	1273	4.2	23	1	1	3	5	8	10	22
B. OPERATED	107	6.9	58	1	2	5	8	14	17	49
TOTAL 0-19 YRS	56	2.7	4	1	1	2	3	4	7	12
20-34	80	2.6	4	1	1	2	3	5	7	10
35-49	191	2.8	3	1	1	3	4	5	6	8
50-64	364	4.1	22	1	1	3	5	8	10	29
65+	689	5.3	37	1	2	4	6	9	13	28
GRAND TOTAL	**1380**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	5	1	1	2	3	7	8	8
20-34	63	1.9	3	<1	1	1	2	4	6	8
35-49	116	2.1	2	<1	1	2	3	3	4	8
50-64	220	2.7	4	1	1	2	3	5	7	11
65+	243	3.0	5	1	1	2	4	6	7	13
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	2.9	4	<1	<1	2	4	6	6	6
65+	6	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	11	1	1	3	5	10	12	12
20-34	110	2.8	6	1	1	2	4	5	6	14
35-49	316	3.8	8	1	1	3	5	8	9	15
50-64	1421	4.1	10	1	1	3	5	8	10	16
65+	4481	5.4	18	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	3	7.3	36	1	1	8	12	13	13	13
20-34	4	5.3	9	2	2	5	7	9	9	9
35-49	31	7.3	43	1	2	5	8	17	20	31
50-64	175	6.9	38	2	2	6	8	12	16	36
65+	450	9.8	75	2	3	7	12	19	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	649	2.6	4	1	1	2	3	5	7	10
B. *Operated*	16	3.1	3	<1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	6362	5.0	16	1	2	4	6	9	12	20
B. *Operated*	663	8.9	65	2	2	7	11	18	23	39
1. SINGLE DX	665	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	7025	5.4	22	1	2	4	7	10	13	23
A. NOT OPERATED	7011	4.8	15	1	1	4	6	9	12	20
B. OPERATED	679	8.8	64	2	2	7	11	18	23	38
TOTAL 0-19 YRS	45	3.9	11	1	1	3	5	10	12	13
20-34	177	2.6	5	<1	1	2	3	5	6	14
35-49	464	3.6	10	1	1	3	4	7	9	17
50-64	1824	4.2	13	1	1	3	5	8	11	18
65+	5180	5.7	24	1	2	4	7	11	14	24
GRAND TOTAL	**7690**	**5.1**	**21**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.1	7	1	1	2	3	5	8	18
20-34	83	2.4	3	<1	1	2	3	4	6	8
35-49	166	2.8	3	1	1	3	3	5	6	9
50-64	194	3.0	3	1	1	3	4	5	6	9
65+	206	3.8	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	9	3.9	7	2	2	2	6	8	9	9
20-34	13	5.9	19	1	2	4	9	13	15	15
35-49	25	4.3	9	1	2	3	5	8	11	15
50-64	53	4.5	8	1	1	4	6	8	10	14
65+	171	5.2	16	1	2	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.5	12	1	1	3	4	6	8	21
20-34	292	3.9	38	1	1	3	4	6	8	12
35-49	687	3.8	7	1	1	3	5	7	8	12
50-64	1857	4.6	12	1	2	4	6	8	10	18
65+	5335	5.7	18	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	38	7.1	128	1	1	4	7	9	32	60
20-34	45	5.6	23	2	2	4	7	11	15	25
35-49	170	6.4	68	1	2	5	8	12	18	99
50-64	621	7.6	57	2	2	6	9	14	20	32
65+	2879	8.3	40	2	3	7	10	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	3.1	5	1	1	3	4	6	7	12
B. *Operated*	271	5.0	14	1	2	4	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	8284	5.2	17	1	2	4	7	9	12	20
B. *Operated*	3753	8.1	45	2	3	6	10	15	19	36
1. SINGLE DX	970	3.6	8	1	1	3	4	7	9	14
2. MULTIPLE DX	12037	6.1	28	1	2	5	7	11	15	26
A. NOT OPERATED	8983	5.1	16	1	2	4	6	9	12	19
B. OPERATED	4024	7.9	44	2	2	6	10	15	19	34
TOTAL 0-19 YRS	210	4.1	33	1	1	3	5	7	9	36
20-34	433	3.8	30	1	1	3	4	7	9	16
35-49	1048	4.1	17	1	1	3	5	7	10	18
50-64	2725	5.2	24	1	2	4	6	10	13	23
65+	8591	6.6	27	2	2	5	8	12	15	28
GRAND TOTAL	**13007**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	6	1	1	6	6	7	7	7
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	17	4.0	10	<1	1	3	5	9	12	13
50-64	128	5.0	10	1	2	4	6	10	12	14
65+	507	5.6	22	2	2	4	7	10	13	28
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	5	10.8	36	2	2	12	15	17	17	17
65+	8	8.9	38	2	2	7	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.5	17	1	2	4	8	11	13	19
20-34	103	6.1	19	2	2	5	7	10	13	27
35-49	718	6.3	19	2	2	5	8	11	14	25
50-64	4084	6.9	26	2	3	6	8	12	15	27
65+	18539	7.7	33	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	34	14.3	174	2	3	11	22	34	60	99+
20-34	34	7.7	58	<1	<1	5	10	17	24	34
35-49	156	10.5	116	1	2	8	13	20	33	52
50-64	560	11.1	81	2	3	9	14	20	27	45
65+	1832	13.7	111	3	4	11	17	26	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	5.4	19	1	2	4	7	10	13	27
B. *Operated*	17	8.2	33	2	2	5	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	23595	7.5	31	2	3	6	9	13	17	29
B. *Operated*	2616	12.9	107	2	4	10	16	25	34	55
1. SINGLE DX	676	5.5	20	1	2	4	7	10	13	27
2. MULTIPLE DX	26211	8.0	41	2	3	6	10	15	19	34
A. NOT OPERATED	24254	7.4	31	2	3	6	9	13	17	29
B. OPERATED	2633	12.9	106	2	4	10	16	25	34	55
TOTAL 0-19 YRS	191	7.1	55	1	2	5	9	14	22	55
20-34	140	6.5	28	1	2	5	8	12	16	33
35-49	893	7.0	39	2	2	5	8	13	17	33
50-64	4777	7.4	34	2	3	6	9	13	17	30
65+	20886	8.2	43	2	3	7	10	15	20	34
GRAND TOTAL	**26887**	**8.0**	**41**	**2**	**3**	**6**	**10**	**15**	**19**	**34**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.7	6	<1	1	3	5	7	9	11
20-34	116	3.2	4	1	1	3	4	6	7	10
35-49	119	3.3	4	1	1	3	4	6	8	9
50-64	96	3.8	4	2	2	3	5	6	7	10
65+	53	5.8	20	2	2	4	8	12	15	20
B. *Operated*										
0-19 YRS	42	3.0	7	1	1	2	3	8	9	11
20-34	34	5.2	28	1	1	2	8	13	16	20
35-49	112	4.1	22	1	1	2	5	10	15	23
50-64	143	5.2	48	1	1	2	7	12	17	38
65+	60	5.2	32	1	1	2	6	13	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	5.3	30	1	1	4	7	10	14	33
20-34	288	4.3	15	1	1	3	5	8	10	21
35-49	582	5.2	14	1	2	4	6	10	13	19
50-64	965	6.5	22	2	2	5	8	12	16	23
65+	1479	7.7	33	2	3	6	9	14	18	33
B. *Operated*										
0-19 YRS	97	10.3	169	1	1	7	12	33	42	81
20-34	130	8.9	64	1	2	7	12	17	29	37
35-49	444	7.2	79	1	2	4	9	15	22	49
50-64	943	8.6	95	1	2	5	12	19	24	48
65+	1004	10.1	92	2	2	8	14	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	3.8	6	1	1	3	5	7	8	14
B. *Operated*	391	4.6	32	1	1	2	6	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	3434	6.6	27	2	2	5	8	12	16	27
B. *Operated*	2618	9.0	93	1	2	6	12	19	26	49
1. SINGLE DX	810	4.2	19	1	1	3	5	9	12	22
2. MULTIPLE DX	6052	7.6	57	1	2	5	10	16	21	37
A. NOT OPERATED	3853	6.3	25	1	2	5	8	12	15	25
B. OPERATED	3009	8.4	87	1	2	6	11	18	25	47
TOTAL 0-19 YRS	294	6.4	77	1	1	3	8	13	26	55
20-34	568	5.2	29	1	1	3	6	11	15	30
35-49	1257	5.6	38	1	2	4	7	11	15	32
50-64	2147	7.2	57	1	2	5	9	15	20	37
65+	2596	8.5	58	2	2	7	11	17	23	36
GRAND TOTAL	**6862**	**7.2**	**54**	**1**	**2**	**5**	**9**	**15**	**20**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	4	4.0	6	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.8	6	1	1	4	5	7	7	7
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	23	3.6	4	1	2	3	5	6	8	10
50-64	89	4.6	10	2	2	3	6	10	10	17
65+	195	5.8	16	2	2	4	8	11	14	20
B. *Operated*										
0-19 YRS										
20-34	4	5.0	18	2	2	4	8	11	11	11
35-49	24	5.0	25	1	1	3	6	14	16	18
50-64	88	5.6	46	1	1	3	7	12	14	43
65+	67	8.9	78	1	1	6	11	20	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	7	1	1	4	7	7	7	7
B. *Operated*	8	3.0	5	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	309	5.3	14	2	2	4	7	10	12	19
B. *Operated*	183	6.7	57	1	1	4	9	14	19	40
1. SINGLE DX	14	3.4	6	1	1	3	5	7	7	7
2. MULTIPLE DX	492	5.8	30	1	2	4	7	11	16	32
A. NOT OPERATED	315	5.3	14	2	2	4	7	10	12	19
B. OPERATED	191	6.5	55	1	1	4	8	14	18	40
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	5.4	14	2	2	5	8	11	11	11
35-49	48	4.2	15	1	1	3	5	10	14	18
50-64	184	5.0	27	1	2	3	6	10	13	29
65+	268	6.5	33	1	2	5	8	12	17	35
GRAND TOTAL	**506**	**5.7**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	8.8	88	<1	<1	7	16	20	20	20
50-64	4	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	13	15.7	127	2	3	14	21	36	37	37
35-49	30	13.2	71	1	2	12	19	23	24	38
50-64	27	13.9	82	1	3	14	18	26	30	38
65+	5	18.0	214	4	4	12	30	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	21	3	3	3	9	11	11	11
20-34	2	8.5	113	1	1	8	16	16	16	16
35-49	5	11.6	161	<1	<1	11	18	32	32	32
50-64	13	8.5	77	1	1	7	9	22	30	32
65+	22	13.2	97	1	2	11	19	26	35	39
B. *Operated*										
0-19 YRS	7	20.6	167	10	10	20	23	42	47	47
20-34	24	16.4	75	6	8	14	19	32	36	36
35-49	47	22.4	232	5	7	19	32	44	63	99+
50-64	76	22.6	225	2	9	20	30	46	66	99+
65+	53	23.9	311	3	8	21	28	43	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.9	44	<1	<1	1	11	16	20	20
B. *Operated*	77	14.0	89	1	2	13	19	26	37	39
2. MULTIPLE DX										
A. *Not Operated*	45	11.0	92	<1	1	8	16	23	32	39
B. *Operated*	207	22.1	230	4	8	19	28	42	65	99+
1. SINGLE DX	88	13.0	90	1	1	12	18	24	36	39
2. MULTIPLE DX	252	20.1	223	2	4	17	26	40	60	99+
A. NOT OPERATED	56	10.0	86	<1	1	8	14	21	32	39
B. OPERATED	284	19.9	205	2	5	17	25	38	49	99+
TOTAL 0-19 YRS	14	14.0	129	3	3	11	20	25	42	47
20-34	40	15.5	92	2	4	14	19	34	36	37
35-49	86	17.9	186	1	3	15	23	38	45	90
50-64	120	18.4	204	1	2	16	25	37	52	99+
65+	80	20.6	265	2	4	19	26	39	65	97
GRAND TOTAL	**340**	**18.3**	**198**	**1**	**3**	**16**	**24**	**37**	**47**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	30.3	212	15	15	32	41	44	44	44
50-64	1	23.0		23	23	23	23	23	23	23
65+	3	8.3		8	8	8	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	4	43.5	963	18	18	38	69	81	81	81
35-49	5	37.6	549	18	19	33	78	98	99+	99+
50-64	8	32.1	478	8	9	28	50	61	64	64
65+	4	46.0	450	20	22	63	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	19.9	194	8	8	15	30	42	44	44
B. *Operated*	21	38.2	522	11	14	39	65	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	28	33.6	495	8	9	32	58	88	99+	99+
A. NOT OPERATED	7	19.9	194	8	8	15	30	42	44	44
B. OPERATED	21	38.2	522	11	14	39	65	99+	99+	99+
TOTAL 0-19 YRS										
20-34	4	43.5	963	18	18	38	69	81	81	81
35-49	8	34.9	388	15	16	32	52	91	99+	99+
50-64	9	31.1	428	8	10	23	48	60	64	64
65+	7	29.9	630	8	8	38	75	99+	99+	99+
GRAND TOTAL	**28**	**33.6**	**495**	**8**	**9**	**32**	**58**	**88**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	97	1	1	5	14	25	25	25
20-34										
35-49	3	8.7	80	3	3	4	15	19	19	19
50-64	15	8.3	128	1	1	5	7	24	38	43
65+	25	7.6	26	1	1	7	11	16	17	18
B. *Operated*										
0-19 YRS	12	7.0	13	3	3	6	10	12	13	13
20-34	12	8.1	18	2	3	7	11	15	15	15
35-49	12	11.4	42	6	6	9	16	22	24	24
50-64	35	9.0	49	2	3	7	11	15	26	35
65+	46	10.2	64	5	5	8	11	17	19	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	10	13.4	254	2	3	7	15	37	56	56
35-49	36	9.5	103	1	2	5	11	29	32	40
50-64	104	11.3	73	2	3	9	15	21	30	71
65+	433	12.2	111	2	3	9	15	23	30	56
B. *Operated*										
0-19 YRS	20	15.7	115	3	4	13	23	29	37	45
20-34	20	18.1	278	1	3	11	24	42	57	66
35-49	33	21.8	390	4	6	17	27	58	81	99+
50-64	88	18.2	248	3	4	13	25	40	47	78
65+	228	19.7	271	4	6	15	25	35	47	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	8.0	63	1	1	6	11	18	24	43
B. *Operated*	117	9.4	48	3	4	8	11	16	20	41
2. MULTIPLE DX										
A. *Not Operated*	587	11.9	106	2	3	9	15	23	31	56
B. *Operated*	389	19.3	267	4	5	14	25	39	52	90
1. SINGLE DX	165	9.0	52	1	3	7	11	17	22	42
2. MULTIPLE DX	976	14.8	183	3	4	11	19	31	40	83
A. NOT OPERATED	635	11.6	104	2	3	9	15	23	30	56
B. OPERATED	506	17.0	233	4	5	12	21	34	46	89
TOTAL 0-19 YRS	41	11.2	89	2	3	9	13	25	29	45
20-34	42	14.1	208	2	3	9	15	34	52	66
35-49	84	14.6	236	2	3	8	20	33	54	94
50-64	242	13.3	150	2	3	9	17	30	41	65
65+	732	14.3	169	3	4	11	18	28	35	79
GRAND TOTAL	**1141**	**14.0**	**168**	**2**	**4**	**10**	**18**	**29**	**39**	**79**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	265	2	2	13	25	25	25	25
20-34	1	6.0		6	6	6	6	6	6	6
35-49	14	23.1	434	2	6	16	28	55	74	80
50-64	49	11.0	57	2	4	9	13	20	28	39
65+	155	15.6	132	5	6	13	19	28	34	99
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	2	36.0	242	25	25	36	47	47	47	47
35-49	5	23.6	110	8	9	26	37	94	99+	99+
50-64	31	24.4	429	7	7	14	38	55	69	85
65+	46	19.2	174	5	7	17	24	36	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	221	15.0	140	3	6	12	19	28	34	94
B. *Operated*	85	21.8	266	6	7	19	28	47	58	95
1. SINGLE DX										
2. MULTIPLE DX	306	16.9	184	4	6	13	21	31	48	95
A. NOT OPERATED	221	15.0	140	3	6	12	19	28	34	94
B. OPERATED	85	21.8	266	6	7	19	28	47	58	95
TOTAL 0-19 YRS	3	17.3	176	2	2	25	25	25	25	25
20-34	3	26.0	421	6	6	25	41	47	47	47
35-49	19	23.3	338	4	7	20	30	66	90	99+
50-64	80	16.2	241	3	5	10	19	40	52	80
65+	201	16.4	143	5	6	13	20	29	42	96
GRAND TOTAL	**306**	**16.9**	**184**	**4**	**6**	**13**	**21**	**31**	**48**	**95**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	8	4.6	35	<1	<1	2	4	15	19	19
65+	24	4.9	52	<1	1	3	6	8	17	37
B. *Operated*										
0-19 YRS										
20-34										
35-49	29	5.1	7	1	2	4	6	9	10	14
50-64	239	4.9	6	1	2	5	6	9	10	12
65+	477	5.1	9	1	2	5	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	7.0		7	7	7	7	7	7	7
35-49	12	4.7	9	2	2	4	7	9	11	11
50-64	84	4.6	14	1	2	3	6	10	13	17
65+	296	5.6	19	1	2	4	7	11	13	26
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.8	57	1	1	3	5	19	21	21
35-49	84	6.3	27	2	2	5	8	11	15	33
50-64	926	6.6	28	2	2	5	8	12	16	24
65+	2251	7.0	32	2	2	6	9	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	45	<1	1	3	5	8	17	37
B. *Operated*	745	5.0	8	1	2	5	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	395	5.4	18	1	2	4	7	10	13	24
B. *Operated*	3268	6.9	31	2	2	6	8	13	16	27
1. SINGLE DX	778	5.0	10	1	2	5	6	9	11	15
2. MULTIPLE DX	3663	6.7	30	2	2	5	8	12	16	26
A. NOT OPERATED	428	5.3	20	1	2	4	7	10	13	25
B. OPERATED	4013	6.5	27	2	2	5	8	12	15	24
TOTAL 0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	8	5.6	42	1	1	3	6	17	21	21
35-49	125	5.8	21	2	2	5	7	10	13	24
50-64	1257	6.1	23	2	2	5	7	11	15	23
65+	3048	6.6	28	2	2	5	8	12	15	25
GRAND TOTAL	**4441**	**6.4**	**26**	**2**	**2**	**5**	**8**	**12**	**15**	**24**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	15	15.5	675	1	2	6	13	83	95	99+
65+	49	9.5	37	3	4	7	12	19	24	29
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	6	11.3	50	4	4	10	18	21	21	21
50-64	51	10.9	107	4	4	8	12	21	26	67
65+	147	11.3	102	3	4	8	15	24	30	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	65	10.9	182	2	3	7	12	21	38	97
B. *Operated*	208	11.1	100	3	4	8	13	23	28	66
1. SINGLE DX										
2. MULTIPLE DX	273	11.0	119	2	4	8	13	23	29	81
A. NOT OPERATED	65	10.9	182	2	3	7	12	21	38	97
B. OPERATED	208	11.1	100	3	4	8	13	23	28	66
TOTAL 0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	7	11.0	43	4	4	9	17	20	21	21
50-64	66	12.0	231	2	3	8	12	24	68	97
65+	196	10.8	86	3	4	8	13	23	28	63
GRAND TOTAL	**273**	**11.0**	**119**	**2**	**4**	**8**	**13**	**23**	**29**	**81**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	5.0	3	3	3	6	6	6	6	6
35-49	23	5.8	10	1	2	5	8	10	11	12
50-64	80	5.8	20	2	2	5	7	10	13	28
65+	238	7.3	44	2	2	6	9	14	20	32
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	7.0	25	2	2	7	11	12	12	12
35-49	10	8.3	26	2	2	8	13	15	15	15
50-64	23	4.8	21	1	1	4	6	9	15	22
65+	15	7.3	67	2	2	4	11	17	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	10.5	90	1	2	7	14	24	33	37
20-34	29	8.0	23	2	2	8	11	15	17	19
35-49	166	8.1	57	2	3	6	9	15	20	46
50-64	862	8.7	66	2	3	7	10	16	21	46
65+	4310	9.8	59	3	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	6	11.7	71	3	3	10	17	24	25	25
20-34	24	13.8	113	2	4	11	21	26	36	47
35-49	66	10.1	112	2	3	8	11	20	26	69
50-64	247	11.0	113	2	3	8	14	23	32	70
65+	660	14.8	157	3	4	11	19	33	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	6.8	36	2	2	5	8	12	18	30
B. *Operated*	52	6.3	36	1	2	4	8	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	5384	9.5	60	2	3	8	12	18	23	41
B. *Operated*	1003	13.5	144	3	4	10	17	28	40	89
1. SINGLE DX	398	6.7	36	2	2	5	8	12	17	30
2. MULTIPLE DX	6387	10.2	75	2	3	8	12	19	26	48
A. NOT OPERATED	5730	9.4	59	2	3	8	11	17	23	41
B. OPERATED	1055	13.1	141	2	3	9	17	28	39	82
TOTAL 0-19 YRS	26	9.8	81	1	2	6	14	24	28	37
20-34	59	10.2	67	2	2	8	13	21	24	46
35-49	265	8.4	66	2	3	7	9	16	22	46
50-64	1212	8.9	74	2	3	7	10	17	23	51
65+	5223	10.3	74	3	3	8	13	19	26	47
GRAND TOTAL	**6785**	**10.0**	**74**	**2**	**3**	**8**	**12**	**19**	**26**	**48**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	10.1	30	2	4	10	13	19	21	21
20-34	6	5.5	6	3	3	5	6	10	10	10
35-49	60	12.4	115	3	4	10	16	22	36	56
50-64	351	13.8	157	3	4	10	17	28	42	77
65+	1791	12.4	91	3	4	10	15	23	30	60
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	14	16.1	124	4	6	11	25	35	35	35
35-49	28	13.6	196	2	4	9	17	32	74	99+
50-64	90	17.0	245	4	5	12	22	42	62	99+
65+	271	17.3	216	3	5	13	22	36	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2219	12.6	101	3	4	10	15	23	31	67
B. *Operated*	405	16.9	217	3	5	13	21	36	62	99+
1. SINGLE DX										
2. MULTIPLE DX	2624	13.3	122	3	4	10	16	25	35	79
A. NOT OPERATED	2219	12.6	101	3	4	10	15	23	31	67
B. OPERATED	405	16.9	217	3	5	13	21	36	62	99+
TOTAL 0-19 YRS	13	9.9	27	2	4	10	12	18	20	21
20-34	20	13.0	112	3	4	9	16	33	35	35
35-49	88	12.8	139	3	4	9	16	25	43	89
50-64	441	14.4	176	3	4	10	18	31	46	95
65+	2062	13.0	110	3	5	10	16	24	33	78
GRAND TOTAL	**2624**	**13.3**	**122**	**3**	**4**	**10**	**16**	**25**	**35**	**79**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.6	6	<1	1	2	6	7	7	7
35-49	57	3.7	6	1	2	3	5	7	8	13
50-64	174	3.2	6	1	1	3	4	6	8	13
65+	466	3.7	5	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	17	5.9	66	<1	1	3	5	20	28	30
50-64	83	3.4	6	1	1	3	5	6	8	14
65+	75	3.8	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.8	31	1	1	2	7	11	19	21
20-34	41	4.2	6	1	1	4	6	7	9	12
35-49	200	3.8	5	1	1	3	5	7	8	11
50-64	1165	4.5	8	1	2	4	6	8	10	14
65+	5679	5.2	16	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	13	6.2	33	2	2	5	7	12	22	24
35-49	105	5.8	24	1	2	5	7	10	12	29
50-64	421	5.6	21	1	2	4	7	10	13	24
65+	1016	7.3	36	2	2	6	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	709	3.6	6	1	1	3	4	6	8	13
B. *Operated*	180	3.8	12	1	1	3	5	7	8	22
2. MULTIPLE DX										
A. *Not Operated*	7098	5.0	14	2	2	4	6	9	11	18
B. *Operated*	1557	6.7	32	2	2	5	8	12	16	33
1. SINGLE DX	889	3.6	7	1	1	3	5	6	8	14
2. MULTIPLE DX	8655	5.3	18	2	2	4	7	10	12	21
A. NOT OPERATED	7807	4.9	14	1	2	4	6	9	11	18
B. OPERATED	1737	6.4	31	2	2	5	8	12	16	31
TOTAL 0-19 YRS	17	4.6	25	1	1	2	6	9	17	21
20-34	69	4.4	11	1	1	4	6	8	9	22
35-49	379	4.4	14	1	2	3	6	8	10	19
50-64	1843	4.6	11	1	2	4	6	8	11	16
65+	7236	5.4	19	2	2	4	7	10	13	21
GRAND TOTAL	**9544**	**5.2**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.8	4	<1	<1	2	5	5	5	5
35-49	22	4.0	7	<1	1	3	5	8	9	10
50-64	84	6.5	34	1	2	5	7	14	18	31
65+	270	7.6	36	2	3	6	10	14	17	26
B. *Operated*										
0-19 YRS										
20-34	4	7.8	53	1	1	6	13	17	17	17
35-49	7	7.3	47	2	2	6	8	19	22	22
50-64	16	5.4	11	1	2	5	8	11	12	12
65+	13	9.5	227	2	2	4	8	24	52	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.5	19	1	2	4	6	12	17	19
20-34	27	7.1	22	1	1	7	9	11	18	21
35-49	132	7.7	74	1	2	5	9	14	21	58
50-64	659	8.1	47	2	2	6	10	15	21	37
65+	3240	9.8	71	3	3	8	12	18	24	48
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	6	21.0	402	2	3	16	24	55	59	59
35-49	34	8.8	88	2	2	7	10	18	28	47
50-64	118	10.2	86	2	3	8	11	21	36	69
65+	383	15.6	221	3	4	11	19	31	44	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	7.0	34	1	2	5	9	13	17	29
B. *Operated*	40	7.3	89	1	2	5	8	14	19	58
2. MULTIPLE DX										
A. *Not Operated*	4076	9.4	67	2	3	7	11	17	23	48
B. *Operated*	542	14.0	191	3	4	10	16	30	41	95
1. SINGLE DX	423	7.0	39	1	2	5	9	13	17	30
2. MULTIPLE DX	4618	10.0	84	2	3	8	12	19	26	55
A. NOT OPERATED	4459	9.2	65	2	3	7	11	17	23	47
B. OPERATED	582	13.6	186	2	3	9	16	28	41	93
TOTAL 0-19 YRS	21	5.2	18	1	1	4	6	11	16	19
20-34	42	8.6	95	<1	1	7	9	17	22	59
35-49	195	7.5	69	1	2	5	9	14	21	51
50-64	877	8.1	51	2	2	6	10	15	22	43
65+	3906	10.2	87	3	3	8	12	19	26	56
GRAND TOTAL	**5041**	**9.7**	**81**	**2**	**3**	**7**	**12**	**18**	**25**	**55**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.3	89	2	2	6	14	25	26	26
20-34	6	10.5	23	5	5	10	15	17	17	17
35-49	52	12.1	118	2	3	9	16	25	30	54
50-64	227	10.7	80	2	3	8	13	21	30	52
65+	1098	11.9	95	3	4	9	15	22	31	65
B. *Operated*										
0-19 YRS										
20-34	3	14.7	16	11	11	14	18	19	19	19
35-49	11	9.2	34	3	4	7	16	44	92	99+
50-64	54	20.1	375	2	5	12	32	48	75	99
65+	126	17.4	285	4	5	13	19	36	64	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1389	11.7	93	3	4	9	14	22	30	61
B. *Operated*	194	17.7	296	3	5	12	20	44	68	99+
1. SINGLE DX										
2. MULTIPLE DX	1583	12.4	122	3	4	9	15	24	35	78
A. NOT OPERATED	1389	11.7	93	3	4	9	14	22	30	61
B. OPERATED	194	17.7	296	3	5	12	20	44	68	99+
TOTAL 0-19 YRS	6	9.3	89	2	2	6	14	25	26	26
20-34	9	11.9	23	5	5	11	15	18	19	19
35-49	63	11.6	104	2	3	8	16	25	35	94
50-64	281	12.5	150	2	3	9	15	28	43	80
65+	1224	12.5	117	3	4	10	15	23	33	76
GRAND TOTAL	**1583**	**12.4**	**122**	**3**	**4**	**9**	**15**	**24**	**35**	**78**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	3.3	4	<1	1	3	4	6	8	8
35-49	59	3.4	6	1	1	3	4	7	8	12
50-64	55	3.8	5	1	1	3	5	7	7	11
65+	81	4.7	15	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	7	5.0	17	1	1	3	8	11	12	12
35-49	27	4.5	10	<1	1	5	8	9	9	9
50-64	36	8.3	52	1	2	7	11	19	21	35
65+	20	3.2	4	1	1	2	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.2	3	2	2	4	5	7	8	8
20-34	54	4.3	6	1	2	4	5	8	10	13
35-49	186	5.2	27	2	2	4	6	10	13	45
50-64	425	5.4	27	2	2	4	7	10	13	23
65+	1189	6.8	38	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	12	14.9	329	2	2	10	18	39	62	66
20-34	23	8.8	37	2	3	7	12	16	22	27
35-49	61	11.1	98	2	3	8	13	25	35	95
50-64	178	9.6	105	2	2	6	11	23	37	52
65+	230	7.8	63	1	2	5	11	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	4.0	9	1	1	3	5	7	9	17
B. *Operated*	94	5.6	30	1	1	4	8	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	1866	6.2	34	2	2	5	7	11	15	27
B. *Operated*	504	9.0	88	2	2	6	11	19	28	55
1. SINGLE DX	300	4.5	16	1	1	3	6	9	12	20
2. MULTIPLE DX	2370	6.8	47	2	2	5	8	13	18	40
A. NOT OPERATED	2072	6.0	32	2	2	5	7	11	15	25
B. OPERATED	598	8.5	81	1	2	6	11	18	27	51
TOTAL 0-19 YRS	30	8.0	160	1	1	4	7	18	27	66
20-34	93	5.3	18	1	2	4	7	10	13	24
35-49	333	5.9	41	1	2	4	7	11	16	58
50-64	694	6.5	51	2	2	5	8	12	19	45
65+	1520	6.7	41	2	2	5	8	13	17	31
GRAND TOTAL	**2670**	**6.5**	**44**	**1**	**2**	**5**	**8**	**13**	**17**	**37**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	5	1.0		1	1	1	1	1	1	1
65+	5	3.4	11	1	1	2	5	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	22	5.2	19	1	1	4	8	12	14	16
50-64	72	4.8	16	1	1	3	8	10	11	20
65+	75	5.1	17	1	1	4	7	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	11	3.7	9	<1	<1	2	6	8	10	10
50-64	45	3.7	11	1	1	2	4	10	12	13
65+	131	6.5	28	1	2	5	8	12	19	31
B. *Operated*										
0-19 YRS	19	7.1	35	1	1	7	10	15	20	23
20-34	10	7.1	24	1	1	8	11	13	15	15
35-49	118	8.0	46	1	2	7	11	16	23	56
50-64	626	9.5	70	1	2	8	12	19	25	38
65+	1496	11.9	112	2	2	9	15	23	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.5	6	1	1	1	4	6	8	9
B. *Operated*	173	4.9	17	1	1	3	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	191	5.5	24	1	1	4	7	11	14	27
B. *Operated*	2269	11.0	98	2	2	9	14	22	30	52
1. SINGLE DX	186	4.8	16	1	1	3	8	10	12	18
2. MULTIPLE DX	2460	10.6	94	1	2	8	14	21	29	52
A. NOT OPERATED	204	5.4	24	1	1	4	7	10	13	26
B. OPERATED	2442	10.6	94	1	2	9	14	21	29	52
TOTAL 0-19 YRS	22	6.2	34	<1	1	5	10	13	19	23
20-34	15	5.8	23	1	1	4	10	11	14	15
35-49	154	7.2	40	1	1	6	10	14	22	36
50-64	748	8.7	64	1	2	7	11	18	23	37
65+	1707	11.2	105	2	2	9	14	22	30	53
GRAND TOTAL	**2646**	**10.2**	**91**	**1**	**2**	**8**	**13**	**20**	**28**	**50**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.7		1	1	2	2	2	2	2
65+	4	2.3	4	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS										
20-34	4	9.0	9	5	5	9	11	12	12	12
35-49	3	8.3		8	8	8	9	9	9	9
50-64	61	9.9	14	5	6	9	12	15	16	22
65+	114	9.0	18	1	2	9	11	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	31	4.4	26	1	1	3	5	8	14	27
65+	168	5.7	41	1	1	4	7	12	16	20
B. *Operated*										
0-19 YRS	3	23.3	401	8	8	16	38	46	46	46
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	27	9.9	81	1	1	9	15	21	26	39
50-64	363	12.6	93	2	6	11	15	20	26	65
65+	1162	14.3	109	3	7	12	16	25	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	2	<1	<1	2	2	4	5	5
B. *Operated*	182	9.3	16	2	3	9	12	14	17	20
2. MULTIPLE DX										
A. *Not Operated*	203	5.5	38	1	1	4	7	12	16	23
B. *Operated*	1557	13.9	106	2	6	11	16	23	33	63
1. SINGLE DX	190	9.0	18	1	2	9	11	14	17	20
2. MULTIPLE DX	1760	12.9	105	2	3	11	15	22	31	62
A. NOT OPERATED	211	5.4	37	1	1	4	7	11	16	23
B. OPERATED	1739	13.4	98	2	6	11	15	22	31	61
TOTAL 0-19 YRS	3	23.3	401	8	8	16	38	46	46	46
20-34	9	7.4	13	2	3	7	10	12	12	12
35-49	32	9.2	72	1	1	8	13	20	24	39
50-64	458	11.6	83	2	3	10	14	19	25	60
65+	1448	12.9	103	2	3	11	15	22	32	61
GRAND TOTAL	**1950**	**12.5**	**98**	**2**	**3**	**11**	**15**	**21**	**30**	**60**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	9	10.7	264	1	1	4	10	38	52	52
35-49	15	8.3	153	2	2	5	8	11	42	52
50-64	26	7.3	31	1	2	6	9	13	18	27
65+	34	7.2	15	2	3	7	9	11	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	5	4.0	4	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	3	6.0	13	2	2	7	8	9	9	9
20-34	8	7.8	36	2	2	7	10	17	20	20
35-49	33	11.3	127	2	3	8	13	28	32	55
50-64	96	12.1	137	2	3	9	15	22	40	64
65+	176	11.7	84	2	4	10	15	20	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*	87	7.7	66	2	2	6	9	13	17	52
2. MULTIPLE DX										
A. *Not Operated*	8	4.4	3	2	2	4	6	7	7	7
B. *Operated*	316	11.6	103	2	3	9	15	21	29	63
1. SINGLE DX	91	7.5	64	1	2	6	9	12	17	52
2. MULTIPLE DX	324	11.5	101	2	3	9	14	21	29	63
A. NOT OPERATED	12	3.8	3	1	2	3	5	7	7	7
B. OPERATED	403	10.8	97	2	3	8	13	20	28	59
TOTAL 0-19 YRS	6	5.5	11	2	2	5	9	9	9	9
20-34	18	9.1	142	1	2	5	10	19	39	52
35-49	48	10.4	134	2	3	6	11	26	35	55
50-64	126	10.9	116	2	2	8	12	21	31	64
65+	217	10.7	75	2	3	9	14	19	24	44
GRAND TOTAL	**415**	**10.6**	**96**	**2**	**3**	**8**	**12**	**20**	**28**	**58**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	7.3	12	2	3	8	10	11	11	11
35-49	9	6.7	18	1	1	6	10	13	13	13
50-64	12	3.7	10	<1	<1	3	6	8	10	10
65+	19	5.6	10	1	1	6	8	10	11	11
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	16	9.3	94	1	2	6	11	18	34	41
35-49	64	6.2	23	1	2	6	8	10	12	31
50-64	156	6.2	25	1	1	6	9	12	13	25
65+	145	6.8	28	1	2	6	9	12	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	10	7.8	22	1	2	7	10	15	15	15
35-49	24	6.0	16	<1	1	5	9	12	13	14
50-64	63	5.8	13	1	1	6	8	11	13	14
65+	177	7.0	30	1	1	6	9	13	19	27
B. *Operated*										
0-19 YRS	12	11.0	76	2	3	9	13	23	32	34
20-34	28	8.5	31	1	1	8	12	14	20	22
35-49	209	9.5	66	1	2	8	11	17	23	38
50-64	838	9.9	70	1	2	8	12	19	25	41
65+	1699	11.4	78	2	3	9	14	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.6	12	1	1	6	8	11	11	13
B. *Operated*	383	6.6	28	1	1	6	9	12	14	31
2. MULTIPLE DX										
A. *Not Operated*	276	6.7	25	1	1	6	9	12	15	25
B. *Operated*	2786	10.8	75	2	2	9	13	20	26	43
1. SINGLE DX	431	6.5	27	1	1	6	9	12	14	28
2. MULTIPLE DX	3062	10.4	72	2	2	9	13	19	26	41
A. NOT OPERATED	324	6.5	23	1	1	6	9	12	14	24
B. OPERATED	3169	10.2	71	2	2	9	12	19	26	41
TOTAL 0-19 YRS	17	8.9	65	1	2	7	10	18	29	34
20-34	61	8.4	42	1	2	7	11	15	19	39
35-49	306	8.5	54	1	2	8	10	14	21	37
50-64	1069	9.0	62	1	2	8	11	17	23	40
65+	2040	10.6	73	2	2	9	13	19	26	42
GRAND TOTAL	**3493**	**9.9**	**68**	**1**	**2**	**8**	**12**	**18**	**25**	**41**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	5.4	12	2	2	4	6	11	14	16
20-34	14	2.8	9	<1	<1	2	4	5	10	12
35-49	11	1.6	1	1	1	1	2	3	4	4
50-64	22	3.2	8	<1	1	2	5	8	10	11
65+	20	5.5	39	1	1	4	6	15	23	24
B. *Operated*										
0-19 YRS	14	5.0	15	1	1	4	7	10	15	16
20-34	28	5.0	21	1	1	3	7	10	16	20
35-49	71	3.7	11	1	1	2	5	8	10	17
50-64	117	4.8	33	1	1	3	6	11	14	32
65+	125	5.4	21	1	1	4	8	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.2	18	1	2	5	9	13	14	18
20-34	31	4.7	11	1	2	3	6	9	11	15
35-49	52	6.7	84	1	1	4	7	13	18	62
50-64	146	5.4	32	1	1	4	7	10	13	36
65+	319	6.6	24	2	2	5	8	13	17	26
B. *Operated*										
0-19 YRS	34	10.4	109	1	2	7	14	23	37	45
20-34	46	10.2	82	2	2	7	12	23	33	36
35-49	208	7.4	65	1	2	5	10	15	19	61
50-64	503	9.7	105	1	2	7	12	21	29	51
65+	1070	10.4	114	1	2	8	13	21	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	4.4	15	1	1	3	6	9	13	22
B. *Operated*	355	4.8	23	1	1	3	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	612	6.2	30	1	2	5	8	12	16	26
B. *Operated*	1861	9.9	106	1	2	7	12	21	29	58
1. SINGLE DX	487	4.7	21	1	1	3	6	10	14	20
2. MULTIPLE DX	2473	9.0	90	1	2	6	11	18	26	51
A. NOT OPERATED	744	5.9	28	1	2	5	7	11	15	26
B. OPERATED	2216	9.1	96	1	2	6	11	19	27	54
TOTAL 0-19 YRS	177	6.6	36	1	2	5	9	14	15	36
20-34	119	6.7	48	<1	1	4	9	15	21	35
35-49	342	6.3	57	1	1	4	8	13	17	56
50-64	788	8.0	83	1	1	5	10	17	25	46
65+	1534	9.2	91	1	2	7	11	19	25	52
GRAND TOTAL	**2960**	**8.3**	**81**	**1**	**2**	**6**	**10**	**17**	**24**	**46**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.9	29	1	2	8	10	14	20	24
20-34	171	5.7	8	1	2	5	7	9	11	15
35-49	251	6.9	13	2	3	6	9	11	14	21
50-64	235	6.8	11	2	3	6	9	11	13	21
65+	245	6.9	10	2	3	7	9	11	14	17
B. *Operated*										
0-19 YRS	13	4.6	9	1	1	4	7	9	9	9
20-34	61	5.7	20	1	2	5	8	10	12	26
35-49	92	6.5	15	2	2	6	9	11	13	21
50-64	75	7.4	26	1	2	7	9	13	16	30
65+	77	7.0	15	1	2	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.2	36	1	1	6	10	17	19	20
20-34	201	7.0	15	1	2	6	9	12	14	20
35-49	464	7.7	30	2	3	7	10	13	16	22
50-64	688	8.3	24	3	4	8	10	13	16	25
65+	1313	8.4	17	3	4	8	10	13	15	25
B. *Operated*										
0-19 YRS	5	9.2	19	4	4	8	13	15	15	15
20-34	74	7.0	22	1	2	6	10	14	18	21
35-49	198	7.9	36	2	2	7	10	14	18	36
50-64	315	9.3	40	2	3	8	12	15	19	33
65+	562	9.9	50	3	4	8	11	17	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	923	6.7	11	2	3	6	9	11	13	18
B. *Operated*	318	6.6	18	1	2	6	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	2679	8.1	21	3	4	7	10	13	16	24
B. *Operated*	1154	9.2	44	2	3	8	11	16	20	33
1. SINGLE DX	1241	6.7	13	2	3	6	9	11	13	18
2. MULTIPLE DX	3833	8.4	28	2	3	8	10	14	17	26
A. NOT OPERATED	3602	7.8	19	2	3	7	10	12	15	22
B. OPERATED	1472	8.6	39	2	3	8	11	15	19	31
TOTAL 0-19 YRS	52	7.0	26	1	1	6	9	14	16	24
20-34	507	6.4	15	1	2	6	8	11	13	19
35-49	1005	7.4	26	2	3	7	9	13	15	23
50-64	1313	8.2	26	2	3	7	10	13	17	26
65+	2197	8.5	26	3	4	8	10	14	17	26
GRAND TOTAL	**5074**	**8.0**	**25**	**2**	**3**	**7**	**10**	**13**	**16**	**25**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.3	11	1	1	6	7	10	10	10
35-49	14	11.1	145	1	2	9	12	25	43	48
50-64	16	6.3	35	1	2	5	7	11	21	26
65+	15	9.3	34	3	4	7	12	19	21	22
B. *Operated*										
0-19 YRS	12	2.9	3	<1	<1	3	4	6	7	7
20-34	194	3.2	11	1	1	2	4	5	7	20
35-49	338	3.4	10	1	1	3	4	6	9	20
50-64	226	4.8	49	1	1	3	5	8	12	34
65+	104	6.8	41	1	1	5	9	13	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	11.6	219	<1	<1	5	17	42	43	43
35-49	40	7.7	33	1	2	7	9	14	17	32
50-64	84	7.7	21	2	3	7	10	14	17	25
65+	268	10.0	50	3	3	8	13	18	22	44
B. *Operated*										
0-19 YRS	3	8.0	43	1	1	9	13	14	14	14
20-34	66	6.9	69	1	1	4	8	21	25	40
35-49	170	6.2	62	1	2	4	6	14	22	42
50-64	219	8.6	74	2	2	5	11	19	25	51
65+	319	13.8	134	2	3	11	19	28	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	8.4	64	1	2	7	10	18	23	48
B. *Operated*	874	4.1	26	1	1	3	4	7	12	26
2. MULTIPLE DX										
A. *Not Operated*	405	9.4	48	2	3	8	12	16	22	42
B. *Operated*	777	10.0	106	1	2	6	14	23	31	50
1. SINGLE DX	925	4.3	29	1	1	3	5	8	12	26
2. MULTIPLE DX	1182	9.8	86	2	2	7	13	22	27	49
A. NOT OPERATED	456	9.3	50	2	3	8	11	16	22	43
B. OPERATED	1651	6.9	72	1	1	4	8	17	24	42
TOTAL 0-19 YRS	15	3.9	13	<1	<1	3	5	9	13	14
20-34	279	4.5	38	1	1	3	4	8	19	39
35-49	562	4.7	34	1	1	3	5	9	15	34
50-64	545	6.8	58	1	2	4	8	15	21	36
65+	706	11.2	92	2	3	9	15	23	29	49
GRAND TOTAL	**2107**	**7.4**	**68**	**1**	**2**	**4**	**9**	**17**	**23**	**42**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	<1	<1	3	5	6	6	6
20-34	27	2.2	1	1	1	2	3	3	4	4
35-49	42	2.3	2	<1	<1	2	3	4	5	6
50-64	24	2.2	3	<1	1	2	3	4	6	8
65+	12	2.1	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-19 YRS	20	2.4	1	<1	<1	2	3	4	5	5
20-34	241	3.4	3	1	2	3	4	6	7	8
35-49	343	3.2	2	1	2	3	4	5	6	7
50-64	172	3.6	3	1	2	3	5	6	7	10
65+	40	4.0	5	1	1	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.3	185	4	4	5	7	35	38	38
20-34	68	2.9	4	<1	1	2	3	6	7	10
35-49	148	3.4	7	1	1	3	4	6	9	15
50-64	139	3.5	8	<1	1	3	5	7	8	15
65+	170	4.4	14	1	2	4	5	8	11	25
B. *Operated*										
0-19 YRS	31	4.2	8	1	2	4	5	7	10	15
20-34	957	3.8	3	1	2	4	5	6	7	10
35-49	1787	4.1	5	1	2	4	5	7	8	11
50-64	1251	4.3	6	1	2	4	5	7	9	13
65+	740	5.0	10	1	2	4	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.3	2	<1	<1	2	3	4	5	7
B. *Operated*	816	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	531	3.8	11	1	1	3	5	7	9	16
B. *Operated*	4766	4.2	6	1	2	4	5	7	8	13
1. SINGLE DX	925	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX	5297	4.2	7	1	2	4	5	7	8	13
A. NOT OPERATED	640	3.5	10	<1	1	3	4	7	9	15
B. OPERATED	5582	4.1	6	1	2	4	5	7	8	13
TOTAL 0-19 YRS	61	4.2	25	<1	1	3	4	6	9	35
20-34	1293	3.7	3	1	2	3	5	6	7	9
35-49	2320	3.9	5	1	2	4	5	6	8	11
50-64	1586	4.1	6	1	2	4	5	7	8	13
65+	962	4.8	10	1	2	4	6	8	11	17
GRAND TOTAL	**6222**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.3	13	1	1	5	8	11	12	15
20-34	88	6.0	12	<1	1	6	8	10	11	16
35-49	100	7.0	15	2	3	6	9	11	15	21
50-64	119	6.5	11	2	2	7	8	10	13	16
65+	133	6.4	11	1	2	6	8	10	12	19
B. *Operated*										
0-19 YRS	50	3.7	32	<1	<1	2	4	8	18	30
20-34	127	4.7	28	1	1	2	7	11	14	26
35-49	93	5.8	32	1	1	5	7	11	15	34
50-64	74	6.4	17	1	2	6	9	11	12	22
65+	85	7.4	16	1	1	7	11	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.6	15	1	1	4	6	8	10	22
20-34	171	5.7	15	1	1	5	8	10	13	17
35-49	382	6.2	15	1	2	5	9	12	13	18
50-64	754	6.5	21	1	2	5	9	12	15	25
65+	1823	7.2	31	2	2	6	9	13	16	31
B. *Operated*										
0-19 YRS	49	6.4	59	1	1	4	9	15	19	45
20-34	181	6.6	40	1	1	5	9	13	17	36
35-49	250	8.0	44	1	1	7	11	15	20	36
50-64	422	9.9	62	2	2	8	12	17	24	41
65+	772	10.2	55	2	3	9	12	19	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	467	6.4	13	1	2	6	8	10	12	19
B. *Operated*	429	5.7	26	1	1	4	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	3177	6.8	26	2	2	6	9	12	15	26
B. *Operated*	1674	9.3	55	1	2	8	12	17	23	38
1. SINGLE DX	896	6.0	19	1	1	6	8	11	13	22
2. MULTIPLE DX	4851	7.7	37	1	2	7	10	14	18	32
A. NOT OPERATED	3644	6.7	24	2	2	6	9	12	15	25
B. OPERATED	2103	8.6	51	1	2	7	11	16	22	36
TOTAL 0-19 YRS	173	4.9	33	1	1	3	6	10	16	28
20-34	567	5.8	26	1	1	5	8	11	14	25
35-49	825	6.8	26	1	2	6	9	12	15	26
50-64	1369	7.5	35	1	2	7	10	14	17	31
65+	2813	8.0	38	2	2	7	10	14	19	32
GRAND TOTAL	**5747**	**7.4**	**35**	**1**	**2**	**6**	**9**	**13**	**17**	**31**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1259	2.5	3	1	1	2	3	4	5	8
20-34	265	2.9	2	1	1	3	4	5	6	7
35-49	124	3.3	4	1	1	3	4	6	7	10
50-64	48	4.0	5	1	2	3	5	8	10	10
65+	22	3.6	5	<1	1	3	4	7	8	9
B. *Operated*										
0-19 YRS	248	1.5	1	1	1	1	2	2	3	7
20-34	100	2.0	5	1	1	1	2	4	7	13
35-49	18	4.4	45	1	1	2	5	7	21	30
50-64	13	4.7	11	1	1	5	7	9	11	11
65+	6	2.2	4	<1	<1	1	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3042	3.1	4	1	1	3	4	5	7	11
20-34	710	3.4	4	1	2	3	4	5	7	11
35-49	487	4.2	6	2	2	4	5	7	9	13
50-64	420	5.3	12	2	2	5	7	9	11	18
65+	526	5.9	16	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	339	3.1	34	1	1	1	2	7	10	34
20-34	156	4.0	12	1	1	3	6	8	10	17
35-49	98	5.0	32	1	1	3	7	9	13	34
50-64	77	5.5	15	1	2	5	7	12	14	16
65+	86	8.1	39	1	2	6	11	19	24	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1718	2.7	3	1	1	2	3	5	6	9
B. *Operated*	385	1.8	5	1	1	1	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*	5185	3.7	7	1	1	3	4	7	8	13
B. *Operated*	756	4.4	30	1	1	2	6	10	14	33
1. SINGLE DX	2103	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	5941	3.8	10	1	1	3	5	7	9	15
A. NOT OPERATED	6903	3.5	6	1	1	3	4	6	8	13
B. OPERATED	1141	3.5	23	1	1	2	4	8	12	25
TOTAL 0-19 YRS	4888	2.9	6	1	1	2	4	5	6	11
20-34	1231	3.3	5	1	1	3	4	6	7	12
35-49	727	4.2	10	1	2	3	5	7	9	14
50-64	558	5.2	12	1	2	4	7	10	12	17
65+	640	6.1	19	2	2	5	7	11	14	25
GRAND TOTAL	**8044**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1799	3.3	3	1	1	3	4	5	6	8
20-34	142	3.4	2	2	2	3	4	6	6	7
35-49	194	4.2	6	1	2	4	5	7	8	13
50-64	179	4.5	6	2	2	4	5	7	9	14
65+	178	5.1	6	2	2	5	6	8	10	14
B. *Operated*										
0-19 YRS	8	7.1	26	2	2	5	10	15	16	16
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	5	8.2	7	5	5	7	11	11	11	11
65+	7	6.3	4	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2647	3.9	7	1	2	3	5	7	8	12
20-34	518	4.4	7	2	2	4	5	8	9	15
35-49	1056	5.2	11	2	2	4	6	9	12	18
50-64	2802	6.6	18	2	3	6	8	11	14	23
65+	6092	7.2	20	3	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	30	8.7	64	2	2	6	12	18	24	38
20-34	28	8.1	34	2	2	6	12	16	19	24
35-49	88	8.4	32	2	3	7	10	18	20	25
50-64	218	9.7	75	2	3	7	12	18	25	59
65+	470	11.4	89	3	4	9	13	22	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2402	3.6	4	1	2	3	4	6	7	11
B. *Operated*	25	6.3	14	1	1	6	8	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	13115	6.1	17	2	2	5	8	11	14	22
B. *Operated*	834	10.4	78	2	3	8	13	20	27	48
1. SINGLE DX	2517	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	13949	6.4	22	2	2	5	8	11	14	25
A. NOT OPERATED	15607	5.7	16	2	2	5	7	10	13	21
B. OPERATED	859	10.3	77	2	3	8	12	20	27	48
TOTAL 0-19 YRS	4484	3.7	6	1	2	3	4	6	8	11
20-34	690	4.4	8	2	2	4	5	7	9	16
35-49	1341	5.3	13	2	2	4	6	9	12	20
50-64	3204	6.7	22	2	3	6	8	12	15	25
65+	6747	7.4	26	3	3	6	9	13	16	29
GRAND TOTAL	**16466**	**6.0**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**23**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	102	1.6	1	1	1	1	2	3	3	51
20-34	232	1.4	1	1	1	1	2	2	3	4
35-49	167	1.5	1	1	1	1	2	3	3	4
50-64	89	1.6	1	1	1	1	2	3	3	5
65+	18	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	7	1.7	1	1	1	1	3	3	3	3
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	306	1.7	1	1	1	1	2	3	4	5
20-34	834	1.7	1	1	1	1	2	3	4	5
35-49	639	1.9	2	1	1	2	2	3	5	7
50-64	329	2.1	2	1	1	2	3	4	4	6
65+	102	2.1	2	1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	13	<1	<1	1	2	9	10	10
B. *Operated*	608	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	17	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	2210	1.9	1	1	1	1	2	3	4	6
1. SINGLE DX	614	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX	2227	1.8	1	1	1	1	2	3	4	6
A. NOT OPERATED	23	1.8	4	<1	<1	1	2	3	6	10
B. OPERATED	2818	1.8	1	1	1	1	2	3	4	6
TOTAL 0-19 YRS	412	1.7	1	1	1	1	2	3	3	6
20-34	1071	1.7	1	1	1	1	2	3	4	5
35-49	814	1.9	1	1	1	1	2	3	4	7
50-64	422	2.0	2	1	1	2	3	3	4	6
65+	122	2.1	2	1	1	2	3	3	4	9
GRAND TOTAL	**2841**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	11	1.7	1	1	1	1	2	4	4	4
20-34	16	1.8	1	1	1	2	3	3	3	3
35-49	20	1.4		<1	1	1	2	2	3	3
50-64	24	1.6	1	<1	1	1	2	3	3	4
65+	11	2.0	1	<1	<1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	4	3.0	5	<1	<1	2	4	6	6	6
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	47	2.5	4	1	1	2	3	5	7	8
20-34	79	2.1	3	1	1	2	2	4	5	11
35-49	83	2.4	2	1	1	2	3	4	5	8
50-64	78	2.3	5	1	1	2	3	4	5	15
65+	62	2.7	3	1	1	2	4	6	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	82	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	11	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*	349	2.4	3	1	1	2	3	4	6	9
1. SINGLE DX	83	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	360	2.4	3	1	1	2	3	4	6	9
A. NOT OPERATED	12	2.3	2	<1	<1	2	3	5	6	6
B. OPERATED	431	2.2	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	60	2.4	3	1	1	2	3	5	6	8
20-34	97	2.1	2	1	1	2	2	3	5	10
35-49	107	2.2	2	1	1	2	3	4	5	8
50-64	105	2.2	4	1	1	2	3	4	4	13
65+	74	2.6	3	<1	1	2	3	5	6	7
GRAND TOTAL	**443**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.8	2	<1	<1	1	3	4	4	5
20-34	11	2.1	1	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	5932	1.3	2	1	1	1	2	2	2	3
20-34	1332	1.4	7	1	1	1	2	2	3	4
35-49	211	1.4	1	1	1	1	2	2	2	5
50-64	30	1.7	1	1	1	1	2	3	4	5
65+	7	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	1.7	1	<1	<1	1	2	4	4	5
20-34	22	2.6	3	<1	<1	2	3	5	7	9
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	4259	1.4	2	<1	1	1	2	2	2	6
20-34	398	1.7	2	1	1	1	2	3	4	9
35-49	103	2.3	5	1	1	2	3	4	5	14
50-64	29	2.7	9	<1	1	2	2	6	11	14
65+	9	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.9	1	<1	<1	2	3	3	4	5
B. *Operated*	7512	1.3	3	1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	120	1.9	2	<1	<1	1	3	4	5	7
B. *Operated*	4798	1.5	2	<1	1	1	2	2	3	7
1. SINGLE DX	7550	1.3	3	1	1	1	2	2	2	3
2. MULTIPLE DX	4918	1.5	2	<1	1	1	2	2	3	6
A. NOT OPERATED	158	1.9	2	<1	<1	1	3	4	4	6
B. OPERATED	12310	1.4	2	<1	1	1	2	2	2	4
TOTAL 0-19 YRS	10308	1.4	2	<1	1	1	2	2	2	4
20-34	1763	1.5	6	1	1	1	2	2	3	6
35-49	318	1.7	2	1	1	1	2	3	4	8
50-64	62	2.3	5	<1	1	2	2	5	6	14
65+	17	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**12468**	**1.4**	**2**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	2.9	3	1	1	2	4	5	6	9
20-34	192	2.8	2	1	1	3	4	5	5	7
35-49	103	3.0	4	1	1	3	4	5	7	11
50-64	41	3.0	3	1	1	3	4	5	6	9
65+	19	3.1	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	400	2.2	3	<1	1	2	3	4	5	9
20-34	366	2.1	2	<1	1	2	3	4	5	9
35-49	319	2.0	5	<1	1	1	2	3	5	10
50-64	263	2.0	3	<1	1	2	2	3	5	9
65+	121	2.1	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	397	3.4	6	1	1	3	4	6	7	10
20-34	225	3.6	12	1	1	3	4	6	7	22
35-49	176	4.0	7	1	1	3	5	7	8	17
50-64	183	4.6	8	1	2	4	6	8	9	14
65+	128	4.6	9	1	1	4	6	9	10	15
B. *Operated*										
0-19 YRS	483	3.9	37	1	1	2	4	8	13	36
20-34	520	2.9	9	1	1	2	3	5	8	17
35-49	635	2.7	7	1	1	2	3	5	8	13
50-64	579	3.8	29	1	1	2	4	8	12	31
65+	399	4.0	23	1	1	2	4	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	2.9	3	1	1	2	4	5	6	8
B. *Operated*	1469	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1109	3.9	9	1	1	3	5	7	8	15
B. *Operated*	2616	3.4	21	1	1	2	4	7	10	24
1. SINGLE DX	2096	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	3725	3.6	17	1	1	2	4	7	10	21
A. NOT OPERATED	1736	3.5	7	1	1	3	4	6	8	12
B. OPERATED	4085	2.9	15	1	1	2	3	6	9	19
TOTAL 0-19 YRS	1552	3.2	15	1	1	2	4	6	8	19
20-34	1303	2.8	7	1	1	2	3	5	6	14
35-49	1233	2.8	7	1	1	2	3	5	7	13
50-64	1066	3.5	19	1	1	2	4	7	9	23
65+	667	3.7	17	1	1	2	4	8	11	19
GRAND TOTAL	**5821**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4242	3.8	5	1	2	3	5	6	7	10
20-34	968	4.5	6	2	2	4	6	8	9	13
35-49	763	5.0	6	2	2	4	6	8	10	12
50-64	667	5.5	8	2	3	5	7	8	11	15
65+	957	6.3	11	2	3	6	8	10	12	18
B. *Operated*										
0-19 YRS	33	6.8	20	1	2	6	10	13	16	17
20-34	25	8.4	37	1	3	7	12	19	20	22
35-49	46	9.0	28	3	4	8	10	17	19	28
50-64	57	9.1	64	2	3	7	10	14	25	51
65+	70	9.8	30	1	3	9	13	17	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7138	4.6	10	2	2	4	5	8	10	16
20-34	1565	5.9	18	2	2	5	7	10	14	22
35-49	2126	6.2	17	2	3	5	7	10	13	21
50-64	4425	7.5	29	3	3	6	9	13	16	27
65+	15454	9.0	33	3	4	8	11	15	19	31
B. *Operated*										
0-19 YRS	216	13.5	138	2	3	10	18	30	40	64
20-34	166	11.4	101	2	3	9	14	23	29	60
35-49	357	13.1	110	4	4	10	16	27	33	59
50-64	750	13.3	109	4	5	11	15	24	34	64
65+	2077	15.8	152	4	6	12	19	28	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7597	4.5	7	2	2	4	6	8	9	13
B. *Operated*	231	8.9	38	2	3	8	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	30708	7.4	28	2	3	6	9	13	17	28
B. *Operated*	3566	14.6	137	4	5	11	18	27	36	71
1. SINGLE DX	7828	4.6	8	2	2	4	6	8	10	15
2. MULTIPLE DX	34274	8.2	45	2	3	7	10	15	19	35
A. NOT OPERATED	38305	6.8	25	2	3	6	8	12	16	26
B. OPERATED	3797	14.3	133	4	5	11	17	27	35	70
TOTAL 0-19 YRS	11629	4.5	12	2	2	4	5	8	10	17
20-34	2724	5.8	21	2	2	5	7	10	13	23
35-49	3292	6.7	30	2	3	5	8	12	16	29
50-64	5899	8.1	42	3	3	7	10	14	18	35
65+	18558	9.6	50	3	4	8	11	17	22	38
GRAND TOTAL	**42102**	**7.5**	**40**	**2**	**3**	**6**	**9**	**14**	**18**	**32**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.0	3	1	1	3	4	5	7	9
20-34	148	3.1	3	1	2	3	4	5	6	10
35-49	140	3.6	3	1	2	3	5	6	7	9
50-64	100	4.2	5	2	2	4	5	7	8	12
65+	99	5.0	6	2	2	5	6	7	10	14
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	374	3.4	4	1	2	3	4	6	7	12
20-34	402	3.3	6	1	2	3	4	6	7	10
35-49	437	4.2	6	2	2	4	5	7	9	12
50-64	530	5.3	10	2	2	5	6	9	12	17
65+	1021	6.5	17	2	3	6	8	11	14	21
B. *Operated*										
0-19 YRS	4	10.8	151	3	3	5	18	29	29	29
20-34	5	11.0	214	3	3	4	14	37	37	37
35-49	12	7.1	19	2	2	6	11	14	14	14
50-64	28	8.3	24	2	3	8	10	15	19	24
65+	52	12.6	94	3	3	10	16	24	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	3.7	4	1	2	3	5	6	7	11
B. *Operated*	4	5.8	18	3	3	4	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2764	5.0	12	2	2	4	6	9	11	17
B. *Operated*	101	10.6	74	2	3	8	13	21	29	45
1. SINGLE DX	641	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	2865	5.2	15	2	2	4	6	9	12	20
A. NOT OPERATED	3401	4.8	11	2	2	4	6	9	11	16
B. OPERATED	105	10.4	73	3	3	8	13	21	29	45
TOTAL 0-19 YRS	529	3.4	5	1	1	3	4	6	7	11
20-34	555	3.4	7	1	2	3	4	5	7	10
35-49	590	4.1	6	2	2	4	5	7	9	13
50-64	659	5.2	10	2	2	5	6	9	12	18
65+	1173	6.7	21	2	3	5	8	12	15	24
GRAND TOTAL	**3506**	**4.9**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	3.1	3	1	1	3	4	5	6	11
20-34	47	3.5	3	1	2	3	4	6	7	11
35-49	75	4.1	4	2	2	4	5	7	8	11
50-64	118	4.9	7	2	2	4	6	8	10	15
65+	127	6.1	10	2	3	5	8	10	12	15
B. *Operated*										
0-19 YRS	7	1.6		<1	<1	2	2	2	2	2
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	15	4.9	7	<1	1	5	7	8	9	10
50-64	16	6.6	20	1	3	5	8	14	16	17
65+	17	4.2	8	<1	<1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	507	3.5	4	1	2	3	4	6	7	10
20-34	164	4.4	7	2	2	4	5	7	8	13
35-49	303	4.9	9	2	2	4	6	9	11	16
50-64	765	6.4	21	2	3	5	8	11	14	22
65+	1344	7.1	27	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	16	6.2	35	1	1	4	8	14	20	22
20-34	30	4.8	9	1	2	4	7	9	11	12
35-49	65	7.3	48	1	2	5	9	14	15	42
50-64	146	8.8	82	2	2	7	10	15	24	57
65+	174	10.3	96	2	2	8	13	20	28	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	4.2	7	1	2	4	5	7	9	14
B. *Operated*	61	4.5	11	<1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	3083	6.0	20	2	2	5	7	11	14	22
B. *Operated*	431	8.8	78	2	2	7	11	15	24	49
1. SINGLE DX	673	4.2	7	1	2	4	5	8	9	14
2. MULTIPLE DX	3514	6.3	28	2	2	5	8	12	14	26
A. NOT OPERATED	3695	5.7	19	2	2	5	7	10	13	21
B. OPERATED	492	8.2	72	1	2	6	10	15	22	46
TOTAL 0-19 YRS	775	3.4	4	1	1	3	4	6	7	11
20-34	247	4.3	6	2	2	4	5	7	8	13
35-49	458	5.1	15	2	2	4	6	9	12	17
50-64	1045	6.6	29	2	3	5	8	12	15	26
65+	1662	7.3	34	2	3	6	9	13	15	31
GRAND TOTAL	**4187**	**6.0**	**26**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	4.8	14	2	2	3	6	11	13	13
50-64	30	9.3	57	2	2	6	11	22	23	31
65+	43	6.5	9	2	3	7	8	10	11	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	5.5	9	1	1	7	7	7	7	7
50-64	2	13.0	2	12	12	13	14	14	14	14
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	35	5.8	18	2	2	4	8	12	16	19
50-64	271	7.4	40	3	3	6	8	12	18	29
65+	586	7.6	30	2	3	6	9	14	17	30
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	9	11.7	56	3	4	8	20	22	22	22
35-49	18	15.5	410	3	3	9	13	36	69	88
50-64	50	14.0	194	3	3	9	18	32	38	68
65+	68	15.7	147	3	5	13	21	30	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.3	29	2	2	6	9	14	20	29
B. *Operated*	8	6.4	24	<1	<1	7	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	895	7.5	33	2	3	6	9	13	17	29
B. *Operated*	146	14.8	186	3	4	10	19	30	41	69
1. SINGLE DX	89	7.3	28	2	2	6	9	14	19	28
2. MULTIPLE DX	1041	8.5	60	2	3	6	10	15	23	40
A. NOT OPERATED	976	7.5	32	2	3	6	9	13	17	29
B. OPERATED	154	14.4	181	2	3	10	18	29	40	68
TOTAL 0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	11	10.9	50	3	4	8	17	22	22	22
35-49	65	8.3	140	2	2	5	9	13	21	81
50-64	353	8.5	68	2	3	6	9	16	23	38
65+	699	8.3	46	2	3	7	10	15	22	35
GRAND TOTAL	**1130**	**8.4**	**58**	**2**	**3**	**6**	**10**	**15**	**22**	**38**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4490	2.9	2	1	1	3	4	5	6	8
20-34	896	3.5	4	1	1	3	4	6	7	9
35-49	861	4.2	6	1	2	4	5	7	9	12
50-64	661	4.6	7	1	2	4	6	8	10	13
65+	436	5.2	11	1	2	4	7	9	12	17
B. *Operated*										
0-19 YRS	21	3.7	4	1	1	4	5	6	7	9
20-34	6	4.7	5	2	2	5	7	7	7	7
35-49	13	4.5	5	1	2	5	6	8	8	8
50-64	9	6.8	18	3	3	6	9	13	15	15
65+	6	6.8	10	2	2	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3618	3.5	5	1	2	3	4	6	7	10
20-34	1128	4.4	8	1	2	4	6	7	9	14
35-49	1653	5.1	10	2	2	4	6	9	11	15
50-64	2651	6.2	17	2	2	5	8	11	14	21
65+	3502	7.0	22	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	51	7.3	21	1	2	7	10	15	17	18
20-34	46	8.2	29	2	3	7	12	17	20	21
35-49	90	10.3	102	3	3	8	14	19	36	99+
50-64	155	10.8	58	3	4	9	13	21	26	43
65+	188	13.0	121	2	4	10	15	26	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7344	3.4	4	1	1	3	4	6	7	11
B. *Operated*	55	4.9	8	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	12552	5.3	15	2	2	4	7	10	12	20
B. *Operated*	530	10.9	85	2	3	9	14	21	29	61
1. SINGLE DX	7399	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX	13082	5.6	19	2	2	4	7	10	13	22
A. NOT OPERATED	19896	4.6	12	1	2	4	6	8	11	18
B. OPERATED	585	10.3	80	2	3	8	13	20	27	58
TOTAL 0-19 YRS	8180	3.2	4	1	1	3	4	5	6	9
20-34	2076	4.1	7	1	2	3	5	7	9	14
35-49	2617	5.0	13	2	2	4	6	9	11	16
50-64	3476	6.1	18	2	2	5	8	11	14	22
65+	4132	7.1	27	2	3	6	8	12	16	28
GRAND TOTAL	**20481**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	3	2	2	4	4	7	9	9
20-34	7	2.6	3	1	1	2	3	5	6	6
35-49	70	4.9	7	1	2	5	6	8	8	15
50-64	282	5.4	14	2	2	5	7	9	11	20
65+	383	5.9	13	2	2	5	7	11	13	18
B. *Operated*										
0-19 YRS	8	4.9	20	1	1	4	5	12	15	15
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	4.3	11	2	2	3	4	10	11	11
50-64	23	7.4	30	1	2	6	9	17	19	21
65+	14	5.6	14	<1	1	5	9	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	8.2	74	2	2	6	11	13	19	47
20-34	57	6.4	17	1	2	6	8	11	14	23
35-49	286	6.1	29	2	2	5	7	10	13	25
50-64	2016	7.2	36	2	3	6	9	13	16	32
65+	3786	7.7	29	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	8	11.5	40	4	4	10	18	20	20	20
20-34	11	10.3	92	1	2	7	14	24	35	36
35-49	51	10.2	182	1	2	7	13	20	28	89
50-64	242	11.9	132	3	3	9	14	22	38	90
65+	420	13.2	160	3	4	10	15	26	43	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	753	5.6	13	2	2	5	7	10	12	18
B. *Operated*	53	6.0	22	1	2	5	7	13	17	21
2. MULTIPLE DX										
A. *Not Operated*	6173	7.4	32	2	3	6	9	13	17	29
B. *Operated*	732	12.5	150	2	3	9	15	24	38	88
1. SINGLE DX	806	5.6	13	2	2	5	7	10	12	18
2. MULTIPLE DX	6905	8.0	47	2	3	6	10	14	19	37
A. NOT OPERATED	6926	7.2	30	2	3	6	9	13	16	29
B. OPERATED	785	12.1	144	2	3	9	14	23	36	83
TOTAL 0-19 YRS	55	7.4	52	2	2	5	10	15	18	46
20-34	77	6.5	29	1	2	6	8	12	15	33
35-49	413	6.4	46	2	2	5	7	11	15	29
50-64	2563	7.5	45	2	3	6	9	13	18	37
65+	4603	8.0	43	2	3	7	10	14	18	34
GRAND TOTAL	**7711**	**7.7**	**44**	**2**	**3**	**6**	**9**	**14**	**18**	**35**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	3	<1	1	2	4	6	7	7
20-34	100	3.0	5	1	1	2	3	6	8	10
35-49	21	5.2	24	<1	1	4	5	12	18	20
50-64	10	3.3	3	1	1	3	5	6	6	6
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	70	6.1	14	2	3	5	8	11	14	19
20-34	381	5.4	9	2	3	5	7	9	12	16
35-49	83	6.3	16	2	3	5	8	10	15	23
50-64	50	6.2	12	3	3	5	8	10	11	20
65+	44	7.8	40	2	3	6	9	12	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	6	1	1	3	4	7	9	9
20-34	30	3.7	9	1	1	3	5	8	10	13
35-49	24	6.5	48	1	1	4	8	13	25	31
50-64	38	6.5	33	2	2	5	7	16	19	27
65+	67	6.3	25	1	1	5	9	13	15	26
B. *Operated*										
0-19 YRS	29	9.5	52	2	3	7	12	20	23	32
20-34	122	8.0	28	3	3	7	11	14	18	29
35-49	112	9.9	57	3	4	8	13	18	27	39
50-64	180	11.0	81	3	3	8	14	22	29	49
65+	281	12.9	119	3	4	9	15	28	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	3.3	7	1	1	3	4	6	8	15
B. *Operated*	628	5.8	13	2	3	5	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	169	5.7	27	1	1	4	8	12	16	28
B. *Operated*	724	11.0	85	3	4	8	14	21	29	49
1. SINGLE DX	796	5.3	13	1	2	4	7	9	12	20
2. MULTIPLE DX	893	10.0	78	2	3	7	13	20	28	46
A. NOT OPERATED	337	4.5	18	1	1	3	5	9	13	23
B. OPERATED	1352	8.6	58	2	3	6	10	17	24	39
TOTAL 0-19 YRS	142	5.9	23	1	2	5	7	12	17	24
20-34	633	5.5	14	1	2	4	7	10	13	20
35-49	240	7.9	42	2	3	6	9	16	21	33
50-64	278	9.3	65	2	3	7	11	19	27	43
65+	396	11.1	101	2	3	8	13	26	31	56
GRAND TOTAL	**1689**	**7.8**	**53**	**2**	**2**	**6**	**9**	**15**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	439	2.7	3	1	1	2	3	5	6	10
20-34	118	3.1	7	1	1	2	4	6	7	16
35-49	136	3.9	14	1	1	3	5	7	10	24
50-64	115	4.6	17	1	1	3	6	9	11	24
65+	150	6.2	22	1	2	5	7	11	15	29
B. *Operated*										
0-19 YRS	84	3.8	19	<1	1	2	4	10	13	22
20-34	60	6.6	22	1	2	5	9	14	17	20
35-49	92	6.6	31	1	1	5	8	13	20	27
50-64	124	6.6	39	1	1	6	8	12	14	32
65+	100	6.6	38	1	1	5	9	14	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	881	4.4	21	1	1	3	5	9	12	25
20-34	338	5.1	21	1	1	4	6	11	13	24
35-49	647	5.8	30	1	2	4	7	11	14	33
50-64	1395	6.7	35	1	2	5	8	13	16	32
65+	3804	8.1	40	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	243	11.7	221	1	1	6	16	29	40	88
20-34	187	10.4	91	1	2	8	15	21	29	49
35-49	370	9.8	78	1	2	7	13	20	27	46
50-64	741	10.5	105	1	2	8	13	22	30	58
65+	1471	12.4	124	2	3	10	16	25	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	958	3.7	11	1	1	3	4	7	9	18
B. *Operated*	460	6.1	32	1	1	5	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	7065	7.0	37	1	2	5	9	14	17	31
B. *Operated*	3012	11.4	121	1	2	8	15	24	33	61
1. SINGLE DX	1418	4.5	19	1	1	3	6	9	12	23
2. MULTIPLE DX	10077	8.3	66	1	2	6	10	17	22	44
A. NOT OPERATED	8023	6.6	35	1	2	5	8	13	17	29
B. OPERATED	3472	10.7	112	1	2	8	14	22	31	58
TOTAL 0-19 YRS	1647	5.0	54	1	1	3	5	10	17	35
20-34	703	6.3	44	1	1	4	8	14	19	32
35-49	1245	6.8	47	1	2	5	8	14	19	37
50-64	2375	7.8	60	1	2	6	9	15	21	45
65+	5525	9.2	66	2	3	7	11	17	23	43
GRAND TOTAL	**11495**	**7.9**	**62**	**1**	**2**	**6**	**10**	**16**	**22**	**42**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	2	1	2	3	4	5	6	6
20-34	24	3.0	2	1	1	3	4	5	6	6
35-49	13	4.2	9	1	2	4	5	8	12	13
50-64	3	7.7	25	3	3	7	11	13	13	13
65+	4	2.8		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	495	2.4	2	<1	<1	2	3	4	5	6
20-34	594	3.0	2	1	1	3	4	4	5	8
35-49	357	3.0	2	1	1	3	4	4	5	8
50-64	153	3.1	6	1	1	3	4	5	6	13
65+	56	3.0	4	1	1	3	4	5	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	2.9	2	<1	1	3	4	5	5	8
20-34	66	3.6	6	1	1	3	5	7	8	12
35-49	37	3.2	4	<1	1	3	4	7	7	8
50-64	35	4.3	11	1	1	3	6	8	10	17
65+	40	5.0	40	1	1	4	5	7	11	41
B. *Operated*										
0-19 YRS	651	2.6	2	<1	<1	2	3	4	5	7
20-34	580	3.2	4	1	1	3	4	5	6	10
35-49	420	3.4	10	1	1	3	4	6	8	15
50-64	315	3.3	10	1	1	2	4	6	8	20
65+	256	3.5	19	1	1	3	3	6	9	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.4	5	1	1	3	4	6	7	13
B. *Operated*	1655	2.8	3	<1	1	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	255	3.7	11	1	1	3	5	7	8	12
B. *Operated*	2222	3.1	7	1	1	3	4	5	7	11
1. SINGLE DX	1724	2.9	3	<1	1	3	4	4	5	9
2. MULTIPLE DX	2477	3.1	8	1	1	3	4	5	7	12
A. NOT OPERATED	324	3.6	10	1	1	3	4	6	8	13
B. OPERATED	3877	3.0	5	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	1248	2.5	2	<1	<1	2	3	4	5	7
20-34	1264	3.1	3	1	1	3	4	5	6	9
35-49	827	3.2	6	1	1	3	4	5	7	12
50-64	506	3.3	9	1	1	3	4	6	8	17
65+	356	3.6	19	1	1	3	4	6	9	26
GRAND TOTAL	**4201**	**3.0**	**6**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.0	5	2	2	3	5	7	7	12
20-34	29	3.0	2	1	1	3	4	5	6	7
35-49	14	3.8	3	<1	<1	4	5	6	6	6
50-64	18	3.6	4	1	1	3	5	7	8	8
65+	17	5.1	3	2	3	5	6	7	8	8
B. *Operated*										
0-19 YRS	69	3.0	5	1	1	3	4	6	8	11
20-34	84	2.5	2	1	1	2	3	5	6	8
35-49	82	2.5	3	<1	1	2	3	4	7	8
50-64	74	2.5	3	1	1	2	3	4	5	11
65+	71	2.4	2	<1	1	2	3	4	5	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	3.8	7	1	1	3	5	6	7	17
20-34	42	3.5	2	1	1	3	4	5	6	8
35-49	32	8.8	218	1	2	5	7	12	53	70
50-64	63	5.6	18	1	1	4	7	11	15	21
65+	112	7.2	24	2	2	6	10	13	15	27
B. *Operated*										
0-19 YRS	89	3.9	11	1	1	3	5	7	10	18
20-34	73	3.5	6	1	1	3	4	7	9	12
35-49	83	3.6	7	1	1	3	5	8	9	12
50-64	118	4.6	77	1	1	3	4	8	15	47
65+	143	4.6	24	1	1	3	5	11	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.8	4	1	2	3	5	7	7	10
B. *Operated*	380	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	399	5.4	32	1	2	4	6	10	14	23
B. *Operated*	506	4.2	29	1	1	3	4	9	11	21
1. SINGLE DX	510	2.9	3	1	1	2	4	5	7	10
2. MULTIPLE DX	905	4.7	31	1	1	3	5	9	13	22
A. NOT OPERATED	529	5.0	26	1	2	4	6	9	12	19
B. OPERATED	886	3.5	18	1	1	3	4	6	9	19
TOTAL 0-19 YRS	360	3.7	7	1	1	3	5	6	8	16
20-34	228	3.1	4	1	1	3	4	5	7	10
35-49	211	4.0	40	1	1	3	4	7	9	30
50-64	273	4.2	40	1	1	3	4	8	13	24
65+	343	5.0	21	1	1	3	6	11	15	25
GRAND TOTAL	**1415**	**4.0**	**22**	**1**	**1**	**3**	**5**	**7**	**11**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	2.8	4	1	1	2	4	5	6	11
20-34	99	2.5	2	<1	1	2	3	5	6	7
35-49	182	3.0	3	1	1	3	4	5	6	9
50-64	132	2.9	3	1	1	3	4	5	6	9
65+	61	3.0	5	<1	1	2	4	5	6	14
B. *Operated*										
0-19 YRS	110	5.7	53	1	1	4	7	11	16	44
20-34	41	5.0	10	1	1	4	7	9	11	15
35-49	65	5.4	27	<1	1	4	7	10	13	32
50-64	68	4.7	8	1	1	4	7	9	10	11
65+	68	4.9	18	1	1	4	7	10	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	4.5	26	1	1	3	6	9	11	16
20-34	420	3.7	6	1	1	3	5	7	8	12
35-49	836	3.8	6	1	1	3	5	7	8	13
50-64	1046	4.1	15	1	2	3	5	7	9	15
65+	1311	4.9	13	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	327	10.3	118	1	2	7	14	23	32	64
20-34	188	6.7	56	1	2	5	8	12	16	51
35-49	441	6.0	28	1	2	5	7	11	16	27
50-64	680	7.0	51	1	2	5	8	13	19	39
65+	995	8.1	66	2	2	6	9	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	2.8	3	1	1	2	4	5	6	10
B. *Operated*	352	5.2	28	1	1	4	7	10	12	31
2. MULTIPLE DX										
A. *Not Operated*	4040	4.3	13	1	2	3	5	8	10	15
B. *Operated*	2631	7.7	63	1	2	6	9	15	21	44
1. SINGLE DX	1091	3.6	13	1	1	3	4	7	9	16
2. MULTIPLE DX	6671	5.6	35	1	2	4	7	11	15	30
A. NOT OPERATED	4779	4.1	12	1	1	3	5	7	9	15
B. OPERATED	2983	7.4	59	1	2	5	9	15	20	43
TOTAL 0-19 YRS	1129	5.9	59	1	1	3	7	13	18	50
20-34	748	4.3	20	1	1	3	5	8	10	21
35-49	1524	4.4	14	1	1	3	5	8	11	19
50-64	1926	5.1	29	1	2	4	6	9	12	27
65+	2435	6.2	37	1	2	5	7	12	16	30
GRAND TOTAL	**7762**	**5.3**	**33**	**1**	**2**	**4**	**6**	**10**	**14**	**29**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	55	3.6	5	1	1	3	4	8	9	11
35-49	74	3.9	5	1	2	3	5	6	9	12
50-64	48	4.4	11	1	2	3	5	8	11	19
65+	26	5.5	9	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	3	9.7	64	2	2	9	16	18	18	18
20-34	21	6.9	26	2	2	5	9	10	17	26
35-49	59	5.8	10	1	2	6	8	10	11	16
50-64	46	6.3	16	2	3	5	7	11	15	22
65+	25	7.0	13	2	3	7	9	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.3	1	1	2	3	4	5	6	6
20-34	93	4.4	8	1	2	4	5	7	10	17
35-49	190	4.9	11	1	2	4	6	10	11	16
50-64	276	4.9	15	1	2	4	6	8	10	22
65+	365	6.0	14	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	9	7.2	25	2	3	6	9	16	17	17
20-34	71	6.2	18	2	2	5	8	12	13	20
35-49	196	6.9	39	2	2	5	8	13	17	37
50-64	291	7.1	23	2	3	6	9	12	15	27
65+	347	8.3	47	2	3	7	10	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	4.1	7	1	2	3	5	8	9	14
B. *Operated*	154	6.4	15	2	2	6	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	941	5.2	13	2	2	4	6	9	12	18
B. *Operated*	914	7.4	36	2	3	6	9	13	18	32
1. SINGLE DX	365	5.0	12	1	2	4	7	9	11	18
2. MULTIPLE DX	1855	6.3	25	2	2	5	8	11	14	25
A. NOT OPERATED	1152	5.0	12	2	2	4	6	9	11	18
B. OPERATED	1068	7.3	33	2	3	6	9	13	17	31
TOTAL 0-19 YRS	37	4.6	16	1	2	3	5	9	16	18
20-34	240	5.0	13	1	2	4	6	9	11	20
35-49	519	5.6	22	2	2	4	7	10	13	22
50-64	661	5.9	19	2	2	5	7	10	13	23
65+	763	7.0	30	2	3	6	8	12	16	30
GRAND TOTAL	**2220**	**6.1**	**23**	**2**	**2**	**5**	**8**	**11**	**14**	**24**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8		4	4	5	5	5	5	5
20-34	31	3.7	1	2	2	4	4	5	6	6
35-49	43	3.7	4	1	2	3	5	6	7	11
50-64	49	4.7	6	2	2	4	6	9	10	11
65+	45	5.2	22	2	2	4	6	8	9	33
B. *Operated*										
0-19 YRS	3	6.0	7	3	3	7	8	8	8	8
20-34	13	7.9	21	2	3	7	10	14	18	19
35-49	41	6.1	8	3	3	5	8	10	11	15
50-64	44	6.8	17	2	3	6	9	11	13	25
65+	63	7.0	31	2	3	5	9	12	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	59	4.8	6	1	2	5	6	8	10	11
35-49	174	5.2	14	2	2	4	6	8	11	24
50-64	367	5.5	10	2	3	5	7	9	12	18
65+	884	6.7	18	2	3	6	8	11	15	23
B. *Operated*										
0-19 YRS	10	5.5	22	1	1	4	7	12	17	17
20-34	41	10.3	103	3	3	7	10	21	39	46
35-49	133	8.7	92	2	3	6	10	16	21	53
50-64	312	8.6	55	2	3	7	10	16	20	34
65+	915	9.9	68	3	4	8	12	18	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.4	9	2	2	4	5	7	8	12
B. *Operated*	164	6.8	20	2	3	6	9	11	13	28
2. MULTIPLE DX										
A. *Not Operated*	1487	6.1	15	2	3	5	7	11	13	22
B. *Operated*	1411	9.5	69	3	3	7	11	17	23	45
1. SINGLE DX	336	5.5	16	2	2	5	7	10	12	26
2. MULTIPLE DX	2898	7.8	44	2	3	6	9	14	18	33
A. NOT OPERATED	1659	6.0	15	2	3	5	7	10	13	21
B. OPERATED	1575	9.2	64	3	3	7	11	17	22	43
TOTAL 0-19 YRS	20	5.0	13	1	1	5	6	8	13	17
20-34	144	6.4	40	2	2	5	7	10	12	44
35-49	391	6.3	42	2	2	5	7	11	15	28
50-64	772	6.8	31	2	3	5	8	12	16	30
65+	1907	8.2	45	3	3	6	10	15	19	33
GRAND TOTAL	**3234**	**7.5**	**42**	**2**	**3**	**6**	**9**	**14**	**18**	**33**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.6	3	1	1	2	3	5	6	7
20-34	232	3.3	4	1	1	3	4	6	7	11
35-49	259	3.6	4	1	2	3	4	6	8	9
50-64	140	3.7	4	1	1	3	5	6	7	9
65+	48	4.3	11	1	1	4	5	7	9	21
B. *Operated*										
0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	46	7.4	7	3	4	7	9	11	12	13
35-49	52	8.1	16	3	4	8	10	12	13	25
50-64	34	7.7	18	3	3	7	9	14	17	21
65+	8	6.9	15	3	3	6	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.5	12	2	2	4	6	7	9	24
20-34	403	4.0	5	1	2	3	5	7	8	11
35-49	630	4.5	8	2	2	4	5	8	10	16
50-64	600	4.6	7	2	2	4	6	8	10	15
65+	710	5.7	16	2	2	5	7	9	12	21
B. *Operated*										
0-19 YRS	9	4.3	8	1	1	4	7	8	9	9
20-34	74	7.1	25	2	2	6	9	15	18	24
35-49	186	8.5	66	2	3	6	10	16	19	39
50-64	196	7.1	20	2	2	6	9	13	17	22
65+	200	9.0	63	2	3	7	10	16	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	742	3.5	4	1	1	3	4	6	7	11
B. *Operated*	144	7.6	13	3	4	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	2401	4.8	10	2	2	4	6	8	10	16
B. *Operated*	665	8.0	47	2	3	7	9	15	19	32
1. SINGLE DX	886	4.2	8	1	2	3	5	8	9	14
2. MULTIPLE DX	3066	5.5	20	2	2	4	7	10	13	24
A. NOT OPERATED	3143	4.5	9	1	2	4	5	8	9	15
B. OPERATED	809	7.9	41	2	3	7	9	14	18	31
TOTAL 0-19 YRS	134	3.6	8	1	1	3	5	6	7	13
20-34	755	4.3	8	1	2	3	5	8	10	15
35-49	1127	5.1	20	2	2	4	6	9	12	20
50-64	970	5.1	11	2	2	4	6	9	12	18
65+	966	6.3	27	2	2	5	8	11	14	29
GRAND TOTAL	**3952**	**5.2**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	3	1	2	3	5	6	7	7
20-34	128	3.7	3	1	2	3	5	6	7	10
35-49	158	3.9	4	1	2	4	5	6	8	9
50-64	135	4.1	3	2	2	4	5	7	8	9
65+	128	5.0	10	2	3	4	6	8	10	20
B. *Operated*										
0-19 YRS	8	6.9	3	4	4	7	8	9	9	9
20-34	44	7.6	10	4	5	7	8	11	15	18
35-49	69	8.0	6	4	5	8	9	11	12	16
50-64	60	7.3	8	3	3	7	8	11	12	15
65+	38	9.4	21	3	5	8	12	15	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.3	2	1	2	3	4	5	6	6
20-34	166	3.9	5	2	2	4	5	6	7	11
35-49	318	4.9	7	2	2	4	6	8	10	14
50-64	529	5.3	11	2	2	5	6	9	11	16
65+	1088	6.6	19	2	3	6	8	11	15	24
B. *Operated*										
0-19 YRS	11	9.3	21	3	4	8	11	17	19	19
20-34	55	9.6	31	3	5	8	12	18	23	26
35-49	157	9.7	55	3	4	8	11	15	23	30
50-64	275	10.2	69	3	4	9	12	18	24	46
65+	565	12.8	107	4	4	10	16	23	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	4.2	5	2	2	4	5	7	8	11
B. *Operated*	219	7.9	10	3	4	8	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	2129	5.8	15	2	3	5	7	10	12	22
B. *Operated*	1063	11.5	86	3	4	9	13	20	28	53
1. SINGLE DX	791	5.2	9	2	2	4	7	9	11	16
2. MULTIPLE DX	3192	7.7	46	2	3	6	9	14	19	35
A. NOT OPERATED	2701	5.4	13	2	2	5	7	9	11	21
B. OPERATED	1282	10.9	75	3	4	8	13	20	26	50
TOTAL 0-19 YRS	70	4.8	10	2	2	4	6	8	10	18
20-34	393	5.1	13	2	2	4	6	8	12	22
35-49	702	6.1	22	2	2	5	8	10	13	24
50-64	999	6.6	31	2	3	5	8	11	15	31
65+	1819	8.5	54	3	3	6	10	16	21	42
GRAND TOTAL	**3983**	**7.2**	**40**	**2**	**3**	**6**	**8**	**13**	**18**	**31**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	5.3	6	2	2	5	7	9	10	10
35-49	13	4.4	5	1	2	4	6	7	8	8
50-64	11	7.6	29	2	2	6	11	17	17	17
65+	10	6.3	15	3	3	5	8	12	14	14
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	11	8.8	16	5	5	8	9	16	17	17
35-49	20	9.4	12	4	6	9	11	13	17	20
50-64	17	9.5	7	5	5	10	11	13	14	14
65+	22	9.6	31	3	4	8	11	15	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	4.8	7	1	2	4	6	9	10	12
35-49	29	4.8	9	1	2	4	6	8	10	16
50-64	47	5.7	10	2	2	5	7	11	13	14
65+	107	8.3	44	3	3	7	9	16	19	39
B. *Operated*										
0-19 YRS	2	11.5	13	9	9	11	14	14	14	14
20-34	26	11.7	52	3	4	10	16	22	24	32
35-49	57	13.5	46	6	7	11	16	24	28	33
50-64	102	13.5	136	4	4	11	16	22	35	93
65+	174	15.9	194	4	5	13	20	32	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.8	14	2	2	5	7	11	14	17
B. *Operated*	71	9.4	16	4	5	9	11	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	207	6.8	29	2	3	6	8	13	16	27
B. *Operated*	361	14.5	144	4	5	12	17	26	37	78
1. SINGLE DX	118	7.9	18	2	3	7	10	14	16	23
2. MULTIPLE DX	568	11.7	116	3	3	9	14	22	31	66
A. NOT OPERATED	254	6.6	26	2	2	6	8	12	16	24
B. OPERATED	432	13.7	127	4	5	11	16	24	35	72
TOTAL 0-19 YRS	3	10.3	10	8	8	9	13	14	14	14
20-34	74	7.9	33	2	2	6	10	16	20	30
35-49	119	9.7	42	2	3	8	12	19	24	32
50-64	177	10.7	95	2	3	9	13	19	27	80
65+	313	12.6	140	3	4	9	15	24	36	68
GRAND TOTAL	**686**	**11.1**	**101**	**3**	**3**	**8**	**13**	**20**	**29**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	2.2	1	1	1	2	3	4	5	6
20-34	462	2.8	3	1	1	2	4	5	6	9
35-49	343	2.9	3	1	1	3	4	5	7	9
50-64	166	3.1	5	1	1	3	4	5	7	12
65+	70	3.6	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	19	3.5	8	1	1	3	4	7	10	13
20-34	29	4.0	6	1	1	3	6	7	8	10
35-49	53	5.6	27	<1	2	4	7	12	16	26
50-64	41	5.4	19	<1	1	4	7	10	11	26
65+	22	6.3	28	<1	1	5	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	674	2.8	3	1	1	2	3	5	6	9
20-34	1187	3.6	6	1	1	3	4	6	8	11
35-49	1506	4.0	7	1	2	3	5	7	9	13
50-64	1409	4.4	8	1	2	4	5	8	10	16
65+	1784	5.4	16	2	2	4	7	9	13	23
B. *Operated*										
0-19 YRS	57	5.9	66	1	1	4	6	10	20	49
20-34	200	6.0	18	2	2	5	7	11	15	22
35-49	341	6.6	20	2	2	5	9	12	15	24
50-64	407	7.0	27	2	3	6	8	13	17	28
65+	594	7.8	35	2	3	6	9	14	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	2.8	3	1	1	2	4	5	6	9
B. *Operated*	164	5.1	20	<1	1	4	7	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	6560	4.3	10	1	2	3	5	8	10	16
B. *Operated*	1599	7.1	29	2	3	6	9	13	16	28
1. SINGLE DX	1434	3.1	6	1	1	3	4	6	7	12
2. MULTIPLE DX	8159	4.8	15	1	2	4	6	9	11	20
A. NOT OPERATED	7830	4.0	9	1	1	3	5	7	9	15
B. OPERATED	1763	6.9	29	2	2	6	9	12	16	28
TOTAL 0-19 YRS	979	2.8	7	1	1	2	3	5	6	13
20-34	1878	3.7	7	1	1	3	4	7	8	15
35-49	2243	4.3	10	1	2	3	5	8	10	16
50-64	2023	4.8	13	1	2	4	6	9	11	19
65+	2470	6.0	22	2	2	5	7	11	14	25
GRAND TOTAL	**9593**	**4.6**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.0	4	1	1	2	3	5	7	11
20-34	59	3.1	3	1	1	3	4	6	7	8
35-49	91	3.6	6	1	1	3	5	7	8	12
50-64	43	3.7	4	1	1	3	5	7	8	8
65+	16	3.7	7	<1	<1	3	5	9	10	10
B. *Operated*										
0-19 YRS	58	3.6	3	1	2	3	4	5	7	10
20-34	15	8.7	27	2	3	7	10	16	20	22
35-49	29	8.0	45	1	2	6	10	15	17	36
50-64	16	9.9	19	4	4	9	12	14	19	21
65+	9	11.1	37	3	3	11	16	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	3.3	5	1	1	3	4	7	8	11
20-34	241	4.2	12	1	1	3	5	7	10	24
35-49	284	4.8	15	1	2	4	6	9	11	21
50-64	286	4.7	13	1	2	4	6	9	9	19
65+	402	5.9	32	1	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	54	8.1	144	1	2	4	8	18	36	71
20-34	55	9.5	54	2	2	8	13	17	21	40
35-49	126	10.3	82	2	2	8	13	20	29	45
50-64	161	11.7	69	3	4	10	14	21	27	47
65+	229	13.4	130	3	3	11	16	25	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	3.4	5	1	1	3	4	6	8	10
B. *Operated*	127	6.5	27	2	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	1352	4.9	19	1	2	4	6	9	11	22
B. *Operated*	625	11.5	101	2	3	9	14	22	32	56
1. SINGLE DX	409	4.4	14	1	1	3	5	8	11	19
2. MULTIPLE DX	1977	7.0	55	1	2	5	8	14	20	38
A. NOT OPERATED	1634	4.6	17	1	1	4	6	8	11	19
B. OPERATED	752	10.7	92	2	3	8	14	21	29	50
TOTAL 0-19 YRS	324	4.1	30	1	1	3	5	7	9	29
20-34	370	5.0	22	1	1	4	6	10	13	24
35-49	530	6.1	37	1	2	4	7	12	16	32
50-64	506	7.0	42	2	2	5	9	14	19	35
65+	656	8.5	79	2	2	6	11	17	23	50
GRAND TOTAL	**2386**	**6.5**	**48**	**1**	**2**	**4**	**8**	**13**	**18**	**37**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.7	1	<1	1	2	2	3	4	4
20-34	14	1.9	2	<1	1	2	2	4	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	3	6.0	19	3	3	4	9	11	11	11
65+										
B. *Operated*										
0-19 YRS	2776	3.0	2	1	2	3	4	5	5	8
20-34	2045	3.2	2	2	2	3	4	5	5	7
35-49	700	3.6	3	2	2	3	4	6	7	10
50-64	257	4.4	6	2	2	4	5	7	9	12
65+	71	4.5	3	2	3	4	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	3	1	1	2	4	5	5	5
20-34	8	2.9	3	1	1	3	4	5	5	5
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	3	7.7	17	3	3	9	10	11	11	11
65+	5	7.2	5	5	5	7	8	11	11	11
B. *Operated*										
0-19 YRS	477	4.3	9	2	2	4	5	7	9	17
20-34	413	4.5	7	2	2	4	5	7	9	15
35-49	230	5.1	7	2	3	4	6	9	10	15
50-64	142	6.4	17	2	3	5	8	11	15	22
65+	106	6.6	18	2	3	6	7	12	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.1	3	<1	1	2	3	4	5	11
B. *Operated*	5849	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	32	3.8	9	1	1	3	5	8	11	11
B. *Operated*	1368	4.9	10	2	2	4	6	8	11	17
1. SINGLE DX	5892	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	1400	4.9	10	2	2	4	6	8	11	17
A. NOT OPERATED	75	2.9	6	1	1	2	4	6	9	11
B. OPERATED	7217	3.6	4	2	2	3	4	6	7	11
TOTAL 0-19 YRS	3287	3.2	3	1	2	3	4	5	6	9
20-34	2480	3.4	3	2	2	3	4	5	6	9
35-49	938	3.9	5	2	2	3	5	6	8	12
50-64	405	5.2	11	2	2	4	6	9	11	18
65+	182	5.8	13	2	3	5	7	9	12	19
GRAND TOTAL	**7292**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	19	<1	<1	4	10	11	11	11
20-34	9	5.7	19	3	3	4	6	13	17	17
35-49	9	8.0	18	<1	2	8	10	14	15	15
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS	540	6.7	11	3	3	6	8	11	13	19
20-34	267	6.1	8	2	3	6	7	9	11	16
35-49	207	7.0	9	3	4	7	8	10	13	17
50-64	138	7.2	8	3	4	7	8	11	13	18
65+	76	9.1	22	4	5	8	10	15	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	19	1	1	5	9	12	12	12
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	5.0	21	1	1	4	8	10	10	10
50-64	4	6.8		6	6	7	7	7	7	7
65+	9	8.3	20	4	4	7	11	15	18	18
B. *Operated*										
0-19 YRS	372	9.9	41	4	5	8	11	18	24	33
20-34	243	9.1	20	4	5	8	11	15	19	24
35-49	209	9.5	17	4	5	9	11	16	18	21
50-64	280	11.2	51	5	6	9	13	18	23	43
65+	264	12.7	96	5	6	11	13	20	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.5	16	<1	2	5	9	12	15	17
B. *Operated*	1228	6.8	11	3	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	23	6.7	16	1	1	6	8	11	14	18
B. *Operated*	1368	10.5	48	4	5	9	12	17	22	40
1. SINGLE DX	1256	6.8	11	3	3	6	8	11	13	19
2. MULTIPLE DX	1391	10.5	47	4	5	9	12	17	22	40
A. NOT OPERATED	51	6.5	15	1	2	6	8	11	15	18
B. OPERATED	2596	8.8	34	3	4	8	10	14	18	30
TOTAL 0-19 YRS	922	8.0	25	3	3	7	9	13	17	28
20-34	521	7.5	16	3	3	7	9	12	16	22
35-49	428	8.2	15	3	4	7	10	14	16	20
50-64	424	9.8	40	4	5	8	11	15	20	41
65+	352	11.8	80	5	6	10	13	19	27	49
GRAND TOTAL	**2647**	**8.7**	**33**	**3**	**4**	**8**	**10**	**14**	**18**	**29**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.0	2	<1	1	2	2	4	5	9
20-34	20	2.4	3	<1	1	2	3	5	6	7
35-49	9	2.4	1	1	1	2	3	4	4	4
50-64	5	2.4	1	1	1	2	3	4	4	4
65+	3	4.0	1	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	234	3.2	2	1	2	3	4	5	6	8
20-34	185	3.7	4	2	2	3	4	6	7	11
35-49	48	4.2	6	2	2	4	5	8	10	12
50-64	19	4.3	4	2	2	4	5	7	9	9
65+	7	4.6	7	2	2	4	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.3	4	<1	1	2	2	4	6	11
20-34	17	2.8	3	<1	1	2	3	4	7	8
35-49	6	4.5	2	2	2	5	6	6	6	6
50-64	8	4.1	18	1	1	2	6	11	13	13
65+	10	6.0	21	2	2	5	9	13	16	16
B. *Operated*										
0-19 YRS	140	4.9	27	2	2	4	5	8	10	25
20-34	121	5.2	24	2	3	4	5	8	10	27
35-49	44	6.6	15	2	3	6	8	12	14	20
50-64	18	6.6	12	2	2	6	10	12	13	13
65+	21	9.9	53	3	3	8	11	22	26	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.2	2	1	1	2	3	4	5	8
B. *Operated*	493	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	72	3.3	9	1	1	2	4	7	10	15
B. *Operated*	344	5.6	27	2	3	4	6	10	12	23
1. SINGLE DX	572	3.4	3	1	2	3	4	5	7	10
2. MULTIPLE DX	416	5.2	24	2	2	4	6	9	12	23
A. NOT OPERATED	151	2.7	6	1	1	2	3	5	8	13
B. OPERATED	837	4.4	14	2	2	4	5	7	10	18
TOTAL 0-19 YRS	447	3.6	11	1	1	3	4	6	7	12
20-34	343	4.1	11	2	2	3	5	6	8	17
35-49	107	5.0	11	2	2	4	6	9	12	19
50-64	50	4.9	10	1	2	4	6	10	12	13
65+	41	7.6	38	2	2	5	10	15	22	30
GRAND TOTAL	**988**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4		<1	<1	1	2	3	3	3
20-34	10	1.6		<1	<1	1	2	3	3	3
35-49	6	1.8	4	1	1	1	1	6	6	6
50-64	9	3.1	3	<1	<1	3	4	6	6	6
65+	9	2.6	5	<1	<1	2	3	6	8	8
B. *Operated*										
0-19 YRS	1142	1.5	1	<1	<1	1	2	2	3	4
20-34	1521	2.2	1	1	1	2	3	4	4	6
35-49	1703	2.4	2	1	1	2	3	4	5	7
50-64	2054	2.6	2	1	1	2	3	4	5	7
65+	1404	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	1.4	1	<1	<1	1	1	2	3	7
20-34	14	1.9	3	<1	<1	1	2	5	6	6
35-49	17	4.4	16	<1	<1	3	6	11	14	15
50-64	33	2.7	10	<1	<1	2	3	5	6	18
65+	47	4.2	16	<1	1	3	6	11	13	18
B. *Operated*										
0-19 YRS	814	1.9	3	<1	<1	1	2	3	4	8
20-34	498	2.7	3	1	1	2	4	5	6	9
35-49	940	3.1	3	1	1	3	4	5	6	9
50-64	1835	3.4	5	1	1	3	4	6	7	12
65+	2747	4.1	9	1	2	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*	7824	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	168	2.8	10	<1	<1	1	3	6	10	17
B. *Operated*	6834	3.4	6	1	1	3	4	6	8	12
1. SINGLE DX	7869	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	7002	3.4	6	1	1	3	4	6	8	13
A. NOT OPERATED	213	2.6	8	<1	<1	1	3	6	8	16
B. OPERATED	14658	2.9	4	1	1	2	4	5	6	10
TOTAL 0-19 YRS	2024	1.6	2	<1	<1	1	2	3	3	6
20-34	2043	2.4	2	1	1	2	3	4	5	7
35-49	2666	2.7	3	1	1	2	3	5	5	8
50-64	3931	3.0	4	1	1	3	4	5	6	10
65+	4207	3.7	7	1	1	3	4	6	8	13
GRAND TOTAL	**14871**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34										
35-49										
50-64	5	1.6	1	<1	<1	<1	2	3	3	3
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	195	1.8	1	1	1	2	2	3	4	6
20-34	85	2.8	2	1	1	3	4	5	5	6
35-49	66	2.9	2	1	2	3	4	4	5	7
50-64	99	3.3	3	1	1	3	4	6	7	8
65+	141	4.4	10	2	2	4	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	13	6.6	168	<1	1	3	4	18	43	49
B. *Operated*										
0-19 YRS	207	2.5	4	<1	1	2	3	4	6	10
20-34	46	4.1	11	1	1	3	5	10	12	14
35-49	50	6.2	90	1	2	4	6	10	14	67
50-64	136	5.7	26	1	2	4	7	11	14	25
65+	498	6.6	20	2	3	6	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	5	<1	<1	1	2	4	8	9
B. *Operated*	586	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	28	4.1	81	<1	<1	2	3	5	14	49
B. *Operated*	937	5.4	23	1	1	4	7	11	14	21
1. SINGLE DX	599	2.9	5	1	1	3	4	5	7	11
2. MULTIPLE DX	965	5.4	25	1	1	4	7	11	14	22
A. NOT OPERATED	41	3.5	57	<1	<1	2	3	5	9	49
B. OPERATED	1523	4.5	18	1	1	3	6	9	12	20
TOTAL 0-19 YRS	418	2.1	3	<1	1	2	3	4	5	8
20-34	132	3.3	6	1	1	3	4	6	8	14
35-49	117	4.3	42	1	2	3	4	7	10	36
50-64	243	4.6	17	1	1	3	5	8	12	19
65+	654	6.1	21	2	2	5	8	11	15	23
GRAND TOTAL	**1564**	**4.5**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	203	1.6	1	<1	<1	1	2	3	3	5
20-34	63	2.2	1	<1	1	2	3	4	5	6
35-49	115	2.4	2	1	1	2	3	4	6	8
50-64	75	2.3	2	1	1	2	3	4	5	7
65+	36	2.7	2	1	1	3	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34	4	4.3	12	1	1	3	6	9	9	9
35-49	7	2.0	3	1	1	1	3	5	5	5
50-64	4	1.5	1	<1	<1	1	2	3	3	3
65+	7	4.4	4	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	92	2.2	6	<1	<1	1	2	4	6	65
20-34	56	3.3	4	1	1	3	4	6	7	9
35-49	98	3.9	9	1	1	3	5	8	9	17
50-64	113	4.0	8	1	1	3	5	7	9	15
65+	77	4.7	33	1	2	4	5	8	9	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	492	2.0	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	34	2.4	4	<1	<1	1	3	6	7	9
B. *Operated*	436	3.6	12	1	1	3	5	7	8	19
1. SINGLE DX	503	2.0	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	470	3.5	12	1	1	3	5	7	8	19
A. NOT OPERATED	45	2.2	4	<1	<1	1	3	5	6	9
B. OPERATED	928	2.8	7	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	315	1.7	2	<1	<1	1	2	3	4	9
20-34	124	2.7	3	1	1	2	4	5	6	9
35-49	220	3.1	6	1	1	2	4	6	8	12
50-64	193	3.3	6	1	1	3	4	6	7	12
65+	121	4.1	23	1	1	3	5	7	8	29
GRAND TOTAL	**973**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	7	2.7	2	<1	<1	3	4	5	5	5
50-64	10	3.2	7	<1	<1	3	4	7	10	10
65+										
B. *Operated*										
0-19 YRS	55	2.3	2	<1	1	2	3	4	5	8
20-34	189	3.3	4	1	1	3	4	6	7	10
35-49	368	4.0	4	1	2	4	5	7	8	10
50-64	382	4.2	5	1	2	4	5	7	8	9
65+	272	4.9	5	2	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	6	1	1	3	5	6	6	6
20-34	5	2.0	5	<1	<1	1	2	6	6	6
35-49	20	3.3	10	<1	<1	2	3	7	11	14
50-64	25	3.0	5	<1	1	2	4	6	7	9
65+	40	3.6	5	<1	1	3	5	7	7	8
B. *Operated*										
0-19 YRS	32	4.1	33	<1	1	3	4	7	13	32
20-34	150	5.1	9	2	2	4	6	8	11	16
35-49	421	5.8	15	2	2	5	7	10	12	19
50-64	555	6.0	17	2	2	5	7	10	12	21
65+	671	6.8	24	2	3	6	8	12	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.9	5	<1	<1	3	4	5	8	10
B. *Operated*	1266	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	94	3.3	6	<1	1	3	5	6	7	12
B. *Operated*	1829	6.1	19	2	2	5	7	10	13	21
1. SINGLE DX	1285	4.1	5	1	1	4	5	7	8	10
2. MULTIPLE DX	1923	6.0	19	2	2	5	7	10	13	21
A. NOT OPERATED	113	3.2	6	<1	<1	3	4	6	7	11
B. OPERATED	3095	5.3	14	1	2	5	7	9	11	17
TOTAL 0-19 YRS	91	2.9	14	<1	1	2	4	5	7	25
20-34	346	4.0	7	1	1	4	5	7	8	12
35-49	816	4.9	11	1	2	4	6	8	10	15
50-64	972	5.2	13	1	2	5	7	9	10	17
65+	983	6.1	19	2	2	5	8	10	13	19
GRAND TOTAL	**3208**	**5.2**	**14**	**1**	**2**	**4**	**7**	**9**	**11**	**17**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	2.8	3	1	1	3	4	5	6	6
35-49	40	2.9	2	1	1	3	4	5	5	6
50-64	68	3.0	2	1	1	3	4	5	5	7
65+	22	3.8	4	1	2	3	5	6	8	9
B. *Operated*										
0-19 YRS	3	7.0	3	6	6	6	8	9	9	9
20-34	8	7.4	38	3	3	6	7	18	22	22
35-49	10	5.4	5	1	2	6	7	8	8	8
50-64	16	4.5	9	1	1	4	6	8	11	12
65+	14	6.2	14	1	2	6	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	5	1	1	3	6	7	8	8
20-34	102	4.0	4	2	2	4	5	7	9	11
35-49	342	3.6	4	1	1	3	4	6	8	12
50-64	549	4.0	5	1	2	4	5	7	8	10
65+	756	4.7	10	2	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	19	10.7	76	2	3	7	12	23	30	35
20-34	59	8.1	21	2	4	7	9	14	16	29
35-49	189	7.0	13	2	3	7	8	12	14	19
50-64	238	7.2	17	2	3	7	9	12	14	24
65+	234	9.2	52	2	2	8	11	17	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.1	2	1	1	3	4	5	6	7
B. *Operated*	51	5.7	14	1	2	6	7	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1760	4.2	7	1	2	4	5	7	9	14
B. *Operated*	739	7.9	30	2	3	7	10	14	18	30
1. SINGLE DX	194	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	2499	5.3	17	2	2	4	7	10	12	23
A. NOT OPERATED	1903	4.2	7	1	2	4	5	7	9	14
B. OPERATED	790	7.8	29	2	3	7	9	14	17	29
TOTAL 0-19 YRS	34	7.9	54	2	2	6	9	21	24	35
20-34	181	5.4	15	2	2	4	7	9	12	21
35-49	581	4.7	10	1	2	4	6	8	11	16
50-64	871	4.8	10	1	2	4	6	9	10	17
65+	1026	5.8	23	2	2	4	7	10	15	25
GRAND TOTAL	**2693**	**5.2**	**16**	**1**	**2**	**4**	**7**	**9**	**12**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	31	2.7	4	1	1	2	3	5	8	10
35-49	40	3.0	4	1	1	3	4	5	6	11
50-64	46	3.2	4	1	1	3	4	5	7	10
65+	34	3.1	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	5	5.0	10	2	2	4	7	10	10	10
65+	11	5.7	30	1	1	4	7	16	16	16
B. *Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	11	2.9	3	1	1	3	4	5	6	6
35-49	32	4.0	15	1	1	3	5	8	15	17
50-64	46	4.4	12	1	1	4	5	8	12	19
65+	78	5.3	16	1	2	4	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	153	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	19	4.9	21	<1	1	4	6	13	16	16
B. *Operated*	172	4.6	14	1	1	3	6	9	13	20
1. SINGLE DX	155	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX	191	4.6	15	1	1	3	6	9	14	20
A. NOT OPERATED	21	4.7	20	<1	1	3	6	12	16	16
B. OPERATED	325	3.9	10	1	1	3	4	8	10	17
TOTAL 0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	43	2.7	4	<1	1	2	3	5	7	10
35-49	74	3.4	9	1	1	3	4	6	10	17
50-64	100	3.9	8	1	1	3	5	7	9	16
65+	124	4.7	15	1	1	3	6	9	13	21
GRAND TOTAL	**346**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	1.4		<1	<1	1	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65+	11	4.7	4	2	2	5	6	7	8	8
B. *Operated*										
0-19 YRS	26	2.8	12	1	1	2	3	6	9	18
20-34	79	3.3	5	1	1	3	4	6	8	12
35-49	135	3.8	6	1	1	3	5	7	9	11
50-64	146	4.5	7	1	2	4	6	9	10	12
65+	162	5.1	8	2	2	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	8	3.0	6	1	1	2	4	7	8	8
50-64	29	4.9	10	2	2	4	6	8	11	17
65+	88	5.6	13	2	2	5	7	11	13	17
B. *Operated*										
0-19 YRS	25	5.6	14	1	2	4	8	11	12	14
20-34	46	5.5	17	2	2	4	7	10	14	22
35-49	160	5.0	17	1	2	5	8	10	12	22
50-64	277	8.2	44	2	3	7	10	16	19	31
65+	608	10.5	79	2	3	8	12	20	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	6	<1	<1	2	5	7	8	8
B. *Operated*	548	4.3	7	1	1	4	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	130	5.2	12	1	2	4	6	10	13	17
B. *Operated*	1116	9.0	61	2	3	7	11	17	23	43
1. SINGLE DX	569	4.2	7	1	1	4	5	8	9	13
2. MULTIPLE DX	1246	8.6	57	2	3	7	11	16	22	42
A. NOT OPERATED	151	4.9	12	1	1	4	6	9	13	17
B. OPERATED	1664	7.4	48	1	2	5	9	14	19	38
TOTAL 0-19 YRS	56	3.9	14	1	1	3	5	10	12	18
20-34	129	4.1	11	1	1	3	5	8	10	17
35-49	308	4.9	13	1	1	4	7	9	11	22
50-64	453	6.8	33	2	2	5	9	13	17	29
65+	869	8.9	64	2	3	7	11	16	24	47
GRAND TOTAL	**1815**	**7.2**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.6	3	<1	1	2	3	5	6	9
20-34	156	3.8	5	1	1	3	5	7	8	11
35-49	228	4.4	7	1	1	4	6	8	9	15
50-64	276	4.2	7	1	2	4	5	8	9	14
65+	304	4.5	7	1	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	116	6.4	41	2	2	5	7	10	12	47
20-34	113	8.3	23	4	4	7	9	14	18	27
35-49	154	10.2	28	4	5	9	12	20	23	25
50-64	146	9.6	20	5	5	8	12	15	18	28
65+	140	11.6	48	5	6	10	13	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	3.7	6	1	1	3	5	7	9	12
20-34	179	4.9	9	1	2	4	6	8	10	17
35-49	406	5.3	10	2	2	5	7	9	11	17
50-64	697	5.8	18	2	2	5	7	11	14	22
65+	2148	6.9	25	2	2	6	9	13	15	26
B. *Operated*										
0-19 YRS	151	10.8	77	3	4	8	13	19	27	56
20-34	183	12.0	101	4	5	9	15	21	28	85
35-49	387	12.6	69	5	5	10	15	23	30	44
50-64	589	14.7	113	5	6	12	17	26	38	63
65+	1355	15.7	119	6	7	13	19	29	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1110	4.1	7	1	1	4	5	7	9	13
B. *Operated*	669	9.4	35	3	4	8	11	15	21	29
2. MULTIPLE DX										
A. *Not Operated*	3553	6.3	21	2	2	5	8	12	14	24
B. *Operated*	2665	14.5	109	5	6	12	17	27	35	63
1. SINGLE DX	1779	6.1	24	1	2	5	8	11	14	25
2. MULTIPLE DX	6218	9.8	75	2	3	8	12	19	25	46
A. NOT OPERATED	4663	5.8	19	1	2	5	7	11	13	22
B. OPERATED	3334	13.5	98	4	6	11	16	24	32	59
TOTAL 0-19 YRS	536	6.0	44	1	1	4	7	11	16	37
20-34	631	7.3	48	2	2	6	9	14	18	30
35-49	1175	8.2	44	2	2	6	10	15	21	34
50-64	1708	9.0	68	2	2	7	11	17	23	48
65+	3947	9.9	76	2	3	8	12	19	25	44
GRAND TOTAL	**7997**	**9.0**	**66**	**2**	**2**	**7**	**11**	**17**	**24**	**43**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2096	2.4	2	1	1	2	3	4	5	7
20-34	1140	2.4	2	1	1	2	3	4	5	7
35-49	582	2.9	3	1	1	3	4	5	6	9
50-64	362	3.0	3	1	1	2	4	5	7	9
65+	215	3.1	5	1	1	2	4	6	8	14
B. *Operated*										
0-19 YRS	50	3.9	12	1	2	3	4	7	9	23
20-34	85	3.9	3	2	2	4	5	6	7	68
35-49	44	4.0	5	1	2	4	5	6	8	13
50-64	33	5.2	9	2	2	4	7	9	11	14
65+	14	7.1	30	1	2	6	11	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5369	2.9	4	1	1	3	4	5	6	10
20-34	1823	2.9	4	1	1	2	4	5	6	10
35-49	1487	3.7	8	1	1	3	4	6	8	13
50-64	1554	4.1	7	1	2	4	5	7	9	15
65+	2745	5.2	16	2	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	148	7.3	88	2	2	4	7	16	31	53
20-34	176	6.1	36	1	2	5	7	10	14	40
35-49	201	6.1	19	2	2	5	7	11	14	24
50-64	227	8.0	52	2	3	6	9	15	21	38
65+	364	10.4	95	3	3	8	13	20	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4395	2.5	3	1	1	2	3	4	5	8
B. *Operated*	226	4.3	8	2	2	4	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	12978	3.6	8	1	1	3	4	6	8	15
B. *Operated*	1116	8.1	65	2	2	6	9	16	22	46
1. SINGLE DX	4621	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	14094	4.0	14	1	1	3	5	7	9	18
A. NOT OPERATED	17373	3.4	7	1	1	3	4	6	8	13
B. OPERATED	1342	7.4	58	2	2	5	8	14	21	44
TOTAL 0-19 YRS	7663	2.9	5	1	1	2	3	5	6	10
20-34	3224	2.9	6	1	1	2	4	5	6	11
35-49	2314	3.7	8	1	1	3	5	7	8	13
50-64	2176	4.4	13	1	2	4	5	8	10	17
65+	3338	5.6	27	1	2	4	7	10	14	25
GRAND TOTAL	**18715**	**3.6**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	39	4.1	4	2	2	4	6	7	8	9
35-49	295	4.3	5	1	2	4	5	7	9	11
50-64	502	4.8	6	1	2	4	6	8	9	12
65+	426	4.9	7	1	2	5	6	8	9	14
B. *Operated*										
0-19 YRS	3	5.7	25	1	1	5	9	11	11	11
20-34	13	6.1	4	4	4	5	8	9	10	10
35-49	95	9.1	14	3	5	9	10	14	17	21
50-64	101	9.2	8	5	6	9	11	13	14	16
65+	82	11.4	25	5	7	10	14	16	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	56	3	3	9	14	21	21	21
20-34	35	4.5	6	1	2	4	6	7	10	12
35-49	338	5.1	9	2	2	4	6	8	10	13
50-64	1074	5.3	10	2	2	5	7	9	11	15
65+	3177	6.1	16	2	3	5	8	11	13	20
B. *Operated*										
0-19 YRS	4	9.5	26	2	2	11	12	13	13	13
20-34	37	9.5	38	3	4	8	12	16	18	37
35-49	239	11.4	64	3	5	10	14	18	23	39
50-64	626	11.2	44	3	4	10	14	20	24	38
65+	1340	12.8	79	3	4	11	16	23	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1262	4.7	6	1	2	4	6	8	9	13
B. *Operated*	294	9.6	16	4	5	9	11	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	4629	5.8	14	2	2	5	7	10	12	19
B. *Operated*	2246	12.1	67	3	4	10	15	21	27	46
1. SINGLE DX	1556	5.6	12	2	2	5	7	10	12	17
2. MULTIPLE DX	6875	7.9	40	2	3	6	10	15	19	33
A. NOT OPERATED	5891	5.6	13	2	2	5	7	10	12	18
B. OPERATED	2540	11.8	62	3	4	10	14	20	26	44
TOTAL 0-19 YRS	12	8.6	35	1	2	10	12	15	20	21
20-34	124	6.0	20	2	2	5	7	10	14	23
35-49	967	6.8	31	2	2	5	9	12	15	25
50-64	2303	6.9	26	2	2	6	9	13	16	27
65+	5025	7.9	41	2	3	6	10	15	19	33
GRAND TOTAL	**8431**	**7.5**	**36**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	1	1	2	2	3	3	3
20-34	30	2.8	2	1	1	3	3	5	7	7
35-49	21	3.0	5	1	1	2	3	5	8	11
50-64	14	3.4	3	1	2	3	4	6	7	7
65+	5	3.4	2	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	101	2.2	3	<1	1	2	2	4	7	10
20-34	598	2.6	3	1	1	2	3	4	6	9
35-49	561	2.6	2	1	1	2	3	4	5	8
50-64	276	2.8	3	1	1	2	4	5	6	9
65+	89	2.8	3	<1	1	3	4	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.5	42	<1	1	2	3	12	20	30
20-34	24	4.1	5	1	2	4	5	8	9	10
35-49	36	3.9	7	1	1	4	5	6	10	13
50-64	48	4.8	9	2	2	4	6	8	10	16
65+	42	6.5	29	1	2	5	8	11	16	31
B. *Operated*										
0-19 YRS	72	3.1	5	1	1	2	4	7	9	11
20-34	547	3.6	8	1	1	3	4	6	8	15
35-49	792	3.8	16	1	1	3	4	6	8	21
50-64	601	4.4	23	1	2	3	5	8	10	23
65+	379	5.1	42	1	2	4	6	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.9	3	1	1	2	3	6	7	10
B. *Operated*	1625	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	175	4.9	18	1	2	4	6	9	12	28
B. *Operated*	2391	4.1	20	1	1	3	5	7	9	21
1. SINGLE DX	1704	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX	2566	4.2	20	1	1	3	5	7	10	22
A. NOT OPERATED	254	4.3	14	1	1	3	5	8	10	21
B. OPERATED	4016	3.5	13	1	1	3	4	6	8	17
TOTAL 0-19 YRS	207	2.8	9	<1	1	2	3	5	8	14
20-34	1199	3.1	5	1	1	3	4	6	7	12
35-49	1410	3.3	11	1	1	3	4	5	7	14
50-64	939	3.9	17	1	1	3	4	7	9	20
65+	515	4.8	34	1	1	4	5	8	13	26
GRAND TOTAL	**4270**	**3.5**	**14**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.0	5	1	1	2	4	5	7	13
20-34	480	4.1	8	1	1	3	5	8	9	14
35-49	357	4.0	7	1	1	3	5	7	9	14
50-64	194	4.0	8	1	1	3	5	8	10	13
65+	168	3.5	7	<1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	159	5.5	31	1	1	4	7	11	14	30
20-34	328	6.8	29	1	2	6	9	14	17	26
35-49	231	6.5	28	1	2	5	9	12	16	32
50-64	155	6.7	27	1	2	5	10	14	16	23
65+	133	7.3	46	1	2	6	9	13	15	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	491	4.4	25	1	1	3	5	9	12	21
20-34	841	4.7	13	1	2	4	6	9	12	19
35-49	997	5.0	14	1	2	4	6	10	12	20
50-64	1096	5.1	16	1	2	4	6	9	12	20
65+	2241	6.1	23	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	323	10.4	133	1	1	7	12	25	36	62
20-34	791	9.1	75	2	3	7	11	19	25	45
35-49	975	9.4	83	2	3	7	12	19	29	46
50-64	1085	10.2	105	2	2	7	12	22	31	60
65+	1727	12.1	125	2	3	9	15	25	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1487	3.8	7	1	1	3	5	7	9	13
B. *Operated*	1006	6.6	31	1	2	5	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	5666	5.4	19	1	2	4	7	10	13	22
B. *Operated*	4901	10.5	106	2	3	8	13	22	30	57
1. SINGLE DX	2493	4.9	19	1	1	4	6	10	13	22
2. MULTIPLE DX	10567	7.8	66	1	2	5	9	16	22	42
A. NOT OPERATED	7153	5.0	17	1	2	4	6	10	12	21
B. OPERATED	5907	9.9	96	2	2	7	12	21	28	53
TOTAL 0-19 YRS	1261	5.8	56	1	1	3	6	12	18	43
20-34	2440	6.3	39	1	2	5	8	12	17	31
35-49	2560	6.7	45	1	2	5	8	13	18	36
50-64	2530	7.3	61	1	2	5	9	15	21	42
65+	4269	8.4	74	1	2	6	10	17	24	47
GRAND TOTAL	**13060**	**7.2**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**40**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	12	8.0	62	2	2	5	10	20	28	29
35-49	18	6.8	39	1	1	4	8	19	20	21
50-64	17	7.7	19	3	4	7	10	16	16	16
65+	4	6.0	9	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	3	7.0	28	1	1	9	10	11	11	11
35-49	11	5.8	5	1	2	7	7	8	9	9
50-64	11	4.3	24	1	1	4	4	11	17	18
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	84	7.7	52	1	2	6	9	15	23	41
35-49	330	9.0	66	2	3	7	11	17	27	42
50-64	324	9.1	57	2	3	7	11	18	25	39
65+	201	9.2	45	2	3	8	12	17	21	39
B. *Operated*										
0-19 YRS										
20-34	22	14.5	208	2	3	10	16	39	50	55
35-49	121	12.8	148	2	3	9	16	27	33	62
50-64	155	11.5	137	1	2	9	13	23	34	66
65+	76	10.9	91	2	2	8	15	26	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.5	35	2	2	6	9	16	19	29
B. *Operated*	26	5.3	15	1	1	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	940	8.9	57	2	3	7	11	17	23	40
B. *Operated*	374	12.0	135	2	3	9	15	26	34	62
1. SINGLE DX	78	6.8	29	1	1	5	8	16	18	27
2. MULTIPLE DX	1314	9.8	81	2	3	7	12	19	27	46
A. NOT OPERATED	992	8.9	56	2	3	7	11	17	22	39
B. OPERATED	400	11.6	130	1	2	8	15	25	33	59
TOTAL 0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34	121	9.0	85	1	2	6	10	17	28	49
35-49	480	9.8	87	2	3	7	12	20	28	44
50-64	507	9.7	81	2	3	7	12	19	27	44
65+	282	9.6	57	2	3	8	12	18	22	41
GRAND TOTAL	**1392**	**9.6**	**78**	**2**	**3**	**7**	**12**	**19**	**27**	**45**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	6	4.2	4	2	2	4	6	7	7	7
35-49	8	5.5	16	1	1	4	8	12	13	13
50-64	13	3.3	10	1	1	2	3	9	11	11
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	12	1.5		<1	<1	1	2	3	3	3
20-34	47	2.3	6	1	1	2	2	5	7	13
35-49	47	1.9	7	<1	1	1	2	3	7	17
50-64	49	3.0	8	1	1	2	4	7	9	12
65+	26	3.9	37	1	1	2	3	11	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	7	1	1	3	6	7	9	10
20-34	27	5.7	21	1	2	5	7	11	14	23
35-49	82	6.7	38	1	2	5	8	13	16	37
50-64	157	7.7	46	2	2	6	9	15	19	32
65+	241	9.2	60	2	3	7	11	17	23	37
B. *Operated*										
0-19 YRS	38	6.8	94	1	1	4	9	15	17	57
20-34	49	6.8	123	1	1	3	7	17	22	67
35-49	105	7.3	101	1	1	4	8	16	30	55
50-64	209	7.4	69	1	1	5	11	17	22	42
65+	226	9.8	76	1	1	8	14	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.2	13	1	1	3	5	10	13	15
B. *Operated*	181	2.6	11	1	1	1	2	5	9	17
2. MULTIPLE DX										
A. *Not Operated*	526	8.0	50	1	2	6	10	15	20	34
B. *Operated*	627	8.2	84	1	1	5	11	18	24	45
1. SINGLE DX	214	2.8	12	1	1	2	3	6	11	16
2. MULTIPLE DX	1153	8.1	68	1	1	6	11	17	22	41
A. NOT OPERATED	559	7.8	49	1	2	6	10	15	20	33
B. OPERATED	808	6.9	73	1	1	4	9	17	22	41
TOTAL 0-19 YRS	71	5.1	58	1	1	3	6	13	15	49
20-34	129	4.8	57	1	1	2	5	11	17	42
35-49	242	6.0	62	1	1	3	7	12	18	42
50-64	428	6.9	54	1	1	5	9	14	20	35
65+	497	9.2	68	1	1	7	12	19	25	37
GRAND TOTAL	**1367**	**7.3**	**63**	**1**	**1**	**5**	**10**	**16**	**22**	**38**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.0	4	1	1	4	5	6	7	8
20-34	92	4.6	9	2	2	4	5	7	12	16
35-49	43	4.7	11	<1	1	4	6	8	12	17
50-64	21	6.0	19	1	2	5	7	12	16	19
65+	15	4.9	11	<1	1	5	8	9	10	10
B. *Operated*										
0-19 YRS	8	5.0	11	1	1	4	8	10	10	10
20-34	18	6.6	42	1	1	5	10	13	21	26
35-49	15	7.5	38	1	1	6	13	16	18	19
50-64	19	7.2	80	1	1	3	9	23	29	32
65+	25	5.1	22	<1	1	3	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.6	7	1	2	4	6	7	10	16
20-34	129	5.2	28	2	2	5	7	12	19	29
35-49	188	7.9	43	2	3	6	10	15	21	33
50-64	280	7.7	41	2	3	6	9	15	22	33
65+	395	8.7	51	2	3	7	10	16	21	42
B. *Operated*										
0-19 YRS	30	12.0	227	1	1	5	17	33	49	62
20-34	44	9.1	63	1	1	6	14	20	26	33
35-49	79	14.2	301	1	1	8	18	30	60	85
50-64	147	11.8	138	1	2	9	15	24	40	66
65+	140	12.8	110	2	2	10	16	26	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.7	10	1	2	4	6	8	11	17
B. *Operated*	85	6.3	40	1	1	4	9	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	1040	7.8	43	2	3	6	9	15	21	33
B. *Operated*	440	12.3	157	1	2	9	16	26	35	66
1. SINGLE DX	285	5.2	19	1	1	4	6	10	14	23
2. MULTIPLE DX	1480	9.1	81	2	2	6	11	19	25	50
A. NOT OPERATED	1240	7.3	39	2	2	5	9	14	19	32
B. OPERATED	525	11.3	143	1	1	8	15	25	33	65
TOTAL 0-19 YRS	115	6.4	74	1	1	4	6	10	19	54
20-34	283	6.2	30	1	2	4	7	14	18	29
35-49	325	9.0	110	1	2	6	11	19	26	67
50-64	467	8.9	76	2	2	6	11	20	25	52
65+	575	9.4	67	2	2	7	12	18	23	44
GRAND TOTAL	**1765**	**8.5**	**73**	**1**	**2**	**6**	**10**	**17**	**24**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	2	<1	<1	3	3	5	5	6
20-34	167	2.1	2	<1	1	2	3	4	5	7
35-49	177	2.6	3	1	1	2	3	5	6	8
50-64	167	2.9	4	1	1	3	4	5	6	11
65+	143	4.1	5	1	2	3	5	7	9	11
B. *Operated*										
0-19 YRS	215	5.2	6	3	3	5	6	7	10	12
20-34	2281	5.0	4	3	3	5	6	7	8	11
35-49	2165	5.3	5	3	3	5	6	8	9	13
50-64	1619	5.7	5	3	3	5	7	8	10	13
65+	845	6.9	8	4	4	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	4	1	1	3	4	6	8	9
20-34	212	3.2	6	<1	1	3	4	6	7	14
35-49	287	3.5	5	1	1	3	4	6	8	12
50-64	476	4.5	10	1	1	4	6	9	10	14
65+	1274	6.1	28	2	2	5	7	11	14	28
B. *Operated*										
0-19 YRS	205	6.9	11	3	4	6	8	11	13	17
20-34	2088	6.3	11	3	3	6	7	10	12	16
35-49	2653	6.9	14	3	4	6	8	11	13	21
50-64	3322	8.0	25	4	4	7	9	13	16	25
65+	4637	10.1	36	4	5	9	12	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	2.9	4	1	1	2	4	5	7	9
B. *Operated*	7125	5.5	5	3	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	2289	5.1	20	1	2	4	6	9	12	24
B. *Operated*	12905	8.2	26	3	4	7	10	14	17	28
1. SINGLE DX	7806	5.3	6	2	3	5	6	8	9	13
2. MULTIPLE DX	15194	7.8	27	2	3	7	9	13	16	27
A. NOT OPERATED	2970	4.6	17	1	1	4	6	9	11	20
B. OPERATED	20030	7.3	21	3	4	6	8	12	15	24
TOTAL 0-19 YRS	487	5.6	9	2	3	5	7	9	11	16
20-34	4748	5.4	8	2	3	5	6	8	10	14
35-49	5282	5.9	11	2	3	5	7	9	11	18
50-64	5584	6.9	19	2	3	6	8	11	14	22
65+	6899	8.9	34	3	4	8	11	15	19	31
GRAND TOTAL	**23000**	**6.9**	**21**	**2**	**3**	**6**	**8**	**12**	**14**	**24**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.2	6	<1	1	3	4	7	9	10
20-34	106	3.1	4	1	1	3	4	6	7	10
35-49	108	3.5	3	1	1	3	5	6	7	8
50-64	67	3.4	4	1	1	3	5	6	7	10
65+	48	4.4	8	1	1	4	6	8	10	14
B. *Operated*										
0-19 YRS	20	4.8	4	1	2	5	6	7	8	9
20-34	219	5.5	7	3	3	5	6	9	10	15
35-49	222	5.9	7	2	3	5	7	9	12	14
50-64	136	6.4	8	3	3	6	8	10	12	15
65+	59	7.4	5	4	5	7	9	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.1	20	1	1	3	4	10	16	19
20-34	120	3.9	9	1	1	3	5	7	8	18
35-49	153	4.2	5	1	2	4	5	7	9	13
50-64	216	5.1	10	2	2	5	6	9	11	15
65+	379	6.3	15	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	26	6.5	13	2	2	6	9	11	14	15
20-34	302	6.8	14	3	3	6	8	12	14	21
35-49	472	7.4	23	3	3	6	9	12	16	27
50-64	423	9.4	42	4	4	8	11	16	21	36
65+	465	11.7	49	4	5	10	14	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	3.4	5	1	1	3	4	6	7	10
B. *Operated*	656	5.9	7	3	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	890	5.3	12	1	2	4	7	9	12	17
B. *Operated*	1688	9.0	37	3	4	7	11	15	20	34
1. SINGLE DX	1005	5.1	8	1	2	5	6	9	10	14
2. MULTIPLE DX	2578	7.7	31	2	3	6	9	14	17	31
A. NOT OPERATED	1239	4.8	11	1	2	4	6	9	11	15
B. OPERATED	2344	8.1	30	3	4	7	10	14	17	31
TOTAL 0-19 YRS	88	4.8	12	1	1	4	6	9	11	17
20-34	747	5.4	12	1	2	5	7	9	12	17
35-49	955	6.1	16	2	2	5	7	10	13	21
50-64	842	7.3	30	2	3	6	9	13	16	29
65+	951	8.9	38	2	3	7	11	15	21	34
GRAND TOTAL	**3583**	**7.0**	**26**	**2**	**2**	**6**	**8**	**13**	**15**	**28**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.9	5	1	1	3	6	7	8	8
35-49	11	3.4	2	<1	1	4	5	5	5	5
50-64	12	3.5	3	<1	1	3	5	6	7	7
65+	13	4.9	8	2	3	4	6	8	12	13
B. *Operated*										
0-19 YRS	10	6.8	19	1	2	5	10	13	14	14
20-34	81	6.4	10	2	3	6	8	10	12	20
35-49	54	6.2	11	1	2	6	8	11	12	16
50-64	61	6.6	14	1	2	6	8	10	15	19
65+	79	7.9	32	1	1	8	10	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	18	4.3	7	1	2	4	6	7	10	12
35-49	22	3.7	11	1	1	3	5	8	11	14
50-64	42	4.3	6	1	1	4	6	8	9	10
65+	129	6.3	20	2	3	5	7	12	14	25
B. *Operated*										
0-19 YRS	13	10.2	16	6	6	10	12	29	84	99+
20-34	92	8.6	24	4	5	8	10	13	16	76
35-49	102	9.8	68	2	3	8	11	16	24	51
50-64	169	9.7	34	3	4	8	11	16	21	36
65+	630	12.5	63	3	5	11	15	21	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.9	5	1	1	4	5	7	7	13
B. *Operated*	285	6.8	18	1	2	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	212	5.5	16	1	2	5	7	10	14	22
B. *Operated*	1006	11.4	56	3	5	10	14	19	24	45
1. SINGLE DX	333	6.4	17	1	2	6	8	11	13	21
2. MULTIPLE DX	1218	10.4	54	2	3	9	13	18	23	43
A. NOT OPERATED	260	5.2	14	1	2	4	6	9	13	21
B. OPERATED	1291	10.4	51	2	4	9	13	18	22	41
TOTAL 0-19 YRS	25	8.7	21	2	3	9	12	14	37	99+
20-34	202	7.1	18	2	3	7	9	12	13	32
35-49	189	7.7	47	1	2	7	10	13	16	33
50-64	284	8.0	29	1	3	7	10	15	18	25
65+	851	11.0	59	2	3	10	14	19	24	40
GRAND TOTAL	**1551**	**9.5**	**49**	**2**	**3**	**8**	**12**	**17**	**21**	**36**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.4	22	2	2	6	7	14	16	16
20-34	19	3.8	4	1	2	4	5	6	7	8
35-49	20	4.5	9	<1	1	4	6	8	11	13
50-64	19	4.8	11	1	1	4	7	9	12	14
65+	18	5.0	17	1	1	5	6	7	15	20
B. *Operated*										
0-19 YRS	3	12.3	170	2	2	8	22	27	27	27
20-34	12	4.8	6	2	2	5	6	8	11	11
35-49	14	4.7	13	1	1	4	7	11	11	11
50-64	15	8.0	34	<1	1	6	14	16	17	17
65+	14	8.2	47	1	1	6	11	17	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	9.2	53	2	2	8	11	18	25	32
20-34	26	6.5	28	1	2	5	8	12	15	28
35-49	50	5.0	8	1	2	5	7	9	10	14
50-64	73	6.0	14	2	2	5	7	10	15	21
65+	176	6.9	22	2	3	6	8	12	16	26
B. *Operated*										
0-19 YRS	12	16.1	250	2	2	11	19	39	56	59
20-34	40	10.5	139	1	2	8	14	25	47	99+
35-49	71	10.0	58	2	3	9	13	20	22	42
50-64	114	11.8	124	2	2	9	15	24	28	64
65+	250	12.2	68	2	3	11	16	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	4.7	11	1	1	4	6	8	10	19
B. *Operated*	58	6.8	34	1	1	5	9	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	347	6.5	22	2	2	5	8	11	15	26
B. *Operated*	487	11.8	90	2	3	10	15	22	28	59
1. SINGLE DX	141	5.6	21	1	1	5	6	11	15	26
2. MULTIPLE DX	834	9.6	68	2	2	8	12	18	24	45
A. NOT OPERATED	430	6.2	20	2	2	5	8	11	15	26
B. OPERATED	545	11.2	86	2	2	10	15	22	28	58
TOTAL 0-19 YRS	44	10.8	113	2	2	8	13	22	31	59
20-34	97	7.4	72	1	2	5	8	16	26	84
35-49	155	7.2	38	1	2	6	9	14	19	29
50-64	221	9.0	80	2	2	7	11	18	24	52
65+	458	9.8	55	2	3	8	13	18	24	40
GRAND TOTAL	**975**	**9.0**	**63**	**2**	**2**	**7**	**12**	**18**	**24**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	9	1	1	5	7	9	11	13
20-34	268	4.8	9	2	2	4	6	8	10	15
35-49	294	5.7	18	1	2	5	7	10	12	18
50-64	172	5.0	8	1	2	5	7	9	11	15
65+	115	5.4	8	2	2	5	7	9	12	15
B. *Operated*										
0-19 YRS	13	8.7	64	1	2	6	12	18	29	31
20-34	36	9.6	60	1	2	8	12	20	30	31
35-49	46	9.2	152	<1	1	7	11	17	19	84
50-64	34	9.7	128	<1	1	8	11	17	35	58
65+	25	6.5	22	<1	1	6	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	6.0	23	2	2	5	8	11	16	25
20-34	759	6.1	17	2	2	5	8	11	14	21
35-49	1298	6.7	26	2	3	5	8	11	15	30
50-64	858	6.6	22	2	3	5	8	12	14	29
65+	1086	7.4	32	2	3	6	9	12	16	30
B. *Operated*										
0-19 YRS	19	14.2	157	3	3	9	21	35	41	45
20-34	155	15.8	151	3	4	11	22	34	42	62
35-49	338	15.7	158	3	5	11	20	36	44	67
50-64	340	14.8	208	2	3	10	17	34	48	69
65+	419	13.2	130	3	4	10	16	25	35	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	889	5.3	12	1	2	5	6	9	11	16
B. *Operated*	154	8.9	96	1	1	7	11	17	24	57
2. MULTIPLE DX										
A. *Not Operated*	4081	6.7	25	2	3	6	8	12	15	28
B. *Operated*	1271	14.6	162	3	4	11	18	32	43	76
1. SINGLE DX	1043	5.8	26	1	2	5	7	10	12	24
2. MULTIPLE DX	5352	8.6	69	2	3	6	10	16	23	47
A. NOT OPERATED	4970	6.5	23	2	2	5	8	11	14	25
B. OPERATED	1425	14.0	158	2	4	10	17	30	42	75
TOTAL 0-19 YRS	152	7.0	46	1	2	5	8	13	23	35
20-34	1218	7.2	45	2	2	5	8	13	20	38
35-49	1976	8.1	62	2	3	6	9	16	23	44
50-64	1404	8.5	81	2	3	6	10	16	23	52
65+	1645	8.7	62	2	3	7	10	16	21	50
GRAND TOTAL	**6395**	**8.2**	**63**	**2**	**3**	**6**	**9**	**15**	**22**	**45**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.7	3	1	1	2	3	5	7	10
20-34	67	2.8	3	<1	1	2	4	5	6	7
35-49	71	3.7	7	1	1	3	5	6	10	14
50-64	93	3.7	10	1	1	3	5	6	8	20
65+	112	4.4	9	<1	1	4	6	8	10	16
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	9.3	14	5	5	11	12	12	12	12
35-49	4	5.8	30	3	3	3	9	14	14	14
50-64	16	3.5	10	<1	<1	3	6	12	69	99+
65+	21	7.0	33	1	2	4	10	15	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	3.7	17	1	1	3	4	7	10	24
20-34	346	3.8	8	1	1	3	5	7	8	13
35-49	531	4.6	12	1	2	4	6	8	11	21
50-64	889	5.2	17	1	2	4	6	9	11	19
65+	3015	6.3	28	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	38	6.7	100	1	1	4	7	12	16	62
20-34	71	6.1	34	1	2	4	7	12	15	36
35-49	138	8.0	105	2	2	5	8	15	23	63
50-64	368	8.4	56	2	3	6	10	17	23	38
65+	934	9.4	77	2	3	7	11	17	25	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.6	7	1	1	3	5	7	8	15
B. *Operated*	47	5.6	24	<1	1	4	9	13	18	99+
2. MULTIPLE DX										
A. *Not Operated*	4925	5.7	23	1	2	5	7	10	13	23
B. *Operated*	1549	8.8	74	2	3	7	10	17	24	55
1. SINGLE DX	452	3.8	9	1	1	3	5	7	10	16
2. MULTIPLE DX	6474	6.4	37	2	2	5	8	12	16	31
A. NOT OPERATED	5330	5.5	22	1	2	4	7	10	13	23
B. OPERATED	1596	8.7	72	2	3	6	10	17	24	56
TOTAL 0-19 YRS	247	3.9	27	1	1	3	4	7	10	23
20-34	487	4.0	12	1	1	3	5	7	9	16
35-49	744	5.1	31	1	2	4	6	9	13	27
50-64	1366	6.0	29	1	2	5	7	11	15	31
65+	4082	7.0	40	2	2	5	8	13	17	33
GRAND TOTAL	**6926**	**6.3**	**36**	**1**	**2**	**5**	**7**	**11**	**15**	**31**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.0	4	<1	1	3	4	6	8	9
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	4.5	6	3	3	4	6	8	8	8
B. *Operated*										
0-19 YRS	2	18.0	450	3	3	18	33	33	33	33
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	8.4	81	2	2	5	12	24	24	24
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	7.1	96	1	2	4	7	22	45	99+
20-34	9	4.8	3	3	3	4	6	7	8	8
35-49	24	8.5	77	2	3	6	8	15	27	45
50-64	22	9.4	38	2	2	8	11	17	22	28
65+	21	7.6	64	2	3	5	9	14	26	39
B. *Operated*										
0-19 YRS	15	19.0	245	2	3	18	34	48	84	99+
20-34	10	15.9	87	3	5	16	21	29	34	34
35-49	17	16.9	214	4	4	15	18	27	53	67
50-64	13	19.5	383	2	3	15	22	47	70	75
65+	12	14.8	92	4	6	12	16	32	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.6	8	1	1	3	5	8	9	13
B. *Operated*	11	8.7	108	<1	1	3	10	28	33	33
2. MULTIPLE DX										
A. *Not Operated*	129	7.7	71	2	2	5	8	17	38	99+
B. *Operated*	67	17.3	204	3	4	15	21	38	50	95
1. SINGLE DX	39	5.1	39	<1	1	3	5	10	19	33
2. MULTIPLE DX	196	11.0	136	2	2	7	15	27	41	99+
A. NOT OPERATED	157	7.0	62	1	2	5	8	15	25	95
B. OPERATED	78	16.1	198	2	3	14	21	36	47	93
TOTAL 0-19 YRS	88	8.6	132	1	2	4	9	35	47	99+
20-34	22	9.9	74	1	2	7	15	22	29	34
35-49	49	11.1	135	2	3	7	15	23	28	67
50-64	38	12.6	173	2	2	10	16	23	35	75
65+	38	9.4	77	2	3	6	12	16	34	39
GRAND TOTAL	**235**	**10.0**	**125**	**2**	**2**	**6**	**13**	**25**	**39**	**99+**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.3	8	1	1	3	6	9	11	12
20-34	8	3.8	5	1	1	3	5	7	7	7
35-49	3	6.0	1	5	5	6	7	7	7	7
50-64	3	5.7	2	4	4	6	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	80	3.3	11	1	1	2	3	6	13	18
20-34	27	3.1	3	1	2	2	4	7	7	7
35-49	17	4.9	34	1	1	3	4	12	20	24
50-64	14	3.3	8	1	1	2	3	9	10	10
65+	9	4.7	59	1	1	2	3	17	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	5.0	13	1	2	4	6	9	12	18
20-34	33	6.7	42	2	2	5	8	14	15	36
35-49	28	5.4	23	1	2	4	7	10	16	24
50-64	46	7.3	26	2	3	6	8	15	18	26
65+	79	9.3	36	2	3	8	11	18	22	28
B. *Operated*										
0-19 YRS	83	6.7	28	1	2	5	10	15	16	24
20-34	58	5.8	35	1	2	3	7	16	21	26
35-49	69	5.4	30	1	1	3	7	13	15	29
50-64	67	7.3	156	1	1	4	8	15	20	85
65+	90	10.2	162	2	2	7	12	23	35	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.4	7	1	1	4	6	8	10	12
B. *Operated*	147	3.5	15	1	1	2	3	7	12	24
2. MULTIPLE DX										
A. *Not Operated*	313	6.6	27	2	2	5	8	14	18	26
B. *Operated*	367	7.3	88	1	2	4	9	15	21	49
1. SINGLE DX	248	3.9	12	1	1	3	5	7	11	20
2. MULTIPLE DX	680	7.0	60	1	2	5	9	15	19	34
A. NOT OPERATED	414	6.1	23	1	2	5	7	12	15	25
B. OPERATED	514	6.2	70	1	2	3	8	14	20	38
TOTAL 0-19 YRS	377	4.9	16	1	2	4	6	11	14	20
20-34	126	5.3	30	1	2	3	6	11	17	28
35-49	117	5.3	28	1	1	3	7	12	15	26
50-64	130	6.8	91	1	1	5	8	15	19	43
65+	178	9.5	101	2	2	7	12	20	26	81
GRAND TOTAL	**928**	**6.1**	**49**	**1**	**2**	**4**	**7**	**13**	**18**	**30**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.5	7	1	2	4	6	8	10	11
20-34	3	4.3	10	2	2	3	7	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.2	9	2	2	5	7	10	11	12
20-34	9	3.7	3	<1	1	4	5	6	6	6
35-49	7	7.4	17	2	2	7	10	13	14	14
50-64	10	6.8	16	3	3	6	9	13	16	16
65+	26	11.0	111	3	3	7	12	25	37	46
B. *Operated*										
0-19 YRS	12	7.9	48	1	1	6	10	19	24	25
20-34	14	10.2	63	2	4	7	14	21	29	31
35-49	10	9.4	64	2	2	6	15	22	26	26
50-64	11	9.8	68	1	2	7	13	24	26	26
65+	15	15.3	65	4	6	14	18	30	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.4	7	1	1	4	6	8	10	11
B. *Operated*	5	4.6	21	1	1	2	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	96	7.0	43	2	2	5	8	12	17	41
B. *Operated*	62	10.8	65	2	2	8	15	24	28	34
1. SINGLE DX	41	4.4	8	1	1	4	6	8	10	12
2. MULTIPLE DX	158	8.5	55	2	2	6	10	18	25	35
A. NOT OPERATED	132	6.3	34	2	2	5	8	11	16	37
B. OPERATED	67	10.3	64	1	2	7	15	22	27	33
TOTAL 0-19 YRS	90	5.2	14	1	2	5	7	10	12	21
20-34	27	7.4	44	1	2	5	9	15	22	31
35-49	19	8.1	42	1	2	6	10	17	23	26
50-64	22	8.1	43	1	2	6	9	18	24	26
65+	41	12.6	96	3	4	10	17	28	34	46
GRAND TOTAL	**199**	**7.6**	**48**	**1**	**2**	**6**	**10**	**16**	**22**	**35**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	6.7	20	2	2	7	10	11	11	11
B. *Operated*										
0-19 YRS	12	5.7	21	<1	1	4	6	15	15	15
20-34	14	6.1	33	<1	<1	3	10	16	18	18
35-49	21	7.3	85	<1	1	3	12	18	29	38
50-64	43	5.1	20	1	1	3	6	14	15	19
65+	28	3.6	10	1	1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.0	17	1	1	2	6	8	14	21
20-34	41	3.9	9	<1	1	3	4	9	11	14
35-49	71	4.4	13	1	1	3	5	9	10	20
50-64	110	6.1	25	1	2	5	8	12	19	25
65+	289	8.8	63	2	2	7	11	16	21	42
B. *Operated*										
0-19 YRS	103	15.3	194	2	3	12	21	35	39	96
20-34	229	10.1	86	1	2	7	14	23	30	40
35-49	343	9.5	88	1	2	6	14	21	28	41
50-64	392	9.8	107	1	2	6	14	23	29	54
65+	381	10.6	102	1	2	8	14	22	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	12	<1	<1	2	5	9	11	11
B. *Operated*	118	5.3	31	1	1	3	7	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	560	6.9	45	1	2	5	8	14	18	40
B. *Operated*	1448	10.4	106	1	2	7	14	23	30	52
1. SINGLE DX	127	5.2	30	1	1	3	6	14	15	26
2. MULTIPLE DX	2008	9.4	91	1	2	6	13	21	28	46
A. NOT OPERATED	569	6.9	45	1	2	5	8	14	18	39
B. OPERATED	1566	10.0	102	1	2	7	14	22	30	50
TOTAL 0-19 YRS	165	11.2	156	1	1	7	15	28	38	87
20-34	285	9.0	77	1	2	6	12	20	28	39
35-49	438	8.5	79	1	2	5	12	19	25	40
50-64	546	8.7	87	1	2	5	11	20	27	52
65+	701	9.5	84	1	2	7	12	19	27	45
GRAND TOTAL	**2135**	**9.1**	**89**	**1**	**2**	**6**	**12**	**20**	**28**	**44**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	98	3	3	10	17	17	17	17
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	9.7	30	4	4	10	14	15	15	15
65+	8	4.6	36	<1	<1	3	4	15	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	4	5.5	50	1	1	2	9	16	16	16
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.5	11	1	1	4	5	8	13	15
20-34	24	7.8	60	1	1	6	9	16	29	33
35-49	48	7.0	29	1	1	6	11	16	18	19
50-64	117	7.3	24	1	2	6	9	15	17	23
65+	682	9.4	44	3	3	8	12	16	21	38
B. *Operated*										
0-19 YRS	7	10.0	66	3	3	8	18	22	22	22
20-34	45	9.5	54	2	2	8	12	20	24	32
35-49	53	14.1	212	2	3	8	20	36	54	99
50-64	102	12.7	112	2	3	9	17	26	34	53
65+	366	16.4	179	3	5	13	20	31	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.6	33	<1	1	3	6	16	18	19
B. *Operated*	7	5.3	30	1	1	3	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	888	8.8	41	2	3	7	11	16	20	33
B. *Operated*	573	14.9	163	2	4	12	19	29	40	74
1. SINGLE DX	25	5.5	31	<1	1	3	7	16	17	19
2. MULTIPLE DX	1461	11.2	98	2	3	8	14	22	29	52
A. NOT OPERATED	906	8.8	41	2	3	7	11	16	20	32
B. OPERATED	580	14.8	163	2	4	12	19	29	40	73
TOTAL 0-19 YRS	26	6.4	34	1	2	4	8	17	21	22
20-34	71	8.8	55	1	2	7	11	19	27	33
35-49	105	10.4	134	1	2	7	13	22	38	80
50-64	226	9.7	71	2	2	7	13	19	26	43
65+	1058	11.8	102	3	3	9	14	22	29	51
GRAND TOTAL	**1486**	**11.1**	**97**	**2**	**3**	**8**	**14**	**21**	**28**	**52**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	3.9	3	2	2	4	5	6	7	10
20-34	334	3.7	2	2	2	3	4	6	6	9
35-49	101	3.8	2	2	2	3	4	6	7	8
50-64	67	4.3	4	2	2	4	5	7	8	12
65+	61	4.8	4	2	2	4	6	7	9	11
B. *Operated*										
0-19 YRS	9	4.8	5	1	2	4	6	8	9	9
20-34	11	4.5	2	3	3	4	5	6	7	7
35-49	10	5.1	5	2	2	5	5	9	10	10
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	3	12.0	4	10	10	12	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	477	4.7	7	2	2	4	6	7	10	14
20-34	744	4.6	6	2	2	4	5	7	8	11
35-49	442	5.4	10	2	3	5	7	9	12	17
50-64	462	6.0	11	2	3	5	7	10	12	19
65+	1210	7.2	18	3	3	6	9	12	15	22
B. *Operated*										
0-19 YRS	61	7.6	22	3	4	7	9	12	14	32
20-34	102	7.6	40	3	3	6	9	13	19	42
35-49	79	9.0	82	3	3	6	9	17	27	55
50-64	87	11.5	93	5	6	9	13	18	22	66
65+	205	11.2	43	4	5	10	13	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	3.9	3	2	2	4	5	6	7	9
B. *Operated*	35	5.5	8	2	3	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	3335	5.9	13	2	3	5	7	10	12	19
B. *Operated*	534	9.8	56	3	4	8	12	17	21	40
1. SINGLE DX	867	3.9	3	2	2	4	5	6	7	10
2. MULTIPLE DX	3869	6.4	21	2	3	5	8	11	14	23
A. NOT OPERATED	4167	5.5	12	2	2	5	7	9	12	19
B. OPERATED	569	9.6	54	3	4	8	11	16	21	40
TOTAL 0-19 YRS	816	4.7	8	2	2	4	5	7	10	14
20-34	1191	4.6	9	2	2	4	5	7	9	14
35-49	632	5.6	19	2	3	5	7	10	13	26
50-64	618	6.6	26	2	3	5	8	11	14	22
65+	1479	7.6	23	3	3	7	9	13	17	25
GRAND TOTAL	**4736**	**6.0**	**18**	**2**	**3**	**5**	**7**	**10**	**13**	**21**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.6	3	1	2	3	4	6	7	9
20-34	299	3.7	3	2	2	3	4	6	7	10
35-49	107	3.9	3	2	2	4	5	6	7	10
50-64	49	5.0	7	2	2	5	6	9	11	12
65+	27	4.7	3	2	3	5	6	7	7	8
B. *Operated*										
0-19 YRS	19	5.9	11	1	2	5	8	11	13	14
20-34	22	5.6	17	2	2	5	6	9	15	21
35-49	15	6.2	17	1	3	5	8	14	15	16
50-64	13	5.5	7	2	3	6	7	9	11	12
65+	4	8.0	33	3	3	6	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	362	4.4	5	2	2	4	5	7	9	11
20-34	575	4.3	5	2	2	4	5	7	8	12
35-49	303	5.0	7	2	2	5	6	8	9	12
50-64	301	6.0	18	2	3	5	7	10	12	19
65+	607	7.2	22	3	3	6	8	12	16	24
B. *Operated*										
0-19 YRS	77	8.8	39	2	3	7	10	16	21	37
20-34	97	7.5	24	3	3	6	9	15	18	26
35-49	92	8.7	25	3	4	7	11	16	18	23
50-64	106	10.1	72	3	4	8	12	17	24	51
65+	168	12.5	112	2	4	10	15	23	33	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	671	3.8	3	2	2	3	5	6	7	11
B. *Operated*	73	5.9	14	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2148	5.5	14	2	2	5	7	9	12	19
B. *Operated*	540	9.9	66	3	4	8	12	18	23	41
1. SINGLE DX	744	4.1	5	2	2	4	5	6	8	12
2. MULTIPLE DX	2688	6.4	27	2	3	5	8	11	15	27
A. NOT OPERATED	2819	5.1	12	2	2	4	6	8	11	18
B. OPERATED	613	9.5	62	2	3	7	12	17	22	39
TOTAL 0-19 YRS	647	4.7	11	2	2	4	6	8	10	17
20-34	993	4.5	8	2	2	4	5	7	9	16
35-49	517	5.5	12	2	2	5	6	9	13	19
50-64	469	6.8	32	2	3	5	8	12	15	28
65+	806	8.2	45	3	3	7	9	15	20	36
GRAND TOTAL	**3432**	**5.9**	**23**	**2**	**2**	**5**	**7**	**10**	**14**	**24**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.1	2	1	1	2	3	4	5	6
20-34	382	1.9	1	<1	1	2	2	3	4	5
35-49	595	1.9	1	<1	1	2	2	3	4	6
50-64	388	2.1	3	1	1	2	2	3	4	7
65+	137	2.6	6	1	1	2	3	4	4	14
B. *Operated*										
0-19 YRS	18	4.0	6	1	2	3	6	8	9	9
20-34	204	4.1	11	1	1	3	5	8	10	17
35-49	359	3.4	7	1	1	2	4	7	9	15
50-64	270	3.7	9	1	1	3	4	8	10	16
65+	130	4.4	12	1	2	3	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.5	3	<1	1	2	3	5	6	8
20-34	252	2.6	4	1	1	2	3	5	6	11
35-49	373	2.6	5	1	1	2	3	5	6	11
50-64	338	2.9	8	1	1	2	3	5	7	11
65+	291	3.5	6	1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS	27	4.3	9	1	1	3	6	8	10	14
20-34	199	6.2	23	2	2	5	8	12	14	24
35-49	306	6.0	43	1	2	4	7	10	15	33
50-64	373	5.8	25	1	2	4	8	11	14	25
65+	389	7.8	64	2	2	6	10	15	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	2.0	2	1	1	2	2	3	4	6
B. *Operated*	981	3.8	9	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1301	2.9	6	1	1	2	4	5	7	11
B. *Operated*	1294	6.5	41	2	2	5	8	12	17	34
1. SINGLE DX	2536	2.7	6	1	1	2	3	5	7	12
2. MULTIPLE DX	2595	4.7	27	1	1	3	6	10	13	24
A. NOT OPERATED	2856	2.4	4	1	1	2	3	4	6	10
B. OPERATED	2275	5.3	29	1	2	4	7	11	14	25
TOTAL 0-19 YRS	145	2.9	5	1	1	2	4	6	7	9
20-34	1037	3.3	10	1	1	2	4	7	10	17
35-49	1633	3.1	13	1	1	2	3	7	9	17
50-64	1369	3.6	14	1	1	2	4	8	10	19
65+	947	5.3	35	1	2	3	6	11	14	28
GRAND TOTAL	**5131**	**3.7**	**17**	**1**	**1**	**2**	**4**	**8**	**10**	**19**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	1.7	1	1	1	1	2	3	4	5
20-34	1503	1.7	1	<1	1	1	2	3	4	5
35-49	1921	1.7	1	<1	1	1	2	3	3	5
50-64	942	1.8	1	<1	1	2	2	3	4	6
65+	266	2.1	2	<1	1	2	3	4	4	6
B. *Operated*										
0-19 YRS	138	3.6	4	1	1	3	5	6	7	8
20-34	1105	3.4	5	1	1	3	4	6	8	11
35-49	1654	3.4	5	1	1	3	4	6	8	11
50-64	984	3.8	7	1	1	3	5	7	8	12
65+	316	4.3	8	1	2	3	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.4	3	1	1	2	3	4	5	9
20-34	533	2.2	2	1	1	2	3	4	5	7
35-49	861	2.2	3	1	1	2	3	4	5	7
50-64	701	2.5	3	1	1	2	3	5	6	8
65+	474	3.0	5	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	62	4.3	5	2	2	4	5	7	8	12
20-34	525	4.5	9	1	2	4	6	8	10	15
35-49	907	4.9	14	1	2	4	6	9	12	19
50-64	891	5.6	20	1	2	4	7	11	13	21
65+	828	6.8	40	2	2	5	9	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4836	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	4197	3.6	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2642	2.4	3	1	1	2	3	4	6	8
B. *Operated*	3213	5.5	22	1	2	4	7	11	13	21
1. SINGLE DX	9033	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	5855	4.1	16	1	1	3	5	8	11	18
A. NOT OPERATED	7478	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	7410	4.4	14	1	1	3	6	8	11	17
TOTAL 0-19 YRS	477	2.7	3	1	1	2	4	5	6	8
20-34	3666	2.7	5	1	1	2	3	5	7	11
35-49	5343	2.8	6	1	1	2	3	6	8	12
50-64	3518	3.5	10	1	1	2	4	7	9	15
65+	1884	4.8	24	1	1	3	6	10	12	22
GRAND TOTAL	**14888**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.8	5	<1	1	2	4	7	8	10
20-34	26	2.1	3	<1	1	2	2	5	6	7
35-49	24	2.5	2	<1	1	2	3	4	5	6
50-64	21	2.7	2	<1	1	2	3	5	6	7
65+	15	3.2	4	<1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	195	5.7	6	1	2	6	7	9	10	11
20-34	92	5.2	10	1	2	5	7	9	11	15
35-49	117	5.5	19	1	1	4	8	11	14	20
50-64	86	5.5	13	1	1	5	8	10	12	15
65+	65	5.0	22	1	1	3	8	11	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.9	17	<1	1	3	5	8	11	22
20-34	71	4.0	13	1	1	3	5	8	11	20
35-49	66	4.3	20	1	1	3	5	10	11	28
50-64	100	5.0	10	1	1	5	7	9	10	16
65+	169	6.2	22	1	2	5	8	11	14	26
B. *Operated*										
0-19 YRS	322	6.9	19	1	2	6	8	12	15	27
20-34	199	7.1	27	1	2	6	9	14	18	26
35-49	246	6.9	18	1	2	7	9	12	14	20
50-64	319	8.2	37	1	2	7	11	16	20	30
65+	473	8.6	56	1	2	7	11	17	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.6	3	1	1	2	3	5	7	8
B. *Operated*	555	5.5	12	1	1	5	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	481	5.0	18	1	1	4	6	10	12	21
B. *Operated*	1559	7.7	35	1	2	7	10	15	19	29
1. SINGLE DX	669	5.0	12	1	1	4	7	9	11	16
2. MULTIPLE DX	2040	7.1	32	1	2	6	9	14	18	29
A. NOT OPERATED	595	4.5	16	1	1	3	6	9	11	20
B. OPERATED	2114	7.1	30	1	2	6	9	13	17	27
TOTAL 0-19 YRS	620	6.0	15	1	1	6	8	10	12	21
20-34	388	5.7	21	1	1	5	8	11	15	23
35-49	453	5.9	19	1	1	5	8	11	14	20
50-64	526	6.9	29	1	2	6	9	14	18	26
65+	722	7.6	46	1	2	6	10	15	21	33
GRAND TOTAL	**2709**	**6.6**	**28**	**1**	**1**	**6**	**8**	**12**	**16**	**26**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	5	<1	1	2	3	7	7	7
20-34	64	1.7	1	<1	<1	1	2	3	4	6
35-49	54	2.1	2	<1	1	2	3	4	6	7
50-64	20	1.8	1	1	1	2	3	3	4	4
65+	7	1.6	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	6	3.2	5	<1	<1	3	4	7	7	7
20-34	29	3.4	6	1	1	3	4	6	8	13
35-49	35	4.1	9	1	1	3	6	7	10	15
50-64	29	3.8	10	<1	1	3	5	9	10	13
65+	27	3.7	11	<1	1	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	31	2.5	3	1	1	2	3	5	6	7
35-49	40	2.7	5	1	1	2	3	5	7	12
50-64	28	3.1	6	1	1	3	4	7	8	12
65+	28	4.2	7	1	1	4	5	9	10	11
B. *Operated*										
0-19 YRS	8	6.5	21	1	1	6	10	13	13	13
20-34	40	6.5	27	2	2	5	8	12	16	28
35-49	41	5.2	10	1	1	5	7	10	11	13
50-64	77	4.4	9	1	1	4	6	8	11	15
65+	214	5.9	17	1	2	5	8	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	1.9	2	<1	1	2	2	3	5	7
B. *Operated*	126	3.7	8	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	134	3.0	5	1	1	2	4	6	8	12
B. *Operated*	380	5.6	16	1	2	5	7	11	13	19
1. SINGLE DX	286	2.7	5	<1	1	2	3	6	7	13
2. MULTIPLE DX	514	4.9	15	1	1	4	7	10	12	17
A. NOT OPERATED	294	2.4	4	1	1	2	3	4	7	11
B. OPERATED	506	5.1	15	1	1	4	7	10	13	17
TOTAL 0-19 YRS	36	3.4	10	<1	1	2	5	7	11	13
20-34	164	3.3	12	<1	1	2	4	7	9	17
35-49	170	3.4	8	1	1	2	5	7	9	13
50-64	154	3.7	8	1	1	3	5	7	10	13
65+	276	5.4	16	1	1	4	7	11	13	19
GRAND TOTAL	**800**	**4.1**	**13**	**1**	**1**	**3**	**6**	**9**	**11**	**16**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.2	1	<1	1	2	3	3	4	5
20-34	31	2.6	1	1	1	3	3	4	5	5
35-49	19	2.3	1	<1	<1	2	3	4	4	4
50-64	8	2.1	1	<1	<1	2	3	4	4	4
65+	16	3.8	10	1	1	3	5	8	11	13
B. *Operated*										
0-19 YRS	24	2.0	1	<1	1	2	3	4	4	4
20-34	50	2.8	9	<1	<1	2	4	5	7	18
35-49	71	2.4	7	<1	<1	1	3	5	7	15
50-64	54	2.7	3	1	1	2	3	5	7	7
65+	73	2.5	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	8	1	1	3	4	6	7	19
20-34	74	4.1	14	1	1	3	5	7	9	25
35-49	63	4.5	7	1	2	4	6	8	10	14
50-64	61	4.8	14	1	2	4	6	9	11	23
65+	229	5.8	12	2	2	5	7	11	13	18
B. *Operated*										
0-19 YRS	62	3.1	4	1	1	3	4	6	7	9
20-34	114	4.1	10	1	1	3	5	8	10	17
35-49	139	4.8	11	1	2	4	6	9	12	29
50-64	214	5.7	31	1	1	4	7	12	16	31
65+	515	6.2	39	1	1	5	8	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.6	3	<1	1	2	3	4	5	10
B. *Operated*	272	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	487	4.9	12	1	2	4	6	9	12	18
B. *Operated*	1044	5.5	29	1	1	4	7	11	14	26
1. SINGLE DX	372	2.5	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	1531	5.3	24	1	1	4	7	10	14	24
A. NOT OPERATED	587	4.5	11	1	1	4	6	9	11	17
B. OPERATED	1316	4.9	26	1	1	4	6	10	14	24
TOTAL 0-19 YRS	172	2.9	5	1	1	2	4	5	7	9
20-34	269	3.7	10	1	1	3	5	7	9	17
35-49	292	4.0	10	1	1	3	5	8	10	16
50-64	337	5.0	24	1	1	3	6	10	14	27
65+	833	5.7	29	1	1	4	7	11	14	23
GRAND TOTAL	**1903**	**4.8**	**21**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	119	1.7	2	<1	<1	1	2	3	4	9
20-34	81	2.5	5	1	1	2	3	4	5	14
35-49	69	2.1	2	1	1	2	3	4	6	8
50-64	54	2.3	2	<1	1	2	3	4	5	6
65+	94	2.8	5	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	8	2.3	1	<1	<1	2	3	4	4	4
65+	29	4.3	12	<1	1	3	5	10	12	15
B. *Operated*										
0-19 YRS	122	2.8	6	<1	<1	2	3	7	9	11
20-34	120	3.0	15	<1	1	2	4	6	7	19
35-49	133	3.5	13	1	1	2	4	7	10	20
50-64	201	3.8	13	1	1	3	5	8	11	17
65+	469	4.9	19	1	1	4	6	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	417	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	45	3.6	9	<1	1	3	4	8	11	15
B. *Operated*	1045	4.1	16	1	1	3	5	9	11	18
1. SINGLE DX	426	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX	1090	4.0	15	1	1	3	5	8	11	18
A. NOT OPERATED	54	3.3	8	<1	<1	3	4	6	10	15
B. OPERATED	1462	3.5	13	<1	1	2	4	7	10	16
TOTAL 0-19 YRS	244	2.2	4	<1	<1	1	3	5	7	10
20-34	208	2.7	11	1	1	2	3	5	6	13
35-49	206	3.0	10	1	1	2	4	6	9	16
50-64	263	3.5	11	1	1	2	4	7	10	16
65+	595	4.5	17	1	1	4	5	9	12	19
GRAND TOTAL	**1516**	**3.5**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	2.9	3	1	1	3	4	5	6	9
20-34	191	3.2	5	1	1	3	4	6	7	10
35-49	105	3.4	3	1	1	3	5	6	6	7
50-64	75	4.0	10	1	1	3	5	7	8	18
65+	151	4.6	9	1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	163	2.5	5	<1	1	2	3	5	7	12
20-34	116	3.1	4	<1	1	3	4	6	7	11
35-49	127	3.3	5	<1	1	3	5	7	8	10
50-64	148	3.2	7	<1	1	2	4	6	8	15
65+	183	3.3	7	<1	1	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1190	4.1	6	1	2	3	5	7	9	13
20-34	828	4.4	14	1	2	4	5	8	9	16
35-49	722	5.3	14	2	2	4	7	10	13	19
50-64	1178	6.1	27	2	2	5	7	11	13	25
65+	5959	7.6	32	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	338	5.2	28	<1	1	4	7	10	15	26
20-34	338	5.7	29	1	1	4	7	11	15	28
35-49	410	5.8	38	<1	1	4	7	11	15	25
50-64	682	7.0	45	1	2	5	9	14	20	34
65+	2128	8.8	70	1	2	7	11	17	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	839	3.4	5	1	1	3	4	6	8	11
B. *Operated*	737	3.1	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	9877	6.5	27	2	2	5	8	12	15	26
B. *Operated*	3896	7.6	57	1	2	6	9	15	21	39
1. SINGLE DX	1576	3.2	6	<1	1	3	4	6	7	13
2. MULTIPLE DX	13773	6.8	36	1	2	5	8	13	16	30
A. NOT OPERATED	10716	6.3	26	2	2	5	8	11	15	26
B. OPERATED	4633	6.9	52	1	1	5	9	14	20	36
TOTAL 0-19 YRS	2008	3.9	10	1	1	3	5	7	9	15
20-34	1473	4.5	16	1	1	4	5	8	10	19
35-49	1364	5.1	20	1	1	4	6	10	13	21
50-64	2083	6.1	32	1	2	5	7	11	15	29
65+	8421	7.7	42	2	3	6	9	14	18	34
GRAND TOTAL	**15349**	**6.5**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	9	2.4	3	<1	<1	2	4	5	5	5
65+	7	2.9	8	1	1	2	3	8	9	9
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	2.8	1	1	1	3	4	4	4	4
35-49	54	3.1	3	<1	1	3	4	5	6	10
50-64	971	4.3	4	1	2	4	5	6	8	10
65+	1565	4.7	4	1	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	7	2.4		2	2	2	3	3	3	3
50-64	48	3.1	5	<1	1	3	5	6	7	9
65+	251	5.2	26	1	1	4	7	10	12	28
B. *Operated*										
0-19 YRS	12	4.8	5	3	3	4	6	8	9	9
20-34	6	6.5	12	2	2	6	10	11	11	11
35-49	106	4.5	6	1	2	4	5	7	10	14
50-64	2268	5.4	9	2	3	5	6	9	11	16
65+	7578	6.3	15	3	3	5	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.7	4	<1	1	2	3	5	8	9
B. *Operated*	2598	4.5	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	310	4.8	23	<1	1	4	6	9	12	26
B. *Operated*	9970	6.1	14	2	3	5	7	10	13	20
1. SINGLE DX	2615	4.5	4	1	2	4	5	7	8	11
2. MULTIPLE DX	10280	6.0	14	2	3	5	7	10	13	20
A. NOT OPERATED	327	4.7	22	<1	1	3	6	9	12	25
B. OPERATED	12566	5.8	12	2	3	5	7	9	12	19
TOTAL 0-19 YRS	15	4.7	4	2	3	4	6	8	9	9
20-34	16	4.5	8	1	2	4	5	10	11	11
35-49	167	4.0	5	1	1	4	5	6	8	11
50-64	3296	5.0	8	2	2	5	6	8	10	15
65+	9401	6.0	14	2	3	5	7	10	12	20
GRAND TOTAL	**12895**	**5.7**	**12**	**2**	**3**	**5**	**7**	**9**	**12**	**19**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	2	1	1	2	4	5	6	6
20-34	52	3.0	2	1	1	3	4	5	5	6
35-49	39	3.3	2	1	1	3	4	5	7	8
50-64	43	4.0	3	1	2	4	5	6	7	8
65+	20	4.0	4	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	3.1	6	<1	<1	2	4	6	9	11
35-49	40	3.5	8	<1	<1	3	5	8	9	12
50-64	37	3.0	5	1	1	3	4	6	7	11
65+	17	2.6	3	<1	1	2	4	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	3	1	1	3	5	6	6	6
20-34	75	3.9	6	1	2	3	5	7	9	15
35-49	133	4.2	4	1	2	4	5	7	8	11
50-64	211	4.6	5	2	2	4	6	7	8	15
65+	169	5.1	7	2	3	5	6	8	9	14
B. *Operated*										
0-19 YRS	3	7.3	24	4	4	5	11	13	13	13
20-34	34	4.9	11	<1	1	4	7	10	11	12
35-49	96	5.1	19	1	2	4	7	9	10	29
50-64	139	4.9	12	1	1	4	6	9	11	19
65+	185	6.4	26	1	2	5	8	12	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.5	3	1	1	3	4	6	7	8
B. *Operated*	124	3.1	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	598	4.5	6	2	2	4	6	7	9	14
B. *Operated*	457	5.6	20	1	2	5	7	10	13	26
1. SINGLE DX	288	3.3	4	<1	1	3	4	5	7	10
2. MULTIPLE DX	1055	5.0	12	1	2	4	6	9	10	18
A. NOT OPERATED	762	4.3	5	1	2	4	5	7	8	11
B. OPERATED	581	5.0	18	<1	1	4	7	9	12	24
TOTAL 0-19 YRS	24	3.5	7	1	1	3	5	6	8	13
20-34	190	3.7	6	1	1	3	5	7	9	12
35-49	308	4.2	9	1	1	4	5	8	9	12
50-64	430	4.5	7	1	2	4	6	7	9	16
65+	391	5.6	16	1	2	5	7	9	13	24
GRAND TOTAL	**1343**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	102	1.5	1	<1	<1	1	2	2	3	5
20-34	46	2.0	1	<1	1	2	2	3	4	7
35-49	59	2.2	2	<1	1	2	3	4	4	7
50-64	96	2.0	1	1	1	2	3	3	4	6
65+	64	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	4	3.8	1	3	3	4	4	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.0	7	<1	<1	2	5	6	6	6
65+	5	4.6	14	2	2	2	8	10	10	10
B. *Operated*										
0-19 YRS	55	1.7	1	<1	1	1	2	3	4	6
20-34	23	2.4	2	1	1	2	3	4	5	6
35-49	57	2.6	3	1	1	2	3	5	6	10
50-64	99	3.7	20	1	1	3	4	6	9	26
65+	106	3.9	19	1	1	3	4	7	10	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.8	30	1	1	1	7	12	12	12
B. *Operated*	367	2.0	1	<1	1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	20	2.9	6	<1	<1	2	4	6	8	10
B. *Operated*	340	3.2	13	1	1	2	4	5	7	22
1. SINGLE DX	371	2.0	2	<1	1	2	2	4	4	7
2. MULTIPLE DX	360	3.2	13	1	1	2	4	6	7	21
A. NOT OPERATED	24	3.0	9	<1	<1	2	4	7	11	12
B. OPERATED	707	2.5	7	1	1	2	3	4	6	11
TOTAL 0-19 YRS	165	1.6	1	<1	<1	1	2	3	3	6
20-34	74	2.2	2	1	1	2	3	4	5	7
35-49	118	2.4	2	1	1	2	3	4	5	8
50-64	199	2.9	12	1	1	2	3	5	6	23
65+	175	3.4	13	1	1	3	4	6	8	15
GRAND TOTAL	**731**	**2.6**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.9	8	1	1	3	6	7	9	12
20-34	125	3.5	4	1	1	3	5	6	8	9
35-49	89	4.6	6	1	2	4	6	8	10	13
50-64	52	5.2	5	2	2	5	7	8	10	11
65+	34	5.2	5	2	3	5	7	8	9	10
B. *Operated*										
0-19 YRS	28	3.0	6	1	1	2	4	7	10	10
20-34	42	3.4	8	<1	1	3	5	8	9	14
35-49	42	3.0	9	1	1	2	3	7	11	13
50-64	30	3.0	7	1	1	2	4	6	8	13
65+	18	4.9	14	2	2	3	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	3	<1	1	3	4	6	6	7
20-34	79	5.1	12	1	2	4	6	10	13	18
35-49	77	5.4	6	2	2	5	7	9	10	13
50-64	91	5.6	10	2	3	5	7	10	11	19
65+	135	6.1	9	2	3	6	8	10	13	15
B. *Operated*										
0-19 YRS	18	4.5	7	1	1	4	7	8	9	9
20-34	44	4.7	16	1	1	3	6	11	13	18
35-49	39	3.8	10	1	1	3	5	8	11	15
50-64	53	5.4	8	1	1	5	7	9	10	15
65+	92	7.0	24	1	2	6	9	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	4.3	6	1	1	4	6	8	9	11
B. *Operated*	160	3.4	9	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	406	5.5	10	2	2	5	7	10	11	15
B. *Operated*	246	5.6	17	1	1	5	7	10	13	23
1. SINGLE DX	520	4.0	7	1	1	3	5	8	9	12
2. MULTIPLE DX	652	5.5	12	1	2	5	7	10	12	18
A. NOT OPERATED	766	4.9	8	1	2	4	6	8	10	14
B. OPERATED	406	4.7	15	1	1	4	7	9	13	20
TOTAL 0-19 YRS	130	3.6	6	1	1	3	5	7	9	11
20-34	290	4.1	9	1	1	3	5	8	10	15
35-49	247	4.5	8	1	1	4	6	8	10	13
50-64	226	5.1	9	1	2	5	7	9	10	14
65+	279	6.2	14	2	2	6	8	11	14	23
GRAND TOTAL	**1172**	**4.8**	**10**	**1**	**1**	**4**	**6**	**9**	**11**	**15**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	<1	<1	1	3	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	207	1.2		<1	<1	<1	1	2	2	4
20-34	33	1.8	3	<1	<1	1	2	3	6	8
35-49	21	1.3		<1	<1	1	2	2	3	3
50-64	19	1.5	1	<1	<1	1	2	3	4	4
65+	6	1.7	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	3	<1	<1	1	3	5	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	5.3	17	2	2	4	8	10	10	10
B. *Operated*										
0-19 YRS	60	1.8	2	<1	<1	1	2	4	5	6
20-34	27	1.8	2	<1	<1	1	2	4	5	5
35-49	50	2.1	2	<1	1	2	2	4	6	8
50-64	47	1.9	2	<1	<1	1	2	4	5	6
65+	44	2.7	6	<1	1	2	3	6	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	2	<1	<1	1	3	4	4	4
B. *Operated*	286	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	16	2.6	6	<1	<1	2	3	5	8	10
B. *Operated*	228	2.0	3	<1	<1	1	2	4	6	7
1. SINGLE DX	293	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	244	2.1	3	<1	<1	1	2	4	6	8
A. NOT OPERATED	23	2.3	4	<1	<1	1	3	4	7	10
B. OPERATED	514	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	281	1.3	1	<1	<1	<1	1	2	3	5
20-34	64	1.8	2	<1	<1	1	2	3	5	8
35-49	72	1.8	2	<1	<1	2	2	3	4	8
50-64	67	1.8	1	<1	<1	1	2	4	4	6
65+	53	2.8	6	<1	1	2	3	6	6	15
GRAND TOTAL	**537**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.1	2	1	1	2	3	4	4	7
20-34	22	2.2	1	<1	1	2	3	4	4	4
35-49	11	2.7	3	<1	<1	2	3	6	6	6
50-64	19	1.5	1	<1	<1	1	2	3	5	5
65+	7	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	383	1.6	1	<1	1	1	2	3	3	6
20-34	187	1.8	2	<1	1	1	2	3	5	8
35-49	158	2.6	4	<1	1	2	3	5	7	9
50-64	215	3.1	4	1	1	3	4	5	6	12
65+	98	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	4	<1	1	3	4	5	6	9
20-34	31	3.6	10	<1	<1	3	4	7	8	17
35-49	34	3.1	3	<1	1	3	4	7	7	7
50-64	39	3.2	9	<1	<1	2	4	6	10	15
65+	25	5.4	18	<1	<1	4	7	10	13	20
B. *Operated*										
0-19 YRS	163	2.4	6	<1	1	2	3	4	7	14
20-34	133	3.6	11	1	1	3	4	8	11	15
35-49	231	3.9	12	1	1	3	5	7	10	17
50-64	383	4.3	26	1	1	3	5	7	11	20
65+	261	5.4	60	1	2	3	5	9	16	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	1041	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	153	3.6	9	<1	<1	3	4	7	9	17
B. *Operated*	1171	4.1	27	1	1	3	5	7	11	20
1. SINGLE DX	1130	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1324	4.1	25	1	1	3	5	7	10	20
A. NOT OPERATED	242	3.1	7	<1	<1	2	4	6	8	15
B. OPERATED	2212	3.2	16	1	1	2	4	6	8	16
TOTAL 0-19 YRS	600	1.9	3	<1	1	1	2	3	4	8
20-34	373	2.6	6	<1	1	2	3	5	8	13
35-49	434	3.3	8	1	1	3	4	6	8	15
50-64	656	3.7	18	1	1	3	4	6	9	16
65+	391	4.7	43	1	1	3	5	8	14	24
GRAND TOTAL	**2454**	**3.2**	**15**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	18	1.4		<1	<1	1	2	2	2	2
20-34	143	2.4	3	<1	<1	2	3	5	6	9
35-49	519	2.2	2	<1	<1	2	3	4	5	7
50-64	391	2.0	2	<1	<1	2	2	3	4	7
65+	151	1.8	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	10	3.5	10	1	1	3	3	8	12	12
50-64	5	2.8	9	1	1	2	4	8	8	8
65+	4	6.3	18	2	2	5	9	12	12	12
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	134	3.1	4	<1	<1	3	4	5	8	11
35-49	472	3.1	4	1	1	3	4	6	7	9
50-64	418	2.8	4	1	1	2	3	5	7	11
65+	265	2.7	9	<1	1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*	1222	2.1	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	3.9	11	1	1	3	5	9	12	12
B. *Operated*	1293	2.9	5	<1	1	2	4	5	7	10
1. SINGLE DX	1226	2.1	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	1314	3.0	5	<1	1	2	4	5	7	11
A. NOT OPERATED	25	3.7	10	1	1	3	5	8	12	12
B. OPERATED	2515	2.5	4	<1	<1	2	3	5	6	9
TOTAL 0-19 YRS	23	1.5		<1	<1	1	2	2	2	2
20-34	278	2.7	4	<1	<1	2	4	5	6	10
35-49	1003	2.7	3	<1	<1	2	3	5	6	8
50-64	816	2.4	3	<1	1	2	3	5	6	9
65+	420	2.5	6	<1	<1	2	3	4	6	10
GRAND TOTAL	**2540**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.3	4	1	1	3	4	7	7	7
20-34	33	4.0	8	2	2	3	5	6	9	17
35-49	16	4.2	7	1	1	4	5	9	10	10
50-64	12	3.6	4	<1	1	3	5	7	7	7
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	210	2.2	1	1	1	2	3	4	4	6
20-34	349	2.7	3	1	1	3	3	4	5	7
35-49	213	2.8	2	1	1	3	4	5	6	8
50-64	149	2.6	2	1	1	2	3	4	5	7
65+	74	2.5	4	<1	1	2	3	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	7	<1	<1	3	5	8	9	9
20-34	18	3.7	6	<1	<1	3	5	8	9	9
35-49	25	4.7	10	<1	1	5	7	9	10	11
50-64	32	3.6	9	<1	1	3	5	7	11	13
65+	30	5.3	19	<1	<1	4	8	10	13	21
B. *Operated*										
0-19 YRS	65	2.8	3	<1	1	3	3	5	6	9
20-34	207	3.0	3	1	1	3	4	5	6	8
35-49	361	3.6	7	1	1	3	5	6	8	12
50-64	248	4.2	15	1	1	3	5	7	9	31
65+	149	3.6	11	1	1	2	4	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.8	6	1	1	3	5	7	8	15
B. *Operated*	995	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	117	4.3	11	<1	1	4	6	9	11	16
B. *Operated*	1030	3.6	9	1	1	3	4	6	8	14
1. SINGLE DX	1075	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1147	3.7	9	1	1	3	4	7	9	14
A. NOT OPERATED	197	4.1	9	<1	1	3	5	8	10	15
B. OPERATED	2025	3.1	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	304	2.5	2	1	1	2	3	4	5	8
20-34	607	2.9	3	1	1	3	4	5	6	9
35-49	615	3.4	6	1	1	3	4	6	8	11
50-64	441	3.6	11	1	1	3	4	6	8	14
65+	255	3.5	11	1	1	2	4	7	9	17
GRAND TOTAL	**2222**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	2.2	1	1	1	2	3	4	4	6
20-34	347	2.1	2	<1	1	2	3	4	5	7
35-49	106	2.3	3	1	1	2	3	5	6	8
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	221	3.7	3	1	1	3	5	6	7	9
20-34	711	3.7	4	1	1	4	5	6	7	9
35-49	222	4.8	5	1	2	5	6	7	8	13
50-64	28	5.6	4	2	4	5	6	8	9	12
65+	13	6.2	6	3	4	6	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	2.7	3	1	1	2	3	6	7	9
20-34	289	2.7	3	1	1	2	3	5	6	9
35-49	95	2.8	3	<1	1	2	3	5	7	9
50-64	4	3.0	6	1	1	3	5	6	6	6
65+	10	3.3	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	254	4.1	4	1	2	4	5	6	7	11
20-34	1755	5.0	6	1	2	5	6	8	9	13
35-49	1089	6.0	9	3	4	6	7	9	10	17
50-64	124	6.7	11	4	4	6	7	10	13	19
65+	72	8.2	14	4	5	7	9	14	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1195	4.0	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	536	2.7	3	1	1	2	3	5	6	9
B. *Operated*	3294	5.4	8	2	3	5	6	8	10	16
1. SINGLE DX	1845	3.4	4	1	1	3	5	6	7	9
2. MULTIPLE DX	3830	5.0	8	1	2	5	6	8	9	15
A. NOT OPERATED	1186	2.4	2	1	1	2	3	5	6	8
B. OPERATED	4489	5.0	7	1	2	5	6	8	9	14
TOTAL 0-19 YRS	808	3.3	4	1	1	3	4	6	7	9
20-34	3102	4.2	6	1	1	4	5	7	8	12
35-49	1512	5.4	9	1	2	5	6	8	10	16
50-64	156	6.4	10	3	4	6	7	9	12	18
65+	97	7.3	15	2	4	7	9	12	15	22
GRAND TOTAL	**5675**	**4.5**	**7**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	583	3.9	4	1	2	3	5	6	8	12
20-34	1437	4.0	4	1	2	4	5	6	7	10
35-49	190	4.2	4	2	2	4	5	7	8	10
50-64	9	5.6	22	1	1	4	9	13	14	14
65+	4	3.8	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	86	4.4	6	<1	2	4	6	7	9	11
20-34	481	4.9	7	1	1	5	6	8	10	14
35-49	189	5.5	8	1	2	5	6	8	11	16
50-64	26	5.6	7	2	3	5	7	9	11	13
65+	3	8.0	1	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	492	4.9	8	2	2	4	6	8	10	15
20-34	1236	4.4	5	2	2	4	5	7	8	12
35-49	241	4.9	6	2	2	5	6	8	9	12
50-64	32	6.3	11	2	3	5	8	11	12	14
65+	17	7.9	25	2	3	7	10	15	19	21
B. *Operated*										
0-19 YRS	223	5.8	11	2	2	5	7	10	12	16
20-34	2361	5.5	11	1	3	5	6	9	11	16
35-49	1087	6.2	11	3	4	6	7	9	11	20
50-64	133	7.2	14	3	4	6	8	12	15	22
65+	44	10.6	99	2	4	7	12	22	24	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	4.0	4	1	2	4	5	6	8	11
B. *Operated*	785	5.0	8	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2018	4.6	6	2	2	4	6	8	9	14
B. *Operated*	3848	5.8	12	2	3	5	7	9	11	19
1. SINGLE DX	3008	4.3	5	1	2	4	5	7	8	12
2. MULTIPLE DX	5866	5.4	11	2	2	5	6	8	11	17
A. NOT OPERATED	4241	4.3	5	2	2	4	5	7	8	13
B. OPERATED	4633	5.7	12	1	3	5	7	9	11	18
TOTAL 0-19 YRS	1384	4.6	7	1	2	4	6	8	10	14
20-34	5515	4.8	8	1	2	4	6	8	9	14
35-49	1707	5.7	10	2	3	5	7	9	10	18
50-64	200	6.8	13	2	3	6	8	12	14	21
65+	68	9.4	73	2	4	7	10	20	23	55
GRAND TOTAL	**8874**	**5.0**	**9**	**2**	**2**	**5**	**6**	**8**	**10**	**15**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	1	1	1	3	3	4	4	4
20-34	22	2.7	3	<1	<1	2	4	5	6	6
35-49	9	3.1	5	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.4	4	<1	<1	3	5	6	7	9
20-34	437	4.4	4	1	1	5	6	6	7	10
35-49	276	5.5	17	2	3	5	6	7	8	9
50-64	20	5.8	2	4	4	5	7	8	8	8
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	57	3.4	9	1	1	2	4	6	11	16
35-49	21	3.8	6	<1	<1	3	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.8	4	1	1	4	5	6	7	8
20-34	2640	5.1	4	1	3	5	6	7	8	13
35-49	3321	5.7	3	4	4	5	6	7	8	12
50-64	287	6.3	5	4	4	6	7	8	9	14
65+	29	8.2	36	4	5	7	8	11	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.7	3	<1	1	3	4	6	6	6
B. *Operated*	762	4.8	9	1	2	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	84	3.4	8	<1	1	3	4	6	10	15
B. *Operated*	6322	5.5	4	3	4	5	6	7	8	13
1. SINGLE DX	800	4.7	9	1	2	5	6	7	7	9
2. MULTIPLE DX	6406	5.4	4	2	4	5	6	7	8	13
A. NOT OPERATED	122	3.2	6	<1	1	3	4	6	7	13
B. OPERATED	7084	5.4	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	85	3.5	4	<1	1	3	5	6	7	9
20-34	3156	5.0	5	1	2	5	6	7	8	12
35-49	3627	5.6	4	3	4	5	6	7	8	12
50-64	307	6.2	4	4	4	6	7	8	9	14
65+	31	8.2	34	4	5	7	9	10	15	37
GRAND TOTAL	**7206**	**5.4**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	14	4.0	5	1	1	4	6	7	7	7
35-49	16	3.1	5	<1	<1	3	5	6	6	6
50-64	6	3.3	6	<1	<1	2	6	7	7	7
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	9	3.9	4	1	1	3	5	7	7	7
35-49	3	2.7		2	2	3	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	221	5.1	4	1	3	5	6	7	8	13
35-49	253	5.4	5	2	3	5	6	8	9	12
50-64	43	5.0	6	1	2	5	7	7	9	11
65+	18	4.1	8	<1	1	4	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	41	3.3	5	<1	<1	3	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	19	3.4	3	<1	1	3	4	6	7	7
B. *Operated*	536	5.2	5	1	2	5	6	8	9	12
1. SINGLE DX	42	3.3	5	<1	1	3	6	6	7	7
2. MULTIPLE DX	555	5.1	5	1	2	5	6	7	8	12
A. NOT OPERATED	20	3.3	3	<1	1	3	4	6	7	7
B. OPERATED	577	5.1	5	1	2	5	6	7	8	12
TOTAL 0-19 YRS	6	3.5	1	2	2	3	4	5	5	5
20-34	245	5.0	4	1	2	5	6	7	8	12
35-49	272	5.2	5	1	2	5	6	8	9	12
50-64	50	4.8	6	1	1	5	6	7	9	11
65+	24	3.5	7	<1	<1	3	4	7	9	11
GRAND TOTAL	**597**	**5.0**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	2	<1	1	3	4	4	5	5
20-34	73	3.2	4	1	1	3	4	6	7	10
35-49	22	3.5	3	1	1	3	4	6	7	8
50-64	5	4.0	1	3	3	4	5	5	5	5
65+	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS	34	2.6	3	<1	<1	2	4	5	6	7
20-34	142	2.4	5	<1	<1	2	3	5	6	14
35-49	61	1.8	1	<1	<1	1	2	3	4	8
50-64	21	3.4	7	<1	<1	3	4	6	9	12
65+	10	3.2	17	<1	<1	1	3	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.3	14	1	2	4	5	6	12	24
20-34	130	4.3	4	1	2	4	5	7	8	11
35-49	45	5.5	16	1	2	4	7	10	14	22
50-64	14	4.9	12	<1	1	4	5	11	13	13
65+	15	7.5	19	<1	2	7	11	14	14	14
B. *Operated*										
0-19 YRS	19	6.3	38	1	1	4	8	17	21	22
20-34	169	4.4	9	<1	1	4	6	8	10	14
35-49	107	4.6	10	1	1	4	6	9	11	15
50-64	44	6.2	53	<1	1	4	6	17	21	35
65+	31	6.9	53	<1	2	5	7	13	16	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.2	3	1	1	3	4	5	7	9
B. *Operated*	268	2.4	4	<1	<1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	250	4.7	10	1	2	4	6	8	11	15
B. *Operated*	370	5.0	20	<1	1	4	6	10	14	21
1. SINGLE DX	394	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	620	4.9	16	1	1	4	6	9	12	20
A. NOT OPERATED	376	4.2	8	1	2	4	5	7	10	14
B. OPERATED	638	3.9	15	<1	1	3	5	7	11	18
TOTAL 0-19 YRS	122	3.8	14	<1	1	3	4	6	12	23
20-34	514	3.6	6	<1	1	3	5	7	9	13
35-49	235	3.9	10	<1	1	3	6	8	11	15
50-64	84	5.1	33	<1	1	4	5	12	17	32
65+	59	6.3	37	<1	1	5	8	13	14	39
GRAND TOTAL	**1014**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**7**	**11**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	8.5	71	3	3	5	13	21	21	21
B. *Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	225	5.0	3	2	3	5	6	7	8	9
35-49	376	5.3	4	2	3	5	7	8	8	11
50-64	510	5.7	4	3	3	6	7	8	9	11
65+	434	6.0	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	1.7	2	<1	<1	1	2	4	5	5
35-49	19	3.4	12	<1	<1	1	6	8	11	13
50-64	26	2.4	7	<1	<1	1	2	6	8	12
65+	38	3.0	4	<1	1	3	4	6	8	9
B. *Operated*										
0-19 YRS	13	5.1	5	1	2	5	7	8	8	8
20-34	1105	5.4	3	3	4	5	6	7	8	11
35-49	2082	6.0	4	3	4	6	7	8	9	12
50-64	1586	6.5	5	4	4	6	7	9	10	14
65+	1692	7.2	10	4	4	7	8	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.1	45	<1	1	4	6	18	21	21
B. *Operated*	1547	5.6	4	3	3	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	94	2.8	6	<1	<1	2	4	6	8	13
B. *Operated*	6478	6.3	6	3	4	6	7	9	10	15
1. SINGLE DX	1554	5.6	4	3	3	6	7	8	9	11
2. MULTIPLE DX	6572	6.3	6	3	4	6	7	9	10	15
A. NOT OPERATED	101	3.0	9	<1	<1	2	4	7	8	17
B. OPERATED	8025	6.2	6	3	4	6	7	9	10	15
TOTAL 0-19 YRS	15	5.2	5	1	2	5	7	8	8	8
20-34	1342	5.3	3	3	3	5	6	7	8	11
35-49	2477	5.8	4	3	4	6	7	8	9	12
50-64	2124	6.3	5	3	4	6	7	9	10	14
65+	2168	6.9	9	3	4	7	8	10	12	18
GRAND TOTAL	**8126**	**6.2**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**15**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.8	4	<1	<1	1	1	6	6	6
20-34	18	2.1	2	<1	<1	1	3	5	5	5
35-49	7	1.9	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	3.2	7	1	1	2	5	7	7	7
35-49	5	5.2	5	3	3	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	48	4.4	4	1	1	5	6	7	7	9
35-49	62	4.7	6	1	1	5	6	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	31	2.0	2	<1	<1	1	2	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	13	3.5	7	<1	<1	3	6	7	8	8
B. *Operated*	112	4.5	5	1	1	5	6	7	8	12
1. SINGLE DX	34	1.9	2	<1	<1	1	2	5	5	6
2. MULTIPLE DX	125	4.4	6	1	1	5	6	7	8	12
A. NOT OPERATED	16	3.1	6	<1	1	2	5	7	8	8
B. OPERATED	143	4.0	6	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	11	1.6	2	<1	<1	1	2	4	6	6
20-34	73	3.7	5	<1	1	4	6	7	7	9
35-49	75	4.4	7	<1	1	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**159**	**3.9**	**6**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	1	<1	<1	1	2	4	4	6
20-34	65	1.6	1	<1	<1	1	2	3	3	6
35-49	16	1.9	1	<1	<1	2	2	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	53	1.7	1	<1	<1	1	2	3	4	5
20-34	485	2.8	4	<1	<1	2	5	6	6	9
35-49	509	2.9	5	<1	<1	2	5	6	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	2	1	1	2	3	4	6	8
20-34	145	2.4	3	<1	1	2	3	5	6	7
35-49	109	2.5	4	<1	<1	2	3	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	66	3.0	4	1	1	3	4	6	7	9
20-34	2088	4.7	5	1	2	5	6	7	8	12
35-49	3241	5.1	5	1	2	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	1047	2.8	4	<1	<1	2	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	303	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	5395	4.9	5	1	2	5	6	7	8	12
1. SINGLE DX	1159	2.7	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX	5698	4.8	5	1	1	5	6	7	8	12
A. NOT OPERATED	415	2.2	2	<1	<1	2	3	4	6	8
B. OPERATED	6442	4.6	6	1	1	5	6	7	8	12
TOTAL 0-19 YRS	199	2.3	3	<1	1	2	3	4	6	8
20-34	2783	4.2	6	<1	1	4	6	7	8	11
35-49	3875	4.7	6	1	1	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**6857**	**4.4**	**6**	**<1**	**1**	**5**	**6**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	3	4.7		4	4	5	5	5	5	5
35-49	26	1.7	1	<1	<1	1	2	2	5	5
50-64	141	1.8	2	<1	<1	1	2	3	5	7
65+	61	1.8	1	<1	<1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	12	4.3	7	1	1	4	7	8	9	9
50-64	23	2.4	4	<1	<1	2	3	4	6	9
65+	25	4.6	12	1	1	4	6	8	12	16
B. *Operated*										
0-19 YRS										
20-34	14	4.6	8	<1	1	5	5	7	12	13
35-49	98	4.5	8	1	1	5	6	8	9	15
50-64	423	4.3	10	1	1	4	7	8	9	13
65+	311	3.8	13	1	1	2	5	8	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	1	1	1	3	3	4	4	4
B. *Operated*	231	1.8	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	63	3.6	8	<1	1	3	5	7	9	15
B. *Operated*	846	4.2	11	1	1	3	6	8	9	15
1. SINGLE DX	237	1.8	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX	909	4.1	11	1	1	3	6	8	9	16
A. NOT OPERATED	69	3.5	8	<1	1	3	4	7	9	15
B. OPERATED	1077	3.7	10	<1	1	2	5	7	9	15
TOTAL 0-19 YRS										
20-34	20	4.3	7	<1	1	4	5	6	9	13
35-49	138	3.9	8	<1	1	4	6	7	9	15
50-64	589	3.6	9	<1	1	2	6	7	9	12
65+	399	3.5	12	1	1	2	5	8	9	19
GRAND TOTAL	**1146**	**3.6**	**10**	**<1**	**1**	**2**	**5**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.6	1	<1	1	1	2	2	3	4
20-34	32	2.2	2	<1	1	2	3	4	5	6
35-49	17	1.6	1	<1	<1	1	2	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	56	2.9	4	<1	1	2	4	5	7	9
20-34	630	3.0	4	<1	1	3	4	6	7	8
35-49	295	3.4	5	<1	1	3	5	6	7	10
50-64	162	4.0	12	<1	<1	3	5	7	10	15
65+	65	3.2	5	<1	<1	2	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.4	3	<1	1	2	3	5	7	8
20-34	78	2.4	4	<1	<1	2	3	5	6	11
35-49	42	3.9	11	<1	1	3	6	8	11	15
50-64	22	3.1	7	<1	<1	2	4	7	10	10
65+	41	5.2	21	1	1	4	6	11	17	20
B. *Operated*										
0-19 YRS	70	4.2	7	<1	1	4	6	7	8	13
20-34	1300	4.6	6	1	1	5	6	7	8	11
35-49	1419	5.2	7	1	2	5	6	8	9	16
50-64	706	5.5	13	1	2	5	6	8	10	25
65+	433	7.0	39	1	1	6	8	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	1.9	1	<1	<1	1	2	4	5	6
B. *Operated*	1208	3.3	5	<1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	214	3.3	10	<1	1	2	4	7	10	17
B. *Operated*	3928	5.3	11	1	2	5	6	8	10	19
1. SINGLE DX	1289	3.2	5	<1	1	3	5	6	7	10
2. MULTIPLE DX	4142	5.1	12	1	1	5	6	8	10	19
A. NOT OPERATED	295	2.9	8	<1	1	2	4	6	8	15
B. OPERATED	5136	4.8	11	1	1	5	6	8	9	18
TOTAL 0-19 YRS	184	3.1	5	<1	1	2	4	6	7	11
20-34	2040	4.0	6	1	1	4	5	7	8	11
35-49	1773	4.9	7	1	1	5	6	7	9	15
50-64	891	5.2	13	1	1	5	6	8	10	24
65+	543	6.3	35	1	1	5	8	13	18	28
GRAND TOTAL	**5431**	**4.7**	**11**	**1**	**1**	**5**	**6**	**8**	**9**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	1.9	1	<1	1	2	2	3	4	5
20-34	143	2.2	3	1	1	2	3	4	5	9
35-49	24	2.8	3	<1	1	2	4	5	6	6
50-64	5	2.4	2	1	1	3	3	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	48	2.8	5	<1	<1	2	4	6	7	12
20-34	389	3.8	4	<1	1	4	5	6	7	9
35-49	346	5.2	4	2	3	5	6	8	8	10
50-64	268	5.9	5	3	3	6	7	8	9	12
65+	115	6.4	6	2	3	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	2.3	2	<1	1	2	3	4	5	7
20-34	239	2.5	4	<1	1	2	3	5	6	9
35-49	81	2.9	5	<1	<1	2	4	5	8	11
50-64	13	5.4	22	1	1	4	6	14	16	17
65+	15	5.9	26	1	1	4	10	16	16	16
B. *Operated*										
0-19 YRS	54	3.4	5	1	1	3	4	7	8	11
20-34	1941	4.8	5	1	2	5	6	7	8	11
35-49	1513	5.6	5	2	4	5	7	8	9	13
50-64	499	6.9	8	4	4	7	8	10	11	17
65+	326	7.8	15	4	5	7	9	11	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	2.1	2	1	1	2	3	4	5	7
B. *Operated*	1166	4.9	5	1	2	5	6	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	431	2.7	6	<1	1	2	3	5	7	14
B. *Operated*	4333	5.5	7	2	3	5	7	8	9	14
1. SINGLE DX	1440	4.4	6	1	1	4	6	8	8	11
2. MULTIPLE DX	4764	5.3	7	1	2	5	6	8	9	14
A. NOT OPERATED	705	2.5	4	<1	1	2	3	4	6	11
B. OPERATED	5499	5.4	6	1	2	5	7	8	9	13
TOTAL 0-19 YRS	286	2.4	3	<1	1	2	3	5	6	9
20-34	2712	4.3	5	1	1	4	6	7	8	11
35-49	1964	5.4	5	2	3	5	6	8	9	12
50-64	785	6.5	7	3	4	6	8	9	11	16
65+	457	7.4	13	3	4	7	8	10	14	22
GRAND TOTAL	**6204**	**5.1**	**7**	**1**	**2**	**5**	**6**	**8**	**9**	**13**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	19	2.1	2	<1	<1	2	3	5	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	93	3.9	1	2	3	4	4	5	6	7
20-34	1217	4.0	2	2	3	4	5	5	6	7
35-49	138	4.1	2	1	2	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.2	2	<1	<1	2	3	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	89	4.5	9	2	3	4	5	6	7	21
20-34	1340	4.4	3	2	3	4	5	6	7	9
35-49	231	4.8	3	3	3	5	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.2	3	<1	<1	2	3	5	6	6
B. *Operated*	1448	4.0	2	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	2	<1	1	2	2	5	5	5
B. *Operated*	1660	4.5	3	2	3	4	5	6	7	9
1. SINGLE DX	1470	3.9	2	2	2	4	5	5	6	7
2. MULTIPLE DX	1674	4.5	3	2	3	4	5	6	7	9
A. NOT OPERATED	36	2.2	2	<1	1	2	3	5	6	6
B. OPERATED	3108	4.2	2	2	3	4	5	6	7	8
TOTAL 0-19 YRS	185	4.1	5	2	3	4	5	6	7	8
20-34	2589	4.2	2	2	3	4	5	6	6	8
35-49	370	4.5	3	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**3144**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	29	1.6	1	1	1	1	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	99	1.6	4	<1	1	1	2	2	3	13
20-34	217	1.5	1	<1	<1	1	2	2	3	5
35-49	29	1.4	1	<1	<1	1	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	2	1	1	2	3	5	6	6
20-34	33	2.3	5	<1	1	2	2	6	8	10
35-49	12	1.8		<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	40	2.3	3	1	1	2	3	5	6	9
20-34	148	2.8	14	<1	1	2	3	6	7	17
35-49	36	2.0	2	<1	<1	2	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.6	1	<1	1	1	2	3	3	3
B. *Operated*	345	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	56	2.3	3	<1	1	2	2	5	6	10
B. *Operated*	224	2.6	10	<1	1	2	3	5	7	13
1. SINGLE DX	383	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	280	2.5	9	<1	1	2	3	5	7	11
A. NOT OPERATED	94	2.0	2	<1	1	2	2	3	6	9
B. OPERATED	569	1.9	5	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	157	1.8	4	1	1	1	2	3	5	9
20-34	427	2.0	6	<1	<1	1	2	4	5	9
35-49	79	1.7	1	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**663**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	3.5	1	3	3	3	4	4	4	4
1. SINGLE DX										
2. MULTIPLE DX	2	3.5	1	3	3	3	4	4	4	4
A. NOT OPERATED										
B. OPERATED	2	3.5	1	3	3	3	4	4	4	4
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	1.5	1	<1	<1	1	2	2	3	6
20-34	324	1.6	3	<1	<1	1	2	2	3	6
35-49	34	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	883	1.4	2	<1	<1	1	1	2	3	5
20-34	3473	1.3	1	<1	<1	1	1	2	3	5
35-49	455	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.0	2	<1	1	2	2	4	5	7
20-34	111	2.1	2	<1	<1	2	3	4	5	9
35-49	15	1.5	1	<1	<1	1	2	2	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	160	2.0	3	<1	<1	2	2	3	5	11
20-34	803	2.2	4	<1	1	1	3	4	6	10
35-49	193	2.0	3	<1	1	1	2	4	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	1.6	2	<1	<1	1	2	2	3	6
B. *Operated*	4811	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	173	2.0	2	<1	1	2	2	4	5	8
B. *Operated*	1156	2.1	3	<1	1	1	3	4	6	10
1. SINGLE DX	5313	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	1329	2.1	3	<1	1	1	3	4	5	9
A. NOT OPERATED	675	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	5967	1.5	1	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	1234	1.5	2	<1	<1	1	2	2	3	6
20-34	4711	1.5	1	<1	<1	1	2	3	4	6
35-49	697	1.5	1	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**6642**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	3	<1	1	2	4	5	6	7
20-34	124	1.8	2	<1	1	1	2	3	4	7
35-49	9	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	93	1.9	1	<1	<1	2	2	3	4	7
20-34	656	1.5	1	<1	<1	1	2	2	3	6
35-49	64	1.3		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.7	10	<1	1	2	5	8	10	12
20-34	66	3.2	4	1	1	3	4	6	7	10
35-49	5	1.6		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	41	2.4	2	<1	1	2	3	4	6	7
20-34	217	2.7	25	<1	1	2	3	5	7	11
35-49	49	2.7	6	1	1	2	3	6	6	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	1.9	2	<1	1	2	2	4	5	7
B. *Operated*	813	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	91	3.2	5	1	1	3	4	6	7	11
B. *Operated*	307	2.7	19	<1	1	2	3	5	6	11
1. SINGLE DX	971	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	398	2.8	16	<1	1	2	3	5	7	11
A. NOT OPERATED	249	2.4	3	1	1	2	3	5	6	10
B. OPERATED	1120	1.8	6	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	179	2.3	3	<1	1	2	3	5	6	9
20-34	1063	1.9	6	<1	<1	1	2	3	5	8
35-49	127	1.8	3	<1	<1	1	2	4	6	9
50-64										
65+										
GRAND TOTAL	**1369**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	1.9	1	<1	<1	2	2	3	4	5
20-34	527	2.0	3	<1	1	2	2	3	4	7
35-49	40	2.3	5	<1	<1	2	3	3	5	14
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	20	1.8	1	1	1	2	2	3	3	4
35-49	3	2.7	8	<1	<1	<1	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	1	<1	<1	2	3	4	5	5
20-34	156	2.5	4	1	1	2	3	5	6	12
35-49	14	3.1	3	1	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.4	12	1	1	3	7	9	9	9
20-34	13	1.7	1	1	1	1	2	3	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	2.0	3	<1	1	2	2	3	4	7
B. *Operated*	29	1.8	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	192	2.5	4	1	1	2	3	5	6	11
B. *Operated*	20	2.6	5	1	1	2	3	6	8	9
1. SINGLE DX	718	2.0	3	<1	1	2	2	3	4	6
2. MULTIPLE DX	212	2.5	4	1	1	2	3	5	6	10
A. NOT OPERATED	881	2.1	3	<1	1	2	3	4	5	8
B. OPERATED	49	2.1	3	1	1	2	2	4	6	9
TOTAL 0-19 YRS	155	1.9	2	<1	<1	2	2	3	4	7
20-34	716	2.1	3	<1	1	2	3	4	5	8
35-49	59	2.5	4	<1	<1	2	3	5	6	13
50-64										
65+										
GRAND TOTAL	**930**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	46	2.1	1	<1	<1	2	3	4	4	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	2.0	2	<1	<1	2	2	4	5	6
35-49	3	4.7	14	2	2	3	7	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.3	2	<1	1	2	3	4	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	4	1.3		1	1	1	2	2	2	2
1. SINGLE DX	53	2.3	2	<1	1	2	3	4	4	5
2. MULTIPLE DX	28	2.2	3	<1	<1	2	3	5	6	9
A. NOT OPERATED	77	2.3	2	<1	<1	2	3	4	5	8
B. OPERATED	4	1.3		1	1	1	2	2	2	2
TOTAL 0-19 YRS	8	2.8	2	1	1	3	4	5	5	5
20-34	68	2.1	2	<1	<1	2	3	4	4	6
35-49	5	3.8	10	1	1	3	5	9	9	9
50-64										
65+										
GRAND TOTAL	**81**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	3.1	4	1	1	3	4	6	7	11
20-34	886	3.0	5	1	1	2	3	5	7	11
35-49	80	3.0	3	1	1	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.7	13	<1	1	2	5	8	13	15
20-34	40	3.6	8	<1	<1	3	5	7	9	12
35-49	10	2.5	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	3.2	3	1	1	3	4	5	7	9
20-34	305	3.1	6	1	1	2	4	5	7	13
35-49	48	3.8	5	1	1	3	5	7	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.0	29	<1	<1	2	3	12	19	19
20-34	45	3.7	11	<1	1	3	5	8	12	14
35-49	7	4.9	8	1	1	4	6	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1203	3.0	5	1	1	2	4	5	7	11
B. *Operated*	69	3.4	8	<1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	426	3.2	5	1	1	3	4	5	7	12
B. *Operated*	62	3.9	13	<1	1	3	5	9	12	18
1. SINGLE DX	1272	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX	488	3.3	6	1	1	3	4	6	8	13
A. NOT OPERATED	1629	3.0	5	1	1	3	4	5	7	11
B. OPERATED	131	3.6	11	<1	1	3	5	7	11	16
TOTAL 0-19 YRS	339	3.2	5	1	1	3	4	6	7	11
20-34	1276	3.0	5	1	1	2	4	5	7	13
35-49	145	3.3	4	1	1	3	4	6	7	10
50-64										
65+										
GRAND TOTAL	**1760**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.2	4	1	2	3	4	6	6	10
20-34	1104	3.3	4	1	2	3	4	5	7	10
35-49	41	4.4	22	1	1	3	4	8	14	27
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	5	2.6	3	<1	<1	2	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.3	8	1	1	3	4	6	8	18
20-34	648	3.8	9	1	2	3	5	7	9	14
35-49	31	3.5	4	1	2	3	4	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	32	8.4	57	2	2	6	12	15	29	34
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	3.3	4	1	2	3	4	6	7	10
B. *Operated*	7	3.4	4	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	828	3.7	9	1	1	3	4	7	9	15
B. *Operated*	37	7.9	51	2	2	5	11	15	25	34
1. SINGLE DX	1361	3.3	4	1	2	3	4	6	7	10
2. MULTIPLE DX	865	3.9	11	1	1	3	5	7	9	17
A. NOT OPERATED	2182	3.5	6	1	2	3	4	6	7	12
B. OPERATED	44	7.2	46	1	2	5	9	14	20	34
TOTAL 0-19 YRS	364	3.3	6	1	1	3	4	6	7	15
20-34	1789	3.6	7	1	2	3	4	6	8	13
35-49	73	4.0	14	1	2	3	4	7	9	25
50-64										
65+										
GRAND TOTAL	**2226**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	509	1.2		<1	<1	1	1	2	2	4
20-34	1801	1.2	1	<1	<1	1	1	2	2	4
35-49	85	1.1		<1	<1	<1	1	1	2	5
50-64										
65+										
B. *Operated*										
0-19 YRS	34	1.1		<1	<1	<1	1	2	2	2
20-34	95	1.5	9	<1	<1	1	1	2	3	19
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	1.7	1	<1	<1	1	2	3	4	6
20-34	329	1.8	5	<1	<1	1	2	3	4	16
35-49	16	1.8	8	<1	<1	1	1	2	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	40	1.7	2	<1	<1	1	2	3	4	7
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2395	1.2	1	<1	<1	1	1	2	2	4
B. *Operated*	133	1.4	7	<1	<1	1	1	2	3	10
2. MULTIPLE DX										
A. *Not Operated*	442	1.8	5	<1	<1	1	2	3	4	14
B. *Operated*	46	1.7	2	<1	<1	1	2	4	5	7
1. SINGLE DX	2528	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	488	1.8	4	<1	<1	1	2	3	4	13
A. NOT OPERATED	2837	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	179	1.5	5	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	642	1.2	1	<1	<1	1	1	2	3	4
20-34	2265	1.3	2	<1	<1	1	1	2	3	6
35-49	109	1.3	2	<1	<1	1	1	1	3	8
50-64										
65+										
GRAND TOTAL	**3016**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.3	1	<1	1	2	3	4	5	5
20-34	218	3.4	16	<1	1	2	3	7	9	27
35-49	29	3.9	41	1	1	2	3	13	23	25
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	3.8	3	1	1	4	5	6	7	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	3	2	2	3	5	7	7	7
20-34	81	5.3	61	1	1	3	5	9	17	49
35-49	11	8.5	169	1	1	3	6	32	41	42
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	9	3.2	18	1	1	2	3	10	14	14
35-49	3	7.7	10	4	4	9	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	3.3	17	<1	1	2	3	6	9	27
B. *Operated*	21	3.6	3	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	99	5.6	68	1	1	3	5	10	23	47
B. *Operated*	12	4.3	19	1	1	2	7	11	14	14
1. SINGLE DX	290	3.4	16	1	1	2	3	6	9	26
2. MULTIPLE DX	111	5.5	63	1	1	3	5	10	20	46
A. NOT OPERATED	368	3.9	32	1	1	2	4	7	11	29
B. OPERATED	33	3.8	9	1	1	3	5	7	10	14
TOTAL 0-19 YRS	30	2.7	2	1	1	2	3	5	6	7
20-34	326	3.9	27	1	1	2	4	7	11	28
35-49	45	5.2	70	1	1	2	4	18	25	42
50-64										
65+										
GRAND TOTAL	**401**	**3.9**	**30**	**1**	**1**	**2**	**4**	**7**	**11**	**28**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.8	1	<1	<1	1	2	3	4	6
20-34	303	2.0	2	<1	<1	2	2	4	5	8
35-49	26	1.8	1	<1	1	1	2	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	30	3.9	37	<1	<1	2	3	9	14	32
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.9	1	<1	1	2	2	4	4	4
20-34	144	3.1	13	<1	1	2	4	6	10	25
35-49	7	5.6	25	1	1	4	10	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	18	2.3	3	<1	<1	2	3	5	7	7
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	1.9	2	<1	<1	2	2	3	4	8
B. *Operated*	35	3.6	32	<1	1	2	3	7	13	32
2. MULTIPLE DX										
A. *Not Operated*	185	3.0	12	<1	1	2	4	6	10	22
B. *Operated*	18	2.3	3	<1	<1	2	3	5	7	7
1. SINGLE DX	420	2.1	5	<1	<1	2	2	4	5	10
2. MULTIPLE DX	203	2.9	11	<1	1	2	4	6	9	21
A. NOT OPERATED	570	2.3	6	<1	<1	2	3	4	5	12
B. OPERATED	53	3.2	22	<1	<1	2	3	6	10	31
TOTAL 0-19 YRS	93	1.8	1	<1	<1	1	2	3	4	5
20-34	495	2.4	8	<1	<1	2	3	4	6	15
35-49	35	2.5	8	1	1	1	3	5	10	13
50-64										
65+										
GRAND TOTAL	**623**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	3.0	2	<1	1	3	4	5	6	8
20-34	357	2.9	2	1	1	3	4	5	6	8
35-49	8	2.9	6	<1	<1	2	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.4	5	<1	<1	2	3	6	8	8
20-34	8	2.8	3	<1	<1	2	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	430	3.5	5	1	1	3	4	6	6	9
20-34	800	3.3	3	1	1	3	4	5	6	9
35-49	32	3.3	3	1	2	3	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	18	5.2	14	1	2	4	6	9	14	17
20-34	41	5.6	46	1	1	4	6	10	13	43
35-49	5	5.0	7	<1	<1	5	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	3.0	2	1	1	3	4	5	6	8
B. *Operated*	18	2.6	4	<1	<1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	1262	3.4	4	1	1	3	4	5	6	9
B. *Operated*	64	5.5	33	1	1	4	6	9	13	39
1. SINGLE DX	540	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX	1326	3.5	5	1	1	3	4	6	7	10
A. NOT OPERATED	1784	3.2	3	1	1	3	4	5	6	9
B. OPERATED	82	4.8	28	1	1	4	6	9	11	35
TOTAL 0-19 YRS	614	3.4	5	1	1	3	4	6	6	9
20-34	1206	3.2	5	1	1	3	4	5	6	10
35-49	46	3.4	4	<1	1	3	5	6	8	9
50-64										
65+										
GRAND TOTAL	**1866**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.9	37	1	1	3	4	5	12	38
20-34	415	3.6	6	1	1	3	5	7	9	13
35-49	73	3.2	9	1	1	2	3	6	9	19
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.3	6	1	1	3	4	8	8	8
20-34	18	4.4	7	1	2	4	6	8	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	325	3.4	9	1	1	3	4	6	8	15
20-34	1680	3.5	10	1	1	3	4	7	9	15
35-49	182	4.3	12	1	1	3	6	9	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.5	11	1	1	3	6	10	11	13
20-34	197	4.9	22	1	1	4	6	9	13	29
35-49	19	4.6	12	<1	1	3	7	10	11	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	3.6	9	1	1	3	4	7	9	14
B. *Operated*	25	4.0	7	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	2187	3.6	10	1	1	3	4	7	9	15
B. *Operated*	242	4.8	20	1	1	4	6	10	12	26
1. SINGLE DX	554	3.6	9	1	1	3	4	7	9	14
2. MULTIPLE DX	2429	3.7	11	1	1	3	5	7	9	16
A. NOT OPERATED	2716	3.6	10	1	1	3	4	7	9	15
B. OPERATED	267	4.7	19	1	1	4	6	9	12	25
TOTAL 0-19 YRS	398	3.5	12	1	1	3	4	6	8	17
20-34	2310	3.6	11	1	1	3	5	7	9	15
35-49	275	4.0	11	1	1	3	5	8	10	16
50-64										
65+										
GRAND TOTAL	**2983**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	689	2.4	7	<1	<1	2	3	4	6	16
20-34	2351	2.4	6	<1	<1	2	3	5	6	12
35-49	122	2.8	10	<1	<1	2	3	5	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	122	2.7	6	<1	<1	2	3	5	7	14
20-34	803	2.6	10	<1	<1	2	3	5	6	17
35-49	67	2.2	12	<1	1	1	2	3	4	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393	3.7	23	<1	1	2	4	7	10	32
20-34	1358	3.6	24	<1	1	2	4	7	10	26
35-49	95	4.3	51	<1	1	2	5	7	14	44
50-64										
65+										
B. *Operated*										
0-19 YRS	82	4.0	55	<1	1	2	4	7	9	51
20-34	423	3.7	19	<1	<1	2	4	7	11	26
35-49	39	7.5	197	<1	1	3	5	12	50	62
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3162	2.4	7	<1	<1	2	3	5	6	13
B. *Operated*	992	2.6	9	<1	<1	2	3	5	6	17
2. MULTIPLE DX										
A. *Not Operated*	1846	3.7	25	<1	1	2	4	7	10	27
B. *Operated*	544	4.0	38	<1	1	2	4	7	11	38
1. SINGLE DX	4154	2.4	7	<1	<1	2	3	5	6	14
2. MULTIPLE DX	2390	3.7	28	<1	1	2	4	7	10	28
A. NOT OPERATED	5008	2.9	14	<1	<1	2	3	5	8	18
B. OPERATED	1536	3.1	20	<1	<1	2	3	6	8	23
TOTAL 0-19 YRS	1286	2.9	15	<1	<1	2	3	5	8	20
20-34	4935	2.9	13	<1	<1	2	3	5	8	18
35-49	323	3.7	47	<1	1	2	3	6	10	44
50-64										
65+										
GRAND TOTAL	**6544**	**2.9**	**15**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.3	1	1	1	2	3	3	4	7
20-34	372	2.4	1	1	1	2	3	3	4	6
35-49	29	2.3	1	<1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	32	2.8	2	1	1	2	3	5	6	7
20-34	193	3.4	4	2	2	3	4	5	5	10
35-49	15	2.9	1	1	1	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	2.6	1	1	2	2	3	4	4	6
20-34	677	2.6	2	1	2	2	3	4	4	8
35-49	59	3.2	9	1	2	3	3	4	5	23
50-64										
65+										
B. *Operated*										
0-19 YRS	204	4.1	20	1	2	3	5	7	9	32
20-34	1634	4.6	30	2	2	4	5	6	9	25
35-49	215	4.9	26	2	2	4	5	7	11	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	2.4	1	1	1	2	3	3	4	6
B. *Operated*	240	3.3	4	1	2	3	4	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	936	2.6	2	1	2	2	3	4	4	7
B. *Operated*	2053	4.6	29	2	2	4	5	7	9	28
1. SINGLE DX	739	2.7	2	1	2	2	3	4	5	7
2. MULTIPLE DX	2989	4.0	21	2	2	3	4	6	8	20
A. NOT OPERATED	1435	2.5	2	1	1	2	3	4	4	7
B. OPERATED	2293	4.4	26	2	2	4	5	6	9	26
TOTAL 0-19 YRS	534	3.1	9	1	2	3	3	5	6	13
20-34	2876	3.7	19	1	2	3	4	6	7	17
35-49	318	4.2	20	1	2	3	5	6	8	29
50-64										
65+										
GRAND TOTAL	**3728**	**3.7**	**18**	**1**	**2**	**3**	**4**	**6**	**7**	**18**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4672	2.3	1	1	1	2	3	3	3	4
20-34	20670	2.3	1	1	1	2	3	3	4	4
35-49	1103	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	935	2.2	1	1	1	2	3	3	3	4
20-34	3686	2.3	1	1	1	2	3	3	4	5
35-49	169	2.7	2	1	1	3	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	2.7	2	1	1	2	3	4	5	8
20-34	864	2.6	1	1	1	2	3	4	4	6
35-49	54	2.5	2	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	212	3.1	3	1	2	3	4	4	6	10
20-34	4927	2.8	1	2	2	3	3	4	4	5
35-49	531	3.0	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26445	2.3	1	1	1	2	3	3	4	4
B. *Operated*	4790	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1180	2.6	2	1	1	2	3	4	5	6
B. *Operated*	5670	2.8	1	2	2	3	3	4	4	6
1. SINGLE DX	31235	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	6850	2.8	1	1	2	3	3	4	4	6
A. NOT OPERATED	27625	2.3	1	1	1	2	3	3	4	5
B. OPERATED	10460	2.6	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	6081	2.3	1	1	1	2	3	3	4	5
20-34	30147	2.4	1	1	1	2	3	3	4	5
35-49	1857	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**38085**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.8	5	1	1	2	3	5	9	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.3	2	2	3	4	5	6	7	7
20-34	110	5.8	23	2	3	4	5	8	20	25
35-49	15	6.1	32	3	3	5	6	7	21	26
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	19	3.0	3	<1	1	3	4	5	7	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	8.0	44	3	3	6	7	21	25	26
20-34	243	8.8	125	3	3	5	7	19	35	57
35-49	48	11.2	227	3	4	5	9	23	51	74
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.7	5	1	1	2	3	4	9	10
B. *Operated*	141	5.6	21	2	3	4	5	8	19	26
2. MULTIPLE DX										
A. *Not Operated*	21	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	312	9.1	135	3	3	5	7	21	37	59
1. SINGLE DX	155	5.4	20	2	2	4	5	8	19	26
2. MULTIPLE DX	333	8.7	129	2	3	5	7	19	32	58
A. NOT OPERATED	35	2.9	3	1	1	3	3	4	7	10
B. OPERATED	453	8.0	102	3	3	5	7	17	26	57
TOTAL 0-19 YRS	40	6.1	27	2	2	5	6	9	21	26
20-34	385	7.4	89	2	3	5	6	15	25	54
35-49	63	10.0	184	3	4	5	7	22	42	73
50-64										
65+										
GRAND TOTAL	**488**	**7.6**	**97**	**2**	**3**	**5**	**6**	**16**	**26**	**56**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	1	1	1	2	3	3	5	5
20-34	68	2.2	1	1	1	2	3	3	4	5
35-49	6	3.7	7	2	2	3	3	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.3	1	1	2	3	4	5	5	5
20-34	128	3.8	3	1	2	4	5	5	6	10
35-49	8	3.6	1	2	2	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	2	<1	1	2	3	4	6	7
20-34	113	3.0	6	1	1	2	3	5	8	15
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	64	4.7	7	1	2	4	5	8	10	14
20-34	429	4.6	7	2	2	4	5	7	9	16
35-49	37	5.0	40	1	2	4	5	7	8	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.3	1	1	1	2	3	3	4	8
B. *Operated*	160	3.7	2	1	2	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	142	2.9	5	1	1	2	3	5	7	15
B. *Operated*	530	4.6	9	2	2	4	5	7	9	16
1. SINGLE DX	249	3.2	3	1	1	3	4	5	5	9
2. MULTIPLE DX	672	4.2	9	1	2	4	5	7	9	16
A. NOT OPERATED	231	2.7	4	1	1	2	3	4	5	13
B. OPERATED	690	4.4	8	2	2	4	5	6	8	15
TOTAL 0-19 YRS	126	3.7	5	1	1	3	5	6	8	12
20-34	738	4.0	6	1	2	4	5	6	8	14
35-49	57	4.4	27	1	2	4	5	6	8	39
50-64										
65+										
GRAND TOTAL	**921**	**4.0**	**8**	**1**	**2**	**4**	**5**	**6**	**8**	**14**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	2.3	1	1	1	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	26	2.1	1	<1	1	2	2	3	4	4
20-34	158	2.3	1	1	1	2	3	3	4	5
35-49	10	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	6	3.7	3	2	2	3	4	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	33	3.0	4	<1	1	3	3	5	8	10
20-34	149	3.0	2	1	1	3	4	5	6	9
35-49	16	3.4	3	2	2	3	4	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.3	1	1	1	2	3	3	4	4
B. *Operated*	194	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	3	2	2	3	4	6	7	7
B. *Operated*	198	3.0	3	1	1	3	4	5	6	9
1. SINGLE DX	221	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	208	3.0	3	1	1	3	4	5	6	9
A. NOT OPERATED	37	2.5	1	1	1	2	3	4	4	7
B. OPERATED	392	2.7	2	1	1	2	3	4	5	9
TOTAL 0-19 YRS	64	2.5	2	<1	1	2	3	4	5	10
20-34	338	2.7	2	1	1	2	3	4	5	8
35-49	27	3.3	2	2	2	3	4	5	7	8
50-64										
65+										
GRAND TOTAL	**429**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	1	1	2	2	3	4	4	4
20-34	88	2.5	1	<1	1	2	3	4	4	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.4	1	<1	<1	2	3	4	4	4
20-34	56	2.4	1	<1	1	2	3	4	4	5
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	1	1	1	3	4	4	5	5
20-34	54	2.7	1	1	1	3	3	4	4	6
35-49	6	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.8	1	1	1	3	3	4	5	5
20-34	98	3.3	2	2	2	3	4	5	7	10
35-49	8	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.5	1	1	1	2	3	4	4	5
B. *Operated*	71	2.5	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	73	2.7	1	1	1	3	3	4	4	6
B. *Operated*	118	3.2	2	2	2	3	3	5	6	9
1. SINGLE DX	190	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	191	3.0	2	1	2	3	3	4	5	9
A. NOT OPERATED	192	2.6	1	1	1	3	3	4	4	6
B. OPERATED	189	2.9	2	1	2	3	3	4	5	9
TOTAL 0-19 YRS	64	2.6	1	1	1	3	3	4	4	5
20-34	296	2.8	1	1	2	3	3	4	5	8
35-49	21	2.8	1	1	2	3	3	4	5	5
50-64										
65+										
GRAND TOTAL	**381**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	2	1	1	3	3	5	6	6
20-34	50	3.0	1	2	2	3	3	4	5	6
35-49	5	2.6		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.1	2	1	1	3	4	5	5	5
20-34	47	4.0	2	2	2	4	5	6	7	8
35-49	5	5.0	2	4	4	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	1	2	2	4	4	5	5	5
20-34	50	3.3	3	2	2	3	4	5	7	11
35-49	6	3.2	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	51	6.5	52	2	3	5	7	10	18	49
20-34	491	5.5	23	2	3	5	6	8	13	25
35-49	39	6.5	30	2	3	5	6	12	16	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.9	1	2	2	3	3	4	5	6
B. *Operated*	60	4.0	2	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	61	3.3	3	1	2	3	4	5	6	11
B. *Operated*	581	5.7	26	2	3	5	6	9	13	28
1. SINGLE DX	126	3.4	2	2	2	3	4	6	6	8
2. MULTIPLE DX	642	5.5	24	2	2	4	6	8	13	26
A. NOT OPERATED	127	3.1	2	2	2	3	4	4	6	9
B. OPERATED	641	5.5	24	2	3	5	6	8	13	26
TOTAL 0-19 YRS	75	5.4	38	2	2	4	6	8	13	42
20-34	638	5.0	19	2	2	4	6	8	11	24
35-49	55	5.7	24	2	3	5	6	8	15	33
50-64										
65+										
GRAND TOTAL	**768**	**5.1**	**21**	**2**	**2**	**4**	**6**	**8**	**12**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	1	1	1	2	3	4	4	4
20-34	71	2.1	1	1	1	2	3	3	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	148	4.0	1	3	3	4	5	5	6	7
20-34	1012	4.2	1	2	3	4	5	5	6	7
35-49	43	4.1	2	2	2	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	3	1	1	3	5	6	6	6
20-34	29	2.4	2	<1	1	2	3	5	5	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	217	4.8	4	2	3	4	5	7	8	12
20-34	1458	4.6	4	3	3	4	5	6	7	12
35-49	174	4.9	7	3	3	4	5	7	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.2	1	1	1	2	3	3	4	4
B. *Operated*	1203	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.6	3	<1	1	2	4	5	6	7
B. *Operated*	1849	4.7	4	3	3	4	5	6	7	12
1. SINGLE DX	1290	4.0	2	2	2	4	5	5	6	7
2. MULTIPLE DX	1888	4.6	4	2	3	4	5	6	7	12
A. NOT OPERATED	126	2.3	1	1	1	2	3	4	5	6
B. OPERATED	3052	4.5	3	2	3	4	5	6	7	11
TOTAL 0-19 YRS	387	4.4	3	2	3	4	5	6	7	11
20-34	2570	4.4	3	2	3	4	5	6	6	10
35-49	221	4.7	6	2	3	4	5	6	8	12
50-64										
65+										
GRAND TOTAL	**3178**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.3		1	2	2	3	3	3	4
20-34	211	2.5	1	1	1	2	3	4	4	5
35-49	13	2.9	2	<1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	94	3.4	1	2	2	3	4	5	6	7
20-34	500	3.5	2	2	2	3	4	5	5	7
35-49	38	3.9	1	2	2	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	1	1	2	2	3	3	4	4
20-34	136	2.7	2	1	2	3	3	4	4	8
35-49	12	2.1		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	301	4.0	3	2	2	4	5	6	7	9
20-34	1986	4.1	3	2	2	4	5	6	6	10
35-49	194	4.5	3	2	3	4	5	6	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	2.5	1	1	1	2	3	4	4	5
B. *Operated*	632	3.5	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	171	2.6	1	1	2	2	3	4	4	7
B. *Operated*	2481	4.1	3	2	2	4	5	6	7	10
1. SINGLE DX	891	3.2	2	2	2	3	4	5	5	7
2. MULTIPLE DX	2652	4.0	3	2	2	4	5	6	6	10
A. NOT OPERATED	430	2.5	1	1	2	2	3	4	4	6
B. OPERATED	3113	4.0	3	2	2	4	5	6	6	9
TOTAL 0-19 YRS	453	3.7	2	2	2	4	4	5	6	8
20-34	2833	3.8	3	2	2	4	5	5	6	9
35-49	257	4.2	3	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**3543**	**3.8**	**3**	**2**	**2**	**4**	**5**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	18	2.7	2	1	1	3	4	4	5	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	411	4.6	2	3	3	4	5	6	7	10
20-34	1810	4.5	1	3	3	4	5	6	6	7
35-49	67	4.7	1	3	4	5	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
20-34	13	3.2	3	1	1	3	3	6	8	8
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	869	5.0	4	3	3	5	6	7	8	13
20-34	4103	4.8	3	3	4	5	5	6	7	10
35-49	277	5.0	2	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.8	2	1	1	3	4	5	5	6
B. *Operated*	2288	4.5	1	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	20	3.4	3	1	1	3	4	6	7	8
B. *Operated*	5249	4.9	3	3	4	5	5	6	7	11
1. SINGLE DX	2310	4.5	1	3	3	4	5	6	6	8
2. MULTIPLE DX	5269	4.9	3	3	3	5	5	6	7	11
A. NOT OPERATED	42	3.0	2	1	1	3	4	5	6	8
B. OPERATED	7537	4.8	3	3	3	5	5	6	7	10
TOTAL 0-19 YRS	1288	4.9	3	3	3	5	5	6	8	12
20-34	5944	4.7	3	3	3	5	5	6	7	9
35-49	347	5.0	2	3	4	5	6	7	7	11
50-64										
65+										
GRAND TOTAL	**7579**	**4.8**	**3**	**3**	**3**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.6	1	1	2	3	3	4	4	5
20-34	342	2.6	1	1	2	2	3	4	4	6
35-49	15	3.2	11	2	2	2	3	3	12	15
50-64										
65+										
B. *Operated*										
0-19 YRS	148	3.8	2	2	2	4	5	6	6	8
20-34	805	3.8	2	2	2	4	5	6	6	7
35-49	42	4.1	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.7	1	1	2	3	3	4	4	5
20-34	226	3.0	9	1	2	3	3	4	4	9
35-49	12	3.1	4	1	1	3	4	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	468	4.3	5	2	2	4	5	6	7	13
20-34	2431	4.4	5	2	2	4	5	6	7	11
35-49	177	4.8	3	2	3	5	5	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	2.6	1	1	2	2	3	4	4	6
B. *Operated*	995	3.8	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	284	2.9	7	1	2	3	3	4	5	8
B. *Operated*	3076	4.4	5	2	2	4	5	6	7	11
1. SINGLE DX	1433	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX	3360	4.3	5	2	2	4	5	6	7	11
A. NOT OPERATED	722	2.7	4	1	2	3	3	4	4	6
B. OPERATED	4071	4.2	4	2	2	4	5	6	7	11
TOTAL 0-19 YRS	743	3.9	4	2	2	4	5	6	7	12
20-34	3804	4.0	5	2	2	4	5	6	6	10
35-49	246	4.5	4	2	2	4	5	6	8	12
50-64										
65+										
GRAND TOTAL	**4793**	**4.0**	**5**	**2**	**2**	**4**	**5**	**6**	**6**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1		2	2	2	2	3	3	3
20-34	69	2.3	1	1	1	2	3	3	4	4
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	41	4.4	3	2	2	4	5	6	8	9
20-34	244	4.2	6	2	2	4	5	6	7	8
35-49	15	3.7	2	1	2	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	2	1	1	2	3	5	6	6
20-34	64	3.5	16	1	2	3	4	4	5	28
35-49	7	2.6	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	116	5.0	6	2	3	5	6	7	9	17
20-34	635	4.6	12	2	2	4	5	6	7	18
35-49	74	4.6	5	2	2	4	5	7	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.3	1	1	1	2	3	3	4	4
B. *Operated*	300	4.2	5	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	83	3.2	13	1	1	3	3	4	5	26
B. *Operated*	825	4.6	11	2	2	4	5	7	8	16
1. SINGLE DX	381	3.8	5	1	2	4	5	6	6	8
2. MULTIPLE DX	908	4.5	11	2	2	4	5	7	8	18
A. NOT OPERATED	164	2.7	7	1	1	2	3	4	4	17
B. OPERATED	1125	4.5	9	2	2	4	5	6	7	14
TOTAL 0-19 YRS	176	4.6	6	2	2	4	5	7	8	15
20-34	1012	4.3	11	2	2	4	5	6	7	16
35-49	101	4.2	4	2	2	4	5	7	8	12
50-64										
65+										
GRAND TOTAL	**1289**	**4.3**	**9**	**2**	**2**	**4**	**5**	**6**	**7**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6		1	1	2	2	2	2	2
20-34	104	2.4	1	1	1	2	3	3	4	6
35-49	9	2.4	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	308	4.4	1	3	3	4	5	6	6	8
20-34	3855	4.4	1	3	3	4	5	6	6	7
35-49	232	4.6	1	3	3	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	52	2.7	2	1	1	3	3	4	6	7
35-49	5	3.2	5	1	1	3	4	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	301	4.8	2	3	3	5	5	6	7	11
20-34	6499	4.7	3	3	3	4	5	6	7	9
35-49	647	4.9	2	3	4	5	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.3	1	1	1	2	3	3	4	6
B. *Operated*	4395	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	61	2.8	2	1	1	3	3	5	6	7
B. *Operated*	7447	4.7	2	3	3	5	5	6	7	9
1. SINGLE DX	4517	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX	7508	4.7	2	3	3	5	5	6	7	9
A. NOT OPERATED	183	2.5	1	1	1	2	3	4	5	7
B. OPERATED	11842	4.6	2	3	3	4	5	6	7	9
TOTAL 0-19 YRS	622	4.5	2	3	3	4	5	6	7	9
20-34	10510	4.5	2	3	3	4	5	6	6	9
35-49	893	4.8	2	3	3	5	5	6	7	9
50-64										
65+										
GRAND TOTAL	**12025**	**4.6**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	2.6	1	1	2	3	3	4	4	7
20-34	610	2.8	3	1	2	3	3	4	4	8
35-49	43	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	70	3.1	3	1	2	3	4	5	6	13
20-34	472	3.0	2	1	2	3	4	5	5	7
35-49	31	2.6	2	1	1	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	3.1	4	1	2	3	3	5	6	12
20-34	589	3.4	7	1	2	3	4	6	7	15
35-49	51	3.6	4	2	2	3	4	6	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	359	4.2	15	2	2	4	5	7	8	17
20-34	2122	4.2	11	2	2	4	5	6	8	17
35-49	201	4.3	10	2	2	4	5	6	8	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	2.7	2	1	2	3	3	4	4	7
B. *Operated*	573	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	793	3.4	6	1	2	3	4	6	7	14
B. *Operated*	2682	4.2	11	2	2	4	5	6	8	17
1. SINGLE DX	1369	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	3475	4.1	10	2	2	3	5	6	8	16
A. NOT OPERATED	1589	3.1	4	1	2	3	3	5	6	11
B. OPERATED	3255	4.0	10	2	2	3	5	6	7	15
TOTAL 0-19 YRS	725	3.6	10	1	2	3	4	6	7	15
20-34	3793	3.7	8	2	2	3	4	6	7	14
35-49	326	3.9	7	1	2	3	5	6	7	12
50-64										
65+										
GRAND TOTAL	**4844**	**3.7**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	2.3	1	1	1	2	3	3	3	4
20-34	1849	2.4	1	1	1	2	3	3	4	4
35-49	110	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	181	2.5	1	1	1	2	3	4	4	6
20-34	962	2.5	1	1	2	2	3	3	4	5
35-49	44	2.5	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.3	1	1	1	2	3	3	4	6
20-34	470	2.5	1	1	1	2	3	4	4	6
35-49	35	3.3	30	<1	1	2	3	4	6	34
50-64										
65+										
B. *Operated*										
0-19 YRS	239	2.7	2	1	1	3	3	4	5	7
20-34	1761	2.9	1	2	2	3	3	4	5	7
35-49	156	3.0	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2226	2.4	1	1	1	2	3	3	4	4
B. *Operated*	1187	2.5	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	583	2.5	3	1	1	2	3	4	4	6
B. *Operated*	2156	2.9	1	1	2	3	3	4	5	7
1. SINGLE DX	3413	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2739	2.8	2	1	2	3	3	4	5	7
A. NOT OPERATED	2809	2.4	1	1	1	2	3	3	4	5
B. OPERATED	3343	2.7	1	1	2	3	3	4	5	6
TOTAL 0-19 YRS	765	2.5	1	1	1	2	3	4	4	6
20-34	5042	2.6	1	1	2	2	3	4	4	6
35-49	345	2.8	4	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**6152**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.2	1	1	1	2	3	3	3	5
20-34	490	2.2	1	1	1	2	3	3	4	4
35-49	39	2.4	1	<1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	749	2.2	1	1	1	2	3	3	3	4
20-34	3744	2.2	1	1	1	2	3	3	3	5
35-49	275	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.2	21	2	2	3	3	4	5	21
20-34	294	2.7	2	1	2	3	3	4	4	10
35-49	15	3.1	7	1	1	3	3	4	10	12
50-64										
65+										
B. *Operated*										
0-19 YRS	460	2.8	4	1	2	2	3	4	5	9
20-34	3042	2.6	1	1	2	2	3	4	4	6
35-49	286	2.7	1	1	2	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4768	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	430	2.9	8	1	2	3	3	4	4	12
B. *Operated*	3788	2.6	2	1	2	2	3	4	4	7
1. SINGLE DX	5437	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	4218	2.7	2	1	2	3	3	4	4	7
A. NOT OPERATED	1099	2.5	4	1	1	2	3	3	4	6
B. OPERATED	8556	2.4	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1470	2.5	4	1	1	2	3	3	4	7
20-34	7570	2.4	1	1	1	2	3	3	4	5
35-49	615	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**9655**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.2	1	1	1	2	3	3	3	4
20-34	162	2.4	1	1	1	2	3	3	4	5
35-49	6	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	617	2.4	1	1	2	2	3	3	4	4
20-34	2090	2.6	1	1	2	3	3	4	4	5
35-49	94	2.6	1	1	1	3	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	3	1	2	3	3	5	5	10
20-34	65	2.9	2	1	2	3	3	4	5	10
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	542	2.9	3	2	2	3	3	4	5	7
20-34	2086	2.9	2	2	2	3	3	4	4	7
35-49	105	2.9	2	1	2	3	3	4	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	2.4	1	1	1	2	3	3	4	5
B. *Operated*	2801	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	100	2.9	2	1	2	3	3	4	5	10
B. *Operated*	2733	2.9	2	2	2	3	3	4	5	7
1. SINGLE DX	3003	2.6	1	1	2	2	3	4	4	5
2. MULTIPLE DX	2833	2.9	2	2	2	3	3	4	5	7
A. NOT OPERATED	302	2.5	1	1	1	2	3	4	4	7
B. OPERATED	5534	2.7	2	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1226	2.6	2	1	2	2	3	4	4	6
20-34	4403	2.7	1	1	2	3	3	4	4	6
35-49	207	2.8	2	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**5836**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.1		1	1	2	2	3	3	4
20-34	194	2.2	1	1	1	2	3	3	4	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	208	2.3	1	1	1	2	3	3	4	5
20-34	818	2.4	1	1	1	2	3	3	4	5
35-49	31	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.8	4	1	1	2	3	4	6	13
20-34	116	2.6	1	1	2	2	3	4	4	7
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	184	3.0	4	2	2	3	3	4	5	10
20-34	952	2.8	2	1	2	3	3	4	5	7
35-49	56	3.0	2	1	2	3	4	4	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	2.2	1	1	1	2	3	3	4	5
B. *Operated*	1057	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	171	2.7	2	1	2	2	3	4	4	10
B. *Operated*	1192	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	1300	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1363	2.8	2	1	2	3	3	4	5	7
A. NOT OPERATED	414	2.4	1	1	1	2	3	3	4	6
B. OPERATED	2249	2.6	2	1	2	2	3	4	4	6
TOTAL 0-19 YRS	491	2.6	2	1	2	2	3	4	4	7
20-34	2080	2.6	2	1	1	2	3	4	4	6
35-49	92	2.8	2	1	1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**2663**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	982	2.5	2	1	1	2	3	4	4	6
20-34	3425	2.5	2	1	1	2	3	4	4	7
35-49	215	2.7	3	1	1	2	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2345	2.9	2	1	2	3	3	4	5	8
20-34	11062	2.9	2	1	2	3	3	4	5	7
35-49	609	3.2	3	1	2	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	775	3.2	10	1	1	3	3	5	7	17
20-34	2411	2.9	8	1	1	2	3	4	6	13
35-49	189	2.7	2	1	1	3	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3397	3.9	8	1	2	3	5	7	9	15
20-34	17252	3.9	9	2	2	3	5	6	8	15
35-49	1541	4.4	18	2	2	4	5	7	9	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4622	2.5	2	1	1	2	3	4	4	7
B. *Operated*	14016	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	3375	3.0	8	1	1	2	3	5	6	13
B. *Operated*	22190	3.9	10	2	2	3	5	6	8	15
1. SINGLE DX	18638	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	25565	3.8	10	1	2	3	4	6	8	15
A. NOT OPERATED	7997	2.7	5	1	1	2	3	4	5	10
B. OPERATED	36206	3.5	7	2	2	3	4	5	7	13
TOTAL 0-19 YRS	7499	3.3	6	1	2	3	4	5	7	13
20-34	34150	3.4	7	1	2	3	4	5	6	12
35-49	2554	3.8	13	1	2	3	4	6	7	17
50-64										
65+										
GRAND TOTAL	**44203**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.3	1	1	2	3	4	5	6	6
20-34	111	3.1	1	2	2	3	4	5	5	7
35-49	3	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	4	3.5	4	2	2	3	5	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.3	2	1	2	3	4	5	6	8
20-34	55	4.2	6	2	2	3	5	7	9	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.0	48	4	4	4	13	16	16	16
20-34	18	7.4	111	<1	1	4	8	16	35	46
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	3.1	1	1	2	3	4	5	5	6
B. *Operated*	7	3.9	8	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	80	4.0	5	2	2	3	5	6	8	13
B. *Operated*	23	7.5	90	1	2	4	9	17	28	46
1. SINGLE DX	151	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	103	4.8	26	1	2	4	5	8	11	32
A. NOT OPERATED	224	3.4	3	2	2	3	4	5	6	10
B. OPERATED	30	6.7	73	1	1	4	8	13	19	46
TOTAL 0-19 YRS	60	3.6	5	1	2	3	4	5	7	15
20-34	188	3.8	14	2	2	3	4	6	8	17
35-49	6	4.7	9	2	2	4	6	10	10	10
50-64										
65+										
GRAND TOTAL	**254**	**3.8**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	34	1.6	1	<1	1	1	2	2	3	4
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	17	1.8	1	<1	<1	1	2	3	4	5
20-34	119	1.6	1	<1	1	1	2	3	4	5
35-49	6	2.2	3	1	1	2	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	24	2.3	2	1	1	2	3	4	5	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.7	2	<1	<1	3	4	5	5	5
20-34	85	2.2	3	<1	1	2	3	4	7	8
35-49	5	3.4	4	2	2	2	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.5		<1	<1	1	2	2	3	4
B. *Operated*	142	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	29	2.2	1	1	1	2	3	4	4	6
B. *Operated*	100	2.3	3	<1	1	2	3	5	7	8
1. SINGLE DX	185	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	129	2.3	2	1	1	2	3	4	6	8
A. NOT OPERATED	72	1.8	1	<1	1	2	2	3	4	6
B. OPERATED	242	2.0	2	<1	1	1	2	4	5	7
TOTAL 0-19 YRS	36	1.9	1	<1	<1	2	3	4	5	5
20-34	262	1.9	2	<1	1	1	2	3	4	7
35-49	16	2.3	3	<1	1	2	3	5	6	6
50-64										
65+										
GRAND TOTAL	**314**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.0	19	1	1	4	6	12	15	15
20-34	65	3.9	5	1	2	3	5	7	9	10
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.1	6	1	1	2	3	7	9	10
20-34	83	3.5	12	1	1	2	4	6	12	19
35-49	11	2.7	6	<1	<1	2	3	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.8	13	2	2	3	5	12	13	13
20-34	51	4.4	10	1	1	3	6	9	11	14
35-49	4	8.5	8	5	5	8	10	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.1	7	1	1	2	3	7	10	11
20-34	63	5.4	32	2	2	3	6	12	15	31
35-49	6	6.2	18	2	2	5	7	13	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.9	7	1	2	3	5	8	9	14
B. *Operated*	109	3.4	10	1	1	2	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	67	4.7	11	1	1	3	7	10	11	14
B. *Operated*	86	5.0	27	1	2	3	6	11	14	31
1. SINGLE DX	186	3.6	9	1	1	3	5	7	10	16
2. MULTIPLE DX	153	4.9	20	1	2	3	6	11	13	28
A. NOT OPERATED	144	4.3	9	1	1	3	6	9	11	14
B. OPERATED	195	4.1	18	1	1	3	5	8	13	24
TOTAL 0-19 YRS	53	3.8	10	1	1	3	4	9	11	15
20-34	262	4.2	15	1	1	3	5	9	11	20
35-49	24	4.5	14	<1	1	3	7	9	13	14
50-64										
65+										
GRAND TOTAL	**339**	**4.2**	**14**	**1**	**1**	**3**	**5**	**9**	**11**	**17**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	476	3.6	4	1	2	3	4	6	7	11
20-34	393	3.9	6	1	2	3	5	7	8	13
35-49	313	4.6	6	2	2	4	6	8	9	14
50-64	176	5.1	10	2	2	4	6	8	10	17
65+	170	5.9	10	2	3	5	7	10	13	16
B. *Operated*										
0-19 YRS	220	4.1	8	1	1	4	5	8	9	14
20-34	211	4.6	14	1	1	4	6	9	10	22
35-49	147	5.4	15	1	2	4	7	11	13	18
50-64	83	6.8	29	1	2	6	8	14	19	26
65+	49	7.8	22	2	2	7	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	764	4.3	7	2	2	4	5	8	10	15
20-34	690	5.1	15	2	2	4	6	9	11	17
35-49	785	6.1	14	2	3	5	7	11	13	19
50-64	1004	6.4	16	2	3	5	8	11	14	21
65+	1976	7.8	26	3	3	7	9	14	17	27
B. *Operated*										
0-19 YRS	283	6.3	31	2	2	5	8	11	14	29
20-34	439	7.4	49	2	2	6	9	14	19	39
35-49	501	9.9	81	2	3	7	12	19	26	50
50-64	574	10.4	83	2	3	8	13	21	28	47
65+	827	12.2	105	3	4	9	15	22	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1528	4.3	7	2	2	4	5	7	9	14
B. *Operated*	710	5.1	16	1	1	4	7	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	5219	6.4	19	2	3	5	8	11	14	24
B. *Operated*	2624	9.9	82	2	3	7	12	19	27	50
1. SINGLE DX	2238	4.6	10	1	2	4	6	8	10	17
2. MULTIPLE DX	7843	7.6	43	2	3	6	9	14	19	35
A. NOT OPERATED	6747	5.9	17	2	2	5	7	11	14	22
B. OPERATED	3334	8.9	72	2	2	7	11	18	24	45
TOTAL 0-19 YRS	1743	4.4	11	1	2	4	5	8	10	15
20-34	1733	5.3	23	2	2	4	6	9	12	30
35-49	1746	6.8	36	2	2	5	8	13	17	31
50-64	1837	7.5	41	2	3	6	9	14	19	32
65+	3022	8.9	51	3	3	7	11	16	21	40
GRAND TOTAL	**10081**	**6.9**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**32**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.9	5	2	2	3	5	7	8	12
20-34	66	3.8	3	1	2	3	5	6	7	9
35-49	34	3.0	2	1	2	3	4	5	5	7
50-64	32	4.0	5	2	2	3	5	7	10	11
65+	10	4.3	4	2	2	4	6	7	8	8
B. *Operated*										
0-19 YRS	83	3.7	8	<1	1	3	5	7	8	15
20-34	79	4.2	9	<1	1	3	6	9	10	15
35-49	51	5.6	31	1	1	4	7	11	16	34
50-64	20	4.1	7	<1	1	3	6	8	10	10
65+	20	5.3	32	<1	1	4	7	12	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.4	7	2	2	4	5	7	11	13
20-34	141	5.0	15	2	2	4	6	10	14	18
35-49	114	5.5	12	2	2	4	7	10	13	16
50-64	134	6.4	19	2	2	5	8	13	14	24
65+	191	6.9	27	2	3	6	8	11	15	31
B. *Operated*										
0-19 YRS	94	6.3	24	1	2	5	8	13	17	25
20-34	128	6.7	33	2	2	5	8	12	18	31
35-49	117	7.5	38	1	2	6	10	15	24	54
50-64	154	8.7	51	1	2	7	11	19	23	39
65+	142	9.9	47	2	3	8	14	19	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	3.8	4	2	2	3	5	6	8	11
B. *Operated*	253	4.4	15	<1	1	3	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	802	5.6	17	2	2	4	7	10	13	20
B. *Operated*	635	8.0	41	2	2	6	10	17	22	36
1. SINGLE DX	537	4.1	9	1	1	3	5	8	9	16
2. MULTIPLE DX	1437	6.7	29	2	2	5	8	13	17	30
A. NOT OPERATED	1086	5.1	14	2	2	4	6	9	12	18
B. OPERATED	888	7.0	36	1	2	5	9	15	19	33
TOTAL 0-19 YRS	541	4.5	10	1	2	4	6	8	11	18
20-34	414	5.2	19	1	2	4	6	10	13	24
35-49	316	6.0	25	1	2	4	8	12	15	31
50-64	340	7.1	34	2	2	5	9	14	19	36
65+	363	7.9	37	2	3	6	9	15	19	35
GRAND TOTAL	**1974**	**6.0**	**25**	**1**	**2**	**5**	**7**	**11**	**16**	**26**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	18	<1	<1	2	4	11	14	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	391	2.6	3	1	1	2	4	5	6	8
20-34	600	2.5	2	1	1	2	3	4	5	8
35-49	106	2.8	3	1	1	2	3	5	7	8
50-64	24	3.5	5	1	2	3	5	6	8	12
65+	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	6	1	1	3	5	7	7	7
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	54	3.8	40	1	1	3	4	5	8	46
20-34	132	3.4	7	1	1	3	4	6	8	16
35-49	40	3.3	4	1	1	3	4	5	7	10
50-64	21	5.0	47	1	1	3	5	6	19	34
65+	11	4.0	7	1	1	4	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.7	20	<1	1	3	6	13	14	14
B. *Operated*	1126	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	10	2.4	4	<1	<1	1	4	6	7	7
B. *Operated*	258	3.6	17	1	1	3	4	6	8	18
1. SINGLE DX	1137	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	268	3.6	16	1	1	3	4	6	8	18
A. NOT OPERATED	21	3.6	13	<1	<1	2	4	9	13	14
B. OPERATED	1384	2.8	5	1	1	2	3	5	6	9
TOTAL 0-19 YRS	458	2.8	7	1	1	2	4	5	6	9
20-34	735	2.6	3	1	1	2	3	5	6	9
35-49	148	2.9	3	1	1	2	4	5	7	8
50-64	46	4.1	24	1	2	3	5	6	8	34
65+	18	4.3	10	1	1	4	5	9	11	12
GRAND TOTAL	**1405**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	35	1.9	2	<1	<1	1	2	3	5	7
20-34	37	1.7	2	<1	<1	1	2	4	5	7
35-49	32	1.5	1	<1	<1	1	2	3	4	4
50-64	30	2.0	3	<1	<1	1	3	4	6	8
65+	13	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	10	5.0	92	<1	<1	2	3	19	32	32
20-34	16	2.3	2	<1	<1	2	3	5	5	5
35-49	17	3.1	4	<1	<1	2	4	7	8	8
50-64	17	3.6	4	1	1	3	5	6	7	7
65+	19	3.4	5	<1	1	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	147	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	9	4.0	8	<1	1	3	6	9	9	9
B. *Operated*	79	3.3	15	<1	1	2	5	6	7	25
1. SINGLE DX	149	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	88	3.4	14	<1	1	3	5	6	8	23
A. NOT OPERATED	11	3.7	7	<1	1	3	5	8	9	9
B. OPERATED	226	2.3	7	<1	<1	1	3	5	6	8
TOTAL 0-19 YRS	48	2.7	21	<1	<1	2	2	5	7	32
20-34	56	2.0	2	<1	<1	1	3	4	5	7
35-49	52	2.2	3	<1	<1	1	3	4	7	8
50-64	49	2.5	4	<1	<1	2	3	6	6	8
65+	32	2.4	4	<1	<1	1	3	6	7	8
GRAND TOTAL	**237**	**2.3**	**7**	**<1**	**<1**	**1**	**3**	**5**	**6**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	3.7	13	1	1	3	4	7	8	16
20-34	112	3.3	5	1	1	3	4	6	6	14
35-49	76	4.5	13	1	1	4	5	8	14	17
50-64	65	4.9	20	1	1	4	6	11	14	24
65+	49	6.9	30	1	2	5	8	13	18	31
B. *Operated*										
0-19 YRS	191	3.0	16	<1	<1	2	3	7	9	17
20-34	243	4.2	23	<1	1	3	5	9	13	24
35-49	205	4.3	30	<1	1	2	4	10	16	29
50-64	182	4.1	23	1	1	2	5	10	14	25
65+	151	5.8	42	<1	<1	3	8	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	4.7	22	1	1	3	6	9	13	25
20-34	243	5.8	40	1	2	4	7	12	16	24
35-49	274	6.1	25	1	2	5	8	13	16	27
50-64	370	7.4	48	1	2	6	9	14	19	44
65+	984	10.2	92	2	3	8	12	19	26	54
B. *Operated*										
0-19 YRS	268	7.8	120	1	1	4	9	21	34	93
20-34	429	13.7	286	1	1	7	20	39	59	99+
35-49	497	10.5	173	1	1	5	14	28	39	70
50-64	676	10.9	198	1	1	6	14	29	41	79
65+	1253	15.4	227	2	3	11	19	36	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	4.2	15	1	1	3	5	7	12	19
B. *Operated*	972	4.2	27	<1	1	2	5	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	2195	7.9	65	1	2	6	10	15	21	46
B. *Operated*	3123	12.8	217	1	1	8	16	32	45	92
1. SINGLE DX	1472	4.2	23	<1	1	3	5	9	14	25
2. MULTIPLE DX	5318	10.8	160	1	2	7	13	25	38	79
A. NOT OPERATED	2695	7.2	58	1	2	5	9	14	19	44
B. OPERATED	4095	10.7	185	1	1	6	14	28	39	81
TOTAL 0-19 YRS	981	5.0	49	<1	1	3	5	10	17	41
20-34	1027	8.5	155	1	1	4	9	22	36	79
35-49	1052	7.7	103	1	1	4	9	18	28	57
50-64	1293	8.6	128	1	1	5	10	20	31	68
65+	2437	12.5	167	1	3	9	15	27	39	79
GRAND TOTAL	**6790**	**9.3**	**138**	**1**	**1**	**5**	**11**	**21**	**34**	**73**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.8	6	1	1	3	5	8	9	9
20-34	25	4.4	8	1	1	3	6	8	10	13
35-49	31	5.8	35	2	2	5	7	10	14	34
50-64	12	6.3	20	<1	1	5	10	13	14	14
65+	7	5.0	10	1	1	4	7	9	10	10
B. *Operated*										
0-19 YRS	24	7.2	115	1	1	4	8	12	31	53
20-34	16	3.8	8	1	1	2	6	8	9	10
35-49	11	5.3	24	1	2	4	5	12	18	19
50-64	8	9.3	35	4	4	7	12	19	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	5.3	25	1	2	4	7	9	11	33
20-34	140	6.4	24	1	2	5	8	13	16	26
35-49	97	7.5	49	2	2	6	9	14	17	44
50-64	134	8.2	82	2	2	6	9	16	22	41
65+	136	7.6	22	2	3	7	10	14	17	36
B. *Operated*										
0-19 YRS	41	11.2	269	1	2	7	12	25	34	99
20-34	74	13.6	140	1	3	10	19	32	37	92
35-49	58	9.5	57	2	2	8	13	20	23	36
50-64	62	11.6	82	3	3	9	16	24	33	41
65+	74	13.9	170	3	4	10	18	26	35	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.8	17	1	1	4	6	9	11	22
B. *Operated*	59	6.2	60	1	1	4	8	11	20	50
2. MULTIPLE DX										
A. *Not Operated*	585	7.1	42	2	2	6	9	13	18	31
B. *Operated*	309	12.2	138	2	3	9	15	26	35	79
1. SINGLE DX	170	5.3	32	1	1	4	7	10	13	31
2. MULTIPLE DX	894	8.9	81	2	2	6	10	18	25	42
A. NOT OPERATED	696	6.7	38	2	2	5	8	13	16	31
B. OPERATED	368	11.2	130	2	2	8	14	24	34	64
TOTAL 0-19 YRS	179	6.6	95	1	2	4	8	11	20	50
20-34	255	8.1	68	1	2	6	10	19	26	44
35-49	197	7.7	49	2	2	6	10	15	20	36
50-64	216	9.1	79	2	3	7	11	19	26	38
65+	217	9.6	81	2	3	7	11	20	25	56
GRAND TOTAL	**1064**	**8.3**	**75**	**2**	**2**	**6**	**10**	**17**	**24**	**40**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.0	8	<1	1	3	5	8	9	15
20-34	19	5.4	14	3	3	5	5	8	15	19
35-49	48	5.6	11	2	2	5	7	10	12	17
50-64	77	5.6	15	2	2	5	6	12	16	20
65+	64	5.2	4	2	3	5	6	8	9	12
B. *Operated*										
0-19 YRS	13	11.1	124	<1	1	7	15	32	33	33
20-34	40	6.5	20	2	2	5	8	12	15	24
35-49	97	6.3	31	1	1	5	8	13	17	29
50-64	179	7.3	24	1	2	7	10	13	16	26
65+	118	7.4	22	2	2	8	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	8.6	102	<1	<1	5	10	21	26	55
20-34	36	7.6	50	2	3	5	9	16	17	41
35-49	99	5.5	10	1	2	5	7	10	11	16
50-64	241	7.3	30	3	3	6	9	12	17	31
65+	345	7.4	24	3	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	17	8.6	199	<1	1	4	9	17	45	60
20-34	39	11.3	339	1	2	6	11	15	58	94
35-49	136	7.2	41	1	2	5	9	13	18	36
50-64	345	9.5	50	2	2	8	13	18	22	36
65+	346	11.0	63	2	3	10	14	22	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	5.2	10	2	2	5	6	9	12	18
B. *Operated*	447	7.2	28	1	2	6	10	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	817	7.3	35	2	3	6	9	13	18	32
B. *Operated*	883	9.8	70	2	2	8	13	18	25	40
1. SINGLE DX	700	6.5	22	1	2	5	9	12	16	23
2. MULTIPLE DX	1700	8.6	55	2	3	7	11	16	22	37
A. NOT OPERATED	1070	6.8	30	2	3	5	8	12	16	30
B. OPERATED	1330	8.9	57	1	2	7	12	17	22	36
TOTAL 0-19 YRS	171	7.6	92	<1	1	4	9	18	25	55
20-34	134	8.0	123	2	3	5	9	14	17	76
35-49	380	6.3	27	1	2	5	8	12	16	33
50-64	842	8.0	37	2	3	6	10	15	19	31
65+	873	8.7	41	2	3	7	11	16	21	33
GRAND TOTAL	**2400**	**8.0**	**46**	**2**	**2**	**6**	**10**	**15**	**20**	**34**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	4.0	10	1	1	3	6	9	11	11
50-64	23	4.7	4	2	2	5	7	8	8	8
65+	30	5.4	23	1	1	4	6	11	14	24
B. *Operated*										
0-19 YRS	9	7.9	30	1	1	8	11	16	17	17
20-34	84	5.0	17	1	1	3	8	10	12	18
35-49	220	5.8	18	1	1	5	8	11	13	18
50-64	752	8.6	21	2	2	9	11	14	16	21
65+	1180	10.8	16	3	6	11	13	16	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	86	2	2	2	8	23	23	23
20-34	9	6.0	20	1	1	4	9	12	14	14
35-49	41	6.3	24	<1	1	5	8	15	17	20
50-64	168	5.3	19	1	2	4	7	10	11	26
65+	459	6.2	24	1	2	5	8	11	16	26
B. *Operated*										
0-19 YRS	5	8.2	5	5	5	9	10	10	10	10
20-34	80	4.8	17	1	1	3	7	10	13	19
35-49	232	6.7	29	1	1	5	10	13	17	26
50-64	1013	10.0	45	1	2	10	13	17	21	35
65+	3025	13.0	51	3	6	12	15	20	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.9	13	1	2	4	6	9	11	22
B. *Operated*	2245	9.3	21	1	2	9	12	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	682	6.0	23	1	2	5	7	11	15	26
B. *Operated*	4355	11.8	52	2	3	11	15	19	23	37
1. SINGLE DX	2310	9.2	22	1	2	9	12	15	16	21
2. MULTIPLE DX	5037	11.0	52	2	3	11	14	18	22	36
A. NOT OPERATED	747	5.9	22	1	2	5	7	10	15	25
B. OPERATED	6600	11.0	43	2	3	11	14	17	21	32
TOTAL 0-19 YRS	20	7.4	33	1	2	6	10	16	20	23
20-34	174	4.9	17	1	1	3	8	10	13	19
35-49	503	6.2	24	1	1	5	9	12	15	22
50-64	1956	9.0	35	1	2	9	12	15	18	30
65+	4694	11.7	44	2	4	11	15	18	22	33
GRAND TOTAL	**7347**	**10.5**	**43**	**2**	**3**	**10**	**13**	**17**	**20**	**32**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	7.2	32	1	2	6	10	14	16	30
20-34	61	5.0	9	2	2	4	6	10	12	13
35-49	48	5.2	15	1	1	4	7	9	12	21
50-64	19	6.5	30	1	1	4	11	14	18	21
65+	25	4.4	8	1	1	4	5	10	10	10
B. *Operated*										
0-19 YRS	54	10.6	51	1	3	9	13	21	23	39
20-34	138	5.0	21	1	1	4	6	11	13	28
35-49	124	5.2	22	1	1	4	7	10	13	28
50-64	121	6.1	27	1	1	4	9	14	16	23
65+	65	9.7	35	1	2	9	13	18	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	8.1	35	2	3	6	11	18	21	26
20-34	71	6.1	19	2	2	4	8	12	15	23
35-49	83	6.8	32	2	2	5	7	13	18	33
50-64	119	6.8	24	2	2	6	8	13	17	28
65+	198	7.7	44	2	2	6	9	15	19	39
B. *Operated*										
0-19 YRS	89	14.3	73	4	5	13	21	25	28	45
20-34	143	7.4	53	1	1	5	9	17	22	36
35-49	138	8.6	106	1	1	6	11	19	26	58
50-64	175	10.2	91	1	2	8	14	22	30	63
65+	210	14.5	119	2	3	13	18	30	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	5.9	21	1	2	4	8	12	14	21
B. *Operated*	502	6.5	32	1	1	5	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	568	7.3	34	2	2	6	9	15	18	27
B. *Operated*	755	11.1	100	1	2	8	15	23	30	47
1. SINGLE DX	745	6.3	28	1	1	4	9	13	16	25
2. MULTIPLE DX	1323	9.4	75	1	2	7	13	20	26	42
A. NOT OPERATED	811	6.8	30	2	2	5	9	13	18	26
B. OPERATED	1257	9.3	78	1	2	7	13	20	26	42
TOTAL 0-19 YRS	330	9.9	55	2	3	8	14	21	23	37
20-34	413	6.0	31	1	1	4	8	13	17	31
35-49	393	6.7	55	1	1	5	8	13	19	34
50-64	434	8.0	55	1	2	6	10	16	22	39
65+	498	10.7	84	1	2	8	15	21	29	45
GRAND TOTAL	**2068**	**8.3**	**60**	**1**	**2**	**6**	**11**	**17**	**23**	**38**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	7	2.4	3	<1	<1	2	4	5	5	5
35-49	6	3.3	5	1	1	3	5	7	7	7
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	163	2.3	3	<1	<1	2	3	4	5	8
20-34	285	2.5	3	<1	<1	2	3	5	6	8
35-49	180	2.5	3	<1	<1	2	3	5	6	10
50-64	73	2.5	4	<1	<1	2	4	5	7	9
65+	36	3.2	11	<1	1	2	4	6	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	8	2.8	3	<1	<1	3	4	5	5	5
35-49	13	3.7	24	<1	<1	3	4	9	17	19
50-64	13	9.0	305	<1	1	3	7	24	58	66
65+	9	2.9	4	<1	<1	3	5	5	5	5
B. *Operated*										
0-19 YRS	166	2.6	3	<1	<1	2	4	5	6	10
20-34	384	3.2	7	<1	1	2	4	6	8	15
35-49	279	2.9	7	<1	1	2	4	6	8	14
50-64	244	3.1	10	<1	<1	2	4	6	8	17
65+	176	3.2	6	<1	1	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.5	3	<1	<1	2	4	5	6	7
B. *Operated*	737	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	46	4.7	96	<1	<1	3	5	7	14	66
B. *Operated*	1249	3.0	7	<1	1	2	4	6	8	14
1. SINGLE DX	756	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	1295	3.1	10	<1	1	2	4	6	8	14
A. NOT OPERATED	65	4.1	70	<1	<1	3	4	7	9	59
B. OPERATED	1986	2.8	6	<1	<1	2	4	5	7	12
TOTAL 0-19 YRS	334	2.4	3	<1	<1	2	3	4	5	9
20-34	684	2.9	5	<1	<1	2	4	5	7	12
35-49	478	2.8	6	<1	1	2	3	6	7	13
50-64	332	3.2	20	<1	<1	2	4	6	8	18
65+	223	3.2	7	<1	1	2	4	6	8	14
GRAND TOTAL	**2051**	**2.9**	**8**	**<1**	**<1**	**2**	**4**	**5**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.4	4	1	1	3	4	6	8	9
20-34	34	2.8	3	1	1	2	4	5	7	8
35-49	35	3.7	4	1	1	3	5	6	8	10
50-64	27	3.9	8	1	2	3	5	6	8	16
65+	22	3.9	5	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	390	2.5	3	<1	1	2	3	4	5	10
20-34	640	2.8	3	1	1	3	4	5	6	9
35-49	244	3.2	5	<1	1	3	4	6	8	11
50-64	95	4.3	27	<1	1	3	4	10	12	30
65+	49	4.4	13	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	5.2	58	<1	1	3	5	9	27	42
20-34	79	4.4	13	<1	1	3	5	8	11	20
35-49	96	4.0	10	<1	1	3	6	8	9	17
50-64	104	6.9	46	1	2	4	9	15	20	35
65+	261	10.8	198	2	2	6	11	26	46	73
B. *Operated*										
0-19 YRS	333	4.6	32	1	1	3	5	8	14	32
20-34	416	3.8	18	1	1	3	4	7	9	18
35-49	293	4.9	55	1	1	3	5	9	14	35
50-64	193	5.6	43	1	1	3	7	11	16	36
65+	158	9.4	130	1	2	6	11	21	32	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.5	5	1	1	3	4	6	8	10
B. *Operated*	1418	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	645	7.5	108	1	1	4	8	16	27	57
B. *Operated*	1393	5.1	48	1	1	3	5	10	15	37
1. SINGLE DX	1603	3.0	6	1	1	3	4	5	7	12
2. MULTIPLE DX	2038	5.8	68	1	1	3	6	11	18	47
A. NOT OPERATED	830	6.6	88	1	1	4	7	12	23	51
B. OPERATED	2811	4.0	28	1	1	3	4	7	11	27
TOTAL 0-19 YRS	895	3.7	22	<1	1	3	4	6	9	30
20-34	1169	3.3	10	1	1	3	4	6	7	14
35-49	668	4.1	28	1	1	3	5	8	10	24
50-64	419	5.5	39	1	1	3	7	12	17	35
65+	490	9.4	153	1	2	5	10	21	37	66
GRAND TOTAL	**3641**	**4.6**	**43**	**1**	**1**	**3**	**5**	**8**	**13**	**37**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	5	4	4	4	7	8	8	8
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	9.0	2	8	8	9	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	3.5	3	2	2	3	4	6	7	7
35-49	6	7.5	72	2	2	4	9	22	24	24
50-64	15	7.8	30	1	2	7	10	14	20	22
65+	9	8.3	17	3	4	7	9	15	18	18
B. *Operated*										
0-19 YRS										
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	5	9.6	38	1	1	12	13	17	17	17
50-64	11	12.9	127	3	4	10	16	29	42	43
65+	4	10.0	30	6	6	8	13	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.4	4	3	3	5	7	8	8	8
B. *Operated*	4	10.0	13	7	7	9	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	39	7.1	29	2	2	7	9	14	20	24
B. *Operated*	22	11.4	74	2	4	10	16	18	29	43
1. SINGLE DX	12	6.9	11	3	3	7	8	11	14	15
2. MULTIPLE DX	61	8.7	49	2	2	7	11	17	20	41
A. NOT OPERATED	47	6.8	25	2	2	6	9	13	19	24
B. OPERATED	26	11.2	64	3	4	10	15	18	24	43
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	14	5.7	16	2	2	4	8	11	14	15
35-49	14	7.9	42	1	2	6	12	18	23	24
50-64	30	9.6	65	2	2	8	10	18	22	43
65+	14	8.5	20	3	4	7	9	18	18	18
GRAND TOTAL	**73**	**8.4**	**43**	**2**	**2**	**7**	**10**	**16**	**19**	**39**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	14	5.0	14	1	1	4	8	11	11	11
35-49	67	3.7	10	1	1	2	5	9	11	14
50-64	81	5.1	16	1	1	5	7	10	12	23
65+	70	4.7	11	1	1	4	6	9	10	16
B. *Operated*										
0-19 YRS	5	4.4	10	1	1	5	6	9	9	9
20-34	56	4.3	11	1	1	3	6	10	11	13
35-49	286	4.9	15	1	1	4	6	9	13	19
50-64	332	5.3	13	1	1	5	8	11	12	15
65+	146	6.1	32	1	1	5	8	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.6	316	2	2	7	11	44	52	52
20-34	40	6.2	52	1	2	3	7	12	24	34
35-49	141	5.1	12	1	2	4	7	9	11	19
50-64	385	5.8	16	1	2	5	8	11	14	19
65+	715	6.5	23	2	2	5	8	11	15	22
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	77	7.1	35	1	2	6	9	12	15	38
35-49	406	6.5	28	1	2	5	9	12	15	29
50-64	651	7.4	44	1	2	6	10	14	18	31
65+	554	9.6	64	1	2	8	12	19	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	4.6	13	1	1	4	6	9	11	17
B. *Operated*	825	5.2	17	1	1	4	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1288	6.2	23	1	2	5	8	11	14	21
B. *Operated*	1690	7.9	48	1	2	6	10	15	20	32
1. SINGLE DX	1060	5.1	16	1	1	4	7	10	13	19
2. MULTIPLE DX	2978	7.1	38	1	2	6	9	13	17	30
A. NOT OPERATED	1523	5.9	21	1	2	5	8	11	14	21
B. OPERATED	2515	7.0	39	1	1	6	9	14	18	29
TOTAL 0-19 YRS	17	7.7	142	1	1	5	9	12	38	52
20-34	187	5.9	31	1	1	5	8	11	13	34
35-49	900	5.6	21	1	1	4	7	11	13	23
50-64	1449	6.4	29	1	1	5	8	12	15	27
65+	1485	7.5	41	1	2	6	10	15	19	29
GRAND TOTAL	**4038**	**6.6**	**33**	**1**	**2**	**5**	**9**	**13**	**16**	**28**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.8	11	1	1	4	7	9	11	13
20-34	607	5.3	15	1	1	5	7	9	11	17
35-49	945	5.4	14	1	1	5	7	10	12	18
50-64	461	5.6	19	1	1	5	8	11	14	21
65+	127	6.2	21	1	1	6	8	12	14	24
B. *Operated*										
0-19 YRS	82	5.1	12	1	1	5	7	9	12	18
20-34	2837	5.8	15	1	1	5	8	11	13	18
35-49	4469	6.2	17	1	2	6	8	11	14	20
50-64	1835	6.4	18	1	1	6	8	12	14	21
65+	349	7.4	21	1	2	7	10	14	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	15	2	2	5	6	12	14	14
20-34	312	6.4	22	1	1	5	9	11	15	25
35-49	759	6.6	22	1	2	6	8	11	15	24
50-64	700	7.2	26	1	2	6	9	13	15	29
65+	681	7.4	18	2	3	7	9	13	15	22
B. *Operated*										
0-19 YRS	31	6.3	26	1	1	6	7	13	20	21
20-34	938	8.1	31	1	2	7	11	15	19	26
35-49	2231	8.4	37	1	2	7	11	15	19	31
50-64	1700	8.6	36	1	2	8	11	16	19	29
65+	905	10.2	49	1	2	9	14	19	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2165	5.5	15	1	1	5	7	10	12	18
B. *Operated*	9572	6.1	17	1	1	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2459	7.0	22	1	2	6	9	12	15	24
B. *Operated*	5805	8.7	38	1	2	8	11	16	20	30
1. SINGLE DX	11737	6.0	17	1	1	5	8	11	13	20
2. MULTIPLE DX	8264	8.2	34	1	2	7	11	15	18	30
A. NOT OPERATED	4624	6.3	19	1	1	6	8	11	14	22
B. OPERATED	15377	7.1	26	1	2	6	9	13	16	25
TOTAL 0-19 YRS	145	5.3	15	1	1	5	7	10	13	21
20-34	4694	6.2	20	1	1	6	8	11	14	21
35-49	8404	6.7	23	1	2	6	9	12	15	24
50-64	4696	7.2	27	1	2	6	9	13	16	25
65+	2062	8.5	35	1	2	7	11	16	19	30
GRAND TOTAL	**20001**	**6.9**	**25**	**1**	**2**	**6**	**9**	**13**	**16**	**24**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	57	2	2	3	7	19	24	24
20-34	81	4.1	11	1	1	3	6	8	10	17
35-49	231	4.5	13	1	1	4	6	9	11	17
50-64	98	5.3	16	1	1	5	7	9	12	22
65+	24	6.1	17	1	2	5	9	11	15	18
B. *Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	290	4.8	12	1	1	4	7	9	12	17
35-49	824	5.6	13	1	1	5	8	10	12	18
50-64	373	6.2	16	1	2	5	8	11	14	21
65+	41	6.8	18	1	2	6	8	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.3	117	6	6	9	16	32	34	34
20-34	56	6.3	27	1	1	5	8	12	16	27
35-49	189	6.0	18	1	1	5	8	11	15	19
50-64	169	5.8	12	1	2	5	7	10	12	17
65+	137	6.2	14	1	2	5	8	11	14	18
B. *Operated*										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	121	7.3	47	1	2	5	9	15	21	35
35-49	522	7.0	34	1	2	6	9	13	17	28
50-64	453	8.1	44	2	3	7	10	14	20	36
65+	108	9.1	39	1	2	9	12	17	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	4.7	14	1	1	4	6	9	12	18
B. *Operated*	1532	5.6	14	1	1	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	557	6.1	18	1	2	5	8	11	14	19
B. *Operated*	1207	7.7	40	1	2	6	9	14	18	31
1. SINGLE DX	1974	5.4	14	1	1	5	7	10	12	18
2. MULTIPLE DX	1764	7.2	33	1	2	6	9	13	17	29
A. NOT OPERATED	999	5.5	17	1	1	5	7	11	13	19
B. OPERATED	2739	6.5	26	1	2	6	8	12	15	25
TOTAL 0-19 YRS	21	8.0	64	2	2	6	8	19	28	34
20-34	548	5.4	22	1	1	4	7	10	14	25
35-49	1766	5.9	21	1	1	5	8	11	14	22
50-64	1093	6.8	28	1	2	6	8	12	15	26
65+	310	7.3	25	1	2	6	10	14	17	26
GRAND TOTAL	**3738**	**6.2**	**24**	**1**	**1**	**5**	**8**	**11**	**15**	**24**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	45	1	1	7	13	14	14	14
20-34	34	5.0	10	1	2	5	6	8	11	17
35-49	40	4.4	13	1	1	4	5	9	14	16
50-64	19	4.2	7	1	1	5	6	8	9	9
65+	7	6.9	17	3	3	7	8	14	15	15
B. *Operated*										
0-19 YRS	5	5.6	28	<1	<1	4	10	13	13	13
20-34	63	4.3	13	1	1	2	7	10	12	13
35-49	75	4.3	13	1	1	3	6	8	13	16
50-64	14	5.3	17	1	1	4	8	12	13	13
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.5	43	3	3	6	12	18	18	18
20-34	41	5.3	16	1	2	4	6	10	12	22
35-49	58	6.1	16	1	1	5	8	11	14	19
50-64	38	5.6	9	2	2	5	7	10	12	13
65+	22	9.4	35	5	5	8	10	18	26	27
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	57	7.1	19	2	2	7	9	12	15	22
35-49	80	7.1	26	1	1	6	11	13	16	20
50-64	36	10.4	76	1	1	9	15	24	29	32
65+	13	9.7	35	2	4	8	13	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.8	12	1	1	4	6	8	13	17
B. *Operated*	159	4.4	13	1	1	3	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	163	6.3	19	1	2	5	8	11	14	25
B. *Operated*	187	7.9	35	1	1	7	12	15	19	29
1. SINGLE DX	263	4.6	13	1	1	3	7	9	12	16
2. MULTIPLE DX	350	7.1	28	1	2	6	10	14	17	27
A. NOT OPERATED	267	5.7	16	1	2	5	7	11	14	21
B. OPERATED	346	6.3	28	1	1	5	9	13	15	24
TOTAL 0-19 YRS	14	6.9	31	<1	1	5	12	14	17	18
20-34	195	5.5	16	1	1	5	7	11	13	20
35-49	253	5.6	19	1	1	4	8	12	15	19
50-64	107	6.9	38	1	1	5	9	15	18	30
65+	44	8.8	32	2	3	7	10	16	22	27
GRAND TOTAL	**613**	**6.0**	**23**	**1**	**1**	**5**	**8**	**12**	**15**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	39	5.2	9	1	2	5	8	9	10	12
35-49	48	5.9	10	2	3	5	7	9	12	17
50-64	33	6.1	15	1	2	5	7	11	16	18
65+	19	5.5	11	1	2	5	7	9	12	15
B. *Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	40	3.3	9	1	1	2	5	7	9	15
35-49	44	5.9	35	1	1	4	10	12	17	29
50-64	27	4.1	10	<1	1	4	5	7	12	15
65+	5	3.6	8	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	51	5.4	10	2	2	4	7	10	12	14
35-49	74	6.7	28	2	2	5	9	14	16	31
50-64	90	6.1	23	2	2	6	8	9	11	31
65+	115	7.0	17	2	3	6	9	12	14	25
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	24	6.5	36	1	2	5	8	13	21	28
35-49	49	7.8	87	1	1	4	10	19	26	51
50-64	30	6.3	16	1	1	6	9	11	14	15
65+	36	9.6	40	2	3	8	13	20	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	5.6	11	1	2	5	7	9	12	17
B. *Operated*	118	4.5	20	1	1	3	5	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	330	6.4	20	2	2	6	8	11	14	25
B. *Operated*	141	7.7	51	1	1	5	10	16	21	34
1. SINGLE DX	258	5.1	15	1	1	4	7	10	12	18
2. MULTIPLE DX	471	6.8	30	1	2	6	9	13	15	28
A. NOT OPERATED	470	6.2	17	2	2	5	8	11	14	18
B. OPERATED	259	6.2	39	1	1	5	8	14	19	29
TOTAL 0-19 YRS	5	3.6	23	<1	<1	1	5	12	12	12
20-34	154	5.0	14	1	1	4	7	9	12	18
35-49	215	6.6	39	1	1	5	9	14	17	33
50-64	180	5.8	19	1	1	5	8	10	12	18
65+	175	7.3	22	2	3	6	9	13	15	26
GRAND TOTAL	**729**	**6.2**	**25**	**1**	**2**	**5**	**8**	**12**	**15**	**26**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	4	<1	1	2	4	6	7	9
20-34	609	4.7	19	1	1	4	6	9	11	20
35-49	867	4.7	14	1	1	4	6	9	11	21
50-64	385	5.1	18	1	1	4	7	10	12	20
65+	125	4.4	9	1	1	4	6	9	10	13
B. *Operated*										
0-19 YRS	52	2.7	4	1	1	2	3	6	8	9
20-34	826	3.4	9	1	1	2	4	7	9	14
35-49	1271	3.9	12	1	1	3	5	8	11	18
50-64	673	4.5	15	1	1	3	6	9	12	18
65+	243	6.5	20	1	1	6	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.5	28	<1	1	3	5	9	13	33
20-34	697	5.3	19	1	1	4	7	10	13	25
35-49	1248	6.0	27	1	1	5	8	12	16	26
50-64	903	5.9	19	1	2	5	7	11	13	24
65+	794	6.6	25	1	2	6	8	12	14	24
B. *Operated*										
0-19 YRS	40	4.8	24	<1	1	3	7	11	14	23
20-34	777	4.8	18	1	1	3	7	10	13	21
35-49	1313	5.4	24	1	1	4	7	11	15	24
50-64	1056	7.0	31	1	1	6	10	14	16	27
65+	841	9.6	44	1	2	9	13	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2048	4.7	16	1	1	4	6	9	11	19
B. *Operated*	3065	4.1	13	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	3730	6.0	23	1	1	5	8	11	15	25
B. *Operated*	4027	6.6	32	1	1	5	9	14	17	27
1. SINGLE DX	5113	4.3	14	1	1	3	6	9	11	18
2. MULTIPLE DX	7757	6.3	28	1	1	5	8	12	16	25
A. NOT OPERATED	5778	5.5	21	1	1	4	7	10	13	24
B. OPERATED	7092	5.5	25	1	1	4	8	12	15	24
TOTAL 0-19 YRS	242	3.7	17	<1	1	2	5	7	11	19
20-34	2909	4.5	16	1	1	3	6	9	12	20
35-49	4699	5.0	20	1	1	4	7	10	13	23
50-64	3017	5.9	23	1	1	5	8	12	15	23
65+	2003	7.7	34	1	2	7	10	15	19	28
GRAND TOTAL	**12870**	**5.5**	**23**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.2	5	1	1	3	4	6	7	13
20-34	43	3.5	4	1	1	3	5	6	7	9
35-49	81	3.7	6	1	1	3	5	7	9	11
50-64	48	5.5	14	1	2	5	7	10	12	21
65+	15	4.7	6	1	2	4	7	8	9	10
B. *Operated*										
0-19 YRS	83	2.7	6	<1	<1	2	3	5	7	14
20-34	257	2.7	10	<1	1	2	3	5	8	13
35-49	530	2.6	4	<1	<1	2	3	5	6	10
50-64	379	2.8	5	<1	<1	2	4	5	7	9
65+	81	3.3	11	<1	<1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.1	6	1	1	4	5	7	9	12
20-34	58	4.8	12	1	2	4	6	9	12	19
35-49	93	4.9	16	1	1	4	5	9	14	23
50-64	145	5.1	17	1	2	4	6	10	15	19
65+	179	5.9	13	2	2	5	8	11	13	17
B. *Operated*										
0-19 YRS	56	3.4	7	<1	<1	3	5	7	9	11
20-34	207	3.7	13	<1	<1	3	4	8	12	22
35-49	453	3.8	16	1	1	3	4	8	10	21
50-64	444	4.4	23	1	1	3	5	9	11	22
65+	212	5.7	33	<1	1	4	7	11	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	3.9	7	1	1	3	5	7	9	13
B. *Operated*	1330	2.7	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	527	5.2	14	1	2	4	7	10	13	18
B. *Operated*	1372	4.3	20	<1	1	3	5	9	11	23
1. SINGLE DX	1619	2.9	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	1899	4.5	19	1	1	3	5	9	12	21
A. NOT OPERATED	816	4.7	12	1	2	4	6	9	11	17
B. OPERATED	2702	3.5	14	<1	1	3	4	7	10	19
TOTAL 0-19 YRS	293	3.2	6	<1	1	3	4	6	8	12
20-34	565	3.4	11	<1	1	2	4	7	10	16
35-49	1157	3.3	10	<1	1	3	4	6	9	15
50-64	1016	3.9	16	<1	1	3	5	7	10	19
65+	487	5.4	22	<1	1	4	7	11	13	24
GRAND TOTAL	**3518**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	58	2.5	1	1	1	2	3	4	5	5
20-34	131	2.5	2	1	1	2	3	4	5	7
35-49	188	2.7	2	1	1	2	4	5	5	7
50-64	185	2.8	2	1	1	3	3	5	6	7
65+	94	3.3	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	8	3.4	20	<1	<1	1	3	11	14	14
50-64	9	2.9	12	<1	<1	1	3	9	11	11
65+	7	3.7	6	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	65	2.5	1	<1	1	2	3	4	5	5
20-34	186	2.8	2	1	1	3	3	5	5	7
35-49	393	3.1	3	1	1	3	4	5	6	10
50-64	621	3.2	3	1	1	3	4	5	6	8
65+	531	3.9	10	1	1	3	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*	656	2.7	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	26	3.1	11	<1	<1	2	4	7	12	14
B. *Operated*	1796	3.3	5	1	1	3	4	5	6	10
1. SINGLE DX	659	2.7	3	1	1	3	3	5	6	8
2. MULTIPLE DX	1822	3.3	5	1	1	3	4	5	6	10
A. NOT OPERATED	29	3.0	10	<1	<1	2	3	7	11	14
B. OPERATED	2452	3.1	4	1	1	3	4	5	6	8
TOTAL 0-19 YRS	125	2.5	1	<1	1	2	3	4	5	5
20-34	319	2.6	2	1	1	3	3	4	5	7
35-49	590	3.0	3	1	1	3	4	5	6	8
50-64	815	3.1	3	1	1	3	4	5	6	8
65+	632	3.8	10	1	1	3	5	6	8	13
GRAND TOTAL	**2481**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.3		2	2	2	3	3	3	3
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	67	1.4	1	<1	<1	1	2	2	3	4
20-34	110	1.5	2	<1	<1	1	2	2	3	9
35-49	98	1.8	2	<1	<1	1	2	3	4	7
50-64	75	2.1	2	<1	<1	2	3	4	5	7
65+	32	2.2	4	<1	<1	1	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	3.3	20	<1	<1	1	5	10	10	10
35-49	4	5.3	13	2	2	4	8	10	10	10
50-64	9	3.1	6	<1	<1	2	4	7	9	9
65+	6	7.8	53	1	1	6	15	18	18	18
B. *Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	2	3	3	3
20-34	41	2.2	1	<1	<1	2	3	4	5	5
35-49	69	2.9	6	<1	<1	2	3	6	8	14
50-64	77	3.0	3	<1	1	3	4	6	7	8
65+	49	3.5	4	1	1	3	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.8	4	<1	<1	3	3	6	8	8
B. *Operated*	382	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	24	4.7	22	<1	<1	3	7	11	16	18
B. *Operated*	250	2.9	4	<1	1	2	4	5	7	9
1. SINGLE DX	393	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	274	3.0	6	<1	1	2	4	6	8	14
A. NOT OPERATED	35	4.1	17	<1	<1	3	5	10	14	18
B. OPERATED	632	2.2	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	83	1.4	1	<1	<1	1	2	2	3	4
20-34	156	1.8	2	<1	<1	1	2	3	4	10
35-49	174	2.3	4	<1	<1	2	3	4	6	10
50-64	165	2.6	3	<1	<1	2	3	5	6	8
65+	89	3.4	9	<1	<1	3	4	7	8	17
GRAND TOTAL	**667**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	9.2	35	1	2	9	13	17	21	22
20-34	26	6.2	46	<1	1	5	9	10	15	35
35-49	21	9.3	91	1	1	7	12	18	30	44
50-64	13	6.7	7	3	4	7	9	10	10	10
65+	15	9.0	40	1	1	7	13	17	22	24
B. *Operated*										
0-19 YRS	69	12.2	110	2	2	10	15	30	37	45
20-34	59	9.4	77	1	1	7	12	21	28	41
35-49	47	9.4	125	2	2	6	9	18	36	60
50-64	37	13.8	127	1	2	12	18	28	38	52
65+	34	11.2	63	2	2	10	15	20	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	14.5	80	2	3	14	20	28	33	37
20-34	34	9.5	60	2	2	7	14	18	22	40
35-49	59	11.4	87	2	3	8	15	21	30	48
50-64	73	14.9	179	3	3	10	18	41	44	52
65+	126	13.5	135	2	4	10	16	24	40	58
B. *Operated*										
0-19 YRS	113	20.6	275	4	6	15	29	42	48	90
20-34	149	16.2	207	3	4	12	20	40	45	63
35-49	216	15.9	200	2	3	12	22	35	47	62
50-64	285	16.6	218	3	4	12	22	36	44	77
65+	325	17.8	219	4	5	13	23	38	46	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	8.3	45	1	1	7	11	16	20	37
B. *Operated*	246	11.1	102	1	2	8	15	22	35	46
2. MULTIPLE DX										
A. *Not Operated*	361	13.3	120	2	3	10	17	28	39	49
B. *Operated*	1088	17.2	220	3	4	12	23	37	46	79
1. SINGLE DX	369	10.1	84	1	2	8	14	20	30	44
2. MULTIPLE DX	1449	16.2	198	3	4	12	21	35	44	72
A. NOT OPERATED	484	12.0	106	2	3	9	15	23	35	46
B. OPERATED	1334	16.1	204	2	3	11	21	35	44	72
TOTAL 0-19 YRS	299	15.4	171	2	3	12	20	31	40	70
20-34	268	12.9	158	2	2	9	16	31	42	53
35-49	343	13.9	170	2	3	9	18	31	41	60
50-64	408	15.7	199	3	3	11	20	36	43	71
65+	500	16.0	188	3	4	12	20	35	44	81
GRAND TOTAL	**1818**	**15.0**	**181**	**2**	**3**	**11**	**19**	**33**	**42**	**66**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	5.3	22	<1	1	4	8	10	13	27
20-34	70	3.6	9	1	1	3	4	7	10	15
35-49	101	3.4	19	1	1	2	4	5	8	29
50-64	68	4.6	58	1	1	3	5	8	10	53
65+	109	5.9	22	1	1	5	7	10	12	28
B. *Operated*										
0-19 YRS	537	3.8	10	<1	1	3	5	8	9	16
20-34	439	4.0	11	1	1	3	5	8	10	16
35-49	335	5.1	16	1	1	4	7	11	12	17
50-64	236	6.0	18	1	1	5	9	12	14	19
65+	130	8.5	43	1	2	8	11	16	18	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	5.9	61	1	1	4	7	13	19	83
20-34	144	4.2	22	<1	1	3	5	7	11	25
35-49	302	4.4	38	1	1	3	5	8	10	30
50-64	474	6.1	25	1	2	4	8	12	16	27
65+	1923	8.2	31	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	298	6.2	74	1	1	4	7	12	19	46
20-34	404	6.1	36	1	1	4	8	13	18	32
35-49	456	7.6	65	1	2	5	9	15	22	39
50-64	552	9.9	78	2	2	8	12	18	24	52
65+	892	12.8	78	3	5	11	16	22	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	4.6	26	1	1	3	6	9	11	26
B. *Operated*	1677	4.8	17	1	1	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2942	7.2	34	1	2	6	9	14	18	28
B. *Operated*	2602	9.5	76	1	2	8	12	19	24	46
1. SINGLE DX	2106	4.7	19	1	1	4	6	10	12	19
2. MULTIPLE DX	5544	8.3	55	1	2	6	11	16	21	37
A. NOT OPERATED	3371	6.9	33	1	2	5	9	14	17	28
B. OPERATED	4279	7.6	58	1	1	5	10	16	21	40
TOTAL 0-19 YRS	1015	4.8	36	<1	1	3	6	9	13	32
20-34	1057	4.8	23	1	1	3	6	10	14	28
35-49	1194	5.7	43	1	1	4	7	11	15	33
50-64	1330	7.6	51	1	2	6	10	15	19	40
65+	3054	9.5	50	2	3	8	12	17	22	37
GRAND TOTAL	**7650**	**7.3**	**47**	**1**	**2**	**5**	**9**	**15**	**19**	**35**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	3	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	108	3.6	5	1	1	3	5	6	8	13
20-34	47	3.3	6	<1	1	3	5	7	9	10
35-49	30	3.1	5	1	1	3	4	6	8	9
50-64	23	3.2	4	<1	<1	3	4	6	8	9
65+	22	7.2	25	2	3	5	9	14	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	29	<1	<1	2	4	6	16	25
20-34	7	9.4	201	<1	<1	5	8	34	41	41
35-49	3	14.3	261	5	5	5	26	33	33	33
50-64	2	11.5	221	1	1	22	80	99+	99+	99+
65+	13	23.8	314	7	8	15	39	49	60	62
B. *Operated*										
0-19 YRS	273	4.9	30	1	1	4	6	9	12	40
20-34	81	3.7	7	<1	1	3	5	7	9	14
35-49	58	5.5	25	1	1	4	6	11	17	25
50-64	93	6.6	72	1	2	5	7	11	15	55
65+	53	7.6	39	1	2	6	11	17	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	3	<1	<1	1	4	5	5	5
B. *Operated*	230	3.8	8	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	45	11.4	218	<1	1	5	15	41	49	99+
B. *Operated*	558	5.3	35	1	1	4	6	10	14	30
1. SINGLE DX	237	3.7	8	<1	1	3	5	7	9	16
2. MULTIPLE DX	603	5.8	51	1	1	4	7	11	16	45
A. NOT OPERATED	52	10.2	198	<1	1	5	12	38	46	99
B. OPERATED	788	4.9	28	1	1	4	6	9	12	27
TOTAL 0-19 YRS	406	4.5	24	1	1	4	5	8	10	33
20-34	136	3.8	17	<1	1	3	5	8	9	19
35-49	91	5.0	27	1	1	3	6	10	15	30
50-64	119	6.0	62	<1	1	4	7	11	15	83
65+	88	9.9	107	1	2	7	12	19	29	56
GRAND TOTAL	**840**	**5.2**	**40**	**1**	**1**	**4**	**6**	**10**	**14**	**40**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	6	2	2	3	4	7	9	9
20-34	21	3.5	10	<1	1	3	5	6	10	15
35-49	8	4.9	9	<1	1	4	8	9	9	9
50-64	4	4.8	10	2	2	4	7	9	9	9
65+										
B. *Operated*	3	5.3	12	2	2	5	8	9	9	9
0-19 YRS	11	3.5	9	1	1	2	5	8	10	10
20-34	19	3.2	6	1	1	2	4	7	9	10
35-49	10	5.1	7	1	2	5	7	9	9	9
50-64	7	4.3	11	1	1	4	6	9	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
0-19 YRS	10	7.4	3	4	4	8	9	9	9	9
20-34	27	5.7	12	1	2	5	8	11	12	14
35-49	37	5.2	8	2	2	5	7	9	11	13
50-64	39	4.9	6	2	2	5	6	8	11	12
65+										
B. *Operated*	1	6.0		6	6	6	6	6	6	6
0-19 YRS	8	4.3	11	1	1	3	7	9	10	10
20-34	23	7.1	55	1	1	3	11	16	26	27
35-49	11	5.7	15	1	1	4	10	11	11	11
50-64	5	6.8	26	2	2	5	10	15	15	15
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.9	9	<1	1	3	5	8	9	15
B. *Operated*	50	3.9	8	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	114	5.4	8	2	2	5	7	9	11	13
B. *Operated*	48	6.3	34	1	1	4	9	13	16	27
1. SINGLE DX	91	3.9	8	1	1	3	5	9	9	13
2. MULTIPLE DX	162	5.6	16	1	2	5	8	10	12	25
A. NOT OPERATED	155	5.0	9	1	2	4	7	9	11	14
B. OPERATED	98	5.1	22	1	1	3	7	10	13	27
TOTAL 0-19 YRS	5	4.8	9	2	2	5	7	9	9	9
20-34	37	4.7	9	1	1	4	7	9	10	10
35-49	90	5.0	23	1	1	3	7	11	14	27
50-64	66	5.2	9	1	2	5	8	9	11	13
65+	55	5.0	9	2	2	5	6	9	11	15
GRAND TOTAL	**253**	**5.0**	**14**	**1**	**1**	**4**	**7**	**9**	**12**	**15**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.0	10	<1	1	2	3	6	9	19
20-34	141	3.6	8	1	1	3	5	7	9	14
35-49	156	4.2	10	1	1	3	5	8	11	15
50-64	103	3.9	10	1	1	3	5	8	10	15
65+	37	3.9	7	1	1	4	5	8	8	15
B. *Operated*										
0-19 YRS	404	6.2	14	1	1	7	9	10	12	15
20-34	315	4.0	12	<1	1	2	6	9	11	15
35-49	354	3.9	11	1	1	3	5	9	11	14
50-64	251	3.3	10	<1	1	2	4	8	11	16
65+	134	3.6	12	<1	1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.2	8	<1	1	2	4	7	10	16
20-34	289	4.4	11	1	1	3	6	8	11	18
35-49	439	5.4	20	1	1	4	7	10	14	23
50-64	398	5.3	34	1	1	4	7	11	14	27
65+	415	6.6	43	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	538	7.7	97	1	1	5	10	15	22	51
20-34	510	5.5	52	1	1	3	7	11	19	49
35-49	553	5.5	47	1	1	3	6	12	16	37
50-64	466	6.1	54	1	1	4	8	13	19	37
65+	366	7.7	73	1	1	5	10	16	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	3.8	9	1	1	3	5	8	10	15
B. *Operated*	1458	4.4	13	<1	1	3	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1675	5.3	27	1	1	4	7	10	14	25
B. *Operated*	2433	6.4	65	1	1	4	8	14	20	44
1. SINGLE DX	1981	4.2	12	1	1	3	7	9	11	15
2. MULTIPLE DX	4108	6.0	50	1	1	4	8	12	17	36
A. NOT OPERATED	2198	4.9	24	1	1	4	6	10	13	23
B. OPERATED	3891	5.7	47	1	1	4	8	12	16	35
TOTAL 0-19 YRS	1162	6.3	54	1	1	5	9	12	15	35
20-34	1255	4.6	28	1	1	3	6	9	13	27
35-49	1502	4.9	27	1	1	3	6	10	14	23
50-64	1218	5.1	36	1	1	3	6	11	14	30
65+	952	6.5	51	1	1	4	8	13	19	39
GRAND TOTAL	**6089**	**5.4**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	3	4.3		4	4	4	5	5	5	5
35-49	6	4.7	18	<1	<1	3	4	12	13	13
50-64	4	4.8	9	2	2	4	7	9	9	9
65+	7	4.6	6	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	24.0		24	24	24	24	24	24	24
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	22	4.6	7	1	2	4	5	9	11	13
B. *Operated*	5	12.0	66	4	4	13	16	24	24	24
1. SINGLE DX	5	3.2	4	1	1	4	5	5	5	5
2. MULTIPLE DX	27	6.0	25	1	2	4	6	13	15	24
A. NOT OPERATED	23	4.6	7	1	2	4	5	9	11	13
B. OPERATED	9	7.9	58	1	1	5	13	20	24	24
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	6	4.3		4	4	4	5	5	5	5
35-49	9	5.3	23	<1	<1	4	7	14	14	14
50-64	6	8.0	67	2	2	5	9	22	24	24
65+	8	5.6	14	1	2	5	7	12	13	13
GRAND TOTAL	**32**	**5.5**	**22**	**1**	**1**	**4**	**5**	**13**	**14**	**24**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	2	1	1	2	3	5	5	5
20-34	3	5.7	10	2	2	7	8	8	8	8
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	114	5.3	11	1	2	5	6	9	10	19
20-34	9	6.6	23	2	2	6	8	15	17	17
35-49	10	9.3	36	<1	1	9	12	18	23	23
50-64	3	7.3	8	4	4	9	9	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.6	27	<1	1	3	5	10	17	28
20-34	9	4.6	11	2	2	3	6	10	10	10
35-49	6	5.0	5	3	3	4	6	9	9	9
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	4.0	4	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	202	9.3	85	1	2	7	11	19	28	60
20-34	19	7.9	25	1	1	8	13	14	15	15
35-49	12	8.2	78	3	3	5	8	19	33	35
50-64	8	7.8	28	3	3	5	12	16	17	17
65+	2	7.0	2	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.0	4	1	1	2	5	6	7	8
B. *Operated*	137	5.7	14	1	2	5	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	132	4.7	24	<1	1	3	5	10	12	27
B. *Operated*	243	9.0	77	2	2	7	11	17	27	59
1. SINGLE DX	164	5.3	13	1	2	5	7	9	12	21
2. MULTIPLE DX	375	7.5	63	1	2	5	9	15	22	45
A. NOT OPERATED	159	4.4	21	<1	1	3	5	9	12	26
B. OPERATED	380	7.8	57	1	2	6	9	15	22	45
TOTAL 0-19 YRS	446	6.8	53	1	1	5	8	14	20	41
20-34	40	6.7	21	1	2	6	10	14	15	17
35-49	31	7.4	45	1	2	5	9	12	22	35
50-64	15	7.3	19	3	3	5	10	14	16	17
65+	7	4.7	5	2	2	5	6	8	8	8
GRAND TOTAL	**539**	**6.8**	**49**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.8	9	<1	<1	1	1	3	7	18
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	252	1.9	2	<1	<1	1	2	4	5	7
20-34	44	1.9	2	1	1	2	2	3	4	7
35-49	23	1.7	1	<1	<1	2	2	3	4	4
50-64	17	1.6	1	1	1	1	2	3	4	4
65+	5	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	3	<1	<1	1	3	4	6	7
20-34	2	5.0	32	<1	<1	4	9	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	129	2.5	5	<1	1	2	3	6	7	11
20-34	24	1.9	1	<1	1	2	2	3	4	6
35-49	16	2.2	2	1	1	2	3	3	5	6
50-64	11	4.3	20	1	1	3	6	11	16	16
65+	11	2.1	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.0	9	<1	<1	1	1	4	8	18
B. *Operated*	341	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	25	2.4	5	<1	<1	1	3	5	7	9
B. *Operated*	191	2.5	5	<1	1	2	3	5	7	12
1. SINGLE DX	383	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	216	2.5	5	<1	1	2	3	5	7	12
A. NOT OPERATED	67	2.2	7	<1	<1	1	2	5	8	17
B. OPERATED	532	2.1	3	<1	<1	2	2	4	6	9
TOTAL 0-19 YRS	441	2.1	4	<1	<1	1	2	4	6	9
20-34	72	2.0	3	1	1	2	2	4	6	9
35-49	42	2.0	1	<1	1	2	3	4	5	6
50-64	28	2.6	10	1	1	2	3	6	8	16
65+	16	2.0	1	<1	1	2	3	3	3	3
GRAND TOTAL	**599**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.4	4	<1	<1	2	3	5	7	8
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	544	4.5	15	1	1	3	7	9	12	20
20-34	50	4.3	13	1	1	2	8	9	10	12
35-49	32	5.7	41	1	1	3	8	11	18	32
50-64	17	3.9	16	<1	1	2	4	12	14	14
65+	4	4.8	12	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	3.6	24	<1	<1	2	4	7	11	34
20-34	31	3.4	13	1	1	3	4	5	6	21
35-49	17	3.8	10	1	1	3	4	8	12	14
50-64	17	6.0	13	<1	1	6	7	12	13	14
65+	33	6.1	16	<1	2	5	7	12	15	16
B. *Operated*										
0-19 YRS	1390	7.4	117	1	1	5	9	17	26	86
20-34	88	5.3	46	1	1	2	7	11	17	40
35-49	67	5.5	25	1	1	4	8	12	13	26
50-64	61	7.2	30	1	1	6	10	16	17	21
65+	57	10.0	128	1	2	7	12	17	30	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.6	5	<1	<1	2	3	6	8	11
B. *Operated*	647	4.5	16	1	1	3	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	306	4.0	21	<1	<1	3	5	8	12	20
B. *Operated*	1663	7.3	107	1	1	5	9	16	23	80
1. SINGLE DX	683	4.4	16	1	1	3	7	9	12	20
2. MULTIPLE DX	1969	6.8	95	1	1	4	8	15	21	74
A. NOT OPERATED	342	3.8	20	<1	<1	3	5	8	12	19
B. OPERATED	2310	6.5	83	1	1	4	8	14	20	69
TOTAL 0-19 YRS	2173	6.2	84	1	1	3	8	13	19	74
20-34	171	4.6	30	1	1	2	7	10	12	32
35-49	117	5.3	27	1	1	3	8	11	14	29
50-64	95	6.4	25	1	1	5	9	14	16	20
65+	96	8.4	85	1	2	6	11	15	20	59
GRAND TOTAL	**2652**	**6.2**	**76**	**1**	**1**	**3**	**8**	**13**	**19**	**65**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	351	3.0	2	1	1	3	4	5	5	7
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.8	5	<1	<1	1	1	4	5	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	370	3.5	5	1	2	3	4	5	6	10
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	19	<1	<1	1	6	10	10	10
B. *Operated*	355	3.0	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	29	1.8	5	<1	<1	1	1	4	5	12
B. *Operated*	382	3.5	5	1	2	3	4	5	6	10
1. SINGLE DX	359	3.0	3	1	1	3	4	5	5	8
2. MULTIPLE DX	411	3.4	5	1	1	3	4	5	6	10
A. NOT OPERATED	33	2.0	6	<1	<1	1	2	4	9	12
B. OPERATED	737	3.3	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	754	3.2	4	1	1	3	4	5	6	10
20-34	8	2.1	1	1	1	2	3	3	3	3
35-49	6	3.0	3	1	1	3	4	6	6	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
GRAND TOTAL	**770**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	417	3.0	2	1	2	3	4	5	5	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	2	<1	<1	2	3	4	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	118	4.7	33	2	2	4	5	7	8	28
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		1	1	1	2	2	2	2
B. *Operated*	417	3.0	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	13	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	118	4.7	33	2	2	4	5	7	8	28
1. SINGLE DX	424	3.0	2	1	2	3	4	4	5	8
2. MULTIPLE DX	131	4.4	30	2	2	4	5	7	8	22
A. NOT OPERATED	20	2.0	1	<1	<1	2	2	4	4	5
B. OPERATED	535	3.4	9	2	2	3	4	5	7	9
TOTAL 0-19 YRS	555	3.3	9	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**555**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.9	7	<1	<1	2	3	7	10	11
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	223	6.4	29	1	1	5	9	14	18	25
20-34	17	5.1	11	1	2	4	6	7	13	16
35-49	13	3.5	6	<1	1	2	5	8	8	8
50-64	7	4.3	11	1	1	4	6	9	10	10
65+	3	12.7		12	12	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	6.0	173	1	1	3	5	9	18	92
20-34	7	6.0	13	2	2	5	7	12	13	13
35-49	9	4.6	10	1	1	4	6	9	11	11
50-64	7	3.4	2	2	2	3	5	5	5	5
65+	17	5.8	20	1	2	5	6	10	17	21
B. *Operated*										
0-19 YRS	399	10.4	181	1	2	6	12	25	37	95
20-34	39	6.3	22	1	1	6	8	12	16	22
35-49	28	7.1	18	1	1	7	10	13	14	14
50-64	32	10.3	69	2	2	9	13	19	31	36
65+	30	10.7	116	1	2	7	14	24	40	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.0	7	<1	<1	2	4	7	10	11
B. *Operated*	263	6.2	27	1	1	4	8	13	18	25
2. MULTIPLE DX										
A. *Not Operated*	169	5.8	135	1	1	3	5	9	17	87
B. *Operated*	528	10.0	151	1	2	7	11	23	35	94
1. SINGLE DX	322	5.6	25	1	1	4	8	13	17	24
2. MULTIPLE DX	697	9.0	150	1	1	5	10	19	30	92
A. NOT OPERATED	228	5.1	103	<1	1	3	5	9	13	74
B. OPERATED	791	8.7	113	1	1	6	10	18	27	68
TOTAL 0-19 YRS	807	8.1	131	1	1	5	9	18	26	80
20-34	64	5.9	17	1	1	5	7	11	14	21
35-49	51	5.6	16	1	1	5	3	11	13	14
50-64	47	8.3	58	1	2	6	11	16	28	36
65+	50	9.1	81	1	2	6	11	19	28	46
GRAND TOTAL	**1019**	**7.9**	**113**	**1**	**1**	**5**	**9**	**17**	**26**	**70**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	245	1.8	1	<1	<1	1	2	3	4	8
20-34	23	1.7	1	<1	<1	2	2	3	3	3
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	1	<1	<1	1	2	2	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	287	1.9	1	<1	1	2	2	3	4	7
20-34	16	2.4	3	1	1	2	3	5	6	6
35-49	9	2.4	2	1	1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	2	1	1	1	3	4	4	4
B. *Operated*	271	1.8	1	<1	<1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	16	1.4	1	<1	<1	1	2	2	3	4
B. *Operated*	312	2.0	2	<1	1	2	2	4	4	7
1. SINGLE DX	275	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	328	1.9	2	<1	1	2	2	3	4	6
A. NOT OPERATED	20	1.5	1	<1	<1	1	2	3	4	4
B. OPERATED	583	1.9	1	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	551	1.8	1	<1	<1	2	2	3	4	7
20-34	40	2.0	1	<1	1	2	3	4	5	6
35-49	12	2.4	2	<1	1	2	3	4	5	5
50-64										
65+										
GRAND TOTAL	**603**	**1.9**	**1**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	1	<1	<1	2	3	4	4	4
20-34	6	1.7	1	<1	<1	1	3	3	3	3
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	528	4.3	12	1	1	3	6	8	11	18
20-34	65	3.3	4	<1	1	3	5	6	7	8
35-49	20	4.4	6	1	2	4	6	7	9	11
50-64	13	4.7	9	1	1	5	6	10	10	10
65+	4	6.3	7	4	4	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.3	4	<1	<1	2	3	5	7	10
20-34	17	3.4	1	2	2	3	4	5	6	6
35-49	19	3.7	6	1	1	3	5	8	10	10
50-64	11	5.9	30	<1	1	4	8	14	19	20
65+	12	3.6	5	1	1	3	5	7	9	9
B. *Operated*										
0-19 YRS	407	6.6	37	1	1	5	9	13	17	30
20-34	123	5.4	11	1	1	5	7	10	11	16
35-49	63	6.8	21	1	2	6	8	12	15	24
50-64	45	7.5	35	1	2	5	9	13	22	28
65+	31	7.0	21	1	2	6	9	15	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	2	<1	1	2	3	4	5	6
B. *Operated*	630	4.2	11	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	109	3.2	8	<1	1	3	4	7	9	14
B. *Operated*	669	6.5	30	1	1	5	8	12	16	28
1. SINGLE DX	653	4.2	11	1	1	3	6	8	10	17
2. MULTIPLE DX	778	6.0	28	1	1	5	8	12	16	27
A. NOT OPERATED	132	3.1	7	<1	1	2	4	6	9	12
B. OPERATED	1299	5.4	22	1	1	4	7	11	14	24
TOTAL 0-19 YRS	997	5.1	23	1	1	4	7	10	14	25
20-34	211	4.5	9	1	1	4	6	8	10	15
35-49	104	5.7	17	1	1	5	7	11	13	23
50-64	70	6.6	29	1	2	5	9	12	20	28
65+	49	6.0	17	1	2	5	8	13	15	17
GRAND TOTAL	**1431**	**5.2**	**21**	**1**	**1**	**4**	**7**	**10**	**14**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	65	1	1	1	3	19	21	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	301	3.3	6	1	1	3	4	7	9	12
20-34	11	3.6	1	2	2	3	4	5	6	6
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	5	3.4	1	2	2	4	4	4	4	4
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.3	9	<1	<1	1	2	5	11	14
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	195	4.4	15	1	1	3	5	9	11	21
20-34	24	4.1	18	<1	1	3	5	7	13	22
35-49	23	3.1	4	1	1	3	3	5	7	11
50-64	13	4.0	4	<1	1	4	6	6	7	7
65+	14	3.7	5	<1	1	3	6	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.7	65	1	1	1	3	19	21	21
B. *Operated*	323	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	35	2.3	9	<1	<1	1	2	5	11	14
B. *Operated*	269	4.2	13	1	1	3	5	8	10	21
1. SINGLE DX	329	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	304	4.0	13	<1	1	3	5	8	10	19
A. NOT OPERATED	41	2.7	17	<1	<1	1	2	6	13	21
B. OPERATED	592	3.7	10	1	1	3	5	7	10	13
TOTAL 0-19 YRS	537	3.7	11	1	1	3	5	7	10	14
20-34	35	3.9	13	1	2	3	5	6	8	22
35-49	27	3.3	4	1	1	3	4	5	7	11
50-64	18	3.8	3	<1	1	4	5	6	7	7
65+	16	3.6	5	<1	1	3	5	7	8	8
GRAND TOTAL	**633**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.0	12	<1	<1	2	3	6	9	19
20-34	21	4.3	8	1	2	4	5	9	10	10
35-49	11	3.0	3	<1	1	3	4	5	7	7
50-64	12	4.7	8	<1	1	4	7	9	10	10
65+	6	3.3	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	837	4.0	17	1	1	3	5	7	9	25
20-34	159	3.9	22	1	1	2	5	8	12	24
35-49	99	3.7	12	1	1	2	5	9	11	17
50-64	57	4.2	13	1	1	3	7	10	12	13
65+	14	5.2	10	2	3	4	6	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	5.1	40	<1	1	3	6	11	16	37
20-34	29	7.7	62	1	2	6	8	14	28	39
35-49	39	5.9	11	<1	1	6	9	10	12	14
50-64	22	6.5	19	1	1	6	11	13	14	15
65+	40	6.8	26	2	2	5	8	13	21	21
B. *Operated*										
0-19 YRS	724	7.1	117	1	1	4	7	14	25	79
20-34	126	6.2	38	1	1	4	8	12	19	33
35-49	119	5.7	16	1	1	5	9	11	12	16
50-64	96	7.9	71	1	1	7	10	14	18	55
65+	46	8.1	37	2	2	7	10	17	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.3	10	<1	<1	2	4	7	10	19
B. *Operated*	1166	4.0	17	1	1	3	5	8	10	24
2. MULTIPLE DX										
A. *Not Operated*	413	5.6	37	<1	1	4	7	11	16	36
B. *Operated*	1111	7.0	90	1	1	4	8	13	22	67
1. SINGLE DX	1313	3.9	16	1	1	3	5	8	10	19
2. MULTIPLE DX	1524	6.6	76	1	1	4	8	13	20	57
A. NOT OPERATED	560	5.0	31	<1	1	3	6	10	15	32
B. OPERATED	2277	5.5	55	1	1	4	7	11	15	40
TOTAL 0-19 YRS	1941	5.3	60	1	1	3	6	10	16	45
20-34	335	5.1	32	1	1	3	7	10	14	32
35-49	268	4.9	15	1	1	4	8	11	12	17
50-64	187	6.4	46	1	1	5	9	12	15	34
65+	106	7.0	29	2	2	5	9	14	20	25
GRAND TOTAL	**2837**	**5.4**	**50**	**1**	**1**	**3**	**7**	**10**	**15**	**38**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1308	3.5	18	1	1	2	3	6	11	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	38	6.6	89	<1	<1	3	7	17	23	50
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1373	10.0	149	1	2	5	12	25	36	61
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	183	26.6	658	2	3	18	49	79	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1308	3.5	18	1	1	2	3	6	11	22
B. *Operated*	38	6.6	89	<1	<1	3	7	17	23	50
2. MULTIPLE DX										
A. *Not Operated*	1373	10.0	149	1	2	5	12	25	36	61
B. *Operated*	183	26.6	658	2	3	18	49	79	99+	99+
1. SINGLE DX	1346	3.5	20	1	1	2	3	6	12	23
2. MULTIPLE DX	1556	12.0	237	1	2	6	14	32	51	96
A. NOT OPERATED	2681	6.8	96	1	1	3	7	17	27	53
B. OPERATED	221	23.1	616	1	2	14	42	76	99+	99+
TOTAL 0-19 YRS	2902	8.1	154	1	1	3	8	21	34	74
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2902**	**8.1**	**154**	**1**	**1**	**3**	**8**	**21**	**34**	**74**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1173	2.3	2	1	1	2	3	4	5	8
20-34	363	2.7	3	1	1	2	3	5	6	8
35-49	210	2.7	4	1	1	2	4	5	6	8
50-64	112	3.4	6	1	1	3	4	6	8	14
65+	109	3.4	7	1	1	3	4	6	9	15
B. *Operated*										
0-19 YRS	9	3.3	4	1	1	2	5	6	6	6
20-34										
35-49	7	3.9	2	2	2	3	5	6	6	6
50-64	5	4.2	12	1	1	3	5	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1976	3.0	9	1	1	2	4	5	7	13
20-34	602	3.9	12	1	1	3	5	7	10	19
35-49	647	4.4	15	1	1	3	5	8	10	17
50-64	801	5.1	19	1	2	4	6	9	12	20
65+	1259	6.2	28	2	2	5	7	11	15	31
B. *Operated*										
0-19 YRS	51	7.0	56	1	1	5	8	14	22	44
20-34	46	9.6	118	1	2	6	13	21	38	50
35-49	44	8.8	49	2	2	6	11	19	23	33
50-64	72	12.7	268	2	2	7	14	25	33	97
65+	113	11.0	92	2	3	8	14	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	2.5	3	1	1	2	3	5	6	9
B. *Operated*	22	3.7	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	5285	4.4	17	1	1	3	5	9	11	21
B. *Operated*	326	10.3	125	2	2	7	12	22	27	53
1. SINGLE DX	1989	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	5611	4.7	25	1	1	3	6	9	12	25
A. NOT OPERATED	7252	3.9	14	1	1	3	5	8	10	18
B. OPERATED	348	9.9	120	2	2	6	12	21	27	50
TOTAL 0-19 YRS	3209	2.8	7	1	1	2	3	5	7	12
20-34	1011	3.7	16	1	1	3	4	7	9	21
35-49	908	4.2	15	1	1	3	5	8	10	21
50-64	990	5.4	39	1	2	4	6	10	14	28
65+	1482	6.3	33	2	2	5	8	12	17	31
GRAND TOTAL	**7600**	**4.1**	**21**	**1**	**1**	**3**	**5**	**9**	**11**	**22**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	2.8	3	1	1	2	3	5	6	10
20-34	69	3.6	3	2	2	3	4	6	7	11
35-49	58	4.4	8	1	2	4	6	8	9	17
50-64	47	4.4	12	1	2	3	5	8	12	18
65+	46	4.5	15	1	2	3	6	9	12	21
B. *Operated*										
0-19 YRS	13	5.2	8	1	2	4	7	9	11	11
20-34	3	11.7	58	5	5	10	17	20	20	20
35-49	4	5.3	10	3	3	4	7	10	10	10
50-64	4	10.0	35	5	5	8	14	18	18	18
65+	6	8.3	99	1	1	6	7	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1083	3.3	5	1	1	3	4	6	7	11
20-34	245	4.6	9	1	2	4	6	8	11	15
35-49	284	5.3	31	2	2	4	6	8	11	24
50-64	416	5.7	15	2	2	5	7	10	13	21
65+	798	6.7	27	2	2	5	8	13	17	25
B. *Operated*										
0-19 YRS	38	6.7	55	1	1	4	8	13	19	42
20-34	49	10.7	91	2	3	8	15	23	28	52
35-49	50	9.4	44	2	3	9	12	16	17	43
50-64	93	10.3	84	3	3	8	13	19	25	56
65+	145	13.9	126	4	4	10	16	26	42	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	3.3	5	1	1	3	4	6	8	12
B. *Operated*	30	7.1	35	1	2	5	9	15	20	28
2. MULTIPLE DX										
A. *Not Operated*	2826	4.9	17	1	2	4	6	9	12	21
B. *Operated*	375	11.3	98	2	3	9	14	22	30	52
1. SINGLE DX	711	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX	3201	5.7	31	1	2	4	7	11	15	27
A. NOT OPERATED	3507	4.6	15	1	2	4	6	8	11	19
B. OPERATED	405	11.0	94	2	3	8	14	21	28	52
TOTAL 0-19 YRS	1595	3.3	6	1	1	3	4	6	7	12
20-34	366	5.3	24	1	2	4	6	10	15	25
35-49	396	5.7	31	2	2	4	7	10	14	24
50-64	560	6.4	30	2	2	5	8	12	15	25
65+	995	7.6	48	2	2	6	9	15	19	37
GRAND TOTAL	**3912**	**5.3**	**27**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.4	3	1	1	2	3	5	6	9
20-34	315	3.0	8	1	1	2	4	5	7	14
35-49	231	3.1	4	1	1	3	4	6	7	12
50-64	68	2.8	3	1	1	3	4	5	5	10
65+	13	4.5	10	<1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	7	1.7	1	<1	<1	2	2	3	3	3
20-34	33	3.3	10	1	1	2	4	8	11	14
35-49	30	3.8	13	1	1	3	4	6	10	20
50-64	15	2.9	3	1	1	2	4	5	7	7
65+	7	3.0	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	2.8	3	1	1	2	4	5	6	10
20-34	559	4.2	9	1	1	3	5	8	11	15
35-49	576	4.5	11	1	2	3	6	8	11	19
50-64	331	4.4	8	1	2	4	6	8	10	14
65+	209	4.6	11	1	2	4	5	9	12	15
B. *Operated*										
0-19 YRS	11	3.8	5	1	1	4	6	7	7	7
20-34	59	5.5	14	1	1	5	7	11	14	18
35-49	89	5.7	16	1	2	5	7	11	16	19
50-64	49	6.3	23	2	2	5	9	13	17	19
65+	38	6.7	42	2	2	5	7	13	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	3.0	6	1	1	2	4	5	7	11
B. *Operated*	92	3.2	8	1	1	2	4	5	9	17
2. MULTIPLE DX										
A. *Not Operated*	1877	4.2	9	1	1	3	5	8	10	15
B. *Operated*	246	5.8	21	1	2	5	7	12	16	19
1. SINGLE DX	829	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX	2123	4.4	11	1	1	3	6	8	11	16
A. NOT OPERATED	2614	3.9	9	1	1	3	5	7	10	15
B. OPERATED	338	5.1	19	1	1	4	7	10	14	19
TOTAL 0-19 YRS	330	2.7	3	1	1	2	3	5	6	10
20-34	966	3.9	10	1	1	3	5	7	10	15
35-49	926	4.2	10	1	1	3	5	8	11	18
50-64	463	4.3	9	1	1	4	5	8	10	16
65+	267	4.8	15	1	2	4	6	9	12	21
GRAND TOTAL	**2952**	**4.0**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	3	1	1	2	2	4	7	8
20-34	23	2.5	2	<1	1	2	4	5	5	5
35-49	42	2.9	2	<1	1	3	4	5	6	6
50-64	66	3.0	3	1	1	3	4	5	6	9
65+	69	3.4	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	10	3.8	11	<1	<1	2	6	9	9	9
20-34	24	4.5	3	2	2	4	5	7	8	9
35-49	44	3.7	3	1	2	4	5	6	7	7
50-64	75	4.3	5	1	2	4	5	7	8	13
65+	53	4.7	7	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.7	4	<1	1	2	4	5	7	8
20-34	24	3.2	6	<1	1	2	5	6	8	9
35-49	56	3.6	4	1	2	3	5	7	8	8
50-64	171	3.6	8	1	1	3	4	6	8	13
65+	238	3.7	5	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	15	4.0	18	1	1	3	5	9	15	17
20-34	34	3.5	4	1	1	4	5	6	7	7
35-49	59	4.9	9	1	2	4	6	9	12	14
50-64	114	4.8	8	1	2	4	6	9	11	14
65+	173	5.1	13	1	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	3.0	3	1	1	3	4	5	6	9
B. *Operated*	206	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	522	3.6	6	1	1	3	5	6	8	11
B. *Operated*	395	4.8	11	1	2	4	6	9	11	16
1. SINGLE DX	421	3.6	5	1	1	3	5	6	7	10
2. MULTIPLE DX	917	4.1	8	1	1	4	5	8	9	14
A. NOT OPERATED	737	3.4	5	1	1	3	4	6	8	11
B. OPERATED	601	4.6	9	1	2	4	6	8	10	15
TOTAL 0-19 YRS	73	3.0	8	<1	1	2	4	7	9	15
20-34	105	3.4	4	1	1	3	5	6	7	9
35-49	201	3.8	5	1	1	3	5	7	8	13
50-64	426	3.9	7	1	1	3	5	7	8	14
65+	533	4.2	8	1	1	4	5	8	10	14
GRAND TOTAL	**1338**	**3.9**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	5	1	1	2	3	6	8	9
20-34	18	3.1	5	1	1	3	3	6	8	9
35-49	13	2.5	2	1	1	2	3	5	6	6
50-64	12	3.6	5	1	1	3	5	7	8	8
65+	11	2.9	6	1	1	2	4	7	9	9
B. *Operated*										
0-19 YRS	40	1.8	3	<1	<1	1	2	3	4	10
20-34	63	2.4	3	<1	<1	2	3	4	6	9
35-49	39	1.8	1	<1	<1	2	2	3	3	5
50-64	34	2.6	4	<1	1	2	3	5	8	9
65+	7	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.2	9	1	1	2	4	8	11	12
20-34	56	2.7	3	1	1	2	4	5	6	6
35-49	71	3.2	5	1	1	3	4	5	6	15
50-64	132	5.9	70	1	1	4	6	12	16	84
65+	233	7.4	41	2	2	5	10	15	20	33
B. *Operated*										
0-19 YRS	38	5.1	23	1	1	4	7	12	17	20
20-34	46	5.4	73	<1	1	3	5	8	19	54
35-49	49	4.9	28	1	1	3	5	15	17	23
50-64	66	8.0	131	1	1	4	9	15	32	63
65+	93	8.5	71	1	2	6	12	18	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.8	4	1	1	2	3	6	8	9
B. *Operated*	183	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	529	5.7	41	1	1	4	7	12	16	33
B. *Operated*	292	6.8	73	1	1	4	8	15	21	51
1. SINGLE DX	268	2.4	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	821	6.1	52	1	1	4	7	13	18	38
A. NOT OPERATED	614	5.3	37	1	1	3	6	12	15	30
B. OPERATED	475	5.0	51	<1	1	3	5	12	17	42
TOTAL 0-19 YRS	146	3.2	11	<1	1	2	4	8	11	20
20-34	183	3.3	22	<1	1	2	4	6	7	23
35-49	172	3.3	12	1	1	2	4	6	10	18
50-64	244	5.9	77	1	1	3	6	11	17	67
65+	344	7.4	48	1	2	5	10	16	20	33
GRAND TOTAL	**1089**	**5.2**	**43**	**1**	**1**	**3**	**6**	**12**	**16**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	11.5	41	7	7	11	16	16	16	16
50-64	2	16.5	41	12	12	16	21	21	21	21
65+	4	6.3	4	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	4	8.0	18	4	4	7	11	13	13	13
20-34	16	3.9	9	1	1	3	5	9	10	11
35-49	24	8.7	62	1	2	6	14	19	27	30
50-64	29	8.3	31	1	2	7	10	16	18	27
65+	59	9.0	47	1	2	7	12	19	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	6	5	5	8	10	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	11	6.0	11	2	2	6	7	11	13	13
50-64	24	6.8	18	1	2	6	10	13	14	17
65+	100	7.7	27	1	2	7	10	13	16	29
B. *Operated*										
0-19 YRS	12	11.9	144	1	1	8	15	26	43	46
20-34	24	10.2	111	1	2	8	12	22	35	46
35-49	82	14.6	204	3	4	10	17	29	41	80
50-64	195	13.7	151	2	3	10	17	29	38	54
65+	756	14.4	99	4	5	12	18	26	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	9.2	32	3	3	8	12	18	21	21
B. *Operated*	132	8.1	43	1	2	7	11	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	140	7.4	23	1	2	7	10	13	15	23
B. *Operated*	1069	14.1	117	3	4	11	18	27	35	55
1. SINGLE DX	142	8.2	42	1	2	7	11	17	21	30
2. MULTIPLE DX	1209	13.4	111	3	4	11	16	25	33	54
A. NOT OPERATED	150	7.5	24	1	2	7	10	13	16	22
B. OPERATED	1201	13.5	113	2	4	11	17	25	33	54
TOTAL 0-19 YRS	21	10.0	89	1	2	8	12	17	30	46
20-34	42	7.5	75	1	1	4	10	16	25	46
35-49	119	12.6	163	2	3	9	15	26	37	74
50-64	250	12.4	129	2	3	9	16	24	36	51
65+	919	13.3	93	3	4	11	17	24	30	52
GRAND TOTAL	**1351**	**12.8**	**106**	**2**	**4**	**10**	**16**	**24**	**32**	**53**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.0	1	1	1	2	3	3	4	5
20-34	448	2.4	2	1	1	2	3	4	5	6
35-49	1376	2.3	2	1	1	2	3	4	5	7
50-64	935	2.7	2	1	1	2	3	5	6	8
65+	322	3.1	12	1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	70	2.6	3	<1	1	2	3	4	6	10
35-49	466	2.5	10	1	1	2	3	5	6	9
50-64	479	2.6	6	1	1	2	3	5	6	10
65+	112	2.7	5	1	1	2	3	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	2.9	4	1	1	2	4	5	7	11
20-34	1012	3.0	4	1	1	3	4	5	7	10
35-49	3946	3.2	5	1	1	3	4	6	7	10
50-64	4829	3.5	6	1	1	3	4	6	7	11
65+	3865	4.0	7	1	2	3	5	7	9	13
B. *Operated*										
0-19 YRS	12	5.7	4	3	3	5	7	9	10	10
20-34	129	3.6	10	1	1	3	5	7	9	19
35-49	1176	3.6	9	1	1	3	5	7	9	15
50-64	1772	3.6	10	1	1	2	5	7	9	14
65+	897	4.7	20	1	1	3	6	10	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3136	2.5	3	1	1	2	3	4	5	7
B. *Operated*	1129	2.6	7	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	13755	3.5	6	1	1	3	4	6	8	12
B. *Operated*	3986	3.9	12	1	1	3	5	8	10	16
1. SINGLE DX	4265	2.5	4	1	1	2	3	4	6	8
2. MULTIPLE DX	17741	3.6	7	1	1	3	4	7	8	13
A. NOT OPERATED	16891	3.3	5	1	1	3	4	6	7	11
B. OPERATED	5115	3.6	11	1	1	2	5	7	9	15
TOTAL 0-19 YRS	172	2.8	4	1	1	2	4	5	6	10
20-34	1659	2.9	4	1	1	2	4	5	6	10
35-49	6964	3.1	5	1	1	2	4	5	7	11
50-64	8015	3.4	6	1	1	3	4	6	8	12
65+	5196	4.0	10	1	2	3	5	7	9	14
GRAND TOTAL	**22006**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	2.8	4	1	1	2	3	5	6	11
20-34	17	2.3	3	<1	<1	2	3	4	7	8
35-49	16	1.9	1	<1	<1	2	3	4	4	4
50-64	22	2.6	3	<1	<1	2	4	5	6	6
65+	24	3.0	4	<1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	18	3.6	20	<1	1	2	4	7	15	20
20-34	19	3.3	6	<1	1	2	4	8	9	9
35-49	39	3.0	3	<1	1	3	4	6	6	8
50-64	54	3.6	13	1	1	2	4	6	12	23
65+	41	4.0	8	<1	1	3	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	4.6	32	1	1	3	5	9	12	27
20-34	93	3.4	18	1	1	2	3	6	11	26
35-49	159	3.6	6	1	1	3	4	7	8	13
50-64	377	5.6	23	1	1	4	7	11	13	26
65+	627	6.1	29	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	111	6.0	51	1	1	3	8	15	26	60
20-34	47	4.0	10	1	1	3	6	9	10	13
35-49	110	5.1	23	1	1	3	6	11	18	23
50-64	230	5.6	33	1	2	4	7	11	18	33
65+	274	6.6	41	1	2	4	8	14	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	2.7	4	1	1	2	3	5	6	11
B. *Operated*	171	3.5	9	1	1	3	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	1799	5.2	27	1	1	4	6	10	14	25
B. *Operated*	772	5.9	36	1	1	4	7	12	19	33
1. SINGLE DX	582	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX	2571	5.4	30	1	1	4	7	11	15	29
A. NOT OPERATED	2210	4.7	24	1	1	3	6	9	13	24
B. OPERATED	943	5.4	32	1	1	3	7	12	17	30
TOTAL 0-19 YRS	1004	4.1	26	1	1	3	5	8	12	27
20-34	176	3.4	13	1	1	2	4	8	10	15
35-49	324	3.9	12	1	1	3	5	8	10	19
50-64	683	5.4	26	1	1	4	7	11	14	29
65+	966	6.1	31	1	2	5	8	12	16	32
GRAND TOTAL	**3153**	**4.9**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.9	1	<1	<1	2	2	3	4	6
20-34	145	1.8	1	<1	<1	2	2	3	4	5
35-49	198	1.9	1	<1	1	2	2	3	5	7
50-64	98	1.8	1	<1	1	1	2	3	5	6
65+	44	2.7	2	1	1	2	4	4	5	8
B. *Operated*										
0-19 YRS	34	2.6	9	<1	<1	2	3	5	12	14
20-34	32	3.4	2	1	1	3	4	5	6	8
35-49	37	3.8	6	<1	1	3	5	8	9	9
50-64	31	3.8	5	<1	1	3	6	7	8	8
65+	26	4.5	9	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	2	1	1	2	3	5	6	6
20-34	202	2.5	3	1	1	2	3	5	6	8
35-49	217	2.6	4	1	1	2	3	5	6	10
50-64	223	3.2	7	1	1	2	4	7	8	13
65+	370	4.8	15	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	67	4.7	17	<1	<1	4	6	12	14	16
20-34	93	5.1	13	1	1	4	6	9	14	18
35-49	104	4.9	10	1	1	4	7	9	12	15
50-64	124	5.8	14	1	2	5	7	10	12	21
65+	324	7.1	29	1	2	6	9	13	15	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	1.9	1	<1	1	2	2	3	5	6
B. *Operated*	160	3.6	6	<1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	1060	3.5	9	1	1	3	4	7	9	15
B. *Operated*	712	6.1	21	1	1	5	8	12	14	21
1. SINGLE DX	672	2.3	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	1772	4.5	15	1	1	3	6	9	12	18
A. NOT OPERATED	1572	3.0	7	1	1	2	4	6	8	13
B. OPERATED	872	5.6	19	1	1	5	7	11	13	19
TOTAL 0-19 YRS	176	3.3	10	<1	<1	2	4	7	12	16
20-34	472	2.8	6	<1	1	2	4	5	7	14
35-49	556	2.9	5	1	1	2	3	6	8	12
50-64	476	3.7	9	1	1	3	5	8	9	14
65+	764	5.6	21	1	2	4	7	11	13	23
GRAND TOTAL	**2444**	**3.9**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**16**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1137	2.1	2	<1	1	2	3	4	5	7
20-34	1070	2.6	4	1	1	2	3	5	6	10
35-49	662	2.9	4	1	1	2	4	5	6	8
50-64	338	3.1	4	1	1	3	4	6	7	10
65+	206	3.8	20	1	1	3	4	6	8	25
B. *Operated*										
0-19 YRS	147	3.3	3	1	2	3	4	6	7	9
20-34	215	3.9	5	1	1	4	5	7	8	11
35-49	110	4.1	10	1	1	3	5	8	10	18
50-64	51	4.2	9	1	1	4	6	8	8	16
65+	17	4.1	12	<1	1	3	5	7	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1023	2.4	2	1	1	2	3	4	5	8
20-34	1550	3.2	5	1	1	3	4	6	7	12
35-49	1280	3.9	8	1	1	3	5	7	9	14
50-64	1132	4.2	8	1	2	3	5	7	9	14
65+	1368	4.9	17	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	176	4.2	8	1	2	4	5	8	10	14
20-34	342	5.7	16	1	2	5	8	11	13	20
35-49	342	5.9	24	1	2	5	8	11	14	21
50-64	236	7.1	29	1	2	6	9	13	18	24
65+	285	7.6	65	1	2	6	9	13	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3413	2.6	4	1	1	2	3	5	6	9
B. *Operated*	540	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	6353	3.7	9	1	1	3	5	7	9	14
B. *Operated*	1381	6.2	30	1	2	5	8	12	14	23
1. SINGLE DX	3953	2.8	5	1	1	2	3	5	6	10
2. MULTIPLE DX	7734	4.2	14	1	1	3	5	8	10	16
A. NOT OPERATED	9766	3.3	8	1	1	3	4	6	8	13
B. OPERATED	1921	5.5	25	1	2	4	7	11	13	21
TOTAL 0-19 YRS	2483	2.4	3	1	1	2	3	4	6	9
20-34	3177	3.3	7	1	1	3	4	6	8	13
35-49	2394	3.9	10	1	1	3	5	8	9	15
50-64	1757	4.4	11	1	1	3	6	8	11	16
65+	1876	5.2	25	1	2	4	6	9	12	22
GRAND TOTAL	**11687**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.6	8	1	1	2	3	4	5	17
20-34	67	3.1	7	<1	<1	2	5	7	8	12
35-49	47	2.7	4	<1	1	2	4	6	7	8
50-64	39	3.3	10	<1	1	2	4	7	9	17
65+	36	3.4	5	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	7	2.3	2	<1	<1	2	3	4	4	4
20-34	22	4.7	14	1	1	4	6	8	13	18
35-49	13	3.3	4	1	1	3	5	6	7	7
50-64	32	3.6	7	1	1	3	6	7	8	10
65+	9	4.7	17	1	1	2	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	428	2.8	4	1	1	2	3	5	7	9
20-34	291	3.8	8	1	1	3	5	7	9	15
35-49	329	4.2	10	1	1	3	5	8	11	15
50-64	476	5.0	15	1	2	4	6	10	13	19
65+	861	5.4	18	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	59	4.8	26	1	1	3	7	11	13	31
20-34	115	4.3	9	1	1	3	6	9	11	13
35-49	144	6.5	38	1	1	5	9	13	17	32
50-64	177	7.9	73	1	1	6	10	18	22	38
65+	281	8.1	61	1	2	6	10	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	2.9	7	<1	1	2	4	6	7	12
B. *Operated*	83	3.8	9	1	1	3	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	2385	4.5	13	1	1	4	6	8	11	18
B. *Operated*	776	6.9	51	1	1	5	9	15	21	36
1. SINGLE DX	385	3.1	8	1	1	2	4	6	8	12
2. MULTIPLE DX	3161	5.1	24	1	1	4	6	10	14	24
A. NOT OPERATED	2687	4.3	13	1	1	3	5	8	11	18
B. OPERATED	859	6.6	48	1	1	5	8	14	20	35
TOTAL 0-19 YRS	607	3.0	7	1	1	2	4	6	7	13
20-34	495	3.8	8	1	1	3	5	7	9	14
35-49	533	4.6	19	1	1	4	6	9	13	21
50-64	724	5.5	31	1	1	4	7	11	15	28
65+	1187	6.0	29	1	2	5	7	11	15	25
GRAND TOTAL	**3546**	**4.9**	**22**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	714	3.0	16	1	1	2	4	5	8	16
20-34	371	2.6	5	<1	1	2	3	5	6	9
35-49	387	2.9	14	1	1	2	3	5	7	19
50-64	411	3.1	11	1	1	2	3	6	8	16
65+	432	4.1	13	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	59	2.6	6	<1	1	2	3	4	7	16
20-34	95	2.0	2	<1	1	2	3	3	6	8
35-49	122	2.7	5	1	1	2	3	6	8	12
50-64	111	2.8	10	1	1	2	3	6	8	17
65+	67	3.8	15	<1	1	2	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1501	4.3	22	1	1	3	5	8	12	27
20-34	1029	3.6	14	1	1	3	4	6	9	18
35-49	1482	4.1	17	1	1	3	5	7	10	19
50-64	2718	5.0	20	1	1	4	6	10	13	21
65+	6215	5.8	25	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	193	9.8	203	1	1	4	10	26	44	71
20-34	224	5.3	49	1	1	3	6	11	15	35
35-49	305	4.8	25	1	1	3	6	10	15	28
50-64	531	8.7	155	1	1	5	9	22	35	98
65+	987	9.2	94	1	2	6	11	19	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2315	3.2	12	1	1	2	4	6	8	17
B. *Operated*	454	2.7	8	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	12945	5.1	22	1	2	4	6	10	13	24
B. *Operated*	2240	8.1	107	1	1	5	9	18	28	62
1. SINGLE DX	2769	3.1	12	1	1	2	4	6	8	16
2. MULTIPLE DX	15185	5.5	36	1	1	4	7	11	15	31
A. NOT OPERATED	15260	4.8	21	1	1	4	6	9	13	23
B. OPERATED	2694	7.2	94	1	1	4	8	16	25	55
TOTAL 0-19 YRS	2467	4.4	37	1	1	3	5	8	12	32
20-34	1719	3.5	16	1	1	3	4	7	9	18
35-49	2296	3.9	17	1	1	3	5	7	10	22
50-64	3771	5.2	40	1	1	4	6	10	15	32
65+	7701	6.1	34	1	2	5	7	12	16	31
GRAND TOTAL	**17954**	**5.2**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	1.9	2	1	1	1	2	3	5	8
20-34	19	5.5	74	<1	<1	3	6	10	26	39
35-49	9	2.9	5	1	1	2	5	6	6	6
50-64	5	2.8	4	1	1	3	4	6	6	6
65+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	62	4.6	10	1	2	4	6	8	11	17
20-34	21	6.3	25	2	2	5	7	14	19	20
35-49	7	5.0	10	1	1	5	8	9	9	9
50-64	3	4.7	12	<1	<1	5	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.8	23	1	1	3	4	7	11	29
20-34	53	6.4	83	1	1	4	7	12	17	62
35-49	26	8.2	214	<1	1	4	7	15	39	73
50-64	16	6.3	23	1	1	5	11	14	14	14
65+	12	11.2	155	1	1	8	12	32	41	43
B. *Operated*										
0-19 YRS	106	13.9	274	1	2	7	17	36	46	82
20-34	87	15.6	363	2	3	9	20	60	99+	99+
35-49	35	14.3	313	2	2	8	12	43	48	82
50-64	16	15.4	276	3	4	8	28	58	87	99+
65+	13	12.2	468	1	2	4	7	45	71	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	2.2	8	1	1	1	2	4	6	10
B. *Operated*	93	5.0	13	1	2	4	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	316	5.0	56	1	1	3	6	11	14	40
B. *Operated*	257	14.5	315	2	2	8	17	43	70	99+
1. SINGLE DX	384	2.9	10	1	1	2	3	6	8	16
2. MULTIPLE DX	573	9.3	194	1	1	4	10	27	43	99+
A. NOT OPERATED	607	3.7	35	1	1	2	4	7	11	31
B. OPERATED	350	12.0	252	1	2	7	12	36	55	99+
TOTAL 0-19 YRS	632	4.8	73	1	1	2	4	10	19	44
20-34	180	10.7	231	1	2	6	11	31	64	99+
35-49	77	10.1	230	1	1	6	8	31	44	80
50-64	40	9.4	142	1	1	6	11	29	50	99+
65+	28	10.8	279	1	1	5	10	34	46	77
GRAND TOTAL	**957**	**6.7**	**130**	**1**	**1**	**3**	**7**	**14**	**31**	**81**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.7	8	<1	1	2	3	5	9	15
20-34	39	3.4	8	1	1	3	4	8	10	13
35-49	6	3.7	7	<1	<1	3	3	8	9	9
50-64	7	2.6	2	1	1	2	3	5	5	5
65+	5	19.2	1063	1	1	4	28	77	77	77
B. *Operated*										
0-19 YRS	6	6.8	17	2	2	7	9	13	13	13
20-34	13	4.6	7	1	2	5	6	9	9	9
35-49	5	4.0	10	<1	<1	4	6	8	8	8
50-64	2	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	4.2	15	1	1	3	5	9	13	20
20-34	84	4.9	29	1	1	3	6	8	16	33
35-49	33	4.9	11	1	2	4	7	9	12	16
50-64	26	6.2	18	1	2	5	9	12	14	16
65+	30	9.9	65	2	3	9	12	24	38	99+
B. *Operated*										
0-19 YRS	72	11.2	172	1	2	6	13	30	48	59
20-34	86	15.1	290	1	2	10	21	37	57	97
35-49	42	15.8	276	2	3	10	19	47	65	99+
50-64	22	15.4	394	3	3	7	18	39	70	80
65+	21	13.5	256	2	2	8	18	37	56	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	3.3	39	<1	1	2	3	6	10	18
B. *Operated*	26	5.0	9	1	1	5	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	343	5.1	24	1	1	4	7	10	16	28
B. *Operated*	243	13.9	258	1	2	8	17	35	57	91
1. SINGLE DX	199	3.6	36	<1	1	2	4	8	10	17
2. MULTIPLE DX	586	8.8	140	1	2	5	10	20	31	78
A. NOT OPERATED	516	4.5	30	1	1	3	5	10	13	24
B. OPERATED	269	13.1	241	1	2	8	16	31	56	89
TOTAL 0-19 YRS	364	5.2	53	1	1	3	5	10	17	47
20-34	222	8.6	151	1	1	4	9	22	31	82
35-49	86	10.1	170	1	2	6	11	26	47	91
50-64	57	9.3	181	1	2	5	10	18	26	79
65+	56	12.1	213	2	2	8	14	27	58	98
GRAND TOTAL	**785**	**7.5**	**119**	**1**	**1**	**4**	**8**	**17**	**28**	**71**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	<1	1	2	3	3	3
20-34	28	1.7	1	<1	<1	1	2	3	4	6
35-49	14	1.4		<1	<1	1	2	2	3	3
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	237	2.1	7	<1	<1	1	2	4	4	10
20-34	454	2.3	4	1	1	2	3	4	5	11
35-49	139	2.5	3	1	1	2	3	4	6	9
50-64	45	2.5	3	<1	1	2	3	5	6	9
65+	20	5.8	42	1	1	4	6	13	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	1.9	3	<1	<1	1	2	3	5	10
20-34	89	2.4	4	<1	1	2	3	5	7	11
35-49	53	2.8	4	<1	1	2	4	6	8	9
50-64	16	3.1	3	<1	1	3	4	6	6	6
65+	56	4.4	9	1	1	4	6	8	11	14
B. *Operated*										
0-19 YRS	420	3.6	12	1	1	2	4	7	10	15
20-34	820	4.6	47	1	1	3	5	9	12	32
35-49	314	5.8	53	1	1	4	6	12	17	36
50-64	126	5.4	55	1	1	4	6	8	13	43
65+	120	6.7	37	1	1	5	8	15	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	1.7	1	<1	<1	1	2	3	3	6
B. *Operated*	895	2.4	6	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	277	2.8	5	<1	1	2	4	6	8	12
B. *Operated*	1800	4.8	40	1	1	3	6	9	14	30
1. SINGLE DX	956	2.3	5	<1	1	2	3	4	5	12
2. MULTIPLE DX	2077	4.5	36	1	1	3	5	9	12	28
A. NOT OPERATED	338	2.6	5	<1	1	2	3	5	7	12
B. OPERATED	2695	4.0	30	1	1	3	4	8	11	25
TOTAL 0-19 YRS	735	2.9	10	<1	1	2	3	6	9	15
20-34	1391	3.7	30	1	1	2	4	7	10	23
35-49	520	4.5	36	1	1	3	5	9	14	26
50-64	189	4.5	39	1	1	3	6	7	10	31
65+	198	5.9	30	1	1	4	7	13	17	30
GRAND TOTAL	**3033**	**3.8**	**27**	**1**	**1**	**2**	**4**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	4.0	7	1	1	3	5	7	9	13
20-34	264	4.3	16	1	1	4	5	7	10	12
35-49	172	4.8	9	1	2	4	6	9	11	13
50-64	130	6.2	21	1	1	5	7	12	15	24
65+	193	6.5	17	2	2	5	9	11	14	23
B. *Operated*										
0-19 YRS	34	11.3	36	3	4	11	14	19	25	28
20-34	63	8.8	42	2	2	8	12	18	22	31
35-49	31	10.7	44	2	3	11	14	20	25	26
50-64	12	7.9	43	1	1	7	11	19	21	21
65+	8	9.6	51	2	2	8	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.7	11	1	1	4	6	9	11	19
20-34	366	5.3	18	1	2	4	7	10	12	21
35-49	244	5.8	21	1	2	5	7	11	14	20
50-64	347	7.6	24	2	3	7	10	14	16	27
65+	1383	8.7	29	2	3	8	11	16	18	28
B. *Operated*										
0-19 YRS	73	10.5	44	2	3	10	15	19	26	84
20-34	193	11.4	119	2	3	9	14	18	37	63
35-49	92	11.0	47	3	4	10	14	21	25	31
50-64	74	12.4	117	2	4	9	15	24	40	57
65+	168	13.9	117	3	4	11	18	26	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	886	5.1	15	1	2	4	6	10	12	17
B. *Operated*	148	9.8	42	2	2	9	13	19	22	28
2. MULTIPLE DX										
A. *Not Operated*	2461	7.6	27	2	2	6	10	14	17	26
B. *Operated*	600	12.1	99	2	4	10	15	23	32	59
1. SINGLE DX	1034	5.8	22	1	2	5	7	11	14	24
2. MULTIPLE DX	3061	8.5	44	2	3	7	11	16	20	35
A. NOT OPERATED	3347	6.9	25	1	2	6	9	13	16	25
B. OPERATED	748	11.6	88	2	3	9	14	21	29	55
TOTAL 0-19 YRS	355	6.3	27	1	2	5	9	14	17	28
20-34	886	6.6	48	1	2	5	8	13	16	41
35-49	539	6.7	28	1	2	5	9	13	18	26
50-64	563	7.9	39	2	2	6	10	14	18	33
65+	1752	9.0	39	2	3	8	11	16	20	32
GRAND TOTAL	**4095**	**7.8**	**40**	**2**	**2**	**6**	**10**	**15**	**18**	**32**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	7	1	1	4	6	7	7	7
20-34	9	5.8	45	1	1	4	5	17	23	23
35-49	5	7.4	27	1	1	7	10	15	15	15
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	4	14.0	100	3	3	13	21	27	27	27
20-34	14	28.4	341	4	9	23	44	54	58	59
35-49	6	21.7	161	10	10	17	26	43	45	45
50-64	3	19.7	310	1	1	22	32	36	36	36
65+	3	13.3	25	8	8	14	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	19.2	648	1	2	9	21	57	86	91
20-34	12	15.8	322	2	2	10	15	53	54	54
35-49	3	10.3	42	4	4	10	15	17	17	17
50-64	6	11.2	160	1	1	5	23	30	31	31
65+	16	9.6	41	1	2	9	13	18	24	26
B. *Operated*										
0-19 YRS	28	26.4	343	4	9	21	37	64	72	99+
20-34	61	28.0	458	6	8	23	53	99+	99+	99+
35-49	27	26.3	226	9	11	24	39	84	99+	99+
50-64	12	31.0	302	13	14	34	58	99+	99+	99+
65+	11	25.8	155	5	10	25	33	44	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.6	28	1	1	4	7	12	19	23
B. *Operated*	30	22.8	251	2	5	18	33	48	54	59
2. MULTIPLE DX										
A. *Not Operated*	49	13.7	269	1	2	10	15	29	52	91
B. *Operated*	139	27.4	346	7	9	23	43	90	99+	99+
1. SINGLE DX	50	15.9	231	1	2	11	22	41	52	59
2. MULTIPLE DX	188	23.9	361	3	6	20	38	72	99+	99+
A. NOT OPERATED	69	11.3	212	1	2	7	13	23	43	84
B. OPERATED	169	26.6	331	6	9	22	41	75	99+	99+
TOTAL 0-19 YRS	49	21.3	400	2	3	16	29	59	71	99+
20-34	96	24.5	431	2	4	19	43	76	99+	99+
35-49	41	22.1	221	5	8	18	35	57	99+	99+
50-64	22	22.8	323	1	2	22	42	99+	99+	99+
65+	30	15.9	136	2	3	13	23	33	42	47
GRAND TOTAL	**238**	**22.2**	**343**	**2**	**4**	**18**	**34**	**61**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	3	<1	1	1	2	3	6	8
20-34	33	2.1	2	<1	<1	2	3	4	6	7
35-49	73	2.8	4	1	1	2	3	5	8	11
50-64	62	3.2	5	1	1	3	4	6	7	13
65+	53	3.7	9	1	1	3	4	8	10	15
B. *Operated*										
0-19 YRS										
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	4	3.0	11	1	1	2	5	8	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	3	1	1	2	4	6	6	7
20-34	239	3.8	33	1	1	3	5	6	9	13
35-49	271	4.0	8	1	1	3	5	7	9	16
50-64	324	5.5	14	1	1	5	7	10	13	19
65+	720	6.9	28	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	20	7.2	64	<1	1	5	8	16	26	36
20-34	93	8.1	42	1	1	7	11	17	21	33
35-49	94	8.3	62	2	2	6	9	14	29	40
50-64	94	10.5	62	2	3	8	13	23	28	35
65+	113	12.2	135	2	3	9	15	23	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.9	5	1	1	2	3	6	8	12
B. *Operated*	8	3.9	10	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1598	5.5	23	1	2	4	7	11	14	22
B. *Operated*	414	9.8	80	1	2	7	12	20	27	41
1. SINGLE DX	245	3.0	6	1	1	2	3	6	8	12
2. MULTIPLE DX	2012	6.4	38	1	2	5	8	13	17	30
A. NOT OPERATED	1835	5.2	22	1	1	4	7	10	13	21
B. OPERATED	422	9.7	79	1	2	7	12	20	27	41
TOTAL 0-19 YRS	80	3.7	22	1	1	2	5	7	8	30
20-34	367	4.8	36	1	1	3	6	9	13	23
35-49	442	4.7	23	1	1	3	6	9	12	30
50-64	482	6.1	27	1	1	5	8	12	16	28
65+	886	7.3	44	2	2	6	9	14	18	31
GRAND TOTAL	**2257**	**6.0**	**36**	**1**	**1**	**4**	**8**	**12**	**16**	**29**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	5.0	17	1	2	4	6	8	11	24
20-34	66	6.1	39	1	2	5	7	10	12	44
35-49	43	6.0	23	1	2	5	7	10	14	29
50-64	30	8.2	30	1	2	7	10	14	21	25
65+	158	7.2	23	2	2	6	9	15	17	23
B. *Operated*										
0-19 YRS	4	11.5	78	2	2	11	18	22	22	22
20-34	16	18.6	162	2	4	16	24	32	47	53
35-49	5	9.4	5	7	7	9	11	13	13	13
50-64	2	20.0	392	6	6	20	34	34	34	34
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	7.3	37	2	2	6	9	14	17	35
20-34	166	9.0	59	2	3	7	11	19	25	43
35-49	88	10.9	75	3	4	9	13	21	26	51
50-64	122	11.1	94	3	4	8	13	22	31	50
65+	925	10.8	60	3	4	9	13	19	24	47
B. *Operated*										
0-19 YRS	60	13.2	117	3	3	9	19	29	38	43
20-34	112	21.2	265	4	6	15	28	46	51	74
35-49	54	22.2	395	3	5	15	30	56	61	88
50-64	56	27.8	339	8	9	23	39	58	63	82
65+	114	20.2	268	4	5	14	29	44	52	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	6.6	27	1	2	5	8	12	16	25
B. *Operated*	28	15.7	131	2	4	12	22	31	36	53
2. MULTIPLE DX										
A. *Not Operated*	1427	10.3	63	2	3	8	13	19	24	45
B. *Operated*	396	20.8	285	3	5	15	28	46	56	76
1. SINGLE DX	378	7.3	40	1	2	6	9	15	20	31
2. MULTIPLE DX	1823	12.6	130	3	4	9	15	25	37	61
A. NOT OPERATED	1777	9.6	58	2	3	8	12	18	23	44
B. OPERATED	424	20.4	276	3	5	15	28	46	55	74
TOTAL 0-19 YRS	243	8.3	61	2	2	6	10	18	25	41
20-34	360	12.7	162	2	3	8	15	29	44	64
35-49	190	13.0	189	2	3	9	14	29	46	68
50-64	210	15.2	209	3	4	10	19	36	47	64
65+	1198	11.2	85	3	4	9	14	20	29	52
GRAND TOTAL	**2201**	**11.7**	**118**	**2**	**3**	**8**	**14**	**23**	**34**	**59**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.5	16	<1	1	1	2	3	14	20
20-34	30	2.9	4	<1	<1	2	4	6	6	8
35-49	23	3.5	17	1	1	2	4	8	12	20
50-64	30	2.8	9	<1	1	2	3	6	12	13
65+	90	4.1	13	1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS	826	2.7	12	1	1	2	3	4	11	19
20-34	88	3.3	5	1	1	3	4	6	8	13
35-49	73	3.5	8	1	1	3	5	6	7	17
50-64	97	4.2	12	1	1	3	5	8	12	19
65+	141	5.1	44	1	1	4	6	8	11	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.8	5	<1	1	2	3	6	8	11
20-34	35	4.2	14	1	1	3	5	12	13	13
35-49	28	3.1	7	1	1	2	4	7	9	11
50-64	71	5.9	33	1	1	4	6	15	18	28
65+	379	7.3	65	1	2	5	9	14	18	48
B. *Operated*										
0-19 YRS	218	5.1	50	1	1	3	5	10	19	37
20-34	134	9.6	162	1	2	5	9	23	44	63
35-49	93	8.0	78	1	2	5	10	16	33	44
50-64	136	9.5	159	1	2	5	10	19	36	71
65+	389	9.0	82	2	2	6	11	18	23	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	3.2	13	1	1	2	4	7	11	20
B. *Operated*	1225	3.2	16	1	1	2	4	6	10	19
2. MULTIPLE DX										
A. *Not Operated*	550	6.4	53	1	1	5	8	13	16	43
B. *Operated*	970	8.2	99	1	2	5	9	17	26	54
1. SINGLE DX	1478	3.2	15	1	1	2	4	6	10	20
2. MULTIPLE DX	1520	7.5	83	1	1	5	9	15	22	53
A. NOT OPERATED	803	5.4	42	1	1	4	7	12	15	33
B. OPERATED	2195	5.4	58	1	1	3	6	12	18	46
TOTAL 0-19 YRS	1161	3.2	20	1	1	2	3	6	12	23
20-34	287	6.3	88	1	1	4	6	12	19	53
35-49	217	5.4	44	1	1	3	5	12	17	36
50-64	334	6.6	82	1	1	4	7	14	20	54
65+	999	7.4	67	1	2	5	9	14	19	50
GRAND TOTAL	**2998**	**5.4**	**54**	**1**	**1**	**3**	**6**	**12**	**17**	**43**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	1.4		1	1	1	2	3	3	3
20-34	21	2.1	2	<1	<1	2	3	4	5	6
35-49	13	1.8	1	<1	<1	1	2	4	4	4
50-64	14	2.1	2	1	1	2	4	4	4	4
65+	11	1.5	1	1	1	1	2	3	4	4
B. *Operated*										
0-19 YRS	1117	1.7	2	<1	1	1	2	3	4	7
20-34	399	2.5	3	1	1	2	3	5	6	9
35-49	265	2.7	4	1	1	2	3	5	6	9
50-64	258	2.7	5	<1	1	2	3	5	7	9
65+	258	2.7	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.1	3	<1	<1	2	2	4	5	10
20-34	45	2.9	5	<1	1	2	3	6	9	10
35-49	31	4.0	54	<1	1	2	4	6	10	42
50-64	33	4.3	7	1	1	4	6	8	9	10
65+	87	5.6	21	1	1	4	8	12	15	21
B. *Operated*										
0-19 YRS	305	3.8	19	1	1	2	4	8	12	21
20-34	318	5.7	42	1	1	4	6	12	18	31
35-49	232	5.6	37	1	1	4	6	11	17	34
50-64	251	5.2	18	1	1	4	7	12	15	20
65+	437	5.6	35	1	1	4	7	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	2297	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	245	4.0	18	<1	1	3	5	9	11	21
B. *Operated*	1543	5.2	31	1	1	4	6	11	16	27
1. SINGLE DX	2397	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1788	5.0	30	1	1	3	6	11	15	27
A. NOT OPERATED	345	3.4	14	<1	1	2	4	8	10	18
B. OPERATED	3840	3.4	17	1	1	2	4	7	10	20
TOTAL 0-19 YRS	1512	2.1	6	<1	1	1	2	4	5	15
20-34	783	3.8	21	1	1	3	4	7	10	23
35-49	541	4.0	23	1	1	3	5	7	11	26
50-64	556	3.9	13	1	1	3	5	8	12	16
65+	793	4.6	25	1	1	3	5	10	14	25
GRAND TOTAL	**4185**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.7	14	<1	<1	2	4	11	12	12
20-34	20	2.3	3	<1	<1	2	3	5	6	7
35-49	16	1.9	1	<1	<1	2	3	3	4	4
50-64	8	1.5	1	1	1	1	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	189	1.5	1	<1	<1	1	2	3	4	7
20-34	274	2.0	3	<1	<1	1	2	4	4	13
35-49	137	1.8	2	<1	<1	1	2	3	4	9
50-64	68	2.5	5	<1	<1	2	3	4	6	13
65+	31	2.6	12	1	1	2	3	5	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.9	1	<1	1	1	3	4	4	5
20-34	32	2.5	3	1	1	2	3	3	7	9
35-49	16	2.9	9	1	1	2	4	4	10	13
50-64	12	2.8	2	1	1	3	4	5	5	5
65+	14	5.2	14	1	1	5	6	9	14	16
B. *Operated*										
0-19 YRS	114	3.4	18	1	1	2	4	8	12	23
20-34	274	3.6	14	1	1	3	5	7	9	17
35-49	143	3.4	16	<1	1	2	4	6	8	27
50-64	94	3.5	11	<1	1	3	4	9	10	17
65+	73	3.5	11	1	1	2	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.3	5	<1	<1	2	3	4	7	12
B. *Operated*	699	1.9	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	99	2.8	6	1	1	2	3	5	7	15
B. *Operated*	698	3.5	14	1	1	2	4	7	10	18
1. SINGLE DX	757	1.9	3	<1	<1	1	2	4	4	11
2. MULTIPLE DX	797	3.4	13	1	1	2	4	7	9	17
A. NOT OPERATED	157	2.7	5	<1	1	2	3	5	7	13
B. OPERATED	1397	2.7	9	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	341	2.3	8	<1	<1	1	2	4	7	14
20-34	600	2.8	9	<1	1	2	3	6	8	16
35-49	312	2.6	9	<1	<1	2	3	5	6	15
50-64	182	3.0	8	<1	1	2	3	6	9	14
65+	119	3.4	11	1	1	2	5	8	11	17
GRAND TOTAL	**1554**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	12.7	150	1	2	8	26	31	35	37
20-34	6	6.3	124	1	1	2	3	26	29	29
35-49	8	2.6	6	1	1	2	4	7	7	7
50-64	16	12.1	346	1	3	6	12	19	61	79
65+	81	7.7	47	1	2	6	9	15	22	35
B. *Operated*										
0-19 YRS	64	7.5	32	1	3	6	9	15	22	27
20-34	49	8.7	49	2	4	7	11	14	20	45
35-49	67	7.9	23	4	4	7	9	13	15	34
50-64	263	9.6	13	5	5	9	12	14	17	19
65+	1381	11.9	28	6	7	11	14	17	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	15.5	334	1	2	8	20	40	60	75
20-34	15	12.8	285	1	3	7	12	52	53	53
35-49	17	10.4	179	1	2	7	10	24	46	57
50-64	58	9.4	102	1	2	6	10	30	37	95
65+	439	10.7	124	2	2	8	13	21	30	72
B. *Operated*										
0-19 YRS	73	15.3	195	3	4	11	17	33	42	75
20-34	113	15.0	113	5	6	12	18	27	42	54
35-49	162	15.7	134	5	6	12	19	31	41	60
50-64	616	14.1	79	5	6	12	16	24	30	52
65+	7102	15.1	69	7	8	13	17	23	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	8.8	105	1	1	6	10	22	29	43
B. *Operated*	1824	11.2	28	5	6	11	13	17	19	30
2. MULTIPLE DX										
A. *Not Operated*	549	10.8	135	1	2	8	13	22	35	75
B. *Operated*	8066	15.1	73	6	8	13	17	24	30	52
1. SINGLE DX	1960	11.0	34	4	5	10	13	17	20	32
2. MULTIPLE DX	8615	14.8	78	6	7	13	17	24	30	53
A. NOT OPERATED	685	10.4	129	1	2	7	12	22	32	74
B. OPERATED	9890	14.3	67	6	7	13	16	22	29	50
TOTAL 0-19 YRS	182	12.2	157	2	3	8	15	28	35	75
20-34	183	12.9	117	2	4	10	15	24	37	53
35-49	254	12.9	118	3	4	9	15	25	35	58
50-64	953	12.5	71	4	5	11	14	21	29	49
65+	9003	14.3	68	6	7	13	16	22	28	50
GRAND TOTAL	**10575**	**14.1**	**72**	**5**	**7**	**12**	**16**	**22**	**29**	**51**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	16.1	154	1	1	16	24	33	38	48
20-34	11	19.2	456	1	1	8	42	51	55	55
35-49	11	23.5	332	6	6	21	33	50	62	63
50-64	7	21.4	603	2	2	5	41	59	63	63
65+	31	12.1	286	<1	1	7	12	36	57	70
B. *Operated*										
0-19 YRS	329	9.6	93	1	1	6	14	24	30	39
20-34	115	11.1	95	3	4	9	13	18	32	56
35-49	46	12.8	204	2	4	9	14	22	35	81
50-64	26	9.5	17	3	4	10	13	15	15	15
65+	74	11.6	44	3	4	10	14	20	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	16.0	168	1	1	14	24	34	39	51
20-34	29	16.5	501	1	1	6	28	47	69	92
35-49	15	27.6	710	1	2	23	44	72	81	84
50-64	37	26.4	453	2	3	27	44	51	64	85
65+	168	13.5	207	2	3	8	17	33	44	98
B. *Operated*										
0-19 YRS	376	17.2	175	2	4	14	23	35	45	66
20-34	346	18.4	267	4	5	14	21	44	56	93
35-49	110	21.0	311	2	5	14	31	48	59	71
50-64	97	22.8	276	4	7	19	31	52	61	89
65+	412	18.5	207	6	7	15	21	32	45	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	16.2	190	1	1	14	25	33	44	59
B. *Operated*	590	10.4	93	1	2	8	14	22	30	48
2. MULTIPLE DX										
A. *Not Operated*	406	16.4	267	1	2	10	24	39	50	88
B. *Operated*	1341	18.6	229	4	6	14	23	39	52	89
1. SINGLE DX	929	12.5	136	1	2	9	18	28	35	55
2. MULTIPLE DX	1747	18.1	238	2	4	14	23	39	52	89
A. NOT OPERATED	745	16.3	232	1	2	12	24	36	46	72
B. OPERATED	1931	16.1	202	2	3	12	20	32	46	80
TOTAL 0-19 YRS	1141	14.6	155	1	2	11	22	31	38	53
20-34	501	16.7	253	3	4	12	20	40	54	90
35-49	182	19.6	330	2	4	12	27	47	62	79
50-64	167	21.5	311	3	4	16	31	51	61	84
65+	685	16.3	200	3	4	13	20	32	44	92
GRAND TOTAL	**2676**	**16.2**	**210**	**2**	**3**	**12**	**22**	**34**	**46**	**77**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.1	2	<1	1	2	3	4	4	7
20-34	74	2.9	4	1	1	2	3	5	7	10
35-49	52	3.7	19	1	1	3	4	7	10	27
50-64	46	3.7	4	1	1	3	5	7	7	8
65+	56	5.6	14	1	1	5	8	10	14	15
B. *Operated*										
0-19 YRS	513	3.5	11	1	1	3	4	6	8	14
20-34	364	5.1	18	1	1	4	6	9	12	24
35-49	228	5.1	14	1	2	4	6	10	12	20
50-64	181	5.9	15	1	2	5	8	11	13	18
65+	68	6.7	16	2	2	6	9	13	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.8	13	1	1	3	5	7	11	22
20-34	57	4.5	12	<1	1	3	6	11	12	14
35-49	70	6.6	46	1	1	4	8	13	20	39
50-64	63	8.3	41	1	2	7	10	17	24	28
65+	163	8.3	53	2	3	6	10	15	21	38
B. *Operated*										
0-19 YRS	262	9.4	135	1	1	5	11	22	35	59
20-34	381	10.4	96	2	2	7	13	21	29	59
35-49	261	10.5	120	2	3	8	13	20	25	66
50-64	216	12.2	156	3	4	9	14	21	33	84
65+	231	11.5	94	3	4	9	15	21	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	3.2	8	1	1	2	4	7	8	15
B. *Operated*	1354	4.7	15	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	425	6.7	41	1	2	5	9	13	19	30
B. *Operated*	1351	10.7	118	2	3	8	13	21	28	66
1. SINGLE DX	1724	4.4	14	1	1	3	6	9	11	18
2. MULTIPLE DX	1776	9.8	102	1	2	7	12	20	27	60
A. NOT OPERATED	795	5.1	29	1	1	3	7	11	14	28
B. OPERATED	2705	7.7	76	1	2	5	9	16	22	52
TOTAL 0-19 YRS	989	4.9	50	1	1	3	5	9	15	43
20-34	876	7.2	58	1	2	5	9	15	22	46
35-49	611	7.5	71	1	2	5	9	15	20	47
50-64	506	8.7	87	2	2	6	10	17	21	66
65+	518	9.2	67	2	3	7	12	18	24	43
GRAND TOTAL	**3500**	**7.1**	**66**	**1**	**1**	**5**	**9**	**15**	**20**	**48**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.2	3	1	1	2	3	4	5	10
20-34	88	3.2	9	<1	1	2	4	6	7	19
35-49	71	2.9	4	1	1	2	4	6	8	10
50-64	69	3.2	5	1	1	3	4	6	8	12
65+	49	4.2	7	1	1	4	5	8	9	15
B. *Operated*										
0-19 YRS	593	2.9	6	1	1	2	4	5	7	12
20-34	899	3.8	7	1	1	3	5	7	8	14
35-49	688	4.3	9	1	2	4	5	7	9	18
50-64	567	4.6	7	2	2	4	6	8	9	13
65+	307	5.6	10	2	2	5	7	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.9	5	1	1	2	4	5	7	13
20-34	96	4.4	27	1	1	3	5	8	10	34
35-49	102	5.1	49	1	1	4	5	9	12	44
50-64	114	4.8	17	1	1	4	6	9	12	25
65+	189	6.2	26	1	2	5	7	12	15	24
B. *Operated*										
0-19 YRS	338	5.4	40	1	1	4	6	10	18	35
20-34	749	6.3	52	1	2	4	7	12	18	43
35-49	533	6.4	40	2	2	5	7	11	16	28
50-64	594	7.2	32	2	3	6	9	13	18	31
65+	655	8.4	57	3	3	7	10	14	19	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	3.1	6	1	1	2	4	6	8	12
B. *Operated*	3054	4.1	8	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	560	5.1	27	1	1	4	6	10	13	25
B. *Operated*	2869	6.9	46	2	2	5	8	12	18	36
1. SINGLE DX	3409	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	3429	6.6	43	1	2	5	8	12	17	33
A. NOT OPERATED	915	4.3	20	1	1	3	5	8	11	23
B. OPERATED	5923	5.4	28	1	2	4	6	10	13	26
TOTAL 0-19 YRS	1068	3.7	18	1	1	3	4	6	10	26
20-34	1832	4.8	28	1	1	4	5	8	12	25
35-49	1394	5.1	24	1	2	4	6	9	11	24
50-64	1344	5.7	21	1	2	5	7	10	13	24
65+	1200	7.2	40	2	3	6	9	12	16	30
GRAND TOTAL	**6838**	**5.3**	**27**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.8	1	<1	<1	1	3	4	4	4
20-34	14	1.2		<1	<1	1	1	2	2	2
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	8	2.5	2	1	1	2	4	5	5	5
65+	3	4.7	12	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	25	2.2	5	<1	<1	1	3	4	6	11
20-34	42	2.8	4	1	1	2	3	5	5	13
35-49	10	2.9	4	1	1	2	4	6	7	7
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.1	12	<1	1	2	3	6	9	20
20-34	89	2.9	4	1	1	2	4	6	7	8
35-49	59	4.7	16	1	2	3	6	11	13	20
50-64	44	5.5	20	1	1	4	8	11	14	19
65+	77	6.2	21	1	1	5	8	13	14	22
B. *Operated*										
0-19 YRS	18	3.6	6	<1	<1	3	5	7	9	9
20-34	64	5.6	34	1	1	3	8	14	18	30
35-49	30	8.7	124	1	2	4	9	20	39	50
50-64	18	6.9	42	<1	1	5	10	14	23	28
65+	21	7.2	44	1	2	6	9	12	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.0	2	<1	1	1	3	4	5	8
B. *Operated*	81	2.7	4	1	1	2	4	5	5	12
2. MULTIPLE DX										
A. *Not Operated*	331	4.4	15	1	1	3	6	10	13	19
B. *Operated*	151	6.4	52	1	1	4	8	13	19	39
1. SINGLE DX	137	2.4	3	<1	1	2	3	4	5	11
2. MULTIPLE DX	482	5.0	28	1	1	3	6	11	14	27
A. NOT OPERATED	387	4.0	14	1	1	3	5	9	12	19
B. OPERATED	232	5.1	38	1	1	3	6	10	16	33
TOTAL 0-19 YRS	124	2.8	8	<1	1	2	3	6	8	17
20-34	209	3.6	15	1	1	2	4	7	10	20
35-49	111	5.4	47	1	1	3	6	11	18	43
50-64	72	5.4	24	1	1	4	8	11	15	26
65+	103	6.3	25	1	1	5	8	13	14	28
GRAND TOTAL	**619**	**4.4**	**23**	**1**	**1**	**3**	**5**	**10**	**13**	**23**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	13	1	1	3	5	10	10	10
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	4	4.5	7	<1	<1	5	6	7	7	7
50-64										
65+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34	6	25.2	447	4	4	23	36	58	60	60
35-49	7	26.6	236	9	10	23	42	44	44	44
50-64	1	14.0		14	14	14	14	14	14	14
65+	3	18.0	511	3	3	7	35	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	15	4.1	7	<1	1	3	6	8	9	10
B. *Operated*	19	22.4	294	3	4	15	40	44	53	60
1. SINGLE DX	6	2.7	3	1	1	2	4	5	5	5
2. MULTIPLE DX	34	14.4	248	1	2	7	23	42	44	60
A. NOT OPERATED	20	3.8	7	<1	1	3	5	7	9	10
B. OPERATED	20	21.5	297	3	3	15	38	44	52	60
TOTAL 0-19 YRS	12	4.3	18	1	1	3	5	11	14	15
20-34	11	15.3	354	1	2	5	24	46	59	60
35-49	11	18.5	267	<1	2	13	36	43	44	44
50-64	1	14.0		14	14	14	14	14	14	14
65+	5	13.4	296	3	3	7	17	44	44	44
GRAND TOTAL	**40**	**12.6**	**228**	**1**	**1**	**6**	**15**	**41**	**44**	**60**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	11	1.9	1	<1	<1	1	3	4	4	4
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	85	2.4	2	1	1	2	3	4	5	8
20-34	220	2.3	2	1	1	2	3	4	5	7
35-49	79	2.2	1	<1	1	2	3	4	5	6
50-64	15	1.8	1	<1	1	2	2	3	4	4
65+	17	3.4	22	<1	<1	2	3	8	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	15	2.9	9	<1	<1	2	4	5	10	12
35-49	6	3.7	5	<1	<1	3	5	7	7	7
50-64	5	4.0	2	2	2	5	5	5	5	5
65+	18	5.7	18	1	2	4	7	13	16	16
B. *Operated*										
0-19 YRS	10	2.8	4	<1	<1	2	4	6	7	7
20-34	64	3.0	4	1	1	3	4	5	6	12
35-49	35	3.4	8	1	1	3	4	7	11	13
50-64	28	4.9	32	<1	<1	3	7	11	15	28
65+	52	3.8	11	1	1	3	5	7	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	416	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	49	4.1	11	<1	1	3	5	8	12	16
B. *Operated*	189	3.6	11	1	1	3	4	7	11	16
1. SINGLE DX	437	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	238	3.7	11	<1	1	3	4	7	11	16
A. NOT OPERATED	70	3.4	9	<1	1	3	4	7	9	16
B. OPERATED	605	2.7	5	1	1	2	3	5	7	12
TOTAL 0-19 YRS	104	2.4	2	1	1	2	3	4	5	8
20-34	310	2.4	3	1	1	2	3	4	5	8
35-49	123	2.6	4	<1	1	2	3	5	6	12
50-64	48	3.8	21	<1	<1	2	4	8	12	28
65+	90	4.0	14	1	1	3	5	8	12	19
GRAND TOTAL	**675**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	2	<1	<1	1	1	4	4	4
20-34	8	1.9	1	<1	<1	2	3	3	3	3
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	210	2.0	1	<1	<1	2	3	4	4	6
20-34	387	2.2	3	<1	<1	2	3	4	5	10
35-49	222	2.2	3	<1	<1	2	3	4	5	8
50-64	92	2.2	2	<1	<1	2	3	4	6	7
65+	39	2.8	7	<1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	8	4.3	12	<1	<1	4	5	10	12	12
35-49	8	4.3	5	1	1	4	6	7	8	8
50-64	10	4.8	29	1	1	2	6	14	15	15
65+	13	3.8	13	<1	1	2	5	8	13	14
B. *Operated*										
0-19 YRS	223	2.6	4	<1	<1	2	3	5	6	10
20-34	368	3.1	6	<1	<1	2	4	6	7	12
35-49	255	2.8	5	<1	<1	2	4	5	7	11
50-64	251	3.2	19	<1	1	2	4	6	8	17
65+	155	3.8	20	1	1	2	5	8	12	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.2	5	<1	<1	2	3	4	7	11
B. *Operated*	950	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	45	3.9	13	<1	1	3	5	8	14	15
B. *Operated*	1252	3.0	10	<1	1	2	4	6	8	13
1. SINGLE DX	974	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1297	3.1	10	<1	1	2	4	6	8	14
A. NOT OPERATED	69	3.3	11	<1	<1	2	4	7	12	15
B. OPERATED	2202	2.7	7	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	445	2.3	3	<1	<1	2	3	4	5	9
20-34	771	2.6	5	<1	<1	2	4	5	6	12
35-49	487	2.5	4	<1	<1	2	3	5	6	10
50-64	358	3.0	15	<1	1	2	4	5	7	15
65+	210	3.6	17	1	1	2	4	8	11	29
GRAND TOTAL	**2271**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	4	<1	<1	2	4	6	7	7
20-34	17	3.2	6	1	1	3	4	7	9	9
35-49	15	5.0	24	1	1	3	8	11	16	18
50-64	5	4.6	4	3	3	4	6	8	8	8
65+	3	4.3	33	1	1	1	9	11	11	11
B. *Operated*										
0-19 YRS	108	2.8	10	<1	1	2	3	6	8	19
20-34	167	3.5	17	1	1	2	4	7	9	27
35-49	79	4.4	21	<1	1	3	5	11	15	23
50-64	37	3.8	20	<1	1	2	5	8	14	22
65+	17	4.4	14	<1	<1	2	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.6	75	1	1	3	7	17	29	35
20-34	27	6.1	43	1	1	4	8	10	19	33
35-49	28	6.3	26	1	1	5	8	14	17	20
50-64	26	5.2	26	1	1	4	6	15	17	18
65+	26	8.0	105	1	2	6	9	14	24	54
B. *Operated*										
0-19 YRS	86	7.2	84	1	1	4	8	16	23	50
20-34	153	9.0	149	1	1	5	11	20	32	85
35-49	116	8.4	89	1	1	5	10	20	24	52
50-64	70	10.2	204	<1	1	7	12	16	23	81
65+	60	10.7	160	<1	1	6	15	25	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.7	11	1	1	2	5	8	10	17
B. *Operated*	408	3.5	16	<1	1	2	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	124	6.4	52	1	1	4	8	14	17	40
B. *Operated*	485	8.9	133	1	1	5	11	19	27	67
1. SINGLE DX	467	3.6	16	<1	1	2	4	8	11	22
2. MULTIPLE DX	609	8.4	117	1	1	5	10	17	25	54
A. NOT OPERATED	183	5.5	40	1	1	4	7	12	17	34
B. OPERATED	893	6.5	87	1	1	3	8	14	22	55
TOTAL 0-19 YRS	230	4.7	46	<1	1	3	5	10	16	40
20-34	364	6.0	81	1	1	3	7	12	20	57
35-49	238	6.6	58	1	1	4	9	15	21	35
50-64	138	7.3	122	<1	1	4	9	15	19	79
65+	106	8.9	124	1	1	6	11	17	27	60
GRAND TOTAL	**1076**	**6.3**	**79**	**1**	**1**	**3**	**7**	**14**	**20**	**52**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4		<1	<1	1	2	2	3	3
20-34	16	2.8	4	1	1	2	4	6	7	7
35-49	11	2.0	1	1	1	2	3	4	4	4
50-64	8	3.8	9	2	2	2	5	9	10	10
65+	9	3.8	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	211	2.7	2	<1	<1	3	4	5	5	6
20-34	286	3.0	3	<1	<1	3	4	6	6	9
35-49	76	3.2	3	<1	1	3	4	5	7	8
50-64	22	4.5	14	<1	1	4	5	7	12	19
65+	13	5.8	14	<1	2	5	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	6	<1	<1	3	4	7	9	9
20-34	23	3.6	9	<1	1	3	5	7	11	12
35-49	12	5.8	11	2	3	5	7	11	14	14
50-64	22	5.8	15	1	2	5	7	12	14	16
65+	53	6.4	123	1	1	4	7	10	10	81
B. *Operated*										
0-19 YRS	231	3.6	5	<1	1	3	5	6	8	11
20-34	395	3.7	5	1	1	3	5	6	7	10
35-49	132	4.1	9	1	1	3	5	7	10	16
50-64	48	6.1	52	1	1	5	7	11	12	48
65+	32	5.8	18	1	1	5	8	12	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.6	4	1	1	2	3	6	7	10
B. *Operated*	608	3.0	4	<1	<1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	121	5.4	61	1	1	4	7	10	11	35
B. *Operated*	838	3.9	9	1	1	3	5	7	9	14
1. SINGLE DX	665	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	959	4.1	16	1	1	3	5	7	9	15
A. NOT OPERATED	178	4.5	44	1	1	3	6	9	10	15
B. OPERATED	1446	3.6	7	<1	1	3	5	6	8	12
TOTAL 0-19 YRS	466	3.1	4	<1	1	3	4	5	7	10
20-34	720	3.4	4	<1	1	3	4	6	7	10
35-49	231	3.8	7	1	1	3	5	7	8	15
50-64	100	5.5	32	1	1	4	6	10	12	35
65+	107	5.9	68	1	1	5	7	10	12	46
GRAND TOTAL	**1624**	**3.7**	**11**	**<1**	**1**	**3**	**5**	**6**	**8**	**13**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.1	3	1	1	3	4	6	7	7
20-34	591	5.0	12	1	2	4	6	9	11	14
35-49	626	5.5	15	2	2	5	7	10	12	20
50-64	189	5.7	17	2	2	5	7	9	11	22
65+	50	6.1	18	2	2	5	7	11	13	28
B. *Operated*										
0-19 YRS	4	8.0	12	3	3	9	10	11	11	11
20-34	173	4.3	12	1	1	3	6	9	10	16
35-49	134	4.9	16	1	1	4	7	10	12	23
50-64	27	3.9	9	1	1	3	5	8	10	13
65+	5	5.2	25	2	2	3	6	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.0	12	1	1	4	7	9	9	20
20-34	535	5.9	16	2	2	5	7	10	13	17
35-49	684	6.2	13	2	3	5	8	11	13	19
50-64	481	6.5	15	2	3	6	8	11	14	20
65+	366	6.7	16	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	7	8.3	21	3	3	7	13	13	13	13
20-34	155	6.6	20	1	2	6	9	13	14	22
35-49	137	7.7	26	1	2	7	11	14	18	23
50-64	65	6.9	18	1	2	6	10	12	14	22
65+	28	8.1	29	3	3	8	9	17	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1496	5.3	14	1	2	5	7	9	12	20
B. *Operated*	343	4.6	13	1	1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	2118	6.3	15	2	2	5	8	11	13	20
B. *Operated*	392	7.2	23	1	2	6	10	13	15	23
1. SINGLE DX	1839	5.2	14	1	2	4	7	9	12	19
2. MULTIPLE DX	2510	6.4	16	2	2	5	8	11	14	21
A. NOT OPERATED	3614	5.9	15	2	2	5	7	10	13	20
B. OPERATED	735	6.0	20	1	1	5	9	12	14	22
TOTAL 0-19 YRS	103	4.6	11	1	1	4	7	9	10	16
20-34	1454	5.4	15	1	2	5	7	10	12	16
35-49	1581	6.0	16	2	2	5	8	11	13	21
50-64	762	6.3	16	2	3	5	8	11	13	21
65+	449	6.7	17	2	3	6	9	12	14	21
GRAND TOTAL	**4349**	**5.9**	**16**	**1**	**2**	**5**	**8**	**11**	**13**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.5	5	<1	<1	2	3	5	6	13
20-34	532	4.5	8	1	1	4	6	8	10	14
35-49	448	5.1	14	1	2	4	7	9	11	21
50-64	162	4.5	7	1	1	4	6	9	10	12
65+	23	4.2	7	<1	1	5	6	7	9	12
B. *Operated*										
0-19 YRS	9	2.8	3	1	1	2	4	6	6	6
20-34	175	3.9	13	1	1	3	5	9	12	17
35-49	145	4.1	12	1	1	3	6	9	12	15
50-64	22	3.1	8	1	1	2	4	8	10	11
65+	3	5.3	12	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	3.2	10	1	1	3	4	6	8	14
20-34	830	5.1	14	1	2	4	7	10	12	19
35-49	775	5.9	19	1	2	5	8	11	14	21
50-64	482	6.1	17	2	2	5	8	11	14	20
65+	347	6.1	14	1	2	5	8	11	14	17
B. *Operated*										
0-19 YRS	12	4.1	7	1	1	4	5	7	10	11
20-34	225	6.1	24	1	1	4	8	14	16	21
35-49	219	6.9	35	1	2	5	9	13	19	32
50-64	85	6.7	25	1	2	6	9	14	16	24
65+	40	8.9	40	2	2	7	12	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1291	4.5	10	1	1	4	6	8	10	16
B. *Operated*	354	3.9	12	1	1	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	2589	5.5	16	1	2	5	7	10	13	20
B. *Operated*	581	6.6	29	1	2	5	9	14	17	25
1. SINGLE DX	1645	4.4	11	1	1	4	6	9	10	15
2. MULTIPLE DX	3170	5.7	19	1	2	5	8	11	14	21
A. NOT OPERATED	3880	5.2	14	1	1	4	7	10	12	18
B. OPERATED	935	5.6	24	1	1	4	8	12	15	23
TOTAL 0-19 YRS	302	3.0	8	<1	1	2	4	6	8	14
20-34	1762	4.9	13	1	1	4	7	10	12	18
35-49	1587	5.7	20	1	2	5	7	10	13	22
50-64	751	5.7	16	1	2	5	8	11	13	19
65+	413	6.3	17	1	2	6	8	12	14	19
GRAND TOTAL	**4815**	**5.3**	**16**	**1**	**1**	**4**	**7**	**10**	**13**	**20**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2	2	<1	1	2	3	5	6	7
20-34	55	2.5	3	<1	1	2	3	5	7	9
35-49	43	3.0	13	1	1	2	3	5	7	24
50-64	18	3.8	4	1	1	3	4	7	8	8
65+	16	2.3	3	1	1	2	3	4	6	7
B. *Operated*										
0-19 YRS	76	2.0	1	<1	1	2	3	4	4	4
20-34	221	2.3	2	<1	1	2	3	4	5	7
35-49	274	2.7	3	1	1	2	3	5	7	9
50-64	263	3.2	5	1	1	3	4	6	7	11
65+	131	4.1	5	1	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.0	4	<1	1	2	4	5	7	12
20-34	89	3.3	5	1	1	3	4	6	8	10
35-49	70	4.5	12	1	1	3	6	10	12	15
50-64	67	4.7	18	1	1	3	6	10	13	24
65+	125	4.7	13	1	1	4	5	10	11	17
B. *Operated*										
0-19 YRS	36	2.3	2	<1	1	2	3	4	5	6
20-34	90	3.3	11	1	1	2	3	5	10	19
35-49	116	4.0	12	1	1	3	5	7	10	21
50-64	229	4.2	8	1	2	3	5	8	10	17
65+	173	5.3	12	2	2	4	6	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.7	6	1	1	2	3	5	7	9
B. *Operated*	965	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	393	4.2	11	1	1	3	5	8	11	15
B. *Operated*	644	4.3	11	1	1	3	5	8	11	17
1. SINGLE DX	1122	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	1037	4.2	11	1	1	3	5	8	11	17
A. NOT OPERATED	550	3.8	10	1	1	3	5	8	11	15
B. OPERATED	1609	3.4	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	179	2.3	2	<1	1	2	3	4	5	8
20-34	455	2.7	5	1	1	2	3	5	6	11
35-49	503	3.3	8	1	1	3	4	6	8	14
50-64	577	3.8	8	1	1	3	5	7	9	17
65+	445	4.7	10	1	2	4	6	8	11	15
GRAND TOTAL	**2159**	**3.5**	**8**	**1**	**1**	**3**	**4**	**7**	**8**	**14**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1136	1.3	1	<1	1	1	1	2	2	4
20-34	243	1.5	1	<1	<1	1	2	3	3	4
35-49	81	1.7	2	<1	1	1	2	3	4	9
50-64	37	1.9	1	<1	<1	1	2	3	5	6
65+	33	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1261	1.9	5	<1	1	1	2	3	4	9
20-34	856	2.4	4	<1	1	2	3	5	6	10
35-49	349	3.0	9	<1	1	2	4	6	9	13
50-64	251	3.4	9	1	1	2	4	7	9	17
65+	352	4.6	26	1	1	3	6	9	13	21
B. *Operated*										
0-19 YRS	267	3.3	15	<1	1	2	4	7	11	23
20-34	282	3.3	16	1	1	2	4	7	8	31
35-49	109	4.7	20	1	1	4	6	10	12	24
50-64	67	4.1	13	<1	1	3	6	10	11	85
65+	105	5.4	39	1	1	3	6	13	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1530	1.4	1	<1	1	1	2	2	3	4
B. *Operated*	10	1.9	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	3069	2.6	8	<1	1	2	3	5	7	13
B. *Operated*	830	3.8	19	1	1	2	5	8	12	27
1. SINGLE DX	1540	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	3899	2.8	11	<1	1	2	3	6	8	17
A. NOT OPERATED	4599	2.2	6	<1	1	1	2	4	6	11
B. OPERATED	840	3.8	19	1	1	2	5	8	12	27
TOTAL 0-19 YRS	2668	1.8	4	<1	1	1	2	3	4	10
20-34	1385	2.4	6	<1	1	2	3	5	7	11
35-49	540	3.1	11	<1	1	2	4	7	9	15
50-64	355	3.4	9	1	1	2	4	7	9	18
65+	491	4.5	28	1	1	3	5	10	15	22
GRAND TOTAL	**5439**	**2.4**	**9**	**<1**	**1**	**1**	**3**	**5**	**7**	**15**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	467	2.0	10	<1	<1	1	2	3	6	14
20-34	153	2.6	16	<1	1	1	3	4	9	31
35-49	55	2.6	6	<1	<1	2	3	6	9	12
50-64	18	2.1	2	1	1	2	3	5	5	5
65+	20	3.5	15	1	1	2	3	8	13	17
B. *Operated*										
0-19 YRS	31	8.2	34	2	3	7	10	21	25	99+
20-34	21	7.5	63	1	2	5	8	15	25	38
35-49	12	6.2	20	1	2	6	10	32	87	99+
50-64	20	8.9	29	2	4	8	11	17	21	22
65+	28	9.1	75	2	2	7	10	18	21	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	743	3.9	67	<1	1	2	3	8	17	73
20-34	531	4.6	67	<1	1	2	5	10	15	48
35-49	215	4.5	38	1	1	3	5	10	13	30
50-64	152	5.9	97	1	1	3	6	13	18	72
65+	332	7.0	53	1	2	5	9	15	19	34
B. *Operated*										
0-19 YRS	275	13.7	315	1	1	6	18	45	55	96
20-34	261	16.6	451	1	1	8	28	70	97	99+
35-49	131	13.9	260	1	1	10	22	51	99+	99+
50-64	88	14.2	231	1	1	8	25	39	58	99+
65+	175	15.4	208	2	3	11	19	42	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	2.2	11	<1	1	1	2	4	7	15
B. *Operated*	112	8.2	46	2	2	7	9	17	22	99+
2. MULTIPLE DX										
A. *Not Operated*	1973	4.8	65	1	1	2	5	11	17	55
B. *Operated*	930	14.9	318	1	1	8	22	47	71	99+
1. SINGLE DX	825	3.0	20	<1	1	1	3	7	10	25
2. MULTIPLE DX	2903	8.1	168	1	1	3	9	23	42	99+
A. NOT OPERATED	2686	4.1	52	<1	1	2	4	9	15	42
B. OPERATED	1042	14.2	293	1	1	8	21	46	68	99+
TOTAL 0-19 YRS	1516	5.2	111	<1	1	2	4	13	25	68
20-34	966	7.6	193	<1	1	3	7	25	46	99+
35-49	413	7.3	124	1	1	3	9	21	37	99+
50-64	278	8.5	144	1	1	4	9	24	39	91
65+	555	9.6	118	1	2	6	12	20	33	64
GRAND TOTAL	**3728**	**7.0**	**140**	**1**	**1**	**3**	**7**	**19**	**36**	**99**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	5	1	1	2	3	6	8	9
20-34	33	3.1	4	1	1	3	4	5	8	10
35-49	12	3.0	4	1	1	3	5	6	6	6
50-64	5	3.0	5	1	1	3	4	6	6	6
65+	4	2.5	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	33	4.8	9	1	2	4	6	10	12	12
20-34	97	5.5	10	2	3	5	6	10	11	17
35-49	24	6.0	40	2	2	5	6	9	17	34
50-64	8	5.8	14	1	2	5	8	12	13	13
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.0	3	1	1	3	4	6	7	8
20-34	139	4.2	10	1	1	3	5	8	10	17
35-49	83	4.3	8	1	2	4	5	8	10	14
50-64	62	4.9	10	1	1	4	7	9	11	14
65+	94	7.3	27	2	2	6	9	13	18	28
B. *Operated*										
0-19 YRS	102	8.6	52	2	3	7	10	21	25	72
20-34	283	9.0	62	2	3	7	11	18	26	45
35-49	138	9.9	74	3	3	7	12	18	24	49
50-64	100	11.9	179	2	3	8	13	22	30	80
65+	115	11.0	78	3	3	9	13	23	33	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.9	4	1	1	2	4	5	7	10
B. *Operated*	164	5.4	14	2	3	4	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	440	4.8	14	1	1	4	6	9	12	19
B. *Operated*	738	9.8	82	2	3	7	12	19	27	50
1. SINGLE DX	248	4.6	12	1	1	4	6	9	11	17
2. MULTIPLE DX	1178	8.0	63	1	2	6	10	16	22	45
A. NOT OPERATED	524	4.5	13	1	1	4	6	9	11	18
B. OPERATED	902	9.0	73	2	3	7	11	18	25	47
TOTAL 0-19 YRS	227	5.8	33	1	1	4	7	11	19	34
20-34	552	6.8	42	1	2	5	8	13	18	33
35-49	257	7.4	53	1	2	5	9	14	19	34
50-64	175	8.9	118	1	2	6	10	16	24	68
65+	215	9.2	57	2	3	7	11	19	25	36
GRAND TOTAL	**1426**	**7.4**	**55**	**1**	**2**	**5**	**9**	**14**	**20**	**38**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.1	7	1	1	2	4	7	9	13
20-34	76	2.8	6	1	1	2	3	6	8	14
35-49	25	3.0	4	<1	1	2	4	6	7	7
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	5	3.8	5	1	1	4	6	6	6	6
B. *Operated*										
0-19 YRS	69	6.3	23	1	2	6	7	10	12	34
20-34	125	6.5	16	2	4	6	8	9	12	26
35-49	45	7.0	15	1	2	6	9	11	12	23
50-64	9	6.7	10	3	3	7	8	11	12	12
65+	3	9.0	13	5	5	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	180	4.0	12	1	1	3	6	9	11	14
20-34	158	3.5	9	<1	1	2	5	7	10	15
35-49	66	3.8	9	1	1	3	5	8	12	14
50-64	39	5.3	23	1	1	3	7	11	15	24
65+	58	5.8	33	1	2	5	6	10	16	32
B. *Operated*										
0-19 YRS	272	11.0	97	2	4	8	12	21	32	49
20-34	508	12.1	134	4	5	9	12	22	32	73
35-49	198	13.3	177	4	5	9	14	26	45	72
50-64	106	14.4	195	2	4	10	18	34	45	94
65+	77	15.3	196	2	4	10	17	38	51	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	3.0	6	1	1	2	4	6	8	12
B. *Operated*	251	6.6	17	1	3	6	8	10	12	23
2. MULTIPLE DX										
A. *Not Operated*	501	4.1	14	1	1	3	5	8	11	18
B. *Operated*	1161	12.4	143	3	5	9	13	25	37	69
1. SINGLE DX	479	4.9	15	1	1	4	7	9	11	17
2. MULTIPLE DX	1662	9.9	119	1	2	7	11	20	31	61
A. NOT OPERATED	729	3.8	12	1	1	3	5	8	10	15
B. OPERATED	1412	11.4	126	3	4	8	12	22	34	65
TOTAL 0-19 YRS	637	7.1	61	1	1	5	9	14	21	38
20-34	867	8.9	98	1	2	7	10	17	25	62
35-49	334	9.8	128	1	2	7	10	19	31	60
50-64	160	11.3	154	1	2	7	13	27	42	85
65+	143	10.9	142	1	2	7	13	25	40	56
GRAND TOTAL	**2141**	**8.8**	**100**	**1**	**2**	**6**	**10**	**17**	**26**	**55**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	4	<1	<1	3	4	6	6	6
20-34	7	3.0	3	1	1	3	4	6	6	6
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	131	2.6	4	<1	1	2	4	5	6	9
20-34	102	2.6	2	1	1	2	3	4	5	7
35-49	49	2.4	3	1	1	2	3	5	5	10
50-64	10	2.7	2	1	1	3	4	4	4	4
65+	10	2.5	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	4	<1	1	3	5	5	7	8
20-34	10	1.7	1	<1	<1	1	2	3	3	3
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64	3	4.7		4	4	5	5	5	5	5
65+	4	3.8	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	148	3.6	10	1	1	3	4	7	9	17
20-34	154	4.8	29	1	1	4	5	10	14	31
35-49	74	4.1	10	1	1	4	5	7	8	18
50-64	37	4.0	10	1	1	4	5	8	11	14
65+	34	5.1	25	1	1	4	6	11	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.8	3	<1	1	3	4	5	6	6
B. *Operated*	302	2.6	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	40	2.8	3	<1	1	2	4	5	5	8
B. *Operated*	447	4.2	18	1	1	3	5	8	11	22
1. SINGLE DX	319	2.6	3	1	1	2	3	5	5	8
2. MULTIPLE DX	487	4.1	17	1	1	3	5	8	11	22
A. NOT OPERATED	57	2.8	3	<1	1	3	4	5	6	8
B. OPERATED	749	3.6	12	1	1	3	4	6	9	20
TOTAL 0-19 YRS	304	3.1	7	<1	1	2	4	6	8	14
20-34	273	3.8	19	1	1	3	4	6	11	26
35-49	131	3.4	7	1	1	3	5	6	8	17
50-64	50	3.8	8	1	1	4	5	7	10	14
65+	48	4.4	19	1	1	3	5	8	14	22
GRAND TOTAL	**806**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	3	<1	<1	1	3	4	5	11
20-34	53	2.0	2	<1	<1	2	2	4	5	6
35-49	10	1.4		1	1	1	2	3	3	3
50-64	6	1.7	3	<1	<1	1	1	5	5	5
65+	5	4.0	17	1	1	3	6	11	11	11
B. *Operated*										
0-19 YRS	177	1.7	4	<1	<1	1	2	3	4	12
20-34	125	2.2	3	<1	<1	2	3	4	6	10
35-49	39	2.9	6	<1	1	2	3	6	7	13
50-64	19	2.8	7	<1	1	1	4	7	9	9
65+	7	1.9	2	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	2.1	3	1	1	1	2	4	6	9
20-34	147	3.0	22	<1	1	2	3	6	7	13
35-49	94	3.4	14	1	1	2	4	6	8	23
50-64	50	3.9	15	<1	1	3	5	8	15	18
65+	76	3.9	10	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	436	2.6	16	<1	1	2	3	5	7	11
20-34	487	3.8	23	1	1	2	4	7	12	42
35-49	213	4.4	47	1	1	3	5	9	12	27
50-64	121	4.9	45	1	1	3	5	11	15	38
65+	150	5.2	49	1	1	4	6	10	12	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.0	3	<1	1	1	2	4	5	11
B. *Operated*	367	2.1	4	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	502	3.1	13	<1	1	2	4	6	8	15
B. *Operated*	1407	3.8	30	1	1	2	4	7	11	32
1. SINGLE DX	504	2.0	4	<1	1	1	2	4	6	11
2. MULTIPLE DX	1909	3.6	26	1	1	2	4	7	10	28
A. NOT OPERATED	639	2.8	11	<1	1	2	3	6	8	14
B. OPERATED	1774	3.4	25	<1	1	2	4	7	10	27
TOTAL 0-19 YRS	811	2.3	10	<1	1	1	3	5	6	11
20-34	812	3.3	19	<1	1	2	4	6	10	33
35-49	356	3.8	33	1	1	2	4	8	11	23
50-64	196	4.4	33	1	1	3	5	9	14	31
65+	238	4.7	35	1	1	3	6	9	11	23
GRAND TOTAL	**2413**	**3.3**	**21**	**<1**	**1**	**2**	**4**	**6**	**10**	**22**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	1.6	1	<1	1	1	2	2	3	6
20-34	174	1.8	1	<1	<1	1	2	3	4	7
35-49	55	2.2	5	<1	1	1	2	5	6	13
50-64	13	1.9	1	<1	1	2	2	3	5	5
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	109	2.3	7	<1	1	1	3	5	6	14
20-34	173	3.5	10	<1	1	3	5	7	9	13
35-49	57	4.4	12	1	1	3	6	9	11	16
50-64	16	3.6	5	<1	<1	3	5	7	7	7
65+	6	2.5	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.1	12	<1	<1	2	3	7	8	21
20-34	144	2.6	7	<1	1	2	3	5	6	14
35-49	50	2.9	7	<1	<1	2	4	5	7	13
50-64	21	3.5	8	<1	1	3	4	8	10	11
65+	13	4.6	9	1	1	4	7	9	11	11
B. *Operated*										
0-19 YRS	134	5.1	29	<1	1	4	7	11	15	47
20-34	332	6.1	38	1	1	5	8	11	15	42
35-49	119	6.9	53	1	1	5	8	11	21	44
50-64	40	8.2	31	1	3	7	11	15	16	30
65+	29	5.8	18	1	1	5	7	13	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	361	3.3	9	<1	1	2	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	278	2.9	8	<1	1	2	3	6	8	13
B. *Operated*	654	6.1	38	1	1	4	8	11	16	41
1. SINGLE DX	681	2.6	6	<1	1	2	3	6	7	12
2. MULTIPLE DX	932	5.2	31	1	1	4	7	10	13	30
A. NOT OPERATED	598	2.3	5	<1	1	2	3	4	6	12
B. OPERATED	1015	5.1	30	1	1	4	7	10	13	30
TOTAL 0-19 YRS	368	3.3	16	<1	1	2	4	8	10	24
20-34	823	4.0	22	<1	1	3	5	8	10	26
35-49	281	4.8	31	1	1	3	6	9	13	31
50-64	90	5.4	23	1	1	4	7	12	15	24
65+	51	4.8	15	1	1	4	7	11	14	16
GRAND TOTAL	**1613**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**9**	**11**	**27**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	3	<1	1	2	3	5	6	8
20-34	133	2.5	2	<1	1	2	3	5	5	8
35-49	35	2.5	2	1	1	2	3	5	6	7
50-64	21	2.3	2	<1	<1	2	3	4	5	5
65+	8	4.8	20	<1	<1	3	7	12	13	13
B. *Operated*										
0-19 YRS	374	1.9	4	<1	<1	1	2	3	5	11
20-34	594	2.6	9	<1	1	2	3	5	7	14
35-49	261	2.5	7	<1	1	2	3	6	8	12
50-64	126	2.4	8	<1	1	2	3	5	6	20
65+	36	3.1	31	<1	1	2	3	4	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	3.7	46	<1	1	2	4	6	8	48
20-34	153	3.2	9	<1	1	2	4	6	8	17
35-49	71	3.7	7	<1	1	3	5	7	8	16
50-64	36	3.7	19	1	1	3	4	8	9	26
65+	27	4.7	18	1	1	3	6	8	11	22
B. *Operated*										
0-19 YRS	380	3.0	34	<1	1	2	3	5	8	24
20-34	689	3.3	14	1	1	2	4	7	9	21
35-49	332	4.0	24	1	1	2	5	9	15	30
50-64	187	4.2	27	1	1	2	5	10	16	35
65+	108	4.3	20	1	1	3	5	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	1391	2.4	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	363	3.6	18	<1	1	3	4	7	8	21
B. *Operated*	1696	3.5	22	1	1	2	4	8	10	24
1. SINGLE DX	1637	2.4	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	2059	3.5	21	1	1	2	4	7	10	24
A. NOT OPERATED	609	3.2	12	<1	1	2	4	6	7	17
B. OPERATED	3087	3.0	16	<1	1	2	3	6	9	20
TOTAL 0-19 YRS	879	2.6	21	<1	1	2	3	5	7	17
20-34	1569	2.9	11	<1	1	2	3	6	8	15
35-49	699	3.4	15	<1	1	2	4	7	10	19
50-64	370	3.4	19	1	1	2	4	7	12	25
65+	179	4.1	22	1	1	3	5	8	12	26
GRAND TOTAL	**3696**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.8	4	<1	1	2	3	5	7	12
20-34	146	2.6	4	<1	1	2	3	6	7	10
35-49	70	2.8	3	1	1	2	4	5	7	9
50-64	21	3.8	11	1	1	3	5	6	11	17
65+	10	4.5	4	2	2	5	5	7	8	8
B. *Operated*										
0-19 YRS	347	3.6	21	1	1	2	4	7	11	23
20-34	335	4.0	22	1	1	3	5	8	11	24
35-49	135	4.3	26	1	1	3	5	8	19	27
50-64	59	4.2	15	1	1	3	6	10	11	19
65+	37	5.3	15	1	1	5	7	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.3	21	1	1	3	5	9	11	27
20-34	101	4.5	10	1	1	4	6	9	11	14
35-49	70	4.7	11	1	1	4	6	10	12	16
50-64	48	5.4	10	1	2	5	7	10	11	16
65+	69	5.9	16	1	2	5	8	12	14	17
B. *Operated*										
0-19 YRS	236	5.8	33	1	1	4	7	13	17	29
20-34	288	7.1	69	1	1	4	8	15	24	41
35-49	146	7.9	91	1	2	5	10	17	21	45
50-64	82	8.4	61	1	2	7	10	17	28	38
65+	92	11.7	138	1	2	8	15	25	28	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	2.8	5	<1	1	2	4	6	7	11
B. *Operated*	913	3.9	22	1	1	3	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	376	4.9	14	1	1	4	6	10	12	17
B. *Operated*	844	7.5	72	1	1	5	9	17	24	40
1. SINGLE DX	1253	3.6	17	1	1	2	4	7	10	22
2. MULTIPLE DX	1220	6.7	55	1	1	4	8	14	20	38
A. NOT OPERATED	716	3.9	11	1	1	3	5	8	11	16
B. OPERATED	1757	5.7	49	1	1	3	7	12	19	35
TOTAL 0-19 YRS	764	4.3	24	1	1	3	5	9	13	27
20-34	870	4.8	36	1	1	3	5	10	14	34
35-49	421	5.4	46	1	1	3	6	11	17	38
50-64	210	6.1	35	1	1	4	8	12	17	33
65+	208	8.3	78	1	2	5	11	16	23	44
GRAND TOTAL	**2473**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	6.3	21	1	1	9	9	9	9	9
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	10	5.7	60	1	1	3	6	17	27	27
20-34	25	3.4	7	<1	<1	2	5	7	9	11
35-49	8	3.9	5	1	1	4	5	7	7	7
50-64	8	4.4	11	<1	<1	4	7	8	8	8
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	4	<1	<1	2	4	6	6	6
20-34	12	4.8	17	1	1	4	6	12	13	13
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	4	3.8	5	1	1	4	5	6	6	6
65+	7	3.7	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	35	7.7	69	1	1	4	11	19	24	37
20-34	100	7.6	51	1	1	5	10	17	23	35
35-49	50	9.0	75	2	2	6	11	24	32	36
50-64	15	13.3	155	1	2	11	26	38	82	99+
65+	10	5.8	98	1	1	2	5	21	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	16	1	1	2	9	9	9	9
B. *Operated*	52	4.2	18	<1	1	3	6	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	9	1	1	3	5	7	11	13
B. *Operated*	210	8.3	70	1	1	5	11	20	30	40
1. SINGLE DX	58	4.2	17	<1	1	3	6	9	10	26
2. MULTIPLE DX	243	7.7	64	1	1	5	10	18	27	39
A. NOT OPERATED	39	3.9	10	1	1	3	6	8	11	13
B. OPERATED	262	7.5	62	1	1	5	10	18	26	39
TOTAL 0-19 YRS	52	6.6	61	1	1	3	9	17	25	37
20-34	140	6.6	42	1	1	5	9	14	19	31
35-49	64	7.8	64	1	2	5	10	19	28	36
50-64	27	9.3	109	1	1	6	13	33	45	99+
65+	18	5.3	57	1	1	3	5	10	24	33
GRAND TOTAL	**301**	**7.0**	**57**	**1**	**1**	**5**	**9**	**16**	**25**	**38**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	4	4	4
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	3.0	4	<1	<1	2	3	7	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	36	2.7	7	1	1	2	3	5	7	16
20-34	61	2.8	7	1	1	2	3	6	9	13
35-49	42	3.0	6	1	1	2	4	7	8	13
50-64	18	4.2	14	1	2	3	5	10	14	16
65+	3	12.0	63	6	6	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	12	<1	<1	1	2	7	12	12
20-34	10	6.0	20	1	1	5	8	12	16	16
35-49	16	6.3	42	1	1	4	8	16	23	25
50-64	5	5.6	12	2	2	4	8	11	11	11
65+	8	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	29	5.1	44	<1	<1	3	6	9	16	35
20-34	52	4.6	16	1	1	3	5	9	13	21
35-49	41	6.9	118	2	2	3	7	13	51	99+
50-64	33	5.4	24	1	1	4	7	13	16	20
65+	10	12.8	111	3	3	10	15	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.2	6	<1	<1	3	4	7	9	10
B. *Operated*	160	3.2	10	1	1	2	4	6	10	16
2. MULTIPLE DX										
A. *Not Operated*	49	4.8	23	1	1	3	6	10	16	25
B. *Operated*	165	5.9	56	1	1	3	7	12	18	55
1. SINGLE DX	174	3.2	10	1	1	2	4	6	10	16
2. MULTIPLE DX	214	5.7	48	1	1	3	7	12	17	50
A. NOT OPERATED	63	4.5	20	<1	1	3	6	9	13	24
B. OPERATED	325	4.6	35	1	1	3	5	10	14	38
TOTAL 0-19 YRS	79	3.5	22	<1	1	2	4	7	11	29
20-34	125	3.8	12	1	1	3	5	8	11	18
35-49	105	5.0	58	1	1	3	6	11	15	75
50-64	57	5.1	20	1	1	3	7	12	15	20
65+	22	8.6	79	1	2	5	10	24	31	33
GRAND TOTAL	**388**	**4.5**	**32**	**1**	**1**	**3**	**5**	**10**	**14**	**34**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	3.7	3	1	2	3	5	6	6	9
20-34	47	3.4	3	1	2	3	5	5	6	10
35-49	19	3.7	3	1	1	4	5	6	7	8
50-64	6	4.8	7	2	2	4	7	9	9	9
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	8	3.3	5	1	1	3	5	7	7	7
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.8	3	1	1	4	5	6	7	7
20-34	49	3.2	3	1	1	3	5	6	6	8
35-49	29	3.8	3	1	2	4	5	5	8	8
50-64	9	3.8	4	2	2	3	5	7	8	8
65+	12	3.7	7	2	2	3	4	7	10	11
B. *Operated*										
0-19 YRS	16	4.4	10	<1	1	4	5	10	11	11
20-34	20	5.4	22	<1	1	4	6	14	16	17
35-49	5	2.6	2	1	1	2	4	4	4	4
50-64	6	16.0	730	3	3	5	8	65	71	71
65+	7	15.0	499	2	3	6	12	55	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	3.6	3	1	2	3	5	6	6	10
B. *Operated*	12	4.5	12	1	1	3	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	165	3.6	3	1	1	3	5	6	7	8
B. *Operated*	54	7.3	158	1	1	4	6	14	17	71
1. SINGLE DX	207	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX	219	4.5	44	1	1	4	5	7	8	32
A. NOT OPERATED	360	3.6	3	1	1	3	5	6	7	9
B. OPERATED	66	6.8	132	1	1	4	7	11	15	70
TOTAL 0-19 YRS	211	3.8	4	1	1	4	5	6	7	11
20-34	118	3.8	7	1	1	3	5	6	8	16
35-49	54	3.8	3	1	2	4	5	6	8	9
50-64	21	7.6	216	2	2	3	7	9	37	71
65+	22	7.0	178	1	2	3	6	12	34	65
GRAND TOTAL	**426**	**4.1**	**24**	**1**	**1**	**3**	**5**	**6**	**7**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	367	1.8	3	<1	1	1	2	3	4	7
20-34	291	2.3	3	<1	1	2	3	5	6	9
35-49	148	2.4	3	<1	1	2	3	5	6	7
50-64	88	2.8	6	1	1	2	4	6	8	13
65+	88	3.6	11	1	1	2	5	8	10	17
B. *Operated*										
0-19 YRS	59	2.2	3	<1	<1	2	3	4	5	11
20-34	60	2.5	4	<1	<1	2	3	5	7	11
35-49	33	3.4	12	<1	<1	2	4	7	12	15
50-64	25	3.2	9	<1	<1	3	4	7	9	14
65+	15	3.1	3	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	692	2.1	3	<1	1	1	2	4	5	9
20-34	857	2.7	5	<1	1	2	3	5	7	12
35-49	497	3.7	13	1	1	3	4	7	10	19
50-64	427	3.9	11	1	1	3	5	8	11	15
65+	928	5.1	19	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	105	4.7	78	1	1	2	5	9	17	51
20-34	151	4.1	25	1	1	2	4	9	13	26
35-49	88	5.5	36	1	1	3	7	11	19	32
50-64	81	6.2	41	1	1	4	7	13	19	35
65+	129	7.9	68	1	2	6	10	17	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	2.3	4	<1	1	2	3	5	6	10
B. *Operated*	192	2.7	6	<1	<1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	3401	3.5	12	1	1	2	4	7	10	16
B. *Operated*	554	5.6	51	1	1	3	7	13	19	35
1. SINGLE DX	1174	2.4	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	3955	3.8	18	1	1	3	5	8	11	20
A. NOT OPERATED	4383	3.3	10	1	1	2	4	7	9	16
B. OPERATED	746	4.9	41	<1	1	3	6	11	16	35
TOTAL 0-19 YRS	1223	2.2	10	<1	1	1	2	4	5	11
20-34	1359	2.8	7	<1	1	2	3	5	8	13
35-49	766	3.6	14	1	1	2	4	7	10	20
50-64	621	4.1	15	1	1	3	5	9	12	18
65+	1160	5.3	25	1	1	4	7	11	14	24
GRAND TOTAL	**5129**	**3.5**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.0	1	1	1	2	2	3	4	5
20-34	24	2.2	2	<1	1	2	3	4	6	7
35-49	7	2.6	3	<1	<1	2	3	5	6	6
50-64	5	2.2	3	1	1	2	3	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	15	4.1	20	<1	1	3	5	6	16	19
20-34	29	5.4	40	1	1	3	5	17	20	24
35-49	19	4.9	73	1	1	2	4	8	25	39
50-64	7	3.7	4	<1	<1	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	1	1	2	3	5	5	5
20-34	35	3.5	16	1	1	2	4	9	10	22
35-49	14	2.6	4	1	1	2	3	5	7	8
50-64	4	3.8	1	3	3	4	4	5	5	5
65+	5	8.6	62	2	2	7	13	21	21	21
B. *Operated*										
0-19 YRS	18	4.6	29	<1	<1	3	5	13	19	21
20-34	78	7.7	189	1	1	4	7	15	32	86
35-49	45	7.2	56	1	2	5	8	18	26	35
50-64	22	10.2	146	1	1	5	14	28	38	45
65+	4	9.5	54	1	1	10	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.2	2	1	1	2	3	4	5	7
B. *Operated*	70	4.8	40	1	1	3	5	10	19	36
2. MULTIPLE DX										
A. *Not Operated*	75	3.4	14	1	1	2	4	7	10	22
B. *Operated*	167	7.6	127	1	1	4	8	19	26	50
1. SINGLE DX	125	3.7	25	1	1	2	4	6	12	28
2. MULTIPLE DX	242	6.3	95	1	1	3	6	15	24	45
A. NOT OPERATED	130	2.9	9	1	1	2	3	5	8	21
B. OPERATED	237	6.8	102	1	1	4	7	17	25	46
TOTAL 0-19 YRS	67	3.2	14	<1	1	2	4	5	8	21
20-34	166	5.6	103	1	1	3	5	11	22	49
35-49	85	5.5	49	1	1	3	6	12	20	38
50-64	38	7.3	96	1	1	4	6	23	30	45
65+	11	7.8	48	1	1	6	13	19	21	21
GRAND TOTAL	**367**	**5.4**	**73**	**1**	**1**	**3**	**5**	**11**	**21**	**41**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	3	2.7	8	1	1	1	5	6	6	6
B. *Operated*	4	5.0	37	<1	<1	2	8	14	14	14
1. SINGLE DX	8	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX	7	4.0	23	<1	<1	2	5	12	14	14
A. NOT OPERATED	5	2.0	5	1	1	1	3	6	6	6
B. OPERATED	10	2.9	16	<1	<1	2	2	8	14	14
TOTAL 0-19 YRS	7	2.1	3	<1	<1	1	3	5	6	6
20-34	6	1.3		1	1	1	2	2	2	2
35-49										
50-64	2	8.0	72	2	2	8	14	14	14	14
65+										
GRAND TOTAL	**15**	**2.6**	**12**	**<1**	**1**	**1**	**2**	**6**	**12**	**14**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	1.2		<1	<1	1	1	2	2	5
20-34	57	1.7	3	<1	<1	1	2	3	6	9
35-49	44	1.5	1	<1	<1	1	2	3	4	5
50-64	39	1.2		<1	<1	1	1	2	2	3
65+	29	3.6	59	<1	1	1	2	5	29	33
B. *Operated*										
0-19 YRS	125	2.5	7	<1	1	1	3	5	7	13
20-34	18	3.9	13	<1	1	2	8	9	11	11
35-49	9	3.1	4	<1	<1	3	5	6	6	6
50-64	14	3.7	15	<1	<1	2	5	9	14	15
65+	7	3.0	13	<1	<1	2	3	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	2.6	11	<1	<1	2	3	5	7	22
20-34	19	6.1	268	<1	1	1	3	8	45	73
35-49	50	3.0	7	<1	1	2	3	7	10	12
50-64	73	2.8	6	<1	1	2	4	6	9	12
65+	168	4.0	10	1	1	3	5	9	10	15
B. *Operated*										
0-19 YRS	67	5.2	37	1	1	2	6	17	20	86
20-34	28	8.5	91	1	1	5	10	23	34	37
35-49	38	7.7	51	1	1	5	13	19	22	24
50-64	51	6.6	98	1	1	3	8	15	18	65
65+	133	6.6	51	1	1	4	9	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	1.4	4	<1	<1	1	1	2	3	7
B. *Operated*	173	2.8	8	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	409	3.4	21	<1	1	2	4	8	10	15
B. *Operated*	317	6.6	59	1	1	3	9	16	20	39
1. SINGLE DX	670	1.8	6	<1	<1	1	2	3	5	11
2. MULTIPLE DX	726	4.8	40	1	1	2	6	12	16	31
A. NOT OPERATED	906	2.3	13	<1	<1	1	2	5	7	13
B. OPERATED	490	5.2	44	1	1	2	7	14	18	33
TOTAL 0-19 YRS	619	2.1	9	<1	<1	1	2	4	6	20
20-34	122	4.3	71	<1	1	2	3	10	12	47
35-49	141	3.8	22	<1	1	2	4	10	15	23
50-64	177	3.6	36	<1	1	2	4	8	12	19
65+	337	5.0	32	1	1	3	7	11	15	31
GRAND TOTAL	**1396**	**3.4**	**26**	**<1**	**<1**	**2**	**3**	**8**	**12**	**24**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.2	75	<1	<1	6	11	18	29	34
20-34	18	4.5	74	1	1	2	3	8	27	38
35-49	13	8.6	85	1	1	8	9	19	33	36
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	55	10.5	200	1	1	7	11	22	27	78
20-34	48	7.9	82	2	2	6	9	14	16	63
35-49	27	9.5	71	1	1	8	12	23	30	33
50-64	9	14.1	327	<1	<1	7	16	45	58	58
65+	10	15.0	187	2	2	9	23	37	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	8.3	51	1	2	7	12	16	19	37
20-34	55	6.8	35	1	2	5	9	13	17	96
35-49	35	8.5	50	1	2	6	11	20	25	27
50-64	24	6.3	17	2	2	5	8	14	15	15
65+	36	9.8	52	1	2	9	13	20	24	31
B. *Operated*										
0-19 YRS	144	16.6	234	1	2	12	22	41	52	99+
20-34	108	15.6	175	2	3	12	21	33	49	59
35-49	69	15.5	228	2	3	11	21	42	90	99+
50-64	45	16.4	279	2	3	11	24	41	53	99+
65+	93	20.8	220	3	4	19	29	42	54	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	7.1	76	1	1	3	9	16	34	38
B. *Operated*	149	10.0	145	1	2	7	11	22	28	66
2. MULTIPLE DX										
A. *Not Operated*	209	8.0	44	1	2	6	11	16	20	38
B. *Operated*	459	17.0	223	2	3	12	23	40	52	99+
1. SINGLE DX	198	9.3	129	1	1	7	10	21	29	65
2. MULTIPLE DX	668	14.2	184	2	2	10	19	35	44	98
A. NOT OPERATED	258	7.8	50	1	2	6	10	16	21	38
B. OPERATED	608	15.3	212	2	2	10	21	37	47	97
TOTAL 0-19 YRS	274	13.1	191	1	2	8	18	31	44	86
20-34	229	11.0	133	2	2	7	14	25	39	61
35-49	144	12.0	152	1	2	9	17	30	41	99+
50-64	79	13.0	217	1	2	8	15	37	43	96
65+	140	17.5	194	2	3	13	26	37	46	58
GRAND TOTAL	**866**	**13.1**	**176**	**1**	**2**	**9**	**18**	**31**	**42**	**89**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	4.3	15	1	1	3	6	10	12	18
20-34	113	3.7	11	1	1	3	4	8	11	16
35-49	51	3.9	14	1	1	2	5	11	13	16
50-64	25	4.9	32	1	1	3	6	10	21	23
65+	11	4.0	10	1	1	3	5	9	12	12
B. *Operated*										
0-19 YRS	43	8.5	59	1	1	6	12	19	24	34
20-34	38	7.3	32	1	1	6	10	17	19	26
35-49	25	10.1	93	1	1	6	17	25	32	33
50-64	13	7.4	57	1	2	6	8	18	27	29
65+	4	9.3	32	2	2	10	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	509	6.2	27	1	1	5	9	13	17	24
20-34	252	5.0	35	1	1	3	6	11	15	25
35-49	148	6.2	40	1	1	4	8	13	19	27
50-64	94	8.8	75	1	1	7	11	19	21	50
65+	76	9.8	89	1	2	8	11	18	29	55
B. *Operated*										
0-19 YRS	122	12.8	142	1	2	9	19	27	36	60
20-34	91	11.2	137	1	2	7	17	26	36	58
35-49	70	11.6	109	1	2	8	14	27	36	45
50-64	31	18.0	237	2	4	12	25	44	51	64
65+	35	17.2	242	3	7	12	23	40	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	4.1	15	1	1	3	5	10	12	19
B. *Operated*	123	8.4	56	1	1	6	10	18	25	33
2. MULTIPLE DX										
A. *Not Operated*	1079	6.4	41	1	1	5	9	14	18	29
B. *Operated*	349	13.1	156	1	2	9	18	28	39	64
1. SINGLE DX	484	5.2	29	1	1	3	7	11	17	26
2. MULTIPLE DX	1428	8.0	77	1	1	5	10	18	24	44
A. NOT OPERATED	1440	5.8	35	1	1	4	8	13	17	26
B. OPERATED	472	11.8	134	1	2	8	17	27	35	56
TOTAL 0-19 YRS	835	6.9	49	1	1	5	9	16	20	33
20-34	494	6.0	55	1	1	4	7	14	19	39
35-49	294	7.4	64	1	1	5	10	17	25	41
50-64	163	9.8	114	1	1	7	12	22	30	56
65+	126	11.3	136	2	2	9	13	24	35	65
GRAND TOTAL	**1912**	**7.3**	**66**	**1**	**1**	**5**	**10**	**16**	**22**	**41**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	<1	1	3	4	4	4
20-34	24	3.8	11	1	1	2	5	10	11	13
35-49	17	3.7	10	<1	<1	3	6	9	10	10
50-64	6	4.7	7	1	1	4	7	8	8	8
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	33	3.2	7	1	1	2	4	8	10	10
20-34	60	3.5	40	<1	1	2	4	6	9	45
35-49	30	4.8	25	1	1	2	8	11	16	22
50-64	11	4.6	36	1	1	2	3	16	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.4	33	1	1	4	6	13	18	25
20-34	35	6.4	67	1	1	5	8	10	16	48
35-49	35	7.5	33	1	2	5	10	16	18	25
50-64	24	4.4	9	<1	1	4	7	9	10	10
65+	30	7.4	38	1	2	5	9	17	18	26
B. *Operated*										
0-19 YRS	65	4.0	34	<1	1	2	4	9	16	90
20-34	132	4.4	46	<1	1	2	5	13	20	99+
35-49	50	7.4	185	1	1	3	7	17	25	91
50-64	19	8.6	136	<1	1	2	11	28	35	40
65+	17	7.4	53	1	1	4	16	21	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.5	9	<1	1	2	4	8	10	13
B. *Operated*	134	3.8	28	1	1	2	4	8	11	26
2. MULTIPLE DX										
A. *Not Operated*	153	6.3	38	1	1	5	8	15	17	26
B. *Operated*	283	5.3	76	1	1	2	5	16	24	99+
1. SINGLE DX	199	3.7	22	<1	1	2	4	8	11	21
2. MULTIPLE DX	436	5.7	63	1	1	3	7	15	20	99+
A. NOT OPERATED	218	5.5	31	1	1	4	7	12	16	25
B. OPERATED	417	4.8	61	1	1	2	5	12	20	99+
TOTAL 0-19 YRS	143	3.8	25	<1	1	2	4	9	13	43
20-34	251	4.4	45	1	1	2	5	10	16	98
35-49	132	6.3	87	1	1	4	8	16	19	38
50-64	60	5.8	55	1	1	3	7	12	23	39
65+	49	7.4	41	1	1	5	13	17	23	99+
GRAND TOTAL	**635**	**5.1**	**51**	**1**	**1**	**3**	**6**	**12**	**17**	**65**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	1.9	2	1	1	1	3	4	4	7
20-34	159	2.2	3	<1	1	2	3	4	5	10
35-49	75	3.1	7	1	1	2	4	7	9	12
50-64	31	5.7	83	1	1	3	6	12	21	49
65+	14	3.7	9	<1	<1	3	6	8	10	10
B. *Operated*										
0-19 YRS	48	4.1	13	<1	1	3	5	9	11	16
20-34	78	5.1	23	1	1	3	7	12	16	22
35-49	35	4.3	18	<1	1	3	6	10	15	16
50-64	13	7.1	113	1	1	3	5	26	34	36
65+	7	5.6	8	1	2	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	2.9	9	1	1	2	3	6	8	22
20-34	307	3.0	6	1	1	2	4	6	8	13
35-49	204	3.9	10	<1	1	3	5	9	11	15
50-64	120	5.6	49	1	1	3	6	10	18	42
65+	198	6.2	20	1	2	5	8	12	14	25
B. *Operated*										
0-19 YRS	87	5.8	35	1	1	4	8	12	19	29
20-34	164	7.8	69	1	2	5	11	17	22	42
35-49	73	8.1	63	1	1	6	11	18	26	37
50-64	64	8.5	79	1	2	6	9	18	30	46
65+	54	11.0	220	1	1	6	14	26	34	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	2.6	10	<1	1	2	3	5	7	11
B. *Operated*	181	4.9	25	1	1	3	7	10	16	24
2. MULTIPLE DX										
A. *Not Operated*	1045	4.1	17	1	1	3	5	9	11	22
B. *Operated*	442	7.9	83	1	1	5	10	18	25	43
1. SINGLE DX	609	3.3	15	<1	1	2	4	7	9	20
2. MULTIPLE DX	1487	5.2	39	1	1	3	6	11	16	34
A. NOT OPERATED	1473	3.6	15	1	1	3	4	8	10	19
B. OPERATED	623	7.0	68	1	1	4	9	16	22	38
TOTAL 0-19 YRS	500	3.2	14	1	1	2	4	7	10	22
20-34	708	4.2	26	1	1	3	5	9	14	22
35-49	387	4.6	23	1	1	3	6	10	13	25
50-64	228	6.5	66	1	1	4	7	13	24	47
65+	273	7.0	62	1	2	5	9	13	18	35
GRAND TOTAL	**2096**	**4.7**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1099	1.6	2	<1	1	1	2	3	3	6
20-34	466	1.8	1	<1	<1	1	2	3	4	6
35-49	210	2.0	2	<1	<1	2	2	4	4	7
50-64	64	2.5	3	<1	1	2	3	5	7	9
65+	38	2.9	6	<1	<1	2	4	7	9	11
B. *Operated*										
0-19 YRS	4	4.0	29	1	1	2	7	12	12	12
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1353	3.1	21	<1	1	2	3	6	9	30
20-34	1768	3.3	15	<1	1	2	4	6	10	19
35-49	1073	4.2	33	<1	1	2	4	9	14	28
50-64	548	5.0	23	1	1	3	6	11	14	27
65+	740	6.0	25	1	2	5	7	12	15	25
B. *Operated*										
0-19 YRS	22	9.4	96	1	3	5	13	20	31	45
20-34	46	9.4	100	1	1	7	12	20	24	59
35-49	44	12.8	88	2	3	12	19	24	31	45
50-64	30	18.9	500	2	3	8	23	56	73	83
65+	48	12.1	81	2	4	9	15	27	31	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1877	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	10	4.9	13	1	1	4	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	5482	3.9	23	<1	1	2	4	8	12	26
B. *Operated*	190	12.4	161	2	2	8	16	26	38	67
1. SINGLE DX	1887	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	5672	4.2	30	<1	1	3	5	9	14	28
A. NOT OPERATED	7359	3.4	19	<1	1	2	4	7	11	24
B. OPERATED	200	12.0	157	1	2	8	15	25	35	66
TOTAL 0-19 YRS	2478	2.5	14	<1	1	1	3	4	7	22
20-34	2283	3.1	15	<1	1	2	3	6	9	19
35-49	1329	4.1	33	<1	1	2	4	9	14	28
50-64	643	5.4	52	1	1	3	6	11	16	34
65+	826	6.2	30	1	2	5	7	13	16	29
GRAND TOTAL	**7559**	**3.6**	**24**	**<1**	**1**	**2**	**4**	**8**	**12**	**26**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	576	1.8	2	<1	1	1	2	4	5	7
20-34	284	1.9	4	<1	1	1	2	4	4	9
35-49	158	1.9	2	1	1	1	2	4	4	9
50-64	85	2.2	12	<1	1	1	2	4	6	22
65+	26	2.7	5	<1	1	2	3	6	8	10
B. *Operated*										
0-19 YRS	9	5.0	16	<1	<1	5	7	11	13	13
20-34	13	4.0	34	1	1	2	4	10	20	22
35-49	7	4.7	9	1	1	4	7	9	9	9
50-64	8	3.9	9	1	1	3	5	9	10	10
65+	4	9.0	42	3	3	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	355	2.4	5	1	1	2	3	5	6	11
20-34	310	2.8	10	1	1	2	3	6	8	16
35-49	240	3.1	11	<1	1	2	4	5	9	19
50-64	149	3.3	7	1	1	3	4	6	9	14
65+	151	4.0	27	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	17	13.5	333	1	1	6	15	47	59	63
20-34	24	5.3	16	1	1	4	6	11	14	15
35-49	21	6.9	25	1	1	6	10	16	17	17
50-64	17	7.6	67	1	1	5	8	25	28	28
65+	16	16.3	129	2	2	15	25	32	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1129	1.9	3	<1	1	1	2	4	5	8
B. *Operated*	41	4.8	22	<1	1	3	7	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	1205	2.9	11	1	1	2	3	6	8	15
B. *Operated*	95	9.4	115	1	1	5	11	22	30	58
1. SINGLE DX	1170	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	1300	3.4	21	1	1	2	4	7	10	23
A. NOT OPERATED	2334	2.4	7	<1	1	2	3	5	6	12
B. OPERATED	136	8.0	91	1	1	5	10	18	28	53
TOTAL 0-19 YRS	957	2.3	11	<1	1	1	2	5	6	13
20-34	631	2.5	8	<1	1	2	3	5	7	14
35-49	426	2.8	9	1	1	2	3	5	9	16
50-64	259	3.2	14	1	1	2	4	6	9	27
65+	197	4.9	44	1	1	3	5	10	17	35
GRAND TOTAL	**2470**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	1.8	5	<1	1	1	2	3	4	5
20-34	197	1.9	1	<1	1	1	2	4	4	6
35-49	164	2.2	5	1	1	2	3	4	5	12
50-64	79	1.9	2	<1	1	2	2	4	4	9
65+	56	2.7	4	1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	3	8.0	7	5	5	9	10	10	10	10
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	2.9	11	1	1	2	3	6	8	17
20-34	275	3.3	14	1	1	2	4	6	9	16
35-49	309	3.6	26	1	1	3	4	6	9	21
50-64	410	4.6	15	1	1	3	6	9	12	22
65+	961	5.8	26	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	35	14.0	340	1	1	7	14	54	54	68
20-34	27	6.3	84	1	1	4	7	13	26	44
35-49	32	9.2	197	1	1	4	9	25	31	72
50-64	57	9.1	93	1	1	6	12	25	32	39
65+	91	12.5	260	1	1	8	12	33	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	2.0	4	<1	1	1	2	4	4	8
B. *Operated*	16	3.8	8	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2251	4.6	22	1	1	3	6	9	12	22
B. *Operated*	242	10.8	207	1	1	6	11	29	44	72
1. SINGLE DX	781	2.0	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	2493	5.2	43	1	1	3	6	10	14	34
A. NOT OPERATED	3016	3.9	18	1	1	3	5	8	11	21
B. OPERATED	258	10.4	197	1	1	6	11	27	42	72
TOTAL 0-19 YRS	604	3.0	34	1	1	2	3	5	8	32
20-34	502	2.9	14	1	1	2	3	5	8	15
35-49	508	3.5	32	1	1	2	4	6	10	26
50-64	549	4.7	24	1	1	3	6	10	13	28
65+	1111	6.2	47	1	1	5	7	11	16	38
GRAND TOTAL	**3274**	**4.4**	**36**	**1**	**1**	**3**	**5**	**9**	**12**	**30**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	3	<1	1	2	3	4	7	8
20-34	25	4.6	21	<1	1	3	5	10	14	22
35-49	25	4.7	13	1	1	4	6	9	13	15
50-64	35	5.2	18	1	1	4	7	13	15	17
65+	56	6.5	58	<1	1	4	8	15	23	41
B. *Operated*										
0-19 YRS	316	4.0	11	1	1	3	5	8	10	18
20-34	258	4.0	14	<1	1	3	5	9	11	16
35-49	321	5.1	31	<1	1	3	7	10	14	30
50-64	385	5.7	38	<1	1	4	8	12	16	25
65+	593	7.0	52	1	1	5	10	15	18	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	5.9	43	1	1	3	8	13	17	30
20-34	117	5.5	22	1	1	4	7	12	15	26
35-49	153	5.8	34	1	1	4	8	11	13	38
50-64	196	6.0	35	1	1	5	7	11	18	30
65+	408	6.8	28	1	2	6	9	14	16	24
B. *Operated*										
0-19 YRS	744	8.6	96	1	2	5	9	21	28	58
20-34	670	7.3	73	1	1	5	9	16	21	40
35-49	986	7.5	53	1	2	5	10	16	21	40
50-64	1711	8.8	93	1	2	6	11	18	26	52
65+	2846	9.9	106	1	2	7	13	21	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	4.7	28	1	1	3	6	10	15	26
B. *Operated*	1873	5.5	35	1	1	3	7	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	1036	6.2	32	1	1	5	8	13	16	27
B. *Operated*	6957	8.9	92	1	2	6	11	19	27	51
1. SINGLE DX	2063	5.4	34	1	1	3	7	12	15	26
2. MULTIPLE DX	7993	8.5	85	1	2	6	11	18	25	49
A. NOT OPERATED	1226	6.0	31	1	1	4	8	12	16	27
B. OPERATED	8830	8.2	82	1	1	5	11	17	24	48
TOTAL 0-19 YRS	1271	6.9	69	1	2	4	8	15	25	43
20-34	1070	6.2	54	1	1	4	8	13	18	35
35-49	1485	6.8	47	1	1	5	9	14	19	39
50-64	2327	8.0	80	1	1	5	10	17	24	49
65+	3903	9.1	91	1	2	6	12	19	26	51
GRAND TOTAL	**10056**	**7.9**	**76**	**1**	**1**	**5**	**10**	**17**	**23**	**45**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.5	1	<1	<1	1	2	2	3	5
20-34	153	1.9	2	<1	<1	1	2	3	5	9
35-49	96	2.6	5	1	1	2	3	5	6	14
50-64	93	3.3	6	1	1	3	4	5	7	14
65+	137	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	135	1.5	1	<1	<1	1	2	3	3	4
20-34	146	2.4	3	<1	1	2	3	5	6	8
35-49	99	2.5	3	1	1	2	3	5	6	7
50-64	34	3.8	18	<1	1	3	4	7	9	24
65+	49	4.0	19	1	1	3	4	9	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.2	2	1	1	2	2	5	6	7
20-34	93	3.6	11	1	1	3	4	7	8	22
35-49	82	3.3	8	<1	1	3	4	7	9	16
50-64	113	3.9	9	1	1	3	5	7	9	16
65+	294	4.0	10	1	2	3	5	7	8	18
B. *Operated*										
0-19 YRS	43	2.4	9	1	1	1	2	5	7	19
20-34	137	4.2	21	1	1	3	6	10	15	20
35-49	112	4.1	11	1	1	3	6	9	10	16
50-64	132	6.5	118	1	1	4	7	13	22	76
65+	301	5.9	56	1	1	4	7	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	463	2.4	6	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	621	3.7	9	1	1	3	5	7	8	18
B. *Operated*	725	5.2	52	1	1	3	6	11	16	35
1. SINGLE DX	1055	2.5	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	1346	4.5	33	1	1	3	5	9	13	25
A. NOT OPERATED	1213	3.1	7	1	1	2	4	6	8	14
B. OPERATED	1188	4.1	36	1	1	2	5	8	13	25
TOTAL 0-19 YRS	330	1.7	2	<1	<1	1	2	3	4	7
20-34	529	3.0	10	<1	1	2	3	6	8	17
35-49	389	3.2	7	1	1	2	4	7	9	14
50-64	372	4.7	49	1	1	3	5	8	13	27
65+	781	4.6	28	1	1	3	5	8	13	25
GRAND TOTAL	**2401**	**3.6**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.8	12	1	1	4	6	10	12	17
20-34	110	4.5	8	1	2	4	6	8	10	14
35-49	91	5.5	19	2	2	4	7	8	9	29
50-64	68	5.2	8	2	2	4	7	9	11	13
65+	30	6.3	25	1	2	5	8	13	15	25
B. *Operated*										
0-19 YRS	44	6.6	25	<1	1	6	10	14	16	19
20-34	84	7.0	25	1	2	6	9	13	16	26
35-49	53	7.8	44	1	1	5	11	20	21	27
50-64	48	8.6	106	1	2	6	8	20	24	66
65+	44	8.3	36	2	2	7	10	16	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	6.6	24	2	2	5	9	12	17	25
20-34	139	5.6	10	2	2	4	7	10	12	16
35-49	173	6.3	12	2	3	6	8	12	14	17
50-64	156	7.8	39	2	2	6	10	15	20	29
65+	250	8.5	58	3	3	7	10	15	19	28
B. *Operated*										
0-19 YRS	67	11.9	118	2	3	7	16	25	37	51
20-34	144	12.1	132	3	3	9	15	25	41	99+
35-49	225	13.5	138	2	3	10	17	27	37	66
50-64	251	15.9	178	2	3	11	22	36	45	58
65+	283	14.9	149	3	4	12	19	30	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	5.1	13	1	2	4	6	9	11	20
B. *Operated*	273	7.6	45	1	2	6	10	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	783	7.2	34	2	3	6	9	13	16	27
B. *Operated*	970	14.2	151	2	3	11	18	30	40	64
1. SINGLE DX	643	6.1	28	1	2	5	8	12	16	26
2. MULTIPLE DX	1753	11.1	111	2	3	8	14	24	32	58
A. NOT OPERATED	1153	6.5	28	2	2	5	8	12	15	26
B. OPERATED	1243	12.8	135	2	3	9	17	27	37	61
TOTAL 0-19 YRS	247	7.5	53	1	2	5	10	16	21	38
20-34	477	7.6	58	2	2	6	9	15	21	56
35-49	542	9.3	82	2	3	6	11	20	26	53
50-64	523	11.4	126	2	3	7	14	26	37	56
65+	607	11.4	108	2	3	8	14	23	30	60
GRAND TOTAL	**2396**	**9.7**	**93**	**2**	**3**	**7**	**12**	**21**	**28**	**56**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.1	10	1	1	1	2	3	5	21
20-34	87	3.2	6	1	1	2	4	6	9	12
35-49	98	3.9	14	1	1	3	5	8	10	23
50-64	74	5.2	82	1	1	3	6	7	15	63
65+	48	5.8	30	1	1	4	8	12	18	25
B. *Operated*										
0-19 YRS	46	3.0	6	<1	1	2	3	6	9	12
20-34	112	4.4	20	<1	1	3	6	9	14	25
35-49	107	6.0	26	1	1	5	8	11	12	28
50-64	90	6.5	33	1	1	5	9	14	18	29
65+	73	6.8	31	1	1	5	9	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	2.9	10	<1	1	2	3	5	7	18
20-34	222	3.6	9	1	1	3	5	8	10	15
35-49	266	6.0	75	1	1	4	6	11	16	50
50-64	273	5.5	29	1	1	4	7	11	13	25
65+	408	6.0	25	1	1	5	8	12	15	25
B. *Operated*										
0-19 YRS	194	5.3	90	1	1	2	7	13	19	44
20-34	427	5.0	54	1	1	2	6	12	16	50
35-49	532	6.1	62	1	1	3	8	14	21	39
50-64	553	8.7	113	1	1	5	11	22	31	51
65+	991	8.0	93	1	1	5	10	17	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	4.0	29	1	1	3	5	8	10	23
B. *Operated*	428	5.5	26	1	1	4	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	1277	5.2	33	1	1	4	7	10	13	26
B. *Operated*	2697	7.1	86	1	1	4	9	16	25	50
1. SINGLE DX	784	4.8	28	1	1	3	6	10	13	26
2. MULTIPLE DX	3974	6.5	70	1	1	4	8	14	21	44
A. NOT OPERATED	1633	5.0	33	1	1	3	6	10	13	25
B. OPERATED	3125	6.9	78	1	1	4	9	15	24	49
TOTAL 0-19 YRS	397	4.0	50	1	1	2	4	10	15	27
20-34	848	4.3	33	1	1	2	5	10	14	35
35-49	1003	5.9	57	1	1	4	7	12	19	38
50-64	990	7.3	83	1	1	5	9	17	24	49
65+	1520	7.4	70	1	1	5	9	15	23	43
GRAND TOTAL	**4758**	**6.2**	**64**	**1**	**1**	**4**	**8**	**14**	**20**	**42**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	2	<1	1	2	2	4	6	7
20-34	6	2.2	1	1	1	2	3	4	4	4
35-49	8	3.3	5	1	1	3	5	7	7	7
50-64	4	3.3	7	1	1	3	5	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	6.0	27	3	3	3	10	12	12	12
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.4	11	<1	1	2	4	8	9	18
20-34	15	4.0	14	1	1	3	5	7	14	16
35-49	24	5.1	11	<1	1	5	8	10	10	11
50-64	28	7.1	66	1	2	5	7	14	21	43
65+	58	4.6	23	1	1	3	5	10	14	28
B. *Operated*										
0-19 YRS	8	4.9	20	1	1	3	6	12	15	15
20-34	9	8.3	60	2	2	5	13	21	25	25
35-49	6	7.0	25	3	3	5	6	16	17	17
50-64	8	16.0	240	2	2	11	26	41	44	44
65+	14	8.6	144	1	2	5	8	18	41	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.6	3	1	1	2	3	6	7	7
B. *Operated*	7	6.9	15	3	3	6	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	162	4.8	26	1	1	3	6	9	14	28
B. *Operated*	45	9.0	110	1	2	5	12	18	36	48
1. SINGLE DX	43	3.3	8	1	1	2	4	7	9	12
2. MULTIPLE DX	207	5.7	47	1	1	4	7	12	17	43
A. NOT OPERATED	198	4.4	22	1	1	3	6	9	11	24
B. OPERATED	52	8.7	97	2	2	5	12	17	33	48
TOTAL 0-19 YRS	63	3.4	11	<1	1	2	4	7	10	18
20-34	31	5.0	28	1	1	3	6	13	16	25
35-49	41	5.1	13	<1	1	4	7	10	11	17
50-64	41	8.4	103	1	2	5	8	18	38	44
65+	74	5.5	46	1	1	4	7	11	16	43
GRAND TOTAL	**250**	**5.3**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**43**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	598	1.5	1	<1	<1	1	2	3	3	5
35-49	206	1.3		<1	<1	1	1	2	3	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	10	2.1	4	<1	<1	1	2	6	6	6
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.1	2	<1	<1	2	2	4	5	5
20-34	445	1.8	2	<1	<1	1	2	4	4	7
35-49	222	1.9	1	<1	<1	1	2	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	816	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	14	1.8	3	<1	<1	1	1	6	6	6
B. *Operated*	677	1.8	2	<1	<1	1	2	4	5	6
1. SINGLE DX	821	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	691	1.8	2	<1	<1	1	2	4	5	6
A. NOT OPERATED	19	1.6	2	<1	<1	1	1	4	6	6
B. OPERATED	1493	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	19	1.7	1	<1	<1	1	2	3	5	5
20-34	1058	1.6	1	<1	<1	1	2	3	4	6
35-49	430	1.6	1	<1	<1	1	2	3	4	5
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	2.0	3	<1	<1	1	3	4	4	4
GRAND TOTAL	**1512**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	14.0	50	9	9	14	19	19	19	19
1750-2499	1620	2.8	3	1	1	2	3	5	5	8
2500+	87968	2.6	1	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	2.5	5	1	1	2	4	4	4	4
2500+	27	3.6	2	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	24	64.0	251	39	41	65	78	95	99+	99+
1000-1499	204	38.0	252	14	20	36	47	61	67	89
1500-1749	290	22.1	85	9	12	21	27	33	42	57
1750-2499	4779	6.2	30	2	2	4	7	13	17	27
2500+	46715	3.5	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	103	74.8	236	51	55	85	99+	99+	99+	99+
1000-1499	253	49.1	325	25	29	49	63	90	99+	99+
1500-1749	154	31.1	184	12	16	29	39	48	59	78
1750-2499	480	16.9	157	4	6	14	21	31	46	99+
2500+	1108	8.1	73	2	2	6	10	15	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89590	2.7	2	1	1	2	3	4	5	6
B. *Operated*	29	3.5	3	1	1	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	52012	4.0	16	2	2	3	4	6	8	21
B. *Operated*	2098	20.0	474	2	3	11	30	61	86	99+
1. SINGLE DX	89619	2.7	2	1	1	2	3	4	5	6
2. MULTIPLE DX	54110	4.6	44	2	2	3	5	7	11	40
A. NOT OPERATED	141602	3.1	7	1	2	3	4	5	6	12
B. OPERATED	2127	19.8	472	2	3	11	29	60	85	99+
TOTAL 1-999 G	127	72.8	255	49	52	81	98	99+	99+	99+
1000-1499	457	44.1	323	20	24	42	56	77	95	99+
1500-1749	446	25.2	137	11	13	23	30	42	47	66
1750-2499	6881	6.2	43	1	2	4	7	14	18	32
2500+	135818	3.0	3	1	2	3	4	5	5	8
GRAND TOTAL	**143729**	**3.4**	**18**	**1**	**2**	**3**	**4**	**5**	**6**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	226	4.2	5	2	2	4	5	6	7	15
2500+	782	3.9	2	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	72.0	200	62	62	91	99+	99+	99+	99+
1000-1499	37	33.1	204	15	17	32	38	53	57	83
1500-1749	80	21.8	86	8	9	20	27	32	38	55
1750-2499	772	8.0	39	3	3	6	10	16	19	27
2500+	621	4.7	4	2	3	5	5	7	8	12
B. *Operated*										
1-999 G	12	71.4	238	49	56	99+	99+	99+	99+	99+
1000-1499	62	49.8	321	22	27	50	64	87	99+	99+
1500-1749	39	33.3	178	16	20	30	43	52	65	99+
1750-2499	93	16.4	136	4	6	13	20	30	39	65
2500+	32	7.7	24	3	4	6	9	14	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1008	4.0	3	2	2	4	5	6	6	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1512	8.1	66	3	3	5	9	17	23	41
B. *Operated*	238	29.5	509	4	6	25	50	79	99+	99+
1. SINGLE DX	1008	4.0	3	2	2	4	5	6	6	9
2. MULTIPLE DX	1750	11.0	180	3	3	6	12	27	46	99+
A. NOT OPERATED	2520	6.4	45	2	3	5	6	13	18	34
B. OPERATED	238	29.5	509	4	6	25	50	79	99+	99+
TOTAL 1-999 G	14	71.5	217	51	58	99+	99+	99+	99+	99+
1000-1499	99	43.5	341	16	20	43	57	76	90	99+
1500-1749	119	25.6	144	8	13	23	31	43	52	80
1750-2499	1091	7.9	49	2	3	5	10	16	19	33
2500+	1435	4.3	4	2	2	4	5	6	7	11
GRAND TOTAL	**2758**	**8.4**	**127**	**2**	**3**	**5**	**7**	**19**	**32**	**82**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	17	2.2	1	1	1	2	3	4	5	5
2500+	234	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	27.8	41	21	21	27	33	35	35	35
1500-1749	5	25.6	47	16	16	28	30	34	34	34
1750-2499	53	6.8	22	2	2	5	10	14	16	21
2500+	159	4.0	62	1	1	3	4	6	7	20
B. *Operated*										
1-999 G										
1000-1499	3	32.7	80	27	27	35	71	99+	99+	99+
1500-1749	2	40.0	128	32	32	40	48	48	48	48
1750-2499	4	13.3	66	4	4	14	20	21	21	21
2500+	10	6.8	28	1	1	6	11	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	221	5.6	71	1	2	3	5	12	19	34
B. *Operated*	19	15.7	200	1	2	12	27	45	74	99+
1. SINGLE DX	251	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	240	6.4	88	1	2	3	6	15	25	52
A. NOT OPERATED	472	3.8	37	1	1	2	4	6	11	28
B. OPERATED	19	15.7	200	1	2	12	27	45	74	99+
TOTAL 1-999 G										
1000-1499	7	29.9	54	21	22	29	39	83	99+	99+
1500-1749	7	29.7	102	16	17	28	33	45	48	48
1750-2499	74	6.1	25	1	2	5	8	14	17	21
2500+	403	3.0	27	1	1	2	3	4	6	13
GRAND TOTAL	**491**	**4.3**	**48**	**1**	**1**	**3**	**4**	**7**	**15**	**35**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	12	1.6	4	<1	<1	<1	1	3	7	8
35-49	7	3.6	6	<1	<1	3	5	7	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	255	1.9	1	<1	<1	1	2	4	4	6
20-34	309	2.3	6	<1	<1	2	3	5	5	12
35-49	154	2.6	7	<1	1	2	3	5	6	15
50-64	125	2.4	2	<1	1	2	3	5	5	7
65+	81	2.7	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	6	<1	<1	2	4	7	7	7
20-34	5	2.4	10	<1	<1	<1	3	8	8	8
35-49	2	4.5	25	<1	<1	4	8	8	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	3	5.0	7	2	2	6	7	7	7	7
B. *Operated*										
0-19 YRS	145	2.7	13	<1	<1	2	3	5	7	11
20-34	90	3.7	12	1	1	3	4	8	11	17
35-49	69	3.9	22	<1	1	3	4	7	14	29
50-64	60	4.0	15	1	1	3	5	9	11	21
65+	73	5.3	35	1	1	4	6	11	16	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.3	4	<1	<1	1	3	6	8	8
B. *Operated*	924	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	19	3.3	8	<1	<1	2	6	8	8	8
B. *Operated*	437	3.7	19	<1	1	3	4	8	11	23
1. SINGLE DX	952	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	456	3.7	18	<1	1	2	4	8	11	22
A. NOT OPERATED	47	2.7	6	<1	<1	1	4	7	8	8
B. OPERATED	1361	2.7	9	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	413	2.2	6	<1	<1	2	3	4	5	8
20-34	416	2.6	8	<1	<1	2	3	5	7	15
35-49	232	3.0	12	<1	1	2	3	5	8	22
50-64	188	3.0	7	<1	1	2	4	6	7	14
65+	159	3.9	19	<1	1	3	4	8	10	28
GRAND TOTAL	**1408**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	3.3	16	<1	<1	1	6	8	8	8
65+	5	3.2	8	1	1	2	4	8	8	8
B. *Operated*										
0-19 YRS										
20-34	10	6.4	17	2	2	6	8	12	16	16
35-49	18	4.0	5	<1	1	3	6	7	8	9
50-64	24	4.7	11	1	2	4	7	9	11	13
65+	38	6.7	42	<1	1	4	9	18	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	15	2.7	6	<1	1	2	3	8	8	8
B. *Operated*	90	5.6	24	1	2	4	7	11	17	26
1. SINGLE DX										
2. MULTIPLE DX	105	5.2	23	1	1	3	7	11	16	25
A. NOT OPERATED	15	2.7	6	<1	1	2	3	8	8	8
B. OPERATED	90	5.6	24	1	2	4	7	11	17	26
TOTAL 0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	11	6.0	17	2	2	5	8	12	16	16
35-49	20	3.7	6	<1	<1	3	6	7	8	9
50-64	27	4.5	11	1	1	4	7	9	10	13
65+	43	6.3	39	1	1	4	8	17	20	29
GRAND TOTAL	**105**	**5.2**	**23**	**1**	**1**	**3**	**7**	**11**	**16**	**25**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	622	2.4	18	<1	<1	1	2	4	7	15
20-34	908	2.4	9	<1	<1	2	2	4	8	13
35-49	367	2.8	43	<1	1	1	3	4	6	22
50-64	324	2.4	19	<1	1	1	3	4	6	10
65+	185	2.8	30	<1	1	1	3	5	9	27
B. *Operated*										
0-19 YRS	224	3.8	16	<1	<1	2	5	9	11	19
20-34	566	3.6	9	<1	1	3	5	8	9	15
35-49	405	4.0	14	1	1	3	5	8	10	15
50-64	244	4.8	17	<1	1	3	8	10	12	17
65+	144	5.3	16	<1	<1	4	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2026	3.8	37	1	1	3	4	6	10	31
20-34	1561	5.6	91	1	1	2	5	15	26	65
35-49	2621	4.3	47	1	1	2	4	7	19	34
50-64	5715	3.7	34	1	1	2	4	6	10	30
65+	6722	5.5	71	1	1	3	5	13	23	45
B. *Operated*										
0-19 YRS	500	5.0	56	1	1	3	6	10	17	90
20-34	1002	4.4	54	1	1	3	4	8	14	60
35-49	1164	4.9	42	1	1	3	6	10	15	58
50-64	1486	5.5	44	1	1	4	7	11	16	40
65+	1623	7.1	77	1	1	5	9	14	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2406	2.5	19	<1	<1	2	2	4	7	14
B. *Operated*	1583	4.1	13	<1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	18645	4.6	55	1	1	2	5	8	18	39
B. *Operated*	5775	5.6	57	1	1	3	7	11	18	47
1. SINGLE DX	3989	3.1	17	<1	1	2	4	7	10	15
2. MULTIPLE DX	24420	4.8	55	1	1	3	5	9	18	42
A. NOT OPERATED	21051	4.4	51	1	1	2	4	7	17	38
B. OPERATED	7358	5.3	48	1	1	3	6	11	15	42
TOTAL 0-19 YRS	3372	3.8	35	<1	1	2	4	7	11	32
20-34	4037	4.3	53	<1	1	2	4	8	16	43
35-49	4557	4.3	43	1	1	2	5	8	15	37
50-64	7769	4.0	36	1	1	2	4	8	12	31
65+	8674	5.8	70	1	1	3	6	13	22	45
GRAND TOTAL	**28409**	**4.6**	**50**	**1**	**1**	**3**	**5**	**9**	**16**	**39**

Operation Groups

Length of Stay Tables
Operation Groups

321 Hospitals, Southern Region, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58881	3.0	13	<1	1	2	3	6	8	17
20-34	116970	3.2	7	1	1	3	4	5	7	13
35-49	51001	4.2	14	1	1	3	5	8	10	18
50-64	37852	4.8	17	1	1	4	6	9	12	19
65+	29718	5.8	25	1	1	5	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	65232	6.2	91	1	1	3	6	13	23	60
20-34	136992	5.0	30	1	2	4	5	8	12	30
35-49	109060	6.3	40	1	2	5	7	12	16	34
50-64	132859	7.6	56	1	2	6	9	15	20	40
65+	238480	9.2	69	2	2	7	11	18	24	44
TOT. SINGLE DX	294422	3.8	13	1	1	3	5	8	10	17
" MULTIPLE DX	682623	7.3	59	1	2	5	9	15	20	41
TOTAL 0-19 YRS	124113	4.7	57	1	1	3	5	9	15	45
20-34	253962	4.1	20	1	1	3	5	7	10	23
35-49	160061	5.6	33	1	1	4	7	10	14	30
50-64	170711	6.9	49	1	2	5	9	14	18	36
65+	268198	8.8	65	2	2	7	11	17	23	42
GRAND TOTAL	**977045**	**6.2**	**48**	**1**	**1**	**4**	**7**	**13**	**18**	**36**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	8.5	29	2	2	7	11	16	18	27
20-34	85	9.2	39	2	3	8	11	17	19	36
35-49	109	9.3	51	3	5	9	10	14	16	47
50-64	115	11.3	59	4	5	10	14	16	28	43
65+	111	11.5	60	4	5	10	14	19	23	49
2. MULTIPLE DX										
0-19 YRS	262	14.6	198	2	3	11	18	31	52	96
20-34	145	17.1	302	4	5	12	21	43	79	99+
35-49	213	16.8	166	4	6	13	21	34	51	99+
50-64	325	17.2	192	5	7	13	21	33	50	88
65+	492	18.9	207	5	7	15	23	37	47	89
TOT. SINGLE DX	548	10.0	49	2	4	9	12	17	20	39
" MULTIPLE DX	1437	17.2	208	4	5	13	22	35	51	99+
TOTAL 0-19 YRS	390	12.6	151	2	3	9	15	25	38	77
20-34	230	14.2	219	3	4	10	17	31	59	99+
35-49	322	14.2	140	4	5	11	17	28	38	99+
50-64	440	15.6	164	5	6	12	18	30	44	76
65+	603	17.6	188	5	6	13	21	34	46	85
GRAND TOTAL	**1985**	**15.2**	**174**	**3**	**5**	**11**	**18**	**31**	**45**	**89**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	7.7	22	3	4	7	9	14	17	25
20-34	23	8.4	27	2	3	7	10	18	19	20
35-49	27	8.4	16	3	4	8	9	15	29	99+
50-64	31	10.8	54	5	5	9	13	16	21	44
65+	25	12.0	160	4	5	9	12	17	31	70
2. MULTIPLE DX										
0-19 YRS	86	18.0	247	4	5	11	25	43	52	73
20-34	57	18.7	301	3	5	13	28	43	80	99+
35-49	54	17.8	241	5	7	12	23	42	56	99
50-64	69	22.1	246	6	7	17	31	40	60	76
65+	76	19.3	241	5	7	16	25	38	94	99+
TOT. SINGLE DX	160	9.2	51	3	4	8	11	16	19	67
" MULTIPLE DX	342	19.2	253	4	6	14	27	40	60	99+
TOTAL 0-19 YRS	140	14.0	185	3	4	8	18	32	46	62
20-34	80	15.8	243	2	4	11	19	39	70	99+
35-49	81	14.6	185	4	5	9	19	34	56	99+
50-64	100	18.6	213	5	6	14	26	38	49	71
65+	101	17.5	230	4	6	14	21	35	76	99+
GRAND TOTAL	**502**	**16.0**	**210**	**4**	**5**	**11**	**20**	**35**	**52**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	183	4.6	3	2	2	4	6	7	8	10
20-34	36	5.2	7	1	3	5	6	8	9	16
35-49	20	5.0	6	<1	1	5	7	9	9	10
50-64	6	4.5	7	1	1	4	7	8	8	8
65+	3	13.3	85	8	8	8	20	24	24	24
2. MULTIPLE DX										
0-19 YRS	132	8.6	81	2	3	6	9	15	24	47
20-34	73	12.5	259	1	3	8	14	37	71	99+
35-49	37	11.2	109	3	4	8	11	26	39	49
50-64	12	15.1	462	3	4	8	17	84	97	99+
65+	14	13.5	405	3	3	7	8	41	69	77
TOT. SINGLE DX	248	4.8	6	2	2	4	6	8	8	10
" MULTIPLE DX	268	10.6	168	2	3	7	10	25	44	96
TOTAL 0-19 YRS	315	6.3	40	2	3	5	7	9	13	44
20-34	109	10.1	187	1	3	6	9	27	54	99+
35-49	57	9.0	82	2	3	7	9	16	30	49
50-64	18	11.6	328	1	2	7	11	59	91	99+
65+	17	13.5	340	3	3	8	9	34	63	77
GRAND TOTAL	**516**	**7.8**	**98**	**2**	**3**	**5**	**8**	**13**	**27**	**78**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	6.0	17	3	3	5	7	9	12	24
20-34	12	5.7	5	3	3	5	7	9	10	10
35-49	13	7.2	9	3	3	7	9	11	13	14
50-64	13	8.5	35	3	3	7	9	17	23	25
65+	19	10.4	45	3	4	8	13	21	26	29
2. MULTIPLE DX										
0-19 YRS	236	13.7	320	3	3	7	15	43	84	99+
20-34	21	13.6	252	3	4	9	12	35	59	62
35-49	24	21.0	431	6	8	13	26	68	85	99+
50-64	28	18.5	147	5	5	15	28	41	46	99+
65+	101	18.4	200	6	7	15	24	36	59	99+
TOT. SINGLE DX	179	6.7	22	3	3	5	8	11	15	28
" MULTIPLE DX	410	15.6	286	3	4	10	20	42	78	99+
TOTAL 0-19 YRS	358	11.1	230	3	3	6	10	30	64	99+
20-34	33	10.7	175	3	4	6	11	15	51	62
35-49	37	16.1	324	3	4	9	16	51	75	99+
50-64	41	15.3	133	3	4	11	24	36	42	99+
65+	120	17.2	184	5	7	14	22	32	50	99+
GRAND TOTAL	**589**	**12.9**	**223**	**3**	**4**	**8**	**15**	**32**	**61**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	236	4.6	14	1	2	3	5	8	13	22
20-34	47	8.9	94	1	3	5	9	17	33	52
35-49	15	7.1	48	1	1	4	11	16	23	26
50-64	10	6.0	55	1	1	3	8	17	26	26
65+	9	8.0	18	4	4	6	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	511	10.6	180	2	3	6	12	27	37	89
20-34	99	17.4	350	3	4	11	24	64	96	99+
35-49	47	12.3	156	3	3	9	15	30	77	99+
50-64	49	19.1	249	3	4	15	30	47	56	99+
65+	70	17.0	217	2	3	14	22	36	54	63
TOT. SINGLE DX	317	5.5	31	1	2	4	6	11	15	29
" MULTIPLE DX	776	12.7	217	2	3	7	16	30	52	99+
TOTAL 0-19 YRS	747	8.7	136	2	2	5	8	21	29	81
20-34	146	14.6	283	2	3	9	19	40	75	99+
35-49	62	11.1	134	2	3	9	14	26	49	99+
50-64	59	16.9	240	2	3	12	24	42	56	96
65+	79	16.0	203	2	4	13	21	32	52	63
GRAND TOTAL	**1093**	**10.6**	**174**	**2**	**2**	**6**	**13**	**27**	**40**	**98**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	8.8	13	5	6	8	10	15	18	19
20-34	164	8.1	31	3	4	7	10	12	16	32
35-49	361	7.7	12	3	4	7	9	13	14	21
50-64	334	7.8	15	3	4	7	9	13	15	21
65+	185	9.1	17	4	5	8	11	15	17	25
2. MULTIPLE DX										
0-19 YRS	40	12.2	119	3	4	8	14	27	40	51
20-34	159	11.9	101	4	5	9	15	23	38	96
35-49	429	10.9	58	4	5	9	12	21	25	51
50-64	576	11.5	54	4	5	10	14	19	26	40
65+	657	13.2	70	5	6	11	16	24	28	50
TOT. SINGLE DX	1063	8.0	17	3	4	7	10	13	15	24
" MULTIPLE DX	1861	12.0	67	4	5	10	14	21	27	50
TOTAL 0-19 YRS	59	11.1	87	3	4	8	12	19	36	50
20-34	323	10.0	69	3	4	8	11	18	26	63
35-49	790	9.4	40	3	4	8	11	15	22	39
50-64	910	10.1	43	4	4	9	12	17	21	36
65+	842	12.3	62	5	6	10	15	21	26	47
GRAND TOTAL	**2924**	**10.6**	**53**	**4**	**5**	**9**	**12**	**18**	**24**	**44**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	8.9	26	3	4	8	12	15	21	24
20-34	96	5.4	32	1	1	4	7	12	14	32
35-49	134	5.6	32	1	1	3	8	13	14	28
50-64	66	4.8	25	1	1	3	6	10	15	29
65+	29	6.1	20	1	1	4	9	14	15	15
2. MULTIPLE DX										
0-19 YRS	112	13.3	96	3	5	10	17	23	34	53
20-34	136	10.2	130	1	2	8	12	19	36	78
35-49	165	8.1	69	1	1	6	10	18	24	36
50-64	173	11.9	113	1	2	9	16	24	33	57
65+	122	11.3	76	2	2	9	15	26	29	39
TOT. SINGLE DX	362	5.8	31	1	1	4	8	13	15	26
" MULTIPLE DX	708	10.8	100	1	2	8	14	22	32	58
TOTAL 0-19 YRS	149	12.2	83	3	5	10	15	22	32	50
20-34	232	8.2	96	1	1	5	11	16	22	63
35-49	299	7.0	54	1	1	5	9	15	20	36
50-64	239	9.9	99	1	1	8	13	21	31	50
65+	151	10.3	69	1	2	8	14	23	28	36
GRAND TOTAL	**1070**	**9.1**	**82**	**1**	**1**	**7**	**12**	**19**	**27**	**49**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	3.2	5	<1	1	3	4	8	9	9
20-34	73	3.7	10	<1	1	2	5	8	10	17
35-49	91	3.2	8	<1	<1	2	4	8	8	15
50-64	118	2.8	7	<1	1	2	3	6	8	14
65+	38	1.9	1	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	32	5.7	45	<1	1	4	7	10	19	36
20-34	68	4.0	10	1	1	3	5	8	11	16
35-49	79	4.8	41	1	1	3	5	8	17	40
50-64	95	6.2	58	1	1	3	8	17	22	40
65+	93	8.9	159	1	1	4	11	20	34	70
TOT. SINGLE DX	343	3.0	8	<1	<1	2	4	7	9	12
" MULTIPLE DX	367	6.1	73	1	1	3	7	14	20	42
TOTAL 0-19 YRS	55	4.6	30	<1	1	3	6	9	11	35
20-34	141	3.8	11	<1	1	3	5	8	10	17
35-49	170	4.0	24	<1	<1	3	4	8	11	31
50-64	213	4.3	33	<1	1	2	5	9	17	32
65+	131	6.8	123	<1	<1	3	8	16	30	55
GRAND TOTAL	**710**	**4.6**	**44**	**<1**	**1**	**3**	**5**	**10**	**16**	**35**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	56	3.0	8	<1	1	2	4	7	8	16
20-34	245	2.2	3	<1	<1	2	3	5	6	9
35-49	331	2.5	6	<1	<1	2	3	5	7	14
50-64	263	2.4	4	<1	<1	2	3	6	8	10
65+	164	2.1	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	103	3.1	10	<1	1	2	4	7	10	16
20-34	255	3.3	13	<1	1	2	4	6	9	23
35-49	312	3.6	15	<1	1	2	4	8	11	22
50-64	290	3.9	16	<1	1	2	5	9	12	19
65+	219	4.3	18	1	1	3	6	10	13	21
TOT. SINGLE DX	1059	2.4	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	1179	3.7	16	<1	1	2	5	8	11	21
TOTAL 0-19 YRS	159	3.1	9	<1	1	2	4	7	9	16
20-34	500	2.8	9	<1	<1	2	3	5	8	15
35-49	643	3.0	11	<1	<1	2	3	7	9	18
50-64	553	3.2	11	<1	<1	2	4	8	10	17
65+	383	3.4	13	<1	<1	2	4	8	11	19
GRAND TOTAL	**2238**	**3.1**	**11**	**<1**	**<1**	**2**	**3**	**7**	**9**	**17**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	4.8	3	2	3	4	6	8	9	9
35-49	12	6.6	20	1	2	6	8	12	18	19
50-64	12	5.9	6	1	2	6	7	9	10	10
65+	7	5.9	3	3	3	6	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	6.2	7	3	3	6	8	10	11	13
35-49	28	9.6	62	2	3	8	10	18	23	42
50-64	38	11.0	49	2	4	10	14	19	23	36
65+	58	12.0	114	3	4	10	14	21	24	75
TOT. SINGLE DX	48	5.7	8	2	3	5	7	8	9	19
" MULTIPLE DX	145	10.4	75	3	4	8	13	19	22	44
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	37	5.5	6	3	3	5	7	9	10	13
35-49	40	8.7	51	2	3	7	10	17	20	42
50-64	50	9.8	43	2	3	8	14	18	20	36
65+	65	11.3	106	3	4	9	13	20	23	71
GRAND TOTAL	**193**	**9.2**	**62**	**2**	**3**	**8**	**11**	**17**	**21**	**39**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	5.8	21	1	1	5	10	12	12	12
20-34	25	5.4	24	<1	<1	4	7	11	18	18
35-49	68	4.7	25	<1	<1	2	6	13	17	18
50-64	20	3.0	7	<1	<1	2	4	6	9	12
65+	5	6.6	36	2	2	5	9	17	17	17
2. MULTIPLE DX										
0-19 YRS	3	14.7	89	4	4	18	21	22	22	22
20-34	23	11.9	76	1	2	12	20	24	25	25
35-49	51	9.2	88	2	3	6	11	18	22	63
50-64	55	7.4	54	1	1	6	10	12	27	39
65+	45	10.4	46	2	3	9	13	21	24	28
TOT. SINGLE DX	123	4.7	22	<1	<1	3	6	12	17	18
" MULTIPLE DX	177	9.4	67	1	2	7	12	20	24	37
TOTAL 0-19 YRS	8	9.1	59	1	1	7	15	21	22	22
20-34	48	8.5	59	<1	1	6	14	21	24	25
35-49	119	6.6	57	<1	<1	4	10	15	18	37
50-64	75	6.3	45	<1	<1	5	8	12	18	37
65+	50	10.0	46	2	3	8	13	20	24	28
GRAND TOTAL	**300**	**7.5**	**54**	**<1**	**<1**	**5**	**11**	**18**	**22**	**29**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	2.8	1	1	1	3	3	4	5	8
20-34	433	3.2	2	1	2	3	4	5	6	9
35-49	524	3.0	1	1	2	3	4	4	5	7
50-64	370	3.2	1	1	2	3	4	5	5	7
65+	156	3.7	4	2	2	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	26	5.0	41	1	1	3	4	7	22	31
20-34	185	3.7	3	1	2	3	4	6	7	11
35-49	323	4.2	8	1	2	3	5	7	11	17
50-64	346	4.5	10	2	2	4	5	7	10	18
65+	323	5.7	19	2	3	4	6	10	15	24
TOT. SINGLE DX	1560	3.1	2	1	2	3	4	5	6	8
" MULTIPLE DX	1203	4.6	12	2	2	4	5	8	11	20
TOTAL 0-19 YRS	103	3.4	12	1	1	3	4	5	6	25
20-34	618	3.3	3	1	2	3	4	5	6	10
35-49	847	3.4	5	1	2	3	4	5	7	13
50-64	716	3.8	6	2	2	3	4	6	7	15
65+	479	5.0	15	2	2	4	5	9	12	21
GRAND TOTAL	**2763**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	1.6	1	<1	1	1	2	3	3	6
20-34	66	2.3	2	1	1	2	3	4	5	7
35-49	52	3.0	5	1	1	3	4	5	6	16
50-64	51	3.4	7	1	1	3	4	5	8	15
65+	36	4.1	1	2	3	4	5	6	7	8
2. MULTIPLE DX										
0-19 YRS	31	3.9	33	1	1	2	4	7	8	33
20-34	43	6.2	32	1	1	5	8	12	18	31
35-49	91	6.1	16	2	2	5	8	13	15	18
50-64	167	7.6	96	2	3	5	8	15	22	58
65+	199	9.4	96	2	3	6	12	21	30	67
TOT. SINGLE DX	328	2.5	4	1	1	2	3	5	5	10
" MULTIPLE DX	531	7.7	76	2	2	5	9	16	23	44
TOTAL 0-19 YRS	154	2.1	8	<1	1	1	2	3	5	8
20-34	109	3.9	18	1	1	2	5	8	10	25
35-49	143	5.0	15	1	1	4	6	11	14	17
50-64	218	6.6	79	1	2	4	7	13	20	42
65+	235	8.6	85	2	3	5	10	20	28	60
GRAND TOTAL	**859**	**5.7**	**55**	**1**	**1**	**4**	**6**	**12**	**18**	**33**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	8.2	29	2	4	7	9	15	22	23
20-34	22	6.7	4	3	4	7	8	9	10	10
35-49	23	8.8	10	5	6	7	11	13	15	18
50-64	22	11.1	37	6	6	9	13	20	25	30
65+	19	14.1	100	8	8	10	15	27	42	47
2. MULTIPLE DX										
0-19 YRS	19	15.1	183	6	7	11	16	51	79	99+
20-34	27	10.4	71	4	5	7	11	24	30	39
35-49	65	10.9	36	5	5	9	12	17	22	38
50-64	58	11.7	81	2	4	9	14	22	31	47
65+	64	13.7	117	4	5	11	16	23	28	73
TOT. SINGLE DX	97	9.8	40	5	5	8	11	15	21	41
" MULTIPLE DX	233	12.1	86	4	5	10	14	22	29	61
TOTAL 0-19 YRS	30	12.5	135	5	5	9	14	32	57	99+
20-34	49	8.7	44	4	4	7	9	13	25	39
35-49	88	10.3	30	5	5	9	11	16	21	35
50-64	80	11.5	68	3	6	9	14	21	30	46
65+	83	13.8	112	4	5	10	16	24	31	68
GRAND TOTAL	**330**	**11.5**	**74**	**4**	**5**	**9**	**13**	**21**	**28**	**49**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.3		<1	<1	1	2	2	2	2
20-34	6	1.0		<1	<1	1	1	1	1	1
35-49	6	2.0	2	1	1	2	2	5	5	5
50-64	14	1.6		<1	<1	1	2	3	4	4
65+	19	2.1	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	14	3.9	27	<1	<1	2	6	20	80	99+
20-34	5	6.6	84	2	2	3	8	23	23	23
35-49	14	4.1	32	<1	<1	2	5	23	81	99+
50-64	30	7.0	70	<1	<1	4	8	22	29	32
65+	50	5.7	29	<1	1	4	8	13	17	26
TOT. SINGLE DX	64	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	113	5.7	42	<1	1	3	8	17	25	99+
TOTAL 0-19 YRS	33	2.4	13	<1	<1	1	2	7	18	99+
20-34	11	3.5	42	<1	<1	1	3	11	22	23
35-49	20	3.5	24	<1	<1	2	4	13	58	99+
50-64	44	5.3	55	<1	<1	2	6	10	28	32
65+	69	4.7	24	<1	<1	2	6	11	15	25
GRAND TOTAL	**177**	**4.2**	**31**	**<1**	**<1**	**2**	**5**	**10**	**20**	**80**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	1.5		<1	<1	1	2	2	3	6
20-34	18	1.8	2	<1	<1	1	2	4	6	7
35-49	28	1.3		<1	1	1	2	2	2	2
50-64	29	1.9	3	<1	<1	1	2	3	4	10
65+	54	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	172	2.9	7	<1	1	2	4	6	7	14
20-34	176	3.8	36	1	1	2	4	7	11	35
35-49	109	3.1	11	1	1	2	4	6	8	57
50-64	110	4.5	45	1	1	2	4	8	17	37
65+	182	6.3	125	<1	1	3	6	14	27	79
TOT. SINGLE DX	221	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	749	4.2	51	1	1	2	4	8	13	42
TOTAL 0-19 YRS	264	2.4	6	<1	1	2	3	5	6	10
20-34	194	3.6	34	1	1	2	4	7	11	32
35-49	137	2.8	9	1	1	2	4	6	8	37
50-64	139	3.9	38	1	1	2	4	7	16	36
65+	236	5.1	101	<1	<1	2	4	12	18	78
GRAND TOTAL	**970**	**3.6**	**41**	**<1**	**1**	**2**	**3**	**7**	**11**	**38**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.6		<1	<1	1	2	2	4	4
20-34	17	1.9	4	<1	1	1	2	3	8	10
35-49	26	2.0	1	1	1	2	2	4	5	5
50-64	16	1.9	1	<1	<1	2	3	4	4	4
65+	37	1.6	1	<1	1	1	2	2	2	8
2. MULTIPLE DX										
0-19 YRS	27	2.4	3	<1	1	2	2	6	6	7
20-34	20	3.0	8	<1	<1	2	4	7	10	12
35-49	22	2.9	4	1	1	2	4	6	7	9
50-64	27	2.9	20	1	1	2	3	4	8	25
65+	60	2.7	6	1	1	2	3	4	8	14
TOT. SINGLE DX	112	1.8	2	<1	1	1	2	3	4	9
" MULTIPLE DX	156	2.7	8	1	1	2	3	6	7	14
TOTAL 0-19 YRS	43	2.1	2	<1	<1	2	2	5	6	7
20-34	37	2.5	7	<1	1	1	3	6	9	12
35-49	48	2.4	3	1	1	2	3	5	6	9
50-64	43	2.5	13	<1	1	2	3	4	5	25
65+	97	2.3	5	1	1	2	2	4	7	14
GRAND TOTAL	**268**	**2.3**	**6**	**1**	**1**	**2**	**2**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	6	3.2	4	<1	<1	3	4	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	11	6.3	70	1	1	2	5	23	24	24
20-34	8	12.4	386	1	1	4	12	47	59	59
35-49	4	3.5	13	1	1	2	6	9	9	9
50-64	5	16.2	402	<1	<1	10	23	51	51	51
65+	11	5.2	23	2	2	2	9	13	16	16
TOT. SINGLE DX	16	2.3	3	<1	<1	2	3	4	6	7
" MULTIPLE DX	39	8.2	157	1	1	3	9	21	39	59
TOTAL 0-19 YRS	18	4.4	47	<1	<1	2	3	17	23	24
20-34	9	11.4	346	1	1	4	9	43	59	59
35-49	6	3.0	9	1	1	2	3	8	9	9
50-64	11	9.1	210	<1	<1	4	9	29	49	51
65+	11	5.2	23	2	2	2	9	13	16	16
GRAND TOTAL	**55**	**6.5**	**119**	**<1**	**1**	**2**	**6**	**16**	**23**	**59**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.6	4	<1	<1	2	3	5	7	9
20-34	38	2.6	2	1	1	2	3	5	6	6
35-49	25	2.4	1	<1	1	2	3	4	4	5
50-64	30	2.5	2	1	1	2	3	4	5	10
65+	124	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	20	2.7	2	<1	<1	2	4	4	6	7
20-34	16	3.1	1	1	2	3	4	4	5	6
35-49	25	4.5	68	1	1	2	4	6	17	43
50-64	52	3.7	11	1	1	3	4	6	10	19
65+	327	2.8	3	1	1	2	3	5	6	12
TOT. SINGLE DX	244	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	440	3.0	8	1	1	2	3	5	6	13
TOTAL 0-19 YRS	47	2.6	3	<1	<1	2	4	5	7	9
20-34	54	2.7	2	1	1	3	3	5	6	6
35-49	50	3.4	35	1	1	2	3	5	6	43
50-64	82	3.2	9	1	1	3	3	5	9	18
65+	451	2.7	3	1	1	2	3	4	6	9
GRAND TOTAL	**684**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	2.9	4	<1	1	3	4	5	6	13
20-34	59	2.6	2	1	1	2	3	4	5	11
35-49	32	2.3	3	<1	<1	2	3	4	5	10
50-64	14	2.6	7	<1	<1	2	3	5	10	11
65+	16	3.0	7	<1	1	2	4	5	10	12
2. MULTIPLE DX										
0-19 YRS	57	3.7	9	<1	1	3	4	7	8	17
20-34	57	4.2	9	1	1	4	5	9	11	15
35-49	32	4.8	16	1	2	3	6	9	15	19
50-64	21	4.6	11	<1	1	4	6	11	12	12
65+	53	5.4	23	<1	1	4	7	13	17	21
TOT. SINGLE DX	195	2.7	4	<1	1	2	3	5	6	12
" MULTIPLE DX	220	4.5	14	1	1	3	5	9	13	19
TOTAL 0-19 YRS	131	3.3	7	<1	1	3	4	6	7	15
20-34	116	3.4	7	1	1	3	4	6	10	14
35-49	64	3.6	11	<1	1	2	4	7	10	19
50-64	35	3.8	11	<1	<1	3	5	10	12	12
65+	69	4.8	21	<1	1	3	6	12	14	21
GRAND TOTAL	**415**	**3.6**	**10**	**<1**	**1**	**3**	**4**	**7**	**11**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.8	1	<1	1	2	2	4	5	5
20-34	6	4.0	8	1	1	3	7	3	8	8
35-49	22	3.3	8	<1	1	2	4	7	11	12
50-64	38	2.6	2	<1	<1	2	4	5	5	7
65+	73	3.1	5	<1	<1	2	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	23	5.4	91	1	1	2	4	14	27	45
20-34	13	3.8	11	1	1	3	4	8	13	14
35-49	23	4.3	17	1	1	3	4	9	13	20
50-64	57	4.1	20	1	1	2	5	7	14	27
65-	153	4.4	34	1	1	3	5	7	13	35
TOT. SINGLE DX	158	2.9	5	<1	<1	2	4	5	8	12
" MULTIPLE DX	269	4.4	33	1	1	3	5	8	14	34
TOTAL 0-19 YRS	42	3.8	53	1	1	2	3	8	15	45
20-34	19	3.9	10	1	1	3	4	8	11	14
35-49	45	3.8	13	1	1	2	4	9	11	20
50-64	95	3.5	14	<1	1	2	4	7	9	22
65+	226	4.0	26	<1	1	3	4	7	10	24
GRAND TOTAL	**427**	**3.8**	**23**	**<1**	**1**	**2**	**4**	**7**	**10**	**23**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	3.7	5	1	1	3	5	7	8	8
20-34	19	2.9	2	1	1	3	4	5	6	7
35-49	12	3.0	5	1	1	2	4	6	9	9
50-64	17	2.1	2	1	1	2	3	4	5	6
65+	23	2.5	4	1	1	2	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	26	4.2	12	<1	1	3	5	10	12	15
20-34	24	4.8	25	1	2	3	5	8	17	25
35-49	25	4.8	8	1	2	5	6	8	10	12
50-64	39	5.7	81	1	1	3	5	12	18	54
65+	94	6.3	68	1	1	4	8	12	19	48
TOT. SINGLE DX	96	2.9	4	1	1	2	4	6	8	9
" MULTIPLE DX	208	5.6	52	1	1	4	6	11	15	47
TOTAL 0-19 YRS	51	4.0	9	1	1	3	5	8	11	15
20-34	43	3.9	16	1	1	3	4	7	10	25
35-49	37	4.2	8	1	1	4	6	8	10	12
50-64	56	4.6	59	1	1	2	4	9	13	52
65-	117	5.5	58	1	1	3	7	10	18	47
GRAND TOTAL	**304**	**4.7**	**38**	**1**	**1**	**3**	**6**	**9**	**12**	**43**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.0	2	<1	<1	1	3	4	5	7
20-34	3	6.0	7	3	3	7	8	8	8	8
35-49	5	3.0	5	<1	<1	2	4	7	7	7
50-64	10	2.0	1	1	1	2	3	4	4	4
65+	42	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	22	2.3	2	1	1	2	3	4	6	6
20-34	6	7.2	29	3	3	5	7	17	18	18
35-49	11	10.2	587	1	1	2	5	37	79	83
50-64	47	4.0	23	1	1	2	4	7	16	26
65+	179	3.2	21	1	1	2	3	6	8	22
TOT. SINGLE DX	90	2.1	2	<1	<1	2	3	3	5	8
" MULTIPLE DX	265	3.7	44	1	1	2	3	6	11	26
TOTAL 0-19 YRS	52	2.2	2	<1	<1	2	3	4	6	7
20-34	9	6.8	21	3	3	5	7	14	18	18
35-49	16	7.9	405	<1	1	2	5	7	60	83
50-64	57	3.6	20	1	1	2	3	7	15	25
65+	221	3.0	18	1	1	2	3	5	7	22
GRAND TOTAL	**355**	**3.3**	**34**	**1**	**1**	**2**	**3**	**6**	**7**	**23**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	1.7		<1	1	1	2	3	4	4
20-34	13	2.2	3	<1	<1	2	3	5	7	7
35-49	34	1.6		<1	<1	1	2	3	4	4
50-64	189	1.5		<1	<1	1	2	2	3	4
65+	717	1.4		<1	<1	<1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	36	2.2	1	1	1	2	3	4	5	6
20-34	16	4.8	67	<1	1	3	4	6	26	35
35-49	54	3.2	13	1	1	2	3	6	13	20
50-64	297	2.1	2	<1	1	2	2	4	5	10
65+	1410	2.4	13	<1	<1	2	2	4	5	14
TOT. SINGLE DX	996	1.4		<1	<1	1	2	2	3	4
" MULTIPLE DX	1813	2.4	12	<1	<1	2	2	4	5	14
TOTAL 0-19 YRS	79	1.9	1	1	1	2	2	4	4	6
20-34	29	3.6	39	<1	<1	2	4	6	8	35
35-49	88	2.5	9	<1	1	2	3	4	7	18
50-64	486	1.9	2	<1	<1	2	2	3	4	8
65+	2127	2.1	10	<1	<1	2	2	3	4	12
GRAND TOTAL	**2809**	**2.1**	**8**	**<1**	**<1**	**2**	**2**	**3**	**4**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	2.5	3	<1	<1	2	4	5	5	5
35-49	5	2.0		1	1	2	2	3	3	3
50-64	21	1.4		<1	<1	1	2	2	3	3
65+	51	1.8	6	<1	<1	1	2	3	3	19
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	26	2.3	5	<1	1	2	2	3	6	13
65+	101	2.6	6	<1	1	2	3	5	10	11
TOT. SINGLE DX	83	1.8	4	<1	<1	1	2	3	3	14
" MULTIPLE DX	132	2.6	6	<1	1	2	3	4	10	12
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	6	2.7	3	<1	<1	2	5	5	5	5
35-49	7	1.9		<1	<1	2	2	3	3	3
50-64	47	1.9	3	<1	<1	2	2	3	3	13
65+	152	2.4	6	<1	<1	2	2	4	9	12
GRAND TOTAL	**215**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**4**	**7**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	3.0	2	1	1	3	4	5	6	8
20-34	42	3.4	5	1	1	3	5	6	7	13
35-49	67	3.9	7	1	2	3	5	7	9	15
50-64	163	3.3	3	1	2	3	4	6	7	9
65+	177	3.4	2	2	2	3	4	5	7	7
2. MULTIPLE DX										
0-19 YRS	60	4.3	5	1	2	4	5	7	8	14
20-34	75	4.5	12	2	2	4	5	7	10	23
35-49	132	4.7	7	2	2	4	6	8	10	14
50-64	282	4.1	8	2	2	3	5	6	8	14
65+	398	4.0	7	2	2	3	5	7	8	14
TOT. SINGLE DX	483	3.4	4	1	2	3	4	6	7	10
" MULTIPLE DX	948	4.2	8	2	2	3	5	7	8	14
TOTAL 0-19 YRS	94	3.8	5	1	2	3	5	6	8	13
20-34	117	4.1	10	1	2	3	5	7	9	19
35-49	200	4.4	7	2	2	4	6	8	10	15
50-64	445	3.8	7	1	2	3	5	6	8	12
65+	575	3.8	6	2	2	3	4	7	7	12
GRAND TOTAL	**1431**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	3.6	8	1	1	3	4	8	10	11
20-34	6	4.0	2	2	2	4	4	7	7	7
35-49	9	5.0	35	1	1	3	5	15	20	20
50-64	30	3.2	10	1	1	2	3	6	7	18
65+	39	2.7	3	<1	1	2	3	6	7	8
2. MULTIPLE DX										
0-19 YRS	39	6.6	248	1	1	3	4	5	41	78
20-34	69	4.0	7	1	2	3	4	7	11	15
35-49	71	4.3	9	1	2	3	5	10	13	81
50-64	121	4.2	28	1	2	3	4	6	10	31
65+	241	4.2	11	1	2	3	4	8	11	21
TOT. SINGLE DX	99	3.3	9	1	1	2	4	7	8	19
" MULTIPLE DX	541	4.3	32	1	2	3	4	8	11	22
TOTAL 0-19 YRS	54	5.7	182	1	1	3	4	7	11	78
20-34	75	4.0	7	1	2	3	4	7	11	15
35-49	80	4.4	12	1	2	3	5	10	13	75
50-64	151	4.0	25	1	2	3	4	6	10	21
65+	280	4.0	11	1	2	3	4	8	10	20
GRAND TOTAL	**640**	**4.2**	**28**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	275	1.3		<1	<1	1	2	2	2	2
20-34	22	1.3		<1	<1	1	2	2	2	2
35-49	18	1.4		<1	1	1	2	2	3	3
50-64	5	1.2		1	1	1	2	2	2	2
65+	5	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	143	1.9	10	<1	<1	1	2	2	4	33
20-34	20	6.7	269	<1	1	2	2	46	84	99+
35-49	13	2.1	2	1	1	2	2	3	6	7
50-64	5	2.5	2	1	1	2	3	5	5	5
65+	8	1.8		1	1	2	2	3	3	3
TOT. SINGLE DX	325	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	189	2.4	38	<1	<1	1	2	3	5	88
TOTAL 0-19 YRS	418	1.5	4	<1	<1	1	2	2	2	8
20-34	42	3.8	132	<1	<1	2	2	3	44	99+
35-49	31	1.7	1	1	1	2	2	2	3	7
50-64	10	1.9	2	1	1	2	2	4	5	5
65+	13	1.7		<1	<1	2	2	3	3	3
GRAND TOTAL	**514**	**1.7**	**14**	**<1**	**<1**	**1**	**2**	**2**	**2**	**26**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
TOT. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
" MULTIPLE DX	3	3.3	4	1	1	4	5	5	5	5
TOTAL 0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**5**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	3.2	7	<1	1	2	4	7	9	13
20-34	55	2.3	2	1	1	2	3	4	6	9
35-49	27	3.0	9	<1	1	2	3	8	10	14
50-64	22	2.6	4	1	1	2	3	5	8	9
65+	39	3.5	13	<1	1	2	4	8	12	18
2. MULTIPLE DX										
0-19 YRS	65	4.7	15	1	1	3	7	10	11	21
20-34	69	5.3	33	1	1	3	6	12	17	30
35-49	48	3.6	7	1	1	3	5	7	10	13
50-64	60	4.4	13	1	2	3	5	10	11	19
65+	126	4.5	52	1	1	3	5	8	10	30
TOT. SINGLE DX	203	2.9	7	1	1	2	3	6	9	14
" MULTIPLE DX	368	4.6	30	1	1	3	5	9	12	22
TOTAL 0-19 YRS	125	4.0	12	1	1	3	6	8	11	17
20-34	124	4.0	22	1	1	3	4	8	13	28
35-49	75	3.4	8	1	1	3	4	7	10	14
50-64	82	3.9	12	1	1	3	5	9	11	18
65+	165	4.2	44	1	1	3	5	8	11	18
GRAND TOTAL	**571**	**4.0**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	2.3	3	<1	<1	2	3	5	6	9
20-34	32	3.6	10	<1	<1	2	5	7	10	15
35-49	20	2.9	9	<1	<1	2	4	6	10	13
50-64	19	2.4	4	<1	<1	2	3	6	8	9
65+	28	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
0-19 YRS	175	3.6	9	1	1	3	4	8	10	15
20-34	73	6.0	107	1	1	3	5	12	27	62
35-49	41	4.8	62	1	1	3	5	8	13	50
50-64	50	5.9	30	<1	1	3	9	13	20	22
65+	126	7.3	56	1	1	4	11	16	21	40
TOT. SINGLE DX	223	2.6	6	<1	<1	2	3	6	7	13
" MULTIPLE DX	465	5.3	46	1	1	3	6	12	16	37
TOTAL 0-19 YRS	299	3.1	7	<1	1	2	4	6	8	14
20-34	105	5.2	79	<1	1	2	5	10	17	57
35-49	61	4.1	46	<1	1	2	5	8	11	46
50-64	69	4.9	26	<1	1	3	7	12	15	22
65+	154	6.5	51	<1	1	4	10	15	20	39
GRAND TOTAL	**688**	**4.4**	**35**	**<1**	**1**	**3**	**5**	**10**	**14**	**28**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.4		<1	<1	1	2	2	2	2
20-34	91	1.5		1	1	1	2	2	3	3
35-49	101	1.5		1	1	1	2	2	3	4
50-64	77	1.5		1	1	1	2	2	3	4
65+	37	1.7		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	15	1.3		<1	<1	1	2	2	2	2
20-34	57	1.4		1	1	1	2	2	2	4
35-49	66	1.5		<1	1	1	2	2	3	4
50-64	61	1.6		1	1	1	2	3	3	4
65+	38	2.3	2	1	1	2	3	4	7	8
TOT. SINGLE DX	324	1.5		1	1	1	2	2	3	4
" MULTIPLE DX	237	1.6	1	1	1	1	2	2	3	6
TOTAL 0-19 YRS	33	1.3		<1	<1	1	2	2	2	2
20-34	148	1.4		1	1	1	2	2	2	3
35-49	167	1.5		1	1	1	2	2	3	4
50-64	138	1.6	1	1	1	1	2	2	3	4
65+	75	2.0	2	1	1	2	2	3	4	8
GRAND TOTAL	**561**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	257	1.5	15	<1	<1	1	1	2	2	4
20-34	126	1.3		<1	1	1	2	2	2	3
35-49	97	1.6		<1	1	1	2	3	3	6
50-64	67	1.4		<1	1	1	2	2	3	3
65+	31	1.5		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	258	1.4	1	<1	1	1	2	2	3	7
20-34	161	1.7	12	<1	1	1	2	2	3	5
35-49	145	1.7	1	<1	1	1	2	3	4	6
50-64	133	1.6		<1	1	1	2	3	3	5
65+	63	1.7		<1	1	2	2	3	3	4
TOT. SINGLE DX	578	1.4	7	<1	1	1	2	2	3	4
" MULTIPLE DX	760	1.6	4	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	515	1.4	8	<1	1	1	1	2	2	6
20-34	287	1.6	7	<1	1	1	2	2	3	4
35-49	242	1.6	1	<1	1	1	2	3	3	6
50-64	200	1.6	1	<1	1	1	2	3	3	5
65+	94	1.6	1	<1	1	1	2	3	3	4
GRAND TOTAL	**1338**	**1.5**	**5**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	432	1.3	1	<1	<1	<1	1	2	3	6
20-34	21	2.2	5	<1	<1	1	2	7	8	8
35-49	15	1.4		<1	<1	1	2	2	3	3
50-64	13	1.2		<1	<1	1	1	2	2	2
65+	8	2.0	2	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
0-19 YRS	926	2.3	16	<1	<1	1	2	5	7	15
20-34	19	7.3	159	1	1	1	6	30	39	44
35-49	28	3.9	33	1	1	2	4	7	22	25
50-64	23	8.5	185	1	1	5	10	18	36	65
65+	23	7.1	58	<1	<1	5	10	21	25	26
TOT. SINGLE DX	489	1.3	1	<1	<1	<1	1	2	3	7
" MULTIPLE DX	1019	2.7	26	<1	<1	1	2	6	9	25
TOTAL 0-19 YRS	1358	2.0	12	<1	<1	1	2	4	6	13
20-34	40	4.6	83	<1	<1	1	3	8	30	44
35-49	43	3.0	23	<1	<1	2	3	5	12	25
50-64	36	5.9	129	1	1	1	8	15	20	65
65+	31	5.8	48	<1	<1	2	6	16	25	26
GRAND TOTAL	**1508**	**2.3**	**18**	**<1**	**<1**	**1**	**2**	**5**	**7**	**18**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	2.0	5	1	1	1	2	3	6	15
20-34	89	1.7	1	1	1	1	2	3	5	5
35-49	62	2.0	6	1	1	2	2	3	3	17
50-64	65	2.1	1	1	1	2	3	4	4	9
65+	16	2.5	1	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	227	2.7	12	1	1	2	3	6	8	24
20-34	159	2.6	15	1	1	2	2	3	10	18
35-49	142	2.2	2	1	1	2	3	3	4	9
50-64	130	2.9	20	1	1	2	3	5	8	21
65+	77	4.0	48	1	1	2	3	6	12	41
TOT. SINGLE DX	346	2.0	4	1	1	1	2	3	5	13
" MULTIPLE DX	735	2.8	16	1	1	2	3	4	8	23
TOTAL 0-19 YRS	341	2.5	10	1	1	2	3	5	8	19
20-34	248	2.3	10	1	1	1	2	3	5	17
35-49	204	2.1	4	1	1	2	2	3	4	12
50-64	195	2.7	14	1	1	2	3	4	7	13
65+	93	3.7	41	1	1	2	3	6	9	40
GRAND TOTAL	**1081**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**7**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	2.4	15	<1	<1	1	2	6	8	24
20-34	37	1.7		<1	<1	1	2	3	4	99+
35-49	40	2.2	3	1	1	2	3	5	7	9
50-64	46	2.6	6	1	1	2	3	6	8	14
65+	13	2.1	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	77	4.7	113	<1	1	2	4	8	11	70
20-34	56	2.3	5	<1	1	2	3	4	5	16
35-49	46	2.6	10	<1	1	2	3	5	9	99+
50-64	46	2.2	2	1	1	2	3	4	6	7
65+	31	4.9	46	1	1	2	5	11	21	33
TOT. SINGLE DX	205	2.3	7	<1	1	1	2	4	7	21
" MULTIPLE DX	256	3.4	44	1	1	2	3	6	10	46
TOTAL 0-19 YRS	146	3.6	68	<1	1	1	2	7	10	48
20-34	93	2.1	4	<1	1	2	2	3	4	63
35-49	86	2.4	7	1	1	2	3	5	7	71
50-64	92	2.4	4	1	1	2	3	5	6	12
65+	44	4.1	35	<1	1	2	4	10	14	33
GRAND TOTAL	**461**	**2.9**	**28**	**<1**	**1**	**2**	**3**	**5**	**8**	**32**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.1	1	<1	<1	2	3	4	4	7
20-34	75	1.5		<1	<1	1	2	2	3	5
35-49	65	1.5		<1	<1	1	2	3	3	6
50-64	34	1.7		<1	<1	1	3	3	3	3
65+	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	132	2.3	4	1	1	2	3	4	4	16
20-34	344	2.1	4	1	1	2	3	4	5	10
35-49	256	2.5	7	1	1	2	3	5	6	17
50-64	136	2.6	2	1	1	2	3	4	5	7
65+	51	3.2	20	1	1	2	3	5	9	32
TOT. SINGLE DX	211	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	919	2.4	6	1	1	2	3	4	5	10
TOTAL 0-19 YRS	164	2.2	4	1	1	2	3	3	4	15
20-34	419	2.0	3	<1	1	2	2	3	5	9
35-49	321	2.3	7	<1	1	2	3	4	5	12
50-64	170	2.4	2	1	1	2	3	4	5	7
65+	56	3.0	19	<1	1	2	3	4	8	31
GRAND TOTAL	**1130**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	1.6		1	1	1	2	3	3	4
20-34	269	1.6	1	1	1	1	2	3	3	6
35-49	190	1.6	1	1	1	1	2	3	3	6
50-64	107	1.8	1	1	1	1	2	3	4	6
65+	32	1.8	1	1	1	1	2	3	5	5
2. MULTIPLE DX										
0-19 YRS	384	2.0	6	1	1	1	2	3	4	9
20-34	852	2.0	6	1	1	1	2	3	4	16
35-49	657	2.3	14	1	1	2	2	4	5	17
50-64	340	2.2	4	1	1	2	3	4	5	11
65+	162	3.0	12	1	1	2	3	6	10	21
TOT. SINGLE DX	764	1.6	1	1	1	1	2	3	3	6
" MULTIPLE DX	2395	2.2	9	1	1	2	2	4	5	16
TOTAL 0-19 YRS	550	1.9	5	1	1	1	2	3	4	9
20-34	1121	1.9	5	1	1	1	2	3	4	9
35-49	847	2.2	12	1	1	1	2	4	5	16
50-64	447	2.1	4	1	1	2	2	3	5	9
65+	194	2.8	11	1	1	2	3	5	9	20
GRAND TOTAL	**3159**	**2.1**	**7**	**1**	**1**	**1**	**2**	**3**	**5**	**13**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.8	1	<1	<1	1	2	4	5	6
20-34	41	1.9	2	<1	<1	1	2	4	6	8
35-49	48	1.8	2	<1	1	1	2	3	5	9
50-64	58	2.1	3	<1	<1	1	2	4	6	10
65+	48	2.4	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	96	3.5	23	<1	1	2	4	8	10	32
20-34	116	1.8	2	<1	1	1	2	3	5	8
35-49	154	2.5	8	1	1	2	3	5	6	12
50-64	153	3.7	38	1	1	2	4	7	10	40
65+	180	5.0	57	1	1	3	5	10	15	44
TOT. SINGLE DX	237	2.0	3	<1	<1	1	2	4	6	10
" MULTIPLE DX	699	3.4	30	1	1	2	4	7	10	33
TOTAL 0-19 YRS	138	3.0	18	<1	1	2	3	6	9	29
20-34	157	1.8	2	<1	1	1	2	3	5	8
35-49	202	2.3	7	1	1	2	3	5	6	11
50-64	211	3.3	30	<1	1	2	3	6	10	35
65+	228	4.5	47	<1	1	3	5	9	14	42
GRAND TOTAL	**936**	**3.1**	**23**	**<1**	**1**	**2**	**3**	**6**	**9**	**28**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	1.9	10	<1	<1	1	2	3	4	21
20-34	117	2.3	2	<1	1	1	3	5	5	8
35-49	63	3.1	3	1	1	3	4	6	6	7
50-64	84	4.0	5	1	1	4	5	6	8	13
65+	50	4.6	6	1	2	4	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	133	3.7	79	1	1	2	3	6	10	53
20-34	216	3.1	29	1	1	2	4	6	8	16
35-49	105	4.0	9	1	1	3	6	9	11	52
50-64	142	4.9	23	1	2	4	6	10	13	22
65+	219	5.8	21	1	2	4	7	12	15	23
TOT. SINGLE DX	411	2.9	7	<1	1	2	4	6	7	10
" MULTIPLE DX	815	4.4	33	1	1	3	5	9	12	21
TOTAL 0-19 YRS	230	2.9	51	<1	<1	1	2	5	7	34
20-34	333	2.8	20	1	1	2	4	5	7	13
35-49	168	3.7	7	1	1	3	5	7	10	14
50-64	226	4.6	17	1	1	4	6	8	12	17
65+	269	5.6	19	1	2	4	7	11	15	21
GRAND TOTAL	**1226**	**3.9**	**24**	**1**	**1**	**3**	**5**	**7**	**11**	**18**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.4	5	1	1	2	3	4	7	11
20-34	75	2.1	4	1	1	2	2	3	7	13
35-49	87	1.9	2	1	1	2	2	4	5	9
50-64	74	2.2	1	1	1	2	3	4	5	7
65+	39	2.4	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	47	3.5	13	<1	1	2	4	9	12	18
20-34	139	2.8	10	1	1	2	3	6	8	20
35-49	201	3.3	10	1	1	2	4	7	10	18
50-64	183	3.4	20	1	1	2	3	7	11	18
65+	160	4.2	16	1	1	3	5	9	13	22
TOT. SINGLE DX	299	2.1	3	1	1	2	2	4	5	10
" MULTIPLE DX	730	3.4	15	1	1	2	4	8	11	19
TOTAL 0-19 YRS	71	3.1	11	1	1	2	4	8	11	17
20-34	214	2.5	8	1	1	2	3	5	7	18
35-49	288	2.9	8	1	1	2	3	6	9	16
50-64	257	3.1	16	1	1	2	3	6	10	15
65+	199	3.8	15	1	1	3	4	9	12	21
GRAND TOTAL	**1029**	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**10**	**18**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.8	7	<1	1	2	3	8	9	10
20-34	75	3.2	7	<1	1	2	4	7	10	14
35-49	60	2.4	5	1	1	1	3	5	8	13
50-64	43	3.2	6	<1	1	2	4	7	9	10
65+	33	2.9	2	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	117	6.3	64	1	1	4	8	14	20	47
20-34	181	4.3	18	1	1	3	6	9	15	21
35-49	223	4.6	64	1	1	2	5	10	14	44
50-64	196	5.0	28	1	1	3	6	12	17	32
65+	145	6.1	36	1	1	4	8	14	18	29
TOT. SINGLE DX	244	2.9	6	<1	1	2	3	6	9	11
" MULTIPLE DX	862	5.1	43	1	1	3	7	11	16	32
TOTAL 0-19 YRS	150	5.5	54	1	1	3	7	12	18	42
20-34	256	4.0	16	1	1	3	5	9	13	18
35-49	283	4.1	53	1	1	2	4	9	12	31
50-64	239	4.7	25	1	1	3	6	11	16	32
65+	178	5.5	32	1	1	3	7	12	16	27
GRAND TOTAL	**1106**	**4.6**	**35**	**1**	**1**	**3**	**6**	**10**	**15**	**27**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.4		<1	<1	1	2	2	2	65
20-34	60	2.1	6	<1	1	1	2	3	5	17
35-49	29	2.4	2	1	1	2	3	4	7	8
50-64	18	2.2	1	1	1	2	2	4	6	6
65+	13	2.1	1	1	1	2	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	197	3.9	73	<1	1	2	3	6	10	55
20-34	226	5.9	77	1	1	2	6	16	28	45
35-49	189	6.2	89	1	1	3	7	14	21	49
50-64	217	5.2	37	1	1	3	6	11	17	29
65+	240	6.5	89	1	1	3	8	14	23	74
TOT. SINGLE DX	207	1.9	3	<1	1	1	2	3	4	15
" MULTIPLE DX	1069	5.6	74	1	1	2	6	13	21	48
TOTAL 0-19 YRS	284	3.2	52	<1	1	2	2	4	8	56
20-34	286	5.1	65	1	1	2	4	12	25	43
35-49	218	5.7	80	1	1	2	6	13	20	48
50-64	235	5.0	35	1	1	3	6	10	17	28
65+	253	6.3	86	1	1	3	8	13	22	72
GRAND TOTAL	**1276**	**5.0**	**64**	**1**	**1**	**2**	**5**	**11**	**18**	**47**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.1		<1	<1	<1	1	1	2	2
20-34	4	4.8	9	1	1	5	7	8	8	8
35-49	4	2.3	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	141	2.0	47	<1	<1	<1	1	2	3	15
20-34	19	1.7		<1	<1	2	2	3	3	3
35-49	11	12.3	767	1	1	2	7	46	91	95
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
TOT. SINGLE DX	110	1.4	2	<1	<1	<1	1	2	3	10
" MULTIPLE DX	175	2.6	89	<1	<1	1	2	3	4	65
TOTAL 0-19 YRS	240	1.6	28	<1	<1	<1	1	2	2	8
20-34	23	2.2	3	<1	<1	2	3	4	7	8
35-49	15	9.6	570	1	1	2	4	14	75	95
50-64	3	2.7		2	2	3	3	3	3	3
65+	4	5.3	34	2	2	3	8	14	14	14
GRAND TOTAL	**285**	**2.1**	**56**	**<1**	**<1**	**<1**	**2**	**2**	**4**	**14**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.4	1	1	1	2	3	4	5	6
20-34	12	2.3	2	1	1	2	3	4	6	6
35-49	44	2.3	1	1	1	2	3	4	4	4
50-64	53	2.6		1	1	3	3	4	4	5
65+	20	3.0	1	1	1	3	4	5	5	6
2. MULTIPLE DX										
0-19 YRS	77	2.6	8	<1	<1	2	3	5	9	78
20-34	53	2.8	4	1	1	2	3	5	7	12
35-49	75	4.6	50	1	1	3	3	9	15	38
50-64	91	4.4	24	1	1	3	4	12	18	24
65+	81	4.5	64	1	1	3	4	6	12	55
TOT. SINGLE DX	162	2.5	1	1	1	2	3	4	4	6
" MULTIPLE DX	377	3.9	33	1	1	3	4	7	13	36
TOTAL 0-19 YRS	110	2.6	7	<1	1	2	3	4	9	52
20-34	65	2.7	4	1	1	2	3	5	7	12
35-49	119	3.7	33	1	1	2	3	6	11	38
50-64	144	3.7	17	1	1	3	4	6	13	24
65+	101	4.2	52	1	1	3	4	6	9	48
GRAND TOTAL	**539**	**3.5**	**24**	**1**	**1**	**2**	**3**	**5**	**9**	**30**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.5	4	1	1	2	3	4	5	12
20-34	137	2.3	1	1	1	2	3	4	4	8
35-49	168	2.5	2	1	1	2	3	4	5	8
50-64	187	2.6	1	1	1	2	3	4	5	6
65+	153	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	29	3.5	11	1	1	3	4	6	10	18
20-34	65	3.1	5	1	1	2	3	6	8	13
35-49	105	3.2	18	1	1	2	3	5	8	26
50-64	181	3.5	7	1	1	3	4	7	9	16
65+	267	4.4	12	1	1	3	5	9	13	18
TOT. SINGLE DX	698	2.6	2	1	1	2	3	4	5	8
" MULTIPLE DX	647	3.8	11	1	1	3	4	7	10	17
TOTAL 0-19 YRS	82	2.9	7	1	1	2	4	5	7	16
20-34	202	2.6	3	1	1	2	3	4	5	10
35-49	273	2.8	9	1	1	2	3	4	6	12
50-64	368	3.1	5	1	1	3	4	5	7	13
65+	420	3.8	9	1	1	3	4	7	10	17
GRAND TOTAL	**1345**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**8**	**15**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	219	3.1	1	1	1	3	4	5	5	7
20-34	4	1.8		1	1	2	2	2	2	2
35-49	11	1.9	1	1	1	1	3	4	4	4
50-64	5	1.4		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	248	3.8	6	2	2	3	4	5	6	11
20-34	13	3.9	9	1	2	3	4	7	12	13
35-49	27	3.8	6	1	1	3	5	8	9	10
50-64	15	2.8	3	1	1	2	4	4	7	8
65+	2	4.0	2	3	3	4	5	5	5	5
TOT. SINGLE DX	239	3.0	2	1	1	3	4	5	5	7
" MULTIPLE DX	305	3.7	6	1	2	3	4	5	6	11
TOTAL 0-19 YRS	467	3.4	4	1	2	3	4	5	6	9
20-34	17	3.4	8	1	1	3	4	6	11	13
35-49	38	3.2	6	1	1	3	5	7	9	10
50-64	20	2.5	3	1	1	2	3	4	6	8
65+	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**544**	**3.4**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	2.7	3	1	1	2	3	5	6	9
20-34	70	2.5	2	<1	1	2	4	5	5	8
35-49	65	3.5	11	<1	1	2	4	7	9	21
50-64	92	4.1	17	<1	1	2	5	9	13	20
65+	88	4.2	41	<1	1	2	4	9	11	38
2. MULTIPLE DX										
0-19 YRS	306	4.0	34	1	1	3	4	7	9	30
20-34	198	4.1	13	1	1	3	5	8	9	21
35-49	150	5.6	31	1	1	4	7	13	19	26
50-64	238	7.2	72	1	1	4	10	16	26	46
65+	340	6.6	45	1	1	4	9	15	19	33
TOT. SINGLE DX	584	3.2	13	<1	1	2	4	6	8	19
" MULTIPLE DX	1232	5.5	43	1	1	3	7	12	17	33
TOTAL 0-19 YRS	575	3.4	20	1	1	2	4	6	8	19
20-34	268	3.7	11	1	1	3	5	7	8	20
35-49	215	4.9	26	1	1	3	6	11	17	25
50-64	330	6.3	59	1	1	3	8	14	22	37
65+	428	6.1	45	1	1	4	8	14	18	35
GRAND TOTAL	**1816**	**4.8**	**34**	**1**	**1**	**3**	**5**	**10**	**15**	**32**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2034	1.3		1	1	1	1	2	2	4
20-34	1250	1.5	7	1	1	1	2	2	3	5
35-49	211	1.4		1	1	1	2	2	3	5
50-64	34	2.2	2	1	1	2	3	4	7	8
65+	11	1.9	2	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
0-19 YRS	709	1.5	1	1	1	1	2	2	3	8
20-34	426	1.9	4	1	1	1	2	4	6	10
35-49	116	3.0	18	1	1	2	3	5	10	29
50-64	37	3.2	16	1	1	2	3	9	13	20
65+	14	3.2	11	<1	1	2	5	10	11	11
TOT. SINGLE DX	3540	1.4	3	1	1	1	2	2	3	4
" MULTIPLE DX	1302	1.8	5	1	1	1	2	3	5	12
TOTAL 0-19 YRS	2743	1.4	1	1	1	1	2	2	2	5
20-34	1676	1.6	7	1	1	1	2	2	3	7
35-49	327	2.0	7	1	1	1	2	3	5	14
50-64	71	2.7	10	1	1	2	3	5	10	19
65+	25	2.6	8	<1	<1	1	3	5	10	11
GRAND TOTAL	**4842**	**1.5**	**4**	**1**	**1**	**1**	**2**	**2**	**3**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4150	1.3	2	1	1	1	2	2	2	3
20-34	209	1.4		1	1	1	2	2	3	4
35-49	18	1.6	1	<1	1	1	2	3	4	4
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3658	1.5	1	1	1	1	2	2	3	8
20-34	75	2.1	2	1	1	2	3	4	5	8
35-49	18	2.6	4	1	1	2	3	6	7	8
50-64	6	2.3	2	1	1	2	2	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	4381	1.3	2	1	1	1	2	2	2	3
" MULTIPLE DX	3759	1.5	2	1	1	1	2	2	3	8
TOTAL 0-19 YRS	7808	1.4	2	1	1	1	2	2	2	5
20-34	284	1.6	1	1	1	1	2	3	3	6
35-49	36	2.1	3	1	1	1	2	5	6	8
50-64	9	2.3	2	1	1	2	3	5	5	5
65+	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**8140**	**1.4**	**2**	**1**	**1**	**1**	**2**	**2**	**2**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.1		<1	<1	1	1	2	2	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	431	1.4	3	<1	<1	1	1	2	2	8
20-34	7	1.3		1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
TOT. SINGLE DX	91	1.1		<1	<1	1	1	2	2	3
" MULTIPLE DX	440	1.4	3	<1	<1	1	1	2	2	8
TOTAL 0-19 YRS	518	1.4	3	<1	<1	1	1	2	2	8
20-34	10	1.3		1	1	1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+										
GRAND TOTAL	**531**	**1.4**	**3**	**<1**	**<1**	**1**	**1**	**2**	**2**	**8**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	293	2.1	2	<1	1	2	2	4	5	9
20-34	177	2.1	1	1	1	2	3	3	4	7
35-49	79	2.2	1	1	1	2	3	4	5	8
50-64	58	2.8	6	1	1	2	3	7	9	11
65+	30	4.2	19	<1	<1	2	7	9	12	21
2. MULTIPLE DX										
0-19 YRS	107	3.4	29	1	1	2	4	6	9	32
20-34	100	3.6	6	1	1	3	4	6	8	14
35-49	108	3.6	8	1	1	3	4	8	10	13
50-64	122	6.1	55	1	1	3	7	16	22	45
65+	92	8.2	70	1	1	5	12	20	27	38
TOT. SINGLE DX	637	2.3	4	<1	1	2	3	4	6	10
" MULTIPLE DX	529	4.9	39	1	1	3	5	11	17	36
TOTAL 0-19 YRS	400	2.4	10	<1	1	2	3	4	6	12
20-34	277	2.6	4	1	1	2	3	5	6	11
35-49	187	3.0	6	1	1	2	4	6	9	11
50-64	180	5.0	48	1	1	3	5	11	19	42
65+	122	7.2	61	1	1	4	10	19	25	37
GRAND TOTAL	**1166**	**3.5**	**22**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.4		<1	<1	1	2	2	3	3
20-34	13	2.6	4	1	1	2	3	6	8	8
35-49	18	2.9	2	1	1	3	4	5	5	5
50-64	28	3.6	5	<1	1	3	5	6	9	11
65+	20	3.7	4	1	2	3	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	52	4.6	28	1	1	3	5	7	17	33
20-34	16	4.8	22	<1	1	3	6	12	16	18
35-49	18	3.4	7	1	1	3	5	7	9	11
50-64	46	5.8	34	1	2	4	7	8	22	28
65+	94	6.7	87	1	1	4	8	13	20	57
TOT. SINGLE DX	97	2.9	4	<1	1	2	4	5	7	10
" MULTIPLE DX	226	5.6	53	1	1	4	6	12	18	31
TOTAL 0-19 YRS	70	3.8	23	<1	<1	3	4	6	9	30
20-34	29	3.8	15	1	1	2	4	9	12	18
35-49	36	3.2	5	1	1	3	4	5	7	11
50-64	74	5.0	25	1	1	4	6	8	12	28
65+	114	6.1	74	1	1	4	7	12	17	48
GRAND TOTAL	**323**	**4.8**	**40**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	1.3		<1	<1	1	2	2	2	4
20-34	39	1.3		<1	<1	1	1	2	2	4
35-49	71	2.0	13	<1	<1	1	2	2	3	26
50-64	112	1.5		<1	<1	1	2	2	3	6
65+	60	1.6	1	<1	<1	1	2	2	3	9
2. MULTIPLE DX										
0-19 YRS	75	3.2	26	<1	1	1	3	7	15	30
20-34	19	2.5	10	<1	<1	1	3	6	11	14
35-49	71	3.9	44	1	1	2	4	8	11	43
50-64	157	4.4	32	<1	1	2	5	11	16	28
65+	141	5.7	95	<1	1	2	6	13	34	48
TOT. SINGLE DX	426	1.5	3	<1	<1	1	2	2	3	7
" MULTIPLE DX	463	4.5	52	<1	1	2	4	10	16	43
TOTAL 0-19 YRS	219	2.0	10	<1	<1	1	2	3	5	19
20-34	58	1.7	4	<1	<1	1	2	3	4	13
35-49	142	2.9	30	<1	1	1	2	6	9	32
50-64	269	3.2	21	<1	<1	2	3	8	11	27
65+	201	4.5	71	<1	1	2	3	9	17	46
GRAND TOTAL	**889**	**3.0**	**31**	**<1**	**<1**	**1**	**2**	**7**	**11**	**34**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.1	2	1	1	2	2	4	6	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	6.8	43	<1	<1	5	12	16	19	19
50-64	26	9.3	48	1	1	8	14	20	21	25
65+	10	8.9	29	1	1	10	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	46	5.7	125	1	1	2	4	14	40	99+
20-34	1	6.0		6	6	6	6	6	6	6
35-49	16	14.1	232	<1	1	9	24	30	48	56
50-64	33	11.0	79	2	2	10	14	19	21	50
65+	37	11.8	143	1	2	9	15	24	37	61
TOT. SINGLE DX	76	6.2	38	1	1	3	10	15	19	24
" MULTIPLE DX	133	9.7	137	1	1	6	13	21	34	73
TOTAL 0-19 YRS	73	4.4	82	1	1	2	3	11	17	92
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	28	10.9	160	<1	1	6	15	28	33	56
50-64	59	10.3	65	1	2	9	14	19	21	48
65+	47	11.2	120	1	2	9	14	21	29	61
GRAND TOTAL	**209**	**8.4**	**104**	**1**	**1**	**5**	**12**	**19**	**26**	**64**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	8	10.8	6	8	8	11	12	14	15	15
50-64	26	13.3	63	7	8	11	13	23	32	42
65+	17	11.1	13	7	7	11	11	18	20	20
2. MULTIPLE DX										
0-19 YRS										
20-34	2	28.5	685	10	10	28	47	47	47	47
35-49	19	17.3	51	7	9	16	25	28	28	28
50-64	100	19.5	165	9	10	15	22	44	57	99+
65+	82	19.9	181	9	10	16	23	35	45	86
TOT. SINGLE DX	51	12.1	38	7	8	11	13	19	24	42
" MULTIPLE DX	203	19.5	163	9	10	15	23	36	49	99+
TOTAL 0-19 YRS										
20-34	2	28.5	685	10	10	28	47	47	47	47
35-49	27	15.3	47	7	8	13	19	27	28	28
50-64	126	18.2	150	8	9	14	20	39	55	99+
65+	99	18.4	163	8	10	14	20	30	40	81
GRAND TOTAL	**254**	**18.0**	**147**	**8**	**9**	**14**	**20**	**34**	**47**	**99**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	3	7.0	1	6	6	7	8	8	8	8
65+	4	4.3	14	1	1	4	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	16	30.5	589	3	4	31	55	93	99+	99+
20-34	11	24.5	342	5	7	17	42	75	96	99+
35-49	29	23.8	508	3	4	14	31	59	61	96
50-64	57	28.8	564	4	5	26	49	88	99+	99+
65+	103	27.1	350	5	6	25	44	59	71	99+
TOT. SINGLE DX	10	5.5	9	1	1	6	8	9	9	9
" MULTIPLE DX	216	27.2	440	4	5	23	45	67	97	99+
TOTAL 0-19 YRS	16	30.5	590	3	4	31	55	93	99+	99+
20-34	12	22.7	350	3	5	17	40	71	95	99+
35-49	31	22.7	493	3	4	14	30	58	59	96
50-64	60	27.7	559	4	5	24	47	85	99+	99+
65+	107	26.2	356	4	6	24	43	58	71	99+
GRAND TOTAL	**226**	**26.2**	**441**	**4**	**5**	**22**	**44**	**65**	**95**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	3.3	14	<1	1	2	3	7	10	22
20-34	11	4.6	7	<1	1	4	6	8	10	10
35-49	17	4.2	23	<1	1	2	6	11	17	19
50-64	20	6.9	87	<1	<1	3	8	21	31	35
65+	16	2.3	3	<1	1	2	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	174	14.3	313	1	2	8	23	54	99+	99+
20-34	41	22.2	432	2	3	16	41	71	99+	99+
35-49	49	18.9	468	1	2	10	25	42	71	93
50-64	138	24.8	526	1	2	20	40	68	92	99+
65+	179	32.3	586	2	4	31	48	72	86	99+
TOT. SINGLE DX	107	4.1	28	<1	1	2	5	8	13	31
" MULTIPLE DX	581	23.3	518	1	2	17	39	70	90	99+
TOTAL 0-19 YRS	217	12.1	273	1	1	5	20	46	79	99+
20-34	52	18.5	393	2	3	13	31	71	99+	99+
35-49	66	15.1	393	1	1	7	21	35	68	92
50-64	158	22.5	505	1	1	15	35	64	85	99+
65+	195	29.8	607	1	2	25	47	71	84	99+
GRAND TOTAL	**688**	**20.3**	**490**	**1**	**2**	**13**	**33**	**65**	**83**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.5	10	1	2	4	5	8	12	14
20-34	81	4.7	13	1	1	4	7	9	12	16
35-49	82	5.6	18	1	1	4	8	10	14	21
50-64	212	6.4	29	1	1	5	9	12	15	28
65+	171	6.0	22	1	1	5	8	12	16	25
2. MULTIPLE DX										
0-19 YRS	27	10.4	99	2	2	7	12	31	34	37
20-34	189	10.3	68	2	2	8	14	23	26	32
35-49	419	9.3	71	2	2	7	12	19	28	42
50-64	1307	9.2	57	2	2	7	12	18	23	40
65+	2392	10.6	71	2	3	9	14	21	26	42
TOT. SINGLE DX	561	5.9	23	1	1	4	8	12	14	25
" MULTIPLE DX	4334	10.0	67	2	3	8	13	20	25	41
TOTAL 0-19 YRS	42	8.3	75	1	2	5	9	20	33	37
20-34	270	8.6	59	1	1	7	12	20	24	31
35-49	501	8.7	64	1	2	7	11	18	25	38
50-64	1519	8.8	54	1	2	7	11	17	22	38
65+	2563	10.3	69	2	3	8	13	20	25	41
GRAND TOTAL	**4895**	**9.5**	**64**	**2**	**2**	**8**	**12**	**19**	**25**	**39**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.6	27	1	1	2	8	13	14	14
20-34	2	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	49.5	4705	1	1	49	98	98	98	98
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	4.0	2	3	3	4	5	5	5	5
TOT. SINGLE DX	9	5.3	23	1	1	2	9	12	14	14
" MULTIPLE DX	9	14.6	998	1	1	3	7	65	98	98
TOTAL 0-19 YRS	9	14.6	1001	1	1	2	11	64	98	98
20-34	4	4.8	14	1	1	5	8	8	8	8
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**18**	**9.9**	**503**	**1**	**1**	**3**	**8**	**15**	**65**	**98**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	14.3	101	6	6	11	18	28	39	41
20-34	40	8.1	23	2	3	7	10	15	20	21
35-49	71	7.0	16	1	2	7	8	13	14	22
50-64	149	8.2	28	1	3	8	10	14	17	33
65+	115	7.4	26	1	1	8	9	14	17	25
2. MULTIPLE DX										
0-19 YRS	50	14.9	258	3	4	10	16	28	57	80
20-34	112	11.5	59	3	4	10	16	21	26	38
35-49	202	11.2	68	2	3	9	15	22	27	41
50-64	623	12.1	91	2	3	9	15	23	30	47
65+	925	11.5	83	2	3	9	15	22	28	44
TOT. SINGLE DX	387	7.9	29	1	2	7	10	14	17	29
" MULTIPLE DX	1912	11.8	88	2	3	9	15	23	29	46
TOTAL 0-19 YRS	62	14.8	226	3	5	10	17	28	47	79
20-34	152	10.6	52	3	4	8	14	21	23	32
35-49	273	10.1	58	1	3	8	13	20	26	39
50-64	772	11.4	82	2	3	9	14	22	29	45
65+	1040	11.1	79	1	2	9	14	22	27	44
GRAND TOTAL	**2299**	**11.1**	**80**	**2**	**3**	**9**	**14**	**22**	**28**	**44**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	10.6	36	3	4	8	16	19	21	21
20-34	6	10.0	18	5	5	9	13	17	17	17
35-49	23	8.8	4	6	7	8	10	13	13	13
50-64	91	11.4	16	7	8	10	14	17	20	23
65+	56	13.0	30	7	8	11	15	21	24	30
2. MULTIPLE DX										
0-19 YRS	18	14.1	49	6	7	13	17	26	30	30
20-34	7	16.0	25	9	10	16	21	23	23	23
35-49	100	13.2	75	6	7	11	16	20	27	55
50-64	397	13.8	60	7	8	12	16	22	28	51
65+	473	16.1	92	7	8	14	19	27	33	57
TOT. SINGLE DX	186	11.4	21	6	7	10	14	18	21	28
" MULTIPLE DX	995	14.8	78	7	8	12	17	25	30	55
TOTAL 0-19 YRS	28	12.8	46	5	6	12	17	21	29	30
20-34	13	13.2	30	5	7	13	16	22	23	23
35-49	123	12.4	65	6	7	10	14	19	26	50
50-64	488	13.3	53	7	8	11	16	21	26	48
65+	529	15.9	87	7	8	13	18	26	33	56
GRAND TOTAL	**1181**	**14.3**	**71**	**7**	**8**	**12**	**16**	**23**	**29**	**51**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	187	2.8	9	<1	1	2	3	7	10	19
20-34	82	4.2	20	<1	<1	3	4	12	16	20
35-49	121	5.4	26	1	1	4	7	10	18	27
50-64	164	6.0	31	1	1	5	8	12	14	20
65+	130	6.6	27	1	1	5	9	13	17	25
2. MULTIPLE DX										
0-19 YRS	266	10.5	197	1	1	6	14	27	37	94
20-34	238	11.2	170	1	2	8	14	22	30	82
35-49	467	9.0	68	2	2	7	11	18	26	43
50-64	1045	9.6	69	2	2	7	12	19	25	46
65+	1740	11.7	102	2	3	9	15	23	29	57
TOT. SINGLE DX	684	4.9	24	<1	1	3	6	11	15	22
" MULTIPLE DX	3756	10.6	101	2	2	8	13	21	29	56
TOTAL 0-19 YRS	453	7.3	134	<1	1	3	8	19	30	93
20-34	320	9.4	141	1	1	6	12	20	25	81
35-49	588	8.3	62	1	2	6	10	17	23	39
50-64	1209	9.1	66	2	2	7	11	18	24	46
65+	1870	11.3	99	2	3	9	14	22	29	56
GRAND TOTAL	**4440**	**9.8**	**94**	**1**	**2**	**7**	**12**	**20**	**27**	**51**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	5.4	24	2	2	4	6	11	19	20
20-34	39	4.7	7	1	2	4	6	9	11	13
35-49	10	5.2	7	<1	1	5	7	9	10	10
50-64	5	11.4	54	3	3	10	17	22	22	22
65+	8	9.3	22	3	4	9	10	17	19	19
2. MULTIPLE DX										
0-19 YRS	15	9.7	64	3	5	7	11	23	30	33
20-34	29	8.3	33	3	3	8	9	15	21	29
35-49	32	11.8	61	3	4	10	15	22	30	35
50-64	57	13.8	123	2	4	10	19	30	37	49
65+	55	10.0	91	2	3	8	11	19	30	56
TOT. SINGLE DX	74	5.9	18	1	2	5	7	10	15	22
" MULTIPLE DX	188	11.2	87	3	3	8	13	26	32	47
TOTAL 0-19 YRS	27	7.8	50	2	2	6	8	18	24	33
20-34	68	6.3	21	2	3	5	8	11	14	28
35-49	42	10.2	56	2	3	8	13	19	29	35
50-64	62	13.6	117	2	4	10	19	29	37	49
65+	63	9.9	82	2	3	8	11	19	28	54
GRAND TOTAL	**262**	**9.7**	**73**	**2**	**3**	**7**	**11**	**20**	**29**	**41**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	5.5	16	1	2	4	7	10	13	23
20-34	416	5.3	8	2	3	5	6	9	11	17
35-49	110	6.4	23	2	3	5	8	10	14	30
50-64	78	7.4	40	3	3	6	9	12	20	41
65+	66	7.9	24	3	3	7	9	14	16	28
2. MULTIPLE DX										
0-19 YRS	264	17.2	398	3	4	10	19	50	72	99
20-34	410	9.2	83	3	3	6	10	19	28	61
35-49	392	10.5	69	3	3	8	13	20	27	45
50-64	551	11.0	79	3	4	8	14	21	27	58
65+	880	13.3	117	3	4	11	16	26	35	60
TOT. SINGLE DX	765	5.9	17	2	3	5	7	10	12	23
" MULTIPLE DX	2497	12.1	131	3	4	9	15	24	34	71
TOTAL 0-19 YRS	359	14.1	324	2	3	7	14	36	64	98
20-34	826	7.2	50	2	3	5	8	13	19	40
35-49	502	9.6	63	2	3	7	12	19	26	42
50-64	629	10.6	76	3	4	8	13	20	25	57
65+	946	12.9	113	3	4	10	16	25	34	60
GRAND TOTAL	**3262**	**10.7**	**111**	**3**	**3**	**7**	**13**	**21**	**30**	**64**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	153	5.8	11	1	2	6	7	8	9	25
20-34	74	5.1	18	1	1	3	7	11	14	20
35-49	67	6.4	29	1	1	5	8	12	17	32
50-64	64	7.5	56	1	1	7	9	13	17	51
65+	60	5.9	31	1	1	4	8	11	18	29
2. MULTIPLE DX										
0-19 YRS	62	12.9	123	3	5	9	15	26	39	52
20-34	110	10.5	68	1	2	8	14	24	28	34
35-49	189	11.8	103	2	3	10	15	22	30	61
50-64	369	10.5	86	2	2	8	14	21	27	53
65+	510	11.9	103	2	3	9	15	25	32	49
TOT. SINGLE DX	418	6.0	26	1	1	6	8	10	13	26
" MULTIPLE DX	1240	11.4	97	2	3	9	15	23	30	52
TOTAL 0-19 YRS	215	7.8	54	1	3	6	8	13	23	48
20-34	184	8.3	55	1	1	7	11	19	26	33
35-49	256	10.4	90	2	2	8	13	20	27	49
50-64	433	10.0	83	1	2	8	13	19	26	54
65+	570	11.3	100	2	2	8	14	24	31	47
GRAND TOTAL	**1658**	**10.1**	**84**	**1**	**2**	**8**	**13**	**21**	**28**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	137	7.8	16	3	4	7	9	13	16	24
20-34	28	9.4	7	7	7	9	10	13	15	20
35-49	37	11.1	22	7	7	9	12	17	19	31
50-64	44	12.9	51	7	8	10	14	20	32	38
65+	15	13.4	37	3	8	12	18	23	23	23
2. MULTIPLE DX										
0-19 YRS	429	13.6	144	5	5	9	15	28	39	93
20-34	64	17.7	148	6	7	13	22	35	44	65
35-49	154	17.5	157	7	8	12	19	37	48	62
50-64	351	18.1	189	8	9	14	20	33	51	92
65+	413	18.2	129	8	9	15	22	29	40	67
TOT. SINGLE DX	261	9.6	28	4	5	8	11	16	20	31
" MULTIPLE DX	1411	16.7	157	6	7	13	20	32	43	80
TOTAL 0-19 YRS	566	12.2	120	4	5	9	14	24	36	79
20-34	92	15.2	119	6	7	11	17	31	37	59
35-49	191	16.2	137	7	8	11	18	33	45	62
50-64	395	17.5	176	8	9	13	20	32	47	90
65+	428	18.0	127	8	9	15	22	29	39	67
GRAND TOTAL	**1672**	**15.6**	**143**	**5**	**7**	**12**	**18**	**29**	**40**	**72**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	9.0		9	9	9	9	9	9	9
35-49	70	9.6	6	7	7	9	11	13	14	18
50-64	228	10.4	11	7	7	9	11	15	17	22
65+	99	11.5	11	8	8	11	14	16	17	24
2. MULTIPLE DX										
0-19 YRS	3	13.0	4	11	11	13	14	15	15	15
20-34	30	11.9	33	6	7	10	14	17	27	33
35-49	789	11.4	28	7	7	10	13	16	21	33
50-64	2788	12.6	37	7	8	11	14	19	23	36
65+	2313	15.2	65	8	9	13	17	24	30	51
TOT. SINGLE DX	400	10.5	11	7	7	10	12	15	17	22
" MULTIPLE DX	5923	13.4	49	7	8	12	15	21	26	43
TOTAL 0-19 YRS	4	13.0	3	11	11	13	14	15	15	15
20-34	32	11.7	32	6	7	10	14	16	26	33
35-49	859	11.2	27	7	7	10	12	16	20	32
50-64	3016	12.4	36	7	8	11	14	19	23	35
65+	2412	15.0	64	8	9	13	17	24	30	50
GRAND TOTAL	**6323**	**13.2**	**47**	**7**	**8**	**11**	**15**	**21**	**26**	**42**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	316	1.9	2	<1	1	2	2	3	4	14
20-34	142	3.0	8	1	1	2	3	6	9	14
35-49	1015	3.0	10	1	1	2	3	6	9	13
50-64	1509	2.9	8	1	1	2	3	6	9	13
65+	486	3.1	9	1	1	2	3	7	9	15
2. MULTIPLE DX										
0-19 YRS	844	2.9	21	1	1	2	2	5	9	25
20-34	438	4.8	20	1	1	3	7	10	14	21
35-49	4157	4.2	15	1	1	3	6	9	11	18
50-64	9305	4.5	17	1	1	3	6	10	13	20
65+	6542	5.8	30	1	2	4	8	12	16	27
TOT. SINGLE DX	3468	2.9	9	1	1	2	3	6	9	13
" MULTIPLE DX	21286	4.8	22	1	1	3	7	10	14	23
TOTAL 0-19 YRS	1160	2.6	16	1	1	2	2	5	7	20
20-34	580	4.3	18	1	1	3	6	9	12	21
35-49	5172	4.0	15	1	1	2	5	9	11	17
50-64	10814	4.3	17	1	1	2	6	10	12	19
65+	7028	5.6	30	1	1	4	8	12	15	26
GRAND TOTAL	**24754**	**4.5**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	4.5	4	2	2	4	5	9	9	9
20-34	11	3.9	4	2	2	3	5	7	9	9
35-49	23	4.3	13	<1	1	3	6	9	13	15
50-64	72	4.4	9	1	1	4	6	7	9	17
65+	333	4.2	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	51	6.1	25	2	2	5	7	14	15	26
20-34	35	6.5	28	2	3	5	7	12	19	25
35-49	128	8.5	55	1	2	6	12	18	21	39
50-64	645	9.2	55	2	3	7	12	17	21	38
65+	4002	9.2	51	2	3	7	12	17	22	38
TOT. SINGLE DX	453	4.2	12	1	1	3	5	8	10	16
" MULTIPLE DX	4861	9.1	52	2	3	7	12	17	22	38
TOTAL 0-19 YRS	65	5.8	21	2	2	4	6	11	15	26
20-34	46	5.9	24	2	2	4	6	12	18	25
35-49	151	7.9	51	1	2	6	11	17	21	35
50-64	717	8.7	53	2	3	7	11	16	21	37
65+	4335	8.8	51	2	3	7	11	16	21	36
GRAND TOTAL	**5314**	**8.7**	**51**	**2**	**3**	**7**	**11**	**16**	**21**	**36**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	5.3	16	2	2	3	7	11	12	19
20-34	16	6.6	20	2	2	6	9	12	16	17
35-49	110	5.0	9	2	2	4	7	9	12	14
50-64	136	4.7	8	1	2	4	6	9	10	14
65+	66	5.3	15	2	2	4	7	10	12	23
2. MULTIPLE DX										
0-19 YRS	72	7.2	88	1	1	4	9	15	36	88
20-34	84	9.5	55	2	3	8	11	14	29	42
35-49	709	6.5	30	2	2	5	8	12	15	26
50-64	1563	6.8	35	2	2	5	9	12	16	26
65+	893	8.4	40	2	3	7	10	17	21	29
TOT. SINGLE DX	356	5.0	11	2	2	4	7	10	12	16
" MULTIPLE DX	3321	7.3	38	2	2	6	9	13	18	29
TOTAL 0-19 YRS	100	6.6	69	1	1	3	8	14	23	74
20-34	100	9.0	50	2	3	8	11	14	23	41
35-49	819	6.3	28	2	2	5	8	12	14	25
50-64	1699	6.6	34	2	2	5	8	12	16	26
65+	959	8.2	39	2	3	6	10	16	21	29
GRAND TOTAL	**3677**	**7.0**	**36**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	3.1	22	<1	<1	2	3	6	11	18
20-34	55	4.1	18	1	1	2	6	9	14	20
35-49	80	4.2	24	1	1	2	6	11	13	25
50-64	105	3.5	13	<1	1	2	4	9	11	17
65+	86	4.4	20	<1	1	2	6	11	14	21
2. MULTIPLE DX										
0-19 YRS	376	7.8	106	1	1	4	9	19	27	52
20-34	177	8.5	100	1	1	6	11	17	22	82
35-49	374	8.4	69	1	2	6	11	17	24	46
50-64	804	8.9	70	1	2	7	12	19	24	39
65+	1948	11.1	79	2	3	9	14	22	28	43
TOT. SINGLE DX	536	3.6	20	<1	1	2	4	9	12	20
" MULTIPLE DX	3679	9.9	82	1	2	8	13	20	26	45
TOTAL 0-19 YRS	586	6.1	82	<1	1	3	7	14	21	51
20-34	232	7.5	85	1	1	5	10	15	20	73
35-49	454	7.6	64	1	1	5	10	16	22	42
50-64	909	8.3	67	1	1	6	11	18	22	38
65+	2034	10.8	78	1	2	9	14	21	27	43
GRAND TOTAL	**4215**	**9.1**	**78**	**1**	**1**	**7**	**12**	**20**	**25**	**43**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.1	1	2	2	3	4	5	5	5
20-34	187	2.9	7	1	1	2	3	5	6	12
35-49	319	2.8	3	1	1	2	3	5	6	10
50-64	204	3.5	4	1	1	3	4	6	7	13
65+	68	4.5	15	1	1	4	5	8	10	27
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	55	4.3	38	1	1	3	4	8	10	42
35-49	135	3.5	4	1	1	3	4	5	7	15
50-64	146	5.1	16	2	2	4	6	10	14	22
65+	107	7.3	60	2	2	4	9	18	22	41
TOT. SINGLE DX	786	3.2	6	1	1	3	4	5	6	12
" MULTIPLE DX	444	5.0	28	1	2	4	5	10	15	29
TOTAL 0-19 YRS	9	2.9	1	1	1	3	4	5	5	5
20-34	242	3.2	15	1	1	3	4	5	6	22
35-49	454	3.0	4	1	1	3	4	5	6	10
50-64	350	4.2	10	1	2	3	5	7	10	19
65+	175	6.2	45	1	2	4	7	12	20	32
GRAND TOTAL	**1230**	**3.9**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	8.6	16	4	5	8	9	13	14	24
20-34	12	8.8	199	1	1	3	9	23	48	52
35-49	59	7.3	39	1	2	6	9	14	20	34
50-64	152	7.8	17	2	2	8	10	12	15	23
65+	164	8.4	23	2	2	8	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	116	12.5	168	4	5	8	13	25	48	89
20-34	175	9.4	88	2	2	7	12	18	30	49
35-49	447	11.4	102	2	3	9	13	22	32	55
50-64	1411	12.0	95	3	4	9	14	23	30	59
65+	2169	14.1	102	4	6	11	17	26	34	59
TOT. SINGLE DX	416	8.1	28	2	2	8	10	13	16	27
" MULTIPLE DX	4318	12.9	103	3	4	10	15	24	32	59
TOTAL 0-19 YRS	145	11.7	140	4	5	8	13	23	36	85
20-34	187	9.4	95	2	2	7	12	18	30	52
35-49	506	10.9	97	2	3	9	13	21	31	53
50-64	1563	11.6	90	2	4	9	14	22	29	56
65+	2333	13.7	99	4	5	11	16	25	33	57
GRAND TOTAL	**4734**	**12.5**	**98**	**3**	**4**	**10**	**15**	**23**	**31**	**57**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	1	58.0		58	58	58	58	58	58	58
65+	2	18.0	50	13	13	18	23	23	23	23
TOT. SINGLE DX										
" MULTIPLE DX	5	23.8	389	10	10	15	32	58	58	58
TOTAL 0-19 YRS										
20-34										
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	1	58.0		58	58	58	58	58	58	58
65+	2	18.0	50	13	13	18	23	23	23	23
GRAND TOTAL	**5**	**23.8**	**389**	**10**	**10**	**15**	**32**	**58**	**58**	**58**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	3.6	4	2	2	3	5	7	7	7
50-64	4	8.8	27	4	4	7	12	16	16	16
65+	7	6.0	42	1	1	3	12	16	16	16
2. MULTIPLE DX										
0-19 YRS	47	6.9	84	1	1	4	6	18	22	56
20-34	263	5.3	24	1	1	4	7	11	14	28
35-49	492	5.9	33	1	2	4	7	12	17	32
50-64	830	6.2	34	1	2	5	8	12	17	30
65+	906	7.1	55	1	2	5	8	14	19	35
TOT. SINGLE DX	19	5.9	25	1	1	4	8	15	16	16
" MULTIPLE DX	2538	6.4	42	1	2	5	8	13	18	32
TOTAL 0-19 YRS	49	6.8	81	1	1	4	6	17	22	56
20-34	264	5.3	25	1	1	4	7	11	14	28
35-49	497	5.9	33	1	2	4	7	12	17	32
50-64	834	6.2	34	1	2	5	8	12	17	30
65+	913	7.0	55	1	2	5	8	14	19	35
GRAND TOTAL	**2557**	**6.4**	**42**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	241	5.7	17	1	1	5	7	10	13	27
20-34	142	5.8	42	<1	1	4	7	12	16	37
35-49	225	5.7	31	1	1	4	7	11	18	28
50-64	514	6.7	26	1	2	5	9	12	16	25
65+	673	7.1	22	2	3	6	9	12	15	26
2. MULTIPLE DX										
0-19 YRS	2018	19.3	404	2	4	11	27	55	75	99+
20-34	571	8.7	71	1	2	6	11	20	27	40
35-49	1024	9.6	112	1	2	6	11	21	31	59
50-64	3123	9.7	91	2	2	7	12	19	28	56
65+	5854	10.9	93	2	3	9	13	21	28	57
TOT. SINGLE DX	1795	6.5	26	1	2	5	8	12	15	26
" MULTIPLE DX	12590	11.8	155	2	3	8	14	25	38	79
TOTAL 0-19 YRS	2259	17.9	380	2	3	10	24	52	71	99+
20-34	713	8.1	67	1	1	5	10	18	26	39
35-49	1249	8.9	100	1	2	6	11	20	28	55
50-64	3637	9.3	83	2	2	7	11	18	26	53
65+	6527	10.5	88	2	3	8	13	20	27	55
GRAND TOTAL	**14385**	**11.1**	**142**	**2**	**2**	**8**	**13**	**23**	**36**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	4.0	20	<1	1	2	5	9	12	28
20-34	171	3.1	6	<1	1	2	4	7	9	12
35-49	121	2.9	6	<1	1	2	4	5	7	16
50-64	140	4.5	10	1	1	3	7	9	11	15
65+	110	5.5	20	1	1	5	8	11	15	58
2. MULTIPLE DX										
0-19 YRS	118	6.7	49	1	1	5	8	14	24	59
20-34	152	7.2	92	1	1	5	8	13	19	52
35-49	197	7.2	66	1	2	5	9	15	21	35
50-64	413	7.0	33	1	2	5	9	14	17	28
65+	562	8.8	75	1	2	7	11	18	25	52
TOT. SINGLE DX	708	3.9	14	<1	1	3	5	9	10	19
" MULTIPLE DX	1442	7.7	62	1	2	6	10	16	22	42
TOTAL 0-19 YRS	284	5.1	34	<1	1	3	7	11	15	35
20-34	323	5.0	51	<1	1	3	6	10	13	35
35-49	318	5.5	48	1	1	4	7	11	17	28
50-64	553	6.4	29	1	2	5	9	13	16	25
65+	672	8.3	68	1	2	6	10	18	24	52
GRAND TOTAL	**2150**	**6.5**	**49**	**1**	**1**	**5**	**8**	**14**	**18**	**39**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.8	6	<1	1	3	6	8	8	8
20-34	17	5.9	18	1	1	6	8	13	14	14
35-49	32	5.4	35	1	2	4	6	13	14	32
50-64	82	6.7	31	1	2	5	7	15	18	29
65+	49	6.1	12	2	2	6	7	10	15	18
2. MULTIPLE DX										
0-19 YRS	12	7.0	16	1	2	7	9	12	16	17
20-34	30	6.8	17	2	2	6	9	12	17	18
35-49	47	7.0	17	2	2	6	9	11	14	24
50-64	182	7.9	39	2	3	6	9	15	20	29
65+	262	10.2	116	3	4	7	10	20	31	55
TOT. SINGLE DX	193	6.1	25	1	2	5	7	13	16	28
" MULTIPLE DX	533	8.8	75	2	3	7	9	17	24	48
TOTAL 0-19 YRS	25	5.4	14	<1	1	6	8	9	11	17
20-34	47	6.4	18	1	2	6	9	13	15	18
35-49	79	6.3	25	2	2	5	8	12	14	30
50-64	264	7.5	37	2	3	6	9	15	19	29
65+	311	9.5	102	3	4	7	9	18	28	52
GRAND TOTAL	**726**	**8.1**	**63**	**2**	**2**	**6**	**9**	**15**	**21**	**43**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	18.5	613	1	1	18	36	36	36	36
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	2	18.5	613	1	1	18	36	36	36	36
" MULTIPLE DX	4	6.3	8	4	4	6	8	10	10	10
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	18.5	613	1	1	18	36	36	36	36
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**6**	**10.3**	**167**	**1**	**1**	**6**	**10**	**33**	**36**	**36**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	31.3	511	3	3	32	46	58	58	58
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	49.2	412	26	29	42	58	80	90	95
20-34	5	42.2	134	28	28	42	50	58	58	58
35-49	2	47.5	221	37	37	47	58	58	58	58
50-64										
65+										
TOT. SINGLE DX	5	32.4	390	3	3	35	42	58	58	58
" MULTIPLE DX	24	47.6	328	27	29	42	57	79	84	95
TOTAL 0-19 YRS	21	45.8	459	15	27	38	57	79	87	95
20-34	6	41.3	112	28	29	39	48	57	58	58
35-49	2	47.5	221	37	37	47	58	58	58	58
50-64										
65+										
GRAND TOTAL	**29**	**45.0**	**359**	**23**	**28**	**38**	**57**	**72**	**81**	**95**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	5.8	34	1	2	5	7	11	15	32
20-34	156	7.2	25	2	2	6	8	12	19	30
35-49	94	7.7	47	1	2	6	9	15	23	36
50-64	110	6.8	30	2	2	5	8	13	17	31
65+	105	6.5	43	2	2	5	8	11	13	44
2. MULTIPLE DX										
0-19 YRS	432	9.8	78	2	3	7	12	21	29	46
20-34	438	11.7	130	2	3	8	14	28	33	62
35-49	511	10.6	77	2	3	8	13	22	29	46
50-64	927	11.0	99	2	3	8	13	22	32	54
65+	2534	10.9	69	3	4	9	13	20	26	45
TOT. SINGLE DX	734	6.6	35	1	2	5	8	12	17	32
" MULTIPLE DX	4842	10.9	83	3	3	8	13	21	29	48
TOTAL 0-19 YRS	701	8.2	65	1	2	6	10	17	24	44
20-34	594	10.5	107	2	3	7	11	24	31	55
35-49	605	10.2	74	2	3	8	12	21	28	44
50-64	1037	10.5	93	2	3	8	13	21	31	53
65+	2639	10.7	69	3	4	9	13	20	25	45
GRAND TOTAL	**5576**	**10.3**	**78**	**2**	**3**	**8**	**12**	**20**	**28**	**46**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	7.2	51	<1	1	4	11	16	23	33
20-34	49	7.3	48	1	2	6	9	13	20	40
35-49	49	7.0	39	1	1	6	8	14	23	29
50-64	56	6.9	135	1	1	4	7	12	20	81
65+	35	7.9	77	1	2	4	11	17	29	42
2. MULTIPLE DX										
0-19 YRS	382	18.4	367	2	3	11	25	47	64	99
20-34	253	12.9	157	1	2	9	17	29	34	84
35-49	480	12.4	147	2	2	8	16	28	36	58
50-64	830	12.1	146	1	2	8	16	26	35	60
65+	1187	13.9	155	2	3	11	18	29	36	76
TOT. SINGLE DX	272	7.2	69	1	1	5	9	15	23	39
" MULTIPLE DX	3132	13.7	181	2	2	10	18	30	40	83
TOTAL 0-19 YRS	465	16.4	329	1	2	10	21	41	60	98
20-34	302	12.0	144	1	2	8	16	28	34	73
35-49	529	11.9	140	1	2	8	15	27	36	57
50-64	886	11.7	148	1	2	8	15	25	34	61
65+	1222	13.8	154	2	3	11	18	29	36	76
GRAND TOTAL	**3404**	**13.1**	**175**	**2**	**2**	**9**	**17**	**29**	**39**	**78**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	7.7	127	1	1	2	10	19	35	54
20-34	21	5.4	13	<1	1	5	8	9	12	15
35-49	60	5.2	27	1	1	3	8	10	15	27
50-64	68	4.7	17	1	1	4	6	11	13	19
65+	58	6.1	31	1	1	4	9	16	19	20
2. MULTIPLE DX										
0-19 YRS	116	9.1	159	1	1	4	11	24	53	99+
20-34	125	9.5	140	2	2	6	9	22	35	64
35-49	330	7.0	45	1	2	5	9	14	20	27
50-64	593	8.5	68	1	2	6	11	19	25	42
65+	1053	9.4	77	2	2	7	12	20	26	47
TOT. SINGLE DX	245	5.7	40	1	1	4	8	12	18	31
" MULTIPLE DX	2217	8.8	79	1	2	6	11	19	26	49
TOTAL 0-19 YRS	154	8.8	151	1	1	4	11	24	47	98
20-34	146	8.9	124	1	2	6	9	20	35	61
35-49	390	6.8	43	1	1	5	9	14	18	28
50-64	661	8.1	65	1	2	6	10	18	24	41
65+	1111	9.2	75	2	2	7	12	19	25	46
GRAND TOTAL	**2462**	**8.5**	**76**	**1**	**2**	**6**	**10**	**18**	**25**	**49**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	466	3.1	1	1	2	3	4	5	5	7
20-34	5	7.0	13	2	2	7	9	12	12	12
35-49										
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	4	8.5	13	4	4	9	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	138	4.7	30	2	2	4	5	7	8	25
20-34	7	8.1	10	4	4	9	10	12	13	13
35-49	9	14.8	55	7	7	13	18	27	28	28
50-64	13	25.0	556	8	8	14	36	72	74	74
65+	32	17.0	59	7	9	18	21	33	89	99+
TOT. SINGLE DX	477	3.2	2	1	2	3	4	5	6	9
" MULTIPLE DX	199	8.6	108	2	2	5	9	19	27	87
TOTAL 0-19 YRS	604	3.5	9	2	2	3	4	5	7	9
20-34	12	7.7	11	2	3	7	10	12	13	13
35-49	9	14.8	55	7	7	13	18	27	28	28
50-64	15	22.6	518	6	8	13	31	72	73	74
65+	36	16.1	61	7	8	17	21	30	77	99+
GRAND TOTAL	**676**	**4.8**	**39**	**2**	**2**	**3**	**5**	**8**	**15**	**39**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	12.5	69	5	5	11	19	22	22	22
20-34										
35-49	4	12.3	25	8	8	11	16	19	19	19
50-64	6	12.0	117	4	4	7	17	30	32	32
65+	22	9.7	74	1	2	7	14	25	27	29
2. MULTIPLE DX										
0-19 YRS	67	20.7	466	2	3	12	33	56	66	99
20-34	34	19.1	370	2	3	14	51	99+	99+	99+
35-49	42	19.4	245	2	4	15	33	95	99+	99+
50-64	146	19.1	293	2	4	15	30	49	80	99+
65+	916	18.9	258	3	4	15	25	39	56	99+
TOT. SINGLE DX	36	10.7	71	1	2	8	16	24	28	32
" MULTIPLE DX	1205	19.0	276	3	4	15	26	44	67	99+
TOTAL 0-19 YRS	71	20.3	446	2	3	12	30	55	64	99
20-34	34	19.1	371	2	3	14	51	99+	99+	99+
35-49	46	18.7	230	2	4	15	32	85	99+	99+
50-64	152	18.8	288	2	4	15	29	48	77	99+
65+	938	18.7	256	3	4	15	24	38	56	99+
GRAND TOTAL	**1241**	**18.8**	**272**	**3**	**4**	**14**	**26**	**43**	**66**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.6	4	2	2	4	6	8	8	8
20-34	29	4.3	6	1	1	4	6	8	10	10
35-49	67	4.3	5	1	2	4	5	8	9	13
50-64	68	4.6	6	1	2	4	6	7	9	16
65+	75	5.7	16	<1	2	5	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	41	5.8	13	1	2	5	7	11	14	17
20-34	189	7.4	45	2	2	5	8	15	23	32
35-49	425	7.0	46	2	2	5	8	13	17	31
50-64	776	7.3	30	2	3	6	9	13	17	31
65+	1626	8.9	43	3	3	7	11	16	21	35
TOT. SINGLE DX	247	4.8	9	1	2	4	6	8	10	18
" MULTIPLE DX	3057	8.1	41	2	3	6	10	15	20	33
TOTAL 0-19 YRS	49	5.6	12	2	2	5	7	10	13	17
20-34	218	7.0	42	2	2	5	7	14	22	32
35-49	492	6.6	42	2	2	5	8	12	16	30
50-64	844	7.1	29	2	3	6	9	13	17	31
65+	1701	8.7	43	2	3	7	11	16	21	35
GRAND TOTAL	**3304**	**7.8**	**40**	**2**	**3**	**6**	**9**	**15**	**20**	**33**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	32	8.8	18	6	6	8	9	14	17	26
35-49	60	9.2	9	5	6	9	10	12	16	20
50-64	49	9.7	9	7	7	9	11	13	13	25
65+	44	12.7	28	7	8	11	15	20	23	31
2. MULTIPLE DX										
0-19 YRS	3	13.0	7	11	11	12	15	16	16	16
20-34	56	13.8	131	4	5	11	17	25	31	76
35-49	182	13.7	72	7	7	11	15	24	30	51
50-64	257	15.6	114	7	8	12	18	29	35	62
65+	451	18.0	120	8	9	15	21	30	39	64
TOT. SINGLE DX	185	10.1	17	6	6	9	11	16	19	26
" MULTIPLE DX	949	16.2	113	7	8	13	19	29	35	60
TOTAL 0-19 YRS	3	13.0	7	11	11	12	15	16	16	16
20-34	88	12.0	95	5	6	9	15	20	27	62
35-49	242	12.6	61	6	7	10	14	21	29	48
50-64	306	14.6	102	7	7	11	16	26	34	55
65+	495	17.5	114	8	9	14	20	30	37	62
GRAND TOTAL	**1134**	**15.2**	**102**	**7**	**7**	**12**	**18**	**26**	**33**	**57**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	13.0	19	10	10	11	16	18	18	18
50-64	9	24.8	337	10	10	19	34	55	67	67
65+	9	18.8	70	12	13	15	20	34	38	38
2. MULTIPLE DX										
0-19 YRS										
20-34	6	24.7	382	7	7	17	36	57	59	59
35-49	17	24.3	282	8	8	19	36	57	83	99+
50-64	52	23.4	214	10	12	19	26	46	57	83
65+	75	21.3	133	10	11	19	26	34	42	72
TOT. SINGLE DX	22	20.0	182	9	10	15	20	37	50	67
" MULTIPLE DX	150	22.5	184	10	11	19	27	40	57	84
TOTAL 0-19 YRS										
20-34	7	22.3	358	7	7	17	31	54	59	59
35-49	20	22.6	257	8	9	16	33	56	77	99+
50-64	61	23.6	227	10	11	19	26	46	58	82
65+	84	21.1	126	10	11	18	26	34	40	70
GRAND TOTAL	**172**	**22.2**	**184**	**10**	**10**	**18**	**27**	**38**	**57**	**82**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0		8	8	8	8	8	8	8
20-34	36	7.9	9	4	5	7	10	12	13	19
35-49	40	8.5	4	5	6	8	10	11	13	14
50-64	29	9.3	7	6	6	8	10	14	14	15
65+	13	13.5	30	8	9	14	15	19	27	29
2. MULTIPLE DX										
0-19 YRS	4	16.3	14	12	12	16	19	21	21	21
20-34	36	10.6	22	5	5	9	13	17	21	22
35-49	96	11.5	34	5	6	10	13	17	24	37
50-64	111	12.4	52	6	7	10	14	20	25	43
65+	99	17.1	98	8	9	13	20	30	37	57
TOT. SINGLE DX	120	9.0	12	5	6	8	10	14	15	22
" MULTIPLE DX	346	13.4	63	6	7	11	15	23	28	42
TOTAL 0-19 YRS	6	13.5	27	8	8	13	17	21	21	21
20-34	72	9.2	18	5	5	8	11	15	19	22
35-49	136	10.6	28	5	6	9	12	16	21	33
50-64	140	11.8	45	6	7	10	14	18	23	33
65+	112	16.7	92	8	9	13	20	29	34	56
GRAND TOTAL	**466**	**12.2**	**54**	**6**	**6**	**10**	**14**	**20**	**27**	**40**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	6.8	42	2	2	6	8	10	13	44
20-34	301	5.3	8	2	2	5	7	9	10	14
35-49	330	5.9	16	2	2	6	7	9	11	16
50-64	104	7.7	15	2	3	7	9	12	14	23
65+	40	10.3	23	6	6	8	11	17	21	29
2. MULTIPLE DX										
0-19 YRS	295	17.9	316	3	5	12	23	46	80	99+
20-34	523	7.4	46	2	3	6	8	11	16	44
35-49	791	8.4	61	3	3	7	9	14	20	49
50-64	454	12.2	105	4	5	9	14	24	32	66
65+	576	17.3	165	6	7	13	20	33	46	69
TOT. SINGLE DX	859	6.2	18	2	2	6	8	10	12	21
" MULTIPLE DX	2639	11.9	135	3	4	8	13	25	36	76
TOTAL 0-19 YRS	379	15.4	276	2	4	9	20	42	70	99+
20-34	824	6.6	34	2	3	6	7	10	13	36
35-49	1121	7.7	49	2	3	6	8	12	16	45
50-64	558	11.3	91	3	5	9	12	21	30	60
65+	616	16.8	160	6	7	13	20	32	42	69
GRAND TOTAL	**3498**	**10.5**	**112**	**2**	**3**	**7**	**11**	**21**	**31**	**68**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	3.8	8	1	1	3	5	8	10	16
20-34	88	5.0	10	2	2	4	6	9	14	68
35-49	84	4.8	9	1	1	4	6	9	11	15
50-64	124	4.1	9	1	1	3	5	8	11	14
65+	128	4.7	21	<1	<1	3	7	12	13	21
2. MULTIPLE DX										
0-19 YRS	145	7.0	80	1	2	5	8	13	19	54
20-34	333	7.1	46	2	2	5	8	13	19	34
35-49	509	6.6	46	1	2	5	8	12	18	43
50-64	1030	7.1	39	1	2	6	9	14	18	31
65+	2446	8.2	56	1	2	6	10	16	21	40
TOT. SINGLE DX	503	4.5	13	1	1	3	6	9	12	18
" MULTIPLE DX	4463	7.7	52	1	2	6	9	15	20	37
TOTAL 0-19 YRS	224	5.8	57	1	1	4	7	11	16	37
20-34	421	6.7	39	2	2	5	8	12	17	35
35-49	593	6.3	42	1	2	5	8	12	16	36
50-64	1154	6.7	37	1	2	5	8	13	17	30
65+	2574	8.1	55	1	2	6	10	16	21	38
GRAND TOTAL	**4966**	**7.3**	**49**	**1**	**2**	**6**	**9**	**14**	**19**	**35**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	9.5	69	4	5	7	9	14	29	43
20-34	28	10.1	28	6	6	8	12	16	25	27
35-49	21	9.6	17	4	5	8	12	14	18	22
50-64	32	9.7	13	5	6	9	12	14	18	19
65+	36	11.8	38	6	6	10	13	24	27	29
2. MULTIPLE DX										
0-19 YRS	77	21.3	401	6	6	13	33	67	99+	99+
20-34	115	14.2	114	6	6	11	16	26	36	65
35-49	155	14.5	114	6	7	12	16	26	34	54
50-64	228	17.8	195	6	7	14	20	35	45	75
65+	568	18.6	161	7	8	15	23	35	42	76
TOT. SINGLE DX	137	10.3	32	5	6	9	12	15	23	31
" MULTIPLE DX	1143	17.6	176	7	7	13	21	35	45	88
TOTAL 0-19 YRS	97	18.8	355	5	6	11	27	62	97	99+
20-34	143	13.4	100	6	6	10	15	25	33	60
35-49	176	13.9	105	6	7	11	15	24	32	53
50-64	260	16.8	180	6	7	13	19	31	43	69
65+	604	18.2	156	7	8	14	23	34	42	76
GRAND TOTAL	**1280**	**16.8**	**166**	**6**	**7**	**12**	**20**	**32**	**42**	**84**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	9.7	23	4	5	8	12	16	20	26
20-34	79	11.5	41	5	6	10	14	19	26	38
35-49	167	10.2	23	6	6	9	11	15	20	34
50-64	335	10.0	10	6	7	9	11	14	16	22
65+	407	11.3	25	7	7	10	12	16	18	34
2. MULTIPLE DX										
0-19 YRS	85	21.1	342	6	7	15	28	56	76	99+
20-34	202	14.4	130	6	7	10	15	26	33	67
35-49	508	13.5	99	6	7	11	14	22	33	72
50-64	1390	13.5	68	7	8	11	15	22	31	55
65+	3666	15.7	88	8	8	13	18	26	34	57
TOT. SINGLE DX	1027	10.6	21	6	7	10	12	15	18	30
" MULTIPLE DX	5851	15.0	91	7	8	12	17	25	34	59
TOTAL 0-19 YRS	124	17.5	269	5	6	12	19	47	65	99+
20-34	281	13.6	107	6	7	10	15	25	30	65
35-49	675	12.7	82	6	7	10	14	20	30	57
50-64	1725	12.9	59	7	7	11	14	20	27	50
65+	4073	15.3	84	8	8	12	17	25	33	56
GRAND TOTAL	**6878**	**14.4**	**83**	**7**	**8**	**12**	**16**	**24**	**32**	**56**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	6.6	13	1	2	6	9	12	13	13
20-34	18	5.8	14	2	2	4	8	12	13	13
35-49	13	8.3	75	2	2	5	11	18	31	34
50-64	20	10.2	33	5	6	8	12	16	23	30
65+	15	10.7	26	5	5	10	14	19	21	22
2. MULTIPLE DX										
0-19 YRS	26	15.2	159	3	5	9	26	34	60	99+
20-34	33	9.8	56	1	3	8	12	22	33	99+
35-49	54	12.1	44	2	2	12	16	21	25	28
50-64	84	15.7	89	6	7	14	19	30	33	50
65+	220	17.3	137	7	8	14	20	30	45	62
TOT. SINGLE DX	86	8.2	32	2	2	7	11	14	17	33
" MULTIPLE DX	417	15.6	116	5	6	13	19	29	36	62
TOTAL 0-19 YRS	46	11.4	113	2	3	8	13	29	38	99+
20-34	51	8.4	45	2	2	7	11	20	26	99
35-49	67	11.4	52	2	2	11	16	21	25	33
50-64	104	14.7	83	6	7	12	18	30	33	49
65+	235	16.8	133	6	8	13	20	29	41	61
GRAND TOTAL	**503**	**14.3**	**109**	**3**	**5**	**12**	**18**	**27**	**34**	**59**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	7.0	24	2	2	6	9	12	15	24
20-34	105	7.8	9	4	5	7	9	11	12	21
35-49	99	8.5	12	4	5	8	10	12	16	24
50-64	97	9.6	22	4	5	9	11	14	16	31
65+	97	8.7	8	5	5	9	10	13	14	17
2. MULTIPLE DX										
0-19 YRS	233	12.2	161	4	5	8	13	27	49	99+
20-34	195	12.3	158	4	5	9	12	21	31	75
35-49	241	13.8	122	5	6	10	15	24	36	68
50-64	340	12.8	74	5	6	10	14	24	33	52
65+	664	13.7	113	5	6	11	15	24	34	69
TOT. SINGLE DX	525	8.3	16	3	4	8	10	12	14	25
" MULTIPLE DX	1673	13.1	119	5	6	10	14	24	35	76
TOTAL 0-19 YRS	360	10.4	119	3	4	8	11	19	38	99+
20-34	300	10.7	111	4	5	8	10	17	27	65
35-49	340	12.2	96	5	6	9	14	20	28	67
50-64	437	12.1	64	5	6	10	13	22	31	47
65+	761	13.0	103	5	6	10	14	22	32	67
GRAND TOTAL	**2198**	**12.0**	**99**	**4**	**5**	**9**	**13**	**21**	**31**	**67**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	11.2	62	4	5	9	13	24	30	30
20-34	6	8.0	10	3	3	8	8	13	13	13
35-49	7	9.9	19	3	4	9	13	15	16	16
50-64	6	11.8	98	1	1	9	17	28	29	29
65+	16	13.0	60	4	4	12	16	23	30	33
2. MULTIPLE DX										
0-19 YRS	29	17.6	201	7	7	11	22	30	43	76
20-34	43	17.7	182	6	7	12	23	38	41	70
35-49	57	17.8	211	3	5	15	21	34	43	99+
50-64	134	16.2	117	5	7	13	19	26	34	66
65+	316	19.1	153	7	8	16	24	37	46	90
TOT. SINGLE DX	44	11.3	51	3	4	9	14	19	29	33
" MULTIPLE DX	579	18.1	156	6	7	15	23	33	44	82
TOTAL 0-19 YRS	38	16.1	174	6	7	11	20	29	37	76
20-34	49	16.5	171	6	7	11	21	37	40	70
35-49	64	17.0	196	3	4	14	20	32	40	99+
50-64	140	16.0	117	5	7	13	18	26	33	66
65+	332	18.8	150	7	8	16	23	37	45	87
GRAND TOTAL	**623**	**17.7**	**151**	**6**	**7**	**14**	**22**	**32**	**43**	**78**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3908	3.5	4	2	2	3	4	6	8	12
20-34	2719	3.6	3	2	2	3	4	6	7	10
35-49	998	4.3	6	2	2	4	5	8	9	14
50-64	415	5.3	7	2	2	5	7	9	11	13
65+	153	6.4	15	2	3	6	8	11	12	21
2. MULTIPLE DX										
0-19 YRS	1233	5.8	22	2	2	4	7	11	14	26
20-34	997	5.8	16	2	3	5	7	10	12	23
35-49	532	6.9	18	2	3	6	9	12	16	20
50-64	428	8.9	37	3	4	8	11	15	19	31
65+	393	10.4	65	3	4	9	12	17	26	42
TOT. SINGLE DX	8193	3.8	5	2	2	3	4	6	8	12
" MULTIPLE DX	3583	6.8	29	2	3	5	8	12	16	28
TOTAL 0-19 YRS	5141	4.1	10	2	2	3	5	7	9	16
20-34	3716	4.1	8	2	2	3	5	7	9	15
35-49	1530	5.2	12	2	2	4	7	9	12	18
50-64	843	7.1	26	2	3	6	9	12	15	27
65+	546	9.3	55	3	3	8	11	15	21	37
GRAND TOTAL	**11776**	**4.7**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.7	3	2	2	3	4	6	8	10
20-34	26	3.9	2	2	2	4	5	6	6	7
35-49	8	3.3		2	2	3	4	5	5	5
50-64	3	5.3	17	2	2	4	8	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	18	5.8	11	2	2	5	9	10	12	14
20-34	34	6.1	49	3	3	5	6	7	16	43
35-49	6	7.2	15	4	4	6	11	13	13	13
50-64	5	8.8	39	1	1	7	14	17	17	17
65+	2	20.0	128	12	12	20	28	28	28	28
TOT. SINGLE DX	94	3.8	3	2	2	3	5	6	7	10
" MULTIPLE DX	65	6.8	41	2	3	5	7	13	17	41
TOTAL 0-19 YRS	75	4.2	6	2	2	4	5	8	10	13
20-34	60	5.2	30	2	3	4	5	6	8	40
35-49	14	4.9	11	2	3	4	5	11	13	13
50-64	8	7.5	31	1	1	6	11	16	17	17
65+	2	20.0	128	12	12	20	28	28	28	28
GRAND TOTAL	**159**	**5.0**	**20**	**2**	**2**	**4**	**5**	**8**	**12**	**27**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	7.0	7	3	3	7	9	10	11	11
20-34	8	8.4	9	5	5	8	11	13	13	13
35-49	2	10.0		10	10	10	10	10	10	10
50-64	3	12.3	49	5	5	13	17	19	19	19
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	12	11.5	30	5	6	9	14	22	22	22
20-34	8	12.5	56	3	4	13	17	23	25	25
35-49	10	9.5	22	5	5	8	11	17	20	20
50-64	8	12.1	69	2	3	10	14	26	30	30
65+	7	12.3	11	8	8	12	16	16	16	16
TOT. SINGLE DX	23	8.5	13	4	5	9	10	13	15	19
" MULTIPLE DX	45	11.5	35	4	5	9	15	20	23	30
TOTAL 0-19 YRS	20	9.7	26	3	4	9	10	18	22	22
20-34	16	10.4	35	3	5	9	13	18	23	25
35-49	12	9.6	18	5	6	9	11	16	19	20
50-64	11	12.2	58	2	4	11	15	23	29	30
65+	9	11.3	13	7	7	10	15	16	16	16
GRAND TOTAL	**68**	**10.5**	**29**	**4**	**5**	**9**	**13**	**18**	**22**	**29**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	3.3	5	1	1	2	5	6	8	11
20-34	37	3.0	4	<1	<1	2	4	7	8	8
35-49	37	3.1	4	<1	1	3	4	6	8	10
50-64	50	3.8	9	1	1	3	5	8	9	17
65+	91	4.0	23	1	1	3	4	7	11	31
2. MULTIPLE DX										
0-19 YRS	65	6.8	94	1	1	4	6	21	34	92
20-34	47	5.8	22	1	2	4	7	11	18	23
35-49	78	5.2	16	1	1	4	7	10	13	24
50-64	167	6.2	30	1	2	5	8	13	17	35
65+	444	7.4	55	1	2	6	9	13	18	33
TOT. SINGLE DX	261	3.6	12	<1	1	3	4	7	9	17
" MULTIPLE DX	801	6.8	48	1	2	5	9	13	18	37
TOTAL 0-19 YRS	111	5.3	60	1	1	3	5	11	22	68
20-34	84	4.6	17	<1	1	4	6	8	12	22
35-49	115	4.5	14	1	1	4	6	8	12	19
50-64	217	5.7	26	1	1	4	8	11	17	31
65+	535	6.8	52	1	2	5	9	12	17	34
GRAND TOTAL	**1062**	**6.0**	**41**	**1**	**1**	**4**	**8**	**12**	**16**	**33**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	2.6	5	<1	1	2	3	6	9	12
20-34	203	2.7	3	1	1	2	3	6	7	9
35-49	164	2.8	3	1	1	2	4	5	6	11
50-64	68	3.0	3	<1	1	3	4	5	8	9
65+	21	3.3	3	<1	<1	4	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	22	3.7	25	<1	1	2	3	9	18	21
20-34	155	4.4	16	1	1	3	5	8	11	25
35-49	180	4.5	20	1	1	3	5	8	11	29
50-64	148	7.6	121	1	2	4	8	16	28	60
65+	111	8.0	57	2	2	6	9	16	24	42
TOT. SINGLE DX	503	2.8	4	1	1	2	4	5	7	10
" MULTIPLE DX	616	5.8	53	1	1	4	6	11	18	39
TOTAL 0-19 YRS	69	3.0	12	<1	1	2	3	6	10	20
20-34	358	3.4	10	1	1	3	4	7	8	15
35-49	344	3.7	13	1	1	3	4	6	8	21
50-64	216	6.2	89	1	1	3	6	11	22	51
65+	132	7.3	52	1	2	5	8	15	23	39
GRAND TOTAL	**1119**	**4.5**	**33**	**1**	**1**	**3**	**5**	**8**	**12**	**32**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	11.9	24	5	7	10	15	19	20	23
20-34	10	11.1	7	7	7	11	14	15	16	16
35-49	35	11.0	14	5	7	10	13	16	19	19
50-64	83	11.5	22	6	7	10	14	17	18	33
65+	74	12.5	39	7	8	11	14	18	19	43
2. MULTIPLE DX										
0-19 YRS	41	13.5	236	3	5	9	15	24	38	94
20-34	24	16.2	123	7	8	12	20	26	44	55
35-49	89	13.6	42	5	7	12	16	23	30	36
50-64	276	14.2	42	7	8	12	16	24	28	39
65+	612	17.4	97	8	9	15	21	28	39	51
TOT. SINGLE DX	229	11.8	26	7	7	10	14	18	19	38
" MULTIPLE DX	1042	16.1	87	7	8	14	19	26	34	50
TOTAL 0-19 YRS	68	12.9	151	4	5	10	15	20	26	86
20-34	34	14.7	94	7	8	11	16	23	37	55
35-49	124	12.9	36	5	7	11	15	19	24	34
50-64	359	13.6	39	7	8	12	16	21	26	39
65+	686	16.9	94	8	9	14	19	27	38	51
GRAND TOTAL	**1271**	**15.3**	**79**	**7**	**8**	**13**	**18**	**25**	**31**	**49**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	284	3.3	5	1	1	3	4	6	7	15
20-34	676	4.4	11	1	2	4	5	8	10	18
35-49	759	4.5	10	1	2	4	6	8	10	18
50-64	562	4.7	12	1	2	4	6	9	11	18
65+	450	5.2	15	1	1	4	6	10	12	16
2. MULTIPLE DX										
0-19 YRS	673	6.4	60	1	2	4	7	13	20	49
20-34	2438	5.7	26	1	2	4	7	10	15	29
35-49	3966	6.2	28	2	2	5	7	11	15	28
50-64	5414	6.7	33	2	2	5	8	12	17	31
65+	10007	8.2	46	2	3	6	10	15	20	36
TOT. SINGLE DX	2731	4.5	12	1	1	4	6	8	11	18
" MULTIPLE DX	22498	7.1	40	2	2	6	9	13	18	33
TOTAL 0-19 YRS	957	5.5	46	1	1	4	6	10	17	44
20-34	3114	5.4	23	1	2	4	6	10	14	25
35-49	4725	5.9	26	2	2	5	7	11	14	27
50-64	5976	6.6	32	2	2	5	8	12	16	31
65+	10457	8.0	46	2	3	6	10	15	20	36
GRAND TOTAL	**25229**	**6.9**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**32**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.4		<1	1	1	2	2	4	4
20-34	170	2.6	2	1	1	2	3	4	5	9
35-49	185	2.3	1	1	1	2	3	4	4	6
50-64	96	2.6	2	1	1	2	3	4	6	9
65+	29	2.5	1	<1	1	3	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	14	3.1	7	<1	<1	2	4	6	10	11
20-34	141	3.8	13	1	1	3	4	6	10	17
35-49	225	3.2	3	1	1	3	4	5	6	10
50-64	180	3.5	6	1	1	3	4	6	8	17
65+	108	4.3	11	1	1	3	5	8	10	20
TOT. SINGLE DX	496	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	668	3.6	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	30	2.2	4	<1	<1	2	2	4	6	11
20-34	311	3.1	8	1	1	3	4	5	7	13
35-49	410	2.8	3	1	1	3	4	5	6	9
50-64	276	3.2	5	1	1	3	4	5	7	13
65+	137	3.9	10	1	1	3	4	7	10	17
GRAND TOTAL	**1164**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.6	3	1	1	2	3	5	7	8
20-34	138	2.4	1	1	1	2	3	4	5	6
35-49	124	2.5	1	1	1	2	3	4	5	7
50-64	58	2.5	3	1	1	2	3	4	5	12
65+	23	2.7	2	1	1	2	4	4	6	8
2. MULTIPLE DX										
0-19 YRS	18	2.2	1	1	1	2	3	5	5	5
20-34	185	3.9	15	1	1	3	4	6	7	22
35-49	276	3.7	6	1	1	3	4	6	8	14
50-64	197	4.3	19	1	2	3	5	7	9	24
65+	151	5.0	39	1	1	4	5	8	13	32
TOT. SINGLE DX	360	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	827	4.1	18	1	1	3	5	6	9	18
TOTAL 0-19 YRS	35	2.4	3	1	1	2	3	5	5	8
20-34	323	3.2	10	1	1	3	4	5	6	11
35-49	400	3.3	5	1	1	3	4	5	6	12
50-64	255	3.9	16	1	1	3	4	6	9	16
65+	174	4.7	35	1	1	3	5	8	12	29
GRAND TOTAL	**1187**	**3.6**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.5	1	<1	<1	2	3	4	5	5
20-34	222	3.4	3	1	1	3	4	6	7	8
35-49	319	3.3	2	1	2	3	4	5	6	7
50-64	165	3.7	3	1	2	3	5	6	7	11
65+	36	3.9	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	31	4.3	6	2	2	4	5	7	9	15
20-34	973	4.0	5	1	2	4	5	6	7	12
35-49	1773	4.2	5	1	2	4	5	7	8	14
50-64	1283	4.4	7	2	2	4	5	7	9	15
65+	758	5.2	12	2	2	4	6	9	12	17
TOT. SINGLE DX	759	3.4	3	1	2	3	4	6	6	8
" MULTIPLE DX	4818	4.4	7	1	2	4	5	7	9	15
TOTAL 0-19 YRS	48	3.7	6	<1	1	3	4	6	7	15
20-34	1195	3.9	5	1	2	4	5	6	7	11
35-49	2092	4.0	5	1	2	4	5	6	8	12
50-64	1443	4.3	7	1	2	4	5	7	9	15
65+	794	5.1	13	2	2	4	6	9	12	17
GRAND TOTAL	**5577**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	2.6	3	<1	1	2	3	5	7	9
20-34	169	2.7	2	1	1	2	3	5	6	8
35-49	134	2.5	1	1	1	2	3	4	5	7
50-64	82	2.9	3	1	1	3	4	5	7	9
65+	39	3.3	3	1	1	3	4	5	8	10
2. MULTIPLE DX										
0-19 YRS	54	4.8	17	1	1	4	7	9	12	25
20-34	173	3.8	11	1	1	3	4	7	10	16
35-49	242	3.9	23	1	1	3	4	7	11	25
50-64	217	4.8	29	1	2	3	5	9	13	33
65+	204	6.3	81	1	2	4	6	10	19	50
TOT. SINGLE DX	471	2.7	3	1	1	2	3	5	6	9
" MULTIPLE DX	890	4.7	36	1	1	3	5	9	13	32
TOTAL 0-19 YRS	101	3.8	12	1	1	3	5	8	9	19
20-34	342	3.2	7	1	1	2	4	6	8	14
35-49	376	3.4	16	1	1	3	4	6	8	19
50-64	299	4.3	23	1	1	3	4	8	11	30
65+	243	5.8	70	1	2	4	6	10	16	47
GRAND TOTAL	**1361**	**4.0**	**25**	**1**	**1**	**3**	**4**	**7**	**10**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	3	9.0	21	5	5	8	12	14	14	14
35-49	9	12.0	31	4	4	14	16	18	19	19
50-64	2	10.5	181	1	1	10	20	20	20	20
65+	4	3.8	18	<1	<1	2	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	8	13.9	78	7	7	11	15	29	34	34
20-34	16	15.1	427	4	4	10	14	21	69	90
35-49	17	16.3	236	3	5	13	17	25	55	71
50-64	29	19.5	306	2	3	14	24	50	62	65
65+	47	16.8	203	2	3	13	19	36	50	59
TOT. SINGLE DX	20	9.3	39	<1	1	9	15	18	19	20
" MULTIPLE DX	117	16.9	250	2	4	13	20	36	54	77
TOTAL 0-19 YRS	10	12.6	69	5	6	10	14	25	34	34
20-34	19	14.2	364	4	4	9	14	21	59	90
35-49	26	14.8	166	4	5	13	17	22	35	71
50-64	31	18.9	297	1	2	14	23	47	62	65
65+	51	15.7	201	2	3	12	18	36	50	59
GRAND TOTAL	**137**	**15.8**	**226**	**2**	**3**	**12**	**19**	**34**	**52**	**73**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	4.5	16	1	1	3	8	9	13	18
20-34	100	3.4	9	1	1	2	5	8	10	13
35-49	95	3.0	12	1	1	2	3	8	12	16
50-64	110	3.8	17	1	1	2	6	8	11	21
65+	77	5.1	29	<1	1	2	8	12	17	24
2. MULTIPLE DX										
0-19 YRS	128	11.9	178	1	2	8	16	30	53	99+
20-34	221	9.0	94	1	1	7	11	18	27	66
35-49	333	8.1	78	1	1	5	11	18	25	46
50-64	541	8.5	78	1	1	6	12	19	24	42
65+	702	9.8	81	1	2	8	13	19	26	46
TOT. SINGLE DX	439	3.9	17	1	1	2	5	9	12	19
" MULTIPLE DX	1925	9.2	89	1	1	7	12	19	26	49
TOTAL 0-19 YRS	185	9.7	140	1	1	7	12	24	38	89
20-34	321	7.3	75	1	1	5	10	16	23	54
35-49	428	7.0	68	1	1	4	9	17	22	43
50-64	651	7.7	71	1	1	5	11	17	23	42
65+	779	9.3	78	1	1	7	12	18	25	44
GRAND TOTAL	**2364**	**8.2**	**80**	**1**	**1**	**6**	**11**	**18**	**25**	**47**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	245	5.3	6	3	3	5	6	8	10	14
20-34	2555	5.1	4	3	3	5	6	7	9	11
35-49	2403	5.4	5	3	3	5	6	8	9	13
50-64	1775	5.8	5	3	3	5	7	9	10	14
65+	927	7.1	8	4	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	260	7.7	38	3	4	7	9	12	15	37
20-34	2511	6.7	16	3	4	6	8	11	13	22
35-49	3227	7.2	19	3	4	6	8	12	15	25
50-64	3897	8.6	34	4	4	7	10	14	18	33
65+	5613	10.9	47	5	5	9	13	18	22	38
TOT. SINGLE DX	7905	5.6	6	3	3	5	7	8	10	14
" MULTIPLE DX	15508	8.8	36	4	4	7	10	15	19	32
TOTAL 0-19 YRS	505	6.5	24	3	3	5	8	11	13	23
20-34	5066	5.9	11	3	3	5	7	9	11	17
35-49	5630	6.5	14	3	3	6	7	10	12	21
50-64	5672	7.7	27	3	4	7	9	12	16	29
65+	6540	10.4	44	4	5	9	12	17	21	36
GRAND TOTAL	**23413**	**7.7**	**28**	**3**	**4**	**6**	**9**	**13**	**16**	**29**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	12.9	52	4	5	10	17	26	27	27
20-34	31	7.3	66	2	2	5	7	16	31	36
35-49	33	5.3	19	<1	1	3	7	11	16	17
50-64	44	9.1	73	1	1	7	10	19	31	38
65+	68	8.0	42	1	1	8	11	15	19	34
2. MULTIPLE DX										
0-19 YRS	21	19.2	262	3	5	16	23	46	60	62
20-34	55	9.1	37	1	2	8	13	16	18	31
35-49	117	10.8	73	2	3	9	13	20	28	63
50-64	228	13.2	124	2	3	11	16	24	33	69
65+	669	14.5	92	3	5	13	18	25	31	55
TOT. SINGLE DX	195	8.2	53	1	1	7	10	17	25	36
" MULTIPLE DX	1090	13.6	100	2	4	12	17	25	31	61
TOTAL 0-19 YRS	40	16.3	169	3	5	11	20	28	48	62
20-34	86	8.5	48	1	2	7	11	16	23	34
35-49	150	9.6	67	1	2	8	13	19	25	45
50-64	272	12.5	118	1	3	10	15	23	33	68
65+	737	13.9	91	2	4	13	17	25	31	55
GRAND TOTAL	**1285**	**12.8**	**97**	**2**	**3**	**11**	**16**	**24**	**30**	**59**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	10.9	118	1	2	9	12	32	37	38
20-34	53	6.7	40	1	1	5	8	13	18	31
35-49	69	6.9	111	1	1	4	8	13	19	72
50-64	67	7.9	82	1	1	5	11	16	19	55
65+	47	6.8	114	1	1	4	8	15	21	68
2. MULTIPLE DX										
0-19 YRS	18	17.8	319	2	3	13	32	59	86	99+
20-34	149	11.3	135	1	2	8	13	27	38	62
35-49	244	11.9	142	1	2	8	16	30	39	68
50-64	388	11.7	166	1	2	8	14	25	39	66
65+	555	11.0	123	1	2	8	14	23	31	59
TOT. SINGLE DX	250	7.3	89	1	1	5	9	16	19	58
" MULTIPLE DX	1354	11.5	143	1	2	8	14	25	37	66
TOTAL 0-19 YRS	32	14.8	237	2	2	9	21	39	65	99+
20-34	202	10.1	114	1	1	7	12	25	34	60
35-49	313	10.8	140	1	2	7	13	27	38	72
50-64	455	11.2	156	1	2	7	14	23	36	65
65+	602	10.7	124	1	2	8	13	23	31	63
GRAND TOTAL	**1604**	**10.8**	**137**	**1**	**2**	**8**	**13**	**24**	**36**	**66**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	3.3	5	1	1	2	5	7	8	11
20-34	299	4.2	9	1	1	4	5	7	10	16
35-49	313	4.4	13	1	1	3	6	8	11	18
50-64	324	4.4	13	1	1	3	6	8	10	18
65+	284	4.7	17	<1	<1	4	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	283	6.2	66	1	1	4	7	12	18	57
20-34	727	6.0	36	1	2	4	7	11	16	29
35-49	1245	6.1	31	1	2	5	7	11	15	29
50-64	2063	6.6	40	2	2	5	8	12	16	34
65+	4677	7.8	50	2	2	6	9	14	19	35
TOT. SINGLE DX	1381	4.3	13	1	1	3	6	8	10	17
" MULTIPLE DX	8995	7.1	45	2	2	5	8	13	18	34
TOTAL 0-19 YRS	444	5.2	46	1	1	3	6	9	14	53
20-34	1026	5.5	29	1	2	4	6	10	14	27
35-49	1558	5.8	28	1	2	4	7	11	14	29
50-64	2387	6.3	37	1	2	5	7	12	16	32
65+	4961	7.6	49	2	2	6	9	14	19	34
GRAND TOTAL	**10376**	**6.7**	**42**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	913	1.6		<1	<1	1	2	3	3	5
20-34	1429	2.2	1	1	1	2	3	4	4	6
35-49	1527	2.4	1	1	1	2	3	4	5	7
50-64	1871	2.5	1	1	1	2	3	4	5	6
65+	1332	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	602	2.5	28	<1	<1	2	3	4	6	28
20-34	494	2.8	4	1	1	2	3	5	6	13
35-49	836	3.1	4	1	1	3	4	5	7	12
50-64	1719	3.6	8	1	1	3	4	6	8	13
65+	2871	4.4	13	1	2	4	5	8	11	19
TOT. SINGLE DX	7072	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	6522	3.7	12	1	1	3	4	7	9	16
TOTAL 0-19 YRS	1515	2.0	12	<1	<1	1	2	3	4	9
20-34	1923	2.4	2	1	1	2	3	4	5	8
35-49	2363	2.7	3	1	1	2	3	4	5	9
50-64	3590	3.1	5	1	1	3	4	5	6	11
65+	4203	4.0	11	1	1	3	5	7	9	16
GRAND TOTAL	**13594**	**3.0**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	430	1.4		<1	<1	1	2	2	3	4
20-34	178	2.7	1	1	1	3	4	4	5	8
35-49	241	2.9	1	1	1	3	4	5	5	6
50-64	281	3.2	4	1	1	3	4	5	6	8
65+	205	3.7	3	1	1	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	479	3.1	63	<1	1	2	2	4	8	79
20-34	73	3.1	4	1	1	3	4	5	6	14
35-49	179	3.6	5	1	1	3	4	6	8	13
50-64	286	3.9	8	1	2	3	5	6	8	12
65+	456	5.0	10	1	2	4	6	9	11	16
TOT. SINGLE DX	1335	2.6	3	1	1	2	3	5	6	8
" MULTIPLE DX	1473	3.9	27	1	1	3	5	7	10	27
TOTAL 0-19 YRS	909	2.3	34	<1	1	1	2	3	4	36
20-34	251	2.8	3	1	1	3	4	4	5	8
35-49	420	3.2	3	1	1	3	4	5	6	11
50-64	567	3.6	6	1	1	3	4	6	7	12
65+	661	4.6	9	1	2	4	6	8	10	15
GRAND TOTAL	**2808**	**3.3**	**16**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	33	2.7	2	1	1	2	3	5	7	8
35-49	61	3.2	3	1	1	3	4	6	7	11
50-64	64	3.3	3	1	1	3	4	5	7	10
65+	88	4.0	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	15	3.3	4	1	1	3	4	7	8	8
35-49	36	3.0	2	1	1	3	4	5	6	7
50-64	71	4.9	10	1	2	4	6	9	12	15
65+	207	7.3	35	2	2	5	9	14	19	29
TOT. SINGLE DX	249	3.4	4	1	1	3	4	6	8	11
" MULTIPLE DX	333	6.1	28	1	2	4	8	12	17	27
TOTAL 0-19 YRS	7	2.1		1	1	2	3	3	3	3
20-34	48	2.9	4	1	1	2	3	6	7	8
35-49	97	3.1	3	1	1	3	4	6	6	10
50-64	135	4.1	8	1	1	3	5	8	10	13
65+	295	6.3	29	2	2	5	8	12	17	28
GRAND TOTAL	**582**	**4.9**	**19**	**1**	**2**	**4**	**6**	**10**	**12**	**23**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	221	1.6		<1	<1	1	2	3	3	5
20-34	90	2.2	1	<1	1	2	3	4	5	6
35-49	164	2.5	2	1	1	2	3	5	5	7
50-64	124	2.8	3	1	1	2	4	5	7	9
65+	57	3.2	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	115	3.8	50	<1	<1	2	3	6	17	40
20-34	83	4.2	12	1	1	3	5	7	10	21
35-49	177	4.3	11	1	1	3	6	8	11	17
50-64	200	5.0	16	1	2	4	6	10	13	20
65+	185	6.2	27	1	2	5	8	12	15	30
TOT. SINGLE DX	656	2.3	2	<1	1	2	3	4	5	8
" MULTIPLE DX	760	4.9	23	1	1	4	6	9	13	27
TOTAL 0-19 YRS	336	2.4	19	<1	<1	1	2	4	6	29
20-34	173	3.2	8	1	1	3	4	6	7	17
35-49	341	3.4	8	1	1	3	4	7	9	13
50-64	324	4.2	13	1	1	3	5	8	11	18
65+	242	5.5	24	1	2	4	7	10	14	27
GRAND TOTAL	**1416**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.2	2	1	1	2	2	4	5	8
20-34	229	3.3	3	1	1	3	4	6	7	9
35-49	413	4.1	4	1	2	4	5	7	8	10
50-64	446	4.3	4	1	2	4	6	8	8	10
65+	335	4.9	5	2	2	5	6	8	9	11
2. MULTIPLE DX										
0-19 YRS	40	6.2	155	<1	1	3	6	8	23	76
20-34	174	5.0	8	2	2	4	6	8	11	15
35-49	492	6.0	15	2	2	5	7	10	12	20
50-64	688	6.4	17	2	3	5	8	11	14	21
65+	905	7.6	34	2	3	6	9	14	18	32
TOT. SINGLE DX	1483	4.1	5	1	2	4	5	7	8	10
" MULTIPLE DX	2299	6.6	26	2	2	5	8	11	15	26
TOTAL 0-19 YRS	100	3.8	66	1	1	2	4	6	8	54
20-34	403	4.0	6	1	1	4	5	7	8	11
35-49	905	5.1	11	1	2	4	6	9	10	16
50-64	1134	5.5	14	2	2	5	7	10	11	18
65+	1240	6.8	28	2	3	6	8	12	15	27
GRAND TOTAL	**3782**	**5.7**	**19**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	5.9	12	2	3	5	6	12	14	14
20-34	9	6.9	39	2	2	5	8	17	22	22
35-49	11	5.5	5	2	2	6	7	8	10	10
50-64	18	6.1	8	2	2	6	9	10	11	12
65+	16	7.3	9	3	3	7	9	12	13	14
2. MULTIPLE DX										
0-19 YRS	25	12.1	297	1	2	8	13	76	99+	99+
20-34	24	8.2	9	4	5	8	9	12	15	17
35-49	66	9.2	38	5	5	7	9	16	22	40
50-64	85	10.2	56	4	6	8	10	16	24	51
65+	127	12.2	72	5	6	10	13	24	30	73
TOT. SINGLE DX	62	6.4	13	2	2	6	8	11	13	21
" MULTIPLE DX	327	10.8	75	4	5	9	12	18	27	89
TOTAL 0-19 YRS	33	10.6	234	1	2	6	12	35	96	99+
20-34	33	7.8	17	2	4	7	9	12	17	22
35-49	77	8.7	35	4	5	7	9	15	20	39
50-64	103	9.4	51	3	4	8	10	14	20	46
65+	143	11.7	68	4	5	10	13	22	30	68
GRAND TOTAL	**389**	**10.1**	**68**	**3**	**4**	**8**	**11**	**17**	**25**	**78**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	3.8	14	<1	<1	2	5	9	11	20
20-34	162	4.2	9	1	1	3	5	9	11	14
35-49	122	4.2	14	1	1	3	5	8	10	21
50-64	104	6.7	38	1	1	5	8	15	20	29
65+	57	4.9	13	1	1	4	8	11	12	15
2. MULTIPLE DX										
0-19 YRS	129	8.3	73	1	2	6	10	20	32	99+
20-34	272	7.6	71	1	1	5	9	15	19	50
35-49	420	9.9	108	2	3	7	12	19	31	59
50-64	635	9.8	64	2	2	8	13	20	24	41
65+	986	11.3	81	2	3	9	14	23	30	49
TOT. SINGLE DX	556	4.6	18	1	1	3	6	10	12	24
" MULTIPLE DX	2442	10.1	81	2	3	8	13	21	27	50
TOTAL 0-19 YRS	240	6.2	51	1	1	4	8	13	24	57
20-34	434	6.3	51	1	1	5	7	12	17	38
35-49	542	8.7	93	1	2	6	10	17	28	51
50-64	739	9.4	62	1	2	8	12	19	24	38
65+	1043	10.9	80	2	3	8	13	22	29	47
GRAND TOTAL	**2998**	**9.1**	**74**	**1**	**2**	**7**	**11**	**19**	**26**	**45**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	5.1	9	2	2	4	7	9	12	18
20-34	317	5.1	10	2	2	4	6	8	10	19
35-49	136	7.2	17	2	3	6	9	13	16	22
50-64	85	8.2	19	3	4	7	10	15	18	24
65+	51	9.7	20	4	6	10	12	13	15	33
2. MULTIPLE DX										
0-19 YRS	235	8.9	97	2	3	6	10	16	24	53
20-34	615	8.3	66	2	3	6	9	16	24	48
35-49	406	12.2	144	3	4	8	13	25	39	65
50-64	405	14.4	153	4	5	10	17	29	42	64
65+	527	16.3	134	5	6	14	20	29	40	65
TOT. SINGLE DX	725	6.2	16	2	3	5	8	11	13	21
" MULTIPLE DX	2188	12.2	127	3	4	9	15	25	35	62
TOTAL 0-19 YRS	371	7.5	69	2	3	5	9	13	19	48
20-34	932	7.2	50	2	3	5	8	13	19	44
35-49	542	11.0	117	3	4	8	12	21	33	59
50-64	490	13.3	135	4	5	10	15	26	38	64
65+	578	15.8	128	5	6	13	20	28	40	63
GRAND TOTAL	**2913**	**10.7**	**106**	**2**	**3**	**7**	**12**	**21**	**31**	**56**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	3.0	4	<1	1	2	4	6	7	12
20-34	622	2.8	4	<1	<1	2	4	5	7	11
35-49	116	3.0	5	<1	<1	2	4	6	7	13
50-64	15	2.5	4	1	1	2	2	7	8	8
65+	7	2.6	11	<1	<1	1	2	8	10	10
2. MULTIPLE DX										
0-19 YRS	193	3.5	5	1	1	3	5	6	8	12
20-34	990	3.6	14	<1	1	3	5	7	9	14
35-49	247	4.5	16	<1	1	3	6	9	11	21
50-64	61	6.3	57	1	1	3	8	15	24	37
65+	43	8.0	45	1	2	6	10	17	22	33
TOT. SINGLE DX	939	2.8	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	1534	4.0	17	<1	1	3	5	8	10	21
TOTAL 0-19 YRS	372	3.3	5	<1	1	3	5	6	7	12
20-34	1612	3.3	11	<1	1	2	4	6	8	13
35-49	363	4.0	14	<1	1	3	5	8	10	20
50-64	76	5.6	49	1	1	2	7	13	21	36
65+	50	7.2	44	1	1	5	10	16	21	33
GRAND TOTAL	**2473**	**3.5**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	7.1	45	1	3	6	8	10	11	50
20-34	218	6.0	14	1	2	6	8	10	14	20
35-49	221	7.8	25	2	3	7	9	13	20	25
50-64	169	8.1	18	3	4	7	10	14	15	24
65+	104	10.7	38	5	6	9	12	18	24	35
2. MULTIPLE DX										
0-19 YRS	218	12.0	135	2	3	9	14	24	37	65
20-34	786	6.5	34	1	2	5	8	12	16	25
35-49	741	9.0	56	2	3	7	11	17	25	44
50-64	684	11.9	98	2	4	9	14	24	33	61
65+	1003	14.8	127	3	5	12	17	27	36	67
TOT. SINGLE DX	777	7.7	26	2	3	7	9	13	17	25
" MULTIPLE DX	3432	10.9	95	2	3	8	13	22	29	57
TOTAL 0-19 YRS	283	10.9	119	2	3	8	13	22	37	65
20-34	1004	6.4	30	1	2	5	8	11	15	25
35-49	962	8.7	50	2	3	7	10	16	23	40
50-64	853	11.2	85	2	4	9	13	22	31	51
65+	1107	14.4	120	3	5	12	17	25	35	65
GRAND TOTAL	**4209**	**10.3**	**84**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	7.6	15	3	4	7	10	13	15	20
20-34	50	7.3	2	5	6	7	8	9	10	12
35-49	56	8.0	5	5	5	8	9	11	13	15
50-64	77	8.8	7	5	6	8	10	13	14	19
65+	56	9.4	16	4	5	9	11	12	18	26
2. MULTIPLE DX										
0-19 YRS	99	10.5	51	3	4	8	13	22	28	33
20-34	86	10.9	98	4	5	8	12	16	36	59
35-49	146	11.3	72	4	6	9	12	17	25	65
50-64	309	12.0	63	6	6	10	13	20	27	47
65+	515	13.6	55	7	7	11	16	23	28	41
TOT. SINGLE DX	266	8.4	9	5	5	8	9	12	13	20
" MULTIPLE DX	1155	12.4	64	5	6	10	14	21	28	43
TOTAL 0-19 YRS	126	9.9	45	3	4	8	12	20	25	32
20-34	136	9.6	66	4	5	8	10	15	18	54
35-49	202	10.4	56	5	5	9	11	15	22	51
50-64	386	11.3	54	6	6	9	12	18	24	42
65+	571	13.2	53	6	7	11	15	22	28	41
GRAND TOTAL	**1421**	**11.6**	**56**	**5**	**6**	**10**	**13**	**20**	**26**	**42**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	4.3	11	1	2	3	6	8	11	17
20-34	156	5.6	11	1	2	5	7	11	12	16
35-49	158	6.7	24	1	2	6	9	12	14	31
50-64	106	6.5	19	2	2	6	8	11	14	26
65+	71	6.5	16	1	2	7	9	11	13	23
2. MULTIPLE DX										
0-19 YRS	348	9.8	78	2	2	7	13	21	30	43
20-34	356	10.5	71	2	2	8	14	22	29	41
35-49	427	10.7	84	2	2	8	14	22	28	43
50-64	405	9.9	70	1	2	8	13	19	27	42
65+	545	11.0	85	2	3	9	14	21	28	48
TOT. SINGLE DX	726	5.6	17	1	2	5	8	11	13	19
" MULTIPLE DX	2081	10.4	79	2	2	8	14	21	28	43
TOTAL 0-19 YRS	583	7.6	59	1	2	5	9	17	24	40
20-34	512	9.0	59	2	2	7	11	19	26	38
35-49	585	9.6	71	2	2	8	12	19	25	41
50-64	511	9.2	62	1	2	7	12	18	24	37
65+	616	10.5	79	2	2	9	13	21	26	45
GRAND TOTAL	**2807**	**9.2**	**67**	**2**	**2**	**7**	**12**	**19**	**25**	**40**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	5.9	2	3	4	6	7	7	8	8
20-34	106	5.3	9	1	2	5	7	9	11	14
35-49	159	4.9	8	1	1	4	7	9	10	12
50-64	133	5.8	12	1	2	5	7	10	12	19
65+	54	6.6	4	3	4	7	8	9	10	11
2. MULTIPLE DX										
0-19 YRS	21	6.8	8	2	3	7	8	11	12	13
20-34	107	7.0	16	2	2	6	9	12	14	21
35-49	166	7.6	26	1	2	7	10	14	18	24
50-64	229	8.3	46	2	2	7	10	15	18	38
65+	219	10.9	73	2	3	9	13	21	25	47
TOT. SINGLE DX	466	5.5	10	1	2	5	7	9	11	15
" MULTIPLE DX	742	8.7	47	2	2	7	11	16	21	34
TOTAL 0-19 YRS	35	6.4	6	3	3	6	8	9	12	13
20-34	213	6.1	14	1	2	6	8	11	12	17
35-49	325	6.3	20	1	2	6	8	11	14	22
50-64	362	7.3	35	2	2	6	9	13	17	32
65+	273	10.1	63	2	3	8	12	19	24	41
GRAND TOTAL	**1208**	**7.4**	**35**	**1**	**2**	**6**	**9**	**13**	**18**	**29**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	6.5	5	4	4	6	8	9	10	15
20-34	12	7.2	9	2	3	7	9	11	12	12
35-49	12	9.4	10	6	7	8	10	14	17	18
50-64	7	11.4	49	7	7	9	11	24	27	27
65+	8	11.6	90	3	4	10	12	27	34	34
2. MULTIPLE DX										
0-19 YRS	193	8.9	44	4	5	7	9	14	17	50
20-34	22	12.1	36	2	5	11	17	21	22	23
35-49	28	10.9	22	5	7	10	13	15	18	28
50-64	29	17.0	232	6	7	12	17	35	50	78
65+	76	15.7	78	7	8	13	20	27	31	53
TOT. SINGLE DX	167	7.2	13	4	4	7	8	10	12	25
" MULTIPLE DX	348	11.4	75	4	5	9	13	20	26	55
TOTAL 0-19 YRS	321	7.9	30	4	4	7	9	12	16	34
20-34	34	10.4	32	2	3	9	14	19	22	23
35-49	40	10.5	19	5	7	9	12	15	17	28
50-64	36	15.9	199	6	7	11	16	33	45	78
65+	84	15.3	80	6	7	13	20	28	32	52
GRAND TOTAL	**515**	**10.1**	**59**	**4**	**5**	**8**	**11**	**17**	**23**	**45**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	4.1	6	1	1	4	5	7	9	15
20-34	701	3.3	3	1	1	3	4	6	7	10
35-49	985	3.3	4	1	1	3	4	6	7	11
50-64	541	3.5	4	1	1	3	4	6	8	10
65+	171	3.9	7	1	1	3	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	62	5.9	15	2	2	5	8	12	13	20
20-34	304	4.4	9	1	2	4	5	8	10	16
35-49	469	4.5	10	1	2	4	6	8	11	16
50-64	439	5.0	16	1	2	4	6	10	12	22
65+	456	6.3	33	2	2	5	8	12	14	22
TOT. SINGLE DX	2479	3.4	4	1	1	3	4	6	7	11
" MULTIPLE DX	1730	5.1	19	1	2	4	6	10	12	20
TOTAL 0-19 YRS	143	4.9	11	1	2	4	6	9	12	17
20-34	1005	3.6	6	1	1	3	5	6	8	13
35-49	1454	3.7	7	1	1	3	5	7	8	13
50-64	980	4.1	10	1	1	3	5	7	10	16
65+	627	5.7	28	1	2	4	7	11	14	20
GRAND TOTAL	**4209**	**4.1**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	208	2.4	3	<1	<1	2	3	5	7	9
20-34	492	3.4	7	<1	1	3	4	6	8	17
35-49	678	3.3	6	<1	1	3	4	6	8	12
50-64	566	3.5	8	<1	1	3	5	7	8	16
65+	366	3.4	9	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
0-19 YRS	354	4.5	28	<1	1	3	5	10	14	49
20-34	902	5.6	38	1	1	4	7	10	13	29
35-49	1203	5.9	31	1	2	5	7	11	16	27
50-64	1648	6.7	49	1	1	5	8	13	18	35
65+	3505	8.2	59	1	2	6	10	16	22	38
TOT. SINGLE DX	2310	3.3	8	<1	1	3	4	6	8	14
" MULTIPLE DX	7612	7.0	50	1	2	5	9	14	19	36
TOTAL 0-19 YRS	562	3.7	21	<1	1	2	5	8	11	39
20-34	1394	4.8	29	1	1	4	6	9	12	23
35-49	1881	4.9	24	<1	1	4	6	10	13	25
50-64	2214	5.9	41	1	1	4	7	12	16	33
65+	3871	7.8	57	1	2	6	10	15	21	37
GRAND TOTAL	**9922**	**6.2**	**43**	**1**	**1**	**4**	**8**	**12**	**17**	**32**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.2		2	2	3	4	4	4	4
20-34	31	2.5	2	1	1	2	3	5	6	7
35-49	92	2.3	2	1	1	2	3	4	5	8
50-64	299	2.8	4	1	1	2	3	5	6	8
65+	624	3.3	6	1	1	3	4	5	7	14
2. MULTIPLE DX										
0-19 YRS	17	5.4	14	1	1	5	8	11	12	13
20-34	60	4.5	11	1	1	3	6	10	11	14
35-49	174	4.4	16	1	1	3	5	10	12	23
50-64	586	4.7	21	1	1	3	5	9	13	26
65+	2177	5.9	32	1	2	4	7	11	16	31
TOT. SINGLE DX	1051	3.0	6	1	1	2	4	5	7	13
" MULTIPLE DX	3014	5.5	29	1	2	4	7	11	14	29
TOTAL 0-19 YRS	22	4.9	12	1	2	4	7	11	12	13
20-34	91	3.8	9	1	1	3	5	8	10	13
35-49	266	3.7	12	1	1	3	4	8	10	20
50-64	885	4.0	16	1	1	3	5	7	10	21
65+	2801	5.3	28	1	2	4	6	10	14	28
GRAND TOTAL	**4065**	**4.9**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**27**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	6.4	23	1	2	4	10	13	14	22
20-34	43	3.9	6	1	2	3	5	7	10	12
35-49	78	5.0	10	1	1	4	7	9	10	16
50-64	110	6.0	28	1	1	4	8	14	16	26
65+	104	6.8	48	1	1	4	9	17	20	68
2. MULTIPLE DX										
0-19 YRS	181	8.7	102	2	2	6	10	16	26	85
20-34	127	9.0	82	1	2	7	11	21	31	65
35-49	154	7.6	33	1	2	6	10	14	17	30
50-64	339	8.6	47	2	2	7	11	16	21	35
65+	926	9.3	67	2	2	7	12	19	25	40
TOT. SINGLE DX	376	5.8	28	1	1	4	8	13	16	27
" MULTIPLE DX	1727	8.9	65	2	2	7	12	17	24	42
TOTAL 0-19 YRS	222	8.3	88	1	2	6	10	15	23	74
20-34	170	7.7	68	1	2	5	9	16	27	54
35-49	232	6.8	27	1	2	6	9	13	16	29
50-64	449	8.0	44	1	2	6	11	15	21	34
65+	1030	9.0	66	2	2	7	12	19	25	41
GRAND TOTAL	**2103**	**8.4**	**60**	**1**	**2**	**6**	**11**	**16**	**23**	**41**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	1.1		<1	<1	<1	1	2	2	3
20-34	4	2.5	1	1	1	2	3	4	4	4
35-49	4	2.3	1	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	26	2.7	5	<1	<1	2	4	7	8	8
20-34	6	4.8	12	<1	<1	4	8	10	10	10
35-49	8	4.8	22	<1	<1	4	6	13	15	15
50-64	12	5.6	26	<1	<1	5	7	13	17	18
65+	19	8.8	59	1	2	7	10	19	28	33
TOT. SINGLE DX	33	1.5	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	71	5.3	30	<1	<1	4	7	11	17	30
TOTAL 0-19 YRS	49	2.0	3	<1	<1	1	2	5	7	8
20-34	10	3.9	9	<1	<1	3	4	9	10	10
35-49	12	3.9	16	<1	<1	3	5	9	14	15
50-64	13	5.2	26	<1	<1	5	7	12	17	18
65+	20	8.7	57	1	2	7	10	19	27	33
GRAND TOTAL	**104**	**4.1**	**24**	**<1**	**<1**	**2**	**5**	**9**	**13**	**27**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	407	4.2	11	1	1	3	6	8	10	18
20-34	50	3.2	6	1	1	3	4	6	8	14
35-49	43	3.8	5	1	1	3	5	7	9	12
50-64	48	3.5	6	1	1	3	5	7	8	13
65+	42	3.7	6	<1	1	3	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	242	6.2	34	1	1	5	8	12	16	34
20-34	44	3.9	11	1	1	3	5	7	11	17
35-49	59	5.6	25	1	2	4	7	10	14	31
50-64	73	4.6	10	1	1	4	6	8	11	17
65+	146	5.6	24	1	1	4	8	11	14	27
TOT. SINGLE DX	590	4.0	10	1	1	3	6	8	9	16
" MULTIPLE DX	564	5.6	26	1	1	4	7	11	15	26
TOTAL 0-19 YRS	649	4.9	21	1	1	4	7	10	12	20
20-34	94	3.5	9	1	1	3	5	6	9	16
35-49	102	4.9	18	1	1	4	6	8	12	26
50-64	121	4.1	9	1	1	3	6	8	10	15
65+	188	5.2	21	1	1	4	7	10	12	25
GRAND TOTAL	**1154**	**4.8**	**18**	**1**	**1**	**4**	**7**	**9**	**12**	**20**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.8	1	<1	<1	1	3	3	5	5
20-34	30	3.2	3	<1	<1	3	4	5	7	7
35-49	25	3.0	4	<1	<1	2	4	8	8	8
50-64	33	3.8	17	<1	1	3	4	8	16	18
65+	26	3.2	6	<1	<1	2	5	8	8	9
2. MULTIPLE DX										
0-19 YRS	79	4.3	59	<1	<1	2	5	7	14	51
20-34	92	5.3	15	1	1	4	7	10	12	21
35-49	174	8.2	94	1	2	6	10	16	25	79
50-64	202	7.0	37	1	2	5	9	14	20	31
65+	516	7.9	42	1	2	6	10	15	20	37
TOT. SINGLE DX	148	3.0	7	<1	<1	2	4	6	8	18
" MULTIPLE DX	1063	7.3	50	1	2	6	9	14	20	35
TOTAL 0-19 YRS	113	3.6	43	<1	<1	2	4	6	8	43
20-34	122	4.8	13	<1	1	4	6	9	11	19
35-49	199	7.5	86	1	1	5	9	15	24	77
50-64	235	6.5	36	1	1	5	8	13	18	29
65+	542	7.7	42	1	2	6	10	15	19	35
GRAND TOTAL	**1211**	**6.8**	**47**	**1**	**1**	**5**	**8**	**13**	**18**	**35**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.4		<1	<1	1	2	3	3	4
20-34	66	2.5	4	1	1	2	3	4	7	12
35-49	59	2.7	6	1	1	2	3	5	10	12
50-64	44	3.0	6	<1	1	2	4	6	8	13
65+	65	2.8	4	<1	1	2	3	4	7	13
2. MULTIPLE DX										
0-19 YRS	57	2.4	4	<1	<1	2	2	5	7	11
20-34	83	3.1	8	1	1	2	4	7	9	16
35-49	94	4.7	66	1	1	2	5	10	12	51
50-64	144	4.7	31	1	1	3	6	9	12	37
65+	408	5.8	30	1	1	4	7	11	15	32
TOT. SINGLE DX	282	2.5	5	<1	1	2	3	4	7	13
" MULTIPLE DX	786	4.9	32	1	1	3	6	10	13	33
TOTAL 0-19 YRS	105	2.0	3	<1	<1	1	2	4	5	10
20-34	149	2.8	7	1	1	2	3	6	8	13
35-49	153	3.9	44	1	1	2	4	8	12	38
50-64	188	4.3	26	1	1	3	5	9	12	31
65+	473	5.4	28	1	1	4	7	11	14	31
GRAND TOTAL	**1068**	**4.3**	**26**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	30	6.2	3	4	4	6	7	8	9	12
35-49	162	5.9	2	3	4	6	7	8	9	11
50-64	166	6.6	4	4	4	6	8	9	10	14
65+	59	7.1	3	4	5	7	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	56	6.4	3	4	5	6	7	8	9	14
35-49	231	6.9	25	3	5	6	7	9	10	21
50-64	271	7.4	6	4	5	7	8	10	12	16
65+	196	8.5	15	5	5	8	9	13	17	22
TOT. SINGLE DX	417	6.3	4	4	4	6	8	8	9	12
" MULTIPLE DX	756	7.5	15	4	5	7	8	10	13	20
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	86	6.3	3	4	4	6	7	8	9	13
35-49	393	6.5	17	3	4	6	7	9	10	17
50-64	437	7.1	6	4	4	7	8	10	11	16
65+	255	8.2	13	5	5	8	9	11	14	21
GRAND TOTAL	**1173**	**7.1**	**11**	**4**	**5**	**7**	**8**	**10**	**11**	**19**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	21	5.0	3	2	3	5	6	8	8	9
35-49	94	5.2	2	3	3	5	7	7	8	8
50-64	87	5.4	3	3	3	5	7	8	9	9
65+	52	5.8	6	3	3	5	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	3	10.0	12	6	6	12	12	12	12	12
20-34	25	5.7	9	2	3	5	8	9	11	15
35-49	135	6.3	5	3	4	6	8	9	11	14
50-64	170	6.7	7	3	4	6	8	10	11	15
65+	159	7.8	17	3	4	7	9	11	17	23
TOT. SINGLE DX	254	5.4	4	3	3	5	7	8	8	10
" MULTIPLE DX	492	6.9	11	3	4	6	8	10	12	21
TOTAL 0-19 YRS	3	10.0	12	6	6	12	12	12	12	12
20-34	46	5.4	7	2	3	5	7	8	9	15
35-49	229	5.9	5	3	3	6	7	8	10	13
50-64	257	6.3	7	3	4	6	8	9	11	14
65+	211	7.3	15	3	4	7	8	11	14	23
GRAND TOTAL	**746**	**6.4**	**9**	**3**	**4**	**6**	**8**	**9**	**11**	**19**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.4	5	1	1	4	4	7	8	8
20-34	44	4.0	10	1	1	3	5	8	12	14
35-49	54	3.1	5	1	1	2	4	6	9	12
50-64	36	3.3	5	1	1	3	5	6	8	11
65+	17	4.4	9	1	1	3	8	9	10	10
2. MULTIPLE DX										
0-19 YRS	12	3.9	2	1	2	4	5	6	7	7
20-34	63	5.5	11	2	2	5	6	9	12	19
35-49	73	5.6	21	1	1	4	7	10	15	26
50-64	82	7.4	37	2	2	6	9	15	20	31
65+	139	8.5	44	2	2	6	12	18	20	34
TOT. SINGLE DX	160	3.6	7	1	1	3	5	8	10	13
" MULTIPLE DX	369	7.0	33	1	2	6	9	15	18	30
TOTAL 0-19 YRS	21	3.7	3	1	1	4	5	6	7	8
20-34	107	4.9	11	1	2	4	6	9	12	17
35-49	127	4.5	16	1	1	3	6	9	12	22
50-64	118	6.2	31	1	1	4	8	12	17	31
65+	156	8.1	42	1	2	6	11	17	19	34
GRAND TOTAL	**529**	**6.0**	**28**	**1**	**1**	**4**	**8**	**12**	**16**	**30**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.4	1	1	1	2	3	5	5	5
20-34	252	2.3	1	1	1	2	2	4	5	8
35-49	500	2.3	2	1	1	2	2	3	4	9
50-64	405	2.3	1	1	1	2	2	4	4	8
65+	196	3.1	6	1	2	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	14	3.3	6	1	1	2	3	8	8	8
20-34	120	4.4	17	2	2	2	5	11	14	20
35-49	225	3.1	6	1	2	2	3	6	8	12
50-64	294	3.4	10	1	2	2	4	6	9	18
65+	256	4.2	16	2	2	3	4	8	12	23
TOT. SINGLE DX	1376	2.4	2	1	1	2	2	4	5	9
" MULTIPLE DX	909	3.7	12	2	2	2	4	7	11	19
TOTAL 0-19 YRS	37	2.8	3	1	1	2	3	5	7	8
20-34	372	3.0	8	1	1	2	3	5	8	16
35-49	725	2.6	4	1	1	2	3	4	6	11
50-64	699	2.8	5	1	2	2	3	5	7	13
65+	452	3.7	13	2	2	2	4	7	11	21
GRAND TOTAL	**2285**	**2.9**	**7**	**1**	**2**	**2**	**3**	**5**	**7**	**15**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	43	4.2	3	2	2	4	5	6	8	12
50-64	900	4.6	2	2	3	4	5	6	8	10
65+	1691	5.1	4	3	3	5	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	17	4.6	7	1	2	4	6	9	10	11
20-34	8	4.3	7	2	2	3	5	9	10	10
35-49	112	5.6	12	2	2	5	7	10	11	20
50-64	2444	6.0	18	3	3	5	7	10	13	22
65+	9851	7.3	33	3	4	6	8	13	16	31
TOT. SINGLE DX	2641	4.9	4	3	3	5	6	7	8	11
" MULTIPLE DX	12432	7.0	30	3	3	5	8	12	16	30
TOTAL 0-19 YRS	21	4.2	7	1	2	3	5	8	10	11
20-34	11	4.3	6	2	2	4	6	8	10	10
35-49	155	5.2	11	2	2	4	6	9	11	19
50-64	3344	5.6	14	3	3	5	6	9	11	19
65+	11542	7.0	30	3	4	5	8	12	15	29
GRAND TOTAL	**15073**	**6.6**	**26**	**3**	**3**	**5**	**7**	**11**	**15**	**27**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	9.2	43	4	4	7	9	21	22	22
50-64	122	9.4	9	6	7	9	10	14	16	19
65+	134	9.3	9	5	6	8	11	14	16	18
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	16.5	61	11	11	16	22	22	22	22
35-49	8	13.8	87	5	5	12	19	29	31	31
50-64	175	9.9	18	5	5	9	11	15	18	25
65+	684	11.5	35	5	6	10	13	18	23	36
TOT. SINGLE DX	264	9.3	10	5	6	9	11	14	16	20
" MULTIPLE DX	871	11.2	33	5	6	10	13	18	23	33
TOTAL 0-19 YRS	3	6.3	44	2	2	3	11	14	14	14
20-34	3	11.3	110	1	1	11	19	22	22	22
35-49	14	11.8	70	4	5	9	15	24	29	31
50-64	297	9.7	15	5	6	9	11	15	17	23
65+	818	11.1	32	5	6	9	13	17	22	33
GRAND TOTAL	**1135**	**10.7**	**28**	**5**	**6**	**9**	**13**	**17**	**21**	**31**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	19	2.6	5	<1	1	2	3	7	9	9
50-64	172	2.0	2	<1	1	2	2	3	5	12
65+	263	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	3	4.0	3	2	2	5	5	5	5	5
35-49	24	4.5	7	1	2	4	6	8	10	11
50-64	238	4.4	32	1	1	3	5	10	13	22
65+	615	5.5	27	1	1	4	7	12	16	23
TOT. SINGLE DX	456	2.2	3	<1	1	2	2	4	6	9
" MULTIPLE DX	882	5.1	28	1	1	3	7	11	15	22
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	5	3.2	3	2	2	2	5	5	5	5
35-49	43	3.7	8	1	1	3	5	8	9	11
50-64	410	3.4	21	1	1	2	3	7	11	19
65+	878	4.5	23	1	1	3	6	10	14	21
GRAND TOTAL	**1338**	**4.1**	**22**	**1**	**1**	**2**	**5**	**9**	**13**	**21**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	2.0	2	<1	<1	1	2	4	5	9
20-34	65	2.5	3	<1	1	2	3	5	6	8
35-49	43	2.8	5	<1	1	2	3	7	8	12
50-64	40	2.6	5	<1	1	2	3	5	7	13
65+	33	2.9	4	1	1	2	3	7	7	8
2. MULTIPLE DX										
0-19 YRS	52	3.9	22	1	1	3	5	7	11	32
20-34	44	5.5	25	1	1	4	8	11	12	29
35-49	58	4.0	15	1	1	3	4	7	14	21
50-64	63	5.0	34	1	1	3	5	13	18	32
65+	82	6.7	30	1	2	5	9	15	19	25
TOT. SINGLE DX	261	2.4	4	<1	1	2	3	5	7	10
" MULTIPLE DX	299	5.2	27	1	1	3	7	11	16	28
TOTAL 0-19 YRS	132	2.7	11	<1	1	2	3	5	7	16
20-34	109	3.7	14	1	1	2	5	8	11	20
35-49	101	3.5	12	1	1	3	4	7	10	18
50-64	103	4.1	24	1	1	2	4	9	14	28
65+	115	5.6	26	1	1	4	8	11	17	25
GRAND TOTAL	**560**	**3.9**	**18**	**1**	**1**	**2**	**5**	**8**	**12**	**23**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	2.1	2	<1	<1	2	3	4	6	8
20-34	131	2.7	5	1	1	2	3	5	6	14
35-49	52	3.0	7	1	1	2	3	7	10	13
50-64	48	2.5	4	1	1	2	3	5	5	13
65+	127	3.0	5	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	94	2.3	4	1	1	2	3	4	7	12
20-34	54	4.4	24	1	1	3	5	10	12	29
35-49	50	4.6	20	1	2	3	5	8	12	30
50-64	105	5.1	21	1	1	4	7	9	15	24
65+	610	6.4	35	1	1	4	8	15	18	29
TOT. SINGLE DX	468	2.7	5	1	1	2	3	5	7	13
" MULTIPLE DX	913	5.6	31	1	1	3	7	13	16	29
TOTAL 0-19 YRS	204	2.2	3	<1	1	2	3	4	6	10
20-34	185	3.2	12	1	1	2	3	6	10	18
35-49	102	3.8	14	1	1	3	4	7	11	21
50-64	153	4.3	18	1	1	3	5	9	13	20
65+	737	5.8	32	1	1	3	8	14	17	25
GRAND TOTAL	**1381**	**4.6**	**24**	**1**	**1**	**3**	**5**	**11**	**15**	**24**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	370	1.6	1	<1	<1	1	2	3	3	7
20-34	71	1.5		<1	1	1	2	3	3	5
35-49	6	2.0		1	1	2	3	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	274	2.0	3	<1	1	2	2	3	5	8
20-34	18	3.2	5	1	1	3	4	5	9	11
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64										
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	448	1.6	1	<1	<1	1	2	3	3	7
" MULTIPLE DX	296	2.1	3	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	644	1.8	2	<1	1	1	2	3	4	7
20-34	89	1.8	2	<1	1	1	2	3	4	9
35-49	9	2.2	1	1	1	2	3	4	4	4
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**744**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	1.6	2	<1	<1	1	2	3	3	10
20-34	42	2.4	4	<1	<1	2	3	5	7	10
35-49	16	1.7		1	1	2	2	3	3	3
50-64	3	3.7	21	1	1	1	7	9	9	9
65+	7	2.3	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	59	2.6	29	<1	1	1	2	4	7	39
20-34	23	3.0	4	1	1	3	4	6	7	8
35-49	19	3.0	3	<1	1	3	4	6	6	6
50-64	14	3.9	7	1	1	3	5	8	10	11
65+	6	3.8	3	2	2	3	5	7	7	7
TOT. SINGLE DX	157	1.9	3	<1	<1	1	2	3	4	10
" MULTIPLE DX	121	3.0	17	1	1	2	4	6	7	20
TOTAL 0-19 YRS	148	2.0	13	<1	<1	1	2	3	4	15
20-34	65	2.6	4	<1	1	2	3	6	7	10
35-49	35	2.4	2	1	1	2	3	5	6	6
50-64	17	3.9	9	1	1	3	5	9	10	11
65+	13	3.0	3	1	1	3	4	5	7	7
GRAND TOTAL	**278**	**2.4**	**9**	**<1**	**1**	**2**	**3**	**4**	**7**	**11**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	19	1.2		<1	<1	<1	<1	1	3	5
35-49	17	1.1		<1	<1	<1	1	2	2	2
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS										
20-34	13	5.0	58	<1	<1	2	6	14	25	28
35-49	14	2.7	5	<1	<1	2	3	6	8	9
50-64	3	7.3	9	4	4	8	9	10	10	10
65+	2	11.0	2	10	10	11	12	12	12	12
TOT. SINGLE DX	39	1.3	1	<1	<1	<1	<1	2	3	5
" MULTIPLE DX	32	4.6	31	<1	<1	2	7	10	12	28
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	32	2.8	27	<1	<1	<1	2	6	11	28
35-49	31	1.8	3	<1	<1	1	2	3	6	9
50-64	3	7.3	9	4	4	8	9	10	10	10
65+	3	8.7	17	4	4	10	11	12	12	12
GRAND TOTAL	**71**	**2.8**	**17**	**<1**	**<1**	**1**	**2**	**8**	**10**	**25**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.5		<1	<1	1	2	2	3	5
20-34	139	1.9	7	<1	1	1	2	3	4	11
35-49	160	1.9	1	1	1	1	2	4	4	6
50-64	132	2.0	1	1	1	2	2	4	4	7
65+	65	2.6	2	1	1	2	4	4	5	9
2. MULTIPLE DX										
0-19 YRS	77	2.4	22	<1	<1	1	2	4	5	33
20-34	105	2.4	8	<1	1	2	2	4	7	18
35-49	128	2.6	9	1	1	2	3	5	7	17
50-64	131	3.6	18	1	1	2	4	7	9	25
65+	102	4.4	22	1	1	3	5	10	10	28
TOT. SINGLE DX	652	1.9	3	<1	1	1	2	3	4	7
" MULTIPLE DX	543	3.1	16	1	1	2	3	6	9	22
TOTAL 0-19 YRS	233	1.8	8	<1	<1	1	2	3	4	7
20-34	244	2.1	8	<1	1	1	2	3	5	15
35-49	288	2.2	5	1	1	2	3	4	5	13
50-64	263	2.8	10	1	1	2	3	5	7	21
65+	167	3.7	16	1	1	3	4	7	10	17
GRAND TOTAL	**1195**	**2.5**	**9**	**<1**	**1**	**2**	**3**	**4**	**6**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	1.2		<1	<1	<1	1	2	2	6
20-34	45	1.7	2	<1	<1	1	2	3	5	8
35-49	25	1.4		<1	<1	1	2	2	3	4
50-64	27	1.3		<1	<1	1	2	2	3	3
65+	11	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	96	3.9	36	<1	<1	1	3	12	18	29
20-34	48	2.1	2	<1	<1	1	3	5	5	7
35-49	85	3.1	13	<1	1	2	3	7	8	23
50-64	79	3.2	12	<1	1	2	4	6	10	21
65+	90	4.4	21	<1	1	3	5	10	13	23
TOT. SINGLE DX	321	1.3	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	398	3.5	20	<1	1	2	4	7	12	25
TOTAL 0-19 YRS	309	2.0	13	<1	<1	1	1	3	6	22
20-34	93	1.9	2	<1	<1	1	2	4	5	8
35-49	110	2.7	11	<1	1	2	3	6	7	22
50-64	106	2.7	10	<1	<1	2	3	6	8	17
65+	101	4.1	20	<1	1	2	5	9	13	23
GRAND TOTAL	**719**	**2.5**	**12**	**<1**	**<1**	**1**	**2**	**5**	**8**	**21**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	2.3	3	<1	<1	2	3	5	7	9
20-34	36	2.9	5	<1	1	2	4	7	8	8
35-49	87	3.6	13	1	1	3	4	6	8	25
50-64	198	3.2	3	1	1	3	4	5	6	11
65+	94	3.2	5	1	1	3	4	6	6	15
2. MULTIPLE DX										
0-19 YRS	59	4.3	13	<1	1	4	6	8	10	20
20-34	76	5.9	50	1	2	4	7	11	14	48
35-49	185	4.5	15	1	1	3	5	8	11	23
50-64	332	4.3	10	1	2	4	5	8	10	17
65+	261	4.6	28	1	2	3	5	8	11	21
TOT. SINGLE DX	484	3.1	6	1	1	3	4	5	6	10
" MULTIPLE DX	913	4.5	20	1	2	3	5	8	11	21
TOTAL 0-19 YRS	128	3.2	9	<1	<1	2	4	7	9	16
20-34	112	4.9	38	1	1	3	6	9	13	38
35-49	272	4.2	15	1	1	3	5	7	11	25
50-64	530	3.9	8	1	1	3	4	6	9	16
65+	355	4.2	23	1	1	3	4	7	10	20
GRAND TOTAL	**1397**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	142	4.4	2	2	3	4	5	6	7	9
20-34	427	4.3	2	2	2	4	5	6	7	9
35-49	57	4.7	1	2	3	5	5	6	7	9
50-64	9	5.6	9	1	2	5	7	10	12	12
65+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	181	4.7	3	2	3	4	5	7	8	11
20-34	912	4.9	5	1	3	5	6	7	9	13
35-49	189	5.8	18	1	2	5	7	9	11	23
50-64	37	9.8	69	4	4	6	12	16	23	49
65+	44	11.1	48	4	6	9	13	19	28	37
TOT. SINGLE DX	637	4.4	3	2	3	4	5	6	7	9
" MULTIPLE DX	1363	5.3	12	2	3	5	6	8	10	19
TOTAL 0-19 YRS	323	4.6	3	2	3	4	5	7	8	10
20-34	1339	4.7	5	2	3	4	5	7	8	12
35-49	246	5.5	15	2	3	5	6	8	10	23
50-64	46	9.0	60	3	4	6	12	15	19	49
65+	46	11.0	47	4	6	9	13	19	27	37
GRAND TOTAL	**2000**	**5.0**	**9**	**2**	**3**	**5**	**6**	**8**	**9**	**16**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	4.9	2	3	3	5	5	7	8	10
20-34	422	4.8	3	3	3	5	5	7	8	12
35-49	187	5.2	5	3	3	5	6	7	9	16
50-64	22	6.0	4	3	4	6	6	9	11	13
65+	16	6.1	3	3	3	6	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	112	5.7	9	3	3	5	6	8	11	20
20-34	1317	5.5	6	3	3	5	6	8	10	15
35-49	685	5.9	7	3	3	5	6	9	11	17
50-64	92	9.0	27	4	5	8	11	17	18	32
65+	92	11.1	45	5	5	9	14	20	23	42
TOT. SINGLE DX	736	5.0	4	3	3	5	6	7	8	13
" MULTIPLE DX	2298	6.0	11	3	3	5	7	9	12	19
TOTAL 0-19 YRS	201	5.3	6	3	3	5	6	7	10	16
20-34	1739	5.3	6	3	3	5	6	8	9	14
35-49	872	5.7	7	3	3	5	6	8	11	17
50-64	114	8.5	24	4	5	7	10	14	18	28
65+	108	10.4	42	4	5	9	13	19	22	39
GRAND TOTAL	**3034**	**5.8**	**9**	**3**	**3**	**5**	**6**	**9**	**11**	**18**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	58	4.9	2	2	3	5	6	6	8	10
35-49	118	5.7	3	3	4	5	6	8	9	12
50-64	57	6.6	9	3	4	6	7	9	10	23
65+	19	7.6	13	4	4	7	8	11	16	20
2. MULTIPLE DX										
0-19 YRS	6	5.2	1	4	4	5	6	7	7	7
20-34	413	5.7	5	3	4	5	6	8	10	16
35-49	854	6.1	6	4	4	6	7	8	10	17
50-64	240	8.4	42	4	5	7	9	13	16	32
65+	147	12.1	101	5	6	9	14	22	26	69
TOT. SINGLE DX	253	5.9	6	3	4	6	6	8	10	15
" MULTIPLE DX	1660	6.9	23	4	4	6	7	10	14	24
TOTAL 0-19 YRS	7	5.3	1	4	4	5	6	7	7	7
20-34	471	5.6	5	3	4	5	6	8	9	16
35-49	972	6.1	6	4	4	6	7	8	10	17
50-64	297	8.1	36	4	5	7	9	12	16	29
65+	166	11.6	93	5	6	8	13	21	25	64
GRAND TOTAL	**1913**	**6.7**	**21**	**4**	**4**	**6**	**7**	**10**	**13**	**24**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	3.6	3	1	2	3	4	6	8	10
20-34	101	3.0	3	<1	1	2	4	5	7	9
35-49	14	3.4	5	<1	1	3	5	7	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	44	3.4	4	1	1	3	4	5	6	14
20-34	364	4.0	11	1	1	4	5	7	8	14
35-49	84	5.7	39	1	1	4	7	10	14	40
50-64	4	5.8	7	3	3	5	8	9	9	9
65+	2	14.0	2	13	13	14	15	15	15	15
TOT. SINGLE DX	148	3.2	4	<1	1	3	5	5	7	9
" MULTIPLE DX	498	4.3	17	1	1	4	5	7	9	18
TOTAL 0-19 YRS	76	3.5	4	1	1	3	4	5	7	13
20-34	465	3.8	10	1	1	4	5	6	8	12
35-49	98	5.4	35	1	1	4	7	9	12	39
50-64	5	5.6	6	3	3	5	7	9	9	9
65+	2	14.0	2	13	13	14	15	15	15	15
GRAND TOTAL	**646**	**4.0**	**14**	**1**	**1**	**4**	**5**	**7**	**8**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	269	1.2		<1	<1	<1	1	2	2	5
35-49	92	1.1		<1	<1	<1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	323	2.2	14	<1	<1	1	2	4	5	24
35-49	138	2.1	13	<1	<1	1	2	4	5	13
50-64										
65+										
TOT. SINGLE DX	364	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	462	2.2	14	<1	<1	1	2	4	5	22
TOTAL 0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	592	1.8	8	<1	<1	1	2	3	4	11
35-49	230	1.7	9	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**826**	**1.8**	**8**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	468	2.2	1	<1	<1	2	3	4	4	6
35-49	132	2.0	1	<1	<1	2	3	4	4	8
50-64	3	2.0	3	1	1	1	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	21	3.3	6	<1	1	3	4	6	9	12
20-34	1580	2.8	2	1	1	3	3	4	5	8
35-49	334	2.9	9	1	1	3	4	5	6	11
50-64	3	10.7	30	7	7	8	15	17	17	17
65+										
TOT. SINGLE DX	607	2.1	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	1938	2.9	4	1	1	3	3	4	5	9
TOTAL 0-19 YRS	25	3.1	5	<1	1	2	4	5	7	12
20-34	2048	2.7	3	1	1	3	3	4	5	7
35-49	466	2.7	7	<1	1	2	3	5	5	10
50-64	6	6.3	36	1	1	5	8	16	17	17
65+										
GRAND TOTAL	**2545**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	3.9	1	3	3	4	5	5	6	7
20-34	1123	4.0	1	2	3	4	5	5	6	7
35-49	162	4.1	1	2	3	4	5	6	6	8
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	105	4.7	9	2	3	4	5	6	8	22
20-34	1514	4.4	3	2	3	4	5	6	7	11
35-49	265	4.7	5	2	3	4	5	7	8	14
50-64	10	8.7	66	<1	1	7	10	20	30	30
65+	2	14.0	128	6	6	14	22	22	22	22
TOT. SINGLE DX	1356	4.0	2	2	3	4	5	5	6	8
" MULTIPLE DX	1896	4.5	5	2	3	4	5	6	7	12
TOTAL 0-19 YRS	174	4.4	6	2	3	4	5	6	7	14
20-34	2637	4.2	3	2	3	4	5	6	6	9
35-49	427	4.5	4	2	3	4	5	6	7	12
50-64	12	7.6	61	<1	<1	6	10	16	28	30
65+	2	14.0	128	6	6	14	22	22	22	22
GRAND TOTAL	**3252**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.9	2	1	1	1	2	4	6	6
20-34	264	1.6	1	<1	<1	1	2	3	4	7
35-49	35	1.7	1	<1	<1	1	2	3	4	8
50-64	29	2.2	2	1	1	2	3	4	6	7
65+	20	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	7	2.9	10	<1	<1	2	3	9	10	10
20-34	195	2.2	2	<1	<1	2	3	5	5	8
35-49	101	2.7	4	<1	1	2	4	6	7	9
50-64	59	2.5	5	<1	1	2	3	5	6	15
65+	41	3.9	16	1	1	2	4	10	13	19
TOT. SINGLE DX	412	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	403	2.5	5	<1	1	2	3	5	6	11
TOTAL 0-19 YRS	21	2.2	5	<1	<1	1	2	5	8	10
20-34	459	1.9	2	<1	<1	1	2	4	5	8
35-49	186	2.2	3	<1	1	1	3	5	6	9
50-64	88	2.4	4	<1	1	2	3	4	6	13
65+	61	3.1	12	<1	1	2	3	7	11	19
GRAND TOTAL	**815**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.5	10	<1	<1	1	2	8	9	9
20-34	62	1.7		<1	<1	1	2	3	4	5
35-49	30	2.5	4	<1	<1	2	2	6	7	9
50-64	22	2.9	3	<1	<1	3	4	6	7	8
65+	29	4.1	5	1	1	4	6	8	8	9
2. MULTIPLE DX										
0-19 YRS	6	1.8	2	<1	<1	1	2	5	5	5
20-34	101	3.0	10	<1	1	2	3	7	10	17
35-49	98	3.7	12	1	1	3	5	9	9	19
50-64	98	4.5	16	1	1	3	5	10	14	22
65+	145	6.3	36	1	1	4	8	12	20	32
TOT. SINGLE DX	149	2.5	4	<1	<1	2	3	6	7	9
" MULTIPLE DX	448	4.5	22	1	1	3	6	9	13	24
TOTAL 0-19 YRS	12	2.2	6	<1	<1	1	2	6	9	9
20-34	163	2.5	8	<1	<1	2	3	5	8	13
35-49	128	3.5	10	<1	1	2	5	8	9	17
50-64	120	4.2	15	1	1	3	5	9	11	21
65+	174	5.9	32	1	1	4	8	11	17	31
GRAND TOTAL	**597**	**4.0**	**19**	**<1**	**1**	**3**	**5**	**9**	**11**	**23**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.9	2	1	1	2	3	6	7	7
20-34	414	2.4	5	1	1	2	3	4	6	10
35-49	53	2.5	14	1	1	2	3	4	5	27
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	4.3	5	1	1	4	6	7	7	7
20-34	131	3.3	7	1	1	3	4	6	9	15
35-49	17	7.8	234	<1	1	2	6	23	50	62
50-64										
65+	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	495	2.4	6	1	1	2	3	4	6	10
" MULTIPLE DX	160	3.8	32	1	1	3	4	7	10	26
TOTAL 0-19 YRS	39	3.3	4	1	1	3	4	7	7	7
20-34	545	2.6	6	1	1	2	3	5	6	14
35-49	70	3.8	71	1	1	2	3	5	9	55
50-64										
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**655**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.7	3	<1	<1	4	5	6	6	6
20-34	173	4.9	3	2	3	5	6	6	8	13
35-49	32	3.7	3	1	1	4	5	6	6	7
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	4.2	25	<1	<1	3	6	13	13	13
2. MULTIPLE DX										
0-19 YRS	11	4.6	3	2	2	4	6	7	8	8
20-34	417	4.9	5	1	2	5	6	7	8	12
35-49	147	5.3	12	1	2	5	6	9	12	15
50-64	27	5.3	39	<1	1	4	7	12	17	31
65+	54	7.2	34	1	2	5	11	15	17	28
TOT. SINGLE DX	221	4.7	4	1	2	5	6	6	7	13
" MULTIPLE DX	656	5.2	11	1	2	5	6	8	11	17
TOTAL 0-19 YRS	20	4.2	4	<1	1	4	5	7	7	8
20-34	590	4.9	5	1	2	5	6	7	8	12
35-49	179	5.0	11	1	1	5	6	8	10	14
50-64	29	5.0	38	<1	1	3	6	12	15	31
65+	59	7.0	34	1	1	5	11	15	17	28
GRAND TOTAL	**877**	**5.0**	**9**	**1**	**2**	**5**	**6**	**7**	**10**	**16**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.5	3	4	4	5	6	8	9	9
20-34	831	5.6	2	4	4	5	6	7	8	11
35-49	1112	5.8	6	4	4	6	6	7	8	11
50-64	299	6.3	4	4	5	6	7	8	10	16
65+	162	7.5	9	5	5	7	8	11	12	22
2. MULTIPLE DX										
0-19 YRS	44	6.8	12	4	4	6	7	12	16	17
20-34	6582	5.9	5	4	4	6	6	8	9	14
35-49	13066	6.1	3	4	4	6	7	8	9	14
50-64	2671	6.9	9	4	5	6	7	9	12	21
65+	1302	8.9	25	5	5	7	9	14	18	29
TOT. SINGLE DX	2414	5.9	5	4	4	6	6	8	9	12
" MULTIPLE DX	23665	6.3	7	4	4	6	7	8	10	17
TOTAL 0-19 YRS	54	6.6	11	4	4	6	7	11	15	17
20-34	7413	5.9	5	4	4	6	6	8	9	14
35-49	14178	6.0	4	4	4	6	7	8	9	14
50-64	2970	6.9	9	4	5	6	7	9	11	20
65+	1464	8.7	24	5	5	7	9	14	18	29
GRAND TOTAL	**26079**	**6.2**	**6**	**4**	**4**	**6**	**7**	**8**	**10**	**16**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.8	1	3	3	5	6	6	6	6
20-34	573	4.7	1	3	3	5	5	6	7	9
35-49	461	4.8	2	3	3	5	6	7	7	9
50-64	200	6.0	6	4	4	6	7	8	9	15
65+	160	6.7	3	4	5	6	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	13	5.6	3	2	3	6	7	8	8	8
20-34	2560	5.0	2	3	3	5	6	7	8	10
35-49	3847	5.2	2	3	4	5	6	7	8	11
50-64	984	6.3	4	4	4	6	7	9	10	14
65+	848	7.3	7	4	5	7	8	10	13	18
TOT. SINGLE DX	1398	5.1	3	3	3	5	6	7	8	10
" MULTIPLE DX	8252	5.5	4	3	4	5	6	8	9	13
TOTAL 0-19 YRS	17	5.4	3	2	3	5	6	8	8	8
20-34	3133	4.9	3	3	3	5	6	7	7	10
35-49	4308	5.2	3	3	3	5	6	7	8	11
50-64	1184	6.2	5	4	4	6	7	8	10	14
65+	1008	7.2	7	4	5	7	8	10	12	17
GRAND TOTAL	**9650**	**5.4**	**4**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	14	8.5	2	6	7	8	10	10	11	11
35-49	19	8.8	5	5	6	9	10	12	14	14
50-64	4	7.0	6	4	4	7	9	10	10	10
65+	2	11.0	32	7	7	11	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	22	11.3	30	6	7	10	14	16	23	30
35-49	36	10.3	29	4	6	9	12	14	20	33
50-64	29	14.7	73	7	7	11	19	31	33	35
65+	18	15.9	106	6	7	10	23	33	36	38
TOT. SINGLE DX	39	8.6	5	5	6	9	10	11	14	15
" MULTIPLE DX	107	12.6	58	6	6	10	14	25	32	36
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	36	10.2	21	6	7	9	12	15	18	30
35-49	55	9.8	22	5	6	9	11	14	16	32
50-64	33	13.8	71	6	7	10	17	30	33	35
65+	20	15.5	99	6	7	10	21	32	36	38
GRAND TOTAL	**146**	**11.6**	**47**	**6**	**6**	**9**	**13**	**19**	**30**	**35**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.8	1	<1	<1	1	2	3	4	5
20-34	74	1.7	2	<1	<1	1	2	3	5	11
35-49	14	1.4		<1	<1	1	1	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	7.8	198	1	1	3	5	37	45	45
20-34	78	3.7	25	<1	1	2	4	8	11	27
35-49	12	4.2	68	<1	<1	1	3	13	28	30
50-64										
65+										
TOT. SINGLE DX	104	1.7	2	<1	<1	1	2	3	4	9
" MULTIPLE DX	107	4.4	58	<1	<1	2	4	8	23	45
TOTAL 0-19 YRS	33	4.9	110	<1	1	2	3	6	39	45
20-34	152	2.7	15	<1	<1	1	2	6	8	26
35-49	26	2.7	33	<1	<1	1	2	4	11	30
50-64										
65+										
GRAND TOTAL	**211**	**3.0**	**32**	**<1**	**<1**	**1**	**3**	**6**	**8**	**36**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	900	1.6	6	<1	<1	1	2	3	3	6
20-34	4050	1.5	1	<1	<1	1	2	2	3	5
35-49	876	1.5	1	<1	<1	1	2	2	3	6
50-64	198	1.6	1	<1	<1	1	2	2	4	6
65+	116	2.2	4	<1	<1	2	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	307	2.7	10	<1	1	2	3	5	7	13
20-34	2010	2.7	6	<1	1	2	3	5	7	12
35-49	1269	2.9	14	<1	1	2	3	6	8	16
50-64	468	3.7	37	<1	1	2	4	8	12	29
65+	528	4.6	52	1	1	2	5	9	15	35
TOT. SINGLE DX	6140	1.5	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	4582	3.1	18	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	1207	1.9	8	<1	<1	1	2	3	4	9
20-34	6060	1.9	3	<1	<1	1	2	4	5	9
35-49	2145	2.3	9	<1	<1	1	2	5	7	14
50-64	666	3.1	27	<1	<1	2	3	6	10	21
65+	644	4.1	45	<1	1	2	4	8	14	33
GRAND TOTAL	**10722**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.0	43	<1	<1	1	4	15	21	21
20-34	38	1.6		<1	<1	1	2	3	4	4
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	4.5	13	1	1	4	6	10	12	13
20-34	60	5.4	69	<1	<1	2	6	13	23	42
35-49	10	1.4		1	1	1	2	3	3	3
50-64										
65+										
TOT. SINGLE DX	51	2.0	9	<1	<1	1	2	3	4	21
" MULTIPLE DX	83	4.8	53	<1	1	2	6	11	16	41
TOTAL 0-19 YRS	22	4.3	24	<1	1	2	6	10	16	21
20-34	98	3.9	46	<1	<1	2	4	9	15	41
35-49	14	1.4		1	1	1	2	2	3	3
50-64										
65+										
GRAND TOTAL	**134**	**3.7**	**38**	**<1**	**<1**	**1**	**4**	**8**	**14**	**39**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	1.4		<1	<1	1	1	2	3	6
20-34	734	1.3		<1	<1	1	1	2	3	5
35-49	90	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	46	1.9	3	<1	<1	1	2	3	5	12
20-34	211	2.3	4	<1	1	1	3	5	7	10
35-49	54	1.9	1	1	1	1	2	4	5	7
50-64	2	10.5	41	6	6	10	15	15	15	15
65+	10	6.1	15	2	2	6	8	12	15	15
TOT. SINGLE DX	995	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	323	2.3	5	<1	1	1	3	5	7	13
TOTAL 0-19 YRS	217	1.5	1	<1	<1	1	2	2	3	6
20-34	945	1.5	2	<1	<1	1	2	3	4	7
35-49	144	1.5	1	<1	<1	1	1	3	4	6
50-64	2	10.5	41	6	6	10	15	15	15	15
65+	10	6.1	15	2	2	6	8	12	15	15
GRAND TOTAL	**1318**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	19	3.3	1	1	2	3	4	5	5	5
35-49	3	4.3		4	4	4	5	5	5	5
50-64	3	5.3		5	5	5	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	7	4.0	1	2	2	4	5	6	6	6
20-34	96	4.4	4	1	1	4	5	6	8	13
35-49	14	4.6	2	1	3	5	6	6	6	6
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	6.8	2	6	6	6	8	9	9	9
TOT. SINGLE DX	28	3.9	2	2	2	4	5	5	6	6
" MULTIPLE DX	122	4.5	5	1	2	4	6	6	8	12
TOTAL 0-19 YRS	9	4.3	2	2	2	4	5	6	6	6
20-34	115	4.2	4	1	1	4	5	6	8	12
35-49	17	4.6	2	2	3	5	6	6	6	6
50-64	4	6.0	2	5	5	6	7	8	8	8
65+	5	6.4	2	5	5	6	7	9	9	9
GRAND TOTAL	**150**	**4.4**	**4**	**1**	**2**	**4**	**5**	**6**	**8**	**10**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.3	1	<1	<1	2	3	4	4	4
20-34	46	2.7	7	<1	<1	2	4	5	6	17
35-49	13	4.8	33	1	1	3	5	12	20	22
50-64	9	3.1	2	1	1	3	5	5	5	5
65+	8	3.4	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	14	4.3	5	1	1	4	6	7	9	9
20-34	109	3.4	4	<1	1	3	4	6	7	11
35-49	40	3.7	4	1	1	3	5	6	8	12
50-64	14	3.6	5	<1	1	3	5	7	9	9
65+	34	4.2	10	2	2	3	4	8	11	17
TOT. SINGLE DX	82	3.1	10	<1	<1	2	4	5	8	20
" MULTIPLE DX	211	3.7	5	1	1	3	5	6	8	12
TOTAL 0-19 YRS	20	3.7	5	<1	1	3	5	7	8	9
20-34	155	3.2	5	<1	1	3	4	5	7	13
35-49	53	4.0	12	1	1	3	5	7	10	22
50-64	23	3.4	4	<1	1	3	5	6	8	9
65+	42	4.0	9	1	2	3	4	7	11	17
GRAND TOTAL	**293**	**3.5**	**7**	**<1**	**1**	**3**	**4**	**6**	**8**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	38	4.7	4	1	2	5	6	7	9	10
35-49	168	5.1	5	1	2	5	7	8	9	12
50-64	284	5.3	3	3	3	5	6	8	8	11
65+	205	5.6	4	2	3	5	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	90	5.9	48	2	3	5	6	8	9	47
35-49	369	6.2	10	3	4	6	7	9	11	18
50-64	540	6.3	6	3	4	6	7	9	10	13
65+	577	6.9	10	4	4	6	8	10	13	21
TOT. SINGLE DX	696	5.3	4	2	3	5	7	8	9	11
" MULTIPLE DX	1577	6.5	11	3	4	6	7	9	11	18
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	128	5.5	36	1	2	5	6	8	9	27
35-49	537	5.9	9	2	3	5	7	9	10	15
50-64	824	5.9	6	3	3	6	7	8	10	12
65+	782	6.6	9	3	4	6	8	9	12	19
GRAND TOTAL	**2273**	**6.1**	**9**	**3**	**3**	**6**	**7**	**9**	**10**	**15**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	2.3	2	<1	<1	2	3	4	5	9
20-34	110	3.4	4	1	1	3	4	6	7	10
35-49	32	2.7	1	1	1	3	4	4	4	5
50-64	17	5.7	12	<1	1	6	7	9	13	15
65+	18	5.6	4	2	4	5	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	46	5.5	40	<1	<1	3	8	12	20	30
20-34	57	4.7	9	1	2	4	6	9	11	16
35-49	36	6.3	38	1	2	5	8	9	13	38
50-64	44	6.0	10	1	1	6	8	10	12	14
65+	49	9.3	69	4	4	7	10	18	24	54
TOT. SINGLE DX	214	3.5	5	1	1	3	5	7	7	11
" MULTIPLE DX	232	6.3	35	1	1	5	8	11	15	31
TOTAL 0-19 YRS	83	4.1	26	<1	<1	2	5	9	13	29
20-34	167	3.8	7	1	1	3	5	7	9	12
35-49	68	4.6	24	1	1	4	5	9	10	34
50-64	61	5.9	10	1	1	6	7	10	13	15
65+	67	8.3	55	3	4	6	8	14	22	49
GRAND TOTAL	**446**	**5.0**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**26**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	3.4	12	<1	<1	2	4	9	10	17
20-34	96	3.4	6	<1	1	3	5	6	8	13
35-49	35	3.9	16	<1	<1	3	6	8	10	22
50-64	39	4.5	7	1	2	4	6	8	10	12
65+	45	3.9	4	<1	<1	4	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	59	5.0	19	1	1	3	8	11	14	17
20-34	228	3.9	15	1	1	3	5	9	13	18
35-49	135	5.4	17	1	1	5	8	9	14	22
50-64	105	6.0	28	1	2	5	7	10	17	65
65+	182	7.9	74	2	2	5	8	16	28	48
TOT. SINGLE DX	256	3.7	8	<1	1	3	5	7	9	13
" MULTIPLE DX	709	5.6	36	1	1	4	7	11	16	34
TOTAL 0-19 YRS	100	4.4	17	<1	1	3	7	10	13	17
20-34	324	3.8	13	1	1	3	5	7	11	17
35-49	170	5.1	17	1	1	4	7	9	13	22
50-64	144	5.6	23	1	2	5	6	10	15	40
65+	227	7.1	63	1	2	5	8	14	22	46
GRAND TOTAL	**965**	**5.1**	**29**	**1**	**1**	**4**	**6**	**10**	**14**	**30**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.1	2	<1	<1	2	3	4	5	7
20-34	169	2.1	2	<1	<1	2	3	4	5	7
35-49	85	1.9	2	<1	<1	1	2	3	4	9
50-64	35	2.5	2	<1	1	2	3	4	5	8
65+	32	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	37	4.9	51	1	1	3	5	8	10	45
20-34	116	3.6	12	<1	1	2	4	8	12	18
35-49	82	4.2	18	1	1	3	5	11	14	21
50-64	67	7.3	78	1	1	4	8	18	32	40
65+	85	7.1	72	1	1	4	8	19	20	50
TOT. SINGLE DX	382	2.1	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	387	5.3	44	1	1	3	6	12	18	35
TOTAL 0-19 YRS	98	3.2	22	<1	1	2	4	5	7	29
20-34	285	2.7	7	<1	1	2	3	5	7	15
35-49	167	3.0	11	<1	1	2	3	7	11	16
50-64	102	5.6	58	1	1	3	5	11	25	38
65+	117	5.8	58	1	1	3	6	14	20	41
GRAND TOTAL	**769**	**3.7**	**26**	**<1**	**1**	**2**	**4**	**7**	**12**	**28**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	6.1	20	1	1	5	10	12	13	13
35-49	9	3.6	2	<1	1	4	4	6	6	6
50-64	11	6.4	40	1	1	5	7	18	19	19
65+	19	5.8	12	2	2	5	8	10	14	16
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	8.6	46	2	2	6	11	20	22	22
35-49	15	8.7	54	1	1	8	13	21	22	23
50-64	27	13.4	171	2	2	7	15	38	40	43
65+	58	11.4	84	2	4	8	15	26	30	41
TOT. SINGLE DX	48	5.5	18	1	1	4	7	11	16	19
" MULTIPLE DX	108	11.3	99	1	2	7	15	26	33	42
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	15	7.3	32	1	2	6	11	13	20	22
35-49	24	6.8	40	<1	1	4	9	17	22	23
50-64	38	11.4	142	1	2	6	14	33	40	43
65+	77	10.0	72	2	3	7	13	24	27	39
GRAND TOTAL	**156**	**9.5**	**81**	**1**	**2**	**6**	**12**	**22**	**31**	**41**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.8	1	<1	1	1	3	3	4	6
20-34	34	2.9	2	1	1	3	4	5	6	7
35-49	8	3.0	6	1	1	2	4	7	8	8
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	4	6.0	29	2	2	4	9	14	14	14
2. MULTIPLE DX										
0-19 YRS	24	3.3	3	<1	1	3	5	6	6	6
20-34	30	3.2	2	1	1	3	4	6	6	7
35-49	9	5.6	52	<1	<1	2	6	18	23	23
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	7	5.3	6	3	3	5	6	9	10	10
TOT. SINGLE DX	77	2.6	4	<1	1	2	3	5	7	12
" MULTIPLE DX	73	3.8	10	1	1	3	5	6	9	20
TOTAL 0-19 YRS	51	2.5	3	<1	1	2	4	5	6	6
20-34	64	3.0	3	1	1	3	4	5	6	7
35-49	17	4.4	31	<1	1	2	5	10	19	23
50-64	7	3.6	9	<1	<1	3	5	8	9	9
65+	11	5.5	12	2	2	4	6	12	14	14
GRAND TOTAL	**150**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.3	3	1	1	2	3	5	5	5
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	10	2.8	5	<1	<1	2	4	6	8	8
20-34	8	3.0	5	<1	<1	2	5	7	7	7
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64										
65+	9	4.9	16	1	1	3	7	12	13	13
TOT. SINGLE DX	9	2.4	2	1	1	2	3	5	5	5
" MULTIPLE DX	30	3.5	9	<1	1	2	5	8	10	13
TOTAL 0-19 YRS	14	2.6	5	<1	1	2	4	6	7	8
20-34	12	2.8	4	<1	<1	2	4	6	7	7
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	9	4.9	17	1	1	3	7	12	13	13
GRAND TOTAL	**39**	**3.3**	**8**	**<1**	**1**	**2**	**4**	**7**	**9**	**13**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1572	2.6		1	2	3	3	4	4	5
20-34	7776	2.8	1	1	2	3	3	4	4	6
35-49	386	2.9	1	2	2	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1294	3.1	4	2	2	3	3	4	5	10
20-34	7360	3.1	2	2	2	3	3	4	5	8
35-49	559	3.4	11	2	2	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	9734	2.7	1	1	2	3	3	4	4	6
" MULTIPLE DX	9213	3.1	3	2	2	3	3	4	5	8
TOTAL 0-19 YRS	2866	2.8	2	1	2	3	3	4	5	7
20-34	15136	2.9	2	2	2	3	3	4	5	7
35-49	945	3.2	7	2	2	3	4	4	5	11
50-64										
65+										
GRAND TOTAL	**18947**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.3	1	1	1	2	3	4	4	4
20-34	71	2.5	1	1	1	2	3	4	4	9
35-49	4	2.5		2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	38	2.4	2	1	1	2	3	3	6	8
20-34	189	3.1	14	1	1	3	3	4	6	10
35-49	31	3.3	7	1	1	3	4	5	6	16
50-64										
65+										
TOT. SINGLE DX	83	2.5	1	1	1	2	3	4	4	8
" MULTIPLE DX	258	3.1	12	1	1	3	3	4	6	10
TOTAL 0-19 YRS	46	2.4	2	1	1	2	3	3	5	8
20-34	260	3.0	11	1	1	3	3	4	6	10
35-49	35	3.2	7	1	1	3	4	5	6	16
50-64										
65+										
GRAND TOTAL	**341**	**2.9**	**9**	**1**	**1**	**3**	**3**	**4**	**6**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	364	2.4	1	1	1	2	3	3	4	6
20-34	2001	2.5		1	2	2	3	4	4	5
35-49	109	2.6		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	567	2.9	2	1	2	3	3	4	5	8
20-34	2707	3.0	3	1	2	3	3	4	5	8
35-49	171	3.0	1	2	2	3	4	4	5	6
50-64										
65+										
TOT. SINGLE DX	2474	2.5	1	1	2	2	3	3	4	5
" MULTIPLE DX	3445	3.0	3	1	2	3	3	4	5	8
TOTAL 0-19 YRS	931	2.7	2	1	2	3	3	4	5	7
20-34	4708	2.8	3	1	2	3	3	4	4	7
35-49	280	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**5919**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8501	2.3		1	1	2	3	3	4	5
20-34	36905	2.4	1	1	1	2	3	3	4	5
35-49	2012	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3680	3.0	5	1	2	3	3	4	6	12
20-34	19413	2.9	4	1	2	3	3	4	5	10
35-49	1726	3.1	4	1	2	3	3	5	5	9
50-64										
65+										
TOT. SINGLE DX	47418	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	24819	2.9	5	1	2	3	3	4	5	10
TOTAL 0-19 YRS	12181	2.5	2	1	1	2	3	4	4	7
20-34	56318	2.6	2	1	1	2	3	4	4	7
35-49	3738	2.8	3	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**72237**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1193	4.6	1	3	3	4	5	6	7	10
20-34	8411	4.5	1	3	3	4	5	6	6	8
35-49	477	4.8	3	3	3	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3056	5.4	7	3	4	5	6	8	10	17
20-34	21871	5.1	9	3	3	5	5	7	8	15
35-49	2101	5.5	17	3	4	5	6	7	9	22
50-64										
65+										
TOT. SINGLE DX	10081	4.5	2	3	3	4	5	6	6	8
" MULTIPLE DX	27028	5.2	10	3	4	5	6	7	8	16
TOTAL 0-19 YRS	4249	5.2	6	3	3	5	6	7	9	15
20-34	30282	5.0	8	3	3	5	5	6	7	14
35-49	2578	5.4	15	3	4	5	6	7	8	20
50-64										
65+										
GRAND TOTAL	**37109**	**5.0**	**8**	**3**	**3**	**5**	**5**	**6**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	4.6	3	3	3	4	5	6	7	12
20-34	552	4.5	3	3	3	4	5	6	6	7
35-49	32	5.1	3	3	3	5	6	7	7	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	189	5.2	6	3	3	5	6	7	9	16
20-34	1130	5.2	10	3	3	5	5	7	8	19
35-49	147	5.9	11	3	4	5	6	9	11	22
50-64										
65+										
TOT. SINGLE DX	723	4.6	4	3	3	4	5	6	6	8
" MULTIPLE DX	1466	5.3	10	3	3	5	6	7	9	20
TOTAL 0-19 YRS	328	5.0	6	3	3	5	5	7	8	15
20-34	1682	5.0	8	3	3	5	5	7	8	17
35-49	179	5.7	10	3	4	5	6	9	11	21
50-64										
65+										
GRAND TOTAL	**2189**	**5.1**	**8**	**3**	**3**	**5**	**5**	**7**	**8**	**17**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.5	2	1	1	4	5	5	5	5
20-34	80	3.6	2	1	2	3	4	6	6	8
35-49	7	3.1	2	1	1	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9	4.0	1	2	2	4	5	6	6	6
20-34	79	4.3	3	2	2	4	5	7	8	12
35-49	8	3.8	2	1	2	4	5	6	6	6
50-64										
65+										
TOT. SINGLE DX	101	3.6	2	1	2	4	4	5	6	8
" MULTIPLE DX	96	4.3	3	2	2	4	5	6	7	12
TOTAL 0-19 YRS	23	3.7	2	1	2	4	5	5	6	6
20-34	159	4.0	3	2	2	4	5	6	7	10
35-49	15	3.5	2	1	1	4	4	5	6	6
50-64										
65+										
GRAND TOTAL	**197**	**3.9**	**3**	**1**	**2**	**4**	**5**	**6**	**7**	**10**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	1.5		1	1	1	2	2	3	5
20-34	136	1.5		1	1	1	2	2	3	5
35-49	14	1.2		1	1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	1.8	1	1	1	1	2	4	4	4
20-34	30	2.0	1	1	1	2	2	3	5	6
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64										
65+										
TOT. SINGLE DX	226	1.5	1	1	1	1	2	2	3	4
" MULTIPLE DX	48	2.0	1	1	1	2	2	4	5	6
TOTAL 0-19 YRS	87	1.5	1	1	1	1	2	2	3	5
20-34	166	1.6	1	1	1	1	2	2	3	6
35-49	21	1.5	1	1	1	1	2	3	4	5
50-64										
65+										
GRAND TOTAL	**274**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.0	12	1	1	3	5	10	12	13
20-34	77	5.6	42	1	1	4	6	12	19	37
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	6.7	133	1	2	3	5	13	30	60
20-34	118	6.7	56	1	1	5	7	13	25	44
35-49	19	13.1	243	3	4	6	11	40	51	60
50-64										
65+										
TOT. SINGLE DX	97	5.2	37	1	1	3	6	11	18	34
" MULTIPLE DX	166	7.5	93	1	1	4	8	14	27	58
TOTAL 0-19 YRS	44	5.8	93	1	1	3	5	11	19	60
20-34	195	6.3	51	1	1	4	7	13	21	43
35-49	24	10.8	211	1	2	5	10	38	47	60
50-64										
65+										
GRAND TOTAL	**263**	**6.6**	**73**	**1**	**1**	**4**	**7**	**13**	**24**	**46**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	2.3	4	<1	<1	2	3	4	5	14
20-34	750	2.3	5	<1	1	2	3	4	5	9
35-49	41	1.9		<1	<1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	78	3.2	38	1	1	2	3	5	6	43
20-34	443	2.6	3	<1	1	2	3	4	6	9
35-49	32	2.5	1	<1	1	2	3	4	5	7
50-64										
65+										
TOT. SINGLE DX	953	2.3	5	<1	<1	2	3	4	5	10
" MULTIPLE DX	553	2.6	9	<1	1	2	3	4	6	9
TOTAL 0-19 YRS	240	2.6	16	<1	<1	2	3	4	5	15
20-34	1193	2.4	5	<1	1	2	3	4	5	9
35-49	73	2.2	1	<1	1	2	3	3	4	7
50-64										
65+										
GRAND TOTAL	**1506**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	792	2.2		1	1	2	3	3	3	4
20-34	3388	2.3		1	1	2	3	3	4	5
35-49	257	2.3		1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	986	2.9	4	1	2	3	3	4	5	11
20-34	4530	2.7	4	1	2	2	3	4	5	8
35-49	341	2.8	2	1	2	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	4437	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	5857	2.7	4	1	2	2	3	4	5	8
TOTAL 0-19 YRS	1778	2.6	3	1	1	2	3	4	4	7
20-34	7918	2.5	3	1	1	2	3	4	4	7
35-49	598	2.6	2	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**10294**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	3.8	8	1	1	3	6	9	10	10
20-34	25	3.2	13	1	1	3	3	4	9	20
35-49	16	3.5	5	1	1	3	5	7	8	8
50-64	21	5.0	22	1	1	3	7	14	16	17
65+	15	8.3	27	1	2	9	12	14	17	18
2. MULTIPLE DX										
0-19 YRS	17	4.4	15	1	2	3	4	10	14	16
20-34	23	6.4	58	1	2	4	7	13	26	35
35-49	27	5.7	49	1	1	3	7	14	18	35
50-64	43	9.8	135	1	2	6	11	27	33	57
65+	66	10.1	133	1	2	7	13	20	44	54
TOT. SINGLE DX	92	4.6	18	1	1	3	6	11	14	19
" MULTIPLE DX	176	8.3	103	1	2	4	10	19	30	54
TOTAL 0-19 YRS	32	4.1	11	1	1	3	5	9	11	16
20-34	48	4.8	37	1	1	3	5	10	20	35
35-49	43	4.9	33	1	1	3	6	9	14	35
50-64	64	8.3	103	1	1	4	10	23	30	54
65+	81	9.8	114	1	2	7	13	19	32	54
GRAND TOTAL	**268**	**7.1**	**77**	**1**	**1**	**4**	**8**	**15**	**23**	**52**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	283	3.2	1	1	2	3	4	5	5	6
20-34	535	3.1	1	1	2	3	4	4	5	8
35-49	296	3.2	1	1	2	3	4	5	5	8
50-64	65	3.1	2	1	2	3	4	4	5	12
65+	16	3.8	3	1	2	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	307	3.7	8	2	2	3	4	5	6	11
20-34	396	3.5	2	2	2	3	4	5	6	8
35-49	234	4.0	14	1	2	3	4	6	8	19
50-64	72	3.7	5	1	2	3	5	7	8	14
65+	23	11.6	161	1	2	5	20	32	40	43
TOT. SINGLE DX	1195	3.2	2	1	2	3	4	4	5	8
" MULTIPLE DX	1032	3.9	12	1	2	3	4	6	7	22
TOTAL 0-19 YRS	590	3.4	5	2	2	3	4	5	6	8
20-34	931	3.3	2	2	2	3	4	5	6	8
35-49	530	3.6	8	1	2	3	4	5	6	12
50-64	137	3.4	4	1	2	3	4	6	8	13
65+	39	8.4	110	1	2	4	8	25	35	43
GRAND TOTAL	**2227**	**3.5**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	2.1	1	<1	1	2	3	4	5	7
20-34	93	2.4	5	1	1	2	3	4	4	16
35-49	28	2.6	3	<1	1	2	3	4	6	10
50-64	6	1.5		1	1	1	2	2	2	2
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	120	3.8	16	1	1	3	5	7	10	25
20-34	184	4.2	26	1	1	3	5	8	11	27
35-49	59	5.7	29	1	1	4	7	15	16	25
50-64	19	7.6	295	1	1	3	6	7	46	78
65+	17	9.5	71	1	2	6	13	17	29	36
TOT. SINGLE DX	200	2.3	4	<1	1	2	3	4	5	8
" MULTIPLE DX	399	4.7	40	1	1	3	5	9	14	31
TOTAL 0-19 YRS	191	3.2	11	1	1	2	4	6	8	20
20-34	277	3.6	20	1	1	2	4	7	9	22
35-49	87	4.7	23	1	1	3	6	11	16	25
50-64	25	6.2	229	1	1	2	5	7	25	78
65+	19	8.8	69	1	2	6	13	17	27	36
GRAND TOTAL	**599**	**3.9**	**29**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	2.3	1	1	1	2	3	4	5	6
20-34	231	2.6	4	1	1	2	3	5	6	12
35-49	81	2.8	4	1	1	2	4	5	7	11
50-64	35	2.9	3	<1	1	2	4	5	6	9
65+	13	5.1	15	1	2	4	6	12	14	14
2. MULTIPLE DX										
0-19 YRS	184	6.1	55	1	1	4	7	13	16	48
20-34	424	5.7	51	1	1	4	7	11	14	38
35-49	171	5.9	26	1	2	4	8	12	17	28
50-64	76	8.6	90	1	2	6	8	18	29	53
65+	64	7.9	40	1	2	6	11	18	19	29
TOT. SINGLE DX	422	2.7	4	1	1	2	3	5	6	12
" MULTIPLE DX	919	6.2	51	1	1	4	8	13	17	37
TOTAL 0-19 YRS	246	5.2	45	1	1	3	6	11	15	40
20-34	655	4.6	37	1	1	3	5	9	13	30
35-49	252	4.9	21	1	1	3	6	10	14	25
50-64	111	6.8	70	1	1	5	7	14	26	47
65+	77	7.4	37	1	2	5	11	17	18	28
GRAND TOTAL	**1341**	**5.1**	**39**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.4	1	<1	1	2	3	4	4	4
20-34	11	3.1	1	1	1	3	4	5	5	5
35-49	17	2.8	3	1	1	2	3	6	7	8
50-64	18	3.2	2	1	2	3	4	6	7	7
65+	7	3.0	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	26	2.7	2	1	1	2	3	5	6	6
20-34	28	4.0	7	1	1	3	5	9	9	11
35-49	29	5.7	36	1	2	3	6	15	23	24
50-64	21	6.4	65	1	2	3	7	12	26	38
65+	27	7.4	50	1	2	4	9	17	22	33
TOT. SINGLE DX	70	2.9	2	1	1	3	3	5	6	8
" MULTIPLE DX	131	5.2	33	1	1	3	6	10	18	34
TOTAL 0-19 YRS	43	2.6	2	<1	1	2	3	4	5	6
20-34	39	3.7	6	1	1	3	5	8	9	11
35-49	46	4.6	26	1	1	3	5	9	19	24
50-64	39	4.9	38	1	2	3	5	9	13	38
65+	34	6.5	44	1	1	4	8	14	20	33
GRAND TOTAL	**201**	**4.4**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	4.6	20	1	1	4	5	9	12	21
20-34	141	3.9	15	1	1	3	5	7	9	21
35-49	110	5.4	27	1	1	4	6	10	12	32
50-64	107	5.8	27	1	2	5	7	10	14	32
65+	39	5.5	12	1	2	5	7	9	10	21
2. MULTIPLE DX										
0-19 YRS	331	7.0	62	1	2	5	7	13	21	43
20-34	140	6.1	46	1	1	4	7	14	21	30
35-49	101	7.0	72	1	2	4	7	15	19	52
50-64	177	7.9	56	1	2	6	9	18	24	46
65+	109	11.1	106	1	2	9	14	20	35	52
TOT. SINGLE DX	607	4.9	22	1	1	4	6	9	12	26
" MULTIPLE DX	858	7.5	67	1	2	5	9	16	23	47
TOTAL 0-19 YRS	541	6.1	48	1	2	4	6	11	16	42
20-34	281	5.0	32	1	1	3	6	10	16	27
35-49	211	6.1	49	1	1	4	7	11	18	44
50-64	284	7.1	46	1	2	5	8	14	22	41
65+	148	9.6	88	1	2	7	12	18	29	47
GRAND TOTAL	**1465**	**6.4**	**50**	**1**	**1**	**4**	**7**	**13**	**19**	**42**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	2.5	1	1	1	2	3	4	5	5
20-34	117	2.5	1	1	1	2	3	4	5	6
35-49	160	2.7	2	1	1	2	3	5	6	8
50-64	156	2.9	3	1	1	3	4	5	6	8
65+	66	3.6	5	1	1	3	5	6	8	14
2. MULTIPLE DX										
0-19 YRS	87	2.8	1	1	1	3	4	5	5	8
20-34	181	2.6	1	1	1	3	3	4	5	6
35-49	364	3.3	12	1	1	3	4	5	6	12
50-64	575	3.5	7	1	1	3	4	6	7	16
65+	459	4.2	10	1	1	3	5	7	9	18
TOT. SINGLE DX	556	2.8	3	1	1	3	4	5	5	8
" MULTIPLE DX	1666	3.5	9	1	1	3	4	6	7	16
TOTAL 0-19 YRS	144	2.7	2	1	1	3	4	4	5	7
20-34	298	2.6	2	1	1	3	3	4	5	6
35-49	524	3.1	10	1	1	3	4	5	6	10
50-64	731	3.4	6	1	1	3	4	5	6	16
65+	525	4.1	10	1	1	3	5	7	9	18
GRAND TOTAL	**2222**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**15**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	637	3.6	18	1	1	3	4	7	10	19
20-34	616	3.8	20	1	1	3	4	7	10	21
35-49	531	3.6	15	1	1	3	4	7	9	22
50-64	342	3.8	13	<1	1	3	5	8	10	19
65+	168	6.3	53	1	1	4	7	15	17	42
2. MULTIPLE DX										
0-19 YRS	423	9.6	186	1	1	4	11	24	33	76
20-34	693	8.8	159	1	1	4	9	23	39	78
35-49	698	7.6	100	1	1	4	8	17	29	53
50-64	769	8.2	101	1	1	4	10	20	27	52
65+	685	11.3	129	1	2	8	15	27	38	54
TOT. SINGLE DX	2294	3.9	20	1	1	3	4	8	11	22
" MULTIPLE DX	3268	9.0	132	1	1	5	11	22	33	63
TOTAL 0-19 YRS	1060	6.0	94	1	1	3	6	13	22	52
20-34	1309	6.5	100	1	1	3	6	16	25	59
35-49	1229	5.9	67	1	1	3	6	13	20	46
50-64	1111	6.8	78	1	1	4	8	17	24	47
65+	853	10.3	119	1	2	7	14	25	36	50
GRAND TOTAL	**5562**	**6.9**	**92**	**1**	**1**	**4**	**7**	**16**	**25**	**51**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	300	4.6	24	1	1	4	5	8	11	29
20-34	171	4.0	7	1	1	3	5	8	10	13
35-49	97	4.3	12	1	1	4	6	8	9	21
50-64	83	6.9	46	1	2	5	8	12	17	43
65+	96	8.9	20	2	4	9	11	15	16	25
2. MULTIPLE DX										
0-19 YRS	236	9.8	256	1	1	4	8	28	51	96
20-34	178	10.7	177	1	2	6	12	26	46	66
35-49	129	8.9	106	1	2	5	10	20	23	60
50-64	142	11.9	165	2	4	7	12	25	42	69
65+	435	13.3	79	4	6	11	16	22	29	52
TOT. SINGLE DX	747	5.2	24	1	1	4	7	10	13	26
" MULTIPLE DX	1120	11.5	149	1	2	8	14	23	38	67
TOTAL 0-19 YRS	536	6.9	133	1	1	4	6	12	28	78
20-34	349	7.4	105	1	1	4	8	14	27	59
35-49	226	6.9	71	1	1	5	8	14	22	49
50-64	225	10.0	127	2	3	7	11	18	37	67
65+	531	12.6	72	4	5	11	15	21	27	52
GRAND TOTAL	**1867**	**9.0**	**108**	**1**	**2**	**6**	**11**	**18**	**27**	**62**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	314	2.6	14	<1	<1	2	3	4	6	21
20-34	428	2.5	6	<1	<1	2	3	5	6	12
35-49	232	2.9	7	<1	1	2	3	5	9	13
50-64	198	2.8	5	<1	1	2	4	5	6	14
65+	154	4.0	23	<1	<1	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	286	4.6	45	<1	1	3	5	9	15	43
20-34	261	5.9	71	1	1	3	7	13	18	45
35-49	199	7.1	115	1	1	4	8	16	28	78
50-64	203	8.1	82	1	1	5	10	18	24	50
65+	323	10.3	159	1	2	7	14	21	31	72
TOT. SINGLE DX	1326	2.8	10	<1	<1	2	3	5	7	15
" MULTIPLE DX	1272	7.3	101	1	1	4	8	16	24	55
TOTAL 0-19 YRS	600	3.5	30	<1	<1	2	4	6	11	29
20-34	689	3.8	34	<1	1	2	4	8	11	32
35-49	431	4.8	61	<1	1	3	5	10	15	42
50-64	401	5.5	51	1	1	3	6	12	18	39
65+	477	8.3	124	1	1	4	10	17	26	67
GRAND TOTAL	**2598**	**5.0**	**60**	**<1**	**1**	**3**	**5**	**11**	**16**	**43**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	11.9	97	2	2	8	20	24	27	47
20-34	35	8.3	21	3	4	7	11	13	19	23
35-49	22	8.0	27	2	3	7	10	16	21	22
50-64	34	8.2	5	5	5	8	10	11	13	14
65+	102	12.2	60	5	6	10	14	18	27	49
2. MULTIPLE DX										
0-19 YRS	95	16.7	97	4	6	15	22	29	36	49
20-34	83	15.3	152	5	6	13	17	24	47	69
35-49	38	20.4	250	6	7	14	29	47	55	68
50-64	62	14.7	152	4	5	12	18	28	35	99
65+	442	15.5	78	6	8	14	18	24	30	63
TOT. SINGLE DX	264	10.7	58	3	4	9	13	21	24	47
" MULTIPLE DX	720	15.9	105	5	7	14	19	26	34	69
TOTAL 0-19 YRS	166	14.7	103	2	4	12	21	27	33	48
20-34	118	13.2	123	4	5	10	16	22	29	68
35-49	60	15.9	202	3	4	10	19	36	49	67
50-64	96	12.4	110	4	5	10	15	24	29	95
65+	544	14.9	77	6	8	13	17	24	29	51
GRAND TOTAL	**984**	**14.5**	**98**	**4**	**6**	**12**	**17**	**24**	**31**	**61**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	7.3	29	2	3	6	9	13	16	35
20-34	99	9.7	30	3	4	9	12	17	21	30
35-49	82	10.4	101	4	5	8	10	18	24	68
50-64	157	9.6	13	4	5	9	12	14	16	18
65+	751	11.9	30	6	7	11	14	18	20	28
2. MULTIPLE DX										
0-19 YRS	180	14.8	117	4	5	11	19	30	40	60
20-34	282	16.6	171	5	6	13	19	28	45	78
35-49	199	16.6	156	5	6	13	19	34	43	63
50-64	455	15.7	119	5	7	13	19	27	37	61
65+	4109	15.4	77	7	8	14	18	25	31	56
TOT. SINGLE DX	1203	10.9	35	4	5	10	13	17	20	30
" MULTIPLE DX	5225	15.5	91	6	8	13	18	25	33	58
TOTAL 0-19 YRS	294	11.9	97	3	4	9	14	25	34	56
20-34	381	14.8	144	4	5	12	17	26	40	73
35-49	281	14.8	148	5	5	11	18	30	40	63
50-64	612	14.2	99	5	6	12	16	24	32	55
65+	4860	14.9	72	7	8	13	17	23	30	51
GRAND TOTAL	**6428**	**14.7**	**83**	**6**	**7**	**13**	**17**	**24**	**30**	**56**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	197	7.6	67	1	1	4	9	21	26	34
20-34	17	16.1	355	2	3	6	20	47	54	58
35-49	3	9.7	12	6	6	10	12	13	13	13
50-64	3	5.3	2	4	4	5	6	7	7	7
65+	29	6.0	30	1	1	4	10	15	16	21
2. MULTIPLE DX										
0-19 YRS	103	14.0	182	1	2	10	21	31	43	62
20-34	30	21.8	522	1	2	15	34	51	65	99
35-49	26	19.2	358	2	3	10	34	52	58	60
50-64	18	15.2	265	1	2	10	16	38	55	65
65+	89	17.4	348	3	4	11	20	35	63	98
TOT. SINGLE DX	249	8.0	85	1	1	4	10	21	27	45
" MULTIPLE DX	266	16.6	300	1	2	11	21	40	53	94
TOTAL 0-19 YRS	300	9.8	116	1	1	6	15	24	30	48
20-34	47	19.7	461	1	2	11	32	49	59	99
35-49	29	18.2	330	2	3	10	24	50	58	60
50-64	21	13.8	238	1	2	9	15	35	52	65
65+	118	14.6	293	2	2	10	15	32	48	97
GRAND TOTAL	**515**	**12.5**	**215**	**1**	**1**	**7**	**17**	**30**	**44**	**67**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	3.1	16	<1	1	2	3	6	13	20
20-34	127	3.4	13	<1	<1	3	5	7	10	47
35-49	107	3.3	5	<1	1	3	4	6	9	13
50-64	90	3.5	12	1	1	3	4	6	9	22
65+	84	2.9	7	<1	1	2	3	7	8	15
2. MULTIPLE DX										
0-19 YRS	93	5.8	68	1	1	3	6	15	24	45
20-34	94	5.1	15	1	1	4	7	12	14	17
35-49	69	7.4	68	1	1	4	9	20	26	41
50-64	84	8.0	128	1	1	5	9	14	30	94
65+	126	6.5	39	1	1	5	9	12	18	38
TOT. SINGLE DX	655	3.2	12	<1	1	2	4	6	10	20
" MULTIPLE DX	466	6.5	61	1	1	4	8	13	19	46
TOTAL 0-19 YRS	340	3.8	32	<1	1	2	4	9	15	26
20-34	221	4.1	15	<1	1	3	5	9	12	21
35-49	176	4.9	34	<1	1	3	5	10	17	28
50-64	174	5.6	73	1	1	4	6	11	17	75
65+	210	5.1	30	1	1	3	7	10	13	27
GRAND TOTAL	**1121**	**4.6**	**35**	**1**	**1**	**3**	**5**	**10**	**14**	**33**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1117	2.7	4	1	1	2	3	5	6	11
20-34	1394	3.6	8	1	1	3	4	6	8	13
35-49	909	4.1	8	1	1	4	5	7	9	16
50-64	703	4.7	9	1	2	4	6	8	10	15
65+	431	5.8	23	2	2	5	7	10	13	18
2. MULTIPLE DX										
0-19 YRS	548	6.1	77	1	1	4	6	12	22	46
20-34	1159	7.3	63	1	2	5	9	15	22	46
35-49	809	7.2	70	1	2	5	8	13	20	48
50-64	829	8.2	77	2	3	6	9	15	20	54
65+	950	9.3	74	2	3	7	11	17	24	56
TOT. SINGLE DX	4554	3.9	10	1	1	3	5	7	9	15
" MULTIPLE DX	4295	7.7	73	1	2	5	9	15	22	49
TOTAL 0-19 YRS	1665	3.8	31	1	1	3	4	7	10	26
20-34	2553	5.3	37	1	1	4	6	10	15	32
35-49	1718	5.6	40	1	2	4	6	10	14	31
50-64	1532	6.6	49	2	2	5	8	12	16	34
65+	1381	8.2	61	2	3	6	10	15	20	49
GRAND TOTAL	**8849**	**5.7**	**44**	**1**	**1**	**4**	**7**	**11**	**16**	**34**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1746	2.0	4	<1	1	1	2	4	5	11
20-34	379	2.9	7	<1	1	2	4	6	7	15
35-49	309	3.3	19	1	1	2	4	6	9	15
50-64	297	3.3	8	<1	1	2	4	7	10	14
65+	238	3.2	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	472	4.5	48	1	1	2	5	9	16	37
20-34	402	6.3	63	1	1	4	7	14	21	47
35-49	275	6.4	46	1	1	4	8	15	19	42
50-64	331	7.8	112	1	1	5	9	15	24	64
65+	681	7.0	59	1	1	5	9	14	18	42
TOT. SINGLE DX	2969	2.5	8	<1	1	2	3	5	7	13
" MULTIPLE DX	2161	6.4	65	1	1	4	7	14	19	48
TOTAL 0-19 YRS	2218	2.5	15	<1	1	1	3	5	7	20
20-34	781	4.6	39	1	1	3	5	9	15	39
35-49	584	4.8	34	1	1	3	5	10	15	25
50-64	628	5.7	68	1	1	3	6	11	16	59
65+	919	6.0	49	1	1	4	7	13	17	34
GRAND TOTAL	**5130**	**4.1**	**36**	**1**	**1**	**2**	**5**	**9**	**14**	**29**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	3.8	25	<1	1	2	4	9	15	26
20-34	103	2.5	4	<1	<1	2	4	5	7	12
35-49	44	2.3	4	<1	<1	2	3	4	7	11
50-64	46	2.7	7	<1	<1	2	3	6	8	16
65+	77	4.9	24	<1	1	3	7	11	16	22
2. MULTIPLE DX										
0-19 YRS	74	8.1	85	<1	1	5	9	21	31	88
20-34	108	7.4	60	1	1	5	10	18	23	40
35-49	60	8.0	145	<1	1	4	10	15	21	77
50-64	54	7.4	143	<1	<1	4	8	15	23	79
65+	166	8.1	94	1	1	4	10	18	30	51
TOT. SINGLE DX	400	3.4	16	<1	1	2	4	8	11	22
" MULTIPLE DX	462	7.8	97	1	1	5	10	19	25	52
TOTAL 0-19 YRS	204	5.4	51	<1	1	2	6	14	22	43
20-34	211	5.0	39	<1	1	3	6	12	19	30
35-49	104	5.6	93	<1	1	3	6	12	16	62
50-64	100	5.2	86	<1	<1	2	6	12	17	54
65+	243	7.1	74	1	1	4	9	16	23	45
GRAND TOTAL	**862**	**5.8**	**64**	**<1**	**1**	**3**	**7**	**14**	**21**	**44**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	3.6	22	1	1	3	4	6	9	30
20-34	136	2.7	3	1	1	2	3	5	6	9
35-49	50	3.2	11	<1	1	2	4	6	7	23
50-64	26	3.7	11	<1	1	3	4	8	12	16
65+	14	6.9	17	2	3	6	8	14	15	15
2. MULTIPLE DX										
0-19 YRS	62	6.6	37	1	2	4	7	15	19	30
20-34	73	6.5	60	1	1	4	7	14	22	47
35-49	26	6.7	164	1	2	3	5	11	29	67
50-64	32	8.5	39	2	3	6	13	19	22	22
65+	28	14.4	244	2	3	9	18	33	40	78
TOT. SINGLE DX	340	3.3	12	1	1	3	4	6	8	23
" MULTIPLE DX	221	7.9	91	1	2	5	8	18	22	56
TOTAL 0-19 YRS	176	4.7	29	1	1	3	5	9	15	30
20-34	209	4.0	26	1	1	3	4	7	11	26
35-49	76	4.4	65	1	1	3	4	7	10	56
50-64	58	6.3	32	1	1	4	8	16	20	22
65+	42	11.9	180	2	3	8	14	24	35	78
GRAND TOTAL	**561**	**5.1**	**48**	**1**	**1**	**3**	**5**	**11**	**18**	**33**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	280	4.3	18	1	1	3	6	10	12	20
20-34	230	3.4	11	<1	1	2	4	8	11	17
35-49	135	4.5	30	<1	1	3	5	10	16	28
50-64	80	4.7	35	<1	1	3	5	13	16	34
65+	51	8.1	43	<1	1	7	11	16	23	29
2. MULTIPLE DX										
0-19 YRS	284	8.3	97	1	1	5	11	21	26	56
20-34	260	5.0	47	<1	1	3	6	11	19	57
35-49	199	7.2	89	1	1	4	8	17	25	45
50-64	162	8.5	95	1	1	5	10	22	34	50
65+	220	15.3	203	2	2	11	21	37	44	92
TOT. SINGLE DX	776	4.4	23	<1	1	3	5	10	13	23
" MULTIPLE DX	1125	8.7	116	1	1	5	11	22	32	65
TOTAL 0-19 YRS	564	6.3	62	1	1	4	8	14	21	42
20-34	490	4.3	31	<1	1	3	5	9	13	36
35-49	334	6.1	67	1	1	3	7	14	23	37
50-64	242	7.3	78	1	1	4	9	17	28	45
65+	271	13.9	181	1	2	10	18	34	43	86
GRAND TOTAL	**1901**	**7.0**	**83**	**1**	**1**	**4**	**8**	**17**	**25**	**46**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	6.8	14	3	3	6	8	12	15	19
20-34	2082	6.8	13	3	3	6	8	11	14	19
35-49	3706	7.1	13	3	3	6	9	12	14	21
50-64	1581	7.5	15	3	4	7	9	12	15	22
65+	317	8.8	19	4	4	8	11	15	17	24
2. MULTIPLE DX										
0-19 YRS	28	10.7	72	4	4	7	12	25	30	37
20-34	736	9.2	32	3	4	8	11	16	19	29
35-49	1962	9.2	36	3	4	8	11	15	20	32
50-64	1616	9.8	36	4	4	8	12	16	20	31
65+	798	12.4	55	4	6	11	15	21	26	42
TOT. SINGLE DX	7755	7.2	14	3	3	6	9	12	14	21
" MULTIPLE DX	5140	9.9	41	4	4	8	12	17	21	33
TOTAL 0-19 YRS	97	8.0	34	3	3	6	9	15	20	33
20-34	2818	7.4	19	3	3	6	9	13	15	22
35-49	5668	7.8	23	3	4	7	9	13	16	26
50-64	3197	8.7	27	3	4	8	11	14	18	28
65+	1115	11.4	48	4	5	10	14	19	23	35
GRAND TOTAL	**12895**	**8.2**	**27**	**3**	**4**	**7**	**10**	**14**	**17**	**28**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.8	1	<1	<1	1	2	3	4	6
20-34	333	2.1	2	<1	<1	1	3	4	4	7
35-49	240	2.1	2	<1	<1	2	3	4	5	8
50-64	102	2.2	2	<1	<1	2	3	4	6	8
65+	68	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	214	2.4	5	<1	<1	2	3	4	5	9
20-34	443	3.0	14	<1	<1	2	4	5	7	15
35-49	331	2.8	8	<1	1	2	3	5	7	15
50-64	388	3.0	9	<1	1	2	4	6	7	18
65+	315	3.1	7	<1	1	2	4	7	8	13
TOT. SINGLE DX	881	2.1	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	1691	2.9	10	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	352	2.2	4	<1	<1	2	3	4	5	8
20-34	776	2.6	10	<1	<1	2	3	5	6	12
35-49	571	2.5	6	<1	<1	2	3	5	6	13
50-64	490	2.8	8	<1	1	2	3	6	7	16
65+	383	2.9	7	<1	1	2	3	6	8	12
GRAND TOTAL	**2572**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	296	2.1	5	<1	<1	1	2	4	6	15
20-34	456	2.4	7	<1	<1	2	3	5	6	13
35-49	354	2.7	7	<1	<1	2	3	5	7	14
50-64	199	2.8	4	<1	1	2	4	6	7	10
65+	67	4.1	38	<1	1	2	5	8	11	42
2. MULTIPLE DX										
0-19 YRS	236	4.0	48	<1	<1	2	4	8	14	39
20-34	481	3.6	20	<1	<1	2	4	7	12	20
35-49	444	4.3	35	<1	1	2	4	9	15	28
50-64	423	5.6	60	1	1	3	6	13	22	44
65+	329	8.3	112	1	1	4	10	22	32	59
TOT. SINGLE DX	1372	2.5	8	<1	<1	2	3	5	7	14
" MULTIPLE DX	1913	5.0	55	<1	1	2	5	12	19	42
TOTAL 0-19 YRS	532	2.9	25	<1	<1	1	3	5	9	26
20-34	937	3.0	14	<1	<1	2	3	6	9	18
35-49	798	3.6	24	<1	1	2	4	7	11	26
50-64	622	4.7	44	<1	1	3	5	10	16	42
65+	396	7.6	103	1	1	3	9	20	29	56
GRAND TOTAL	**3285**	**4.0**	**37**	**<1**	**<1**	**2**	**4**	**8**	**14**	**34**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	325	8.8	11	5	6	8	10	12	15	26
20-34	210	8.9	25	4	5	8	10	13	15	24
35-49	269	8.3	18	4	4	8	10	13	15	23
50-64	106	8.7	26	3	4	7	11	16	20	28
65+	19	10.7	23	4	5	10	15	18	18	18
2. MULTIPLE DX										
0-19 YRS	342	14.4	152	6	7	11	15	26	38	90
20-34	256	12.8	105	4	5	10	15	24	45	99+
35-49	382	10.8	38	4	5	9	13	18	22	31
50-64	250	11.7	51	4	5	10	14	21	26	49
65+	92	14.5	105	5	6	12	18	25	28	64
TOT. SINGLE DX	929	8.7	19	4	5	8	10	13	16	25
" MULTIPLE DX	1322	12.5	90	5	6	10	14	22	30	71
TOTAL 0-19 YRS	667	11.7	92	6	6	9	12	19	27	69
20-34	466	11.1	73	4	5	9	12	18	31	94
35-49	651	9.8	32	4	5	8	12	16	19	30
50-64	356	10.8	46	4	5	9	13	20	24	38
65+	111	13.8	93	4	6	11	17	24	26	63
GRAND TOTAL	**2251**	**11.0**	**64**	**4**	**5**	**9**	**12**	**18**	**25**	**53**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	4.5	23	1	1	4	5	7	8	32
20-34	125	4.3	8	1	1	4	6	8	9	14
35-49	119	4.4	8	1	1	4	6	8	11	13
50-64	101	4.1	10	1	1	4	5	7	9	20
65+	56	4.4	14	<1	1	3	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	98	5.3	12	1	2	4	6	10	11	19
20-34	137	5.6	30	1	2	4	7	10	13	39
35-49	137	5.2	33	1	1	4	6	9	15	30
50-64	167	6.0	29	1	2	4	7	11	15	34
65+	123	6.3	41	1	1	5	8	12	16	44
TOT. SINGLE DX	441	4.3	11	1	1	4	6	8	9	18
" MULTIPLE DX	662	5.7	30	1	2	4	7	10	15	34
TOTAL 0-19 YRS	138	5.0	16	1	1	4	6	9	11	22
20-34	262	5.0	20	1	1	4	6	9	12	19
35-49	256	4.8	22	1	1	4	6	9	11	27
50-64	268	5.3	24	1	1	4	7	9	14	30
65+	179	5.7	34	1	1	4	7	11	15	37
GRAND TOTAL	**1103**	**5.1**	**23**	**1**	**1**	**4**	**6**	**9**	**13**	**25**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	8.0	2	6	6	8	9	10	10	10
20-34	64	10.2	12	6	7	10	11	14	15	26
35-49	149	9.5	8	5	6	9	11	14	15	18
50-64	418	10.5	11	6	7	10	12	15	17	22
65+	721	11.6	12	7	8	11	13	16	18	24
2. MULTIPLE DX										
0-19 YRS	4	7.5	3	6	6	7	9	10	10	10
20-34	79	12.7	147	7	7	10	13	17	20	88
35-49	201	13.0	62	6	7	11	15	21	27	43
50-64	660	13.8	76	7	8	12	15	21	28	60
65+	2172	14.9	60	8	9	13	16	23	29	52
TOT. SINGLE DX	1356	11.0	12	6	7	10	13	15	17	24
" MULTIPLE DX	3116	14.5	66	7	8	13	16	22	28	52
TOTAL 0-19 YRS	8	7.8	3	6	6	7	9	10	10	10
20-34	143	11.6	88	6	7	10	13	15	18	74
35-49	350	11.5	42	6	7	10	13	17	23	36
50-64	1078	12.5	54	7	8	11	14	18	24	49
65+	2893	14.1	50	8	8	13	16	21	26	48
GRAND TOTAL	**4472**	**13.4**	**53**	**7**	**8**	**12**	**15**	**20**	**26**	**47**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	6.1	13	2	3	5	7	10	15	17
20-34	8	8.3	8	2	4	8	10	11	12	12
35-49	24	8.8	10	3	5	9	11	12	14	17
50-64	90	10.5	12	6	7	10	12	15	17	24
65+	455	12.3	22	6	7	12	14	18	21	32
2. MULTIPLE DX										
0-19 YRS	10	16.2	147	6	7	12	15	38	44	44
20-34	22	12.5	44	1	4	12	16	20	25	29
35-49	39	15.8	126	4	6	12	19	33	39	48
50-64	220	14.3	67	6	7	13	16	25	30	85
65+	2444	15.3	68	7	8	14	17	23	30	49
TOT. SINGLE DX	591	11.7	22	6	7	11	14	17	20	31
" MULTIPLE DX	2735	15.2	70	7	8	13	17	23	30	49
TOTAL 0-19 YRS	24	10.3	91	3	4	8	12	18	36	44
20-34	30	11.3	38	1	3	11	15	19	22	29
35-49	63	13.1	93	4	5	10	14	31	34	47
50-64	310	13.2	55	6	7	12	15	21	28	60
65+	2899	14.9	63	7	8	13	17	22	29	47
GRAND TOTAL	**3326**	**14.6**	**63**	**7**	**8**	**13**	**16**	**22**	**29**	**47**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	282	3.1	3	1	1	3	4	5	5	8
20-34	379	3.6	5	<1	1	3	4	6	8	12
35-49	179	5.6	22	1	1	4	8	11	15	21
50-64	381	10.4	19	3	5	10	13	16	18	25
65+	733	11.3	14	6	7	11	13	16	18	24
2. MULTIPLE DX										
0-19 YRS	277	3.9	6	1	1	4	5	7	8	14
20-34	492	4.6	13	1	2	4	5	8	11	18
35-49	276	6.5	30	1	1	5	9	13	17	27
50-64	628	12.0	49	2	4	11	14	19	24	40
65+	1878	14.1	62	7	8	13	16	21	25	46
TOT. SINGLE DX	1954	7.9	26	1	2	8	11	15	16	22
" MULTIPLE DX	3551	11.0	63	2	3	11	14	19	23	40
TOTAL 0-19 YRS	559	3.5	5	1	1	3	4	6	7	13
20-34	871	4.2	11	1	1	4	5	7	9	16
35-49	455	6.1	27	1	1	4	8	13	16	25
50-64	1009	11.4	39	2	4	11	13	18	22	36
65+	2611	13.3	50	7	8	12	15	19	23	42
GRAND TOTAL	**5505**	**9.9**	**52**	**2**	**2**	**10**	**13**	**17**	**21**	**34**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	314	2.4	1	1	1	2	3	4	4	8
20-34	615	2.8	3	1	1	2	3	5	6	9
35-49	324	3.0	3	1	1	3	4	5	7	10
50-64	259	3.5	6	1	1	3	4	7	9	14
65+	107	4.1	7	1	1	4	5	8	9	12
2. MULTIPLE DX										
0-19 YRS	89	3.2	4	<1	1	3	4	5	8	10
20-34	239	3.3	4	1	1	3	4	6	8	10
35-49	269	4.3	10	1	1	4	5	8	11	17
50-64	388	4.1	9	1	1	3	5	8	10	18
65+	321	5.6	22	1	2	4	7	11	14	23
TOT. SINGLE DX	1619	3.0	4	1	1	3	4	5	7	11
" MULTIPLE DX	1306	4.3	13	1	1	3	5	8	11	18
TOTAL 0-19 YRS	403	2.6	2	1	1	2	3	4	5	9
20-34	854	2.9	4	1	1	3	4	5	6	9
35-49	593	3.6	7	1	1	3	4	6	9	14
50-64	647	3.9	9	1	1	3	5	7	9	17
65+	428	5.2	19	1	2	4	7	10	13	21
GRAND TOTAL	**2925**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**9**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	3.2	14	<1	<1	2	4	6	9	23
20-34	134	3.3	10	<1	1	2	4	7	8	18
35-49	145	3.2	14	<1	1	2	4	6	9	19
50-64	86	3.2	14	<1	<1	2	4	7	8	23
65+	37	4.1	19	<1	<1	2	7	9	9	23
2. MULTIPLE DX										
0-19 YRS	334	6.4	76	1	1	4	6	11	24	49
20-34	154	7.5	55	1	2	5	9	19	23	41
35-49	184	6.1	44	1	1	4	8	13	20	29
50-64	113	8.9	132	<1	1	5	11	19	28	60
65+	112	9.9	75	1	2	7	14	22	26	40
TOT. SINGLE DX	579	3.3	14	<1	<1	2	4	7	9	19
" MULTIPLE DX	897	7.3	75	1	1	4	8	17	24	44
TOTAL 0-19 YRS	511	5.3	57	<1	1	3	5	9	14	46
20-34	288	5.5	39	<1	1	4	7	12	20	38
35-49	329	4.9	33	<1	1	3	6	11	16	27
50-64	199	6.5	89	<1	<1	3	7	16	27	41
65+	149	8.5	68	<1	<1	6	12	19	23	39
GRAND TOTAL	**1476**	**5.7**	**55**	**<1**	**1**	**3**	**7**	**12**	**19**	**41**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	2.4	6	<1	<1	2	3	4	7	14
20-34	176	2.0	4	<1	<1	1	2	4	7	9
35-49	160	2.5	5	<1	<1	2	3	5	8	14
50-64	156	2.6	8	<1	<1	2	3	5	7	21
65+	84	3.9	58	<1	<1	2	4	7	10	50
2. MULTIPLE DX										
0-19 YRS	88	7.5	235	<1	1	3	6	14	26	88
20-34	106	5.0	42	<1	1	3	6	12	17	36
35-49	143	4.3	19	<1	1	3	6	9	13	35
50-64	189	7.4	84	<1	1	4	9	17	22	60
65+	207	9.5	102	1	2	6	12	24	28	80
TOT. SINGLE DX	757	2.5	12	<1	<1	2	3	5	8	16
" MULTIPLE DX	733	7.1	92	<1	1	4	8	17	25	65
TOTAL 0-19 YRS	269	4.1	87	<1	<1	2	4	7	11	65
20-34	282	3.1	21	<1	<1	2	3	7	9	26
35-49	303	3.3	13	<1	<1	2	4	8	10	19
50-64	345	5.3	56	<1	<1	3	6	13	18	32
65+	291	7.9	96	<1	<1	5	10	20	27	66
GRAND TOTAL	**1490**	**4.8**	**57**	**<1**	**<1**	**2**	**5**	**10**	**17**	**41**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.3		1	1	1	1	3	3	3
20-34	12	3.5	7	<1	1	3	5	8	10	10
35-49	33	2.1	2	<1	<1	1	3	4	5	8
50-64	81	1.9	1	<1	<1	1	2	3	4	8
65+	60	1.9	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	11	4.7	12	1	1	4	7	10	10	10
20-34	24	4.3	21	<1	1	2	5	9	14	22
35-49	20	5.5	44	<1	1	2	7	15	21	27
50-64	54	2.1	1	1	1	2	3	5	5	6
65+	70	3.1	10	1	1	2	4	7	9	20
TOT. SINGLE DX	192	2.0	2	<1	<1	2	3	4	5	9
" MULTIPLE DX	179	3.3	14	1	1	2	4	7	10	22
TOTAL 0-19 YRS	17	3.5	11	1	1	2	7	9	10	10
20-34	36	4.0	17	<1	1	2	5	9	10	22
35-49	53	3.4	21	<1	<1	2	3	8	14	27
50-64	135	2.0	2	<1	1	2	2	4	5	7
65+	130	2.6	6	<1	1	2	3	5	7	13
GRAND TOTAL	**371**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	1.6		<1	<1	1	2	3	3	4
20-34	216	1.9	1	<1	1	1	2	4	5	7
35-49	100	2.0	3	<1	<1	1	2	3	4	12
50-64	48	1.8	1	<1	<1	1	2	3	4	6
65+	8	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	150	2.5	6	1	1	2	3	4	7	19
20-34	233	2.9	10	1	1	2	3	6	9	15
35-49	115	2.7	7	<1	1	2	3	5	8	15
50-64	68	2.6	6	1	1	2	3	4	8	15
65+	33	3.9	31	1	1	2	4	7	9	33
TOT. SINGLE DX	524	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	599	2.8	10	1	1	2	3	5	8	17
TOTAL 0-19 YRS	302	2.0	4	<1	1	2	2	3	5	9
20-34	449	2.4	6	<1	1	2	3	5	6	12
35-49	215	2.4	6	<1	1	2	3	4	7	12
50-64	116	2.3	4	<1	1	2	3	4	6	14
65+	41	3.4	27	1	1	2	3	6	9	33
GRAND TOTAL	**1123**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.1	2	<1	1	2	3	4	5	10
20-34	215	2.6	3	<1	1	2	3	4	7	11
35-49	251	2.9	4	1	1	3	3	5	7	10
50-64	274	3.3	8	1	1	3	4	6	7	11
65+	134	4.8	16	1	2	4	5	7	10	31
2. MULTIPLE DX										
0-19 YRS	111	3.4	14	1	1	3	4	6	9	27
20-34	178	3.6	14	1	1	3	5	7	9	27
35-49	222	4.5	36	1	1	3	5	8	11	23
50-64	244	5.1	34	1	2	4	6	9	13	38
65+	220	6.5	45	1	2	5	7	13	21	35
TOT. SINGLE DX	976	3.1	7	1	1	3	4	6	7	12
" MULTIPLE DX	975	4.8	33	1	1	3	5	9	12	31
TOTAL 0-19 YRS	213	2.8	9	1	1	2	3	5	7	17
20-34	393	3.0	9	<1	1	2	4	6	8	14
35-49	473	3.6	20	1	1	3	4	6	9	16
50-64	518	4.2	21	1	1	3	5	7	10	23
65+	354	5.9	35	1	2	4	6	11	16	32
GRAND TOTAL	**1951**	**4.0**	**21**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	296	2.6	3	1	1	2	3	5	6	10
20-34	181	3.0	4	1	1	3	4	6	7	11
35-49	154	3.2	12	1	1	2	4	6	7	18
50-64	61	4.2	9	1	2	3	5	7	10	18
65+	31	4.8	12	1	1	4	7	11	12	14
2. MULTIPLE DX										
0-19 YRS	418	3.3	11	1	1	3	4	6	8	18
20-34	119	6.9	148	1	1	3	6	14	35	87
35-49	86	8.2	92	1	2	4	8	25	29	43
50-64	56	6.1	113	1	1	4	6	10	15	73
65+	68	9.9	154	2	2	6	10	20	43	61
TOT. SINGLE DX	723	3.1	7	1	1	2	4	6	8	13
" MULTIPLE DX	747	5.2	68	1	1	3	5	9	20	47
TOTAL 0-19 YRS	714	3.0	9	1	1	2	4	5	7	12
20-34	300	4.6	65	1	1	3	4	8	12	62
35-49	240	5.0	46	1	1	3	5	9	21	35
50-64	117	5.1	60	1	2	3	6	9	10	46
65+	99	8.3	115	1	2	5	8	18	29	60
GRAND TOTAL	**1470**	**4.2**	**39**	**1**	**1**	**3**	**4**	**7**	**11**	**36**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.7	1	<1	1	1	2	4	4	5
20-34	68	2.9	19	1	1	2	3	5	9	30
35-49	49	2.0	4	<1	1	1	2	4	6	14
50-64	28	3.0	11	<1	1	2	4	6	10	17
65+	17	2.3	10	<1	<1	1	2	5	11	14
2. MULTIPLE DX										
0-19 YRS	19	2.9	10	1	1	2	3	7	11	14
20-34	69	4.1	35	1	1	2	5	8	11	39
35-49	62	5.2	35	1	1	3	6	12	17	34
50-64	54	7.4	87	1	1	3	8	20	34	38
65+	60	6.6	45	1	1	4	9	20	22	26
TOT. SINGLE DX	196	2.4	11	<1	1	1	2	5	7	16
" MULTIPLE DX	264	5.5	48	1	1	3	6	14	21	36
TOTAL 0-19 YRS	53	2.2	5	1	1	1	3	4	5	14
20-34	137	3.5	28	1	1	2	3	8	10	36
35-49	111	3.8	24	1	1	2	4	9	14	28
50-64	82	5.9	66	1	1	3	6	17	25	37
65+	77	5.6	40	<1	1	3	8	17	21	25
GRAND TOTAL	**460**	**4.2**	**34**	**1**	**1**	**2**	**4**	**9**	**16**	**35**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	8.7	2	7	7	9	10	10	10	10
20-34	5	3.0	3	2	2	2	4	6	6	6
35-49	7	3.9	10	1	1	4	5	9	10	10
50-64	3	4.3	24	1	1	2	8	10	10	10
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	21.5	25	18	18	21	25	25	25	25
20-34	4	13.8	336	2	2	6	24	41	41	41
35-49	8	6.8	52	1	1	3	11	19	21	21
50-64	6	22.2	1039	1	1	7	31	79	84	84
65+	19	14.2	307	3	3	9	14	24	57	82
TOT. SINGLE DX	20	4.2	11	1	1	3	6	10	10	10
" MULTIPLE DX	39	14.2	344	1	2	9	15	29	64	84
TOTAL 0-19 YRS	5	13.8	57	7	7	10	20	25	25	25
20-34	9	7.8	160	2	2	3	6	28	41	41
35-49	15	5.4	33	1	1	3	7	14	19	21
50-64	9	16.2	735	1	1	4	15	63	84	84
65+	21	13.0	291	2	2	9	14	23	52	82
GRAND TOTAL	**59**	**10.8**	**252**	**1**	**1**	**6**	**12**	**23**	**36**	**84**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	3.4	7	<1	1	2	5	6	8	13
20-34	20	5.9	30	1	2	4	8	12	18	24
35-49	22	6.8	59	<1	1	4	7	18	28	30
50-64	15	5.4	27	1	1	4	7	16	17	18
65+	32	6.7	75	<1	1	4	7	17	27	42
2. MULTIPLE DX										
0-19 YRS	21	5.0	17	<1	1	3	7	12	14	14
20-34	50	12.5	158	1	1	11	15	27	34	75
35-49	139	14.3	189	2	3	11	17	27	40	82
50-64	369	13.2	133	3	3	10	17	25	33	68
65+	556	13.0	123	2	3	10	16	25	35	60
TOT. SINGLE DX	114	5.7	43	1	1	4	7	12	19	34
" MULTIPLE DX	1135	13.1	135	2	3	10	16	25	35	63
TOTAL 0-19 YRS	46	4.1	13	1	1	3	6	10	13	14
20-34	70	10.6	130	1	1	8	15	23	30	67
35-49	161	13.3	178	2	3	9	17	26	37	79
50-64	384	12.9	131	2	3	10	17	25	33	66
65+	588	12.7	123	2	3	9	16	25	35	60
GRAND TOTAL	**1249**	**12.4**	**131**	**2**	**3**	**9**	**16**	**25**	**34**	**60**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	9	13.0	357	4	4	6	10	42	63	63
35-49	8	11.3	83	4	4	7	14	27	31	31
50-64	11	11.8	126	6	6	8	11	26	43	45
65+	18	12.7	69	4	5	9	17	24	32	36
2. MULTIPLE DX										
0-19 YRS	13	20.0	182	6	6	17	23	46	48	49
20-34	25	18.2	235	4	5	12	25	43	47	57
35-49	90	19.6	314	6	6	14	24	35	57	95
50-64	284	18.8	213	6	7	14	23	37	51	88
65+	751	17.8	148	6	7	14	22	32	42	66
TOT. SINGLE DX	48	12.1	127	4	5	8	12	24	37	63
" MULTIPLE DX	1163	18.2	179	6	7	14	22	34	45	77
TOTAL 0-19 YRS	15	18.3	176	5	6	17	22	45	48	49
20-34	34	16.9	264	4	5	10	20	43	54	63
35-49	98	18.9	299	5	6	14	23	34	55	95
50-64	295	18.5	211	6	7	14	22	37	50	88
65+	769	17.7	148	6	7	14	22	32	42	65
GRAND TOTAL	**1211**	**18.0**	**179**	**6**	**7**	**14**	**22**	**34**	**45**	**77**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	6.8	5	3	3	7	9	9	9	9
20-34	3	5.7		5	5	6	6	6	6	6
35-49	3	9.0	7	7	7	8	11	12	12	12
50-64	7	16.6	657	1	2	7	12	62	74	74
65+	23	10.1	19	4	5	9	14	16	18	20
2. MULTIPLE DX										
0-19 YRS	10	15.1	58	7	7	13	18	27	32	32
20-34	8	24.1	323	4	6	22	43	84	99+	99+
35-49	35	19.6	296	6	7	13	22	41	51	87
50-64	167	18.4	228	5	7	14	25	38	56	99+
65+	1053	16.6	163	5	6	13	20	32	44	80
TOT. SINGLE DX	42	10.3	118	3	4	8	11	15	18	74
" MULTIPLE DX	1273	16.9	176	5	7	13	20	33	45	88
TOTAL 0-19 YRS	16	12.0	54	4	6	10	15	22	29	32
20-34	11	19.1	301	4	5	16	33	72	96	99+
35-49	38	18.7	281	6	7	13	21	41	51	87
50-64	174	18.4	242	5	7	14	24	39	57	99+
65+	1076	16.4	161	5	6	13	20	31	43	80
GRAND TOTAL	**1315**	**16.7**	**175**	**5**	**6**	**13**	**20**	**32**	**45**	**88**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.8	17	1	1	4	6	12	12	12
20-34	4	11.3	21	8	8	9	14	18	18	18
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	5	19.0	32	11	11	19	22	27	27	27
65+	5	9.4	21	4	4	12	13	14	14	14
2. MULTIPLE DX										
0-19 YRS	7	9.6	39	4	4	7	15	19	19	19
20-34	12	27.8	442	3	6	24	34	57	78	82
35-49	29	22.8	403	4	5	18	34	55	90	99+
50-64	99	18.4	200	4	7	14	23	38	50	70
65+	154	20.0	253	4	5	15	26	42	56	82
TOT. SINGLE DX	22	10.2	47	2	3	9	14	19	23	27
" MULTIPLE DX	301	19.8	256	4	5	15	26	42	56	86
TOTAL 0-19 YRS	12	7.6	34	1	2	5	11	18	19	19
20-34	16	23.7	383	4	7	19	32	45	71	82
35-49	32	21.1	394	3	4	17	33	48	87	99+
50-64	104	18.4	192	5	7	14	22	37	48	70
65+	159	19.6	249	4	5	14	26	42	55	82
GRAND TOTAL	**323**	**19.1**	**247**	**4**	**5**	**14**	**25**	**40**	**55**	**84**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.4	13	1	1	2	4	9	12	13
20-34	8	10.3	168	1	1	4	14	33	39	39
35-49	6	4.0	16	1	1	3	4	11	12	12
50-64	3	2.3		2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	6	2.0		1	1	2	3	3	3	3
20-34	7	10.6	48	3	3	10	13	22	24	24
35-49	8	7.6	31	3	3	5	11	17	18	18
50-64	2	9.5	85	3	3	9	16	16	16	16
65+	4	10.8	23	8	8	9	13	18	18	18
TOT. SINGLE DX	29	5.3	60	1	1	3	5	13	20	39
" MULTIPLE DX	27	7.7	37	1	2	6	11	17	19	24
TOTAL 0-19 YRS	18	2.9	10	1	1	2	3	7	11	13
20-34	15	10.4	105	1	2	7	13	24	35	39
35-49	14	6.1	27	1	2	4	6	15	17	18
50-64	5	5.2	37	2	2	3	6	16	16	16
65+	4	10.8	24	8	8	9	13	18	18	18
GRAND TOTAL	**56**	**6.5**	**50**	**1**	**1**	**4**	**9**	**16**	**19**	**38**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	2.5	3	<1	<1	2	3	5	7	8
20-34	24	3.5	7	1	1	3	5	7	9	10
35-49	24	5.5	138	<1	1	3	5	6	23	60
50-64	16	4.6	19	1	1	3	7	8	15	18
65+	21	6.7	23	2	2	6	8	13	18	22
2. MULTIPLE DX										
0-19 YRS	15	3.8	15	1	1	3	4	12	13	14
20-34	28	7.5	150	<1	<1	5	7	14	24	66
35-49	29	7.9	63	<1	1	5	11	14	31	33
50-64	75	11.7	84	2	2	10	16	26	30	41
65+	133	11.4	104	3	4	8	14	24	32	66
TOT. SINGLE DX	100	4.7	44	1	1	3	6	8	11	41
" MULTIPLE DX	280	10.3	98	1	2	7	13	22	31	59
TOTAL 0-19 YRS	30	3.1	10	<1	1	2	3	6	12	14
20-34	52	5.6	87	<1	1	4	6	10	15	65
35-49	53	6.8	97	<1	1	3	7	13	29	59
50-64	91	10.4	80	1	2	8	15	23	29	39
65+	154	10.8	96	2	3	8	14	21	31	60
GRAND TOTAL	**380**	**8.8**	**90**	**1**	**1**	**6**	**11**	**20**	**29**	**59**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	5.0	1	4	4	5	6	6	6	6
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	11.0	21	7	7	10	14	16	16	16
65+	4	12.0	23	5	5	13	15	16	16	16
TOT. SINGLE DX	6	6.2	14	2	2	5	7	12	13	13
" MULTIPLE DX	8	10.3	30	1	2	11	15	16	16	16
TOTAL 0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	6	8.0	20	4	4	6	10	15	16	16
65+	5	12.2	18	5	5	13	14	16	16	16
GRAND TOTAL	**14**	**8.5**	**26**	**1**	**2**	**7**	**13**	**16**	**16**	**16**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	1.5	1	<1	<1	1	2	2	3	7
20-34	229	1.9	2	<1	<1	1	2	3	5	9
35-49	653	2.1	2	<1	<1	2	2	4	5	9
50-64	663	2.2	2	<1	<1	2	2	4	5	9
65+	337	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	20	2.3	5	<1	1	2	2	3	8	12
20-34	195	3.0	10	<1	<1	2	4	6	9	18
35-49	675	3.4	17	<1	1	2	4	7	9	18
50-64	859	4.1	25	1	1	2	5	9	13	29
65+	833	5.2	39	1	1	3	7	11	15	32
TOT. SINGLE DX	1966	2.1	2	<1	<1	2	2	4	5	9
" MULTIPLE DX	2582	4.2	27	1	1	2	5	9	13	27
TOTAL 0-19 YRS	104	1.7	2	<1	<1	1	2	2	4	10
20-34	424	2.4	6	<1	<1	2	3	5	7	12
35-49	1328	2.7	10	<1	<1	2	3	5	8	15
50-64	1522	3.3	16	<1	1	2	3	7	10	20
65+	1170	4.4	30	<1	1	2	5	9	13	27
GRAND TOTAL	**4548**	**3.3**	**18**	**<1**	**<1**	**2**	**3**	**7**	**10**	**19**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.9		<1	1	2	2	3	4	4
20-34	18	2.4	2	1	1	2	3	5	6	6
35-49	49	4.0	4	1	2	4	5	6	8	14
50-64	57	4.3	5	1	1	4	6	7	8	12
65+	81	4.9	8	1	2	5	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	5	1.6	2	<1	<1	1	2	4	4	4
20-34	21	4.2	8	1	1	4	5	8	11	13
35-49	73	4.6	3	2	2	5	5	7	9	9
50-64	110	6.9	72	2	2	5	7	10	14	53
65+	233	7.4	38	2	3	6	9	14	20	32
TOT. SINGLE DX	219	4.2	6	1	1	4	5	7	9	13
" MULTIPLE DX	442	6.6	41	2	2	5	7	12	15	31
TOTAL 0-19 YRS	19	1.8	1	<1	<1	2	2	3	4	4
20-34	39	3.4	7	1	1	3	5	6	9	13
35-49	122	4.3	4	1	2	4	5	7	8	11
50-64	167	6.0	51	1	2	5	7	9	12	34
65+	314	6.7	32	2	2	5	8	13	16	30
GRAND TOTAL	**661**	**5.8**	**31**	**1**	**2**	**5**	**7**	**10**	**14**	**28**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	61	5.3	4	3	3	5	6	8	8	13
35-49	416	5.1	4	2	3	5	6	8	9	12
50-64	627	5.4	4	3	3	5	7	8	9	11
65+	657	5.7	5	3	3	5	7	8	10	13
2. MULTIPLE DX										
0-19 YRS	3	6.3	1	5	5	7	7	7	7	7
20-34	85	6.6	13	3	3	6	8	11	14	20
35-49	515	5.8	9	3	3	5	7	9	10	16
50-64	954	6.4	12	3	3	6	8	10	12	24
65+	1686	7.2	14	3	4	6	8	12	14	22
TOT. SINGLE DX	1763	5.5	5	2	3	5	6	8	9	12
" MULTIPLE DX	3243	6.7	13	3	3	6	8	11	13	22
TOTAL 0-19 YRS	5	4.8	6	<1	<1	5	7	7	7	7
20-34	146	6.0	10	3	3	5	7	10	13	16
35-49	931	5.5	8	2	3	5	6	8	9	15
50-64	1581	6.0	9	3	3	5	7	9	11	20
65+	2343	6.8	13	3	4	6	8	11	13	20
GRAND TOTAL	**5006**	**6.3**	**11**	**3**	**3**	**6**	**7**	**10**	**12**	**20**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	193	2.3	1	1	1	2	3	4	4	6
20-34	425	2.8	3	1	1	3	4	5	6	9
35-49	402	3.2	6	1	1	3	4	6	6	9
50-64	176	3.0	2	1	1	3	4	5	6	7
65+	43	3.5	6	1	1	3	4	5	6	17
2. MULTIPLE DX										
0-19 YRS	69	3.5	11	1	1	3	4	6	9	23
20-34	287	3.4	5	1	1	3	4	5	7	11
35-49	717	3.7	6	1	1	3	5	6	8	13
50-64	401	4.5	14	1	1	4	6	8	9	16
65+	103	4.4	12	1	1	4	5	8	11	19
TOT. SINGLE DX	1239	2.9	4	1	1	3	4	5	6	8
" MULTIPLE DX	1577	3.9	9	1	1	3	5	7	8	14
TOTAL 0-19 YRS	262	2.6	4	1	1	2	3	4	5	9
20-34	712	3.1	4	1	1	3	4	5	6	11
35-49	1119	3.5	7	1	1	3	5	6	7	11
50-64	577	4.0	11	1	1	3	5	7	8	12
65+	146	4.2	11	1	1	3	5	7	10	17
GRAND TOTAL	**2816**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	375	2.6	2	1	1	2	3	5	5	7
20-34	572	2.4	2	1	1	2	3	4	5	7
35-49	103	2.8	2	1	1	2	3	5	7	8
50-64	25	3.4	5	1	2	2	4	6	8	12
65+	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	55	4.4	53	1	1	3	4	6	12	46
20-34	133	3.7	19	1	1	3	4	6	8	22
35-49	44	3.6	5	1	1	3	5	7	9	10
50-64	25	4.8	42	1	1	3	5	7	17	34
65+	15	5.8	18	1	1	5	9	13	13	13
TOT. SINGLE DX	1080	2.5	2	1	1	2	3	5	5	8
" MULTIPLE DX	272	4.0	26	1	1	3	4	7	10	34
TOTAL 0-19 YRS	430	2.8	9	1	1	2	4	5	6	10
20-34	705	2.7	6	1	1	2	3	5	6	9
35-49	147	3.0	4	1	1	3	4	6	7	10
50-64	50	4.1	24	1	2	3	5	6	12	34
65+	20	5.3	16	1	1	4	8	12	13	13
GRAND TOTAL	**1352**	**2.8**	**8**	**1**	**1**	**2**	**4**	**5**	**6**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	2.5	7	<1	<1	2	3	5	7	13
20-34	271	3.1	11	<1	<1	2	4	7	9	21
35-49	285	2.9	11	<1	<1	2	3	5	8	21
50-64	212	3.1	11	<1	<1	2	3	6	8	17
65+	151	3.8	22	<1	<1	2	4	9	10	24
2. MULTIPLE DX										
0-19 YRS	256	6.9	132	<1	1	3	6	16	31	69
20-34	396	7.0	90	<1	1	4	7	17	29	57
35-49	544	7.2	54	1	1	5	9	17	23	41
50-64	659	7.9	94	1	1	5	10	16	25	46
65+	1089	9.1	96	1	2	7	11	18	26	61
TOT. SINGLE DX	1228	3.0	12	<1	<1	2	3	6	9	18
" MULTIPLE DX	2944	8.0	91	1	1	5	10	17	25	57
TOTAL 0-19 YRS	565	4.5	69	<1	<1	2	4	9	16	56
20-34	667	5.5	62	<1	1	3	6	12	21	50
35-49	829	5.7	44	<1	1	3	7	14	20	36
50-64	871	6.7	79	<1	1	4	8	14	21	44
65+	1240	8.4	91	<1	1	6	10	17	24	57
GRAND TOTAL	**4172**	**6.5**	**73**	**<1**	**1**	**4**	**8**	**14**	**21**	**47**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	862	3.8	30	<1	1	2	4	8	11	25
20-34	1053	4.5	25	<1	1	3	5	10	14	27
35-49	611	5.0	28	1	1	3	6	11	15	28
50-64	384	5.6	39	1	1	4	7	11	19	30
65+	375	6.7	55	<1	1	5	8	14	21	32
2. MULTIPLE DX										
0-19 YRS	1827	6.1	77	1	1	3	7	14	22	49
20-34	2560	7.2	97	1	1	4	8	17	27	55
35-49	1877	9.6	129	1	1	6	11	23	34	63
50-64	1982	11.5	147	1	2	8	14	26	36	71
65+	3538	13.0	155	2	3	9	17	28	40	78
TOT. SINGLE DX	3285	4.8	33	<1	1	3	6	10	15	28
" MULTIPLE DX	11784	9.9	133	1	1	6	12	23	34	67
TOTAL 0-19 YRS	2689	5.4	64	1	1	3	6	11	19	45
20-34	3613	6.4	78	1	1	4	7	14	23	49
35-49	2488	8.5	109	1	1	5	10	20	30	58
50-64	2366	10.5	135	1	2	7	13	24	34	63
65+	3913	12.4	149	1	2	9	16	27	38	74
GRAND TOTAL	**15069**	**8.8**	**115**	**1**	**1**	**5**	**11**	**21**	**31**	**61**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	126	6.5	54	1	1	4	8	18	22	38
20-34	151	5.2	19	1	1	4	8	11	15	19
35-49	110	7.6	50	1	1	6	11	19	24	59
50-64	86	7.6	108	<1	1	5	10	15	21	67
65+	86	9.7	59	1	2	9	13	17	24	42
2. MULTIPLE DX										
0-19 YRS	217	14.9	201	1	2	11	22	34	44	77
20-34	198	14.5	259	1	2	10	18	35	48	99
35-49	190	12.9	121	1	2	10	17	30	40	99+
50-64	218	14.2	146	1	2	11	19	31	38	59
65+	420	17.8	222	2	4	13	23	36	48	87
TOT. SINGLE DX	559	7.0	55	1	1	5	10	15	20	36
" MULTIPLE DX	1243	15.4	199	1	2	12	21	34	43	87
TOTAL 0-19 YRS	343	11.8	163	1	1	7	17	30	37	66
20-34	349	10.5	177	1	1	6	13	25	39	87
35-49	300	10.9	101	1	2	8	15	27	33	99+
50-64	304	12.3	144	1	2	9	16	29	35	59
65+	506	16.4	204	2	3	12	22	34	43	83
GRAND TOTAL	**1802**	**12.8**	**169**	**1**	**2**	**9**	**17**	**30**	**38**	**78**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.0	1	<1	1	2	2	4	5	6
20-34	40	5.4	88	<1	<1	1	5	18	29	42
35-49	30	5.3	102	<1	<1	2	3	10	26	52
50-64	13	3.8	9	<1	1	2	7	8	10	10
65+	7	6.9	88	1	1	3	8	24	27	27
2. MULTIPLE DX										
0-19 YRS	38	6.5	62	<1	1	3	8	17	25	34
20-34	80	15.5	449	<1	<1	6	17	52	69	85
35-49	57	11.2	132	<1	1	7	17	27	34	53
50-64	48	11.4	276	1	1	5	13	31	48	86
65+	73	13.7	300	1	1	9	16	31	50	88
TOT. SINGLE DX	128	4.3	59	<1	<1	2	3	9	21	44
" MULTIPLE DX	296	12.4	279	<1	1	7	15	30	50	83
TOTAL 0-19 YRS	76	4.2	37	<1	1	2	4	13	17	32
20-34	120	12.1	350	<1	<1	4	15	37	63	81
35-49	87	9.2	129	<1	1	4	11	26	32	53
50-64	61	9.8	228	1	1	4	10	19	42	83
65+	80	13.1	284	1	1	8	16	29	46	88
GRAND TOTAL	**424**	**10.0**	**226**	**<1**	**1**	**4**	**12**	**26**	**39**	**79**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	2.4	11	<1	<1	1	2	4	7	20
20-34	99	2.6	4	<1	<1	2	3	5	8	12
35-49	104	2.1	3	<1	1	2	3	4	5	10
50-64	106	2.1	2	1	1	2	3	4	5	8
65+	50	2.2	3	<1	<1	1	3	4	7	9
2. MULTIPLE DX										
0-19 YRS	158	4.9	101	<1	1	2	4	8	25	98
20-34	132	4.3	37	<1	1	3	5	7	14	34
35-49	220	4.0	17	1	1	3	5	8	10	29
50-64	312	4.3	35	1	1	2	5	10	14	33
65+	241	9.2	134	1	1	6	11	19	38	88
TOT. SINGLE DX	536	2.3	6	<1	<1	2	3	4	6	13
" MULTIPLE DX	1063	5.4	68	1	1	3	6	12	18	57
TOTAL 0-19 YRS	335	3.6	55	<1	<1	2	3	7	12	62
20-34	231	3.6	24	<1	1	2	4	7	10	31
35-49	324	3.4	13	1	1	2	4	7	9	17
50-64	418	3.7	28	1	1	2	4	8	13	27
65+	291	8.0	119	1	1	5	9	18	32	87
GRAND TOTAL	**1599**	**4.4**	**50**	**<1**	**1**	**2**	**5**	**9**	**15**	**43**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.5	73	<1	1	2	4	6	28	35
20-34	8	2.4	2	1	1	2	2	5	6	6
35-49	6	3.2	3	1	1	3	4	6	6	6
50-64	5	4.0	21	1	1	3	5	12	12	12
65+	7	4.0	6	2	2	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	26	4.7	20	1	1	2	6	12	15	17
20-34	26	8.3	217	1	2	3	10	27	78	99+
35-49	15	5.1	29	1	2	4	5	6	20	24
50-64	41	11.5	228	2	2	7	16	25	62	99+
65+	115	10.2	113	2	2	7	12	21	32	55
TOT. SINGLE DX	41	3.8	30	1	1	2	4	6	10	35
" MULTIPLE DX	223	9.2	133	2	2	5	11	20	32	92
TOTAL 0-19 YRS	41	4.6	39	1	1	2	5	11	16	35
20-34	34	6.9	172	1	2	3	7	15	63	99+
35-49	21	4.5	22	1	1	3	5	6	14	24
50-64	46	10.7	211	1	2	6	14	20	51	99+
65+	122	9.9	109	2	2	6	12	20	31	54
GRAND TOTAL	**264**	**8.4**	**121**	**1**	**2**	**5**	**10**	**18**	**31**	**87**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	2.2	3	1	1	2	3	4	5	9
20-34	2264	3.1	8	1	1	2	4	7	9	14
35-49	3070	3.2	10	1	1	2	4	7	9	15
50-64	1390	3.1	8	1	1	2	4	7	9	14
65+	331	3.2	11	1	1	2	4	7	9	17
2. MULTIPLE DX										
0-19 YRS	160	4.2	20	1	1	2	5	11	13	26
20-34	1547	4.8	22	1	1	3	7	10	14	26
35-49	2508	4.7	28	1	1	3	6	10	13	27
50-64	1832	5.1	29	1	1	3	7	11	14	28
65+	1153	6.5	44	1	1	4	9	14	18	36
TOT. SINGLE DX	7215	3.1	9	1	1	2	4	7	9	15
" MULTIPLE DX	7200	5.1	30	1	1	3	7	11	14	28
TOTAL 0-19 YRS	320	3.2	13	1	1	2	3	7	11	17
20-34	3811	3.8	15	1	1	2	5	9	11	18
35-49	5578	3.9	19	1	1	2	5	9	11	20
50-64	3222	4.2	22	1	1	3	5	9	12	22
65+	1484	5.8	39	1	1	4	8	13	17	32
GRAND TOTAL	**14415**	**4.1**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.2	8	1	1	2	3	6	9	15
20-34	161	3.6	25	1	1	2	4	7	12	24
35-49	199	3.9	18	1	1	2	4	9	12	24
50-64	287	3.6	10	1	1	2	4	8	9	16
65+	281	2.9	6	1	1	2	3	6	8	15
2. MULTIPLE DX										
0-19 YRS	88	6.0	45	1	1	4	7	12	18	39
20-34	230	6.7	66	1	2	4	7	16	22	47
35-49	438	5.9	27	1	2	4	7	13	17	25
50-64	1230	6.2	47	1	2	4	8	12	16	39
65+	2144	6.0	30	1	2	5	8	12	15	28
TOT. SINGLE DX	990	3.4	13	1	1	2	4	7	10	19
" MULTIPLE DX	4130	6.1	38	1	2	4	8	12	16	32
TOTAL 0-19 YRS	150	4.8	32	1	1	3	6	10	14	30
20-34	391	5.4	52	1	1	3	6	12	19	41
35-49	637	5.3	26	1	1	3	7	12	16	24
50-64	1517	5.7	42	1	2	4	7	12	15	34
65+	2425	5.7	29	1	2	4	7	11	15	26
GRAND TOTAL	**5120**	**5.6**	**34**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	14	4.7	7	1	2	5	6	8	10	10
50-64	18	3.3	3	1	1	3	5	6	7	7
65+	11	2.9	5	<1	1	2	3	7	9	9
2. MULTIPLE DX										
0-19 YRS										
20-34	6	5.2	7	2	2	5	6	10	10	10
35-49	52	5.9	29	1	2	4	9	11	12	34
50-64	86	6.3	17	1	2	6	9	11	12	23
65+	79	7.3	29	2	2	7	10	14	18	23
TOT. SINGLE DX	44	3.8	7	1	1	3	6	7	9	11
" MULTIPLE DX	223	6.5	25	1	2	6	9	12	15	24
TOTAL 0-19 YRS										
20-34	7	6.0	11	2	2	5	9	11	11	11
35-49	66	5.7	25	1	2	4	8	10	12	31
50-64	104	5.8	16	1	2	5	8	10	12	23
65+	90	6.8	29	2	2	6	9	14	17	23
GRAND TOTAL	**267**	**6.1**	**23**	**1**	**2**	**5**	**9**	**12**	**14**	**23**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	3.9	16	1	1	2	5	9	10	24
20-34	334	4.6	25	1	1	3	6	10	13	24
35-49	348	4.5	12	1	1	3	7	9	11	15
50-64	436	4.3	15	1	1	3	6	9	12	18
65+	431	4.5	14	1	1	3	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	113	6.3	45	1	1	4	8	13	16	38
20-34	421	6.0	31	1	1	5	8	12	17	32
35-49	880	6.2	31	1	2	5	8	12	15	33
50-64	1764	6.3	31	1	2	5	9	12	16	27
65+	3086	7.2	43	1	2	6	9	14	18	34
TOT. SINGLE DX	1626	4.5	17	1	1	3	6	10	12	19
" MULTIPLE DX	6264	6.7	38	1	2	5	9	13	17	31
TOTAL 0-19 YRS	190	5.3	35	1	1	3	7	11	14	32
20-34	755	5.4	30	1	1	4	7	11	15	30
35-49	1228	5.7	27	1	1	4	8	12	14	27
50-64	2200	5.9	29	1	1	4	8	12	15	25
65+	3517	6.6	41	1	2	5	9	13	18	31
GRAND TOTAL	**7890**	**6.2**	**34**	**1**	**1**	**5**	**8**	**12**	**16**	**29**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5294	3.4	18	1	1	2	4	6	8	20
20-34	7051	3.6	14	1	1	3	4	7	9	16
35-49	5537	4.0	14	1	1	3	5	8	10	18
50-64	3707	4.5	16	1	1	3	6	9	11	19
65+	2961	5.9	27	1	2	5	7	11	14	26
2. MULTIPLE DX										
0-19 YRS	9591	5.5	61	1	1	3	6	10	17	46
20-34	12348	5.2	30	1	1	4	6	9	14	30
35-49	15021	5.6	27	1	2	4	7	10	14	28
50-64	22236	6.5	31	2	2	5	8	12	16	29
65+	49902	7.8	40	2	3	6	10	14	18	33
TOT. SINGLE DX	24550	4.1	18	1	1	3	5	8	10	20
" MULTIPLE DX	109098	6.8	39	1	2	5	8	13	17	32
TOTAL 0-19 YRS	14885	4.8	48	1	1	3	5	9	14	40
20-34	19399	4.6	25	1	1	3	5	8	12	27
35-49	20558	5.2	24	1	1	4	6	10	13	25
50-64	25943	6.2	30	1	2	5	8	12	15	28
65+	52863	7.7	40	2	3	6	9	14	18	32
GRAND TOTAL	**133648**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2087	6.1	76	1	1	3	6	15	25	43
20-34	1032	6.1	52	1	1	4	7	12	17	41
35-49	1092	6.0	32	1	2	5	7	11	16	29
50-64	718	6.2	42	1	2	4	7	12	18	28
65+	588	6.9	41	1	2	5	8	13	16	32
2. MULTIPLE DX										
0-19 YRS	3317	7.7	123	1	2	4	7	17	30	66
20-34	1762	8.2	108	1	2	5	9	17	27	56
35-49	2320	8.0	67	2	2	6	9	16	23	47
50-64	3742	8.3	64	2	2	6	10	15	22	46
65+	8781	9.5	67	2	3	7	11	18	24	48
TOT. SINGLE DX	5517	6.2	55	1	1	4	7	13	20	39
" MULTIPLE DX	19922	8.7	81	2	2	6	10	17	24	52
TOTAL 0-19 YRS	5404	7.1	106	1	1	4	7	17	28	59
20-34	2794	7.5	89	1	2	5	8	15	23	52
35-49	3412	7.3	57	1	2	5	9	15	21	42
50-64	4460	8.0	61	2	2	6	10	15	21	43
65+	9369	9.4	66	2	3	7	11	18	24	47
GRAND TOTAL	**25439**	**8.2**	**76**	**1**	**2**	**6**	**10**	**16**	**24**	**49**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2842	3.7	28	1	1	3	4	6	10	24
20-34	1679	4.0	26	1	1	3	4	7	12	28
35-49	1462	4.2	26	1	1	3	5	8	12	26
50-64	1349	4.7	22	1	1	3	6	9	12	25
65+	1295	5.3	20	1	2	4	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	6348	6.2	86	1	1	4	6	12	22	58
20-34	3736	5.4	43	1	1	3	6	11	16	37
35-49	5891	5.4	33	1	1	4	6	10	15	31
50-64	11297	6.2	31	1	2	5	8	11	15	29
65+	26626	7.4	39	2	2	6	9	14	18	32
TOT. SINGLE DX	8627	4.3	26	1	1	3	5	8	12	25
" MULTIPLE DX	53898	6.7	44	1	2	5	8	13	18	35
TOTAL 0-19 YRS	9190	5.5	70	1	1	3	5	10	18	51
20-34	5415	4.9	39	1	1	3	5	10	15	34
35-49	7353	5.2	32	1	1	4	6	10	14	30
50-64	12646	6.0	31	1	2	5	7	11	15	28
65+	27921	7.3	39	2	2	6	9	14	18	32
GRAND TOTAL	62525	6.3	42	1	2	5	8	12	17	34

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671 4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct

Group No.	Title
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal

Group No.	Title
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus

Group No.	Title
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
!	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary

Group No.	Title
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic

Group No.	Title
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
	Debridement (continued)
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine

Group No.	Title
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy

Group No.	Title
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletai
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver

Group No.	Title
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast

Group No.	Title
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
754	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.5U 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Western Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153380	2.2	7	<1	1	2	3	4	4	10
20-34	85868	2.5	12	<1	1	2	3	4	6	18
35-49	27650	3.7	24	<1	1	2	4	7	11	26
50-64	17314	3.8	18	1	1	3	5	8	10	23
65+	16084	4.3	22	1	1	3	5	8	11	22
B. *Operated*										
0-19 YRS	42085	2.4	6	<1	<1	2	3	5	6	12
20-34	110536	2.6	5	<1	1	2	3	5	6	10
35-49	48784	3.2	9	<1	1	2	4	7	8	14
50-64	35701	3.7	11	<1	1	3	5	8	10	15
65+	30866	4.6	17	<1	<1	3	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144930	3.9	39	1	1	2	4	6	10	39
20-34	82486	5.1	52	1	1	3	5	11	21	34
35-49	70112	5.4	43	1	1	3	6	11	19	32
50-64	99275	5.3	31	1	1	4	6	10	14	29
65+	244794	6.1	30	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	42816	5.5	86	<1	1	3	5	12	21	62
20-34	154096	4.1	25	1	1	3	5	7	10	26
35-49	96469	5.4	39	1	1	4	6	10	15	33
50-64	102070	6.9	60	1	1	5	9	14	19	41
65+	170270	8.6	70	1	1	7	11	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300296	2.6	12	<1	1	2	3	5	7	17
B. *Operated*	267972	3.1	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	641597	5.3	37	1	1	3	6	11	15	31
B. *Operated*	565721	6.3	55	1	1	4	8	13	19	39
1. SINGLE DX	568268	2.8	10	<1	1	2	3	5	8	15
2. MULTIPLE DX	1207318	5.7	46	1	1	4	7	12	17	35
A. NOT OPERATED	941893	4.4	31	1	1	3	5	9	13	29
B. OPERATED	833693	5.2	42	1	1	3	6	11	16	33
TOTAL 0-19 YRS	383211	3.2	29	1	1	2	3	5	8	30
20-34	432986	3.6	23	<1	1	2	4	6	10	27
35-49	243015	4.8	33	1	1	3	5	9	14	30
50-64	254360	5.6	40	1	1	4	7	11	16	32
65+	462014	6.9	46	1	1	5	9	14	18	34
GRAND TOTAL	**1775586**	**4.8**	**36**	**1**	**1**	**3**	**6**	**10**	**14**	**31**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43766	2.8	21	<1	1	2	3	5	7	24
20-34	85868	2.5	12	<1	1	2	3	4	6	18
35-49	27650	3.7	24	<1	1	2	4	7	11	26
50-64	17314	3.8	18	1	1	3	5	8	10	23
65+	16084	4.3	22	1	1	3	5	8	11	22
B. *Operated*										
0-19 YRS	42060	2.4	6	<1	<1	2	3	5	6	12
20-34	110536	2.6	5	<1	1	2	3	5	6	10
35-49	48784	3.2	9	<1	1	2	4	7	8	14
50-64	35701	3.7	11	<1	1	3	5	8	10	15
65+	30866	4.6	17	<1	<1	3	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60846	5.0	78	1	1	2	4	9	21	51
20-34	82486	5.1	52	1	1	3	5	11	21	34
35-49	70112	5.4	43	1	1	3	6	11	19	32
50-64	99275	5.3	31	1	1	4	6	10	14	29
65+	244794	6.1	30	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	39329	4.5	46	<1	1	3	5	9	15	39
20-34	154096	4.1	25	1	1	3	5	7	10	26
35-49	96469	5.4	39	1	1	4	6	10	15	33
50-64	102070	6.9	60	1	1	5	9	14	19	41
65+	170270	8.6	70	1	1	7	11	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190682	3.0	17	<1	1	2	3	6	8	22
B. *Operated*	267947	3.1	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	557513	5.6	40	1	1	4	7	11	16	32
B. *Operated*	562234	6.2	52	1	1	4	8	13	18	38
1. SINGLE DX	458629	3.0	12	<1	1	2	4	6	8	16
2. MULTIPLE DX	1119747	5.9	46	1	1	4	7	12	17	35
A. NOT OPERATED	748195	4.9	36	1	1	3	6	10	15	31
B. OPERATED	830181	5.2	40	1	1	3	6	11	15	32
TOTAL 0-19 YRS	186001	3.8	43	<1	1	2	4	7	12	40
20-34	432986	3.6	23	<1	1	2	4	6	10	27
35-49	243015	4.8	33	1	1	3	5	9	14	30
50-64	254360	5.6	40	1	1	4	7	11	16	32
65+	462014	6.9	46	1	1	5	9	14	18	34
GRAND TOTAL	**1578376**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	663	2.4	10	1	1	2	3	4	5	11
20-34	409	2.4	3	1	1	2	3	4	5	11
35-49	165	2.6	3	1	1	2	3	5	6	9
50-64	112	2.6	3	1	1	2	3	4	5	11
65+	94	2.8	4	1	1	2	4	5	6	12
B. *Operated*										
0-19 YRS	27	3.6	3	1	2	3	4	6	7	8
20-34	44	4.7	12	2	2	4	5	8	13	18
35-49	18	5.9	17	2	3	5	6	9	17	21
50-64	5	5.2	8	3	3	4	6	10	10	10
65+	6	6.5	18	1	1	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1647	2.8	9	1	1	2	3	5	6	12
20-34	820	2.9	5	1	1	2	4	5	7	12
35-49	541	3.4	6	1	1	3	4	6	8	12
50-64	492	3.7	7	1	1	3	4	7	9	13
65+	1055	4.4	12	1	1	4	5	9	11	18
B. *Operated*										
0-19 YRS	46	9.2	235	2	2	5	9	18	29	98
20-34	81	6.0	34	1	2	4	7	10	16	36
35-49	74	6.6	23	2	2	5	9	15	19	20
50-64	60	8.0	80	2	2	6	9	14	23	55
65+	112	10.0	124	2	2	7	13	19	23	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1443	2.5	6	1	1	2	3	4	5	11
B. *Operated*	100	4.7	11	2	2	4	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	4555	3.4	9	1	1	3	4	6	9	14
B. *Operated*	373	8.0	92	2	2	6	9	17	20	51
1. SINGLE DX	1543	2.6	7	1	1	2	3	5	6	11
2. MULTIPLE DX	4928	3.7	17	1	1	3	4	7	9	18
A. NOT OPERATED	5998	3.2	8	1	1	2	4	6	8	14
B. OPERATED	473	7.3	77	2	2	5	8	15	19	42
TOTAL 0-19 YRS	2383	2.9	15	1	1	2	3	5	6	14
20-34	1354	3.0	7	1	1	2	4	6	8	14
35-49	798	3.6	8	1	1	3	4	7	9	16
50-64	669	3.9	14	1	1	3	4	7	10	17
65+	1267	4.8	24	1	1	4	6	9	12	22
GRAND TOTAL	**6471**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	3	2	2	3	3	6	7	7
20-34	18	11.3	90	2	3	8	21	31	71	99+
35-49	6	4.7	5	1	1	5	6	7	7	7
50-64	5	11.6	191	3	3	6	16	36	36	36
65+	7	7.7	54	<1	1	6	9	20	23	23
B. *Operated*										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	11	7.3	20	1	2	7	11	14	15	15
35-49	5	8.2	15	2	2	10	11	12	12	12
50-64	11	9.7	33	1	3	9	13	19	20	20
65+	7	10.1	44	1	2	9	15	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.2	35	1	2	7	10	17	22	22
20-34	30	9.3	63	2	2	7	12	17	29	38
35-49	33	8.5	27	2	3	8	13	15	19	20
50-64	30	7.8	60	2	3	6	8	12	17	45
65+	64	11.8	67	2	4	9	15	23	28	42
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	14	15.3	191	1	3	11	18	43	45	45
35-49	18	11.5	83	3	4	8	15	26	34	37
50-64	26	15.7	298	2	5	11	19	27	45	91
65+	53	13.9	63	4	6	13	18	25	31	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	8.5	75	1	2	6	9	24	35	99+
B. *Operated*	36	8.8	26	1	2	8	12	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	168	9.7	57	2	3	8	12	18	24	42
B. *Operated*	113	13.9	135	2	4	11	18	27	36	94
1. SINGLE DX	79	8.6	52	1	2	7	10	20	24	81
2. MULTIPLE DX	281	11.4	92	2	3	9	15	22	30	45
A. NOT OPERATED	211	9.5	60	2	3	7	12	20	27	44
B. OPERATED	149	12.7	113	2	4	10	17	23	32	91
TOTAL 0-19 YRS	22	6.2	24	1	2	5	9	11	17	22
20-34	73	10.6	91	2	3	8	13	25	37	87
35-49	62	9.0	43	2	3	7	12	16	20	36
50-64	72	11.2	158	2	3	8	13	20	32	81
65+	131	12.3	65	2	4	10	17	23	29	53
GRAND TOTAL	**360**	**10.8**	**84**	**2**	**3**	**8**	**14**	**22**	**29**	**45**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	4.7	30	1	1	2	9	11	11	11
20-34	9	5.4	21	<1	<1	3	10	12	12	12
35-49	3	5.0	16	<1	<1	5	8	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	9.0	128	1	1	9	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.0	9	1	1	4	6	7	7	7
35-49	2	7.0		7	7	7	7	7	7	7
50-64	7	9.1	18	2	3	9	12	15	15	15
65+	6	12.7	103	4	4	8	20	29	30	30
B. *Operated*										
0-19 YRS	4	19.8	357	<1	<1	18	35	41	41	41
20-34	14	11.5	55	1	4	9	18	22	26	27
35-49	11	9.0	27	2	4	7	11	17	21	21
50-64	16	17.8	362	1	1	13	27	36	62	73
65+	21	17.3	267	1	2	12	20	41	58	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	10.0	74	3	3	7	15	24	24	24
B. *Operated*	18	5.6	25	<1	<1	3	10	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	19	8.9	47	1	2	7	10	18	25	30
B. *Operated*	66	15.0	211	1	2	11	20	34	43	72
1. SINGLE DX	23	6.5	36	<1	<1	4	11	13	19	24
2. MULTIPLE DX	85	13.6	180	1	2	9	17	30	37	71
A. NOT OPERATED	24	9.2	49	2	2	7	11	20	26	30
B. OPERATED	84	12.9	185	<1	1	9	16	30	37	71
TOTAL 0-19 YRS	9	12.4	195	<1	<1	7	16	37	41	41
20-34	28	8.2	45	<1	1	7	11	19	22	27
35-49	16	8.0	23	1	2	7	10	14	19	21
50-64	25	15.1	254	1	2	12	22	35	45	73
65+	30	15.3	218	1	2	12	19	32	51	66
GRAND TOTAL	**108**	**12.1**	**157**	**1**	**1**	**8**	**15**	**28**	**35**	**69**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.1	2	1	1	2	3	3	4	8
20-34	41	2.3	1	1	1	2	3	4	5	5
35-49	15	2.7	2	1	1	3	4	4	5	5
50-64	7	2.0		1	1	2	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	31	1.0		<1	1	1	1	1	1	2
20-34	12	1.6	1	<1	<1	1	2	3	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	2.3	2	1	1	2	3	4	5	8
20-34	146	2.8	3	1	1	3	4	4	7	9
35-49	43	3.5	9	1	2	3	4	5	6	21
50-64	21	3.4	2	1	2	3	4	6	7	7
65+	18	4.0	5	2	2	3	5	7	9	11
B. *Operated*										
0-19 YRS	33	1.3	1	<1	<1	1	1	2	3	5
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	2	8.5	1	8	8	8	9	9	9	9
65+	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	2.3	2	1	1	2	3	4	5	7
B. *Operated*	43	1.2		<1	1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	453	2.7	3	1	1	2	3	4	6	9
B. *Operated*	44	2.6	21	<1	1	1	2	6	8	29
1. SINGLE DX	182	2.0	2	1	1	2	3	3	4	7
2. MULTIPLE DX	497	2.7	5	1	1	2	3	4	6	10
A. NOT OPERATED	592	2.6	3	1	1	2	3	4	6	9
B. OPERATED	87	1.9	11	<1	1	1	1	3	6	22
TOTAL 0-19 YRS	365	2.1	2	1	1	2	3	4	4	7
20-34	205	2.6	2	1	1	2	3	4	5	9
35-49	60	3.4	7	1	1	3	4	5	6	20
50-64	30	3.4	4	1	2	3	4	7	8	9
65+	19	5.3	38	2	2	3	6	9	21	29
GRAND TOTAL	**679**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	4.0	7	1	2	3	4	8	10	13
20-34	15	3.9	5	1	2	3	6	7	8	9
35-49	12	4.6	8	2	2	4	6	9	10	10
50-64	11	4.4	5	2	2	4	7	8	8	8
65+	29	5.8	9	2	2	6	8	10	11	11
B. *Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	3	8.7	14	6	6	7	11	13	13	13
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	12.3	145	1	1	11	21	25	25	25
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	530	5.5	23	1	2	4	7	11	13	22
20-34	205	7.5	33	2	2	6	10	13	16	34
35-49	313	8.1	40	2	3	7	10	15	18	29
50-64	666	8.6	43	3	3	7	10	15	19	33
65+	2728	9.5	41	3	4	8	11	16	21	32
B. *Operated*										
0-19 YRS	54	11.4	104	3	3	8	14	22	29	60
20-34	96	15.9	249	2	3	11	19	39	60	99+
35-49	134	13.0	76	3	4	12	17	25	31	59
50-64	279	18.0	237	4	5	13	22	39	54	85
65+	785	17.0	162	5	6	13	21	35	46	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.2	7	1	2	3	5	8	10	13
B. *Operated*	11	8.2	46	1	2	6	11	18	24	25
2. MULTIPLE DX										
A. *Not Operated*	4442	8.7	41	2	3	7	11	15	19	32
B. *Operated*	1348	16.5	175	4	5	13	21	34	47	93
1. SINGLE DX	333	4.3	9	1	2	3	5	9	10	14
2. MULTIPLE DX	5790	10.5	83	2	3	8	13	20	27	53
A. NOT OPERATED	4764	8.4	40	2	3	7	10	15	19	31
B. OPERATED	1359	16.4	175	4	5	13	21	34	47	93
TOTAL 0-19 YRS	842	5.4	26	1	2	4	7	10	13	23
20-34	319	9.9	112	2	2	7	12	20	33	76
35-49	460	9.4	55	2	3	7	12	18	23	42
50-64	959	11.3	117	3	4	8	13	22	32	60
65+	3543	11.2	78	3	4	9	13	20	27	52
GRAND TOTAL	**6123**	**10.2**	**81**	**2**	**3**	**8**	**12**	**19**	**26**	**52**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	6.0	15	1	2	6	9	11	12	18
20-34	40	4.9	12	1	2	4	6	10	12	16
35-49	19	6.5	37	1	1	4	7	18	22	22
50-64	8	4.3	2	2	2	4	5	6	7	7
65+	8	9.1	81	2	2	6	11	25	29	29
B. *Operated*										
0-19 YRS	6	6.0	15	2	2	5	7	12	13	13
20-34	5	9.4	177	1	1	5	12	33	33	33
35-49	10	13.3	144	3	3	8	17	34	40	40
50-64	1	9.0		9	9	9	9	9	9	9
65+	4	7.8	23	4	4	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	6.8	23	1	2	6	10	12	14	24
20-34	80	4.9	8	2	2	4	6	9	11	14
35-49	57	7.0	37	2	2	6	8	11	15	35
50-64	69	7.5	42	2	2	6	9	14	18	40
65+	157	9.5	86	3	3	7	11	18	21	58
B. *Operated*										
0-19 YRS	19	14.1	105	2	2	12	21	30	34	37
20-34	38	10.6	82	1	2	8	16	25	27	38
35-49	30	14.1	255	1	2	9	16	30	39	83
50-64	40	13.7	87	4	6	11	17	28	43	99+
65+	55	16.4	202	4	5	11	24	42	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	5.9	18	1	2	5	8	11	13	21
B. *Operated*	26	9.8	95	2	3	6	13	27	34	40
2. MULTIPLE DX										
A. *Not Operated*	523	7.4	46	2	3	6	9	13	17	38
B. *Operated*	182	14.0	151	2	3	11	17	33	42	94
1. SINGLE DX	256	6.3	27	1	2	5	8	11	14	29
2. MULTIPLE DX	705	9.1	81	2	3	7	11	17	26	55
A. NOT OPERATED	753	7.0	38	2	2	6	9	13	15	34
B. OPERATED	208	13.5	146	2	3	10	17	32	42	90
TOTAL 0-19 YRS	340	6.8	27	1	2	6	10	12	14	28
20-34	163	6.4	36	2	2	4	7	13	18	32
35-49	116	9.3	111	1	2	7	10	20	31	55
50-64	118	9.4	64	2	3	7	12	18	27	65
65+	224	11.2	121	3	4	7	12	22	42	60
GRAND TOTAL	**961**	**8.4**	**68**	**2**	**2**	**6**	**10**	**15**	**23**	**47**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	3.1	3	1	1	3	4	5	6	11
20-34	359	3.1	3	1	1	3	4	5	7	9
35-49	89	3.0	3	1	1	3	4	5	6	8
50-64	16	3.8	2	1	2	4	5	6	6	6
65+	5	6.2	12	2	2	5	9	11	11	11
B. *Operated*										
0-19 YRS	9	3.1	2	2	2	3	4	5	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	8.0	9	5	5	8	10	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.1	15	1	1	3	4	7	10	23
20-34	231	4.0	10	1	1	3	5	7	9	18
35-49	83	4.3	7	1	2	4	5	8	10	13
50-64	33	6.1	17	2	2	5	8	13	16	17
65+	22	6.5	21	2	2	5	7	13	17	20
B. *Operated*										
0-19 YRS	9	6.6	68	2	2	3	6	20	28	28
20-34	12	9.1	52	2	3	7	11	18	27	29
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64	3	10.3	90	1	1	10	17	20	20	20
65+	2	33.0	72	27	27	33	39	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	3.1	3	1	1	3	4	5	6	10
B. *Operated*	15	4.0	7	1	2	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	626	4.3	13	1	2	3	5	8	10	20
B. *Operated*	29	9.7	94	2	2	6	11	28	29	39
1. SINGLE DX	916	3.1	3	1	1	3	4	5	7	10
2. MULTIPLE DX	655	4.5	17	1	2	3	5	8	11	24
A. NOT OPERATED	1527	3.6	7	1	1	3	4	6	8	14
B. OPERATED	44	7.7	71	1	2	5	9	21	28	39
TOTAL 0-19 YRS	707	3.5	8	1	2	3	4	6	8	16
20-34	604	3.6	7	1	1	3	4	6	8	13
35-49	178	3.7	5	1	1	3	5	7	8	12
50-64	53	5.6	17	2	2	4	7	11	16	20
65+	29	8.3	67	2	2	5	9	18	28	39
GRAND TOTAL	**1571**	**3.7**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.9	3	<1	1	2	4	6	7	9
20-34	55	3.7	4	1	2	4	5	6	8	11
35-49	25	3.6	5	<1	1	4	5	7	8	10
50-64	25	4.6	9	1	2	4	6	7	12	15
65+	49	4.6	8	1	1	4	6	8	9	14
B. *Operated*										
0-19 YRS	5	8.0	50	<1	<1	5	15	17	17	17
20-34	5	3.8	11	1	1	3	6	9	9	9
35-49										
50-64	3	6.3	24	3	3	4	10	12	12	12
65+	7	3.9	6	<1	1	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	3.5	8	1	1	3	4	6	8	16
20-34	126	4.9	9	1	2	5	6	8	11	17
35-49	70	6.6	86	1	2	4	7	9	21	53
50-64	133	6.5	25	2	2	5	8	12	14	30
65+	534	6.9	27	2	2	6	9	12	17	26
B. *Operated*										
0-19 YRS	10	6.8	19	2	2	6	10	13	15	15
20-34	17	10.2	126	1	2	7	11	28	39	43
35-49	15	8.2	16	2	3	9	10	17	75	99+
50-64	32	9.7	67	1	3	7	12	19	24	41
65+	63	12.0	135	2	3	8	13	26	32	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	3.7	6	1	1	3	5	7	8	11
B. *Operated*	20	5.3	21	<1	<1	4	7	13	15	17
2. MULTIPLE DX										
A. *Not Operated*	1147	5.8	25	1	2	5	7	11	14	26
B. *Operated*	137	10.5	98	1	3	8	12	23	31	77
1. SINGLE DX	272	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX	1284	6.3	35	1	2	5	8	12	17	31
A. NOT OPERATED	1399	5.4	23	1	2	4	7	10	13	23
B. OPERATED	157	9.8	91	1	2	8	12	21	30	71
TOTAL 0-19 YRS	397	3.5	8	1	1	3	4	7	8	16
20-34	203	5.0	20	1	2	4	6	8	11	24
35-49	110	6.1	60	1	1	4	8	10	18	71
50-64	193	6.8	32	2	2	5	8	13	17	32
65+	653	7.2	38	1	2	6	9	13	19	31
GRAND TOTAL	**1556**	**5.9**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	6	1	2	3	3	6	8	13
20-34	131	3.9	5	1	2	3	5	7	8	11
35-49	41	5.7	25	2	2	5	6	10	19	25
50-64	18	5.2	6	1	2	5	7	8	10	11
65+	10	3.3	1	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	5	2.6	4	<1	<1	2	4	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.1	13	1	2	3	5	7	11	23
20-34	232	4.4	10	1	2	4	6	8	10	16
35-49	106	5.5	21	1	2	5	7	10	13	27
50-64	52	6.5	18	2	2	5	9	12	14	24
65+	71	7.2	22	2	3	7	9	11	16	30
B. *Operated*										
0-19 YRS	5	9.2	57	1	1	7	16	19	19	19
20-34	13	12.1	254	1	1	7	11	39	54	57
35-49	13	8.0	27	1	2	8	11	16	18	18
50-64	9	8.7	49	1	1	7	10	20	24	24
65+	7	12.4	76	4	5	10	13	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.2	9	1	2	4	5	7	9	16
B. *Operated*	13	1.7	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	521	5.2	16	1	2	4	6	10	12	24
B. *Operated*	47	10.0	100	1	1	8	12	19	31	57
1. SINGLE DX	247	4.1	9	1	1	3	5	7	9	15
2. MULTIPLE DX	568	5.6	25	1	2	4	7	10	14	26
A. NOT OPERATED	755	4.9	14	1	2	4	6	9	11	23
B. OPERATED	60	8.2	91	1	1	6	10	17	27	55
TOTAL 0-19 YRS	101	4.0	14	1	1	3	4	7	12	21
20-34	381	4.5	18	1	1	4	5	8	10	16
35-49	165	5.7	22	1	2	5	7	10	15	26
50-64	80	6.4	19	1	2	5	8	11	14	24
65+	88	7.2	27	2	3	6	9	12	16	32
GRAND TOTAL	**815**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**12**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.6	2	1	1	2	3	4	5	7
20-34	35	3.8	4	1	2	3	5	7	8	9
35-49	7	4.9	8	2	2	4	6	9	10	10
50-64	2	5.0	2	4	4	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	2	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	335	3.3	6	1	1	3	4	6	7	14
20-34	94	3.6	7	1	1	3	4	7	8	15
35-49	25	4.0	6	1	1	4	5	7	8	11
50-64	9	6.4	33	2	2	4	9	16	20	20
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	5.8	32	1	1	5	6	15	20	20
20-34	4	10.5	70	2	2	9	16	22	22	22
35-49	2	14.0	128	6	6	14	22	22	22	22
50-64	2	9.0	98	2	2	9	16	16	16	16
65+	2	33.5	613	16	16	33	51	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.0	3	1	1	3	4	5	6	9
B. *Operated*	5	6.8	2	5	5	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	464	3.4	7	1	1	3	4	6	7	17
B. *Operated*	19	10.9	144	1	2	6	16	22	38	51
1. SINGLE DX	157	3.1	3	1	1	3	4	6	7	9
2. MULTIPLE DX	483	3.7	14	1	1	3	4	6	8	21
A. NOT OPERATED	616	3.3	6	1	1	3	4	6	7	12
B. OPERATED	24	10.0	116	1	2	6	13	22	31	51
TOTAL 0-19 YRS	453	3.2	6	1	1	3	4	5	7	13
20-34	135	3.9	9	1	1	3	5	7	9	19
35-49	36	4.9	14	1	2	4	6	7	11	22
50-64	13	6.6	31	2	2	4	9	17	19	20
65+	3	23.0	637	2	2	16	42	51	51	51
GRAND TOTAL	**640**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**20**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.2		<1	<1	<1	1	2	2	3
20-34	89	1.3		<1	<1	1	1	2	3	4
35-49	33	1.4	4	<1	<1	<1	1	1	2	12
50-64	6	1.0		<1	<1	<1	1	1	1	1
65+	5	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	3	5	6	6
20-34	33	2.1	4	<1	<1	1	2	5	7	10
35-49	24	2.3	5	<1	<1	1	3	5	8	8
50-64	12	2.4	5	<1	<1	2	3	7	8	8
65+	5	3.0	20	<1	<1	1	4	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	157	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	7	2.1	1	1	1	2	3	4	4	4
B. *Operated*	83	2.3	5	<1	<1	1	2	6	8	11
1. SINGLE DX	157	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	90	2.3	5	<1	<1	1	3	5	8	11
A. NOT OPERATED	7	2.1	1	1	1	2	3	4	4	4
B. OPERATED	240	1.6	3	<1	<1	1	1	3	5	10
TOTAL 0-19 YRS	35	1.5	1	<1	<1	<1	1	3	4	6
20-34	126	1.5	2	<1	<1	1	2	2	4	8
35-49	58	1.8	4	<1	<1	1	1	4	7	12
50-64	18	1.9	4	<1	<1	1	2	5	7	8
65+	10	2.0	10	<1	<1	<1	1	6	11	11
GRAND TOTAL	**247**	**1.6**	**3**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	726	2.4	2	1	1	2	3	4	5	7
20-34	180	2.7	4	1	1	2	3	5	7	11
35-49	105	2.6	3	1	1	2	3	4	6	9
50-64	36	3.8	17	1	1	2	4	8	15	19
65+	35	3.1	3	1	1	3	4	4	7	9
B. *Operated*										
0-19 YRS	22	3.0	7	<1	<1	2	4	5	10	12
20-34	13	7.7	65	1	1	5	11	19	28	30
35-49	4	3.5	7	1	1	3	5	7	7	7
50-64	4	5.8	14	<1	<1	6	8	10	10	10
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1042	2.8	10	1	1	2	3	4	6	12
20-34	507	3.6	15	1	1	2	4	6	10	22
35-49	363	4.1	21	1	1	3	4	8	12	22
50-64	297	4.0	14	1	1	3	5	7	10	18
65+	554	4.4	12	1	2	4	5	8	11	19
B. *Operated*										
0-19 YRS	30	4.5	32	1	1	3	6	8	31	99+
20-34	81	7.9	48	1	2	6	11	16	26	80
35-49	48	14.2	185	2	3	10	19	37	58	99+
50-64	33	12.9	355	2	3	7	13	21	67	89
65+	34	10.4	175	2	2	8	10	18	28	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1082	2.5	3	1	1	2	3	4	5	9
B. *Operated*	46	4.7	26	<1	1	3	6	11	13	30
2. MULTIPLE DX										
A. *Not Operated*	2763	3.6	14	1	1	3	4	6	9	19
B. *Operated*	226	9.9	147	1	2	7	12	21	32	99+
1. SINGLE DX	1128	2.6	4	1	1	2	3	4	5	10
2. MULTIPLE DX	2989	4.0	26	1	1	3	4	8	11	25
A. NOT OPERATED	3845	3.3	11	1	1	2	4	6	8	17
B. OPERATED	272	9.0	130	1	2	6	11	20	29	97
TOTAL 0-19 YRS	1820	2.7	7	1	1	2	3	4	5	11
20-34	781	3.9	19	1	1	3	4	8	12	26
35-49	520	4.7	42	1	1	3	5	9	15	44
50-64	370	4.8	50	1	1	3	5	9	13	25
65+	626	4.7	22	1	2	4	6	9	11	23
GRAND TOTAL	**4117**	**3.7**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	2	1	1	2	3	4	6	6
20-34	16	2.1	1	1	1	2	3	3	3	3
35-49	13	2.9	4	1	1	2	4	6	8	8
50-64	5	4.6	6	1	1	6	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	3	<1	<1	2	4	5	6	6
20-34	21	4.7	25	1	2	3	5	8	16	25
35-49	15	4.5	8	1	3	3	5	10	11	11
50-64	5	5.4	4	3	3	5	7	8	8	8
65+	7	4.1	5	3	3	3	4	8	9	9
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64	2	18.0	2	17	17	18	19	19	19	19
65+	3	10.3	17	7	7	9	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.7	3	1	1	2	3	6	6	8
B. *Operated*	3	3.7	6	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	59	4.3	13	1	2	3	5	8	10	24
B. *Operated*	8	11.5	29	5	5	11	16	18	19	19
1. SINGLE DX	50	2.8	3	1	1	2	3	6	6	8
2. MULTIPLE DX	67	5.1	20	1	2	4	6	10	15	24
A. NOT OPERATED	106	3.6	9	1	1	3	4	7	8	17
B. OPERATED	11	9.4	35	<1	2	7	15	18	19	19
TOTAL 0-19 YRS	25	2.6	2	<1	1	2	3	5	6	6
20-34	38	3.7	16	1	1	3	4	7	8	25
35-49	31	4.0	9	1	1	3	5	9	11	14
50-64	13	7.1	27	1	2	6	7	17	19	19
65+	10	6.0	16	3	3	4	9	12	15	15
GRAND TOTAL	**117**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.9	5	1	2	3	5	7	8	13
20-34	84	4.1	9	1	2	4	5	7	9	18
35-49	20	4.2	8	1	1	4	5	7	10	13
50-64	6	8.3	85	1	1	5	10	24	26	26
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	11	3.5	25	<1	<1	2	4	10	17	18
20-34	24	2.8	7	<1	<1	1	4	7	8	11
35-49	7	3.7	12	<1	<1	2	7	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.9	10	2	2	4	6	9	12	16
20-34	115	4.4	8	2	2	4	5	7	9	17
35-49	28	6.1	27	1	1	5	7	12	20	22
50-64	8	5.5	33	1	1	3	7	16	18	18
65+	20	8.5	79	2	3	6	10	14	29	43
B. *Operated*										
0-19 YRS	12	5.1	28	<1	1	4	5	11	20	21
20-34	37	5.2	40	<1	1	4	5	8	15	37
35-49	14	5.8	18	<1	1	5	8	13	13	13
50-64	6	6.5	28	1	1	6	7	15	16	16
65+	10	15.4	587	1	1	6	16	52	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	4.2	10	1	2	3	5	7	9	18
B. *Operated*	46	3.1	11	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	230	5.2	19	2	2	4	6	10	12	22
B. *Operated*	79	6.7	106	<1	1	4	7	14	19	68
1. SINGLE DX	226	4.0	10	<1	1	3	5	7	9	18
2. MULTIPLE DX	309	5.5	41	1	2	4	6	10	14	29
A. NOT OPERATED	410	4.7	15	1	2	4	5	8	11	21
B. OPERATED	125	5.3	74	<1	<1	3	6	12	16	48
TOTAL 0-19 YRS	151	4.4	10	1	2	4	5	8	11	18
20-34	260	4.3	13	<1	1	4	5	7	9	19
35-49	69	5.2	18	1	1	4	6	12	13	22
50-64	21	6.4	43	1	1	4	8	17	22	26
65+	34	9.9	223	1	2	5	10	17	39	81
GRAND TOTAL	**535**	**4.9**	**29**	**1**	**1**	**4**	**5**	**9**	**13**	**23**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	3	1	1	2	4	6	6	6
20-34	12	3.9	7	1	1	4	5	8	10	10
35-49	34	3.2	10	1	1	2	5	7	11	12
50-64	4	3.3	5	1	1	3	5	6	6	6
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	11	6.8	19	<1	<1	7	9	13	15	15
35-49	17	5.9	32	<1	1	6	6	8	20	26
50-64	18	5.4	26	<1	<1	4	7	13	18	20
65+	6	8.0	7	5	5	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	5	1	1	2	4	5	8	11
20-34	40	6.3	62	<1	1	4	8	12	16	47
35-49	55	8.1	55	1	1	6	10	20	21	36
50-64	57	8.5	34	2	3	6	12	16	22	27
65+	89	8.7	81	2	2	7	9	17	22	54
B. *Operated*										
0-19 YRS	9	16.0	191	4	4	9	25	37	45	45
20-34	33	14.8	96	3	5	13	20	33	36	37
35-49	53	15.0	212	3	3	11	19	34	78	99+
50-64	43	17.4	432	1	4	9	20	44	83	99+
65+	62	16.3	237	3	5	11	24	36	52	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.3	8	1	1	2	5	7	9	12
B. *Operated*	54	6.1	23	<1	<1	5	8	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	264	7.7	58	1	1	6	9	16	20	45
B. *Operated*	200	15.9	243	3	4	11	20	35	55	99+
1. SINGLE DX	113	4.7	17	<1	1	4	6	9	12	22
2. MULTIPLE DX	464	11.2	154	1	2	8	14	25	36	93
A. NOT OPERATED	323	6.9	52	1	1	5	8	15	19	39
B. OPERATED	254	13.9	212	1	3	9	18	34	43	99+
TOTAL 0-19 YRS	41	5.9	71	1	1	3	5	14	25	45
20-34	96	9.0	79	<1	1	7	11	20	33	42
35-49	159	9.1	115	1	1	6	12	21	33	98
50-64	122	11.0	194	1	2	7	14	22	35	96
65+	159	11.6	151	2	3	8	13	26	37	87
GRAND TOTAL	**577**	**10.0**	**134**	**1**	**1**	**7**	**12**	**22**	**34**	**89**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	7	2.6	4	1	1	2	4	6	6	6
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	5	3.4	2	2	2	3	4	6	6	6
20-34	1	16.0		16	16	16	16	16	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	37	1	1	5	11	13	13	13
20-34	12	4.8	10	1	1	4	7	9	10	10
35-49	7	5.7	21	2	2	5	7	13	15	15
50-64	4	4.0	2	3	3	4	5	6	6	6
65+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	10	4.3	12	2	2	3	4	9	14	14
20-34	5	5.4	31	1	1	4	7	15	15	15
35-49	3	6.0		6	6	6	6	6	6	6
50-64	4	5.0	2	3	3	5	6	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.9	4	<1	<1	2	4	6	7	7
B. *Operated*	6	5.5	28	2	2	3	6	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	29	5.1	12	1	1	5	7	10	13	15
B. *Operated*	22	4.9	12	1	2	4	6	9	14	15
1. SINGLE DX	18	3.8	13	<1	1	3	5	7	12	16
2. MULTIPLE DX	51	5.0	12	1	2	4	6	9	14	15
A. NOT OPERATED	41	4.5	11	1	1	4	6	8	11	15
B. OPERATED	28	5.0	15	2	2	4	6	12	15	16
TOTAL 0-19 YRS	20	4.3	12	<1	1	3	5	9	13	14
20-34	25	4.8	17	1	1	4	6	10	15	16
35-49	12	5.6	13	2	2	6	7	10	14	15
50-64	8	4.5	2	3	3	4	6	6	6	6
65+	4	4.3	5	2	2	4	6	7	7	7
GRAND TOTAL	**69**	**4.7**	**12**	**1**	**1**	**4**	**6**	**9**	**14**	**16**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	6	1	1	4	6	7	7	7
20-34	18	4.0	4	2	2	3	5	7	9	10
35-49	11	5.5	19	1	1	4	7	13	15	15
50-64	6	6.0	6	3	3	6	8	9	9	9
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	19	2.9	8	<1	<1	2	4	7	10	11
35-49	22	2.4	6	<1	<1	1	3	5	8	11
50-64	8	4.1	10	1	1	4	6	8	9	9
65+	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	7	1	1	3	5	5	10	13
20-34	86	7.4	34	1	2	6	10	15	21	26
35-49	109	9.2	110	2	2	7	12	16	20	74
50-64	37	8.1	27	2	3	7	11	15	16	27
65+	44	7.9	29	2	3	6	10	15	22	23
B. *Operated*										
0-19 YRS	7	7.3	20	1	1	7	10	13	14	14
20-34	170	13.4	103	2	3	12	18	26	32	53
35-49	201	14.5	99	2	4	13	19	26	35	49
50-64	69	14.4	121	2	3	13	20	25	29	67
65+	29	12.8	70	1	2	12	19	25	28	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.6	9	1	2	4	6	8	11	15
B. *Operated*	55	2.8	7	<1	<1	2	4	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	295	8.0	60	2	2	6	10	15	20	28
B. *Operated*	476	13.9	101	2	3	12	19	26	31	49
1. SINGLE DX	98	3.6	9	<1	1	3	5	8	10	14
2. MULTIPLE DX	771	11.6	93	2	2	9	15	23	28	47
A. NOT OPERATED	338	7.6	55	2	2	6	9	14	19	27
B. OPERATED	531	12.7	103	1	2	11	18	25	30	48
TOTAL 0-19 YRS	35	4.5	11	1	1	4	6	10	12	14
20-34	293	10.4	85	1	2	8	14	23	28	39
35-49	343	11.7	107	1	2	9	16	22	28	51
50-64	120	11.3	91	2	3	8	15	23	26	51
65+	78	9.3	52	1	2	7	12	21	24	30
GRAND TOTAL	**869**	**10.7**	**90**	**1**	**2**	**8**	**14**	**22**	**27**	**45**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	14.0	405	2	2	5	25	44	44	44
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*	4	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	3	5.3		5	5	5	6	6	6	6
B. *Operated*	7	9.4	236	1	1	4	6	37	44	44
1. SINGLE DX	6	3.2	6	1	1	2	3	8	8	8
2. MULTIPLE DX	10	8.2	162	1	1	5	6	25	44	44
A. NOT OPERATED	5	5.0	7	1	1	5	6	8	8	8
B. OPERATED	11	6.9	154	1	1	3	5	22	42	44
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	5	11.8	328	2	2	3	16	44	44	44
65+	3	4.7		4	4	5	5	5	5	5
GRAND TOTAL	**16**	**6.3**	**105**	**1**	**1**	**4**	**6**	**8**	**33**	**44**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	11	2.6	3	1	1	2	3	6	6	6
65+	5	4.8	24	<1	<1	4	7	13	13	13
B. *Operated*										
0-19 YRS	5	3.0	16	1	1	1	4	10	10	10
20-34	9	5.0	22	<1	<1	4	6	13	16	16
35-49	31	3.4	15	<1	<1	2	3	10	12	17
50-64	113	3.5	15	<1	<1	2	4	8	13	17
65+	113	3.9	14	<1	1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	15.3	296	3	3	7	26	44	47	47
20-34	3	5.7	12	2	2	6	8	9	9	9
35-49	13	6.7	30	1	2	6	7	18	19	19
50-64	48	7.6	79	1	1	6	9	17	19	56
65+	73	6.3	21	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	4	7.8	21	2	2	8	11	13	13	13
20-34	11	6.5	41	<1	<1	5	10	17	21	21
35-49	64	8.9	59	1	1	7	14	17	21	41
50-64	306	10.1	97	1	1	7	14	24	29	41
65+	410	9.1	117	1	1	5	11	22	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.3	9	<1	<1	3	4	6	11	13
B. *Operated*	271	3.7	15	<1	<1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	144	7.2	56	1	1	5	9	15	18	48
B. *Operated*	795	9.4	103	1	1	6	13	22	30	50
1. SINGLE DX	288	3.6	14	<1	<1	2	5	9	12	17
2. MULTIPLE DX	939	9.1	96	1	1	6	12	21	29	49
A. NOT OPERATED	161	6.8	52	1	1	5	8	14	18	45
B. OPERATED	1066	8.0	87	<1	1	5	11	18	27	45
TOTAL 0-19 YRS	16	9.6	157	1	1	7	9	30	42	47
20-34	23	5.8	28	<1	1	5	8	14	18	21
35-49	109	7.0	48	<1	1	4	10	17	19	33
50-64	478	8.1	82	<1	1	5	11	19	26	40
65+	601	7.8	90	1	1	5	10	17	27	49
GRAND TOTAL	**1227**	**7.8**	**82**	**1**	**1**	**5**	**10**	**17**	**26**	**45**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	5.0	39	<1	<1	2	7	16	16	16
65+	5	3.8	5	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	15.3	121	8	8	10	23	28	28	28
50-64	23	8.3	29	<1	1	9	12	15	18	21
65+	16	4.8	18	1	1	4	5	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	5	3.8	11	1	1	2	6	9	9	9
50-64	28	5.9	20	1	1	5	8	13	15	18
65+	75	7.5	33	2	2	6	9	15	19	30
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	9.4	24	4	4	8	12	17	19	19
50-64	105	13.8	149	2	3	12	16	26	36	75
65+	163	13.0	165	2	3	10	17	24	39	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.1	19	<1	1	2	5	11	16	16
B. *Operated*	42	7.5	36	1	1	6	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	110	6.9	29	1	2	6	9	14	18	27
B. *Operated*	278	13.2	154	2	3	11	16	24	37	79
1. SINGLE DX	53	6.8	34	1	1	5	10	15	16	28
2. MULTIPLE DX	388	11.4	127	2	2	9	15	22	32	76
A. NOT OPERATED	121	6.6	28	1	2	5	8	14	17	26
B. OPERATED	320	12.4	142	1	2	10	16	23	35	77
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	6.3	20	2	2	6	10	11	11	11
35-49	17	8.3	48	1	1	7	10	18	25	28
50-64	161	11.4	117	1	2	10	15	21	30	71
65+	259	10.7	124	1	2	7	14	22	32	78
GRAND TOTAL	**441**	**10.8**	**118**	**1**	**2**	**8**	**14**	**21**	**30**	**75**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	4	12.5	46	5	5	12	18	20	20	20
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	11	8.3	15	2	4	8	12	14	14	14
50-64	33	9.2	11	2	6	9	11	12	14	19
65+	54	9.4	31	1	2	9	12	18	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	8.4	57	2	2	8	11	21	21	21
35-49	22	6.6	23	1	2	5	9	15	17	19
50-64	49	6.3	34	<1	1	5	8	12	20	27
65+	113	6.2	28	1	2	4	7	13	18	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	11.8	27	6	7	10	14	19	24	25
35-49	96	15.4	154	3	6	11	18	29	44	63
50-64	254	13.0	95	3	5	11	15	22	27	56
65+	588	14.8	116	3	5	12	18	27	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.9	45	1	2	5	12	19	20	20
B. *Operated*	99	9.1	23	1	3	9	11	14	19	25
2. MULTIPLE DX										
A. *Not Operated*	190	6.3	29	1	2	5	8	13	19	27
B. *Operated*	952	14.3	113	3	5	12	17	26	36	61
1. SINGLE DX	107	9.0	24	1	2	9	11	14	19	24
2. MULTIPLE DX	1142	13.0	108	2	3	11	16	24	31	60
A. NOT OPERATED	198	6.4	29	1	2	5	8	14	19	27
B. OPERATED	1051	13.8	107	3	5	11	17	24	33	61
TOTAL 0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	19	10.3	38	1	2	9	14	19	23	25
35-49	130	13.2	132	2	4	10	15	22	43	62
50-64	339	11.6	84	2	3	10	14	21	25	50
65+	759	13.1	106	2	3	11	17	25	31	60
GRAND TOTAL	**1249**	**12.7**	**102**	**2**	**3**	**10**	**16**	**23**	**30**	**58**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	19.0		19	19	19	19	19	19	19
65+	3	8.7	2	7	7	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.4	11	1	1	1	7	7	7	7
50-64	4	5.3	11	1	1	5	7	9	9	9
65+	6	5.8	15	<1	<1	6	9	11	11	11
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	5	12.0	34	5	5	10	18	18	18	18
35-49	15	10.3	25	3	5	9	12	19	20	21
50-64	32	15.9	196	4	6	10	21	30	49	69
65+	79	15.5	147	5	7	13	17	24	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	6	10.2	20	7	7	9	10	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	15	4.9	12	<1	1	5	7	9	11	11
B. *Operated*	133	14.7	140	5	6	11	17	23	35	71
1. SINGLE DX	7	8.9	29	1	2	9	10	17	19	19
2. MULTIPLE DX	148	13.7	136	3	5	11	16	23	32	69
A. NOT OPERATED	16	4.6	12	<1	1	5	7	9	10	11
B. OPERATED	139	14.5	136	5	6	11	17	23	34	70
TOTAL 0-19 YRS	3	7.7	4	6	6	7	9	10	10	10
20-34	5	12.0	34	5	5	10	18	18	18	18
35-49	21	8.6	28	1	1	8	10	17	20	21
50-64	37	14.8	181	3	5	10	19	30	44	69
65+	89	14.4	140	4	5	12	17	23	36	73
GRAND TOTAL	**155**	**13.5**	**132**	**2**	**5**	**10**	**16**	**23**	**32**	**69**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	2.9	6	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	6.5	7	2	3	7	8	10	11	11
35-49	52	8.1	11	5	6	8	9	11	12	26
50-64	180	8.2	7	5	6	8	9	11	13	17
65+	281	8.5	7	5	6	8	10	12	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	12.0	312	2	2	3	18	43	43	43
35-49	21	7.6	65	1	1	5	9	16	28	36
50-64	52	7.0	44	1	1	5	10	17	20	34
65+	209	6.4	27	1	1	5	9	14	16	27
B. *Operated*										
0-19 YRS	7	12.4	61	5	6	10	13	26	29	29
20-34	44	10.3	72	5	5	8	12	16	21	58
35-49	182	10.7	27	6	6	9	12	15	21	36
50-64	975	10.7	31	5	6	9	12	17	20	32
65+	3093	12.6	53	6	7	10	15	21	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	5	<1	<1	1	4	6	7	7
B. *Operated*	525	8.3	7	5	6	8	10	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	287	6.7	37	1	1	5	9	15	19	32
B. *Operated*	4301	12.0	48	6	7	10	14	20	25	39
1. SINGLE DX	534	8.2	8	5	6	8	9	11	12	17
2. MULTIPLE DX	4588	11.7	49	4	6	10	14	19	24	38
A. NOT OPERATED	296	6.6	36	1	1	5	9	15	18	32
B. OPERATED	4826	11.6	45	6	6	10	13	19	24	37
TOTAL 0-19 YRS	8	11.8	56	5	6	10	12	24	29	29
20-34	61	9.6	77	2	4	8	11	15	22	56
35-49	255	9.9	28	4	6	9	12	15	20	36
50-64	1208	10.1	29	5	6	9	12	16	19	31
65+	3590	11.9	51	5	6	10	14	20	25	38
GRAND TOTAL	**5122**	**11.3**	**46**	**4**	**6**	**10**	**13**	**19**	**23**	**37**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	5	3.0	3	1	1	3	4	5	5	5
65+	5	2.6	5	1	1	1	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34	7	8.7	46	<1	<1	9	11	19	21	21
35-49	44	7.1	13	1	1	8	9	12	13	15
50-64	127	7.3	18	1	1	8	10	12	13	21
65+	221	7.1	18	1	2	7	10	13	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	8.6	72	3	3	5	10	23	29	29
50-64	50	5.1	27	1	1	4	6	14	20	99
65+	126	7.3	69	1	1	5	8	14	20	53
B. *Operated*										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	18	12.7	200	2	3	10	12	16	47	67
35-49	115	11.3	40	2	6	10	13	18	23	38
50-64	476	11.0	44	2	5	10	13	18	23	43
65+	1167	12.8	71	3	5	11	15	23	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.9	3	1	1	3	4	5	6	6
B. *Operated*	399	7.2	18	1	1	8	10	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	185	6.7	58	1	1	4	8	14	20	55
B. *Operated*	1779	12.2	64	3	5	10	14	21	27	45
1. SINGLE DX	411	7.1	18	1	1	8	10	12	14	18
2. MULTIPLE DX	1964	11.7	66	2	3	10	14	20	26	46
A. NOT OPERATED	197	6.5	55	1	1	4	8	14	20	55
B. OPERATED	2178	11.3	59	2	3	10	14	19	25	42
TOTAL 0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	25	11.6	156	1	2	9	12	17	32	67
35-49	170	10.0	38	1	3	9	12	17	23	33
50-64	658	9.8	42	1	2	9	12	17	21	42
65+	1519	11.5	69	2	3	10	14	20	26	44
GRAND TOTAL	**2375**	**10.9**	**60**	**2**	**3**	**10**	**13**	**19**	**25**	**43**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	6	3.5	6	2	2	3	4	8	8	8
B. *Operated*										
0-19 YRS	7	5.3	6	3	3	5	7	9	9	9
20-34	3	6.7	36	1	1	6	11	13	13	13
35-49	18	8.6	41	1	2	7	14	15	22	26
50-64	22	5.8	20	1	1	5	8	11	17	18
65+	34	7.8	25	1	1	7	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	7	4.7	13	1	1	4	7	10	11	11
35-49	12	10.7	72	2	3	9	13	25	30	31
50-64	33	8.1	70	1	2	6	11	16	28	39
65+	95	6.6	23	1	2	5	9	14	18	22
B. *Operated*										
0-19 YRS	16	8.3	25	2	2	7	10	17	19	20
20-34	14	8.4	30	1	3	7	12	17	19	19
35-49	54	14.3	159	1	3	11	20	27	37	68
50-64	143	12.3	126	1	2	10	15	24	40	54
65+	329	13.6	123	2	4	11	17	29	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.2	3	1	2	3	4	5	7	8
B. *Operated*	84	7.2	26	1	1	6	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	149	7.2	37	1	2	6	9	14	19	31
B. *Operated*	556	13.1	123	2	3	10	17	26	36	56
1. SINGLE DX	98	6.6	25	1	1	5	9	14	16	22
2. MULTIPLE DX	705	11.8	111	2	2	9	15	24	34	53
A. NOT OPERATED	163	6.8	36	1	2	5	9	14	19	31
B. OPERATED	640	12.3	114	1	3	9	16	26	35	54
TOTAL 0-19 YRS	26	7.2	19	2	3	6	9	14	18	20
20-34	25	7.0	25	1	1	6	9	15	17	19
35-49	87	12.2	124	2	2	9	16	26	31	62
50-64	201	10.8	109	1	2	8	13	22	33	53
65+	464	11.7	104	2	3	9	15	24	34	51
GRAND TOTAL	**803**	**11.2**	**103**	**1**	**2**	**8**	**14**	**23**	**32**	**52**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	5	3.4	6	1	1	3	6	6	6	6
50-64	10	3.2	5	<1	<1	3	6	6	6	6
65+	15	3.7	9	<1	1	3	5	8	11	12
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	6	18.3	425	2	2	8	41	47	48	48
50-64	19	8.8	31	<1	1	9	13	16	17	18
65+	43	8.4	38	1	1	8	12	15	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	29	9.3	83	1	1	7	11	16	35	41
50-64	84	6.4	45	1	1	4	8	13	21	36
65+	205	6.7	25	1	2	6	9	13	18	25
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	16.0	197	8	8	9	23	37	37	37
35-49	71	17.1	187	5	6	14	20	30	52	71
50-64	227	15.6	178	3	5	12	18	32	45	66
65+	570	13.8	90	2	4	12	18	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.9	12	<1	1	3	6	7	12	16
B. *Operated*	69	9.6	73	1	1	8	13	18	24	47
2. MULTIPLE DX										
A. *Not Operated*	319	6.9	36	1	2	6	9	13	19	32
B. *Operated*	873	14.5	122	3	5	12	18	26	37	58
1. SINGLE DX	100	7.9	61	1	1	6	11	16	22	44
2. MULTIPLE DX	1192	12.5	110	2	3	10	16	23	32	54
A. NOT OPERATED	350	6.7	35	1	2	5	8	13	18	31
B. OPERATED	942	14.2	120	2	4	12	17	26	37	57
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	17.7	107	8	8	16	22	34	37	37
35-49	111	14.5	177	2	3	10	18	30	48	64
50-64	340	12.6	150	1	2	10	15	24	37	59
65+	833	11.6	80	2	3	10	15	22	28	45
GRAND TOTAL	**1292**	**12.1**	**108**	**1**	**2**	**10**	**15**	**23**	**31**	**53**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	20	2.5	3	<1	<1	2	3	5	6	7
50-64	56	2.6	4	<1	1	2	3	6	7	10
65+	43	4.2	20	<1	1	3	5	8	10	28
B. Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	7	4.6	4	2	2	5	6	7	7	7
35-49	48	5.9	16	<1	1	6	9	11	12	17
50-64	199	6.0	18	<1	1	6	8	10	12	21
65+	233	6.1	19	<1	1	6	9	11	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.7	5	<1	<1	4	6	6	6	6
35-49	127	6.4	56	1	1	5	8	13	17	50
50-64	666	6.5	31	1	2	5	9	14	17	30
65+	1055	6.9	37	1	2	5	9	14	17	32
B. Operated										
0-19 YRS	3	6.3	20	2	2	6	10	11	11	11
20-34	19	7.3	13	2	3	7	9	13	15	16
35-49	292	9.3	55	1	2	8	11	18	24	41
50-64	1504	9.5	61	1	2	8	12	17	22	38
65+	2361	10.1	60	1	2	9	13	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	3.2	10	<1	1	2	4	6	8	16
B. Operated	489	6.0	18	<1	1	6	8	11	13	21
2. MULTIPLE DX										
A. Not Operated	1856	6.7	36	1	2	5	8	14	17	31
B. Operated	4179	9.8	60	1	2	8	12	18	23	40
1. SINGLE DX	608	5.4	18	<1	1	5	8	10	12	21
2. MULTIPLE DX	6035	8.9	55	1	2	7	11	17	22	38
A. NOT OPERATED	1975	6.5	35	1	2	5	8	13	17	31
B. OPERATED	4668	9.4	57	1	2	8	12	18	22	38
TOTAL 0-19 YRS	6	5.3	13	1	1	5	7	11	11	11
20-34	33	6.0	12	1	2	6	8	10	13	16
35-49	487	7.9	53	1	1	7	10	15	20	42
50-64	2425	8.2	51	1	2	7	10	16	20	35
65+	3692	8.9	53	1	2	7	11	17	22	38
GRAND TOTAL	**6643**	**8.5**	**52**	**1**	**2**	**7**	**11**	**16**	**21**	**37**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	2.2	6	<1	<1	1	3	7	7	7
65+	7	5.9	31	<1	<1	3	10	14	15	15
B. Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	4.5	27	<1	<1	2	9	13	13	13
35-49	21	4.8	18	<1	<1	4	7	10	14	17
50-64	85	5.7	22	<1	<1	6	9	12	14	20
65+	85	5.6	28	<1	<1	4	9	13	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	10.0	148	2	2	4	19	24	24	24
35-49	1	2.0		2	2	2	2	2	2	2
50-64	31	3.8	9	<1	1	3	5	10	10	99+
65+	48	6.1	26	1	2	4	8	15	18	21
B. Operated										
0-19 YRS	5	12.6	51	4	4	15	17	22	22	22
20-34	11	13.6	229	1	1	10	14	36	53	55
35-49	40	11.7	109	<1	1	8	14	26	36	47
50-64	177	9.7	70	<1	1	8	14	19	26	42
65+	255	10.0	61	1	1	10	14	19	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.5	18	<1	<1	1	6	10	13	15
B. Operated	199	5.5	24	<1	<1	5	9	12	15	21
2. MULTIPLE DX										
A. Not Operated	85	5.3	23	1	1	4	7	11	18	73
B. Operated	488	10.2	72	1	1	9	14	19	25	44
1. SINGLE DX	217	5.3	24	<1	<1	4	9	12	15	20
2. MULTIPLE DX	573	9.4	67	1	1	8	14	19	24	44
A. NOT OPERATED	103	5.0	23	<1	1	3	7	11	17	59
B. OPERATED	687	8.8	62	<1	1	8	13	18	22	40
TOTAL 0-19 YRS	9	8.8	50	1	1	7	15	19	22	22
20-34	20	10.4	160	<1	1	7	13	23	39	55
35-49	64	8.9	86	<1	1	7	11	19	30	46
50-64	302	7.7	54	<1	1	6	11	16	20	40
65+	395	8.5	53	<1	1	7	13	17	21	35
GRAND TOTAL	**790**	**8.3**	**59**	**<1**	**1**	**7**	**12**	**17**	**21**	**40**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	1	<1	<1	2	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	3	8.3	60	2	2	6	14	17	17	17
B. *Operated*										
0-19 YRS	67	4.7	38	<1	1	3	6	9	12	38
20-34	43	4.9	29	<1	1	4	5	9	12	33
35-49	45	4.4	5	1	1	5	6	8	8	9
50-64	53	4.9	16	1	1	4	8	10	12	19
65+	55	4.5	21	<1	<1	3	6	9	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.8	5	1	1	4	5	7	8	12
20-34	3	6.3	20	2	2	6	10	11	11	11
35-49	9	4.0	17	1	1	2	8	10	11	11
50-64	18	8.5	57	1	1	5	15	21	23	24
65+	32	5.9	19	1	1	5	8	11	12	21
B. *Operated*										
0-19 YRS	50	7.6	41	1	2	6	9	16	24	30
20-34	23	9.7	110	1	2	6	10	31	35	36
35-49	38	8.3	49	1	2	6	11	17	22	35
50-64	91	9.4	70	1	2	7	13	20	28	41
65+	118	9.2	57	1	2	8	12	18	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.4	10	<1	1	3	4	6	9	17
B. *Operated*	263	4.7	22	<1	1	4	6	9	11	29
2. MULTIPLE DX										
A. *Not Operated*	127	5.1	19	1	1	4	6	11	13	22
B. *Operated*	320	8.9	61	1	2	7	11	19	28	36
1. SINGLE DX	289	4.6	21	<1	1	4	6	9	11	28
2. MULTIPLE DX	447	7.8	52	1	1	6	10	16	24	35
A. NOT OPERATED	153	4.8	18	1	1	4	6	10	13	21
B. OPERATED	583	7.0	48	1	1	5	9	14	21	35
TOTAL 0-19 YRS	198	5.0	27	1	1	4	6	9	14	30
20-34	70	6.5	59	<1	1	4	7	11	30	36
35-49	94	6.0	27	1	1	5	8	11	16	30
50-64	166	7.7	54	1	1	6	10	16	21	37
65+	208	7.4	46	<1	1	6	10	14	21	34
GRAND TOTAL	**736**	**6.6**	**43**	**1**	**1**	**5**	**9**	**14**	**20**	**35**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	52	2.8	6	<1	<1	2	4	6	8	14
35-49	77	2.7	5	<1	<1	2	4	6	8	11
50-64	94	2.9	5	<1	<1	2	4	6	7	10
65+	84	2.9	6	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.0	33	<1	<1	2	3	12	20	20
35-49	7	5.0	15	1	1	4	7	11	12	12
50-64	9	5.4	27	<1	<1	4	6	14	18	18
65+	12	5.9	37	<1	1	4	7	12	22	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	33	3.4	12	<1	<1	2	4	8	9	17
35-49	59	3.7	7	1	1	3	5	8	9	12
50-64	63	5.1	58	<1	1	3	6	10	12	53
65+	100	4.8	19	1	1	4	6	9	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	4	<1	<1	1	3	5	5	5
B. *Operated*	309	2.8	5	<1	<1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	38	5.1	28	<1	<1	4	6	11	19	24
B. *Operated*	256	4.4	25	1	1	3	6	9	12	20
1. SINGLE DX	313	2.8	5	<1	<1	2	4	6	8	11
2. MULTIPLE DX	294	4.5	25	<1	1	3	6	9	12	22
A. NOT OPERATED	42	4.8	26	<1	<1	3	5	9	19	24
B. OPERATED	565	3.6	15	<1	1	2	5	7	9	16
TOTAL 0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	96	3.1	10	<1	<1	2	4	7	8	19
35-49	145	3.2	7	<1	1	2	4	7	9	12
50-64	166	3.9	27	<1	1	3	5	8	10	17
65+	197	4.0	15	1	1	3	5	9	10	22
GRAND TOTAL	**607**	**3.6**	**16**	**<1**	**1**	**2**	**5**	**7**	**9**	**19**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	7	1.3	1	1	1	1	1	3	3	3
20-34	16	3.0	5	<1	<1	3	4	7	8	8
35-49	41	1.5	1	<1	<1	1	2	3	3	3
50-64	82	1.9	5	<1	<1	1	2	4	6	13
65+	154	1.8	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.8	21	3	3	4	7	14	14	14
35-49	5	5.8	5	3	3	5	7	9	9	9
50-64	7	6.1	36	<1	1	5	7	17	19	19
65+	16	6.3	42	<1	<1	4	8	14	23	26
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	12	8.6	155	1	2	4	7	25	43	46
35-49	32	4.5	21	<1	1	3	5	10	15	22
50-64	91	4.4	72	<1	<1	2	4	8	15	54
65+	251	4.6	41	<1	1	3	6	11	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*	300	1.8	3	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*	33	6.1	30	<1	<1	4	7	14	18	26
B. *Operated*	388	4.7	50	<1	1	3	5	10	15	43
1. SINGLE DX	302	1.9	3	<1	<1	1	2	3	6	8
2. MULTIPLE DX	421	4.8	49	<1	1	3	5	10	15	40
A. NOT OPERATED	35	6.0	28	<1	<1	4	7	14	18	26
B. OPERATED	688	3.4	31	<1	<1	2	3	8	11	24
TOTAL 0-19 YRS	9	1.9	3	1	1	1	2	5	6	6
20-34	33	5.5	65	<1	1	3	5	9	16	46
35-49	79	3.0	12	<1	<1	2	4	7	10	20
50-64	180	3.3	41	<1	<1	1	3	6	11	34
65+	422	3.7	29	<1	<1	2	4	8	12	20
GRAND TOTAL	**723**	**3.6**	**31**	**<1**	**<1**	**2**	**4**	**8**	**12**	**25**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	2.4	1	<1	<1	2	3	4	4	4
50-64	11	2.2	2	<1	<1	2	3	4	5	5
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	122	3.1	3	<1	1	3	4	5	6	8
35-49	805	3.1	3	<1	1	3	4	5	6	8
50-64	1186	3.2	3	<1	1	3	4	5	6	8
65+	1266	3.6	3	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.8	9	<1	<1	5	7	9	9	9
35-49	59	8.4	117	<1	1	5	9	20	23	67
50-64	98	5.5	24	<1	1	4	7	11	14	25
65+	115	6.7	38	<1	1	5	8	14	19	33
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	119	3.9	8	1	2	3	5	7	10	16
35-49	944	3.9	9	1	2	3	5	6	7	13
50-64	1664	4.5	21	1	2	4	5	7	9	18
65+	2650	4.8	11	1	2	4	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.2	1	<1	<1	2	3	4	4	5
B. *Operated*	3380	3.3	3	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	283	6.6	49	<1	1	5	8	14	21	34
B. *Operated*	5380	4.5	14	1	2	4	5	7	9	17
1. SINGLE DX	3403	3.3	3	<1	1	3	4	6	6	9
2. MULTIPLE DX	5663	4.6	16	1	2	4	5	8	10	20
A. NOT OPERATED	306	6.2	47	<1	1	4	8	13	20	33
B. OPERATED	8760	4.1	10	1	2	4	5	7	8	14
TOTAL 0-19 YRS	4	4.3	10	2	2	3	6	9	9	9
20-34	253	3.6	6	<1	1	3	4	6	8	14
35-49	1816	3.6	11	1	1	3	4	6	7	14
50-64	2959	4.0	14	1	1	3	5	7	8	14
65+	4034	4.5	10	1	2	4	5	7	9	16
GRAND TOTAL	**9066**	**4.1**	**11**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.8	13	1	1	5	7	11	12	12
35-49	19	2.5	1	1	2	2	3	5	6	6
50-64	32	3.0	3	1	1	3	4	5	7	9
65+	7	2.6	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	40	4.9	11	<1	1	4	7	10	11	12
35-49	70	4.5	12	1	1	4	6	8	11	19
50-64	29	3.7	7	1	1	3	5	8	9	11
65+	28	2.6	3	<1	<1	2	3	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	2.5	6	<1	<1	1	4	6	6	6
35-49	37	6.8	48	1	1	4	8	17	22	30
50-64	40	4.0	7	2	2	3	5	7	10	14
65+	28	5.6	15	1	1	5	7	10	13	18
B. *Operated*										
0-19 YRS										
20-34	72	7.9	34	1	2	6	10	16	19	31
35-49	161	7.7	40	2	2	6	9	13	22	37
50-64	98	7.7	57	1	1	6	10	17	20	44
65+	80	7.2	35	1	2	6	9	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.1	4	1	2	2	4	5	7	12
B. *Operated*	169	4.1	10	<1	1	3	5	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	110	5.3	24	1	1	4	6	11	17	25
B. *Operated*	411	7.6	42	1	2	6	9	15	20	37
1. SINGLE DX	233	3.8	9	1	1	3	5	8	9	14
2. MULTIPLE DX	521	7.1	39	1	2	6	9	13	19	34
A. NOT OPERATED	174	4.5	18	1	1	3	5	9	13	22
B. OPERATED	580	6.6	35	1	1	5	8	12	18	32
TOTAL 0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	122	6.6	27	<1	1	5	9	12	18	28
35-49	287	6.4	34	1	1	5	8	13	18	31
50-64	199	5.6	35	1	1	4	7	11	16	34
65+	143	5.7	27	1	1	4	8	11	16	29
GRAND TOTAL	**754**	**6.1**	**32**	**1**	**1**	**5**	**8**	**11**	**17**	**30**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	2.4	1	<1	<1	2	3	4	4	4
65+	7	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	10	5.3	8	2	2	5	7	10	12	12
35-49	25	5.2	7	2	3	5	6	7	10	16
50-64	130	4.6	4	<1	2	5	5	6	7	11
65+	166	4.9	7	<1	1	5	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	4	6.8	43	<1	<1	5	12	15	15	15
50-64	17	3.1	5	<1	1	2	3	7	8	9
65+	48	4.6	14	1	1	3	6	11	12	16
B. *Operated*										
0-19 YRS										
20-34	20	5.8	28	2	2	5	6	10	19	25
35-49	123	5.3	5	2	3	5	6	8	9	14
50-64	477	6.2	25	2	3	5	7	9	11	27
65+	881	6.9	20	3	4	6	8	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	333	4.8	6	<1	2	5	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	74	4.4	13	1	1	3	6	9	12	16
B. *Operated*	1501	6.5	20	2	3	6	7	10	13	24
1. SINGLE DX	348	4.7	6	<1	1	5	6	7	8	15
2. MULTIPLE DX	1575	6.4	20	2	3	6	7	10	13	24
A. NOT OPERATED	89	4.0	12	1	1	3	5	9	11	16
B. OPERATED	1834	6.2	18	2	3	5	7	9	13	23
TOTAL 0-19 YRS	5	5.6	10	1	1	5	8	9	9	9
20-34	32	5.5	20	2	2	4	6	9	14	25
35-49	152	5.3	6	2	3	5	6	8	10	15
50-64	632	5.7	20	2	3	5	6	8	11	22
65+	1102	6.5	18	2	3	6	7	10	14	23
GRAND TOTAL	**1923**	**6.1**	**18**	**2**	**3**	**5**	**7**	**9**	**13**	**23**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	5	4.4	37	<1	<1	1	7	15	15	15
50-64	26	2.2	1	<1	1	2	2	4	5	5
65+	10	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	5	4.2	15	1	1	3	7	10	10	10
20-34	18	5.3	5	1	3	5	6	8	10	10
35-49	40	5.6	6	2	3	5	7	8	10	14
50-64	37	6.4	29	1	1	6	8	9	14	33
65+	26	7.7	13	4	4	7	8	13	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	24	7.5	68	<1	<1	4	10	15	25	38
50-64	45	5.4	43	<1	1	3	7	17	25	99+
65+	89	6.7	36	1	1	5	9	14	19	30
B. *Operated*										
0-19 YRS	8	11.5	110	4	4	6	15	29	35	35
20-34	47	6.8	11	4	4	6	7	10	14	20
35-49	156	8.4	45	4	4	7	9	15	17	49
50-64	323	9.5	31	4	5	8	12	17	20	30
65+	366	11.6	46	5	6	10	14	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.7	8	<1	1	2	3	5	9	15
B. *Operated*	126	6.2	15	1	3	6	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	162	6.3	42	<1	1	4	9	14	21	37
B. *Operated*	900	10.0	41	4	5	8	12	18	23	36
1. SINGLE DX	168	5.3	16	1	1	5	7	9	12	18
2. MULTIPLE DX	1062	9.5	43	2	4	8	12	17	23	36
A. NOT OPERATED	204	5.6	37	<1	1	4	7	13	19	34
B. OPERATED	1026	9.6	40	4	4	8	12	17	22	35
TOTAL 0-19 YRS	14	8.2	80	1	1	5	10	18	31	35
20-34	69	6.4	11	3	4	6	7	10	14	19
35-49	225	7.7	41	2	3	6	9	13	16	43
50-64	431	8.4	35	1	2	7	11	16	20	31
65+	491	10.3	47	2	4	9	13	19	24	36
GRAND TOTAL	**1230**	**8.9**	**41**	**2**	**3**	**7**	**11**	**17**	**21**	**35**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	7	3.9	4	<1	<1	3	6	6	6	6
50-64	9	7.8	42	1	1	6	12	18	18	18
65+	23	5.1	22	<1	1	4	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	7.3	14	3	3	9	10	10	10	10
50-64	4	3.8	18	1	1	2	6	10	10	10
65+	14	4.6	15	1	1	3	7	10	13	14
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	4.2	4	3	3	4	4	8	8	8
35-49	16	11.1	53	2	3	9	12	25	26	26
50-64	45	9.6	106	1	2	7	11	16	25	63
65+	89	8.2	43	2	2	7	11	16	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.4	3	<1	<1	2	4	5	5	5
B. *Operated*	40	5.6	24	<1	1	4	8	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	21	4.8	15	1	1	3	8	10	12	14
B. *Operated*	157	8.7	61	2	2	7	11	16	21	37
1. SINGLE DX	47	5.1	22	<1	1	4	7	13	16	18
2. MULTIPLE DX	178	8.3	57	1	2	7	11	16	21	37
A. NOT OPERATED	28	4.2	13	1	1	3	6	10	11	14
B. OPERATED	197	8.1	55	1	2	6	11	16	20	37
TOTAL 0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	6	4.2	4	3	3	4	4	8	8	8
35-49	26	8.7	45	1	2	8	11	20	26	26
50-64	61	8.6	89	1	1	6	11	16	20	60
65+	130	7.1	37	1	1	5	10	15	16	32
GRAND TOTAL	**225**	**7.6**	**51**	**1**	**1**	**6**	**10**	**15**	**19**	**36**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	2.3	5	<1	<1	1	4	5	5	5
65+	14	5.0	43	<1	<1	2	5	17	21	22
B. *Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	3.8	11	<1	<1	3	7	8	8	8
50-64	250	5.2	14	<1	1	5	7	10	12	16
65+	727	4.3	9	<1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	47	5.2	12	1	1	6	7	10	11	13
65+	369	6.3	34	1	1	4	8	13	18	28
B. *Operated*										
0-19 YRS	3	7.7	97	1	1	3	15	19	19	19
20-34	3	5.3	14	1	1	7	8	8	8	8
35-49	13	5.9	9	1	2	6	8	10	11	11
50-64	703	6.0	24	1	1	5	8	12	15	20
65+	3747	5.7	23	1	2	4	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.5	37	<1	<1	2	5	15	20	22
B. *Operated*	985	4.5	10	<1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	417	6.1	31	1	1	4	8	12	17	28
B. *Operated*	4469	5.7	23	1	2	4	7	11	14	23
1. SINGLE DX	1002	4.5	11	<1	1	4	6	9	11	14
2. MULTIPLE DX	4886	5.7	24	1	1	4	7	11	14	24
A. NOT OPERATED	434	6.1	31	1	1	4	7	12	17	28
B. OPERATED	5454	5.5	21	1	1	4	7	10	13	22
TOTAL 0-19 YRS	3	7.7	97	1	1	3	15	19	19	19
20-34	5	4.4	9	1	1	3	7	8	8	8
35-49	20	5.1	10	<1	1	5	8	9	10	11
50-64	1003	5.7	21	1	1	5	8	11	14	19
65+	4857	5.5	22	1	1	4	7	10	13	24
GRAND TOTAL	**5888**	**5.5**	**22**	**1**	**1**	**4**	**7**	**11**	**13**	**23**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.4	3	1	1	3	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.7	6	1	1	1	4	6	7	7
20-34	112	1.7	2	1	1	1	2	3	5	9
35-49	48	1.5	2	<1	1	1	1	3	5	8
50-64	8	1.8	1	1	1	1	2	4	4	4
65+	17	2.2	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	6.5	47	1	1	5	7	13	24	28
35-49										
50-64	3	12.3	292	1	1	4	25	32	32	32
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	12	4.9	11	1	1	4	7	9	12	12
20-34	54	7.0	44	1	1	6	9	14	21	35
35-49	31	5.7	53	1	1	3	8	15	22	33
50-64	19	5.6	37	<1	1	3	9	16	19	21
65+	31	5.1	13	1	1	4	8	10	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	3	1	1	3	5	5	5	5
B. *Operated*	197	1.8	2	<1	1	1	2	3	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	7.2	72	1	1	5	7	20	30	32
B. *Operated*	147	6.0	35	1	1	4	8	13	16	33
1. SINGLE DX	204	1.8	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	167	6.1	40	1	1	4	8	13	18	33
A. NOT OPERATED	27	6.2	56	1	1	5	6	13	29	32
B. OPERATED	344	3.6	21	1	1	2	4	9	12	23
TOTAL 0-19 YRS	25	3.7	9	1	1	3	6	8	9	12
20-34	188	3.7	23	1	1	2	5	9	12	28
35-49	79	3.2	26	<1	1	1	3	8	12	30
50-64	30	5.2	52	1	1	2	5	15	21	32
65+	49	4.2	11	<1	1	3	7	9	10	13
GRAND TOTAL	**371**	**3.8**	**24**	**1**	**1**	**2**	**5**	**9**	**12**	**28**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	1.5		1	1	1	2	2	2	2
65+	9	1.9	2	<1	<1	2	2	4	5	5
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	3.0	7	1	1	2	5	7	8	8
35-49	66	2.1	5	<1	1	2	3	3	5	13
50-64	338	2.6	10	<1	1	2	3	4	9	16
65+	670	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	12.7	342	<1	<1	3	26	34	34	34
50-64	31	4.2	9	1	1	3	7	9	10	10
65+	109	5.7	22	1	1	5	7	11	15	26
B. *Operated*										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	14	2.8	4	1	1	2	4	6	7	8
35-49	69	4.6	29	1	1	2	6	11	14	28
50-64	502	5.1	42	1	1	3	7	12	16	34
65+	2229	5.3	41	1	1	3	6	12	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.8	1	<1	<1	2	2	3	5	5
B. *Operated*	1086	2.5	8	<1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	143	5.5	25	<1	1	5	7	10	14	27
B. *Operated*	2818	5.2	41	1	1	3	6	12	17	32
1. SINGLE DX	1099	2.5	8	<1	1	2	3	5	8	14
2. MULTIPLE DX	2961	5.2	40	1	1	3	6	12	17	32
A. NOT OPERATED	156	5.2	24	<1	1	4	7	10	14	27
B. OPERATED	3904	4.5	33	1	1	3	5	10	15	28
TOTAL 0-19 YRS	5	3.6	2	2	2	3	4	6	6	6
20-34	25	2.9	5	1	1	2	4	7	8	8
35-49	138	3.6	25	<1	1	2	3	9	13	30
50-64	875	4.0	30	1	1	2	4	10	14	25
65+	3017	4.7	34	1	1	3	5	11	16	29
GRAND TOTAL	**4060**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	15	5.7	7	1	2	6	7	8	10	11
20-34	6	6.3	1	5	5	6	7	8	8	8
35-49	33	6.3	11	1	1	7	8	10	12	14
50-64	71	6.2	10	1	1	7	8	10	11	14
65+	74	7.2	16	1	1	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	3.3	3	1	1	3	4	6	7	7
50-64	46	6.0	26	1	2	5	8	10	16	28
65+	75	5.7	25	1	1	4	7	12	16	25
B. *Operated*										
0-19 YRS	15	9.3	25	4	4	9	12	20	76	99+
20-34	18	7.3	32	<1	1	7	8	17	21	22
35-49	94	8.5	34	2	4	7	10	14	17	37
50-64	305	9.3	38	2	4	8	11	17	20	30
65+	534	10.5	56	2	4	9	13	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4	11	<1	<1	3	7	9	9	9
B. *Operated*	199	6.6	12	1	1	7	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	136	5.6	24	1	1	4	7	11	14	25
B. *Operated*	966	9.9	48	2	4	8	11	17	21	36
1. SINGLE DX	206	6.5	12	1	1	7	8	11	12	17
2. MULTIPLE DX	1102	9.3	47	2	3	8	11	17	21	34
A. NOT OPERATED	143	5.5	23	1	1	4	7	11	14	25
B. OPERATED	1165	9.3	43	2	3	8	11	16	20	34
TOTAL 0-19 YRS	32	7.5	19	2	2	7	10	14	20	99+
20-34	27	7.0	23	1	1	6	8	11	20	22
35-49	140	7.5	28	1	2	7	9	12	16	27
50-64	424	8.4	34	1	2	8	10	15	19	29
65+	685	9.6	51	1	2	8	11	17	21	35
GRAND TOTAL	**1308**	**8.9**	**42**	**1**	**2**	**8**	**11**	**16**	**20**	**32**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.8	2	<1	<1	1	2	4	5	5
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	6	3.2	2	<1	<1	4	4	4	4	4
50-64	9	3.3	10	1	1	3	4	8	11	11
65+	16	2.1	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34										
35-49	4	4.8	7	1	1	5	6	7	7	7
50-64	5	5.2	22	1	1	3	9	12	12	12
65+	20	5.5	24	1	1	4	8	11	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	45	2.4	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	3	<1	<1	3	4	5	5	5
B. *Operated*	33	5.2	18	1	1	4	7	11	12	20
1. SINGLE DX	46	2.5	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX	37	5.0	16	1	1	4	7	11	12	20
A. NOT OPERATED	5	3.8	4	<1	<1	4	5	6	6	6
B. OPERATED	78	3.6	11	<1	1	3	4	8	11	18
TOTAL 0-19 YRS	17	2.6	4	<1	<1	2	4	6	6	6
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	10	3.8	4	<1	<1	4	5	6	7	7
50-64	15	4.0	12	1	1	3	4	11	12	12
65+	38	4.0	15	1	1	3	5	10	11	20
GRAND TOTAL	**83**	**3.6**	**11**	**<1**	**1**	**3**	**4**	**8**	**11**	**17**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	1	1	1	3	3	3	3	3
20-34	16	3.8	5	1	1	3	6	7	8	8
35-49	15	6.1	75	<1	1	2	6	21	28	31
50-64	18	5.7	17	<1	1	4	8	13	14	14
65+	16	5.7	16	<1	1	5	8	11	13	14
B. *Operated*										
0-19 YRS	49	8.6	48	2	3	7	12	15	17	43
20-34	66	7.5	18	1	1	7	10	14	16	19
35-49	89	7.7	25	2	2	7	9	14	20	26
50-64	115	7.8	22	2	3	7	9	14	17	24
65+	61	9.6	35	2	3	9	11	20	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.0	20	<1	1	3	9	11	13	16
20-34	26	8.8	172	1	2	3	10	27	37	60
35-49	54	6.3	34	1	2	5	7	12	19	30
50-64	101	7.6	93	1	2	5	9	14	20	60
65+	119	7.1	39	1	2	6	8	14	17	41
B. *Operated*										
0-19 YRS	68	15.8	286	1	2	11	19	50	61	94
20-34	74	12.5	63	2	5	10	15	23	32	38
35-49	102	11.3	109	1	3	8	12	24	32	55
50-64	149	13.6	190	2	3	9	15	28	36	86
65+	173	14.5	114	4	5	12	17	29	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	5.1	25	<1	1	3	7	11	14	29
B. *Operated*	380	8.1	28	2	3	7	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	324	7.1	64	1	2	5	8	14	18	43
B. *Operated*	566	13.6	148	2	4	10	16	28	36	67
1. SINGLE DX	451	7.6	28	1	2	7	10	14	17	25
2. MULTIPLE DX	890	11.2	127	2	2	8	14	23	33	61
A. NOT OPERATED	395	6.7	58	1	2	5	8	13	18	42
B. OPERATED	946	11.4	107	2	3	9	14	21	32	61
TOTAL 0-19 YRS	147	11.1	172	1	2	7	13	23	46	68
20-34	182	9.4	64	1	2	8	12	18	24	37
35-49	260	8.7	67	1	2	7	10	20	25	41
50-64	383	9.9	114	2	2	7	12	17	28	71
65+	369	10.9	84	2	3	9	14	21	29	54
GRAND TOTAL	**1341**	**10.0**	**97**	**1**	**2**	**7**	**12**	**19**	**28**	**58**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	4	4.0	5	1	1	4	5	6	6	6
20-34	5	6.4	11	1	1	7	8	10	10	10
35-49	5	10.0	17	7	7	8	12	17	17	17
50-64	7	12.4	75	5	5	9	19	26	27	27
65+	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	3	11.3	32	5	5	13	15	16	16	16
50-64	7	12.6	169	1	1	9	14	35	40	40
65+	16	9.0	66	1	2	6	12	20	28	32
B. *Operated*										
0-19 YRS	5	7.6	10	3	3	9	10	11	11	11
20-34	5	14.8	50	5	5	14	21	23	23	23
35-49	14	19.9	450	4	7	13	25	87	97	99+
50-64	14	17.9	210	1	1	15	32	36	47	50
65+	15	17.7	314	2	7	11	18	44	64	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	23	8.4	39	1	1	7	10	18	24	27
2. MULTIPLE DX										
A. *Not Operated*	28	9.6	84	1	1	7	14	19	33	40
B. *Operated*	53	17.1	266	2	5	12	20	37	67	99+
1. SINGLE DX	26	7.6	39	<1	1	7	9	16	23	27
2. MULTIPLE DX	81	14.5	214	1	2	11	16	34	46	96
A. NOT OPERATED	31	8.8	81	<1	1	6	12	18	31	40
B. OPERATED	76	14.5	212	1	3	10	17	34	48	96
TOTAL 0-19 YRS	12	4.8	12	<1	<1	4	7	10	11	11
20-34	10	10.6	47	1	3	9	14	21	23	23
35-49	22	16.5	306	4	6	13	18	46	92	99+
50-64	30	14.3	162	1	1	10	16	34	40	50
65+	33	12.6	192	1	2	9	15	25	42	71
GRAND TOTAL	**107**	**12.8**	**179**	**1**	**2**	**9**	**15**	**30**	**40**	**92**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	14	2.0	2	1	1	2	2	3	5	6
35-49	15	2.1	1	1	1	2	2	4	4	4
50-64	13	2.5	2	1	1	2	3	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	20	5.3	37	1	1	3	5	17	20	21
20-34	106	2.5	2	1	1	2	3	5	6	8
35-49	107	2.8	4	1	1	2	3	4	5	12
50-64	52	2.7	2	1	1	2	3	4	5	9
65+	27	2.9	3	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	20	1	1	5	8	13	13	13
20-34	12	3.3	15	1	1	2	3	7	14	15
35-49	21	4.2	22	1	1	2	5	11	17	19
50-64	7	5.3	17	2	2	3	7	12	13	13
65+	20	6.2	26	1	2	5	8	11	18	24
B. *Operated*										
0-19 YRS	22	4.5	11	1	1	3	7	9	12	14
20-34	123	3.8	17	1	2	3	4	7	10	26
35-49	141	4.8	46	1	2	3	5	8	14	46
50-64	107	5.7	45	2	2	4	7	11	17	39
65+	119	7.0	30	2	2	5	9	15	20	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.1	1	1	1	2	2	4	5	6
B. *Operated*	312	2.9	5	1	1	2	3	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	65	4.9	21	1	1	3	6	11	15	23
B. *Operated*	512	5.2	35	2	2	3	6	10	15	28
1. SINGLE DX	361	2.7	5	1	1	2	3	5	6	14
2. MULTIPLE DX	577	5.2	33	1	2	3	6	11	15	26
A. NOT OPERATED	114	3.7	14	1	1	2	4	8	12	21
B. OPERATED	824	4.3	25	1	2	3	5	8	13	23
TOTAL 0-19 YRS	52	4.6	21	1	1	3	6	11	15	21
20-34	255	3.2	11	1	1	2	3	5	7	17
35-49	284	3.9	27	1	1	3	4	7	9	27
50-64	179	4.6	30	1	2	3	5	9	12	23
65+	168	6.1	27	2	2	4	7	14	18	24
GRAND TOTAL	**938**	**4.3**	**24**	**1**	**1**	**3**	**5**	**8**	**13**	**22**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	181	2	2	11	21	21	21	21
20-34	4	1.3		1	1	1	2	2	2	2
35-49	12	4.9	28	<1	1	3	6	12	19	20
50-64	31	3.7	12	1	1	3	5	8	13	15
65+	33	4.5	17	1	1	3	7	9	10	21
B. *Operated*										
0-19 YRS	9	4.0	8	<1	<1	4	6	8	8	8
20-34	17	7.8	96	<1	1	4	7	25	33	36
35-49	38	4.0	16	<1	<1	3	5	8	9	23
50-64	79	3.9	13	<1	<1	2	6	9	11	17
65+	82	4.6	28	<1	<1	3	6	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.0	21	1	2	6	8	12	17	21
20-34	130	5.5	20	1	1	4	7	11	15	22
35-49	510	6.3	29	1	1	5	8	14	17	27
50-64	1467	7.0	44	1	2	5	9	15	19	35
65+	2770	7.5	40	1	2	6	10	15	19	34
B. *Operated*										
0-19 YRS	36	9.5	126	2	3	7	9	17	29	65
20-34	211	7.7	55	1	1	6	9	16	27	36
35-49	766	8.7	75	1	1	7	11	18	24	46
50-64	2066	9.4	91	1	2	7	12	19	27	49
65+	3308	10.3	91	1	2	8	13	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.3	19	1	1	3	6	9	14	21
B. *Operated*	225	4.5	25	<1	<1	3	6	9	11	29
2. MULTIPLE DX										
A. *Not Operated*	4897	7.2	40	1	2	6	9	15	19	33
B. *Operated*	6387	9.7	89	1	2	7	12	20	28	47
1. SINGLE DX	307	4.4	24	<1	1	3	6	9	12	25
2. MULTIPLE DX	11284	8.6	69	1	2	6	11	18	24	42
A. NOT OPERATED	4979	7.1	39	1	2	5	9	14	19	33
B. OPERATED	6612	9.5	87	1	2	7	12	19	27	46
TOTAL 0-19 YRS	67	8.1	81	1	2	6	8	14	21	60
20-34	362	6.8	45	1	1	5	9	15	19	36
35-49	1326	7.6	56	1	1	6	10	15	21	39
50-64	3643	8.2	71	1	1	6	10	17	24	44
65+	6193	9.0	69	1	2	7	11	18	24	42
GRAND TOTAL	**11591**	**8.5**	**68**	**1**	**2**	**6**	**11**	**17**	**24**	**42**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	4.8	31	1	1	2	8	14	14	14
35-49	12	2.1	1	<1	1	2	2	3	4	4
50-64	5	2.6	7	<1	<1	1	4	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	32	4.4	5	<1	1	4	6	7	9	10
20-34	89	4.1	9	1	1	4	6	8	9	15
35-49	44	3.4	6	<1	1	3	5	6	8	10
50-64	15	4.1	5	1	1	4	6	7	8	8
65+	10	3.3	8	<1	<1	2	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	7	1	1	3	6	7	8	8
20-34	20	5.6	37	<1	1	4	7	10	19	28
35-49	13	5.5	13	1	1	6	8	10	12	13
50-64	15	8.0	27	<1	2	6	12	15	18	19
65+	8	5.4	13	1	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	15	8.3	25	1	2	8	11	14	19	21
20-34	79	7.0	24	1	2	6	9	12	19	26
35-49	39	9.3	46	1	2	7	12	19	23	33
50-64	32	8.5	65	1	2	6	10	18	23	42
65+	46	11.0	77	1	2	9	14	25	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.7	8	<1	1	2	3	6	9	14
B. *Operated*	190	3.9	7	<1	1	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	64	5.9	23	1	1	5	8	11	14	27
B. *Operated*	211	8.6	47	1	2	7	10	18	23	36
1. SINGLE DX	215	3.8	8	<1	1	3	6	7	8	14
2. MULTIPLE DX	275	8.0	43	1	2	6	10	17	21	34
A. NOT OPERATED	89	5.0	21	1	1	4	7	10	14	24
B. OPERATED	401	6.4	34	1	1	5	8	12	19	30
TOTAL 0-19 YRS	56	5.4	14	1	1	5	7	10	12	21
20-34	193	5.5	20	1	1	5	7	10	14	26
35-49	108	5.6	29	1	1	5	7	12	18	28
50-64	67	7.0	43	1	1	5	8	15	19	39
65+	66	8.8	67	1	1	7	12	19	26	39
GRAND TOTAL	**490**	**6.1**	**32**	**1**	**1**	**5**	**8**	**12**	**18**	**27**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	5	<1	<1	2	4	6	7	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	8.3	69	1	1	7	9	22	24	24
50-64	4	6.5	18	2	2	6	9	12	12	12
65+	6	3.0	3	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	56	5.3	18	<1	1	4	7	10	14	22
20-34	6	22.8	201	1	2	22	38	38	38	38
35-49	6	3.2	6	1	1	2	5	7	7	7
50-64	5	12.0	13	7	7	12	14	17	17	17
65+	10	5.7	30	1	1	3	8	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	5.4	32	<1	1	4	7	12	15	30
20-34	13	5.8	29	<1	1	5	10	15	16	16
35-49	13	6.8	29	1	2	7	9	14	19	20
50-64	24	6.3	27	1	2	5	8	13	17	24
65+	84	6.6	27	1	2	5	9	12	18	25
B. *Operated*										
0-19 YRS	94	15.0	169	2	3	11	23	29	39	61
20-34	27	23.8	370	3	5	22	34	43	71	80
35-49	18	21.1	257	3	3	20	30	42	54	61
50-64	29	17.3	274	2	2	11	30	42	50	63
65+	72	10.8	104	1	2	8	13	26	37	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.8	15	<1	<1	3	5	7	9	24
B. *Operated*	83	6.9	52	<1	1	5	8	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	275	5.9	30	<1	1	5	8	12	16	25
B. *Operated*	240	15.5	205	2	2	10	23	35	43	64
1. SINGLE DX	133	5.7	40	<1	1	4	7	12	18	38
2. MULTIPLE DX	515	10.4	134	1	1	7	12	25	35	60
A. NOT OPERATED	325	5.6	28	<1	1	4	7	12	15	24
B. OPERATED	323	13.3	179	1	2	8	19	32	40	62
TOTAL 0-19 YRS	324	7.9	87	<1	1	5	9	21	26	52
20-34	47	18.2	310	1	1	14	27	38	48	80
35-49	43	12.5	178	1	2	8	20	31	40	61
50-64	62	11.9	166	1	2	8	13	32	42	61
65+	172	8.2	63	1	2	6	10	17	25	42
GRAND TOTAL	**648**	**9.4**	**118**	**1**	**1**	**6**	**11**	**24**	**32**	**55**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	16	<1	<1	6	7	11	14	14
20-34	10	2.8	4	1	1	2	5	6	6	6
35-49	5	7.8	24	2	2	6	11	15	15	15
50-64	18	6.1	55	1	2	4	6	14	26	32
65+	29	3.2	11	<1	<1	1	5	8	11	12
B. *Operated*										
0-19 YRS	17	5.8	8	<1	1	6	8	9	10	11
20-34	17	10.8	187	1	1	4	24	33	39	41
35-49	10	24.2	792	3	3	16	35	65	95	95
50-64	20	10.5	135	1	2	6	14	31	35	38
65+	18	5.3	20	1	1	4	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.9	71	<1	<1	4	9	18	23	40
20-34	22	10.1	99	<1	1	6	15	28	29	30
35-49	30	8.7	79	1	2	6	10	24	31	35
50-64	72	6.4	48	1	1	4	8	15	21	34
65+	136	8.5	79	1	1	5	11	20	25	44
B. *Operated*										
0-19 YRS	43	24.5	473	3	5	18	35	62	67	94
20-34	42	23.7	339	2	3	24	29	48	64	78
35-49	58	21.4	389	2	3	14	33	56	79	99+
50-64	97	23.2	315	2	4	22	33	47	58	98
65+	186	19.1	311	2	3	12	30	44	54	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.6	24	<1	<1	3	6	10	14	28
B. *Operated*	82	10.1	196	1	1	5	11	29	36	78
2. MULTIPLE DX										
A. *Not Operated*	312	7.9	72	1	1	5	10	20	26	40
B. *Operated*	426	21.3	343	2	3	16	33	47	61	94
1. SINGLE DX	156	7.5	121	<1	<1	4	8	17	31	41
2. MULTIPLE DX	738	15.7	272	1	2	9	25	39	49	79
A. NOT OPERATED	386	7.3	65	<1	1	5	9	18	25	40
B. OPERATED	508	19.5	336	2	2	12	31	44	58	94
TOTAL 0-19 YRS	124	12.7	267	<1	1	7	14	36	48	74
20-34	91	15.7	271	1	1	9	26	36	47	77
35-49	103	17.3	351	2	2	9	29	36	72	99+
50-64	207	14.7	246	1	2	7	26	36	46	81
65+	369	13.3	224	1	1	7	18	35	44	64
GRAND TOTAL	**894**	**14.2**	**255**	**1**	**1**	**8**	**22**	**36**	**47**	**79**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	6	5.7	5	3	3	5	7	9	9	9
35-49	34	3.1	15	<1	<1	2	3	6	12	20
50-64	38	3.1	16	1	1	2	4	7	9	23
65+	33	4.8	18	<1	<1	4	7	10	15	17
B. *Operated*										
0-19 YRS	31	3.7	4	1	1	3	5	7	7	8
20-34	33	4.4	21	<1	1	4	6	9	10	24
35-49	55	4.4	28	<1	1	3	6	8	9	37
50-64	129	5.0	24	<1	1	3	7	10	14	26
65+	140	4.6	20	<1	1	3	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.8	35	<1	1	3	6	10	14	30
20-34	23	4.7	10	<1	1	4	6	10	12	12
35-49	85	7.6	92	1	1	5	8	14	23	52
50-64	229	7.6	51	1	2	5	10	16	21	38
65+	459	8.5	71	1	2	6	10	17	25	43
B. *Operated*										
0-19 YRS	27	10.4	91	1	1	9	15	22	31	42
20-34	48	11.8	220	1	2	7	11	28	43	82
35-49	143	10.9	116	1	2	8	13	22	32	52
50-64	347	12.8	195	1	2	8	15	29	40	73
65+	723	12.4	122	2	3	10	16	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.7	16	<1	<1	2	4	8	12	21
B. *Operated*	388	4.6	21	<1	1	3	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	825	7.9	66	1	2	6	10	16	24	43
B. *Operated*	1288	12.3	144	1	2	9	15	25	36	63
1. SINGLE DX	502	4.4	20	<1	1	3	6	9	12	22
2. MULTIPLE DX	2113	10.6	118	1	2	7	13	22	32	57
A. NOT OPERATED	939	7.4	61	1	1	5	9	15	23	42
B. OPERATED	1676	10.5	126	1	1	7	13	22	32	61
TOTAL 0-19 YRS	90	6.0	48	1	1	4	7	14	18	37
20-34	110	7.8	116	1	1	5	8	13	26	65
35-49	317	8.0	91	<1	1	5	9	17	25	49
50-64	743	9.3	124	1	1	6	12	20	30	63
65+	1355	10.1	99	1	2	7	13	22	30	48
GRAND TOTAL	**2615**	**9.4**	**105**	**1**	**1**	**6**	**12**	**20**	**29**	**53**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	28	1.9	3	<1	<1	1	2	4	7	8
20-34	102	1.7	1	1	1	1	2	3	4	6
35-49	155	1.8	2	<1	1	2	2	3	3	5
50-64	138	2.0	1	1	1	2	3	3	4	6
65+	111	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	8	2.9	4	1	1	2	5	6	6	6
20-34	25	2.2	2	1	1	2	3	4	5	7
35-49	52	2.2	2	1	1	2	3	3	4	8
50-64	84	2.1	2	<1	1	2	3	3	4	7
65+	117	2.9	15	1	1	2	3	4	5	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	534	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	286	2.5	7	1	1	2	3	4	5	8
1. SINGLE DX	535	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	288	2.5	7	1	1	2	3	4	5	8
A. NOT OPERATED	3	2.0	3	<1	<1	<1	3	4	4	4
B. OPERATED	820	2.1	3	1	1	2	3	3	4	7
TOTAL 0-19 YRS	36	2.1	4	<1	<1	1	2	5	7	8
20-34	128	1.8	1	1	1	2	2	3	4	7
35-49	208	1.9	2	<1	1	2	2	3	4	7
50-64	222	2.0	1	1	1	2	3	3	4	6
65+	229	2.5	8	1	1	2	3	4	4	9
GRAND TOTAL	**823**	**2.1**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	6	1.2		<1	<1	<1	1	2	2	2
B. *Operated*										
0-19 YRS	12	2.6	5	<1	<1	2	4	6	8	8
20-34	26	5.8	11	<1	1	6	7	9	11	17
35-49	48	3.7	8	<1	<1	3	6	8	9	9
50-64	117	3.7	12	<1	<1	2	6	8	9	14
65+	147	3.9	14	<1	<1	2	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	15	4.3	7	<1	1	4	6	7	10	11
65+	43	4.4	20	<1	1	3	6	10	12	25
B. *Operated*										
0-19 YRS	9	9.1	99	<1	<1	4	15	24	29	29
20-34	41	7.2	15	2	2	7	9	12	15	17
35-49	74	5.6	28	<1	<1	4	8	12	15	29
50-64	277	5.9	41	<1	<1	5	8	12	15	47
65+	647	7.1	48	<1	<1	6	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.4	1	<1	<1	<1	1	3	4	5
B. *Operated*	350	3.9	12	<1	<1	2	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	63	4.3	15	<1	1	3	6	8	11	23
B. *Operated*	1048	6.7	44	<1	<1	6	9	14	18	35
1. SINGLE DX	368	3.8	12	<1	<1	2	6	8	10	14
2. MULTIPLE DX	1111	6.6	43	<1	<1	5	9	13	18	34
A. NOT OPERATED	81	3.6	14	<1	<1	2	5	7	11	21
B. OPERATED	1398	6.0	38	<1	<1	5	8	12	16	31
TOTAL 0-19 YRS	24	5.0	48	<1	<1	2	5	15	21	29
20-34	70	6.5	14	1	2	6	9	11	15	17
35-49	128	4.7	21	<1	<1	4	7	9	12	22
50-64	414	5.2	32	<1	<1	4	8	11	13	35
65+	843	6.4	42	<1	<1	5	9	13	18	30
GRAND TOTAL	**1479**	**5.9**	**37**	**<1**	**<1**	**5**	**8**	**12**	**16**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.0	7	<1	<1	<1	1	5	9	14
20-34	36	3.1	5	<1	<1	2	5	6	7	7
35-49	35	3.7	8	1	1	3	6	7	9	9
50-64	57	3.8	6	<1	<1	4	6	7	8	9
65+	25	3.8	15	<1	<1	1	7	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	12	2.8	6	<1	<1	1	5	7	7	7
20-34	21	3.9	24	<1	<1	1	5	9	17	21
35-49	30	5.0	32	<1	<1	3	7	10	13	29
50-64	53	6.3	21	<1	1	6	9	12	16	20
65+	69	7.1	59	1	1	6	9	14	18	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	205	3.2	8	<1	<1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	4	5.3	15	1	1	5	8	9	9	9
B. *Operated*	185	5.9	38	<1	1	5	8	13	16	28
1. SINGLE DX	205	3.2	8	<1	<1	2	6	7	8	12
2. MULTIPLE DX	189	5.9	37	<1	1	5	8	12	15	28
A. NOT OPERATED	4	5.3	15	1	1	5	8	9	9	9
B. OPERATED	390	4.5	24	<1	<1	3	7	9	13	21
TOTAL 0-19 YRS	64	2.2	7	<1	<1	<1	2	6	8	13
20-34	57	3.4	12	<1	<1	2	5	6	7	20
35-49	65	4.3	19	<1	1	3	6	8	10	27
50-64	112	5.0	15	<1	<1	5	7	9	12	19
65+	96	6.2	48	<1	<1	5	8	14	15	41
GRAND TOTAL	**394**	**4.5**	**24**	**<1**	**<1**	**3**	**7**	**9**	**13**	**21**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	304	1.9	3	<1	<1	1	2	3	5	9
20-34	222	2.0	3	<1	<1	1	2	5	6	9
35-49	245	1.9	4	<1	<1	1	2	4	6	9
50-64	185	2.1	5	<1	<1	1	2	5	6	12
65+	91	2.5	8	<1	<1	1	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	2.0	3	<1	<1	<1	3	4	4	4
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	7	2.3	5	<1	<1	<1	4	6	6	6
65+	7	3.6	31	<1	<1	1	3	13	16	16
B. *Operated*										
0-19 YRS	66	3.2	16	<1	1	1	3	8	10	21
20-34	89	4.0	29	<1	<1	2	5	9	11	34
35-49	132	3.7	14	<1	<1	2	5	9	12	20
50-64	160	4.3	20	<1	1	3	6	10	13	24
65+	132	4.5	21	<1	<1	3	7	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	1047	2.0	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	20	2.9	14	<1	<1	1	3	7	12	16
B. *Operated*	579	4.0	20	<1	<1	2	5	9	12	22
1. SINGLE DX	1056	2.0	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX	599	4.0	20	<1	<1	2	5	9	12	22
A. NOT OPERATED	29	2.4	10	<1	<1	1	2	6	8	16
B. OPERATED	1626	2.7	11	<1	<1	1	3	6	9	17
TOTAL 0-19 YRS	375	2.1	6	<1	<1	1	2	4	6	14
20-34	317	2.5	11	<1	<1	1	3	5	7	14
35-49	379	2.6	8	<1	<1	1	3	6	8	16
50-64	353	3.1	13	<1	<1	2	4	7	10	20
65+	231	3.7	17	<1	<1	2	5	9	11	19
GRAND TOTAL	**1655**	**2.7**	**11**	**<1**	**<1**	**1**	**3**	**6**	**9**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	12	<1	<1	2	7	8	8	8
20-34	3	2.0		2	2	2	2	2	2	2
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	5	2.2	3	<1	<1	1	3	5	5	5
65+	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	184	1.7	2	<1	<1	1	2	3	5	8
20-34	69	2.6	6	<1	<1	2	3	6	8	12
35-49	57	2.6	7	<1	<1	2	3	8	8	11
50-64	44	1.8	2	<1	<1	1	2	3	4	9
65+	13	2.2	7	<1	<1	1	2	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	22	<1	<1	2	8	12	12	12
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	18	6.1	32	1	1	4	10	13	18	22
B. *Operated*										
0-19 YRS	42	3.9	18	<1	<1	2	4	8	13	21
20-34	50	4.0	11	<1	<1	3	6	8	9	17
35-49	48	4.5	26	<1	<1	2	6	11	17	24
50-64	44	4.6	22	<1	1	3	6	12	13	23
65+	53	7.4	57	<1	1	6	9	16	26	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.4	4	<1	<1	2	3	6	8	8
B. *Operated*	367	2.0	4	<1	<1	1	2	4	7	10
2. MULTIPLE DX										
A. *Not Operated*	33	4.8	24	<1	1	3	6	12	13	22
B. *Operated*	237	4.9	29	<1	<1	3	7	11	16	27
1. SINGLE DX	386	2.1	4	<1	<1	1	2	4	7	10
2. MULTIPLE DX	270	4.9	28	<1	<1	3	7	11	15	26
A. NOT OPERATED	52	3.9	18	<1	<1	2	5	10	13	22
B. OPERATED	604	3.2	16	<1	<1	2	4	8	10	20
TOTAL 0-19 YRS	238	2.2	6	<1	<1	1	3	5	7	13
20-34	125	3.1	8	<1	<1	2	4	8	9	13
35-49	111	3.5	16	<1	<1	2	4	8	11	20
50-64	95	3.1	13	<1	<1	2	3	8	12	19
65+	87	6.1	46	<1	<1	4	9	15	20	31
GRAND TOTAL	**656**	**3.2**	**16**	**<1**	**<1**	**2**	**4**	**8**	**11**	**21**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	1.2		<1	<1	<1	1	2	3	3
20-34	38	1.0		<1	<1	<1	<1	1	1	1
35-49	39	1.0		<1	<1	<1	<1	1	1	1
50-64	39	1.2		<1	<1	<1	1	2	3	3
65+	21	2.7	43	<1	<1	<1	1	3	16	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	1.6	1	<1	<1	1	2	3	4	4
35-49	44	2.1	2	<1	<1	1	3	4	5	7
50-64	34	1.4	2	<1	<1	1	1	2	3	8
65+	44	1.8	1	<1	<1	1	2	3	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	149	1.3	6	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	148	1.7	2	<1	<1	1	2	4	5	7
1. SINGLE DX	149	1.3	6	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	148	1.7	2	<1	<1	1	2	4	5	7
A. NOT OPERATED										
B. OPERATED	297	1.5	4	<1	<1	<1	1	3	4	7
TOTAL 0-19 YRS	13	1.2		<1	<1	<1	1	2	3	3
20-34	63	1.2		<1	<1	<1	1	2	3	4
35-49	83	1.6	2	<1	<1	<1	2	3	5	7
50-64	73	1.3	1	<1	<1	<1	1	2	3	7
65+	65	2.1	14	<1	<1	1	2	3	5	27
GRAND TOTAL	**297**	**1.5**	**4**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**7**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.2	2	<1	<1	2	3	5	5	5
35-49	5	4.6	10	2	2	3	7	9	9	9
50-64	1	2.0	.	2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	198	4.1	5	1	2	4	5	5	6	7
35-49	694	4.2	2	2	3	4	5	6	6	8
50-64	107	4.3	3	<1	1	4	5	6	6	9
65+	7	4.0	2	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	3.0	5	<1	<1	2	4	7	8	8
35-49	58	2.6	6	<1	<1	1	4	5	7	13
50-64	10	3.3	6	<1	<1	3	5	7	8	8
65+	8	3.3	7	<1	<1	2	5	7	8	8
B. *Operated*										
0-19 YRS	14	4.4	1	2	3	4	5	6	6	6
20-34	1108	4.5	3	2	3	4	5	6	7	11
35-49	6987	4.7	3	3	3	4	5	6	7	11
50-64	1280	5.1	4	3	3	5	6	7	8	13
65+	156	5.6	6	2	3	5	6	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.0	6	<1	<1	2	4	7	8	9
B. *Operated*	1007	4.2	2	1	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	98	2.8	6	<1	<1	2	4	6	8	12
B. *Operated*	9545	4.7	4	3	3	4	5	6	7	11
1. SINGLE DX	1022	4.2	3	1	3	4	5	6	6	8
2. MULTIPLE DX	9643	4.7	4	3	3	4	5	6	7	11
A. NOT OPERATED	113	2.8	6	<1	<1	2	4	6	8	12
B. OPERATED	10552	4.7	4	3	3	4	5	6	7	11
TOTAL 0-19 YRS	15	4.5	1	2	3	4	5	6	6	6
20-34	1337	4.4	4	2	3	4	5	6	7	11
35-49	7744	4.6	3	3	3	4	5	6	7	11
50-64	1398	5.0	4	3	3	5	6	7	8	13
65+	171	5.5	6	2	3	5	6	8	11	14
GRAND TOTAL	**10665**	**4.7**	**4**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	3.3	2	1	1	3	4	6	6	6
35-49	15	4.3	3	<1	2	5	6	6	7	7
50-64	3	4.0	1	3	3	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	26	4.3	4	<1	1	4	5	7	9	11
35-49	135	4.6	2	3	3	4	5	6	7	10
50-64	44	4.7	4	2	3	4	5	6	9	14
65+	5	8.0	27	4	4	6	9	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	4.0	3	1	2	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	210	4.7	3	3	3	4	5	6	7	13
1. SINGLE DX	25	4.0	3	1	2	4	5	6	7	7
2. MULTIPLE DX	212	4.7	3	3	3	4	5	6	7	13
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	235	4.6	3	3	3	4	5	6	7	12
TOTAL 0-19 YRS										
20-34	33	4.1	4	<1	1	4	5	6	8	11
35-49	151	4.6	2	3	3	4	5	6	7	10
50-64	48	4.6	4	2	3	4	5	6	8	14
65+	5	8.0	27	4	4	6	9	17	17	17
GRAND TOTAL	**237**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	90	3.7	1	2	3	4	4	5	5	7
20-34	393	3.6	1	2	2	3	4	5	5	7
35-49	144	4.3	2	3	3	4	5	6	7	8
50-64	74	4.8	2	3	3	4	6	7	7	9
65+	43	5.4	5	3	4	5	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	60	4.3	2	2	3	4	5	6	7	9
20-34	461	4.1	2	3	3	4	5	6	6	8
35-49	410	4.9	5	3	3	5	5	7	7	11
50-64	268	5.4	6	3	3	5	6	8	11	15
65+	245	6.9	12	3	4	6	8	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	744	4.0	2	2	3	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5	4.4	8	<1	<1	4	5	9	9	9
B. *Operated*	1444	5.0	6	3	3	5	6	7	9	14
1. SINGLE DX	746	4.0	2	2	3	4	5	5	6	9
2. MULTIPLE DX	1449	5.0	6	3	3	5	6	7	9	14
A. NOT OPERATED	7	3.9	6	<1	<1	4	4	8	9	9
B. OPERATED	2188	4.7	5	3	3	4	5	7	8	13
TOTAL 0-19 YRS	151	3.9	1	2	3	4	4	5	6	8
20-34	857	3.9	2	2	3	4	4	5	6	8
35-49	556	4.7	4	3	3	4	5	6	7	10
50-64	342	5.2	5	3	3	5	6	7	9	15
65+	289	6.7	11	3	4	6	8	10	13	19
GRAND TOTAL	**2195**	**4.7**	**5**	**3**	**3**	**4**	**5**	**7**	**8**	**13**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	6	2.7	2	<1	<1	3	4	4	4	4
35-49	10	2.5	2	<1	<1	3	4	4	4	4
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	14	3.4	2	1	1	4	4	5	5	5
35-49	19	3.7	3	<1	<1	4	5	6	6	6
50-64	10	6.9	40	1	2	5	7	16	24	24
65+	12	4.5	9	<1	1	4	7	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	20	2.6	2	<1	<1	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	55	4.4	12	<1	1	4	5	7	8	23
1. SINGLE DX	22	2.5	2	<1	<1	3	4	4	5	5
2. MULTIPLE DX	55	4.4	12	<1	1	4	5	7	8	23
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	75	3.9	10	<1	<1	4	5	6	8	20
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.1	2	<1	1	3	4	5	5	5
35-49	29	3.3	3	<1	<1	4	4	6	6	6
50-64	12	6.1	37	<1	1	5	7	13	22	24
65+	14	4.3	9	<1	<1	4	7	8	9	9
GRAND TOTAL	**77**	**3.8**	**10**	**<1**	**<1**	**4**	**5**	**6**	**8**	**20**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	8	1.4	1	1	1	1	2	3	3	3
35-49	11	1.6	1	<1	<1	1	2	3	3	3
50-64	10	2.2	5	<1	<1	1	3	6	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	8	5.5	20	<1	<1	4	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	1.8	2	<1	<1	1	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	18	3.2	13	<1	<1	2	3	10	12	12
1. SINGLE DX	33	1.8	2	<1	<1	1	2	3	3	8
2. MULTIPLE DX	18	3.2	13	<1	<1	2	3	10	12	12
A. NOT OPERATED										
B. OPERATED	51	2.3	6	<1	<1	1	2	4	8	12
TOTAL 0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	10	1.3		1	1	1	1	2	3	3
35-49	13	1.5	1	<1	<1	1	2	3	3	3
50-64	14	2.0	4	<1	<1	1	2	4	7	8
65+	9	5.1	19	<1	<1	3	9	12	12	12
GRAND TOTAL	**51**	**2.3**	**6**	**<1**	**<1**	**1**	**2**	**4**	**8**	**12**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	5.8	14	<1	<1	5	9	10	10	10
35-49	12	4.4	7	<1	1	5	6	8	8	8
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	17	2.6	6	<1	<1	2	3	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	6.0	30	1	1	4	8	15	17	17
35-49	14	5.4	13	1	1	6	8	9	11	12
50-64	13	5.2	19	<1	1	3	10	11	12	12
65+	55	4.5	22	1	1	3	6	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	40	3.4	8	<1	<1	2	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	90	4.9	20	1	1	3	8	11	12	21
1. SINGLE DX	40	3.4	8	<1	<1	2	5	8	9	10
2. MULTIPLE DX	90	4.9	20	1	1	3	8	11	12	21
A. NOT OPERATED										
B. OPERATED	130	4.4	17	<1	1	3	7	10	12	21
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	5.9	21	<1	1	5	8	12	16	17
35-49	26	4.9	10	<1	1	5	8	8	10	12
50-64	19	3.9	16	<1	<1	2	7	11	12	12
65+	72	4.1	19	1	1	2	6	9	12	21
GRAND TOTAL	**130**	**4.4**	**17**	**<1**	**1**	**3**	**7**	**10**	**12**	**21**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.2	5	<1	<1	1	3	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	5	2.4	3	<1	<1	2	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	1.7	3	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	8	2.5	2	<1	<1	2	4	5	5	5
1. SINGLE DX	9	1.7	3	<1	<1	1	2	4	6	6
2. MULTIPLE DX	8	2.5	2	<1	<1	2	4	5	5	5
A. NOT OPERATED										
B. OPERATED	17	2.1	3	<1	<1	1	3	5	6	6
TOTAL 0-19 YRS	5	2.2	5	<1	<1	1	3	6	6	6
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	5	2.4	3	<1	<1	2	3	5	5	5
GRAND TOTAL	**17**	**2.1**	**3**	**<1**	**<1**	**1**	**3**	**5**	**6**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	2.7	7	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	8	7.8	19	2	3	7	10	14	16	16
20-34	30	7.1	15	1	1	8	10	10	11	18
35-49	78	7.0	37	1	1	7	9	11	13	41
50-64	80	8.7	29	1	3	8	11	15	16	33
65+	58	9.3	21	2	4	9	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	3.9	4	1	1	4	6	6	6	6
50-64	17	5.3	34	<1	1	3	7	12	19	23
65+	46	7.8	130	1	2	4	8	17	25	65
B. *Operated*										
0-19 YRS	7	12.7	73	4	4	11	14	27	30	30
20-34	35	9.7	60	1	3	8	12	22	27	35
35-49	76	12.2	70	2	4	10	16	24	26	47
50-64	132	13.5	145	2	5	9	17	30	49	99+
65+	162	14.5	120	3	5	12	19	29	37	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	4	<1	1	2	3	4	7	8
B. *Operated*	254	8.1	28	1	2	8	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	74	6.6	91	1	1	4	8	12	19	60
B. *Operated*	412	13.3	114	2	4	10	17	27	35	99+
1. SINGLE DX	268	7.8	29	1	1	8	10	13	16	24
2. MULTIPLE DX	486	12.3	116	1	2	10	15	25	34	94
A. NOT OPERATED	88	5.9	79	1	1	3	6	11	19	58
B. OPERATED	666	11.3	88	1	3	9	13	22	30	75
TOTAL 0-19 YRS	16	9.5	49	1	2	8	12	16	26	30
20-34	66	8.4	41	1	1	8	10	15	22	34
35-49	166	9.1	58	1	2	8	10	18	24	49
50-64	233	11.0	103	1	2	9	13	21	34	99+
65+	273	11.9	108	1	2	10	14	23	31	81
GRAND TOTAL	**754**	**10.7**	**90**	**1**	**2**	**9**	**13**	**21**	**30**	**68**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	14	2.2		1	1	2	3	3	3	3
20-34	184	2.0	1	1	1	2	3	3	4	4
35-49	236	2.1	1	1	1	2	3	3	4	4
50-64	124	2.2	1	1	1	2	3	3	4	5
65+	55	2.5	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	61	2.5	3	1	1	2	3	4	5	11
35-49	133	2.4	2	1	1	2	3	4	4	8
50-64	125	2.8	3	1	2	3	3	4	5	13
65+	94	4.1	24	1	2	3	4	6	9	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	613	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*	419	2.9	8	1	1	2	3	4	5	15
1. SINGLE DX	614	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	421	2.9	8	1	1	2	3	4	5	15
A. NOT OPERATED	3	5.3	26	1	1	4	9	11	11	11
B. OPERATED	1032	2.4	4	1	1	2	3	4	4	9
TOTAL 0-19 YRS	20	2.2		1	1	2	3	3	3	3
20-34	245	2.2	1	1	1	2	3	3	4	5
35-49	369	2.2	1	1	1	2	3	3	4	5
50-64	250	2.5	2	1	1	2	3	4	4	9
65+	151	3.5	16	1	1	3	4	5	7	27
GRAND TOTAL	**1035**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**9**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	4	5.8	1	5	5	6	6	7	7	7
20-34	45	6.2	11	3	4	5	7	8	11	23
35-49	51	4.6	9	1	2	4	6	8	12	14
50-64	59	3.8	4	1	2	3	5	7	8	9
65+	41	4.0	4	2	2	3	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.4	53	1	1	4	13	18	20	20
35-49	5	3.8	6	2	2	3	5	8	8	8
50-64	9	4.4	12	<1	<1	5	7	10	10	10
65+	11	8.7	46	<1	2	7	12	18	24	25
B. *Operated*										
0-19 YRS	4	9.5	65	3	3	7	15	21	21	21
20-34	53	7.5	40	2	2	6	8	17	20	33
35-49	110	5.7	16	2	2	5	7	10	16	22
50-64	167	5.8	27	2	2	4	7	11	14	29
65+	151	7.3	69	2	2	4	8	16	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	9	1	1	3	4	9	9	9
B. *Operated*	200	4.6	8	2	2	4	6	8	8	15
2. MULTIPLE DX										
A. *Not Operated*	33	6.5	34	<1	<1	4	9	14	19	25
B. *Operated*	485	6.5	40	2	2	5	7	12	19	31
1. SINGLE DX	206	4.6	8	1	2	4	6	8	8	15
2. MULTIPLE DX	518	6.5	39	2	2	5	8	12	19	31
A. NOT OPERATED	39	6.0	31	<1	<1	4	9	14	17	25
B. OPERATED	685	5.9	31	2	2	5	7	11	16	30
TOTAL 0-19 YRS	9	6.9	33	1	2	5	7	16	21	21
20-34	108	6.9	28	2	2	5	8	13	18	31
35-49	167	5.3	14	2	2	5	7	9	14	20
50-64	237	5.2	21	2	2	4	6	10	12	29
65+	203	6.7	56	2	2	4	7	12	22	41
GRAND TOTAL	**724**	**5.9**	**31**	**2**	**2**	**4**	**7**	**11**	**16**	**30**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	242	3.1	2	<1	1	3	4	5	5	7
35-49	147	3.5	3	<1	1	4	4	5	6	9
50-64	29	3.7	2	1	1	4	4	6	7	7
65+	15	3.9	3	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	290	3.6	2	1	1	4	5	5	6	7
35-49	320	4.1	2	1	2	4	5	6	7	8
50-64	76	4.7	4	2	3	5	6	7	8	11
65+	53	4.9	8	1	1	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	436	3.3	3	<1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	6	1.7	3	<1	<1	1	1	5	5	5
B. *Operated*	740	4.0	3	1	1	4	5	6	7	8
1. SINGLE DX	437	3.3	3	<1	1	3	4	5	6	7
2. MULTIPLE DX	746	4.0	3	1	1	4	5	6	7	8
A. NOT OPERATED	7	1.7	2	<1	<1	1	2	4	5	5
B. OPERATED	1176	3.7	3	1	1	4	5	6	6	8
TOTAL 0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	535	3.4	2	<1	1	4	4	5	6	7
35-49	469	3.9	3	1	1	4	5	6	7	8
50-64	107	4.4	4	1	2	4	6	7	7	11
65+	68	4.7	7	1	1	5	6	7	8	15
GRAND TOTAL	**1183**	**3.7**	**3**	**1**	**1**	**4**	**5**	**6**	**6**	**8**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	19	4.6	8	<1	1	4	7	9	10	10
35-49	72	3.1	6	<1	<1	3	4	7	8	11
50-64	90	3.0	4	<1	<1	3	4	6	7	9
65+	90	3.4	8	<1	1	3	4	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	8.0	68	1	1	4	15	20	20	20
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	18	4.4	54	<1	1	2	4	7	23	33
35-49	101	4.1	31	1	1	3	5	6	8	36
50-64	193	5.8	26	<1	1	4	8	12	14	27
65+	292	6.6	47	1	1	5	8	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	271	3.3	6	<1	1	3	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	6	7.0	60	1	1	3	13	19	20	20
B. *Operated*	605	5.8	38	1	1	4	7	11	16	32
1. SINGLE DX	275	3.2	6	<1	1	3	4	7	9	10
2. MULTIPLE DX	611	5.9	38	1	1	4	8	12	16	32
A. NOT OPERATED	10	5.1	40	1	1	2	4	16	20	20
B. OPERATED	876	5.0	30	<1	1	4	6	10	13	30
TOTAL 0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	37	4.5	30	<1	1	3	5	9	10	33
35-49	173	3.7	21	<1	1	3	4	6	8	17
50-64	285	4.9	21	<1	1	4	6	10	12	22
65+	389	5.8	40	1	1	4	8	12	16	32
GRAND TOTAL	**886**	**5.0**	**30**	**<1**	**1**	**4**	**6**	**10**	**13**	**30**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	12	2.6	1	<1	1	3	3	4	4	4
35-49	11	2.7	8	<1	<1	2	3	7	11	11
50-64	19	2.6	11	<1	1	1	3	6	11	15
65+	18	2.7	5	<1	<1	2	4	6	7	8
B. *Operated*										
0-19 YRS	54	3.8	12	<1	<1	2	6	8	9	19
20-34	113	3.7	9	<1	1	2	6	8	11	12
35-49	152	3.4	10	<1	1	2	5	7	9	17
50-64	139	3.4	11	<1	1	2	5	8	9	17
65+	135	3.9	12	<1	1	2	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	3	4	4	4
20-34	28	2.7	2	<1	1	2	4	5	6	6
35-49	41	4.4	65	<1	<1	3	5	7	13	51
50-64	57	4.0	24	<1	<1	3	4	8	14	28
65+	210	5.4	22	<1	1	4	7	11	15	23
B. *Operated*										
0-19 YRS	45	8.4	86	1	1	6	10	23	29	41
20-34	126	5.7	31	1	1	4	7	11	14	32
35-49	160	5.8	29	1	1	5	7	10	13	20
50-64	259	6.7	56	1	1	5	8	11	16	45
65+	558	7.4	53	1	1	6	9	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.7	6	<1	<1	2	3	5	7	14
B. *Operated*	593	3.6	11	<1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	357	4.6	25	<1	1	3	6	10	14	28
B. *Operated*	1148	6.9	50	1	1	5	9	13	18	40
1. SINGLE DX	657	3.5	10	<1	1	2	5	8	10	15
2. MULTIPLE DX	1505	6.3	45	1	1	5	8	12	16	39
A. NOT OPERATED	421	4.3	23	<1	1	3	6	10	13	23
B. OPERATED	1741	5.8	39	1	1	4	8	11	15	34
TOTAL 0-19 YRS	124	5.1	43	<1	<1	3	7	10	18	40
20-34	279	4.5	19	<1	1	3	6	9	11	26
35-49	364	4.5	25	<1	1	3	6	8	12	20
50-64	474	5.3	40	1	1	4	7	9	14	29
65+	921	6.4	41	1	1	5	9	13	16	35
GRAND TOTAL	**2162**	**5.5**	**36**	**<1**	**1**	**4**	**7**	**11**	**15**	**31**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	22	1.6		<1	1	2	2	3	3	3
20-34	150	2.2	1	1	1	2	3	3	3	5
35-49	208	2.2	1	1	1	2	3	3	4	5
50-64	177	2.5	1	1	1	2	3	4	4	5
65+	78	2.8	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	7	1.0		<1	<1	<1	<1	1	1	1
65+	10	5.1	10	1	1	4	8	9	10	10
B. *Operated*										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	37	2.6	2	1	1	2	3	4	6	7
35-49	96	2.8	2	1	1	3	3	5	5	7
50-64	116	3.2	9	1	1	2	3	5	7	22
65+	140	3.6	6	1	2	3	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*	635	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	23	2.8	8	<1	<1	1	4	8	9	10
B. *Operated*	394	3.2	6	1	1	3	4	5	7	12
1. SINGLE DX	638	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX	417	3.2	6	1	1	3	4	6	7	12
A. NOT OPERATED	26	2.8	8	<1	<1	1	4	8	9	10
B. OPERATED	1029	2.7	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	28	1.8	1	<1	1	2	2	3	3	3
20-34	188	2.3	1	1	1	2	3	3	4	6
35-49	309	2.4	1	1	1	2	3	4	5	6
50-64	301	2.7	4	1	1	2	3	4	5	9
65+	229	3.4	5	1	1	3	4	6	8	12
GRAND TOTAL	**1055**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	9	1	1	3	5	8	9	9
20-34	14	2.6	2	<1	1	2	3	5	6	6
35-49	18	3.9	13	1	1	3	4	7	12	16
50-64	3	3.7	6	1	1	4	5	6	6	6
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	26	2.7	1	1	1	3	3	4	5	5
20-34	77	2.4	1	1	1	2	3	4	5	6
35-49	115	2.3	1	1	1	2	3	4	4	6
50-64	70	2.5	1	1	1	2	3	4	4	5
65+	28	2.8	3	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.8	9	1	1	3	6	9	10	10
20-34	48	4.7	22	1	1	3	6	10	17	23
35-49	64	3.8	7	1	1	3	4	8	9	12
50-64	82	5.8	19	1	2	5	7	11	15	24
65+	185	7.1	20	2	2	6	9	14	16	21
B. *Operated*										
0-19 YRS	12	3.7	6	1	1	3	5	8	8	8
20-34	58	3.9	27	1	1	3	4	5	8	34
35-49	80	3.2	3	1	1	3	4	6	7	9
50-64	71	3.8	12	1	1	3	4	9	10	17
65+	80	7.4	80	1	2	4	7	17	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.5	8	1	1	3	5	6	8	16
B. *Operated*	316	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	396	5.8	19	1	2	5	8	12	16	21
B. *Operated*	301	4.6	33	1	1	3	5	9	14	31
1. SINGLE DX	360	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	697	5.3	25	1	2	4	7	11	15	24
A. NOT OPERATED	440	5.6	18	1	2	4	7	11	15	20
B. OPERATED	617	3.5	18	1	1	3	4	6	9	23
TOTAL 0-19 YRS	62	3.3	5	1	1	3	4	7	8	10
20-34	197	3.4	15	1	1	2	4	5	8	24
35-49	277	3.0	4	1	1	3	4	5	7	11
50-64	226	4.1	12	1	1	3	5	8	11	18
65+	295	6.7	36	1	2	5	8	14	17	29
GRAND TOTAL	**1057**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	4.2	4	2	2	4	5	7	8	10
20-34	30	4.0	3	<1	1	4	5	6	7	8
35-49	24	3.1	2	<1	1	3	4	5	6	7
50-64	16	3.9	24	<1	1	3	4	7	17	21
65+	10	4.4	8	1	1	4	5	9	11	11
B. *Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	4.0	5	1	1	4	5	7	7	12
20-34	66	3.2	3	1	1	3	4	6	7	9
35-49	98	3.9	10	1	1	3	5	7	9	20
50-64	101	4.5	5	2	2	4	5	7	8	12
65+	93	5.8	19	2	2	5	7	10	13	26
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	11	11.0	92	1	3	7	14	25	35	36
50-64	10	9.2	29	1	1	9	13	16	17	17
65+	17	9.8	41	2	3	7	14	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.0	5	1	2	4	5	7	7	11
B. *Operated*	4	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	441	4.4	9	1	2	4	5	7	9	15
B. *Operated*	42	9.3	51	1	1	7	13	17	21	36
1. SINGLE DX	176	4.0	5	1	1	4	5	7	7	11
2. MULTIPLE DX	483	4.8	15	1	2	4	6	8	12	22
A. NOT OPERATED	613	4.3	8	1	2	4	5	7	9	15
B. OPERATED	46	8.7	50	1	1	7	13	17	21	36
TOTAL 0-19 YRS	177	4.1	4	1	2	4	5	7	7	10
20-34	100	3.4	3	1	1	3	5	6	7	9
35-49	133	4.4	19	1	1	3	5	8	11	27
50-64	127	4.8	11	1	2	4	6	8	11	18
65+	122	6.2	23	1	2	5	7	12	16	25
GRAND TOTAL	**659**	**4.6**	**12**	**1**	**2**	**4**	**5**	**8**	**11**	**20**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	511	3.0	4	1	1	2	4	5	7	12
20-34	295	2.7	2	1	1	2	3	4	5	9
35-49	125	2.9	3	1	1	2	4	5	7	8
50-64	51	3.5	2	1	1	3	5	6	6	7
65+	38	4.2	4	2	2	4	5	7	8	10
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	716	3.5	5	1	1	3	5	6	8	10
20-34	885	4.0	10	1	2	3	5	7	9	16
35-49	572	4.4	8	1	2	4	5	8	10	15
50-64	431	5.7	16	2	2	5	7	10	13	24
65+	605	7.2	24	2	3	6	9	13	17	24
B. *Operated*										
0-19 YRS	23	5.8	8	1	2	6	7	9	11	13
20-34	80	9.0	71	2	2	7	10	18	26	46
35-49	88	10.8	170	2	3	6	11	23	37	70
50-64	72	12.8	114	3	4	9	17	24	34	58
65+	80	18.6	176	5	7	13	25	38	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1020	3.0	3	1	1	2	4	5	6	9
B. *Operated*	6	4.5	7	2	2	4	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3209	4.8	13	1	2	4	6	9	11	19
B. *Operated*	343	12.3	140	2	3	8	14	26	37	59
1. SINGLE DX	1026	3.0	4	1	1	2	4	5	6	9
2. MULTIPLE DX	3552	5.5	30	1	2	4	6	10	14	28
A. NOT OPERATED	4229	4.4	12	1	1	3	5	8	10	18
B. OPERATED	349	12.1	138	2	3	8	14	26	37	59
TOTAL 0-19 YRS	1252	3.3	5	1	1	3	4	6	7	11
20-34	1260	4.0	14	1	2	3	5	7	9	20
35-49	787	4.9	29	1	2	4	6	8	11	24
50-64	555	6.4	33	2	2	5	7	11	17	28
65+	724	8.3	53	2	3	6	10	16	21	41
GRAND TOTAL	**4578**	**4.9**	**26**	**1**	**2**	**4**	**6**	**9**	**13**	**26**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	3.7	4	1	2	3	5	6	8	11
20-34	152	3.5	5	1	1	3	4	6	7	12
35-49	122	3.5	3	1	2	3	4	6	7	10
50-64	159	4.1	7	1	2	4	5	7	8	18
65+	146	3.9	4	1	2	3	5	7	8	9
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	3.0	22	<1	<1	1	2	9	16	17
35-49	16	3.6	19	<1	1	2	4	7	15	18
50-64	13	4.3	32	1	1	2	5	12	19	21
65+	13	3.8	11	<1	<1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	3.7	7	1	1	3	5	7	9	14
20-34	675	4.6	26	1	1	4	5	8	11	23
35-49	986	4.8	12	1	2	4	6	8	11	16
50-64	1630	5.3	16	1	2	4	6	9	12	20
65+	2662	5.9	18	2	2	5	7	10	13	24
B. *Operated*										
0-19 YRS	14	7.6	46	1	2	6	10	16	25	27
20-34	323	7.5	54	1	2	5	9	15	23	43
35-49	576	9.9	88	1	2	7	13	21	30	51
50-64	1015	11.7	127	1	2	8	15	26	35	58
65+	1367	13.1	119	2	3	10	17	27	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	3.8	5	1	2	3	5	6	7	11
B. *Operated*	54	3.7	20	<1	1	2	4	9	16	21
2. MULTIPLE DX										
A. *Not Operated*	6188	5.3	17	1	2	4	7	9	12	21
B. *Operated*	3295	11.5	112	1	2	8	15	25	33	55
1. SINGLE DX	788	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX	9483	7.5	59	1	2	5	9	15	22	41
A. NOT OPERATED	6922	5.2	16	1	2	4	6	9	12	21
B. OPERATED	3349	11.4	112	1	2	8	15	25	32	54
TOTAL 0-19 YRS	405	3.8	8	1	1	3	5	7	9	14
20-34	1161	5.2	33	1	1	4	6	10	14	30
35-49	1700	6.4	43	1	2	4	8	13	18	36
50-64	2817	7.5	65	1	2	5	9	16	22	44
65+	4188	8.2	62	2	2	6	10	17	24	41
GRAND TOTAL	**10271**	**7.2**	**56**	**1**	**2**	**5**	**8**	**15**	**21**	**39**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.4	3	<1	<1	2	3	5	5	5
20-34	37	3.1	2	<1	1	3	4	5	6	6
35-49	10	3.6	2	1	1	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	2.7	8	<1	<1	<1	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.9	2	1	1	3	3	5	6	6
20-34	102	4.2	2	1	2	4	5	6	6	9
35-49	36	4.6	3	3	3	4	5	7	8	12
50-64	4	5.0	5	3	3	4	6	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		1	1	1	2	2	2	2
B. *Operated*	52	3.2	2	<1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	5	3.2	5	<1	<1	4	5	6	6	6
B. *Operated*	151	4.2	3	2	3	4	5	6	7	10
1. SINGLE DX	56	3.0	2	<1	1	3	4	5	5	6
2. MULTIPLE DX	156	4.2	3	1	2	4	5	6	7	10
A. NOT OPERATED	9	2.4	3	<1	<1	2	4	5	6	6
B. OPERATED	203	4.0	3	1	2	4	5	6	6	9
TOTAL 0-19 YRS	16	2.7	2	<1	<1	3	3	5	6	6
20-34	145	3.8	3	1	1	4	5	6	6	8
35-49	47	4.4	3	2	3	4	5	6	7	12
50-64	4	5.0	5	3	3	4	6	8	8	8
65+										
GRAND TOTAL	**212**	**3.9**	**3**	**1**	**2**	**4**	**5**	**6**	**6**	**9**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	1.9	5	<1	<1	1	2	3	6	13
20-34	23	2.8	4	1	1	3	4	6	7	8
35-49	34	3.2	4	<1	1	3	4	6	7	9
50-64	28	2.5	3	<1	1	2	3	4	5	10
65+	21	2.6	5	1	1	2	3	5	8	11
B. *Operated*										
0-19 YRS	6	2.8	1	1	1	3	4	4	4	4
20-34	16	4.4	8	1	1	4	6	8	10	11
35-49	31	4.6	13	1	1	3	6	10	13	15
50-64	16	3.3	5	1	1	3	3	6	9	10
65+	12	3.9	4	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	2.8	23	<1	<1	1	3	5	8	30
20-34	175	3.8	26	1	1	3	4	7	10	23
35-49	193	3.3	9	1	1	2	4	7	8	15
50-64	349	4.3	14	1	1	3	5	8	11	21
65+	1179	4.9	17	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	8	8.3	134	1	1	4	8	28	36	36
20-34	34	6.9	68	1	1	5	7	23	37	99+
35-49	61	8.1	147	2	2	5	9	16	23	79
50-64	129	7.0	78	1	1	5	8	13	20	58
65+	158	7.7	28	2	2	7	10	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.4	5	<1	<1	2	3	5	6	11
B. *Operated*	81	4.1	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2038	4.4	17	1	1	3	6	8	11	20
B. *Operated*	390	7.5	68	1	2	5	9	15	20	51
1. SINGLE DX	282	2.8	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX	2428	4.9	27	1	1	3	6	10	13	23
A. NOT OPERATED	2239	4.2	17	1	1	3	5	8	11	20
B. OPERATED	471	6.9	59	1	2	5	8	14	19	46
TOTAL 0-19 YRS	251	2.6	20	<1	<1	1	3	5	8	29
20-34	248	4.2	30	1	1	3	5	8	12	42
35-49	319	4.4	39	1	1	3	5	8	12	26
50-64	522	4.8	31	1	1	3	6	10	13	23
65+	1370	5.1	19	1	2	4	6	10	13	21
GRAND TOTAL	**2710**	**4.7**	**25**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	5.5	7	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	13.6	319	1	1	5	13	45	52	63
20-34	22	8.0	274	2	2	3	7	11	40	81
35-49	33	8.2	40	1	2	6	12	17	18	29
50-64	50	6.8	26	1	2	5	8	14	17	22
65+	234	8.1	49	2	3	6	10	15	18	36
B. *Operated*										
0-19 YRS	11	12.2	121	1	2	8	25	51	93	99+
20-34	48	8.8	232	3	4	4	8	16	57	99+
35-49	97	5.9	26	3	3	4	5	9	17	28
50-64	47	12.7	172	2	4	8	15	29	38	65
65+	109	12.9	128	2	3	10	17	27	39	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.0	6	<1	1	4	5	8	9	9
B. *Operated*	4	4.0	11	2	2	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	372	8.4	84	2	2	6	10	16	21	52
B. *Operated*	312	10.0	126	3	3	5	12	25	30	76
1. SINGLE DX	13	4.0	7	<1	1	3	5	9	9	9
2. MULTIPLE DX	684	9.2	104	2	3	6	11	18	28	63
A. NOT OPERATED	381	8.3	82	2	2	6	10	16	21	52
B. OPERATED	316	10.0	125	2	3	5	12	25	30	75
TOTAL 0-19 YRS	47	12.6	255	1	1	5	18	43	53	99+
20-34	71	8.5	239	2	3	4	7	13	51	99
35-49	131	6.5	30	3	3	5	7	14	18	28
50-64	99	9.6	103	1	2	6	13	18	28	61
65+	349	9.5	78	2	3	7	12	18	27	44
GRAND TOTAL	**697**	**9.1**	**102**	**2**	**3**	**6**	**11**	**18**	**28**	**63**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	6.8	24	<1	<1	7	10	14	14	18
20-34	15	10.5	13	5	5	11	14	15	15	15
35-49	5	10.6	17	4	4	11	14	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	3	13.3	34	9	9	11	18	20	20	20
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	11.1	40	3	4	10	14	18	21	30
20-34	125	12.0	36	2	4	13	15	18	21	32
35-49	23	12.3	23	4	6	12	14	19	21	24
50-64										
65+										
B. *Operated*										
0-19 YRS	30	14.7	111	6	7	12	16	24	25	62
20-34	17	15.8	73	9	10	13	17	21	37	46
35-49	3	13.0	133	<1	<1	14	21	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	7.4	24	<1	<1	8	11	14	14	17
B. *Operated*	4	12.8	24	9	9	11	16	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	399	11.4	38	3	4	11	14	18	21	30
B. *Operated*	50	15.0	95	6	7	13	17	24	25	62
1. SINGLE DX	137	7.5	25	<1	<1	9	11	14	14	20
2. MULTIPLE DX	449	11.8	46	3	4	11	14	18	22	35
A. NOT OPERATED	532	10.4	38	1	3	10	14	16	20	29
B. OPERATED	54	14.8	90	6	8	13	17	24	25	61
TOTAL 0-19 YRS	397	10.1	46	1	2	10	13	16	21	30
20-34	158	12.2	39	3	5	13	15	18	21	41
35-49	31	12.1	29	4	4	12	14	19	24	24
50-64										
65+										
GRAND TOTAL	**586**	**10.8**	**44**	**1**	**3**	**10**	**14**	**18**	**21**	**30**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	24.0	968	2	2	24	46	46	46	46
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.1	1	4	4	5	6	7	7	7
20-34	58	5.4	5	2	3	5	6	8	10	15
35-49	56	7.1	61	2	2	6	7	10	15	45
50-64	5	3.8	2	2	2	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	16.3	423	2	2	8	30	46	46	46
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	15	5.3	33	<1	<1	3	7	13	18	20
50-64	7	6.6	25	1	1	6	9	14	15	15
65+	2	8.5	85	2	2	8	15	15	15	15
B. *Operated*										
0-19 YRS	9	6.9	47	3	3	5	6	17	25	25
20-34	153	6.3	12	4	4	6	7	8	9	12
35-49	242	7.5	52	4	4	7	7	9	13	44
50-64	57	6.9	8	4	5	6	8	9	11	22
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	17.3	617	2	2	4	35	46	46	46
B. *Operated*	127	6.1	30	2	3	5	7	8	10	44
2. MULTIPLE DX										
A. *Not Operated*	30	7.0	83	<1	<1	3	10	15	20	46
B. *Operated*	462	7.0	33	4	4	6	7	9	11	37
1. SINGLE DX	130	6.3	42	2	3	5	7	9	11	45
2. MULTIPLE DX	492	7.0	36	3	4	6	7	9	12	40
A. NOT OPERATED	33	7.9	123	<1	1	3	11	16	42	46
B. OPERATED	589	6.8	32	3	4	6	7	9	11	40
TOTAL 0-19 YRS	20	8.2	105	2	3	5	6	19	35	46
20-34	215	6.2	17	3	4	6	7	8	10	24
35-49	314	7.3	52	3	4	6	7	9	13	45
50-64	69	6.6	9	3	4	6	8	9	11	21
65+	4	6.5	42	1	1	5	11	15	15	15
GRAND TOTAL	**622**	**6.9**	**37**	**3**	**4**	**6**	**7**	**9**	**12**	**44**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	32	<1	<1	1	3	4	10	29
20-34	33	2.2	4	<1	<1	1	3	5	7	9
35-49	16	3.3	13	<1	<1	2	4	10	12	13
50-64	8	4.0	12	<1	1	3	4	10	12	12
65+	15	2.9	4	1	1	2	4	7	7	7
B. *Operated*										
0-19 YRS	17	4.0	11	<1	<1	3	5	8	12	14
20-34	29	2.2	3	<1	<1	1	3	4	5	8
35-49	43	2.6	6	<1	<1	2	3	5	8	13
50-64	37	2.5	6	<1	<1	2	3	5	8	13
65+	8	4.1	13	1	1	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	4.1	35	<1	<1	2	4	11	15	28
20-34	137	6.6	130	<1	1	3	7	12	21	77
35-49	170	5.9	27	1	1	4	8	12	15	21
50-64	163	6.8	38	1	1	5	9	14	20	34
65+	318	6.3	24	2	2	5	8	13	15	24
B. *Operated*										
0-19 YRS	26	11.3	231	1	2	4	11	40	48	58
20-34	98	10.6	131	1	2	7	13	18	35	63
35-49	136	8.3	88	1	1	4	10	20	33	54
50-64	124	6.9	57	1	1	4	10	16	21	59
65+	130	9.0	62	1	2	7	14	18	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.9	16	<1	<1	2	3	6	8	28
B. *Operated*	134	2.8	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	924	6.0	45	1	1	4	8	12	16	30
B. *Operated*	514	8.7	91	1	1	5	11	18	29	52
1. SINGLE DX	252	2.8	11	<1	<1	2	3	6	8	14
2. MULTIPLE DX	1438	7.0	63	1	1	4	9	15	21	45
A. NOT OPERATED	1042	5.7	43	<1	1	4	7	12	15	29
B. OPERATED	648	7.5	79	1	1	4	10	17	25	48
TOTAL 0-19 YRS	225	4.7	60	<1	<1	2	4	11	22	44
20-34	297	7.0	112	<1	1	4	8	14	22	63
35-49	365	6.3	50	1	1	4	8	14	19	42
50-64	332	6.3	43	1	1	4	8	14	17	37
65+	471	6.9	36	1	2	5	9	15	18	29
GRAND TOTAL	**1690**	**6.4**	**57**	**<1**	**1**	**4**	**8**	**14**	**19**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	11	4.4	8	1	1	4	7	8	9	9
50-64	11	3.1	2	2	2	3	4	5	6	6
65+	10	3.7	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	2.8	4	<1	<1	2	5	5	5	5
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.5		2	2	2	3	3	3	3
35-49	22	3.2	3	1	1	3	5	5	6	6
50-64	50	4.5	14	1	2	3	6	9	11	23
65+	168	4.9	41	1	2	3	6	9	11	65
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	4.4	9	1	1	4	7	9	9	9
50-64	11	4.4	6	1	1	3	7	8	8	8
65+	41	5.6	15	1	1	5	8	11	16	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.5	5	1	1	3	5	7	8	9
B. *Operated*	14	1.9	2	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	244	4.7	32	1	2	3	6	8	11	36
B. *Operated*	60	5.2	13	1	1	5	7	10	14	91
1. SINGLE DX	50	3.0	4	<1	1	2	4	6	7	9
2. MULTIPLE DX	304	4.8	28	1	2	3	6	9	11	51
A. NOT OPERATED	280	4.5	28	1	2	3	5	8	10	31
B. OPERATED	74	4.5	12	<1	1	4	7	9	12	79
TOTAL 0-19 YRS										
20-34	12	1.8	1	<1	<1	2	3	3	3	3
35-49	42	3.7	5	1	1	3	5	7	8	9
50-64	77	4.2	11	1	2	3	5	8	10	20
65+	223	4.9	34	1	1	4	6	9	12	79
GRAND TOTAL	**354**	**4.5**	**25**	**1**	**1**	**3**	**6**	**8**	**10**	**33**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.1	2	1	1	2	3	4	4	7
20-34	24	2.0	2	<1	<1	2	2	4	5	5
35-49	25	2.1	3	<1	<1	2	2	4	6	9
50-64	32	2.4	3	1	1	2	3	5	5	7
65+	74	3.0	3	<1	1	3	4	5	7	7
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1743	2.6	5	1	1	2	3	4	6	12
20-34	717	3.0	11	1	1	2	3	6	8	13
35-49	800	3.6	8	1	1	3	5	7	9	16
50-64	1565	4.5	15	1	1	3	6	9	11	18
65+	7166	5.5	21	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	37	8.8	102	1	2	4	9	23	33	46
20-34	73	7.7	102	1	1	5	8	17	24	58
35-49	110	7.5	124	1	1	4	8	16	31	89
50-64	193	9.0	142	1	1	5	11	20	32	79
65+	656	11.0	101	2	3	8	14	22	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	2.4	2	<1	1	2	3	5	5	7
B. *Operated*	4	1.8	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	11991	4.7	18	1	1	4	6	9	12	21
B. *Operated*	1069	10.0	113	1	2	7	13	21	30	60
1. SINGLE DX	249	2.4	2	<1	1	2	3	5	5	7
2. MULTIPLE DX	13060	5.1	27	1	1	4	6	10	13	28
A. NOT OPERATED	12236	4.6	17	1	1	4	6	9	12	21
B. OPERATED	1073	9.9	112	1	2	7	13	21	30	60
TOTAL 0-19 YRS	1871	2.7	8	1	1	2	3	4	6	13
20-34	816	3.4	20	1	1	2	4	6	9	21
35-49	936	4.0	23	1	1	3	5	7	10	22
50-64	1790	4.9	30	1	1	3	6	10	13	30
65+	7896	6.0	30	1	2	5	7	11	15	29
GRAND TOTAL	**13309**	**5.1**	**27**	**1**	**1**	**4**	**6**	**10**	**13**	**27**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	2	<1	1	2	4	4	5	5
20-34	8	1.9	2	<1	<1	1	2	4	5	5
35-49	13	2.8	5	1	1	2	4	6	7	7
50-64	7	4.1	6	1	1	4	6	8	8	8
65+	31	2.2	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	4.0	3	1	1	4	5	6	6	6
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.6	4	<1	1	2	3	5	6	11
20-34	53	2.4	2	1	1	2	3	4	5	6
35-49	102	3.2	4	1	1	3	4	6	8	10
50-64	139	3.8	7	1	1	3	5	8	9	13
65+	740	4.4	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	5	2.6	3	1	1	3	4	5	5	5
20-34	15	5.8	17	1	2	5	9	11	14	15
35-49	40	4.7	16	1	1	4	6	8	10	24
50-64	62	5.8	17	2	2	5	8	11	14	24
65+	229	7.0	22	2	2	6	9	13	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.5	3	<1	<1	2	3	5	6	8
B. *Operated*	11	3.8	5	1	1	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1075	4.1	11	1	1	3	5	8	10	15
B. *Operated*	351	6.4	21	1	2	5	9	13	15	24
1. SINGLE DX	88	2.6	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	1426	4.6	14	1	1	4	6	9	12	20
A. NOT OPERATED	1152	4.0	10	1	1	3	5	8	9	15
B. OPERATED	362	6.4	20	1	2	5	8	12	15	23
TOTAL 0-19 YRS	64	2.5	3	<1	1	2	3	5	5	10
20-34	76	3.0	7	1	1	2	4	6	9	14
35-49	161	3.6	8	1	1	3	5	7	8	11
50-64	210	4.4	11	1	1	4	6	8	10	16
65+	1003	5.0	16	1	1	4	6	9	13	21
GRAND TOTAL	**1514**	**4.5**	**14**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.4	12	1	1	4	6	8	9	21
20-34	175	4.5	8	1	1	3	6	9	10	12
35-49	52	4.6	7	1	2	4	6	8	10	14
50-64	4	4.5	3	3	3	4	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.5	30	1	1	5	10	12	12	12
35-49	2	10.0	162	1	1	10	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	5.2	13	1	1	4	7	10	12	18
20-34	240	6.3	22	1	2	5	8	12	16	24
35-49	102	6.7	18	2	2	5	9	13	15	21
50-64	20	7.4	20	2	3	6	11	14	16	18
65+										
B. *Operated*										
0-19 YRS	5	14.8	167	5	5	9	20	37	37	37
20-34	14	8.6	36	2	2	7	14	17	21	22
35-49	7	12.0	51	4	4	10	19	22	22	22
50-64	2	19.0	8	17	17	19	21	21	21	21
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	4.5	9	1	1	4	6	8	9	15
B. *Operated*	7	6.1	51	1	1	1	11	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	464	6.2	19	1	2	5	8	12	15	22
B. *Operated*	28	11.3	64	2	3	9	16	22	24	37
1. SINGLE DX	337	4.5	10	1	1	4	6	8	10	17
2. MULTIPLE DX	492	6.5	23	1	2	5	8	12	16	22
A. NOT OPERATED	794	5.5	16	1	2	5	7	10	13	20
B. OPERATED	35	10.3	65	1	1	8	15	21	22	37
TOTAL 0-19 YRS	206	5.0	18	1	1	4	6	9	12	21
20-34	433	5.6	18	1	2	4	8	10	14	22
35-49	163	6.3	19	1	2	5	8	12	15	22
50-64	26	7.8	28	2	3	6	12	17	19	21
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**829**	**5.7**	**19**	**1**	**2**	**5**	**7**	**11**	**14**	**22**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.4	5	<1	<1	1	3	5	6	13
20-34	15	3.1	7	<1	1	2	4	8	9	9
35-49	26	3.0	9	<1	<1	2	4	8	10	11
50-64	34	2.6	6	<1	<1	1	4	6	8	11
65+	82	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-19 YRS	34	5.0	86	1	1	3	5	7	10	56
20-34	12	5.4	16	1	1	4	6	13	13	13
35-49	16	4.9	14	1	1	4	7	10	13	14
50-64	7	6.3	24	1	1	5	9	14	15	15
65+	17	5.4	16	1	1	4	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.3	23	<1	<1	2	3	9	11	26
20-34	106	4.0	72	<1	1	2	4	7	10	49
35-49	214	3.5	10	<1	1	2	5	8	9	16
50-64	493	3.7	14	<1	1	2	5	8	11	19
65+	1520	4.1	15	1	1	3	5	9	12	19
B. *Operated*										
0-19 YRS	55	7.7	51	1	1	6	12	16	21	96
20-34	52	6.8	25	1	1	6	9	12	17	25
35-49	93	7.7	65	1	2	6	9	17	21	48
50-64	156	8.0	73	1	1	6	9	17	25	40
65+	500	8.2	76	1	2	6	9	16	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.3	5	<1	<1	1	3	5	7	11
B. *Operated*	86	5.2	43	1	1	4	6	11	13	41
2. MULTIPLE DX										
A. *Not Operated*	2553	3.9	17	<1	1	3	5	8	11	19
B. *Operated*	856	8.0	69	1	2	6	9	16	22	42
1. SINGLE DX	342	3.0	16	<1	<1	2	4	6	9	14
2. MULTIPLE DX	3409	4.9	34	1	1	3	6	10	15	29
A. NOT OPERATED	2809	3.7	16	<1	1	2	5	8	11	19
B. OPERATED	942	7.7	67	1	2	5	9	15	21	42
TOTAL 0-19 YRS	408	3.8	30	<1	<1	2	4	9	12	40
20-34	185	4.8	51	1	1	3	6	11	13	24
35-49	349	4.7	28	<1	1	3	6	10	13	22
50-64	690	4.7	31	<1	1	3	6	10	14	30
65+	2119	5.0	32	1	1	3	6	10	14	27
GRAND TOTAL	**3751**	**4.7**	**32**	**<1**	**1**	**3**	**6**	**10**	**14**	**26**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	2	<1	<1	3	4	5	5	5
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	9	1	2	4	5	8	12	14
20-34	10	5.0	19	1	1	3	5	13	14	14
35-49	5	6.4	2	4	4	7	7	8	8	8
50-64										
65+	5	4.4	20	1	1	2	7	12	12	12
B. *Operated*										
0-19 YRS	4	16.3	92	3	3	18	23	25	25	25
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	7.3	1	6	6	7	8	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.6	2	<1	1	3	4	4	5	5
B. *Operated*	3	7.7	16	4	4	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	37	4.9	12	1	2	4	6	11	13	14
B. *Operated*	10	9.9	64	2	2	7	16	23	25	25
1. SINGLE DX	17	3.5	7	<1	1	3	4	7	10	12
2. MULTIPLE DX	47	6.0	26	1	2	4	7	13	17	25
A. NOT OPERATED	51	4.3	10	1	1	3	5	8	12	14
B. OPERATED	13	9.4	52	2	3	7	13	22	24	25
TOTAL 0-19 YRS	30	5.7	33	<1	2	4	5	15	21	25
20-34	17	4.1	14	1	1	3	4	11	13	14
35-49	11	7.0	5	4	4	7	8	10	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	4.4	20	1	1	2	7	12	12	12
GRAND TOTAL	**64**	**5.3**	**22**	**1**	**2**	**4**	**7**	**12**	**15**	**24**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.5	3	<1	<1	2	3	5	6	9
20-34	26	2.3	3	<1	<1	2	3	4	7	8
35-49	19	2.8	3	1	1	2	4	5	7	8
50-64	31	3.5	35	<1	<1	1	4	7	18	29
65+	32	2.3	4	<1	<1	1	3	5	8	9
B. *Operated*										
0-19 YRS	76	3.5	5	1	1	3	4	6	7	14
20-34	41	5.0	13	1	2	4	6	8	13	20
35-49	32	5.3	6	2	2	5	7	8	9	12
50-64	38	5.5	16	1	1	5	7	8	10	25
65+	37	6.4	20	1	2	6	8	13	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	3.7	12	<1	1	3	5	8	11	18
20-34	135	4.2	9	1	1	4	6	7	9	14
35-49	162	4.5	10	1	1	4	6	9	10	15
50-64	295	5.3	14	1	2	4	7	10	13	20
65+	710	5.6	23	1	1	4	7	10	14	23
B. *Operated*										
0-19 YRS	64	6.3	38	1	2	5	7	12	17	38
20-34	97	8.2	56	1	2	6	11	15	20	45
35-49	88	9.9	74	3	3	7	11	21	25	51
50-64	174	11.8	156	2	3	8	13	28	37	50
65+	346	9.9	58	2	3	8	13	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	2.6	7	<1	<1	2	3	5	7	13
B. *Operated*	224	4.9	12	1	2	4	6	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	1501	5.0	18	1	1	4	7	10	13	21
B. *Operated*	769	9.8	82	2	3	7	12	20	27	45
1. SINGLE DX	481	3.7	11	<1	1	3	5	7	9	19
2. MULTIPLE DX	2270	6.6	45	1	1	5	8	13	19	35
A. NOT OPERATED	1758	4.7	17	1	1	4	6	9	12	21
B. OPERATED	993	8.7	70	1	2	6	10	18	25	42
TOTAL 0-19 YRS	488	3.7	13	<1	1	3	5	7	10	18
20-34	299	5.4	28	1	1	4	7	11	14	26
35-49	301	6.0	34	1	1	5	7	11	16	28
50-64	538	7.3	71	1	1	5	8	14	22	43
65+	1125	6.8	38	1	1	5	9	15	19	31
GRAND TOTAL	**2751**	**6.1**	**40**	**1**	**1**	**4**	**7**	**12**	**17**	**32**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	1.4		1	1	1	2	2	3	3
20-34	75	1.5	1	<1	1	1	2	2	3	4
35-49	18	1.7	1	1	1	1	2	3	4	5
50-64	4	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	309	3.0	2	1	2	3	4	4	5	7
20-34	116	3.1	2	1	2	3	4	5	5	8
35-49	16	3.1	1	2	2	3	3	5	5	5
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	2.0	1	<1	1	2	2	4	4	6
20-34	52	2.1	1	1	1	2	2	3	4	7
35-49	15	2.6	2	1	1	2	3	4	6	7
50-64	3	2.7		2	2	3	3	3	3	3
65+	8	3.3	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	130	3.3	2	1	2	3	4	4	6	10
20-34	92	3.8	3	2	2	4	5	6	8	9
35-49	15	5.7	33	2	2	4	5	13	21	24
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	7.7	2	6	6	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	1.4		1	1	1	2	2	3	4
B. *Operated*	443	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	222	2.1	2	1	1	2	3	4	4	7
B. *Operated*	241	3.7	5	2	2	3	4	6	8	12
1. SINGLE DX	780	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	463	2.9	4	1	1	3	4	5	6	9
A. NOT OPERATED	559	1.7	1	1	1	1	2	3	4	6
B. OPERATED	684	3.3	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	823	2.4	2	1	1	2	3	4	5	7
20-34	335	2.8	3	1	1	2	4	5	6	8
35-49	64	3.2	11	1	1	3	3	5	6	22
50-64	10	3.2	11	<1	<1	2	3	8	12	12
65+	11	4.5	7	1	1	4	7	8	9	9
GRAND TOTAL	**1243**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.5	4	1	1	3	4	6	8	10
20-34	13	2.7	4	<1	<1	2	3	6	8	8
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.2	8	<1	<1	3	5	7	9	12
20-34	18	3.0	35	<1	<1	1	2	6	18	26
35-49	14	1.7	2	<1	<1	1	2	4	5	5
50-64	6	3.3	15	<1	<1	2	3	10	11	11
65+	7	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.7	5	1	1	3	5	7	8	10
20-34	8	3.9	15	1	1	3	4	10	13	13
35-49	7	4.0	5	1	1	4	5	7	8	8
50-64	3	6.3	56	2	2	2	12	15	15	15
65+										
B. *Operated*										
0-19 YRS	31	5.4	17	<1	1	5	7	9	10	22
20-34	17	4.5	13	<1	<1	4	6	11	12	12
35-49	14	5.0	15	<1	1	4	7	12	12	12
50-64	10	2.6	2	1	1	3	4	5	5	5
65+	13	3.1	8	<1	<1	2	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	3.4	4	1	1	3	4	6	8	10
B. *Operated*	71	2.7	13	<1	<1	1	3	6	8	23
2. MULTIPLE DX										
A. *Not Operated*	63	3.9	8	1	1	3	5	7	9	15
B. *Operated*	85	4.5	13	<1	1	4	6	9	11	19
1. SINGLE DX	152	3.1	8	<1	1	2	4	6	8	12
2. MULTIPLE DX	148	4.2	11	<1	1	3	6	8	10	15
A. NOT OPERATED	144	3.6	6	1	1	3	4	7	8	13
B. OPERATED	156	3.7	14	<1	<1	2	5	8	11	21
TOTAL 0-19 YRS	168	3.8	7	1	1	3	5	7	8	12
20-34	56	3.5	18	<1	<1	2	4	8	12	25
35-49	37	3.5	9	<1	1	3	5	8	11	12
50-64	19	3.4	13	<1	1	2	4	9	13	15
65+	20	2.6	6	<1	<1	1	3	7	8	8
GRAND TOTAL	**300**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**7**	**10**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.0	83	<1	<1	2	13	22	23	23
20-34	11	7.7	58	1	1	5	12	20	25	25
35-49	9	9.8	76	<1	1	9	13	24	27	27
50-64	15	9.7	306	<1	1	3	7	34	57	65
65+	22	7.0	41	<1	1	5	12	18	20	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	2.7		2	2	3	3	3	3	3
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	11.1	193	1	1	4	14	36	44	46
20-34	71	6.3	38	1	2	5	7	13	18	35
35-49	57	6.8	40	1	1	4	10	17	21	26
50-64	103	6.4	47	1	1	4	8	15	23	33
65+	350	6.7	49	1	2	5	8	14	19	36
B. *Operated*										
0-19 YRS										
20-34	6	16.7	1090	[illegible]	1	4	5	76	84	84
35-49	3	7.3	5	[illegible]	6	6	9	10	10	10
50-64	17	13.9	90	[illegible]	4	13	19	30	34	35
65+	44	10.6	159	1	1	6	15	24	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	8.1	111	<1	1	4	12	20	26	61
B. *Operated*	4	5.0	22	2	2	3	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	595	6.7	50	1	1	5	8	14	20	37
B. *Operated*	70	11.8	204	1	1	7	15	26	38	81
1. SINGLE DX	67	8.0	105	<1	1	4	11	20	25	60
2. MULTIPLE DX	665	7.3	68	1	1	5	9	16	23	38
A. NOT OPERATED	658	6.9	56	1	1	5	8	15	22	37
B. OPERATED	74	11.4	196	1	1	7	15	24	37	80
TOTAL 0-19 YRS	20	9.9	158	<1	1	3	13	29	40	46
20-34	88	7.2	107	1	1	5	7	15	23	66
35-49	69	7.2	43	1	1	5	10	18	23	27
50-64	138	7.6	84	1	1	4	10	19	26	40
65+	417	7.2	61	1	1	5	9	15	20	39
GRAND TOTAL	**732**	**7.3**	**72**	**1**	**1**	**5**	**9**	**16**	**23**	**39**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.2	21	<1	1	1	2	3	5	31
20-34	51	6.3	204	<1	<1	2	4	14	27	91
35-49	16	9.9	228	1	2	4	8	25	49	60
50-64	34	6.5	29	1	1	5	12	15	19	99+
65+	147	8.5	93	1	1	6	11	18	26	74
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	4	5.0	18	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	8.4	217	1	1	2	8	34	47	60
20-34	189	8.9	134	1	1	4	12	25	32	99+
35-49	141	10.0	165	1	1	6	12	26	39	72
50-64	152	8.7	68	1	2	6	12	21	28	37
65+	1505	8.0	57	2	2	6	10	16	22	46
B. *Operated*										
0-19 YRS	9	20.8	549	1	1	20	42	80	99+	99+
20-34	29	22.7	982	1	1	6	25	81	97	98
35-49	18	13.2	245	1	2	10	19	50	86	99+
50-64	17	17.7	495	2	3	11	18	56	75	82
65+	116	14.2	181	2	3	10	18	33	43	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	6.4	98	<1	1	3	8	14	22	76
B. *Operated*	6	4.0	14	1	1	2	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2095	8.3	81	1	2	6	10	18	26	60
B. *Operated*	189	16.1	356	1	2	10	19	42	69	99+
1. SINGLE DX	336	6.4	96	<1	1	3	8	14	22	75
2. MULTIPLE DX	2284	8.9	108	1	2	6	11	20	29	70
A. NOT OPERATED	2425	8.0	83	1	1	5	10	17	26	61
B. OPERATED	195	15.7	349	1	2	10	18	42	69	99+
TOTAL 0-19 YRS	199	6.4	167	<1	1	1	3	26	41	63
20-34	269	9.9	256	1	1	4	12	26	46	99
35-49	177	10.2	176	1	1	6	12	26	42	91
50-64	203	9.1	103	1	2	6	12	21	29	71
65+	1772	8.4	71	1	2	6	10	17	23	58
GRAND TOTAL	**2620**	**8.6**	**107**	**1**	**1**	**6**	**10**	**19**	**28**	**70**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49										
50-64										
65+	8	10.3	122	1	2	7	13	29	35	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	13	13.3	143	2	4	8	16	35	40	41
65+	218	7.6	49	2	2	6	9	14	20	31
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	6.8	28	2	2	5	10	14	14	14
65+	15	10.7	18	5	5	10	14	15	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	11.3	118	1	2	9	16	29	35	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	233	7.9	55	2	2	6	10	15	21	35
B. *Operated*	19	9.9	21	3	4	10	14	15	17	19
1. SINGLE DX	9	11.3	118	1	2	9	16	29	35	35
2. MULTIPLE DX	252	8.0	53	2	2	6	10	15	20	34
A. NOT OPERATED	242	8.0	58	2	2	6	10	15	21	35
B. OPERATED	19	9.9	21	3	4	10	14	15	17	19
TOTAL 0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	17	11.8	121	1	2	7	14	31	39	41
65+	241	7.8	50	2	2	6	10	15	20	33
GRAND TOTAL	**261**	**8.1**	**55**	**2**	**2**	**6**	**10**	**15**	**21**	**35**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	43	3.3	18	<1	<1	2	4	9	16	99+
35-49	68	3.0	10	<1	1	2	3	6	9	19
50-64	40	5.9	150	1	1	2	4	10	27	72
65+	12	11.4	481	2	2	4	7	35	74	80
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.9	89	<1	<1	3	6	27	28	29
20-34	548	7.5	79	1	1	4	7	27	28	32
35-49	869	6.2	51	1	1	4	6	15	27	30
50-64	619	6.9	52	1	2	5	7	18	25	35
65+	337	7.9	48	2	2	5	10	19	22	29
B. *Operated*										
0-19 YRS										
20-34	12	11.4	207	1	1	3	23	32	42	44
35-49	34	8.9	61	1	2	6	11	21	28	34
50-64	28	15.2	94	2	3	15	23	27	29	38
65+	15	11.1	107	2	4	6	13	28	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.4	82	<1	1	2	4	8	14	79
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2392	6.9	58	1	1	4	7	21	27	31
B. *Operated*	89	11.6	101	1	2	8	16	27	29	42
1. SINGLE DX	164	4.4	82	<1	1	2	4	8	14	79
2. MULTIPLE DX	2481	7.1	60	1	1	4	7	21	27	32
A. NOT OPERATED	2556	6.8	60	1	1	4	7	20	27	32
B. OPERATED	89	11.6	101	1	2	8	16	27	29	42
TOTAL 0-19 YRS	20	6.7	86	<1	<1	3	6	27	28	29
20-34	603	7.3	78	1	1	4	7	27	28	32
35-49	971	6.0	49	1	1	4	6	13	26	30
50-64	687	7.2	62	1	2	5	8	19	27	39
65+	364	8.2	64	2	2	5	10	20	24	35
GRAND TOTAL	**2645**	**6.9**	**62**	**1**	**1**	**4**	**7**	**21**	**27**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.2	55	<1	<1	5	12	18	22	25
20-34	43	3.7	14	<1	1	2	5	8	14	16
35-49	13	6.9	144	<1	<1	1	6	27	38	41
50-64	6	2.0	2	1	1	2	2	5	5	5
65+	11	2.7	6	1	1	2	4	6	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	7.6	67	1	1	5	7	22	26	39
20-34	543	8.4	71	1	2	6	8	24	28	31
35-49	230	7.1	54	1	2	5	7	16	27	38
50-64	119	7.2	61	1	1	4	10	16	27	40
65+	317	6.2	28	1	2	5	7	13	17	23
B. *Operated*										
0-19 YRS										
20-34	15	10.4	108	1	1	6	18	27	30	31
35-49	9	9.9	95	2	2	5	21	24	25	25
50-64	7	16.1	474	4	4	8	13	55	65	65
65+	23	10.3	40	1	3	8	15	18	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	4.7	41	<1	1	2	5	13	17	34
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1300	7.5	57	1	2	5	8	20	27	31
B. *Operated*	54	11.0	117	1	2	8	15	25	27	64
1. SINGLE DX	93	4.6	40	<1	1	2	5	13	17	34
2. MULTIPLE DX	1354	7.6	60	1	2	5	8	20	27	31
A. NOT OPERATED	1392	7.3	56	1	1	5	8	19	27	31
B. OPERATED	55	10.9	117	1	1	8	15	25	27	63
TOTAL 0-19 YRS	110	7.5	65	1	1	5	8	21	25	35
20-34	601	8.1	69	1	1	5	8	24	28	31
35-49	253	7.1	60	1	1	5	7	18	27	40
50-64	132	7.5	82	1	1	5	9	15	27	45
65+	351	6.4	30	1	2	5	8	14	17	24
GRAND TOTAL	**1447**	**7.4**	**59**	**1**	**1**	**5**	**8**	**20**	**27**	**31**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	14.1	230	2	2	8	16	37	53	65
20-34	957	10.2	98	1	2	7	14	23	30	51
35-49	590	10.3	107	1	2	7	13	24	29	48
50-64	164	12.0	89	3	3	9	15	29	31	42
65+	46	13.8	90	3	4	11	18	31	33	37
B. *Operated*										
0-19 YRS										
20-34	4	8.5	15	4	4	8	11	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	16.3	267	1	3	11	19	33	45	90
20-34	857	11.8	128	2	2	8	15	25	36	61
35-49	572	10.9	108	1	2	7	14	22	31	54
50-64	240	12.8	110	2	3	9	18	28	36	47
65+	82	14.2	134	2	2	11	20	35	42	82
B. *Operated*										
0-19 YRS	1	13.0		13	13	56	99+	99+	99+	99+
20-34	17	21.2	429	5	6	12	24	53	73	82
35-49	14	18.0	284	1	3	13	29	46	54	56
50-64	11	22.5	539	5	5	10	35	57	78	80
65+	3	22.0	547	8	8	9	39	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1826	10.7	106	1	2	7	14	24	30	52
B. *Operated*	6	8.3	19	3	3	8	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	1789	11.9	123	2	2	8	16	26	35	55
B. *Operated*	46	20.4	383	4	5	12	32	55	80	99+
1. SINGLE DX	1832	10.7	105	1	2	7	14	24	30	52
2. MULTIPLE DX	1835	12.1	131	2	2	8	16	26	36	57
A. NOT OPERATED	3615	11.3	115	1	2	8	15	25	32	55
B. OPERATED	52	19.0	355	3	5	12	26	50	77	99+
TOTAL 0-19 YRS	108	14.8	240	2	2	10	18	35	53	94
20-34	1835	11.1	116	1	2	8	14	25	32	56
35-49	1177	10.7	110	1	2	7	14	23	30	54
50-64	415	12.7	115	2	3	9	17	28	34	49
65+	132	14.3	123	2	3	11	19	33	38	58
GRAND TOTAL	**3667**	**11.4**	**119**	**1**	**2**	**8**	**15**	**25**	**33**	**56**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	17.3	338	1	2	11	21	40	57	77
20-34	84	9.1	54	1	2	7	14	21	23	31
35-49	23	7.3	64	1	1	4	10	16	29	30
50-64	3	9.3	56	2	2	9	15	17	17	17
65+	4	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	20.6	340	2	3	13	33	51	58	64
20-34	81	9.3	55	1	2	6	14	21	23	33
35-49	25	9.4	55	2	2	9	12	17	26	34
50-64	14	11.1	116	1	1	8	17	24	36	39
65+	8	10.5	149	2	2	6	12	31	39	39
B. *Operated*										
0-19 YRS										
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	77.0		77	77	77	77	77	77	77
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	9.9	109	1	2	7	14	22	29	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	148	11.1	115	2	2	8	15	23	35	51
B. *Operated*	3	29.3	1706	4	4	7	59	77	77	77
1. SINGLE DX	136	9.9	109	1	2	7	14	22	29	49
2. MULTIPLE DX	151	11.5	142	2	2	8	15	23	38	64
A. NOT OPERATED	284	10.5	112	1	2	7	14	22	32	51
B. OPERATED	3	29.3	1706	4	4	7	59	77	77	77
TOTAL 0-19 YRS	42	18.8	333	1	2	13	26	46	56	77
20-34	167	9.1	54	1	2	7	14	21	23	33
35-49	49	9.8	154	1	2	7	11	21	30	77
50-64	17	10.8	101	1	1	9	17	22	33	39
65+	12	8.0	109	2	2	4	9	21	36	39
GRAND TOTAL	**287**	**10.7**	**126**	**1**	**2**	**7**	**14**	**22**	**33**	**59**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	15.2	232	2	3	10	19	42	58	99+
20-34	983	10.8	104	1	2	8	14	23	30	51
35-49	563	10.9	112	2	2	8	15	23	29	49
50-64	173	11.2	104	1	2	8	14	26	32	48
65+	38	11.6	161	1	2	7	13	39	42	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	17.5	313	5	5	17	30	30	30	30
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	18.8	388	2	3	12	26	60	72	99+
20-34	1141	12.1	138	2	2	8	16	27	35	60
35-49	759	12.0	129	2	2	9	16	26	34	63
50-64	298	13.4	188	2	3	8	17	28	41	72
65+	133	13.1	171	2	3	9	16	29	45	71
B. *Operated*										
0-19 YRS	2	15.5	365	2	2	15	29	29	29	29
20-34	34	18.4	330	4	4	13	24	32	53	97
35-49	36	18.6	218	1	2	15	28	36	41	70
50-64	15	28.7	378	7	9	26	41	49	70	77
65+	5	18.4	72	8	8	19	23	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1861	11.1	116	1	2	8	15	24	32	57
B. *Operated*	2	17.5	313	5	5	17	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	2441	12.6	156	2	2	9	16	27	37	68
B. *Operated*	92	20.1	284	2	4	16	28	40	48	89
1. SINGLE DX	1863	11.1	116	1	2	8	15	24	32	57
2. MULTIPLE DX	2533	12.9	163	2	2	9	17	28	38	69
A. NOT OPERATED	4302	12.0	139	2	2	8	15	26	35	65
B. OPERATED	94	20.0	281	2	4	16	28	40	48	88
TOTAL 0-19 YRS	216	17.0	313	2	3	11	23	50	65	99+
20-34	2158	11.6	126	1	2	8	15	26	33	58
35-49	1358	11.7	126	2	2	8	15	25	33	59
50-64	488	13.1	172	2	3	9	17	28	38	70
65+	176	12.9	166	2	3	8	16	33	45	65
GRAND TOTAL	**4396**	**12.1**	**143**	**2**	**2**	**8**	**16**	**27**	**35**	**65**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	27.9	252	7	8	26	42	47	56	57
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	40.1	707	2	7	42	62	99	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	27.9	252	7	8	26	42	47	56	57
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	40.1	707	2	7	42	62	99	99+	99+
B. *Operated*										
1. SINGLE DX	12	27.9	252	7	8	26	42	47	56	57
2. MULTIPLE DX	24	40.1	707	2	7	42	62	99	99+	99+
A. NOT OPERATED	36	36.0	577	4	7	40	54	95	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	36	36.0	577	4	7	40	54	95	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**36**	**36.0**	**577**	**4**	**7**	**40**	**54**	**95**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	17.0	256	1	1	14	23	43	48	97
20-34	580	8.7	73	1	1	6	12	20	27	39
35-49	598	10.8	115	1	2	8	15	22	31	47
50-64	313	12.1	110	1	2	9	17	26	33	55
65+	311	16.5	164	1	3	14	22	34	42	62
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	2	31.5	61	26	26	31	37	37	37	37
65+	3	12.7	72	3	3	16	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	648	22.6	388	2	3	18	37	57	73	99+
20-34	1871	11.3	134	1	2	7	14	26	36	62
35-49	1699	12.2	131	1	2	9	16	27	34	56
50-64	1002	13.5	132	2	3	11	18	28	39	66
65+	1183	15.9	154	3	4	13	22	32	40	66
B. *Operated*										
0-19 YRS	19	19.4	359	1	2	14	32	80	99+	99+
20-34	62	19.9	296	1	2	18	28	49	68	99+
35-49	67	21.9	259	3	5	18	29	48	67	94
50-64	55	21.0	259	6	7	16	26	38	63	77
65+	88	26.0	340	7	9	22	33	50	77	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2113	12.2	141	1	2	9	17	27	36	61
B. *Operated*	9	13.0	155	1	1	7	21	33	37	37
2. MULTIPLE DX										
A. *Not Operated*	6403	13.9	173	2	2	10	19	31	43	76
B. *Operated*	291	22.4	300	3	6	18	30	49	68	99+
1. SINGLE DX	2122	12.2	141	1	2	9	17	27	36	61
2. MULTIPLE DX	6694	14.2	182	2	3	10	19	32	44	80
A. NOT OPERATED	8516	13.5	166	1	2	10	18	30	41	71
B. OPERATED	300	22.1	298	3	6	18	30	49	68	99+
TOTAL 0-19 YRS	978	20.7	352	1	2	16	32	53	67	99+
20-34	2515	10.9	127	1	2	7	14	25	33	61
35-49	2366	12.1	134	1	2	9	16	27	35	59
50-64	1372	13.5	135	2	2	11	18	28	37	67
65+	1585	16.6	171	2	4	14	22	33	42	68
GRAND TOTAL	**8816**	**13.7**	**173**	**1**	**2**	**10**	**19**	**31**	**42**	**75**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	13.6	189	2	3	10	17	32	55	99+
20-34	610	11.3	95	1	2	9	15	25	31	46
35-49	517	10.6	110	1	2	7	13	22	30	57
50-64	224	10.2	64	1	2	8	14	21	27	37
65+	118	11.8	126	2	3	9	16	22	30	62
B. *Operated*										
0-19 YRS										
20-34	2	19.5	1	19	19	19	20	20	20	20
35-49	3	10.0	4	8	8	10	11	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	20.0	380	1	2	15	30	56	71	99+
20-34	864	12.1	135	1	2	9	16	26	33	59
35-49	834	11.7	120	2	2	8	16	26	34	54
50-64	510	14.1	154	2	3	10	19	29	36	70
65+	332	16.8	177	3	4	13	22	36	44	60
B. *Operated*										
0-19 YRS	2	28.0	1152	4	4	28	52	52	52	52
20-34	25	15.0	134	1	1	16	26	37	99+	99+
35-49	29	19.2	186	4	7	15	25	39	53	56
50-64	31	20.3	284	1	6	15	27	40	59	77
65+	18	23.4	91	7	11	26	35	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1541	11.0	102	1	2	8	15	24	31	53
B. *Operated*	5	13.8	29	8	8	12	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2716	13.5	160	2	3	10	18	29	39	67
B. *Operated*	105	19.4	198	2	4	18	28	42	77	99+
1. SINGLE DX	1546	11.1	102	1	2	8	15	24	31	53
2. MULTIPLE DX	2821	13.7	163	2	3	10	18	30	40	69
A. NOT OPERATED	4257	12.6	141	2	3	9	17	28	36	62
B. OPERATED	110	19.1	191	2	5	18	28	42	73	99+
TOTAL 0-19 YRS	250	18.2	335	2	2	13	28	49	69	99+
20-34	1501	11.8	119	1	2	9	16	26	32	56
35-49	1383	11.5	119	2	2	8	15	25	33	55
50-64	765	13.2	138	2	3	10	18	27	33	65
65+	468	15.8	168	3	3	12	21	35	44	76
GRAND TOTAL	**4367**	**12.8**	**143**	**2**	**3**	**9**	**17**	**28**	**36**	**64**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	9.7	151	<1	1	6	14	25	46	99+
20-34	232	6.8	48	1	1	5	8	15	22	33
35-49	152	6.8	27	1	2	5	10	14	17	22
50-64	84	8.1	73	1	1	5	10	18	21	49
65+	93	8.5	107	<1	1	5	10	20	22	62
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	13.5	283	<1	1	8	17	38	50	95
20-34	498	7.9	81	1	1	5	10	18	27	47
35-49	269	7.6	45	1	1	6	10	15	20	37
50-64	246	7.9	76	1	2	5	11	17	23	40
65+	719	8.7	74	1	2	6	11	18	25	43
B. *Operated*										
0-19 YRS										
20-34	11	8.8	83	1	1	7	12	22	32	33
35-49	15	13.6	132	2	2	11	27	37	81	99+
50-64	26	11.9	152	2	2	8	16	25	46	51
65+	61	11.7	113	2	2	8	16	24	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	7.5	63	1	1	5	9	17	21	42
B. *Operated*	5	4.0	13	1	1	3	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1834	8.5	85	1	2	6	11	18	26	46
B. *Operated*	113	11.7	120	2	2	8	15	27	39	72
1. SINGLE DX	610	7.4	63	1	1	5	9	17	21	42
2. MULTIPLE DX	1947	8.7	87	1	2	6	11	18	27	49
A. NOT OPERATED	2439	8.2	80	1	1	6	10	18	24	45
B. OPERATED	118	11.4	117	2	2	8	15	27	38	70
TOTAL 0-19 YRS	147	12.3	243	1	1	7	16	34	47	99+
20-34	742	7.5	71	1	1	5	9	17	24	45
35-49	436	7.6	43	1	2	6	10	15	20	38
50-64	357	8.3	81	1	2	5	11	18	23	45
65+	875	8.9	80	1	2	6	11	19	26	45
GRAND TOTAL	**2557**	**8.4**	**82**	**1**	**1**	**6**	**10**	**18**	**25**	**47**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	6.5	69	<1	1	3	7	20	28	30
20-34	79	5.0	37	<1	<1	3	5	16	19	29
35-49	57	4.0	29	1	1	3	4	7	15	35
50-64	36	4.2	20	1	1	2	6	9	16	19
65+	17	4.3	11	1	1	3	6	8	11	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	13.5	272	<1	1	8	20	40	58	61
20-34	221	7.0	91	<1	1	4	8	17	25	33
35-49	227	7.1	93	1	1	3	8	20	29	54
50-64	174	5.6	31	1	1	3	8	15	19	25
65+	196	4.9	28	1	1	3	6	11	17	23
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	8	11.0	115	1	1	5	23	25	25	25
35-49	8	15.8	749	<1	<1	2	19	64	78	78
50-64	9	4.8	10	2	2	4	5	10	12	12
65+	10	10.3	305	1	1	6	9	34	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	4.6	31	<1	1	3	5	10	17	31
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	861	6.6	77	1	1	3	8	17	23	49
B. *Operated*	36	10.4	269	1	1	5	9	25	51	78
1. SINGLE DX	204	4.6	31	<1	1	3	5	10	17	31
2. MULTIPLE DX	897	6.7	85	1	1	3	8	17	24	55
A. NOT OPERATED	1063	6.2	69	1	1	3	7	17	22	43
B. OPERATED	38	9.9	259	1	1	4	9	25	49	78
TOTAL 0-19 YRS	57	11.9	228	<1	1	5	18	29	55	61
20-34	308	6.6	78	<1	1	4	7	17	25	32
35-49	294	6.7	99	1	1	3	7	18	29	55
50-64	219	5.4	29	1	1	3	7	14	19	24
65+	223	5.1	39	1	1	3	6	11	16	28
GRAND TOTAL	**1101**	**6.3**	**76**	**1**	**1**	**3**	**7**	**17**	**23**	**47**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	13.6	260	<1	1	8	17	41	46	78
20-34	192	5.4	56	1	1	3	7	12	14	27
35-49	158	6.6	67	1	1	4	8	14	22	47
50-64	34	7.2	45	1	1	6	9	14	20	34
65+	27	6.1	15	2	2	5	9	12	13	16
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	476	23.3	434	1	2	18	42	56	86	99+
20-34	770	7.5	60	1	1	5	10	17	23	40
35-49	555	8.2	70	1	1	5	10	18	26	43
50-64	235	8.0	59	1	2	5	11	19	24	37
65+	212	7.8	44	2	2	6	10	15	20	37
B. *Operated*										
0-19 YRS	16	22.6	440	1	2	22	45	65	89	99+
20-34	24	19.0	428	1	1	12	25	53	70	74
35-49	14	16.0	205	2	2	11	30	37	41	42
50-64	12	13.1	144	1	3	11	14	29	44	47
65+	18	19.8	472	2	3	11	29	48	74	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	535	7.8	114	1	1	4	9	17	27	51
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	2248	11.1	180	1	2	6	13	29	43	90
B. *Operated*	84	18.5	355	1	2	12	28	50	68	95
1. SINGLE DX	536	7.8	114	1	1	4	9	17	27	51
2. MULTIPLE DX	2332	11.4	188	1	2	6	14	31	44	91
A. NOT OPERATED	2783	10.5	169	1	1	6	12	27	42	79
B. OPERATED	85	18.3	354	1	2	12	28	50	68	95
TOTAL 0-19 YRS	616	21.4	413	1	2	14	37	55	74	99+
20-34	987	7.3	72	1	1	5	9	16	23	43
35-49	727	8.0	73	1	1	5	10	18	26	43
50-64	281	8.1	62	1	2	6	11	18	24	39
65+	257	8.5	80	2	2	6	11	16	23	41
GRAND TOTAL	**2868**	**10.7**	**176**	**1**	**1**	**6**	**13**	**28**	**43**	**84**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	8.0	168	<1	1	3	6	26	41	65
20-34	230	5.8	90	<1	1	3	7	12	17	63
35-49	88	4.4	27	<1	1	3	5	8	15	27
50-64	24	3.2	8	<1	1	2	4	7	10	12
65+	16	6.2	148	<1	<1	2	5	12	39	50
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	58	7.5	9	1	2	9	9	9	10	11
35-49	39	6.3	15	1	1	9	9	9	11	14
50-64	20	3.7	8	1	1	3	4	9	9	9
65+	8	6.1	43	2	2	3	8	17	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	10.2	218	<1	1	4	11	31	50	99
20-34	918	6.8	93	<1	1	4	7	17	25	50
35-49	500	7.7	105	1	1	4	8	18	27	54
50-64	151	6.0	37	1	1	4	8	14	19	32
65+	198	6.5	32	1	2	5	9	14	18	27
B. *Operated*										
0-19 YRS	9	14.8	383	2	2	8	18	48	63	63
20-34	72	9.7	129	1	2	9	10	18	49	91
35-49	47	9.8	157	1	1	8	9	22	38	65
50-64	22	7.7	96	1	1	5	9	23	33	41
65+	13	5.8	26	1	1	5	7	11	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	5.8	92	<1	1	3	6	13	21	56
B. *Operated*	126	6.4	14	1	1	9	9	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	2021	7.4	103	1	1	4	8	18	27	57
B. *Operated*	163	9.4	137	1	1	7	9	21	42	65
1. SINGLE DX	571	5.9	74	<1	1	3	8	11	17	50
2. MULTIPLE DX	2184	7.5	106	1	1	4	9	18	27	59
A. NOT OPERATED	2466	7.1	101	1	1	4	8	17	27	56
B. OPERATED	289	8.1	86	1	1	8	9	12	23	61
TOTAL 0-19 YRS	351	9.7	209	<1	1	4	11	30	48	87
20-34	1278	6.8	92	<1	1	4	8	14	24	55
35-49	674	7.3	95	1	1	4	9	16	26	54
50-64	217	5.6	38	1	1	3	7	12	19	33
65+	235	6.4	39	1	1	4	8	14	19	32
GRAND TOTAL	**2755**	**7.2**	**100**	**1**	**1**	**4**	**9**	**17**	**26**	**56**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.3	109	<1	<1	1	11	26	28	42
20-34	311	9.2	112	1	1	3	19	28	29	31
35-49	417	8.0	94	<1	1	3	9	27	28	30
50-64	170	8.6	121	1	1	3	10	28	30	35
65+	66	7.7	75	1	1	4	6	21	28	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	527	27.3	320	1	2	28	42	47	59	84
20-34	2949	16.4	136	1	2	20	28	30	32	39
35-49	3069	14.2	132	1	2	11	26	29	31	37
50-64	1823	12.9	123	1	2	7	23	29	31	36
65+	1036	12.3	103	2	2	8	21	27	30	39
B. *Operated*										
0-19 YRS	6	38.2	549	3	5	42	55	65	66	66
20-34	63	18.0	96	2	4	21	27	29	31	35
35-49	61	17.2	130	1	2	19	27	30	32	40
50-64	61	17.5	91	3	5	20	25	29	31	36
65+	50	19.7	217	2	2	21	26	35	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1015	8.4	103	<1	1	3	12	28	29	31
B. *Operated*	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	9404	15.2	150	1	2	14	26	30	33	45
B. *Operated*	241	18.5	146	2	3	21	27	30	35	56
1. SINGLE DX	1017	8.4	103	<1	1	3	12	28	29	31
2. MULTIPLE DX	9645	15.2	150	1	2	14	26	30	33	45
A. NOT OPERATED	10419	14.5	149	1	2	11	26	30	32	45
B. OPERATED	243	18.4	147	2	3	21	27	30	35	56
TOTAL 0-19 YRS	584	25.6	337	1	1	27	41	46	57	81
20-34	3323	15.8	137	1	2	18	27	30	32	38
35-49	3549	13.5	132	1	2	8	25	29	31	37
50-64	2054	12.7	123	1	2	7	23	29	31	36
65+	1152	12.4	110	2	2	8	21	28	30	40
GRAND TOTAL	**10662**	**14.6**	**149**	**1**	**2**	**11**	**26**	**30**	**32**	**45**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	63	5	5	8	17	24	24	24
20-34	97	6.5	56	1	1	4	6	14	28	31
35-49	43	8.3	76	1	2	4	9	26	28	32
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	20.2	262	2	4	22	31	39	41	68
20-34	581	13.2	135	2	2	7	25	30	35	43
35-49	280	12.4	127	2	3	7	21	29	31	45
50-64	29	12.8	91	3	4	6	20	27	28	31
65+	33	13.8	110	3	4	10	21	24	39	46
B. *Operated*										
0-19 YRS										
20-34	10	18.4	120	2	3	21	26	30	33	33
35-49	7	16.6	127	2	3	14	28	31	31	31
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	1	35.0		35	35	35	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	7.1	62	1	2	4	7	22	28	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	953	13.2	136	2	3	7	23	30	33	45
B. *Operated*	20	17.4	128	2	3	16	27	32	34	35
1. SINGLE DX	148	7.1	62	1	2	4	7	22	28	31
2. MULTIPLE DX	973	13.2	136	2	3	7	23	30	33	45
A. NOT OPERATED	1101	12.4	130	2	2	7	21	29	32	43
B. OPERATED	20	17.4	128	2	3	16	27	32	34	35
TOTAL 0-19 YRS	35	18.9	240	3	4	15	31	39	41	68
20-34	688	12.3	129	1	2	7	22	30	33	42
35-49	330	11.9	122	2	2	6	21	29	31	43
50-64	32	12.2	86	3	4	7	19	27	28	31
65+	36	13.8	121	2	4	10	21	27	39	46
GRAND TOTAL	**1121**	**12.4**	**130**	**2**	**2**	**7**	**21**	**29**	**32**	**43**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	22.8	464	1	2	21	34	46	66	93
20-34	141	10.2	110	<1	1	5	20	28	29	32
35-49	35	8.8	95	1	1	4	14	26	28	35
50-64	5	6.4	110	1	1	1	9	25	25	25
65+	3	11.7	225	3	3	3	23	29	29	29
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	485	28.8	284	2	5	28	40	48	59	88
20-34	1440	18.8	119	2	3	21	28	30	33	38
35-49	363	17.9	128	2	3	21	28	30	32	41
50-64	62	18.6	128	2	2	21	27	31	36	40
65+	52	19.1	129	2	4	21	26	33	39	45
B. *Operated*										
0-19 YRS	5	38.0	500	14	15	37	74	97	99+	99+
20-34	32	20.8	97	3	6	24	28	30	31	42
35-49	11	20.5	176	2	3	23	27	37	47	48
50-64	7	28.4	34	21	21	28	33	36	37	37
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	12.3	201	1	1	5	22	29	35	64
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2402	20.7	171	2	3	22	29	35	42	59
B. *Operated*	55	23.3	158	3	6	25	29	37	46	98
1. SINGLE DX	228	12.3	201	1	1	5	22	29	35	64
2. MULTIPLE DX	2457	20.7	171	2	3	22	29	35	42	60
A. NOT OPERATED	2630	20.0	179	2	3	21	28	34	41	59
B. OPERATED	55	23.3	158	3	6	25	29	37	46	98
TOTAL 0-19 YRS	534	28.4	302	2	4	28	40	48	60	94
20-34	1613	18.1	124	2	2	21	28	30	33	38
35-49	409	17.2	132	1	2	20	28	30	32	42
50-64	74	18.7	136	1	2	21	28	31	37	40
65+	55	18.7	133	2	3	21	27	33	38	45
GRAND TOTAL	**2685**	**20.0**	**179**	**2**	**3**	**22**	**28**	**34**	**42**	**60**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.1	44	<1	<1	1	1	1	2	36
20-34	67	1.3		<1	<1	1	1	2	3	4
35-49	29	3.1	21	<1	<1	1	3	6	16	21
50-64	14	2.6	18	<1	<1	1	2	5	14	17
65+	11	2.5	9	1	1	1	3	8	9	9
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	12.0	342	<1	<1	2	15	43	49	80
20-34	314	6.5	93	<1	<1	2	6	27	29	32
35-49	156	6.2	76	<1	<1	2	6	23	29	33
50-64	85	6.2	63	<1	1	3	5	21	29	32
65+	49	6.2	65	<1	1	2	8	15	31	33
B. *Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	21	2.7	23	<1	<1	1	2	6	15	22
35-49	8	7.5	118	1	1	3	8	26	33	33
50-64	7	5.9	57	<1	<1	3	9	19	21	21
65+	7	3.1	16	1	1	1	3	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.1	29	<1	<1	1	1	2	4	34
B. *Operated*	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	876	8.1	169	<1	<1	2	7	29	34	55
B. *Operated*	50	3.8	39	<1	<1	1	3	11	21	33
1. SINGLE DX	278	2.1	28	<1	<1	1	1	3	4	34
2. MULTIPLE DX	926	7.9	163	<1	<1	2	7	29	33	54
A. NOT OPERATED	1152	6.6	142	<1	<1	1	4	26	32	51
B. OPERATED	52	3.8	38	<1	<1	1	3	11	20	33
TOTAL 0-19 YRS	434	8.3	252	<1	<1	1	3	35	45	67
20-34	404	5.4	77	<1	<1	1	3	23	29	31
35-49	193	5.8	70	<1	<1	2	5	21	28	33
50-64	106	5.7	57	<1	<1	3	5	17	27	32
65+	67	5.3	53	<1	1	2	6	12	22	33
GRAND TOTAL	**1204**	**6.5**	**138**	**<1**	**<1**	**1**	**4**	**25**	**32**	**50**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	13.5	253	<1	<1	3	28	40	44	49
20-34	79	7.1	82	<1	1	3	8	22	29	34
35-49	19	2.9	10	<1	<1	1	4	6	11	14
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	3	6.7	54	1	1	4	12	15	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	25.7	320	1	1	28	38	49	59	93
20-34	464	13.1	117	1	1	10	21	28	30	39
35-49	133	11.3	108	1	1	6	21	27	30	35
50-64	27	11.9	83	1	2	9	20	25	28	30
65+	22	8.8	40	2	2	6	14	20	21	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	15.2	137	3	3	16	21	30	41	42
35-49	4	11.8	231	2	2	6	21	34	34	34
50-64	1	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	9.1	150	<1	1	3	13	30	35	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	917	16.4	209	1	1	14	27	35	45	65
B. *Operated*	17	13.2	141	2	2	9	21	31	39	42
1. SINGLE DX	166	9.1	150	<1	1	3	13	30	35	48
2. MULTIPLE DX	934	16.3	208	1	1	14	27	35	45	65
A. NOT OPERATED	1083	15.3	207	1	1	11	25	35	43	63
B. OPERATED	17	13.2	141	2	2	9	21	31	39	42
TOTAL 0-19 YRS	335	23.3	330	1	1	24	36	47	57	77
20-34	554	12.3	116	1	1	7	21	28	30	39
35-49	156	10.3	105	1	1	5	21	27	30	34
50-64	30	11.4	77	1	2	9	20	24	28	30
65+	25	8.5	40	1	2	6	14	19	21	21
GRAND TOTAL	**1100**	**15.2**	**206**	**1**	**1**	**11**	**25**	**35**	**43**	**63**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	4	1	1	4	5	6	6	6
20-34	15	2.7	6	<1	1	1	4	7	8	8
35-49	12	2.3	2	1	1	2	3	5	6	6
50-64	7	6.0	45	1	1	2	11	17	18	18
65+	10	5.2	35	1	1	3	6	16	17	17
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	8.0	50	3	3	8	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.9	26	<1	<1	2	5	9	13	25
20-34	73	4.7	41	1	1	3	5	10	19	38
35-49	68	4.5	28	1	1	3	5	12	17	29
50-64	61	3.9	14	1	1	3	4	8	10	20
65+	86	4.0	13	1	1	3	5	8	11	20
B. *Operated*										
0-19 YRS	4	4.5	14	1	1	4	7	9	9	9
20-34	5	5.6	27	1	1	4	9	14	14	14
35-49	8	3.8	8	1	1	3	5	8	9	9
50-64	8	4.3	20	1	1	3	4	12	15	15
65+	10	5.8	24	1	1	4	9	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.6	16	1	1	2	4	8	15	18
B. *Operated*	6	3.7	21	1	1	2	3	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	315	4.2	24	1	1	3	4	9	14	25
B. *Operated*	35	4.8	17	1	1	3	7	13	14	15
1. SINGLE DX	57	3.6	17	1	1	2	4	8	14	18
2. MULTIPLE DX	350	4.3	23	1	1	3	5	9	14	25
A. NOT OPERATED	366	4.1	23	1	1	3	4	9	14	24
B. OPERATED	41	4.6	18	1	1	3	6	13	14	15
TOTAL 0-19 YRS	40	3.7	19	<1	<1	2	5	9	10	25
20-34	93	4.4	35	1	1	2	5	10	18	35
35-49	89	4.1	23	1	1	3	4	9	14	27
50-64	77	4.1	17	1	1	3	4	9	14	20
65+	108	4.3	16	1	1	3	5	9	14	19
GRAND TOTAL	**407**	**4.2**	**22**	**1**	**1**	**3**	**5**	**9**	**14**	**23**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	7.4	105	<1	1	3	9	20	32	59
20-34	388	3.4	15	<1	1	2	4	8	10	20
35-49	252	4.5	29	<1	1	3	6	10	14	28
50-64	56	4.4	81	<1	1	2	4	8	11	62
65+	27	5.3	15	<1	1	4	8	12	13	13
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	715	10.7	201	1	1	5	13	34	43	99+
20-34	1439	5.4	44	<1	1	3	7	12	18	30
35-49	893	6.1	62	1	1	3	7	13	21	36
50-64	296	5.4	38	1	1	3	7	10	16	37
65+	233	6.1	37	1	1	4	8	14	18	29
B. *Operated*										
0-19 YRS	16	11.4	429	<1	<1	4	12	27	67	84
20-34	54	6.5	56	<1	1	4	8	16	24	39
35-49	22	5.2	35	1	1	3	8	12	19	26
50-64	7	20.9	512	3	4	8	27	59	67	67
65+	10	9.4	27	1	3	9	12	17	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	5.0	51	<1	1	3	5	11	19	37
B. *Operated*	4	2.3	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	3576	6.7	83	1	1	3	8	15	25	48
B. *Operated*	109	8.1	140	1	1	4	9	19	26	74
1. SINGLE DX	1029	5.0	51	<1	1	3	5	11	19	37
2. MULTIPLE DX	3685	6.7	85	1	1	4	8	15	25	48
A. NOT OPERATED	4601	6.3	76	1	1	3	7	14	23	47
B. OPERATED	113	7.9	136	<1	1	4	9	18	26	73
TOTAL 0-19 YRS	1034	9.7	178	1	1	4	11	29	41	91
20-34	1882	5.0	39	<1	1	3	6	12	17	29
35-49	1168	5.7	55	1	1	3	7	12	20	35
50-64	360	5.5	57	1	1	3	7	10	17	43
65+	270	6.2	34	1	1	4	8	13	18	29
GRAND TOTAL	**4714**	**6.3**	**78**	**1**	**1**	**3**	**7**	**15**	**23**	**47**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	18.6	342	1	1	13	30	46	56	88
20-34	164	16.8	299	1	1	8	32	40	49	57
35-49	84	6.3	93	<1	1	3	6	16	29	52
50-64	29	5.9	91	<1	1	3	6	12	35	42
65+	19	6.5	29	2	2	5	7	14	21	24
B. *Operated*										
0-19 YRS	4	12.8	253	2	2	6	23	36	36	36
20-34	5	4.0	20	<1	<1	1	7	11	11	11
35-49	3	11.7	126	2	2	9	20	24	24	24
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1161	24.4	415	1	2	21	41	54	70	99+
20-34	840	13.9	259	1	1	6	20	39	46	69
35-49	465	9.9	165	1	1	4	12	29	39	60
50-64	191	8.6	118	1	1	4	10	23	38	49
65+	238	6.8	47	1	2	5	8	16	23	35
B. *Operated*										
0-19 YRS	20	34.9	663	2	6	41	81	99+	99+	99+
20-34	34	22.8	678	3	4	11	29	65	89	94
35-49	28	15.0	233	2	2	9	21	42	50	57
50-64	12	9.8	57	2	3	8	13	20	28	29
65+	32	11.3	114	3	4	8	12	24	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	15.7	301	1	1	8	27	42	49	80
B. *Operated*	15	7.7	99	<1	1	3	10	24	33	36
2. MULTIPLE DX										
A. *Not Operated*	2895	16.5	325	1	2	9	28	44	54	99+
B. *Operated*	126	18.8	434	3	3	11	26	61	90	99+
1. SINGLE DX	668	15.5	298	1	1	7	27	42	49	79
2. MULTIPLE DX	3021	16.6	330	1	2	9	28	45	56	99+
A. NOT OPERATED	3548	16.4	321	1	1	8	28	44	54	94
B. OPERATED	141	17.6	410	2	3	10	24	58	86	99+
TOTAL 0-19 YRS	1542	23.2	408	1	2	18	40	53	68	99+
20-34	1043	14.6	281	1	1	7	23	40	47	74
35-49	580	9.6	160	1	1	4	11	27	39	58
50-64	233	8.3	111	1	1	4	9	20	35	44
65+	291	7.3	55	1	2	5	9	16	25	42
GRAND TOTAL	**3689**	**16.4**	**324**	**1**	**1**	**8**	**28**	**44**	**54**	**98**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	7.4	35	1	1	5	14	15	15	15
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	13.3	198	1	2	7	19	40	40	40
20-34	18	10.2	109	1	2	6	12	31	36	36
35-49	10	10.8	168	1	1	7	12	29	46	46
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	7.0		7	7	7	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.3	29	1	1	4	12	14	15	15
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	43	11.0	136	1	2	7	13	35	40	46
B. *Operated*	4	5.0	8	1	1	6	7	7	7	7
1. SINGLE DX	16	6.3	27	1	1	5	11	14	15	15
2. MULTIPLE DX	47	10.5	128	1	2	7	12	33	40	46
A. NOT OPERATED	58	9.8	112	1	1	7	13	23	38	46
B. OPERATED	5	5.2	6	1	1	6	7	7	7	7
TOTAL 0-19 YRS	14	11.6	186	1	1	6	15	40	40	40
20-34	31	9.0	75	1	2	7	13	17	34	36
35-49	14	8.8	130	1	1	6	10	16	39	46
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	2	5.5	13	3	3	5	8	8	8	8
GRAND TOTAL	**63**	**9.4**	**105**	**1**	**1**	**7**	**12**	**22**	**37**	**45**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	8.8	20	1	2	10	11	13	15	22
20-34	40	5.2	17	1	1	4	7	10	12	23
35-49	12	5.1	18	1	1	4	9	11	12	12
50-64	8	10.3	58	1	1	10	13	22	25	25
65+	10	7.6	20	1	1	8	12	13	14	14
B. *Operated*										
0-19 YRS	22	12.0	120	1	4	10	13	18	37	56
20-34	11	5.8	31	1	1	4	9	13	19	19
35-49	30	5.3	48	1	1	2	7	16	25	25
50-64	13	9.5	167	<1	1	5	11	30	41	43
65+	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	368	10.4	23	2	4	11	12	15	18	25
20-34	55	9.1	51	1	3	7	12	22	25	96
35-49	59	9.6	73	1	1	9	12	17	30	45
50-64	42	12.2	89	2	3	11	16	21	36	43
65+	62	13.8	77	3	4	13	18	26	30	43
B. *Operated*										
0-19 YRS	71	18.0	110	7	9	15	23	30	44	53
20-34	46	16.3	184	2	4	14	21	31	35	82
35-49	64	11.9	185	1	1	8	16	29	48	96
50-64	55	16.5	346	1	1	9	23	48	69	98
65+	59	20.9	276	1	2	18	36	52	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	8.2	22	1	2	9	11	13	15	23
B. *Operated*	79	7.8	90	1	1	5	10	18	25	52
2. MULTIPLE DX										
A. *Not Operated*	586	10.7	42	2	3	10	13	17	23	38
B. *Operated*	295	16.7	221	1	2	13	24	41	53	99+
1. SINGLE DX	394	8.1	35	1	1	9	11	14	15	26
2. MULTIPLE DX	881	12.7	110	1	3	11	15	25	35	70
A. NOT OPERATED	901	9.8	36	1	3	10	12	15	20	34
B. OPERATED	374	14.8	206	1	1	11	21	36	50	99+
TOTAL 0-19 YRS	706	10.7	40	2	3	10	12	16	21	34
20-34	152	10.0	99	1	2	7	14	22	30	81
35-49	165	9.4	114	1	1	6	12	22	30	69
50-64	118	13.8	219	1	1	9	18	35	47	82
65+	134	16.2	180	1	3	13	24	39	52	99+
GRAND TOTAL	**1275**	**11.3**	**91**	**1**	**2**	**10**	**13**	**22**	**30**	**57**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	17	4.9	23	1	1	3	9	11	16	18
65+	43	6.8	45	1	2	4	9	16	18	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0		5	5	5	5	5	5	5
35-49	6	9.8	51	2	2	9	13	21	22	22
50-64	65	7.3	51	1	2	6	8	14	21	44
65+	373	7.4	28	2	3	6	9	14	19	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	8.0	25	3	3	7	11	16	16	16
65+	46	10.6	50	3	4	9	13	21	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.2	38	1	1	4	9	16	18	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	446	7.4	32	2	2	6	9	14	19	28
B. *Operated*	52	10.2	48	3	4	9	12	19	25	98
1. SINGLE DX	62	6.2	38	1	1	4	9	16	18	33
2. MULTIPLE DX	498	7.7	34	2	2	6	10	15	20	33
A. NOT OPERATED	508	7.3	32	2	2	6	9	15	18	30
B. OPERATED	52	10.2	48	3	4	9	12	19	25	98
TOTAL 0-19 YRS										
20-34	2	5.0		5	5	5	5	5	5	5
35-49	9	8.0	40	2	2	5	11	18	22	22
50-64	87	6.9	45	1	1	6	9	14	19	38
65+	462	7.7	33	2	2	7	10	15	19	34
GRAND TOTAL	**560**	**7.6**	**34**	**2**	**2**	**6**	**10**	**15**	**19**	**34**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	66	5.5	31	<1	<1	4	8	11	13	35
35-49	107	7.0	67	<1	<1	4	8	14	20	46
50-64	39	5.4	21	<1	<1	4	8	13	14	16
65+	5	8.0	42	1	1	8	11	18	18	18
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	12	2.2	1	1	1	2	3	4	4	4
35-49	13	2.7	11	1	1	1	2	9	11	11
50-64	7	4.4	54	1	1	2	3	17	21	21
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	104	6.6	28	1	2	5	9	15	16	26
35-49	200	9.3	61	2	3	7	11	19	27	39
50-64	86	9.3	47	2	3	7	13	20	23	31
65+	45	8.5	27	2	3	8	11	16	20	22
B. *Operated*										
0-19 YRS										
20-34	16	11.8	153	1	1	9	20	43	82	99+
35-49	38	11.2	122	1	1	8	12	32	37	40
50-64	25	7.2	36	1	1	5	11	16	21	23
65+	13	9.9	42	1	2	8	12	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	6.3	47	<1	<1	4	8	13	17	41
B. *Operated*	36	3.1	15	1	1	2	3	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	437	8.6	48	2	2	7	11	17	22	32
B. *Operated*	92	10.1	93	1	1	8	12	24	35	78
1. SINGLE DX	254	5.8	44	<1	1	4	8	13	16	39
2. MULTIPLE DX	529	8.8	56	1	2	7	11	19	23	39
A. NOT OPERATED	655	7.8	49	1	1	6	10	16	21	36
B. OPERATED	128	8.1	81	1	1	5	11	21	31	59
TOTAL 0-19 YRS	5	3.8	18	1	1	2	6	11	11	11
20-34	198	6.4	40	1	1	5	8	14	18	44
35-49	358	8.6	70	1	1	6	11	18	29	41
50-64	157	7.8	42	1	1	6	11	17	21	30
65+	65	8.7	30	2	2	8	11	17	20	23
GRAND TOTAL	**783**	**7.8**	**54**	**1**	**1**	**6**	**11**	**16**	**22**	**39**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	370	2.2	3	<1	1	2	3	4	5	9
20-34	249	2.1	2	<1	1	2	2	4	5	8
35-49	137	2.4	3	<1	1	2	3	5	6	8
50-64	72	2.3	2	<1	1	2	3	4	5	8
65+	78	3.1	6	1	1	2	4	5	8	14
B. *Operated*										
0-19 YRS	16	4.7	15	<1	1	4	9	11	11	11
20-34	18	4.7	16	1	1	3	9	11	11	11
35-49	6	4.2	8	2	2	4	5	9	9	9
50-64										
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	3.1	16	1	1	2	3	6	8	18
20-34	589	3.7	15	1	1	3	4	7	10	19
35-49	474	3.6	11	1	1	3	4	7	10	16
50-64	502	4.3	32	1	1	3	5	8	11	23
65+	1033	5.0	18	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	28	7.1	74	1	1	4	11	13	17	44
20-34	79	7.5	89	1	1	5	11	15	21	60
35-49	53	6.0	22	1	1	5	10	13	15	97
50-64	63	8.5	77	2	2	6	10	17	31	43
65+	108	11.2	105	2	2	8	14	24	32	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	906	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	42	4.6	13	1	1	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	3141	4.1	19	1	1	3	5	8	11	20
B. *Operated*	331	8.6	83	1	2	6	12	18	25	71
1. SINGLE DX	948	2.4	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	3472	4.5	26	1	1	3	5	9	13	25
A. NOT OPERATED	4047	3.7	16	1	1	3	4	7	10	19
B. OPERATED	373	8.2	77	1	1	6	11	17	24	63
TOTAL 0-19 YRS	957	2.9	13	1	1	2	3	5	8	15
20-34	935	3.6	19	1	1	2	4	8	10	21
35-49	670	3.5	11	1	1	2	4	7	10	16
50-64	637	4.5	35	1	1	3	5	9	12	26
65+	1221	5.4	28	1	1	4	6	11	15	26
GRAND TOTAL	**4420**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.6	4	1	1	2	3	4	7	12
20-34	124	3.4	25	<1	1	2	4	6	10	27
35-49	98	3.0	8	1	1	2	4	6	8	17
50-64	65	3.3	11	1	1	2	4	6	9	20
65+	77	4.0	8	<1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	90	4.5	64	<1	1	3	5	7	8	50
20-34	120	3.3	9	1	1	2	4	7	9	16
35-49	85	4.1	27	<1	1	2	5	8	11	33
50-64	105	4.0	17	1	1	2	5	10	13	20
65+	88	5.9	31	1	1	5	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	6.2	84	<1	1	3	6	15	24	47
20-34	286	6.7	82	1	1	4	7	15	26	47
35-49	291	5.9	50	1	1	3	7	13	22	52
50-64	432	8.4	93	1	1	5	9	20	30	48
65+	1490	9.5	93	1	2	6	12	21	29	46
B. *Operated*										
0-19 YRS	209	8.1	133	1	1	5	8	21	36	93
20-34	262	9.6	142	1	1	5	11	30	41	99+
35-49	258	10.6	213	1	1	7	11	27	49	92
50-64	307	10.2	129	1	1	7	13	22	33	81
65+	617	12.2	153	1	2	8	16	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.2	13	1	1	2	4	6	9	17
B. *Operated*	488	4.3	28	1	1	3	6	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	2701	8.4	88	1	1	5	10	20	28	46
B. *Operated*	1653	10.7	155	1	1	7	13	27	38	84
1. SINGLE DX	949	3.8	21	1	1	2	5	8	10	21
2. MULTIPLE DX	4354	9.2	115	1	1	6	11	22	32	59
A. NOT OPERATED	3162	7.6	80	1	1	5	9	17	26	46
B. OPERATED	2141	9.2	134	1	1	6	11	22	33	72
TOTAL 0-19 YRS	598	6.0	89	1	1	3	6	12	24	61
20-34	792	6.6	88	1	1	3	7	15	29	57
35-49	732	7.0	107	1	1	4	8	15	27	73
50-64	909	8.1	96	1	1	5	10	20	28	60
65+	2272	9.9	107	1	2	7	12	22	31	53
GRAND TOTAL	**5303**	**8.3**	**102**	**1**	**1**	**5**	**10**	**20**	**29**	**58**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.0	3	<1	<1	1	2	4	6	10
20-34	277	2.8	7	1	1	2	3	5	7	11
35-49	241	3.0	6	1	1	2	4	5	7	17
50-64	60	2.7	4	1	1	2	4	5	7	9
65+	18	1.8	2	<1	1	2	2	3	5	7
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	2	4	5	5
20-34	24	1.8	1	1	1	1	3	4	4	4
35-49	17	3.5	7	1	1	3	4	7	10	11
50-64	9	2.1	4	<1	<1	2	2	5	7	7
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.9	1	<1	<1	2	2	3	4	6
20-34	362	3.5	14	1	1	2	4	6	9	21
35-49	424	3.6	10	1	1	3	4	6	9	15
50-64	147	4.2	31	1	1	3	4	7	10	33
65+	79	3.9	15	1	1	3	4	7	10	24
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	22	7.2	194	<1	1	4	7	10	35	68
35-49	30	5.6	29	1	1	4	6	13	19	24
50-64	17	4.5	17	1	1	2	7	10	13	15
65+	9	8.2	138	1	1	4	7	27	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	2.7	6	1	1	2	3	5	6	12
B. *Operated*	61	2.3	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1094	3.5	14	1	1	3	4	6	9	19
B. *Operated*	81	6.0	81	1	1	4	6	10	18	59
1. SINGLE DX	749	2.7	6	1	1	2	3	5	6	12
2. MULTIPLE DX	1175	3.7	19	1	1	3	4	7	9	22
A. NOT OPERATED	1782	3.2	11	1	1	2	4	6	8	17
B. OPERATED	142	4.4	51	1	1	2	5	8	12	41
TOTAL 0-19 YRS	187	1.9	2	<1	<1	1	2	4	5	7
20-34	685	3.3	17	1	1	2	4	6	8	18
35-49	712	3.5	10	1	1	3	4	6	8	17
50-64	233	3.8	22	1	1	3	4	7	9	27
65+	107	3.9	25	1	1	2	4	7	9	32
GRAND TOTAL	**1924**	**3.3**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.5	1	2	2	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	170	1.1		<1	<1	<1	1	1	2	3
35-49	244	1.2		<1	<1	<1	1	1	2	4
50-64	199	1.1		<1	<1	<1	1	1	2	3
65+	91	1.1		<1	<1	<1	1	1	2	3
2. MIILTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.7	1	<1	<1	1	2	3	3	3
35-49	7	3.6	6	1	1	2	6	7	7	7
50-64	4	5.8	57	<1	<1	2	10	17	17	17
65+	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	76	1.9	4	<1	<1	1	2	4	6	12
35-49	140	1.9	3	<1	<1	1	2	3	5	11
50-64	134	1.8	2	<1	<1	1	2	3	5	7
65+	137	2.0	5	<1	<1	1	2	3	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.9	1	1	1	2	2	4	4	4
B. *Operated*	710	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	23	2.9	12	<1	<1	2	3	6	10	17
B. *Operated*	490	1.9	3	<1	<1	1	2	3	6	11
1. SINGLE DX	718	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	513	1.9	4	<1	<1	1	2	3	6	11
A. NOT OPERATED	31	2.6	9	<1	<1	2	2	5	7	17
B. OPERATED	1200	1.4	2	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34	256	1.4	1	<1	<1	<1	1	2	3	7
35-49	392	1.4	2	<1	<1	<1	1	2	3	7
50-64	338	1.4	2	<1	<1	1	1	2	3	6
65+	236	1.6	3	<1	<1	1	2	3	4	11
GRAND TOTAL	**1231**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.7	14	1	1	2	4	10	12	14
20-34	75	4.5	23	1	1	3	6	9	13	30
35-49	85	5.6	38	1	1	3	7	12	18	33
50-64	54	3.8	21	1	1	2	4	8	13	24
65+	48	3.2	7	<1	1	2	4	7	8	12
B. *Operated*										
0-19 YRS	56	2.5	8	<1	<1	2	3	5	8	16
20-34	462	2.7	14	<1	1	2	3	5	7	13
35-49	506	2.5	5	<1	<1	2	3	5	7	11
50-64	303	2.7	11	<1	<1	1	3	6	9	19
65+	185	2.5	8	<1	<1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	12.9	480	1	1	4	7	65	72	74
20-34	107	6.4	86	1	1	3	6	16	27	49
35-49	162	5.2	29	1	1	4	6	12	16	24
50-64	207	5.2	30	1	1	4	6	10	15	31
65+	368	5.9	35	1	1	4	8	12	16	30
B. *Operated*										
0-19 YRS	64	6.0	117	<1	1	3	5	10	27	67
20-34	345	4.4	36	1	1	3	5	8	11	36
35-49	469	4.6	35	1	1	3	6	9	14	30
50-64	342	6.3	128	1	1	3	7	12	21	83
65+	326	7.2	122	1	1	4	8	16	24	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	4.4	24	1	1	3	6	10	13	25
B. *Operated*	1512	2.6	9	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	878	5.9	58	1	1	4	7	12	18	42
B. *Operated*	1546	5.5	79	1	1	3	6	11	18	64
1. SINGLE DX	1807	2.9	12	<1	<1	2	3	6	8	18
2. MULTIPLE DX	2424	5.7	71	1	1	3	6	11	18	50
A. NOT OPERATED	1173	5.5	49	1	1	4	6	11	16	35
B. OPERATED	3058	4.1	46	<1	1	2	4	8	12	39
TOTAL 0-19 YRS	187	5.8	143	<1	1	2	5	10	22	72
20-34	989	3.8	31	<1	1	2	4	7	10	34
35-49	1222	3.9	23	<1	1	2	5	8	12	23
50-64	906	4.7	63	<1	1	2	5	10	15	44
65+	927	5.5	62	1	1	3	7	12	16	49
GRAND TOTAL	**4231**	**4.5**	**48**	**<1**	**1**	**3**	**5**	**9**	**14**	**36**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	3	2.7		2	2	3	3	3	3	3
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	60	2.4	2	1	1	2	3	4	4	7
20-34	115	3.1	5	1	1	3	4	6	7	12
35-49	160	3.0	8	1	1	3	4	5	6	9
50-64	432	2.8	3	1	1	2	4	5	6	8
65+	438	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.1		<1	<1	1	1	2	2	2
35-49	8	2.5	8	<1	<1	1	3	7	9	9
50-64	15	2.1	2	<1	<1	1	3	5	5	5
65+	23	2.6	12	<1	<1	1	3	5	9	17
B. *Operated*										
0-19 YRS	67	3.1	6	1	1	3	4	5	6	15
20-34	188	3.5	4	1	1	3	4	6	7	10
35-49	235	3.4	4	1	1	3	4	6	7	10
50-64	588	3.2	4	1	1	3	4	5	7	11
65+	881	3.4	5	1	1	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	2	<1	1	3	4	6	6	6
B. *Operated*	1205	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	54	2.2	7	<1	<1	1	3	5	5	17
B. *Operated*	1959	3.4	5	1	1	3	4	5	7	11
1. SINGLE DX	1214	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX	2013	3.3	5	1	1	3	4	5	7	11
A. NOT OPERATED	63	2.4	6	<1	<1	1	3	5	6	16
B. OPERATED	3164	3.2	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	129	2.8	4	1	1	3	4	4	5	13
20-34	311	3.3	5	1	1	3	4	6	7	11
35-49	405	3.2	6	1	1	3	4	6	7	10
50-64	1038	3.0	4	1	1	3	4	5	6	10
65+	1344	3.2	5	1	1	3	4	5	6	10
GRAND TOTAL	**3227**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.0		1	1	1	1	1	1	1
50-64	8	1.0		<1	<1	1	1	1	1	1
65+	16	1.4	1	1	1	1	2	2	4	5
B. *Operated*										
0-19 YRS	9	1.4	1	1	1	1	2	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	15	1.8	2	<1	<1	1	2	4	5	6
50-64	30	1.8	3	<1	<1	1	1	4	7	9
65+	66	1.9	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34										
35-49										
50-64	6	1.3		1	1	1	2	2	2	2
65+	26	2.5	2	<1	1	2	4	4	5	6
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	7	3.3	7	1	1	4	4	7	8	8
50-64	39	2.7	7	1	1	2	3	7	9	12
65+	140	3.0	11	1	1	2	4	5	8	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.3	1	<1	1	1	1	2	3	5
B. *Operated*	122	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	35	2.3	2	1	1	2	3	4	5	6
B. *Operated*	197	2.9	9	1	1	2	4	5	8	18
1. SINGLE DX	149	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	232	2.8	8	1	1	2	4	5	8	14
A. NOT OPERATED	62	1.9	2	1	1	1	2	4	5	6
B. OPERATED	319	2.5	7	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	20	1.7	1	<1	1	1	2	4	4	5
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	25	2.1	3	<1	<1	1	3	4	6	8
50-64	83	2.1	5	<1	<1	1	2	4	7	12
65+	248	2.6	7	1	1	2	3	5	6	11
GRAND TOTAL	**381**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	5.0		5	5	5	5	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	1.3		<1	<1	1	2	2	3	3
50-64	15	2.4	4	<1	<1	2	3	6	7	7
65+	22	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	4	10.3	73	5	5	6	15	23	23	23
50-64	1	8.0		8	8	8	8	8	8	8
65+	16	2.7	3	<1	1	2	4	5	6	7
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	12	2.5	2	1	1	2	3	4	5	5
35-49	10	3.2	5	<1	<1	3	4	6	8	8
50-64	25	5.0	23	<1	1	3	8	12	14	19
65+	94	3.4	11	1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.9	3	<1	<1	3	5	5	5	5
B. *Operated*	54	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	23	4.3	21	<1	1	3	5	7	13	23
B. *Operated*	143	3.5	12	1	1	2	4	8	11	18
1. SINGLE DX	66	2.0	2	<1	<1	1	3	5	5	7
2. MULTIPLE DX	166	3.6	13	1	1	2	4	8	11	19
A. NOT OPERATED	35	3.8	15	<1	1	3	5	7	8	23
B. OPERATED	197	3.1	10	<1	1	2	4	7	9	18
TOTAL 0-19 YRS	7	1.7	1	<1	<1	2	2	3	3	3
20-34	16	2.6	2	1	1	2	4	4	5	5
35-49	30	3.6	18	<1	<1	2	5	6	8	23
50-64	44	4.0	16	<1	<1	2	6	9	12	19
65+	135	3.0	9	<1	1	2	4	7	8	17
GRAND TOTAL	**232**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS										
20-34										
35-49	55	1.1		<1	<1	<1	<1	1	1	6
50-64	373	1.1		<1	<1	<1	<1	1	1	3
65+	1328	1.1	1	<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	1.5	2	<1	<1	<1	1	4	5	5
65+	45	1.2		<1	<1	<1	1	2	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	23	1.3		<1	<1	1	2	2	3	3
50-64	202	1.6	2	<1	<1	1	2	3	3	9
65+	922	1.6	2	<1	<1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	1756	1.1	1	<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
A. *Not Operated*	53	1.3	1	<1	<1	<1	1	2	3	5
B. *Operated*	1147	1.6	2	<1	<1	1	2	3	3	8
1. SINGLE DX	1760	1.1	1	<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX	1200	1.6	2	<1	<1	1	2	3	3	8
A. NOT OPERATED	57	1.2	1	<1	<1	<1	1	2	3	5
B. OPERATED	2903	1.3	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS										
20-34										
35-49	78	1.2		<1	<1	<1	<1	1	2	5
50-64	586	1.2	1	<1	<1	<1	1	2	3	5
65+	2296	1.3	1	<1	<1	<1	1	2	2	5
GRAND TOTAL	**2960**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	6	1.8	4	<1	<1	<1	<1	5	6	6
35-49	7	1.0		<1	<1	<1	1	1	1	1
50-64	17	1.1		<1	<1	<1	1	2	2	2
65+	15	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	3	3
20-34	13	2.2	3	<1	<1	2	3	5	6	6
35-49	22	1.9	3	<1	<1	1	2	4	6	8
50-64	36	1.5	1	<1	<1	1	2	2	4	4
65+	96	1.6	1	<1	<1	1	2	2	3	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	54	1.2	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	181	1.6	1	<1	<1	1	2	3	3	6
1. SINGLE DX	57	1.2	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX	184	1.6	1	<1	<1	1	2	3	3	6
A. NOT OPERATED	6	1.2		<1	<1	<1	1	2	2	2
B. OPERATED	235	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	26	1.3		<1	<1	1	1	2	3	3
20-34	19	2.1	3	<1	<1	1	3	5	6	6
35-49	29	1.7	2	<1	<1	1	2	4	5	8
50-64	54	1.4	1	<1	<1	1	2	2	3	4
65+	113	1.5		<1	<1	1	2	2	3	4
GRAND TOTAL	**241**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	18	1	1	2	5	11	11	11
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	146	1.0		<1	<1	<1	1	1	1	2
20-34	22	1.1		<1	<1	1	1	1	2	3
35-49	25	1.2		<1	<1	1	1	2	3	3
50-64	17	1.2	1	<1	<1	<1	1	1	3	4
65+	9	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	9	2.8	1	2	2	3	3	4	4	4
50-64	13	4.3	30	1	1	2	4	11	19	21
65+	19	4.8	11	1	2	4	6	11	12	12
B. *Operated*										
0-19 YRS	47	1.1		<1	<1	1	1	1	2	3
20-34	18	5.5	232	<1	<1	1	2	8	43	66
35-49	15	1.3		<1	<1	1	2	2	2	2
50-64	16	2.7	10	<1	1	2	3	5	11	14
65+	27	3.6	16	1	1	2	5	6	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	8	1	1	2	3	7	11	11
B. *Operated*	219	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	50	3.7	13	1	1	3	4	8	12	21
B. *Operated*	123	2.5	40	<1	<1	1	2	4	7	30
1. SINGLE DX	229	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	173	2.9	32	<1	<1	1	3	5	9	20
A. NOT OPERATED	60	3.7	12	1	1	3	4	8	11	20
B. OPERATED	342	1.6	15	<1	<1	1	1	2	3	14
TOTAL 0-19 YRS	202	1.1	1	<1	<1	<1	1	1	2	3
20-34	45	2.9	94	<1	<1	1	1	3	7	66
35-49	50	1.5	1	<1	<1	1	2	3	3	4
50-64	49	2.6	12	<1	<1	1	3	5	9	21
65+	56	3.6	13	<1	1	3	4	7	12	17
GRAND TOTAL	**402**	**1.9**	**15**	**<1**	**<1**	**1**	**1**	**3**	**5**	**14**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.2	3	<1	<1	1	3	4	6	9
20-34	22	3.0	4	<1	<1	2	4	6	7	7
35-49	13	2.9	8	<1	<1	2	4	6	10	11
50-64	12	3.0	4	<1	<1	3	4	6	7	7
65+	8	3.8	2	<1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	45	1.7	5	<1	<1	<1	2	2	4	15
20-34	85	1.5	1	<1	<1	1	2	3	3	4
35-49	103	1.7	1	<1	<1	1	2	3	3	6
50-64	95	1.3	1	<1	<1	1	1	2	3	5
65+	216	1.6	3	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	3.5	12	<1	1	3	4	6	7	24
20-34	24	3.6	6	<1	1	3	5	7	9	9
35-49	22	5.0	14	1	2	4	5	10	13	17
50-64	26	5.4	12	1	2	5	7	10	13	16
65+	80	5.4	18	1	2	4	6	10	14	24
B. *Operated*										
0-19 YRS	41	2.9	8	<1	<1	2	4	6	10	13
20-34	56	2.3	3	<1	1	2	3	5	7	7
35-49	67	2.0	7	<1	1	1	2	4	5	18
50-64	159	2.2	5	<1	1	1	3	4	6	11
65+	481	2.6	10	1	1	2	3	4	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.6	4	<1	<1	2	4	5	7	10
B. *Operated*	544	1.5	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	228	4.5	14	<1	1	4	6	8	11	23
B. *Operated*	804	2.5	8	<1	1	2	3	4	6	14
1. SINGLE DX	666	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1032	2.9	10	<1	1	2	3	6	8	17
A. NOT OPERATED	350	3.9	12	<1	<1	3	5	7	9	17
B. OPERATED	1348	2.1	6	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	229	2.7	8	<1	<1	2	3	6	7	13
20-34	187	2.2	3	<1	<1	1	3	5	6	8
35-49	205	2.2	6	<1	<1	1	3	4	6	14
50-64	292	2.2	6	<1	<1	1	3	5	6	12
65+	785	2.6	10	<1	1	2	3	5	7	17
GRAND TOTAL	**1698**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.0	3	1	1	3	4	5	6	8
20-34	30	3.3	7	1	1	3	4	6	7	15
35-49	23	3.0	2	1	1	3	4	5	6	6
50-64	17	3.1	4	<1	1	2	4	7	8	8
65+	29	3.1	5	<1	1	2	5	7	7	8
B. *Operated*										
0-19 YRS	32	3.5	10	<1	<1	2	4	9	11	12
20-34	72	1.9	6	<1	<1	<1	1	3	8	13
35-49	51	1.5	1	<1	<1	<1	2	3	4	7
50-64	75	1.9	3	<1	<1	1	2	4	6	10
65+	154	2.6	8	<1	<1	1	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	3.5	5	1	2	3	4	6	8	11
20-34	46	3.9	10	1	2	3	4	6	12	16
35-49	48	4.7	11	1	1	4	7	9	10	14
50-64	51	5.0	13	1	1	4	7	9	12	16
65+	128	4.0	10	1	1	3	6	7	9	16
B. *Operated*										
0-19 YRS	57	3.9	10	1	1	3	5	9	11	15
20-34	115	3.8	25	<1	1	3	4	7	11	27
35-49	102	3.8	26	1	1	3	4	8	9	30
50-64	215	3.2	7	<1	1	2	4	6	9	14
65+	495	3.3	11	<1	1	3	4	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	3.1	3	1	1	3	4	5	6	8
B. *Operated*	384	2.2	6	<1	<1	1	2	4	8	12
2. MULTIPLE DX										
A. *Not Operated*	607	3.9	8	1	1	3	5	7	9	15
B. *Operated*	984	3.4	14	<1	1	3	4	6	9	15
1. SINGLE DX	755	2.6	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	1591	3.6	11	<1	1	3	4	7	9	15
A. NOT OPERATED	978	3.6	6	1	1	3	4	7	8	14
B. OPERATED	1368	3.1	12	<1	<1	2	4	6	9	15
TOTAL 0-19 YRS	695	3.4	5	1	1	3	4	6	8	11
20-34	263	3.2	16	<1	<1	2	4	6	11	16
35-49	224	3.4	16	<1	<1	2	4	7	9	14
50-64	358	3.2	8	<1	<1	2	4	7	9	14
65+	806	3.2	10	<1	<1	2	4	7	9	15
GRAND TOTAL	**2346**	**3.3**	**10**	**<1**	**<1**	**3**	**4**	**6**	**9**	**14**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	2	2	3	3	3
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	6	2.2	3	<1	<1	2	3	5	5	5
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	7	<1	1	2	4	6	10	11
20-34	15	2.7	3	<1	<1	2	4	5	6	6
35-49	11	2.2	2	1	1	2	3	4	5	5
50-64	19	3.2	6	<1	1	3	4	8	9	9
65+	33	4.4	7	1	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	17	1.8	1	<1	<1	2	2	3	4	4
35-49	15	1.9	2	<1	<1	1	3	4	5	6
50-64	20	1.8	1	<1	<1	1	2	3	4	5
65+	40	2.2	4	1	1	2	2	4	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	16	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	92	3.4	6	1	1	3	5	7	9	12
B. *Operated*	98	1.9	2	<1	<1	1	2	3	5	9
1. SINGLE DX	38	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	190	2.6	5	<1	1	2	3	5	7	11
A. NOT OPERATED	114	3.1	5	<1	1	2	4	6	8	11
B. OPERATED	114	1.8	2	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	26	2.3	5	<1	<1	2	3	5	6	11
20-34	39	2.1	2	<1	<1	2	3	4	5	6
35-49	36	2.0	2	<1	<1	1	3	4	5	6
50-64	46	2.3	4	<1	<1	2	3	5	7	9
65+	81	3.0	6	1	1	2	4	6	9	11
GRAND TOTAL	**228**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**10**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.0	1	<1	1	2	3	3	4	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	569	1.1	1	<1	<1	<1	<1	1	1	3
20-34	108	1.3	2	<1	<1	1	1	2	2	10
35-49	88	1.2	1	<1	1	1	1	2	2	6
50-64	92	1.3	1	<1	1	1	1	2	2	5
65+	30	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	625	2.5	3	1	1	2	3	4	5	9
20-34	24	3.6	11	<1	<1	3	4	9	11	14
35-49	20	4.4	15	<1	1	3	5	11	13	14
50-64	27	3.7	6	<1	<1	4	5	7	8	9
65+	24	4.8	33	<1	<1	3	6	9	19	27
B. *Operated*										
0-19 YRS	794	1.4	2	<1	<1	1	1	2	3	9
20-34	132	1.4	1	<1	1	1	1	2	3	9
35-49	164	1.6	4	<1	1	1	1	2	5	11
50-64	157	1.8	8	1	1	1	2	2	4	20
65+	106	2.2	7	1	1	2	2	3	5	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	2.0	1	<1	1	2	3	3	4	5
B. *Operated*	887	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	720	2.7	5	1	1	2	3	5	7	11
B. *Operated*	1353	1.5	3	<1	<1	1	1	2	4	10
1. SINGLE DX	1068	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	2073	1.9	4	<1	<1	1	2	4	5	11
A. NOT OPERATED	901	2.6	4	<1	1	2	3	4	6	11
B. OPERATED	2240	1.4	2	<1	<1	1	1	2	3	9
TOTAL 0-19 YRS	2162	1.7	2	<1	<1	1	2	3	4	8
20-34	266	1.6	3	<1	1	1	1	2	4	10
35-49	274	1.7	4	<1	1	1	1	3	6	12
50-64	278	1.9	6	<1	1	1	2	4	5	10
65+	161	2.4	11	<1	1	1	2	4	7	21
GRAND TOTAL	**3141**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.2	8	<1	1	2	4	8	9	16
20-34	25	3.3	2	1	1	3	4	6	6	7
35-49	16	3.4	2	1	1	3	4	5	6	7
50-64	11	4.9	7	2	2	5	7	9	10	10
65+										
B. *Operated*										
0-19 YRS	62	2.3	9	<1	<1	1	2	5	6	17
20-34	23	1.4	1	<1	<1	1	1	3	4	5
35-49	19	1.7	2	<1	<1	1	2	3	5	7
50-64	15	2.0	3	<1	<1	1	3	5	6	7
65+	8	7.0	225	1	1	2	3	32	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.7	8	1	1	3	4	7	10	17
20-34	51	4.7	18	1	2	3	5	10	14	24
35-49	48	4.5	5	1	2	4	6	8	9	9
50-64	49	5.3	36	1	2	4	7	10	13	39
65+	47	8.8	81	2	3	6	9	22	27	44
B. *Operated*										
0-19 YRS	137	3.2	22	<1	<1	1	3	8	12	23
20-34	53	2.2	10	<1	1	1	1	5	10	17
35-49	59	3.9	43	1	1	1	4	9	16	36
50-64	66	6.3	63	1	1	3	9	16	23	44
65+	53	7.2	94	1	1	3	10	18	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.4	6	1	1	3	4	7	8	13
B. *Operated*	127	2.3	19	<1	<1	1	2	4	6	23
2. MULTIPLE DX										
A. *Not Operated*	308	5.0	28	1	2	4	6	9	13	30
B. *Operated*	368	4.3	44	<1	1	1	5	12	17	37
1. SINGLE DX	225	2.8	14	<1	<1	2	3	5	7	16
2. MULTIPLE DX	676	4.6	36	<1	1	3	6	10	15	37
A. NOT OPERATED	406	4.6	23	1	1	3	5	9	11	24
B. OPERATED	495	3.8	38	<1	<1	1	4	9	15	37
TOTAL 0-19 YRS	358	3.2	14	<1	<1	2	4	7	10	18
20-34	152	3.1	12	<1	1	2	4	6	11	17
35-49	142	3.7	21	1	1	3	5	8	9	30
50-64	141	5.4	44	1	1	3	7	11	17	40
65+	108	7.9	96	1	1	5	9	20	26	46
GRAND TOTAL	**901**	**4.2**	**31**	**<1**	**1**	**2**	**5**	**9**	**13**	**32**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	2	<1	<1	1	3	5	5	5
20-34	43	2.5	5	1	1	2	3	5	7	12
35-49	86	2.2	2	<1	1	2	2	4	5	9
50-64	135	2.0	2	1	1	2	2	3	5	9
65+	161	2.3	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	49	1.8	1	1	1	1	3	3	4	6
35-49	62	2.6	4	1	1	2	3	7	7	8
50-64	54	1.8	1	1	1	2	2	3	4	7
65+	29	1.8	1	1	1	1	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	5	1	1	1	3	6	8	8
20-34	88	2.8	5	1	1	2	3	5	8	13
35-49	170	2.7	4	1	1	2	3	5	7	12
50-64	434	3.0	5	1	1	2	4	6	7	13
65+	1139	3.2	5	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	6	3.8	3	1	1	4	5	6	6	6
20-34	69	4.9	32	1	1	3	6	9	16	34
35-49	65	2.8	5	1	1	2	3	6	7	11
50-64	44	4.4	26	1	1	3	6	8	12	31
65+	71	5.7	23	1	2	4	7	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	2.2	2	1	1	2	3	4	5	9
B. *Operated*	198	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1844	3.1	5	1	1	3	4	6	7	11
B. *Operated*	255	4.5	22	1	1	3	6	9	13	26
1. SINGLE DX	630	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	2099	3.3	8	1	1	3	4	6	8	14
A. NOT OPERATED	2276	2.9	5	1	1	2	4	5	7	11
B. OPERATED	453	3.4	15	1	1	2	4	7	9	20
TOTAL 0-19 YRS	30	2.7	4	1	1	2	4	5	6	8
20-34	249	3.1	13	1	1	2	4	6	8	18
35-49	383	2.6	4	1	1	2	3	5	7	10
50-64	667	2.8	6	1	1	2	3	6	7	13
65+	1400	3.2	6	1	1	3	4	6	7	12
GRAND TOTAL	**2729**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	76	1.2		<1	1	1	1	2	2	3
35-49	135	1.2		<1	1	1	1	2	2	3
50-64	85	1.3		<1	1	1	1	2	2	4
65+	31	1.2		<1	1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	43	1.5	1	1	1	1	2	3	3	5
35-49	90	1.2		1	1	1	1	2	2	3
50-64	52	1.3		1	1	1	2	2	2	3
65+	38	1.4	1	1	1	1	1	2	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	334	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	4	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*	228	1.3		1	1	1	1	2	3	4
1. SINGLE DX	336	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX	232	1.3		1	1	1	1	2	3	4
A. NOT OPERATED	6	1.8	2	<1	<1	1	3	4	4	4
B. OPERATED	562	1.2		<1	1	1	1	2	2	3
TOTAL 0-19 YRS	13	1.3		<1	<1	1	2	2	2	2
20-34	119	1.3		<1	1	1	1	2	3	4
35-49	226	1.2		<1	1	1	1	2	2	3
50-64	139	1.3		<1	1	1	1	2	2	3
65+	71	1.4	1	<1	1	1	1	2	3	5
GRAND TOTAL	**568**	**1.3**		**<1**	**1**	**1**	**1**	**2**	**2**	**3**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	7	3.6	1	3	3	3	4	6	6	6
35-49	7	3.1	2	1	1	3	4	5	5	5
50-64	11	3.7	9	1	1	3	4	7	12	12
65+	5	4.0	6	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	250	1.1		<1	<1	1	1	1	1	2
20-34	199	1.2		<1	<1	1	1	2	2	4
35-49	176	1.1		<1	<1	1	1	1	2	3
50-64	132	1.1		<1	<1	1	1	1	2	3
65+	57	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.0	6	<1	<1	2	4	8	9	9
20-34	20	3.2	4	<1	<1	3	5	6	7	7
35-49	18	3.3	9	<1	<1	2	3	8	9	10
50-64	17	4.1	5	1	1	4	5	6	9	11
65+	28	3.9	17	<1	1	3	4	8	11	22
B. *Operated*										
0-19 YRS	264	1.2	1	<1	<1	1	1	2	2	5
20-34	206	1.5	2	<1	1	1	1	2	4	9
35-49	228	1.5	2	<1	1	1	1	2	3	7
50-64	176	1.5	2	<1	1	1	1	2	3	10
65+	101	1.7	3	<1	1	1	2	3	4	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.3	5	<1	1	3	4	5	7	12
B. *Operated*	814	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	99	3.5	9	<1	1	3	4	7	9	17
B. *Operated*	975	1.4	2	<1	1	1	1	2	3	9
1. SINGLE DX	849	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1074	1.6	3	<1	1	1	1	3	4	10
A. NOT OPERATED	134	3.5	8	<1	1	3	4	7	8	14
B. OPERATED	1789	1.3	1	<1	<1	1	1	2	2	6
TOTAL 0-19 YRS	535	1.2	1	<1	<1	1	1	1	2	6
20-34	432	1.4	2	<1	<1	1	1	3	4	7
35-49	429	1.4	2	<1	<1	1	1	2	3	8
50-64	336	1.5	2	<1	<1	1	1	3	4	10
65+	191	1.9	5	<1	1	1	2	3	4	12
GRAND TOTAL	**1923**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.0	35	1	1	3	5	9	19	29
20-34	5	2.8	2	1	1	3	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.8	16	2	2	6	10	12	14	16
20-34	12	5.5	15	2	2	4	6	13	13	13
35-49	11	4.8	7	<1	1	4	6	9	10	10
50-64	14	4.6	14	1	1	4	5	9	14	16
65+	19	7.9	32	2	3	5	14	17	17	17
B. *Operated*										
0-19 YRS										
20-34	2	18.0	200	8	8	18	28	28	28	28
35-49	6	10.3	33	5	5	9	11	20	21	21
50-64	11	10.4	79	1	2	10	11	25	31	32
65+	7	12.9	42	2	3	17	18	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.7	26	1	1	3	5	9	11	29
B. *Operated*	4	10.5	136	1	1	7	19	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	78	6.2	19	2	2	5	8	13	16	17
B. *Operated*	26	11.6	61	2	2	10	17	21	29	32
1. SINGLE DX	36	5.3	38	1	1	3	5	11	22	29
2. MULTIPLE DX	104	7.6	34	2	2	6	10	16	18	30
A. NOT OPERATED	110	5.8	21	1	2	4	7	12	16	22
B. OPERATED	30	11.5	67	1	2	10	17	23	28	32
TOTAL 0-19 YRS	44	6.4	34	1	2	4	9	12	19	29
20-34	20	5.9	38	1	2	4	6	13	21	28
35-49	20	6.1	21	<1	1	5	8	11	16	21
50-64	28	6.8	45	1	1	5	9	15	21	32
65+	28	9.5	36	2	3	8	16	17	18	19
GRAND TOTAL	**140**	**7.0**	**36**	**1**	**2**	**5**	**10**	**16**	**18**	**29**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	6	3.2	9	1	1	2	7	7	7	7
20-34	19	4.4	14	<1	<1	2	7	10	12	13
35-49	33	3.7	13	1	1	1	8	9	9	12
50-64	52	3.3	13	<1	<1	1	6	10	11	13
65+	35	4.7	28	<1	1	1	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	15	4	4	7	10	13	13	13
20-34	9	3.2	3	1	1	3	4	6	7	7
35-49	34	4.8	63	1	1	3	5	7	7	48
50-64	91	4.9	21	1	1	4	6	8	14	28
65+	227	6.1	27	1	2	5	7	12	15	29
B. *Operated*										
0-19 YRS	7	9.3	15	3	4	9	13	14	14	14
20-34	44	9.7	79	<1	1	8	11	21	22	49
35-49	153	7.8	36	1	1	8	10	14	17	29
50-64	426	9.5	72	1	1	9	13	19	24	38
65+	448	10.8	105	1	1	10	15	22	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.8	5	<1	1	3	6	7	7	7
B. *Operated*	145	3.9	17	<1	1	2	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	365	5.7	29	1	2	4	7	11	14	28
B. *Operated*	1078	9.8	81	1	1	9	13	20	25	40
1. SINGLE DX	157	3.8	16	<1	1	2	7	10	12	16
2. MULTIPLE DX	1443	8.8	71	1	1	7	12	18	24	40
A. NOT OPERATED	377	5.6	28	1	2	4	7	10	14	28
B. OPERATED	1223	9.1	77	1	1	8	13	19	24	39
TOTAL 0-19 YRS	19	6.4	19	1	1	7	9	13	14	14
20-34	73	7.5	59	<1	1	7	9	18	21	43
35-49	223	6.7	39	1	1	7	9	13	15	33
50-64	573	8.2	63	1	1	7	12	16	23	37
65+	712	9.0	81	1	1	7	12	19	24	40
GRAND TOTAL	**1600**	**8.3**	**68**	**1**	**1**	**7**	**11**	**17**	**23**	**39**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	2	1	1	2	3	5	5	5
20-34	31	2.3	1	<1	1	2	3	4	4	5
35-49	100	2.5	2	<1	1	2	3	5	5	7
50-64	110	2.7	4	1	1	2	3	5	6	11
65+	85	3.1	5	1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	18	1.7	3	<1	<1	1	1	3	6	8
35-49	18	3.1	4	1	1	3	4	6	8	8
50-64	24	1.8	2	<1	1	1	2	3	5	6
65+	15	2.1	3	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	12	1	1	3	4	4	12	16
20-34	117	3.2	13	<1	1	2	3	6	8	21
35-49	405	3.4	8	1	1	3	4	6	9	15
50-64	685	3.6	7	1	1	3	5	7	9	12
65+	1052	4.2	14	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	8	3.9	15	1	1	2	6	10	11	11
20-34	29	6.3	48	1	1	4	6	19	23	28
35-49	79	5.0	21	1	1	4	6	9	13	27
50-64	121	5.2	35	1	1	4	6	10	16	35
65+	176	6.1	53	1	1	4	8	12	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	2.7	3	1	1	2	3	5	5	11
B. *Operated*	77	2.1	3	<1	1	1	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	2276	3.8	11	1	1	3	5	7	10	15
B. *Operated*	413	5.6	40	1	1	4	7	11	17	30
1. SINGLE DX	410	2.6	3	1	1	2	3	5	5	10
2. MULTIPLE DX	2689	4.1	16	1	1	3	5	8	11	17
A. NOT OPERATED	2609	3.7	10	1	1	3	5	7	9	15
B. OPERATED	490	5.0	36	1	1	3	6	10	15	29
TOTAL 0-19 YRS	34	3.1	10	1	1	2	3	5	11	16
20-34	195	3.4	17	<1	1	2	3	6	9	26
35-49	602	3.5	9	1	1	3	4	7	9	16
50-64	940	3.7	10	1	1	3	5	7	9	17
65+	1328	4.4	19	1	1	3	5	9	11	17
GRAND TOTAL	**3099**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	2.3	1	1	1	2	3	3	3	3
50-64	17	2.7	2	1	1	2	3	4	5	6
65+	43	3.9	4	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	6	1.5	2	1	1	1	1	4	4	4
65+	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	7	4.1	3	1	1	4	6	6	6	6
35-49	67	4.4	5	1	2	4	6	8	8	11
50-64	264	5.0	10	1	2	4	6	9	10	18
65+	1238	6.3	23	2	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	4.4	6	1	1	4	6	8	8	8
35-49	22	5.8	16	<1	1	6	8	11	14	16
50-64	88	6.9	34	1	1	5	9	15	16	29
65+	182	9.6	67	1	1	8	12	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.4	4	1	1	3	4	6	8	9
B. *Operated*	16	1.6	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1579	6.0	20	2	2	5	7	11	14	23
B. *Operated*	300	8.4	54	1	1	7	11	17	23	33
1. SINGLE DX	82	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	1879	6.4	26	1	2	5	8	12	16	25
A. NOT OPERATED	1645	5.9	20	2	2	5	7	11	14	22
B. OPERATED	316	8.1	53	1	1	6	11	17	23	33
TOTAL 0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	14	4.3	4	1	1	4	6	7	8	8
35-49	99	4.5	8	1	1	4	6	8	10	14
50-64	375	5.3	16	1	2	4	7	9	14	20
65+	1469	6.6	29	1	2	5	8	13	17	25
GRAND TOTAL	**1961**	**6.2**	**26**	**1**	**2**	**5**	**8**	**12**	**16**	**25**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	4.5	8	1	1	4	6	9	9	9
50-64	5	4.4	5	2	2	4	5	8	8	8
65+	3	7.0	75	2	2	2	13	17	17	17
B. *Operated*										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	8	4.0	16	<1	<1	3	5	11	13	13
35-49	22	2.4	5	<1	1	2	3	5	8	10
50-64	16	2.9	9	1	1	2	4	8	10	11
65+	12	3.8	25	<1	<1	1	5	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.3	14	1	1	3	5	11	13	13
20-34	24	3.4	8	<1	1	2	5	6	9	13
35-49	39	5.2	15	1	2	4	7	10	13	19
50-64	77	4.6	12	<1	1	4	6	10	12	17
65+	129	7.4	28	1	2	6	10	15	19	23
B. *Operated*										
0-19 YRS	28	8.9	88	1	1	7	14	22	49	99+
20-34	139	7.6	51	1	2	6	10	17	21	39
35-49	147	7.7	42	1	2	7	10	15	19	34
50-64	171	7.9	80	1	2	6	9	16	23	45
65+	174	10.2	70	1	2	8	15	21	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.8	15	1	2	4	5	9	14	17
B. *Operated*	61	3.2	12	<1	1	2	4	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	282	5.9	22	1	1	4	8	12	16	22
B. *Operated*	659	8.5	64	1	2	6	11	18	24	39
1. SINGLE DX	79	3.5	13	<1	1	2	4	9	12	17
2. MULTIPLE DX	941	7.7	53	1	2	6	10	16	21	38
A. NOT OPERATED	300	5.8	21	1	1	4	8	12	16	21
B. OPERATED	720	8.0	62	1	1	6	10	17	23	39
TOTAL 0-19 YRS	45	7.3	64	1	1	5	10	15	29	99+
20-34	172	6.8	46	1	1	5	9	16	20	37
35-49	216	6.6	35	1	1	5	9	14	18	31
50-64	269	6.6	58	1	1	5	8	14	19	42
65+	318	8.8	54	1	2	7	12	18	23	35
GRAND TOTAL	**1020**	**7.4**	**51**	**1**	**1**	**5**	**10**	**16**	**20**	**37**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (5)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	5.2	8	1	2	5	6	9	11	12
35-49	296	6.5	9	1	2	7	8	10	11	16
50-64	642	6.8	7	2	3	7	8	10	11	14
65+	514	7.0	7	2	3	7	9	10	11	13
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	22	5.3	9	<1	1	6	8	9	10	11
35-49	133	6.3	8	1	2	6	8	10	11	12
50-64	244	6.7	12	1	2	7	9	11	13	16
65+	106	7.6	11	2	4	8	9	12	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.2	19	2	3	7	10	42	92	99+
20-34	64	6.4	14	1	2	6	9	11	13	16
35-49	949	7.1	9	2	3	7	9	11	12	16
50-64	3332	7.8	14	2	4	7	9	12	14	20
65+	7819	8.9	20	3	5	8	10	14	16	25
B. *Operated*										
0-19 YRS	3	11.3	70	6	6	7	17	21	21	21
20-34	74	8.4	52	1	1	7	10	16	21	40
35-49	1031	8.1	22	2	3	7	10	14	16	28
50-64	2631	9.5	42	2	4	8	11	16	19	34
65+	2623	11.9	63	3	5	10	14	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	6.8	8	2	3	7	9	10	11	14
B. *Operated*	506	6.7	11	1	2	7	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	12175	8.4	18	3	4	8	10	13	15	23
B. *Operated*	6362	10.2	50	2	4	9	12	17	22	38
1. SINGLE DX	1971	6.8	9	1	3	7	9	10	11	14
2. MULTIPLE DX	18537	9.0	29	3	4	8	11	14	18	29
A. NOT OPERATED	13640	8.2	17	3	4	8	10	13	15	23
B. OPERATED	6868	10.0	48	2	4	9	12	17	21	37
TOTAL 0-19 YRS	15	8.2	26	2	3	7	11	21	76	99+
20-34	173	7.0	30	1	1	6	9	12	16	33
35-49	2409	7.4	15	2	3	7	9	12	14	21
50-64	6849	8.3	25	2	4	8	10	13	16	25
65+	11062	9.5	31	3	5	8	11	15	19	30
GRAND TOTAL	**20508**	**8.8**	**28**	**3**	**4**	**8**	**10**	**14**	**17**	**28**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	2.1	1	<1	<1	2	3	3	4	4
35-49	227	2.1	1	1	1	2	3	3	4	6
50-64	426	2.2	2	1	1	2	3	4	5	7
65+	397	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	1.3	1	<1	<1	1	2	3	3	3
35-49	107	2.0	2	<1	1	2	2	3	5	8
50-64	209	1.7	2	<1	1	1	2	3	4	7
65+	114	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	4	1	1	4	5	6	7	7
20-34	100	2.4	3	<1	1	2	3	4	5	10
35-49	891	2.6	4	1	1	2	3	5	6	9
50-64	2881	2.8	4	1	1	2	4	5	6	10
65+	5820	3.4	6	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	42	3.1	12	<1	1	2	3	7	11	18
35-49	754	3.4	13	1	1	2	4	8	10	16
50-64	2473	4.0	18	<1	1	2	5	9	12	18
65+	2309	4.9	27	1	1	3	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1071	2.2	2	1	1	2	3	4	5	6
B. *Operated*	440	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	9701	3.1	5	1	1	3	4	6	7	12
B. *Operated*	5581	4.3	21	1	1	2	6	10	13	20
1. SINGLE DX	1511	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	15282	3.6	11	1	1	3	4	7	10	17
A. NOT OPERATED	10772	3.0	5	1	1	2	4	5	7	11
B. OPERATED	6021	4.1	20	<1	1	2	6	10	12	19
TOTAL 0-19 YRS	13	3.4	4	<1	<1	3	5	6	7	7
20-34	172	2.5	5	<1	1	2	3	4	7	13
35-49	1979	2.8	7	1	1	2	3	6	8	13
50-64	5989	3.2	10	1	1	2	4	7	9	15
65+	8640	3.7	12	1	1	3	4	7	10	17
GRAND TOTAL	**16793**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	2.9	1	1	2	3	3	5	5	5
35-49	129	2.2	1	1	1	2	3	4	5	6
50-64	383	2.7	3	1	1	2	3	5	6	9
65+	455	2.8	3	1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	58	3.6	9	<1	1	3	5	8	10	12
50-64	204	3.3	10	<1	1	2	4	7	10	16
65+	155	3.8	14	1	1	2	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	5	2	2	3	5	7	9	10
20-34	41	3.1	4	<1	1	3	4	5	6	10
35-49	779	3.1	5	1	1	3	4	6	7	11
50-64	2958	3.5	6	1	1	3	4	6	8	13
65+	7786	4.0	8	1	2	3	5	7	9	13
B. *Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	37	5.5	19	1	1	4	7	10	13	23
35-49	913	5.3	17	1	1	4	8	10	12	19
50-64	3581	6.3	32	1	1	5	9	12	15	24
65+	4198	7.9	51	1	1	7	11	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	2.7	3	1	1	2	3	5	6	9
B. *Operated*	420	3.6	11	1	1	2	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	11578	3.8	7	1	2	3	5	7	8	13
B. *Operated*	8732	7.0	41	1	1	6	10	14	17	31
1. SINGLE DX	1402	3.0	5	1	1	2	4	5	7	12
2. MULTIPLE DX	20310	5.2	24	1	1	4	7	10	13	22
A. NOT OPERATED	12560	3.7	7	1	1	3	5	7	8	13
B. OPERATED	9152	6.8	40	1	1	5	9	13	17	30
TOTAL 0-19 YRS	18	3.8	5	2	2	3	5	6	9	10
20-34	95	3.9	11	1	1	3	5	8	10	19
35-49	1879	4.2	12	1	1	3	5	9	11	17
50-64	7126	4.8	21	1	1	3	6	10	13	20
65+	12594	5.2	26	1	2	4	6	11	14	24
GRAND TOTAL	**21712**	**5.0**	**23**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	19	2.6	3	<1	1	2	4	5	6	7
50-64	66	2.7	5	1	1	2	3	6	7	11
65+	25	3.0	3	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	1.5	1	<1	<1	1	2	3	3	3
35-49	320	2.4	5	<1	<1	1	3	7	8	9
50-64	953	2.8	8	<1	<1	1	3	8	9	13
65+	609	3.0	12	<1	<1	1	3	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	45	3	3	4	11	17	17	17
20-34	15	2.7	2	<1	1	3	3	4	6	6
35-49	161	3.0	5	1	1	2	4	6	7	10
50-64	609	3.2	6	1	1	3	4	6	8	13
65+	1077	4.5	14	1	1	3	5	9	12	18
B. *Operated*										
0-19 YRS	8	3.4	9	1	1	2	6	8	8	8
20-34	53	3.6	14	1	1	2	4	9	12	20
35-49	1549	4.3	17	1	1	3	7	9	11	17
50-64	5483	5.1	28	1	1	3	8	11	14	22
65+	5069	6.8	51	1	1	5	10	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.7	4	1	1	2	3	5	7	11
B. *Operated*	1892	2.8	9	<1	<1	1	3	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1866	3.9	11	1	1	3	5	8	10	17
B. *Operated*	12162	5.7	37	1	1	3	9	12	15	27
1. SINGLE DX	2003	2.8	9	<1	<1	1	3	8	9	13
2. MULTIPLE DX	14028	5.5	34	1	1	3	8	12	15	26
A. NOT OPERATED	1977	3.9	11	1	1	3	5	7	10	16
B. OPERATED	14054	5.3	34	1	1	3	8	12	15	26
TOTAL 0-19 YRS	14	4.1	20	1	1	2	6	9	15	17
20-34	77	3.2	11	<1	1	2	3	7	10	18
35-49	2049	3.9	15	1	1	2	6	9	10	17
50-64	7111	4.6	24	1	1	3	7	10	13	21
65+	6780	6.1	43	1	1	4	9	13	17	31
GRAND TOTAL	**16031**	**5.1**	**32**	**1**	**1**	**3**	**8**	**11**	**14**	**25**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	4	4	4	6	7	9	9	9
20-34	52	7.0	8	4	4	7	9	10	12	18
35-49	66	7.1	8	2	4	7	8	11	12	17
50-64	89	7.3	8	2	5	7	9	11	12	16
65+	76	7.7	8	3	5	8	9	11	12	18
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	9	8.6	11	3	5	8	10	14	14	14
35-49	13	9.2	33	2	2	8	10	20	22	22
50-64	19	7.5	6	4	5	7	9	11	12	13
65+	19	7.6	8	3	4	7	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.1	3	5	5	7	8	10	11	11
20-34	122	8.7	21	3	4	8	10	13	16	31
35-49	222	8.4	13	4	5	8	10	12	15	24
50-64	421	8.9	16	4	5	8	10	13	16	24
65+	1117	9.5	19	4	6	9	11	14	17	26
B. *Operated*										
0-19 YRS	6	8.8	26	4	4	7	11	17	18	18
20-34	43	11.1	52	3	5	10	13	18	21	46
35-49	86	9.4	18	4	5	9	11	17	18	23
50-64	152	11.6	58	4	6	10	13	20	28	58
65+	311	12.4	48	5	6	10	15	21	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	7.3	8	3	4	7	9	10	12	17
B. *Operated*	61	8.1	12	3	4	8	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	1893	9.2	18	4	5	8	11	14	16	25
B. *Operated*	598	11.6	47	4	6	10	14	20	25	40
1. SINGLE DX	350	7.4	9	3	4	7	9	11	12	18
2. MULTIPLE DX	2491	9.8	26	4	5	9	11	15	19	31
A. NOT OPERATED	2182	8.9	17	4	5	8	10	14	16	25
B. OPERATED	659	11.3	45	4	5	10	13	19	25	39
TOTAL 0-19 YRS	24	7.4	9	4	4	7	8	11	13	18
20-34	226	8.7	25	3	4	8	10	14	17	30
35-49	387	8.4	14	4	5	8	10	13	16	23
50-64	681	9.3	26	4	5	8	11	14	18	35
65+	1523	10.0	26	4	5	9	12	16	19	30
GRAND TOTAL	**2841**	**9.5**	**25**	**4**	**5**	**9**	**11**	**15**	**18**	**30**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	7.7	97	1	1	3	15	19	19	19
35-49	5	10.8	121	2	2	8	14	30	30	30
50-64	3	4.3	4	2	2	5	6	6	6	6
65+	2	15.0	98	8	8	15	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	18.3	174	1	2	15	28	38	40	41
20-34	56	15.5	144	2	3	14	18	32	42	53
35-49	54	14.2	167	2	3	8	20	34	43	48
50-64	50	17.3	128	3	3	16	25	31	38	48
65+	112	20.0	148	6	7	17	29	36	44	54
B. *Operated*										
0-19 YRS	10	23.8	243	10	10	16	35	49	56	56
20-34	36	25.6	133	10	12	25	33	42	46	48
35-49	50	22.7	199	5	6	19	30	44	46	66
50-64	49	27.0	284	6	7	26	38	52	69	99+
65+	83	24.9	238	4	8	22	34	51	57	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.9	75	1	2	6	8	23	28	30
B. *Operated*	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	286	17.5	152	3	4	14	26	35	42	52
B. *Operated*	228	24.9	221	6	8	22	33	47	56	82
1. SINGLE DX	17	7.9	66	1	1	6	8	21	27	30
2. MULTIPLE DX	514	20.8	196	3	5	17	29	42	48	65
A. NOT OPERATED	300	17.1	151	2	4	14	25	34	42	51
B. OPERATED	231	24.7	225	6	8	22	33	46	56	81
TOTAL 0-19 YRS	25	19.9	204	2	2	16	29	41	46	56
20-34	95	19.1	164	3	3	15	28	42	44	52
35-49	110	17.8	196	2	4	14	29	42	45	59
50-64	102	21.6	229	3	4	18	29	43	51	88
65+	199	21.8	193	5	7	18	29	44	52	60
GRAND TOTAL	**531**	**20.4**	**197**	**3**	**5**	**17**	**29**	**42**	**48**	**64**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.8	1	1	1	1	3	4	4	4
20-34	12	1.3		<1	<1	1	2	2	3	3
35-49	36	1.5	1	<1	1	1	2	2	3	5
50-64	61	1.6	1	<1	<1	1	2	3	4	6
65+	47	2.6	18	<1	1	1	2	5	8	29
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.2	28	<1	1	2	5	8	13	28
20-34	39	3.3	94	<1	1	1	2	4	5	62
35-49	90	2.2	2	1	1	2	3	4	5	7
50-64	285	2.6	5	1	1	2	3	5	6	9
65+	694	3.8	9	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	2.8	3	1	1	2	4	5	5	5
50-64	24	4.5	17	1	1	4	5	7	15	20
65+	40	8.0	97	1	1	6	10	13	19	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	1.8	6	<1	1	1	2	3	4	8
B. *Operated*	8	2.0	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	1137	3.3	11	1	1	2	4	6	8	14
B. *Operated*	73	6.2	63	1	1	5	7	12	16	53
1. SINGLE DX	188	1.8	5	<1	1	1	2	3	4	8
2. MULTIPLE DX	1210	3.5	15	1	1	3	4	7	9	16
A. NOT OPERATED	1317	3.1	11	1	1	2	4	6	8	14
B. OPERATED	81	5.8	58	1	1	4	6	11	15	49
TOTAL 0-19 YRS	53	3.1	17	1	1	2	4	6	8	28
20-34	53	2.8	70	<1	<1	1	2	3	4	60
35-49	137	2.1	2	1	1	2	3	4	5	6
50-64	372	2.5	6	1	1	2	3	5	6	11
65+	783	3.9	15	1	1	3	5	8	11	16
GRAND TOTAL	**1398**	**3.3**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	67	1.4		<1	<1	1	2	2	3	4
35-49	151	1.4		<1	<1	1	2	2	3	3
50-64	280	1.6	4	<1	<1	1	2	3	3	6
65+	370	2.1	3	<1	<1	1	2	4	5	8
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	7	1.7	2	<1	<1	1	2	4	5	5
65+	13	2.2	4	<1	<1	1	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.4	7	<1	<1	3	5	8	10	10
20-34	116	1.8	1	<1	1	1	2	3	5	6
35-49	358	2.5	5	<1	1	2	3	5	7	11
50-64	1564	3.1	7	<1	1	2	4	6	8	13
65+	5176	4.0	13	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	9	3.4	6	1	1	3	5	7	8	8
35-49	32	4.3	26	1	1	2	6	9	13	27
50-64	148	5.1	17	1	1	4	7	11	12	22
65+	448	8.1	49	1	2	6	11	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	874	1.7	3	<1	<1	1	2	3	4	7
B. *Operated*	23	1.9	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	7237	3.7	12	1	1	3	5	7	10	17
B. *Operated*	644	7.1	42	1	1	5	9	15	20	35
1. SINGLE DX	897	1.8	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	7881	4.0	15	1	1	3	5	8	11	20
A. NOT OPERATED	8111	3.5	11	<1	1	3	4	7	9	16
B. OPERATED	667	6.9	41	1	1	5	9	14	20	34
TOTAL 0-19 YRS	36	2.8	6	<1	<1	2	3	6	9	10
20-34	193	1.7	1	<1	<1	1	2	3	4	7
35-49	543	2.3	5	<1	1	2	2	5	6	11
50-64	1999	3.0	8	<1	1	2	4	6	8	14
65+	6007	4.2	17	1	1	3	5	8	11	21
GRAND TOTAL	**8778**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**8**	**10**	**19**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	4	1	1	2	3	4	5	13
20-34	74	2.6	9	<1	<1	2	3	5	9	17
35-49	129	2.0	2	<1	1	2	2	4	5	8
50-64	200	2.2	2	<1	1	2	3	4	5	6
65+	220	2.6	4	1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	10	3.7	17	1	1	2	6	10	13	13
20-34	19	5.8	22	1	1	3	9	13	15	16
35-49	41	2.7	4	1	1	2	4	6	7	9
50-64	77	2.7	5	<1	1	2	3	5	7	11
65+	227	3.2	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.2	28	1	1	2	5	8	14	29
20-34	258	2.7	8	<1	1	2	3	5	7	12
35-49	617	3.0	16	1	1	2	4	6	8	11
50-64	1647	3.7	12	1	1	3	4	7	10	17
65+	5308	4.5	14	1	1	3	6	8	11	19
B. *Operated*										
0-19 YRS	28	6.1	48	1	1	3	8	19	24	25
20-34	64	4.5	12	1	1	4	6	9	11	17
35-49	156	6.3	77	1	1	4	7	13	25	51
50-64	618	6.1	44	1	1	4	7	12	18	40
65+	3215	6.3	37	1	2	5	8	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	2.4	4	<1	1	2	3	4	6	10
B. *Operated*	374	3.2	6	1	1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	7907	4.1	14	1	1	3	5	8	11	19
B. *Operated*	4081	6.3	40	1	2	5	8	12	16	32
1. SINGLE DX	1048	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	11988	4.9	24	1	1	4	6	10	13	24
A. NOT OPERATED	8581	4.0	13	1	1	3	5	8	10	18
B. OPERATED	4455	6.0	38	1	1	4	7	12	16	32
TOTAL 0-19 YRS	166	3.9	25	1	1	2	4	8	13	28
20-34	415	3.1	10	<1	1	2	4	7	9	17
35-49	943	3.4	26	1	1	2	4	6	9	25
50-64	2542	4.2	20	1	1	3	5	8	12	23
65+	8970	5.1	23	1	1	4	6	10	13	24
GRAND TOTAL	**13036**	**4.7**	**22**	**1**	**1**	**3**	**6**	**9**	**12**	**24**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	7	1	1	4	6	8	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	16	3.8	5	<1	1	3	5	7	8	8
50-64	78	3.5	5	1	1	3	5	6	8	11
65+	385	4.2	11	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	9	4.6	19	1	1	2	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	5.4	26	1	1	4	7	11	15	28
20-34	107	5.0	15	1	1	4	7	10	12	20
35-49	517	5.3	17	1	2	4	7	9	13	25
50-64	3294	5.7	18	1	2	5	7	11	13	21
65+	17990	6.3	21	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	22	9.4	157	2	2	6	12	15	34	62
20-34	47	4.2	14	<1	1	3	5	9	12	17
35-49	141	7.7	73	1	1	5	10	15	22	43
50-64	600	9.1	64	1	2	7	12	18	25	41
65+	1991	11.2	84	2	3	9	15	22	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	4.1	10	1	1	3	5	8	9	17
B. *Operated*	18	3.0	12	<1	<1	2	3	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	22004	6.2	21	2	2	5	8	11	14	23
B. *Operated*	2801	10.4	80	1	2	8	14	21	27	46
1. SINGLE DX	506	4.0	10	1	1	3	5	8	10	17
2. MULTIPLE DX	24805	6.7	29	2	2	5	8	13	16	28
A. NOT OPERATED	22492	6.1	20	2	2	5	8	11	14	23
B. OPERATED	2819	10.4	80	1	2	8	14	21	27	46
TOTAL 0-19 YRS	127	6.0	49	1	1	4	7	13	15	40
20-34	156	4.7	15	<1	1	4	6	10	12	17
35-49	677	5.8	29	1	2	4	7	11	15	31
50-64	3976	6.2	27	1	2	5	8	12	15	27
65+	20375	6.8	29	2	2	5	8	13	16	28
GRAND TOTAL	**25311**	**6.6**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.0	10	<1	1	2	3	5	11	16
20-34	126	2.3	2	<1	1	2	3	4	5	6
35-49	182	2.3	2	<1	1	2	3	4	5	8
50-64	116	2.6	12	<1	1	2	3	4	5	17
65+	109	2.2	3	<1	<1	1	3	4	6	9
B. *Operated*										
0-19 YRS	35	3.8	18	<1	<1	2	6	9	11	22
20-34	42	3.6	11	<1	<1	2	7	9	10	12
35-49	103	3.1	11	<1	<1	1	4	8	10	15
50-64	183	3.6	18	<1	1	1	5	10	11	18
65+	143	3.5	18	<1	<1	1	4	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.9	13	1	1	3	5	8	13	16
20-34	254	3.4	8	1	1	3	4	7	8	15
35-49	521	3.8	8	1	1	3	5	8	9	14
50-64	1044	5.3	17	1	2	4	7	10	14	20
65+	1897	6.2	24	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	52	6.0	86	<1	<1	3	8	13	16	61
20-34	128	8.2	73	1	1	5	11	20	28	43
35-49	379	6.8	55	1	1	4	9	16	23	30
50-64	1087	7.5	72	1	1	5	10	16	21	37
65+	1615	9.1	77	1	1	8	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	2.4	5	<1	<1	2	3	4	5	8
B. *Operated*	506	3.5	16	<1	<1	1	5	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	3784	5.4	19	1	2	4	7	11	14	21
B. *Operated*	3261	8.2	73	1	1	7	12	18	23	40
1. SINGLE DX	1064	2.9	10	<1	<1	2	3	7	10	14
2. MULTIPLE DX	7045	6.7	46	1	1	5	9	14	19	31
A. NOT OPERATED	4342	5.0	18	1	1	4	6	10	13	21
B. OPERATED	3767	7.6	68	1	1	6	11	17	21	38
TOTAL 0-19 YRS	180	4.3	35	<1	1	3	5	10	15	21
20-34	550	4.3	27	1	1	3	5	9	13	29
35-49	1185	4.5	25	1	1	3	6	10	13	27
50-64	2430	6.0	43	1	1	4	8	13	17	29
65+	3764	7.2	49	1	1	5	10	15	20	33
GRAND TOTAL	**8109**	**6.2**	**43**	**1**	**1**	**4**	**8**	**14**	**18**	**30**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	4.8	9	<1	<1	5	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	2.8	3	<1	<1	3	4	5	5	5
50-64	42	4.0	11	1	1	3	5	8	10	18
65+	90	4.7	15	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS										
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	8	5.8	43	1	1	3	9	17	19	19
50-64	49	6.2	176	1	1	2	7	13	15	92
65+	45	7.8	44	1	1	7	10	17	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	4	4.8	9	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	142	4.4	13	1	1	3	6	9	11	18
B. *Operated*	104	6.9	104	1	1	5	9	15	18	58
1. SINGLE DX	5	4.6	7	<1	<1	4	6	8	8	8
2. MULTIPLE DX	246	5.4	53	1	1	3	7	11	16	21
A. NOT OPERATED	143	4.3	13	1	1	3	6	9	11	18
B. OPERATED	108	6.8	101	1	1	5	9	15	18	56
TOTAL 0-19 YRS										
20-34	3	6.0	7	4	4	5	8	9	9	9
35-49	18	4.1	21	<1	1	3	5	10	16	19
50-64	95	5.2	96	1	1	3	6	10	14	59
65+	135	5.7	26	1	1	4	8	12	17	22
GRAND TOTAL	**251**	**5.4**	**52**	**1**	**1**	**4**	**7**	**11**	**16**	**21**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	4	5.5	20	1	1	5	9	11	11	11
B. *Operated*										
0-19 YRS	5	9.4	91	1	1	7	14	25	25	25
20-34	21	9.5	76	1	1	9	12	18	29	39
35-49	33	10.4	64	1	1	9	13	22	26	39
50-64	34	9.4	54	1	1	8	16	19	24	27
65+	8	8.1	27	1	1	8	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	6.8	103	1	1	2	9	25	29	29
35-49	6	10.5	164	2	2	5	14	33	35	35
50-64	17	8.6	73	1	2	7	12	15	29	36
65+	47	13.0	143	3	3	10	14	24	30	74
B. *Operated*										
0-19 YRS	7	19.9	289	2	4	14	43	85	99+	99+
20-34	24	19.6	288	3	4	15	27	66	99+	99+
35-49	67	19.7	200	3	4	17	27	39	46	70
50-64	87	25.4	344	6	9	19	31	57	80	99+
65+	72	20.8	175	3	6	19	28	41	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.6	11	<1	1	3	4	9	11	11
B. *Operated*	101	9.7	59	1	1	9	13	19	25	39
2. MULTIPLE DX										
A. *Not Operated*	79	11.1	125	1	2	9	14	24	32	66
B. *Operated*	257	21.9	255	3	6	18	30	47	63	99+
1. SINGLE DX	114	9.0	57	1	1	8	13	17	25	39
2. MULTIPLE DX	336	19.4	245	2	4	15	27	43	56	99+
A. NOT OPERATED	92	10.0	116	1	2	8	13	20	29	62
B. OPERATED	358	18.5	230	1	3	15	25	41	52	99+
TOTAL 0-19 YRS	14	13.6	210	1	2	11	23	49	87	99+
20-34	56	13.2	195	1	1	10	17	37	65	99+
35-49	109	15.9	174	1	3	13	21	35	42	60
50-64	140	19.1	300	1	2	15	26	47	63	99+
65+	131	16.7	171	2	4	13	23	36	43	61
GRAND TOTAL	**450**	**16.7**	**218**	**1**	**2**	**13**	**23**	**38**	**49**	**99**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	16.0	242	5	5	16	27	27	27	27
65+	6	24.8	260	7	7	22	41	45	45	45
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	4	27.5	196	12	12	26	36	46	46	46
35-49	6	29.2	507	9	10	22	30	69	73	73
50-64	19	27.8	399	12	14	20	32	58	81	89
65+	11	23.1	106	13	15	20	24	36	51	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	22.6	237	5	6	21	35	44	45	45
B. *Operated*	41	26.6	290	12	13	21	27	48	72	89
1. SINGLE DX										
2. MULTIPLE DX	49	25.9	279	9	12	21	28	46	72	89
A. NOT OPERATED	8	22.6	237	5	6	21	35	44	45	45
B. OPERATED	41	26.6	290	12	13	21	27	48	72	89
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	4	27.5	196	12	12	26	36	46	46	46
35-49	6	29.2	507	9	10	22	30	69	73	73
50-64	21	26.7	384	9	13	20	29	50	80	89
65+	17	23.7	148	8	11	20	27	44	50	52
GRAND TOTAL	**49**	**25.9**	**279**	**9**	**12**	**21**	**28**	**46**	**72**	**89**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	10.3	74	1	1	12	16	18	18	18
35-49	6	2.7	2	<1	<1	2	3	5	5	5
50-64	13	5.7	18	<1	1	5	7	13	15	15
65+	59	7.6	38	1	2	6	11	13	17	37
B. *Operated*										
0-19 YRS	5	9.2	40	1	1	8	13	18	18	18
20-34	13	6.6	72	1	1	4	8	15	30	33
35-49	19	5.1	10	1	1	5	8	9	11	11
50-64	20	7.0	22	1	1	7	9	14	16	16
65+	65	8.9	49	2	3	7	10	14	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.3	21	<1	2	6	8	14	16	17
20-34	10	9.1	73	1	1	8	10	22	30	30
35-49	35	8.3	64	<1	1	6	10	16	30	37
50-64	114	8.6	75	1	2	7	10	16	19	55
65+	559	9.6	63	2	3	8	12	19	22	42
B. *Operated*										
0-19 YRS	26	12.2	92	3	3	10	16	21	28	50
20-34	29	11.8	107	1	4	8	16	23	26	53
35-49	58	14.8	189	1	3	11	19	27	43	78
50-64	126	14.5	180	4	5	11	18	30	43	99+
65+	353	16.0	145	4	5	13	22	30	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	6.8	34	1	1	5	10	13	16	33
B. *Operated*	122	7.7	41	1	2	7	9	13	23	33
2. MULTIPLE DX										
A. *Not Operated*	733	9.3	64	2	3	7	12	18	22	43
B. *Operated*	592	15.2	153	3	5	12	20	29	42	89
1. SINGLE DX	207	7.4	38	1	1	6	9	13	18	34
2. MULTIPLE DX	1325	11.9	112	2	3	9	15	24	31	61
A. NOT OPERATED	818	9.1	62	1	2	7	11	18	22	42
B. OPERATED	714	13.9	142	2	4	10	18	28	38	81
TOTAL 0-19 YRS	50	9.3	68	1	2	7	12	18	21	50
20-34	55	10.0	91	1	1	7	13	22	29	52
35-49	118	10.7	131	1	2	8	14	24	29	61
50-64	273	11.1	127	2	3	8	13	22	33	90
65+	1036	11.6	98	2	3	9	14	23	30	55
GRAND TOTAL	**1532**	**11.3**	**105**	**2**	**3**	**8**	**14**	**23**	**30**	**58**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	9	8.6	19	3	3	10	11	14	16	16
50-64	69	12.7	119	3	4	9	15	31	38	51
65+	222	11.8	68	3	5	10	14	20	26	48
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	30.9	545	5	7	16	55	64	65	65
35-49	16	23.2	343	5	9	15	31	49	64	71
50-64	42	20.0	324	6	6	15	23	67	84	99+
65+	95	20.2	182	5	7	17	26	39	48	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	301	11.9	78	3	4	9	14	21	28	49
B. *Operated*	163	21.0	253	5	7	16	26	49	64	96
1. SINGLE DX										
2. MULTIPLE DX	464	15.1	158	4	5	12	18	30	46	71
A. NOT OPERATED	301	11.9	78	3	4	9	14	21	28	49
B. OPERATED	163	21.0	253	5	7	16	26	49	64	96
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	10	28.7	532	5	7	16	53	63	65	65
35-49	25	17.9	272	3	4	13	17	48	54	71
50-64	111	15.5	207	4	5	11	20	36	54	99+
65+	317	14.3	116	3	5	11	18	27	35	53
GRAND TOTAL	**464**	**15.1**	**158**	**4**	**5**	**12**	**18**	**30**	**46**	**71**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	12	2.5	4	<1	<1	2	3	5	8	8
65+	22	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.7	40	2	2	2	10	13	13	13
35-49	32	3.6	8	1	1	3	5	7	10	13
50-64	311	3.3	4	1	1	3	4	5	7	10
65+	738	3.8	7	1	1	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	2.1	2	<1	<1	2	3	4	4	4
50-64	55	4.1	17	<1	1	3	5	8	11	24
65+	270	4.3	9	1	1	4	6	7	9	18
B. *Operated*										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	5	2.2	3	1	1	1	4	4	4	4
35-49	99	4.3	13	1	1	3	5	9	11	20
50-64	1039	4.7	17	1	1	4	5	9	11	24
65+	3096	5.3	20	1	2	4	6	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.0	3	<1	<1	1	2	4	6	8
B. *Operated*	1085	3.6	6	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	337	4.2	10	1	1	4	5	7	10	18
B. *Operated*	4242	5.1	19	1	2	4	6	9	13	22
1. SINGLE DX	1120	3.6	6	1	1	3	4	6	8	13
2. MULTIPLE DX	4579	5.1	19	1	2	4	6	9	12	22
A. NOT OPERATED	372	4.0	10	<1	1	3	5	7	9	18
B. OPERATED	5327	4.8	17	1	1	4	6	9	12	21
TOTAL 0-19 YRS	5	2.6	7	1	1	1	4	7	7	7
20-34	10	3.3	13	1	1	2	4	9	13	13
35-49	141	4.0	11	1	1	3	5	8	10	18
50-64	1417	4.4	15	1	1	4	5	8	10	20
65+	4126	4.9	17	1	1	4	6	9	12	21
GRAND TOTAL	**5699**	**4.8**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	7.3	47	1	1	4	10	18	23	23
65+	40	9.1	42	1	2	8	12	17	24	26
B. *Operated*										
0-19 YRS	3	5.7	12	2	2	6	8	9	9	9
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	13	15.5	420	1	2	8	14	55	66	69
50-64	77	9.6	119	1	2	6	11	19	28	57
65+	148	8.4	82	2	3	6	11	15	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	50	8.7	42	1	2	8	12	17	24	26
B. *Operated*	243	9.1	111	2	2	6	11	17	22	60
1. SINGLE DX										
2. MULTIPLE DX	293	9.1	99	1	2	6	11	17	23	56
A. NOT OPERATED	50	8.7	42	1	2	8	12	17	24	26
B. OPERATED	243	9.1	111	2	2	6	11	17	22	60
TOTAL 0-19 YRS	3	5.7	12	2	2	6	8	9	9	9
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	13	15.5	420	1	2	8	14	55	66	69
50-64	87	9.3	111	1	2	6	11	19	26	57
65+	188	8.5	73	2	2	7	11	16	20	26
GRAND TOTAL	**293**	**9.1**	**99**	**1**	**2**	**6**	**11**	**17**	**23**	**56**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	6	4.0	16	1	1	3	5	10	11	11
35-49	22	3.9	12	1	1	3	5	6	11	17
50-64	90	5.1	14	1	2	4	7	9	13	20
65+	224	6.1	17	2	2	5	8	12	14	21
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	6	8.5	31	3	3	8	13	16	16	16
35-49	19	6.8	16	1	2	6	9	13	14	14
50-64	26	4.7	18	1	1	4	6	9	16	17
65+	39	5.2	23	1	1	4	7	10	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	9.3	106	2	3	6	11	16	37	43
20-34	24	4.6	22	1	1	3	6	10	42	99+
35-49	160	6.6	29	1	2	5	8	11	14	43
50-64	844	6.6	32	2	2	5	8	12	16	32
65+	4290	7.8	39	2	3	6	10	14	18	33
B. *Operated*										
0-19 YRS	4	6.5	23	2	2	5	10	13	13	13
20-34	21	8.4	54	3	3	5	10	16	25	35
35-49	56	9.2	89	2	2	6	12	24	30	97
50-64	204	9.8	93	2	2	7	13	21	28	77
65+	581	11.4	105	2	3	8	14	23	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	5.7	16	1	2	5	7	11	14	20
B. *Operated*	92	5.6	20	1	1	5	8	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	5332	7.5	38	2	2	6	9	13	17	33
B. *Operated*	866	10.8	100	2	3	8	14	22	31	59
1. SINGLE DX	436	5.7	17	1	2	5	7	11	14	20
2. MULTIPLE DX	6198	8.0	48	2	2	6	10	14	19	37
A. NOT OPERATED	5676	7.4	37	2	2	6	9	13	17	33
B. OPERATED	958	10.3	95	1	2	7	13	21	29	57
TOTAL 0-19 YRS	22	8.2	74	1	2	6	11	13	25	43
20-34	57	6.3	36	1	1	5	8	15	21	95
35-49	257	6.9	41	1	2	5	9	13	17	56
50-64	1164	7.0	43	2	2	5	9	14	18	39
65+	5134	8.1	47	2	3	6	10	14	19	35
GRAND TOTAL	**6634**	**7.8**	**46**	**2**	**2**	**6**	**10**	**14**	**19**	**36**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	9	5	5	7	10	11	11	11
20-34	8	7.8	80	1	2	5	8	23	29	29
35-49	53	8.1	52	2	2	6	11	16	18	45
50-64	440	10.3	137	2	3	7	11	19	29	73
65+	2491	9.3	46	3	3	8	11	17	22	36
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	10	8.6	13	3	4	8	12	14	15	15
35-49	36	11.3	107	2	3	7	13	23	38	45
50-64	66	12.7	126	4	4	9	16	34	41	92
65+	314	14.1	107	4	5	11	17	25	37	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2996	9.5	59	3	3	8	11	17	22	41
B. *Operated*	427	13.5	108	4	5	10	17	25	40	53
1. SINGLE DX										
2. MULTIPLE DX	3423	10.0	67	3	3	8	12	18	24	45
A. NOT OPERATED	2996	9.5	59	3	3	8	11	17	22	41
B. OPERATED	427	13.5	108	4	5	10	17	25	40	53
TOTAL 0-19 YRS	5	8.6	13	5	5	9	11	13	13	13
20-34	18	8.2	40	2	3	7	10	14	23	29
35-49	89	9.4	76	2	3	6	12	19	24	46
50-64	506	10.7	136	2	3	8	12	21	32	78
65+	2805	9.9	55	3	3	8	12	18	23	41
GRAND TOTAL	**3423**	**10.0**	**67**	**3**	**3**	**8**	**12**	**18**	**24**	**45**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	2.5	2	<1	<1	2	3	5	6	6
35-49	55	2.2	2	1	1	2	3	4	5	6
50-64	163	2.1	2	1	1	2	3	4	5	6
65+	397	2.5	2	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	9	2.3	4	1	1	1	3	6	7	7
35-49	21	2.7	4	<1	1	2	4	6	7	7
50-64	74	2.7	5	<1	1	2	4	5	7	11
65+	92	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	42	2.4	2	1	1	2	3	5	5	6
35-49	166	3.2	10	1	1	2	4	6	7	18
50-64	910	3.1	5	1	1	3	4	6	7	10
65+	4416	4.0	11	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	4.7	15	1	1	4	5	11	15	15
35-49	65	5.0	21	1	1	4	6	9	17	23
50-64	329	4.4	21	1	1	3	6	9	12	18
65+	844	5.6	33	1	1	4	7	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	628	2.4	2	1	1	2	3	5	5	7
B. *Operated*	198	2.8	5	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	5545	3.8	10	1	1	3	5	7	9	14
B. *Operated*	1251	5.2	29	1	1	4	6	10	15	26
1. SINGLE DX	826	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX	6796	4.0	14	1	1	3	5	7	10	17
A. NOT OPERATED	6173	3.6	9	1	1	3	5	7	8	14
B. OPERATED	1449	4.9	27	1	1	4	6	9	13	24
TOTAL 0-19 YRS	17	2.0	1	1	1	2	3	4	4	4
20-34	73	2.7	5	1	1	2	3	5	6	13
35-49	307	3.4	11	1	1	2	4	6	8	20
50-64	1476	3.3	8	1	1	3	4	6	8	14
65+	5749	4.1	14	1	1	3	5	8	10	17
GRAND TOTAL	**7622**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	5.0	10	2	2	4	7	9	9	9
35-49	13	3.7	4	1	1	4	5	7	8	8
50-64	62	3.9	7	<1	1	3	5	7	10	12
65+	207	5.9	26	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS										
20-34	3	7.0	1	6	6	7	8	8	8	8
35-49	6	3.7	11	1	1	2	8	8	8	8
50-64	18	5.3	26	1	1	3	8	15	16	16
65+	25	6.0	31	1	1	4	7	14	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	17	1	1	5	8	12	13	13
20-34	13	2.8	2	1	1	2	4	5	6	6
35-49	87	5.7	26	1	2	4	7	11	14	32
50-64	465	5.7	29	1	2	4	7	11	15	27
65+	2723	7.3	45	2	2	6	9	13	17	32
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	6	7.5	34	1	1	6	9	17	18	18
35-49	22	9.9	178	1	2	6	9	21	41	64
50-64	92	7.2	42	1	2	5	9	16	21	72
65+	327	10.6	84	2	3	9	13	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	5.3	21	1	2	4	7	10	12	25
B. *Operated*	52	5.5	25	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	3296	7.0	43	2	2	6	8	13	17	32
B. *Operated*	448	9.9	81	2	3	7	12	20	29	51
1. SINGLE DX	340	5.4	22	1	1	4	7	10	13	25
2. MULTIPLE DX	3744	7.4	48	2	2	6	9	14	18	37
A. NOT OPERATED	3584	6.9	41	2	2	5	8	12	17	31
B. OPERATED	500	9.4	77	1	2	7	12	19	27	46
TOTAL 0-19 YRS	11	6.2	24	1	1	5	9	14	16	16
20-34	26	4.7	14	1	1	4	6	9	11	18
35-49	128	6.1	52	1	2	4	7	11	15	43
50-64	637	5.8	29	1	2	4	7	11	16	31
65+	3282	7.5	49	2	2	6	9	14	19	35
GRAND TOTAL	**4084**	**7.2**	**46**	**2**	**2**	**6**	**9**	**13**	**18**	**35**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	4.0	8	1	1	3	7	8	8	8
35-49	39	6.8	53	1	2	4	8	12	17	44
50-64	188	8.1	70	2	2	6	9	16	22	65
65+	1173	8.8	57	2	3	7	11	16	21	41
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	12	8.4	27	2	2	7	12	16	18	18
50-64	34	9.3	73	1	3	7	12	21	39	99+
65+	125	13.6	110	3	4	10	17	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1407	8.6	58	2	3	7	11	16	21	42
B. *Operated*	172	12.3	100	3	4	9	16	25	36	56
1. SINGLE DX										
2. MULTIPLE DX	1579	9.0	64	2	3	7	11	17	22	45
A. NOT OPERATED	1407	8.6	58	2	3	7	11	16	21	42
B. OPERATED	172	12.3	100	3	4	9	16	25	36	56
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	4.4	8	1	1	3	7	8	8	8
35-49	51	7.2	47	1	2	5	9	14	18	44
50-64	222	8.3	70	2	2	6	10	17	24	87
65+	1298	9.3	64	2	3	7	11	17	23	44
GRAND TOTAL	**1579**	**9.0**	**64**	**2**	**3**	**7**	**11**	**17**	**22**	**45**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	6	2.2	3	1	1	2	3	5	5	5
35-49	31	2.4	2	1	1	2	4	4	6	6
50-64	39	3.3	4	1	1	3	4	6	8	9
65+	53	3.4	7	1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	3.8	15	1	1	2	7	10	12	12
35-49	27	5.3	31	<1	1	2	8	15	18	21
50-64	37	3.7	14	1	1	2	6	10	11	15
65+	28	3.0	11	1	1	2	3	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	9	<1	<1	2	2	7	11	11
20-34	21	3.3	6	1	1	3	4	6	9	12
35-49	124	3.8	9	1	1	3	5	7	9	41
50-64	272	4.3	12	1	1	3	5	9	11	17
65+	1060	5.4	24	1	2	4	7	10	13	24
B. *Operated*										
0-19 YRS	4	7.0	115	<1	<1	2	13	23	23	23
20-34	23	9.1	61	1	1	9	12	17	26	34
35-49	52	8.0	81	1	1	5	12	18	20	55
50-64	128	10.2	163	1	1	6	13	22	35	64
65+	192	8.0	88	1	1	6	9	16	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	3.0	5	1	1	2	4	6	8	12
B. *Operated*	103	3.9	18	1	1	2	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1487	5.1	21	1	2	4	6	9	12	22
B. *Operated*	399	8.7	110	1	1	6	11	18	28	56
1. SINGLE DX	234	3.4	11	1	1	2	4	8	10	16
2. MULTIPLE DX	1886	5.8	42	1	2	4	7	11	16	33
A. NOT OPERATED	1618	4.9	20	1	1	4	6	9	12	22
B. OPERATED	502	7.7	95	1	1	5	10	16	23	54
TOTAL 0-19 YRS	17	3.6	31	<1	<1	2	3	10	19	23
20-34	60	5.5	36	1	1	3	8	12	16	33
35-49	234	4.7	30	1	1	3	6	10	16	27
50-64	476	5.8	59	1	1	4	6	12	16	38
65+	1333	5.7	34	1	2	4	7	10	15	29
GRAND TOTAL	**2120**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	6	1.3	1	1	1	1	1	3	3	3
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	28	3.0	8	<1	1	2	4	8	9	10
50-64	95	3.8	10	<1	1	2	6	8	9	15
65+	132	3.8	13	<1	1	2	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	24	3.0	5	<1	<1	2	4	7	7	8
65+	97	5.8	25	<1	1	4	8	14	16	24
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	10	9.0	33	1	1	9	15	16	17	17
35-49	117	7.2	61	1	1	6	8	14	24	42
50-64	707	8.1	68	1	1	7	10	15	22	47
65+	1728	9.2	80	1	1	8	12	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.2		<1	<1	1	1	2	3	3
B. *Operated*	256	3.7	11	<1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	126	5.1	22	<1	1	4	7	11	16	21
B. *Operated*	2564	8.8	76	1	1	7	11	17	24	48
1. SINGLE DX	268	3.6	11	<1	1	2	6	8	10	15
2. MULTIPLE DX	2690	8.6	74	1	1	7	11	17	23	47
A. NOT OPERATED	138	4.7	21	<1	<1	3	6	10	15	20
B. OPERATED	2820	8.3	72	1	1	7	10	16	23	46
TOTAL 0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	11	8.4	34	1	1	8	14	16	17	17
35-49	153	6.1	52	<1	1	4	8	12	22	37
50-64	828	7.5	62	1	1	6	9	14	20	44
65+	1963	8.6	75	1	1	7	11	17	23	46
GRAND TOTAL	**2958**	**8.2**	**70**	**1**	**1**	**7**	**10**	**16**	**22**	**45**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	8	4.8	25	<1	<1	3	7	13	14	14
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	8	6.5	22	1	1	7	9	13	14	14
50-64	65	8.5	8	5	6	8	10	11	13	18
65+	141	8.2	13	1	1	8	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	20	3.9	16	<1	1	3	4	11	13	15
65+	169	4.9	21	1	1	3	7	10	14	28
B. *Operated*										
0-19 YRS	4	11.5	6	9	9	11	13	14	14	14
20-34	5	11.6	70	3	3	8	18	24	24	24
35-49	41	10.5	47	1	2	10	13	17	24	37
50-64	423	11.4	82	2	5	9	12	18	26	64
65+	1549	12.8	110	1	5	10	14	22	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.3	23	<1	<1	2	6	13	14	14
B. *Operated*	215	8.2	12	1	3	8	10	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	191	4.8	21	1	1	3	6	10	14	27
B. *Operated*	2022	12.5	103	1	5	10	14	21	30	63
1. SINGLE DX	224	8.1	13	1	2	8	10	12	14	18
2. MULTIPLE DX	2213	11.8	100	1	3	10	13	21	29	62
A. NOT OPERATED	200	4.8	21	1	1	3	6	10	14	26
B. OPERATED	2237	12.1	96	1	5	10	13	21	28	62
TOTAL 0-19 YRS	4	11.5	6	9	9	11	13	14	14	14
20-34	7	9.6	53	1	1	8	14	22	24	24
35-49	50	9.7	44	1	2	8	13	16	22	37
50-64	509	10.7	72	1	4	9	12	17	23	62
65+	1867	11.7	101	1	2	10	13	21	29	59
GRAND TOTAL	**2437**	**11.5**	**93**	**1**	**3**	**9**	**13**	**20**	**28**	**59**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	3.0	11	1	1	2	5	8	8	8
20-34	6	4.7	13	<1	<1	4	9	9	9	9
35-49	12	4.6	26	1	1	2	6	14	16	16
50-64	26	3.8	7	<1	1	4	5	6	8	14
65+	44	4.9	8	1	1	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	11.0	112	3	3	7	19	23	23	23
50-64	4	3.3	2	1	1	4	4	4	4	4
65+	13	4.2	10	<1	1	3	6	9	11	11
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	16	10.1	143	1	1	5	14	17	40	50
35-49	38	6.7	41	1	1	4	10	19	24	99+
50-64	107	8.1	87	1	1	6	9	16	20	59
65+	280	9.0	75	1	2	7	11	15	23	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	92	4.5	11	1	1	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	20	5.1	25	<1	1	4	6	10	17	23
B. *Operated*	442	8.6	77	1	2	7	11	15	23	67
1. SINGLE DX	95	4.4	10	1	1	4	6	9	10	15
2. MULTIPLE DX	462	8.5	75	1	1	7	10	15	22	65
A. NOT OPERATED	23	4.7	22	<1	1	4	5	9	15	23
B. OPERATED	534	7.9	68	1	1	6	10	14	20	53
TOTAL 0-19 YRS	5	4.8	25	1	1	2	9	12	12	12
20-34	22	8.6	111	<1	1	5	10	16	30	50
35-49	53	6.4	41	1	1	4	10	17	24	97
50-64	139	7.1	72	1	1	5	8	13	18	53
65+	338	8.3	66	1	2	7	10	14	19	44
GRAND TOTAL	**557**	**7.8**	**67**	**1**	**1**	**6**	**10**	**14**	**20**	**51**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	8	5.5	11	1	1	5	8	10	11	11
50-64	19	3.7	11	<1	<1	2	6	9	10	10
65+	27	3.6	14	<1	<1	2	5	9	12	16
B. *Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	16	4.2	12	1	1	4	6	8	12	14
35-49	55	5.4	17	<1	1	5	8	11	12	20
50-64	180	4.5	11	<1	1	4	7	9	11	15
65+	196	4.8	12	1	1	5	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	5	10.8	4	9	9	10	12	14	14	14
35-49	27	6.4	16	1	1	6	8	11	15	16
50-64	65	4.9	14	<1	1	4	7	10	11	19
65+	189	5.5	17	1	1	5	8	10	11	20
B. *Operated*										
0-19 YRS	5	9.8	24	5	5	9	13	17	17	17
20-34	32	7.7	27	1	2	6	10	14	20	22
35-49	237	7.9	55	1	1	7	10	15	19	47
50-64	972	8.0	39	1	1	7	10	14	19	32
65+	2114	8.9	51	1	1	8	11	16	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.9	12	<1	<1	3	6	9	10	16
B. *Operated*	450	4.7	12	1	1	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	288	5.5	16	<1	1	5	8	10	11	19
B. *Operated*	3360	8.6	48	1	1	7	11	16	21	35
1. SINGLE DX	508	4.6	12	<1	1	4	7	9	11	15
2. MULTIPLE DX	3648	8.3	46	1	1	7	10	15	21	34
A. NOT OPERATED	346	5.3	16	<1	1	5	8	10	11	17
B. OPERATED	3810	8.1	45	1	1	7	10	15	20	34
TOTAL 0-19 YRS	11	7.4	18	1	3	6	9	14	17	17
20-34	56	6.7	23	1	1	6	10	13	15	22
35-49	327	7.3	45	1	1	6	9	14	17	40
50-64	1236	7.2	35	1	1	6	9	13	18	30
65+	2526	8.3	47	1	1	7	10	16	21	33
GRAND TOTAL	**4156**	**7.9**	**43**	**1**	**1**	**7**	**10**	**15**	**20**	**33**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.2	11	1	1	3	5	7	8	20
20-34	11	5.3	17	1	1	4	7	11	16	16
35-49	13	2.2	2	1	1	2	3	4	6	6
50-64	14	3.2	6	<1	1	2	6	7	7	7
65+	23	3.1	10	<1	<1	2	4	7	10	14
B. *Operated*										
0-19 YRS	8	2.6	4	1	1	2	4	5	6	6
20-34	38	2.6	6	<1	<1	2	4	6	7	12
35-49	52	3.2	8	<1	<1	2	5	8	9	12
50-64	128	3.1	9	<1	1	2	5	7	8	16
65+	131	3.2	10	<1	<1	2	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.0	16	1	2	4	6	10	13	20
20-34	33	6.3	33	1	1	5	8	11	14	32
35-49	60	4.7	18	1	1	4	7	9	14	23
50-64	107	4.0	18	<1	1	3	6	8	11	26
65+	238	5.5	26	1	1	4	7	11	16	26
B. *Operated*										
0-19 YRS	13	7.1	14	1	2	7	9	12	14	14
20-34	62	8.0	102	1	1	5	10	14	26	62
35-49	134	7.0	93	1	1	4	8	15	22	80
50-64	470	6.8	62	1	1	4	9	15	22	40
65+	870	7.8	68	1	1	5	10	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.6	10	<1	1	3	5	7	8	18
B. *Operated*	357	3.1	9	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	474	5.1	23	1	1	4	7	10	14	26
B. *Operated*	1549	7.4	69	1	1	5	10	16	23	42
1. SINGLE DX	455	3.2	9	<1	1	2	5	7	9	15
2. MULTIPLE DX	2023	6.9	59	1	1	5	9	15	22	39
A. NOT OPERATED	572	4.8	21	1	1	3	6	9	14	25
B. OPERATED	1906	6.6	61	1	1	4	9	15	21	40
TOTAL 0-19 YRS	94	4.7	14	1	1	4	6	9	12	20
20-34	144	6.0	59	1	1	4	8	11	17	35
35-49	259	5.5	57	1	1	3	7	13	18	55
50-64	719	5.7	47	1	1	3	7	12	19	35
65+	1262	6.8	55	1	1	5	9	15	21	36
GRAND TOTAL	**2478**	**6.2**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	7	1	1	4	7	8	9	9
20-34	122	5.9	12	1	1	6	8	10	11	19
35-49	184	6.1	10	2	2	6	7	10	11	18
50-64	172	6.2	7	2	3	6	8	10	11	13
65+	198	6.4	6	2	3	6	8	10	10	12
B. *Operated*										
0-19 YRS	10	8.7	13	3	4	8	12	13	14	14
20-34	55	5.9	9	1	2	6	8	10	11	13
35-49	101	5.3	10	1	1	6	7	9	10	14
50-64	87	6.7	12	1	2	7	8	11	13	18
65+	85	6.7	10	2	3	7	9	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.1	23	2	3	6	8	11	19	22
20-34	132	7.5	15	2	3	7	9	12	14	22
35-49	284	7.4	42	2	3	7	9	11	13	27
50-64	569	7.3	13	3	3	7	9	11	14	19
65+	1140	7.5	15	3	4	7	9	11	13	19
B. *Operated*										
0-19 YRS	12	10.8	71	2	4	9	13	21	32	34
20-34	111	7.8	27	2	2	7	10	14	17	28
35-49	183	7.7	18	2	3	7	10	13	16	22
50-64	386	8.6	28	2	3	8	10	15	20	26
65+	706	8.8	33	3	4	8	10	14	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	687	6.1	8	2	2	6	8	10	11	14
B. *Operated*	338	6.2	11	1	2	6	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	2139	7.4	18	3	3	7	9	11	13	20
B. *Operated*	1398	8.5	30	2	3	8	10	14	18	28
1. SINGLE DX	1025	6.2	9	1	2	6	8	10	11	14
2. MULTIPLE DX	3537	7.9	23	2	3	7	9	12	15	25
A. NOT OPERATED	2826	7.1	16	2	3	7	9	11	13	19
B. OPERATED	1736	8.1	27	2	3	7	10	13	17	27
TOTAL 0-19 YRS	47	7.8	33	2	2	7	9	14	16	34
20-34	420	6.9	17	1	2	7	9	12	14	21
35-49	752	6.9	25	2	2	6	8	11	13	22
50-64	1214	7.5	17	2	3	7	9	12	15	23
65+	2129	7.8	21	3	4	7	9	12	14	25
GRAND TOTAL	**4562**	**7.5**	**20**	**2**	**3**	**7**	**9**	**12**	**14**	**24**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	6	<1	<1	4	5	6	6	6
35-49	6	3.7	10	2	2	3	3	9	10	10
50-64	10	5.4	50	<1	1	3	4	16	25	25
65+	16	7.6	33	2	3	6	10	16	20	22
B. *Operated*										
0-19 YRS	7	2.0		1	1	2	2	3	3	3
20-34	315	1.9	1	1	1	2	2	3	4	5
35-49	557	2.1	4	1	1	2	2	3	4	9
50-64	348	2.3	3	1	1	2	3	4	5	9
65+	132	4.8	38	1	1	3	4	10	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	5.6	43	<1	<1	3	8	17	17	17
35-49	27	5.7	23	<1	<1	5	7	10	15	23
50-64	50	6.9	22	1	2	6	9	13	14	27
65+	213	8.5	48	2	3	7	11	14	19	40
B. *Operated*										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	94	3.5	24	1	1	2	3	8	11	31
35-49	211	4.4	59	1	1	2	4	10	14	30
50-64	249	5.8	88	1	1	3	5	12	21	50
65+	260	10.7	120	1	2	7	15	25	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	6.0	32	<1	2	4	7	15	20	25
B. *Operated*	1359	2.4	7	1	1	2	3	4	5	16
2. MULTIPLE DX										
A. *Not Operated*	296	7.9	42	1	2	6	10	13	17	35
B. *Operated*	819	6.7	90	1	1	3	8	17	25	50
1. SINGLE DX	1394	2.5	8	1	1	2	3	4	5	18
2. MULTIPLE DX	1115	7.1	78	1	1	4	9	15	24	47
A. NOT OPERATED	331	7.7	41	1	2	6	10	13	17	33
B. OPERATED	2178	4.0	43	1	1	2	4	8	15	33
TOTAL 0-19 YRS	13	3.1	12	1	1	2	3	6	13	14
20-34	417	2.3	7	1	1	2	3	4	5	14
35-49	801	2.8	20	1	1	2	3	5	8	24
50-64	657	4.0	41	1	1	2	4	8	12	42
65+	621	8.6	80	1	2	6	11	19	26	44
GRAND TOTAL	**2509**	**4.5**	**44**	**1**	**1**	**2**	**4**	**10**	**15**	**33**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	2.2	1	<1	<1	2	3	4	5	5
35-49	27	3.1	6	<1	<1	3	4	6	8	12
50-64	18	1.5	2	<1	<1	<1	1	4	5	5
65+	14	2.3	4	<1	<1	1	3	4	7	8
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	135	2.5	1	1	1	2	3	4	5	6
35-49	240	2.6	2	1	1	2	3	5	5	7
50-64	164	2.6	2	1	1	2	3	4	5	7
65+	53	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	22	2.5	5	<1	1	2	3	6	8	10
35-49	73	3.2	9	<1	1	3	4	6	8	19
50-64	61	2.5	4	<1	<1	2	3	5	7	10
65+	122	4.5	49	1	1	3	4	7	10	49
B. *Operated*										
0-19 YRS	12	2.7	1	1	1	3	4	4	4	4
20-34	602	3.1	5	1	1	3	4	5	6	8
35-49	1234	3.1	3	1	1	3	4	5	6	9
50-64	967	3.3	4	1	1	3	4	5	7	11
65+	559	3.9	9	1	2	3	5	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.4	4	<1	<1	2	3	5	6	11
B. *Operated*	597	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	283	3.5	25	<1	1	2	4	6	8	21
B. *Operated*	3374	3.3	4	1	1	3	4	5	7	11
1. SINGLE DX	672	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	3657	3.3	6	1	1	3	4	5	7	11
A. NOT OPERATED	358	3.3	21	<1	<1	2	4	6	8	21
B. OPERATED	3971	3.2	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	23	2.3	2	<1	1	2	4	4	5	5
20-34	774	3.0	5	1	1	3	4	5	6	8
35-49	1574	3.0	3	1	1	3	4	5	6	9
50-64	1210	3.1	4	1	1	3	4	5	7	10
65+	748	3.9	15	1	1	3	5	6	9	15
GRAND TOTAL	**4329**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.3	11	1	1	6	7	9	12	13
20-34	88	5.8	8	1	2	6	8	9	11	14
35-49	96	5.5	9	1	2	5	7	10	10	17
50-64	113	5.3	8	1	1	6	7	8	10	12
65+	117	5.1	11	1	1	5	7	9	10	18
B. *Operated*										
0-19 YRS	31	3.3	18	<1	1	1	4	9	10	21
20-34	125	4.4	14	<1	<1	4	7	9	10	19
35-49	116	5.5	13	<1	1	6	8	11	12	14
50-64	92	6.3	14	1	1	7	8	11	13	17
65+	69	6.3	14	1	1	7	8	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.8	36	<1	1	2	5	7	9	38
20-34	186	5.5	13	1	1	5	8	10	11	19
35-49	325	5.2	13	1	1	4	7	10	12	18
50-64	720	5.5	15	1	1	5	8	10	12	19
65+	2014	5.5	15	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	40	6.9	117	<1	<1	3	8	15	31	57
20-34	237	6.5	61	<1	1	5	8	13	17	43
35-49	280	7.2	37	1	1	6	9	14	18	28
50-64	445	8.9	50	1	2	7	10	17	23	40
65+	875	8.7	53	1	2	7	10	15	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	5.4	9	1	1	5	7	9	10	15
B. *Operated*	433	5.3	15	<1	1	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3286	5.4	15	1	1	5	7	10	12	19
B. *Operated*	1877	8.2	53	1	1	7	10	15	21	38
1. SINGLE DX	881	5.4	12	1	1	5	7	9	11	17
2. MULTIPLE DX	5163	6.4	31	1	1	6	8	11	15	28
A. NOT OPERATED	3734	5.4	14	1	1	5	7	10	12	19
B. OPERATED	2310	7.7	47	1	1	7	10	14	20	34
TOTAL 0-19 YRS	146	4.9	50	<1	1	2	7	10	12	39
20-34	636	5.7	31	<1	1	5	8	10	13	23
35-49	817	6.0	21	1	1	5	8	11	14	21
50-64	1370	6.7	28	1	2	6	8	12	15	29
65+	3075	6.4	28	1	2	6	8	11	14	26
GRAND TOTAL	**6044**	**6.3**	**28**	**1**	**1**	**5**	**8**	**11**	**14**	**26**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1208	1.9	1	<1	1	2	2	3	4	6
20-34	172	2.6	2	1	1	2	3	5	5	8
35-49	84	2.8	2	1	1	3	4	4	5	7
50-64	40	2.4	2	<1	<1	2	3	5	6	7
65+	17	2.4	2	1	1	3	3	4	5	5
B. *Operated*										
0-19 YRS	112	1.7	3	<1	<1	1	1	3	7	9
20-34	51	1.7	2	<1	1	1	2	4	5	5
35-49	23	3.3	11	<1	<1	2	4	9	11	13
50-64	13	2.6	5	<1	<1	1	5	6	7	7
65+	5	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2103	2.7	6	1	1	2	3	5	6	10
20-34	475	2.9	3	1	1	3	4	5	6	10
35-49	323	3.3	4	1	1	3	4	6	7	11
50-64	271	4.4	13	1	2	3	5	8	11	24
65+	460	4.8	10	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	176	2.4	22	<1	<1	1	2	6	7	25
20-34	137	3.2	9	1	1	2	5	7	9	14
35-49	53	4.8	24	1	1	3	6	12	19	97
50-64	63	5.5	43	<1	1	4	6	13	22	33
65+	60	6.2	34	1	1	4	8	14	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1521	2.1	2	<1	1	2	3	4	4	6
B. *Operated*	204	1.9	4	<1	<1	1	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	3632	3.2	7	1	1	3	4	6	7	13
B. *Operated*	489	3.8	25	<1	1	2	5	8	13	27
1. SINGLE DX	1725	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	4121	3.2	9	1	1	3	4	6	8	15
A. NOT OPERATED	5153	2.8	6	1	1	2	3	5	7	12
B. OPERATED	693	3.2	19	<1	1	1	4	7	11	25
TOTAL 0-19 YRS	3599	2.4	5	<1	1	2	3	4	5	9
20-34	835	2.8	4	1	1	2	3	5	6	11
35-49	483	3.4	6	1	1	3	4	6	8	14
50-64	387	4.3	17	1	1	3	5	8	13	25
65+	542	4.8	12	1	2	4	6	9	12	19
GRAND TOTAL	**5846**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1271	2.6	3	1	1	2	3	5	6	9
20-34	70	2.8	1	1	2	3	4	5	5	5
35-49	81	2.9	2	1	1	3	4	5	6	6
50-64	56	3.7	5	1	2	3	4	6	8	13
65+	67	4.4	9	1	1	4	6	8	11	15
B. *Operated*										
0-19 YRS	5	2.6	13	1	1	1	3	9	9	9
20-34										
35-49	2	14.0	162	5	5	14	23	23	23	23
50-64	3	5.0	9	2	2	5	7	8	8	8
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2363	3.4	6	1	1	3	4	6	8	11
20-34	319	3.8	10	1	1	3	4	7	9	16
35-49	572	4.5	15	1	2	4	6	8	10	15
50-64	1909	5.3	15	2	2	4	7	9	12	18
65+	5270	6.0	17	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	21	7.7	55	<1	1	7	10	24	59	99+
20-34	32	5.3	9	<1	1	5	7	10	11	11
35-49	41	5.9	18	1	2	5	8	11	15	19
50-64	153	9.7	92	2	3	7	13	24	30	99
65+	341	10.6	76	2	4	8	13	20	28	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1545	2.8	3	1	1	2	4	5	6	10
B. *Operated*	12	5.2	39	1	1	3	7	13	22	23
2. MULTIPLE DX										
A. *Not Operated*	10433	5.2	15	1	2	4	6	9	12	18
B. *Operated*	588	9.7	74	2	3	7	12	19	27	74
1. SINGLE DX	1557	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	11021	5.4	19	1	2	4	7	10	13	22
A. NOT OPERATED	11978	4.9	14	1	2	4	6	9	11	18
B. OPERATED	600	9.6	74	2	3	7	12	19	27	72
TOTAL 0-19 YRS	3660	3.1	5	1	1	3	4	6	7	11
20-34	421	3.8	9	1	1	3	4	7	9	15
35-49	696	4.4	14	1	2	4	5	8	10	18
50-64	2121	5.6	21	2	2	4	7	10	13	25
65+	5680	6.3	21	2	2	5	8	11	14	23
GRAND TOTAL	**12578**	**5.1**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	116	1.1		<1	<1	1	1	1	2	3
20-34	270	1.1		<1	<1	1	1	1	2	3
35-49	197	1.1		<1	<1	1	1	1	1	3
50-64	99	1.1		<1	<1	1	1	2	2	4
65+	35	1.1		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	4	4	4
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	303	1.2		<1	1	1	1	2	2	3
20-34	813	1.3	1	<1	1	1	1	2	2	4
35-49	670	1.3	1	<1	1	1	1	2	3	4
50-64	379	1.5	1	1	1	1	2	3	3	5
65+	139	1.5	1	<1	1	1	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	717	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	14	1.6	1	<1	<1	1	2	4	4	4
B. *Operated*	2304	1.3	1	<1	1	1	1	2	3	4
1. SINGLE DX	719	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX	2318	1.3	1	<1	1	1	1	2	3	4
A. NOT OPERATED	16	1.7	1	<1	<1	1	2	4	4	4
B. OPERATED	3021	1.3	1	<1	1	1	1	2	3	4
TOTAL 0-19 YRS	423	1.2		<1	1	1	1	2	2	4
20-34	1087	1.2		<1	1	1	1	2	2	4
35-49	871	1.3	1	<1	1	1	1	2	3	4
50-64	480	1.5	1	<1	1	1	2	3	3	5
65+	176	1.4	1	<1	1	1	2	3	3	4
GRAND TOTAL	**3037**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	10	1.0		<1	<1	1	1	1	1	1
20-34	25	1.2		<1	<1	1	1	1	2	4
35-49	35	1.3	1	<1	<1	1	1	2	3	4
50-64	25	1.2		<1	<1	1	1	2	2	3
65+	12	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	32	1.6	1	<1	<1	1	2	3	4	6
20-34	79	1.5	1	1	1	1	2	3	3	7
35-49	109	1.4	1	<1	1	1	2	2	3	6
50-64	119	1.6	1	<1	1	1	2	3	3	6
65+	55	1.9	4	1	1	1	2	3	4	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	107	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	394	1.6	1	<1	1	1	2	3	3	7
1. SINGLE DX	109	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	398	1.6	1	<1	1	1	2	3	3	7
A. NOT OPERATED	6	1.3	1	<1	<1	1	1	3	3	3
B. OPERATED	501	1.5	1	<1	1	1	2	2	3	6
TOTAL 0-19 YRS	42	1.5	1	<1	<1	1	2	3	4	6
20-34	105	1.4	1	<1	1	1	2	3	3	6
35-49	147	1.4	1	<1	1	1	2	2	3	5
50-64	145	1.6	1	<1	<1	1	2	2	3	5
65+	68	1.8	3	<1	1	1	2	3	3	12
GRAND TOTAL	**507**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**6**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	1	<1	<1	1	3	3	4	4
20-34	9	2.0	2	1	1	1	3	4	4	4
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4636	1.1		<1	<1	1	1	1	2	2
20-34	1298	1.1		<1	1	1	1	1	2	3
35-49	200	1.2		<1	1	1	1	2	2	4
50-64	29	1.4	1	<1	1	1	1	3	3	5
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	1.4	1	<1	<1	<1	2	2	3	9
20-34	14	1.9	2	<1	<1	1	3	4	5	5
35-49	7	1.6	1	<1	<1	<1	2	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	3161	1.1		<1	<1	1	1	1	2	3
20-34	521	1.2		<1	1	1	1	2	2	4
35-49	91	1.2		1	1	1	1	2	2	5
50-64	10	1.9	3	<1	<1	1	2	4	6	6
65+	6	1.5		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	6167	1.1		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*	80	1.5	1	<1	<1	1	2	3	4	8
B. *Operated*	3789	1.1		<1	<1	1	1	1	2	3
1. SINGLE DX	6191	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX	3869	1.1		<1	<1	1	1	1	2	3
A. NOT OPERATED	104	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	9956	1.1		<1	<1	1	1	1	2	3
TOTAL 0-19 YRS	7866	1.1		<1	<1	1	1	1	2	3
20-34	1842	1.2		<1	1	1	1	2	2	3
35-49	300	1.2		<1	1	1	1	2	2	4
50-64	42	1.5	1	<1	1	1	2	3	4	6
65+	10	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**10060**	**1.1**		**<1**	**<1**	**1**	**1**	**1**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	2.1	2	<1	1	2	3	4	4	7
20-34	149	2.4	2	1	1	2	3	4	5	8
35-49	68	2.2	2	1	1	2	3	4	5	9
50-64	25	2.4	3	<1	1	2	3	5	7	7
65+	14	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	311	1.8	2	<1	1	1	2	4	4	7
20-34	393	1.7	2	<1	<1	1	2	3	4	7
35-49	333	1.5	2	<1	<1	1	2	3	3	7
50-64	246	1.6	3	<1	<1	1	2	3	3	7
65+	170	1.6	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	2.8	4	1	1	2	4	5	6	12
20-34	161	3.2	8	1	1	2	4	6	8	14
35-49	106	3.6	9	<1	1	3	5	8	10	14
50-64	104	3.9	26	<1	1	3	4	7	10	30
65+	86	4.1	7	1	1	3	6	8	9	12
B. *Operated*										
0-19 YRS	439	2.6	29	<1	1	1	3	5	7	20
20-34	750	2.2	8	1	1	1	2	4	6	17
35-49	753	2.1	8	1	1	1	2	4	6	16
50-64	597	2.4	11	1	1	1	2	5	7	15
65+	388	3.7	25	1	1	2	4	8	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	1453	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	700	3.3	10	1	1	3	4	6	9	13
B. *Operated*	2927	2.5	14	1	1	1	2	5	7	18
1. SINGLE DX	1940	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	3627	2.6	13	1	1	2	3	5	8	18
A. NOT OPERATED	1187	2.9	7	<1	1	2	3	5	7	12
B. OPERATED	4380	2.2	10	<1	1	1	2	4	6	16
TOTAL 0-19 YRS	1224	2.4	12	<1	1	2	3	4	6	12
20-34	1453	2.2	6	<1	1	1	3	4	6	13
35-49	1260	2.1	6	<1	1	1	2	4	6	13
50-64	972	2.3	11	<1	1	1	2	5	7	14
65+	658	3.1	17	<1	1	2	3	7	10	24
GRAND TOTAL	**5567**	**2.4**	**10**	**<1**	**1**	**1**	**3**	**5**	**6**	**14**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2257	3.2	4	1	1	3	4	5	6	10
20-34	702	3.6	4	1	2	3	5	6	7	10
35-49	533	4.1	4	1	2	4	5	7	8	12
50-64	444	4.5	6	2	2	4	6	7	8	11
65+	786	5.3	9	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	14	4.6	20	<1	<1	3	6	10	15	16
20-34	28	5.5	13	1	1	5	7	11	12	15
35-49	30	5.4	17	1	1	4	7	10	17	18
50-64	27	7.4	19	2	2	8	9	14	17	19
65+	44	8.8	21	2	3	8	12	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4792	4.0	9	1	2	3	5	7	10	15
20-34	1357	4.9	11	2	2	4	6	9	11	17
35-49	1741	5.5	12	2	2	5	7	10	12	18
50-64	3750	6.5	20	2	3	6	8	11	14	22
65+	15995	7.6	25	3	3	7	9	13	16	26
B. *Operated*										
0-19 YRS	136	12.8	174	1	2	10	15	24	37	82
20-34	198	11.8	121	3	4	9	15	22	28	97
35-49	310	13.0	188	3	4	9	15	24	36	96
50-64	604	13.7	109	4	4	11	16	26	36	56
65+	1947	14.7	132	4	5	12	18	27	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4722	3.8	5	1	2	3	5	7	8	12
B. *Operated*	143	6.8	20	1	2	6	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	27635	6.6	22	2	2	5	8	12	15	23
B. *Operated*	3195	14.1	135	4	5	11	17	26	36	75
1. SINGLE DX	4865	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	30830	7.4	39	2	2	6	9	14	18	31
A. NOT OPERATED	32357	6.2	21	2	2	5	8	11	14	22
B. OPERATED	3338	13.8	132	3	4	11	17	26	35	74
TOTAL 0-19 YRS	7199	3.9	12	1	1	3	5	7	9	16
20-34	2285	5.1	23	1	2	4	6	9	13	24
35-49	2614	6.1	38	2	2	5	7	11	15	27
50-64	4825	7.3	36	2	3	6	9	13	17	33
65+	18772	8.3	40	3	3	7	10	15	19	33
GRAND TOTAL	**35695**	**6.9**	**36**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.2	2	<1	1	2	3	4	4	8
20-34	85	2.6	1	1	1	2	3	4	5	6
35-49	62	2.6	3	<1	1	2	3	4	6	11
50-64	40	3.4	3	1	1	3	4	5	7	10
65+	37	3.7	11	1	1	3	5	6	8	19
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	250	2.7	5	1	1	2	3	5	6	13
20-34	242	2.5	2	1	1	2	3	5	6	8
35-49	241	3.3	4	1	2	3	4	6	8	11
50-64	272	3.9	6	1	1	3	5	7	9	13
65+	764	4.9	9	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	6	9.0	119	2	2	5	7	29	31	31
20-34	9	4.1	20	<1	<1	2	5	11	15	15
35-49	8	4.9	5	2	2	4	6	8	8	8
50-64	11	16.5	333	1	1	14	24	42	61	63
65+	34	8.9	36	3	3	8	12	17	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	2.7	3	1	1	2	3	5	6	10
B. *Operated*	4	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1769	3.9	7	1	1	3	5	7	9	13
B. *Operated*	68	9.0	94	1	2	6	12	18	28	57
1. SINGLE DX	310	2.8	3	1	1	2	3	5	6	10
2. MULTIPLE DX	1837	4.1	12	1	1	3	5	8	10	16
A. NOT OPERATED	2075	3.7	7	1	1	3	5	7	9	13
B. OPERATED	72	8.7	90	1	2	5	11	18	28	56
TOTAL 0-19 YRS	338	2.7	6	1	1	2	3	5	6	13
20-34	338	2.6	3	1	1	2	3	5	6	8
35-49	312	3.2	4	1	1	3	4	6	8	11
50-64	323	4.2	21	1	1	3	5	7	10	26
65+	836	5.0	11	2	2	4	6	9	11	17
GRAND TOTAL	**2147**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.1	2	<1	1	2	3	4	5	6
20-34	29	3.4	9	1	1	2	5	6	8	16
35-49	28	3.5	4	1	1	3	5	7	7	8
50-64	63	4.0	4	1	2	4	5	6	8	12
65+	76	4.8	6	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	8	5.1	40	<1	<1	3	5	16	20	20
50-64	6	1.8	3	<1	<1	<1	2	5	5	5
65+	7	3.1	10	<1	<1	1	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	2.9	5	1	1	2	3	5	7	14
20-34	78	3.8	11	1	1	3	4	9	12	16
35-49	144	4.3	8	1	2	4	5	8	9	16
50-64	488	5.3	11	2	2	5	6	10	12	17
65+	1282	6.1	16	2	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	3	10.7	66	5	5	7	17	20	20	20
20-34	19	5.6	9	1	2	5	8	10	11	11
35-49	24	5.3	14	<1	1	5	8	11	12	14
50-64	55	8.3	38	1	2	8	10	18	21	28
65+	117	10.3	119	<1	2	8	12	23	31	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	3.2	5	1	1	3	4	6	7	11
B. *Operated*	26	3.2	17	<1	<1	1	5	6	11	20
2. MULTIPLE DX										
A. *Not Operated*	2271	5.4	14	1	2	4	7	10	12	19
B. *Operated*	218	8.9	79	1	2	7	11	19	25	60
1. SINGLE DX	384	3.2	6	<1	1	3	4	6	7	12
2. MULTIPLE DX	2489	5.7	21	1	2	5	7	11	13	23
A. NOT OPERATED	2629	5.1	13	1	2	4	6	10	12	18
B. OPERATED	244	8.3	75	<1	1	7	10	18	24	51
TOTAL 0-19 YRS	446	2.7	5	1	1	2	3	5	6	14
20-34	129	4.0	11	1	1	3	5	8	11	16
35-49	204	4.4	10	1	1	4	6	8	10	18
50-64	612	5.4	14	1	2	5	7	10	12	19
65+	1482	6.4	25	2	2	5	8	11	14	26
GRAND TOTAL	**2873**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	4.4	11	1	1	4	6	10	10	10
50-64	39	4.6	10	1	1	4	6	9	10	15
65+	72	4.4	5	2	2	4	6	8	8	10
B. *Operated*										
0-19 YRS	3	7.0	28	1	1	9	10	11	11	11
20-34	4	6.8	25	3	3	5	10	14	14	14
35-49	5	9.6	21	6	6	7	14	16	16	16
50-64	3	7.7	17	3	3	9	10	11	11	11
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	38	4.9	12	1	1	4	7	10	12	15
50-64	348	6.4	34	2	2	5	8	11	16	25
65+	872	6.7	28	2	2	6	8	12	17	25
B. *Operated*										
0-19 YRS	5	10.0	41	4	4	10	13	20	20	20
20-34	8	15.4	480	4	4	7	12	52	69	69
35-49	21	14.8	188	2	4	13	16	28	47	65
50-64	48	12.0	83	3	3	10	16	28	42	99+
65+	81	13.0	171	2	4	9	15	26	33	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	4.5	6	1	2	4	6	8	9	12
B. *Operated*	17	7.3	21	1	2	5	11	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	1263	6.6	29	2	2	5	8	12	16	25
B. *Operated*	163	13.0	155	2	3	10	15	26	36	98
1. SINGLE DX	133	4.8	9	1	2	4	6	9	10	15
2. MULTIPLE DX	1426	7.3	47	2	2	6	9	14	19	36
A. NOT OPERATED	1379	6.4	28	2	2	5	8	12	15	25
B. OPERATED	180	12.4	145	2	3	9	15	25	35	95
TOTAL 0-19 YRS	8	8.9	34	1	2	9	11	17	20	20
20-34	17	9.6	249	2	2	5	8	14	50	69
35-49	69	8.2	85	1	1	6	10	16	21	59
50-64	438	6.9	40	1	2	5	8	13	18	43
65+	1027	7.1	41	2	2	6	8	13	18	31
GRAND TOTAL	**1559**	**7.1**	**45**	**2**	**2**	**5**	**8**	**13**	**18**	**34**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3569	2.3	2	1	1	2	3	4	5	6
20-34	1136	2.9	3	1	1	3	4	5	6	9
35-49	952	3.4	4	1	1	3	4	6	7	11
50-64	783	3.8	5	1	1	3	5	6	8	11
65+	516	4.2	7	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	23	2.8	7	1	1	2	3	8	9	10
20-34	10	3.1	4	1	1	2	4	6	8	8
35-49	13	4.1	12	<1	<1	3	6	10	11	11
50-64	6	5.2	30	1	1	3	5	15	16	16
65+	4	6.3	26	1	1	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3028	2.8	4	1	1	2	3	5	6	9
20-34	1296	3.8	8	1	2	3	5	7	8	14
35-49	1689	4.3	8	1	2	4	5	8	9	14
50-64	2626	5.0	12	1	2	4	6	9	11	18
65+	3820	5.8	15	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	25	6.3	34	<1	1	4	10	16	18	20
20-34	44	8.1	87	1	2	5	11	17	34	43
35-49	59	9.2	123	2	2	7	11	18	34	97
50-64	114	9.7	62	2	3	7	12	18	20	46
65+	155	11.6	113	2	3	8	13	26	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6956	2.9	4	1	1	2	4	5	6	9
B. *Operated*	56	3.7	11	1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	12459	4.5	11	1	2	4	6	8	10	17
B. *Operated*	397	10.0	94	1	2	7	12	19	30	49
1. SINGLE DX	7012	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	12856	4.7	15	1	2	4	6	9	11	18
A. NOT OPERATED	19415	3.9	9	1	1	3	5	7	9	15
B. OPERATED	453	9.2	88	1	2	7	12	18	27	47
TOTAL 0-19 YRS	6645	2.6	3	1	1	2	3	4	5	8
20-34	2486	3.5	7	1	1	3	4	6	8	13
35-49	2713	4.1	10	1	1	3	5	7	9	14
50-64	3529	4.9	13	1	2	4	6	9	11	18
65+	4495	5.8	19	2	2	5	7	10	13	23
GRAND TOTAL	**19868**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	9	3.7	16	1	1	3	3	10	14	14
35-49	26	4.0	5	1	1	4	6	7	8	10
50-64	246	4.8	9	1	2	4	6	8	10	14
65+	371	5.0	9	1	2	5	6	8	11	17
B. *Operated*										
0-19 YRS	5	3.8	12	<1	<1	2	7	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	5.3	2	3	3	6	6	6	6	6
50-64	8	4.6	9	<1	<1	5	7	8	8	8
65+	9	5.4	13	<1	<1	6	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.7	16	1	2	6	10	12	14	14
20-34	40	5.1	13	1	1	4	7	10	12	16
35-49	180	5.9	15	1	2	5	8	11	13	19
50-64	1704	6.2	25	2	2	5	8	11	15	26
65+	4608	6.5	23	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	6	12.0	48	4	4	11	19	21	21	21
20-34	7	6.6	9	3	3	7	9	10	10	10
35-49	32	8.3	37	1	2	7	12	15	19	31
50-64	170	10.8	152	2	3	7	13	24	34	99+
65+	366	12.0	111	2	3	9	16	23	29	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	4.9	9	1	2	4	6	8	10	15
B. *Operated*	27	4.9	9	<1	<1	6	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	6550	6.4	24	2	2	5	8	12	15	24
B. *Operated*	581	11.4	118	2	3	8	15	23	30	76
1. SINGLE DX	683	4.9	9	1	2	4	6	8	10	15
2. MULTIPLE DX	7131	6.8	33	2	2	5	8	13	16	28
A. NOT OPERATED	7206	6.3	22	2	2	5	8	11	14	23
B. OPERATED	608	11.1	115	2	3	8	14	22	30	76
TOTAL 0-19 YRS	33	6.8	26	<1	1	5	9	13	18	21
20-34	57	5.1	13	1	2	4	7	10	13	16
35-49	242	6.0	17	1	2	5	8	11	13	20
50-64	2128	6.4	35	2	2	5	8	12	15	31
65+	5354	6.8	31	2	2	5	8	13	16	26
GRAND TOTAL	**7814**	**6.6**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	6	1	1	2	3	7	9	10
20-34	67	3.4	10	1	1	2	4	8	11	14
35-49	20	3.1	2	<1	1	3	4	5	6	6
50-64	10	3.8	2	2	2	4	5	6	6	6
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	88	6.0	22	2	2	5	8	10	13	29
20-34	366	5.0	10	2	2	4	7	9	11	16
35-49	145	5.9	16	2	2	5	7	11	13	20
50-64	37	6.6	15	2	3	5	9	12	13	20
65+	29	5.9	20	1	1	5	7	13	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	3	1	2	2	5	5	7	7
20-34	21	3.5	10	1	1	2	5	10	10	10
35-49	22	5.0	41	1	1	3	4	12	24	25
50-64	15	3.3	1	2	2	3	4	5	5	5
65+	51	5.3	15	1	2	4	8	10	14	18
B. *Operated*										
0-19 YRS	42	8.5	55	3	4	6	9	17	21	45
20-34	163	8.3	27	3	3	7	11	16	19	23
35-49	129	7.4	28	2	2	6	10	15	19	29
50-64	170	10.2	76	2	3	8	13	19	29	38
65+	279	10.9	100	2	3	8	14	22	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.3	7	1	1	2	4	7	10	14
B. *Operated*	665	5.5	14	2	2	4	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	123	4.4	16	1	1	3	5	9	11	24
B. *Operated*	783	9.5	67	2	3	7	12	18	24	43
1. SINGLE DX	779	5.1	13	1	2	4	7	10	12	19
2. MULTIPLE DX	906	8.8	63	2	2	7	11	17	22	40
A. NOT OPERATED	237	3.9	12	1	1	3	5	8	10	19
B. OPERATED	1448	7.7	47	2	2	6	9	15	19	36
TOTAL 0-19 YRS	159	6.1	31	1	2	5	8	11	15	35
20-34	617	5.7	17	1	2	4	7	11	14	20
35-49	316	6.3	23	2	2	5	8	13	16	24
50-64	232	8.9	64	2	3	6	12	17	23	38
65+	361	9.7	86	2	2	7	12	19	27	49
GRAND TOTAL	**1685**	**7.1**	**43**	**2**	**2**	**5**	**9**	**14**	**19**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.5	4	<1	1	2	3	5	6	10
20-34	118	2.5	5	<1	1	2	3	5	6	12
35-49	87	2.5	3	1	1	2	3	4	6	10
50-64	83	3.0	10	1	1	2	4	6	7	21
65+	97	3.9	12	1	1	3	5	7	11	20
B. *Operated*										
0-19 YRS	33	4.6	29	<1	<1	2	6	12	17	23
20-34	33	6.5	38	1	1	5	8	13	16	32
35-49	84	5.4	26	<1	1	4	7	12	16	25
50-64	106	4.7	12	<1	1	4	7	9	12	16
65+	87	4.5	11	1	1	5	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	475	5.0	55	1	1	3	5	10	15	37
20-34	279	4.5	17	1	1	3	6	9	12	28
35-49	421	4.6	13	1	1	4	6	9	11	20
50-64	1024	5.5	25	1	2	4	7	10	14	26
65+	3466	7.2	36	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	105	8.9	84	1	1	6	13	22	28	71
20-34	210	10.2	91	1	2	7	13	23	32	48
35-49	359	10.4	137	1	2	7	12	22	31	70
50-64	698	10.2	133	1	1	7	13	21	32	69
65+	1407	12.2	138	1	3	9	15	25	34	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	2.8	7	1	1	2	3	6	7	12
B. *Operated*	343	5.0	19	<1	1	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	5665	6.4	34	1	2	5	8	12	16	30
B. *Operated*	2779	11.2	132	1	2	8	14	24	32	70
1. SINGLE DX	902	3.6	13	<1	1	2	5	7	10	17
2. MULTIPLE DX	8444	8.0	71	1	2	6	10	16	23	45
A. NOT OPERATED	6224	6.0	33	1	1	4	8	12	16	29
B. OPERATED	3122	10.5	123	1	2	7	13	22	30	66
TOTAL 0-19 YRS	787	4.9	50	1	1	3	5	11	16	37
20-34	640	6.1	49	1	1	4	7	14	20	40
35-49	951	6.7	69	1	1	4	8	14	20	43
50-64	1911	7.1	69	1	1	5	8	14	20	45
65+	5057	8.5	69	1	2	6	10	17	23	44
GRAND TOTAL	**9346**	**7.5**	**67**	**1**	**1**	**5**	**9**	**16**	**22**	**44**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	1	1	2	3	5	5	5
20-34	14	2.9	13	<1	<1	2	3	8	13	14
35-49	14	6.4	61	1	2	4	7	12	28	32
50-64	8	5.0	9	2	2	4	5	10	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	488	2.1	3	<1	1	2	3	3	4	6
20-34	933	2.4	2	1	1	2	3	4	5	10
35-49	510	2.3	2	1	1	2	3	4	4	7
50-64	142	2.1	2	<1	1	2	3	4	4	7
65+	51	2.4	8	<1	1	2	2	4	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.0	13	<1	<1	2	4	5	5	24
20-34	52	3.5	11	<1	1	3	4	7	12	17
35-49	38	4.0	22	<1	1	3	5	8	13	26
50-64	28	4.5	13	1	1	3	5	8	11	19
65+	37	5.0	36	<1	1	3	6	9	17	33
B. *Operated*										
0-19 YRS	531	2.6	6	1	1	2	3	4	5	8
20-34	688	2.8	4	1	1	2	3	5	5	11
35-49	482	2.9	4	1	1	3	4	5	7	10
50-64	256	3.1	11	1	1	2	3	6	8	20
65+	206	3.7	38	1	1	2	3	7	14	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	4.0	23	1	1	3	4	7	12	31
B. *Operated*	2124	2.3	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	197	3.9	19	<1	1	3	5	7	11	25
B. *Operated*	2163	2.9	9	1	1	2	3	5	6	14
1. SINGLE DX	2178	2.4	3	1	1	2	3	4	4	8
2. MULTIPLE DX	2360	3.0	10	1	1	2	3	5	7	16
A. NOT OPERATED	251	3.9	19	<1	1	3	5	7	11	26
B. OPERATED	4287	2.6	6	1	1	2	3	4	5	11
TOTAL 0-19 YRS	1078	2.4	5	<1	1	2	3	4	4	7
20-34	1687	2.6	3	1	1	2	3	4	5	11
35-49	1044	2.7	4	1	1	2	3	5	6	10
50-64	434	2.9	9	1	1	2	3	5	7	15
65+	295	3.6	32	1	1	2	3	7	11	31
GRAND TOTAL	**4538**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.6	2	1	1	2	3	4	5	7
20-34	39	3.3	2	1	1	3	4	5	6	7
35-49	23	3.8	4	1	2	3	6	7	7	7
50-64	13	2.9	2	1	1	3	4	5	5	5
65+	9	4.1	3	3	3	4	4	7	8	8
B. *Operated*										
0-19 YRS	69	1.4		<1	<1	1	2	2	3	4
20-34	89	2.3	5	1	1	1	3	6	7	10
35-49	105	1.6	1	<1	1	1	2	3	5	6
50-64	81	2.0	3	<1	1	2	2	4	5	11
65+	71	1.9	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.3	4	1	2	3	4	6	7	11
20-34	47	3.6	7	1	1	3	4	7	9	14
35-49	50	3.9	9	1	1	3	5	7	8	18
50-64	59	5.6	18	1	2	4	7	10	16	21
65+	120	6.7	26	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	63	2.9	8	<1	<1	2	3	8	10	13
20-34	91	3.2	10	1	1	2	4	7	10	16
35-49	116	3.8	17	1	1	2	4	10	13	19
50-64	137	2.9	8	1	1	2	4	7	9	15
65+	177	4.8	59	1	1	2	5	10	14	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.2	2	1	1	3	4	6	7	8
B. *Operated*	415	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	394	4.8	16	1	2	4	6	9	13	21
B. *Operated*	584	3.7	26	1	1	2	4	8	12	21
1. SINGLE DX	541	2.2	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	978	4.2	22	1	1	3	5	9	12	21
A. NOT OPERATED	520	4.4	13	1	2	3	5	8	11	20
B. OPERATED	999	2.9	17	<1	1	2	3	6	10	17
TOTAL 0-19 YRS	292	2.7	4	<1	<1	2	3	5	7	11
20-34	266	3.0	7	1	1	2	4	6	7	14
35-49	294	3.0	10	1	1	2	4	6	10	17
50-64	290	3.2	10	1	1	2	4	7	9	16
65+	377	4.8	39	1	1	3	6	10	14	30
GRAND TOTAL	**1519**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.5	3	1	1	2	3	5	6	10
20-34	66	2.0	2	<1	1	2	2	4	4	7
35-49	100	2.1	2	<1	<1	2	3	4	5	9
50-64	84	2.3	2	<1	<1	2	3	4	5	7
65+	58	2.2	2	<1	1	2	3	4	5	9
B. *Operated*										
0-19 YRS	39	3.6	10	<1	1	2	6	7	9	15
20-34	43	3.6	6	<1	<1	4	5	7	8	10
35-49	64	4.6	9	<1	1	4	6	8	9	15
50-64	88	3.4	14	<1	<1	2	5	7	8	22
65+	93	4.7	98	<1	<1	3	6	8	10	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	3.6	14	1	1	3	4	7	9	22
20-34	297	3.2	8	1	1	2	4	6	8	14
35-49	562	2.9	5	1	1	2	4	5	6	13
50-64	751	3.3	6	1	1	3	4	6	8	11
65+	1196	4.2	15	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	116	9.6	108	1	1	7	10	23	35	53
20-34	164	6.1	30	1	2	5	7	10	15	46
35-49	332	6.4	39	1	2	5	8	11	16	36
50-64	456	5.9	33	<1	1	5	8	11	15	31
65+	973	7.0	43	1	2	5	9	15	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	327	4.0	35	<1	<1	3	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	3090	3.6	11	1	1	3	4	7	8	16
B. *Operated*	2041	6.8	43	1	1	5	8	13	18	38
1. SINGLE DX	767	3.0	17	<1	<1	2	4	6	7	12
2. MULTIPLE DX	5131	4.9	26	1	1	3	6	9	13	29
A. NOT OPERATED	3530	3.4	10	1	1	3	4	6	8	15
B. OPERATED	2368	6.4	43	<1	1	5	8	12	17	37
TOTAL 0-19 YRS	571	4.5	36	1	1	3	5	9	13	36
20-34	570	3.9	15	1	1	3	5	8	9	21
35-49	1058	4.0	18	1	1	3	5	8	10	26
50-64	1379	4.1	17	<1	1	3	5	8	10	21
65+	2320	5.4	32	1	1	4	7	10	15	30
GRAND TOTAL	**5898**	**4.6**	**25**	**1**	**1**	**3**	**6**	**9**	**12**	**27**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	29	2.1	1	<1	1	2	3	4	4	5
35-49	50	3.1	5	1	1	3	3	6	7	14
50-64	34	2.9	2	1	1	3	3	5	5	7
65+	18	3.6	5	1	2	3	4	7	9	10
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	5.9	8	<1	<1	7	7	10	10	10
35-49	37	5.5	9	<1	1	6	8	9	11	12
50-64	28	5.9	11	<1	<1	6	9	10	10	11
65+	23	5.7	30	<1	<1	5	7	10	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	8	3	3	5	8	9	9	9
20-34	50	3.6	3	1	2	3	5	5	6	11
35-49	118	3.7	4	2	2	3	4	6	7	14
50-64	163	4.4	41	1	2	3	5	6	9	22
65+	270	4.8	10	2	2	4	6	8	10	19
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	52	6.3	15	<1	1	6	9	10	15	17
35-49	113	6.8	19	<1	2	6	9	12	15	22
50-64	143	6.7	25	<1	2	6	9	13	17	24
65+	290	6.6	19	1	2	6	9	12	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.9	3	1	1	3	3	5	6	11
B. *Operated*	105	5.7	14	<1	<1	6	8	10	10	19
2. MULTIPLE DX										
A. *Not Operated*	605	4.4	17	1	2	4	5	8	9	16
B. *Operated*	599	6.6	20	<1	2	6	9	12	15	22
1. SINGLE DX	240	4.1	10	<1	1	3	6	8	10	12
2. MULTIPLE DX	1204	5.5	20	1	2	4	7	10	13	21
A. NOT OPERATED	740	4.1	15	1	2	3	5	7	9	14
B. OPERATED	704	6.5	19	<1	2	6	9	12	15	22
TOTAL 0-19 YRS	10	4.0	8	<1	<1	3	7	8	9	9
20-34	147	4.5	10	<1	1	4	7	9	10	16
35-49	318	4.9	13	1	2	4	6	9	12	18
50-64	368	5.3	31	1	2	4	6	10	12	24
65+	601	5.7	15	1	2	5	7	10	13	20
GRAND TOTAL	**1444**	**5.3**	**18**	**1**	**2**	**4**	**7**	**10**	**12**	**20**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	26	2.8	2	1	1	3	3	5	6	8
35-49	69	3.3	3	2	2	3	4	6	6	9
50-64	81	3.4	4	1	2	3	4	5	7	13
65+	116	3.8	3	1	2	4	5	6	7	9
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	20	6.2	8	2	3	6	8	9	12	14
35-49	47	6.3	9	2	3	6	8	10	12	15
50-64	50	5.7	10	2	2	6	8	10	11	14
65+	79	6.2	12	2	3	5	9	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.1	55	1	1	4	6	17	26	27
20-34	79	3.9	6	1	2	3	5	7	9	15
35-49	194	4.1	7	1	2	3	5	7	9	16
50-64	410	4.4	7	2	2	4	5	7	10	14
65+	1095	5.4	13	2	2	5	7	9	12	20
B. *Operated*										
0-19 YRS	9	6.1	34	2	2	4	7	16	18	18
20-34	56	8.8	40	3	3	7	10	14	24	35
35-49	166	7.2	38	2	2	6	9	13	17	37
50-64	402	8.8	75	2	3	6	11	17	27	46
65+	1153	9.0	58	2	3	7	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	3.5	3	1	2	3	4	6	7	9
B. *Operated*	198	6.1	10	2	2	6	8	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	1789	5.0	11	2	2	4	6	9	11	18
B. *Operated*	1786	8.8	60	2	3	7	11	17	23	43
1. SINGLE DX	494	4.5	8	2	2	4	6	8	10	14
2. MULTIPLE DX	3575	6.9	39	2	2	5	8	13	18	35
A. NOT OPERATED	2085	4.8	10	2	2	4	6	8	10	17
B. OPERATED	1984	8.5	55	2	3	6	10	16	22	41
TOTAL 0-19 YRS	26	5.2	36	1	1	3	5	14	20	27
20-34	181	5.5	22	1	2	4	7	10	13	29
35-49	476	5.3	20	2	2	4	6	10	13	19
50-64	943	6.2	41	2	2	4	7	12	16	36
65+	2443	7.1	37	2	3	5	8	13	18	34
GRAND TOTAL	**4069**	**6.6**	**36**	**2**	**2**	**5**	**8**	**12**	**17**	**34**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	3	1	1	2	3	6	7	7
20-34	107	2.6	3	1	1	2	3	5	6	10
35-49	112	2.5	3	1	1	2	3	4	6	8
50-64	68	2.5	2	<1	1	2	3	4	5	7
65+	42	3.5	6	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	25	6.7	5	2	3	7	8	9	10	11
35-49	39	6.5	6	2	3	6	8	10	11	11
50-64	22	7.9	8	3	4	8	10	12	13	14
65+	10	10.9	149	<1	1	6	8	33	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	3	1	1	2	4	5	6	8
20-34	182	3.1	4	1	1	3	3	5	8	10
35-49	321	3.4	5	1	1	3	4	6	7	11
50-64	332	3.6	5	1	1	3	4	6	8	13
65+	559	4.5	8	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	46	7.5	14	3	3	7	9	12	14	20
35-49	115	7.7	49	2	3	7	9	11	16	47
50-64	76	7.0	18	2	2	7	9	11	15	23
65+	131	8.4	39	2	3	7	10	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	2.7	3	1	1	2	3	5	6	10
B. *Operated*	99	7.2	21	2	3	7	8	10	12	34
2. MULTIPLE DX										
A. *Not Operated*	1425	3.8	6	1	1	3	5	7	9	13
B. *Operated*	369	7.8	35	2	3	7	9	14	18	34
1. SINGLE DX	447	3.7	11	1	1	3	5	7	9	12
2. MULTIPLE DX	1794	4.6	15	1	2	4	6	9	11	18
A. NOT OPERATED	1773	3.6	6	1	1	3	4	7	8	13
B. OPERATED	468	7.7	32	2	3	7	9	13	17	35
TOTAL 0-19 YRS	54	3.0	3	1	1	2	5	5	6	8
20-34	360	3.7	8	1	1	3	5	8	9	12
35-49	587	4.3	17	1	1	3	5	8	10	17
50-64	498	4.2	9	1	2	3	5	8	10	16
65+	742	5.2	18	1	2	4	7	10	13	21
GRAND TOTAL	**2241**	**4.4**	**14**	**1**	**1**	**3**	**6**	**8**	**11**	**18**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.8	2	1	1	2	3	6	6	6
20-34	113	2.9	1	1	2	3	4	4	5	6
35-49	156	3.2	2	1	2	3	4	5	6	8
50-64	163	3.1	2	1	2	3	4	5	6	7
65+	120	3.7	2	2	2	3	4	6	6	8
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	85	6.9	12	3	4	6	8	10	14	20
35-49	104	6.6	7	3	4	7	8	9	10	17
50-64	67	7.2	12	3	3	7	9	11	14	19
65+	65	8.5	17	3	3	9	10	14	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.7	4	1	1	3	5	7	8	9
20-34	201	3.5	3	1	2	3	5	6	6	9
35-49	362	3.9	4	1	2	3	5	6	8	11
50-64	591	4.1	6	2	2	4	5	7	8	12
65+	1473	5.3	13	2	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	5	7.2	10	4	4	6	10	11	11	11
20-34	88	9.0	33	2	3	8	11	16	19	33
35-49	192	8.5	39	2	3	7	10	15	20	43
50-64	285	9.4	55	3	3	8	11	16	24	59
65+	714	11.9	103	3	4	9	14	23	32	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	568	3.2	2	1	2	3	4	5	6	8
B. *Operated*	322	7.2	12	3	3	7	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	2663	4.7	10	2	2	4	6	8	10	15
B. *Operated*	1284	10.6	80	3	3	8	13	20	28	64
1. SINGLE DX	890	4.6	9	2	2	4	6	8	10	18
2. MULTIPLE DX	3947	6.6	40	2	2	5	8	12	17	35
A. NOT OPERATED	3231	4.4	9	2	2	4	5	8	9	15
B. OPERATED	1606	9.9	68	3	3	8	11	18	25	54
TOTAL 0-19 YRS	58	3.8	5	1	1	3	5	7	9	11
20-34	487	5.0	15	2	2	4	6	9	12	20
35-49	814	5.2	17	2	2	4	7	9	12	21
50-64	1106	5.5	24	2	2	4	7	10	13	29
65+	2372	7.3	49	2	3	5	8	14	19	40
GRAND TOTAL	**4837**	**6.3**	**35**	**2**	**2**	**5**	**7**	**11**	**16**	**33**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	6	4.8	9	2	2	4	6	10	10	10
35-49	13	4.4	2	2	3	4	5	6	7	7
50-64	11	3.2	2	1	1	3	4	5	6	6
65+	14	4.0	7	1	1	3	6	8	9	10
B. *Operated*										
0-19 YRS										
20-34	7	9.0	41	4	4	5	16	18	18	18
35-49	15	8.3	11	2	5	8	10	12	15	16
50-64	17	9.1	28	3	4	9	10	12	22	27
65+	18	8.7	14	4	5	8	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	10	4.0	5	1	1	4	6	7	8	8
35-49	30	5.5	10	2	2	5	7	9	12	16
50-64	59	4.9	11	1	2	4	6	9	13	17
65+	133	6.0	16	2	3	5	7	11	14	20
B. *Operated*										
0-19 YRS	2	22.5	545	6	6	22	39	39	39	39
20-34	23	12.7	43	5	7	10	16	23	26	29
35-49	71	12.2	66	3	4	10	15	24	27	42
50-64	100	14.0	143	4	6	11	16	22	31	73
65+	195	13.9	117	3	5	11	18	26	35	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.1	4	1	1	3	5	7	8	10
B. *Operated*	57	8.7	20	3	4	8	10	16	17	26
2. MULTIPLE DX										
A. *Not Operated*	234	5.6	14	2	2	5	7	10	14	18
B. *Operated*	391	13.6	111	3	5	11	17	25	33	69
1. SINGLE DX	104	6.6	18	1	3	6	9	11	16	22
2. MULTIPLE DX	625	10.6	90	2	3	8	13	21	27	51
A. NOT OPERATED	281	5.3	13	1	2	4	6	10	13	18
B. OPERATED	448	13.0	102	3	5	10	16	23	30	66
TOTAL 0-19 YRS	7	10.1	166	3	3	6	8	33	39	39
20-34	46	9.2	43	2	2	8	13	18	23	29
35-49	129	9.4	50	2	3	7	11	19	25	36
50-64	187	10.1	102	2	3	7	13	19	23	70
65+	360	10.3	86	2	3	7	13	21	27	48
GRAND TOTAL	**729**	**10.0**	**81**	**2**	**3**	**7**	**13**	**20**	**25**	**48**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	1.8	1	<1	<1	2	2	3	4	6
20-34	234	2.1	2	<1	1	2	3	4	5	7
35-49	164	2.3	3	1	1	2	3	4	5	7
50-64	105	2.5	2	1	1	2	3	5	5	8
65+	83	2.5	3	<1	1	2	3	4	6	8
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	20	2.3	2	<1	<1	2	3	5	5	6
35-49	37	3.7	12	<1	<1	3	5	7	10	18
50-64	27	3.7	22	<1	<1	2	5	7	11	24
65+	28	2.6	6	<1	<1	<1	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	280	2.3	3	1	1	2	3	4	5	9
20-34	803	2.9	5	1	1	2	3	5	7	12
35-49	964	3.4	6	1	1	3	4	6	8	12
50-64	1009	3.7	9	1	1	3	5	6	8	15
65+	1735	4.5	15	1	2	4	5	8	11	20
B. *Operated*										
0-19 YRS	20	5.5	13	1	2	4	8	11	13	14
20-34	90	6.1	76	<1	1	4	7	10	14	60
35-49	197	6.9	96	<1	1	4	7	14	20	61
50-64	251	6.7	55	<1	1	5	7	13	17	44
65+	423	6.7	42	<1	1	5	8	12	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	115	3.2	11	<1	<1	2	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	4791	3.7	10	1	1	3	5	7	9	15
B. *Operated*	981	6.6	58	<1	1	5	8	13	18	45
1. SINGLE DX	798	2.4	4	<1	<1	2	3	4	5	8
2. MULTIPLE DX	5772	4.2	19	1	1	3	5	8	10	21
A. NOT OPERATED	5474	3.5	9	1	1	3	4	6	8	15
B. OPERATED	1096	6.3	54	<1	<1	5	7	12	17	44
TOTAL 0-19 YRS	400	2.4	3	<1	1	2	3	4	6	10
20-34	1147	3.0	11	1	1	2	4	5	7	13
35-49	1362	3.8	20	1	1	3	4	7	9	18
50-64	1392	4.2	19	1	1	3	5	7	10	22
65+	2269	4.8	20	1	1	4	6	9	12	25
GRAND TOTAL	**6570**	**4.0**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.2	2	1	1	2	3	4	5	6
20-34	43	2.4	4	1	1	2	3	4	7	10
35-49	48	2.9	3	1	1	2	4	5	6	11
50-64	39	2.9	9	1	1	2	3	5	8	18
65+	28	1.8	2	<1	<1	1	2	3	4	9
B. *Operated*										
0-19 YRS	26	3.0	1	2	2	3	4	4	6	6
20-34	9	8.3	28	3	3	6	13	16	18	18
35-49	9	7.8	35	<1	1	8	11	16	20	20
50-64	19	6.3	19	<1	<1	7	9	12	13	14
65+	10	9.4	18	<1	2	9	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	2.7	4	1	1	2	3	6	7	9
20-34	154	4.0	16	1	1	3	5	8	11	20
35-49	189	3.9	13	1	1	3	5	7	9	21
50-64	226	4.2	19	1	1	3	5	8	11	25
65+	442	4.6	33	1	1	3	6	9	12	23
B. *Operated*										
0-19 YRS	26	9.2	236	1	2	5	8	17	31	81
20-34	41	11.3	105	1	2	10	14	20	38	48
35-49	75	10.7	111	2	3	9	12	20	35	91
50-64	150	13.8	136	2	3	10	16	27	36	63
65+	218	12.6	128	2	3	10	16	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.5	4	<1	1	2	3	4	6	11
B. *Operated*	73	6.0	20	<1	1	4	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	1101	4.1	22	1	1	3	5	8	11	22
B. *Operated*	510	12.4	132	2	3	10	15	25	35	64
1. SINGLE DX	260	3.5	11	<1	1	2	4	8	11	18
2. MULTIPLE DX	1611	6.8	72	1	1	4	8	15	22	48
A. NOT OPERATED	1288	3.9	20	1	1	3	5	7	10	21
B. OPERATED	583	11.6	123	1	2	9	14	24	34	64
TOTAL 0-19 YRS	171	3.6	43	1	1	2	4	6	8	18
20-34	247	5.1	37	1	1	3	6	11	15	34
35-49	321	5.4	44	1	1	4	7	11	16	45
50-64	434	7.5	80	1	1	4	9	16	25	44
65+	698	7.1	76	1	1	4	8	15	23	50
GRAND TOTAL	**1871**	**6.3**	**65**	**1**	**1**	**4**	**7**	**14**	**20**	**43**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	1	<1	<1	2	2	3	4	4
20-34	21	2.4	2	<1	<1	2	3	5	5	6
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	5	1.8	2	1	1	1	2	4	4	4
65+										
B. *Operated*										
0-19 YRS	4165	2.7	1	1	2	3	3	4	5	7
20-34	3329	2.9	1	1	2	3	3	4	5	7
35-49	1224	3.2	2	2	2	3	4	5	6	7
50-64	399	3.6	3	2	2	3	4	6	7	10
65+	104	3.7	2	2	2	4	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8		1	1	2	2	3	3	3
20-34	12	3.1	13	<1	<1	2	3	7	13	14
35-49	6	5.2	36	1	1	4	4	16	17	17
50-64	3	1.7		1	1	2	2	2	2	2
65+	10	3.5	2	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	842	3.7	6	2	2	3	4	6	8	13
20-34	825	3.9	5	2	2	3	5	6	7	12
35-49	386	4.5	7	2	2	4	5	8	10	15
50-64	197	5.2	11	2	2	4	7	9	11	19
65+	172	6.1	14	2	3	5	7	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.0	2	<1	<1	2	3	4	4	6
B. *Operated*	9221	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	40	3.1	10	<1	1	2	4	5	10	17
B. *Operated*	2422	4.2	7	2	2	3	5	7	9	16
1. SINGLE DX	9272	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX	2462	4.2	7	2	2	3	5	7	9	16
A. NOT OPERATED	91	2.5	5	<1	1	2	3	4	5	16
B. OPERATED	11643	3.2	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	5036	2.9	2	1	2	3	3	4	5	8
20-34	4187	3.1	2	1	2	3	4	5	6	8
35-49	1621	3.5	3	2	2	3	4	5	6	11
50-64	604	4.1	6	2	2	3	5	7	8	15
65+	286	5.1	11	2	3	4	6	9	11	20
GRAND TOTAL	**11734**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.7	8	1	1	6	9	9	9	9
20-34	5	7.6	11	4	4	7	9	13	13	13
35-49	7	5.4	21	<1	<1	5	8	12	13	13
50-64	4	6.3	4	5	5	6	7	9	9	9
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	868	5.6	7	2	3	5	7	9	10	14
20-34	616	5.3	7	2	2	5	7	8	10	13
35-49	379	5.8	6	2	3	5	7	9	10	13
50-64	248	6.6	10	3	3	6	8	11	13	18
65+	94	6.7	6	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	6	<1	<1	3	5	6	6	6
20-34	4	7.8	13	5	5	6	10	13	13	13
35-49	5	4.4	7	2	2	4	6	8	8	8
50-64	5	8.2	13	4	4	9	11	12	12	12
65+	8	10.6	14	6	6	11	13	15	16	16
B. *Operated*										
0-19 YRS	693	8.1	21	3	4	7	9	14	17	25
20-34	505	7.5	19	3	4	7	8	12	15	25
35-49	378	8.1	21	4	4	7	9	12	15	22
50-64	410	9.7	50	4	5	8	11	15	19	42
65+	365	10.8	52	4	5	9	12	18	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.3	11	1	1	6	9	11	13	13
B. *Operated*	2205	5.7	7	2	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	25	7.6	17	1	2	6	11	13	14	16
B. *Operated*	2351	8.7	32	3	4	7	10	14	17	31
1. SINGLE DX	2232	5.7	7	2	3	5	7	9	10	14
2. MULTIPLE DX	2376	8.6	32	3	4	7	10	14	17	31
A. NOT OPERATED	52	6.9	14	1	2	6	9	13	13	16
B. OPERATED	4556	7.2	22	3	3	6	8	11	15	25
TOTAL 0-19 YRS	1574	6.7	15	2	3	6	8	11	14	22
20-34	1130	6.3	14	2	3	6	7	10	12	19
35-49	769	6.9	15	3	3	6	8	10	12	19
50-64	667	8.5	37	3	4	7	10	13	17	31
65+	468	9.9	44	4	5	8	11	16	21	40
GRAND TOTAL	**4608**	**7.2**	**22**	**3**	**3**	**6**	**8**	**12**	**15**	**25**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	2	<1	<1	1	2	2	4	8
20-34	23	2.7	7	<1	1	2	4	5	8	12
35-49	5	1.4	1	1	1	1	2	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	244	2.7	1	1	2	3	3	4	4	7
20-34	216	3.1	2	2	2	3	4	5	6	8
35-49	63	3.1	2	1	1	3	4	5	6	7
50-64	22	4.3	7	1	1	4	5	8	9	11
65+	11	5.2	5	3	3	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.3		1	1	1	2	2	2	2
20-34	23	2.3	4	<1	<1	2	2	5	8	9
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	4	3.8	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	145	3.6	7	1	2	3	4	5	7	16
20-34	161	4.2	5	2	2	4	5	7	8	14
35-49	49	5.1	8	2	2	4	6	9	11	14
50-64	27	4.6	5	2	2	4	6	8	9	9
65+	14	7.9	32	2	2	6	10	16	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.1	4	<1	<1	1	2	5	6	12
B. *Operated*	556	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	53	2.2	5	<1	1	1	2	4	7	12
B. *Operated*	396	4.2	7	2	2	4	5	7	9	15
1. SINGLE DX	611	2.9	2	1	1	3	3	5	6	8
2. MULTIPLE DX	449	4.0	7	1	2	3	5	7	9	15
A. NOT OPERATED	108	2.2	4	<1	1	1	2	5	6	12
B. OPERATED	952	3.5	5	2	2	3	4	6	7	11
TOTAL 0-19 YRS	431	2.9	3	1	1	3	3	4	5	8
20-34	423	3.5	4	1	2	3	4	6	7	10
35-49	123	3.8	5	1	1	3	5	6	8	14
50-64	53	4.5	6	1	2	4	6	8	9	12
65+	30	6.2	19	2	2	5	8	11	15	22
GRAND TOTAL	**1060**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	4	1.0		1	1	1	1	1	1	1
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	6	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*										
0-19 YRS	562	1.2		<1	<1	1	1	2	2	3
20-34	883	1.5	1	<1	<1	1	2	3	3	5
35-49	1048	1.5	1	<1	<1	1	2	3	3	5
50-64	1404	1.6	1	<1	<1	1	2	3	3	5
65+	1002	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.1		<1	<1	1	1	2	2	2
20-34	8	1.6	1	<1	<1	1	2	3	4	4
35-49	7	1.4	1	<1	<1	<1	1	3	4	4
50-64	16	2.1	3	<1	<1	1	3	5	6	7
65+	47	2.7	10	<1	<1	1	3	7	10	16
B. *Operated*										
0-19 YRS	407	1.6	9	<1	<1	1	1	2	3	9
20-34	392	1.8	1	<1	1	1	2	3	4	7
35-49	605	1.9	1	<1	1	2	2	3	4	6
50-64	1221	2.2	3	1	1	2	3	4	5	8
65+	1971	2.7	10	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	4899	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	100	2.1	6	<1	<1	1	2	4	7	13
B. *Operated*	4596	2.3	6	<1	1	2	3	4	6	10
1. SINGLE DX	4920	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	4696	2.3	6	<1	1	2	3	4	6	10
A. NOT OPERATED	121	2.0	5	<1	<1	1	2	4	6	12
B. OPERATED	9495	1.9	4	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	995	1.3	4	<1	<1	1	1	2	3	5
20-34	1285	1.6	1	<1	1	1	2	3	3	5
35-49	1664	1.7	1	<1	1	1	2	3	4	6
50-64	2646	1.9	2	<1	1	1	2	3	4	7
65+	3026	2.4	7	<1	1	2	3	4	6	11
GRAND TOTAL	**9616**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34										
35-49										
50-64	3	1.3		1	1	1	2	2	2	2
65+	9	2.0	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	224	1.4	1	<1	<1	1	2	2	3	4
20-34	87	2.0	1	1	1	2	2	4	4	5
35-49	61	1.9	1	1	1	2	2	3	4	4
50-64	100	2.3	2	1	1	2	3	4	6	8
65+	165	3.0	7	1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	6	2.5	2	1	1	2	4	4	4	4
65+	30	2.8	4	<1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	123	1.7	1	<1	1	1	2	3	4	7
20-34	48	2.5	2	1	1	2	3	5	5	7
35-49	51	2.7	2	1	1	2	3	5	6	7
50-64	114	3.8	17	1	1	3	5	6	8	24
65+	495	5.5	30	1	1	4	7	11	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	637	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	47	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*	831	4.3	23	1	1	3	5	9	13	25
1. SINGLE DX	654	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX	878	4.2	22	1	1	3	5	8	12	25
A. NOT OPERATED	64	2.2	3	<1	<1	2	3	5	6	7
B. OPERATED	1468	3.3	16	1	1	2	4	7	9	19
TOTAL 0-19 YRS	360	1.5	1	<1	<1	1	2	2	3	4
20-34	136	2.2	1	1	1	2	3	4	4	6
35-49	114	2.3	2	1	1	2	3	4	5	7
50-64	223	3.0	10	1	1	2	4	5	7	17
65+	699	4.7	25	1	1	3	5	9	14	26
GRAND TOTAL	**1532**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	56	1.3	2	<1	<1	<1	1	2	3	10
20-34	47	1.7	1	<1	<1	1	2	3	4	4
35-49	70	1.4	1	<1	<1	1	2	2	3	5
50-64	75	1.5	1	<1	<1	1	2	3	4	5
65+	25	1.8	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	6	3.5	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	15	1.9	4	<1	<1	1	2	4	7	8
20-34	43	2.6	5	<1	1	2	3	4	7	13
35-49	98	2.8	4	<1	1	2	3	5	7	10
50-64	100	2.8	7	<1	1	2	3	6	9	13
65+	82	3.2	7	1	1	2	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	20	1	1	1	4	11	11	11
B. *Operated*	273	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	3	<1	<1	1	3	5	6	6
B. *Operated*	338	2.8	6	<1	1	2	3	5	8	12
1. SINGLE DX	278	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	350	2.8	5	<1	1	2	3	5	8	12
A. NOT OPERATED	17	2.5	7	<1	<1	1	3	6	9	11
B. OPERATED	611	2.2	4	<1	<1	1	3	4	6	11
TOTAL 0-19 YRS	73	1.4	2	<1	<1	<1	1	2	4	10
20-34	93	2.1	3	<1	<1	1	3	4	4	11
35-49	171	2.3	3	<1	<1	2	3	4	6	10
50-64	178	2.2	4	<1	<1	1	3	4	7	12
65+	113	2.9	5	<1	1	2	3	6	8	12
GRAND TOTAL	**628**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**4**	**6**	**11**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	32	1.2		<1	<1	<1	1	2	3	4
20-34	130	2.2	2	<1	<1	2	3	4	5	7
35-49	368	2.9	4	<1	1	2	4	5	6	8
50-64	389	3.0	4	1	1	3	4	5	6	8
65+	286	3.2	4	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	4.0	14	<1	1	3	5	9	13	14
50-64	16	1.8	1	<1	<1	1	2	3	4	4
65+	27	2.5	4	<1	<1	2	4	6	7	8
B. *Operated*										
0-19 YRS	19	2.3	2	<1	<1	2	3	4	5	5
20-34	139	3.8	6	1	1	3	5	7	9	13
35-49	401	4.1	8	1	1	4	5	7	9	15
50-64	651	4.6	13	1	1	4	6	8	10	19
65+	813	5.1	21	1	1	4	6	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*	1205	2.9	4	<1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	57	2.6	5	<1	<1	2	3	6	7	14
B. *Operated*	2023	4.6	15	1	1	4	6	8	10	19
1. SINGLE DX	1211	2.9	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	2080	4.6	14	1	1	4	6	8	10	19
A. NOT OPERATED	63	2.6	5	<1	<1	2	3	5	7	13
B. OPERATED	3228	4.0	11	1	1	3	5	7	9	16
TOTAL 0-19 YRS	52	1.6	1	<1	<1	1	2	3	4	5
20-34	270	3.0	5	<1	1	2	4	6	7	12
35-49	783	3.5	6	1	1	3	4	6	7	14
50-64	1057	4.0	10	1	1	3	5	7	9	17
65+	1129	4.6	17	1	1	4	6	8	10	19
GRAND TOTAL	**3291**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	11	2.1	1	<1	<1	2	3	3	3	3
50-64	10	2.2	2	<1	1	2	3	4	5	6
65+	11	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	6	4.2	3	2	2	4	6	6	6	6
35-49	10	4.7	2	2	2	5	6	7	7	7
50-64	16	7.2	16	2	3	6	9	14	15	15
65+	12	6.3	7	1	2	7	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	26	2.9	4	<1	1	3	3	4	7	10
35-49	109	2.7	4	1	1	2	3	4	6	13
50-64	187	2.9	4	1	1	2	4	5	6	10
65+	360	3.6	6	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	6	14.7	61	7	7	13	18	27	28	28
20-34	35	5.8	3	2	4	6	7	8	9	9
35-49	120	6.3	9	2	3	6	7	9	11	18
50-64	187	6.8	17	2	3	6	8	11	14	19
65+	236	8.9	51	1	3	7	11	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.2	1	<1	1	2	3	3	4	6
B. *Operated*	46	6.0	9	2	3	5	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	686	3.2	5	1	1	3	4	6	7	11
B. *Operated*	584	7.6	30	2	3	6	9	14	18	33
1. SINGLE DX	89	4.1	9	1	1	3	6	8	10	15
2. MULTIPLE DX	1270	5.2	21	1	1	4	7	9	13	25
A. NOT OPERATED	729	3.2	5	1	1	3	4	6	7	10
B. OPERATED	630	7.4	29	2	3	6	8	13	17	30
TOTAL 0-19 YRS	12	9.3	62	1	2	7	13	21	27	28
20-34	69	4.5	5	1	2	4	6	7	8	10
35-49	250	4.5	9	1	1	4	6	8	9	17
50-64	409	4.8	14	1	1	4	6	9	11	18
65+	619	5.7	30	1	1	4	7	11	15	28
GRAND TOTAL	**1359**	**5.2**	**21**	**1**	**1**	**4**	**7**	**9**	**13**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5	3.2	15	<1	<1	1	5	10	10	10
20-34	28	1.6	1	<1	<1	1	2	3	3	4
35-49	31	1.9	1	<1	1	2	3	4	5	5
50-64	28	2.0	2	<1	1	1	2	4	5	7
65+	31	2.2	4	1	1	2	3	4	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49										
50-64	3	2.3		2	2	2	3	3	3	3
65+	7	5.1	26	1	1	4	6	14	16	16
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	19	3.3	7	<1	<1	2	6	7	8	9
35-49	31	2.8	7	1	1	2	4	5	6	14
50-64	46	3.7	9	1	1	2	5	9	10	11
65+	75	4.6	24	1	1	3	6	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	6	1	1	2	4	7	7	7
B. *Operated*	123	2.0	3	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	13	3.8	16	<1	1	3	4	8	14	16
B. *Operated*	173	3.9	15	1	1	3	5	8	10	21
1. SINGLE DX	128	2.0	3	<1	1	1	2	4	5	10
2. MULTIPLE DX	186	3.9	15	1	1	3	5	8	10	21
A. NOT OPERATED	18	3.5	13	<1	1	2	4	7	12	16
B. OPERATED	296	3.1	11	<1	1	2	4	7	9	18
TOTAL 0-19 YRS	8	3.3	12	<1	<1	2	5	9	10	10
20-34	51	2.2	4	<1	<1	1	3	5	7	9
35-49	64	2.4	4	<1	1	2	3	5	6	13
50-64	78	3.0	6	1	1	2	4	7	9	11
65+	113	4.0	19	1	1	3	4	8	11	24
GRAND TOTAL	**314**	**3.1**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.9	6	1	1	2	3	7	8	8
65+	9	2.7	3	1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS	22	2.2	3	<1	<1	2	3	5	7	7
20-34	89	2.4	5	<1	1	2	3	5	9	11
35-49	134	2.4	3	1	1	2	3	4	6	8
50-64	180	3.4	5	1	1	3	5	7	8	10
65+	175	3.9	8	1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	2.2	8	1	1	1	1	7	8	8
35-49	7	4.7	43	1	1	2	5	16	19	19
50-64	21	3.7	7	<1	1	3	5	7	9	11
65+	73	4.1	11	1	1	3	5	9	11	20
B. *Operated*										
0-19 YRS	14	6.9	47	1	1	5	9	20	22	22
20-34	67	4.5	14	1	1	4	6	9	10	21
35-49	177	5.3	17	1	2	4	6	11	13	22
50-64	302	6.9	39	1	2	5	9	12	19	40
65+	707	8.6	45	2	2	7	11	16	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.4	4	<1	1	2	3	5	7	8
B. *Operated*	600	3.1	6	1	1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	109	3.9	12	1	1	3	5	8	11	20
B. *Operated*	1267	7.5	40	1	2	6	9	15	20	35
1. SINGLE DX	620	3.1	6	1	1	2	4	7	8	11
2. MULTIPLE DX	1376	7.2	39	1	2	6	9	14	20	34
A. NOT OPERATED	129	3.7	11	1	1	3	4	8	10	19
B. OPERATED	1867	6.1	33	1	1	5	8	13	17	29
TOTAL 0-19 YRS	39	3.9	23	<1	<1	2	4	8	17	22
20-34	163	3.2	10	<1	1	2	4	8	9	13
35-49	320	4.0	13	1	1	3	5	8	11	19
50-64	510	5.5	28	1	1	4	7	10	14	34
65+	964	7.4	39	1	2	6	9	15	20	33
GRAND TOTAL	**1996**	**5.9**	**32**	**1**	**1**	**4**	**8**	**12**	**16**	**29**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.3	3	<1	1	2	3	5	6	8
20-34	220	3.0	4	1	1	2	4	6	6	11
35-49	340	3.2	5	1	1	3	4	6	7	12
50-64	395	3.2	4	1	1	3	4	6	7	10
65+	514	3.5	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	102	5.4	8	2	2	5	7	9	10	17
20-34	158	7.6	15	3	4	7	9	11	14	23
35-49	180	7.7	14	4	4	7	9	12	14	20
50-64	191	8.8	16	5	5	8	10	13	16	22
65+	165	10.0	21	4	6	9	12	16	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.2	6	1	1	3	4	6	8	15
20-34	297	4.2	16	1	1	4	5	8	9	19
35-49	566	4.3	14	1	1	3	5	7	10	18
50-64	958	4.8	19	1	2	4	6	8	11	24
65+	2895	5.4	18	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	156	9.1	97	2	3	7	10	16	22	57
20-34	274	11.5	114	4	5	9	12	20	35	67
35-49	416	11.7	63	4	5	9	13	21	27	47
50-64	705	13.1	93	4	6	10	16	23	32	54
65+	1854	13.9	84	5	6	12	16	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1583	3.2	4	1	1	3	4	6	7	10
B. *Operated*	796	8.1	17	3	4	7	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	4837	5.0	17	1	2	4	6	9	12	21
B. *Operated*	3405	13.1	88	4	5	11	16	23	31	56
1. SINGLE DX	2379	4.9	14	1	1	4	7	9	12	19
2. MULTIPLE DX	8242	8.3	62	2	2	6	11	17	22	41
A. NOT OPERATED	6420	4.6	15	1	1	4	6	8	11	19
B. OPERATED	4201	12.1	78	4	5	10	14	22	28	52
TOTAL 0-19 YRS	493	5.3	42	1	1	4	6	10	14	29
20-34	949	6.6	53	1	2	5	8	12	16	39
35-49	1502	6.5	37	1	2	5	8	13	18	30
50-64	2249	7.5	56	1	2	5	9	15	21	36
65+	5428	8.3	57	2	2	6	11	17	22	40
GRAND TOTAL	**10621**	**7.6**	**53**	**1**	**2**	**6**	**10**	**15**	**21**	**38**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1216	1.8	1	<1	1	1	2	3	4	5
20-34	819	1.9	3	<1	1	2	2	3	4	7
35-49	376	2.1	2	<1	1	2	3	4	5	7
50-64	250	2.3	3	<1	1	2	3	4	5	8
65+	203	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	54	3.2	3	1	1	3	4	5	7	10
20-34	99	3.8	6	1	1	3	5	6	8	14
35-49	47	4.3	5	<1	1	4	5	8	9	9
50-64	27	4.1	9	<1	<1	4	5	7	10	14
65+	13	7.6	32	<1	2	6	10	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3107	2.4	2	1	1	2	3	4	5	8
20-34	1391	2.4	3	1	1	2	3	4	6	9
35-49	1062	2.9	5	1	1	2	4	5	7	11
50-64	1109	3.4	6	1	1	3	4	6	8	13
65+	2720	4.2	10	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	72	5.6	102	1	1	3	5	9	17	64
20-34	145	5.8	48	1	2	4	7	11	14	28
35-49	154	7.3	47	1	2	5	9	16	23	32
50-64	147	6.8	27	2	3	5	8	13	16	29
65+	326	9.7	74	2	3	7	13	19	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2864	2.0	2	<1	1	2	2	4	4	7
B. *Operated*	240	4.0	8	<1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	9389	3.1	6	1	1	2	4	6	7	13
B. *Operated*	844	7.7	61	2	2	5	9	16	22	44
1. SINGLE DX	3104	2.1	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	10233	3.5	12	1	1	3	4	6	9	17
A. NOT OPERATED	12253	2.8	5	1	1	2	3	5	7	12
B. OPERATED	1084	6.9	52	1	2	5	8	14	19	39
TOTAL 0-19 YRS	4449	2.3	4	1	1	2	3	4	5	8
20-34	2454	2.5	7	1	1	2	3	5	6	11
35-49	1639	3.2	10	1	1	2	4	6	8	16
50-64	1533	3.6	9	1	1	3	4	7	9	15
65+	3262	4.7	19	1	1	3	5	9	12	22
GRAND TOTAL	**13337**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	41	4.1	6	1	2	3	5	7	9	13
35-49	274	4.2	4	1	2	4	5	7	8	10
50-64	409	4.1	5	1	2	4	5	7	8	11
65+	358	4.2	5	<1	2	4	5	7	8	11
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	35	7.0	9	2	4	7	8	12	13	14
35-49	93	7.6	6	3	5	7	9	10	12	15
50-64	171	8.2	8	2	5	8	9	11	13	16
65+	103	9.2	12	1	6	9	11	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	34	4.3	5	2	2	4	6	7	8	11
35-49	229	4.9	8	1	2	5	6	8	10	14
50-64	742	4.6	6	1	2	4	6	8	10	13
65+	2605	5.3	12	2	2	4	7	9	12	18
B. *Operated*										
0-19 YRS	9	8.7	32	2	2	7	14	16	17	17
20-34	76	8.5	18	4	5	8	10	14	17	25
35-49	263	10.2	33	5	6	9	12	16	20	29
50-64	681	10.8	47	4	6	9	12	18	23	39
65+	1354	12.5	82	3	4	10	15	22	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1082	4.1	5	1	2	4	5	7	8	11
B. *Operated*	404	8.2	9	3	5	8	10	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	3613	5.1	11	2	2	4	6	9	11	16
B. *Operated*	2383	11.6	66	3	5	10	13	20	26	46
1. SINGLE DX	1486	5.2	9	1	2	5	7	9	11	15
2. MULTIPLE DX	5996	7.7	43	2	2	6	10	14	19	34
A. NOT OPERATED	4695	4.9	10	1	2	4	6	8	10	16
B. OPERATED	2787	11.1	59	3	5	9	13	19	25	43
TOTAL 0-19 YRS	14	7.4	26	2	3	5	12	15	16	17
20-34	186	6.5	15	2	2	6	8	12	13	18
35-49	859	6.6	21	2	2	6	8	11	14	22
50-64	2003	6.9	29	2	2	6	9	12	16	27
65+	4420	7.5	44	2	2	6	9	14	18	35
GRAND TOTAL	**7482**	**7.2**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**31**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	2	4	4	4
20-34	9	2.0	2	<1	<1	2	2	4	5	5
35-49	10	2.5	3	1	1	2	4	5	5	5
50-64	12	2.5	3	<1	<1	2	3	5	6	6
65+	4	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	50	1.8	1	<1	<1	1	2	3	4	7
20-34	456	2.0	2	1	1	2	2	4	4	7
35-49	483	2.0	2	<1	1	2	2	3	4	8
50-64	264	2.3	6	<1	1	2	3	4	6	9
65+	82	2.4	13	<1	1	2	2	4	5	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.7	47	<1	1	2	5	8	23	28
20-34	18	3.2	6	1	1	2	5	8	8	8
35-49	29	3.0	4	<1	<1	2	4	6	6	8
50-64	19	4.9	60	<1	1	3	4	8	24	36
65+	38	5.5	20	1	1	4	7	12	16	20
B. *Operated*										
0-19 YRS	40	5.3	68	1	1	3	6	11	16	50
20-34	396	2.9	12	1	1	2	3	5	8	17
35-49	605	2.6	11	1	1	2	3	5	6	10
50-64	463	3.4	17	1	1	2	4	7	10	25
65+	327	5.3	41	1	1	3	6	13	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.1	2	<1	<1	2	3	5	5	6
B. *Operated*	1335	2.1	4	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	119	4.4	24	<1	1	3	5	9	11	30
B. *Operated*	1831	3.4	20	1	1	2	4	7	9	23
1. SINGLE DX	1376	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX	1950	3.5	21	1	1	2	4	7	10	24
A. NOT OPERATED	160	3.8	19	<1	1	3	4	8	10	27
B. OPERATED	3166	2.9	14	1	1	2	3	5	7	19
TOTAL 0-19 YRS	111	3.4	33	<1	1	2	3	7	9	37
20-34	879	2.4	7	1	1	2	3	4	6	10
35-49	1127	2.3	7	<1	1	2	3	4	6	10
50-64	758	3.1	14	1	1	2	3	5	8	20
65+	451	4.8	35	1	1	3	5	10	17	32
GRAND TOTAL	**3326**	**2.9**	**14**	**1**	**1**	**2**	**3**	**5**	**8**	**19**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.5	5	<1	1	2	3	5	7	11
20-34	306	4.2	17	1	1	3	5	9	11	21
35-49	230	3.8	9	1	1	3	5	8	9	14
50-64	145	3.6	10	<1	1	3	4	7	8	15
65+	223	3.1	7	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	97	5.2	30	1	1	4	6	11	13	35
20-34	278	6.0	28	1	1	5	8	11	16	25
35-49	232	5.8	21	<1	1	5	8	11	14	24
50-64	170	5.4	18	<1	1	4	8	11	13	21
65+	162	5.8	19	<1	1	5	8	11	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.9	20	<1	1	2	5	8	11	24
20-34	717	4.3	12	1	1	4	5	8	11	18
35-49	749	4.6	13	1	1	4	6	9	11	18
50-64	777	4.9	19	1	1	4	6	9	12	20
65+	2322	5.1	21	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	200	9.1	72	1	2	7	10	19	29	48
20-34	725	8.3	63	1	2	6	10	16	23	44
35-49	877	9.1	82	1	2	7	11	18	25	46
50-64	942	11.1	126	2	3	8	13	23	34	72
65+	1895	11.8	116	2	3	9	14	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1069	3.5	11	<1	1	3	4	7	9	16
B. *Operated*	939	5.7	23	<1	1	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	4836	4.8	18	1	1	4	6	9	12	21
B. *Operated*	4639	10.5	103	1	2	8	13	21	29	53
1. SINGLE DX	2008	4.6	18	<1	1	3	6	9	12	22
2. MULTIPLE DX	9475	7.6	68	1	2	5	9	16	22	44
A. NOT OPERATED	5905	4.6	17	1	1	4	6	9	12	21
B. OPERATED	5578	9.7	93	1	2	7	12	19	28	51
TOTAL 0-19 YRS	733	5.2	38	<1	1	3	6	11	17	35
20-34	2026	6.0	37	1	1	4	7	12	16	32
35-49	2088	6.5	47	1	1	5	8	13	18	32
50-64	2034	7.7	78	1	2	5	9	16	23	48
65+	4602	7.8	71	1	2	5	10	16	23	43
GRAND TOTAL	**11483**	**7.0**	**60**	**1**	**1**	**5**	**9**	**15**	**21**	**41**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.5	6	1	1	3	5	7	8	8
35-49	12	4.3	7	2	2	3	6	8	9	9
50-64	11	3.7	3	<1	1	4	5	6	7	7
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	4	7.8	98	<1	<1	4	14	22	22	22
35-49	12	4.0	11	1	1	3	6	9	11	11
50-64	17	3.4	7	<1	1	2	6	7	8	8
65+	9	4.9	10	1	1	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	142	6.7	41	1	2	5	8	12	21	34
35-49	407	7.8	56	2	2	6	9	16	23	41
50-64	512	8.3	44	2	2	6	10	17	23	32
65+	246	8.1	31	2	2	7	10	16	19	27
B. *Operated*										
0-19 YRS										
20-34	48	10.1	100	1	2	7	13	20	32	54
35-49	164	12.4	156	1	3	8	14	33	43	53
50-64	197	10.8	105	2	3	8	12	22	32	52
65+	121	10.2	74	2	3	8	14	20	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.8	5	1	1	4	5	8	8	9
B. *Operated*	42	4.3	16	<1	1	3	6	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1307	7.9	45	2	2	6	10	16	22	33
B. *Operated*	530	11.1	114	1	3	8	13	23	34	53
1. SINGLE DX	78	4.1	11	1	1	3	6	8	9	19
2. MULTIPLE DX	1837	8.8	67	2	2	6	11	18	25	44
A. NOT OPERATED	1343	7.8	44	2	2	6	10	16	22	33
B. OPERATED	572	10.6	109	1	2	7	13	22	33	53
TOTAL 0-19 YRS										
20-34	204	7.4	56	1	2	5	9	15	22	38
35-49	595	8.9	86	2	2	6	11	18	29	47
50-64	737	8.8	61	1	2	7	10	18	25	38
65+	379	8.6	45	2	2	7	11	17	21	33
GRAND TOTAL	**1915**	**8.6**	**65**	**1**	**2**	**6**	**10**	**18**	**25**	**43**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	1.9	1	<1	<1	1	3	4	4	4
35-49	10	3.7	6	<1	<1	3	7	7	7	7
50-64	11	3.5	12	<1	<1	1	6	9	10	10
65+	5	4.2	11	<1	<1	4	7	8	8	8
B. *Operated*										
0-19 YRS	11	1.3		1	1	1	2	2	2	2
20-34	31	1.4	1	<1	<1	1	1	2	5	6
35-49	52	2.0	3	<1	1	1	2	5	6	7
50-64	45	2.1	7	<1	1	1	2	6	7	16
65+	24	3.4	24	<1	<1	1	4	9	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	6	<1	1	3	6	7	8	8
20-34	37	6.9	27	1	2	5	9	15	17	26
35-49	87	6.0	28	1	2	4	8	13	18	25
50-64	152	6.4	34	1	2	5	7	12	17	29
65+	235	7.2	30	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	13	8.0	457	1	1	2	4	19	68	79
20-34	42	5.7	59	1	1	2	6	19	25	29
35-49	108	5.6	54	<1	1	2	7	15	18	40
50-64	148	8.2	120	1	1	5	10	18	29	40
65+	197	9.1	80	1	1	7	13	20	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.2	7	<1	<1	2	5	7	9	10
B. *Operated*	163	2.0	7	<1	1	1	2	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	523	6.7	30	1	2	5	8	13	17	27
B. *Operated*	508	7.7	95	1	1	5	10	19	24	44
1. SINGLE DX	198	2.3	7	<1	<1	1	2	6	7	13
2. MULTIPLE DX	1031	7.2	62	1	1	5	9	16	21	37
A. NOT OPERATED	558	6.4	30	1	2	5	8	13	16	27
B. OPERATED	671	6.4	80	1	1	3	8	17	22	39
TOTAL 0-19 YRS	38	4.4	158	1	1	2	4	6	8	79
20-34	117	4.7	35	<1	1	2	6	11	18	29
35-49	257	4.9	35	<1	1	3	6	13	17	28
50-64	356	6.5	69	1	1	4	8	14	20	39
65+	461	7.7	53	1	1	6	10	17	21	32
GRAND TOTAL	**1229**	**6.4**	**57**	**1**	**1**	**4**	**8**	**15**	**20**	**34**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.9	4	<1	1	3	3	4	6	12
20-34	75	3.6	6	1	2	3	5	6	8	13
35-49	34	3.9	10	1	2	3	4	7	10	18
50-64	31	3.5	6	1	1	3	4	7	9	11
65+	17	4.1	9	<1	1	3	6	9	10	11
B. *Operated*										
0-19 YRS	10	3.9	10	1	1	3	7	8	9	9
20-34	19	3.5	9	1	1	2	6	9	10	10
35-49	24	7.7	96	<1	1	3	11	20	30	41
50-64	16	5.1	32	<1	1	2	9	15	18	19
65+	18	4.3	21	<1	<1	2	6	9	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.3	21	1	1	3	5	6	14	24
20-34	141	5.0	20	1	1	4	6	10	14	28
35-49	222	6.6	33	1	2	5	8	13	19	25
50-64	392	6.6	29	2	2	5	8	13	17	26
65+	424	7.5	50	2	2	5	9	14	18	41
B. *Operated*										
0-19 YRS	28	6.1	31	1	1	4	9	15	19	21
20-34	48	13.0	214	1	1	8	17	29	33	85
35-49	113	11.5	134	1	2	8	14	23	37	82
50-64	147	10.4	109	1	1	8	13	22	36	99+
65+	169	12.1	115	1	2	9	17	27	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	3.6	6	1	1	3	4	7	8	14
B. *Operated*	87	5.2	41	<1	1	3	7	12	19	35
2. MULTIPLE DX										
A. *Not Operated*	1224	6.6	36	1	2	5	8	13	17	29
B. *Operated*	505	11.2	124	1	1	8	15	25	30	69
1. SINGLE DX	269	4.1	18	1	1	3	5	8	11	19
2. MULTIPLE DX	1729	8.0	66	1	2	5	10	17	22	48
A. NOT OPERATED	1406	6.2	34	1	2	5	8	13	17	26
B. OPERATED	592	10.3	116	1	1	7	14	22	30	65
TOTAL 0-19 YRS	108	4.4	20	1	1	3	5	9	12	23
20-34	283	5.9	59	1	1	4	7	12	18	31
35-49	393	7.8	69	1	2	5	10	16	22	47
50-64	586	7.4	51	1	2	5	9	15	20	48
65+	628	8.6	71	1	2	6	11	18	24	45
GRAND TOTAL	**1998**	**7.5**	**61**	**1**	**2**	**5**	**9**	**15**	**22**	**44**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.5		<1	<1	1	2	3	3	3
20-34	160	2.0	2	<1	<1	2	2	4	5	7
35-49	177	2.0	2	<1	<1	1	2	4	5	7
50-64	173	2.3	2	<1	1	2	3	5	6	7
65+	128	2.6	4	1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	190	4.3	3	2	3	4	5	6	7	10
20-34	2280	4.4	2	2	3	4	5	6	7	9
35-49	2227	4.6	3	3	3	4	5	6	8	10
50-64	1755	4.9	3	3	3	5	6	7	8	10
65+	913	5.6	4	3	3	5	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.1	3	<1	<1	3	4	6	6	6
20-34	189	2.5	4	<1	1	2	3	5	6	10
35-49	213	3.1	4	<1	1	3	4	6	7	11
50-64	365	3.2	5	<1	1	3	4	6	7	11
65+	893	4.4	13	1	1	4	6	8	11	18
B. *Operated*										
0-19 YRS	176	5.5	7	2	3	5	6	9	10	16
20-34	2282	5.5	8	3	3	5	6	8	10	16
35-49	3130	5.8	14	3	3	5	7	9	11	19
50-64	3812	6.4	16	3	4	6	7	10	12	20
65+	4951	8.6	31	4	4	7	10	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	7365	4.7	3	3	3	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	1676	3.8	9	1	1	3	5	7	9	14
B. *Operated*	14351	6.9	21	3	4	6	8	11	14	24
1. SINGLE DX	8015	4.5	4	2	3	4	5	7	8	10
2. MULTIPLE DX	16027	6.6	21	2	3	6	8	11	14	23
A. NOT OPERATED	2326	3.3	8	<1	1	3	4	7	8	14
B. OPERATED	21716	6.1	16	3	3	5	7	10	12	21
TOTAL 0-19 YRS	394	4.7	5	2	2	4	5	8	9	14
20-34	4911	4.7	5	2	3	4	6	7	8	13
35-49	5747	5.1	10	2	3	5	6	8	9	15
50-64	6105	5.7	12	2	3	5	7	9	11	18
65+	6885	7.6	28	2	3	7	9	13	16	27
GRAND TOTAL	**24042**	**5.9**	**16**	**2**	**3**	**5**	**7**	**10**	**12**	**21**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	2	1	1	2	4	4	4	4
20-34	79	2.3	4	<1	<1	2	3	4	6	13
35-49	71	2.4	2	<1	1	2	3	4	5	8
50-64	66	2.8	5	<1	1	2	3	5	7	13
65+	47	2.9	3	<1	1	2	4	5	7	7
B. *Operated*										
0-19 YRS	16	3.9	2	1	2	4	5	6	7	7
20-34	191	4.7	4	3	3	4	5	7	8	12
35-49	211	4.8	4	2	3	5	6	8	9	11
50-64	125	5.3	4	3	3	5	6	8	9	12
65+	65	6.3	7	3	4	6	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	3	<1	1	2	3	5	6	7
20-34	70	3.5	6	<1	1	3	4	7	9	14
35-49	107	3.3	5	1	1	3	5	6	7	11
50-64	148	4.2	14	<1	1	3	5	8	11	20
65+	293	5.5	17	1	1	5	7	11	14	22
B. *Operated*										
0-19 YRS	24	5.8	5	3	4	5	7	9	10	11
20-34	317	5.9	11	3	3	5	7	10	11	19
35-49	431	6.3	12	3	3	5	7	10	13	20
50-64	376	7.8	56	3	4	6	9	12	15	53
65+	482	9.9	38	4	5	8	12	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	608	5.0	5	3	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	633	4.5	13	1	1	4	6	9	12	18
B. *Operated*	1630	7.6	32	3	4	6	9	13	16	28
1. SINGLE DX	877	4.3	6	1	1	4	5	7	9	13
2. MULTIPLE DX	2263	6.8	29	2	3	6	8	12	15	25
A. NOT OPERATED	902	4.0	11	1	1	3	5	8	10	16
B. OPERATED	2238	6.9	26	3	3	6	8	11	14	25
TOTAL 0-19 YRS	61	4.2	5	1	1	4	6	8	9	11
20-34	657	4.9	9	1	2	4	6	8	10	16
35-49	820	5.2	10	1	2	5	6	9	11	18
50-64	715	6.2	37	1	2	5	7	10	13	27
65+	887	7.8	32	1	2	7	10	14	17	28
GRAND TOTAL	**3140**	**6.1**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	16	2.3	2	1	1	2	3	4	6	7
35-49	10	1.5	1	<1	<1	1	2	3	4	4
50-64	15	2.3	4	<1	1	2	3	3	8	9
65+	23	3.6	4	<1	1	4	5	7	8	8
B. *Operated*										
0-19 YRS	12	6.1	4	3	3	6	8	9	9	9
20-34	70	5.3	7	1	2	6	7	8	9	13
35-49	85	5.7	10	1	2	5	7	10	12	15
50-64	85	5.8	22	1	1	5	8	10	11	29
65+	122	6.0	22	1	1	6	9	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	3.5	6	<1	1	3	5	7	8	9
35-49	16	2.6	3	1	1	2	3	4	6	7
50-64	41	3.6	5	1	1	3	5	7	8	9
65+	145	5.1	12	1	1	4	6	9	11	20
B. *Operated*										
0-19 YRS	14	8.6	9	5	6	7	11	13	15	16
20-34	103	7.8	42	2	3	7	8	12	17	44
35-49	138	7.8	24	3	4	7	9	12	14	26
50-64	264	8.5	37	2	3	7	10	15	18	38
65+	747	10.4	56	2	4	9	13	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.6	4	1	1	2	4	5	7	9
B. *Operated*	374	5.8	16	1	1	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	219	4.5	10	1	1	4	6	8	10	19
B. *Operated*	1266	9.5	43	2	4	8	11	16	21	39
1. SINGLE DX	442	5.3	15	1	1	5	7	10	11	16
2. MULTIPLE DX	1485	8.8	46	2	3	8	11	15	20	35
A. NOT OPERATED	287	4.1	9	1	1	3	5	7	9	17
B. OPERATED	1640	8.7	43	1	3	8	11	15	20	35
TOTAL 0-19 YRS	32	6.6	10	2	3	6	8	11	12	16
20-34	204	6.2	27	1	2	6	8	9	13	32
35-49	249	6.5	20	1	2	6	8	11	13	22
50-64	405	7.2	33	1	2	6	9	13	16	36
65+	1037	9.0	50	1	2	8	11	16	21	33
GRAND TOTAL	**1927**	**8.0**	**41**	**1**	**2**	**7**	**10**	**14**	**19**	**33**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.6	9	<1	1	5	8	10	11	11
20-34	15	2.5	3	<1	1	2	4	6	6	6
35-49	19	3.9	4	<1	1	4	5	7	8	8
50-64	29	3.0	3	1	1	3	4	6	7	7
65+	21	3.5	6	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	12	4.6	10	<1	<1	5	7	8	9	9
35-49	33	3.7	25	1	1	1	5	11	17	21
50-64	24	5.5	43	<1	1	2	7	15	23	25
65+	18	6.7	28	1	1	6	9	12	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	7.0	35	2	2	6	8	13	16	37
20-34	19	3.9	4	1	2	4	5	7	9	10
35-49	44	5.0	13	<1	1	4	7	9	13	18
50-64	71	5.5	11	1	2	5	7	10	12	14
65+	221	5.9	15	1	2	5	8	10	13	19
B. *Operated*										
0-19 YRS	26	14.7	205	3	4	11	15	38	46	62
20-34	29	9.1	55	2	3	6	11	22	24	33
35-49	91	9.5	86	1	2	7	11	19	23	55
50-64	126	9.3	81	1	2	7	12	19	23	51
65+	286	11.4	95	2	3	9	13	21	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.5	5	<1	1	3	5	7	8	10
B. *Operated*	90	4.9	28	1	1	2	7	11	18	24
2. MULTIPLE DX										
A. *Not Operated*	398	5.7	16	1	2	5	7	10	13	18
B. *Operated*	558	10.7	94	1	2	8	13	21	28	53
1. SINGLE DX	185	4.2	17	1	1	3	6	9	11	22
2. MULTIPLE DX	956	8.6	68	1	2	7	10	16	22	48
A. NOT OPERATED	493	5.3	15	1	2	4	7	10	12	18
B. OPERATED	648	9.9	89	1	2	8	12	20	25	51
TOTAL 0-19 YRS	83	9.1	97	2	2	7	10	15	34	55
20-34	75	5.7	32	1	1	4	7	11	19	31
35-49	187	6.8	56	1	1	5	9	14	19	44
50-64	250	7.1	53	1	1	5	9	14	20	32
65+	546	8.7	65	1	2	7	10	17	22	48
GRAND TOTAL	**1141**	**7.9**	**62**	**1**	**2**	**6**	**10**	**15**	**21**	**45**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.5	13	1	2	4	5	7	8	26
20-34	205	4.0	6	1	2	4	5	7	8	13
35-49	265	5.0	36	1	2	4	6	9	12	35
50-64	187	4.7	9	1	2	4	6	8	10	17
65+	113	4.4	6	1	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	7	7.6	17	1	2	8	10	13	13	13
20-34	29	8.4	46	1	2	6	10	21	25	25
35-49	37	8.2	38	1	2	7	10	14	23	30
50-64	28	6.3	29	1	1	6	8	13	20	21
65+	26	8.2	45	<1	1	7	11	19	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	5.6	23	1	2	5	7	10	13	30
20-34	715	5.5	17	2	2	4	7	10	12	20
35-49	1140	5.9	18	2	2	5	7	11	13	22
50-64	884	5.9	17	2	2	5	7	10	13	24
65+	1008	6.4	21	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	24	11.8	95	1	3	10	17	20	30	46
20-34	181	15.2	212	3	3	10	18	37	45	64
35-49	279	14.3	181	2	3	10	18	29	43	76
50-64	337	15.6	213	3	4	11	18	33	48	92
65+	356	14.0	156	2	4	11	17	27	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	4.6	17	1	2	4	6	8	10	17
B. *Operated*	127	7.8	38	1	1	7	10	16	22	28
2. MULTIPLE DX										
A. *Not Operated*	3821	5.9	19	2	2	5	7	11	13	23
B. *Operated*	1177	14.7	185	2	4	11	18	31	44	70
1. SINGLE DX	956	5.0	21	1	2	4	6	9	12	23
2. MULTIPLE DX	4998	8.0	72	2	2	6	9	15	22	46
A. NOT OPERATED	4650	5.7	19	2	2	5	7	10	13	22
B. OPERATED	1304	14.0	175	2	3	10	17	29	43	69
TOTAL 0-19 YRS	164	6.2	35	1	2	5	7	12	18	31
20-34	1130	6.8	61	2	2	5	7	12	19	44
35-49	1721	7.2	58	2	2	5	8	13	20	42
50-64	1436	8.0	80	2	2	6	9	15	23	52
65+	1503	8.1	63	2	2	6	10	15	22	42
GRAND TOTAL	**5954**	**7.5**	**65**	**2**	**2**	**5**	**9**	**14**	**21**	**44**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	2	<1	<1	2	3	5	6	6
20-34	63	2.4	3	<1	1	2	3	4	6	10
35-49	87	2.7	4	<1	1	2	3	5	6	10
50-64	112	2.8	14	1	1	2	3	4	6	20
65+	152	3.2	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	4.7	23	<1	<1	3	5	13	16	16
35-49	13	5.5	17	1	1	4	7	13	14	14
50-64	15	4.9	19	<1	1	3	6	11	15	17
65+	17	4.1	10	<1	1	3	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.5	37	1	1	2	4	6	8	28
20-34	394	3.2	13	1	1	2	4	6	8	11
35-49	643	2.6	7	1	1	3	4	6	8	18
50-64	1133	4.2	10	1	2	3	5	7	10	16
65+	3849	5.1	14	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	13	5.8	18	2	2	3	8	12	14	15
20-34	77	6.5	31	1	2	4	9	15	21	24
35-49	129	6.5	30	1	2	5	9	13	17	29
50-64	286	7.2	53	2	2	5	9	13	19	35
65+	967	8.0	63	2	2	6	10	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	2.8	6	<1	1	2	4	5	6	10
B. *Operated*	57	4.7	15	<1	1	3	6	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	6149	4.6	14	1	2	4	6	8	11	18
B. *Operated*	1472	7.6	56	2	2	6	9	15	21	37
1. SINGLE DX	518	3.0	8	<1	1	2	4	6	7	13
2. MULTIPLE DX	7621	5.2	23	1	2	4	6	10	13	24
A. NOT OPERATED	6610	4.5	13	1	2	4	5	8	11	18
B. OPERATED	1529	7.5	55	2	2	5	9	15	20	37
TOTAL 0-19 YRS	192	3.4	27	<1	1	2	4	6	8	19
20-34	544	3.6	16	1	1	3	4	7	10	21
35-49	872	4.0	12	1	1	3	5	7	10	19
50-64	1546	4.7	20	1	2	4	6	9	12	22
65+	4985	5.6	25	1	2	4	7	10	14	25
GRAND TOTAL	**8139**	**5.0**	**23**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	<1	<1	2	3	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	4.3	12	<1	<1	4	7	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49	3	14.3	217	3	3	9	25	31	31	31
50-64	3	7.7	32	3	3	6	12	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	14	1	1	2	4	7	11	20
20-34	11	6.5	37	2	2	4	7	16	22	23
35-49	21	6.6	79	1	1	4	8	25	65	99+
50-64	16	5.3	12	2	2	4	5	12	13	13
65+	55	6.5	21	2	3	5	9	12	17	22
B. *Operated*										
0-19 YRS	10	13.8	229	2	2	9	12	41	46	46
20-34	8	9.0	138	<1	<1	4	11	29	36	36
35-49	25	13.4	116	1	2	9	21	29	35	40
50-64	23	12.7	169	1	2	8	15	39	40	40
65+	33	19.7	351	3	5	13	26	46	67	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.0	5	<1	<1	3	4	6	8	8
B. *Operated*	8	8.9	96	2	2	5	11	26	31	31
2. MULTIPLE DX										
A. *Not Operated*	163	5.3	27	1	1	4	6	11	16	38
B. *Operated*	99	15.0	225	1	2	10	17	38	43	75
1. SINGLE DX	32	4.5	32	<1	1	3	5	8	13	31
2. MULTIPLE DX	262	8.9	124	1	1	5	10	22	37	67
A. NOT OPERATED	187	5.0	25	1	1	4	6	10	16	34
B. OPERATED	107	14.6	217	2	2	10	17	37	41	74
TOTAL 0-19 YRS	89	4.3	45	1	1	3	4	9	15	42
20-34	20	7.5	72	<1	1	4	9	17	29	36
35-49	51	10.2	110	1	2	7	13	30	39	99
50-64	45	9.2	105	1	2	5	10	15	39	40
65+	89	11.4	181	2	3	7	12	24	41	76
GRAND TOTAL	**294**	**8.5**	**116**	**1**	**1**	**5**	**10**	**21**	**35**	**62**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.1	4	1	1	3	4	6	8	8
20-34	12	2.3	3	<1	<1	2	3	5	6	6
35-49	6	4.7	25	1	1	2	11	11	11	11
50-64	5	5.2	19	2	2	2	10	10	10	10
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	54	1.9	2	1	1	2	2	3	4	8
20-34	48	1.6	1	1	1	1	2	2	3	6
35-49	24	2.0	1	<1	1	2	2	3	5	6
50-64	26	2.1	2	<1	<1	2	2	4	6	8
65+	12	4.5	43	<1	<1	1	5	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.2	7	1	1	4	6	8	10	11
20-34	24	4.8	10	1	1	4	6	8	12	13
35-49	31	4.9	12	<1	1	4	6	10	13	15
50-64	30	6.2	15	1	2	5	9	12	14	15
65+	41	6.7	15	1	2	6	8	13	14	16
B. *Operated*										
0-19 YRS	47	5.7	29	1	1	4	8	14	16	24
20-34	84	4.0	20	1	1	2	5	11	14	21
35-49	59	5.3	107	1	1	2	5	13	20	67
50-64	95	6.3	98	1	1	3	6	16	26	54
65+	99	7.4	86	1	1	4	10	17	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.4	7	<1	1	2	4	8	10	11
B. *Operated*	164	2.0	5	1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*	185	5.3	12	1	1	4	7	10	13	15
B. *Operated*	384	5.9	72	1	1	3	7	14	20	47
1. SINGLE DX	230	2.4	6	1	1	2	2	5	8	12
2. MULTIPLE DX	569	5.7	52	1	1	3	7	13	16	39
A. NOT OPERATED	251	4.8	11	1	1	4	7	10	11	15
B. OPERATED	548	4.7	55	1	1	2	5	12	17	39
TOTAL 0-19 YRS	202	3.7	12	1	1	2	5	8	10	17
20-34	168	3.3	13	1	1	2	4	8	11	17
35-49	120	4.5	58	1	1	2	5	10	14	44
50-64	156	5.5	66	1	1	3	6	13	19	39
65+	153	7.0	63	1	1	5	9	14	20	49
GRAND TOTAL	**799**	**4.7**	**41**	**1**	**1**	**2**	**6**	**11**	**15**	**31**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.5	4	1	1	3	5	7	8	8
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	5.3	39	1	1	2	8	16	17	17
20-34	5	2.0	2	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.1	6	1	2	3	5	7	10	10
20-34	6	4.3	2	2	2	4	5	6	6	6
35-49	12	6.8	25	2	2	5	10	14	17	18
50-64	14	6.2	22	2	2	5	6	14	18	19
65+	24	6.8	11	2	3	7	9	11	14	15
B. *Operated*										
0-19 YRS	8	5.4	35	<1	<1	3	8	15	18	18
20-34	10	6.8	16	1	2	7	9	12	14	14
35-49	10	9.0	25	2	2	9	14	15	16	16
50-64	16	10.4	51	<1	1	9	14	23	24	25
65+	26	12.6	107	2	2	11	15	25	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	4	1	1	2	4	6	7	8
B. *Operated*	13	3.4	20	1	1	2	3	10	16	17
2. MULTIPLE DX										
A. *Not Operated*	91	5.5	13	2	2	5	7	10	13	19
B. *Operated*	70	9.9	65	1	2	9	14	18	25	46
1. SINGLE DX	33	3.2	10	1	1	2	4	7	8	17
2. MULTIPLE DX	161	7.4	40	1	2	6	10	15	18	28
A. NOT OPERATED	111	5.1	12	1	2	4	7	10	12	18
B. OPERATED	83	8.9	64	1	1	8	13	18	24	43
TOTAL 0-19 YRS	65	4.2	11	1	1	3	5	8	10	18
20-34	24	4.5	12	1	1	4	6	9	12	14
35-49	23	7.5	26	1	2	7	11	15	17	18
50-64	30	8.5	41	1	2	6	10	19	23	25
65+	52	9.5	68	2	2	8	12	17	25	50
GRAND TOTAL	**194**	**6.7**	**38**	**1**	**2**	**5**	**9**	**14**	**18**	**27**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	11	6.4	46	<1	1	3	11	17	22	23
20-34	24	5.6	53	<1	<1	2	7	21	22	23
35-49	33	5.2	35	<1	<1	2	9	13	21	22
50-64	37	3.6	18	1	1	2	4	9	12	22
65+	35	4.3	66	1	1	2	4	8	12	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.3	237	<1	<1	2	13	34	49	49
20-34	29	4.1	8	<1	<1	3	6	8	10	11
35-49	53	3.7	8	<1	1	3	5	8	11	14
50-64	76	6.1	37	1	1	4	8	14	17	33
65+	222	7.5	35	2	2	6	9	14	18	34
B. *Operated*										
0-19 YRS	70	10.3	79	2	2	7	16	23	32	88
20-34	238	8.6	69	1	1	6	12	20	26	37
35-49	292	8.4	75	1	1	6	11	20	25	55
50-64	405	8.2	91	1	1	5	11	17	21	58
65+	436	10.7	107	1	2	8	14	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	1	1	2	2	4	4	4
B. *Operated*	140	4.7	42	<1	1	2	6	12	21	26
2. MULTIPLE DX										
A. *Not Operated*	390	6.5	37	1	1	5	8	13	17	34
B. *Operated*	1441	9.2	89	1	2	6	12	20	27	50
1. SINGLE DX	146	4.6	40	<1	1	2	6	12	21	24
2. MULTIPLE DX	1831	8.6	79	1	2	6	11	19	25	45
A. NOT OPERATED	396	6.4	36	1	1	5	8	13	17	34
B. OPERATED	1581	8.8	87	1	1	6	12	20	26	48
TOTAL 0-19 YRS	93	9.6	91	1	2	6	13	23	31	78
20-34	294	7.8	63	1	1	5	11	19	25	36
35-49	378	7.5	65	1	1	5	10	18	22	50
50-64	518	7.6	79	1	1	5	10	16	21	50
65+	694	9.3	85	1	2	6	12	20	28	43
GRAND TOTAL	**1977**	**8.3**	**78**	**1**	**1**	**5**	**11**	**19**	**24**	**45**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.5	9	<1	<1	3	6	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	4	3.3	7	<1	<1	2	5	7	7	7
50-64	6	2.5	4	<1	<1	1	4	6	6	6
65+	9	6.1	46	1	1	4	7	17	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	123	1	1	2	5	14	37	42
20-34	30	6.6	35	1	1	4	9	15	20	24
35-49	33	7.6	46	1	2	5	9	19	24	29
50-64	113	7.6	33	2	2	6	10	14	20	30
65+	618	8.2	38	2	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	17	13.2	108	3	3	12	16	30	37	40
20-34	40	10.8	157	1	2	8	12	19	34	71
35-49	69	9.1	44	2	3	7	12	18	22	31
50-64	133	12.2	91	2	3	10	16	24	30	45
65+	360	15.9	140	4	5	13	20	30	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*	26	4.0	20	<1	<1	3	6	7	11	23
2. MULTIPLE DX										
A. *Not Operated*	807	8.0	39	2	2	7	10	15	19	30
B. *Operated*	619	13.9	125	2	3	11	18	27	33	63
1. SINGLE DX	38	3.6	15	<1	<1	2	5	7	8	23
2. MULTIPLE DX	1426	10.6	85	2	3	8	14	21	27	43
A. NOT OPERATED	819	7.9	38	1	2	6	10	15	19	30
B. OPERATED	645	13.5	124	2	3	11	17	26	33	63
TOTAL 0-19 YRS	34	9.1	115	1	1	5	13	25	38	42
20-34	77	8.4	102	1	1	6	10	18	23	63
35-49	110	8.2	44	1	2	6	11	18	22	30
50-64	253	9.8	69	1	2	7	13	21	25	38
65+	990	11.0	89	2	3	8	14	22	28	48
GRAND TOTAL	**1464**	**10.4**	**84**	**2**	**3**	**8**	**13**	**21**	**27**	**43**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	3.0	2	1	1	3	4	5	5	8
20-34	333	3.3	2	1	2	3	4	5	6	9
35-49	112	3.3	3	1	2	3	4	5	6	10
50-64	50	3.4	4	1	1	3	5	7	7	8
65+	31	4.7	7	2	2	4	6	9	10	12
B. *Operated*										
0-19 YRS	6	3.3	1	2	2	3	4	5	5	5
20-34	6	6.5	10	3	3	7	8	11	11	11
35-49										
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	3.6	3	2	2	3	4	6	7	11
20-34	973	4.0	5	2	2	4	5	7	8	11
35-49	454	4.7	6	2	2	4	6	8	9	13
50-64	468	5.1	9	2	2	4	6	8	10	18
65+	1078	6.1	14	2	3	5	7	10	13	21
B. *Operated*										
0-19 YRS	30	5.4	8	2	3	5	6	9	13	13
20-34	75	8.2	104	3	3	6	8	12	21	70
35-49	32	8.0	15	3	4	8	10	12	15	21
50-64	70	10.1	149	3	4	7	10	16	19	81
65+	142	12.3	165	2	4	9	16	20	30	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	3.3	3	1	2	3	4	5	6	10
B. *Operated*	14	5.0	7	2	2	4	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	3445	4.9	9	2	2	4	6	8	10	16
B. *Operated*	349	10.0	126	3	3	7	11	18	23	84
1. SINGLE DX	748	3.3	3	1	2	3	4	5	6	10
2. MULTIPLE DX	3794	5.3	22	2	2	4	6	9	12	20
A. NOT OPERATED	4179	4.6	8	2	2	4	6	8	10	16
B. OPERATED	363	9.8	122	3	3	7	11	18	22	84
TOTAL 0-19 YRS	716	3.5	3	1	2	3	4	6	7	11
20-34	1387	4.1	11	2	2	3	5	7	8	12
35-49	598	4.6	7	2	2	4	6	8	10	14
50-64	588	5.5	28	2	2	4	6	9	12	20
65+	1253	6.8	35	2	3	5	8	12	16	26
GRAND TOTAL	**4542**	**5.0**	**20**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.9	2	1	1	3	4	5	6	7
20-34	238	3.1	2	1	2	3	4	5	6	9
35-49	83	3.5	3	1	2	3	5	6	7	7
50-64	32	3.8	3	2	2	4	5	6	8	9
65+	25	4.6	7	1	2	4	5	8	11	12
B. *Operated*										
0-19 YRS	6	6.7	21	2	2	6	9	13	14	14
20-34	14	5.3	9	<1	2	5	6	8	13	14
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64	7	6.6	10	<1	1	7	9	10	10	10
65+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	265	3.6	4	1	2	3	4	6	7	11
20-34	528	4.0	11	2	2	3	5	6	8	11
35-49	256	4.5	9	1	2	4	6	8	10	15
50-64	257	5.2	14	2	2	4	6	9	11	17
65+	444	6.1	17	2	3	5	7	11	14	22
B. *Operated*										
0-19 YRS	41	6.1	17	1	2	5	7	11	13	24
20-34	67	7.8	55	2	2	7	10	13	20	45
35-49	67	11.1	131	3	3	7	13	19	34	64
50-64	73	11.2	61	3	4	9	14	20	31	38
65+	114	12.0	89	3	4	9	14	24	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	3.2	3	1	2	3	4	5	6	9
B. *Operated*	33	5.8	12	<1	1	5	7	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	1750	4.7	12	2	2	4	6	8	10	16
B. *Operated*	362	10.3	80	2	3	7	12	19	30	47
1. SINGLE DX	582	3.4	4	1	2	3	4	6	7	10
2. MULTIPLE DX	2112	5.7	28	2	2	4	7	10	14	30
A. NOT OPERATED	2299	4.4	10	1	2	4	5	7	10	15
B. OPERATED	395	9.9	76	2	3	7	12	18	28	47
TOTAL 0-19 YRS	483	3.6	5	1	2	3	4	6	8	13
20-34	847	4.1	13	1	2	3	5	7	8	14
35-49	409	5.4	34	1	2	4	6	9	12	30
50-64	369	6.3	28	2	2	5	7	12	15	32
65+	586	7.2	36	2	3	5	9	13	18	32
GRAND TOTAL	**2694**	**5.2**	**24**	**1**	**2**	**4**	**6**	**9**	**13**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.8	1	<1	1	2	2	3	4	4
20-34	248	1.6	1	<1	<1	1	2	3	3	5
35-49	332	1.6	1	<1	<1	1	2	3	3	7
50-64	186	1.6	1	<1	1	1	2	3	3	6
65+	81	1.8	2	1	1	1	2	4	5	8
B. *Operated*										
0-19 YRS	10	3.2	5	1	1	3	4	6	8	8
20-34	142	3.7	8	1	1	3	5	7	10	13
35-49	171	3.4	10	<1	1	3	4	7	9	15
50-64	159	3.3	9	1	1	2	4	7	10	15
65+	86	3.7	6	1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.2	2	1	1	2	3	5	6	6
20-34	204	2.0	2	<1	1	2	2	4	5	9
35-49	258	2.5	13	<1	1	2	3	4	6	23
50-64	257	2.4	4	1	1	2	3	5	6	10
65+	219	2.7	6	1	1	2	3	6	8	13
B. *Operated*										
0-19 YRS	14	8.7	34	2	2	8	12	15	20	22
20-34	160	5.5	19	1	1	5	7	9	12	26
35-49	232	5.8	36	1	1	4	8	11	14	30
50-64	316	6.4	64	1	1	5	8	13	17	28
65+	281	6.7	30	1	1	6	9	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	870	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	568	3.5	9	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	967	2.4	6	<1	1	2	3	5	6	11
B. *Operated*	1003	6.2	41	1	1	5	8	12	15	26
1. SINGLE DX	1438	2.4	5	<1	1	1	3	5	7	11
2. MULTIPLE DX	1970	4.4	27	1	1	3	6	10	12	22
A. NOT OPERATED	1837	2.0	4	<1	1	1	2	4	5	10
B. OPERATED	1571	5.3	31	1	1	4	7	10	13	23
TOTAL 0-19 YRS	76	3.4	14	1	1	2	4	8	12	20
20-34	754	2.9	9	<1	1	2	4	7	8	13
35-49	993	3.1	16	<1	1	2	4	7	9	21
50-64	918	3.8	29	1	1	2	5	8	11	18
65+	667	4.4	19	1	1	3	6	10	12	22
GRAND TOTAL	**3408**	**3.5**	**19**	**<1**	**1**	**2**	**4**	**8**	**10**	**18**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	1.6	1	<1	1	1	2	3	4	5
20-34	993	1.5	1	<1	<1	1	2	2	3	5
35-49	1437	1.5	1	<1	<1	1	2	2	3	4
50-64	808	1.6	1	<1	1	1	2	3	4	5
65+	282	1.7	1	<1	1	1	2	3	4	7
B. *Operated*										
0-19 YRS	50	2.8	6	<1	1	2	4	5	7	16
20-34	622	3.1	4	1	1	2	4	6	8	10
35-49	890	3.1	5	1	1	2	4	6	8	11
50-64	566	3.2	7	1	1	2	4	6	8	12
65+	223	3.6	9	1	1	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.2	8	<1	1	1	2	3	5	16
20-34	377	2.0	2	<1	1	2	2	4	5	7
35-49	644	1.9	3	<1	1	1	2	3	4	8
50-64	518	2.0	2	1	1	2	2	4	5	8
65+	431	2.5	4	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	38	4.2	17	1	1	3	5	7	11	24
20-34	361	4.1	13	1	1	3	5	8	10	16
35-49	615	4.2	10	1	1	3	6	9	10	15
50-64	608	4.9	17	1	1	4	7	10	12	21
65+	614	5.8	29	1	1	4	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3610	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	2351	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1998	2.1	3	1	1	2	2	4	5	9
B. *Operated*	2236	4.8	18	1	1	4	6	10	12	21
1. SINGLE DX	5961	2.2	3	<1	1	1	3	4	6	9
2. MULTIPLE DX	4234	3.5	13	1	1	2	4	8	10	16
A. NOT OPERATED	5608	1.7	2	<1	1	1	2	3	4	6
B. OPERATED	4587	3.9	13	1	1	3	5	8	10	16
TOTAL 0-19 YRS	206	2.5	7	<1	1	2	3	5	6	16
20-34	2353	2.4	5	<1	1	2	3	5	6	10
35-49	3586	2.4	5	<1	1	2	3	5	7	11
50-64	2500	2.8	8	1	1	2	3	6	8	14
65+	1550	3.8	17	1	1	2	5	8	11	20
GRAND TOTAL	**10195**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**6**	**8**	**13**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	39	<1	1	1	2	6	20	26
20-34	28	1.6	1	<1	<1	1	2	3	3	4
35-49	28	1.8	2	<1	1	1	2	4	5	7
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	9	2.1	2	1	1	2	2	5	6	6
B. *Operated*										
0-19 YRS	216	4.9	5	<1	2	5	7	8	8	10
20-34	92	4.5	6	1	1	5	6	8	9	11
35-49	75	4.2	11	<1	1	4	7	8	10	16
50-64	57	3.5	9	<1	1	2	6	8	9	13
65+	52	3.8	13	<1	1	2	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.6	5	<1	<1	2	3	5	7	13
20-34	69	2.9	9	1	1	2	3	5	7	19
35-49	45	3.7	11	<1	1	2	5	8	12	14
50-64	77	3.8	10	1	1	3	5	9	10	13
65+	216	5.3	13	1	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	294	5.8	16	<1	1	5	7	10	13	20
20-34	242	5.7	34	1	2	6	8	11	14	29
35-49	279	6.7	28	1	1	6	8	13	18	29
50-64	310	7.3	41	1	1	6	9	15	20	28
65+	530	7.0	31	1	1	6	10	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.0	8	<1	1	1	2	3	5	19
B. *Operated*	492	4.4	7	<1	1	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	452	4.2	12	1	1	3	6	9	11	19
B. *Operated*	1655	6.8	30	1	1	6	9	13	17	27
1. SINGLE DX	579	4.1	8	<1	1	4	6	7	8	12
2. MULTIPLE DX	2107	6.2	27	1	1	5	8	12	16	26
A. NOT OPERATED	539	3.9	12	1	1	3	5	8	11	19
B. OPERATED	2147	6.2	26	1	1	5	8	12	15	26
TOTAL 0-19 YRS	571	5.1	12	<1	1	5	7	9	11	17
20-34	431	5.3	25	1	1	5	7	10	12	21
35-49	427	5.6	24	1	1	5	7	12	14	29
50-64	450	6.1	34	1	1	5	8	13	17	26
65+	807	6.3	26	1	1	5	8	13	16	24
GRAND TOTAL	**2686**	**5.8**	**24**	**1**	**1**	**5**	**8**	**11**	**15**	**24**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	35	2.1	4	<1	1	1	2	4	5	12
35-49	62	1.6	1	<1	<1	1	2	3	4	6
50-64	34	1.3	1	<1	<1	1	1	2	2	5
65+	10	2.0	2	1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS	6	2.2	3	<1	<1	1	4	5	5	5
20-34	17	1.8	1	1	1	1	2	4	4	4
35-49	24	2.9	5	<1	<1	2	4	6	7	8
50-64	23	2.6	3	<1	1	2	3	5	7	8
65+	35	2.6	6	<1	1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	20	2.4	2	1	1	2	3	4	5	5
35-49	37	1.9	2	<1	1	1	2	5	5	6
50-64	30	1.8	1	<1	<1	1	2	4	5	5
65+	30	3.2	8	1	1	2	4	8	11	11
B. *Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	41	5.7	24	1	1	4	7	11	14	27
35-49	33	4.6	46	<1	1	2	5	11	14	37
50-64	85	5.1	31	1	1	3	6	12	14	32
65+	230	4.3	12	1	1	3	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	1.7	2	<1	<1	1	2	3	4	6
B. *Operated*	105	2.5	4	<1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	119	2.3	4	<1	1	2	3	5	5	11
B. *Operated*	394	4.6	20	1	1	3	6	10	12	22
1. SINGLE DX	248	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	513	4.1	17	1	1	3	5	9	11	21
A. NOT OPERATED	262	2.0	3	<1	<1	1	2	4	5	10
B. OPERATED	499	4.2	18	1	1	3	6	9	11	21
TOTAL 0-19 YRS	15	2.2	2	<1	<1	2	3	4	5	5
20-34	113	3.4	13	1	1	2	4	7	10	20
35-49	156	2.5	13	<1	<1	1	3	5	7	15
50-64	172	3.4	19	<1	1	2	4	8	12	22
65+	305	3.9	11	1	1	3	5	9	10	15
GRAND TOTAL	**761**	**3.4**	**14**	**<1**	**1**	**2**	**4**	**8**	**10**	**16**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	14	3.5	9	<1	1	3	4	8	10	11
35-49	13	2.8	2	<1	<1	3	4	5	6	6
50-64	5	3.0	4	1	1	4	4	5	5	5
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	9	2.3	3	<1	<1	2	3	5	6	6
20-34	22	2.0	3	<1	<1	1	3	4	6	8
35-49	46	2.0	3	<1	<1	1	2	5	7	8
50-64	39	2.0	3	<1	<1	1	2	5	5	10
65+	49	1.8	3	<1	<1	1	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	2	1	1	2	3	5	6	6
20-34	57	3.5	8	1	1	3	4	8	10	14
35-49	43	3.7	5	1	1	3	6	7	8	8
50-64	73	5.1	15	1	2	4	7	10	15	19
65+	234	4.9	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	10	2.9	6	<1	<1	2	5	7	8	8
20-34	51	5.1	53	1	1	3	6	10	12	43
35-49	80	3.8	11	1	1	2	5	9	11	14
50-64	122	3.9	16	<1	1	3	5	9	13	21
65+	338	5.4	55	1	1	3	7	12	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	4	<1	1	3	4	5	7	11
B. *Operated*	165	1.9	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	439	4.5	10	1	1	4	6	9	11	15
B. *Operated*	601	4.8	41	1	1	3	6	11	13	29
1. SINGLE DX	209	2.2	3	<1	<1	1	3	4	6	10
2. MULTIPLE DX	1040	4.7	28	1	1	3	6	10	12	22
A. NOT OPERATED	483	4.3	10	1	1	3	6	8	11	15
B. OPERATED	766	4.2	34	<1	1	2	5	9	12	27
TOTAL 0-19 YRS	59	2.6	3	<1	<1	2	3	5	6	8
20-34	144	3.9	24	<1	1	3	4	8	10	33
35-49	182	3.2	8	<1	1	2	4	7	9	13
50-64	239	3.9	15	<1	1	3	5	9	12	20
65+	625	4.9	34	1	1	3	6	10	13	25
GRAND TOTAL	**1249**	**4.3**	**24**	**<1**	**1**	**3**	**5**	**9**	**12**	**20**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	61	1.1		<1	<1	<1	1	1	2	4
20-34	87	1.9	12	<1	<1	1	2	3	5	23
35-49	64	1.6	2	<1	<1	1	2	3	5	7
50-64	52	1.4	1	<1	<1	1	1	2	3	6
65+	67	1.9	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	4.3	9	1	1	5	6	7	7	7
35-49	3	2.0		2	2	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65+	16	5.5	68	<1	1	3	5	10	27	35
B. *Operated*										
0-19 YRS	88	1.3	1	<1	<1	<1	1	2	3	6
20-34	112	2.3	16	<1	1	1	2	4	6	26
35-49	105	2.2	5	<1	1	1	2	5	6	13
50-64	142	2.9	9	<1	1	2	4	6	8	16
65+	394	3.3	9	1	1	2	4	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	56	<1	<1	1	9	16	16	16
B. *Operated*	331	1.6	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	44	<1	1	3	4	8	15	35
B. *Operated*	841	2.8	9	<1	<1	2	3	6	8	15
1. SINGLE DX	335	1.7	5	<1	<1	1	2	3	4	8
2. MULTIPLE DX	867	2.8	10	<1	<1	2	3	6	8	16
A. NOT OPERATED	30	4.4	44	<1	<1	2	4	9	16	35
B. OPERATED	1172	2.5	8	<1	<1	1	3	5	7	15
TOTAL 0-19 YRS	151	1.2	1	<1	<1	<1	1	2	3	5
20-34	202	2.2	14	<1	<1	1	2	4	6	26
35-49	174	2.0	4	<1	<1	1	2	4	6	11
50-64	197	2.6	8	<1	<1	2	3	6	7	16
65+	478	3.2	11	<1	1	2	4	7	9	17
GRAND TOTAL	**1202**	**2.5**	**9**	**<1**	**<1**	**1**	**3**	**5**	**7**	**15**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.3	2	<1	1	2	3	4	5	7
20-34	95	2.5	13	<1	<1	2	3	4	5	24
35-49	53	2.9	5	<1	1	2	4	6	8	11
50-64	53	2.7	3	1	1	2	4	5	6	9
65+	87	3.2	3	1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	84	1.9	3	<1	<1	1	2	4	7	8
20-34	76	2.0	2	<1	<1	1	3	4	5	7
35-49	96	2.4	8	<1	<1	1	3	5	8	17
50-64	131	2.0	3	<1	<1	1	2	4	5	9
65+	185	2.2	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	3.6	8	1	1	3	4	6	9	14
20-34	569	4.1	10	1	1	3	5	8	10	16
35-49	498	4.8	15	1	2	4	6	9	12	20
50-64	828	5.2	15	1	2	4	6	9	11	19
65+	4257	6.5	24	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	179	4.5	31	<1	<1	2	6	10	12	32
20-34	195	6.0	94	1	1	3	7	13	21	75
35-49	257	5.9	65	<1	1	4	7	12	16	46
50-64	545	5.9	61	1	1	4	7	12	17	49
65+	1889	7.0	60	1	1	5	9	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	2.6	5	<1	1	2	3	5	6	9
B. *Operated*	572	2.1	4	<1	<1	1	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	6713	5.8	21	1	2	5	7	11	14	23
B. *Operated*	3065	6.5	61	1	1	4	8	14	19	46
1. SINGLE DX	1004	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	9778	6.0	34	1	2	5	7	11	15	29
A. NOT OPERATED	7145	5.6	20	1	2	4	7	10	13	23
B. OPERATED	3637	5.8	55	<1	1	3	7	13	18	39
TOTAL 0-19 YRS	968	3.4	11	<1	<1	3	4	7	9	16
20-34	935	4.2	29	1	1	3	5	8	11	24
35-49	904	4.7	29	1	1	3	6	10	13	25
50-64	1557	5.1	31	1	1	4	6	10	13	34
65+	6418	6.5	34	1	2	5	8	12	16	29
GRAND TOTAL	**10782**	**5.7**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	30	2.4	2	<1	<1	2	3	4	4	6
50-64	872	3.3	3	<1	1	3	4	5	6	8
65+	1595	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	4.0	11	1	1	3	5	9	10	10
50-64	64	2.6	5	<1	<1	2	3	6	7	10
65+	251	3.8	14	<1	<1	3	5	8	12	17
B. *Operated*										
0-19 YRS	8	3.9	4	1	1	4	6	6	6	6
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	87	3.7	4	1	2	3	5	6	7	11
50-64	2699	3.8	5	1	2	3	4	6	8	11
65+	9198	4.7	11	2	2	4	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	2500	3.5	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	321	3.6	12	<1	<1	2	5	8	11	16
B. *Operated*	11996	4.5	10	1	2	4	5	7	10	16
1. SINGLE DX	2507	3.5	3	1	1	3	4	5	6	9
2. MULTIPLE DX	12317	4.4	10	1	2	4	5	7	10	16
A. NOT OPERATED	328	3.5	12	<1	<1	2	5	8	10	16
B. OPERATED	14496	4.3	9	1	2	4	5	7	9	15
TOTAL 0-19 YRS	8	3.9	4	1	1	4	6	6	6	6
20-34	7	1.9	1	<1	<1	1	3	3	3	3
35-49	123	3.4	4	<1	1	3	4	6	7	11
50-64	3639	3.6	4	1	2	3	4	6	7	11
65+	11047	4.5	10	1	2	4	5	8	10	16
GRAND TOTAL	**14824**	**4.3**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	2.9	3	1	1	2	4	5	7	7
35-49	30	3.1	4	1	2	3	3	5	8	11
50-64	30	3.6	3	1	2	3	5	6	7	7
65+	11	2.9	5	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	1.7		1	1	2	2	2	2	2
35-49	6	2.5	6	<1	<1	1	3	7	7	7
50-64	10	2.6	6	<1	<1	2	3	7	8	8
65+	10	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	42	3.4	3	1	1	3	5	6	6	6
35-49	82	3.9	4	1	2	4	5	6	7	12
50-64	131	4.2	5	1	2	4	6	7	8	11
65+	129	4.6	7	2	2	4	6	8	11	15
B. *Operated*										
0-19 YRS										
20-34	13	4.8	17	<1	1	4	6	9	16	17
35-49	26	3.3	9	<1	<1	3	3	8	11	14
50-64	82	4.5	14	<1	<1	3	6	9	13	18
65+	160	5.1	18	1	1	4	6	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.2	3	1	1	3	4	6	7	10
B. *Operated*	31	2.3	3	<1	<1	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	386	4.2	5	1	2	4	5	7	8	13
B. *Operated*	281	4.7	16	<1	1	4	6	10	13	18
1. SINGLE DX	117	3.0	4	1	1	3	4	6	7	9
2. MULTIPLE DX	667	4.4	10	1	1	4	5	8	10	15
A. NOT OPERATED	472	4.0	5	1	2	4	5	7	8	12
B. OPERATED	312	4.5	15	<1	1	3	6	9	13	18
TOTAL 0-19 YRS	5	2.6	1	1	1	3	3	3	3	3
20-34	72	3.5	5	1	1	3	5	6	7	15
35-49	144	3.6	5	1	1	3	4	6	8	12
50-64	253	4.1	8	1	1	3	5	7	9	15
65+	310	4.7	13	1	1	4	6	9	12	16
GRAND TOTAL	**784**	**4.2**	**9**	**1**	**1**	**3**	**5**	**7**	**10**	**15**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	73	1.3		<1	<1	1	1	2	3	4
20-34	34	1.2		<1	<1	1	1	2	2	3
35-49	43	1.3	1	<1	<1	1	1	2	3	5
50-64	71	1.3	1	<1	<1	1	1	2	3	5
65+	34	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	<1	<1	<1	2	4	4	4
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	4	8.8	184	<1	<1	2	16	29	29	29
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	69	1.2		<1	<1	1	1	2	2	5
20-34	31	1.7	1	<1	1	1	2	3	4	5
35-49	46	1.7	1	<1	1	1	2	3	4	6
50-64	60	1.8	1	<1	1	1	2	3	4	6
65+	102	2.8	31	1	1	2	3	4	9	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*	255	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	12	4.0	63	<1	<1	1	3	12	26	29
B. *Operated*	308	2.0	11	<1	1	1	2	3	4	10
1. SINGLE DX	262	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX	320	2.1	13	<1	<1	1	2	3	5	10
A. NOT OPERATED	19	3.0	41	<1	<1	1	2	4	18	29
B. OPERATED	563	1.7	6	<1	<1	1	2	3	3	9
TOTAL 0-19 YRS	153	1.3		<1	<1	1	1	2	2	4
20-34	66	1.5	1	<1	<1	1	2	3	3	5
35-49	90	1.5	1	<1	<1	1	2	3	3	6
50-64	135	1.7	6	<1	<1	1	2	3	4	9
65+	138	2.5	24	<1	1	2	2	3	7	16
GRAND TOTAL	**582**	**1.7**	**8**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.0	3	1	2	4	5	7	7	8
20-34	81	3.6	3	1	2	3	5	6	7	10
35-49	53	3.5	2	1	2	3	4	6	6	7
50-64	30	4.4	4	2	2	4	6	8	8	9
65+	25	4.8	15	1	2	4	5	7	17	17
B. *Operated*										
0-19 YRS	22	1.9	1	<1	<1	2	2	4	4	5
20-34	26	2.5	6	<1	1	2	3	4	9	11
35-49	34	2.4	5	<1	1	2	3	7	8	9
50-64	23	3.4	15	<1	1	1	5	9	12	16
65+	11	1.8	1	<1	<1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	7	1	1	3	4	8	10	10
20-34	46	3.9	5	1	1	4	5	7	7	13
35-49	46	5.1	11	1	2	4	6	10	12	17
50-64	81	5.5	10	2	2	5	7	9	13	17
65+	124	5.4	9	2	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	14	3.1	10	<1	1	2	4	6	11	13
20-34	36	5.6	87	<1	1	3	6	10	14	56
35-49	27	3.8	20	<1	1	2	4	13	16	16
50-64	49	5.8	25	1	1	4	9	11	13	23
65+	102	6.4	31	1	1	5	9	13	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	3.9	5	1	2	4	5	6	7	12
B. *Operated*	116	2.5	6	<1	1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	307	5.1	9	1	2	4	6	9	11	16
B. *Operated*	228	5.6	36	1	1	4	8	12	16	27
1. SINGLE DX	336	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	535	5.3	21	1	1	4	7	10	13	21
A. NOT OPERATED	527	4.6	8	1	2	4	6	8	10	16
B. OPERATED	344	4.6	28	1	1	3	6	10	14	26
TOTAL 0-19 YRS	77	3.2	5	1	1	3	4	6	7	12
20-34	189	3.9	21	1	1	3	5	7	9	15
35-49	160	3.8	9	1	1	3	5	7	9	16
50-64	183	5.1	14	1	1	4	7	9	12	20
65+	262	5.6	19	1	1	5	7	10	14	25
GRAND TOTAL	**871**	**4.6**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	123	1.0		<1	<1	<1	<1	1	1	3
20-34	11	1.1		<1	<1	<1	<1	1	2	2
35-49	13	1.2		<1	<1	<1	1	2	2	2
50-64	12	1.0		<1	<1	<1	1	1	1	1
65+	14	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	5.7	32	1	1	4	10	12	12	12
B. *Operated*										
0-19 YRS	45	1.2		<1	<1	1	1	2	3	3
20-34	7	1.0		<1	<1	1	1	1	1	1
35-49	15	1.1		<1	<1	<1	1	2	2	2
50-64	17	1.2		<1	<1	1	1	2	2	2
65+	26	2.0	3	<1	<1	1	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	173	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX										
A. *Not Operated*	13	2.2	9	<1	<1	<1	1	6	11	12
B. *Operated*	110	1.4	1	<1	<1	1	1	2	3	6
1. SINGLE DX	177	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX	123	1.4	2	<1	<1	1	1	2	4	8
A. NOT OPERATED	17	2.0	7	<1	<1	1	2	4	9	12
B. OPERATED	283	1.2		<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	175	1.1		<1	<1	<1	1	1	2	3
20-34	19	1.1		<1	<1	<1	1	1	2	2
35-49	32	1.2		<1	<1	<1	1	2	2	3
50-64	30	1.1		<1	<1	1	1	2	2	2
65+	44	2.0	4	<1	<1	1	2	5	6	12
GRAND TOTAL	**300**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.6		1	1	2	2	3	3	3
20-34	9	2.9	4	<1	<1	2	4	6	7	7
35-49	6	2.7	1	<1	<1	3	3	4	4	4
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	8	3.4	7	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	367	1.2		<1	<1	1	1	2	3	5
20-34	177	1.6	1	<1	<1	1	2	3	3	7
35-49	125	2.0	3	<1	<1	1	3	4	5	8
50-64	190	2.0	2	<1	1	2	2	4	5	7
65+	137	1.9	1	<1	1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	1	<1	1	2	3	3	4	5
20-34	16	3.4	4	<1	<1	3	5	5	7	8
35-49	26	5.0	27	<1	<1	4	6	13	18	22
50-64	22	5.1	23	<1	<1	3	8	13	14	14
65+	40	5.0	26	<1	<1	4	6	10	13	29
B. *Operated*										
0-19 YRS	148	1.9	7	<1	<1	1	2	3	4	10
20-34	148	2.5	8	<1	1	2	3	5	7	16
35-49	206	3.2	13	<1	1	2	4	7	10	20
50-64	415	2.9	14	1	1	2	3	5	7	26
65+	392	3.3	32	1	1	2	3	6	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.4	3	<1	1	2	3	5	7	9
B. *Operated*	996	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	122	4.4	20	<1	<1	3	5	10	13	24
B. *Operated*	1309	2.9	18	1	1	2	3	5	8	21
1. SINGLE DX	1034	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1431	3.0	18	<1	1	2	3	6	9	22
A. NOT OPERATED	160	3.9	17	<1	<1	3	5	8	13	21
B. OPERATED	2305	2.4	11	<1	1	1	3	4	6	16
TOTAL 0-19 YRS	543	1.4	2	<1	<1	1	1	2	3	6
20-34	350	2.1	5	<1	<1	1	2	4	6	10
35-49	363	2.9	11	<1	1	2	3	5	8	20
50-64	632	2.7	11	1	1	2	3	5	6	14
65+	577	3.1	24	1	1	2	3	6	10	21
GRAND TOTAL	**2465**	**2.5**	**12**	**<1**	**1**	**1**	**3**	**5**	**7**	**17**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.0	3	<1	<1	<1	3	4	4	4
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	16	1.5	2	<1	<1	<1	1	4	5	6
20-34	124	1.7	2	<1	<1	<1	2	4	4	6
35-49	398	1.7	2	<1	<1	<1	2	4	5	7
50-64	265	1.4	1	<1	<1	<1	1	3	3	5
65+	106	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	3	2.7	2	<1	<1	3	4	4	4	4
50-64	4	2.5	9	<1	<1	1	4	7	7	7
65+	2	4.0	18	<1	<1	3	7	7	7	7
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	100	2.8	3	<1	<1	3	4	5	6	10
35-49	380	2.6	3	<1	<1	2	4	5	6	7
50-64	286	2.4	3	<1	<1	2	3	5	6	9
65+	187	2.3	2	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.3	1	<1	<1	<1	1	3	4	4
B. *Operated*	909	1.6	1	<1	<1	<1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	11	3.0	7	<1	<1	1	5	7	7	7
B. *Operated*	957	2.5	3	<1	<1	2	3	5	6	8
1. SINGLE DX	921	1.6	1	<1	<1	<1	2	3	4	6
2. MULTIPLE DX	968	2.5	3	<1	<1	2	3	5	6	8
A. NOT OPERATED	23	2.1	4	<1	<1	<1	3	6	7	7
B. OPERATED	1866	2.1	2	<1	<1	1	3	4	5	7
TOTAL 0-19 YRS	20	1.5	2	<1	<1	<1	1	3	5	6
20-34	227	2.2	3	<1	<1	1	3	4	5	7
35-49	784	2.2	2	<1	<1	1	3	4	5	7
50-64	562	1.9	2	<1	<1	1	2	4	5	7
65+	296	2.0	2	<1	<1	1	2	4	5	7
GRAND TOTAL	**1889**	**2.1**	**2**	**<1**	**<1**	**1**	**3**	**4**	**5**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	5	<1	<1	2	3	7	8	8
20-34	39	2.6	1	<1	1	3	3	4	5	6
35-49	12	2.8	6	<1	<1	2	3	6	9	10
50-64	7	3.4	5	<1	<1	3	5	7	7	7
65+	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	211	2.0	1	1	1	2	3	3	4	6
20-34	439	2.1	1	<1	1	2	3	3	4	6
35-49	294	2.3	3	<1	<1	2	3	4	4	8
50-64	236	2.1	1	<1	<1	2	3	4	4	6
65+	92	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	3	5	5	5
20-34	25	3.1	2	1	1	3	4	6	6	7
35-49	28	3.3	4	<1	<1	3	5	7	7	7
50-64	16	4.9	21	<1	<1	3	8	11	15	17
65+	15	3.4	14	<1	<1	2	5	7	13	15
B. *Operated*										
0-19 YRS	57	2.5	3	1	1	2	3	4	5	12
20-34	238	2.6	3	1	1	2	3	4	5	7
35-49	363	2.8	4	<1	1	2	3	5	6	9
50-64	307	2.8	4	1	1	3	3	5	6	7
65+	164	2.8	5	<1	1	2	3	5	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.7	3	<1	<1	2	3	5	6	10
B. *Operated*	1272	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	90	3.5	8	<1	<1	3	4	7	8	16
B. *Operated*	1129	2.7	4	1	1	2	3	5	5	9
1. SINGLE DX	1340	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	1219	2.8	4	<1	1	2	3	5	6	11
A. NOT OPERATED	158	3.2	6	<1	<1	3	4	6	8	15
B. OPERATED	2401	2.4	3	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	281	2.2	2	1	1	2	3	3	4	8
20-34	741	2.3	2	<1	1	2	3	4	4	7
35-49	697	2.6	3	<1	1	2	3	4	6	9
50-64	566	2.6	4	<1	<1	2	3	4	5	8
65+	274	2.6	5	<1	<1	2	3	5	6	15
GRAND TOTAL	**2559**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	1.6	1	<1	1	1	2	3	3	4
20-34	315	1.8	1	<1	1	2	2	3	4	5
35-49	81	1.7	1	<1	1	1	2	3	4	6
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	294	2.9	2	1	1	3	4	5	5	8
20-34	922	3.1	3	<1	1	3	4	5	6	8
35-49	222	3.7	3	1	1	4	5	5	6	10
50-64	43	4.7	2	3	3	5	6	6	7	7
65+	19	5.1	3	1	3	5	6	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	2.0	2	<1	1	2	3	4	5	6
20-34	269	2.2	2	1	1	2	3	4	5	7
35-49	65	2.2	2	<1	1	2	3	4	5	7
50-64	4	3.3	4	<1	<1	3	5	5	5	5
65+	5	7.0	104	1	1	2	10	25	25	25
B. *Operated*										
0-19 YRS	298	3.7	4	1	1	3	4	6	8	10
20-34	1993	4.0	4	1	2	4	5	6	7	10
35-49	1013	4.7	4	2	3	4	5	7	8	12
50-64	183	5.4	8	3	3	5	6	8	11	15
65+	132	6.6	12	3	4	6	8	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	1.7	1	<1	1	1	2	3	4	4
B. *Operated*	1500	3.2	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	447	2.3	3	<1	1	2	3	4	5	7
B. *Operated*	3619	4.3	5	1	2	4	5	7	8	12
1. SINGLE DX	2057	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	4066	4.1	5	1	1	4	5	6	8	11
A. NOT OPERATED	1004	2.0	2	<1	1	2	2	4	4	6
B. OPERATED	5119	4.0	4	1	1	4	5	6	8	11
TOTAL 0-19 YRS	852	2.9	3	1	1	3	4	5	6	9
20-34	3499	3.4	4	1	1	3	4	5	7	9
35-49	1381	4.2	5	1	2	4	5	7	8	11
50-64	233	5.2	7	3	3	5	6	8	10	14
65+	158	6.4	13	2	3	5	8	10	14	23
GRAND TOTAL	**6123**	**3.7**	**5**	**1**	**1**	**4**	**5**	**6**	**7**	**11**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	3.4	3	1	1	3	4	5	7	9
20-34	1276	3.5	3	1	2	3	4	6	7	9
35-49	196	4.0	5	1	2	4	5	7	8	14
50-64	9	4.6	7	2	2	4	5	9	10	10
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	121	3.7	3	<1	1	3	5	6	7	9
20-34	578	3.7	5	<1	1	3	4	6	7	12
35-49	179	3.9	5	<1	<1	4	5	7	8	10
50-64	24	4.5	3	2	3	4	5	7	8	10
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	3.9	4	1	2	4	5	6	8	11
20-34	1110	4.0	4	1	2	4	5	7	8	11
35-49	211	4.7	9	2	2	4	5	8	10	15
50-64	15	4.5	7	<1	2	4	6	8	10	11
65+	13	5.8	7	2	3	5	8	10	11	11
B. *Operated*										
0-19 YRS	218	5.1	11	1	2	4	6	9	12	18
20-34	2726	4.5	7	1	2	4	5	7	9	15
35-49	1306	5.1	10	1	3	4	6	8	11	17
50-64	138	6.7	21	2	3	5	8	12	16	26
65+	46	6.7	12	3	4	6	8	11	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2024	3.5	3	1	2	3	4	6	7	9
B. *Operated*	904	3.7	4	<1	1	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1725	4.1	5	1	2	4	5	7	8	11
B. *Operated*	4434	4.8	9	1	2	4	5	8	10	17
1. SINGLE DX	2928	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX	6159	4.6	8	1	2	4	5	7	10	16
A. NOT OPERATED	3749	3.8	4	1	2	3	5	6	7	10
B. OPERATED	5338	4.6	8	1	2	4	5	7	10	16
TOTAL 0-19 YRS	1256	3.9	5	1	2	3	5	6	8	12
20-34	5690	4.1	6	1	2	4	5	6	8	13
35-49	1892	4.9	9	1	2	4	6	8	10	17
50-64	186	6.1	17	2	3	5	7	10	15	24
65+	63	6.3	11	2	3	5	8	11	12	18
GRAND TOTAL	**9087**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	<1	<1	2	5	7	7	7
20-34	20	1.8	1	<1	<1	2	2	3	4	4
35-49	8	1.6	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	27	2.9	3	<1	<1	3	5	5	6	6
20-34	408	3.3	3	<1	<1	4	4	5	6	8
35-49	270	4.0	3	1	2	4	5	6	6	8
50-64	30	4.4	2	2	3	4	5	6	6	9
65+	5	5.0	11	1	1	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	42	2.9	3	<1	1	3	4	5	6	8
35-49	17	2.9	5	<1	<1	2	4	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	46	3.2	5	<1	<1	3	4	5	7	12
20-34	2715	4.2	3	1	3	4	5	6	7	10
35-49	3855	4.6	4	3	3	4	5	6	7	11
50-64	440	5.0	5	3	3	5	6	7	8	11
65+	56	5.9	7	3	4	5	7	9	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.9	2	<1	<1	1	2	3	4	7
B. *Operated*	740	3.6	3	<1	<1	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	61	3.0	3	<1	<1	3	4	6	7	8
B. *Operated*	7112	4.5	4	2	3	4	5	6	7	11
1. SINGLE DX	774	3.5	3	<1	<1	4	5	5	6	8
2. MULTIPLE DX	7173	4.5	4	2	3	4	5	6	7	11
A. NOT OPERATED	95	2.6	3	<1	<1	2	4	5	6	8
B. OPERATED	7852	4.4	4	2	3	4	5	6	7	11
TOTAL 0-19 YRS	78	3.1	4	<1	<1	3	4	5	7	11
20-34	3185	4.1	3	1	2	4	5	6	7	10
35-49	4150	4.6	4	3	3	4	5	6	7	11
50-64	472	4.9	5	3	3	5	6	7	8	11
65+	62	5.8	8	2	3	5	7	9	13	14
GRAND TOTAL	**7947**	**4.4**	**4**	**1**	**3**	**4**	**5**	**6**	**7**	**11**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	11	2.6	3	<1	<1	3	4	5	6	6
35-49	14	2.3	2	<1	<1	2	4	4	5	5
50-64	7	2.3	3	<1	<1	1	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	1	1	2	3	4	4	4
20-34	8	2.4	2	<1	<1	2	3	4	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	164	4.6	3	2	3	4	5	6	8	12
35-49	169	4.2	2	<1	2	4	5	6	6	9
50-64	24	4.7	12	<1	<1	4	6	8	14	16
65+	8	5.0	7	2	2	4	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	32	2.4	3	<1	<1	2	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.6	2	<1	1	2	3	5	5	5
B. *Operated*	369	4.4	3	1	3	4	5	6	7	12
1. SINGLE DX	35	2.4	2	<1	<1	2	4	5	5	6
2. MULTIPLE DX	383	4.4	3	1	2	4	5	6	7	12
A. NOT OPERATED	17	2.6	2	<1	1	2	3	5	5	5
B. OPERATED	401	4.3	4	<1	2	4	5	6	7	12
TOTAL 0-19 YRS	10	2.7	1	1	1	3	4	4	4	4
20-34	184	4.4	4	1	2	4	5	6	7	12
35-49	185	4.1	2	<1	1	4	5	6	6	8
50-64	31	4.1	11	<1	<1	4	5	7	13	16
65+	8	5.0	7	2	2	4	7	9	9	9
GRAND TOTAL	**418**	**4.2**	**4**	**<1**	**2**	**4**	**5**	**6**	**7**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	1	1	2	2	3	4	4	4
20-34	63	2.9	3	1	1	2	3	5	6	10
35-49	13	2.8	3	<1	1	2	4	5	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	5.3	7	3	3	4	7	9	9	9
B. *Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	2	3	3	3
20-34	82	1.8	4	<1	<1	1	2	4	5	12
35-49	33	1.8	2	<1	<1	1	2	4	5	6
50-64	14	1.5	1	<1	<1	1	2	3	4	4
65+	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.2	3	1	1	3	4	6	7	8
20-34	104	3.4	2	1	2	3	4	5	6	8
35-49	29	3.7	7	1	1	3	4	9	10	11
50-64	17	5.5	13	2	3	5	6	8	14	18
65+	9	7.8	66	3	3	4	7	21	29	29
B. *Operated*										
0-19 YRS	16	3.1	6	<1	1	3	4	7	9	10
20-34	154	3.6	7	<1	1	3	5	6	7	15
35-49	101	3.7	7	<1	1	3	5	7	9	14
50-64	35	4.1	24	<1	1	2	5	8	18	22
65+	20	9.0	213	<1	<1	4	10	19	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.9	3	1	1	2	3	5	6	10
B. *Operated*	149	1.7	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	194	3.8	8	1	2	3	5	6	8	15
B. *Operated*	326	4.0	23	<1	1	3	5	7	10	22
1. SINGLE DX	247	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	520	3.9	17	<1	1	3	5	7	8	21
A. NOT OPERATED	292	3.5	6	1	1	3	4	6	7	11
B. OPERATED	475	3.3	17	<1	<1	2	4	6	7	19
TOTAL 0-19 YRS	82	2.7	3	<1	1	3	3	5	6	9
20-34	403	3.1	5	<1	1	3	4	5	6	10
35-49	176	3.3	6	<1	<1	3	4	6	8	12
50-64	67	3.9	18	<1	<1	2	5	7	12	22
65+	39	7.2	129	<1	<1	4	7	11	28	66
GRAND TOTAL	**767**	**3.3**	**13**	**<1**	**1**	**3**	**4**	**6**	**7**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	3.3	7	<1	<1	3	5	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	168	3.8	5	1	2	4	5	6	6	8
35-49	355	4.1	3	2	2	4	5	6	7	8
50-64	489	4.2	3	2	2	4	5	6	7	9
65+	505	4.6	3	2	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	16	2.1	3	<1	<1	1	3	5	5	5
50-64	21	1.5	1	<1	<1	1	1	3	5	5
65+	40	2.2	3	<1	<1	1	3	5	6	8
B. *Operated*										
0-19 YRS	4	5.3	1	4	4	6	30	99+	99+	99+
20-34	989	4.4	2	2	3	4	5	6	7	9
35-49	2354	4.7	3	3	3	4	5	7	7	10
50-64	1915	5.0	3	3	3	5	6	7	8	11
65+	2096	5.5	7	3	3	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	5	<1	<1	2	5	6	6	6
B. *Operated*	1517	4.3	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	81	1.9	2	<1	<1	1	2	5	5	7
B. *Operated*	7358	4.9	4	3	3	5	6	7	8	12
1. SINGLE DX	1523	4.3	3	2	2	4	5	6	7	9
2. MULTIPLE DX	7439	4.9	4	2	3	5	6	7	8	12
A. NOT OPERATED	87	2.0	3	<1	<1	1	2	5	5	7
B. OPERATED	8875	4.8	4	2	3	5	6	7	8	11
TOTAL 0-19 YRS	4	5.3	1	4	4	6	30	99+	99+	99+
20-34	1161	4.3	3	2	3	4	5	6	7	9
35-49	2726	4.6	3	2	3	4	5	6	7	10
50-64	2429	4.8	3	2	3	5	6	7	8	10
65+	2642	5.3	7	2	3	5	6	8	9	14
GRAND TOTAL	**8962**	**4.8**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	1.3		<1	<1	1	1	2	3	3
35-49	26	1.9	2	<1	<1	1	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	7	1.4	1	<1	<1	1	1	3	4	4
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	41	2.9	4	<1	<1	3	4	5	6	10
35-49	98	3.6	3	<1	<1	4	5	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	39	1.7	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	13	1.2	1	<1	<1	1	1	2	4	4
B. *Operated*	139	3.4	3	<1	<1	4	5	6	7	8
1. SINGLE DX	43	1.6	2	<1	<1	1	1	3	5	6
2. MULTIPLE DX	152	3.2	4	<1	<1	3	4	6	6	8
A. NOT OPERATED	17	1.2	1	<1	<1	1	1	1	3	4
B. OPERATED	178	3.0	4	<1	<1	3	4	5	6	8
TOTAL 0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	61	2.4	3	<1	<1	1	4	5	5	10
35-49	129	3.2	3	<1	<1	3	4	6	6	8
50-64										
65+										
GRAND TOTAL	**195**	**2.9**	**4**	**<1**	**<1**	**3**	**4**	**5**	**6**	**8**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.6	1	<1	<1	1	2	3	5	5
20-34	40	1.3		<1	<1	1	2	2	2	3
35-49	16	1.9	2	<1	<1	1	2	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	2	2
20-34	370	2.0	2	<1	<1	1	3	4	5	6
35-49	612	2.1	2	<1	<1	1	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.0	1	<1	1	2	3	4	5	5
20-34	75	1.7	1	<1	<1	1	2	3	4	5
35-49	96	1.7	1	<1	<1	1	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	60	2.4	3	1	1	2	3	4	6	9
20-34	1472	3.8	3	<1	1	4	5	6	6	9
35-49	3276	4.0	4	<1	1	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	1.5	1	<1	<1	1	2	2	4	5
B. *Operated*	998	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	213	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	4808	3.9	4	<1	1	4	5	6	7	9
1. SINGLE DX	1067	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX	5021	3.8	4	<1	1	4	5	6	6	9
A. NOT OPERATED	282	1.7	1	<1	<1	1	2	3	4	5
B. OPERATED	5806	3.6	4	<1	<1	4	5	6	6	9
TOTAL 0-19 YRS	131	2.1	2	<1	<1	2	3	4	5	7
20-34	1957	3.3	3	<1	<1	4	5	6	6	8
35-49	4000	3.6	4	<1	<1	4	5	6	6	9
50-64										
65+										
GRAND TOTAL	**6088**	**3.5**	**4**	**<1**	**<1**	**4**	**5**	**6**	**6**	**8**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	7	2.7	3	<1	<1	3	4	5	5	5
35-49	48	1.5	1	<1	<1	<1	1	3	4	6
50-64	161	1.3	1	<1	<1	<1	1	2	4	5
65+	64	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	2.9	3	1	1	2	4	6	6	6
50-64	7	4.0	7	<1	<1	5	6	7	7	7
65+	16	2.8	5	<1	1	2	3	6	8	9
B. *Operated*										
0-19 YRS										
20-34	19	4.5	1	3	3	5	5	6	6	6
35-49	145	3.5	4	<1	<1	4	5	6	7	10
50-64	364	3.0	8	<1	<1	2	5	6	7	11
65+	199	3.3	10	<1	<1	2	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		1	1	1	2	2	2	2
B. *Operated*	280	1.3	1	<1	<1	<1	1	2	4	5
2. MULTIPLE DX										
A. *Not Operated*	33	3.2	5	<1	1	2	5	6	7	9
B. *Operated*	727	3.2	7	<1	<1	3	5	6	7	11
1. SINGLE DX	284	1.3	1	<1	<1	<1	1	2	4	5
2. MULTIPLE DX	760	3.2	7	<1	<1	3	5	6	7	11
A. NOT OPERATED	37	2.9	4	<1	1	2	4	6	7	9
B. OPERATED	1007	2.7	6	<1	<1	1	4	6	7	11
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	28	4.0	2	<1	1	4	5	6	6	6
35-49	200	3.0	4	<1	<1	3	4	5	6	9
50-64	533	2.5	6	<1	<1	1	4	5	6	10
65+	281	2.8	8	<1	<1	1	4	6	8	15
GRAND TOTAL	**1044**	**2.7**	**6**	**<1**	**<1**	**1**	**4**	**6**	**7**	**11**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	2	<1	<1	1	3	4	5	5
20-34	38	1.6	1	<1	1	1	2	3	4	4
35-49	15	2.7	9	<1	<1	1	3	9	10	10
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	54	2.4	3	<1	<1	2	4	4	5	9
20-34	471	2.7	3	<1	<1	2	4	5	6	8
35-49	288	2.9	4	<1	<1	3	4	5	6	10
50-64	165	2.8	5	<1	<1	2	4	5	7	10
65+	42	3.3	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	1	<1	<1	2	2	3	5	5
20-34	45	2.7	6	<1	<1	2	4	7	8	9
35-49	24	2.6	7	<1	<1	2	3	8	9	9
50-64	19	6.0	78	<1	<1	2	7	19	29	33
65+	30	3.5	11	<1	<1	2	5	9	12	12
B. *Operated*										
0-19 YRS	73	3.6	4	1	1	4	5	6	8	11
20-34	989	3.8	5	<1	1	4	5	6	6	12
35-49	1467	4.2	5	<1	1	4	5	6	7	11
50-64	725	4.8	14	<1	1	5	6	7	9	14
65+	412	6.0	28	<1	1	5	7	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*	1020	2.8	4	<1	<1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	132	3.3	18	<1	<1	2	4	8	10	26
B. *Operated*	3666	4.4	10	<1	1	4	5	7	8	15
1. SINGLE DX	1086	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX	3798	4.3	10	<1	1	4	5	7	8	16
A. NOT OPERATED	198	2.8	13	<1	<1	1	3	7	9	19
B. OPERATED	4686	4.0	9	<1	1	4	5	6	8	14
TOTAL 0-19 YRS	153	2.9	4	<1	<1	3	4	5	6	9
20-34	1543	3.4	5	<1	<1	3	4	5	6	10
35-49	1794	3.9	5	<1	1	4	5	6	7	11
50-64	909	4.5	14	<1	<1	4	5	7	9	14
65+	485	5.6	26	<1	1	5	7	11	14	26
GRAND TOTAL	**4884**	**4.0**	**9**	**<1**	**<1**	**4**	**5**	**6**	**8**	**14**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	1.7	1	<1	1	1	2	3	4	5
20-34	131	1.7	1	<1	<1	1	2	3	4	5
35-49	37	1.8	1	<1	<1	1	2	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	51	1.9	2	<1	<1	1	3	4	6	6
20-34	554	2.3	3	<1	<1	1	4	5	5	6
35-49	531	3.6	3	<1	<1	4	5	6	6	8
50-64	320	4.3	3	2	2	4	5	6	8	10
65+	184	4.9	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.3	21	<1	<1	1	2	3	5	33
20-34	200	2.3	8	<1	<1	1	3	4	5	15
35-49	63	2.7	30	<1	<1	1	3	4	5	39
50-64	13	2.5	4	<1	<1	2	3	6	8	8
65+	18	4.2	14	<1	<1	3	8	9	11	13
B. *Operated*										
0-19 YRS	45	2.6	3	<1	<1	2	4	5	6	6
20-34	1998	3.8	3	<1	1	4	5	6	6	8
35-49	1935	4.5	4	1	3	4	5	6	7	10
50-64	652	5.1	5	2	3	5	6	8	8	12
65+	469	5.4	7	2	3	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	1640	3.4	4	<1	<1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	358	2.5	14	<1	<1	1	3	4	6	16
B. *Operated*	5099	4.4	4	1	2	4	5	7	8	10
1. SINGLE DX	1882	3.2	4	<1	<1	3	4	6	6	9
2. MULTIPLE DX	5457	4.3	5	<1	1	4	5	6	8	11
A. NOT OPERATED	600	2.2	9	<1	<1	1	2	4	5	13
B. OPERATED	6739	4.1	4	<1	1	4	5	6	7	10
TOTAL 0-19 YRS	231	2.1	7	<1	<1	1	2	4	5	6
20-34	2883	3.3	4	<1	<1	3	4	5	6	8
35-49	2566	4.3	4	<1	1	4	5	6	7	10
50-64	988	4.8	5	2	3	5	6	7	8	11
65+	671	5.2	6	2	3	5	6	8	9	14
GRAND TOTAL	**7339**	**4.0**	**5**	**<1**	**1**	**4**	**5**	**6**	**7**	**10**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	26	1.5	1	<1	<1	1	2	3	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	156	3.3	1	1	2	3	4	5	5	7
20-34	1936	3.4	1	2	2	3	4	5	5	6
35-49	251	3.6	2	2	2	4	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	18	1.9	2	<1	<1	1	3	4	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	131	3.7	1	2	2	3	4	5	6	7
20-34	2228	3.8	2	2	2	4	4	5	6	9
35-49	396	3.9	2	2	3	4	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	2343	3.4	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	2755	3.8	2	2	2	4	4	5	6	9
1. SINGLE DX	2378	3.4	1	1	2	3	4	5	5	7
2. MULTIPLE DX	2776	3.8	2	2	2	4	4	5	6	9
A. NOT OPERATED	56	1.7	1	<1	<1	1	2	3	5	6
B. OPERATED	5098	3.6	2	2	2	4	4	5	6	8
TOTAL 0-19 YRS	295	3.5	1	2	2	3	4	5	6	7
20-34	4208	3.6	2	2	2	3	4	5	5	8
35-49	651	3.8	2	2	2	4	4	5	6	8
50-64										
65+										
GRAND TOTAL	**5154**	**3.6**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	2	<1	<1	2	3	4	4	4
20-34	21	1.1		<1	<1	1	1	2	2	2
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	159	1.2		<1	<1	1	1	2	2	4
20-34	316	1.2	1	<1	<1	1	1	2	2	5
35-49	35	1.5	1	<1	<1	1	2	2	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	30	1.6	1	<1	<1	1	2	3	4	5
35-49	6	2.3	4	1	1	2	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	57	1.5	1	<1	<1	1	2	3	4	5
20-34	314	2.1	6	<1	<1	1	2	4	5	15
35-49	79	1.7	2	<1	<1	1	2	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*	510	1.2	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	40	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	450	2.0	4	<1	<1	1	2	4	5	14
1. SINGLE DX	544	1.2	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	490	2.0	4	<1	<1	1	2	4	5	13
A. NOT OPERATED	74	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	960	1.6	3	<1	<1	1	1	3	4	9
TOTAL 0-19 YRS	226	1.3	1	<1	<1	1	1	2	3	5
20-34	681	1.6	3	<1	<1	1	2	3	4	11
35-49	127	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**1034**	**1.6**	**2**	**<1**	**<1**	**1**	**1**	**3**	**4**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
A. NOT OPERATED										
B. OPERATED	2	3.0	8	<1	<1	2	5	5	5	5
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**3.0**	**8**	**<1**	**<1**	**2**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	1.3	1	<1	<1	1	1	2	3	5
20-34	282	1.2		<1	<1	1	1	2	2	4
35-49	40	1.2		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	538	1.2		<1	<1	1	1	2	2	4
20-34	2983	1.2	1	<1	<1	1	1	2	2	4
35-49	557	1.1		<1	<1	1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.0	4	<1	<1	1	2	4	6	11
20-34	113	1.7	2	<1	<1	1	2	3	3	10
35-49	16	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	125	2.0	3	<1	1	1	2	4	5	9
20-34	776	1.8	2	<1	<1	1	2	4	5	9
35-49	194	1.7	2	<1	<1	1	2	3	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	1.2		<1	<1	1	1	2	3	4
B. *Operated*	4078	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	160	1.7	2	<1	<1	1	2	3	4	11
B. *Operated*	1095	1.8	2	<1	<1	1	2	4	5	9
1. SINGLE DX	4481	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1255	1.8	2	<1	<1	1	2	4	5	9
A. NOT OPERATED	563	1.4	1	<1	<1	1	1	2	3	5
B. OPERATED	5173	1.3	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	775	1.4	1	<1	<1	1	1	2	3	6
20-34	4154	1.3	1	<1	<1	1	1	2	3	6
35-49	807	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**5736**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.4	2	<1	1	2	3	5	5	6
20-34	202	1.7	1	<1	<1	1	2	3	4	6
35-49	33	1.6	2	<1	<1	1	1	3	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	94	1.3	1	<1	<1	1	1	2	2	6
20-34	865	1.2		<1	<1	1	1	2	2	4
35-49	178	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	2	<1	1	2	4	5	6	6
20-34	95	2.3	4	<1	1	2	3	5	7	10
35-49	18	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.4	4	<1	1	2	3	5	7	9
20-34	388	2.1	4	<1	<1	1	2	4	6	11
35-49	91	2.2	13	<1	<1	1	2	4	7	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	1.9	2	<1	<1	1	2	4	4	6
B. *Operated*	1137	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	134	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	526	2.1	6	<1	<1	1	2	4	6	11
1. SINGLE DX	1429	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	660	2.2	5	<1	<1	1	2	4	6	11
A. NOT OPERATED	426	2.0	2	<1	<1	1	3	4	5	7
B. OPERATED	1663	1.5	2	<1	<1	1	1	2	4	7
TOTAL 0-19 YRS	219	1.9	2	<1	<1	1	2	4	5	7
20-34	1550	1.6	2	<1	<1	1	2	3	4	7
35-49	320	1.5	4	<1	<1	1	1	2	3	8
50-64										
65+										
GRAND TOTAL	**2089**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	1.6	1	<1	<1	1	2	3	3	4
20-34	290	1.6	2	<1	<1	1	2	3	3	6
35-49	31	2.1	4	<1	<1	1	3	4	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	23	1.3		<1	<1	1	1	2	3	3
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	1	<1	<1	1	2	3	4	4
20-34	119	2.6	17	<1	1	2	2	4	6	28
35-49	13	2.5	5	<1	<1	2	3	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.0	3	1	1	1	3	5	5	5
20-34	27	1.8	1	<1	<1	1	2	4	4	5
35-49	3	22.7	1220	2	2	3	48	63	63	63
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	1.6	2	<1	<1	1	2	3	4	6
B. *Operated*	36	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	147	2.5	14	<1	<1	2	2	4	6	27
B. *Operated*	36	3.6	105	<1	<1	1	3	4	5	63
1. SINGLE DX	410	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX	183	2.7	32	<1	<1	2	2	4	6	30
A. NOT OPERATED	521	1.9	5	<1	<1	1	2	3	4	11
B. OPERATED	72	2.4	53	<1	<1	1	2	3	4	50
TOTAL 0-19 YRS	80	1.6	1	<1	<1	1	2	3	3	5
20-34	459	1.9	6	<1	<1	1	2	3	4	11
35-49	54	3.3	72	<1	<1	1	3	4	7	61
50-64										
65+										
GRAND TOTAL	**593**	**2.0**	**11**	**<1**	**<1**	**1**	**2**	**3**	**4**	**11**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34	50	1.9	2	<1	<1	1	3	4	6	7
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	27	2.4	3	<1	1	2	3	5	6	9
35-49	4	3.0	7	1	1	2	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.4	14	<1	<1	2	4	10	10	10
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	1.8	2	<1	<1	1	2	3	5	7
B. *Operated*	4	2.0	4	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	36	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	6	3.0	12	<1	<1	2	2	9	10	10
1. SINGLE DX	67	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	42	2.4	4	<1	1	2	2	5	8	10
A. NOT OPERATED	99	2.0	2	<1	<1	1	2	4	6	8
B. OPERATED	10	2.6	8	<1	<1	2	2	7	10	10
TOTAL 0-19 YRS	15	1.2		<1	<1	1	1	2	2	2
20-34	86	2.2	3	<1	<1	1	3	4	6	10
35-49	8	2.3	4	1	1	2	3	6	7	7
50-64										
65+										
GRAND TOTAL	**109**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**6**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.4	3	<1	1	2	3	4	6	9
20-34	710	2.4	4	<1	1	2	3	4	6	11
35-49	86	2.7	6	<1	1	2	3	5	6	15
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.8	5	<1	<1	2	4	7	8	8
20-34	112	2.5	4	<1	<1	2	3	5	6	10
35-49	15	2.7	3	<1	1	2	3	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	16	<1	<1	2	3	6	9	28
20-34	304	2.8	12	<1	<1	2	3	5	7	17
35-49	55	3.1	10	<1	<1	2	4	5	11	20
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.3	5	<1	<1	2	2	4	8	9
20-34	114	2.4	6	<1	<1	2	3	5	7	13
35-49	16	1.8	2	<1	<1	1	2	3	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	2.4	4	<1	1	2	3	4	6	11
B. *Operated*	143	2.5	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	417	2.9	12	<1	<1	2	3	5	7	19
B. *Operated*	144	2.3	5	<1	<1	1	3	5	7	12
1. SINGLE DX	1079	2.4	4	<1	1	2	3	4	6	11
2. MULTIPLE DX	561	2.7	11	<1	<1	2	3	5	7	17
A. NOT OPERATED	1353	2.6	7	<1	1	2	3	4	6	13
B. OPERATED	287	2.4	4	<1	<1	2	3	5	7	11
TOTAL 0-19 YRS	228	2.5	6	<1	<1	2	3	5	7	10
20-34	1240	2.5	6	<1	1	2	3	4	7	12
35-49	172	2.7	7	<1	<1	2	3	5	6	18
50-64										
65+										
GRAND TOTAL	**1640**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.7	3	1	1	2	3	5	6	9
20-34	1278	3.1	5	1	1	3	4	5	7	12
35-49	63	3.3	4	1	1	3	4	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	4.2	17	<1	<1	3	4	14	14	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	2.9	3	1	1	2	4	5	6	11
20-34	923	3.2	5	1	1	3	4	6	8	12
35-49	36	4.0	7	1	1	3	5	7	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.7	3	1	1	2	4	5	5	5
20-34	37	6.9	45	1	1	5	10	17	21	29
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1511	3.1	4	1	1	3	4	5	7	11
B. *Operated*	17	4.1	16	<1	<1	3	4	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	1122	3.2	5	1	1	3	4	6	8	12
B. *Operated*	44	6.3	40	1	1	4	9	15	20	29
1. SINGLE DX	1528	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX	1166	3.3	7	1	1	3	4	6	8	13
A. NOT OPERATED	2633	3.1	5	1	1	3	4	5	7	12
B. OPERATED	61	5.7	34	<1	1	4	6	14	19	28
TOTAL 0-19 YRS	341	2.8	3	1	1	2	3	5	6	9
20-34	2253	3.2	6	1	1	3	4	5	7	13
35-49	100	3.6	5	1	1	3	5	6	8	12
50-64										
65+										
GRAND TOTAL	**2694**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	1.1		<1	<1	<1	1	1	1	3
20-34	2724	1.1		<1	<1	<1	1	1	1	3
35-49	212	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	88	1.0		<1	<1	<1	1	1	1	2
20-34	358	1.2	1	<1	<1	<1	1	1	2	6
35-49	26	1.2	1	<1	<1	<1	1	1	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	1.2	1	<1	<1	1	1	2	3	4
20-34	425	1.3	1	<1	<1	1	1	2	3	6
35-49	30	1.3		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.8	8	<1	<1	1	1	2	6	16
20-34	112	1.5	3	<1	<1	1	1	3	4	9
35-49	3	2.3	5	<1	<1	1	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3525	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	472	1.1	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	521	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	144	1.6	4	<1	<1	1	1	3	5	14
1. SINGLE DX	3997	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	665	1.4	2	<1	<1	1	1	2	3	6
A. NOT OPERATED	4046	1.1		<1	<1	<1	1	1	2	3
B. OPERATED	616	1.2	1	<1	<1	<1	1	1	2	6
TOTAL 0-19 YRS	772	1.1	1	<1	<1	<1	1	1	2	4
20-34	3619	1.1		<1	<1	<1	1	1	2	4
35-49	271	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**4662**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	2	<1	<1	1	3	3	5	6
20-34	310	2.8	12	<1	1	2	3	6	8	17
35-49	56	3.4	19	<1	<1	2	3	7	17	20
50-64										
65+										
B. *Operated*										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	50	5.1	45	1	1	3	6	10	18	41
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	1	1	1	2	3	4	4
20-34	171	3.3	17	<1	1	2	4	6	11	23
35-49	38	3.1	5	<1	1	3	4	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	30	4.8	37	<1	1	3	5	7	25	27
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	2.8	12	<1	<1	2	3	6	9	19
B. *Operated*	57	4.9	44	1	1	3	5	10	18	40
2. MULTIPLE DX										
A. *Not Operated*	217	3.2	14	<1	1	2	4	6	10	21
B. *Operated*	37	4.4	31	<1	1	3	5	7	19	27
1. SINGLE DX	439	3.1	17	<1	1	2	3	6	10	20
2. MULTIPLE DX	254	3.4	17	<1	1	2	4	6	10	25
A. NOT OPERATED	599	3.0	13	<1	1	2	3	6	9	20
B. OPERATED	94	4.7	38	1	1	3	5	9	18	35
TOTAL 0-19 YRS	28	2.5	10	<1	<1	1	3	5	7	17
20-34	561	3.2	18	<1	1	2	3	6	10	25
35-49	104	3.2	12	<1	<1	2	4	6	9	19
50-64										
65+										
GRAND TOTAL	**693**	**3.2**	**17**	**<1**	**1**	**2**	**3**	**6**	**10**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.5	1	<1	<1	1	2	3	4	5
20-34	416	1.8	2	<1	<1	1	2	3	4	10
35-49	38	2.1	16	<1	<1	1	2	3	4	26
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	19	1	1	2	4	11	12	12
20-34	60	2.0	5	<1	<1	1	2	3	7	12
35-49	5	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.4	1	<1	<1	1	2	3	3	4
20-34	236	2.8	17	<1	<1	2	3	5	9	25
35-49	31	3.4	28	<1	<1	2	3	5	14	28
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.4	2	1	1	3	4	4	4	4
20-34	58	2.7	9	<1	1	2	3	6	9	16
35-49	3	3.3	16	<1	<1	1	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	1.8	3	<1	<1	1	2	3	4	10
B. *Operated*	71	2.1	6	<1	<1	1	2	4	9	12
2. MULTIPLE DX										
A. *Not Operated*	308	2.6	16	<1	<1	1	3	4	7	26
B. *Operated*	68	2.7	9	<1	1	2	3	6	8	16
1. SINGLE DX	595	1.8	4	<1	<1	1	2	3	4	11
2. MULTIPLE DX	376	2.7	15	<1	<1	1	3	5	8	23
A. NOT OPERATED	832	2.1	8	<1	<1	1	2	4	5	14
B. OPERATED	139	2.4	7	<1	<1	1	3	5	9	15
TOTAL 0-19 YRS	124	1.6	2	<1	<1	1	2	3	4	7
20-34	770	2.2	8	<1	<1	1	2	4	6	14
35-49	77	2.6	20	<1	<1	1	2	4	7	27
50-64										
65+										
GRAND TOTAL	**971**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**15**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.8	2	<1	<1	3	4	5	6	56
20-34	220	2.4	1	<1	1	2	3	4	5	6
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	16	2.8	4	<1	<1	2	4	6	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354	3.1	3	1	1	3	4	5	6	8
20-34	866	2.9	3	<1	1	3	4	5	5	8
35-49	43	2.7	5	<1	1	2	4	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.4	5	1	1	3	5	6	7	8
20-34	65	3.6	8	<1	<1	3	5	8	9	12
35-49	4	5.3	23	1	1	4	8	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	2.5	2	<1	1	2	3	4	5	7
B. *Operated*	22	2.5	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1263	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	96	3.6	7	<1	1	3	5	7	9	12
1. SINGLE DX	346	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	1359	3.0	4	<1	1	3	4	5	6	9
A. NOT OPERATED	1587	2.9	3	<1	1	3	4	5	6	8
B. OPERATED	118	3.4	7	<1	1	3	5	7	9	12
TOTAL 0-19 YRS	482	3.0	3	<1	1	3	4	5	6	8
20-34	1167	2.9	3	<1	1	3	4	5	6	8
35-49	56	2.9	5	<1	1	2	4	5	7	12
50-64										
65+										
GRAND TOTAL	**1705**	**2.9**	**3**	**<1**	**1**	**3**	**4**	**5**	**6**	**8**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.8	1	<1	1	2	2	3	4	5
20-34	250	2.8	6	<1	<1	2	4	6	8	11
35-49	40	2.7	2	<1	1	2	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	3.0	7	1	1	2	4	7	9	10
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	3.1	26	<1	1	2	3	6	8	18
20-34	1460	3.1	9	<1	1	2	4	6	8	15
35-49	199	3.6	11	<1	1	3	4	6	10	20
50-64										
65+										
B. *Operated*										
0-19 YRS	32	2.7	3	1	1	2	4	5	6	8
20-34	271	3.8	10	<1	1	3	5	8	11	16
35-49	17	5.4	62	1	1	2	4	14	26	32
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	2.7	5	<1	<1	2	3	5	7	11
B. *Operated*	28	2.7	6	<1	1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	1878	3.1	11	<1	1	2	4	6	8	16
B. *Operated*	320	3.8	12	<1	1	3	5	8	11	16
1. SINGLE DX	352	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	2198	3.2	11	<1	1	2	4	6	8	16
A. NOT OPERATED	2202	3.1	10	<1	1	2	4	6	8	15
B. OPERATED	348	3.7	12	<1	1	3	5	8	10	16
TOTAL 0-19 YRS	286	2.9	20	<1	1	2	3	6	7	14
20-34	2005	3.1	9	<1	1	2	4	6	8	15
35-49	259	3.6	13	<1	1	3	4	6	10	21
50-64										
65+										
GRAND TOTAL	**2550**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	863	1.7	3	<1	<1	1	2	3	4	8
20-34	4161	1.8	5	<1	<1	1	2	3	5	10
35-49	310	1.9	8	<1	<1	1	2	4	5	16
50-64										
65+										
B. *Operated*										
0-19 YRS	235	2.3	14	<1	<1	1	2	4	7	19
20-34	1560	1.9	5	<1	<1	1	2	4	5	10
35-49	149	1.9	4	<1	<1	1	2	4	5	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	2.3	6	<1	<1	1	3	4	7	14
20-34	2274	2.7	19	<1	<1	1	3	5	8	20
35-49	194	2.8	9	<1	<1	2	3	6	10	15
50-64										
65+										
B. *Operated*										
0-19 YRS	161	2.7	10	<1	<1	2	3	6	8	17
20-34	1103	2.9	27	<1	<1	1	3	6	8	25
35-49	121	2.8	19	<1	<1	1	3	5	11	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5334	1.8	5	<1	<1	1	2	3	4	10
B. *Operated*	1944	1.9	6	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	2901	2.6	16	<1	<1	1	3	5	8	19
B. *Operated*	1385	2.9	24	<1	<1	1	3	6	8	24
1. SINGLE DX	7278	1.8	5	<1	<1	1	2	3	5	11
2. MULTIPLE DX	4286	2.7	19	<1	<1	1	3	5	8	20
A. NOT OPERATED	8235	2.1	9	<1	<1	1	2	4	6	14
B. OPERATED	3329	2.3	14	<1	<1	1	2	4	7	17
TOTAL 0-19 YRS	1692	2.0	6	<1	<1	1	2	4	6	14
20-34	9098	2.2	12	<1	<1	1	2	4	6	14
35-49	774	2.3	10	<1	<1	1	2	4	7	15
50-64										
65+										
GRAND TOTAL	**11564**	**2.2**	**11**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	1.8	1	1	1	2	2	3	3	4
20-34	527	1.9	1	1	1	2	2	3	3	4
35-49	64	1.8		<1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.5	2	<1	1	2	3	4	4	8
20-34	350	2.6	2	1	1	2	3	4	5	6
35-49	45	2.7	2	1	1	2	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	2.0	1	1	1	2	2	3	4	5
20-34	835	2.1	1	1	1	2	3	3	4	6
35-49	111	2.2	2	1	1	2	3	3	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	266	3.4	22	1	1	3	4	5	6	20
20-34	2651	3.5	15	1	1	3	4	5	6	15
35-49	413	4.0	19	1	2	3	4	6	9	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	673	1.8	1	1	1	2	2	3	3	4
B. *Operated*	439	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1065	2.1	1	1	1	2	3	3	4	6
B. *Operated*	3330	3.6	16	1	2	3	4	5	6	17
1. SINGLE DX	1112	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX	4395	3.2	13	1	1	3	4	5	6	15
A. NOT OPERATED	1738	2.0	1	1	1	2	2	3	4	5
B. OPERATED	3769	3.5	14	1	1	3	4	5	6	16
TOTAL 0-19 YRS	511	2.8	12	1	1	2	3	4	5	11
20-34	4363	3.0	10	1	1	2	4	5	5	11
35-49	633	3.4	14	1	1	3	4	5	7	19
50-64										
65+										
GRAND TOTAL	**5507**	**3.0**	**11**	**1**	**1**	**2**	**4**	**5**	**6**	**12**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4199	1.7	1	1	1	2	2	2	3	4
20-34	29104	1.7	1	1	1	2	2	3	3	4
35-49	2079	1.8	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1484	1.7		1	1	2	2	3	3	3
20-34	10321	1.8	1	1	1	2	2	3	3	4
35-49	734	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	1.7	1	1	1	2	2	3	3	5
20-34	786	1.9	1	1	1	2	2	3	3	5
35-49	63	2.0	1	<1	1	2	3	3	3	6
50-64										
65+										
B. *Operated*										
0-19 YRS	126	2.0	4	1	1	2	2	3	4	11
20-34	3634	2.3	1	1	1	2	3	3	4	5
35-49	577	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35382	1.7	1	1	1	2	2	3	3	4
B. *Operated*	12539	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1000	1.9	1	1	1	2	2	3	3	5
B. *Operated*	4337	2.3	1	1	1	2	3	3	4	5
1. SINGLE DX	47921	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	5337	2.3	1	1	1	2	3	3	4	5
A. NOT OPERATED	36382	1.7	1	1	1	2	2	3	3	4
B. OPERATED	16876	1.9	1	1	1	2	2	3	3	4
TOTAL 0-19 YRS	5960	1.7	1	1	1	2	2	3	3	4
20-34	43845	1.8	1	1	1	2	2	3	3	4
35-49	3453	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
GRAND TOTAL	**53258**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	2.4	10	<1	<1	2	2	3	7	17
35-49	2	11.5	221	1	1	11	22	22	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.3	12	1	1	3	6	9	9	9
20-34	156	5.3	37	2	2	4	5	6	21	33
35-49	29	4.7	3	3	3	4	5	7	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	20	3.6	22	1	1	2	2	9	16	21
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	18	7.1	178	2	2	4	5	8	40	60
20-34	488	6.8	71	2	3	4	6	14	24	41
35-49	116	8.7	115	3	3	5	7	22	33	54
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.0	23	<1	<1	2	2	3	17	22
B. *Operated*	189	5.2	31	2	3	4	5	6	12	31
2. MULTIPLE DX										
A. *Not Operated*	28	3.3	17	1	1	2	3	7	12	21
B. *Operated*	622	7.1	82	2	3	4	6	16	26	46
1. SINGLE DX	217	4.9	31	1	2	4	5	6	15	30
2. MULTIPLE DX	650	7.0	80	2	2	4	6	15	26	45
A. NOT OPERATED	56	3.2	19	<1	1	2	2	6	15	22
B. OPERATED	811	6.7	71	2	3	4	5	13	24	44
TOTAL 0-19 YRS	28	5.6	118	1	2	3	5	8	14	60
20-34	689	6.2	61	2	2	4	5	12	22	40
35-49	150	7.9	94	3	3	4	6	17	28	45
50-64										
65+										
GRAND TOTAL	**867**	**6.4**	**68**	**2**	**2**	**4**	**5**	**13**	**23**	**44**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.7	1	1	1	2	2	3	3	3
20-34	166	2.2	6	1	1	2	2	3	3	14
35-49	10	2.0		1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	23	2.7	2	<1	1	3	4	4	5	6
20-34	189	2.9	2	1	1	3	4	5	5	8
35-49	28	3.0	1	1	1	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.8	1	<1	1	1	2	3	4	6
20-34	174	2.6	8	1	1	2	3	4	6	20
35-49	14	2.6	4	1	1	2	3	4	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	107	3.4	3	1	2	3	4	6	7	10
20-34	814	3.9	11	1	1	4	5	6	8	19
35-49	109	4.3	11	1	2	4	4	8	13	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	2.1	5	1	1	2	2	3	3	13
B. *Operated*	240	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	224	2.5	7	1	1	2	3	4	6	17
B. *Operated*	1030	3.9	10	1	2	3	4	6	8	17
1. SINGLE DX	434	2.6	4	1	1	2	3	4	5	8
2. MULTIPLE DX	1254	3.6	10	1	1	3	4	6	8	17
A. NOT OPERATED	418	2.3	6	1	1	2	3	3	5	15
B. OPERATED	1270	3.7	9	1	1	3	4	6	7	16
TOTAL 0-19 YRS	184	2.8	3	1	1	2	4	5	6	9
20-34	1343	3.4	9	1	1	3	4	5	7	15
35-49	161	3.8	8	1	2	3	4	6	10	17
50-64										
65+										
GRAND TOTAL	**1688**	**3.4**	**9**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	43	1.5		<1	1	1	2	2	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	1.9	1	1	1	2	2	3	4	4
20-34	529	1.8	1	1	1	2	2	3	3	5
35-49	44	1.9	1	<1	1	2	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	25	2.2	1	1	1	2	3	3	4	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	49	2.3	1	1	1	2	3	4	4	8
20-34	501	2.4	2	1	1	2	3	4	5	7
35-49	52	3.5	20	1	1	3	4	5	6	32
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.5		1	1	1	2	2	3	3
B. *Operated*	624	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	32	2.3	1	1	1	2	3	4	4	5
B. *Operated*	602	2.5	3	1	1	2	3	4	5	8
1. SINGLE DX	674	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	634	2.5	3	1	1	2	3	4	5	7
A. NOT OPERATED	82	1.8	1	1	1	2	2	3	3	5
B. OPERATED	1226	2.2	2	1	1	2	3	3	4	7
TOTAL 0-19 YRS	112	2.1	1	1	1	2	3	3	4	6
20-34	1098	2.1	1	1	1	2	2	3	4	6
35-49	98	2.8	11	<1	1	2	3	5	6	20
50-64										
65+										
GRAND TOTAL	**1308**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.0	1	1	1	2	2	3	3	4
20-34	257	1.9	1	1	1	2	2	3	3	4
35-49	9	2.9	6	<1	<1	2	3	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	23	1.9	1	1	1	2	2	3	4	4
20-34	166	2.0	1	1	1	2	3	3	3	4
35-49	12	2.0	1	1	1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.1	1	1	1	2	2	4	4	4
20-34	209	2.1	1	1	1	2	3	3	3	5
35-49	24	2.3	3	<1	1	2	3	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	67	2.2	1	1	1	2	3	4	4	6
20-34	335	2.4	2	1	1	2	3	4	4	7
35-49	31	2.5	2	1	1	2	3	4	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	1.9	1	1	1	2	2	3	3	4
B. *Operated*	201	2.0	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	272	2.1	1	1	1	2	3	3	4	6
B. *Operated*	433	2.4	2	1	1	2	3	4	4	7
1. SINGLE DX	517	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	705	2.3	1	1	1	2	3	3	4	7
A. NOT OPERATED	588	2.0	1	1	1	2	2	3	3	4
B. OPERATED	634	2.3	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	179	2.1	1	1	1	2	2	3	4	5
20-34	967	2.1	1	1	1	2	3	3	4	5
35-49	76	2.4	3	<1	1	2	3	4	6	9
50-64										
65+										
GRAND TOTAL	**1222**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34	69	2.7	10	1	1	2	3	3	4	23
35-49	8	2.4		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	95	3.1	2	1	2	3	4	5	5	6
35-49	8	3.4	5	1	1	3	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	18	1	1	2	2	11	12	12
20-34	81	2.9	6	1	1	2	3	5	7	17
35-49	8	2.5	2	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	52	4.4	9	2	2	4	5	8	10	18
20-34	822	4.4	23	2	2	4	5	6	7	21
35-49	90	4.8	10	2	2	5	5	7	9	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.5	8	1	1	2	3	3	4	20
B. *Operated*	106	3.1	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	95	2.9	7	1	1	2	3	5	7	16
B. *Operated*	964	4.5	21	2	2	4	5	6	8	20
1. SINGLE DX	189	2.9	5	1	1	3	3	5	5	7
2. MULTIPLE DX	1059	4.3	20	1	2	4	5	6	8	19
A. NOT OPERATED	178	2.7	7	1	1	2	3	4	5	17
B. OPERATED	1070	4.3	19	2	2	4	5	6	7	19
TOTAL 0-19 YRS	67	3.9	9	1	1	3	5	7	10	17
20-34	1067	4.1	19	1	2	4	5	6	7	19
35-49	114	4.4	9	1	2	4	5	6	8	18
50-64										
65+										
GRAND TOTAL	**1248**	**4.1**	**18**	**1**	**2**	**4**	**5**	**6**	**7**	**18**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	3	3	3	3
20-34	82	1.8	1	<1	1	2	2	3	3	4
35-49	13	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	185	3.6	1	2	2	4	4	5	5	6
20-34	1558	3.6	1	2	3	4	4	5	5	6
35-49	140	3.8	1	2	2	4	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	17	1	1	2	7	10	11	11
20-34	51	2.1	3	<1	1	2	2	3	4	12
35-49	10	1.8	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	211	4.0	3	2	3	4	4	6	7	11
20-34	2319	4.0	3	2	3	4	5	5	6	9
35-49	324	4.6	14	2	3	4	5	6	8	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	1883	3.6	1	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	68	2.2	4	<1	1	2	2	3	6	12
B. *Operated*	2854	4.1	4	2	3	4	5	5	6	10
1. SINGLE DX	1985	3.5	1	2	2	4	4	5	5	6
2. MULTIPLE DX	2922	4.0	4	2	3	4	5	5	6	10
A. NOT OPERATED	170	1.9	2	<1	1	2	2	3	3	10
B. OPERATED	4737	3.9	3	2	3	4	4	5	6	8
TOTAL 0-19 YRS	410	3.8	2	2	2	4	4	5	6	10
20-34	4010	3.8	2	2	2	4	4	5	6	8
35-49	487	4.2	10	2	2	4	5	6	7	18
50-64										
65+										
GRAND TOTAL	**4907**	**3.8**	**3**	**2**	**2**	**4**	**4**	**5**	**6**	**9**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	1.7	1	1	1	1	2	3	3	4
20-34	535	1.7	1	1	1	2	2	3	3	4
35-49	37	1.9	1	<1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	97	2.4	1	1	1	2	3	4	4	6
20-34	959	2.5	1	1	1	2	3	4	5	6
35-49	100	2.8	1	1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	1.8	1	1	1	2	2	3	3	4
20-34	510	2.0	1	1	1	2	3	3	4	5
35-49	40	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	505	3.2	5	1	1	3	4	5	6	10
20-34	4839	3.2	2	1	2	3	4	5	5	7
35-49	582	3.5	3	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	1.7	1	1	1	2	2	3	3	4
B. *Operated*	1156	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	612	2.0	1	1	1	2	3	3	4	5
B. *Operated*	5926	3.3	3	1	2	3	4	5	6	8
1. SINGLE DX	1781	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX	6538	3.1	3	1	1	3	4	5	5	7
A. NOT OPERATED	1237	1.9	1	1	1	2	2	3	3	4
B. OPERATED	7082	3.1	3	1	1	3	4	5	5	7
TOTAL 0-19 YRS	717	2.9	4	1	1	3	4	5	5	9
20-34	6843	2.9	2	1	1	3	4	5	5	7
35-49	759	3.3	2	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**8319**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	1.9	1	1	1	2	3	3	4	4
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	233	3.9	1	3	3	4	4	5	6	7
20-34	1281	3.9	1	3	3	4	4	5	5	6
35-49	82	4.0	1	2	3	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	26	2.7	2	1	1	2	4	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	858	4.4	3	3	3	4	5	6	7	12
20-34	6069	4.2	2	3	3	4	5	5	6	8
35-49	576	4.4	1	3	3	4	5	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	1	1	2	3	4	5	6
B. *Operated*	1596	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	30	2.7	2	1	1	2	4	5	5	6
B. *Operated*	7503	4.2	2	3	3	4	5	6	6	8
1. SINGLE DX	1614	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX	7533	4.2	2	3	3	4	5	6	6	8
A. NOT OPERATED	48	2.5	2	1	1	2	4	5	5	6
B. OPERATED	9099	4.2	2	3	3	4	5	5	6	8
TOTAL 0-19 YRS	1094	4.3	3	3	3	4	5	6	7	11
20-34	7391	4.2	2	3	3	4	5	5	6	8
35-49	662	4.3	1	3	3	4	5	6	6	8
50-64										
65+										
GRAND TOTAL	**9147**	**4.2**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	**8**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	1.9	1	1	1	2	2	3	3	4
20-34	689	2.0	1	1	1	2	3	3	3	4
35-49	40	2.0	1	<1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	219	3.0	2	1	1	3	4	5	5	6
20-34	1625	2.9	2	1	1	3	4	5	5	6
35-49	119	3.1	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.0	1	1	1	2	2	3	3	5
20-34	581	2.1	3	1	1	2	3	3	3	5
35-49	56	2.1	1	1	1	2	3	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	540	3.3	3	1	1	3	4	5	6	9
20-34	4751	3.3	2	1	2	3	4	5	6	8
35-49	495	3.5	3	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	2.0	1	1	1	2	2	3	3	4
B. *Operated*	1963	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	749	2.1	3	1	1	2	3	3	3	5
B. *Operated*	5786	3.4	3	1	2	3	4	5	6	8
1. SINGLE DX	2803	2.7	2	1	1	2	3	5	5	6
2. MULTIPLE DX	6535	3.2	3	1	1	3	4	5	6	8
A. NOT OPERATED	1589	2.0	2	1	1	2	2	3	3	5
B. OPERATED	7749	3.3	2	1	1	3	4	5	6	8
TOTAL 0-19 YRS	982	2.9	3	1	1	3	4	5	5	8
20-34	7646	3.0	3	1	1	3	4	5	5	7
35-49	710	3.2	3	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**9338**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4		<1	1	1	2	2	3	3
20-34	83	1.7		<1	1	2	2	3	3	3
35-49	13	1.9		1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	36	3.3	3	1	1	4	5	5	6	7
20-34	359	3.1	2	1	1	3	4	5	5	6
35-49	31	3.1	2	1	1	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	<1	<1	2	2	4	4	4
20-34	76	2.0	1	1	1	2	2	3	3	6
35-49	14	2.1	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	134	4.0	3	1	2	4	5	6	7	10
20-34	1265	3.9	14	1	2	4	4	5	6	13
35-49	184	4.4	19	2	2	4	5	6	7	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.7		1	1	2	2	3	3	3
B. *Operated*	426	3.1	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	97	2.0	1	1	1	2	3	3	3	5
B. *Operated*	1583	3.9	13	1	2	4	4	5	6	13
1. SINGLE DX	538	2.8	2	1	1	3	4	5	5	6
2. MULTIPLE DX	1680	3.8	13	1	2	4	4	5	6	12
A. NOT OPERATED	209	1.8	1	1	1	2	2	3	3	4
B. OPERATED	2009	3.8	11	1	2	4	4	5	6	10
TOTAL 0-19 YRS	193	3.6	3	1	1	4	5	5	6	9
20-34	1783	3.5	11	1	2	3	4	5	6	9
35-49	242	3.9	15	1	2	3	5	6	6	21
50-64										
65+										
GRAND TOTAL	**2218**	**3.6**	**10**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	1	1	2	2	3	5	5
20-34	303	1.9	1	1	1	2	2	3	3	5
35-49	30	1.9	1	1	1	2	2	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	242	3.3	1	2	2	3	4	4	5	6
20-34	5675	3.6	1	2	3	4	4	5	5	6
35-49	547	3.8	1	2	3	4	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	181	2.0	1	1	1	2	2	3	4	5
35-49	19	2.1	1	<1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	202	3.9	2	2	3	4	4	5	6	8
20-34	8877	3.9	2	2	3	4	4	5	6	8
35-49	1425	4.1	2	2	3	4	5	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	1.9	1	1	1	2	2	3	3	5
B. *Operated*	6464	3.6	1	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	206	2.0	1	1	1	2	2	3	4	5
B. *Operated*	10504	3.9	2	2	3	4	4	5	6	8
1. SINGLE DX	6809	3.5	1	2	2	4	4	5	5	6
2. MULTIPLE DX	10710	3.8	2	2	3	4	4	5	6	8
A. NOT OPERATED	551	1.9	1	1	1	2	2	3	4	5
B. OPERATED	16968	3.8	2	2	3	4	4	5	5	7
TOTAL 0-19 YRS	462	3.5	2	2	2	3	4	5	5	7
20-34	15036	3.7	2	2	2	4	4	5	5	7
35-49	2021	3.9	2	2	3	4	5	5	6	7
50-64										
65+										
GRAND TOTAL	**17519**	**3.7**	**2**	**2**	**2**	**4**	**4**	**5**	**5**	**7**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	2.0	1	1	1	2	3	3	3	6
20-34	920	2.1	6	1	1	2	2	3	4	6
35-49	79	2.0	1	1	1	2	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	119	2.2	3	1	1	2	2	3	3	9
20-34	886	2.2	2	1	1	2	3	3	4	6
35-49	75	2.4	2	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.6	7	1	1	2	3	4	5	14
20-34	857	2.5	6	1	1	2	3	3	5	15
35-49	74	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	362	3.3	6	1	1	3	4	5	7	14
20-34	3384	3.3	9	1	1	3	4	5	6	11
35-49	424	3.8	17	1	1	3	4	6	7	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1119	2.1	5	1	1	2	2	3	4	6
B. *Operated*	1080	2.2	2	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	1057	2.5	6	1	1	2	3	3	5	15
B. *Operated*	4170	3.4	10	1	1	3	4	5	6	12
1. SINGLE DX	2199	2.2	4	1	1	2	3	3	4	6
2. MULTIPLE DX	5227	3.2	9	1	1	3	4	5	6	13
A. NOT OPERATED	2176	2.3	6	1	1	2	3	3	4	9
B. OPERATED	5250	3.1	8	1	1	3	4	5	6	11
TOTAL 0-19 YRS	727	2.8	5	1	1	2	3	5	6	12
20-34	6047	2.9	7	1	1	2	3	5	6	11
35-49	652	3.2	12	1	1	3	4	5	6	13
50-64										
65+										
GRAND TOTAL	**7426**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	610	1.7	1	1	1	2	2	3	3	4
20-34	4833	1.8	1	1	1	2	2	3	3	4
35-49	410	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	385	1.8	1	1	1	2	2	3	3	4
20-34	3382	1.9	1	1	1	2	2	3	3	4
35-49	226	2.0	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	1.8	1	1	1	2	2	3	3	5
20-34	1575	1.9	1	1	1	2	2	3	3	4
35-49	136	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	452	2.1	1	1	1	2	3	3	4	5
20-34	4703	2.3	1	1	1	2	3	4	4	6
35-49	520	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5853	1.8	1	1	1	2	2	3	3	4
B. *Operated*	3993	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1917	1.9	1	1	1	2	2	3	3	4
B. *Operated*	5675	2.3	1	1	1	2	3	4	4	6
1. SINGLE DX	9846	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	7592	2.2	1	1	1	2	3	3	4	5
A. NOT OPERATED	7770	1.8	1	1	1	2	2	3	3	4
B. OPERATED	9668	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1653	1.8	1	1	1	2	2	3	3	4
20-34	14493	2.0	1	1	1	2	2	3	3	5
35-49	1292	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**17438**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	1.8	6	<1	1	1	2	2	3	8
20-34	992	1.7	1	<1	1	2	2	3	3	3
35-49	100	1.7	1	<1	<1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1143	1.7		1	1	2	2	3	3	4
20-34	10119	1.7	1	1	1	2	2	3	3	4
35-49	949	1.7	1	<1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	2.2	9	1	1	2	2	3	3	22
20-34	378	2.0	11	1	1	2	2	3	3	6
35-49	37	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	691	1.9	3	1	1	2	2	3	4	6
20-34	7506	1.9	1	1	1	2	2	3	3	4
35-49	1018	2.1	2	1	1	2	3	3	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1225	1.7	1	<1	1	2	2	3	3	3
B. *Operated*	12211	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	483	2.0	10	1	1	2	2	3	3	6
B. *Operated*	9215	2.0	1	1	1	2	2	3	3	5
1. SINGLE DX	13436	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	9698	2.0	2	1	1	2	2	3	3	5
A. NOT OPERATED	1708	1.8	4	<1	1	2	2	3	3	4
B. OPERATED	21426	1.8	1	1	1	2	2	3	3	4
TOTAL 0-19 YRS	2035	1.8	2	1	1	2	2	3	3	4
20-34	18995	1.8	1	1	1	2	2	3	3	4
35-49	2104	1.9	1	<1	1	2	2	3	3	4
50-64										
65+										
GRAND TOTAL	**23134**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	1.8	1	1	1	2	2	3	3	6
20-34	246	1.9	1	1	1	2	2	3	3	4
35-49	9	2.7	2	<1	<1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	713	1.9	2	1	1	2	2	3	3	4
20-34	3523	2.0	1	1	1	2	2	3	3	4
35-49	182	2.1	1	1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	1	1	2	3	3	5	7
20-34	109	2.2	1	1	1	2	3	3	4	4
35-49	7	2.1		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	557	2.2	1	1	1	2	3	3	4	6
20-34	3695	2.3	1	1	1	2	3	3	4	6
35-49	264	2.4	2	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	1.9	1	1	1	2	2	3	3	4
B. *Operated*	4418	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	139	2.2	1	1	1	2	3	3	4	5
B. *Operated*	4516	2.3	1	1	1	2	3	3	4	6
1. SINGLE DX	4728	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	4655	2.3	1	1	1	2	3	3	4	6
A. NOT OPERATED	449	2.0	1	1	1	2	2	3	3	4
B. OPERATED	8934	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1348	2.0	2	1	1	2	2	3	3	5
20-34	7573	2.1	1	1	1	2	3	3	3	5
35-49	462	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**9383**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	1.8	1	1	1	2	2	3	3	4
20-34	288	1.8	1	1	1	2	2	3	3	4
35-49	10	1.8	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	251	1.8	1	1	1	2	2	3	3	5
20-34	1452	1.8	1	1	1	2	2	3	3	4
35-49	80	1.7		<1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	1	1	2	2	3	4	4
20-34	143	1.9	1	1	1	2	2	3	3	4
35-49	5	2.4	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	207	2.0	1	1	1	2	2	3	4	6
20-34	1586	2.1	1	1	1	2	3	3	4	6
35-49	118	2.5	2	1	1	2	3	3	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	1.8	1	1	1	2	2	3	3	4
B. *Operated*	1783	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	165	1.9	1	1	1	2	2	3	3	4
B. *Operated*	1911	2.1	1	1	1	2	3	3	4	6
1. SINGLE DX	2136	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	2076	2.1	1	1	1	2	3	3	4	6
A. NOT OPERATED	518	1.8	1	1	1	2	2	3	3	4
B. OPERATED	3694	2.0	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	530	1.9	1	1	1	2	2	3	3	5
20-34	3469	1.9	1	1	1	2	2	3	3	5
35-49	213	2.2	2	1	1	2	3	3	4	8
50-64										
65+										
GRAND TOTAL	**4212**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1026	1.8	2	1	1	2	2	3	3	5
20-34	6741	1.8	2	1	1	2	2	3	3	5
35-49	567	1.8	1	<1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1644	2.2	2	1	1	2	3	4	5	7
20-34	11213	2.3	2	1	1	2	3	4	4	6
35-49	851	2.5	2	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	744	2.2	7	1	1	2	2	3	5	10
20-34	4765	2.1	2	1	1	2	2	3	4	7
35-49	455	2.3	5	1	1	2	3	3	4	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3505	3.1	6	1	1	3	4	5	7	12
20-34	24792	3.1	7	1	1	3	4	5	6	12
35-49	2918	3.6	11	1	1	3	4	6	7	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8334	1.8	2	1	1	2	2	3	3	5
B. *Operated*	13708	2.3	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	5964	2.1	3	1	1	2	3	3	4	7
B. *Operated*	31215	3.2	7	1	1	3	4	5	6	12
1. SINGLE DX	22042	2.1	2	1	1	2	3	3	4	6
2. MULTIPLE DX	37179	3.0	6	1	1	2	4	5	6	11
A. NOT OPERATED	14298	1.9	2	1	1	2	2	3	4	6
B. OPERATED	44923	2.9	6	1	1	2	3	5	6	10
TOTAL 0-19 YRS	6919	2.6	5	1	1	2	3	4	6	10
20-34	47511	2.6	5	1	1	2	3	4	5	9
35-49	4791	3.1	8	1	1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**59221**	**2.7**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.0	1	1	2	3	4	4	5	6
20-34	230	3.1	2	1	2	3	4	5	6	9
35-49	15	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	3	<1	<1	2	4	4	4	4
20-34	20	4.0	13	<1	<1	3	4	8	12	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.4	5	1	1	3	4	6	8	12
20-34	129	3.6	3	2	2	3	4	6	6	9
35-49	12	3.8	5	2	2	3	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.8	6	4	4	5	7	9	9	9
20-34	47	5.1	23	1	1	3	6	12	15	23
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	3.1	2	1	2	3	4	5	5	8
B. *Operated*	27	3.7	11	<1	<1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	172	3.6	3	2	2	3	4	6	7	9
B. *Operated*	52	5.2	21	1	1	3	6	11	14	23
1. SINGLE DX	352	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX	224	3.9	8	1	2	3	5	6	9	16
A. NOT OPERATED	497	3.3	2	1	2	3	4	5	6	9
B. OPERATED	79	4.6	18	<1	1	3	5	10	14	22
TOTAL 0-19 YRS	121	3.1	3	1	2	3	4	5	6	10
20-34	426	3.5	6	1	2	3	4	6	7	13
35-49	29	3.5	3	2	2	3	4	5	7	9
50-64										
65+										
GRAND TOTAL	**576**	**3.5**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	50	1.4		<1	<1	1	2	2	2	3
35-49	4	2.3	4	<1	<1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	145	1.4	1	<1	<1	1	2	3	3	4
35-49	14	1.5	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	41	1.8	1	<1	<1	1	2	3	4	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.6	1	1	1	1	2	3	4	4
20-34	127	2.2	3	<1	1	2	2	4	6	9
35-49	13	2.8	7	1	1	2	3	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	170	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	49	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	154	2.2	3	<1	1	2	2	4	6	9
1. SINGLE DX	232	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	203	2.1	3	<1	1	1	2	4	6	9
A. NOT OPERATED	111	1.5	1	<1	<1	1	2	2	3	6
B. OPERATED	324	1.8	2	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	38	1.3		<1	<1	1	1	2	3	4
20-34	363	1.7	2	<1	<1	1	2	3	4	8
35-49	34	2.1	4	<1	1	1	2	5	6	10
50-64										
65+										
GRAND TOTAL	**435**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	4	<1	1	3	4	6	8	9
20-34	114	3.4	7	1	1	3	4	8	10	11
35-49	19	4.2	7	<1	1	3	5	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.5	5	<1	<1	2	2	7	8	8
20-34	121	2.4	4	<1	1	2	3	4	7	12
35-49	14	2.7	2	1	1	2	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	5	1	1	4	4	6	9	10
20-34	109	4.4	11	<1	1	3	6	9	11	17
35-49	15	4.1	11	<1	1	3	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.3	11	1	1	2	3	9	12	13
20-34	110	3.4	7	1	1	2	4	7	10	13
35-49	22	6.0	51	1	1	3	7	13	23	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.5	6	1	1	3	4	8	10	11
B. *Operated*	151	2.5	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	139	4.3	10	<1	1	3	6	9	11	17
B. *Operated*	147	3.8	15	1	1	2	4	7	11	17
1. SINGLE DX	302	3.0	6	<1	1	2	4	6	9	11
2. MULTIPLE DX	286	4.0	13	1	1	3	5	8	11	17
A. NOT OPERATED	290	3.9	8	1	1	3	5	8	10	15
B. OPERATED	298	3.1	10	1	1	2	4	7	9	13
TOTAL 0-19 YRS	64	3.2	6	<1	1	2	4	7	9	13
20-34	454	3.4	8	1	1	2	4	7	10	13
35-49	70	4.4	21	1	1	3	5	9	11	30
50-64										
65+										
GRAND TOTAL	**588**	**3.5**	**9**	**1**	**1**	**3**	**4**	**7**	**10**	**13**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	3.2	3	1	2	3	4	5	7	10
20-34	434	3.6	5	1	2	3	4	6	8	12
35-49	300	3.9	5	1	2	3	5	7	8	12
50-64	202	3.8	4	1	2	3	5	6	7	13
65+	160	4.8	8	2	2	4	6	9	10	14
B. *Operated*										
0-19 YRS	158	4.1	8	1	1	3	5	8	10	14
20-34	231	4.4	8	1	1	4	6	8	10	13
35-49	147	4.2	12	1	1	3	5	9	10	19
50-64	75	4.9	10	1	1	4	6	9	12	15
65+	43	4.9	16	<1	1	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	648	3.6	6	1	2	3	4	6	7	11
20-34	797	4.5	8	1	2	4	6	8	10	16
35-49	943	5.3	15	2	2	4	6	10	12	20
50-64	1067	6.1	17	2	2	5	7	11	13	24
65+	1941	6.7	22	2	3	6	8	11	15	22
B. *Operated*										
0-19 YRS	275	5.9	28	1	2	5	7	11	15	31
20-34	586	6.9	34	2	2	5	8	13	18	29
35-49	607	7.7	43	2	2	6	10	15	21	35
50-64	554	11.1	119	2	3	8	13	23	32	53
65+	714	10.8	84	3	3	8	13	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1507	3.7	5	1	2	3	5	6	8	12
B. *Operated*	654	4.4	10	1	1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	5396	5.6	17	2	2	5	7	10	13	21
B. *Operated*	2736	8.9	70	2	2	7	11	18	25	44
1. SINGLE DX	2161	3.9	6	1	2	3	5	7	9	14
2. MULTIPLE DX	8132	6.7	37	2	2	5	8	12	17	32
A. NOT OPERATED	6903	5.2	15	2	2	4	7	9	12	19
B. OPERATED	3390	8.0	61	1	2	6	10	16	23	42
TOTAL 0-19 YRS	1492	4.0	11	1	2	3	5	7	9	16
20-34	2048	5.0	16	1	2	4	6	9	12	21
35-49	1997	5.8	24	2	2	4	7	11	14	27
50-64	1898	7.3	52	2	2	5	8	14	19	43
65+	2858	7.6	41	2	3	6	9	14	18	32
GRAND TOTAL	**10293**	**6.1**	**32**	**2**	**2**	**5**	**7**	**11**	**15**	**29**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.3	3	1	1	3	4	6	7	8
20-34	79	3.2	5	1	2	2	4	6	7	13
35-49	50	4.1	11	1	2	3	5	7	9	18
50-64	19	2.9	4	1	1	2	4	5	7	9
65+	15	2.5	2	<1	1	2	3	4	6	6
B. *Operated*										
0-19 YRS	57	3.3	8	<1	1	2	4	8	10	13
20-34	75	3.3	6	<1	<1	3	4	6	9	10
35-49	49	3.3	6	<1	<1	2	5	7	8	10
50-64	36	4.5	14	<1	<1	4	6	8	13	17
65+	14	3.4	28	<1	<1	1	3	13	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	3.6	5	1	2	3	4	6	8	12
20-34	127	4.1	9	1	2	3	5	8	10	15
35-49	120	4.4	7	1	2	4	6	8	10	13
50-64	113	5.2	13	2	2	4	6	9	13	20
65+	197	5.8	12	2	2	5	7	9	13	19
B. *Operated*										
0-19 YRS	85	4.6	16	1	1	3	6	8	11	23
20-34	131	5.6	75	1	1	4	6	9	13	42
35-49	118	6.7	30	1	1	5	10	14	19	26
50-64	135	8.2	39	1	2	6	11	18	21	30
65+	145	8.6	50	1	2	6	12	19	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.4	5	1	1	3	4	6	7	13
B. *Operated*	231	3.5	9	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	759	4.6	10	2	2	4	6	8	10	17
B. *Operated*	614	6.9	46	1	1	5	9	15	20	28
1. SINGLE DX	498	3.4	7	<1	1	3	4	7	9	14
2. MULTIPLE DX	1373	5.7	27	1	2	4	7	11	15	25
A. NOT OPERATED	1026	4.3	9	1	2	3	5	8	10	16
B. OPERATED	845	6.0	38	<1	1	4	8	13	17	27
TOTAL 0-19 YRS	448	3.7	7	1	1	3	4	7	8	13
20-34	412	4.3	29	1	1	3	5	7	10	18
35-49	337	5.0	17	1	1	4	6	10	14	21
50-64	303	6.3	27	1	2	5	8	13	17	26
65+	371	6.7	30	1	2	5	8	14	18	27
GRAND TOTAL	**1871**	**5.1**	**23**	**1**	**1**	**4**	**6**	**10**	**14**	**23**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	13	1	1	6	7	8	8	8
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	193	1.6	1	<1	1	1	2	3	3	6
20-34	369	1.7	1	<1	1	1	2	3	4	6
35-49	81	1.9	2	<1	<1	1	2	4	6	8
50-64	17	2.5	2	<1	1	2	3	5	5	5
65+	3	3.3	16	<1	<1	1	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	8	2.3	2	<1	<1	2	3	4	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	25	2.5	2	<1	<1	2	3	4	5	6
20-34	66	2.8	12	1	1	2	3	5	8	21
35-49	23	2.2	2	<1	1	2	3	5	5	5
50-64	9	3.1	7	1	1	1	5	7	8	8
65+	3	4.0	9	1	1	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	10	1	1	4	6	8	8	8
B. *Operated*	663	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	13	3.2	7	<1	<1	3	4	6	10	11
B. *Operated*	126	2.7	8	<1	1	2	3	5	7	17
1. SINGLE DX	668	1.8	1	<1	1	1	2	3	4	7
2. MULTIPLE DX	139	2.7	8	<1	1	2	3	5	7	17
A. NOT OPERATED	18	3.4	7	<1	<1	3	4	7	10	11
B. OPERATED	789	1.9	2	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	224	1.8	1	<1	1	1	2	3	4	7
20-34	445	1.9	3	<1	1	1	2	3	4	8
35-49	105	2.0	2	<1	1	1	2	4	5	8
50-64	26	2.7	3	<1	1	2	4	5	6	8
65+	7	4.7	16	<1	<1	4	8	10	11	11
GRAND TOTAL	**807**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**	**8**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	42	1.0		<1	<1	<1	1	1	2	2
20-34	38	1.2		<1	<1	<1	1	2	3	3
35-49	43	1.4	1	<1	<1	<1	1	2	3	5
50-64	22	1.6	2	<1	<1	<1	2	3	5	7
65+	15	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	<1	2	3	3	3
20-34	14	2.1	3	<1	<1	1	2	5	6	6
35-49	13	3.1	6	<1	<1	2	5	7	7	7
50-64	13	1.8	1	<1	<1	1	3	3	4	4
65+	14	4.3	20	<1	<1	2	8	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	160	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	62	2.7	7	<1	<1	1	3	6	8	14
1. SINGLE DX	162	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	65	2.6	7	<1	<1	1	3	6	8	14
A. NOT OPERATED	5	1.6	2	<1	<1	1	2	4	4	4
B. OPERATED	222	1.7	3	<1	<1	<1	1	3	5	9
TOTAL 0-19 YRS	52	1.1		<1	<1	<1	1	2	2	3
20-34	53	1.5	1	<1	<1	<1	1	3	5	6
35-49	57	1.8	2	<1	<1	<1	2	4	5	7
50-64	35	1.7	2	<1	<1	<1	2	3	4	7
65+	30	2.8	11	<1	<1	1	3	8	12	14
GRAND TOTAL	**227**	**1.7**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**9**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.6	6	1	1	2	3	5	7	15
20-34	74	3.5	27	1	1	2	4	6	7	37
35-49	58	4.3	61	<1	1	2	5	7	10	55
50-64	24	4.6	23	1	1	3	5	11	17	19
65+	39	4.9	16	1	2	4	7	9	12	22
B. *Operated*										
0-19 YRS	125	2.2	11	<1	<1	<1	2	4	8	19
20-34	164	3.5	35	<1	<1	1	4	8	11	26
35-49	195	3.0	13	<1	<1	2	3	7	9	15
50-64	135	4.5	43	<1	<1	2	6	9	15	42
65+	118	5.4	46	<1	<1	2	8	15	17	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	3.3	9	1	1	3	4	6	8	16
20-34	211	4.9	21	1	1	4	6	9	13	28
35-49	219	5.9	52	1	2	4	7	11	14	35
50-64	274	6.2	27	1	2	5	8	13	17	31
65+	824	7.9	54	2	2	6	10	15	21	42
B. *Operated*										
0-19 YRS	142	7.0	127	<1	<1	2	7	17	38	52
20-34	348	14.5	259	1	1	8	23	41	52	71
35-49	455	13.4	236	1	1	7	22	35	49	82
50-64	508	11.2	171	1	1	7	15	29	39	92
65+	1115	15.4	207	1	3	11	20	36	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.6	26	1	1	2	4	7	9	21
B. *Operated*	737	3.6	29	<1	<1	2	4	9	13	27
2. MULTIPLE DX										
A. *Not Operated*	1709	6.5	43	1	2	5	8	13	17	34
B. *Operated*	2568	13.6	213	1	1	8	19	35	47	88
1. SINGLE DX	1025	3.6	28	<1	<1	2	4	8	12	26
2. MULTIPLE DX	4277	10.8	157	1	1	6	14	27	39	70
A. NOT OPERATED	1997	6.1	42	1	1	4	7	13	16	34
B. OPERATED	3305	11.4	189	<1	1	6	15	30	44	74
TOTAL 0-19 YRS	541	3.9	43	<1	<1	2	4	8	13	40
20-34	797	8.7	155	<1	1	4	9	25	39	62
35-49	927	8.9	155	<1	1	4	9	26	37	70
50-64	941	8.6	115	1	1	5	10	22	31	72
65+	2096	11.7	150	1	2	8	15	27	39	68
GRAND TOTAL	**5302**	**9.4**	**140**	**<1**	**1**	**5**	**11**	**24**	**36**	**66**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	9	2	2	4	7	10	10	10
20-34	13	2.5	2	1	1	2	3	4	5	5
35-49	23	7.0	45	<1	1	5	8	16	22	30
50-64	9	6.3	13	3	3	5	8	12	14	14
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	6	2.7	10	1	1	2	2	8	9	9
20-34	25	2.5	12	<1	<1	1	2	6	9	17
35-49	17	3.5	11	1	1	2	5	7	12	14
50-64	9	7.3	69	<1	<1	2	13	21	21	21
65+	4	3.5	9	<1	<1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.4	12	<1	1	4	5	10	12	15
20-34	168	5.7	35	1	2	4	7	11	18	34
35-49	139	4.8	9	1	2	4	6	9	10	15
50-64	111	6.9	45	1	2	5	8	14	20	36
65+	120	7.9	62	2	2	6	10	14	17	45
B. *Operated*										
0-19 YRS	20	22.6	677	1	2	12	28	63	85	99
20-34	77	8.6	91	1	1	6	10	19	23	55
35-49	73	10.3	105	1	1	8	14	19	32	53
50-64	67	10.2	101	2	2	7	13	21	38	46
65+	49	15.7	239	2	3	11	18	32	56	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	5.4	26	1	1	4	6	11	16	29
B. *Operated*	61	3.6	21	<1	1	2	4	8	15	21
2. MULTIPLE DX										
A. *Not Operated*	574	6.1	36	1	2	4	8	12	16	33
B. *Operated*	286	11.6	174	1	1	8	14	24	41	69
1. SINGLE DX	115	4.4	24	<1	1	3	5	10	16	24
2. MULTIPLE DX	860	7.9	88	1	2	5	9	16	22	53
A. NOT OPERATED	628	6.0	35	1	2	4	7	12	16	32
B. OPERATED	347	10.2	156	1	1	7	13	21	33	66
TOTAL 0-19 YRS	69	9.6	267	1	1	4	10	22	43	94
20-34	283	6.0	49	1	1	4	7	13	19	37
35-49	252	6.5	46	1	1	5	8	14	17	32
50-64	196	8.0	65	1	2	6	9	18	23	44
65+	175	10.0	122	2	2	7	12	18	29	69
GRAND TOTAL	**975**	**7.5**	**82**	**1**	**1**	**5**	**9**	**16**	**21**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.2	5	1	1	3	3	7	9	10
20-34	21	5.0	14	1	1	4	8	11	12	12
35-49	30	5.2	24	1	1	4	6	12	14	23
50-64	40	4.9	8	1	2	4	7	8	10	13
65+	36	5.4	46	2	2	4	6	8	12	42
B. *Operated*										
0-19 YRS	19	4.7	15	<1	<1	4	8	11	12	13
20-34	53	5.5	16	<1	1	5	9	11	13	14
35-49	128	4.2	14	1	1	3	6	9	12	17
50-64	272	5.3	20	1	1	4	8	11	13	20
65+	195	5.9	18	1	1	5	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	9.6	83	1	2	5	14	24	30	39
20-34	33	6.8	35	1	2	4	10	14	19	27
35-49	71	4.8	12	1	1	4	6	11	12	15
50-64	154	6.7	37	1	1	5	9	13	16	27
65+	284	6.3	20	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	12	6.0	26	1	1	4	8	15	16	16
20-34	74	6.6	64	1	1	4	8	13	28	42
35-49	190	5.7	34	1	1	4	8	11	13	33
50-64	486	6.5	43	1	1	4	9	13	15	32
65+	555	8.6	54	1	2	8	11	15	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	4.8	20	1	2	3	6	9	12	22
B. *Operated*	667	5.3	18	1	1	4	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	576	6.4	29	1	2	5	8	13	16	27
B. *Operated*	1317	7.3	49	1	1	5	10	14	17	37
1. SINGLE DX	824	5.2	19	1	1	4	8	11	13	18
2. MULTIPLE DX	1893	7.0	43	1	1	5	10	13	17	33
A. NOT OPERATED	733	6.1	27	1	2	5	8	12	15	26
B. OPERATED	1984	6.6	39	1	1	5	9	13	16	32
TOTAL 0-19 YRS	95	6.1	44	1	1	4	8	14	17	35
20-34	181	6.2	39	1	1	4	8	12	14	34
35-49	419	5.1	24	1	1	4	7	10	13	22
50-64	952	6.1	34	1	1	4	9	12	15	27
65+	1070	7.4	40	1	2	6	10	14	17	32
GRAND TOTAL	**2717**	**6.5**	**36**	**1**	**1**	**5**	**9**	**13**	**16**	**30**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49	6	2.0	2	<1	<1	1	2	5	5	5
50-64	10	5.3	12	1	1	5	9	10	10	10
65+	44	5.3	22	<1	1	4	8	11	16	20
B. *Operated*										
0-19 YRS	12	3.6	7	<1	1	3	5	8	9	9
20-34	156	3.4	7	<1	1	3	5	8	9	12
35-49	349	4.3	14	<1	<1	3	7	9	11	14
50-64	1364	6.9	15	1	1	7	9	12	13	16
65+	2325	9.2	13	2	5	9	11	14	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	5	6.6	61	1	1	3	10	20	20	20
35-49	20	5.1	23	<1	<1	3	8	11	15	19
50-64	81	3.7	14	<1	<1	2	5	8	10	19
65+	527	5.5	39	<1	1	4	8	12	15	25
B. *Operated*										
0-19 YRS	13	6.5	25	1	1	7	10	14	16	16
20-34	164	3.9	11	<1	1	3	5	9	11	15
35-49	491	5.3	18	<1	1	4	8	11	13	17
50-64	1871	8.1	23	1	2	8	11	13	15	23
65+	5454	10.6	29	3	6	10	13	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.0	18	<1	1	3	8	11	13	20
B. *Operated*	4206	7.8	17	1	1	8	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	635	5.3	36	<1	1	4	7	11	15	24
B. *Operated*	7993	9.6	30	1	3	9	12	15	18	26
1. SINGLE DX	4270	7.8	17	1	1	8	10	13	15	18
2. MULTIPLE DX	8628	9.2	31	1	2	9	12	15	17	26
A. NOT OPERATED	699	5.3	34	<1	1	4	7	11	15	23
B. OPERATED	12199	9.0	26	1	2	9	11	14	16	24
TOTAL 0-19 YRS	28	5.1	17	1	1	3	8	11	13	16
20-34	328	3.7	10	<1	1	3	5	8	10	16
35-49	866	4.9	17	<1	1	4	7	10	12	17
50-64	3326	7.5	20	1	1	8	10	13	15	21
65+	8350	9.9	27	2	4	9	12	15	17	25
GRAND TOTAL	**12898**	**8.8**	**27**	**1**	**2**	**9**	**11**	**14**	**16**	**24**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	5.8	21	1	2	4	8	12	15	21
20-34	64	4.6	16	1	1	4	5	8	12	25
35-49	30	4.0	12	<1	<1	3	5	9	12	15
50-64	15	4.5	5	2	2	4	6	9	9	9
65+	25	3.8	5	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	60	6.9	29	1	1	6	9	14	16	30
20-34	152	3.4	8	1	1	2	4	7	9	18
35-49	189	4.0	16	1	1	3	5	7	10	24
50-64	203	4.8	18	1	1	4	7	10	13	23
65+	77	7.0	20	1	2	7	10	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	8.0	68	1	2	5	10	16	23	46
20-34	80	5.1	16	1	2	4	6	10	13	22
35-49	86	5.3	15	<1	1	4	6	10	14	19
50-64	88	5.3	21	<1	1	4	7	10	13	28
65+	216	6.9	28	2	2	5	9	15	17	30
B. *Operated*										
0-19 YRS	120	10.6	58	2	3	9	14	19	24	42
20-34	244	7.1	54	1	1	5	9	15	20	36
35-49	255	7.0	89	1	1	4	8	15	21	49
50-64	282	8.1	64	1	1	6	11	17	26	41
65+	333	11.7	81	1	2	10	15	22	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	4.8	15	1	1	4	6	10	12	21
B. *Operated*	681	4.7	18	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	555	6.3	30	1	2	5	8	13	16	29
B. *Operated*	1234	8.9	75	1	1	7	12	18	26	43
1. SINGLE DX	876	4.7	17	1	1	4	6	10	13	21
2. MULTIPLE DX	1789	8.1	62	1	2	6	11	16	23	40
A. NOT OPERATED	750	5.9	27	1	2	4	7	12	15	27
B. OPERATED	1915	7.4	58	1	1	5	10	16	21	39
TOTAL 0-19 YRS	326	8.4	51	1	2	6	11	16	21	37
20-34	540	5.5	33	1	1	4	7	11	16	31
35-49	560	5.6	50	1	1	4	6	11	16	35
50-64	588	6.4	43	1	1	4	8	13	17	34
65+	651	9.2	60	1	2	7	12	18	23	37
GRAND TOTAL	**2665**	**7.0**	**50**	**1**	**1**	**5**	**9**	**15**	**19**	**36**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.6	7	1	1	3	5	8	8	8
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	289	2.0	2	<1	<1	1	3	4	4	6
20-34	762	2.4	3	<1	<1	2	3	4	5	7
35-49	373	1.9	2	<1	<1	1	2	4	5	7
50-64	153	1.7	2	<1	<1	1	2	4	5	9
65+	58	2.2	4	<1	<1	1	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	7	4.9	22	<1	<1	2	9	12	12	12
35-49	8	1.3	1	<1	<1	1	1	2	3	3
50-64	11	1.4		<1	<1	1	2	3	3	3
65+	8	4.8	21	<1	<1	3	7	12	14	14
B. *Operated*										
0-19 YRS	278	2.5	3	<1	<1	2	3	5	6	7
20-34	1010	2.6	3	<1	<1	2	3	5	5	9
35-49	610	2.3	4	<1	<1	2	3	5	6	9
50-64	427	2.0	4	<1	<1	1	2	4	5	10
65+	255	2.4	6	<1	<1	1	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	4	<1	<1	1	3	5	7	8
B. *Operated*	1635	2.1	3	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	37	2.8	11	<1	<1	1	3	9	11	14
B. *Operated*	2580	2.4	4	<1	<1	2	3	4	6	9
1. SINGLE DX	1648	2.1	3	<1	<1	1	3	4	5	7
2. MULTIPLE DX	2617	2.4	4	<1	<1	2	3	4	6	9
A. NOT OPERATED	50	2.6	9	<1	<1	1	3	7	10	14
B. OPERATED	4215	2.3	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	571	2.2	2	<1	<1	2	3	4	5	7
20-34	1784	2.5	4	<1	<1	2	3	4	5	9
35-49	995	2.1	3	<1	<1	1	3	4	6	8
50-64	592	1.9	4	<1	<1	1	2	4	5	9
65+	323	2.4	6	<1	<1	1	3	5	8	12
GRAND TOTAL	**4265**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	4.2	74	1	1	2	4	9	12	59
20-34	43	2.8	5	<1	<1	2	4	6	8	10
35-49	20	3.1	4	<1	1	3	4	6	7	8
50-64	23	2.7	4	<1	<1	2	3	5	7	9
65+	24	4.2	9	1	1	3	5	8	11	13
B. *Operated*										
0-19 YRS	878	2.2	2	<1	1	2	3	4	4	7
20-34	1650	2.4	3	<1	1	2	3	4	5	8
35-49	539	2.3	2	<1	1	2	3	4	5	7
50-64	154	2.4	5	<1	<1	2	3	4	6	13
65+	83	3.7	10	<1	1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.4	43	<1	<1	2	4	6	9	46
20-34	103	3.3	20	<1	<1	2	4	7	10	28
35-49	87	3.9	14	<1	<1	3	4	9	12	19
50-64	80	3.8	11	1	1	3	5	8	11	17
65+	261	5.2	26	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	488	2.8	6	<1	1	2	3	5	7	14
20-34	932	2.8	5	<1	1	2	3	5	7	12
35-49	518	3.3	24	<1	1	2	4	6	9	12
50-64	299	4.0	24	1	1	2	5	9	13	24
65+	260	6.3	34	1	1	5	8	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	3.4	26	<1	1	2	4	6	10	13
B. *Operated*	3304	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	595	4.3	24	<1	1	3	5	9	12	21
B. *Operated*	2497	3.4	16	<1	1	2	4	7	10	18
1. SINGLE DX	3462	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	3092	3.6	17	<1	1	2	4	7	10	18
A. NOT OPERATED	753	4.1	24	<1	1	3	5	9	12	19
B. OPERATED	5801	2.8	9	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	1478	2.5	8	<1	1	2	3	4	5	11
20-34	2728	2.5	4	<1	1	2	3	4	6	11
35-49	1164	2.9	13	<1	1	2	4	5	7	12
50-64	556	3.4	17	<1	1	2	4	7	11	22
65+	628	5.4	27	1	1	4	7	12	15	24
GRAND TOTAL	**6554**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.8	9	2	2	4	7	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	6.7	26	1	1	8	10	11	11	11
50-64	3	6.7	16	2	2	9	9	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	14	5.7	15	<1	1	5	8	11	14	15
50-64	11	5.7	15	1	2	4	8	12	14	14
65+	14	8.0	203	1	2	3	6	18	48	56
B. *Operated*										
0-19 YRS										
20-34	5	7.2	13	2	2	9	10	11	11	11
35-49	8	14.0	73	5	5	12	20	27	29	29
50-64	12	7.8	37	1	2	5	13	18	18	18
65+	6	13.0	42	5	5	12	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.3	8	2	2	4	6	9	9	9
B. *Operated*	9	5.3	17	1	1	6	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	42	6.3	75	1	1	4	7	12	15	56
B. *Operated*	31	10.3	49	2	3	9	14	20	22	29
1. SINGLE DX	16	4.9	12	1	1	4	8	9	10	11
2. MULTIPLE DX	73	8.0	67	1	2	5	10	18	21	50
A. NOT OPERATED	49	6.0	65	1	2	4	7	11	14	56
B. OPERATED	40	9.2	45	1	2	8	12	19	22	29
TOTAL 0-19 YRS										
20-34	11	5.0	12	1	1	5	8	10	11	11
35-49	29	8.0	43	1	1	6	10	17	22	29
50-64	27	6.8	24	1	2	5	9	14	18	18
65+	22	8.8	146	1	2	4	12	20	36	56
GRAND TOTAL	**89**	**7.4**	**58**	**1**	**2**	**5**	**9**	**15**	**19**	**45**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	4.8	10	1	1	4	7	9	10	11
35-49	43	4.1	9	1	1	4	6	8	9	14
50-64	55	4.8	8	1	1	5	7	8	10	14
65+	61	4.8	9	1	1	4	6	10	10	13
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	117	3.7	18	1	1	2	5	8	12	25
35-49	423	3.5	8	1	1	3	5	7	9	14
50-64	470	3.9	12	1	1	3	6	8	10	15
65+	281	4.6	17	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
20-34	22	6.4	19	1	1	6	8	12	16	18
35-49	88	4.5	7	1	1	4	6	8	9	13
50-64	238	5.2	14	1	1	4	7	10	13	17
65+	661	5.9	16	1	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	129	4.3	14	1	1	4	6	9	11	17
35-49	528	4.9	17	1	1	4	7	10	13	19
50-64	873	5.7	24	1	1	5	8	11	14	23
65+	803	7.5	52	1	1	6	10	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.6	9	1	1	4	7	9	10	14
B. *Operated*	1293	3.9	12	1	1	3	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	1012	5.6	15	1	2	5	7	10	13	19
B. *Operated*	2334	6.1	33	1	1	5	8	12	16	27
1. SINGLE DX	1469	4.0	12	1	1	3	6	8	11	15
2. MULTIPLE DX	3346	5.9	27	1	1	5	8	12	15	25
A. NOT OPERATED	1188	5.5	14	1	1	5	7	10	12	18
B. OPERATED	3627	5.3	27	1	1	4	7	11	14	24
TOTAL 0-19 YRS	6	5.7	18	<1	<1	5	10	11	11	11
20-34	285	4.3	16	1	1	3	6	9	12	18
35-49	1082	4.3	13	1	1	4	6	9	11	16
50-64	1636	5.1	19	1	1	4	7	10	13	21
65+	1806	6.4	33	1	1	5	8	12	16	28
GRAND TOTAL	**4815**	**5.3**	**23**	**1**	**1**	**4**	**7**	**11**	**14**	**22**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.7	15	1	1	4	6	11	13	16
20-34	540	4.9	11	1	1	4	7	9	11	15
35-49	755	5.1	15	1	1	4	7	10	12	18
50-64	348	5.6	12	1	1	5	7	10	12	18
65+	133	5.2	10	1	1	5	7	9	11	16
B. *Operated*										
0-19 YRS	139	3.8	8	1	1	3	5	8	10	13
20-34	3937	4.4	11	1	1	4	6	8	10	16
35-49	5175	4.6	12	1	1	4	6	9	11	17
50-64	2194	4.6	14	1	1	4	6	9	12	18
65+	594	5.6	19	1	1	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	337	5.9	29	<1	1	5	8	12	14	22
35-49	632	6.4	22	1	2	5	8	12	15	25
50-64	588	6.4	20	1	2	6	8	11	15	22
65+	609	6.7	18	2	2	6	8	12	14	23
B. *Operated*										
0-19 YRS	38	6.8	24	1	2	6	7	15	17	21
20-34	1304	6.2	25	1	1	5	8	12	16	25
35-49	2460	6.6	26	1	1	6	9	13	16	25
50-64	1844	6.9	39	1	1	6	9	13	17	29
65+	1177	8.4	39	1	1	8	11	16	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1808	5.1	13	1	1	5	7	10	12	17
B. *Operated*	12039	4.6	12	1	1	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	2170	6.4	22	1	2	5	8	12	14	22
B. *Operated*	6823	6.9	32	1	1	6	9	13	17	26
1. SINGLE DX	13847	4.7	13	1	1	4	6	9	11	17
2. MULTIPLE DX	8993	6.8	30	1	1	6	9	13	16	26
A. NOT OPERATED	3978	5.8	18	1	1	5	8	11	13	20
B. OPERATED	18862	5.4	21	1	1	5	7	11	14	22
TOTAL 0-19 YRS	213	4.5	13	1	1	4	6	9	13	17
20-34	6118	4.9	15	1	1	4	7	9	12	19
35-49	9022	5.3	18	1	1	5	7	10	13	21
50-64	4974	5.8	25	1	1	5	8	11	14	22
65+	2513	7.2	29	1	1	6	9	13	16	25
GRAND TOTAL	**22840**	**5.5**	**20**	**1**	**1**	**5**	**7**	**11**	**13**	**21**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	8	1	1	3	5	7	7	7
20-34	50	3.3	4	1	1	3	4	6	7	9
35-49	111	3.9	8	1	1	3	5	8	9	13
50-64	54	3.3	8	1	1	2	4	8	10	13
65+	14	5.1	16	1	1	4	9	10	13	14
B. *Operated*										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	390	3.8	11	1	1	3	5	7	8	19
35-49	1119	3.7	9	1	1	3	5	7	9	14
50-64	462	3.9	10	1	1	3	5	8	11	16
65+	75	4.4	15	1	1	4	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	21	5	5	11	14	15	15	15
20-34	34	3.9	14	<1	1	3	5	7	10	21
35-49	108	5.4	19	<1	1	4	8	10	13	22
50-64	109	4.6	8	1	1	4	6	9	10	12
65+	108	5.7	24	2	2	4	7	10	13	30
B. *Operated*										
0-19 YRS	4	6.8	19	3	3	5	9	13	13	13
20-34	170	4.7	16	1	1	4	6	10	13	22
35-49	676	5.0	20	1	1	4	6	10	14	24
50-64	463	5.5	28	1	1	4	7	11	15	30
65+	146	7.8	63	1	1	6	10	15	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.7	8	1	1	3	5	8	9	13
B. *Operated*	2049	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	364	5.2	17	1	1	4	7	10	12	22
B. *Operated*	1459	5.4	27	1	1	4	7	11	15	26
1. SINGLE DX	2282	3.8	10	1	1	3	5	7	9	15
2. MULTIPLE DX	1823	5.4	25	1	1	4	7	11	14	26
A. NOT OPERATED	597	4.6	14	1	1	4	6	9	11	20
B. OPERATED	3508	4.4	18	1	1	4	6	8	12	22
TOTAL 0-19 YRS	16	6.4	21	1	1	5	9	14	15	15
20-34	644	4.0	12	1	1	3	5	7	9	21
35-49	2014	4.2	14	1	1	4	5	8	11	20
50-64	1088	4.6	18	1	1	4	6	9	12	23
65+	343	6.3	40	1	1	5	7	12	17	34
GRAND TOTAL	**4105**	**4.5**	**17**	**1**	**1**	**4**	**6**	**9**	**11**	**22**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	43	4.2	8	<1	1	4	5	8	11	12
35-49	41	6.8	38	2	3	6	7	10	16	39
50-64	21	5.0	10	2	2	5	6	8	12	16
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	60	3.4	24	1	1	1	5	9	11	30
35-49	64	3.6	14	1	1	1	6	9	11	14
50-64	13	2.9	12	1	1	1	5	8	11	12
65+	3	3.3	1	2	2	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.1	28	1	1	7	9	15	17	17
20-34	36	5.8	14	1	2	5	8	12	13	16
35-49	58	5.3	13	1	2	4	7	10	14	18
50-64	33	6.1	11	1	2	6	8	11	12	13
65+	34	5.3	15	2	2	4	6	10	15	19
B. *Operated*										
0-19 YRS										
20-34	44	5.9	31	<1	1	5	9	14	17	24
35-49	66	7.3	44	1	1	7	10	14	18	36
50-64	28	7.4	48	1	1	6	9	14	25	32
65+	11	7.6	115	1	1	2	9	27	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	5.3	21	1	2	5	7	9	12	29
B. *Operated*	143	3.5	18	1	1	1	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	171	5.7	14	1	2	5	7	11	13	18
B. *Operated*	149	6.9	45	1	1	6	9	14	20	33
1. SINGLE DX	249	4.3	20	1	1	3	6	9	11	21
2. MULTIPLE DX	320	6.3	29	1	1	5	8	12	16	32
A. NOT OPERATED	277	5.5	17	1	2	5	7	10	13	19
B. OPERATED	292	5.2	35	1	1	3	8	11	14	32
TOTAL 0-19 YRS	13	6.7	24	1	1	7	9	14	16	17
20-34	183	4.7	21	1	1	3	7	10	13	23
35-49	229	5.7	29	1	1	4	8	11	14	33
50-64	95	5.8	23	1	1	5	8	11	13	28
65+	49	5.6	36	1	1	4	6	12	19	33
GRAND TOTAL	**569**	**5.4**	**26**	**1**	**1**	**4**	**8**	**11**	**14**	**30**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	27	3.4	6	<1	<1	3	5	8	8	8
35-49	52	4.6	12	1	1	4	6	9	13	14
50-64	43	4.9	13	1	1	4	6	10	12	18
65+	20	4.9	15	1	2	4	6	9	13	18
B. *Operated*										
0-19 YRS										
20-34	41	2.1	4	1	1	1	2	7	7	7
35-49	57	2.7	9	<1	1	1	3	8	10	13
50-64	27	3.1	19	1	1	1	3	6	13	21
65+	5	3.8	27	<1	<1	1	5	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	33	4.8	35	<1	1	3	6	8	9	35
35-49	72	6.3	35	1	2	5	7	11	16	35
50-64	79	5.6	14	1	2	5	7	10	12	22
65+	141	5.8	10	2	2	5	7	9	12	17
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	30	3.5	10	1	1	2	6	9	10	10
35-49	39	4.6	16	1	1	3	7	11	13	14
50-64	41	5.0	18	1	1	3	8	11	14	16
65+	29	6.0	20	1	1	5	9	12	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.5	12	<1	1	4	6	9	12	18
B. *Operated*	130	2.6	10	<1	1	1	3	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	327	5.7	19	1	2	5	7	9	13	26
B. *Operated*	141	4.7	16	1	1	3	7	11	12	16
1. SINGLE DX	273	3.6	12	<1	1	2	5	8	11	17
2. MULTIPLE DX	468	5.4	18	1	1	5	7	10	12	22
A. NOT OPERATED	470	5.4	17	1	1	5	7	9	12	22
B. OPERATED	271	3.7	14	1	1	2	6	9	12	16
TOTAL 0-19 YRS	5	2.4	4	1	1	1	4	5	5	5
20-34	131	3.4	15	<1	1	2	5	7	8	15
35-49	220	4.7	21	1	1	3	6	10	13	25
50-64	190	5.0	16	1	1	4	7	10	12	20
65+	195	5.7	12	1	2	5	7	10	13	17
GRAND TOTAL	**741**	**4.8**	**17**	**1**	**1**	**4**	**7**	**9**	**12**	**18**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	9	<1	1	2	4	6	7	19
20-34	486	4.4	11	1	1	4	6	8	11	17
35-49	634	4.5	14	1	1	4	6	9	12	18
50-64	331	4.4	16	<1	1	4	6	9	11	22
65+	188	3.6	13	<1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	30	2.2	3	<1	1	1	3	5	6	7
20-34	721	2.4	7	1	1	1	3	6	8	12
35-49	1088	2.7	8	1	1	1	4	7	9	13
50-64	803	3.6	10	1	1	2	6	8	9	14
65+	611	4.9	16	1	1	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.1	5	<1	<1	3	4	6	8	9
20-34	593	5.6	29	1	1	4	7	12	16	29
35-49	1023	6.1	31	1	1	5	7	12	16	32
50-64	831	5.7	26	1	1	4	7	11	15	27
65+	1108	5.7	18	1	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	32	4.3	19	<1	1	3	7	8	10	22
20-34	648	4.0	20	1	1	2	6	9	12	18
35-49	1059	4.6	25	1	1	3	7	10	14	28
50-64	1205	5.8	37	1	1	5	8	11	15	29
65+	1637	8.4	44	1	1	7	11	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1685	4.3	13	<1	1	4	6	8	11	18
B. *Operated*	3253	3.2	10	1	1	1	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	3616	5.7	25	1	1	5	7	11	15	27
B. *Operated*	4581	6.2	37	1	1	5	8	13	17	29
1. SINGLE DX	4938	3.6	12	1	1	2	5	8	10	15
2. MULTIPLE DX	8197	6.0	32	1	1	5	8	12	16	29
A. NOT OPERATED	5301	5.3	22	1	1	4	7	10	14	25
B. OPERATED	7834	5.0	28	1	1	3	7	11	14	24
TOTAL 0-19 YRS	169	3.2	9	<1	1	2	4	7	8	17
20-34	2448	4.0	18	1	1	3	5	8	12	19
35-49	3804	4.5	22	1	1	3	6	9	13	23
50-64	3170	5.1	26	1	1	4	7	10	13	25
65+	3544	6.7	32	1	1	6	9	13	17	27
GRAND TOTAL	**13135**	**5.1**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.4	2	1	1	2	3	4	5	9
20-34	42	3.1	4	<1	1	3	4	6	7	9
35-49	78	3.8	7	<1	1	3	5	7	8	14
50-64	41	3.8	10	1	1	3	5	7	10	17
65+	24	3.2	7	1	1	2	4	7	10	11
B. *Operated*										
0-19 YRS	138	1.9	3	<1	<1	1	2	4	5	9
20-34	467	1.9	3	<1	<1	1	2	3	5	9
35-49	713	2.0	3	<1	<1	2	2	4	5	8
50-64	545	2.0	2	<1	<1	2	2	4	5	7
65+	170	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.5	5	1	1	3	4	7	7	12
20-34	69	3.8	8	1	1	3	4	7	9	16
35-49	86	4.0	7	1	1	3	5	7	9	13
50-64	116	4.4	12	<1	1	4	6	9	11	18
65+	171	4.5	9	1	1	4	6	8	9	15
B. *Operated*										
0-19 YRS	70	3.0	9	<1	<1	2	3	8	10	14
20-34	397	3.0	11	<1	1	2	3	5	8	15
35-49	700	2.7	6	<1	1	2	3	5	7	14
50-64	662	2.9	9	<1	1	2	3	5	8	16
65+	352	4.3	21	1	1	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.1	6	1	1	2	4	6	8	11
B. *Operated*	2033	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	492	4.2	9	1	1	3	6	8	10	15
B. *Operated*	2181	3.1	11	<1	1	2	3	6	9	16
1. SINGLE DX	2314	2.1	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2673	3.3	10	<1	1	2	4	7	9	16
A. NOT OPERATED	773	3.8	8	1	1	3	5	7	9	14
B. OPERATED	4214	2.6	7	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	354	2.5	4	<1	<1	2	3	5	7	11
20-34	975	2.5	7	<1	<1	2	3	5	7	13
35-49	1577	2.5	5	<1	1	2	3	5	6	12
50-64	1364	2.7	7	<1	1	2	3	5	7	14
65+	717	3.8	14	<1	1	3	5	8	9	24
GRAND TOTAL	**4987**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	114	1.6	1	<1	1	1	2	3	3	4
20-34	219	2.0	1	<1	<1	2	3	3	4	6
35-49	322	2.0	2	<1	<1	2	2	4	4	7
50-64	376	2.0	1	<1	<1	2	3	4	4	6
65+	158	2.0	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	11	2.4	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	151	2.1	1	<1	1	2	3	4	4	5
20-34	332	2.2	2	<1	1	2	3	4	5	10
35-49	648	2.2	2	<1	1	2	3	4	5	7
50-64	1028	2.3	2	1	1	2	3	4	5	7
65+	832	2.5	3	<1	1	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		<1	<1	1	1	2	2	2
B. *Operated*	1189	2.0	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	30	1.6	2	<1	<1	1	2	3	5	6
B. *Operated*	2991	2.3	2	<1	1	2	3	4	5	7
1. SINGLE DX	1197	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	3021	2.3	2	<1	1	2	3	4	5	7
A. NOT OPERATED	38	1.5	1	<1	<1	1	1	3	4	6
B. OPERATED	4180	2.2	2	<1	1	2	3	4	5	7
TOTAL 0-19 YRS	266	1.9	1	<1	1	2	2	3	4	5
20-34	559	2.1	2	<1	1	2	3	4	4	7
35-49	978	2.2	2	<1	1	2	3	4	5	7
50-64	1413	2.2	2	<1	1	2	3	4	5	6
65+	1002	2.4	2	<1	1	2	3	4	5	8
GRAND TOTAL	**4218**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	66	1.1		<1	<1	<1	1	1	2	2
20-34	148	1.2		<1	<1	<1	1	2	3	4
35-49	130	1.4	1	<1	<1	<1	1	2	3	6
50-64	67	1.6	1	<1	<1	1	2	3	4	7
65+	40	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	<1	<1	3	4	4	4	4
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	6	2.7	2	<1	<1	3	3	5	5	5
B. *Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	42	1.7	2	<1	<1	1	2	3	4	8
35-49	47	2.0	2	<1	<1	2	3	4	5	5
50-64	58	3.2	17	<1	1	2	4	6	11	26
65+	81	2.9	6	<1	<1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.4	6	<1	<1	1	3	7	8	8
B. *Operated*	451	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	16	2.4	2	<1	<1	2	3	5	5	5
B. *Operated*	238	2.5	7	<1	<1	2	3	5	7	14
1. SINGLE DX	462	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	254	2.5	7	<1	<1	2	3	5	7	14
A. NOT OPERATED	27	2.4	3	<1	<1	2	3	5	6	8
B. OPERATED	689	1.8	3	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	78	1.1		<1	<1	<1	1	1	2	2
20-34	195	1.3	1	<1	<1	<1	1	2	3	6
35-49	182	1.5	1	<1	<1	1	2	3	4	5
50-64	132	2.3	9	<1	<1	1	2	4	6	16
65+	129	2.7	5	<1	<1	2	3	6	7	11
GRAND TOTAL	**716**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	8.0	39	1	1	6	10	19	21	26
20-34	15	4.7	7	1	2	4	7	9	9	9
35-49	13	5.5	13	<1	1	5	7	11	13	14
50-64	13	10.1	50	<1	2	7	15	18	24	25
65+	10	5.1	5	<1	1	5	7	8	9	9
B. *Operated*										
0-19 YRS	64	8.2	33	1	2	8	11	15	17	31
20-34	68	7.3	77	<1	1	5	9	17	24	49
35-49	63	8.0	134	1	1	6	9	16	17	80
50-64	31	9.0	58	1	1	7	12	20	28	31
65+	39	8.7	78	<1	1	7	11	18	22	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	10.7	41	3	4	9	13	21	24	28
20-34	50	8.5	87	2	2	6	11	15	29	55
35-49	58	8.5	32	2	3	7	11	17	21	24
50-64	82	11.2	80	2	3	9	15	25	30	42
65+	108	10.0	43	2	4	8	13	17	21	37
B. *Operated*										
0-19 YRS	135	14.8	159	3	4	11	17	33	43	65
20-34	261	14.7	203	2	3	10	18	36	47	61
35-49	275	13.5	144	2	3	10	17	29	42	66
50-64	344	15.0	206	2	3	11	18	32	46	84
65+	433	14.9	137	2	4	11	19	31	42	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	7.4	33	1	2	6	10	16	21	25
B. *Operated*	265	8.1	77	1	1	6	10	16	20	47
2. MULTIPLE DX										
A. *Not Operated*	391	10.0	55	2	3	8	13	20	24	35
B. *Operated*	1448	14.6	168	2	3	11	18	31	43	68
1. SINGLE DX	400	7.9	62	1	1	6	10	16	21	35
2. MULTIPLE DX	1839	13.6	148	2	3	10	17	29	42	62
A. NOT OPERATED	526	9.3	50	2	3	7	12	19	23	32
B. OPERATED	1713	13.6	160	2	3	10	17	30	43	65
TOTAL 0-19 YRS	376	11.1	90	2	3	9	14	21	28	47
20-34	394	12.2	170	1	2	8	14	30	44	61
35-49	409	11.7	129	2	2	8	15	23	32	64
50-64	470	13.8	174	2	3	10	17	29	42	81
65+	590	13.4	119	2	3	11	17	28	41	52
GRAND TOTAL	**2239**	**12.6**	**137**	**2**	**3**	**9**	**16**	**26**	**39**	**61**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	27	<1	1	3	5	8	10	32
20-34	30	2.5	4	1	1	2	3	6	7	7
35-49	68	2.4	12	<1	1	2	2	4	6	24
50-64	48	4.0	14	1	1	3	6	9	12	19
65+	98	5.1	37	1	1	4	6	9	10	41
B. *Operated*										
0-19 YRS	540	2.6	4	<1	1	2	4	5	7	10
20-34	688	2.9	6	<1	1	2	4	6	7	11
35-49	470	3.7	9	<1	1	3	5	8	10	14
50-64	298	4.8	14	1	1	4	7	10	12	16
65+	196	6.6	22	1	1	6	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.1	66	1	1	4	8	20	25	37
20-34	82	3.5	55	<1	<1	2	3	6	8	86
35-49	193	3.6	19	<1	1	2	4	7	9	27
50-64	452	5.5	30	1	1	4	7	11	14	29
65+	2474	7.0	24	2	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	286	3.9	29	<1	1	2	4	7	11	31
20-34	641	4.6	21	1	1	3	6	9	13	24
35-49	616	6.2	54	1	1	4	8	12	16	45
50-64	696	8.6	68	1	2	7	11	17	22	45
65+	1208	10.9	59	2	3	10	14	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.8	23	1	1	2	5	8	10	28
B. *Operated*	2192	3.6	10	<1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	3240	6.5	27	1	2	5	8	12	16	27
B. *Operated*	3447	7.8	58	1	1	6	11	16	21	40
1. SINGLE DX	2477	3.6	12	<1	1	2	5	8	10	16
2. MULTIPLE DX	6687	7.2	43	1	2	6	9	14	18	33
A. NOT OPERATED	3525	6.3	27	1	2	5	8	12	15	27
B. OPERATED	5639	6.2	44	1	1	4	8	13	18	32
TOTAL 0-19 YRS	906	3.3	17	<1	1	2	4	6	8	21
20-34	1441	3.6	16	<1	1	2	5	7	10	22
35-49	1347	4.7	33	1	1	3	6	10	13	30
50-64	1494	6.7	47	1	1	5	9	13	17	38
65+	3976	8.2	38	2	2	7	11	15	19	31
GRAND TOTAL	**9164**	**6.2**	**37**	**1**	**1**	**4**	**8**	**13**	**17**	**30**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	126	2.9	18	<1	1	2	3	4	6	26
20-34	65	2.3	4	<1	<1	2	3	5	6	11
35-49	41	2.9	5	<1	<1	2	4	7	8	10
50-64	27	2.2	2	<1	<1	2	3	5	5	6
65+	14	3.4	7	<1	<1	2	5	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	7.7	25	3	3	7	11	13	13	13
50-64	9	6.8	37	<1	<1	4	10	16	20	20
65+	14	17.3	508	1	1	9	24	44	76	85
B. *Operated*										
0-19 YRS	221	3.5	27	1	1	3	4	6	7	34
20-34	172	4.1	16	1	1	3	5	8	12	23
35-49	93	3.5	6	<1	1	3	5	7	9	11
50-64	128	4.3	10	1	1	3	6	9	11	15
65+	83	5.2	18	1	1	4	8	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	22	<1	<1	1	9	10	10	10
B. *Operated*	273	2.7	11	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	32	10.4	267	<1	<1	4	11	25	38	85
B. *Operated*	697	4.0	17	1	1	3	5	8	10	21
1. SINGLE DX	278	2.7	11	<1	<1	2	3	5	7	15
2. MULTIPLE DX	729	4.3	30	1	1	3	5	8	11	26
A. NOT OPERATED	37	9.6	237	<1	<1	4	10	23	35	85
B. OPERATED	970	3.6	16	<1	1	3	4	7	9	17
TOTAL 0-19 YRS	352	3.2	23	<1	1	2	3	5	6	33
20-34	240	3.6	13	<1	<1	3	5	7	10	17
35-49	139	3.4	6	<1	<1	3	5	7	9	11
50-64	165	4.1	11	<1	1	3	5	9	11	16
65+	111	6.5	92	1	1	4	8	12	17	57
GRAND TOTAL	**1007**	**3.9**	**25**	**<1**	**1**	**3**	**5**	**7**	**10**	**24**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	2.7	7	1	1	2	3	7	8	8
35-49	8	3.4	8	<1	<1	2	6	8	8	8
50-64	5	3.6	3	1	1	4	5	6	6	6
65+	6	2.8	3	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	1.6	2	<1	<1	1	1	4	5	5
35-49	11	2.6	4	1	1	2	4	6	6	6
50-64	6	2.0	2	1	1	1	4	4	4	4
65+	4	10.0	182	1	1	4	18	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	10	5.5	6	2	2	5	8	9	9	9
35-49	16	4.2	9	<1	2	3	6	8	11	12
50-64	19	4.8	11	1	1	4	6	8	12	15
65+	28	5.6	23	1	1	5	7	12	16	22
B. *Operated*										
0-19 YRS										
20-34	12	2.7	4	1	1	2	4	6	7	7
35-49	7	5.9	72	1	1	3	4	21	25	25
50-64	5	2.2	3	1	1	1	3	5	5	5
65+	11	8.1	31	1	1	10	13	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.0	5	<1	<1	2	4	7	8	8
B. *Operated*	30	3.2	29	<1	1	1	4	6	6	30
2. MULTIPLE DX										
A. *Not Operated*	75	5.0	14	1	1	4	7	9	13	20
B. *Operated*	35	4.9	30	1	1	3	5	13	15	25
1. SINGLE DX	56	3.1	18	<1	1	2	4	6	8	29
2. MULTIPLE DX	110	5.0	19	1	1	4	7	11	14	23
A. NOT OPERATED	101	4.5	13	<1	1	4	6	8	11	19
B. OPERATED	65	4.1	29	1	1	2	5	12	14	29
TOTAL 0-19 YRS	5	1.8	1	<1	<1	1	3	3	3	3
20-34	35	3.3	6	<1	1	2	5	8	8	9
35-49	42	3.9	17	<1	1	3	5	7	10	25
50-64	35	3.8	8	1	1	4	5	7	9	15
65+	49	6.2	35	1	1	5	8	14	16	30
GRAND TOTAL	**166**	**4.4**	**19**	**1**	**1**	**3**	**6**	**9**	**13**	**25**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.6	15	<1	1	2	3	4	7	24
20-34	89	3.2	12	<1	1	2	4	8	10	19
35-49	104	3.1	5	<1	1	3	4	6	7	10
50-64	65	3.2	7	1	1	2	4	8	9	12
65+	47	4.0	8	1	1	3	6	8	9	13
B. *Operated*										
0-19 YRS	246	4.0	13	<1	<1	2	7	9	10	15
20-34	389	3.4	13	<1	<1	2	5	8	11	17
35-49	357	3.0	11	<1	<1	2	3	7	10	17
50-64	364	2.2	6	<1	<1	1	2	4	6	13
65+	217	2.5	10	<1	<1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.5	6	<1	1	2	3	4	6	16
20-34	188	4.3	20	<1	1	3	5	8	12	26
35-49	252	3.7	11	1	1	3	5	8	9	18
50-64	289	4.3	14	1	1	3	6	9	12	18
65+	458	4.9	15	1	1	4	7	10	13	16
B. *Operated*										
0-19 YRS	290	3.9	23	<1	1	2	5	9	12	26
20-34	549	4.5	35	<1	1	3	6	10	12	25
35-49	589	4.5	29	1	1	3	6	10	14	26
50-64	580	5.3	38	1	1	3	7	12	19	26
65+	564	5.3	42	1	1	3	7	12	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	3.2	9	<1	1	2	4	7	9	13
B. *Operated*	1573	3.0	11	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1254	4.3	14	1	1	3	6	9	12	18
B. *Operated*	2572	4.8	35	1	1	3	6	11	15	27
1. SINGLE DX	1923	3.0	10	<1	<1	2	4	7	9	14
2. MULTIPLE DX	3826	4.6	28	1	1	3	6	10	14	25
A. NOT OPERATED	1604	4.1	13	1	1	3	5	9	11	18
B. OPERATED	4145	4.1	26	<1	1	2	5	9	13	24
TOTAL 0-19 YRS	648	3.7	17	<1	<1	2	5	9	11	22
20-34	1215	4.0	24	<1	1	2	5	9	12	21
35-49	1302	3.8	19	<1	1	2	5	9	11	20
50-64	1298	4.1	24	<1	1	2	5	9	13	24
65+	1286	4.6	27	1	1	3	6	10	14	26
GRAND TOTAL	**5749**	**4.1**	**23**	**<1**	**1**	**2**	**5**	**9**	**12**	**24**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	14	5.7	9	1	1	6	8	10	10	10
35-49	23	4.7	9	1	2	4	7	9	11	12
50-64	10	3.4	3	2	2	3	4	6	7	7
65+	4	5.0	17	2	2	3	7	11	11	11
B. *Operated*										
0-19 YRS										
20-34	6	5.3	41	1	1	3	5	17	18	18
35-49	12	2.4	3	<1	<1	2	4	5	6	6
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.8	7	<1	<1	4	6	6	6	6
B. *Operated*	9	1.6	3	<1	<1	1	1	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	53	4.7	8	1	2	4	6	9	10	12
B. *Operated*	25	3.1	12	<1	1	2	4	5	9	18
1. SINGLE DX	13	2.2	5	<1	<1	1	3	6	6	6
2. MULTIPLE DX	78	4.2	10	1	1	3	6	9	10	16
A. NOT OPERATED	57	4.6	8	1	2	4	6	9	10	12
B. OPERATED	34	2.7	10	<1	1	2	4	5	6	18
TOTAL 0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	26	4.6	16	<1	1	4	6	10	12	18
35-49	39	3.8	8	<1	1	3	6	8	10	12
50-64	17	3.1	3	1	1	3	4	6	7	7
65+	5	5.0	13	2	2	4	6	11	11	11
GRAND TOTAL	**91**	**3.9**	**10**	**1**	**1**	**3**	**6**	**8**	**10**	**16**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	7	<1	<1	<1	1	7	8	8
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	30	5.0	13	1	1	4	7	10	12	16
20-34	10	4.6	6	1	1	4	5	8	10	10
35-49	7	7.7	35	1	1	7	11	17	18	18
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	3	12.0	79	5	5	9	19	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.3	9	<1	<1	2	5	8	9	13
20-34	3	3.7	5	1	1	5	5	5	5	5
35-49	4	4.8	8	2	2	4	7	8	8	8
50-64										
65+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	78	9.8	108	2	2	7	12	22	29	59
20-34	23	10.9	199	1	1	7	10	33	48	58
35-49	14	9.6	19	2	3	9	15	15	15	15
50-64	8	8.4	33	1	1	10	13	14	15	15
65+	9	7.2	31	2	2	5	11	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.4	5	<1	<1	1	3	6	8	8
B. *Operated*	52	5.7	19	1	1	4	7	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	56	3.3	8	<1	<1	2	5	8	9	13
B. *Operated*	132	9.7	103	1	2	7	12	18	29	59
1. SINGLE DX	66	5.0	18	<1	1	4	7	10	13	21
2. MULTIPLE DX	188	7.8	83	1	1	5	10	15	23	55
A. NOT OPERATED	70	3.2	8	<1	<1	2	5	8	9	12
B. OPERATED	184	8.6	83	1	2	6	10	16	23	55
TOTAL 0-19 YRS	160	6.7	67	<1	1	4	8	14	21	48
20-34	38	8.2	132	1	1	5	8	12	38	58
35-49	27	8.0	23	2	2	8	11	15	16	18
50-64	10	7.4	32	1	1	8	13	14	15	15
65+	19	6.2	35	<1	1	4	8	16	21	22
GRAND TOTAL	**254**	**7.1**	**68**	**<1**	**1**	**5**	**9**	**15**	**21**	**49**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.0		<1	<1	<1	<1	1	1	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	204	1.6	3	<1	<1	1	1	3	5	8
20-34	62	1.6	5	<1	<1	1	1	2	4	15
35-49	22	1.6	2	<1	<1	1	1	3	5	8
50-64	10	1.4		<1	<1	1	2	2	2	2
65+	11	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	2	<1	<1	<1	1	2	5	6
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	82	1.7	1	<1	<1	1	2	3	4	6
20-34	29	2.3	3	<1	1	2	3	5	7	7
35-49	9	3.0	2	1	1	3	4	5	6	6
50-64	15	1.9	3	<1	<1	1	2	3	6	7
65+	13	1.4		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.2	1	<1	<1	<1	<1	2	3	5
B. *Operated*	309	1.6	3	<1	<1	1	1	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	21	1.6	2	<1	<1	<1	1	4	5	6
B. *Operated*	148	1.9	2	<1	<1	1	2	4	5	7
1. SINGLE DX	337	1.6	3	<1	<1	1	1	3	5	8
2. MULTIPLE DX	169	1.8	2	<1	<1	1	2	4	5	7
A. NOT OPERATED	49	1.4	1	<1	<1	<1	1	2	5	6
B. OPERATED	457	1.7	3	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	328	1.6	2	<1	<1	1	2	3	5	7
20-34	94	1.8	4	<1	<1	1	2	3	5	12
35-49	32	2.1	3	<1	<1	1	3	4	6	8
50-64	26	1.7	2	<1	<1	1	2	3	4	7
65+	26	1.5	1	<1	<1	1	2	2	3	5
GRAND TOTAL	**506**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.3	33	<1	1	2	3	5	16	29
20-34	5	2.8	4	1	1	2	4	6	6	6
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	4	2.8	5	<1	<1	2	4	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	394	4.1	10	<1	1	4	6	8	10	13
20-34	60	4.1	17	<1	1	2	6	9	13	18
35-49	45	4.0	12	<1	1	2	7	9	11	13
50-64	20	3.9	14	<1	1	2	8	10	10	10
65+	5	5.0	24	1	1	5	7	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.4	36	<1	<1	3	5	9	16	31
20-34	22	3.5	43	<1	<1	2	3	5	18	32
35-49	14	3.3	7	<1	1	3	4	7	9	9
50-64	15	3.7	21	<1	1	3	4	4	16	20
65+	31	5.0	18	1	1	4	7	11	12	20
B. *Operated*										
0-19 YRS	783	6.4	54	<1	1	5	8	13	18	37
20-34	91	6.3	54	1	1	5	8	13	17	43
35-49	96	8.3	98	1	1	6	9	17	33	52
50-64	94	7.3	41	1	1	7	10	15	23	69
65+	58	7.7	37	1	1	6	11	16	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.0	23	<1	<1	2	3	6	9	29
B. *Operated*	524	4.1	11	<1	1	3	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	224	4.3	31	<1	1	3	5	9	15	31
B. *Operated*	1122	6.7	56	<1	1	6	9	14	19	41
1. SINGLE DX	560	4.0	12	<1	1	3	6	8	10	15
2. MULTIPLE DX	1346	6.3	53	<1	1	5	8	13	19	39
A. NOT OPERATED	260	4.1	30	<1	<1	2	4	8	15	30
B. OPERATED	1646	5.8	43	<1	1	5	8	12	16	34
TOTAL 0-19 YRS	1343	5.4	40	<1	1	4	7	11	15	31
20-34	178	5.1	40	<1	1	2	7	11	16	30
35-49	157	6.5	69	<1	1	5	8	12	18	47
50-64	133	6.2	36	1	1	5	9	13	20	41
65+	95	6.6	31	1	1	5	10	15	20	22
GRAND TOTAL	**1906**	**5.6**	**42**	**<1**	**1**	**4**	**8**	**11**	**16**	**32**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	<1	<1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	336	2.5	2	1	1	2	3	4	5	7
20-34	4	1.3		1	1	1	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.6	3	<1	<1	1	1	3	6	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	268	2.9	3	1	1	3	4	5	6	7
20-34	8	2.0	1	1	1	2	3	4	4	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	1	<1	<1	2	3	4	4	4
B. *Operated*	342	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	1.6	3	<1	<1	1	1	3	6	9
B. *Operated*	280	2.8	3	1	1	3	4	5	6	7
1. SINGLE DX	347	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	301	2.7	3	1	1	2	4	5	6	8
A. NOT OPERATED	26	1.8	3	<1	<1	1	2	4	5	9
B. OPERATED	622	2.6	2	1	1	2	3	5	5	7
TOTAL 0-19 YRS	630	2.6	2	1	1	2	3	5	5	7
20-34	12	1.8	1	1	1	1	2	3	4	4
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**648**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**7**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	3	<1	1	2	2	3	7	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	267	2.9	1	1	2	3	3	4	5	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	6	1	1	2	3	7	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	130	4.8	22	2	2	4	4	8	12	32
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.0	3	<1	1	2	2	3	7	8
B. *Operated*	267	2.9	1	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	12	3.2	6	1	1	2	3	7	10	10
B. *Operated*	130	4.8	22	2	2	4	4	8	12	32
1. SINGLE DX	282	2.8	2	1	2	3	3	4	5	8
2. MULTIPLE DX	142	4.7	21	2	2	4	4	7	12	32
A. NOT OPERATED	27	2.5	5	<1	1	2	3	5	8	10
B. OPERATED	397	3.5	9	2	2	3	4	5	7	14
TOTAL 0-19 YRS	424	3.5	9	1	2	3	4	5	7	14
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**424**	**3.5**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.2	9	<1	<1	1	2	6	8	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	177	3.8	16	<1	<1	2	5	8	12	21
20-34	25	3.9	11	<1	1	3	5	10	11	12
35-49	19	6.6	9	2	2	7	8	11	12	13
50-64	11	6.2	11	1	1	7	8	11	12	12
65+	5	6.0	11	2	2	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	4.6	28	<1	1	3	6	9	18	28
20-34	7	3.7	7	2	2	2	6	8	8	8
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	6	3.7	3	2	2	3	5	6	6	6
65+	15	3.7	4	<1	<1	3	5	7	8	8
B. *Operated*										
0-19 YRS	241	8.2	109	<1	1	6	10	16	27	73
20-34	58	6.4	18	1	1	6	8	10	13	23
35-49	44	7.9	54	1	2	6	9	15	19	44
50-64	23	9.4	57	2	3	8	9	21	26	33
65+	37	10.9	68	1	2	10	15	21	31	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.1	8	<1	<1	1	2	5	7	16
B. *Operated*	237	4.2	15	<1	<1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	130	4.3	22	<1	1	3	6	8	13	28
B. *Operated*	403	8.2	84	1	1	6	10	16	23	62
1. SINGLE DX	277	3.9	15	<1	<1	2	6	8	11	20
2. MULTIPLE DX	533	7.3	72	<1	1	5	9	15	21	46
A. NOT OPERATED	170	3.8	20	<1	<1	2	5	8	12	26
B. OPERATED	640	6.7	62	<1	1	5	8	13	19	43
TOTAL 0-19 YRS	551	5.8	63	<1	<1	4	7	12	17	43
20-34	91	5.5	16	1	1	5	8	10	12	22
35-49	68	7.2	39	1	2	6	9	14	17	40
50-64	43	7.2	40	<1	1	6	9	13	21	33
65+	57	8.5	56	<1	2	6	11	17	24	35
GRAND TOTAL	**810**	**6.1**	**55**	**<1**	**1**	**4**	**7**	**13**	**18**	**37**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	290	1.2		<1	<1	1	1	2	2	3
20-34	10	1.2		<1	<1	1	1	2	2	2
35-49	8	1.8	1	<1	<1	1	2	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	183	1.5	1	<1	<1	1	2	3	4	6
20-34	21	1.8	1	<1	<1	1	2	4	4	5
35-49	10	1.9	2	<1	<1	2	2	4	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	310	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	218	1.5	1	<1	<1	1	2	3	4	6
1. SINGLE DX	312	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	224	1.5	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	8	1.1		<1	<1	<1	1	2	2	2
B. OPERATED	528	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	481	1.3	1	<1	<1	1	1	2	3	4
20-34	31	1.6	1	<1	<1	1	2	3	4	5
35-49	18	1.8	1	<1	<1	1	2	4	5	5
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**536**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**4**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	3	<1	<1	2	4	6	6	6
20-34	33	3.0	3	1	2	2	3	5	8	9
35-49	17	3.2	4	2	2	3	4	6	8	9
50-64	7	2.7	2	1	1	2	4	4	4	4
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	318	3.0	5	<1	<1	2	4	7	8	9
20-34	79	3.0	6	<1	1	3	4	5	7	15
35-49	26	3.8	4	1	1	4	5	6	7	10
50-64	12	3.6	4	<1	1	3	5	7	8	8
65+	5	3.2	6	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	9	<1	<1	2	2	7	11	12
20-34	23	4.0	10	<1	<1	3	5	10	10	10
35-49	34	3.3	6	2	2	2	3	8	9	11
50-64	18	3.6	4	1	2	3	4	7	8	9
65+	7	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	259	4.1	14	<1	1	3	5	8	11	18
20-34	128	4.6	10	1	1	4	6	8	11	19
35-49	94	4.9	10	1	1	4	6	8	11	19
50-64	57	7.0	40	<1	1	5	9	14	15	39
65+	39	6.2	23	1	1	6	7	12	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.0	3	1	2	2	4	5	6	9
B. *Operated*	440	3.0	5	<1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	96	3.4	7	<1	1	2	4	9	10	12
B. *Operated*	577	4.7	16	1	1	4	6	9	12	19
1. SINGLE DX	508	3.0	5	<1	1	2	4	6	8	10
2. MULTIPLE DX	673	4.5	15	1	1	4	6	9	11	19
A. NOT OPERATED	164	3.2	5	1	1	2	4	6	9	11
B. OPERATED	1017	4.0	12	<1	1	3	5	8	10	16
TOTAL 0-19 YRS	599	3.4	9	<1	<1	3	5	7	9	13
20-34	263	3.9	9	1	1	3	5	7	10	16
35-49	171	4.2	8	1	2	4	5	8	10	15
50-64	94	5.6	28	<1	1	4	7	11	14	31
65+	54	5.2	20	1	1	4	6	11	13	26
GRAND TOTAL	**1181**	**3.9**	**11**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	225	2.0	1	1	1	2	3	3	4	5
20-34	5	2.6	4	1	1	2	4	6	6	6
35-49	9	2.9	1	<1	1	3	4	5	5	5
50-64	3	1.3		1	1	1	2	2	2	2
65+	4	2.8	12	<1	<1	1	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.0		<1	<1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	148	2.6	13	<1	1	2	3	4	5	17
20-34	44	2.7	2	1	1	2	3	5	6	7
35-49	38	2.6	3	1	1	2	3	4	6	10
50-64	46	2.5	2	<1	1	2	4	5	5	7
65+	22	3.0	5	<1	<1	3	4	5	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	246	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	10	1.1		<1	<1	1	1	2	2	2
B. *Operated*	298	2.6	8	<1	1	2	3	4	5	10
1. SINGLE DX	246	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	308	2.6	8	<1	1	2	3	4	5	10
A. NOT OPERATED	10	1.1		<1	<1	1	1	2	2	2
B. OPERATED	544	2.4	5	1	1	2	3	4	5	7
TOTAL 0-19 YRS	382	2.2	6	<1	1	2	3	4	4	6
20-34	50	2.7	2	1	1	2	3	5	6	7
35-49	47	2.7	3	1	1	2	3	4	6	10
50-64	49	2.4	2	1	1	2	4	5	5	7
65+	26	3.0	5	<1	<1	2	4	7	8	10
GRAND TOTAL	**554**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	17	<1	<1	1	2	5	12	25
20-34	12	3.7	8	<1	<1	3	5	8	10	10
35-49	11	6.3	29	1	1	6	8	15	18	18
50-64	10	4.0	9	<1	<1	4	6	8	10	10
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	684	3.1	15	<1	1	2	4	7	9	17
20-34	221	3.7	52	<1	<1	2	5	9	10	18
35-49	126	3.1	11	<1	1	2	4	8	9	17
50-64	74	2.9	7	1	1	2	4	7	9	11
65+	23	3.2	7	1	1	2	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	5.8	94	<1	1	3	6	14	22	56
20-34	36	4.5	10	1	1	4	7	10	11	99+
35-49	31	4.1	9	1	1	4	5	8	11	12
50-64	25	4.8	10	<1	1	5	6	7	12	14
65+	34	6.1	12	1	2	5	8	12	13	14
B. *Operated*										
0-19 YRS	375	5.2	54	1	1	3	6	10	16	67
20-34	191	5.1	22	1	1	4	8	10	12	29
35-49	161	6.5	39	1	1	6	9	12	13	42
50-64	113	7.1	74	1	1	6	9	11	23	50
65+	64	6.8	34	1	1	5	9	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.4	17	<1	<1	2	4	8	12	22
B. *Operated*	1128	3.2	21	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	233	5.3	49	1	1	4	6	11	15	44
B. *Operated*	904	5.7	46	1	1	4	7	11	15	40
1. SINGLE DX	1214	3.2	21	<1	1	2	4	7	9	17
2. MULTIPLE DX	1137	5.7	47	1	1	4	7	11	15	38
A. NOT OPERATED	319	4.8	41	<1	<1	3	6	11	14	29
B. OPERATED	2032	4.3	34	<1	1	2	6	9	12	29
TOTAL 0-19 YRS	1217	4.0	35	<1	1	2	5	8	13	27
20-34	460	4.3	36	<1	1	3	6	9	11	25
35-49	329	5.0	28	1	1	4	7	10	12	23
50-64	222	5.3	45	1	1	3	7	10	12	39
65+	123	5.8	24	1	1	5	8	12	15	24
GRAND TOTAL	**2351**	**4.4**	**35**	**<1**	**1**	**3**	**6**	**9**	**12**	**29**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3317	2.3	4	1	1	2	3	3	4	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.3	12	<1	1	2	3	9	11	16
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1723	7.0	115	1	1	3	7	18	29	57
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	153	16.1	341	1	2	10	25	68	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3317	2.3	4	1	1	2	3	3	4	11
B. *Operated*	39	3.3	12	<1	1	2	3	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1723	7.0	115	1	1	3	7	18	29	57
B. *Operated*	153	16.1	341	1	2	10	25	68	99+	99+
1. SINGLE DX	3356	2.3	4	1	1	2	3	3	4	11
2. MULTIPLE DX	1876	7.7	139	1	1	3	8	22	35	81
A. NOT OPERATED	5040	3.9	47	1	1	2	3	7	14	38
B. OPERATED	192	13.5	300	1	1	7	23	60	99+	99+
TOTAL 0-19 YRS	5232	4.3	59	1	1	2	3	8	16	51
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**5232**	**4.3**	**59**	**1**	**1**	**2**	**3**	**8**	**16**	**51**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	693	1.9	6	<1	1	1	2	3	4	6
20-34	279	2.0	3	<1	<1	1	2	3	5	9
35-49	176	2.1	2	<1	<1	2	2	4	6	8
50-64	112	2.0	2	1	1	2	2	3	4	9
65+	83	2.4	2	<1	1	2	3	4	6	7
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	8	3.1	4	1	1	3	5	6	6	6
35-49	6	6.0	24	1	1	5	9	13	14	14
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	4	2.8	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1335	2.2	5	<1	1	2	3	4	5	11
20-34	519	3.1	14	1	1	2	4	6	7	18
35-49	531	3.3	7	1	1	2	4	7	9	14
50-64	613	3.6	12	1	1	3	4	7	10	20
65+	1228	4.5	15	1	1	4	6	8	11	20
B. *Operated*										
0-19 YRS	26	3.4	12	1	1	3	4	6	11	18
20-34	45	5.2	41	<1	1	3	6	14	15	39
35-49	44	8.4	86	1	1	6	9	21	34	39
50-64	65	7.1	45	2	2	5	9	14	21	36
65+	109	9.5	122	2	2	7	11	18	25	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1343	2.0	4	<1	1	1	2	3	5	8
B. *Operated*	24	3.5	9	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	4226	3.3	11	1	1	2	4	7	9	16
B. *Operated*	289	7.6	80	1	2	5	9	15	24	42
1. SINGLE DX	1367	2.0	4	<1	1	1	2	3	5	9
2. MULTIPLE DX	4515	3.6	17	1	1	2	4	7	10	20
A. NOT OPERATED	5569	3.0	10	1	1	2	4	6	8	14
B. OPERATED	313	7.2	76	1	1	4	8	15	23	41
TOTAL 0-19 YRS	2057	2.1	5	<1	1	2	2	4	5	9
20-34	851	2.8	12	<1	1	2	3	5	7	16
35-49	757	3.3	13	<1	1	2	4	7	9	15
50-64	793	3.7	15	1	1	2	4	7	10	21
65+	1424	4.8	25	1	1	4	6	9	12	23
GRAND TOTAL	**5882**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	2.6	2	1	1	2	3	4	5	8
20-34	56	3.5	6	1	1	3	4	7	9	12
35-49	39	4.1	8	1	2	3	5	6	9	17
50-64	32	4.0	5	1	2	3	5	7	8	12
65+	40	4.1	7	1	1	4	5	8	10	11
B. *Operated*										
0-19 YRS	6	6.5	27	1	1	5	11	14	14	14
20-34	7	7.9	31	3	3	7	10	17	19	19
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	4	7.5	8	4	4	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	3.0	11	1	1	2	3	5	7	14
20-34	246	4.0	11	1	1	3	5	7	10	15
35-49	264	4.7	13	1	2	4	6	8	11	20
50-64	348	4.9	11	1	2	4	7	9	11	17
65+	833	5.9	30	2	2	5	7	10	14	27
B. *Operated*										
0-19 YRS	24	5.7	48	<1	1	4	6	14	23	31
20-34	64	7.4	38	1	2	5	10	16	19	29
35-49	49	8.8	45	2	3	7	10	18	23	34
50-64	104	10.6	70	2	3	8	15	23	28	40
65+	143	11.7	81	3	4	9	15	22	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	3.1	4	1	1	3	4	5	7	11
B. *Operated*	22	6.5	20	1	2	6	8	12	16	19
2. MULTIPLE DX										
A. *Not Operated*	2309	4.6	19	1	2	4	6	9	11	20
B. *Operated*	384	9.9	67	2	3	8	13	20	26	41
1. SINGLE DX	460	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	2693	5.4	30	1	2	4	6	10	15	29
A. NOT OPERATED	2747	4.4	17	1	1	3	5	8	11	19
B. OPERATED	406	9.7	65	2	2	7	12	20	25	41
TOTAL 0-19 YRS	919	3.0	9	1	1	2	3	5	6	14
20-34	373	4.5	17	1	1	3	6	9	12	19
35-49	355	5.2	19	1	2	4	6	9	13	24
50-64	486	6.1	29	2	2	5	7	12	17	29
65+	1020	6.6	40	2	2	5	8	12	17	32
GRAND TOTAL	**3153**	**5.1**	**27**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	1.7	1	<1	<1	1	2	3	3	5
20-34	129	2.5	3	<1	1	2	3	5	6	9
35-49	77	2.2	2	<1	1	2	3	4	5	8
50-64	39	2.5	4	<1	1	2	4	6	7	8
65+	13	2.0	2	1	1	1	2	4	6	6
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	28	2.4	2	<1	1	2	4	5	5	5
35-49	13	3.0	8	<1	1	2	3	8	10	10
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	2.0	1	1	1	2	2	3	4	6
20-34	282	3.2	10	1	1	2	4	6	9	19
35-49	255	3.4	8	1	1	3	4	7	8	16
50-64	191	3.5	9	1	1	3	4	7	7	17
65+	189	3.3	6	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS	5	6.2	31	3	3	4	8	16	16	16
20-34	41	3.6	7	1	1	3	5	8	9	10
35-49	43	4.4	31	<1	1	3	6	10	13	33
50-64	32	4.4	12	1	1	3	6	9	13	14
65+	27	5.2	12	1	1	5	7	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	2.3	3	<1	1	2	3	4	6	8
B. *Operated*	53	2.4	3	<1	1	2	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	1001	3.2	8	1	1	2	4	6	8	16
B. *Operated*	148	4.4	17	1	1	3	6	9	12	17
1. SINGLE DX	352	2.3	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	1149	3.4	9	1	1	2	4	7	8	16
A. NOT OPERATED	1300	3.0	7	1	1	2	4	6	7	15
B. OPERATED	201	3.8	14	1	1	3	5	8	10	16
TOTAL 0-19 YRS	133	2.0	3	1	1	2	2	3	4	9
20-34	480	3.0	8	1	1	2	4	6	8	14
35-49	388	3.3	10	1	1	2	4	6	8	16
50-64	266	3.4	8	1	1	3	4	7	8	15
65+	234	3.4	7	1	1	3	4	7	8	15
GRAND TOTAL	**1501**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	2	2	3	4	4
20-34	23	2.8	2	<1	1	3	4	4	5	6
35-49	26	2.9	3	<1	1	3	4	5	6	6
50-64	52	2.6	3	1	1	2	4	5	6	7
65+	59	2.4	3	<1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	11	2.8	7	<1	<1	1	6	7	7	7
20-34	27	3.9	10	1	2	3	5	7	9	17
35-49	65	3.6	4	1	1	3	5	6	7	8
50-64	86	3.6	6	1	1	3	5	6	7	17
65+	86	3.5	7	1	1	3	5	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.8	1	<1	1	1	2	3	5	5
20-34	24	2.9	3	1	1	2	4	5	6	7
35-49	74	2.8	3	<1	1	2	4	5	6	8
50-64	157	3.3	6	1	1	3	4	6	8	12
65+	301	3.2	6	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	8	4.9	14	<1	<1	4	8	10	10	10
20-34	25	4.1	5	1	1	4	5	7	8	10
35-49	69	3.6	4	1	1	3	5	6	7	9
50-64	167	4.7	11	1	2	4	6	7	11	19
65+	308	4.5	25	1	1	4	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.5	3	<1	1	2	3	5	6	7
B. *Operated*	275	3.6	6	1	1	3	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	580	3.1	5	1	1	3	4	6	7	11
B. *Operated*	577	4.5	17	1	1	4	5	8	10	16
1. SINGLE DX	445	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1157	3.8	12	1	1	3	5	7	9	14
A. NOT OPERATED	750	3.0	5	1	1	2	4	6	7	10
B. OPERATED	852	4.2	14	1	1	4	5	7	9	16
TOTAL 0-19 YRS	53	2.5	5	<1	<1	1	3	6	7	10
20-34	99	3.5	5	1	1	3	5	6	7	14
35-49	234	3.3	3	1	1	3	5	6	7	8
50-64	462	3.8	8	1	1	3	5	6	9	14
65+	754	3.7	14	1	1	3	5	7	9	14
GRAND TOTAL	**1602**	**3.6**	**10**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	2	1	1	2	4	5	5	5
20-34	7	2.1		1	1	2	3	3	3	3
35-49	12	2.1	2	<1	<1	2	3	4	5	5
50-64	9	2.3	3	1	1	2	3	5	6	6
65+	7	1.6	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	35	1.6	2	<1	<1	1	1	3	6	7
20-34	58	1.3	1	<1	<1	1	1	2	2	7
35-49	45	1.6	2	<1	<1	1	2	3	4	8
50-64	28	1.4	1	<1	<1	1	1	3	3	4
65+	10	2.2	8	<1	<1	1	2	6	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	18	<1	<1	2	4	9	14	19
20-34	42	3.0	6	1	1	2	4	5	6	15
35-49	62	3.0	7	<1	<1	2	3	7	9	12
50-64	89	3.7	11	1	1	3	5	8	12	16
65+	222	5.1	23	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	14	2.6	9	<1	<1	1	2	8	10	10
20-34	36	5.2	85	<1	<1	3	6	9	12	56
35-49	53	4.9	20	1	1	3	8	13	13	18
50-64	64	9.4	217	<1	1	4	10	17	45	76
65+	58	9.8	144	<1	1	4	14	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	2	1	1	2	3	4	5	6
B. *Operated*	176	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX										
A. *Not Operated*	446	4.2	17	1	1	3	5	9	12	19
B. *Operated*	225	7.4	123	<1	1	3	8	16	29	57
1. SINGLE DX	226	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	671	5.3	55	<1	1	3	6	11	15	43
A. NOT OPERATED	496	4.0	16	1	1	3	5	8	12	18
B. OPERATED	401	4.8	78	<1	<1	1	5	11	17	52
TOTAL 0-19 YRS	95	2.5	9	<1	<1	1	3	6	8	17
20-34	143	2.8	25	<1	<1	1	3	5	7	18
35-49	172	3.1	11	<1	<1	2	4	8	11	15
50-64	190	5.2	87	<1	<1	2	6	12	16	57
65+	297	5.8	50	1	1	3	7	12	17	40
GRAND TOTAL	**897**	**4.3**	**44**	**<1**	**<1**	**2**	**5**	**10**	**14**	**40**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	8	9.0	164	<1	<1	2	16	30	32	32
35-49	12	6.8	107	<1	<1	3	7	19	35	38
50-64	6	5.8	28	1	1	4	9	14	15	15
65+	29	9.2	74	1	2	7	10	17	35	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	7.6	24	2	3	7	9	15	18	18
50-64	14	8.1	34	2	3	6	10	20	21	21
65+	53	7.9	54	1	2	7	8	16	21	41
B. *Operated*										
0-19 YRS	15	8.7	180	<1	<1	3	8	33	43	47
20-34	42	11.9	227	<1	1	8	14	31	50	65
35-49	68	11.1	134	1	2	8	15	22	30	69
50-64	157	13.6	153	2	2	11	17	26	39	52
65+	433	12.6	107	2	3	10	16	24	34	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	48	1	1	2	5	18	19	19
B. *Operated*	58	8.1	82	<1	1	6	9	18	34	38
2. MULTIPLE DX										
A. *Not Operated*	77	7.9	46	1	2	7	9	17	20	38
B. *Operated*	715	12.5	128	2	2	9	16	24	35	54
1. SINGLE DX	64	7.8	79	<1	1	6	9	19	33	38
2. MULTIPLE DX	792	12.1	122	1	2	9	15	24	35	52
A. NOT OPERATED	83	7.7	46	1	2	6	9	18	20	38
B. OPERATED	773	12.2	126	1	2	9	16	24	35	52
TOTAL 0-19 YRS	20	7.5	139	<1	<1	3	7	23	40	47
20-34	51	11.4	210	<1	1	7	14	29	50	65
35-49	89	10.3	121	1	2	7	14	22	30	62
50-64	179	12.8	142	1	2	10	17	24	38	52
65+	517	11.9	102	2	3	9	15	23	33	48
GRAND TOTAL	**856**	**11.8**	**120**	**1**	**2**	**9**	**15**	**24**	**34**	**52**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.9	2	<1	1	1	3	4	5	5
20-34	368	1.6	1	<1	1	1	2	3	3	7
35-49	1436	1.7	1	<1	1	1	2	3	3	6
50-64	1259	1.9	1	1	1	2	2	3	4	6
65+	600	2.0	1	1	1	2	2	3	4	6
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	53	1.7	2	<1	<1	1	2	4	5	6
35-49	369	1.7	2	<1	<1	1	2	3	4	8
50-64	470	1.6	1	<1	<1	1	2	3	4	7
65+	191	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.2	3	<1	1	2	3	4	6	8
20-34	745	2.1	2	1	1	2	2	3	4	8
35-49	3478	2.2	2	1	1	2	3	4	5	8
50-64	4995	2.5	3	1	1	2	3	4	6	9
65+	5202	2.9	4	1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	7	3.7	5	1	1	3	6	7	7	7
20-34	108	2.8	5	<1	1	2	4	6	7	11
35-49	787	2.6	6	<1	1	2	3	5	7	13
50-64	1469	2.7	7	<1	1	2	3	5	7	14
65+	975	3.2	9	<1	1	2	4	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3684	1.8	1	1	1	2	2	3	4	6
B. *Operated*	1085	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	14480	2.5	3	1	1	2	3	5	6	9
B. *Operated*	3346	2.8	7	<1	1	2	4	6	8	14
1. SINGLE DX	4769	1.8	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	17826	2.6	4	1	1	2	3	5	6	10
A. NOT OPERATED	18164	2.4	3	1	1	2	3	4	5	8
B. OPERATED	4431	2.5	6	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	90	2.3	3	<1	1	2	3	5	6	8
20-34	1274	2.0	2	<1	1	2	2	4	4	8
35-49	6070	2.1	3	1	1	2	3	4	5	8
50-64	8193	2.4	3	1	1	2	3	4	6	9
65+	6968	2.8	4	1	1	2	3	5	6	11
GRAND TOTAL	**22595**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	2.0	2	<1	1	2	2	4	5	8
20-34	11	1.2		<1	<1	1	1	2	2	2
35-49	18	1.9	2	<1	<1	2	3	3	5	6
50-64	23	4.1	28	<1	<1	2	5	10	19	21
65+	32	2.6	7	1	1	2	3	5	6	15
B. *Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	18	2.6	5	<1	<1	2	3	6	8	8
35-49	41	2.0	3	<1	1	1	2	5	6	9
50-64	46	2.2	3	<1	1	2	2	5	6	8
65+	26	2.2	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	3.1	12	1	1	2	4	6	8	19
20-34	86	3.3	8	<1	1	2	4	7	9	15
35-49	159	3.7	14	1	1	3	4	7	11	18
50-64	305	3.8	11	1	1	3	5	7	9	16
65+	723	4.6	14	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	28	7.4	200	1	1	2	8	12	31	74
20-34	30	4.6	92	1	1	2	5	7	8	54
35-49	82	3.6	11	1	1	2	4	8	11	16
50-64	166	4.5	24	1	1	3	5	12	14	26
65+	213	4.6	14	<1	1	4	6	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	2.2	5	<1	1	2	3	4	6	13
B. *Operated*	137	2.2	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1706	3.9	13	1	1	3	5	8	10	18
B. *Operated*	519	4.6	32	1	1	3	6	10	13	26
1. SINGLE DX	443	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX	2225	4.0	18	1	1	3	5	8	11	19
A. NOT OPERATED	2012	3.6	12	1	1	3	4	7	9	17
B. OPERATED	656	4.1	27	<1	1	2	5	8	12	23
TOTAL 0-19 YRS	689	2.9	18	<1	1	2	3	5	8	19
20-34	145	3.3	24	<1	1	2	4	7	8	18
35-49	300	3.3	11	1	1	2	4	7	10	16
50-64	540	3.9	15	1	1	3	5	8	12	21
65+	994	4.4	14	1	1	3	6	9	12	18
GRAND TOTAL	**2668**	**3.7**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.5		<1	<1	1	2	2	2	2
20-34	67	1.7	1	<1	<1	1	2	3	4	6
35-49	87	1.5	1	<1	<1	1	2	2	3	6
50-64	60	1.7	1	<1	<1	1	2	3	4	5
65+	28	1.5		<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	10	1.1		<1	<1	<1	<1	1	2	2
20-34	16	1.6		<1	<1	1	2	2	3	3
35-49	21	2.8	3	<1	<1	2	4	6	6	7
50-64	22	3.4	2	<1	1	3	4	5	6	6
65+	15	3.5	3	<1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5		<1	<1	1	2	2	3	3
20-34	112	2.6	4	<1	1	2	3	5	6	11
35-49	138	1.9	2	<1	<1	1	2	4	5	9
50-64	123	2.6	8	<1	1	2	3	5	8	15
65+	337	3.9	8	1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	33	3.1	12	<1	<1	1	5	8	9	16
20-34	44	5.4	111	<1	1	3	5	7	25	64
35-49	65	3.1	5	<1	1	2	4	7	8	9
50-64	100	3.8	14	1	1	3	5	7	9	23
65+	285	5.4	23	1	1	4	7	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	84	2.6	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	723	3.0	7	<1	1	2	4	6	8	13
B. *Operated*	527	4.7	27	1	1	3	6	9	12	28
1. SINGLE DX	338	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	1250	3.7	16	<1	1	3	5	8	9	20
A. NOT OPERATED	977	2.6	6	<1	1	2	3	5	7	13
B. OPERATED	611	4.4	24	<1	1	3	5	8	11	27
TOTAL 0-19 YRS	68	2.2	7	<1	<1	1	2	6	8	15
20-34	239	2.8	24	<1	1	2	3	5	6	24
35-49	311	2.1	3	<1	<1	1	2	4	6	9
50-64	305	2.9	9	<1	1	2	3	5	7	14
65+	665	4.4	15	1	1	4	5	8	11	23
GRAND TOTAL	**1588**	**3.3**	**14**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	970	1.5	1	<1	<1	1	2	3	4	5
20-34	1205	2.0	2	<1	1	2	2	4	5	8
35-49	686	2.2	2	<1	1	2	3	4	5	8
50-64	392	2.4	3	<1	<1	2	3	5	6	10
65+	203	2.4	4	<1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	221	2.9	3	1	1	3	3	4	5	11
20-34	307	3.0	3	1	1	3	4	5	7	9
35-49	122	3.4	6	<1	<1	3	4	6	9	13
50-64	46	3.0	7	<1	1	2	4	6	8	13
65+	23	4.0	17	<1	<1	2	7	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	784	2.0	2	<1	1	1	2	4	5	8
20-34	1500	2.7	6	<1	1	2	3	5	7	11
35-49	1182	3.1	7	1	1	2	4	6	8	13
50-64	1075	3.3	7	1	1	3	4	6	8	13
65+	1837	4.0	10	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	170	3.5	5	1	2	3	4	6	7	12
20-34	394	4.5	18	1	1	4	5	8	12	27
35-49	259	4.8	14	1	1	4	6	8	12	19
50-64	178	5.9	17	1	1	5	8	12	14	19
65+	295	6.9	43	1	1	5	8	14	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3456	2.0	2	<1	1	1	2	4	5	8
B. *Operated*	719	3.1	4	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	6378	3.2	7	1	1	2	4	6	8	13
B. *Operated*	1296	5.2	22	1	1	4	6	10	14	26
1. SINGLE DX	4175	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	7674	3.5	10	1	1	3	4	7	9	16
A. NOT OPERATED	9834	2.7	6	<1	1	2	3	5	7	12
B. OPERATED	2015	4.4	17	1	1	3	5	8	12	22
TOTAL 0-19 YRS	2145	2.0	2	<1	1	1	2	4	5	8
20-34	3406	2.7	6	<1	1	2	3	5	7	12
35-49	2249	3.0	7	<1	1	2	4	6	8	13
50-64	1691	3.4	8	<1	1	2	4	7	9	14
65+	2358	4.2	15	1	1	3	5	8	11	20
GRAND TOTAL	**11849**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.0	2	<1	1	1	2	4	5	7
20-34	43	2.0	2	<1	<1	2	2	4	5	7
35-49	39	2.4	4	<1	1	2	3	4	6	11
50-64	27	3.8	53	<1	1	2	4	6	12	39
65+	37	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	9	1.8	1	<1	<1	1	2	4	4	4
20-34	25	5.7	7	1	3	5	7	10	11	12
35-49	22	2.7	4	<1	<1	2	4	6	7	7
50-64	25	4.2	13	<1	1	3	6	10	11	14
65+	20	3.6	8	<1	<1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	2.5	5	1	1	2	3	5	7	12
20-34	277	3.3	14	1	1	2	3	6	9	22
35-49	306	3.8	13	1	1	3	5	7	10	19
50-64	498	4.0	10	1	1	3	5	8	11	16
65+	1094	4.4	12	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	71	4.2	93	1	1	1	3	9	15	64
20-34	128	3.8	20	1	1	2	5	8	15	23
35-49	173	4.3	31	1	1	3	5	8	14	31
50-64	152	5.8	49	1	1	4	7	11	16	41
65+	335	7.0	68	1	1	5	9	15	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.4	9	<1	<1	2	3	5	6	8
B. *Operated*	101	3.9	9	<1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2495	3.9	11	1	1	3	5	8	10	17
B. *Operated*	859	5.5	53	1	1	3	7	12	17	37
1. SINGLE DX	332	2.8	9	<1	1	2	4	6	7	12
2. MULTIPLE DX	3354	4.3	23	1	1	3	5	9	12	24
A. NOT OPERATED	2726	3.8	11	1	1	3	5	7	10	17
B. OPERATED	960	5.3	49	1	1	3	7	12	16	35
TOTAL 0-19 YRS	485	2.6	18	<1	1	2	3	5	8	15
20-34	473	3.5	15	1	1	2	4	7	10	21
35-49	540	3.8	18	1	1	3	5	8	11	23
50-64	702	4.4	21	1	1	3	5	9	12	25
65+	1486	4.9	25	1	1	4	6	10	14	25
GRAND TOTAL	**3686**	**4.2**	**22**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	474	2.7	6	1	1	2	3	5	7	12
20-34	189	2.4	7	<1	1	2	3	5	7	18
35-49	253	2.1	4	<1	1	2	2	4	5	11
50-64	339	2.1	4	<1	1	2	2	4	5	10
65+	482	2.1	2	<1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	51	1.5	1	<1	<1	1	2	3	4	6
20-34	89	1.6	1	<1	<1	1	2	3	4	6
35-49	134	1.9	3	<1	<1	1	2	4	5	8
50-64	133	2.1	21	<1	<1	1	2	3	4	17
65+	56	2.7	7	<1	<1	1	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	976	3.8	17	1	1	3	5	7	11	23
20-34	719	3.3	24	1	1	2	4	6	8	26
35-49	1168	3.3	17	1	1	2	4	7	8	19
50-64	2663	4.1	18	1	1	3	5	8	12	22
65+	7997	4.4	16	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	109	6.7	82	<1	1	3	9	19	29	99+
20-34	185	3.5	23	<1	1	2	4	8	12	36
35-49	305	5.6	100	1	1	3	5	14	24	66
50-64	563	6.4	77	1	1	3	8	15	23	58
65+	1089	8.9	108	1	1	6	11	19	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1737	2.3	4	<1	1	2	3	4	6	11
B. *Operated*	463	1.9	8	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	13523	4.2	17	1	1	3	5	8	11	21
B. *Operated*	2251	7.3	94	1	1	4	9	17	27	60
1. SINGLE DX	2200	2.2	5	<1	1	2	3	4	6	11
2. MULTIPLE DX	15774	4.6	29	1	1	3	5	9	13	28
A. NOT OPERATED	15260	4.0	16	1	1	3	5	8	11	20
B. OPERATED	2714	6.4	83	<1	1	3	8	15	24	55
TOTAL 0-19 YRS	1610	3.6	18	1	1	2	4	7	11	26
20-34	1182	3.1	20	1	1	2	3	6	8	24
35-49	1860	3.4	29	1	1	2	4	7	9	28
50-64	3698	4.2	27	1	1	3	5	9	12	27
65+	9624	4.8	28	1	1	3	6	10	14	27
GRAND TOTAL	**17974**	**4.3**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	1.8	3	<1	1	1	2	3	4	7
20-34	28	3.0	8	<1	<1	2	4	8	9	11
35-49	10	3.0	10	<1	<1	2	3	8	11	11
50-64	4	6.0	54	2	2	3	10	17	17	17
65+	5	7.4	20	2	2	6	12	12	12	12
B. *Operated*										
0-19 YRS	56	4.1	6	1	2	4	5	8	9	12
20-34	25	4.2	4	1	1	5	5	6	7	9
35-49	7	4.9	12	1	1	4	8	10	10	10
50-64	4	5.5	17	1	1	6	9	9	9	9
65+	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	3.4	20	1	1	2	4	7	11	25
20-34	85	5.2	19	<1	1	4	8	12	14	18
35-49	31	5.1	35	<1	1	3	7	13	19	25
50-64	19	5.3	43	<1	1	2	9	15	20	24
65+	17	9.8	66	1	1	8	14	21	27	30
B. *Operated*										
0-19 YRS	154	9.9	139	1	1	5	13	28	37	74
20-34	161	14.5	255	2	2	8	21	29	47	94
35-49	63	12.4	210	1	2	8	15	28	37	88
50-64	28	10.5	136	1	1	9	14	25	61	99+
65+	25	19.1	312	2	3	12	30	44	54	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	2.1	6	<1	1	1	2	4	6	12
B. *Operated*	95	4.3	6	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	378	4.3	26	1	1	2	5	11	14	25
B. *Operated*	431	12.5	207	1	2	8	17	29	43	94
1. SINGLE DX	389	2.6	7	1	1	2	3	6	8	12
2. MULTIPLE DX	809	8.7	139	1	1	4	11	22	30	74
A. NOT OPERATED	672	3.3	18	1	1	2	3	8	12	23
B. OPERATED	526	11.1	181	1	2	6	14	27	39	90
TOTAL 0-19 YRS	683	4.3	49	1	1	2	4	9	16	39
20-34	299	9.9	168	1	1	6	12	23	30	87
35-49	111	9.1	144	1	1	5	11	21	28	67
50-64	55	8.0	93	1	1	4	12	17	27	97
65+	50	13.9	206	1	2	9	18	33	44	74
GRAND TOTAL	**1198**	**6.7**	**104**	**1**	**1**	**3**	**8**	**17**	**25**	**57**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.4	4	<1	1	2	3	5	7	11
20-34	43	3.1	8	<1	1	2	4	6	10	14
35-49	14	2.0	2	1	1	2	2	3	6	7
50-64	13	6.0	25	1	1	3	10	13	15	15
65+	6	6.3	11	2	2	7	9	10	10	10
B. *Operated*										
0-19 YRS	26	4.5	7	1	2	4	6	8	10	12
20-34	15	8.1	388	1	1	2	5	6	61	79
35-49	5	3.8	22	1	1	2	5	12	12	12
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	4.1	20	1	1	3	5	9	13	22
20-34	201	5.3	28	1	1	3	7	12	15	29
35-49	81	5.4	26	<1	1	4	6	11	16	25
50-64	43	8.1	52	1	2	5	11	17	24	32
65+	66	7.8	38	2	2	6	9	18	21	29
B. *Operated*										
0-19 YRS	156	11.9	173	1	2	8	17	31	52	99+
20-34	200	13.4	236	1	2	9	16	35	44	90
35-49	84	15.1	254	2	2	9	20	34	59	93
50-64	29	15.1	339	2	2	9	18	33	56	88
65+	42	14.5	356	1	1	9	19	50	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	2.8	7	1	1	2	3	6	10	13
B. *Operated*	47	5.5	127	1	1	3	6	8	12	79
2. MULTIPLE DX										
A. *Not Operated*	678	5.2	28	1	1	3	6	12	16	28
B. *Operated*	511	13.4	235	1	2	9	18	34	53	99+
1. SINGLE DX	319	3.2	25	1	1	2	4	7	10	13
2. MULTIPLE DX	1189	8.7	133	1	1	5	10	20	31	81
A. NOT OPERATED	950	4.5	23	1	1	3	6	10	14	26
B. OPERATED	558	12.7	230	1	2	8	17	33	51	99+
TOTAL 0-19 YRS	665	5.5	64	1	1	3	6	13	22	56
20-34	459	8.7	145	1	1	5	10	19	33	77
35-49	184	9.5	154	1	1	5	11	25	33	79
50-64	85	10.2	156	1	2	7	14	21	30	76
65+	115	10.1	162	1	2	6	12	21	40	89
GRAND TOTAL	**1508**	**7.6**	**115**	**1**	**1**	**4**	**9**	**18**	**27**	**76**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.8	3	<1	<1	1	2	4	6	8
20-34	29	1.2		<1	<1	1	1	2	2	3
35-49	8	1.9	2	<1	<1	1	2	4	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	380	1.6	2	<1	<1	1	2	3	4	8
20-34	594	2.1	4	<1	1	1	2	4	5	10
35-49	180	2.1	5	<1	1	1	2	5	7	11
50-64	39	2.2	6	<1	<1	1	2	4	7	14
65+	22	2.0	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	52	<1	<1	1	2	4	6	50
20-34	122	2.1	2	<1	<1	1	3	4	5	7
35-49	55	1.9	1	<1	1	2	3	3	4	6
50-64	32	3.5	12	<1	1	3	5	7	9	18
65+	53	4.4	13	<1	1	3	6	9	13	15
B. *Operated*										
0-19 YRS	472	3.3	18	1	1	2	4	7	10	24
20-34	1031	4.0	29	1	1	2	4	8	11	30
35-49	396	4.1	16	1	1	3	5	9	12	20
50-64	133	5.9	84	1	1	4	7	12	16	42
65+	126	6.1	77	1	1	4	8	12	16	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.5	1	<1	<1	1	2	3	4	8
B. *Operated*	1215	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	336	2.7	16	<1	<1	2	3	5	7	15
B. *Operated*	2158	4.1	31	1	1	3	5	9	12	26
1. SINGLE DX	1277	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	2494	3.9	29	1	1	2	5	8	11	25
A. NOT OPERATED	398	2.5	14	<1	<1	2	3	5	7	14
B. OPERATED	3373	3.3	22	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	948	2.6	15	<1	<1	1	3	5	8	19
20-34	1776	3.2	19	1	1	2	4	6	9	20
35-49	639	3.3	12	1	1	2	4	8	10	18
50-64	206	4.8	60	1	1	3	5	9	14	31
65+	202	5.2	53	1	1	3	6	11	14	34
GRAND TOTAL	**3771**	**3.2**	**21**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.8	4	1	1	2	4	6	7	9
20-34	286	3.6	8	1	1	3	4	6	8	15
35-49	159	4.3	24	1	1	3	5	7	9	39
50-64	129	4.5	11	1	1	4	6	9	11	17
65+	162	5.2	10	1	2	5	7	10	11	14
B. *Operated*										
0-19 YRS	29	8.4	37	2	3	6	10	16	20	31
20-34	77	8.6	51	2	2	7	11	17	22	39
35-49	39	7.6	20	1	2	6	10	15	17	18
50-64	17	9.2	39	1	1	9	13	20	21	21
65+	18	9.4	74	1	1	7	13	19	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.4	12	1	1	3	6	10	11	16
20-34	488	4.8	18	1	1	4	6	9	11	19
35-49	326	5.7	24	1	1	5	7	11	14	24
50-64	350	6.1	17	1	2	5	8	12	13	18
65+	1620	7.1	20	2	3	6	9	13	15	22
B. *Operated*										
0-19 YRS	110	9.9	117	1	2	8	12	19	35	90
20-34	273	11.3	126	2	3	9	13	23	29	66
35-49	136	11.1	126	1	2	8	15	23	33	61
50-64	112	11.3	86	1	3	9	14	22	26	54
65+	183	12.9	71	3	4	11	17	24	33	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	875	4.0	12	1	1	3	5	8	10	15
B. *Operated*	180	8.5	42	1	2	7	11	16	19	34
2. MULTIPLE DX										
A. *Not Operated*	2975	6.3	20	1	2	5	8	12	14	21
B. *Operated*	814	11.4	107	2	3	9	14	23	32	58
1. SINGLE DX	1055	4.8	20	1	1	4	6	9	13	21
2. MULTIPLE DX	3789	7.4	43	1	2	6	9	14	18	34
A. NOT OPERATED	3850	5.8	19	1	2	5	8	11	13	21
B. OPERATED	994	10.9	97	2	3	8	14	22	29	57
TOTAL 0-19 YRS	469	5.5	44	1	1	4	7	11	15	35
20-34	1124	6.3	53	1	1	4	8	13	17	37
35-49	660	6.6	50	1	1	5	8	13	18	40
50-64	608	6.8	34	1	2	5	9	13	17	27
65+	1983	7.5	27	2	3	6	9	14	17	28
GRAND TOTAL	**4844**	**6.8**	**39**	**1**	**2**	**5**	**9**	**13**	**17**	**33**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	8	3.0	4	1	1	3	4	6	7	7
35-49	6	5.3	16	2	2	4	8	12	12	12
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS	4	9.0	27	2	2	10	13	13	13	13
20-34	20	12.0	47	1	3	11	14	21	25	29
35-49	5	13.8	15	9	9	15	16	19	19	19
50-64	3	21.0	175	6	6	26	30	31	31	31
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	24.0	507	<1	<1	25	41	46	46	46
20-34	16	9.4	78	<1	1	7	10	22	32	36
35-49	11	7.5	27	2	2	7	12	15	17	17
50-64	5	15.6	299	4	4	8	21	46	46	46
65+	18	8.8	21	2	3	9	12	15	17	17
B. *Operated*										
0-19 YRS	37	20.8	290	2	6	16	27	51	74	99+
20-34	113	21.8	251	5	7	18	31	52	77	99+
35-49	35	28.8	454	5	8	23	38	63	86	99+
50-64	21	23.0	257	4	5	22	32	51	81	99+
65+	23	23.0	245	9	11	17	26	51	59	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.4	8	1	1	4	6	9	10	12
B. *Operated*	33	12.6	53	2	4	12	15	23	29	31
2. MULTIPLE DX										
A. *Not Operated*	53	10.2	93	1	2	8	12	18	34	46
B. *Operated*	229	23.0	290	5	7	19	31	55	74	99+
1. SINGLE DX	54	9.4	51	1	2	8	13	19	25	31
2. MULTIPLE DX	282	20.6	277	3	5	16	28	50	70	99+
A. NOT OPERATED	74	8.6	76	1	2	7	11	17	25	46
B. OPERATED	262	21.7	271	4	7	17	29	53	71	99+
TOTAL 0-19 YRS	48	18.7	275	2	3	15	23	44	74	99+
20-34	157	18.4	228	2	4	14	26	41	69	99+
35-49	57	20.9	388	2	3	15	27	60	65	99+
50-64	30	21.0	248	4	4	18	31	45	67	99+
65+	44	16.1	188	3	4	12	18	28	52	70
GRAND TOTAL	**336**	**18.8**	**258**	**2**	**4**	**14**	**26**	**43**	**66**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	2	2	2
20-34	43	2.1	2	<1	1	2	2	4	5	6
35-49	54	2.3	3	<1	1	2	3	4	6	12
50-64	40	3.0	4	<1	<1	2	4	6	7	9
65+	65	3.0	4	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	3	4.3	9	1	1	5	6	7	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.2	7	1	1	2	4	6	8	14
20-34	278	2.7	3	1	1	2	4	5	7	9
35-49	352	3.7	11	1	1	3	4	8	10	18
50-64	370	4.8	19	1	1	4	6	9	12	21
65+	826	5.7	21	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	39	5.8	34	1	2	4	7	11	20	29
20-34	148	7.2	86	1	1	5	8	12	23	52
35-49	124	7.1	56	1	1	5	9	13	17	41
50-64	122	9.0	110	1	2	6	10	18	33	54
65+	157	12.5	157	2	3	9	15	28	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	2.5	3	1	1	2	3	5	6	9
B. *Operated*	12	3.8	7	1	1	3	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1897	4.6	17	1	1	3	6	9	12	21
B. *Operated*	590	8.9	105	1	2	6	10	19	29	55
1. SINGLE DX	224	2.6	4	1	1	2	3	5	7	9
2. MULTIPLE DX	2487	5.6	41	1	1	4	7	11	15	35
A. NOT OPERATED	2109	4.4	16	1	1	3	6	9	12	20
B. OPERATED	602	8.8	104	1	1	6	10	19	29	55
TOTAL 0-19 YRS	123	3.9	17	1	1	2	5	8	10	26
20-34	470	4.1	34	1	1	3	5	8	10	37
35-49	533	4.3	23	1	1	3	5	9	13	20
50-64	535	5.7	42	1	1	4	7	10	15	37
65+	1050	6.6	47	1	2	5	8	13	18	35
GRAND TOTAL	**2711**	**5.4**	**39**	**1**	**1**	**4**	**7**	**11**	**15**	**33**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.2	14	1	1	3	5	9	9	23
20-34	74	4.8	22	1	1	3	6	10	16	23
35-49	34	6.8	20	2	2	6	8	13	15	23
50-64	49	5.9	15	1	2	5	8	10	12	22
65+	218	6.3	34	1	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	13	15.1	145	2	3	10	26	33	35	35
20-34	9	11.6	206	2	2	6	12	34	48	48
35-49	7	15.4	132	4	5	11	21	34	37	37
50-64	4	16.3	89	5	5	17	24	25	25	25
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	5.8	50	1	1	4	6	10	19	40
20-34	190	8.1	57	1	2	6	10	17	21	43
35-49	144	8.5	64	2	3	6	10	15	18	54
50-64	169	8.3	52	2	3	7	10	14	19	29
65+	1310	8.4	36	3	3	7	11	15	18	30
B. *Operated*										
0-19 YRS	88	13.2	227	2	3	8	15	26	53	79
20-34	175	15.5	186	3	4	11	20	38	48	68
35-49	73	19.1	223	2	4	14	27	43	49	59
50-64	50	18.6	242	3	4	13	25	45	52	70
65+	147	16.8	199	4	5	13	21	34	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	5.8	26	1	2	4	7	10	14	23
B. *Operated*	34	14.8	144	2	3	11	23	32	37	48
2. MULTIPLE DX										
A. *Not Operated*	1966	8.2	43	2	3	7	10	15	19	32
B. *Operated*	533	16.3	208	3	4	12	21	38	51	76
1. SINGLE DX	463	6.4	40	1	2	5	8	12	18	35
2. MULTIPLE DX	2499	9.9	89	2	3	7	12	18	26	54
A. NOT OPERATED	2395	7.7	41	2	2	6	10	14	18	32
B. OPERATED	567	16.2	204	3	4	12	21	37	49	74
TOTAL 0-19 YRS	308	8.1	112	1	2	5	9	18	26	61
20-34	448	10.5	122	1	2	7	13	23	38	57
35-49	258	11.4	128	2	3	7	13	24	40	54
50-64	272	9.9	99	2	3	7	11	19	26	58
65+	1676	8.9	57	2	3	7	11	16	21	39
GRAND TOTAL	**2962**	**9.4**	**83**	**2**	**3**	**7**	**11**	**18**	**25**	**53**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.2	14	<1	<1	1	2	4	8	26
20-34	21	3.3	23	<1	<1	2	3	9	15	21
35-49	14	1.8	1	<1	<1	2	2	3	4	4
50-64	30	2.7	4	1	1	2	4	5	5	11
65+	87	3.1	6	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	1111	2.1	6	<1	1	1	2	3	6	16
20-34	130	3.2	15	1	1	2	3	6	9	19
35-49	95	2.9	3	1	1	3	4	5	6	8
50-64	104	3.1	5	1	1	3	4	6	7	11
65+	161	3.8	8	1	1	3	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.6	18	1	1	2	4	10	14	18
20-34	43	2.8	11	<1	1	2	3	5	8	21
35-49	31	3.7	13	1	1	3	4	7	11	18
50-64	101	4.5	19	1	1	3	5	10	14	22
65+	495	5.4	21	1	2	4	7	10	14	24
B. *Operated*										
0-19 YRS	291	3.7	21	1	1	2	4	8	12	22
20-34	198	6.8	58	1	1	4	8	15	22	44
35-49	147	7.1	65	1	1	5	8	18	23	41
50-64	181	6.9	62	1	1	4	8	14	23	41
65+	453	7.6	43	1	2	6	9	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	2.7	10	<1	1	2	3	5	8	17
B. *Operated*	1601	2.4	7	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	714	4.9	20	1	1	4	6	10	13	23
B. *Operated*	1270	6.4	48	1	1	4	8	14	20	37
1. SINGLE DX	1825	2.5	8	1	1	2	3	5	7	15
2. MULTIPLE DX	1984	5.9	38	1	1	4	7	12	18	33
A. NOT OPERATED	938	4.4	19	1	1	3	6	9	12	23
B. OPERATED	2871	4.2	29	1	1	2	5	9	14	30
TOTAL 0-19 YRS	1518	2.4	10	1	1	1	2	5	8	18
20-34	392	5.0	40	1	1	3	6	10	16	34
35-49	287	5.1	40	1	1	3	6	11	18	36
50-64	416	5.1	36	1	1	3	6	10	15	31
65+	1196	5.9	29	1	1	4	7	12	15	30
GRAND TOTAL	**3809**	**4.3**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.4	1	<1	<1	1	1	2	4	6
20-34	18	1.3		<1	<1	1	1	3	3	3
35-49	9	1.3	1	<1	<1	1	1	3	4	4
50-64	8	1.4		<1	<1	1	2	2	2	2
65+	12	1.8	1	<1	<1	1	2	4	5	5
B. *Operated*										
0-19 YRS	1364	1.5	1	<1	<1	1	2	3	3	6
20-34	582	2.0	2	1	1	2	3	4	5	8
35-49	388	2.1	2	<1	1	2	3	4	4	9
50-64	347	2.0	2	<1	1	2	2	3	4	9
65+	270	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.9	4	<1	<1	1	2	4	5	13
20-34	53	2.5	5	1	1	2	3	5	7	15
35-49	30	2.6	2	1	1	2	3	5	6	6
50-64	33	3.4	10	1	1	2	4	9	12	13
65+	101	5.6	31	1	1	4	7	12	18	29
B. *Operated*										
0-19 YRS	420	3.1	31	1	1	2	3	6	9	18
20-34	534	4.8	28	1	1	3	6	10	15	28
35-49	336	4.3	20	1	1	3	5	9	13	22
50-64	257	4.0	12	1	1	3	5	8	12	16
65+	556	4.9	31	1	1	3	6	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	1.4	1	<1	<1	1	1	3	3	6
B. *Operated*	2951	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	270	3.7	17	<1	1	2	4	8	12	26
B. *Operated*	2103	4.3	27	1	1	3	5	9	13	23
1. SINGLE DX	3022	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	2373	4.2	26	1	1	3	5	9	13	24
A. NOT OPERATED	341	3.2	15	<1	1	2	4	7	10	24
B. OPERATED	5054	2.8	14	<1	1	2	3	6	9	17
TOTAL 0-19 YRS	1861	1.9	8	<1	<1	1	2	3	5	11
20-34	1187	3.3	16	1	1	2	4	7	10	20
35-49	763	3.1	11	1	1	2	3	6	9	17
50-64	645	2.8	8	<1	1	2	3	6	8	14
65+	939	4.2	24	1	1	3	5	9	12	24
GRAND TOTAL	**5395**	**2.9**	**14**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	10	1	1	2	2	7	11	11
20-34	15	2.1	2	<1	1	1	3	4	5	5
35-49	6	2.5	8	1	1	1	3	7	8	8
50-64	4	3.3	1	2	2	3	4	4	4	4
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	267	1.4	2	<1	<1	1	1	2	3	7
20-34	514	1.5	1	<1	<1	1	2	3	4	5
35-49	206	1.5	1	<1	<1	1	2	3	3	5
50-64	71	1.7	2	<1	<1	1	2	3	5	8
65+	35	2.5	5	<1	<1	2	3	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	2	<1	1	2	4	4	4	4
20-34	36	2.3	4	<1	<1	2	3	4	7	11
35-49	15	1.6	1	<1	1	1	2	3	3	3
50-64	22	2.9	3	1	1	2	4	5	6	6
65+	22	5.9	71	<1	1	4	5	12	24	40
B. *Operated*										
0-19 YRS	186	2.4	5	<1	1	2	3	5	7	10
20-34	410	2.6	7	<1	1	2	3	5	7	12
35-49	215	2.8	8	1	1	2	3	6	9	13
50-64	135	3.1	12	<1	1	2	4	6	8	18
65+	80	3.6	10	1	1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.5	5	1	1	2	3	4	7	11
B. *Operated*	1093	1.5	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	113	3.0	17	<1	1	2	4	5	8	23
B. *Operated*	1026	2.7	8	<1	1	2	3	5	7	12
1. SINGLE DX	1130	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1139	2.8	9	<1	1	2	3	5	7	12
A. NOT OPERATED	150	2.9	14	<1	1	2	4	5	8	13
B. OPERATED	2119	2.1	5	<1	<1	1	2	4	6	10
TOTAL 0-19 YRS	481	1.9	3	<1	<1	1	2	4	5	10
20-34	975	2.0	4	<1	<1	1	2	4	5	10
35-49	442	2.1	5	<1	<1	1	2	4	6	10
50-64	232	2.6	8	<1	<1	2	3	5	7	14
65+	139	3.6	19	<1	1	2	4	8	11	23
GRAND TOTAL	**2269**	**2.2**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	7.9	81	<1	1	2	16	21	26	27
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	7	3.0	6	1	1	2	5	7	7	7
50-64	25	5.6	21	<1	<1	4	7	13	16	19
65+	89	8.3	80	1	1	5	11	19	26	49
B. *Operated*										
0-19 YRS	92	7.0	50	1	2	5	8	15	21	39
20-34	48	7.6	19	3	3	7	9	13	15	25
35-49	103	7.0	14	3	4	6	9	12	15	61
50-64	272	7.7	8	3	4	7	9	11	13	16
65+	1531	9.7	16	5	6	9	12	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.0	88	1	2	13	22	24	25	25
20-34	11	14.6	445	1	1	3	26	46	67	69
35-49	22	5.2	16	<1	1	4	7	9	14	18
50-64	64	8.2	54	1	2	6	9	15	22	42
65+	634	8.7	69	1	2	7	10	16	21	54
B. *Operated*										
0-19 YRS	93	11.5	65	2	3	9	15	21	30	40
20-34	139	11.1	76	3	4	9	14	19	27	46
35-49	203	11.0	70	3	5	9	12	20	26	54
50-64	767	11.1	41	5	6	10	13	18	24	36
65+	8695	11.9	45	5	6	11	14	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	7.4	67	1	1	5	10	19	22	48
B. *Operated*	2046	9.2	17	4	5	8	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	752	8.8	73	1	2	7	11	17	23	54
B. *Operated*	9897	11.8	46	5	6	10	14	18	23	38
1. SINGLE DX	2193	9.0	21	3	4	8	11	14	17	26
2. MULTIPLE DX	10649	11.6	48	5	6	10	13	18	23	39
A. NOT OPERATED	899	8.6	72	1	2	7	10	17	23	49
B. OPERATED	11943	11.4	42	5	6	10	13	18	22	36
TOTAL 0-19 YRS	230	9.5	67	1	2	7	13	21	25	38
20-34	200	10.4	84	2	3	8	13	19	27	53
35-49	335	9.2	53	3	3	8	11	16	23	53
50-64	1128	10.0	36	4	5	9	12	16	21	34
65+	10949	11.4	43	5	6	10	13	18	22	37
GRAND TOTAL	**12842**	**11.2**	**44**	**4**	**6**	**10**	**13**	**18**	**22**	**37**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	15.1	122	1	1	15	22	29	33	47
20-34	8	18.8	293	1	1	17	35	39	40	40
35-49	10	12.1	215	1	2	6	14	37	48	48
50-64	12	13.0	278	<1	3	7	9	46	52	53
65+	44	9.7	100	1	2	6	11	23	32	46
B. *Operated*										
0-19 YRS	392	8.9	80	1	1	5	12	23	28	36
20-34	136	8.7	38	2	4	8	10	14	16	42
35-49	52	10.0	55	3	4	8	11	14	33	37
50-64	26	8.5	86	3	4	6	9	14	22	51
65+	63	10.6	45	3	5	10	13	17	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	17.3	140	2	2	18	25	32	39	50
20-34	26	11.4	271	1	1	4	7	36	49	62
35-49	24	13.6	281	1	2	6	19	39	48	66
50-64	34	12.4	187	2	3	6	11	38	44	48
65+	213	11.1	151	2	3	7	12	26	37	62
B. *Operated*										
0-19 YRS	486	14.3	128	2	3	11	20	29	35	53
20-34	412	14.8	145	2	5	11	18	27	41	62
35-49	163	15.9	224	2	4	11	17	36	53	75
50-64	129	16.3	192	5	6	12	20	34	49	88
65+	510	15.3	141	5	6	12	17	25	37	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	14.4	132	1	1	13	22	29	37	48
B. *Operated*	669	9.1	66	1	2	7	11	21	26	39
2. MULTIPLE DX										
A. *Not Operated*	429	13.3	170	2	2	8	19	31	40	56
B. *Operated*	1700	15.0	150	3	5	12	18	28	40	68
1. SINGLE DX	1030	10.9	96	1	1	8	16	24	30	46
2. MULTIPLE DX	2129	14.7	155	2	4	11	18	29	40	66
A. NOT OPERATED	790	13.8	153	1	2	10	21	30	39	51
B. OPERATED	2369	13.3	134	2	3	10	17	26	36	63
TOTAL 0-19 YRS	1297	13.2	122	1	2	10	20	28	33	49
20-34	582	13.2	134	2	4	10	16	26	38	62
35-49	249	14.3	197	2	3	10	16	35	48	66
50-64	201	14.4	187	3	4	10	18	34	48	78
65+	830	13.6	138	3	4	11	16	25	36	71
GRAND TOTAL	**3159**	**13.5**	**139**	**1**	**2**	**10**	**18**	**27**	**36**	**60**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	1.9	3	<1	1	1	2	3	5	8
20-34	103	2.1	2	<1	1	2	3	4	5	6
35-49	59	2.9	4	1	1	2	4	6	8	10
50-64	49	3.4	6	1	1	3	5	7	8	10
65+	55	4.2	8	1	1	4	5	7	9	15
B. *Operated*										
0-19 YRS	600	2.8	6	1	1	2	4	5	7	13
20-34	585	4.4	10	1	1	4	6	8	10	17
35-49	386	4.5	8	1	2	4	6	8	10	15
50-64	206	5.3	19	1	2	4	7	9	12	16
65+	86	5.7	11	1	2	5	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	6	1	1	3	4	6	9	12
20-34	88	4.2	70	1	1	3	4	8	9	52
35-49	75	4.5	18	1	1	3	6	9	12	23
50-64	86	6.5	33	1	2	5	8	13	15	34
65+	238	6.5	20	1	2	6	8	12	14	18
B. *Operated*										
0-19 YRS	379	6.8	64	1	1	4	8	14	19	46
20-34	609	9.0	89	1	2	6	10	19	28	54
35-49	442	9.1	110	2	2	6	10	18	26	65
50-64	270	10.2	122	2	3	7	12	18	28	69
65+	335	10.6	93	2	3	8	13	19	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	2.6	4	1	1	2	3	5	7	10
B. *Operated*	1863	4.1	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	547	5.5	29	1	1	4	7	11	13	21
B. *Operated*	2035	9.0	95	1	2	6	11	18	26	58
1. SINGLE DX	2266	3.8	10	1	1	3	5	7	9	15
2. MULTIPLE DX	2582	8.3	84	1	2	6	10	16	23	52
A. NOT OPERATED	950	4.3	21	1	1	3	5	9	12	17
B. OPERATED	3898	6.6	61	1	1	4	8	13	18	42
TOTAL 0-19 YRS	1176	4.0	28	1	1	3	4	8	13	24
20-34	1385	6.2	54	1	1	4	7	12	18	37
35-49	962	6.5	61	1	2	5	8	12	17	45
50-64	611	7.5	72	1	2	5	9	14	18	51
65+	714	8.2	58	2	2	6	10	15	19	41
GRAND TOTAL	**4848**	**6.2**	**54**	**1**	**1**	**4**	**8**	**12**	**17**	**38**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	1.9	2	<1	1	2	2	3	4	9
20-34	102	2.5	3	<1	1	2	3	5	6	9
35-49	76	2.9	5	<1	1	3	4	5	6	12
50-64	43	2.8	5	<1	1	2	4	5	7	10
65+	67	3.8	9	1	1	3	5	7	9	18
B. *Operated*										
0-19 YRS	926	2.4	3	1	1	2	3	4	5	9
20-34	1495	2.9	4	1	1	3	4	5	6	10
35-49	1102	3.4	6	1	1	3	4	6	7	12
50-64	794	3.8	5	1	1	3	5	6	8	12
65+	472	4.4	6	1	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	2.1	2	<1	<1	2	3	4	5	8
20-34	124	3.3	6	<1	1	3	4	7	8	13
35-49	96	4.3	51	<1	1	3	5	9	10	43
50-64	112	4.7	14	1	1	3	6	10	13	17
65+	240	4.9	13	1	1	4	6	10	11	21
B. *Operated*										
0-19 YRS	452	4.3	22	1	1	3	5	8	10	26
20-34	1083	5.0	26	1	1	4	6	10	13	30
35-49	780	5.2	17	1	2	4	6	10	13	24
50-64	739	5.9	27	1	2	5	7	10	15	29
65+	861	6.9	34	2	3	6	8	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	2.8	5	<1	1	2	4	5	6	11
B. *Operated*	4789	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	625	4.2	18	1	1	3	6	9	11	17
B. *Operated*	3915	5.5	26	1	2	4	7	10	14	28
1. SINGLE DX	5135	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	4540	5.3	25	1	1	4	7	10	13	26
A. NOT OPERATED	971	3.7	13	1	1	3	5	8	10	16
B. OPERATED	8704	4.3	16	1	1	3	5	8	10	21
TOTAL 0-19 YRS	1489	2.9	10	1	1	2	3	5	7	14
20-34	2804	3.7	13	1	1	3	4	7	9	22
35-49	2054	4.1	13	1	1	3	5	7	10	18
50-64	1688	4.8	16	1	2	4	6	8	11	22
65+	1640	5.7	23	1	2	5	7	10	13	24
GRAND TOTAL	**9675**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.6		<1	<1	1	2	3	3	3
20-34	18	2.0	1	<1	1	2	3	4	4	4
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64	7	1.6		1	1	2	2	2	2	2
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	31	1.9	3	1	1	2	2	3	3	10
20-34	44	1.9	1	1	1	2	2	3	4	5
35-49	18	1.8	1	<1	1	2	2	3	4	4
50-64	13	3.2	4	1	1	2	5	6	7	7
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.9	12	<1	1	2	4	5	7	24
20-34	120	2.9	9	1	1	2	3	6	8	18
35-49	93	3.1	7	<1	1	2	4	6	9	14
50-64	67	4.4	16	1	1	3	6	10	12	20
65+	101	5.4	15	1	1	4	7	12	14	17
B. *Operated*										
0-19 YRS	30	4.1	61	1	1	2	4	7	8	44
20-34	79	5.5	121	<1	1	2	4	10	21	67
35-49	43	5.3	26	1	1	3	8	13	16	22
50-64	28	6.2	32	1	1	4	7	15	17	24
65+	23	5.8	22	1	2	4	8	12	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	1.8	1	<1	1	2	2	3	4	4
B. *Operated*	109	2.0	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	440	3.7	13	1	1	3	5	8	11	18
B. *Operated*	203	5.4	68	1	1	3	6	12	16	50
1. SINGLE DX	156	1.9	2	1	1	2	2	3	4	7
2. MULTIPLE DX	643	4.3	30	1	1	3	5	9	13	24
A. NOT OPERATED	487	3.5	12	1	1	2	4	8	11	18
B. OPERATED	312	4.2	47	1	1	2	4	8	14	40
TOTAL 0-19 YRS	130	2.8	20	1	1	2	3	5	7	30
20-34	261	3.4	42	1	1	2	3	6	10	36
35-49	162	3.5	12	<1	1	2	4	8	11	19
50-64	115	4.5	19	1	1	3	6	10	14	22
65+	131	5.3	16	1	1	4	7	12	14	19
GRAND TOTAL	**799**	**3.8**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**22**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	18	1	1	2	4	11	12	12
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	14	<1	<1	2	4	10	11	11
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	6	5.2	9	<1	<1	6	8	8	8	8
50-64	4	15.8	48	10	10	14	21	25	25	25
65+	5	11.2	51	2	2	16	16	17	17	17
B. *Operated*										
0-19 YRS	17	10.6	46	2	3	8	14	21	23	24
20-34	21	16.6	437	2	3	10	19	31	67	98
35-49	5	7.0	11	2	2	7	9	11	11	11
50-64	3	10.0	61	5	5	6	16	19	19	19
65+	3	21.7	142	12	12	18	31	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	15	1	1	2	5	11	12	12
B. *Operated*	5	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	25	7.4	43	<1	1	5	11	17	19	25
B. *Operated*	49	13.4	223	2	3	10	18	23	35	98
1. SINGLE DX	12	3.3	9	1	1	2	4	7	11	12
2. MULTIPLE DX	74	11.4	169	1	2	8	16	22	25	85
A. NOT OPERATED	32	6.6	38	<1	1	4	10	16	17	25
B. OPERATED	54	12.4	212	2	2	8	17	22	33	96
TOTAL 0-19 YRS	31	7.4	43	1	1	5	12	18	22	24
20-34	26	14.1	378	1	2	8	17	23	53	98
35-49	13	5.5	10	<1	1	7	8	9	11	11
50-64	7	13.3	54	5	5	11	18	24	25	25
65+	9	13.7	106	2	2	16	17	28	35	35
GRAND TOTAL	**86**	**10.3**	**154**	**1**	**2**	**7**	**13**	**19**	**24**	**78**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	3	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	64	1.7	1	<1	1	1	2	3	4	5
20-34	347	1.8	2	1	1	2	2	3	4	6
35-49	137	1.6	1	<1	1	1	2	3	3	5
50-64	22	2.5	18	<1	<1	1	2	4	11	21
65+	28	1.7	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	1	1	1	4	7	7	7
20-34	18	1.8	1	<1	1	1	3	4	4	4
35-49	13	2.8	6	<1	<1	2	4	7	8	8
50-64	8	4.0	11	1	1	4	5	9	11	11
65+	20	6.3	31	<1	1	4	9	15	18	20
B. *Operated*										
0-19 YRS	24	2.6	7	<1	1	2	3	5	9	13
20-34	103	2.6	4	<1	1	2	3	5	7	12
35-49	60	3.2	8	1	1	2	3	7	10	15
50-64	35	2.5	7	<1	1	1	3	5	10	12
65+	67	4.7	20	1	1	3	7	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.2		<1	<1	1	1	2	3	3
B. *Operated*	598	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	63	3.7	16	<1	1	2	5	9	12	20
B. *Operated*	289	3.2	10	1	1	2	4	7	10	17
1. SINGLE DX	609	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	352	3.3	11	1	1	2	4	7	11	18
A. NOT OPERATED	74	3.4	15	<1	1	2	4	8	11	19
B. OPERATED	887	2.2	5	1	1	2	2	4	6	13
TOTAL 0-19 YRS	96	1.9	3	<1	1	1	2	4	5	10
20-34	471	2.0	2	1	1	2	2	3	4	9
35-49	210	2.1	4	1	1	1	2	4	6	11
50-64	67	2.7	11	<1	1	1	3	5	11	19
65+	117	4.2	19	<1	1	2	6	11	15	20
GRAND TOTAL	**961**	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**7**	**13**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	7	1.7	4	<1	<1	1	1	5	6	6
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	286	1.8	2	<1	<1	1	2	4	5	6
20-34	500	1.7	3	<1	<1	1	2	3	4	6
35-49	272	1.4	1	<1	<1	1	1	2	4	5
50-64	134	1.6	2	<1	<1	1	2	4	4	7
65+	55	1.8	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	5	1	1	1	3	6	6	6
20-34	21	3.1	6	<1	<1	2	5	7	7	8
35-49	7	2.1	1	<1	<1	2	3	4	4	4
50-64	5	1.6	2	<1	<1	1	2	4	4	4
65+	10	3.5	13	<1	<1	2	3	9	13	13
B. *Operated*										
0-19 YRS	289	2.4	4	<1	<1	2	3	4	6	10
20-34	651	2.6	7	<1	<1	2	3	5	6	12
35-49	405	2.2	5	<1	<1	1	3	4	6	12
50-64	250	1.9	3	<1	<1	1	2	4	6	9
65+	145	2.7	10	<1	<1	1	3	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5	2	<1	<1	1	1	3	5	6
B. *Operated*	1247	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	48	2.8	6	<1	<1	2	4	6	7	13
B. *Operated*	1740	2.4	6	<1	<1	1	3	5	6	12
1. SINGLE DX	1264	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1788	2.4	6	<1	<1	1	3	5	6	12
A. NOT OPERATED	65	2.4	5	<1	<1	1	3	6	7	12
B. OPERATED	2987	2.1	4	<1	<1	1	3	4	6	10
TOTAL 0-19 YRS	583	2.1	3	<1	<1	1	3	4	5	9
20-34	1179	2.2	5	<1	<1	1	3	4	6	9
35-49	689	1.9	4	<1	<1	1	2	4	5	11
50-64	390	1.8	3	<1	<1	1	2	4	5	9
65+	211	2.5	9	<1	<1	1	3	6	9	15
GRAND TOTAL	**3052**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**6**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	19	<1	1	2	4	8	15	18
20-34	16	5.0	19	1	1	4	6	13	15	16
35-49	15	6.6	106	<1	<1	4	7	8	34	43
50-64	4	3.3	3	1	1	3	4	5	5	5
65+	6	2.7	7	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS	158	2.6	7	<1	1	2	3	5	7	15
20-34	186	2.5	6	<1	<1	2	3	5	7	13
35-49	94	3.3	14	1	1	2	4	6	10	20
50-64	45	3.9	23	1	1	3	5	7	9	31
65+	31	3.8	17	1	1	2	5	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.4	7	<1	<1	1	3	5	9	11
20-34	32	6.4	118	<1	1	4	6	10	21	61
35-49	25	5.6	35	<1	1	3	7	14	20	25
50-64	13	5.9	16	1	1	6	8	12	13	13
65+	18	2.8	7	<1	1	2	3	7	10	11
B. *Operated*										
0-19 YRS	105	5.0	39	1	1	3	6	9	16	36
20-34	219	6.4	76	1	1	4	7	14	19	48
35-49	120	6.0	60	1	1	4	8	13	17	44
50-64	93	7.1	108	1	1	4	8	16	26	62
65+	84	6.6	56	<1	1	4	9	14	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.6	39	<1	1	3	5	9	15	41
B. *Operated*	514	2.9	10	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	106	4.9	49	<1	1	3	6	11	13	41
B. *Operated*	621	6.2	69	1	1	4	7	13	19	45
1. SINGLE DX	572	3.0	13	<1	1	2	4	6	9	17
2. MULTIPLE DX	727	6.0	66	1	1	4	7	13	18	45
A. NOT OPERATED	164	4.8	46	<1	1	3	6	9	14	40
B. OPERATED	1135	4.7	45	<1	1	3	5	11	15	34
TOTAL 0-19 YRS	298	3.4	20	<1	1	2	4	7	11	22
20-34	453	4.8	51	<1	1	2	5	11	15	43
35-49	254	5.0	44	1	1	3	6	11	16	36
50-64	155	6.0	74	1	1	4	7	13	18	34
65+	139	5.3	41	<1	1	3	7	12	17	25
GRAND TOTAL	**1299**	**4.7**	**45**	**<1**	**1**	**3**	**5**	**11**	**15**	**35**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.7	33	<1	<1	2	7	15	15	15
20-34	16	1.8	2	<1	<1	1	2	4	5	5
35-49	13	3.3	8	1	1	2	5	6	10	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	15	3.1	3	1	1	3	3	4	7	8
B. *Operated*										
0-19 YRS	363	2.6	2	<1	<1	3	4	4	5	6
20-34	607	2.7	2	<1	<1	3	3	4	5	8
35-49	190	2.8	3	<1	1	3	4	5	5	7
50-64	44	3.0	3	<1	1	3	4	4	6	10
65+	15	5.0	3	2	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	2	<1	<1	1	2	4	5	5
20-34	26	2.5	3	<1	<1	2	4	5	6	7
35-49	33	4.5	23	1	1	3	6	10	15	22
50-64	20	4.1	21	<1	1	2	4	11	15	19
65+	93	5.0	14	1	2	4	6	8	9	24
B. *Operated*										
0-19 YRS	476	3.2	4	<1	1	3	4	5	6	11
20-34	1057	3.3	3	<1	1	3	4	6	6	9
35-49	465	3.5	5	1	1	3	4	6	6	11
50-64	91	3.8	7	1	1	3	5	7	8	13
65+	39	6.0	21	1	2	5	8	13	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.0	9	<1	1	2	3	5	10	15
B. *Operated*	1219	2.7	2	<1	<1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	188	4.2	15	<1	1	3	5	8	10	21
B. *Operated*	2128	3.4	4	<1	1	3	4	6	7	11
1. SINGLE DX	1274	2.8	3	<1	<1	3	4	5	5	8
2. MULTIPLE DX	2316	3.5	5	<1	1	3	4	6	7	11
A. NOT OPERATED	243	3.9	14	<1	1	3	5	8	10	19
B. OPERATED	3347	3.2	4	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	864	3.0	3	<1	1	3	4	5	6	10
20-34	1706	3.1	3	<1	1	3	4	5	6	9
35-49	701	3.4	5	1	1	3	4	5	6	11
50-64	157	3.6	7	1	1	3	4	7	9	13
65+	162	5.0	14	1	2	4	6	8	10	20
GRAND TOTAL	**3590**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	3	<1	1	2	3	5	7	8
20-34	309	4.1	7	1	1	3	5	8	9	12
35-49	331	4.7	8	1	2	4	6	8	10	15
50-64	110	4.3	4	2	2	4	5	7	8	11
65+	49	4.7	11	1	2	4	7	8	11	20
B. *Operated*										
0-19 YRS										
20-34	44	4.9	25	<1	1	2	7	12	14	23
35-49	54	4.1	17	1	1	2	7	9	12	21
50-64	11	2.9	7	1	1	2	4	8	9	9
65+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	5	1	1	2	4	7	8	10
20-34	310	5.0	13	1	2	4	6	9	12	17
35-49	458	5.0	9	1	2	4	7	9	10	15
50-64	299	5.2	10	2	2	4	7	10	11	15
65+	460	5.5	13	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	46	6.1	29	<1	1	5	9	13	18	23
35-49	55	7.0	27	1	1	6	10	12	14	31
50-64	23	6.8	32	1	1	6	9	13	21	21
65+	19	11.6	217	2	4	8	10	18	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	819	4.4	7	1	2	4	6	8	9	14
B. *Operated*	111	4.4	19	1	1	2	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	1555	5.1	11	1	2	4	7	9	11	17
B. *Operated*	144	7.3	55	1	1	6	9	13	18	34
1. SINGLE DX	930	4.4	9	1	1	4	6	8	10	14
2. MULTIPLE DX	1699	5.3	15	1	2	5	7	10	12	18
A. NOT OPERATED	2374	4.9	10	1	2	4	6	9	11	16
B. OPERATED	255	6.0	41	1	1	5	8	12	14	23
TOTAL 0-19 YRS	49	3.1	6	1	1	2	4	7	8	12
20-34	709	4.7	13	1	1	4	6	9	11	17
35-49	898	4.9	11	1	1	4	7	9	10	16
50-64	443	5.0	10	1	2	4	6	9	11	15
65+	530	5.6	21	2	2	5	7	10	12	20
GRAND TOTAL	**2629**	**5.0**	**13**	**1**	**2**	**4**	**7**	**9**	**11**	**18**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.3	7	<1	1	1	2	4	8	15
20-34	358	4.1	9	1	1	3	6	8	9	15
35-49	273	4.2	7	1	1	4	5	8	9	13
50-64	120	3.9	6	1	1	3	5	7	8	13
65+	35	3.5	5	1	1	3	5	6	7	11
B. *Operated*										
0-19 YRS	8	4.3	19	1	1	3	6	11	13	13
20-34	113	3.4	18	1	1	1	4	10	13	19
35-49	76	2.7	12	1	1	1	4	6	8	21
50-64	26	3.0	9	<1	1	2	4	8	10	12
65+	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.3	3	<1	1	2	3	5	6	8
20-34	616	4.5	14	1	1	4	6	9	10	17
35-49	578	5.0	12	1	2	4	7	10	11	17
50-64	337	4.8	15	1	1	4	6	9	12	16
65+	447	5.2	14	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	12	3.3	4	<1	1	3	5	6	7	7
20-34	123	5.0	26	1	1	3	8	13	15	24
35-49	137	4.9	21	1	1	3	7	10	14	19
50-64	44	7.0	45	1	1	5	10	16	20	30
65+	35	8.6	49	1	2	6	11	21	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	3.9	8	1	1	3	5	8	9	13
B. *Operated*	226	3.2	15	1	1	1	4	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	2090	4.7	13	1	1	4	6	9	11	17
B. *Operated*	351	5.5	29	1	1	4	8	13	16	26
1. SINGLE DX	1085	3.8	9	1	1	3	5	8	9	15
2. MULTIPLE DX	2441	4.8	16	1	1	4	6	10	12	18
A. NOT OPERATED	2949	4.5	12	1	1	4	6	9	11	16
B. OPERATED	577	4.6	25	1	1	2	6	11	15	24
TOTAL 0-19 YRS	205	2.5	5	<1	1	2	3	5	7	13
20-34	1210	4.3	14	1	1	3	6	9	11	17
35-49	1064	4.6	12	1	1	4	6	9	11	16
50-64	527	4.7	16	1	1	4	6	9	12	17
65+	520	5.3	16	1	2	4	7	10	12	22
GRAND TOTAL	**3526**	**4.5**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.9	1	<1	1	2	2	4	4	5
20-34	49	2.3	4	<1	1	2	3	4	7	10
35-49	27	2.0	4	1	1	1	2	5	6	9
50-64	14	2.4	5	<1	<1	2	2	6	8	9
65+	19	2.4	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	97	1.6	1	<1	<1	1	2	3	3	5
20-34	490	1.9	1	<1	1	2	2	3	4	6
35-49	592	2.1	2	<1	1	2	3	4	4	6
50-64	564	2.5	2	1	1	2	3	4	5	7
65+	239	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	5
20-34	71	2.4	4	<1	1	2	3	5	6	11
35-49	55	3.4	11	<1	<1	2	4	8	11	16
50-64	58	2.7	3	<1	1	2	4	5	6	8
65+	174	4.6	12	1	1	4	6	9	11	20
B. *Operated*										
0-19 YRS	49	1.6	1	<1	1	1	2	3	3	4
20-34	155	2.5	17	<1	1	2	3	4	5	15
35-49	238	2.7	4	1	1	2	3	5	6	11
50-64	477	3.1	4	1	1	3	4	5	6	11
65+	357	4.4	18	1	2	4	5	7	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.2	3	<1	1	2	3	4	6	9
B. *Operated*	1982	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	378	3.6	10	<1	1	3	5	8	9	15
B. *Operated*	1276	3.3	10	1	1	3	4	6	7	14
1. SINGLE DX	2115	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1654	3.3	10	1	1	3	4	6	8	15
A. NOT OPERATED	511	3.2	8	<1	1	2	4	7	9	14
B. OPERATED	3258	2.6	5	1	1	2	3	5	6	10
TOTAL 0-19 YRS	190	1.6	1	<1	<1	1	2	3	3	5
20-34	765	2.1	5	<1	1	2	3	3	4	9
35-49	912	2.4	3	1	1	2	3	4	5	9
50-64	1113	2.8	3	1	1	3	3	5	6	9
65+	789	3.9	12	1	1	3	5	7	9	19
GRAND TOTAL	**3769**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1008	1.2	1	<1	1	1	1	2	2	3
20-34	238	1.4	1	<1	<1	1	2	3	3	5
35-49	90	1.4	1	<1	1	1	2	2	3	5
50-64	34	1.6	1	<1	<1	1	2	3	3	5
65+	24	2.0	2	<1	1	2	2	4	5	6
B. *Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1411	1.5	2	<1	1	1	2	3	4	7
20-34	1058	2.1	8	<1	1	1	2	4	6	10
35-49	416	2.5	5	1	1	2	3	5	7	10
50-64	242	2.7	6	1	1	2	3	6	7	12
65+	385	3.7	18	1	1	3	4	7	11	18
B. *Operated*										
0-19 YRS	385	2.8	21	<1	1	1	2	6	9	26
20-34	535	3.1	26	<1	1	2	3	6	10	19
35-49	184	3.3	17	<1	1	2	4	6	11	18
50-64	96	4.1	22	1	1	2	5	9	16	21
65+	149	3.6	18	1	1	2	4	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1394	1.3	1	<1	1	1	1	2	2	4
B. *Operated*	8	1.9	4	1	1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	3512	2.1	6	<1	1	1	2	4	6	11
B. *Operated*	1349	3.2	22	<1	1	2	3	6	11	21
1. SINGLE DX	1402	1.3	1	<1	1	1	1	2	2	4
2. MULTIPLE DX	4861	2.4	11	<1	1	1	3	5	7	15
A. NOT OPERATED	4906	1.9	5	<1	1	1	2	4	5	10
B. OPERATED	1357	3.2	22	<1	1	2	3	6	11	21
TOTAL 0-19 YRS	2809	1.6	4	<1	1	1	2	2	4	9
20-34	1833	2.3	13	<1	1	1	2	4	6	14
35-49	691	2.6	8	<1	1	2	3	5	7	14
50-64	372	3.0	10	1	1	2	4	6	8	18
65+	558	3.6	17	1	1	2	4	7	11	18
GRAND TOTAL	**6263**	**2.2**	**9**	**<1**	**1**	**1**	**2**	**4**	**6**	**13**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	1.7	5	<1	1	1	1	3	5	12
20-34	123	3.5	59	<1	1	2	3	7	10	44
35-49	38	2.9	9	<1	<1	2	3	8	10	12
50-64	20	3.4	14	<1	1	2	4	8	13	16
65+	14	3.9	12	1	2	3	4	7	13	15
B. *Operated*										
0-19 YRS	43	5.5	17	2	2	4	7	9	12	26
20-34	34	7.8	44	1	3	6	9	13	22	35
35-49	16	5.0	5	1	2	5	7	8	8	8
50-64	17	7.5	20	2	2	7	9	11	18	22
65+	32	8.8	27	1	3	8	11	14	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	692	3.0	27	<1	1	1	3	7	10	26
20-34	508	4.4	46	<1	1	2	4	10	15	39
35-49	205	5.6	88	<1	1	2	6	15	21	59
50-64	126	5.0	78	<1	1	3	5	11	16	54
65+	337	7.1	64	1	1	5	9	16	22	29
B. *Operated*										
0-19 YRS	331	12.2	261	1	1	6	16	39	52	99+
20-34	412	14.8	331	1	1	8	22	44	65	99+
35-49	173	14.0	266	1	1	8	20	35	52	90
50-64	96	14.1	162	1	3	10	19	36	42	84
65+	286	14.7	175	1	3	11	19	34	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	2.2	17	<1	1	1	2	4	7	18
B. *Operated*	142	7.0	26	2	2	6	8	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	1868	4.5	51	<1	1	2	5	10	16	34
B. *Operated*	1298	13.9	258	1	1	8	19	39	53	99+
1. SINGLE DX	751	3.1	22	<1	1	1	4	7	10	24
2. MULTIPLE DX	3166	8.4	157	1	1	4	10	23	37	73
A. NOT OPERATED	2477	4.0	44	<1	1	2	4	9	14	29
B. OPERATED	1440	13.3	239	1	1	8	17	36	52	99+
TOTAL 0-19 YRS	1480	4.8	89	<1	1	1	4	11	22	53
20-34	1077	8.4	182	<1	1	3	9	24	41	78
35-49	432	8.7	168	<1	1	3	10	23	34	73
50-64	259	8.4	120	1	1	5	10	20	33	66
65+	669	10.4	122	1	2	7	13	24	33	57
GRAND TOTAL	**3917**	**7.4**	**136**	**1**	**1**	**3**	**8**	**19**	**32**	**69**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.3	5	<1	1	2	2	4	7	12
20-34	48	2.5	7	<1	<1	2	3	5	6	17
35-49	21	2.3	2	1	1	2	3	4	5	5
50-64	15	3.0	4	1	1	3	4	7	7	7
65+	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	29	3.8	2	2	2	4	5	6	6	7
20-34	102	4.4	7	2	2	4	5	8	10	14
35-49	36	4.3	6	2	2	4	5	7	9	13
50-64	11	4.4	3	2	2	4	7	35	91	99+
65+	4	3.0	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.0	26	1	1	3	4	8	11	33
20-34	193	3.0	5	1	1	2	4	6	8	10
35-49	106	3.7	13	1	1	3	4	6	10	21
50-64	100	5.0	35	1	1	4	6	9	13	36
65+	150	6.2	28	1	2	5	8	11	19	29
B. *Operated*										
0-19 YRS	148	7.9	71	1	3	6	9	14	22	47
20-34	445	7.2	43	2	2	5	9	14	20	41
35-49	231	7.2	39	1	2	6	9	14	21	31
50-64	128	8.9	91	2	3	6	9	17	30	58
65+	148	10.4	79	3	3	8	12	23	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	2.5	5	<1	1	2	3	5	6	14
B. *Operated*	182	4.3	6	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	637	4.3	21	1	1	3	5	8	10	21
B. *Operated*	1100	7.9	57	2	2	6	9	15	23	43
1. SINGLE DX	295	3.6	6	1	1	3	4	7	9	15
2. MULTIPLE DX	1737	6.6	47	1	2	5	8	12	19	40
A. NOT OPERATED	750	4.0	19	1	1	3	5	8	10	20
B. OPERATED	1282	7.4	52	2	2	5	9	14	21	43
TOTAL 0-19 YRS	291	5.8	49	1	1	4	7	11	14	43
20-34	788	5.5	31	1	1	4	7	11	15	31
35-49	394	5.7	30	1	1	4	7	11	17	30
50-64	254	6.8	64	1	2	5	7	12	21	58
65+	305	8.2	57	1	2	6	10	18	24	44
GRAND TOTAL	**2032**	**6.2**	**42**	**1**	**2**	**4**	**7**	**11**	**18**	**38**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	2.7	6	<1	1	2	4	6	7	12
20-34	76	2.5	5	<1	1	2	3	6	7	11
35-49	32	2.5	5	1	1	1	3	5	7	11
50-64	10	3.1	1	2	2	3	4	5	5	5
65+	4	3.5	10	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	102	5.5	4	2	3	5	7	8	9	11
20-34	139	5.4	7	2	2	5	6	8	10	14
35-49	35	5.3	5	1	2	6	7	8	9	10
50-64	14	5.1	8	1	1	5	8	9	9	9
65+	6	7.7	5	5	5	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	3.5	13	1	1	2	5	8	10	17
20-34	218	3.2	10	<1	1	2	4	6	8	18
35-49	96	4.0	12	1	1	3	5	9	11	17
50-64	49	5.7	29	1	1	4	8	14	19	22
65+	66	4.4	12	1	1	3	5	10	12	16
B. *Operated*										
0-19 YRS	384	10.3	116	2	4	7	11	20	31	62
20-34	742	10.3	98	3	4	7	11	19	27	60
35-49	276	13.0	201	2	4	8	14	29	45	79
50-64	123	13.4	157	4	5	9	14	35	43	64
65+	115	14.9	202	3	5	10	16	32	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	2.6	5	<1	1	2	3	6	7	12
B. *Operated*	296	5.5	6	2	3	5	7	9	9	13
2. MULTIPLE DX										
A. *Not Operated*	685	3.7	13	1	1	2	5	8	10	19
B. *Operated*	1640	11.3	133	3	4	8	12	22	35	66
1. SINGLE DX	586	4.1	7	1	1	4	6	7	9	12
2. MULTIPLE DX	2325	9.1	110	1	2	6	10	18	28	59
A. NOT OPERATED	975	3.4	11	1	1	2	4	7	9	17
B. OPERATED	1936	10.4	118	2	4	7	11	20	32	62
TOTAL 0-19 YRS	910	6.5	66	1	1	5	7	12	19	45
20-34	1175	7.9	75	1	2	6	9	15	23	51
35-49	439	9.6	149	1	1	6	10	19	32	70
50-64	196	10.4	122	1	2	7	11	22	36	55
65+	191	10.8	151	1	2	7	12	22	35	59
GRAND TOTAL	**2911**	**8.1**	**93**	**1**	**1**	**6**	**9**	**16**	**24**	**54**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	7	<1	<1	2	3	7	9	9
20-34	6	2.5	2	1	1	3	3	4	4	4
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	143	2.1	2	<1	1	1	3	4	5	6
20-34	101	2.3	2	<1	1	2	3	4	5	7
35-49	48	2.0	1	<1	1	2	3	4	4	5
50-64	13	2.0	2	<1	<1	2	3	4	5	5
65+	22	2.0	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	3	<1	<1	1	2	5	7	7
20-34	12	1.4		<1	<1	1	2	3	3	3
35-49	8	2.9	7	<1	<1	2	3	7	9	9
50-64	4	1.5		1	1	1	2	2	2	2
65+	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	166	3.0	5	1	1	2	4	6	7	12
20-34	176	3.3	15	1	1	2	4	6	7	11
35-49	85	3.4	8	1	1	3	4	6	11	14
50-64	37	3.4	7	1	1	3	4	7	9	11
65+	60	3.6	6	1	1	3	4	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.9	4	<1	<1	3	3	6	8	9
B. *Operated*	327	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	40	2.0	3	<1	<1	2	2	4	6	9
B. *Operated*	524	3.2	9	1	1	3	4	6	8	12
1. SINGLE DX	344	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	564	3.1	9	1	1	2	4	6	8	12
A. NOT OPERATED	57	2.2	3	<1	<1	2	3	4	7	9
B. OPERATED	851	2.8	7	1	1	2	4	5	7	11
TOTAL 0-19 YRS	330	2.6	4	<1	1	2	4	5	6	10
20-34	295	2.8	10	1	1	2	4	5	6	10
35-49	143	2.9	6	<1	1	2	4	5	7	13
50-64	54	2.9	5	1	1	2	3	6	8	11
65+	86	3.1	6	<1	1	3	4	6	9	11
GRAND TOTAL	**908**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**11**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.0	3	<1	<1	1	2	4	6	9
20-34	40	2.0	5	<1	<1	1	2	4	7	12
35-49	11	1.7	2	<1	<1	1	2	4	5	5
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	4	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	173	1.5	1	<1	<1	1	1	3	3	7
20-34	93	1.8	3	<1	<1	1	2	3	6	9
35-49	28	2.0	4	<1	<1	1	2	4	6	10
50-64	16	1.7	1	<1	1	2	2	3	3	3
65+	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	1.9	2	<1	<1	1	2	4	5	8
20-34	164	2.0	2	<1	1	2	3	4	5	7
35-49	68	2.2	2	<1	1	2	3	5	6	7
50-64	45	2.9	5	<1	1	2	4	6	7	9
65+	83	4.4	11	1	1	4	6	9	10	16
B. *Operated*										
0-19 YRS	471	2.3	9	<1	1	1	3	4	7	22
20-34	667	2.9	15	<1	<1	2	3	6	9	23
35-49	286	3.7	26	<1	1	2	4	7	13	28
50-64	139	3.8	23	1	1	2	4	7	13	27
65+	206	4.0	21	1	1	3	4	8	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.0	3	<1	<1	1	2	4	5	11
B. *Operated*	313	1.7	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	479	2.5	5	<1	1	2	3	5	7	10
B. *Operated*	1769	3.1	17	<1	1	2	3	6	9	25
1. SINGLE DX	412	1.7	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX	2248	2.9	14	<1	1	2	3	6	8	23
A. NOT OPERATED	578	2.4	5	<1	1	2	3	5	7	10
B. OPERATED	2082	2.8	15	<1	1	2	3	6	8	24
TOTAL 0-19 YRS	804	2.1	6	<1	<1	1	2	4	6	12
20-34	964	2.6	12	<1	<1	2	3	5	8	19
35-49	393	3.3	20	<1	1	2	4	6	9	26
50-64	203	3.4	17	<1	1	2	4	7	10	25
65+	296	4.0	18	1	1	3	5	8	11	23
GRAND TOTAL	**2660**	**2.8**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.5	1	<1	<1	1	2	3	3	5
20-34	133	1.4	1	<1	<1	1	2	2	3	21
35-49	41	1.7	1	<1	<1	1	2	3	4	6
50-64	8	1.6	1	<1	<1	1	2	3	4	4
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	98	2.2	4	<1	1	1	3	5	6	12
20-34	127	2.6	6	<1	<1	2	4	5	7	13
35-49	58	2.8	5	<1	<1	2	4	6	8	10
50-64	7	2.7	8	<1	<1	1	4	7	8	8
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	1.9	1	<1	<1	1	3	3	4	6
20-34	147	2.7	8	<1	<1	2	3	5	9	16
35-49	71	1.9	2	<1	<1	1	2	4	5	7
50-64	14	2.0	6	<1	<1	1	2	4	9	10
65+	10	7.6	111	1	1	5	6	22	37	37
B. *Operated*										
0-19 YRS	145	4.7	61	<1	1	3	5	8	14	25
20-34	312	5.3	39	1	1	4	6	10	13	36
35-49	104	5.3	27	1	1	4	7	12	15	28
50-64	45	6.2	32	1	1	5	7	16	18	28
65+	25	8.4	178	<1	1	6	9	15	35	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*	293	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	288	2.5	10	<1	<1	2	3	5	7	15
B. *Operated*	631	5.3	47	1	1	4	6	10	15	33
1. SINGLE DX	527	2.1	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	919	4.4	37	<1	1	3	5	9	13	30
A. NOT OPERATED	522	2.0	6	<1	<1	1	2	4	5	12
B. OPERATED	924	4.4	36	<1	1	3	5	8	12	29
TOTAL 0-19 YRS	339	3.1	29	<1	1	2	3	6	8	18
20-34	719	3.6	22	<1	1	2	4	7	11	28
35-49	274	3.4	15	<1	<1	2	4	7	9	20
50-64	74	4.6	25	<1	1	3	6	10	17	26
65+	40	7.4	140	<1	1	4	8	13	30	67
GRAND TOTAL	**1446**	**3.6**	**26**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.4	2	1	1	2	3	4	5	6
20-34	124	2.3	2	<1	1	2	3	4	5	6
35-49	47	2.8	3	1	1	2	4	6	7	8
50-64	13	3.2	3	1	1	3	4	6	6	6
65+	10	2.5	1	<1	<1	3	3	4	4	4
B. Operated										
0-19 YRS	433	1.7	3	<1	<1	1	2	3	5	9
20-34	838	2.1	4	<1	<1	1	2	4	6	9
35-49	329	2.4	8	<1	<1	1	2	5	7	15
50-64	154	2.3	8	<1	<1	1	2	5	8	12
65+	70	1.9	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	3.5	23	<1	1	2	3	6	13	29
20-34	166	3.5	14	<1	1	2	4	6	9	19
35-49	75	3.6	8	1	1	3	5	6	8	16
50-64	36	3.1	4	1	1	3	4	6	7	10
65+	38	4.9	18	1	2	4	6	8	13	25
B. Operated										
0-19 YRS	454	2.6	9	<1	1	2	3	5	8	14
20-34	1069	3.1	29	<1	1	2	3	6	10	22
35-49	447	3.5	19	<1	1	2	4	8	11	24
50-64	224	3.3	16	<1	1	2	4	7	11	21
65+	156	4.1	23	1	1	2	5	10	13	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	2.5	2	<1	1	2	3	5	5	7
B. Operated	1824	2.0	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	396	3.6	14	<1	1	3	4	7	9	21
B. Operated	2350	3.2	22	<1	1	2	4	7	10	21
1. SINGLE DX	2082	2.1	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	2746	3.2	21	<1	1	2	4	7	10	21
A. NOT OPERATED	654	3.2	10	<1	1	2	4	6	7	17
B. OPERATED	4174	2.7	15	<1	<1	1	3	6	8	17
TOTAL 0-19 YRS	1032	2.3	7	<1	<1	1	2	5	6	14
20-34	2197	2.7	17	<1	1	2	3	5	8	17
35-49	898	3.1	13	<1	1	2	3	7	10	20
50-64	427	2.9	12	<1	1	2	3	6	8	17
65+	274	3.6	17	<1	1	2	4	7	11	24
GRAND TOTAL	**4828**	**2.8**	**14**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.4	3	<1	1	2	3	6	6	7
20-34	68	2.7	4	<1	1	2	3	6	7	9
35-49	33	3.3	5	<1	<1	3	4	7	9	10
50-64	10	2.3	3	<1	<1	2	3	5	6	6
65+	3	2.7	4	<1	<1	2	4	5	5	5
B. Operated										
0-19 YRS	333	2.9	11	<1	1	2	3	6	9	19
20-34	369	2.9	7	1	1	2	3	7	9	14
35-49	147	2.9	8	<1	<1	2	4	6	9	12
50-64	53	4.0	31	<1	<1	2	4	7	18	28
65+	30	5.9	32	1	1	4	8	16	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	3.2	6	1	1	3	4	6	8	13
20-34	79	3.0	4	1	1	3	4	6	7	10
35-49	43	3.6	11	<1	1	3	5	7	9	20
50-64	22	4.3	5	1	1	4	5	7	9	10
65+	51	7.3	53	1	2	4	8	18	27	31
B. Operated										
0-19 YRS	259	6.0	60	1	1	3	6	14	23	42
20-34	355	5.5	45	1	1	3	7	12	17	40
35-49	177	6.6	72	1	1	4	8	15	24	39
50-64	81	10.8	188	1	2	5	12	28	50	61
65+	88	8.4	61	1	2	6	12	20	25	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	2.7	4	<1	1	2	3	6	7	9
B. Operated	932	3.1	11	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. Not Operated	246	4.1	18	1	1	3	5	8	12	27
B. Operated	960	6.5	69	1	1	4	7	15	23	48
1. SINGLE DX	1116	3.0	10	<1	1	2	4	6	9	18
2. MULTIPLE DX	1206	6.0	60	1	1	3	7	14	21	42
A. NOT OPERATED	430	3.5	13	<1	1	3	4	7	9	20
B. OPERATED	1892	4.8	44	1	1	3	5	11	16	36
TOTAL 0-19 YRS	713	4.0	30	<1	1	2	4	8	13	29
20-34	871	4.0	24	1	1	3	5	8	12	22
35-49	400	4.6	40	<1	1	3	5	10	15	36
50-64	166	7.2	114	<1	1	4	7	21	28	56
65+	172	7.6	53	1	1	5	10	17	24	32
GRAND TOTAL	**2322**	**4.6**	**38**	**<1**	**1**	**3**	**5**	**10**	**15**	**31**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	10	2.3	3	<1	<1	2	3	5	5	5
20-34	27	2.5	3	<1	1	2	3	6	6	6
35-49	16	2.2	5	1	1	1	3	5	8	9
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	28.0	2187	1	1	1	62	82	82	82
20-34	8	4.6	20	<1	<1	2	10	10	10	10
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	5	4.2	7	1	1	5	6	7	7	7
B. *Operated*										
0-19 YRS	72	6.0	57	1	1	3	7	12	23	38
20-34	143	6.8	50	1	1	4	8	16	21	37
35-49	69	7.5	121	1	1	5	8	14	25	65
50-64	39	7.6	76	1	1	5	11	17	22	47
65+	15	5.9	34	1	1	5	8	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*	56	2.3	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	8.2	313	<1	1	4	7	10	46	82
B. *Operated*	338	6.8	68	1	1	4	8	15	22	41
1. SINGLE DX	60	2.3	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	358	6.9	81	1	1	4	8	15	22	46
A. NOT OPERATED	24	7.2	264	<1	1	3	6	10	32	82
B. OPERATED	394	6.2	61	1	1	4	7	14	21	39
TOTAL 0-19 YRS	86	6.3	118	1	1	3	6	12	25	67
20-34	180	6.0	44	1	1	4	8	15	19	36
35-49	88	6.5	99	1	1	4	7	12	21	62
50-64	42	7.2	72	1	1	4	10	16	22	47
65+	22	5.1	26	1	1	4	7	13	17	19
GRAND TOTAL	**418**	**6.2**	**72**	**1**	**1**	**4**	**7**	**14**	**21**	**42**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	7.3	140	<1	<1	1	13	25	25	25
35-49	2	28.5	1201	4	4	28	53	53	53	53
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.8	2	1	1	1	2	3	4	6
20-34	63	2.6	12	<1	<1	1	3	5	8	21
35-49	27	3.1	5	1	1	3	5	7	8	8
50-64	16	3.4	7	<1	<1	3	4	8	10	11
65+	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	14.4	205	<1	<1	12	25	35	37	37
20-34	13	12.5	420	1	2	7	10	29	70	79
35-49	14	9.4	168	<1	1	6	10	20	45	52
50-64	7	3.9	6	2	2	3	5	8	9	9
65+	23	13.3	90	1	2	12	17	30	31	31
B. *Operated*										
0-19 YRS	19	3.6	33	<1	1	2	3	12	20	22
20-34	92	4.1	51	1	1	2	4	7	14	45
35-49	53	5.8	92	1	1	3	5	11	23	50
50-64	37	5.4	46	1	1	3	7	12	18	37
65+	17	9.8	46	1	2	10	15	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	11.0	356	<1	<1	2	14	45	53	53
B. *Operated*	137	2.6	8	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	65	11.4	177	1	1	8	16	30	33	75
B. *Operated*	218	5.1	60	1	1	3	5	12	20	49
1. SINGLE DX	145	3.1	28	<1	1	2	3	6	8	26
2. MULTIPLE DX	283	6.6	93	1	1	3	7	16	22	51
A. NOT OPERATED	73	11.4	192	1	1	7	16	30	36	73
B. OPERATED	355	4.2	41	1	1	2	4	8	15	36
TOTAL 0-19 YRS	55	4.2	57	1	1	1	3	17	21	37
20-34	172	4.3	70	<1	1	2	4	8	15	53
35-49	96	6.0	102	1	1	3	6	10	22	53
50-64	60	4.7	31	1	1	3	5	10	12	35
65+	45	10.7	75	1	2	10	16	21	30	31
GRAND TOTAL	**428**	**5.4**	**74**	**1**	**1**	**3**	**5**	**13**	**20**	**50**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.5	3	1	1	3	5	6	6	9
20-34	52	3.4	3	1	1	3	4	5	6	9
35-49	20	3.2	3	<1	1	3	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	4.5	3	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	3	8.0	25	3	3	8	12	13	13	13
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.1	12	1	1	3	5	7	9	22
20-34	53	2.8	2	<1	1	3	4	5	5	6
35-49	21	3.4	5	<1	<1	2	5	7	8	8
50-64	13	4.2	6	2	2	3	5	7	10	11
65+	17	3.5	7	1	1	3	4	7	10	11
B. *Operated*										
0-19 YRS	13	3.5	3	1	1	4	4	6	7	7
20-34	16	4.2	7	1	1	4	6	8	9	10
35-49	7	3.3	2	2	2	3	3	5	6	6
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	2.9	3	1	1	2	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	3.5	3	1	1	3	5	6	6	9
B. *Operated*	4	7.5	18	3	3	7	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	178	3.6	8	1	1	3	5	6	8	18
B. *Operated*	47	3.5	4	1	1	3	5	7	7	10
1. SINGLE DX	180	3.6	4	1	1	3	5	6	6	10
2. MULTIPLE DX	225	3.6	7	1	1	3	5	6	7	13
A. NOT OPERATED	354	3.5	5	1	1	3	5	6	7	11
B. OPERATED	51	3.8	6	1	1	3	5	7	8	13
TOTAL 0-19 YRS	186	3.7	7	1	1	3	5	6	7	16
20-34	124	3.4	4	1	1	3	4	5	7	11
35-49	48	3.3	4	<1	1	3	5	6	7	8
50-64	19	3.9	6	1	1	3	5	6	9	11
65+	28	3.5	5	1	1	3	5	6	8	11
GRAND TOTAL	**405**	**3.6**	**6**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	1.4	1	<1	<1	1	2	2	3	6
20-34	300	1.9	2	<1	<1	1	2	4	5	7
35-49	116	1.9	3	<1	1	1	2	3	4	12
50-64	78	2.3	4	1	1	2	2	6	7	10
65+	112	2.9	5	<1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	61	2.2	7	<1	<1	1	2	5	9	15
20-34	60	2.4	4	<1	<1	2	3	5	7	10
35-49	27	3.1	17	<1	<1	2	3	8	13	19
50-64	15	1.8	1	<1	<1	1	3	4	4	4
65+	14	2.8	2	<1	1	3	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	662	1.7	2	<1	<1	1	2	3	4	6
20-34	906	2.0	3	<1	<1	1	2	4	6	9
35-49	477	2.8	11	<1	1	2	3	5	7	18
50-64	392	3.3	14	1	1	2	4	6	9	15
65+	1157	4.6	16	1	1	4	6	9	11	18
B. *Operated*										
0-19 YRS	115	2.8	7	<1	1	2	4	6	8	15
20-34	159	3.0	8	<1	<1	2	4	6	8	17
35-49	96	4.6	40	1	1	3	5	10	13	41
50-64	67	4.3	14	1	1	3	5	10	12	19
65+	138	7.6	76	1	1	4	9	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	904	1.9	3	<1	<1	1	2	4	5	8
B. *Operated*	177	2.4	7	<1	<1	1	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	3594	3.0	11	<1	1	2	4	6	8	15
B. *Operated*	575	4.5	34	1	1	3	5	10	13	34
1. SINGLE DX	1081	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX	4169	3.2	14	<1	1	2	4	7	9	18
A. NOT OPERATED	4498	2.8	9	<1	1	2	3	6	8	14
B. OPERATED	752	4.0	28	<1	1	2	5	8	12	33
TOTAL 0-19 YRS	1136	1.7	2	<1	<1	1	2	3	4	8
20-34	1425	2.1	4	<1	<1	1	2	4	6	9
35-49	716	2.9	14	<1	1	2	3	5	8	20
50-64	552	3.3	12	1	1	2	4	6	9	15
65+	1421	4.7	22	1	1	4	6	9	12	24
GRAND TOTAL	**5250**	**3.0**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.2	2	1	1	2	3	4	6	7
20-34	36	2.7	17	<1	1	2	3	4	7	25
35-49	[illegible]	1.4		1	1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	13	2.8	8	<1	1	2	3	6	10	11
20-34	52	4.5	40	<1	1	2	5	9	20	34
35-49	23	3.0	3	1	1	3	4	6	7	7
50-64	8	2.0	1	1	1	2	3	3	3	3
65+	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.0	5	1	1	2	4	6	8	10
20-34	42	2.2	3	<1	1	1	3	5	6	6
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	12	4.4	14	1	1	3	7	10	12	12
65+	7	8.3	206	1	1	2	8	34	40	40
B. *Operated*										
0-19 YRS	42	4.3	31	<1	1	2	6	8	14	31
20-34	114	7.3	80	1	1	4	9	16	30	45
35-49	53	7.3	142	1	1	3	8	17	24	75
50-64	28	6.2	178	1	1	3	6	9	16	73
65+	10	12.8	201	1	1	7	25	35	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.3	9	1	1	2	2	4	5	21
B. *Operated*	98	3.9	25	<1	1	2	4	8	13	30
2. MULTIPLE DX										
A. *Not Operated*	98	3.1	20	1	1	2	4	6	9	27
B. *Operated*	247	6.9	101	1	1	3	7	16	26	47
1. SINGLE DX	170	3.2	19	1	1	2	3	7	10	25
2. MULTIPLE DX	345	5.8	81	1	1	3	6	14	22	44
A. NOT OPERATED	170	2.8	15	1	1	2	3	5	7	22
B. OPERATED	345	6.1	81	1	1	3	7	14	24	44
TOTAL 0-19 YRS	103	3.3	16	1	1	2	4	7	9	25
20-34	244	5.2	53	1	1	2	6	13	21	37
35-49	98	5.1	83	1	1	2	4	12	18	56
50-64	51	4.9	102	1	1	2	5	8	10	72
65+	19	11.2	174	1	1	7	13	36	41	42
GRAND TOTAL	**515**	**5.0**	**62**	**1**	**1**	**2**	**5**	**10**	**18**	**41**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	5	3.4	5	1	1	3	5	7	7	7
1. SINGLE DX	9	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX	10	2.4	4	<1	<1	2	3	5	7	7
A. NOT OPERATED	11	1.2		<1	<1	1	1	2	3	3
B. OPERATED	8	2.8	4	1	1	2	4	6	7	7
TOTAL 0-19 YRS	11	2.0	4	<1	<1	1	3	5	7	7
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**19**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**6**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	1.1		<1	<1	1	1	1	2	4
20-34	75	1.3	1	<1	<1	1	1	2	3	5
35-49	48	1.2		<1	<1	1	1	2	2	3
50-64	45	1.6	3	<1	<1	1	1	2	5	10
65+	49	1.4	2	<1	<1	1	1	2	3	9
B. *Operated*										
0-19 YRS	135	1.3	1	<1	<1	1	1	2	3	5
20-34	18	3.2	10	<1	<1	2	4	7	11	13
35-49	19	2.2	3	<1	<1	1	3	5	6	7
50-64	9	4.2	28	1	1	2	5	13	17	17
65+	9	2.6	8	1	1	2	2	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	1.8	4	<1	<1	1	2	3	4	9
20-34	41	2.2	5	<1	<1	1	3	4	6	12
35-49	47	2.5	5	<1	<1	1	3	7	7	9
50-64	51	2.3	4	<1	1	2	3	5	6	9
65+	192	3.1	17	<1	1	2	4	7	9	24
B. *Operated*										
0-19 YRS	81	4.4	39	<1	1	2	6	13	19	80
20-34	25	5.9	30	<1	1	4	7	16	18	20
35-49	34	6.1	109	<1	1	3	6	11	38	47
50-64	46	5.3	30	<1	1	3	7	12	19	24
65+	128	6.1	60	1	1	4	6	12	30	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	573	1.2	1	<1	<1	1	1	2	2	4
B. *Operated*	190	1.8	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	463	2.5	10	<1	<1	1	3	5	7	17
B. *Operated*	314	5.5	53	1	1	3	6	12	21	43
1. SINGLE DX	763	1.3	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX	777	3.7	29	<1	1	2	4	8	12	33
A. NOT OPERATED	1036	1.8	5	<1	<1	1	2	3	5	10
B. OPERATED	504	4.1	38	<1	1	2	5	9	17	37
TOTAL 0-19 YRS	704	1.7	7	<1	<1	1	1	2	4	16
20-34	159	2.5	10	<1	<1	1	3	6	8	18
35-49	148	2.9	30	<1	<1	1	3	6	7	43
50-64	151	3.1	15	<1	<1	1	4	8	11	20
65+	378	3.9	32	<1	1	2	5	8	12	33
GRAND TOTAL	**1540**	**2.6**	**17**	**<1**	**<1**	**1**	**2**	**5**	**8**	**22**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	22	<1	<1	5	9	13	13	13
20-34	9	3.0	8	<1	<1	2	4	8	9	9
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	53	5.2	15	<1	1	4	7	10	12	19
20-34	34	6.2	48	<1	1	4	7	11	23	33
35-49	18	6.9	42	1	1	5	9	14	22	27
50-64	9	5.4	5	2	2	6	7	8	8	8
65+	5	9.2	46	5	5	6	12	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.6	8	1	1	5	7	8	9	9
20-34	31	5.0	26	1	1	3	6	14	16	18
35-49	19	6.5	51	1	1	3	9	18	24	26
50-64	13	8.2	123	1	2	5	7	18	39	44
65+	15	7.4	57	1	1	4	10	21	22	23
B. *Operated*										
0-19 YRS	83	15.0	345	1	1	8	20	35	46	94
20-34	132	16.4	268	1	3	12	20	38	55	87
35-49	94	19.5	343	1	1	15	30	45	62	96
50-64	59	18.6	255	2	4	14	27	36	44	92
65+	65	18.6	219	3	5	14	23	41	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.4	11	<1	<1	2	5	9	11	13
B. *Operated*	119	5.9	29	<1	1	5	7	11	17	29
2. MULTIPLE DX										
A. *Not Operated*	97	6.0	45	1	1	4	7	14	20	36
B. *Operated*	433	17.4	290	1	2	13	24	38	53	93
1. SINGLE DX	140	5.5	27	<1	1	4	7	10	14	28
2. MULTIPLE DX	530	15.3	264	1	2	11	21	36	49	92
A. NOT OPERATED	118	5.5	40	1	1	3	7	13	19	32
B. OPERATED	552	14.9	256	1	2	10	20	35	47	92
TOTAL 0-19 YRS	161	10.2	208	<1	1	5	11	25	35	91
20-34	206	12.4	212	1	1	7	17	29	42	82
35-49	134	15.5	289	1	1	9	24	39	57	93
50-64	82	15.3	230	2	3	11	22	35	43	82
65+	87	15.8	200	1	3	12	21	34	44	73
GRAND TOTAL	**670**	**13.3**	**230**	**1**	**1**	**8**	**18**	**32**	**44**	**83**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.5	6	<1	1	2	3	6	7	12
20-34	68	2.5	8	1	1	1	3	5	8	17
35-49	35	4.9	29	1	1	2	6	12	18	21
50-64	13	3.2	14	1	1	2	3	9	13	14
65+	6	4.7	23	1	1	2	8	12	13	13
B. *Operated*										
0-19 YRS	26	5.2	30	<1	1	3	7	15	17	21
20-34	20	6.6	92	1	1	2	7	21	33	35
35-49	10	3.9	9	<1	<1	3	5	8	10	10
50-64	9	5.8	24	1	1	4	8	13	17	17
65+	5	5.8	40	2	2	3	7	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	3.3	13	<1	1	2	4	7	9	21
20-34	212	3.8	15	<1	1	2	5	9	12	21
35-49	139	4.3	19	<1	1	3	5	11	15	20
50-64	74	6.0	36	1	1	3	10	14	19	26
65+	57	6.2	19	1	2	5	10	12	14	21
B. *Operated*										
0-19 YRS	82	8.1	66	1	1	5	11	17	27	39
20-34	105	10.7	104	1	2	7	14	29	33	42
35-49	61	8.6	58	1	1	7	12	19	26	33
50-64	26	10.0	73	1	1	7	17	22	24	25
65+	29	14.7	221	1	2	10	18	50	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.0	12	1	1	2	3	8	11	18
B. *Operated*	70	5.5	43	1	1	3	7	13	17	34
2. MULTIPLE DX										
A. *Not Operated*	758	4.1	18	<1	1	2	5	10	12	21
B. *Operated*	303	9.9	95	1	1	7	13	23	32	50
1. SINGLE DX	272	3.7	21	1	1	2	4	9	13	21
2. MULTIPLE DX	1061	5.7	47	1	1	3	7	13	20	34
A. NOT OPERATED	960	3.9	17	1	1	2	5	9	12	21
B. OPERATED	373	9.1	88	1	1	6	12	21	31	45
TOTAL 0-19 YRS	464	4.1	26	<1	1	2	5	9	13	28
20-34	405	5.5	50	1	1	3	7	12	20	36
35-49	245	5.4	33	1	1	3	7	13	18	27
50-64	122	6.6	44	1	1	3	10	17	21	26
65+	97	8.6	95	1	2	6	11	18	29	79
GRAND TOTAL	**1333**	**5.3**	**42**	**1**	**1**	**3**	**7**	**13**	**18**	**33**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	3	<1	<1	1	2	3	7	8
20-34	28	2.9	6	<1	<1	2	4	6	8	10
35-49	6	3.7	7	<1	<1	3	5	8	8	8
50-64	7	5.0	14	1	1	5	6	11	12	12
65+	5	5.6	21	1	1	5	8	13	13	13
B. *Operated*										
0-19 YRS	30	1.4	1	<1	<1	1	2	3	3	3
20-34	72	2.0	11	<1	<1	1	2	3	6	23
35-49	34	1.7	3	<1	<1	1	2	3	7	8
50-64	10	4.0	25	<1	<1	2	5	12	17	17
65+	5	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	23	1	1	2	3	6	15	23
20-34	56	4.0	16	<1	1	2	5	9	13	18
35-49	40	4.1	15	<1	1	3	5	12	13	15
50-64	30	6.1	50	1	1	3	8	13	16	36
65+	31	7.3	33	1	2	6	9	12	20	29
B. *Operated*										
0-19 YRS	88	5.1	121	<1	1	1	3	10	24	65
20-34	145	3.0	12	<1	1	2	3	7	10	19
35-49	94	4.6	85	1	1	2	3	11	19	56
50-64	22	6.9	239	<1	1	2	5	13	38	74
65+	33	9.2	133	<1	1	5	13	24	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.2	8	<1	<1	2	5	7	9	13
B. *Operated*	151	1.9	8	<1	<1	1	2	3	6	17
2. MULTIPLE DX										
A. *Not Operated*	179	4.8	27	1	1	3	6	11	14	27
B. *Operated*	382	4.6	81	<1	1	2	4	11	18	57
1. SINGLE DX	211	2.3	8	<1	<1	1	2	5	8	15
2. MULTIPLE DX	561	4.7	63	<1	1	2	5	11	16	40
A. NOT OPERATED	239	4.4	22	<1	1	3	6	10	13	24
B. OPERATED	533	3.9	61	<1	<1	1	3	8	15	42
TOTAL 0-19 YRS	154	3.9	75	<1	1	1	3	8	19	58
20-34	301	2.9	12	<1	<1	1	3	7	10	18
35-49	174	3.9	51	<1	1	2	3	9	15	38
50-64	69	5.9	101	<1	1	3	6	12	16	67
65+	74	7.6	78	1	1	5	10	14	28	49
GRAND TOTAL	**772**	**4.0**	**49**	**<1**	**1**	**2**	**4**	**9**	**14**	**36**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	1.4	1	<1	<1	1	2	2	3	4
20-34	149	2.1	3	<1	1	2	2	4	5	11
35-49	70	2.4	4	<1	1	2	4	5	6	9
50-64	28	2.0	2	<1	1	1	3	4	5	5
65+	16	3.7	8	1	1	3	5	7	10	12
B. *Operated*										
0-19 YRS	46	3.7	9	<1	1	3	5	8	9	14
20-34	77	3.1	12	<1	1	2	3	7	10	20
35-49	29	4.2	16	1	1	3	5	10	16	16
50-64	14	5.1	18	<1	1	4	6	11	15	16
65+	5	9.4	59	1	1	10	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	2.4	8	<1	1	2	2	5	7	15
20-34	319	2.7	7	<1	1	2	3	6	8	12
35-49	143	3.7	12	1	1	2	5	9	13	16
50-64	88	3.7	8	1	1	3	6	7	9	13
65+	209	5.2	22	1	1	4	6	11	16	25
B. *Operated*										
0-19 YRS	82	5.3	29	1	1	3	7	13	16	27
20-34	191	5.1	32	1	1	3	7	11	14	29
35-49	97	8.8	106	1	1	7	11	19	25	59
50-64	62	7.9	68	1	1	5	11	18	25	43
65+	85	12.8	184	2	2	9	14	25	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	171	3.8	14	<1	1	2	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	937	3.5	12	<1	1	2	4	7	10	17
B. *Operated*	517	7.4	82	1	1	5	9	15	23	43
1. SINGLE DX	581	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	1454	4.9	41	1	1	3	6	11	15	30
A. NOT OPERATED	1347	3.0	10	<1	1	2	4	6	9	16
B. OPERATED	688	6.5	68	1	1	4	8	14	20	38
TOTAL 0-19 YRS	453	2.7	11	<1	1	2	3	6	9	18
20-34	736	3.3	14	<1	1	2	4	8	10	15
35-49	339	4.9	44	1	1	3	6	11	15	29
50-64	192	4.9	32	1	1	3	6	11	14	30
65+	315	7.2	77	1	1	5	9	15	23	40
GRAND TOTAL	**2035**	**4.2**	**32**	**<1**	**1**	**2**	**5**	**9**	**13**	**26**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1000	1.3	1	<1	<1	1	1	2	3	5
20-34	469	1.7	10	<1	<1	1	2	3	3	7
35-49	196	1.6	3	<1	<1	1	2	3	3	5
50-64	59	1.9	3	<1	<1	1	2	4	6	8
65+	38	2.1	2	<1	1	2	3	4	5	6
B. *Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	3	5.7	41	1	1	3	10	13	13	13
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1775	2.8	27	<1	<1	1	3	5	8	30
20-34	2731	2.7	18	<1	<1	2	3	5	8	22
35-49	1652	3.0	23	<1	1	2	3	6	9	23
50-64	746	3.7	23	1	1	2	4	7	11	25
65+	1105	4.7	27	1	1	3	5	9	12	26
B. *Operated*										
0-19 YRS	35	5.0	12	1	1	4	7	10	12	12
20-34	91	8.6	178	1	1	3	9	21	33	73
35-49	56	9.9	123	1	1	5	16	30	37	96
50-64	51	8.6	85	1	1	4	12	24	28	38
65+	69	10.5	74	1	2	10	14	21	30	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1762	1.5	4	<1	<1	1	2	2	3	6
B. *Operated*	12	3.9	12	1	1	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	8009	3.2	23	<1	1	2	3	6	9	24
B. *Operated*	302	8.9	110	1	1	5	12	21	31	58
1. SINGLE DX	1774	1.5	4	<1	<1	1	2	2	3	6
2. MULTIPLE DX	8311	3.4	28	<1	1	2	3	7	11	28
A. NOT OPERATED	9771	2.9	20	<1	<1	2	3	6	8	22
B. OPERATED	314	8.7	107	1	1	5	12	21	31	57
TOTAL 0-19 YRS	2814	2.3	18	<1	<1	1	2	4	6	22
20-34	3294	2.7	23	<1	<1	1	3	5	8	23
35-49	1906	3.1	25	<1	1	2	3	6	9	28
50-64	857	3.9	27	1	1	2	4	7	12	26
65+	1214	5.0	31	1	1	3	6	10	14	29
GRAND TOTAL	**10085**	**3.0**	**24**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	1.2		<1	<1	1	1	2	2	4
20-34	222	1.6	1	<1	<1	1	2	3	3	8
35-49	118	1.5	1	<1	<1	1	2	3	3	5
50-64	53	1.5	3	1	1	1	1	2	3	13
65+	22	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*										
0-19 YRS	7	2.7	3	1	1	3	3	5	6	6
20-34	5	4.6	8	1	1	4	6	9	9	9
35-49	5	2.4	4	<1	<1	1	4	5	5	5
50-64	6	3.7	3	1	1	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	2.2	24	<1	1	1	2	3	5	39
20-34	383	2.3	12	<1	<1	1	2	4	5	16
35-49	252	2.5	11	<1	<1	1	3	5	7	19
50-64	147	2.7	10	<1	<1	2	3	6	10	17
65+	135	3.3	20	1	1	2	4	7	9	20
B. *Operated*										
0-19 YRS	15	6.1	62	<1	<1	2	8	20	25	27
20-34	21	5.6	17	1	1	4	8	11	14	16
35-49	19	6.8	44	1	2	5	8	18	22	25
50-64	12	7.2	26	2	2	5	10	14	18	19
65+	12	13.5	195	1	2	6	23	37	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	1.4	1	<1	<1	1	1	2	3	5
B. *Operated*	23	3.3	4	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1225	2.5	16	<1	1	1	2	5	7	18
B. *Operated*	79	7.4	64	1	1	5	9	19	26	39
1. SINGLE DX	785	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	1304	2.8	20	<1	1	1	3	5	8	25
A. NOT OPERATED	1987	2.1	10	<1	<1	1	2	4	5	13
B. OPERATED	102	6.5	53	1	1	4	8	16	23	38
TOTAL 0-19 YRS	677	1.8	13	<1	<1	1	2	3	4	12
20-34	631	2.2	9	<1	<1	1	2	4	6	13
35-49	394	2.4	11	<1	<1	1	2	5	7	19
50-64	218	2.7	11	<1	1	1	3	6	11	18
65+	169	3.8	37	1	1	2	4	7	11	40
GRAND TOTAL	**2089**	**2.3**	**13**	**<1**	**<1**	**1**	**2**	**4**	**6**	**18**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	1.7	31	<1	1	1	1	2	3	7
20-34	153	1.7	4	<1	<1	1	2	3	4	13
35-49	116	1.6	1	<1	<1	1	2	3	4	7
50-64	53	2.0	3	<1	<1	1	3	4	5	10
65+	46	2.1	3	<1	1	1	2	4	6	10
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	2.9	35	<1	1	1	3	5	9	29
20-34	284	2.6	8	<1	1	2	3	5	8	16
35-49	271	3.3	23	1	1	2	3	6	9	26
50-64	311	3.5	15	1	1	2	4	7	10	21
65+	726	4.4	18	1	1	3	6	8	12	21
B. *Operated*										
0-19 YRS	40	10.9	259	1	1	4	13	43	57	99+
20-34	35	6.3	126	1	1	1	5	20	27	57
35-49	36	9.0	227	<1	1	3	7	30	51	61
50-64	55	7.1	124	1	1	4	7	13	30	58
65+	99	7.7	74	1	1	5	9	15	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	1.7	12	<1	<1	1	2	3	4	9
B. *Operated*	11	2.0	4	<1	<1	1	2	5	8	8
2. MULTIPLE DX										
A. *Not Operated*	1863	3.6	20	1	1	2	4	7	10	22
B. *Operated*	265	8.0	140	1	1	4	8	19	34	58
1. SINGLE DX	566	1.7	12	<1	<1	1	2	3	4	9
2. MULTIPLE DX	2128	4.1	37	1	1	2	5	8	13	34
A. NOT OPERATED	2418	3.2	19	1	1	2	4	7	9	20
B. OPERATED	276	7.8	135	1	1	4	8	18	33	58
TOTAL 0-19 YRS	501	3.1	57	<1	1	1	2	5	10	55
20-34	475	2.6	17	<1	1	1	2	5	9	19
35-49	426	3.3	37	<1	1	2	3	6	9	35
50-64	420	3.7	29	1	1	2	4	7	11	26
65+	872	4.6	25	1	1	3	6	9	13	28
GRAND TOTAL	**2694**	**3.6**	**33**	**1**	**1**	**2**	**4**	**7**	**11**	**30**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.7	2	<1	<1	1	2	3	5	7
20-34	37	3.0	7	<1	<1	3	3	8	9	11
35-49	31	4.3	15	<1	<1	3	7	9	10	18
50-64	55	3.2	17	<1	<1	1	4	7	9	26
65+	41	5.5	18	1	1	4	9	11	13	15
B. *Operated*										
0-19 YRS	164	3.4	12	<1	<1	2	4	7	9	18
20-34	393	3.4	12	<1	1	2	4	8	10	17
35-49	453	4.8	24	<1	1	3	7	11	14	27
50-64	529	5.2	20	<1	1	4	8	11	13	20
65+	956	5.5	32	<1	1	3	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.2	16	1	1	3	6	10	13	19
20-34	225	4.6	23	1	1	3	6	9	10	26
35-49	238	5.1	20	1	1	4	7	10	15	23
50-64	235	5.5	33	1	1	4	7	11	14	26
65+	590	6.2	46	1	1	5	8	13	16	34
B. *Operated*										
0-19 YRS	604	6.6	68	1	1	4	8	15	23	41
20-34	1089	6.8	84	1	1	4	8	15	22	46
35-49	1537	7.0	68	1	1	4	9	16	22	46
50-64	2468	7.7	81	1	1	5	10	16	23	51
65+	4623	8.6	83	1	1	6	11	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	3.5	14	<1	<1	2	5	9	11	17
B. *Operated*	2495	4.9	24	<1	1	3	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	1438	5.5	33	1	1	4	7	11	15	29
B. *Operated*	10321	7.8	80	1	1	5	10	16	23	47
1. SINGLE DX	2695	4.8	24	<1	1	3	7	11	13	22
2. MULTIPLE DX	11759	7.5	75	1	1	5	10	16	22	46
A. NOT OPERATED	1638	5.2	31	<1	1	4	7	10	14	27
B. OPERATED	12816	7.3	70	1	1	5	10	15	21	44
TOTAL 0-19 YRS	954	5.5	50	<1	1	3	6	12	19	37
20-34	1744	5.7	60	1	1	3	7	11	17	41
35-49	2259	6.3	54	1	1	4	8	14	19	39
50-64	3287	7.1	68	1	1	5	9	15	20	45
65+	6210	7.9	73	1	1	6	11	16	22	44
GRAND TOTAL	**14454**	**7.0**	**66**	**1**	**1**	**4**	**9**	**15**	**21**	**42**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.3		<1	<1	1	1	2	2	4
20-34	101	2.1	2	<1	1	2	2	4	6	8
35-49	92	2.2	2	<1	1	2	3	4	5	6
50-64	80	2.3	2	1	1	2	3	4	5	7
65+	132	2.6	2	1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	163	1.3	1	<1	<1	1	1	2	2	6
20-34	181	1.8	2	<1	<1	1	2	4	5	7
35-49	105	2.5	4	<1	1	2	4	5	6	11
50-64	82	2.5	4	<1	1	2	3	5	7	10
65+	65	2.5	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	3	<1	1	1	2	3	7	8
20-34	108	2.6	5	<1	1	2	3	6	7	12
35-49	94	3.5	9	1	1	3	4	6	9	17
50-64	134	3.1	7	1	1	2	4	5	10	14
65+	409	3.4	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	85	2.0	4	<1	1	1	2	5	6	12
20-34	201	3.3	15	1	1	2	4	6	8	24
35-49	161	3.8	21	1	1	2	5	8	13	24
50-64	231	3.9	23	1	1	2	5	8	11	30
65+	510	4.3	31	1	1	2	5	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	596	2.0	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	795	3.2	6	1	1	2	4	6	8	13
B. *Operated*	1188	3.8	24	1	1	2	4	8	12	28
1. SINGLE DX	1093	2.0	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	1983	3.6	17	1	1	2	4	7	10	23
A. NOT OPERATED	1292	2.8	5	1	1	2	3	5	7	12
B. OPERATED	1784	3.2	17	<1	1	2	4	7	10	25
TOTAL 0-19 YRS	390	1.5	2	<1	<1	1	2	2	3	8
20-34	591	2.5	7	<1	1	2	3	5	7	14
35-49	452	3.1	11	1	1	2	4	6	8	19
50-64	527	3.2	13	1	1	2	4	6	9	18
65+	1116	3.7	17	1	1	3	4	7	10	26
GRAND TOTAL	**3076**	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.7	3	1	2	3	5	6	7	9
20-34	145	3.9	5	1	2	3	5	7	9	10
35-49	128	4.7	6	2	2	4	6	8	10	12
50-64	65	4.5	16	1	2	3	5	7	13	21
65+	49	5.9	13	2	3	5	7	9	11	23
B. *Operated*										
0-19 YRS	56	7.1	77	1	2	4	8	10	29	45
20-34	105	4.7	13	1	1	4	6	10	12	17
35-49	100	6.8	33	1	1	5	9	15	20	26
50-64	86	5.9	22	1	1	5	8	12	14	25
65+	50	7.0	21	1	2	7	10	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	4.3	6	1	2	4	6	8	9	9
20-34	241	5.5	14	2	2	4	7	10	14	19
35-49	250	5.9	18	2	2	5	7	11	12	22
50-64	280	7.9	62	2	3	6	9	14	20	38
65+	443	7.4	36	2	2	6	9	13	17	32
B. *Operated*										
0-19 YRS	113	8.4	69	2	2	6	11	14	18	46
20-34	293	9.8	72	2	2	8	12	18	23	46
35-49	337	11.6	122	2	3	8	14	25	33	56
50-64	421	13.3	145	2	3	10	17	31	41	61
65+	532	14.0	157	3	4	11	18	29	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	4.4	8	1	2	4	6	8	9	16
B. *Operated*	397	6.1	31	1	1	5	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	1289	6.7	33	2	2	5	8	12	16	29
B. *Operated*	1696	12.2	130	2	3	9	15	26	35	62
1. SINGLE DX	831	5.2	20	1	2	4	7	10	12	23
2. MULTIPLE DX	2985	9.8	96	2	2	7	12	21	29	50
A. NOT OPERATED	1723	6.1	28	2	2	5	7	11	15	28
B. OPERATED	2093	11.1	117	1	2	8	14	23	33	55
TOTAL 0-19 YRS	291	6.3	47	1	2	5	7	12	14	40
20-34	784	6.7	40	1	2	5	8	13	18	30
35-49	815	8.2	70	2	2	6	10	17	23	40
50-64	852	10.1	106	2	2	7	12	22	32	52
65+	1074	10.6	106	2	3	7	13	21	30	52
GRAND TOTAL	**3816**	**8.8**	**83**	**2**	**2**	**6**	**11**	**18**	**26**	**47**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	4	1	1	2	3	5	6	10
20-34	100	3.1	7	1	1	2	4	6	8	15
35-49	111	3.9	10	1	1	3	5	8	11	15
50-64	77	4.7	11	1	1	4	7	10	11	14
65+	60	4.1	8	1	1	3	6	8	9	12
B. *Operated*										
0-19 YRS	56	3.5	12	<1	<1	2	5	8	10	17
20-34	130	4.4	23	<1	1	3	7	9	11	51
35-49	139	4.7	23	<1	<1	3	7	9	11	22
50-64	116	4.3	20	<1	1	3	6	9	13	22
65+	115	5.9	39	<1	1	4	7	13	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	2.9	16	1	1	2	4	6	8	25
20-34	408	3.4	9	1	1	2	4	8	10	15
35-49	458	4.3	15	1	1	3	6	9	11	18
50-64	497	4.7	24	1	1	3	6	10	12	23
65+	829	5.3	20	1	1	4	7	11	13	22
B. *Operated*										
0-19 YRS	436	2.6	20	1	1	1	2	6	9	18
20-34	836	3.7	30	1	1	2	4	10	13	27
35-49	897	5.3	52	1	1	2	7	13	17	41
50-64	1060	6.6	74	1	1	3	9	16	22	53
65+	1883	6.9	87	1	1	3	8	17	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	3.7	9	1	1	3	5	8	10	14
B. *Operated*	556	4.7	25	<1	1	3	7	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	2367	4.5	18	1	1	3	6	9	12	20
B. *Operated*	5112	5.7	65	1	1	2	7	14	20	43
1. SINGLE DX	946	4.3	19	<1	1	3	6	9	11	20
2. MULTIPLE DX	7479	5.3	51	1	1	3	7	12	17	39
A. NOT OPERATED	2757	4.4	17	1	1	3	6	9	12	18
B. OPERATED	5668	5.6	61	1	1	3	7	14	19	42
TOTAL 0-19 YRS	709	2.7	17	1	1	1	3	6	8	18
20-34	1474	3.7	22	1	1	2	4	8	12	23
35-49	1605	4.9	36	1	1	3	6	11	15	32
50-64	1750	5.8	55	1	1	3	7	13	19	42
65+	2887	6.3	65	1	1	4	8	14	21	41
GRAND TOTAL	**8425**	**5.2**	**47**	**1**	**1**	**3**	**7**	**12**	**17**	**38**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.7	1	1	1	2	2	3	4	4
20-34	15	2.1	2	1	1	2	2	5	6	6
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	24.0		24	24	24	24	24	24	24
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	8	<1	<1	3	4	7	10	12
20-34	38	3.5	8	1	1	3	4	7	10	14
35-49	36	3.5	6	1	1	3	5	7	9	11
50-64	46	5.0	29	1	1	3	6	13	19	25
65+	95	3.5	7	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	5	4.4	7	<1	<1	4	6	8	8	8
20-34	16	6.9	32	1	1	6	9	17	18	18
35-49	20	8.4	102	<1	1	4	9	28	34	35
50-64	18	8.7	57	1	2	6	11	19	26	30
65+	32	6.1	97	1	1	4	6	10	15	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.2	3	1	1	2	2	5	6	9
B. *Operated*	3	10.3	146	1	1	6	19	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	231	3.8	12	1	1	3	5	8	10	19
B. *Operated*	91	7.2	73	1	1	4	9	16	23	48
1. SINGLE DX	44	2.8	14	1	1	2	3	6	7	24
2. MULTIPLE DX	322	4.7	31	1	1	3	6	9	13	31
A. NOT OPERATED	272	3.6	11	1	1	2	5	7	10	18
B. OPERATED	94	7.3	74	1	1	4	9	17	24	47
TOTAL 0-19 YRS	35	2.8	6	<1	1	2	4	6	8	12
20-34	70	3.9	15	1	1	2	5	9	14	18
35-49	63	5.3	46	1	1	3	6	10	23	35
50-64	67	6.0	38	1	1	4	8	14	20	29
65+	131	4.1	30	1	1	3	6	8	10	24
GRAND TOTAL	**366**	**4.5**	**30**	**1**	**1**	**3**	**6**	**9**	**13**	**29**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.4	1	<1	<1	<1	2	3	3	3
20-34	813	1.1		<1	<1	<1	1	1	2	3
35-49	536	1.1		<1	<1	<1	1	1	2	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	1.0		<1	<1	<1	<1	1	1	1
35-49	4	1.5	1	<1	<1	<1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	411	1.5	1	<1	<1	1	2	3	3	6
35-49	300	1.5	1	<1	<1	1	1	3	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	<1	1	1	1
B. *Operated*	1357	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	18	1.1		<1	<1	<1	<1	1	2	3
B. *Operated*	716	1.5	1	<1	<1	1	2	3	4	6
1. SINGLE DX	1363	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	734	1.5	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	24	1.1		<1	<1	<1	<1	1	2	3
B. OPERATED	2073	1.2	1	<1	<1	<1	1	2	3	4
TOTAL 0-19 YRS	13	1.6	1	<1	<1	1	2	3	5	5
20-34	1241	1.2		<1	<1	<1	1	2	3	4
35-49	842	1.2	1	<1	<1	<1	1	2	3	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**2097**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**4**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	17.5	41	13	13	17	22	22	22	22
1750-2499	1285	2.2	2	1	1	2	3	4	4	7
2500+	106884	2.0	1	1	1	2	2	4	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	3.0		3	3	3	3	3	3	3
2500+	24	3.0	5	<1	1	2	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	5	63.8	101	53	54	65	78	98	99+	99+
1000-1499	125	38.2	260	15	19	36	49	60	66	80
1500-1749	218	22.3	106	9	11	20	28	36	42	53
1750-2499	4738	5.6	28	1	1	4	7	13	17	26
2500+	76638	2.7	3	1	1	2	4	5	5	9
B. *Operated*										
1-999 G	91	74.2	293	44	56	89	99+	99+	99+	99+
1000-1499	243	49.4	367	21	27	50	68	85	99+	99+
1500-1749	158	33.8	247	15	17	30	42	54	63	89
1750-2499	723	17.2	190	1	4	14	23	32	45	75
2500+	1907	7.1	69	1	1	5	8	14	21	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108171	2.0	1	1	1	2	2	4	4	5
B. *Operated*	25	3.0	5	<1	1	3	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	81724	3.0	9	1	1	2	4	5	6	14
B. *Operated*	3122	16.0	386	1	2	8	21	51	74	99+
1. SINGLE DX	108196	2.0	1	1	1	2	2	4	4	5
2. MULTIPLE DX	84846	3.5	29	1	1	2	4	5	8	27
A. NOT OPERATED	189895	2.4	5	1	1	2	3	4	5	9
B. OPERATED	3147	15.9	384	1	2	8	21	51	74	99+
TOTAL 1-999 G	96	73.7	288	45	56	88	99+	99+	99+	99+
1000-1499	368	45.6	358	18	22	45	60	78	95	99+
1500-1749	378	27.1	196	9	13	23	34	45	53	78
1750-2499	6747	6.2	57	1	1	4	7	15	20	37
2500+	185453	2.3	3	1	1	2	3	4	5	8
GRAND TOTAL	**193042**	**2.6**	**14**	**1**	**1**	**2**	**3**	**4**	**5**	**14**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	196	3.7	4	1	2	3	4	6	7	13
2500+	995	3.3	2	1	2	3	4	5	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	47.0		47	47	47	47	47	47	47
1000-1499	26	41.0	262	18	20	41	54	60	64	72
1500-1749	89	20.0	82	8	11	19	23	30	34	57
1750-2499	943	6.8	28	2	2	5	9	14	18	23
2500+	1117	4.1	5	2	2	4	5	6	7	13
B. *Operated*										
1-999 G	8	73.8	408	44	63	99+	99+	99+	99+	99+
1000-1499	79	48.9	243	28	31	48	63	73	84	99+
1500-1749	54	30.5	114	13	19	29	36	43	49	69
1750-2499	161	16.3	142	<1	4	14	22	31	36	84
2500+	42	9.8	88	<1	2	7	11	23	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1191	3.4	2	1	2	3	4	5	6	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2176	6.4	47	2	2	4	6	13	19	37
B. *Operated*	344	26.5	412	2	5	24	38	65	84	99+
1. SINGLE DX	1191	3.4	2	1	2	3	4	5	6	7
2. MULTIPLE DX	2520	9.1	144	2	2	5	9	22	36	72
A. NOT OPERATED	3367	5.3	33	1	2	4	5	9	16	28
B. OPERATED	344	26.5	412	2	5	24	38	65	84	99+
TOTAL 1-999 G	9	70.8	437	39	52	99	99+	99+	99+	99+
1000-1499	105	47.0	257	22	26	46	59	70	77	99+
1500-1749	143	24.0	120	9	12	22	30	38	44	62
1750-2499	1300	7.5	50	2	2	5	9	17	21	34
2500+	2154	3.9	6	1	2	4	5	6	6	12
GRAND TOTAL	**3711**	**7.3**	**106**	**1**	**2**	**4**	**6**	**17**	**28**	**64**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	10	1.3		<1	<1	1	2	2	2	2
2500+	242	1.5	1	<1	1	1	2	3	3	4
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	28.0		28	28	28	28	28	28	28
1500-1749	1	24.0		24	24	24	24	24	24	24
1750-2499	35	6.0	34	1	1	3	9	14	16	29
2500+	147	2.3	2	<1	1	2	3	5	6	8
B. *Operated*										
1-999 G	1	66.0		66	66	83	99+	99+	99+	99+
1000-1499										
1500-1749	1	22.0		22	22	22	22	22	22	22
1750-2499	8	10.6	61	2	3	10	15	23	25	25
2500+	11	4.7	9	<1	<1	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	1.5	1	<1	1	1	2	2	3	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	184	3.3	16	<1	1	2	3	6	9	27
B. *Operated*	21	10.7	205	<1	1	7	11	37	80	99+
1. SINGLE DX	252	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	205	4.0	40	<1	1	2	4	8	14	45
A. NOT OPERATED	436	2.2	8	<1	1	2	2	4	6	15
B. OPERATED	21	10.7	205	<1	1	7	11	37	80	99+
TOTAL 1-999 G	1	66.0		66	66	83	99+	99+	99+	99+
1000-1499	1	28.0		28	28	28	28	28	28	28
1500-1749	2	23.0	2	22	22	23	24	24	24	24
1750-2499	53	5.8	38	1	1	3	9	14	18	29
2500+	400	1.9	2	<1	1	1	2	3	5	8
GRAND TOTAL	**457**	**2.6**	**20**	**<1**	**1**	**2**	**2**	**5**	**8**	**25**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	<1	2	2	2	2
20-34	5	2.2	3	<1	<1	<1	3	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	4.5	49	<1	<1	1	8	15	15	15
B. *Operated*										
0-19 YRS	443	1.4	1	<1	<1	1	1	2	3	5
20-34	614	1.7	1	<1	<1	1	2	3	4	6
35-49	315	1.8	2	<1	<1	1	2	4	5	8
50-64	222	1.7	3	<1	<1	1	2	3	4	9
65+	126	1.8	1	<1	<1	1	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	5	2.0	5	<1	<1	<1	2	6	6	6
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	5	2.6	6	<1	<1	2	3	7	7	7
B. *Operated*										
0-19 YRS	96	2.3	7	<1	<1	1	3	4	5	18
20-34	200	3.3	10	<1	1	2	4	7	8	17
35-49	134	2.6	5	1	1	2	3	5	7	12
50-64	92	3.0	9	1	1	2	4	6	11	15
65+	98	3.4	7	<1	1	3	4	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	12	<1	<1	1	2	5	11	15
B. *Operated*	1720	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	20	1.7	3	<1	<1	<1	1	4	6	7
B. *Operated*	620	3.0	8	<1	1	2	4	6	8	15
1. SINGLE DX	1738	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	640	2.9	8	<1	1	2	4	6	8	15
A. NOT OPERATED	38	2.0	7	<1	<1	<1	2	5	7	15
B. OPERATED	2340	2.0	4	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	550	1.5	2	<1	<1	1	2	3	3	5
20-34	824	2.1	4	<1	<1	1	2	4	6	9
35-49	453	2.0	3	<1	<1	1	2	4	5	10
50-64	318	2.1	5	<1	<1	1	2	4	6	14
65+	233	2.5	5	<1	<1	2	3	5	7	12
GRAND TOTAL	**2378**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	5	2.2	3	<1	<1	<1	3	5	5	5
50-64	5	6.0	17	1	1	6	9	11	11	11
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	28	2.2	4	<1	1	2	3	4	8	10
35-49	35	3.6	16	<1	1	2	4	7	11	21
50-64	53	3.5	15	<1	<1	2	4	7	13	18
65+	31	4.9	30	<1	<1	3	6	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	23	2.8	8	<1	<1	1	4	7	10	11
B. *Operated*	151	3.6	16	<1	<1	2	4	8	13	21
1. SINGLE DX	3	1.3		<1	<1	<1	2	2	2	2
2. MULTIPLE DX	174	3.5	15	<1	<1	2	4	8	12	20
A. NOT OPERATED	25	2.7	8	<1	<1	1	3	7	9	11
B. OPERATED	152	3.6	16	<1	<1	2	4	8	13	21
TOTAL 0-19 YRS	9	2.7	4	<1	<1	2	3	6	7	7
20-34	38	1.9	4	<1	<1	1	2	3	6	10
35-49	40	3.4	14	<1	<1	2	4	7	10	21
50-64	58	3.8	16	<1	<1	2	5	9	13	18
65+	32	4.9	29	<1	<1	3	6	13	16	24
GRAND TOTAL	**177**	**3.4**	**15**	**<1**	**<1**	**2**	**4**	**8**	**12**	**20**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	519	1.8	2	<1	<1	1	2	3	4	9
20-34	883	1.8	4	<1	<1	1	2	3	5	9
35-49	332	2.2	7	<1	<1	1	2	4	5	13
50-64	354	1.9	3	<1	<1	1	2	4	5	9
65+	277	4.4	48	<1	1	1	4	12	19	39
B. *Operated*										
0-19 YRS	219	2.8	7	<1	<1	1	4	8	8	10
20-34	566	3.1	7	<1	<1	2	4	8	8	10
35-49	461	3.3	9	<1	<1	2	5	7	9	13
50-64	334	3.8	10	<1	<1	2	6	9	10	12
65+	212	4.4	15	<1	<1	3	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1938	4.3	86	<1	1	2	4	7	13	56
20-34	2150	6.1	106	<1	1	2	5	19	28	58
35-49	3273	4.5	59	1	1	2	4	9	19	37
50-64	6790	4.2	55	1	1	2	4	7	17	39
65+	9704	7.1	92	1	1	3	8	20	27	48
B. *Operated*										
0-19 YRS	584	3.5	33	<1	1	1	4	8	12	32
20-34	1321	3.9	56	<1	1	2	4	8	11	44
35-49	1658	4.2	39	1	1	2	5	8	12	37
50-64	2037	5.5	64	1	1	3	6	11	18	46
65+	2639	7.1	94	1	1	4	9	16	26	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2365	2.2	10	<1	<1	1	2	4	6	15
B. *Operated*	1792	3.4	9	<1	<1	2	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	23855	5.6	79	1	1	2	5	15	24	47
B. *Operated*	8239	5.3	67	1	1	3	6	11	20	45
1. SINGLE DX	4157	2.7	10	<1	<1	1	3	7	8	13
2. MULTIPLE DX	32094	5.5	76	1	1	2	5	14	23	46
A. NOT OPERATED	26220	5.3	74	1	1	2	5	14	22	45
B. OPERATED	10031	5.0	57	<1	1	3	6	10	17	43
TOTAL 0-19 YRS	3260	3.7	59	<1	<1	2	4	6	10	43
20-34	4920	4.4	66	<1	<1	2	4	8	19	45
35-49	5724	4.2	46	1	1	2	4	8	16	36
50-64	9515	4.4	54	1	1	2	5	8	16	40
65+	12832	7.0	90	1	1	3	8	19	27	48
GRAND TOTAL	**36251**	**5.2**	**69**	**1**	**1**	**2**	**5**	**12**	**21**	**44**

Operation Groups

Length of Stay Tables
Operation Groups

354 Hospitals, Western Region, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57904	2.4	8	<1	1	2	3	4	6	13
20-34	163626	2.4	4	<1	1	2	3	4	5	10
35-49	59458	3.2	9	<1	1	2	4	6	8	14
50-64	41781	3.7	11	<1	1	3	5	8	10	15
65+	36577	4.6	17	<1	1	3	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	64362	5.2	73	1	1	3	5	11	19	53
20-34	185320	4.1	25	1	1	3	4	7	10	26
35-49	121388	5.3	37	1	1	4	6	10	15	32
50-64	143099	6.5	51	1	1	5	8	13	18	37
65+	280744	7.8	55	1	2	6	10	15	21	38
TOT. SINGLE DX	359346	2.9	8	<1	1	2	4	6	8	14
" MULTIPLE DX	794913	6.1	48	1	1	4	7	13	18	36
TOTAL 0-19 YRS	122266	3.9	44	<1	1	2	4	7	12	38
20-34	348946	3.3	16	1	1	2	4	6	8	19
35-49	180846	4.6	29	1	1	3	5	9	12	27
50-64	184880	5.9	43	1	1	4	7	12	16	34
65+	317321	7.4	52	1	1	6	10	15	20	37
GRAND TOTAL	**1154259**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	6.8	31	1	2	6	9	13	16	31
20-34	122	8.3	58	1	2	7	10	13	16	37
35-49	177	7.6	17	1	3	7	9	13	15	23
50-64	203	8.4	22	3	4	7	10	14	17	26
65+	174	9.6	33	3	4	9	11	16	24	32
2. MULTIPLE DX										
0-19 YRS	213	16.6	271	2	3	11	21	49	65	99+
20-34	248	15.3	177	3	4	12	20	31	42	99+
35-49	320	15.0	205	3	4	11	18	29	46	89
50-64	503	15.3	185	4	5	11	19	32	49	93
65+	794	16.4	143	4	6	13	21	32	44	66
TOT. SINGLE DX	781	8.2	31	2	3	7	10	14	18	27
" MULTIPLE DX	2078	15.8	180	3	5	12	20	33	49	96
TOTAL 0-19 YRS	318	13.3	213	1	2	9	15	37	55	99+
20-34	370	13.0	148	2	4	9	16	25	36	96
35-49	497	12.4	152	2	3	9	14	24	33	79
50-64	706	13.3	148	3	4	10	15	26	41	81
65+	968	15.2	131	4	5	12	19	30	41	63
GRAND TOTAL	**2859**	**13.7**	**151**	**3**	**4**	**10**	**16**	**28**	**41**	**83**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	6.0	44	2	2	5	7	9	12	47
20-34	35	7.7	35	2	3	6	9	12	17	35
35-49	35	7.5	30	1	3	5	10	14	21	26
50-64	34	9.1	56	2	4	8	10	16	21	43
65+	31	9.1	48	3	4	7	9	19	27	33
2. MULTIPLE DX										
0-19 YRS	101	12.4	163	3	4	8	16	28	47	86
20-34	131	15.4	200	4	5	11	19	37	55	99+
35-49	112	15.4	134	4	5	11	20	34	48	99+
50-64	109	16.0	201	4	5	12	19	34	40	79
65+	179	14.9	103	4	5	12	19	28	36	59
TOT. SINGLE DX	206	7.5	44	2	3	6	9	13	17	39
" MULTIPLE DX	632	14.9	155	4	5	11	19	32	46	99+
TOTAL 0-19 YRS	172	9.8	124	2	3	6	11	22	33	71
20-34	166	13.8	175	3	4	9	17	33	54	99+
35-49	147	13.5	121	3	4	10	17	29	43	99+
50-64	143	14.4	175	3	5	10	18	31	39	73
65+	210	14.0	99	4	5	11	18	27	33	55
GRAND TOTAL	**838**	**13.1**	**138**	**3**	**4**	**9**	**16**	**28**	**41**	**88**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	3.8	3	2	2	3	5	6	8	9
20-34	46	3.6	3	1	1	3	5	6	6	9
35-49	15	4.4	7	1	2	3	7	9	9	9
50-64	18	4.4	16	1	1	3	6	8	14	18
65+	10	4.6	3	3	3	4	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	131	8.4	99	2	2	5	8	19	32	48
20-34	118	9.9	188	1	2	5	10	24	40	71
35-49	61	9.9	127	2	3	5	10	26	35	59
50-64	34	9.4	92	3	3	6	10	18	36	44
65+	22	8.0	43	2	3	6	10	16	25	29
TOT. SINGLE DX	243	3.9	5	1	2	4	5	6	8	9
" MULTIPLE DX	366	9.2	128	2	2	5	10	22	32	59
TOTAL 0-19 YRS	285	5.9	53	2	2	4	6	10	18	39
20-34	164	8.2	144	1	2	4	8	21	30	59
35-49	76	8.8	108	2	2	5	9	22	30	56
50-64	52	7.7	71	1	2	5	8	16	28	44
65+	32	6.9	33	2	3	5	9	12	21	29
GRAND TOTAL	**609**	**7.1**	**86**	**1**	**2**	**4**	**7**	**13**	**25**	**48**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	4.8	6	1	2	4	6	8	9	14
20-34	12	5.9	19	2	3	4	6	15	16	16
35-49	7	4.7	2	2	2	5	6	7	7	7
50-64	12	6.8	11	2	3	6	8	11	14	15
65+	35	7.3	16	3	3	6	9	12	15	22
2. MULTIPLE DX										
0-19 YRS	129	15.3	375	2	3	7	16	49	65	99+
20-34	50	13.1	236	3	4	8	13	40	86	99+
35-49	26	12.6	227	3	4	9	11	64	99+	99+
50-64	43	14.7	170	3	4	10	21	56	99+	99+
65+	172	15.2	140	4	5	11	21	33	39	75
TOT. SINGLE DX	113	5.9	12	2	3	5	7	10	14	18
" MULTIPLE DX	420	14.7	231	3	4	9	20	39	59	99+
TOTAL 0-19 YRS	176	12.5	298	2	2	6	11	42	60	96
20-34	62	11.7	201	3	3	7	12	39	57	99+
35-49	33	10.9	189	2	4	7	11	47	93	99+
50-64	55	12.9	146	3	4	9	17	34	84	99+
65+	207	13.8	128	3	5	9	19	30	37	66
GRAND TOTAL	**533**	**12.9**	**198**	**2**	**3**	**8**	**15**	**34**	**50**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	5.0	22	1	1	4	6	9	15	28
20-34	39	6.6	90	1	1	4	7	14	34	43
35-49	23	5.2	19	1	2	4	8	9	13	21
50-64	15	7.0	36	1	2	6	8	9	23	27
65+	24	6.3	35	1	2	4	8	14	20	27
2. MULTIPLE DX										
0-19 YRS	388	8.6	141	1	1	4	9	21	36	83
20-34	154	15.3	305	2	3	8	19	42	61	97
35-49	78	12.0	194	1	2	6	16	31	57	89
50-64	77	18.2	341	1	3	10	29	49	60	72
65+	104	14.3	130	2	3	11	20	31	36	54
TOT. SINGLE DX	170	5.7	40	1	1	4	7	10	17	36
" MULTIPLE DX	801	11.9	207	1	2	7	14	32	49	77
TOTAL 0-19 YRS	457	8.1	125	1	1	4	9	19	31	79
20-34	193	13.6	274	1	2	7	15	38	54	86
35-49	101	10.4	162	1	2	6	12	27	48	81
50-64	92	16.4	308	1	3	9	21	41	57	72
65+	128	12.8	122	2	2	9	17	30	33	53
GRAND TOTAL	**971**	**10.8**	**183**	**1**	**2**	**6**	**13**	**28**	**42**	**72**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	8.2	40	2	3	7	11	13	22	31
20-34	200	6.7	17	2	3	6	8	11	14	25
35-49	442	6.2	14	2	3	5	7	10	13	17
50-64	492	6.9	15	3	3	6	8	11	14	23
65+	402	7.7	12	3	4	7	9	12	14	20
2. MULTIPLE DX										
0-19 YRS	52	13.2	196	3	3	9	15	27	47	74
20-34	263	9.8	65	3	4	7	11	19	24	45
35-49	617	8.9	59	3	4	7	10	16	22	41
50-64	997	9.3	52	3	4	7	10	15	22	45
65+	1452	11.0	58	4	5	9	13	18	24	43
TOT. SINGLE DX	1556	6.9	16	3	3	6	8	11	14	22
" MULTIPLE DX	3381	10.0	61	4	4	8	12	17	23	45
TOTAL 0-19 YRS	72	11.8	157	2	3	8	13	25	35	71
20-34	463	8.5	47	3	3	7	9	15	21	42
35-49	1059	7.7	43	3	3	6	9	13	17	37
50-64	1489	8.5	42	3	4	7	10	14	19	38
65+	1854	10.3	51	4	5	8	12	17	22	42
GRAND TOTAL	**4937**	**9.0**	**49**	**3**	**4**	**7**	**10**	**15**	**21**	**39**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	6.7	30	1	2	5	9	15	20	23
20-34	135	5.0	17	1	1	4	7	10	12	18
35-49	140	4.9	20	1	1	3	7	9	13	21
50-64	79	6.4	41	1	1	4	7	14	24	30
65+	51	5.8	24	1	1	4	8	11	19	22
2. MULTIPLE DX										
0-19 YRS	101	12.9	144	1	2	9	18	30	43	99+
20-34	183	8.8	96	1	2	6	10	17	33	88
35-49	216	9.8	113	1	2	7	12	19	30	55
50-64	149	13.1	165	1	3	9	17	29	43	63
65+	178	13.2	141	2	2	10	17	31	38	91
TOT. SINGLE DX	432	5.4	25	1	1	4	7	11	15	26
" MULTIPLE DX	827	11.3	132	1	2	8	14	26	37	72
TOTAL 0-19 YRS	128	11.6	127	1	2	9	16	25	42	99+
20-34	318	7.2	66	1	1	5	9	13	24	61
35-49	356	7.9	82	1	1	5	9	16	22	45
50-64	228	10.8	133	1	2	7	14	25	31	61
65+	229	11.5	125	1	2	9	14	26	35	76
GRAND TOTAL	**1259**	**9.3**	**103**	**1**	**2**	**6**	**11**	**20**	**31**	**63**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.2	2	<1	<1	1	3	5	6	6
20-34	69	2.5	7	<1	<1	1	3	5	8	16
35-49	126	2.4	5	<1	<1	1	2	7	8	10
50-64	88	2.5	8	<1	<1	1	2	7	9	15
65+	52	2.2	5	<1	<1	1	3	6	7	13
2. MULTIPLE DX										
0-19 YRS	16	3.1	7	<1	1	2	4	8	9	10
20-34	72	4.9	82	<1	<1	2	3	15	22	53
35-49	97	4.6	28	<1	<1	2	6	14	17	21
50-64	128	5.8	62	<1	1	3	7	13	24	42
65+	94	6.7	70	1	1	5	9	13	22	80
TOT. SINGLE DX	354	2.4	7	<1	<1	1	3	6	8	13
" MULTIPLE DX	407	5.5	58	<1	1	2	7	13	21	46
TOTAL 0-19 YRS	35	2.6	5	<1	<1	2	3	6	8	10
20-34	141	3.7	47	<1	<1	2	3	8	16	33
35-49	223	3.3	17	<1	<1	1	5	8	13	19
50-64	216	4.5	43	<1	<1	2	5	10	15	37
65+	146	5.1	52	<1	<1	3	7	12	17	57
GRAND TOTAL	**761**	**4.0**	**36**	**<1**	**<1**	**2**	**5**	**9**	**14**	**33**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	1.6	2	<1	<1	1	2	2	3	9
20-34	395	1.6	1	<1	<1	1	2	3	4	8
35-49	446	1.6	2	<1	<1	1	2	3	4	8
50-64	330	1.4	1	<1	<1	1	1	2	3	6
65+	175	1.5	1	<1	<1	1	1	2	4	8
2. MULTIPLE DX										
0-19 YRS	120	2.3	7	<1	1	1	3	5	9	15
20-34	358	2.6	8	<1	1	2	3	5	7	17
35-49	434	2.5	8	<1	<1	2	3	6	8	12
50-64	296	3.0	28	<1	<1	2	3	6	9	23
65+	312	3.6	33	<1	<1	2	4	8	12	30
TOT. SINGLE DX	1406	1.5	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	1520	2.8	17	<1	<1	2	3	6	9	18
TOTAL 0-19 YRS	180	2.1	6	<1	<1	1	2	4	8	14
20-34	753	2.1	5	<1	<1	1	2	4	6	12
35-49	880	2.0	5	<1	<1	1	2	4	6	11
50-64	626	2.2	15	<1	<1	1	2	4	6	15
65+	487	2.8	23	<1	<1	1	3	7	9	25
GRAND TOTAL	**2926**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**7**	**14**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	27	4.2	2	2	2	4	5	7	7	8
35-49	21	3.5	2	1	1	4	4	5	7	7
50-64	9	8.4	78	1	2	5	10	23	30	30
65+	9	6.9	40	3	3	5	8	17	23	23
2. MULTIPLE DX										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	40	5.3	12	1	2	5	7	9	13	18
35-49	33	6.0	11	3	3	5	7	10	15	16
50-64	43	8.9	50	1	3	6	12	21	24	31
65+	68	8.4	23	3	4	7	10	16	19	24
TOT. SINGLE DX	68	4.9	19	2	2	4	5	8	9	29
" MULTIPLE DX	188	7.4	27	2	3	6	9	15	18	26
TOTAL 0-19 YRS	6	4.2	1	3	3	4	5	6	6	6
20-34	67	4.9	9	1	2	4	6	8	10	17
35-49	54	5.1	9	1	3	4	6	8	13	16
50-64	52	8.8	53	1	2	6	11	21	27	31
65+	77	8.3	25	3	4	7	10	16	20	24
GRAND TOTAL	**256**	**6.7**	**26**	**2**	**3**	**5**	**8**	**13**	**17**	**27**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.5	5	<1	<1	1	4	6	6	6
20-34	27	3.4	25	<1	<1	1	4	8	11	26
35-49	14	4.4	49	<1	1	2	4	8	24	28
50-64	6	2.2	1	<1	<1	2	3	4	4	4
65+	7	3.0	9	<1	<1	1	4	8	9	9
2. MULTIPLE DX										
0-19 YRS	3	11.0	112	3	3	7	19	23	23	23
20-34	29	7.3	69	<1	1	5	8	15	33	36
35-49	38	7.9	60	1	1	6	9	17	27	36
50-64	26	8.6	81	<1	1	6	12	20	27	41
65+	46	7.5	50	1	1	5	10	17	25	34
TOT. SINGLE DX	58	3.4	25	<1	<1	2	4	7	9	28
" MULTIPLE DX	142	7.9	62	1	1	5	10	18	26	37
TOTAL 0-19 YRS	7	6.1	61	<1	<1	3	7	20	23	23
20-34	56	5.5	51	<1	<1	4	6	10	24	36
35-49	52	6.9	59	1	1	5	8	15	28	36
50-64	32	7.4	72	<1	1	4	11	16	24	41
65+	53	6.9	47	1	1	5	9	15	24	34
GRAND TOTAL	**200**	**6.6**	**55**	**<1**	**<1**	**4**	**8**	**13**	**25**	**36**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	2.2		1	1	2	3	3	4	5
20-34	512	2.2	1	1	1	2	3	3	4	6
35-49	666	2.3	1	1	1	2	3	4	4	6
50-64	406	2.4	1	1	1	2	3	4	4	6
65+	178	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	39	3.9	27	1	2	3	4	7	8	34
20-34	273	3.1	7	1	1	2	3	5	7	20
35-49	420	2.9	6	1	1	3	3	5	6	9
50-64	394	3.4	8	1	1	3	4	6	9	19
65+	376	4.1	12	1	2	3	5	7	10	23
TOT. SINGLE DX	1844	2.3	1	1	1	2	3	4	4	6
" MULTIPLE DX	1502	3.4	10	1	1	3	4	6	8	19
TOTAL 0-19 YRS	121	2.7	10	1	1	2	3	4	5	16
20-34	785	2.5	4	1	1	2	3	4	5	9
35-49	1086	2.5	4	1	1	2	3	4	5	8
50-64	800	2.9	5	1	1	2	3	4	6	12
65+	554	3.6	10	1	2	3	4	6	8	21
GRAND TOTAL	**3346**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	1.3		<1	1	1	1	2	3	5
20-34	95	1.6		<1	1	1	2	3	4	4
35-49	91	2.1	2	1	1	2	3	4	5	10
50-64	87	2.4	1	1	1	2	3	4	4	6
65+	55	2.9	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	23	3.8	23	<1	<1	2	5	10	14	21
20-34	70	4.3	34	1	1	2	5	8	13	37
35-49	153	4.5	19	1	2	3	5	8	11	24
50-64	229	4.9	28	1	2	3	5	9	17	31
65+	213	6.1	51	2	2	4	6	12	19	37
TOT. SINGLE DX	434	2.0	2	1	1	2	3	4	4	6
" MULTIPLE DX	688	5.1	35	1	1	3	5	9	16	32
TOTAL 0-19 YRS	129	1.7	6	<1	1	1	1	3	6	13
20-34	165	2.8	17	1	1	2	3	5	7	25
35-49	244	3.6	15	1	1	3	4	6	9	24
50-64	316	4.2	22	1	1	3	4	7	15	30
65+	268	5.5	43	1	2	4	6	10	14	34
GRAND TOTAL	**1122**	**3.9**	**24**	**1**	**1**	**3**	**4**	**7**	**11**	**27**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	5.4	5	2	3	5	6	9	10	10
20-34	50	6.6	9	4	4	6	7	9	11	23
35-49	48	6.2	8	2	4	6	7	9	13	15
50-64	26	6.0	3	3	4	6	8	9	9	10
65+	13	6.4	2	4	4	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	13	6.9	14	3	3	6	9	25	83	99+
20-34	52	8.5	36	4	4	7	9	16	22	33
35-49	88	8.8	43	4	5	7	10	14	18	44
50-64	119	9.6	74	3	5	8	10	14	24	61
65+	85	12.9	117	4	5	9	17	29	36	56
TOT. SINGLE DX	146	6.3	7	3	4	6	7	9	10	16
" MULTIPLE DX	357	9.9	72	4	5	7	11	18	24	58
TOTAL 0-19 YRS	22	6.3	11	2	3	6	9	12	46	99+
20-34	102	7.6	24	4	4	6	8	12	17	31
35-49	136	7.9	32	4	4	7	9	13	16	27
50-64	145	9.0	63	3	4	7	9	13	22	58
65+	98	12.1	107	4	5	8	14	23	32	55
GRAND TOTAL	**503**	**8.9**	**56**	**4**	**4**	**7**	**9**	**16**	**22**	**54**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.2		<1	<1	<1	<1	1	2	5
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	10	1.9	2	<1	<1	1	2	4	6	6
50-64	14	1.1		<1	<1	<1	<1	1	2	2
65+	22	1.0		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	4	3.8	18	<1	<1	2	6	10	10	10
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	12	5.9	69	<1	<1	3	6	19	28	29
50-64	11	7.2	106	<1	<1	1	16	24	27	27
65+	33	4.8	56	<1	<1	2	4	13	21	37
TOT. SINGLE DX	83	1.2	1	<1	<1	<1	1	1	2	6
" MULTIPLE DX	62	5.3	62	<1	<1	2	5	17	24	36
TOTAL 0-19 YRS	37	1.4	3	<1	<1	<1	<1	2	4	10
20-34	6	1.8	4	<1	<1	1	1	6	6	6
35-49	22	4.1	42	<1	<1	2	4	9	21	29
50-64	25	3.8	54	<1	<1	1	1	20	23	27
65+	55	3.3	37	<1	<1	1	3	8	14	36
GRAND TOTAL	**145**	**3.0**	**31**	**<1**	**<1**	**1**	**2**	**6**	**15**	**29**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	1.5	1	<1	<1	1	1	3	3	8
20-34	20	1.7	1	<1	<1	1	2	3	5	6
35-49	20	1.1		<1	<1	1	1	2	2	2
50-64	38	1.1		<1	<1	1	1	1	2	2
65+	50	1.2		<1	<1	<1	1	1	2	7
2. MULTIPLE DX										
0-19 YRS	188	3.0	17	<1	1	2	3	6	8	24
20-34	226	3.1	19	<1	<1	2	3	6	10	29
35-49	119	3.4	16	<1	1	2	4	6	14	22
50-64	111	2.9	13	<1	<1	1	3	7	10	22
65+	173	4.5	43	<1	<1	2	5	11	14	36
TOT. SINGLE DX	202	1.3	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	817	3.4	23	<1	1	2	4	7	12	26
TOTAL 0-19 YRS	262	2.6	13	<1	<1	1	3	5	7	19
20-34	246	2.9	19	<1	<1	2	3	6	9	28
35-49	139	3.1	15	<1	1	2	3	6	13	21
50-64	149	2.4	11	<1	<1	1	2	6	9	20
65+	223	3.7	35	<1	<1	1	4	11	13	31
GRAND TOTAL	**1019**	**3.0**	**19**	**<1**	**<1**	**1**	**3**	**6**	**11**	**22**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.1		<1	<1	1	1	2	2	2
20-34	17	1.6		<1	1	1	2	3	4	4
35-49	20	1.2		<1	<1	1	1	2	3	3
50-64	24	1.2		<1	<1	1	1	2	2	2
65+	50	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	20	1.4		<1	<1	1	2	2	3	3
20-34	17	1.6	1	<1	1	1	2	3	4	4
35-49	15	1.3	1	<1	1	1	1	2	4	5
50-64	37	1.3		<1	<1	1	2	2	3	3
65+	75	2.9	23	1	1	1	3	5	10	31
TOT. SINGLE DX	136	1.2		<1	<1	1	1	2	3	3
" MULTIPLE DX	164	2.1	12	<1	1	1	2	3	5	15
TOTAL 0-19 YRS	45	1.2		<1	<1	1	1	2	2	3
20-34	34	1.6	1	<1	1	1	2	3	4	4
35-49	35	1.3	1	<1	1	1	1	2	3	5
50-64	61	1.2		<1	<1	1	1	2	2	3
65+	125	2.2	15	<1	1	1	2	4	6	20
GRAND TOTAL	**300**	**1.7**	**7**	**<1**	**<1**	**1**	**2**	**3**	**4**	**12**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49										
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	5.0	32	<1	<1	4	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64	9	5.7	44	2	2	3	5	17	23	23
65+	10	5.8	35	<1	<1	3	9	15	20	20
TOT. SINGLE DX	11	2.2	7	<1	<1	1	2	7	9	9
" MULTIPLE DX	24	5.1	32	<1	1	3	6	11	21	23
TOTAL 0-19 YRS	5	3.0	6	<1	<1	2	5	6	6	6
20-34	7	1.6	1	<1	<1	1	2	3	3	3
35-49										
50-64	11	4.8	39	<1	<1	3	4	13	22	23
65+	12	5.7	32	<1	<1	3	9	13	19	20
GRAND TOTAL	**35**	**4.2**	**25**	**<1**	**<1**	**2**	**5**	**9**	**17**	**23**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.7		<1	<1	2	2	3	3	3
20-34	59	1.8	1	1	1	1	2	3	3	7
35-49	63	1.9		<1	1	2	3	3	3	6
50-64	38	1.7	1	1	1	1	2	4	5	5
65+	128	1.6		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	16	2.6	2	1	1	2	4	4	5	6
20-34	30	2.6	2	1	1	2	3	5	7	7
35-49	48	2.0	1	<1	1	2	2	4	5	6
50-64	89	2.1	1	1	1	2	3	3	5	7
65+	430	2.3	2	1	1	2	3	4	4	8
TOT. SINGLE DX	299	1.7	1	1	1	1	2	3	3	5
" MULTIPLE DX	613	2.3	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	27	2.3	2	<1	1	2	3	4	5	6
20-34	89	2.1	2	1	1	2	3	3	5	7
35-49	111	1.9	1	1	1	2	2	3	4	6
50-64	127	2.0	2	1	1	2	3	3	5	6
65+	558	2.2	2	1	1	2	3	4	4	7
GRAND TOTAL	**912**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	2.7	4	<1	<1	2	3	5	6	13
20-34	104	1.6	1	<1	<1	<1	2	3	4	5
35-49	62	1.4		<1	<1	<1	1	3	3	6
50-64	13	2.1	2	<1	<1	1	3	5	6	6
65+	19	1.9	4	<1	<1	1	2	3	7	10
2. MULTIPLE DX										
0-19 YRS	56	3.4	4	1	1	3	5	6	7	13
20-34	54	2.7	3	<1	<1	2	4	6	6	7
35-49	24	2.0	1	<1	<1	2	3	4	4	5
50-64	21	4.5	26	<1	<1	3	5	10	16	23
65+	44	5.6	124	<1	1	3	6	10	13	74
TOT. SINGLE DX	269	1.9	2	<1	<1	1	3	4	4	7
" MULTIPLE DX	199	3.6	33	<1	1	3	4	6	9	21
TOTAL 0-19 YRS	127	3.0	5	<1	1	3	4	6	6	13
20-34	158	2.0	2	<1	<1	1	3	4	5	6
35-49	86	1.6	1	<1	<1	1	2	3	4	6
50-64	34	3.6	18	<1	<1	2	4	7	11	23
65+	63	4.5	90	<1	<1	2	5	10	11	67
GRAND TOTAL	**468**	**2.6**	**16**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.3		<1	1	1	1	2	3	3
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	22	1.5		<1	<1	1	2	3	3	4
50-64	35	1.9	3	<1	<1	1	2	4	7	9
65+	69	1.8	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	15	1.3		<1	1	1	1	3	3	3
20-34	22	2.5	6	<1	1	2	2	6	9	11
35-49	15	3.4	5	<1	1	3	4	8	8	8
50-64	58	3.6	13	1	1	2	4	9	12	19
65+	213	3.1	12	1	1	2	3	6	10	20
TOT. SINGLE DX	151	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	323	3.1	11	1	1	2	3	7	10	18
TOTAL 0-19 YRS	37	1.3		<1	1	1	1	3	3	3
20-34	25	2.5	6	<1	1	2	3	5	9	11
35-49	37	2.3	3	<1	<1	2	3	4	7	8
50-64	93	2.9	11	<1	<1	2	3	7	11	16
65+	282	2.8	10	<1	1	2	3	5	8	18
GRAND TOTAL	**474**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	4.0	6	2	2	3	4	7	11	12
20-34	22	2.8	6	<1	1	2	3	4	8	13
35-49	19	1.9	2	<1	<1	1	3	4	6	6
50-64	23	1.7	2	<1	<1	1	2	4	5	6
65+	38	2.6	10	<1	<1	2	3	5	6	20
2. MULTIPLE DX										
0-19 YRS	22	3.6	7	1	1	3	4	8	10	12
20-34	27	4.9	7	2	2	5	6	8	10	13
35-49	19	3.3	6	<1	1	3	4	6	9	12
50-64	42	3.0	13	<1	1	2	3	7	10	21
65+	115	3.9	12	1	1	3	5	10	11	16
TOT. SINGLE DX	114	2.5	6	<1	<1	2	3	4	6	16
" MULTIPLE DX	225	3.8	11	1	1	3	5	9	11	16
TOTAL 0-19 YRS	34	3.8	7	1	2	3	4	7	11	12
20-34	49	3.9	8	1	1	3	5	7	10	13
35-49	38	2.6	5	<1	<1	2	3	5	6	12
50-64	65	2.6	10	<1	<1	1	3	6	8	19
65+	153	3.5	12	<1	1	2	4	10	11	17
GRAND TOTAL	**339**	**3.3**	**10**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	3.0	9	<1	<1	1	5	8	8	8
50-64	18	1.2		<1	<1	<1	1	2	2	2
65+	108	1.2		<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	13	3.7	42	<1	<1	2	3	8	22	25
50-64	21	6.6	286	<1	<1	2	3	13	48	77
65+	134	2.4	10	<1	<1	2	2	4	8	15
TOT. SINGLE DX	137	1.3	1	<1	<1	<1	1	2	2	8
" MULTIPLE DX	177	3.0	46	<1	<1	2	2	4	9	29
TOTAL 0-19 YRS	11	1.7	1	<1	<1	2	2	3	4	4
20-34	4	3.5	4	<1	<1	4	5	5	5	5
35-49	18	3.5	32	<1	<1	2	4	7	18	25
50-64	39	4.1	158	<1	<1	1	2	4	16	77
65+	242	1.9	7	<1	<1	1	2	3	4	12
GRAND TOTAL	**314**	**2.3**	**27**	**<1**	**<1**	**1**	**2**	**3**	**5**	**25**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.2		<1	<1	1	1	2	3	3
20-34	8	1.6	3	<1	<1	<1	1	4	6	6
35-49	57	1.0		<1	<1	<1	<1	1	1	3
50-64	370	1.1		<1	<1	<1	<1	1	1	2
65+	1235	1.1		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
0-19 YRS	21	1.4		<1	<1	1	2	3	3	3
20-34	22	6.5	330	<1	<1	2	3	7	43	87
35-49	47	2.4	12	<1	<1	1	2	5	6	23
50-64	263	1.7	2	<1	<1	1	2	3	4	10
65+	1160	2.0	10	<1	<1	1	2	3	6	18
TOT. SINGLE DX	1683	1.1	1	<1	<1	<1	<1	1	1	2
" MULTIPLE DX	1513	2.1	14	<1	<1	1	2	3	5	17
TOTAL 0-19 YRS	34	1.3		<1	<1	1	1	2	3	3
20-34	30	5.2	245	<1	<1	1	3	5	14	87
35-49	104	1.6	6	<1	<1	<1	1	3	5	15
50-64	633	1.3	1	<1	<1	<1	1	2	3	6
65+	2395	1.5	6	<1	<1	<1	1	2	3	11
GRAND TOTAL	**3196**	**1.5**	**7**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	32	1.4	2	<1	<1	<1	<1	2	4	9
65+	72	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	4	5.3	52	<1	<1	2	9	16	16	16
50-64	28	2.3	9	<1	<1	1	2	4	12	14
65+	128	2.3	11	<1	<1	1	2	4	8	19
TOT. SINGLE DX	115	1.2	1	<1	<1	<1	<1	1	2	6
" MULTIPLE DX	167	2.4	11	<1	<1	1	2	4	10	18
TOTAL 0-19 YRS	6	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	1.8	2	<1	<1	1	3	4	4	4
35-49	10	2.7	22	<1	<1	1	1	9	16	16
50-64	60	1.8	6	<1	<1	<1	1	3	7	14
65+	200	1.9	8	<1	<1	1	2	3	4	17
GRAND TOTAL	**282**	**1.9**	**7**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**16**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.4	1	1	1	2	3	4	5	7
20-34	116	3.1	5	1	1	3	4	6	7	12
35-49	162	3.0	8	1	1	3	4	5	6	9
50-64	434	2.8	3	1	1	2	4	5	6	8
65+	437	2.8	2	1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	65	3.4	5	1	1	3	4	5	6	15
20-34	220	3.6	4	1	1	3	5	6	7	9
35-49	262	3.5	4	1	1	3	4	6	7	10
50-64	605	3.3	4	1	1	3	4	5	7	13
65+	917	3.5	8	1	1	3	4	5	6	11
TOT. SINGLE DX	1210	2.8	4	1	1	2	4	5	6	8
" MULTIPLE DX	2069	3.4	6	1	1	3	4	6	7	11
TOTAL 0-19 YRS	126	2.9	4	1	1	3	4	5	5	13
20-34	336	3.4	4	1	1	3	4	6	7	10
35-49	424	3.3	6	1	1	3	4	6	7	10
50-64	1039	3.1	4	1	1	3	4	5	6	10
65+	1354	3.2	7	1	1	3	4	5	6	11
GRAND TOTAL	**3279**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.9	1	<1	<1	1	3	4	5	5
20-34	19	3.2	8	1	1	2	4	8	10	11
35-49	19	2.6	2	<1	<1	2	4	5	6	7
50-64	34	2.5	4	1	1	2	3	4	7	11
65+	82	3.1	7	1	1	2	3	8	9	14
2. MULTIPLE DX										
0-19 YRS	50	2.6	2	1	1	2	3	5	7	7
20-34	154	3.8	7	1	1	3	5	7	10	15
35-49	127	3.5	19	1	1	3	4	6	7	21
50-64	238	3.2	4	1	1	3	4	5	7	11
65+	405	3.6	7	1	1	3	4	7	9	16
TOT. SINGLE DX	173	2.8	6	<1	1	2	3	6	9	11
" MULTIPLE DX	974	3.5	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	69	2.4	3	<1	<1	2	3	4	6	7
20-34	173	3.8	8	1	1	3	5	7	10	15
35-49	146	3.4	17	1	1	3	4	6	7	14
50-64	272	3.1	4	1	1	3	4	5	7	11
65+	487	3.5	8	1	1	3	4	7	9	15
GRAND TOTAL	**1147**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	1.0		<1	<1	<1	1	1	1	2
20-34	20	1.0		<1	<1	<1	1	1	1	1
35-49	21	1.1		<1	<1	1	1	1	2	3
50-64	15	1.0		<1	<1	<1	1	1	1	1
65+	10	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	58	1.1		<1	<1	1	1	1	2	3
20-34	17	5.1	246	<1	<1	1	2	3	44	66
35-49	12	1.6	3	<1	<1	1	1	3	6	7
50-64	13	1.9	9	<1	<1	1	1	4	10	12
65+	15	1.3		<1	1	1	1	2	4	4
TOT. SINGLE DX	216	1.0		<1	<1	<1	1	1	1	3
" MULTIPLE DX	115	1.8	38	<1	<1	1	1	2	3	31
TOTAL 0-19 YRS	208	1.0		<1	<1	<1	1	1	1	3
20-34	37	2.9	114	<1	<1	1	1	2	3	66
35-49	33	1.3	1	<1	<1	1	1	2	3	7
50-64	28	1.4	4	<1	<1	1	1	1	3	12
65+	25	1.2		<1	<1	1	1	2	3	4
GRAND TOTAL	**331**	**1.3**	**13**	**<1**	**<1**	**1**	**1**	**1**	**2**	**5**

531. Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	17.5	545	<1	<1	17	34	34	34	34
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	3	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	3	12.0	363	<1	<1	<1	26	34	34	34
TOTAL 0-19 YRS	4	9.5	267	<1	<1	1	18	34	34	34
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**6**	**6.7**	**179**	**<1**	**<1**	**1**	**2**	**31**	**34**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.3	4	1	1	2	3	5	7	11
20-34	33	2.1	4	1	1	1	2	4	7	11
35-49	36	2.3	3	<1	<1	2	3	4	4	10
50-64	25	2.9	11	1	1	2	3	4	12	16
65+	44	2.5	8	1	1	2	3	4	6	19
2. MULTIPLE DX										
0-19 YRS	64	4.8	113	1	1	3	5	8	10	76
20-34	79	3.3	28	1	1	2	4	6	8	36
35-49	58	2.9	4	1	1	2	4	5	7	12
50-64	56	3.4	14	1	1	2	4	7	10	20
65+	132	3.8	13	1	1	3	5	8	11	20
TOT. SINGLE DX	184	2.4	6	1	1	2	3	4	7	14
" MULTIPLE DX	389	3.7	32	1	1	2	4	7	9	20
TOTAL 0-19 YRS	110	3.8	69	1	1	2	4	7	9	42
20-34	112	2.9	21	1	1	2	3	6	7	24
35-49	94	2.7	4	<1	1	2	4	5	7	11
50-64	81	3.3	13	1	1	2	3	7	10	20
65+	176	3.5	13	1	1	2	4	8	10	20
GRAND TOTAL	**573**	**3.3**	**24**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	1.7	2	<1	<1	1	2	4	5	7
20-34	36	1.6	1	<1	<1	1	2	4	5	5
35-49	33	1.7	7	<1	<1	1	1	2	3	17
50-64	24	1.6	4	<1	<1	1	1	2	5	11
65+	28	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	172	2.9	16	<1	1	2	4	5	7	38
20-34	98	3.8	23	<1	1	2	4	9	13	27
35-49	68	3.8	24	<1	1	2	4	10	17	23
50-64	51	6.4	102	<1	1	4	8	12	17	65
65+	84	5.9	44	1	1	3	7	15	18	37
TOT. SINGLE DX	243	1.6	3	<1	<1	1	2	3	5	8
" MULTIPLE DX	473	4.1	35	<1	1	2	4	10	15	34
TOTAL 0-19 YRS	294	2.4	11	<1	<1	1	3	5	6	24
20-34	134	3.2	19	<1	<1	2	3	7	12	26
35-49	101	3.1	20	<1	<1	1	3	7	15	22
50-64	75	4.8	76	<1	<1	2	5	11	14	57
65+	112	4.8	38	<1	1	2	6	12	18	31
GRAND TOTAL	**716**	**3.3**	**25**	**<1**	**<1**	**2**	**4**	**7**	**12**	**26**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.1		<1	<1	1	1	2	2	2
20-34	92	1.3	1	<1	<1	1	1	2	2	8
35-49	157	1.2		<1	1	1	1	2	2	3
50-64	95	1.2		<1	<1	1	1	2	2	4
65+	41	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	28	1.3		<1	1	1	1	2	2	3
20-34	87	1.8	3	1	1	1	2	3	6	13
35-49	121	1.2		1	1	1	1	2	2	4
50-64	84	1.4	1	<1	1	1	1	2	3	8
65+	50	1.5	1	<1	1	1	2	3	4	5
TOT. SINGLE DX	410	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	370	1.4	2	1	1	1	1	2	3	7
TOTAL 0-19 YRS	53	1.2		<1	<1	1	1	2	2	3
20-34	179	1.6	3	<1	1	1	1	3	4	11
35-49	278	1.2		<1	1	1	1	2	2	3
50-64	179	1.3	1	<1	1	1	1	2	3	6
65+	91	1.4	1	<1	1	1	2	2	3	5
GRAND TOTAL	**780**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	228	1.1		<1	<1	1	1	1	2	3
20-34	163	1.1		<1	<1	1	1	1	2	3
35-49	137	1.1		<1	<1	1	1	1	2	3
50-64	125	1.1		<1	1	1	1	2	2	3
65+	42	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	243	1.1		<1	<1	1	1	1	2	3
20-34	164	1.2		<1	1	1	1	2	2	4
35-49	186	1.3		<1	1	1	1	2	3	6
50-64	148	1.5	1	1	1	1	2	2	3	5
65+	93	1.4		1	1	1	2	2	3	4
TOT. SINGLE DX	695	1.1		<1	<1	1	1	1	2	3
" MULTIPLE DX	834	1.3	1	<1	1	1	1	2	2	5
TOTAL 0-19 YRS	471	1.1		<1	<1	1	1	1	2	3
20-34	327	1.2		<1	<1	1	1	2	2	4
35-49	323	1.2	1	<1	<1	1	1	2	2	5
50-64	273	1.3	1	<1	1	1	1	2	2	5
65+	135	1.3		<1	1	1	2	2	3	4
GRAND TOTAL	**1529**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	484	1.1	1	<1	<1	<1	<1	<1	1	4
20-34	30	1.1		<1	<1	1	1	1	2	2
35-49	14	1.1		<1	<1	1	1	2	2	2
50-64	9	1.9	3	<1	<1	1	2	5	5	5
65+	4	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	714	1.7	6	<1	<1	1	1	3	6	13
20-34	29	3.7	61	<1	<1	1	2	8	13	42
35-49	31	4.9	125	<1	<1	2	3	10	16	62
50-64	26	6.4	225	<1	<1	2	8	10	25	78
65+	26	7.2	40	1	1	5	12	14	18	27
TOT. SINGLE DX	541	1.1	1	<1	<1	<1	<1	1	1	4
" MULTIPLE DX	826	2.2	22	<1	<1	1	1	4	9	16
TOTAL 0-19 YRS	1198	1.5	4	<1	<1	<1	1	2	4	12
20-34	59	2.4	32	<1	<1	1	1	3	8	39
35-49	45	3.7	88	<1	<1	1	2	7	12	62
50-64	35	5.3	171	<1	<1	1	5	9	11	78
65+	30	6.4	39	<1	1	4	11	14	16	27
GRAND TOTAL	**1367**	**1.8**	**14**	**<1**	**<1**	**<1**	**1**	**2**	**6**	**15**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	1.4	1	1	1	1	1	2	4	6
20-34	86	1.2		<1	1	1	1	2	2	4
35-49	62	1.5	1	1	1	1	1	3	5	7
50-64	58	1.3		<1	1	1	1	2	3	5
65+	17	1.6		1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	176	2.1	12	<1	1	1	2	4	7	19
20-34	141	1.5	2	1	1	1	1	2	4	10
35-49	155	2.1	10	1	1	1	2	3	7	18
50-64	149	2.9	31	1	1	1	2	7	14	27
65+	106	3.5	66	1	1	1	2	6	12	56
TOT. SINGLE DX	314	1.4	1	1	1	1	1	2	3	6
" MULTIPLE DX	727	2.3	22	1	1	1	2	4	8	22
TOTAL 0-19 YRS	267	1.8	8	<1	1	1	1	3	6	13
20-34	227	1.4	1	1	1	1	1	2	3	6
35-49	217	1.9	8	1	1	1	2	3	6	17
50-64	207	2.5	24	1	1	1	2	4	10	26
65+	123	3.3	57	1	1	1	2	6	12	53
GRAND TOTAL	**1041**	**2.0**	**16**	**1**	**1**	**1**	**2**	**3**	**6**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	1.4	3	<1	<1	1	1	2	3	14
20-34	82	1.6	1	<1	<1	1	2	3	4	7
35-49	100	1.6	1	<1	1	1	2	3	4	6
50-64	83	1.4		<1	1	1	2	2	3	6
65+	45	1.5		<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	91	2.0	7	<1	<1	1	2	5	7	16
20-34	109	3.4	22	1	1	2	4	7	9	28
35-49	115	2.3	8	<1	1	1	3	4	5	17
50-64	90	3.0	13	<1	1	2	3	7	12	20
65+	53	3.8	84	<1	1	2	3	7	11	65
TOT. SINGLE DX	381	1.5	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	458	2.8	22	<1	1	1	3	6	9	22
TOTAL 0-19 YRS	162	1.8	6	<1	<1	1	1	3	6	15
20-34	191	2.6	14	<1	1	1	3	6	7	21
35-49	215	2.0	5	<1	1	1	2	3	4	10
50-64	173	2.2	8	<1	1	1	2	4	7	16
65+	98	2.8	47	<1	1	1	2	4	7	43
GRAND TOTAL	**839**	**2.2**	**13**	**<1**	**<1**	**1**	**2**	**4**	**7**	**17**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.0		<1	<1	1	1	1	2	2
20-34	45	1.3		<1	1	1	1	2	3	4
35-49	27	1.0		<1	<1	1	1	1	2	2
50-64	22	1.2		<1	<1	1	1	2	3	3
65+	6	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	109	1.4	1	<1	1	1	1	2	3	6
20-34	282	1.3		<1	1	1	1	2	3	4
35-49	255	1.5	2	<1	1	1	2	2	3	5
50-64	134	1.8	8	1	1	1	2	3	3	10
65+	48	2.2	6	<1	1	1	2	4	7	15
TOT. SINGLE DX	127	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	828	1.5	3	<1	1	1	2	2	3	6
TOTAL 0-19 YRS	136	1.3	1	<1	1	1	1	2	3	6
20-34	327	1.3		<1	1	1	1	2	3	4
35-49	282	1.4	2	<1	1	1	2	2	3	5
50-64	156	1.7	7	1	1	1	2	3	3	6
65+	54	2.1	6	<1	1	1	2	4	7	15
GRAND TOTAL	**955**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	1.3		<1	<1	1	1	2	3	4
20-34	334	1.2		<1	<1	1	1	2	2	4
35-49	244	1.1		<1	<1	1	1	1	2	3
50-64	116	1.2		<1	<1	1	1	2	2	4
65+	52	1.3		<1	<1	1	1	2	4	5
2. MULTIPLE DX										
0-19 YRS	414	1.3		<1	1	1	1	2	3	6
20-34	857	1.5	5	<1	1	1	1	2	3	7
35-49	686	1.5	1	<1	1	1	2	2	3	6
50-64	389	1.8	3	1	1	1	2	4	5	10
65+	207	2.1	5	<1	1	1	2	4	6	14
TOT. SINGLE DX	911	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	2553	1.6	3	<1	1	1	2	3	4	7
TOTAL 0-19 YRS	579	1.3	1	<1	<1	1	1	2	3	5
20-34	1191	1.4	4	<1	1	1	1	2	3	6
35-49	930	1.4	1	<1	1	1	1	2	3	6
50-64	505	1.7	3	<1	1	1	2	3	4	9
65+	259	2.0	4	<1	1	1	2	4	6	13
GRAND TOTAL	**3464**	**1.5**	**3**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	1.4	1	<1	<1	1	1	2	3	7
20-34	46	1.4		<1	<1	1	1	2	4	5
35-49	44	1.6	3	<1	<1	1	1	2	6	12
50-64	56	1.5	2	<1	<1	1	1	2	3	12
65+	46	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	97	1.7	2	<1	<1	1	2	3	5	8
20-34	226	2.0	16	1	1	1	2	3	5	22
35-49	229	1.4	1	<1	1	1	1	2	3	7
50-64	183	1.9	4	<1	1	1	2	4	5	13
65+	133	3.9	50	1	1	2	3	9	18	99+
TOT. SINGLE DX	228	1.5	2	<1	<1	1	1	2	4	8
" MULTIPLE DX	868	2.1	14	<1	1	1	2	4	6	20
TOTAL 0-19 YRS	133	1.6	2	<1	<1	1	2	3	5	8
20-34	272	1.9	13	<1	1	1	1	3	5	18
35-49	273	1.5	1	<1	1	1	1	2	3	7
50-64	239	1.8	4	<1	<1	1	2	3	5	13
65+	179	3.3	38	<1	1	1	3	7	12	87
GRAND TOTAL	**1096**	**2.0**	**11**	**<1**	**1**	**1**	**2**	**3**	**5**	**15**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	163	1.2	1	<1	<1	1	1	1	2	7
20-34	139	1.9	3	<1	<1	1	2	4	5	9
35-49	103	2.7	3	<1	1	2	4	6	7	8
50-64	93	3.4	6	<1	1	3	4	5	6	16
65+	88	3.3	5	1	1	3	5	5	8	12
2. MULTIPLE DX										
0-19 YRS	120	3.2	64	<1	<1	1	2	5	8	57
20-34	228	3.0	24	1	1	1	3	7	8	24
35-49	133	3.7	22	1	1	3	4	7	10	22
50-64	195	5.2	31	1	1	4	6	9	13	30
65+	380	4.7	20	1	1	4	6	9	12	27
TOT. SINGLE DX	586	2.3	4	<1	<1	1	3	5	6	9
" MULTIPLE DX	1056	4.1	29	1	1	3	5	8	11	30
TOTAL 0-19 YRS	283	2.0	29	<1	<1	1	1	3	6	20
20-34	367	2.6	17	<1	1	1	3	6	7	16
35-49	236	3.2	15	1	1	2	4	6	8	14
50-64	288	4.6	24	1	1	4	5	7	11	29
65+	468	4.4	18	1	1	4	5	9	11	23
GRAND TOTAL	**1642**	**3.5**	**21**	**<1**	**1**	**2**	**4**	**7**	**9**	**22**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	1.6	2	<1	1	1	1	4	6	8
20-34	109	1.8	3	<1	1	1	2	3	5	10
35-49	112	1.4	1	<1	1	1	1	2	3	8
50-64	79	1.6	3	<1	1	1	2	2	3	14
65+	60	1.7	4	<1	1	1	2	2	3	15
2. MULTIPLE DX										
0-19 YRS	63	2.6	11	<1	1	2	3	5	8	22
20-34	220	2.1	7	1	1	1	2	4	5	12
35-49	239	2.3	9	1	1	1	2	4	6	16
50-64	229	2.3	5	1	1	2	2	5	6	13
65+	158	3.1	34	1	1	2	3	6	8	25
TOT. SINGLE DX	396	1.6	3	<1	1	1	2	2	3	10
" MULTIPLE DX	909	2.4	13	1	1	1	2	4	6	15
TOTAL 0-19 YRS	99	2.3	8	<1	1	1	2	5	7	17
20-34	329	2.0	6	1	1	1	2	3	5	10
35-49	351	2.0	7	1	1	1	2	3	4	13
50-64	308	2.1	5	1	1	1	2	4	6	13
65+	218	2.7	26	1	1	2	3	5	7	24
GRAND TOTAL	**1305**	**2.2**	**10**	**1**	**1**	**1**	**2**	**4**	**6**	**13**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	2.1	4	<1	<1	1	2	5	7	8
20-34	81	1.9	1	<1	<1	1	2	4	5	6
35-49	89	1.8	2	<1	<1	1	2	4	5	9
50-64	67	2.3	3	<1	1	2	3	5	6	10
65+	45	2.1	3	<1	1	1	2	5	6	9
2. MULTIPLE DX										
0-19 YRS	91	4.0	23	<1	1	2	5	11	14	25
20-34	255	3.4	39	1	1	1	4	7	10	24
35-49	261	3.2	20	1	1	2	3	8	10	36
50-64	204	3.3	19	1	1	2	4	7	9	24
65+	171	5.0	58	1	1	2	6	12	17	40
TOT. SINGLE DX	323	2.0	3	<1	<1	1	2	4	6	9
" MULTIPLE DX	982	3.6	33	1	1	2	4	8	12	28
TOTAL 0-19 YRS	132	3.4	18	<1	<1	1	4	8	11	22
20-34	336	3.0	31	<1	1	1	3	6	9	23
35-49	350	2.8	16	1	1	1	3	7	9	19
50-64	271	3.1	16	1	1	2	4	6	9	21
65+	216	4.4	49	1	1	2	5	11	15	34
GRAND TOTAL	**1305**	**3.2**	**26**	**<1**	**1**	**2**	**4**	**7**	**10**	**23**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.3		<1	<1	1	2	2	3	3
20-34	26	1.7		<1	<1	2	2	3	4	4
35-49	23	1.4		<1	<1	1	2	2	3	3
50-64	11	2.0	1	<1	<1	2	2	4	5	5
65+	7	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	103	3.0	16	<1	<1	2	3	6	12	22
20-34	130	5.5	89	1	1	3	6	12	19	95
35-49	100	5.9	98	<1	1	3	5	14	27	55
50-64	105	6.4	71	<1	1	2	7	18	27	38
65+	143	4.8	45	1	1	2	6	11	16	35
TOT. SINGLE DX	104	1.5	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	581	5.1	65	<1	1	2	5	12	20	39
TOTAL 0-19 YRS	140	2.6	13	<1	<1	2	2	5	9	21
20-34	156	4.9	77	1	1	2	5	11	18	89
35-49	123	5.1	83	<1	<1	2	4	12	23	49
50-64	116	6.0	66	<1	1	2	7	17	25	38
65+	150	4.6	44	1	1	2	5	10	16	33
GRAND TOTAL	**685**	**4.6**	**57**	**<1**	**1**	**2**	**4**	**11**	**18**	**37**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.0		<1	<1	<1	1	1	1	1
20-34	7	1.1		<1	<1	<1	1	2	2	2
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	40	1.8	2	<1	<1	1	2	3	4	9
20-34	21	4.4	29	<1	<1	2	5	11	17	24
35-49	13	7.4	136	<1	<1	2	7	31	35	36
50-64	5	1.8	1	1	1	1	2	4	4	4
65+	3	24.7	622	6	6	15	43	53	53	53
TOT. SINGLE DX	40	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	82	4.2	64	<1	<1	2	3	8	19	48
TOTAL 0-19 YRS	67	1.5	1	<1	<1	1	2	3	3	8
20-34	28	3.6	24	<1	<1	1	4	9	13	24
35-49	17	6.0	109	<1	<1	2	5	26	34	36
50-64	6	1.7	1	1	1	1	2	4	4	4
65+	4	18.8	555	1	1	10	34	53	53	53
GRAND TOTAL	**122**	**3.2**	**45**	**<1**	**<1**	**1**	**2**	**5**	**11**	**41**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.5		<1	<1	1	2	3	3	3
20-34	22	2.3	5	<1	<1	2	3	4	8	12
35-49	41	2.2	2	<1	1	2	3	4	5	10
50-64	50	1.9	1	<1	1	2	2	3	5	7
65+	19	1.9		<1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	48	2.8	8	<1	1	2	3	5	6	20
20-34	41	3.5	13	<1	1	3	4	7	8	23
35-49	53	3.7	16	1	1	2	4	8	10	26
50-64	71	4.0	37	1	1	2	4	8	18	37
65+	71	5.2	102	1	1	2	4	11	15	67
TOT. SINGLE DX	156	2.0	2	<1	1	2	2	3	4	10
" MULTIPLE DX	284	4.0	42	1	1	2	4	8	12	28
TOTAL 0-19 YRS	72	2.4	6	<1	1	2	3	4	5	17
20-34	63	3.1	11	<1	1	2	4	6	8	22
35-49	94	3.0	11	1	1	2	3	7	9	20
50-64	121	3.1	23	1	1	2	3	5	9	28
65+	90	4.5	82	1	1	2	3	9	15	58
GRAND TOTAL	**440**	**3.3**	**28**	**1**	**1**	**2**	**3**	**6**	**9**	**27**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	1.4		<1	<1	1	2	2	2	3
20-34	187	1.8	1	1	1	1	2	3	4	7
35-49	256	1.7	1	<1	1	1	2	3	3	5
50-64	240	1.9	1	1	1	2	2	3	3	6
65+	204	2.0	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	33	2.1	2	<1	1	2	2	3	6	8
20-34	90	2.1	2	1	1	2	2	3	4	10
35-49	147	2.5	9	1	1	2	3	4	6	11
50-64	213	3.0	21	1	1	2	3	5	8	22
65+	328	3.5	19	1	1	2	4	7	9	20
TOT. SINGLE DX	940	1.8	1	1	1	2	2	3	4	6
" MULTIPLE DX	811	3.0	16	1	1	2	3	5	8	18
TOTAL 0-19 YRS	86	1.6	1	<1	<1	1	2	2	3	7
20-34	277	1.9	2	1	1	2	2	3	4	8
35-49	403	2.0	4	1	1	2	2	3	4	9
50-64	453	2.4	11	1	1	2	3	4	6	14
65+	532	2.9	13	1	1	2	3	5	8	16
GRAND TOTAL	**1751**	**2.4**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	2.4	1	1	1	2	3	4	5	7
20-34	5	2.8	8	1	1	2	4	8	8	8
35-49	12	1.3		1	1	1	2	2	3	3
50-64	10	1.5		1	1	1	2	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	194	3.3	10	1	1	3	4	5	6	12
20-34	17	2.2	3	1	1	1	3	5	6	7
35-49	29	2.6	5	1	1	2	3	5	8	12
50-64	28	2.8	6	1	1	2	3	5	8	13
65+	15	2.2	1	<1	1	2	3	4	4	4
TOT. SINGLE DX	230	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	283	3.0	9	1	1	3	4	5	6	13
TOTAL 0-19 YRS	396	2.8	6	1	1	2	4	5	5	9
20-34	22	2.3	4	1	1	1	3	6	7	8
35-49	41	2.2	5	1	1	1	3	4	7	12
50-64	38	2.4	5	1	1	2	3	5	7	13
65+	16	2.2	1	<1	1	2	3	4	4	4
GRAND TOTAL	**513**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**5**	**9**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	2.1	2	<1	<1	1	3	4	5	7
20-34	58	3.8	11	<1	<1	3	6	8	11	16
35-49	72	2.4	6	<1	<1	1	3	5	9	12
50-64	122	2.8	6	<1	<1	2	4	7	8	12
65+	101	2.8	8	<1	<1	2	3	7	7	17
2. MULTIPLE DX										
0-19 YRS	284	3.4	24	<1	1	2	4	6	8	33
20-34	217	4.3	49	<1	1	3	5	9	13	29
35-49	174	4.9	23	<1	1	3	6	11	15	22
50-64	283	7.2	91	1	1	4	9	15	26	48
65+	341	7.1	92	1	1	4	9	15	23	47
TOT. SINGLE DX	662	2.5	6	<1	<1	2	3	6	7	12
" MULTIPLE DX	1299	5.5	63	<1	1	3	7	12	19	36
TOTAL 0-19 YRS	593	2.7	14	<1	<1	2	3	5	7	13
20-34	275	4.2	42	<1	1	3	5	8	11	27
35-49	246	4.2	20	<1	1	2	6	10	14	20
50-64	405	5.9	70	<1	1	3	7	13	22	40
65+	442	6.1	77	<1	1	3	7	13	19	37
GRAND TOTAL	**1961**	**4.5**	**46**	**<1**	**1**	**2**	**5**	**10**	**15**	**32**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2168	1.1		<1	<1	1	1	1	2	3
20-34	1289	1.1		<1	1	1	1	2	2	3
35-49	200	1.2		<1	1	1	1	2	2	4
50-64	34	1.3		1	1	1	1	2	3	5
65+	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	843	1.2		<1	1	1	1	2	3	5
20-34	610	1.4	1	1	1	1	1	2	3	6
35-49	116	1.8	5	1	1	1	2	3	5	15
50-64	26	2.4	6	<1	1	1	2	6	9	12
65+	13	3.2	9	1	1	2	3	9	11	11
TOT. SINGLE DX	3698	1.1		<1	<1	1	1	1	2	3
" MULTIPLE DX	1608	1.4	1	<1	1	1	1	2	3	6
TOTAL 0-19 YRS	3011	1.1		<1	<1	1	1	1	2	3
20-34	1899	1.2	1	<1	1	1	1	2	2	4
35-49	316	1.4	2	1	1	1	1	2	3	8
50-64	60	1.8	4	1	1	1	2	3	5	12
65+	20	2.5	7	<1	<1	2	3	6	9	11
GRAND TOTAL	**5306**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2636	1.1		<1	<1	1	1	1	2	2
20-34	80	1.3		<1	1	1	1	2	3	3
35-49	8	1.4		<1	<1	1	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2646	1.2	5	<1	<1	1	1	1	2	4
20-34	68	1.3		<1	1	1	1	2	3	82
35-49	14	4.5	41	1	1	2	5	17	21	22
50-64	4	3.0		2	2	3	4	4	4	4
65+	3	1.0		<1	<1	1	1	1	1	1
TOT. SINGLE DX	2726	1.1		<1	<1	1	1	1	2	2
" MULTIPLE DX	2735	1.2	5	<1	<1	1	1	1	2	4
TOTAL 0-19 YRS	5282	1.1	3	<1	<1	1	1	1	2	3
20-34	148	1.3		<1	1	1	1	2	3	8
35-49	22	3.4	28	<1	<1	1	3	8	18	22
50-64	5	3.0	1	2	2	3	3	4	4	4
65+	4	1.0		<1	<1	1	1	1	1	1
GRAND TOTAL	**5461**	**1.1**	**3**	**<1**	**<1**	**1**	**1**	**1**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.7	8	<1	<1	1	5	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	193	1.1		<1	<1	1	1	1	1	5
20-34	6	1.3		1	1	1	1	3	3	3
35-49										
50-64										
65+										
TOT. SINGLE DX	64	1.1		<1	<1	<1	1	1	1	5
" MULTIPLE DX	199	1.1		<1	<1	1	1	1	2	5
TOTAL 0-19 YRS	254	1.1		<1	<1	<1	1	1	1	5
20-34	9	1.8	3	<1	<1	1	2	5	6	6
35-49										
50-64										
65+										
GRAND TOTAL	**263**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**1**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	293	1.7	2	<1	<1	1	2	4	4	8
20-34	217	1.9	1	<1	1	1	2	4	5	7
35-49	86	2.2	2	<1	1	2	3	5	6	9
50-64	85	2.2	3	<1	<1	2	3	5	5	12
65+	49	3.0	6	<1	1	1	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	136	2.5	3	1	1	2	3	5	6	8
20-34	140	3.2	9	<1	1	2	4	6	10	18
35-49	121	4.5	66	1	1	2	4	9	17	48
50-64	154	5.1	63	1	1	2	5	12	18	42
65+	135	7.5	98	<1	1	4	8	17	26	48
TOT. SINGLE DX	730	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	686	4.5	51	1	1	2	4	10	17	42
TOTAL 0-19 YRS	429	2.0	3	<1	<1	1	2	4	5	7
20-34	357	2.4	5	<1	1	2	3	4	6	13
35-49	207	3.6	41	1	1	2	3	7	10	36
50-64	239	4.1	44	<1	1	2	4	8	15	31
65+	184	6.3	78	<1	1	4	7	16	22	46
GRAND TOTAL	**1416**	**3.2**	**28**	**<1**	**1**	**2**	**3**	**6**	**10**	**27**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.3		<1	<1	1	1	2	3	4
20-34	14	1.8	1	<1	<1	1	2	4	4	4
35-49	19	1.8	1	<1	<1	1	2	4	5	5
50-64	20	2.6	4	<1	1	1	4	6	7	7
65+	22	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	51	2.8	4	1	1	2	4	6	7	10
20-34	21	3.5	7	<1	<1	3	5	6	9	12
35-49	23	3.8	6	1	1	3	5	7	9	12
50-64	69	4.2	12	1	1	3	6	10	11	16
65+	150	3.9	9	1	1	3	5	8	9	16
TOT. SINGLE DX	91	1.9	2	<1	<1	1	3	4	5	7
" MULTIPLE DX	314	3.7	9	1	1	3	5	8	10	16
TOTAL 0-19 YRS	67	2.4	4	<1	<1	2	3	5	7	10
20-34	35	2.8	5	<1	<1	2	4	5	7	12
35-49	42	2.9	5	<1	1	2	4	6	7	12
50-64	89	3.8	11	1	1	3	5	9	10	16
65+	172	3.6	9	<1	1	3	5	8	9	16
GRAND TOTAL	**405**	**3.3**	**8**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	1.2	1	<1	<1	<1	1	1	2	9
20-34	33	1.0		<1	<1	<1	1	1	1	1
35-49	66	1.2		<1	<1	1	1	1	2	6
50-64	93	1.5	5	<1	<1	1	1	2	5	16
65+	83	1.2		<1	<1	1	1	2	3	6
2. MULTIPLE DX										
0-19 YRS	21	5.2	201	<1	<1	1	2	10	36	66
20-34	26	3.9	80	<1	1	1	2	7	22	45
35-49	44	2.9	42	<1	<1	1	2	5	9	43
50-64	111	3.1	40	<1	<1	1	2	7	11	41
65+	148	4.2	55	<1	1	1	3	12	17	30
TOT. SINGLE DX	322	1.3	2	<1	<1	1	1	1	2	7
" MULTIPLE DX	350	3.7	59	<1	<1	1	2	9	15	45
TOTAL 0-19 YRS	68	2.4	64	<1	<1	<1	1	2	9	56
20-34	59	2.3	37	<1	<1	1	1	2	7	42
35-49	110	1.9	18	<1	<1	1	1	3	5	23
50-64	204	2.3	25	<1	<1	1	2	4	8	27
65+	231	3.2	37	<1	<1	1	2	9	15	27
GRAND TOTAL	**672**	**2.6**	**33**	**<1**	**<1**	**1**	**2**	**4**	**9**	**29**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.0	30	<1	<1	2	4	14	16	16
20-34	2	8.0	98	<1	<1	7	15	15	15	15
35-49	9	3.6	19	<1	<1	1	5	11	14	14
50-64	14	7.5	8	2	4	8	9	11	12	13
65+	6	6.0	32	1	1	4	10	14	15	15
2. MULTIPLE DX										
0-19 YRS	4	4.0	12	<1	<1	3	6	9	9	9
20-34	10	10.7	440	<1	<1	5	7	39	70	70
35-49	11	7.0	49	1	1	3	10	19	21	21
50-64	28	10.5	65	1	1	9	15	19	27	36
65+	36	10.0	65	1	2	8	14	21	29	34
TOT. SINGLE DX	38	5.7	22	<1	<1	5	9	14	15	16
" MULTIPLE DX	89	9.6	100	1	1	7	14	19	26	57
TOTAL 0-19 YRS	11	4.0	22	<1	<1	2	5	12	16	16
20-34	12	10.3	370	<1	<1	5	7	31	64	70
35-49	20	5.5	37	<1	<1	2	8	16	19	21
50-64	42	9.5	48	1	1	8	14	17	22	36
65+	42	9.5	62	1	1	8	14	19	27	34
GRAND TOTAL	**127**	**8.4**	**80**	**<1**	**1**	**7**	**11**	**16**	**22**	**44**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	3	7.7	12	4	4	8	10	11	11	11
50-64	21	10.6	6	7	8	10	12	14	16	17
65+	21	11.7	13	7	7	10	14	17	19	20
2. MULTIPLE DX										
0-19 YRS	2	21.0	128	13	13	21	29	29	29	29
20-34	2	41.0	392	27	27	41	55	55	55	55
35-49	13	15.9	109	3	5	12	21	35	35	35
50-64	77	16.4	71	7	8	14	19	29	34	44
65+	96	17.6	96	8	9	14	20	35	41	44
TOT. SINGLE DX	46	10.8	12	6	7	10	13	15	17	20
" MULTIPLE DX	190	17.3	94	8	9	14	20	32	41	46
TOTAL 0-19 YRS	3	15.3	160	4	4	13	25	29	29	29
20-34	2	41.0	392	27	27	41	55	55	55	55
35-49	16	14.4	100	3	4	11	19	34	35	35
50-64	98	15.1	63	7	8	13	17	26	31	44
65+	117	16.5	87	8	9	13	18	32	40	43
GRAND TOTAL	**236**	**16.0**	**84**	**7**	**8**	**13**	**18**	**30**	**38**	**45**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	4.6	6	2	2	4	6	8	8	8
65+	3	8.0	16	4	4	8	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	6	30.0	824	<1	1	60	99+	99+	99+	99+
20-34	17	22.6	634	3	3	8	34	67	80	85
35-49	23	26.0	586	1	4	21	45	86	99+	99+
50-64	78	22.6	496	1	2	14	35	61	97	99+
65+	92	26.7	563	1	3	20	46	69	98	99+
TOT. SINGLE DX	11	5.4	9	2	2	5	7	10	12	12
" MULTIPLE DX	216	24.9	547	1	3	19	42	79	99+	99+
TOTAL 0-19 YRS	8	23.8	723	<1	1	52	99+	99+	99+	99+
20-34	17	22.6	634	3	3	8	34	67	80	85
35-49	24	25.0	585	1	2	20	43	85	99+	99+
50-64	83	21.6	485	1	2	14	33	60	96	99+
65+	95	26.1	557	1	3	20	45	6[illegible]	97	99+
GRAND TOTAL	**227**	**24.0**	**539**	**1**	**3**	**18**	**41**	**75**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	5.3	15	1	1	6	8	9	13	16
20-34	7	8.9	144	1	1	5	9	30	35	35
35-49	10	6.4	39	<1	<1	5	9	16	19	19
50-64	19	4.4	135	<1	1	1	2	6	32	52
65+	13	1.8	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
0-19 YRS	74	18.8	400	1	1	12	28	62	81	99+
20-34	70	25.5	564	2	3	18	37	63	93	99
35-49	80	21.6	479	1	1	17	39	59	78	99+
50-64	162	22.3	426	1	2	15	40	57	74	99+
65+	206	27.5	508	1	1	27	45	76	98	99+
TOT. SINGLE DX	68	4.9	63	<1	1	2	7	9	16	49
" MULTIPLE DX	592	24.0	482	1	2	20	41	62	87	99+
TOTAL 0-19 YRS	93	16.0	351	1	1	9	23	52	70	99+
20-34	77	24.0	547	1	2	16	35	61	85	99
35-49	90	19.9	453	1	1	13	33	57	76	99+
50-64	181	20.4	425	1	1	13	36	57	71	99+
65+	219	26.0	516	1	1	24	44	72	97	99+
GRAND TOTAL	**660**	**22.0**	**472**	**1**	**1**	**16**	**37**	**58**	**81**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.0	4	1	1	2	5	6	6	6
20-34	20	6.8	51	<1	<1	5	10	12	22	32
35-49	36	4.1	19	<1	<1	2	6	10	13	21
50-64	84	3.7	14	<1	<1	2	5	8	11	19
65+	92	4.4	18	<1	<1	2	7	10	13	20
2. MULTIPLE DX										
0-19 YRS	23	8.2	61	1	2	7	10	15	25	37
20-34	214	11.8	86	2	3	10	15	23	28	56
35-49	388	11.8	128	1	2	9	15	23	31	66
50-64	826	9.0	63	1	1	7	12	19	24	39
65+	1765	10.1	72	1	2	8	13	20	26	47
TOT. SINGLE DX	242	4.2	20	<1	<1	2	6	9	13	20
" MULTIPLE DX	3216	10.2	78	1	2	8	13	20	26	46
TOTAL 0-19 YRS	33	6.6	49	1	1	5	10	12	18	37
20-34	234	11.4	85	1	3	9	15	23	28	50
35-49	424	11.1	124	1	1	8	15	22	29	62
50-64	910	8.5	61	1	1	7	11	19	24	37
65+	1857	9.9	71	1	2	8	13	19	25	47
GRAND TOTAL	**3458**	**9.7**	**77**	**1**	**2**	**8**	**13**	**20**	**26**	**45**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49										
50-64	4	6.8	6	4	4	6	8	10	10	10
65+	4	12.3	95	4	4	9	19	26	26	26
TOT. SINGLE DX										
" MULTIPLE DX	9	10.0	48	4	4	7	12	21	26	26
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49										
50-64	4	6.8	6	4	4	6	8	10	10	10
65+	4	12.3	95	4	4	9	19	26	26	26
GRAND TOTAL	**9**	**10.0**	**48**	**4**	**4**	**7**	**12**	**21**	**26**	**26**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	9.1	27	2	5	8	11	17	20	21
20-34	44	6.3	15	1	2	5	8	12	15	19
35-49	69	6.1	10	3	3	6	7	9	12	21
50-64	133	6.8	14	1	3	6	8	11	14	21
65+	122	6.3	20	1	1	6	8	11	14	25
2. MULTIPLE DX										
0-19 YRS	46	10.8	103	4	4	7	12	22	30	62
20-34	145	11.8	124	3	4	8	14	24	29	71
35-49	229	10.2	85	2	4	8	12	19	22	53
50-64	614	9.5	51	2	3	8	12	19	23	34
65+	959	10.6	86	1	2	9	13	20	26	55
TOT. SINGLE DX	383	6.5	16	1	2	6	8	11	14	22
" MULTIPLE DX	1993	10.3	79	1	3	8	13	20	26	50
TOTAL 0-19 YRS	61	10.4	85	3	4	8	11	21	26	59
20-34	189	10.5	104	2	3	8	12	22	28	62
35-49	298	9.2	71	2	4	7	10	17	21	40
50-64	747	9.0	46	1	3	7	11	18	22	33
65+	1081	10.2	81	1	2	8	13	19	25	54
GRAND TOTAL	**2376**	**9.7**	**71**	**1**	**3**	**8**	**12**	**19**	**24**	**48**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	7.3	3	5	5	7	8	9	9	9
20-34	9	8.6	52	1	3	7	8	20	27	27
35-49	32	8.6	9	6	6	8	9	13	17	18
50-64	63	8.4	14	4	5	8	9	11	18	24
65+	77	8.5	8	4	5	8	10	12	13	19
2. MULTIPLE DX										
0-19 YRS	8	12.3	53	6	6	10	17	24	25	25
20-34	21	10.1	33	5	5	9	10	19	24	29
35-49	123	10.8	53	5	6	9	13	18	26	99+
50-64	481	11.9	72	6	6	9	13	19	27	85
65+	636	12.9	74	6	7	10	14	22	26	60
TOT. SINGLE DX	185	8.4	12	4	5	8	9	12	15	23
" MULTIPLE DX	1269	12.2	71	6	6	10	14	21	26	81
TOTAL 0-19 YRS	12	10.6	41	5	6	8	13	22	25	25
20-34	30	9.7	38	5	5	8	10	19	27	29
35-49	155	10.3	45	5	6	8	11	18	24	97
50-64	544	11.5	67	5	6	9	13	19	25	72
65+	713	12.4	69	6	7	10	14	21	25	50
GRAND TOTAL	**1454**	**11.8**	**65**	**5**	**6**	**9**	**13**	**20**	**25**	**68**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.6	4	<1	<1	1	1	2	5	12
20-34	27	6.0	17	<1	1	5	9	13	15	15
35-49	60	5.9	36	<1	<1	4	7	14	19	28
50-64	86	4.4	18	<1	<1	3	7	10	13	20
65+	75	6.2	27	<1	<1	5	10	14	15	20
2. MULTIPLE DX										
0-19 YRS	148	8.6	139	1	1	4	11	23	46	99+
20-34	225	10.4	113	1	2	8	14	21	30	74
35-49	293	9.6	64	1	2	8	13	20	25	60
50-64	617	10.0	92	1	2	8	13	19	27	56
65+	1461	12.1	105	2	3	10	15	25	31	49
TOT. SINGLE DX	386	4.1	21	<1	<1	2	5	11	14	20
" MULTIPLE DX	2744	11.0	102	1	2	8	14	22	30	55
TOTAL 0-19 YRS	286	5.2	86	<1	<1	1	6	14	24	71
20-34	252	9.9	105	1	2	7	13	21	29	72
35-49	353	9.0	61	1	2	7	12	20	24	46
50-64	703	9.4	86	1	1	7	12	18	24	55
65+	1536	11.8	103	1	3	9	15	24	31	49
GRAND TOTAL	**3130**	**10.2**	**97**	**1**	**1**	**8**	**14**	**21**	**28**	**52**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	5.1	10	1	1	4	8	10	10	10
20-34	29	5.1	14	2	2	4	7	10	15	17
35-49	18	6.8	11	2	3	6	9	13	13	13
50-64	7	6.3	31	<1	<1	5	10	15	16	16
65+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	19	7.1	54	1	1	5	8	18	26	30
20-34	53	8.7	37	2	3	7	10	17	21	32
35-49	35	10.4	70	1	2	10	13	21	31	33
50-64	45	10.1	117	2	3	7	11	21	26	68
65+	74	12.3	109	3	4	8	17	25	34	56
TOT. SINGLE DX	63	5.7	14	1	2	5	7	11	14	17
" MULTIPLE DX	226	10.3	85	2	3	7	13	21	29	45
TOTAL 0-19 YRS	26	6.6	42	1	1	5	8	11	24	30
20-34	82	7.4	32	2	2	6	9	15	19	30
35-49	53	9.2	53	2	2	7	13	17	29	33
50-64	52	9.6	107	1	2	7	11	19	25	67
65+	76	12.1	108	3	4	8	16	25	33	56
GRAND TOTAL	**289**	**9.3**	**73**	**2**	**2**	**7**	**11**	**20**	**26**	**39**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	4.5	6	2	2	4	6	8	9	14
20-34	414	4.5	7	2	2	4	6	8	10	14
35-49	191	5.3	15	2	2	4	6	10	13	22
50-64	67	5.2	7	2	2	5	6	9	10	13
65+	65	5.6	13	2	2	5	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	251	11.4	191	3	3	7	11	24	45	74
20-34	558	7.7	55	2	2	5	9	15	20	40
35-49	500	8.6	76	2	2	6	10	16	22	47
50-64	692	9.1	62	2	3	7	11	18	23	50
65+	1167	11.2	90	2	3	9	14	22	29	47
TOT. SINGLE DX	836	4.9	10	2	2	4	6	9	11	16
" MULTIPLE DX	3168	9.7	86	2	3	7	12	19	27	51
TOTAL 0-19 YRS	350	9.5	149	2	3	6	9	20	37	73
20-34	972	6.3	38	2	2	5	8	12	16	35
35-49	691	7.7	62	2	2	6	9	15	20	38
50-64	759	8.7	59	2	3	6	11	17	22	49
65+	1232	10.9	88	2	3	8	14	22	29	46
GRAND TOTAL	**4004**	**8.7**	**74**	**2**	**2**	**6**	**11**	**17**	**23**	**47**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	6.0	24	1	2	5	7	9	10	33
20-34	89	5.4	19	<1	1	5	7	11	14	21
35-49	76	5.0	25	<1	1	4	7	9	16	26
50-64	91	4.6	13	1	1	4	6	9	13	18
65+	58	3.3	10	<1	1	2	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	66	9.9	53	3	4	7	14	19	24	37
20-34	147	10.6	114	1	1	7	14	24	30	56
35-49	185	11.5	163	1	1	8	15	23	30	77
50-64	392	9.4	108	1	1	7	13	20	30	56
65+	599	9.3	85	1	1	7	12	19	25	51
TOT. SINGLE DX	385	4.9	19	<1	1	4	7	9	13	23
" MULTIPLE DX	1389	9.8	104	1	1	7	13	20	28	60
TOTAL 0-19 YRS	137	7.9	42	1	3	6	9	16	22	36
20-34	236	8.6	85	1	1	6	11	18	26	47
35-49	261	9.6	132	1	1	6	12	21	27	69
50-64	483	8.5	94	1	1	6	12	18	26	46
65+	657	8.8	82	1	1	7	12	18	24	47
GRAND TOTAL	**1774**	**8.8**	**90**	**1**	**1**	**6**	**11**	**18**	**25**	**47**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	7.0	10	2	5	7	8	10	12	20
20-34	27	8.0	9	5	6	7	8	13	17	17
35-49	34	8.7	10	6	6	8	9	12	17	20
50-64	59	9.4	5	7	7	9	11	12	13	19
65+	44	11.0	6	8	8	11	13	14	15	17
2. MULTIPLE DX										
0-19 YRS	302	11.0	73	5	6	9	12	19	27	63
20-34	97	13.8	109	6	7	10	16	25	35	59
35-49	259	12.8	64	6	7	10	14	21	31	45
50-64	720	14.3	91	7	8	12	16	24	30	58
65+	1046	15.7	94	8	8	13	18	25	34	62
TOT. SINGLE DX	294	8.4	10	5	5	8	10	12	14	19
" MULTIPLE DX	2424	14.3	91	6	7	12	16	24	32	61
TOTAL 0-19 YRS	432	9.8	58	4	5	8	11	16	23	55
20-34	124	12.5	94	5	6	9	14	23	32	54
35-49	293	12.3	59	6	7	10	14	20	30	45
50-64	779	13.9	86	7	8	11	15	23	29	58
65+	1090	15.5	92	8	8	13	18	25	34	61
GRAND TOTAL	**2718**	**13.7**	**86**	**6**	**7**	**11**	**16**	**23**	**30**	**59**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	2	3	3	3	3
20-34	4	2.0	2	<1	<1	2	3	4	4	4
35-49	49	6.9	3	2	5	7	8	9	9	10
50-64	175	8.8	6	6	7	8	10	12	14	18
65+	122	9.7	11	6	7	9	11	14	16	24
2. MULTIPLE DX										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34	26	9.6	28	2	3	9	12	19	21	23
35-49	907	9.8	19	6	6	9	11	15	17	32
50-64	3950	11.1	41	6	7	9	12	16	20	36
65+	4360	13.2	62	7	8	11	15	20	27	50
TOT. SINGLE DX	353	8.7	9	6	6	8	10	12	14	20
" MULTIPLE DX	9246	11.9	51	7	7	10	13	18	23	43
TOTAL 0-19 YRS	6	3.7	9	1	1	2	7	8	8	8
20-34	30	8.6	32	1	1	8	11	17	20	23
35-49	956	9.7	19	6	6	8	11	14	17	31
50-64	4125	11.0	40	6	7	9	12	16	20	35
65+	4482	13.1	62	7	8	11	15	20	26	50
GRAND TOTAL	**9599**	**11.8**	**50**	**7**	**7**	**10**	**13**	**18**	**23**	**42**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	175	1.3		<1	<1	1	1	2	2	7
20-34	140	2.4	6	<1	<1	1	2	6	9	12
35-49	874	2.1	4	<1	<1	1	2	5	7	11
50-64	1601	2.0	4	<1	<1	1	2	4	6	11
65+	897	2.0	5	<1	<1	1	2	5	7	12
2. MULTIPLE DX										
0-19 YRS	416	2.4	11	<1	<1	1	2	6	10	17
20-34	330	3.8	22	<1	1	2	5	8	12	22
35-49	3106	3.5	13	1	1	2	5	8	10	16
50-64	8940	3.6	16	1	1	2	5	9	11	18
65+	8161	4.5	24	1	1	2	6	10	14	24
TOT. SINGLE DX	3687	2.0	4	<1	<1	1	2	4	7	11
" MULTIPLE DX	20953	3.9	20	1	1	2	5	9	12	20
TOTAL 0-19 YRS	591	2.1	9	<1	<1	1	2	4	7	15
20-34	470	3.4	18	<1	1	2	4	8	10	20
35-49	3980	3.2	12	<1	1	2	4	8	10	15
50-64	10541	3.3	15	<1	1	2	4	8	10	17
65+	9058	4.2	23	<1	1	2	6	10	13	23
GRAND TOTAL	**24640**	**3.6**	**18**	**<1**	**1**	**2**	**5**	**9**	**11**	**19**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.9	12	1	1	3	5	11	12	12
20-34	16	2.7	3	1	1	2	3	6	7	8
35-49	40	2.4	2	<1	1	2	3	5	6	7
50-64	94	3.0	6	1	1	2	3	6	7	14
65+	421	2.7	4	<1	1	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	36	3.9	10	1	1	3	5	9	11	12
20-34	70	6.4	48	1	1	4	9	13	16	43
35-49	144	5.8	19	1	1	4	8	13	15	20
50-64	741	7.3	44	1	2	6	10	15	19	33
65+	4521	6.8	36	1	2	5	9	14	18	28
TOT. SINGLE DX	585	2.8	5	<1	1	2	3	6	7	11
" MULTIPLE DX	5512	6.9	37	1	2	5	9	14	18	29
TOTAL 0-19 YRS	50	3.9	11	1	1	3	5	10	11	12
20-34	86	5.7	42	1	1	4	7	13	15	39
35-49	184	5.0	18	1	1	3	7	11	14	19
50-64	835	6.8	42	1	1	5	9	14	18	33
65+	4942	6.5	35	1	2	5	8	13	17	28
GRAND TOTAL	**6097**	**6.5**	**36**	**1**	**1**	**5**	**8**	**13**	**17**	**28**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	4.5	25	1	1	2	7	11	14	22
20-34	25	5.2	13	<1	1	5	7	10	12	16
35-49	174	3.9	7	1	1	3	6	8	9	12
50-64	410	3.5	6	1	1	3	5	7	8	13
65+	205	3.5	8	1	1	3	4	7	9	18
2. MULTIPLE DX										
0-19 YRS	25	11.4	418	1	1	6	9	31	53	99
20-34	118	7.7	77	1	2	5	9	15	27	47
35-49	1256	5.0	22	1	2	3	6	9	13	26
50-64	3262	4.9	20	1	2	3	6	9	12	21
65+	2647	5.9	32	1	2	4	8	12	16	28
TOT. SINGLE DX	847	3.7	8	1	1	3	5	7	9	14
" MULTIPLE DX	7308	5.3	28	1	2	4	7	10	14	26
TOTAL 0-19 YRS	58	7.5	202	1	1	3	8	14	27	94
20-34	143	7.3	67	1	1	5	8	14	22	44
35-49	1430	4.8	21	1	2	3	6	9	12	25
50-64	3672	4.7	19	1	2	3	6	9	12	21
65+	2852	5.8	31	1	2	4	7	12	15	28
GRAND TOTAL	**8155**	**5.2**	**26**	**1**	**2**	**4**	**7**	**10**	**13**	**25**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	118	2.3	7	<1	<1	1	2	5	7	16
20-34	61	3.2	11	<1	<1	1	5	9	10	15
35-49	61	3.9	20	<1	<1	2	5	10	12	24
50-64	94	2.8	13	<1	<1	1	2	7	10	20
65+	78	4.1	19	<1	<1	2	6	11	14	19
2. MULTIPLE DX										
0-19 YRS	468	4.3	42	1	1	3	5	9	13	99+
20-34	277	8.2	56	1	2	6	11	15	21	38
35-49	375	8.5	74	1	1	6	11	18	24	40
50-64	875	7.9	53	1	1	6	11	16	22	35
65+	2487	9.1	53	1	2	7	12	18	24	35
TOT. SINGLE DX	412	3.1	14	<1	<1	1	4	8	11	18
" MULTIPLE DX	4482	8.3	56	1	2	6	11	17	23	37
TOTAL 0-19 YRS	586	3.9	36	<1	1	2	4	8	13	78
20-34	338	7.3	52	<1	1	6	10	14	20	37
35-49	436	7.9	69	<1	1	6	10	17	24	38
50-64	969	7.4	52	1	1	5	10	16	21	35
65+	2565	9.0	53	1	2	7	12	18	24	35
GRAND TOTAL	**4894**	**7.8**	**55**	**1**	**1**	**6**	**11**	**16**	**22**	**36**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	314	2.0	1	1	1	2	2	3	4	8
35-49	557	2.0	2	1	1	2	2	3	4	7
50-64	336	2.2	2	1	1	2	3	4	4	6
65+	107	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	1	1	2	3	4	4	4
20-34	99	2.7	6	1	1	2	3	5	9	14
35-49	202	2.8	4	1	1	2	4	5	7	12
50-64	204	3.1	5	1	1	2	4	6	8	13
65+	127	4.5	35	1	1	3	5	10	12	39
TOT. SINGLE DX	1322	2.1	3	1	1	2	3	4	4	8
" MULTIPLE DX	637	3.2	12	1	1	2	4	6	9	15
TOTAL 0-19 YRS	13	1.9	1	1	1	2	2	3	4	4
20-34	413	2.1	3	1	1	2	2	4	4	11
35-49	759	2.2	3	1	1	2	3	4	5	9
50-64	540	2.5	4	1	1	2	3	4	6	10
65+	234	3.7	21	1	1	2	4	7	11	21
GRAND TOTAL	**1959**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	6.5	9	1	2	6	8	11	12	12
20-34	22	4.5	20	<1	<1	3	5	12	15	17
35-49	59	5.7	17	1	1	5	8	11	12	21
50-64	191	6.1	11	1	2	6	8	10	12	16
65+	200	6.6	10	1	2	6	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	84	8.5	45	2	3	7	9	17	25	80
20-34	198	10.6	145	1	2	7	13	23	35	78
35-49	458	9.9	80	1	2	8	12	19	27	49
50-64	1623	9.9	64	2	3	8	11	18	25	43
65+	2913	11.8	80	4	5	9	14	22	29	51
TOT. SINGLE DX	489	6.2	12	1	1	6	8	10	13	17
" MULTIPLE DX	5276	10.9	78	2	4	9	13	20	28	50
TOTAL 0-19 YRS	101	8.2	40	2	3	7	9	16	23	70
20-34	220	10.0	136	1	1	7	12	22	33	75
35-49	517	9.5	75	1	2	8	11	19	25	48
50-64	1814	9.5	61	2	3	8	11	17	24	43
65+	3113	11.4	77	3	5	9	13	21	28	50
GRAND TOTAL	**5765**	**10.5**	**74**	**2**	**4**	**8**	**12**	**19**	**27**	**48**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	55.5	1	55	55	55	56	56	56	56
20-34										
35-49										
50-64										
65+	2	10.5	1	10	10	10	11	11	11	11
TOT. SINGLE DX	1	6.0		6	6	6	6	6	6	6
" MULTIPLE DX	4	33.0	675	10	10	33	55	56	56	56
TOTAL 0-19 YRS	3	39.0	817	6	6	55	56	56	56	56
20-34										
35-49										
50-64										
65+	2	10.5	1	10	10	10	11	11	11	11
GRAND TOTAL	**5**	**27.6**	**652**	**6**	**6**	**11**	**55**	**56**	**56**	**56**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	7.8	58	1	1	6	14	17	17	17
20-34	10	2.2	1	<1	<1	2	3	4	4	4
35-49	5	2.6	4	<1	<1	2	4	6	6	6
50-64	7	3.3	2	1	1	3	4	6	6	6
65+	5	6.4	11	2	2	6	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	50	5.4	27	1	2	4	5	12	16	27
20-34	478	5.0	41	1	1	3	6	9	14	35
35-49	555	5.0	24	1	1	4	6	10	14	25
50-64	992	5.5	24	1	1	4	7	11	14	26
65+	1149	6.6	49	1	2	5	8	13	18	36
TOT. SINGLE DX	31	3.9	13	<1	<1	3	5	9	11	17
" MULTIPLE DX	3224	5.7	36	1	1	4	7	11	16	30
TOTAL 0-19 YRS	54	5.6	29	1	2	4	6	13	17	27
20-34	488	5.0	41	1	1	3	6	9	14	35
35-49	560	5.0	25	1	1	4	6	10	14	25
50-64	999	5.4	24	1	1	4	7	11	14	26
65+	1154	6.6	49	1	2	5	8	13	18	36
GRAND TOTAL	**3255**	**5.7**	**36**	**1**	**1**	**4**	**7**	**11**	**16**	**29**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	209	5.0	11	1	1	4	7	9	11	14
20-34	157	4.2	22	<1	1	2	6	10	11	21
35-49	223	5.7	42	1	1	3	7	13	16	38
50-64	583	4.6	14	1	1	4	6	9	11	19
65+	1003	4.9	10	1	2	4	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	2806	16.0	338	1	2	9	21	45	69	99+
20-34	827	7.2	77	1	1	4	9	17	26	46
35-49	1331	8.5	108	1	1	5	10	20	32	57
50-64	3729	8.5	95	1	2	6	10	17	26	57
65+	8220	9.0	77	1	2	7	11	18	25	48
TOT. SINGLE DX	2175	4.9	16	1	1	4	7	10	11	19
" MULTIPLE DX	16913	9.9	135	1	2	7	12	21	33	75
TOTAL 0-19 YRS	3015	15.2	324	1	2	8	20	43	68	99+
20-34	984	6.7	70	1	1	4	8	16	24	45
35-49	1554	8.1	100	1	1	5	10	19	29	57
50-64	4312	8.0	86	1	2	5	9	16	24	54
65+	9223	8.6	72	1	2	6	11	17	23	45
GRAND TOTAL	**19088**	**9.4**	**124**	**1**	**2**	**6**	**11**	**20**	**31**	**71**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	3.2	10	<1	<1	2	4	8	11	14
20-34	161	2.8	23	<1	<1	1	2	6	9	30
35-49	160	1.9	1	<1	<1	1	2	4	5	8
50-64	159	2.8	8	<1	<1	2	3	7	9	16
65+	148	3.4	8	<1	<1	2	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	79	6.7	128	<1	1	4	7	11	13	76
20-34	135	6.0	74	<1	<1	4	8	11	19	37
35-49	239	5.6	41	1	1	3	7	13	17	33
50-64	424	6.7	77	1	1	4	8	14	18	31
65+	625	7.0	50	1	1	5	9	14	19	33
TOT. SINGLE DX	738	2.8	11	<1	<1	2	3	6	9	16
" MULTIPLE DX	1502	6.6	63	1	1	5	8	14	18	33
TOTAL 0-19 YRS	189	4.6	62	<1	<1	3	5	10	12	45
20-34	296	4.2	49	<1	<1	2	5	9	16	30
35-49	399	4.1	29	<1	<1	2	5	10	14	31
50-64	583	5.6	62	<1	1	4	7	12	16	26
65+	773	6.3	44	1	1	4	8	13	16	32
GRAND TOTAL	**2240**	**5.3**	**49**	**<1**	**1**	**3**	**7**	**12**	**15**	**30**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.8	4	2	2	3	5	7	8	8
20-34	24	5.3	11	1	1	5	8	10	11	12
35-49	52	2.6	2	1	1	2	3	5	7	8
50-64	68	3.5	7	1	1	3	5	7	9	14
65+	63	4.1	9	1	1	3	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	10	8.5	78	3	3	6	8	21	33	33
20-34	68	6.6	11	1	2	6	8	11	14	15
35-49	117	6.3	34	1	2	5	8	13	17	64
50-64	220	6.4	47	1	2	4	8	13	18	32
65+	301	7.2	44	1	2	5	8	13	18	41
TOT. SINGLE DX	215	3.7	8	1	1	3	5	8	9	14
" MULTIPLE DX	716	6.8	41	1	2	5	8	13	17	37
TOTAL 0-19 YRS	18	6.4	49	2	2	4	8	9	23	33
20-34	92	6.3	12	1	2	6	8	11	13	15
35-49	169	5.1	27	1	1	4	7	10	15	42
50-64	288	5.7	39	1	1	4	7	11	16	30
65+	364	6.7	40	1	2	5	8	12	16	38
GRAND TOTAL	**931**	**6.1**	**35**	**1**	**1**	**5**	**8**	**11**	**15**	**33**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	2	25.0	128	17	17	25	33	33	33	33
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	2	9.5	5	8	8	9	11	11	11	11
65+	2	17.0	450	2	2	17	32	32	32	32
TOT. SINGLE DX	2	8.5	1	8	8	8	9	9	9	9
" MULTIPLE DX	7	15.7	152	2	3	11	28	33	33	33
TOTAL 0-19 YRS	2	25.0	128	17	17	25	33	33	33	33
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	3	9.0	3	8	8	8	10	11	11	11
65+	3	14.3	246	2	2	9	26	32	32	32
GRAND TOTAL	**9**	**14.1**	**124**	**2**	**4**	**9**	**21**	**33**	**33**	**33**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	22.7	362	3	3	24	37	41	41	41
35-49	3	35.0	2700	5	5	5	72	95	95	95
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9	42.3	378	3	14	44	58	64	66	66
20-34	2	26.0	288	14	14	26	38	38	38	38
35-49	1	79.0		79	79	79	79	79	79	79
50-64										
65+										
TOT. SINGLE DX	7	26.4	1099	3	3	12	37	84	95	95
" MULTIPLE DX	12	42.7	472	4	11	41	59	70	78	79
TOTAL 0-19 YRS	10	39.3	429	3	7	40	58	63	66	66
20-34	5	24.0	257	3	3	24	39	41	41	41
35-49	4	46.0	2284	5	5	42	87	95	95	95
50-64										
65+										
GRAND TOTAL	**19**	**36.7**	**720**	**3**	**4**	**37**	**56**	**74**	**88**	**95**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	240	4.4	6	1	1	4	5	7	9	15
20-34	159	6.0	28	1	2	5	7	10	16	34
35-49	99	5.0	16	1	2	5	6	8	9	26
50-64	102	6.6	40	1	2	5	7	11	23	35
65+	100	5.7	15	1	2	5	8	11	14	18
2. MULTIPLE DX										
0-19 YRS	410	10.4	107	2	2	7	13	23	29	53
20-34	528	10.4	112	2	3	7	11	22	32	60
35-49	510	10.9	110	2	3	8	13	22	33	64
50-64	832	10.8	106	2	3	7	13	24	32	52
65+	2251	10.1	79	2	3	8	12	20	27	48
TOT. SINGLE DX	700	5.4	20	1	2	5	6	9	12	26
" MULTIPLE DX	4531	10.4	95	2	3	7	12	21	29	53
TOTAL 0-19 YRS	650	8.2	79	1	2	5	9	19	24	45
20-34	687	9.4	97	2	3	7	10	19	27	56
35-49	609	9.9	100	2	3	7	11	20	30	61
50-64	934	10.3	101	2	2	7	12	23	31	50
65+	2351	9.9	78	2	3	7	12	20	26	48
GRAND TOTAL	**5231**	**9.7**	**88**	**2**	**3**	**7**	**11**	**20**	**28**	**49**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	7.0	96	1	1	4	8	16	20	56
20-34	55	5.4	29	<1	1	4	7	14	17	25
35-49	66	5.3	40	<1	<1	3	7	11	18	37
50-64	49	3.8	13	<1	1	2	7	9	12	16
65+	40	6.1	21	<1	1	5	9	13	15	17
2. MULTIPLE DX										
0-19 YRS	264	11.7	172	1	2	7	14	29	45	97
20-34	430	11.4	125	1	2	8	15	28	36	62
35-49	656	10.7	129	1	1	7	13	24	35	55
50-64	994	10.2	108	1	1	7	13	22	32	52
65+	1386	12.3	128	1	2	9	16	26	34	55
TOT. SINGLE DX	260	5.5	41	<1	1	3	7	12	16	38
" MULTIPLE DX	3730	11.3	127	1	2	8	15	26	35	59
TOTAL 0-19 YRS	314	10.9	163	1	2	7	13	28	45	88
20-34	485	10.7	118	1	1	7	14	26	35	61
35-49	722	10.2	123	1	1	7	13	23	35	55
50-64	1043	9.9	106	1	1	7	13	22	31	49
65+	1426	12.1	127	1	2	9	16	26	33	54
GRAND TOTAL	**3990**	**10.9**	**123**	**1**	**2**	**7**	**14**	**25**	**34**	**56**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.2	7	<1	<1	1	2	5	10	13
20-34	23	2.5	6	<1	<1	1	4	6	8	10
35-49	50	4.0	13	1	1	3	5	8	9	19
50-64	71	4.1	16	<1	<1	2	7	8	12	20
65+	80	4.0	11	<1	<1	3	6	9	11	13
2. MULTIPLE DX										
0-19 YRS	81	8.7	262	<1	1	2	8	17	56	77
20-34	134	7.4	50	1	2	6	9	15	20	43
35-49	246	7.0	43	1	1	5	8	15	21	34
50-64	479	7.8	57	1	1	6	10	16	21	39
65+	994	8.7	86	1	2	6	11	19	26	51
TOT. SINGLE DX	270	3.6	12	<1	<1	2	5	8	10	17
" MULTIPLE DX	1934	8.2	79	1	2	6	10	17	24	47
TOTAL 0-19 YRS	127	6.3	179	<1	1	2	5	13	23	72
20-34	157	6.7	47	<1	1	5	8	14	18	42
35-49	296	6.5	40	1	1	4	8	14	19	34
50-64	550	7.3	54	<1	1	5	9	15	21	39
65+	1074	8.4	83	1	1	6	10	18	25	50
GRAND TOTAL	**2204**	**7.6**	**73**	**1**	**1**	**5**	**9**	**16**	**22**	**45**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	287	2.9	1	2	2	3	3	4	5	8
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	4	7.0	18	3	3	6	10	13	13	13
2. MULTIPLE DX										
0-19 YRS	148	5.4	41	2	2	4	5	10	14	45
20-34	14	8.1	26	1	2	7	10	18	18	18
35-49	13	9.5	56	1	2	9	12	18	28	30
50-64	16	13.8	69	5	6	11	17	29	32	33
65+	24	16.4	104	4	6	14	19	34	36	39
TOT. SINGLE DX	295	3.0	2	2	2	3	3	4	5	8
" MULTIPLE DX	215	7.7	64	2	2	4	9	18	30	44
TOTAL 0-19 YRS	435	3.7	16	2	2	3	4	5	7	32
20-34	17	7.4	24	1	2	6	8	17	18	18
35-49	14	9.4	52	1	2	8	11	16	27	30
50-64	16	13.8	70	5	6	11	17	29	32	33
65+	28	15.1	102	3	5	13	18	33	35	39
GRAND TOTAL	**510**	**5.0**	**34**	**2**	**2**	**3**	**4**	**10**	**15**	**36**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.6	13	1	1	3	8	10	10	10
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49										
50-64	7	5.6	21	1	1	4	9	13	13	13
65+	19	5.2	31	1	1	3	6	13	19	23
2. MULTIPLE DX										
0-19 YRS	63	19.2	410	1	3	13	28	56	78	99+
20-34	33	22.6	530	3	5	14	32	59	77	95
35-49	42	21.0	340	2	4	14	33	61	87	99+
50-64	117	15.8	231	2	3	11	21	38	62	99+
65+	700	15.9	173	2	3	12	22	33	42	72
TOT. SINGLE DX	35	5.2	23	1	1	4	7	11	14	23
" MULTIPLE DX	955	16.6	217	2	3	12	22	35	47	99
TOTAL 0-19 YRS	70	17.7	390	1	2	9	26	51	74	99+
20-34	35	21.7	514	3	5	13	31	58	76	95
35-49	42	21.0	340	2	4	14	33	61	87	99+
50-64	124	15.3	225	2	3	11	20	36	59	99+
65+	719	15.7	173	2	3	12	21	33	42	70
GRAND TOTAL	**990**	**16.2**	**215**	**2**	**3**	**12**	**22**	**35**	**46**	**99**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	3.9	4	1	1	4	6	7	8	9
35-49	47	4.4	11	<1	<1	3	6	8	11	18
50-64	54	4.6	8	<1	<1	4	6	8	10	14
65+	87	5.2	32	<1	<1	4	6	9	12	36
2. MULTIPLE DX										
0-19 YRS	14	8.8	120	1	2	5	8	21	37	42
20-34	142	6.9	82	<1	1	5	8	14	17	49
35-49	249	5.9	33	1	2	4	7	11	18	31
50-64	520	7.1	60	1	2	5	8	13	20	43
65+	1533	7.7	45	2	3	6	9	15	20	37
TOT. SINGLE DX	208	4.7	19	<1	<1	4	6	9	10	17
" MULTIPLE DX	2458	7.3	50	1	2	5	9	14	20	40
TOTAL 0-19 YRS	15	8.3	115	1	2	4	8	18	36	42
20-34	161	6.5	74	<1	1	4	7	13	17	45
35-49	296	5.7	30	<1	2	4	7	10	18	31
50-64	574	6.9	56	1	2	5	8	13	18	42
65+	1620	7.5	45	2	2	6	9	14	19	37
GRAND TOTAL	**2666**	**7.1**	**48**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	28	8.5	14	4	5	8	9	14	18	20
35-49	55	8.5	8	5	6	8	10	12	14	19
50-64	58	9.0	5	6	6	9	10	12	13	17
65+	59	10.6	23	6	6	9	12	15	22	30
2. MULTIPLE DX										
0-19 YRS	7	13.0	34	5	6	14	16	22	23	23
20-34	65	12.7	100	6	7	10	13	20	33	67
35-49	199	12.6	80	6	6	10	13	21	29	54
50-64	350	15.3	139	6	7	12	17	24	36	75
65+	630	16.0	112	7	8	13	19	28	39	70
TOT. SINGLE DX	203	9.2	14	5	6	9	10	13	15	24
" MULTIPLE DX	1251	15.1	115	6	7	12	17	26	36	71
TOTAL 0-19 YRS	10	10.6	39	2	3	9	14	19	23	23
20-34	93	11.4	78	5	6	9	12	17	24	59
35-49	254	11.7	67	5	6	9	12	19	27	53
50-64	408	14.4	125	6	7	11	16	23	34	74
65+	689	15.5	107	7	8	13	18	27	38	68
GRAND TOTAL	**1454**	**14.3**	**105**	**6**	**7**	**11**	**16**	**24**	**34**	**66**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	8.5	11	5	5	8	11	13	13	13
50-64	13	11.3	7	8	8	10	13	16	16	16
65+	11	15.5	36	7	8	15	20	23	27	27
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	14.0	60	8	8	11	19	25	25	25
35-49	28	15.6	63	9	9	13	19	27	32	43
50-64	76	17.7	162	8	9	14	20	27	38	77
65+	143	19.0	157	8	9	15	21	36	43	73
TOT. SINGLE DX	29	12.5	24	7	8	11	15	20	21	27
" MULTIPLE DX	252	18.1	148	8	9	14	20	32	42	76
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	13.2	49	8	8	10	17	25	25	25
35-49	32	14.7	62	8	9	12	18	24	31	43
50-64	89	16.8	144	8	9	13	18	26	37	77
65+	154	18.7	149	8	9	15	21	36	42	72
GRAND TOTAL	**281**	**17.5**	**138**	**8**	**9**	**14**	**19**	**31**	**40**	**75**

595: Vagotomy (44.00)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	36	8.1	11	5	5	7	9	14	16	18
35-49	59	7.8	4	4	6	7	9	11	11	16
50-64	25	9.0	10	5	6	9	10	12	15	19
65+	16	10.1	7	6	8	9	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	39	10.2	15	5	6	9	12	17	19	20
35-49	112	10.7	48	5	6	9	12	17	26	65
50-64	138	11.5	48	6	6	9	12	20	28	40
65+	180	15.7	99	6	7	13	19	29	47	99+
TOT. SINGLE DX	136	8.3	8	5	6	8	9	12	15	18
" MULTIPLE DX	470	12.8	70	6	6	10	15	23	32	92
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	75	9.2	14	5	5	8	11	16	18	20
35-49	171	9.7	35	5	6	8	11	15	21	45
50-64	163	11.1	44	5	6	9	11	19	25	39
65+	196	15.2	94	6	7	13	18	28	43	99+
GRAND TOTAL	**606**	**11.8**	**60**	**5**	**6**	**9**	**14**	**20**	**29**	**60**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	5.2	5	2	2	5	6	7	8	15
20-34	136	6.0	5	3	4	6	7	8	10	18
35-49	161	6.7	21	4	4	6	7	9	10	37
50-64	75	8.2	18	4	5	7	9	12	18	26
65+	58	8.8	15	3	4	9	10	15	17	20
2. MULTIPLE DX										
0-19 YRS	130	12.6	163	3	4	8	14	28	39	61
20-34	395	8.1	62	4	4	6	8	12	18	46
35-49	667	8.3	60	4	4	7	8	13	17	54
50-64	510	10.9	117	4	5	8	11	19	28	65
65+	782	15.2	134	5	6	12	19	28	38	75
TOT. SINGLE DX	468	6.9	16	3	4	6	8	10	12	21
" MULTIPLE DX	2484	11.2	110	4	4	8	12	22	30	65
TOTAL 0-19 YRS	168	10.9	137	2	4	7	11	23	38	51
20-34	531	7.6	49	4	4	6	8	11	16	42
35-49	828	8.0	53	4	4	7	8	12	16	49
50-64	585	10.6	106	4	5	8	11	18	27	63
65+	840	14.8	129	5	6	11	18	27	37	74
GRAND TOTAL	**2952**	**10.5**	**98**	**4**	**4**	**8**	**11**	**20**	**28**	**60**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	4.8	28	<1	1	4	6	8	12	30
20-34	95	4.2	7	<1	1	4	6	7	9	15
35-49	88	3.8	9	<1	<1	3	5	8	10	15
50-64	110	3.4	11	<1	<1	2	5	7	8	19
65+	141	3.9	69	<1	<1	2	5	8	11	26
2. MULTIPLE DX										
0-19 YRS	77	7.4	72	1	2	5	7	16	29	43
20-34	224	6.5	31	1	2	5	8	13	17	31
35-49	328	6.2	38	<1	2	5	7	12	18	28
50-64	640	6.8	61	<1	1	5	8	13	18	39
65+	1709	7.7	58	1	1	6	9	15	20	41
TOT. SINGLE DX	466	3.9	29	<1	<1	3	5	7	10	18
" MULTIPLE DX	2978	7.2	55	<1	1	5	9	15	20	39
TOTAL 0-19 YRS	109	6.6	60	1	1	4	7	14	26	40
20-34	319	5.8	25	1	2	5	7	11	15	30
35-49	416	5.7	33	<1	1	4	7	11	15	27
50-64	750	6.3	55	<1	<1	4	7	13	17	37
65+	1850	7.4	60	<1	1	6	9	15	20	40
GRAND TOTAL	**3444**	**6.8**	**53**	**<1**	**1**	**5**	**8**	**14**	**18**	**37**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	8.0	14	5	5	7	9	11	17	21
20-34	43	8.4	17	4	5	7	10	12	19	25
35-49	43	8.1	6	5	5	8	9	12	13	16
50-64	42	9.0	14	5	5	8	11	14	19	20
65+	44	9.9	25	5	6	9	11	15	21	29
2. MULTIPLE DX										
0-19 YRS	70	12.1	117	5	6	9	14	30	61	99+
20-34	172	11.9	106	5	6	9	13	22	31	76
35-49	210	13.7	147	5	6	10	15	24	41	69
50-64	344	15.7	161	6	7	12	18	29	40	81
65+	741	16.6	150	7	7	13	19	29	45	81
TOT. SINGLE DX	189	8.8	16	5	5	8	10	13	18	25
" MULTIPLE DX	1537	15.3	149	6	7	11	18	28	42	81
TOTAL 0-19 YRS	87	11.3	99	5	5	8	12	26	51	99+
20-34	215	11.2	91	5	6	8	12	20	28	74
35-49	253	12.8	128	5	6	9	14	22	32	64
50-64	386	14.9	149	6	7	11	17	27	36	77
65+	785	16.3	146	6	7	12	19	29	43	79
GRAND TOTAL	**1726**	**14.6**	**138**	**6**	**6**	**11**	**17**	**27**	**40**	**78**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	6.8	7	3	4	7	8	10	12	15
20-34	91	9.1	25	4	5	8	10	14	21	31
35-49	195	8.1	9	5	5	7	9	10	12	25
50-64	419	8.6	6	5	6	8	9	12	14	18
65+	482	9.1	7	6	6	9	10	12	14	20
2. MULTIPLE DX										
0-19 YRS	88	14.5	153	3	5	10	18	29	37	71
20-34	300	12.4	101	5	6	9	13	23	36	56
35-49	683	11.7	67	6	6	9	13	19	25	45
50-64	1913	11.5	50	6	7	9	13	18	24	44
65+	4938	13.3	69	7	7	11	15	22	29	50
TOT. SINGLE DX	1208	8.7	9	5	6	8	10	12	14	21
" MULTIPLE DX	7922	12.7	67	6	7	10	14	21	28	49
TOTAL 0-19 YRS	109	13.0	134	3	4	9	16	26	36	64
20-34	391	11.7	86	5	6	9	12	21	27	52
35-49	878	10.9	57	5	6	9	12	17	23	43
50-64	2332	11.0	44	6	6	9	12	17	22	42
65+	5420	12.9	65	6	7	10	15	22	28	49
GRAND TOTAL	**9130**	**12.2**	**61**	**6**	**7**	**10**	**14**	**20**	**26**	**47**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	5.2	2	4	4	5	6	7	9	9
20-34	9	7.1	11	3	4	7	8	13	13	13
35-49	10	6.8	8	2	3	7	9	10	10	10
50-64	9	7.8	7	2	4	8	9	11	11	11
65+	9	11.7	90	5	5	9	11	27	36	36
2. MULTIPLE DX										
0-19 YRS	25	11.7	93	3	3	9	13	35	56	99+
20-34	25	15.0	311	4	4	9	20	27	44	91
35-49	38	13.6	92	4	5	10	17	25	40	44
50-64	77	15.5	203	5	7	11	16	33	48	85
65+	216	14.4	90	5	6	12	16	28	34	53
TOT. SINGLE DX	50	7.5	24	3	4	7	9	11	13	36
" MULTIPLE DX	381	14.4	128	5	6	11	16	28	37	58
TOTAL 0-19 YRS	38	9.5	71	3	4	8	11	16	41	99+
20-34	34	12.9	241	3	4	8	13	24	28	91
35-49	48	12.2	83	3	4	9	14	22	37	44
50-64	86	14.7	189	5	6	11	15	27	46	81
65+	225	14.3	91	5	6	12	16	28	35	53
GRAND TOTAL	**431**	**13.6**	**120**	**4**	**5**	**11**	**15**	**26**	**36**	**55**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	5.3	6	2	2	5	7	9	10	11
20-34	120	6.8	5	3	4	7	8	10	10	13
35-49	133	7.1	11	3	4	7	8	10	13	18
50-64	126	7.5	9	3	4	7	9	11	12	20
65+	121	7.4	10	2	3	7	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	185	9.5	99	2	3	7	10	21	30	75
20-34	267	9.9	65	4	5	8	11	17	25	48
35-49	289	11.6	107	4	5	8	12	21	29	62
50-64	470	11.5	74	4	5	9	13	22	27	57
65+	985	12.5	78	4	5	10	14	22	29	49
TOT. SINGLE DX	606	6.9	9	2	3	7	8	10	12	16
" MULTIPLE DX	2196	11.6	83	4	5	9	13	22	29	54
TOTAL 0-19 YRS	291	8.0	70	2	3	6	9	13	23	54
20-34	387	9.0	49	3	4	7	9	14	20	44
35-49	422	10.2	81	4	4	8	11	17	25	50
50-64	596	10.7	64	4	5	8	11	21	26	54
65+	1106	12.0	74	4	5	10	14	21	28	46
GRAND TOTAL	**2802**	**10.6**	**71**	**3**	**4**	**8**	**12**	**20**	**26**	**49**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.5	2	6	6	7	9	9	9	9
20-34	7	8.3	9	5	5	8	10	13	13	13
35-49	4	11.0	6	8	8	11	13	13	13	13
50-64	12	8.3	8	5	5	8	10	12	15	15
65+	10	10.1	31	5	6	8	11	18	25	25
2. MULTIPLE DX										
0-19 YRS	27	13.0	121	4	4	9	17	31	59	99+
20-34	48	15.7	287	4	5	10	16	33	61	91
35-49	60	13.9	72	5	6	11	18	24	29	53
50-64	143	15.4	136	5	6	13	18	28	37	91
65+	403	17.0	137	5	7	14	21	31	41	60
TOT. SINGLE DX	39	8.9	13	5	5	8	10	13	14	25
" MULTIPLE DX	681	16.1	142	5	6	13	20	31	40	66
TOTAL 0-19 YRS	33	12.0	104	4	5	9	16	23	51	99+
20-34	55	14.7	257	4	5	10	14	31	54	90
35-49	64	13.8	69	5	7	11	16	23	29	52
50-64	155	14.8	130	5	6	12	17	27	37	88
65+	413	16.8	136	5	7	14	21	31	41	59
GRAND TOTAL	**720**	**15.7**	**138**	**5**	**6**	**12**	**19**	**30**	**39**	**66**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5763	3.2	3	1	2	3	4	5	7	9
20-34	4491	3.3	2	1	2	3	4	5	6	9
35-49	1711	3.8	3	2	2	3	5	6	8	10
50-64	678	4.6	6	2	2	4	6	8	9	14
65+	206	5.0	4	2	3	4	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	1997	5.2	17	2	2	4	7	10	12	21
20-34	1802	5.0	12	2	2	4	6	8	11	18
35-49	882	5.9	11	2	3	5	8	10	12	17
50-64	655	7.8	37	2	3	7	9	13	17	31
65+	564	9.0	43	3	3	8	10	16	20	39
TOT. SINGLE DX	12849	3.4	4	1	2	3	4	6	7	10
" MULTIPLE DX	5900	5.9	21	2	2	5	7	10	14	23
TOTAL 0-19 YRS	7760	3.7	8	1	2	3	4	7	8	14
20-34	6293	3.8	6	2	2	3	4	6	8	13
35-49	2593	4.5	7	2	2	4	5	8	10	14
50-64	1333	6.2	24	2	2	5	8	11	13	21
65+	770	7.9	37	3	3	6	9	14	18	37
GRAND TOTAL	**18749**	**4.2**	**11**	**2**	**2**	**3**	**5**	**8**	**9**	**16**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	2.9	1	1	2	3	3	5	5	6
20-34	45	4.4	8	2	2	4	5	7	10	16
35-49	18	3.3	1	2	2	3	4	5	5	5
50-64	3	4.0	13	1	1	3	7	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	33	5.6	23	2	3	4	6	9	14	28
20-34	36	5.1	10	2	3	4	6	8	12	19
35-49	12	6.3	7	4	4	5	7	10	13	13
50-64	6	6.8	4	4	4	7	9	9	9	9
65+	3	11.3	20	7	7	11	15	16	16	16
TOT. SINGLE DX	117	3.5	4	2	2	3	4	6	7	15
" MULTIPLE DX	90	5.8	15	2	3	5	7	9	13	24
TOTAL 0-19 YRS	83	4.0	12	1	2	3	4	6	8	24
20-34	81	4.7	9	2	2	4	5	7	10	18
35-49	30	4.5	6	2	2	4	5	7	9	13
50-64	9	5.9	8	1	2	6	8	9	9	9
65+	4	9.5	27	4	4	9	13	16	16	16
GRAND TOTAL	**207**	**4.5**	**10**	**2**	**2**	**4**	**5**	**8**	**9**	**17**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	6.3	8	3	3	6	8	11	12	12
20-34	9	6.8	6	3	4	7	8	11	12	12
35-49	8	6.9	13	2	2	6	11	11	11	11
50-64	4	6.5	9	3	3	7	9	9	9	9
65+	4	7.8	15	2	2	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	14	7.4	17	2	2	7	9	11	17	19
20-34	13	7.4	5	2	4	7	10	10	10	10
35-49	5	9.2	10	5	5	8	12	13	13	13
50-64	9	12.7	24	7	8	12	14	20	24	24
65+	6	13.7	38	8	8	11	18	23	24	24
TOT. SINGLE DX	38	6.7	9	2	3	6	9	11	12	12
" MULTIPLE DX	47	9.4	23	2	5	9	11	15	20	24
TOTAL 0-19 YRS	27	6.9	13	2	3	7	9	10	13	19
20-34	22	7.1	6	3	4	7	9	10	11	12
35-49	13	7.8	13	2	3	8	11	12	13	13
50-64	13	10.8	27	3	5	10	13	17	23	24
65+	10	11.3	36	2	5	10	12	21	24	24
GRAND TOTAL	**85**	**8.2**	**18**	**2**	**3**	**8**	**10**	**12**	**16**	**24**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.2	3	<1	1	1	3	5	6	9
20-34	32	2.5	3	1	1	2	3	5	8	9
35-49	24	3.1	8	1	1	1	5	8	9	9
50-64	70	2.1	1	<1	1	2	3	4	5	6
65+	131	2.8	9	<1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	37	12.1	386	1	1	4	11	34	59	93
20-34	50	6.1	118	1	1	3	5	10	21	62
35-49	64	4.2	18	<1	1	2	6	10	14	19
50-64	125	5.0	48	1	1	3	6	9	15	32
65+	391	6.3	31	1	1	5	9	13	16	25
TOT. SINGLE DX	284	2.5	6	<1	1	2	3	5	6	9
" MULTIPLE DX	667	6.2	61	1	1	4	8	13	17	36
TOTAL 0-19 YRS	64	7.9	247	1	1	3	7	23	35	90
20-34	82	4.7	76	1	1	3	4	8	11	58
35-49	88	3.9	16	1	1	2	5	10	12	18
50-64	195	4.0	33	<1	1	3	4	8	11	20
65+	522	5.4	28	1	1	4	7	12	15	24
GRAND TOTAL	**951**	**5.1**	**47**	**1**	**1**	**3**	**6**	**11**	**14**	**32**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	2.3	2	<1	<1	2	2	4	6	7
20-34	166	2.3	1	1	1	2	3	4	5	7
35-49	165	2.4	3	1	1	2	3	4	6	11
50-64	65	3.1	4	1	1	3	4	7	7	9
65+	19	2.3	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	22	4.2	18	1	1	3	5	9	16	17
20-34	105	3.7	25	1	1	2	4	6	10	33
35-49	141	3.1	6	1	1	2	4	6	8	14
50-64	119	5.6	68	1	1	3	5	12	20	46
65+	92	7.8	85	1	2	5	8	17	27	52
TOT. SINGLE DX	441	2.4	3	1	1	2	3	4	6	9
" MULTIPLE DX	479	4.8	45	1	1	3	5	9	16	37
TOTAL 0-19 YRS	48	3.2	10	<1	1	2	4	6	8	17
20-34	271	2.8	12	1	1	2	3	5	7	16
35-49	306	2.7	5	1	1	2	3	5	8	12
50-64	184	4.7	47	1	1	3	5	9	17	35
65+	111	6.9	75	1	1	4	8	15	24	49
GRAND TOTAL	**920**	**3.7**	**26**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	7.8	8	5	5	7	9	12	15	15
20-34	15	9.5	35	1	3	8	11	21	23	24
35-49	34	9.5	9	6	7	9	10	13	15	20
50-64	84	9.7	13	5	6	9	11	14	16	24
65+	124	9.8	9	5	6	9	12	14	16	18
2. MULTIPLE DX										
0-19 YRS	42	9.4	20	5	6	8	11	14	17	29
20-34	51	15.0	184	4	7	11	16	23	41	79
35-49	131	12.3	37	7	7	10	14	21	25	55
50-64	399	12.5	75	6	7	10	14	19	26	52
65+	945	14.8	79	7	8	12	17	25	34	49
TOT. SINGLE DX	269	9.6	12	5	6	9	11	14	16	21
" MULTIPLE DX	1568	13.9	79	7	7	11	16	23	30	51
TOTAL 0-19 YRS	54	9.0	18	5	5	8	11	14	16	29
20-34	66	13.8	155	4	6	11	14	22	34	77
35-49	165	11.7	33	6	7	10	13	19	24	43
50-64	483	12.0	65	6	7	10	13	19	23	51
65+	1069	14.2	74	7	8	12	16	24	31	48
GRAND TOTAL	**1837**	**13.2**	**71**	**6**	**7**	**11**	**15**	**22**	**29**	**49**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	3.1	4	<1	1	3	4	6	7	11
20-34	459	3.5	9	1	1	3	4	6	8	14
35-49	523	3.6	6	<1	1	3	4	6	8	14
50-64	485	3.6	8	<1	<1	3	4	7	8	15
65+	461	3.8	9	<1	<1	3	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	284	5.1	39	1	1	3	6	9	16	39
20-34	1705	5.3	34	1	2	4	6	10	14	30
35-49	2637	5.4	26	1	2	4	6	10	14	28
50-64	3921	6.0	34	1	2	4	7	11	16	31
65+	8970	6.8	34	2	2	5	8	13	17	30
TOT. SINGLE DX	2052	3.6	8	<1	<1	3	4	7	8	14
" MULTIPLE DX	17517	6.2	33	1	2	5	7	12	16	29
TOTAL 0-19 YRS	408	4.5	30	1	1	3	5	8	14	32
20-34	2164	4.9	30	1	1	4	6	9	13	27
35-49	3160	5.1	24	1	2	4	6	10	14	25
50-64	4406	5.7	32	1	2	4	7	11	15	30
65+	9431	6.7	33	1	2	5	8	13	17	29
GRAND TOTAL	**19569**	**6.0**	**31**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.4		<1	<1	1	1	3	4	4
20-34	152	1.7	1	<1	1	1	2	3	4	5
35-49	187	1.8	1	<1	1	2	2	3	3	7
50-64	125	1.6		<1	<1	1	2	3	3	4
65+	37	1.7		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	9	2.3	3	<1	<1	1	4	5	5	5
20-34	125	2.2	2	1	1	2	3	4	5	8
35-49	240	1.9	1	1	1	2	2	3	4	6
50-64	170	2.6	4	1	1	2	3	5	7	14
65+	102	3.3	6	1	1	3	4	6	8	13
TOT. SINGLE DX	514	1.7	1	<1	1	1	2	3	3	5
" MULTIPLE DX	646	2.4	4	1	1	2	3	4	6	10
TOTAL 0-19 YRS	22	1.8	2	<1	<1	1	2	4	5	5
20-34	277	1.9	2	1	1	1	2	3	4	8
35-49	427	1.9	2	<1	1	2	2	3	4	6
50-64	295	2.2	3	<1	1	2	3	4	5	9
65+	139	2.9	5	1	1	2	4	6	7	13
GRAND TOTAL	**1160**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.6		<1	<1	1	2	3	3	3
20-34	95	1.5		<1	<1	1	2	3	3	5
35-49	76	1.5	2	<1	<1	1	2	2	3	11
50-64	48	2.3	21	<1	<1	1	2	3	4	33
65+	21	2.2	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	7	15.3	1206	<1	<1	2	4	76	94	94
20-34	114	2.3	3	1	1	2	3	4	5	11
35-49	154	2.3	2	1	1	2	3	4	6	8
50-64	109	2.9	8	1	1	2	3	5	6	17
65+	129	3.3	10	1	1	2	4	7	9	16
TOT. SINGLE DX	252	1.7	5	<1	<1	1	2	3	4	7
" MULTIPLE DX	513	2.9	22	1	1	2	3	5	7	12
TOTAL 0-19 YRS	19	6.6	448	<1	<1	2	3	4	53	94
20-34	209	1.9	2	<1	<1	1	2	3	5	10
35-49	230	2.0	3	<1	<1	2	2	4	5	9
50-64	157	2.7	13	1	1	2	3	4	6	28
65+	150	3.2	10	<1	1	2	4	7	8	13
GRAND TOTAL	**765**	**2.5**	**17**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	131	2.6	1	1	1	2	3	4	5	6
35-49	229	2.7	2	1	1	2	3	5	5	7
50-64	159	2.6	1	1	1	2	3	5	6	7
65+	52	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	13	2.4	1	1	1	2	3	4	4	4
20-34	619	3.1	5	1	1	3	4	5	6	8
35-49	1261	3.0	2	1	1	3	4	5	6	9
50-64	989	3.3	3	1	1	3	4	5	7	11
65+	585	3.9	9	1	2	3	5	7	10	15
TOT. SINGLE DX	575	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	3467	3.3	5	1	1	3	4	5	7	11
TOTAL 0-19 YRS	17	2.1	1	<1	1	2	3	4	4	4
20-34	750	3.0	5	1	1	3	4	5	6	8
35-49	1490	3.0	3	1	1	3	4	5	6	9
50-64	1148	3.2	4	1	1	3	4	5	7	11
65+	637	3.8	9	1	1	3	5	6	10	14
GRAND TOTAL	**4042**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.1	4	<1	1	2	2	3	5	11
20-34	137	2.5	4	1	1	2	3	5	6	10
35-49	126	2.0	2	<1	<1	1	2	4	6	7
50-64	72	2.4	3	1	1	2	3	5	6	9
65+	40	2.7	3	<1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	41	6.0	73	1	1	3	7	10	20	50
20-34	151	3.7	15	<1	1	2	5	7	10	20
35-49	174	3.2	5	1	1	3	4	7	8	11
50-64	149	4.7	38	1	1	3	5	10	13	42
65+	161	5.6	30	1	1	4	7	12	17	30
TOT. SINGLE DX	400	2.4	3	<1	1	2	3	5	6	9
" MULTIPLE DX	676	4.4	26	1	1	3	5	8	12	28
TOTAL 0-19 YRS	66	4.5	51	1	1	3	5	8	11	47
20-34	288	3.1	10	1	1	2	4	6	8	18
35-49	300	2.7	4	<1	1	2	4	6	7	10
50-64	221	3.9	28	1	1	2	4	8	11	32
65+	201	5.0	27	1	1	3	6	11	16	29
GRAND TOTAL	**1076**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	7.0	3	5	5	7	8	9	9	9
20-34	8	7.5	16	4	4	6	8	14	17	17
35-49	6	7.7	6	5	5	7	10	11	11	11
50-64	5	9.4	62	1	1	10	16	19	19	19
65+	6	7.0	39	2	2	6	7	18	19	19
2. MULTIPLE DX										
0-19 YRS	4	9.8	11	6	6	10	12	13	13	13
20-34	16	15.1	119	2	3	12	20	31	38	41
35-49	26	20.2	392	3	4	14	22	67	76	99+
50-64	27	18.0	208	2	3	14	28	42	49	50
65+	50	17.0	153	1	2	17	22	29	36	67
TOT. SINGLE DX	29	7.7	22	2	2	6	9	16	19	19
" MULTIPLE DX	123	17.4	206	1	3	14	22	38	49	79
TOTAL 0-19 YRS	8	8.4	8	5	5	8	10	13	13	13
20-34	24	12.6	97	2	4	9	17	29	34	41
35-49	32	17.9	342	4	4	12	20	62	72	99+
50-64	32	16.7	193	1	2	14	24	41	48	50
65+	56	15.9	150	1	2	16	21	29	34	66
GRAND TOTAL	**152**	**15.6**	**185**	**1**	**2**	**12**	**20**	**30**	**46**	**72**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.7	4	1	1	2	4	5	8	9
20-34	92	2.6	6	<1	1	1	4	7	8	10
35-49	123	2.8	14	<1	1	1	3	7	13	19
50-64	100	2.4	7	<1	1	1	3	6	8	14
65+	64	3.1	11	<1	<1	1	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	104	11.2	214	1	1	7	12	22	47	77
20-34	249	9.6	100	1	1	7	12	20	29	51
35-49	310	7.6	122	<1	1	4	9	18	27	74
50-64	515	7.5	64	1	1	6	10	15	23	42
65+	774	9.1	75	1	1	7	12	19	24	47
TOT. SINGLE DX	418	2.7	10	<1	1	1	3	7	9	15
" MULTIPLE DX	1952	8.6	92	1	1	6	11	18	26	54
TOTAL 0-19 YRS	143	8.9	172	1	1	5	9	18	32	76
20-34	341	7.7	85	1	1	5	10	18	24	48
35-49	433	6.2	97	<1	1	2	8	15	24	62
50-64	615	6.7	58	1	1	5	9	14	21	40
65+	838	8.6	73	1	1	7	11	18	24	47
GRAND TOTAL	**2370**	**7.6**	**82**	**1**	**1**	**5**	**10**	**17**	**23**	**50**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	221	4.4	3	2	3	4	5	7	8	11
20-34	2514	4.4	2	3	3	4	5	6	7	10
35-49	2487	4.7	3	3	3	4	5	7	8	11
50-64	1927	5.0	3	3	3	5	6	7	8	11
65+	1011	5.8	5	3	4	5	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	219	6.3	27	3	3	5	7	10	12	24
20-34	2765	5.8	16	3	3	5	6	9	11	20
35-49	3716	6.1	19	3	3	5	7	9	11	22
50-64	4489	7.0	27	3	4	6	8	11	14	29
65+	6067	9.4	42	4	4	8	11	16	21	35
TOT. SINGLE DX	8160	4.8	4	3	3	4	6	7	8	11
" MULTIPLE DX	17256	7.4	31	3	4	6	8	12	16	30
TOTAL 0-19 YRS	440	5.4	16	2	3	4	6	9	10	16
20-34	5279	5.1	11	3	3	5	6	8	9	16
35-49	6203	5.5	13	3	3	5	6	8	10	18
50-64	6416	6.4	21	3	3	5	7	10	13	24
65+	7078	8.9	39	4	4	7	10	15	19	34
GRAND TOTAL	**25416**	**6.6**	**24**	**3**	**3**	**5**	**7**	**11**	**14**	**26**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	11.7	62	3	3	11	15	24	25	25
20-34	47	4.1	7	1	1	4	7	8	9	10
35-49	59	4.3	17	1	1	2	7	10	12	20
50-64	61	4.9	27	1	1	3	7	11	16	25
65+	114	6.7	34	1	1	6	10	13	16	29
2. MULTIPLE DX										
0-19 YRS	29	15.8	137	3	4	13	20	35	42	46
20-34	72	9.5	87	1	2	7	10	21	25	55
35-49	147	10.3	56	2	3	9	13	19	22	49
50-64	302	11.5	121	2	2	9	14	22	33	56
65+	910	12.3	109	2	3	10	15	23	30	55
TOT. SINGLE DX	287	5.5	27	1	1	4	8	12	14	25
" MULTIPLE DX	1460	11.8	107	2	3	9	15	22	30	54
TOTAL 0-19 YRS	35	15.1	125	3	3	12	19	33	41	46
20-34	119	7.4	63	1	1	6	9	14	23	45
35-49	206	8.6	53	1	1	7	12	16	21	41
50-64	363	10.4	111	1	1	8	13	21	30	55
65+	1024	11.6	104	1	2	10	15	22	28	53
GRAND TOTAL	**1747**	**10.8**	**99**	**1**	**2**	**9**	**14**	**21**	**28**	**52**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.1	20	1	1	5	10	12	12	12
20-34	40	5.4	31	<1	1	4	7	12	19	25
35-49	60	5.6	29	<1	1	5	8	10	13	30
50-64	55	5.6	28	1	1	3	8	14	17	21
65+	70	6.7	51	1	1	4	9	16	22	35
2. MULTIPLE DX										
0-19 YRS	19	18.1	371	1	3	11	20	46	63	77
20-34	97	13.3	174	1	2	8	20	34	42	57
35-49	224	13.3	223	1	2	8	17	29	45	85
50-64	356	13.3	229	1	2	9	15	34	44	82
65+	610	11.8	137	1	2	8	14	25	38	65
TOT. SINGLE DX	232	5.9	36	1	1	4	8	14	19	28
" MULTIPLE DX	1306	12.7	184	1	2	8	15	29	41	69
TOTAL 0-19 YRS	26	14.8	302	1	1	10	16	44	52	77
20-34	137	11.0	145	1	1	6	14	27	38	54
35-49	284	11.7	193	1	2	7	14	27	42	76
50-64	411	12.3	209	1	1	8	14	30	41	75
65+	680	11.2	131	1	2	8	14	23	36	62
GRAND TOTAL	**1538**	**11.6**	**167**	**1**	**1**	**8**	**14**	**26**	**38**	**68**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.0	4	<1	1	2	4	7	7	8
20-34	158	4.1	10	1	1	3	5	8	10	16
35-49	159	4.2	13	<1	1	3	5	8	11	22
50-64	152	3.6	6	<1	<1	3	5	7	9	14
65+	145	3.8	10	<1	<1	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	84	5.7	34	1	1	4	6	10	16	35
20-34	436	5.8	51	1	1	4	6	10	18	34
35-49	520	5.4	20	1	2	4	7	11	14	22
50-64	868	5.7	33	1	2	4	7	11	15	33
65+	2921	6.8	33	2	2	5	8	13	17	29
TOT. SINGLE DX	658	3.9	10	<1	<1	3	5	8	10	16
" MULTIPLE DX	4829	6.3	34	1	2	5	8	12	17	30
TOTAL 0-19 YRS	128	4.8	25	1	1	3	6	9	13	28
20-34	594	5.4	41	1	1	4	6	10	16	32
35-49	679	5.1	19	1	1	4	6	10	14	23
50-64	1020	5.4	30	1	1	4	7	10	14	31
65+	3066	6.6	33	1	2	5	8	13	17	28
GRAND TOTAL	**5487**	**6.0**	**32**	**1**	**2**	**5**	**7**	**12**	**16**	**29**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	633	1.2		<1	<1	1	1	2	2	4
20-34	865	1.5	1	<1	<1	1	2	3	3	4
35-49	918	1.5		<1	<1	1	2	3	3	5
50-64	1177	1.6	1	<1	<1	1	2	3	3	6
65+	979	1.9	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	410	2.3	53	<1	<1	1	2	3	4	60
20-34	471	1.9	5	1	1	1	2	3	4	8
35-49	582	2.1	10	<1	1	1	2	4	5	7
50-64	1184	2.3	5	1	1	2	3	4	6	11
65+	2462	3.2	18	1	1	2	4	6	9	19
TOT. SINGLE DX	4572	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	5109	2.7	16	<1	1	2	3	5	7	17
TOTAL 0-19 YRS	1043	1.6	22	<1	<1	1	1	2	3	8
20-34	1336	1.7	3	<1	1	1	2	3	4	6
35-49	1500	1.7	5	<1	1	1	2	3	4	6
50-64	2361	1.9	3	<1	1	1	2	3	5	8
65+	3441	2.9	14	<1	1	2	3	5	8	18
GRAND TOTAL	**9681**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**12**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	1.2		<1	<1	1	1	2	3	3
20-34	105	1.6		1	1	1	2	3	3	5
35-49	194	1.8		1	1	2	2	3	4	5
50-64	328	1.9	1	1	1	2	2	3	4	5
65+	192	1.9	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	207	4.4	138	<1	<1	1	2	12	66	99+
20-34	87	2.0	1	1	1	2	3	4	4	6
35-49	185	2.0	1	1	1	2	2	3	4	6
50-64	303	2.4	3	1	1	2	3	4	6	9
65+	456	3.0	7	1	1	2	4	6	7	14
TOT. SINGLE DX	971	1.7	1	<1	1	1	2	3	4	5
" MULTIPLE DX	1238	2.9	27	1	1	2	3	5	7	53
TOTAL 0-19 YRS	359	3.1	82	<1	<1	1	2	4	30	99+
20-34	192	1.8	1	1	1	2	2	3	4	5
35-49	379	1.9	1	1	1	2	2	3	4	6
50-64	631	2.1	2	1	1	2	3	4	5	7
65+	648	2.7	6	1	1	2	3	5	6	12
GRAND TOTAL	**2209**	**2.4**	**16**	**<1**	**1**	**2**	**3**	**4**	**5**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.4		<1	<1	1	2	3	3	3
20-34	45	1.8		<1	<1	2	2	3	4	5
35-49	44	1.8		<1	1	2	2	3	4	4
50-64	59	2.5	4	1	1	2	3	6	7	10
65+	90	3.3	5	1	1	3	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	24	1.8	1	<1	1	1	2	3	5	6
35-49	42	2.2	2	1	1	2	3	4	6	6
50-64	60	3.6	22	1	1	2	4	6	9	32
65+	240	6.7	40	1	1	5	9	14	19	46
TOT. SINGLE DX	245	2.5	4	<1	1	2	3	5	7	10
" MULTIPLE DX	368	5.4	34	1	1	3	7	12	16	33
TOTAL 0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	69	1.8	1	<1	<1	1	2	3	4	6
35-49	86	2.0	2	1	1	2	3	3	4	6
50-64	119	3.1	14	1	1	2	4	6	8	22
65+	330	5.8	34	1	1	4	8	12	16	31
GRAND TOTAL	**613**	**4.2**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	1.4	2	<1	<1	<1	1	2	3	10
20-34	84	1.6	1	<1	<1	1	2	3	4	5
35-49	125	1.6		<1	<1	1	2	3	4	5
50-64	132	2.0	2	<1	<1	1	3	4	5	8
65+	62	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	27	2.1	4	<1	<1	1	2	6	8	9
20-34	73	3.5	28	<1	1	2	3	6	9	34
35-49	164	3.2	13	1	1	2	4	6	8	21
50-64	187	3.6	14	<1	1	3	4	8	10	17
65+	195	5.1	39	1	1	3	6	10	14	29
TOT. SINGLE DX	468	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	646	3.9	24	<1	1	3	5	8	10	24
TOTAL 0-19 YRS	92	1.6	3	<1	<1	<1	1	3	6	10
20-34	157	2.5	15	<1	<1	1	3	4	6	28
35-49	289	2.5	9	<1	<1	2	3	5	7	10
50-64	319	2.9	10	<1	<1	2	4	6	9	15
65+	257	4.3	32	<1	1	3	5	9	13	24
GRAND TOTAL	**1114**	**3.0**	**15**	**<1**	**<1**	**2**	**3**	**6**	**9**	**18**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.4	1	<1	<1	1	1	2	4	7
20-34	157	2.2	2	<1	<1	2	3	4	5	9
35-49	420	2.8	3	<1	1	2	4	5	6	8
50-64	455	3.1	3	1	1	3	4	5	6	8
65+	342	3.4	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	26	4.2	21	<1	1	3	5	11	16	20
20-34	166	3.8	6	1	1	3	5	6	8	13
35-49	498	4.4	10	1	2	4	5	8	10	19
50-64	808	5.0	16	1	1	4	6	9	11	24
65+	1122	5.7	25	1	2	5	7	11	13	27
TOT. SINGLE DX	1411	2.9	4	<1	1	2	4	5	6	9
" MULTIPLE DX	2620	5.1	19	1	1	4	6	9	12	24
TOTAL 0-19 YRS	63	2.6	11	<1	<1	1	3	5	9	19
20-34	323	3.0	5	<1	1	2	4	5	7	13
35-49	918	3.7	8	1	1	3	5	6	8	15
50-64	1263	4.3	13	1	1	4	5	8	10	19
65+	1464	5.2	22	1	1	4	6	10	12	25
GRAND TOTAL	**4031**	**4.3**	**15**	**1**	**1**	**4**	**5**	**8**	**11**	**20**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	5.9	14	<1	<1	6	8	11	12	12
20-34	8	4.3	4	1	2	4	5	7	8	8
35-49	13	6.0	11	1	2	5	8	11	13	13
50-64	19	6.7	17	1	1	7	8	14	15	15
65+	21	6.3	8	1	1	8	8	9	10	10
2. MULTIPLE DX										
0-19 YRS	24	17.4	469	4	5	10	17	32	83	88
20-34	40	8.8	175	2	2	6	9	17	51	99+
35-49	86	6.9	11	3	4	6	8	11	14	19
50-64	115	8.3	31	3	4	7	10	13	17	40
65+	172	11.3	59	4	5	9	14	21	28	88
TOT. SINGLE DX	70	6.1	12	1	1	6	8	11	13	15
" MULTIPLE DX	437	9.7	81	3	4	7	11	18	24	85
TOTAL 0-19 YRS	33	14.2	368	1	4	8	13	26	73	88
20-34	48	8.0	149	1	2	6	8	12	27	99+
35-49	99	6.8	11	3	4	6	8	11	14	19
50-64	134	8.1	30	3	4	7	10	13	16	39
65+	193	10.7	56	4	5	8	13	21	28	78
GRAND TOTAL	**507**	**9.2**	**73**	**3**	**4**	**7**	**10**	**17**	**22**	**83**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	2.7	4	<1	<1	2	4	6	8	10
20-34	174	3.5	10	<1	<1	3	5	7	8	17
35-49	139	4.2	9	<1	1	4	5	8	11	15
50-64	114	5.1	15	1	1	4	7	10	13	18
65+	74	4.7	11	1	1	4	6	10	12	16
2. MULTIPLE DX										
0-19 YRS	137	6.8	63	<1	1	5	8	14	18	54
20-34	353	7.0	56	1	2	5	8	15	20	41
35-49	560	8.5	73	1	2	6	10	18	24	46
50-64	814	8.3	48	1	2	7	10	17	23	36
65+	1133	10.3	74	2	3	8	13	20	27	44
TOT. SINGLE DX	588	4.0	11	<1	1	3	5	8	10	16
" MULTIPLE DX	2997	8.8	66	1	2	7	11	18	24	43
TOTAL 0-19 YRS	224	5.2	44	<1	1	4	7	10	15	36
20-34	527	5.9	44	1	1	4	7	13	17	32
35-49	699	7.6	63	1	1	6	9	16	21	44
50-64	928	7.9	45	1	2	6	10	17	21	36
65+	1207	9.9	72	1	2	8	13	19	26	43
GRAND TOTAL	**3585**	**8.1**	**60**	**1**	**2**	**6**	**10**	**17**	**22**	**40**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	185	4.0	5	1	2	4	5	7	9	12
20-34	348	4.2	5	1	2	4	5	7	9	14
35-49	152	5.3	9	2	2	5	7	9	9	18
50-64	74	7.0	17	1	3	6	8	13	17	20
65+	64	8.5	25	2	3	8	10	14	18	27
2. MULTIPLE DX										
0-19 YRS	307	7.6	54	2	3	6	9	14	19	39
20-34	850	7.2	73	2	3	5	8	13	18	56
35-49	488	9.6	87	2	3	7	11	20	27	56
50-64	482	13.1	159	3	4	9	14	28	40	79
65+	710	13.8	101	4	5	11	17	26	34	66
TOT. SINGLE DX	823	5.0	11	1	2	4	6	9	11	17
" MULTIPLE DX	2837	10.3	103	2	3	7	12	21	30	60
TOTAL 0-19 YRS	492	6.3	39	2	2	4	7	12	16	38
20-34	1198	6.3	55	2	2	4	7	11	16	45
35-49	640	8.6	73	2	3	6	9	17	24	49
50-64	556	12.3	145	3	4	9	14	25	39	78
65+	774	13.4	97	4	5	11	17	25	32	62
GRAND TOTAL	**3660**	**9.1**	**88**	**2**	**3**	**6**	**11**	**18**	**26**	**56**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	246	2.3	2	<1	<1	2	3	5	6	7
20-34	957	2.1	3	<1	<1	1	3	4	5	9
35-49	175	1.8	2	<1	<1	1	2	4	5	7
50-64	14	1.6	1	<1	<1	1	2	4	5	5
65+	8	2.0	1	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	276	3.2	6	<1	1	3	4	7	9	12
20-34	1365	2.8	6	<1	<1	2	4	6	7	13
35-49	333	3.2	17	<1	<1	2	4	7	9	17
50-64	38	4.7	18	<1	<1	3	8	11	14	16
65+	42	7.0	59	1	1	3	11	19	22	32
TOT. SINGLE DX	1400	2.1	3	<1	<1	1	3	4	5	8
" MULTIPLE DX	2054	3.0	10	<1	<1	2	4	6	8	15
TOTAL 0-19 YRS	522	2.8	5	<1	<1	2	4	6	7	11
20-34	2322	2.5	5	<1	<1	1	3	5	7	11
35-49	508	2.7	12	<1	<1	1	4	6	8	13
50-64	52	3.8	16	<1	<1	2	5	10	13	16
65+	50	6.2	54	<1	1	2	10	18	21	32
GRAND TOTAL	**3454**	**2.6**	**7**	**<1**	**<1**	**1**	**4**	**5**	**7**	**13**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	5.4	6	1	2	6	7	8	10	13
20-34	288	5.2	12	<1	1	4	7	9	11	20
35-49	212	6.5	15	2	3	6	8	10	14	20
50-64	176	8.0	18	2	4	7	10	12	15	27
65+	153	8.5	17	2	4	8	10	13	18	21
2. MULTIPLE DX										
0-19 YRS	184	9.8	134	2	2	6	11	18	36	74
20-34	958	5.6	42	1	1	4	6	11	14	34
35-49	764	7.6	41	2	2	6	9	15	20	34
50-64	751	11.6	104	2	3	9	15	22	33	57
65+	1294	12.8	73	3	5	11	15	22	29	47
TOT. SINGLE DX	900	6.6	17	1	2	6	8	11	14	21
" MULTIPLE DX	3951	9.7	77	2	3	7	12	19	26	46
TOTAL 0-19 YRS	255	8.6	103	1	2	6	9	16	29	71
20-34	1246	5.5	36	1	1	4	6	10	13	26
35-49	976	7.3	36	2	2	6	9	14	19	32
50-64	927	10.9	90	2	3	9	13	20	31	55
65+	1447	12.4	69	3	5	10	15	22	28	45
GRAND TOTAL	**4851**	**9.1**	**66**	**1**	**3**	**7**	**11**	**18**	**23**	**44**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	5.8	3	3	3	6	7	8	9	10
20-34	41	5.8	2	4	4	6	6	8	9	10
35-49	56	6.8	4	4	5	7	8	9	11	14
50-64	66	7.3	4	4	5	7	8	10	11	14
65+	67	8.4	9	5	5	8	10	12	14	19
2. MULTIPLE DX										
0-19 YRS	67	6.5	14	2	3	5	8	13	16	86
20-34	126	10.8	121	4	4	7	10	20	39	58
35-49	195	9.6	53	4	5	7	10	18	23	56
50-64	336	9.5	42	4	5	8	11	15	18	38
65+	544	12.1	79	6	6	9	13	20	26	54
TOT. SINGLE DX	247	7.1	6	4	4	7	8	10	11	15
" MULTIPLE DX	1268	10.6	68	4	5	8	12	18	24	55
TOTAL 0-19 YRS	84	6.4	13	2	3	5	8	11	14	72
20-34	167	9.6	97	4	4	6	9	18	32	57
35-49	251	9.0	43	4	5	7	9	16	21	33
50-64	402	9.2	37	4	5	8	10	14	17	33
65+	611	11.7	73	5	6	9	13	19	25	52
GRAND TOTAL	**1515**	**10.0**	**60**	**4**	**5**	**8**	**11**	**17**	**22**	**49**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	145	3.5	9	1	1	2	5	7	9	13
20-34	242	4.2	13	1	1	3	6	8	11	21
35-49	175	4.3	12	1	1	3	6	9	10	20
50-64	148	4.3	12	1	1	3	6	9	11	15
65+	66	5.0	19	<1	1	4	7	10	15	21
2. MULTIPLE DX										
0-19 YRS	267	7.6	42	1	1	6	10	15	21	31
20-34	565	7.8	53	1	1	6	10	16	21	34
35-49	546	8.3	58	1	1	7	11	17	22	36
50-64	571	8.6	90	1	1	6	11	17	20	50
65+	690	9.1	66	1	2	7	12	18	24	38
TOT. SINGLE DX	776	4.2	13	1	1	3	6	8	11	21
" MULTIPLE DX	2639	8.4	65	1	1	7	11	17	22	37
TOTAL 0-19 YRS	412	6.1	34	1	1	4	8	13	19	27
20-34	807	6.7	44	1	1	5	8	14	19	31
35-49	721	7.3	50	1	1	6	10	15	20	34
50-64	719	7.7	77	1	1	6	10	16	19	47
65+	756	8.7	64	1	1	7	11	17	23	37
GRAND TOTAL	**3415**	**7.4**	**56**	**1**	**1**	**6**	**10**	**16**	**20**	**34**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.1	5	<1	<1	3	5	6	7	7
20-34	107	4.3	6	1	1	4	6	8	9	10
35-49	127	4.7	10	1	1	4	6	9	11	15
50-64	106	4.8	9	1	1	5	7	9	11	12
65+	56	5.4	17	<1	1	5	7	9	12	23
2. MULTIPLE DX										
0-19 YRS	15	5.9	67	<1	1	3	5	24	26	27
20-34	104	6.0	18	1	2	5	8	11	13	24
35-49	146	6.0	18	1	1	6	8	11	14	23
50-64	217	6.4	26	1	1	5	8	13	16	27
65+	250	9.4	67	1	2	8	13	18	24	38
TOT. SINGLE DX	404	4.7	10	1	1	4	6	9	10	14
" MULTIPLE DX	732	7.3	41	1	1	6	9	14	18	31
TOTAL 0-19 YRS	23	4.9	46	<1	1	3	5	11	25	27
20-34	211	5.2	13	1	1	5	7	10	11	17
35-49	273	5.4	15	1	1	5	7	10	13	19
50-64	323	5.9	21	1	1	5	8	11	14	25
65+	306	8.7	61	1	2	7	11	17	22	38
GRAND TOTAL	**1136**	**6.4**	**31**	**1**	**1**	**5**	**8**	**12**	**16**	**27**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	5.4	4	2	3	5	7	8	8	13
20-34	12	4.8	4	2	2	5	6	8	9	9
35-49	5	7.2	18	1	1	7	9	13	13	13
50-64	6	10.8	100	3	3	6	21	25	26	26
65+	5	8.2	11	3	3	9	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	174	7.1	14	2	3	6	8	12	14	23
20-34	50	9.8	45	3	4	8	12	16	21	43
35-49	40	11.3	53	5	6	9	13	18	24	45
50-64	41	12.4	81	3	5	11	16	23	25	54
65+	76	18.0	340	4	5	12	18	45	63	88
TOT. SINGLE DX	188	5.7	8	2	3	5	7	8	9	18
" MULTIPLE DX	381	10.6	111	3	4	8	12	18	26	64
TOTAL 0-19 YRS	334	6.3	10	2	3	6	7	10	12	19
20-34	62	8.8	42	3	3	7	10	15	19	41
35-49	45	10.8	51	5	6	9	12	17	22	45
50-64	47	12.2	82	3	4	11	16	23	26	54
65+	81	17.4	325	4	5	11	17	40	58	88
GRAND TOTAL	**569**	**9.0**	**83**	**3**	**3**	**7**	**10**	**15**	**21**	**49**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	3.6	8	<1	1	3	5	7	8	16
20-34	36	2.7	3	1	1	2	4	5	6	9
35-49	52	2.7	3	1	1	2	3	5	6	9
50-64	336	2.8	5	<1	1	2	4	5	7	13
65+	143	3.1	5	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	55	6.3	56	<1	1	4	8	13	24	41
20-34	275	4.2	22	1	1	3	5	8	10	25
35-49	411	4.1	12	1	1	3	5	8	10	19
50-64	366	5.1	44	1	1	3	6	11	14	24
65+	437	6.1	45	1	1	4	8	12	18	36
TOT. SINGLE DX	1422	2.8	4	1	1	2	4	5	7	11
" MULTIPLE DX	1544	5.0	33	1	1	3	6	10	14	30
TOTAL 0-19 YRS	103	5.0	35	<1	1	4	6	9	14	36
20-34	636	3.3	12	1	1	3	4	6	8	15
35-49	943	3.3	8	1	1	3	4	7	9	15
50-64	704	4.0	27	1	1	3	5	9	12	19
65+	580	5.4	38	1	1	4	7	11	16	32
GRAND TOTAL	**2966**	**3.9**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	2.0	14	<1	<1	<1	1	4	6	23
20-34	219	2.7	4	<1	<1	2	4	6	8	10
35-49	293	2.8	7	<1	<1	2	4	6	8	14
50-64	258	2.4	4	<1	<1	2	3	5	7	11
65+	195	2.4	5	<1	<1	1	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	169	3.0	18	<1	<1	1	4	7	10	38
20-34	332	6.0	57	<1	1	4	7	11	23	41
35-49	491	5.7	56	<1	1	4	7	11	17	44
50-64	772	5.8	47	<1	1	4	7	13	17	38
65+	1930	7.6	68	1	1	6	9	16	22	40
TOT. SINGLE DX	1063	2.6	7	<1	<1	2	3	6	7	12
" MULTIPLE DX	3694	6.6	60	<1	1	4	8	14	20	39
TOTAL 0-19 YRS	267	2.7	17	<1	<1	1	3	6	8	32
20-34	551	4.7	39	<1	1	3	5	9	13	35
35-49	784	4.6	40	<1	1	3	6	10	14	36
50-64	1030	5.0	39	<1	<1	3	6	11	16	34
65+	2125	7.1	65	<1	1	5	9	15	21	39
GRAND TOTAL	**4757**	**5.7**	**51**	**<1**	**<1**	**4**	**7**	**12**	**18**	**37**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	22	2.1	2	<1	<1	2	3	5	6	6
35-49	111	1.8	1	<1	1	1	2	3	3	8
50-64	375	1.9	3	<1	1	1	2	3	4	5
65+	770	2.0	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	11	4.8	23	1	1	3	7	12	17	17
20-34	65	2.4	3	1	1	2	3	5	6	9
35-49	156	2.9	7	1	1	2	3	6	9	14
50-64	640	3.2	16	1	1	2	3	7	9	22
65+	2826	3.9	22	1	1	3	4	8	12	24
TOT. SINGLE DX	1281	1.9	3	<1	1	1	2	4	4	7
" MULTIPLE DX	3698	3.7	21	1	1	2	4	8	11	23
TOTAL 0-19 YRS	14	4.3	19	1	1	3	6	10	15	17
20-34	87	2.4	3	<1	1	2	3	5	6	9
35-49	267	2.4	6	<1	1	2	3	5	8	12
50-64	1015	2.7	12	1	1	2	3	5	7	19
65+	3596	3.5	19	1	1	2	4	7	11	22
GRAND TOTAL	**4979**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**9**	**21**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	3.4	5	1	1	2	5	7	8	9
20-34	55	4.0	8	1	1	3	6	7	10	13
35-49	81	3.7	5	1	1	3	5	7	8	11
50-64	132	4.5	13	1	1	3	7	10	12	16
65+	138	4.5	16	<1	1	3	6	11	13	19
2. MULTIPLE DX										
0-19 YRS	127	7.4	51	1	2	5	9	17	23	57
20-34	142	8.7	145	1	1	6	9	20	35	99+
35-49	187	7.2	63	1	1	5	8	14	25	85
50-64	414	8.0	66	1	2	6	10	16	22	45
65+	1148	7.8	59	1	1	6	10	16	21	40
TOT. SINGLE DX	446	4.2	12	1	1	3	6	9	11	15
" MULTIPLE DX	2018	7.8	67	1	1	6	10	16	22	46
TOTAL 0-19 YRS	167	6.4	44	1	1	4	8	13	21	43
20-34	197	7.4	112	1	1	5	8	15	29	99
35-49	268	6.1	48	1	1	4	7	12	17	59
50-64	546	7.2	56	1	1	5	10	15	20	42
65+	1286	7.4	56	1	1	5	10	16	20	38
GRAND TOTAL	**2464**	**7.2**	**59**	**1**	**1**	**5**	**9**	**15**	**20**	**43**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.0		<1	<1	<1	<1	1	1	1
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	1.8	2	<1	<1	1	2	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	15	1.9	2	<1	<1	1	2	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	3.3	11	<1	<1	2	5	8	8	8
50-64	5	8.6	154	<1	<1	2	14	30	30	30
65+	10	4.0	26	<1	<1	2	4	12	18	18
TOT. SINGLE DX	17	1.4	1	<1	<1	<1	1	3	4	4
" MULTIPLE DX	35	3.7	32	<1	<1	2	4	8	16	30
TOTAL 0-19 YRS	26	1.5	1	<1	<1	<1	1	3	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	3.0	7	<1	<1	2	3	8	8	8
50-64	9	5.6	91	<1	<1	1	5	22	30	30
65+	10	4.0	27	<1	<1	2	4	12	18	18
GRAND TOTAL	**52**	**3.0**	**23**	**<1**	**<1**	**1**	**3**	**6**	**9**	**30**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	203	2.6	4	<1	1	2	4	6	7	9
20-34	53	1.9	1	<1	<1	1	3	4	5	6
35-49	54	3.0	4	<1	1	2	4	6	7	10
50-64	35	2.7	5	<1	<1	2	3	6	7	11
65+	42	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	136	3.0	6	<1	1	2	4	6	8	12
20-34	40	3.6	15	<1	1	2	4	8	13	19
35-49	76	4.0	11	<1	1	4	5	8	12	78
50-64	86	3.7	9	1	1	3	5	7	9	16
65+	162	4.2	16	1	1	3	6	9	11	24
TOT. SINGLE DX	387	2.6	4	<1	1	2	3	5	7	9
" MULTIPLE DX	500	3.7	12	1	1	3	5	7	10	19
TOTAL 0-19 YRS	339	2.8	5	<1	1	2	4	6	8	9
20-34	93	2.6	8	<1	1	2	3	5	7	17
35-49	130	3.6	9	<1	1	3	5	7	10	34
50-64	121	3.4	9	<1	1	2	5	7	9	16
65+	204	3.9	15	1	1	3	5	8	11	22
GRAND TOTAL	**887**	**3.2**	**9**	**<1**	**1**	**2**	**4**	**7**	**8**	**16**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	1.2		<1	<1	<1	<1	1	3	4
20-34	18	1.6	1	<1	<1	1	2	2	5	6
35-49	15	2.1	3	<1	<1	1	3	4	7	8
50-64	15	2.6	10	<1	<1	1	3	6	11	13
65+	14	1.9	2	<1	<1	1	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	56	1.4	2	<1	<1	<1	1	2	3	12
20-34	36	4.4	54	<1	<1	2	5	11	12	43
35-49	55	4.0	11	<1	<1	2	6	10	10	12
50-64	78	4.4	21	<1	<1	3	6	9	11	29
65+	323	7.7	68	1	1	5	9	16	22	40
TOT. SINGLE DX	94	1.8	3	<1	<1	<1	2	4	6	11
" MULTIPLE DX	548	6.0	53	<1	<1	4	7	13	18	35
TOTAL 0-19 YRS	88	1.3	2	<1	<1	<1	<1	2	3	10
20-34	54	3.5	38	<1	<1	1	3	8	11	42
35-49	70	3.6	10	<1	<1	2	6	9	10	12
50-64	93	4.1	20	<1	<1	3	6	9	12	26
65+	337	7.4	67	1	1	5	9	16	22	38
GRAND TOTAL	**642**	**5.4**	**48**	**<1**	**<1**	**3**	**7**	**12**	**17**	**33**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.7	2	<1	<1	1	2	4	6	7
20-34	62	2.0	16	<1	<1	1	2	3	5	29
35-49	51	2.0	4	<1	<1	1	2	5	6	10
50-64	41	1.8	2	<1	<1	1	2	4	6	7
65+	53	1.9	1	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	48	2.8	35	<1	<1	1	3	5	6	42
20-34	107	2.6	20	1	1	1	3	5	6	29
35-49	83	3.5	19	1	1	2	4	9	12	24
50-64	128	3.0	4	1	1	2	4	6	7	11
65+	383	4.2	21	1	1	3	5	9	12	28
TOT. SINGLE DX	238	1.9	6	<1	<1	1	2	4	6	9
" MULTIPLE DX	749	3.6	19	1	1	2	4	8	10	27
TOTAL 0-19 YRS	79	2.4	23	<1	<1	1	2	5	6	32
20-34	169	2.4	19	<1	1	1	2	4	5	30
35-49	134	2.9	14	<1	1	1	3	7	10	17
50-64	169	2.7	4	1	1	2	4	6	7	10
65+	436	3.9	20	1	1	2	5	8	12	27
GRAND TOTAL	**987**	**3.2**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	29	4.3	2	2	2	4	5	6	7	10
35-49	172	4.6	1	3	3	5	5	6	7	8
50-64	144	4.8	2	3	3	5	5	7	8	9
65+	83	5.3	3	3	3	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	51	99+	99+	99+	99+
20-34	69	5.1	4	2	3	5	6	8	8	14
35-49	377	5.2	2	3	4	5	6	7	8	10
50-64	351	5.5	4	3	3	5	7	8	9	11
65+	261	6.4	14	3	3	6	7	9	11	20
TOT. SINGLE DX	430	4.8	2	3	3	5	5	7	8	9
" MULTIPLE DX	1059	5.6	6	3	3	5	6	8	9	14
TOTAL 0-19 YRS	3	1.7	1	1	1	2	51	99+	99+	99+
20-34	98	4.9	4	2	3	5	6	7	8	13
35-49	549	5.0	2	3	3	5	6	7	8	10
50-64	495	5.3	4	3	3	5	6	8	9	11
65+	344	6.2	12	3	3	6	7	9	10	17
GRAND TOTAL	**1489**	**5.4**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	26	4.1	2	2	2	4	5	6	6	6
35-49	139	3.9	2	2	2	4	5	6	7	8
50-64	157	3.8	3	2	2	4	5	6	6	9
65+	110	4.7	4	2	2	5	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	49	4.8	6	2	3	4	5	7	8	19
35-49	261	4.5	5	2	2	4	5	7	9	16
50-64	279	4.9	8	2	3	4	6	7	8	20
65+	324	5.1	7	2	2	5	6	8	9	15
TOT. SINGLE DX	434	4.1	3	2	2	4	5	6	7	10
" MULTIPLE DX	915	4.9	7	2	3	4	6	8	9	16
TOTAL 0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	75	4.5	5	2	3	4	5	6	8	16
35-49	400	4.3	4	2	2	4	5	6	8	13
50-64	436	4.5	7	2	2	4	5	7	8	13
65+	434	5.0	7	2	2	5	6	8	9	14
GRAND TOTAL	**1349**	**4.6**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	39	2.7	3	1	1	2	4	5	6	10
35-49	42	3.0	4	<1	1	2	4	7	7	9
50-64	34	2.4	3	<1	1	2	3	5	7	8
65+	23	2.6	3	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	9	4.1	20	<1	<1	4	5	11	15	15
20-34	56	4.8	34	1	1	3	5	9	17	34
35-49	75	4.0	8	1	1	3	6	8	9	13
50-64	104	6.2	39	<1	1	4	7	14	22	30
65+	143	7.3	101	1	1	4	9	16	22	38
TOT. SINGLE DX	141	2.7	4	<1	1	2	4	6	7	9
" MULTIPLE DX	387	5.9	57	1	1	4	7	13	19	32
TOTAL 0-19 YRS	12	3.4	16	<1	<1	2	4	9	14	15
20-34	95	3.9	22	1	1	3	4	7	11	29
35-49	117	3.6	8	1	1	3	5	7	9	12
50-64	138	5.3	33	<1	1	3	6	12	20	30
65+	166	6.7	90	1	1	4	8	14	22	34
GRAND TOTAL	**528**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**30**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.6	8	1	1	3	6	7	7	7
20-34	54	1.8	1	1	1	1	2	4	5	8
35-49	93	1.6	1	<1	1	1	2	3	5	7
50-64	99	1.5	1	1	1	1	1	3	4	6
65+	66	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	9	5.6	34	1	1	5	6	14	20	20
20-34	57	3.6	12	1	1	2	5	8	13	15
35-49	95	3.9	20	1	1	2	4	13	15	20
50-64	109	4.4	24	1	1	2	6	10	17	23
65+	109	7.3	123	1	1	3	9	19	24	58
TOT. SINGLE DX	317	1.7	2	1	1	1	2	4	5	7
" MULTIPLE DX	379	5.0	52	1	1	2	6	13	18	28
TOTAL 0-19 YRS	14	4.9	24	1	1	5	6	8	17	20
20-34	111	2.7	8	1	1	1	4	6	8	15
35-49	188	2.7	13	<1	1	1	3	7	13	18
50-64	208	3.0	15	1	1	1	3	8	10	19
65+	175	5.2	84	1	1	2	5	15	21	36
GRAND TOTAL	**696**	**3.5**	**32**	**1**	**1**	**1**	**4**	**8**	**14**	**24**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	25	3.5	4	1	2	3	4	5	7	12
50-64	845	3.4	1	1	2	3	4	5	6	8
65+	1781	3.7	3	1	2	4	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	10	3.7	4	1	1	4	6	6	6	6
20-34	6	7.3	36	2	2	5	12	16	17	17
35-49	100	5.0	84	2	2	3	5	7	10	53
50-64	2975	4.0	9	1	2	3	4	6	8	16
65+	11813	5.1	18	2	2	4	6	9	12	23
TOT. SINGLE DX	2655	3.6	3	1	2	3	4	5	6	8
" MULTIPLE DX	14904	4.9	18	2	2	4	5	8	12	21
TOTAL 0-19 YRS	11	3.5	4	1	1	3	5	6	6	6
20-34	9	5.6	30	1	1	3	8	15	17	17
35-49	125	4.7	69	2	2	3	5	7	10	34
50-64	3820	3.9	8	1	2	3	4	6	8	15
65+	13594	4.9	17	2	2	4	5	8	12	21
GRAND TOTAL	**17559**	**4.7**	**16**	**2**	**2**	**4**	**5**	**8**	**11**	**20**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	4	5.3	9	<1	<1	6	7	8	8	8
50-64	118	8.2	8	4	5	8	10	12	14	18
65+	200	7.8	5	4	5	7	9	11	12	15
2. MULTIPLE DX										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	41.0		41	41	41	41	41	41	41
35-49	5	8.0	4	6	6	8	9	11	11	11
50-64	309	8.6	11	4	6	8	10	13	16	19
65+	953	9.4	20	5	5	8	11	14	18	26
TOT. SINGLE DX	322	7.9	7	4	5	7	9	12	13	16
" MULTIPLE DX	1270	9.2	19	5	6	8	10	14	17	25
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	41.0		41	41	41	41	41	41	41
35-49	9	6.8	8	<1	2	7	8	10	11	11
50-64	427	8.5	11	4	5	8	10	13	15	19
65+	1153	9.1	18	5	5	8	10	14	17	25
GRAND TOTAL	**1592**	**8.9**	**17**	**4**	**5**	**8**	**10**	**14**	**16**	**24**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	10	1.1		<1	<1	<1	1	2	2	2
50-64	108	1.5		<1	<1	1	2	3	3	6
65+	182	1.4	1	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	15	2.5	3	<1	1	2	4	5	6	6
50-64	177	3.2	12	<1	<1	2	3	9	11	21
65+	630	4.2	23	<1	1	2	5	10	14	24
TOT. SINGLE DX	304	1.4	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	826	3.9	21	<1	1	2	5	9	12	23
TOTAL 0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	5	2.0	2	1	1	1	3	4	4	4
35-49	25	1.9	2	<1	<1	1	2	5	5	6
50-64	285	2.5	9	<1	<1	1	3	6	9	19
65+	812	3.5	20	<1	<1	2	4	8	12	23
GRAND TOTAL	**1130**	**3.2**	**17**	**<1**	**<1**	**2**	**4**	**8**	**11**	**21**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	1.4		<1	<1	1	2	3	4	5
20-34	53	1.5		<1	<1	1	2	3	4	5
35-49	41	2.2	4	<1	<1	1	3	6	7	8
50-64	37	1.7	1	<1	1	1	2	4	5	6
65+	20	1.8	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	49	2.1	16	<1	<1	1	2	4	6	28
20-34	61	3.5	20	1	1	2	4	6	11	29
35-49	52	5.0	31	1	1	3	6	12	21	23
50-64	56	4.9	56	1	1	2	5	11	17	47
65+	105	6.6	86	1	1	3	9	14	18	60
TOT. SINGLE DX	218	1.7	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	323	4.8	51	1	1	2	5	11	17	36
TOTAL 0-19 YRS	116	1.7	7	<1	<1	1	2	3	5	15
20-34	114	2.6	12	<1	<1	2	3	5	7	21
35-49	93	3.8	21	1	1	2	4	8	13	22
50-64	93	3.7	37	1	1	2	3	9	12	37
65+	125	5.8	76	<1	1	3	8	13	17	58
GRAND TOTAL	**541**	**3.5**	**34**	**<1**	**1**	**2**	**4**	**8**	**12**	**28**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	1.4		<1	<1	1	2	3	3	4
20-34	168	1.6	1	<1	1	1	2	3	4	5
35-49	88	1.9	3	<1	1	1	2	4	7	9
50-64	44	2.0	4	<1	1	1	2	6	8	9
65+	128	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	108	1.9	3	<1	1	1	2	3	4	11
20-34	105	3.9	39	1	1	2	4	8	11	42
35-49	66	3.5	27	1	1	2	4	7	16	31
50-64	136	4.6	42	1	1	2	6	10	16	28
65+	770	5.3	46	1	1	3	7	12	17	34
TOT. SINGLE DX	522	1.6	2	<1	1	1	2	3	4	8
" MULTIPLE DX	1185	4.7	41	1	1	2	6	11	15	33
TOTAL 0-19 YRS	202	1.6	2	<1	1	1	2	3	3	7
20-34	273	2.5	17	1	1	1	3	5	8	14
35-49	154	2.6	14	<1	1	1	2	6	8	21
50-64	180	4.0	34	<1	1	2	5	9	13	23
65+	898	4.8	42	<1	1	2	6	11	16	32
GRAND TOTAL	**1707**	**3.8**	**31**	**<1**	**1**	**2**	**4**	**9**	**13**	**26**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	456	1.2		<1	<1	1	1	2	2	3
20-34	67	1.3		<1	<1	1	1	2	3	3
35-49	10	1.5		<1	<1	1	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	210	1.7	12	<1	<1	1	2	2	4	10
20-34	19	1.9		<1	1	2	2	3	4	5
35-49	6	1.3		<1	<1	1	1	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	534	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	236	1.7	12	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	666	1.3	4	<1	<1	1	1	2	2	5
20-34	86	1.4	1	<1	<1	1	2	2	3	4
35-49	16	1.4	1	<1	<1	1	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**770**	**1.4**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	1.2		<1	<1	1	1	2	2	3
20-34	25	1.4		<1	<1	1	2	2	3	3
35-49	25	1.4		<1	<1	1	2	2	3	3
50-64	15	1.3		<1	<1	1	1	2	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	41	1.7	1	<1	<1	1	2	3	4	6
20-34	19	1.8	2	<1	<1	1	2	4	6	6
35-49	15	1.7	1	<1	<1	1	2	4	5	5
50-64	7	2.6	5	<1	<1	2	4	6	7	7
65+	13	6.7	58	1	1	4	10	18	25	27
TOT. SINGLE DX	137	1.3		<1	<1	1	1	2	3	3
" MULTIPLE DX	95	2.5	12	<1	<1	1	2	5	7	22
TOTAL 0-19 YRS	112	1.4	1	<1	<1	1	2	2	3	5
20-34	44	1.6	1	<1	<1	1	2	3	4	6
35-49	40	1.5	1	<1	<1	1	2	3	4	5
50-64	22	1.7	2	<1	<1	1	2	3	5	7
65+	14	6.3	57	1	1	3	9	17	25	27
GRAND TOTAL	**232**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**13**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	14	1.1		<1	<1	<1	<1	1	2	2
35-49	13	1.0		<1	<1	<1	<1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	13	1.1		<1	<1	1	1	2	2	2
35-49	7	1.1		<1	<1	<1	1	2	2	2
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	2	11.0	128	3	3	11	19	19	19	19
TOT. SINGLE DX	27	1.0		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	25	2.3	15	<1	<1	1	2	3	11	19
TOTAL 0-19 YRS										
20-34	27	1.1		<1	<1	<1	1	1	2	2
35-49	20	1.1		<1	<1	<1	1	1	2	2
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	2	11.0	128	3	3	11	19	19	19	19
GRAND TOTAL	**52**	**1.6**	**7**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**19**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	1.4		<1	<1	1	1	2	3	6
20-34	116	1.3		<1	<1	1	1	2	3	6
35-49	111	1.3		<1	<1	1	1	2	3	4
50-64	94	1.5	3	<1	<1	1	1	2	4	11
65+	42	1.5		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	78	1.3		<1	<1	1	1	2	3	5
20-34	125	1.6	2	<1	<1	1	2	3	4	10
35-49	98	2.2	29	<1	<1	1	2	3	4	35
50-64	86	2.2	5	<1	1	1	2	4	7	14
65+	122	2.5	7	<1	1	2	3	6	8	14
TOT. SINGLE DX	476	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	509	2.0	9	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	191	1.3	1	<1	<1	1	1	2	3	5
20-34	241	1.5	2	<1	<1	1	1	2	4	9
35-49	209	1.7	14	<1	<1	1	2	2	3	10
50-64	180	1.8	4	<1	<1	1	2	3	5	14
65+	164	2.3	6	<1	1	1	2	5	7	13
GRAND TOTAL	**985**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	1.0		<1	<1	<1	<1	1	1	2
20-34	13	1.1		<1	<1	<1	1	1	2	2
35-49	14	1.1		<1	<1	<1	1	2	2	2
50-64	16	1.2		<1	<1	1	1	1	3	4
65+	17	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	59	5.1	103	<1	<1	1	3	15	25	57
20-34	18	2.3	11	<1	<1	1	1	7	12	14
35-49	16	4.1	55	<1	<1	1	2	20	23	24
50-64	34	2.9	14	<1	<1	1	3	8	12	17
65+	55	4.3	16	<1	1	3	6	11	14	15
TOT. SINGLE DX	188	1.1		<1	<1	<1	1	1	1	3
" MULTIPLE DX	182	4.1	47	<1	<1	1	5	12	15	35
TOTAL 0-19 YRS	187	2.3	36	<1	<1	<1	1	2	10	34
20-34	31	1.8	7	<1	<1	1	1	3	8	14
35-49	30	2.7	31	<1	<1	1	1	3	22	24
50-64	50	2.4	10	<1	<1	1	2	6	10	17
65+	72	3.6	15	<1	<1	1	6	10	13	15
GRAND TOTAL	**370**	**2.5**	**26**	**<1**	**<1**	**1**	**1**	**6**	**11**	**24**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.1	3	<1	<1	1	3	5	5	9
20-34	32	2.9	3	<1	1	2	4	6	7	8
35-49	57	2.6	4	1	1	2	3	4	6	12
50-64	166	2.3	2	1	1	2	3	4	5	8
65+	137	2.1	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	44	2.3	3	<1	<1	2	3	5	7	9
20-34	70	3.7	26	1	1	2	4	7	11	32
35-49	170	3.0	8	1	1	2	3	6	9	16
50-64	455	3.0	13	1	1	2	3	5	6	17
65+	397	3.2	20	1	1	2	3	5	10	27
TOT. SINGLE DX	425	2.3	3	<1	1	2	3	4	6	9
" MULTIPLE DX	1136	3.1	16	1	1	2	3	5	8	20
TOTAL 0-19 YRS	77	2.2	3	<1	<1	1	3	5	6	9
20-34	102	3.5	19	1	1	2	4	7	8	29
35-49	227	2.9	7	1	1	2	3	6	8	15
50-64	621	2.8	11	1	1	2	3	5	6	15
65+	534	2.9	16	1	1	2	3	5	8	21
GRAND TOTAL	**1561**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	175	3.5	1	1	2	4	4	5	6	7
20-34	641	3.5	1	2	2	3	4	5	6	8
35-49	90	3.9	3	1	2	4	4	5	7	12
50-64	10	5.0	6	<1	1	4	7	9	9	9
65+	8	7.6	15	5	5	6	8	14	17	17
2. MULTIPLE DX										
0-19 YRS	182	4.3	5	2	2	4	5	7	8	16
20-34	1312	4.0	2	2	2	4	5	6	7	10
35-49	261	4.4	6	2	3	4	5	6	8	18
50-64	41	9.6	39	3	4	8	14	20	22	27
65+	39	9.5	38	2	3	8	13	17	24	29
TOT. SINGLE DX	924	3.6	2	1	2	3	4	5	6	9
" MULTIPLE DX	1835	4.3	6	2	3	4	5	6	8	16
TOTAL 0-19 YRS	357	3.9	4	2	2	4	4	6	7	11
20-34	1953	3.8	3	2	2	4	4	5	6	10
35-49	351	4.3	6	1	3	4	5	6	7	17
50-64	51	8.7	36	3	3	6	11	17	22	27
65+	47	9.2	35	2	4	7	12	17	23	29
GRAND TOTAL	**2759**	**4.1**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**14**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	3.8	1	2	2	4	4	5	6	9
20-34	536	3.9	1	2	3	4	4	5	6	9
35-49	231	4.1	1	3	3	4	5	5	6	10
50-64	38	5.1	8	2	3	4	6	9	12	15
65+	21	6.0	11	3	3	5	7	9	14	18
2. MULTIPLE DX										
0-19 YRS	129	4.8	6	2	3	4	5	8	9	16
20-34	1485	4.5	4	3	3	4	5	6	8	14
35-49	692	4.7	7	3	3	4	5	7	9	14
50-64	97	7.6	54	2	3	6	8	13	18	49
65+	105	9.3	31	4	4	8	11	17	20	32
TOT. SINGLE DX	918	4.0	2	2	3	4	5	5	6	10
" MULTIPLE DX	2508	4.9	10	3	3	4	5	7	10	17
TOTAL 0-19 YRS	221	4.4	5	2	3	4	5	7	9	14
20-34	2021	4.4	4	2	3	4	5	6	7	13
35-49	923	4.6	6	3	3	4	5	6	8	13
50-64	135	6.9	43	2	3	5	7	12	17	48
65+	126	8.8	30	3	4	7	10	16	19	31
GRAND TOTAL	**3426**	**4.7**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	70	4.1	1	2	3	4	5	6	6	7
35-49	114	4.5	2	2	3	4	5	6	7	12
50-64	75	4.9	2	3	3	5	6	7	8	10
65+	35	5.5	5	3	4	5	6	8	9	16
2. MULTIPLE DX										
0-19 YRS	5	7.0	18	3	3	5	11	13	13	13
20-34	439	4.6	4	3	3	4	5	6	8	15
35-49	825	5.1	8	3	3	5	6	7	9	15
50-64	329	6.7	19	3	3	5	8	12	15	29
65+	277	8.3	19	4	4	7	10	13	18	25
TOT. SINGLE DX	295	4.6	3	3	3	4	5	7	7	11
" MULTIPLE DX	1875	5.8	13	3	3	5	6	9	12	21
TOTAL 0-19 YRS	6	6.3	17	3	3	4	10	13	13	13
20-34	509	4.6	4	3	3	4	5	6	7	14
35-49	939	5.1	8	3	3	4	6	7	9	14
50-64	404	6.3	17	3	3	5	7	11	15	26
65+	312	8.0	19	4	4	7	10	13	17	25
GRAND TOTAL	**2170**	**5.6**	**12**	**3**	**3**	**5**	**6**	**9**	**12**	**20**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	2.5	2	<1	<1	2	3	4	5	7
20-34	258	1.8	1	<1	<1	1	3	4	4	6
35-49	80	1.5	2	<1	<1	1	1	3	4	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	55	4.0	12	1	1	3	5	7	9	22
20-34	640	3.2	2	<1	1	3	4	5	6	8
35-49	174	2.9	4	<1	<1	3	4	5	6	11
50-64	7	5.4	9	<1	1	5	8	9	9	9
65+	7	7.7	38	2	2	8	9	18	20	20
TOT. SINGLE DX	378	1.8	2	<1	<1	1	2	4	4	7
" MULTIPLE DX	883	3.3	4	<1	<1	3	4	5	6	9
TOTAL 0-19 YRS	95	3.3	8	<1	1	3	4	6	7	19
20-34	898	2.8	3	<1	<1	3	4	5	6	8
35-49	254	2.4	4	<1	<1	1	4	5	6	12
50-64	7	5.4	9	<1	1	5	8	9	9	9
65+	7	7.7	39	2	2	8	9	18	20	20
GRAND TOTAL	**1261**	**2.8**	**4**	**<1**	**<1**	**3**	**4**	**5**	**6**	**9**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	485	1.1		<1	<1	<1	<1	1	1	4
35-49	360	1.0		<1	<1	<1	<1	<1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	317	1.5	1	<1	<1	1	2	3	3	6
35-49	213	1.4	4	<1	<1	<1	1	2	3	10
50-64										
65+										
TOT. SINGLE DX	848	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	532	1.5	3	<1	<1	1	1	3	3	6
TOTAL 0-19 YRS	5	1.8	3	<1	<1	<1	2	5	5	5
20-34	802	1.3	1	<1	<1	<1	1	2	3	5
35-49	573	1.2	2	<1	<1	<1	<1	1	2	5
50-64										
65+										
GRAND TOTAL	**1380**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.4	6	1	1	3	6	6	6	6
20-34	508	1.6		<1	<1	1	2	3	3	5
35-49	191	1.5	1	<1	<1	1	2	3	4	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	19	2.8	1	1	1	3	4	5	5	5
20-34	1816	2.5	6	1	1	2	3	4	4	6
35-49	436	2.6	3	1	1	2	3	4	5	6
50-64	4	4.8	4	3	3	5	6	7	7	7
65+										
TOT. SINGLE DX	706	1.6	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	2275	2.5	6	1	1	2	3	4	4	6
TOTAL 0-19 YRS	24	3.0	2	1	1	3	4	5	6	6
20-34	2324	2.3	6	<1	1	2	3	4	4	6
35-49	627	2.2	3	<1	<1	2	3	4	4	6
50-64	6	4.0	4	2	2	3	6	7	7	7
65+										
GRAND TOTAL	**2981**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**4**	**6**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	141	3.5	1	2	2	3	4	5	5	6
20-34	1701	3.4	1	2	2	3	4	5	5	6
35-49	274	3.4	1	1	2	3	4	5	5	8
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	129	4.1	8	2	2	4	5	6	7	19
20-34	2399	3.8	1	2	2	4	4	5	6	9
35-49	499	3.9	2	2	2	4	4	5	6	11
50-64	7	8.9	57	3	3	5	12	22	24	24
65+	6	8.7	54	2	2	5	18	18	18	18
TOT. SINGLE DX	2120	3.4	1	2	2	3	4	5	5	7
" MULTIPLE DX	3040	3.8	3	2	2	4	4	5	6	9
TOTAL 0-19 YRS	270	3.8	4	2	2	3	4	5	6	11
20-34	4100	3.6	2	2	2	4	4	5	5	8
35-49	773	3.7	2	2	2	4	4	5	6	10
50-64	10	6.9	49	[redacted]	2	4	7	19	24	24
65+	7	8.1	47		2	5	15	18	18	18
GRAND TOTAL	**5160**	**3.6**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.4	1	<1	<1	<1	1	3	5	5
20-34	134	1.2		<1	<1	1	1	1	2	5
35-49	84	1.2		<1	<1	1	1	1	3	4
50-64	35	1.1		<1	<1	1	1	1	2	4
65+	12	1.3		<1	<1	1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	127	1.9	7	<1	<1	1	2	4	5	13
35-49	76	2.0	3	<1	<1	1	2	5	7	8
50-64	31	1.8	2	<1	<1	1	2	4	5	7
65+	26	1.5		<1	<1	1	2	3	3	4
TOT. SINGLE DX	276	1.2		<1	<1	1	1	1	3	5
" MULTIPLE DX	263	1.9	5	<1	<1	1	2	4	6	8
TOTAL 0-19 YRS	14	1.4	1	<1	<1	<1	1	3	4	5
20-34	261	1.5	4	<1	<1	1	1	3	4	7
35-49	160	1.6	2	<1	<1	1	1	3	5	8
50-64	66	1.4	1	<1	<1	1	1	3	4	7
65+	38	1.4	1	<1	<1	1	2	3	4	4
GRAND TOTAL	**539**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**3**	**4**	**7**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.0		<1	<1	<1	1	1	1	1
20-34	50	1.5	2	<1	<1	1	1	2	3	12
35-49	35	1.7	1	<1	<1	1	2	3	5	6
50-64	14	3.0	7	<1	<1	2	4	6	10	11
65+	19	4.1	5	<1	1	4	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	46	2.7	11	<1	<1	2	3	6	11	18
35-49	64	3.2	7	<1	<1	2	5	6	8	14
50-64	59	5.1	25	<1	<1	3	8	10	13	27
65+	87	5.7	19	1	2	5	7	10	15	27
TOT. SINGLE DX	130	2.0	4	<1	<1	1	2	5	6	11
" MULTIPLE DX	260	4.4	18	<1	<1	3	6	9	11	20
TOTAL 0-19 YRS	16	1.3	1	<1	<1	1	1	2	3	4
20-34	96	2.1	7	<1	<1	1	2	4	7	15
35-49	99	2.6	6	<1	<1	1	4	6	7	13
50-64	73	4.7	23	<1	<1	3	7	10	13	26
65+	106	5.4	17	1	1	5	7	9	12	24
GRAND TOTAL	**390**	**3.6**	**14**	**<1**	**<1**	**2**	**5**	**8**	**11**	**17**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.4		<1	<1	1	2	2	3	3
20-34	365	1.6	1	<1	1	1	2	3	4	8
35-49	58	1.3		<1	1	1	1	2	2	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	143	3.2	65	<1	1	2	3	5	8	24
35-49	33	2.2	5	<1	1	1	2	5	6	12
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	440	1.6	2	<1	1	1	2	3	4	8
" MULTIPLE DX	183	3.0	52	<1	1	2	3	5	7	17
TOTAL 0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
20-34	508	2.1	20	<1	1	1	2	4	5	12
35-49	91	1.6	2	<1	1	1	2	3	4	10
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**623**	**2.0**	**17**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.3	3	1	1	5	5	6	6	6
20-34	128	3.9	7	<1	2	4	5	5	6	12
35-49	79	3.5	1	1	1	4	4	5	5	6
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	16	4.8	14	<1	1	4	6	10	14	16
20-34	410	4.2	3	1	2	4	5	6	7	11
35-49	213	4.5	9	1	1	4	5	6	9	17
50-64	20	5.6	50	<1	<1	3	6	17	24	26
65+	22	8.7	54	1	2	6	12	20	24	29
TOT. SINGLE DX	218	3.7	5	<1	1	4	5	5	5	7
" MULTIPLE DX	681	4.5	9	1	2	4	5	6	9	18
TOTAL 0-19 YRS	23	4.6	11	<1	1	4	5	8	12	16
20-34	538	4.1	4	1	2	4	5	6	7	11
35-49	292	4.2	8	1	1	4	5	6	7	15
50-64	23	5.0	46	<1	<1	3	6	14	24	26
65+	23	8.5	53	1	2	6	12	20	24	29
GRAND TOTAL	**899**	**4.3**	**8**	**1**	**2**	**4**	**5**	**6**	**8**	**17**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.3		4	4	5	5	6	6	6
20-34	531	4.6	2	3	3	4	5	6	7	10
35-49	1075	4.6	1	3	3	4	5	6	7	9
50-64	376	5.0	3	3	4	5	6	6	7	10
65+	206	5.5	3	3	4	5	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	50	5.4	5	3	3	5	6	8	10	14
20-34	5360	4.9	3	3	3	5	5	6	8	12
35-49	13928	5.0	3	3	3	5	5	7	8	12
50-64	3278	5.6	8	3	4	5	6	8	9	16
65+	1719	7.1	21	4	4	6	8	11	15	26
TOT. SINGLE DX	2193	4.8	2	3	3	5	5	6	7	10
" MULTIPLE DX	24335	5.2	6	3	4	5	6	7	8	14
TOTAL 0-19 YRS	55	5.3	5	3	3	5	6	8	10	14
20-34	5891	4.9	3	3	3	5	5	6	8	11
35-49	15003	4.9	3	3	3	5	5	7	8	12
50-64	3654	5.5	8	3	4	5	6	7	9	16
65+	1925	7.0	20	4	4	6	7	11	14	26
GRAND TOTAL	**26528**	**5.2**	**5**	**3**	**4**	**5**	**6**	**7**	**8**	**14**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	471	3.5	1	2	2	3	4	5	5	6
35-49	587	3.8	1	2	3	4	4	5	6	8
50-64	174	4.6	2	3	3	4	5	7	7	9
65+	158	5.1	1	3	3	5	6	7	7	9
2. MULTIPLE DX										
0-19 YRS	9	3.0	1	1	1	3	4	5	5	5
20-34	2313	4.0	1	2	3	4	5	5	6	8
35-49	5022	4.1	2	2	3	4	5	6	6	9
50-64	1240	4.9	5	3	3	5	6	7	8	11
65+	955	5.9	14	3	4	5	7	8	9	16
TOT. SINGLE DX	1392	4.0	2	2	3	4	5	6	6	8
" MULTIPLE DX	9539	4.4	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	11	3.4	3	1	1	3	4	6	7	7
20-34	2784	3.9	2	2	3	4	5	5	6	8
35-49	5609	4.1	2	2	3	4	5	6	6	9
50-64	1414	4.9	5	3	3	5	6	7	8	11
65+	1113	5.8	13	3	4	5	6	8	9	15
GRAND TOTAL	**10931**	**4.3**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	12	8.3	5	4	6	8	10	12	12	12
35-49	10	9.9	17	6	6	8	11	17	20	20
50-64	4	8.5	6	5	5	9	10	11	11	11
65+	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
0-19 YRS										
20-34	32	9.9	20	4	5	9	12	18	19	21
35-49	50	10.6	36	4	5	9	12	22	26	29
50-64	27	15.0	154	5	7	10	19	22	46	63
65+	37	16.3	85	7	8	16	18	24	33	56
TOT. SINGLE DX	28	9.2	15	4	5	8	11	13	20	20
" MULTIPLE DX	146	12.7	73	5	6	10	16	21	26	56
TOTAL 0-19 YRS										
20-34	44	9.5	17	4	5	9	11	15	18	21
35-49	60	10.5	33	4	6	9	12	20	24	29
50-64	31	14.2	139	5	6	10	18	21	42	63
65+	39	16.1	85	6	7	16	19	24	32	56
GRAND TOTAL	**174**	**12.1**	**65**	**4**	**6**	**10**	**15**	**21**	**24**	**53**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.4		<1	<1	1	2	2	4	5
20-34	138	1.3		<1	<1	1	1	2	3	5
35-49	31	1.4	1	<1	<1	1	1	2	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	1.6	1	<1	<1	1	2	3	4	5
20-34	145	3.4	29	<1	<1	1	3	8	14	29
35-49	22	1.5		<1	<1	1	2	3	4	4
50-64										
65+										
TOT. SINGLE DX	189	1.3	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	190	3.0	23	<1	<1	1	3	6	11	27
TOTAL 0-19 YRS	43	1.5	1	<1	<1	1	2	3	4	5
20-34	283	2.4	16	<1	<1	1	2	4	8	25
35-49	53	1.4	1	<1	<1	1	1	2	4	7
50-64										
65+										
GRAND TOTAL	**379**	**2.2**	**13**	**<1**	**<1**	**1**	**2**	**4**	**6**	**24**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	587	1.3		<1	<1	1	1	2	3	4
20-34	3501	1.3	1	<1	<1	1	1	2	3	5
35-49	1098	1.1		<1	<1	1	1	1	2	5
50-64	220	1.1		<1	<1	<1	<1	1	2	4
65+	89	1.2		<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
0-19 YRS	252	2.4	6	<1	1	2	3	4	6	15
20-34	1955	2.2	9	<1	<1	1	3	4	6	11
35-49	1295	1.8	4	<1	<1	1	2	4	5	10
50-64	392	2.0	6	<1	<1	1	2	4	6	15
65+	356	3.8	30	<1	<1	1	4	9	14	30
TOT. SINGLE DX	5495	1.2	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	4250	2.2	9	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	839	1.6	3	<1	<1	1	2	3	4	7
20-34	5456	1.6	4	<1	<1	1	2	3	4	8
35-49	2393	1.5	2	<1	<1	1	1	3	4	8
50-64	612	1.7	4	<1	<1	<1	1	3	5	13
65+	445	3.3	26	<1	<1	1	3	8	12	29
GRAND TOTAL	**9745**	**1.7**	**5**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.3		<1	<1	<1	1	2	3	3
20-34	174	1.2		<1	<1	<1	1	2	3	4
35-49	33	1.1		<1	<1	1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	35	2.6	11	<1	<1	1	3	5	11	16
20-34	186	2.3	14	<1	<1	1	2	5	7	15
35-49	34	1.7	2	<1	<1	1	2	3	5	9
50-64										
65+										
TOT. SINGLE DX	234	1.2		<1	<1	<1	1	2	3	4
" MULTIPLE DX	255	2.3	12	<1	<1	1	2	5	8	15
TOTAL 0-19 YRS	62	2.0	7	<1	<1	1	2	4	7	15
20-34	360	1.8	8	<1	<1	1	1	3	5	14
35-49	67	1.4	2	<1	<1	1	1	2	4	8
50-64										
65+										
GRAND TOTAL	**489**	**1.8**	**7**	**<1**	**<1**	**1**	**1**	**3**	**5**	**13**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	1.3		<1	<1	1	1	2	3	6
20-34	868	1.2		<1	<1	1	1	1	2	4
35-49	158	1.1		<1	<1	1	1	1	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	41	2.5	6	<1	<1	1	3	6	8	12
20-34	285	2.0	3	<1	<1	1	2	4	5	9
35-49	91	1.9	4	<1	<1	1	2	4	8	10
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	4.7	12	1	1	5	7	8	8	8
TOT. SINGLE DX	1152	1.2		<1	<1	1	1	1	2	4
" MULTIPLE DX	421	2.0	4	<1	<1	1	2	4	7	10
TOTAL 0-19 YRS	165	1.6	2	<1	<1	1	1	3	4	8
20-34	1153	1.4	1	<1	<1	1	1	2	3	6
35-49	249	1.4	2	<1	<1	1	1	2	3	9
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	4	3.8	12	1	1	3	6	8	8	8
GRAND TOTAL	**1573**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	20	2.9	1	<1	1	3	4	5	5	5
35-49	6	2.3	2	1	1	2	4	4	4	4
50-64	5	3.4	1	2	2	4	4	4	4	4
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	98	3.9	1	1	3	4	5	6	6	8
35-49	25	3.8	2	2	2	3	4	7	7	7
50-64	6	3.0	1	2	2	3	4	4	4	4
65+	9	4.2	2	2	2	4	5	6	7	7
TOT. SINGLE DX	33	2.9	2	1	1	3	4	4	5	5
" MULTIPLE DX	141	3.9	3	2	2	4	5	6	7	9
TOTAL 0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	118	3.7	2	1	2	4	5	5	6	8
35-49	31	3.5	3	1	1	3	4	6	7	7
50-64	11	3.2	1	2	2	4	4	4	4	4
65+	11	4.2	2	2	3	4	5	6	7	7
GRAND TOTAL	**174**	**3.7**	**3**	**1**	**2**	**4**	**4**	**5**	**6**	**9**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.1	1	1	1	2	3	4	5	5
20-34	90	2.5	2	<1	<1	2	4	4	5	10
35-49	17	3.0	6	<1	<1	2	4	7	9	10
50-64	9	2.6	2	<1	<1	3	3	5	5	5
65+	11	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	21	2.9	2	1	1	3	4	5	6	6
20-34	196	3.1	5	<1	1	3	4	5	6	12
35-49	59	3.5	16	<1	<1	3	4	6	8	28
50-64	32	2.9	4	<1	1	2	4	5	8	10
65+	32	3.5	3	2	2	3	4	6	8	9
TOT. SINGLE DX	145	2.5	3	<1	<1	2	4	4	5	10
" MULTIPLE DX	340	3.2	7	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	39	2.5	2	1	1	2	4	4	5	6
20-34	286	2.9	5	<1	1	3	4	5	6	10
35-49	76	3.4	14	<1	<1	3	4	6	8	25
50-64	41	2.8	4	<1	<1	2	4	5	7	10
65+	43	3.3	3	1	2	3	4	5	8	9
GRAND TOTAL	**485**	**3.0**	**6**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	37	3.5	14	1	1	3	4	5	6	24
35-49	132	3.6	2	1	2	3	5	6	7	8
50-64	261	3.8	2	2	2	4	5	6	7	7
65+	239	4.2	2	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	79	3.7	4	1	2	3	4	6	8	11
35-49	387	4.5	4	2	2	4	5	7	8	10
50-64	662	4.5	3	2	3	4	5	7	8	10
65+	700	4.9	4	2	3	5	6	7	9	13
TOT. SINGLE DX	670	3.9	3	2	2	4	5	6	7	9
" MULTIPLE DX	1831	4.6	4	2	2	4	6	7	8	12
TOTAL 0-19 YRS	4	4.5	4	2	2	5	6	6	6	6
20-34	116	3.6	7	1	1	3	4	6	8	16
35-49	519	4.3	4	2	2	4	5	7	7	9
50-64	923	4.3	3	2	2	4	5	7	7	10
65+	939	4.7	4	2	2	5	6	7	8	12
GRAND TOTAL	**2501**	**4.4**	**4**	**2**	**2**	**4**	**5**	**7**	**8**	**11**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.4	7	<1	<1	1	3	6	9	12
20-34	133	2.8	4	<1	1	2	4	5	7	12
35-49	47	3.0	4	<1	1	3	4	6	6	11
50-64	29	3.9	3	1	1	4	5	6	7	9
65+	36	4.6	3	1	2	5	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	22	2.5	3	<1	<1	2	3	6	6	6
20-34	71	3.4	6	1	1	3	4	6	9	15
35-49	64	4.5	11	<1	1	4	6	8	10	19
50-64	71	5.0	9	1	2	5	6	7	9	19
65+	93	6.7	61	3	3	5	7	10	13	52
TOT. SINGLE DX	268	3.2	5	<1	1	3	4	6	7	11
" MULTIPLE DX	321	4.9	26	1	1	4	6	8	10	20
TOTAL 0-19 YRS	45	2.4	5	<1	1	1	3	6	7	12
20-34	204	3.0	5	<1	1	2	4	5	7	14
35-49	111	3.9	9	<1	1	3	5	7	9	17
50-64	100	4.6	8	1	1	4	6	7	8	18
65+	129	6.1	46	2	3	5	7	9	11	35
GRAND TOTAL	**589**	**4.1**	**17**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.3	2	<1	<1	2	3	5	6	6
20-34	164	2.8	5	<1	<1	2	4	5	8	11
35-49	52	3.2	8	<1	<1	3	4	6	7	16
50-64	32	2.8	3	<1	<1	3	4	5	6	7
65+	59	3.2	2	<1	1	3	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	55	3.4	9	<1	<1	2	5	8	9	13
20-34	281	3.7	9	<1	1	3	4	7	10	14
35-49	135	4.7	12	<1	1	4	6	9	11	18
50-64	133	5.6	28	1	2	4	6	10	15	24
65+	257	5.5	24	1	2	4	6	10	14	26
TOT. SINGLE DX	343	2.9	5	<1	<1	2	4	5	7	11
" MULTIPLE DX	861	4.6	18	1	1	4	6	9	12	21
TOTAL 0-19 YRS	91	3.0	7	<1	<1	2	4	6	8	13
20-34	445	3.3	8	<1	1	3	4	7	10	12
35-49	187	4.3	12	<1	1	4	6	9	11	18
50-64	165	5.1	25	1	1	4	6	10	14	18
65+	316	5.0	22	1	2	4	6	9	12	25
GRAND TOTAL	**1204**	**4.1**	**15**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.7	1	<1	<1	1	2	3	3	7
20-34	105	1.6	1	<1	<1	1	2	3	4	7
35-49	60	1.4		<1	<1	1	1	2	3	5
50-64	30	1.4		<1	<1	1	1	3	4	4
65+	11	1.7	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	29	3.4	9	<1	<1	3	5	7	9	15
20-34	95	2.4	4	<1	1	2	3	4	7	12
35-49	70	2.8	10	<1	1	2	3	6	12	15
50-64	40	4.8	54	<1	<1	2	5	12	20	40
65+	71	5.5	32	<1	1	4	8	11	19	29
TOT. SINGLE DX	237	1.5	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	305	3.6	21	<1	1	2	4	8	12	21
TOTAL 0-19 YRS	60	2.5	6	<1	<1	2	3	6	7	14
20-34	200	2.0	3	<1	<1	1	2	4	5	9
35-49	130	2.2	6	<1	<1	1	2	4	7	14
50-64	70	3.3	34	<1	<1	1	3	6	12	36
65+	82	5.0	30	<1	<1	3	6	11	18	28
GRAND TOTAL	**542**	**2.7**	**13**	**<1**	**<1**	**1**	**3**	**5**	**9**	**19**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	7	4.6	15	<1	<1	3	9	9	9	9
35-49	9	4.3	9	1	1	3	7	9	9	9
50-64	9	4.8	31	1	1	2	6	15	17	17
65+	15	6.0	29	1	1	4	11	14	15	16
2. MULTIPLE DX										
0-19 YRS										
20-34	12	3.4	5	1	1	3	5	7	8	8
35-49	15	6.1	16	1	1	4	10	12	13	13
50-64	23	9.0	60	1	1	8	10	19	26	36
65+	50	9.1	32	2	3	8	12	16	19	29
TOT. SINGLE DX	43	4.8	21	<1	1	3	8	12	15	17
" MULTIPLE DX	100	7.9	36	1	2	7	11	15	19	32
TOTAL 0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	19	3.8	9	<1	<1	3	7	9	9	9
35-49	24	5.5	14	1	1	4	8	11	12	13
50-64	32	7.8	54	1	1	7	10	18	21	36
65+	65	8.4	33	1	2	8	12	16	19	28
GRAND TOTAL	**143**	**7.0**	**34**	**1**	**1**	**6**	**10**	**14**	**18**	**29**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.5		<1	<1	1	2	3	4	4
20-34	40	1.8		<1	<1	2	2	3	4	4
35-49	11	2.6	3	1	1	2	3	5	8	8
50-64	7	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	10	4.0	26	<1	<1	2	4	11	18	18
20-34	40	3.2	6	1	1	2	3	6	7	15
35-49	14	7.2	191	1	1	3	5	18	46	54
50-64	3	2.3		2	2	2	3	3	3	3
65+	8	4.8	20	1	1	3	6	13	15	15
TOT. SINGLE DX	79	1.8	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	75	4.2	45	1	1	2	4	7	15	45
TOTAL 0-19 YRS	30	2.3	10	<1	<1	1	3	4	5	18
20-34	80	2.5	4	<1	1	2	3	5	6	13
35-49	25	5.2	111	1	1	2	4	8	24	54
50-64	10	1.6		<1	<1	1	2	3	3	3
65+	9	4.4	19	1	1	3	5	12	15	15
GRAND TOTAL	**154**	**3.0**	**24**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.4		<1	<1	<1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	5	2.4	4	<1	<1	1	4	5	5	5
35-49	6	5.7	14	<1	<1	5	9	11	11	11
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	5	12.2	228	1	1	8	18	38	38	38
TOT. SINGLE DX	11	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	20	7.2	83	<1	<1	4	10	17	30	38
TOTAL 0-19 YRS	5	5.2	88	<1	<1	1	6	22	22	22
20-34	10	1.9	2	<1	<1	1	2	4	5	5
35-49	7	5.0	15	<1	<1	4	8	11	11	11
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	6	10.3	203	1	1	5	12	35	38	38
GRAND TOTAL	**31**	**5.0**	**61**	**<1**	**<1**	**1**	**6**	**12**	**22**	**38**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	705	1.9		1	1	2	2	3	3	4
20-34	4837	2.1		1	1	2	3	3	3	4
35-49	304	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	107	2.4	5	1	1	2	3	3	4	9
20-34	740	2.5	2	1	1	2	3	4	4	6
35-49	637	2.6	1	1	1	2	3	4	4	6
50-64										
65+										
TOT. SINGLE DX	5846	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	9066	2.5	3	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1732	2.2	3	1	1	2	3	3	4	5
20-34	12239	2.3	2	1	1	2	3	3	4	5
35-49	941	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**14912**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	57	1.9		1	1	2	2	3	3	6
35-49	11	1.6		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	26	2.7	25	<1	1	2	2	3	9	27
20-34	210	2.3	4	1	1	2	3	3	4	9
35-49	28	2.7	5	1	1	2	3	4	9	12
50-64										
65+										
TOT. SINGLE DX	72	1.8	1	1	1	2	2	3	3	6
" MULTIPLE DX	264	2.4	6	1	1	2	3	3	5	12
TOTAL 0-19 YRS	30	2.6	22	1	1	2	2	3	5	27
20-34	267	2.2	4	1	1	2	3	3	4	8
35-49	39	2.4	5	1	1	2	3	4	7	12
50-64										
65+										
GRAND TOTAL	**336**	**2.3**	**5**	**1**	**1**	**2**	**3**	**3**	**4**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	419	1.9		1	1	2	2	3	3	5
20-34	3358	2.1		1	1	2	3	3	3	4
35-49	295	2.3		1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	767	2.3	2	1	1	2	3	3	4	6
20-34	5984	2.4	1	1	1	2	3	4	4	6
35-49	674	2.7	7	1	1	2	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	4072	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	7425	2.4	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1186	2.2	2	1	1	2	3	3	4	6
20-34	9342	2.3	1	1	1	2	3	3	4	5
35-49	969	2.5	6	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**11497**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8859	1.8		1	1	2	2	3	3	4
20-34	61906	1.8		1	1	2	2	3	3	4
35-49	4623	1.9		1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3756	2.3	5	1	1	2	3	4	4	9
20-34	30279	2.3	2	1	1	2	3	3	4	7
35-49	3401	2.4	2	1	1	2	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	75388	1.8	1	1	1	2	2	3	3	4
" MULTIPLE DX	37436	2.3	3	1	1	2	3	3	4	7
TOTAL 0-19 YRS	12615	1.9	2	1	1	2	2	3	3	6
20-34	92185	1.9	1	1	1	2	2	3	3	5
35-49	8024	2.1	2	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	**112824**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	964	3.9	1	2	3	4	4	5	6	8
20-34	10814	3.8	1	3	3	4	4	5	5	7
35-49	1009	4.0	1	3	3	4	5	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2964	4.6	5	3	3	4	5	6	8	13
20-34	31812	4.4	6	3	3	4	5	6	7	12
35-49	4354	4.8	12	3	3	4	5	6	7	18
50-64										
65+										
TOT. SINGLE DX	12787	3.9	2	3	3	4	4	5	5	7
" MULTIPLE DX	39130	4.5	7	3	3	4	5	6	7	13
TOTAL 0-19 YRS	3928	4.4	4	3	3	4	5	6	7	13
20-34	42626	4.3	5	3	3	4	5	5	6	11
35-49	5363	4.7	10	3	3	4	5	6	7	16
50-64										
65+										
GRAND TOTAL	**51917**	**4.3**	**6**	**3**	**3**	**4**	**5**	**6**	**6**	**12**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	3.9		2	3	4	4	5	6	6
20-34	265	4.1	9	3	3	4	4	5	6	9
35-49	21	4.0	1	2	3	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	78	4.7	4	3	3	4	5	7	7	16
20-34	681	5.1	13	3	3	4	5	7	10	21
35-49	128	6.3	23	3	3	5	6	11	15	29
50-64										
65+										
TOT. SINGLE DX	326	4.1	8	3	3	4	4	5	6	8
" MULTIPLE DX	887	5.2	14	3	3	4	5	7	11	23
TOTAL 0-19 YRS	118	4.4	4	3	3	4	5	6	7	15
20-34	946	4.8	13	3	3	4	5	7	8	19
35-49	149	6.0	21	3	3	5	6	10	15	27
50-64										
65+										
GRAND TOTAL	**1213**	**4.9**	**13**	**3**	**3**	**4**	**5**	**7**	**9**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.9	2	1	1	3	4	5	7	7
20-34	130	3.1	1	1	2	3	4	5	5	6
35-49	14	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9	3.8	2	2	2	3	5	6	6	6
20-34	156	3.8	2	2	2	4	4	5	7	10
35-49	14	3.6	1	2	2	3	4	6	6	6
50-64										
65+										
TOT. SINGLE DX	155	3.2	1	1	2	3	4	5	5	6
" MULTIPLE DX	179	3.8	2	2	2	4	4	6	6	10
TOTAL 0-19 YRS	20	3.3	3	1	1	3	4	6	7	7
20-34	286	3.5	2	2	2	3	4	5	6	9
35-49	28	3.6	1	2	2	4	4	5	6	6
50-64										
65+										
GRAND TOTAL	**334**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.1		<1	<1	1	1	2	2	4
20-34	63	1.3		<1	<1	1	1	2	3	5
35-49	6	1.7		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	1.3		<1	<1	1	1	2	4	4
20-34	42	1.6	2	<1	<1	1	1	3	4	11
35-49	20	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
TOT. SINGLE DX	118	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	75	1.5	2	<1	<1	1	1	2	4	9
TOTAL 0-19 YRS	62	1.2		<1	<1	1	1	2	2	4
20-34	105	1.4	2	<1	<1	1	1	2	4	8
35-49	26	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
GRAND TOTAL	**193**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	4.7	36	<1	1	3	6	12	17	36
20-34	402	3.5	18	<1	1	2	4	7	9	22
35-49	32	3.3	9	<1	<1	2	4	7	12	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	79	4.1	15	1	1	3	5	8	14	19
20-34	363	4.4	22	<1	1	3	5	9	14	25
35-49	38	5.1	46	<1	1	3	5	12	22	34
50-64										
65+										
TOT. SINGLE DX	507	3.6	21	<1	1	2	4	7	10	22
" MULTIPLE DX	480	4.4	23	1	1	3	5	9	14	26
TOTAL 0-19 YRS	152	4.4	25	1	1	3	5	9	15	21
20-34	765	3.9	21	<1	1	3	5	7	11	24
35-49	70	4.3	30	<1	1	2	4	10	13	32
50-64										
65+										
GRAND TOTAL	**987**	**4.0**	**22**	**<1**	**1**	**3**	**5**	**7**	**13**	**25**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	702	1.7		<1	<1	1	2	3	3	5
20-34	4643	1.8		<1	<1	2	2	3	3	4
35-49	344	1.8		<1	<1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	369	2.0	1	<1	1	2	2	3	4	6
20-34	2367	2.2	3	<1	1	2	3	3	4	8
35-49	227	2.4	2	<1	1	2	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	5689	1.7	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	2963	2.2	3	<1	1	2	3	3	4	8
TOTAL 0-19 YRS	1071	1.8	1	<1	<1	2	2	3	3	6
20-34	7010	1.9	2	<1	1	2	2	3	3	6
35-49	571	2.0	2	<1	<1	2	2	3	4	8
50-64										
65+										
GRAND TOTAL	**8652**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1465	1.7	1	1	1	2	2	3	3	4
20-34	11238	1.7		1	1	2	2	3	3	4
35-49	935	1.7		1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1569	2.0	1	1	1	2	2	3	4	6
20-34	13630	2.0	1	1	1	2	2	3	4	5
35-49	1562	2.2	2	1	1	2	3	3	4	6
50-64										
65+										
TOT. SINGLE DX	13638	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	16761	2.0	2	1	1	2	2	3	4	6
TOTAL 0-19 YRS	3034	1.9	1	1	1	2	2	3	3	5
20-34	24868	1.9	1	1	1	2	2	3	3	5
35-49	2497	2.0	2	1	1	2	2	3	3	5
50-64										
65+										
GRAND TOTAL	**30399**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	3.0	3	<1	1	3	4	5	6	7
20-34	26	3.3	9	<1	1	3	4	6	12	13
35-49	28	2.0	2	<1	<1	1	2	5	5	7
50-64	22	4.7	21	<1	1	3	6	10	16	21
65+	19	4.3	19	1	1	3	4	11	15	18
2. MULTIPLE DX										
0-19 YRS	15	3.9	12	<1	1	3	4	11	12	12
20-34	28	5.6	30	1	1	4	7	12	16	27
35-49	26	3.7	11	<1	1	3	4	9	12	14
50-64	54	7.9	66	1	1	4	12	19	23	36
65+	52	8.7	66	1	1	7	11	16	27	41
TOT. SINGLE DX	116	3.4	11	<1	1	2	4	7	11	19
" MULTIPLE DX	175	6.8	51	1	1	4	10	15	19	36
TOTAL 0-19 YRS	36	3.3	7	<1	1	3	4	7	10	12
20-34	54	4.5	21	1	1	3	5	10	13	27
35-49	54	2.8	7	<1	1	2	3	6	9	14
50-64	76	6.9	55	1	1	4	9	18	21	36
65+	71	7.5	57	1	1	5	11	15	19	40
GRAND TOTAL	**291**	**5.4**	**38**	**1**	**1**	**3**	**7**	**13**	**17**	**35**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	396	2.3	3	1	1	2	3	3	4	7
20-34	894	2.4	1	1	1	2	3	4	4	6
35-49	443	2.5	1	1	1	2	3	4	5	7
50-64	85	2.4	1	1	1	2	3	4	4	8
65+	16	1.9		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	411	2.8	3	1	1	3	3	4	5	8
20-34	585	2.8	2	1	1	3	3	4	5	7
35-49	384	2.9	2	1	1	3	4	5	6	10
50-64	124	3.1	4	1	2	3	3	5	7	14
65+	42	5.0	25	1	1	3	5	11	18	23
TOT. SINGLE DX	1834	2.4	2	1	1	2	3	4	4	7
" MULTIPLE DX	1546	2.9	4	1	1	3	4	5	6	11
TOTAL 0-19 YRS	807	2.6	4	1	1	2	3	4	4	8
20-34	1479	2.5	2	1	1	2	3	4	5	7
35-49	827	2.7	2	1	1	2	3	4	5	8
50-64	209	2.8	4	1	1	2	3	4	5	11
65+	58	4.2	21	1	1	3	4	11	14	23
GRAND TOTAL	**3380**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	1.8	2	<1	1	1	2	3	5	9
20-34	165	2.6	8	1	1	2	3	5	8	14
35-49	29	2.0	1	1	1	1	3	4	4	6
50-64	2	1.0		1	1	1	1	1	1	1
65+	6	3.0	3	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	131	3.3	22	1	1	2	3	7	10	27
20-34	235	4.3	44	1	1	3	4	8	13	39
35-49	98	4.5	16	1	1	3	6	9	11	22
50-64	20	6.0	17	1	2	5	8	12	15	16
65+	16	6.2	87	1	1	3	6	11	31	39
TOT. SINGLE DX	279	2.3	6	<1	1	2	3	4	7	11
" MULTIPLE DX	500	4.2	34	1	1	3	5	8	12	33
TOTAL 0-19 YRS	208	2.8	16	1	1	2	3	5	8	24
20-34	400	3.6	30	1	1	2	4	7	11	27
35-49	127	3.9	14	1	1	3	5	8	10	20
50-64	22	5.5	18	1	1	4	7	12	15	16
65+	22	5.3	65	1	1	3	5	11	22	39
GRAND TOTAL	**779**	**3.5**	**25**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	2.0	2	<1	1	1	2	4	5	9
20-34	299	2.1	2	1	1	1	3	4	5	8
35-49	117	2.5	6	<1	1	1	3	6	9	13
50-64	27	2.7	7	<1	1	2	3	5	9	14
65+	10	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	240	5.2	49	1	1	3	5	12	19	36
20-34	563	5.1	37	1	1	3	6	10	14	33
35-49	223	5.4	30	1	1	4	7	12	16	30
50-64	90	7.1	112	1	1	4	8	12	16	70
65+	62	8.6	115	1	2	6	11	16	18	74
TOT. SINGLE DX	600	2.2	4	1	1	1	3	4	6	10
" MULTIPLE DX	1178	5.5	49	1	1	3	6	12	16	34
TOTAL 0-19 YRS	387	4.0	34	1	1	2	4	8	15	33
20-34	862	4.0	27	1	1	2	5	8	12	31
35-49	340	4.4	24	1	1	3	5	10	14	29
50-64	117	6.1	91	1	1	3	7	12	15	57
65+	72	7.6	105	1	1	5	10	16	18	68
GRAND TOTAL	**1778**	**4.4**	**36**	**1**	**1**	**3**	**5**	**10**	**13**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.3	1	1	1	2	3	4	5	5
20-34	25	2.9	9	1	1	2	4	5	11	13
35-49	25	2.2	4	<1	1	2	2	6	7	9
50-64	18	1.9	2	<1	<1	1	2	5	6	6
65+	10	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	27	2.9	4	1	1	2	3	5	7	10
20-34	39	4.6	29	1	1	2	6	12	18	24
35-49	24	4.0	14	<1	1	3	5	6	12	20
50-64	28	4.0	7	1	2	3	5	8	9	14
65+	20	3.7	9	1	1	3	5	7	11	14
TOT. SINGLE DX	96	2.3	4	<1	1	2	3	4	6	12
" MULTIPLE DX	138	3.9	15	1	1	3	5	8	12	20
TOTAL 0-19 YRS	45	2.6	3	1	1	2	3	5	6	10
20-34	64	3.9	22	1	1	2	4	10	15	23
35-49	49	3.1	10	1	1	2	4	6	8	20
50-64	46	3.2	7	<1	1	2	4	6	8	14
65+	30	2.9	8	1	1	2	3	6	7	14
GRAND TOTAL	**234**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	230	3.8	21	1	1	3	4	7	10	29
20-34	163	4.1	78	<1	1	2	4	6	10	49
35-49	163	3.7	8	<1	1	3	5	7	9	16
50-64	171	4.2	4	<1	1	4	5	7	8	10
65+	46	4.8	9	1	2	4	6	7	11	18
2. MULTIPLE DX										
0-19 YRS	260	4.6	23	1	1	3	5	10	13	26
20-34	219	5.9	75	1	1	4	6	11	20	45
35-49	198	5.1	39	1	1	3	6	10	13	32
50-64	307	5.2	40	1	1	4	6	9	12	43
65+	162	6.7	38	1	1	5	8	13	18	38
TOT. SINGLE DX	773	4.0	26	1	1	3	5	7	9	18
" MULTIPLE DX	1146	5.4	43	1	1	4	6	10	15	39
TOTAL 0-19 YRS	490	4.3	23	1	1	3	5	9	12	28
20-34	382	5.1	77	1	1	3	5	10	15	48
35-49	361	4.4	26	1	1	3	5	8	11	27
50-64	478	4.9	28	1	1	4	6	8	10	33
65+	208	6.3	33	1	2	4	8	13	17	33
GRAND TOTAL	**1919**	**4.8**	**37**	**1**	**1**	**3**	**5**	**9**	**12**	**31**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	1.6		<1	1	1	2	3	3	4
20-34	193	2.0	1	<1	1	2	3	3	4	6
35-49	260	2.1	1	<1	1	2	3	4	4	7
50-64	307	2.1	1	<1	1	2	3	4	4	6
65+	95	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	171	2.0	1	1	1	2	3	4	4	5
20-34	329	2.1	2	1	1	2	3	4	4	8
35-49	611	2.2	1	1	1	2	3	4	5	7
50-64	913	2.4	2	1	1	2	3	4	5	8
65+	702	2.6	4	1	1	2	3	5	6	9
TOT. SINGLE DX	956	2.1	1	<1	1	2	3	4	4	6
" MULTIPLE DX	2726	2.4	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	272	1.8	1	1	1	2	2	3	4	5
20-34	522	2.1	2	<1	1	2	3	4	4	7
35-49	871	2.2	2	<1	1	2	3	4	5	7
50-64	1220	2.3	2	1	1	2	3	4	5	7
65+	797	2.6	4	<1	1	2	3	4	6	9
GRAND TOTAL	**3682**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	785	2.6	8	<1	1	2	3	5	7	17
20-34	1023	2.8	8	<1	1	2	3	6	8	15
35-49	807	2.9	17	<1	1	2	3	5	7	15
50-64	476	3.0	8	<1	1	2	4	6	8	14
65+	226	4.0	24	<1	<1	3	5	8	14	22
2. MULTIPLE DX										
0-19 YRS	484	6.0	75	1	1	3	7	14	23	46
20-34	1216	6.6	90	1	1	3	7	16	26	51
35-49	1142	5.9	77	1	1	3	6	14	21	50
50-64	995	7.7	125	1	1	4	9	20	29	67
65+	977	8.8	98	1	1	6	11	20	29	47
TOT. SINGLE DX	3317	2.9	12	<1	1	2	3	6	8	16
" MULTIPLE DX	4814	7.1	96	1	1	3	8	17	26	52
TOTAL 0-19 YRS	1269	3.9	37	<1	1	2	4	8	13	33
20-34	2239	4.9	57	<1	1	2	5	11	17	42
35-49	1949	4.7	55	<1	1	2	5	10	16	42
50-64	1471	6.2	93	1	1	3	6	15	23	59
65+	1203	7.9	88	1	1	4	10	18	27	46
GRAND TOTAL	**8131**	**5.4**	**66**	**<1**	**1**	**3**	**6**	**12**	**19**	**44**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	379	4.3	29	1	1	3	4	9	16	30
20-34	302	3.4	10	<1	1	2	4	7	9	18
35-49	154	3.7	6	1	1	3	5	7	10	12
50-64	94	4.9	9	1	1	4	7	8	10	16
65+	144	7.2	12	2	3	7	9	12	14	18
2. MULTIPLE DX										
0-19 YRS	238	6.8	70	1	1	4	8	16	25	39
20-34	331	6.8	81	1	1	4	8	14	21	54
35-49	208	6.8	102	1	1	4	7	13	27	56
50-64	227	8.5	87	1	2	6	10	17	28	44
65+	687	10.4	46	3	4	9	13	19	22	41
TOT. SINGLE DX	1073	4.4	18	1	1	3	6	9	12	23
" MULTIPLE DX	1691	8.5	72	1	2	7	11	17	23	44
TOTAL 0-19 YRS	617	5.3	47	1	1	3	5	12	20	35
20-34	633	5.2	51	1	1	3	6	11	15	39
35-49	362	5.5	64	1	1	3	6	10	15	46
50-64	321	7.5	67	1	2	6	9	14	21	42
65+	831	9.9	43	3	4	8	12	18	22	40
GRAND TOTAL	**2764**	**6.9**	**55**	**1**	**1**	**5**	**9**	**14**	**20**	**40**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	528	1.6	4	<1	<1	1	2	3	4	8
20-34	792	1.9	4	<1	<1	1	2	4	5	8
35-49	446	2.1	6	<1	<1	1	2	4	5	10
50-64	313	2.2	6	<1	<1	1	2	4	6	13
65+	230	2.9	10	<1	<1	2	3	7	9	17
2. MULTIPLE DX										
0-19 YRS	195	3.4	34	<1	<1	2	3	6	9	31
20-34	430	4.7	43	<1	1	3	5	10	17	36
35-49	303	4.8	42	1	1	3	6	10	15	40
50-64	291	5.8	58	1	1	3	7	13	20	39
65+	443	7.6	58	1	1	5	10	18	22	39
TOT. SINGLE DX	2309	2.0	6	<1	<1	1	2	4	5	11
" MULTIPLE DX	1662	5.5	51	1	1	3	7	13	19	38
TOTAL 0-19 YRS	723	2.1	13	<1	<1	1	2	4	5	17
20-34	1222	2.9	20	<1	<1	2	3	6	8	26
35-49	749	3.2	22	<1	<1	2	3	6	9	27
50-64	604	3.9	35	<1	<1	2	4	10	14	27
65+	673	6.0	47	<1	1	3	8	15	20	32
GRAND TOTAL	**3971**	**3.5**	**28**	**<1**	**<1**	**2**	**4**	**8**	**12**	**28**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	11.4	115	1	2	7	19	27	33	47
20-34	47	9.1	40	4	5	8	9	14	18	41
35-49	24	9.5	18	3	4	10	12	13	17	21
50-64	46	7.3	17	3	3	7	9	11	15	25
65+	101	8.6	8	4	5	8	11	12	13	16
2. MULTIPLE DX										
0-19 YRS	102	13.4	66	2	5	12	19	24	28	40
20-34	103	13.8	120	4	5	10	17	25	38	62
35-49	42	13.9	187	4	5	10	17	23	35	86
50-64	91	11.4	106	4	5	9	12	17	24	66
65+	721	11.4	45	5	6	10	13	18	25	41
TOT. SINGLE DX	305	9.3	47	3	3	8	11	16	23	40
" MULTIPLE DX	1059	11.9	66	5	6	10	13	20	26	46
TOTAL 0-19 YRS	189	12.5	90	2	2	10	19	24	30	43
20-34	150	12.3	99	4	5	9	14	22	30	58
35-49	66	12.3	130	3	4	10	13	21	27	78
50-64	137	10.0	80	3	4	8	11	16	22	61
65+	822	11.0	42	5	6	10	12	17	23	39
GRAND TOTAL	**1364**	**11.3**	**63**	**4**	**5**	**10**	**13**	**20**	**26**	**45**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	6.0	18	1	2	5	8	11	15	22
20-34	118	7.8	27	2	3	7	10	13	14	30
35-49	119	7.4	27	2	3	6	9	12	16	56
50-64	180	7.9	20	4	4	7	9	12	14	22
65+	837	9.8	15	5	5	9	12	14	17	22
2. MULTIPLE DX										
0-19 YRS	213	12.1	96	3	4	9	15	22	27	53
20-34	323	14.0	119	4	5	11	17	25	39	61
35-49	283	13.3	107	4	5	10	16	25	36	55
50-64	598	12.4	71	5	6	10	15	21	28	54
65+	4899	12.1	49	5	6	11	14	19	24	39
TOT. SINGLE DX	1369	8.8	20	3	4	8	11	14	16	23
" MULTIPLE DX	6316	12.3	60	5	6	11	14	20	25	45
TOTAL 0-19 YRS	328	10.0	78	2	3	8	13	19	24	52
20-34	441	12.4	102	3	4	10	15	22	30	58
35-49	402	11.6	91	3	4	9	14	22	32	55
50-64	778	11.4	63	4	5	9	13	19	25	48
65+	5736	11.8	46	5	6	10	14	18	23	38
GRAND TOTAL	**7685**	**11.7**	**55**	**5**	**6**	**10**	**14**	**19**	**24**	**44**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	7.4	75	1	1	4	8	23	28	35
20-34	9	4.6	26	1	1	2	6	13	17	17
35-49	6	5.5	15	2	2	5	7	12	12	12
50-64	11	8.2	15	2	3	7	11	14	15	15
65+	24	7.0	39	1	1	6	10	14	20	27
2. MULTIPLE DX										
0-19 YRS	158	13.0	146	1	2	9	20	27	39	53
20-34	31	16.3	335	2	2	11	19	49	57	77
35-49	24	10.1	50	1	2	8	15	20	24	28
50-64	18	13.4	163	3	5	8	13	35	44	49
65+	110	13.3	168	3	4	9	17	27	41	68
TOT. SINGLE DX	273	7.3	67	1	1	4	9	20	27	34
" MULTIPLE DX	341	13.2	164	2	3	9	18	28	42	58
TOTAL 0-19 YRS	381	9.7	112	1	1	5	14	24	30	47
20-34	40	13.7	289	1	1	8	15	39	53	77
35-49	30	9.2	46	1	2	7	13	19	23	28
50-64	29	11.4	112	2	4	8	11	28	37	49
65+	134	12.2	151	2	3	8	14	25	39	58
GRAND TOTAL	**614**	**10.6**	**130**	**1**	**1**	**7**	**14**	**24**	**31**	**51**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	361	2.4	11	<1	1	1	2	4	9	19
20-34	191	2.6	16	<1	<1	1	3	5	7	14
35-49	137	2.5	5	<1	<1	2	3	5	7	14
50-64	97	2.1	2	<1	1	2	3	5	6	8
65+	100	2.2	3	1	1	2	2	4	5	12
2. MULTIPLE DX										
0-19 YRS	120	5.1	48	1	1	3	5	13	23	55
20-34	171	5.6	47	1	1	4	7	11	17	40
35-49	103	5.7	37	1	1	3	7	13	20	31
50-64	82	5.3	30	1	1	4	6	11	15	31
65+	153	6.3	69	1	1	4	6	13	18	51
TOT. SINGLE DX	886	2.4	10	<1	1	1	3	5	7	14
" MULTIPLE DX	629	5.7	49	1	1	3	6	12	20	38
TOTAL 0-19 YRS	481	3.1	22	<1	1	2	3	7	12	29
20-34	362	4.0	33	<1	1	2	5	9	12	28
35-49	240	3.9	21	<1	1	2	4	9	13	24
50-64	179	3.6	18	<1	1	2	5	7	10	27
65+	253	4.7	48	1	1	3	5	9	14	44
GRAND TOTAL	**1515**	**3.8**	**29**	**<1**	**1**	**2**	**4**	**8**	**13**	**30**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1853	2.2	2	<1	1	2	3	4	5	8
20-34	2563	2.8	4	1	1	2	4	5	7	10
35-49	1639	3.3	5	1	1	3	4	6	7	11
50-64	1066	3.8	6	1	1	3	5	7	8	13
65+	633	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	886	4.9	53	1	1	3	5	10	14	46
20-34	1963	5.6	43	1	1	4	7	11	17	33
35-49	1370	5.8	40	1	1	4	7	11	17	35
50-64	1141	6.6	47	1	2	5	8	13	18	37
65+	1385	8.0	53	2	2	6	9	15	20	37
TOT. SINGLE DX	7754	3.0	5	1	1	2	4	6	7	12
" MULTIPLE DX	6745	6.2	48	1	1	4	7	12	18	36
TOTAL 0-19 YRS	2739	3.0	21	1	1	2	3	5	8	21
20-34	4526	4.0	23	1	1	3	5	8	11	26
35-49	3009	4.4	23	1	1	3	5	8	11	26
50-64	2207	5.2	30	1	1	4	6	10	14	28
65+	2018	6.8	42	1	2	5	8	13	17	32
GRAND TOTAL	**14499**	**4.5**	**28**	**1**	**1**	**3**	**5**	**9**	**12**	**27**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1925	1.7	3	<1	<1	1	2	3	4	12
20-34	462	2.6	4	<1	1	2	3	5	7	11
35-49	330	2.7	4	<1	1	2	3	5	7	12
50-64	286	2.8	12	<1	1	2	3	5	8	12
65+	232	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	654	4.0	45	1	1	2	4	8	14	33
20-34	513	6.0	76	1	1	3	7	12	20	44
35-49	345	5.9	84	1	1	3	6	11	20	54
50-64	334	5.5	42	1	1	4	7	11	16	29
65+	699	5.9	38	1	1	4	7	12	16	31
TOT. SINGLE DX	3235	2.1	5	<1	<1	1	2	4	6	11
" MULTIPLE DX	2545	5.4	55	1	1	3	6	11	16	38
TOTAL 0-19 YRS	2579	2.3	16	<1	<1	1	2	4	7	19
20-34	975	4.4	45	<1	1	2	5	9	13	35
35-49	675	4.4	48	<1	1	3	5	9	12	31
50-64	620	4.2	31	1	1	3	5	9	12	27
65+	931	5.1	32	1	1	3	6	11	14	26
GRAND TOTAL	**5780**	**3.5**	**30**	**<1**	**1**	**2**	**4**	**8**	**11**	**25**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	141	3.6	18	<1	1	2	4	10	14	18
20-34	106	1.8	3	<1	<1	1	2	3	5	11
35-49	62	2.2	9	<1	<1	1	2	4	7	20
50-64	77	2.5	6	<1	<1	2	3	6	10	12
65+	180	3.7	13	<1	1	2	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	82	4.4	27	1	1	3	5	9	19	77
20-34	138	6.3	71	<1	1	3	7	14	23	43
35-49	67	6.6	82	1	1	2	8	16	24	51
50-64	106	5.4	54	1	1	3	7	11	15	49
65+	303	6.7	55	1	1	4	9	13	18	48
TOT. SINGLE DX	566	3.0	12	<1	<1	2	4	7	10	17
" MULTIPLE DX	696	6.1	58	1	1	4	8	13	19	46
TOTAL 0-19 YRS	223	3.9	22	<1	1	2	4	10	15	27
20-34	244	4.3	47	<1	<1	2	5	10	15	41
35-49	129	4.5	52	<1	1	2	5	12	20	34
50-64	183	4.2	36	<1	1	2	5	10	12	37
65+	483	5.6	41	1	1	4	7	12	16	32
GRAND TOTAL	**1262**	**4.7**	**40**	**<1**	**1**	**3**	**6**	**11**	**15**	**39**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	2.3	6	<1	1	2	3	4	5	17
20-34	184	2.0	1	<1	1	2	3	4	4	7
35-49	70	1.9	2	1	1	1	2	4	5	8
50-64	30	3.6	14	1	1	3	4	6	7	21
65+	19	4.5	15	<1	1	4	5	10	15	17
2. MULTIPLE DX										
0-19 YRS	63	5.2	45	1	1	3	6	13	21	34
20-34	113	4.4	39	1	1	3	5	8	12	38
35-49	54	4.9	39	1	1	3	5	11	16	36
50-64	25	6.6	42	1	1	4	8	15	21	28
65+	42	11.6	196	1	2	8	13	23	28	87
TOT. SINGLE DX	411	2.3	5	1	1	2	3	4	5	14
" MULTIPLE DX	297	5.9	68	1	1	3	7	13	20	36
TOTAL 0-19 YRS	171	3.4	23	1	1	2	3	6	13	29
20-34	297	2.9	17	1	1	2	3	5	8	14
35-49	124	3.2	21	1	1	2	3	6	11	29
50-64	55	5.0	29	1	1	3	6	13	18	28
65+	61	9.4	150	1	2	6	12	20	24	81
GRAND TOTAL	**708**	**3.8**	**34**	**1**	**1**	**2**	**4**	**7**	**13**	**27**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	336	2.4	6	<1	<1	1	3	5	8	14
20-34	378	2.7	8	<1	1	2	3	5	9	14
35-49	247	2.5	5	<1	<1	2	3	5	7	14
50-64	117	4.2	27	<1	<1	2	5	11	15	29
65+	72	6.9	68	1	1	5	8	14	20	50
2. MULTIPLE DX										
0-19 YRS	317	5.7	59	<1	1	3	6	14	19	42
20-34	505	4.2	31	<1	1	2	5	10	15	29
35-49	380	5.7	77	<1	1	3	6	13	24	52
50-64	298	7.6	107	1	1	3	10	17	28	54
65+	376	13.9	192	1	2	10	19	29	47	66
TOT. SINGLE DX	1150	3.0	14	<1	<1	2	3	6	10	18
" MULTIPLE DX	1876	7.3	102	<1	1	3	9	18	27	54
TOTAL 0-19 YRS	653	4.0	35	<1	<1	2	4	9	14	31
20-34	883	3.6	22	<1	1	2	4	8	12	21
35-49	627	4.5	52	<1	1	2	4	9	16	47
50-64	415	6.7	88	<1	1	3	8	16	22	49
65+	448	12.8	179	1	2	9	16	28	44	65
GRAND TOTAL	**3026**	**5.6**	**73**	**<1**	**1**	**3**	**6**	**14**	**21**	**49**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	4.8	8	1	2	4	6	9	11	15
20-34	2875	5.4	9	2	2	5	7	9	11	16
35-49	4213	5.5	10	2	2	5	7	9	12	17
50-64	1742	5.9	11	2	3	5	7	10	13	19
65+	513	7.2	14	3	3	6	9	12	14	21
2. MULTIPLE DX										
0-19 YRS	48	9.6	64	2	3	7	14	21	25	36
20-34	1032	7.6	36	3	3	6	9	13	18	29
35-49	2260	7.2	25	2	3	6	9	13	16	25
50-64	1819	7.9	37	3	3	6	9	14	17	31
65+	1217	10.3	49	4	5	8	12	18	23	43
TOT. SINGLE DX	9444	5.6	10	2	3	5	7	9	12	18
" MULTIPLE DX	6376	8.1	36	3	3	7	10	14	19	32
TOTAL 0-19 YRS	149	6.4	31	2	2	5	7	13	18	35
20-34	3907	5.9	17	2	3	5	7	10	13	21
35-49	6473	6.1	16	2	3	5	7	11	13	22
50-64	3561	6.9	25	2	3	6	8	12	15	24
65+	1730	9.4	41	3	4	8	11	17	21	35
GRAND TOTAL	**15820**	**6.6**	**22**	**2**	**3**	**5**	**8**	**12**	**15**	**24**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	1.3		<1	<1	1	1	3	3	5
20-34	432	1.4		<1	<1	1	1	3	3	6
35-49	320	1.4	1	<1	<1	1	1	2	4	8
50-64	196	1.5	1	<1	<1	1	1	3	4	6
65+	85	1.7	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	275	2.2	2	<1	<1	2	3	4	5	9
20-34	848	2.2	4	<1	<1	2	3	4	5	9
35-49	628	2.1	3	<1	<1	1	2	4	6	9
50-64	584	2.0	6	<1	<1	1	2	4	6	10
65+	402	2.3	6	<1	<1	1	3	5	7	12
TOT. SINGLE DX	1177	1.4	1	<1	<1	1	1	3	4	6
" MULTIPLE DX	2737	2.1	5	<1	<1	1	3	4	6	10
TOTAL 0-19 YRS	419	1.9	2	<1	<1	1	3	4	5	8
20-34	1280	2.0	3	<1	<1	1	2	4	5	8
35-49	948	1.8	3	<1	<1	1	2	4	5	9
50-64	780	1.9	5	<1	<1	1	2	4	5	8
65+	487	2.2	6	<1	<1	1	2	4	6	11
GRAND TOTAL	**3914**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	480	1.8	4	<1	<1	1	1	3	5	14
20-34	821	1.7	4	<1	<1	1	2	3	4	10
35-49	483	1.9	6	<1	<1	1	2	3	5	11
50-64	272	1.9	4	<1	<1	1	2	4	6	11
65+	114	2.4	6	<1	<1	1	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	353	3.1	18	<1	<1	1	3	7	14	22
20-34	817	2.9	18	<1	<1	1	3	6	10	22
35-49	662	3.1	33	<1	<1	1	3	6	11	32
50-64	509	3.7	30	<1	<1	2	4	9	13	30
65+	417	6.4	72	<1	<1	3	8	17	25	40
TOT. SINGLE DX	2170	1.8	5	<1	<1	1	2	3	5	11
" MULTIPLE DX	2758	3.7	34	<1	<1	2	3	9	15	31
TOTAL 0-19 YRS	833	2.3	11	<1	<1	1	2	5	9	19
20-34	1638	2.3	12	<1	<1	1	2	4	7	17
35-49	1145	2.6	22	<1	<1	1	2	5	7	27
50-64	781	3.1	22	<1	<1	1	3	7	11	24
65+	531	5.5	60	<1	<1	2	6	15	23	39
GRAND TOTAL	**4928**	**2.9**	**22**	**<1**	**<1**	**1**	**3**	**6**	**11**	**24**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	7.7	7	4	4	8	9	10	12	18
20-34	220	7.9	16	3	4	7	9	13	16	23
35-49	320	6.8	14	2	3	6	9	12	14	19
50-64	131	6.4	15	2	3	5	8	12	14	19
65+	38	7.9	40	2	3	6	9	14	20	36
2. MULTIPLE DX										
0-19 YRS	145	12.2	92	5	6	9	13	21	30	53
20-34	329	12.3	94	4	5	9	15	25	33	81
35-49	455	10.5	65	3	4	8	11	19	29	41
50-64	367	11.3	95	3	4	8	13	23	30	63
65+	188	13.7	128	4	5	11	16	24	38	65
TOT. SINGLE DX	836	7.2	16	2	3	7	9	12	14	21
" MULTIPLE DX	1484	11.7	91	4	5	9	13	23	31	61
TOTAL 0-19 YRS	272	10.1	58	4	5	8	11	16	22	37
20-34	549	10.6	68	3	5	8	12	19	27	65
35-49	775	8.9	48	3	3	7	10	16	22	37
50-64	498	10.0	79	3	4	8	11	19	26	52
65+	226	12.7	118	3	4	10	15	23	35	64
GRAND TOTAL	**2320**	**10.1**	**68**	**3**	**4**	**8**	**11**	**18**	**25**	**46**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.8	5	<1	1	2	4	5	8	11
20-34	164	2.7	3	<1	1	2	4	5	6	12
35-49	190	3.2	4	<1	1	3	5	6	7	10
50-64	226	3.0	4	<1	<1	2	4	6	7	10
65+	103	3.0	5	<1	<1	2	4	7	8	10
2. MULTIPLE DX										
0-19 YRS	82	3.1	2	<1	1	3	4	5	6	8
20-34	259	4.3	28	1	1	3	5	9	13	28
35-49	253	4.3	11	1	1	3	5	8	10	19
50-64	353	3.8	8	1	1	3	5	7	9	12
65+	237	5.2	53	<1	1	3	6	10	18	32
TOT. SINGLE DX	744	3.0	5	<1	1	2	4	6	7	10
" MULTIPLE DX	1184	4.2	22	1	1	3	5	8	10	25
TOTAL 0-19 YRS	143	3.0	4	<1	1	2	4	5	7	10
20-34	423	3.7	20	1	1	3	4	7	10	20
35-49	443	3.8	9	1	1	3	5	7	9	14
50-64	579	3.5	7	<1	1	3	5	7	8	12
65+	340	4.5	40	<1	<1	3	5	8	13	29
GRAND TOTAL	**1928**	**3.7**	**16**	**<1**	**1**	**3**	**5**	**7**	**9**	**19**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	9.9	33	7	7	8	9	18	26	26
20-34	74	8.5	7	4	5	8	10	11	13	18
35-49	194	9.0	13	5	5	8	10	13	15	25
50-64	687	9.0	7	5	6	9	11	13	14	16
65+	1290	10.2	13	6	7	10	12	14	16	21
2. MULTIPLE DX										
0-19 YRS	10	8.7	8	5	6	8	10	13	14	14
20-34	128	9.7	28	5	5	9	11	15	18	37
35-49	372	10.7	37	6	6	10	12	16	19	45
50-64	1228	11.0	37	6	7	10	12	16	20	32
65+	4118	12.1	40	6	7	11	14	18	22	37
TOT. SINGLE DX	2255	9.7	12	5	6	9	11	14	15	20
" MULTIPLE DX	5856	11.8	40	6	7	10	13	17	21	36
TOTAL 0-19 YRS	20	9.3	20	6	7	8	10	13	20	26
20-34	202	9.2	21	5	5	8	10	13	17	29
35-49	566	10.1	30	5	6	9	11	15	18	33
50-64	1915	10.3	28	5	6	9	12	15	18	28
65+	5408	11.7	35	6	7	10	13	17	21	34
GRAND TOTAL	**8111**	**11.2**	**33**	**6**	**7**	**10**	**13**	**16**	**20**	**33**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	5.6	16	<1	2	4	8	10	14	16
20-34	23	5.5	7	1	2	5	8	9	10	10
35-49	30	8.9	34	2	4	7	11	13	14	35
50-64	102	8.7	5	5	6	9	10	12	13	15
65+	474	10.2	16	5	6	9	12	15	17	24
2. MULTIPLE DX										
0-19 YRS	13	11.7	64	2	3	10	14	25	29	30
20-34	22	13.5	174	4	5	8	14	34	49	56
35-49	57	10.2	33	2	4	10	13	16	22	29
50-64	255	11.8	52	5	6	10	13	21	28	71
65+	2801	12.5	47	6	7	11	14	19	24	39
TOT. SINGLE DX	644	9.6	16	5	6	9	11	14	17	22
" MULTIPLE DX	3148	12.4	49	6	7	11	14	19	25	41
TOTAL 0-19 YRS	28	8.4	46	1	2	7	11	16	25	30
20-34	45	9.4	103	2	3	7	9	14	33	56
35-49	87	9.8	34	2	4	9	12	15	21	33
50-64	357	11.0	41	5	6	9	12	16	25	42
65+	3275	12.2	44	6	7	11	14	19	23	37
GRAND TOTAL	**3792**	**11.9**	**44**	**6**	**7**	**10**	**14**	**19**	**23**	**37**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	635	2.9	2	1	1	3	4	4	5	7
20-34	1146	3.1	2	1	1	3	4	5	6	9
35-49	397	4.0	9	<1	1	3	5	8	11	15
50-64	575	8.4	14	2	4	8	10	13	15	20
65+	1358	9.7	11	5	6	9	12	14	15	18
2. MULTIPLE DX										
0-19 YRS	638	3.5	3	1	1	3	4	6	7	11
20-34	1639	3.7	5	1	2	3	4	6	7	12
35-49	785	4.7	18	1	1	4	5	9	12	22
50-64	1005	9.2	23	2	4	9	11	15	16	26
65+	3200	11.1	25	5	7	10	13	16	19	29
TOT. SINGLE DX	4111	6.1	17	1	2	5	9	12	14	17
" MULTIPLE DX	7267	7.8	30	2	2	7	11	14	16	25
TOTAL 0-19 YRS	1273	3.2	3	1	1	3	4	5	6	11
20-34	2785	3.4	5	1	1	3	4	5	7	11
35-49	1182	4.5	15	1	1	4	5	9	12	19
50-64	1580	8.9	20	2	4	9	11	14	16	23
65+	4558	10.7	22	5	6	10	13	15	18	26
GRAND TOTAL	**11378**	**7.2**	**26**	**1**	**2**	**6**	**10**	**13**	**16**	**22**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	529	2.0	1	1	1	2	2	3	4	5
20-34	1436	2.1	1	1	1	2	3	4	4	6
35-49	763	2.2	1	1	1	2	3	4	4	6
50-64	575	2.4	3	1	1	2	3	4	5	10
65+	313	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	168	2.8	9	1	1	2	3	5	7	26
20-34	597	2.5	6	1	1	2	3	4	5	10
35-49	628	2.6	4	1	1	2	3	5	6	10
50-64	744	3.0	7	1	1	2	4	5	7	14
65+	600	4.4	17	1	1	3	5	9	12	21
TOT. SINGLE DX	3616	2.2	2	1	1	2	3	4	5	8
" MULTIPLE DX	2737	3.1	9	1	1	2	4	6	8	15
TOTAL 0-19 YRS	697	2.2	3	1	1	2	3	4	5	8
20-34	2033	2.2	3	1	1	2	3	4	4	7
35-49	1391	2.4	3	1	1	2	3	4	5	8
50-64	1319	2.8	6	1	1	2	3	5	6	12
65+	913	4.0	14	1	1	3	5	8	11	18
GRAND TOTAL	**6353**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	207	2.6	7	<1	<1	2	3	5	8	14
20-34	242	2.6	4	<1	<1	2	4	6	7	10
35-49	173	2.3	4	<1	<1	1	3	5	7	11
50-64	114	2.0	4	<1	<1	1	2	4	6	11
65+	52	2.2	7	<1	<1	<1	2	6	9	13
2. MULTIPLE DX										
0-19 YRS	232	4.4	26	<1	1	3	5	10	14	24
20-34	278	5.8	40	1	1	4	7	12	18	39
35-49	226	5.9	37	1	1	4	8	13	18	32
50-64	159	6.9	77	<1	1	4	8	15	19	56
65+	179	8.7	82	1	1	6	9	18	27	46
TOT. SINGLE DX	788	2.4	6	<1	<1	1	3	5	7	13
" MULTIPLE DX	1074	6.2	51	1	1	4	7	13	19	40
TOTAL 0-19 YRS	439	3.5	18	<1	<1	2	4	8	12	22
20-34	520	4.3	26	<1	<1	3	5	9	12	32
35-49	399	4.4	26	<1	<1	2	5	10	14	29
50-64	273	4.9	53	<1	<1	2	6	11	16	44
65+	231	7.3	73	<1	<1	5	8	16	25	45
GRAND TOTAL	**1862**	**4.6**	**35**	**<1**	**<1**	**3**	**5**	**10**	**15**	**31**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	1.3		<1	<1	<1	1	2	3	6
20-34	219	1.5	1	<1	<1	<1	1	3	4	8
35-49	197	1.6	1	<1	<1	1	2	3	5	7
50-64	131	2.3	8	<1	<1	1	2	4	8	18
65+	91	2.1	2	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	43	4.5	76	<1	<1	2	4	10	15	55
20-34	108	6.3	70	<1	<1	2	8	16	26	38
35-49	124	5.7	78	<1	<1	3	5	14	22	53
50-64	166	6.5	103	<1	1	3	7	15	25	48
65+	234	7.5	82	<1	1	5	10	17	24	45
TOT. SINGLE DX	759	1.7	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	675	6.5	85	<1	1	3	8	16	24	47
TOTAL 0-19 YRS	164	2.1	22	<1	<1	1	2	3	7	17
20-34	327	3.1	29	<1	<1	1	2	7	12	33
35-49	321	3.2	35	<1	<1	1	3	6	12	34
50-64	297	4.7	66	<1	<1	2	4	10	19	42
65+	325	6.0	66	<1	<1	3	7	14	20	39
GRAND TOTAL	**1434**	**4.0**	**47**	**<1**	**<1**	**1**	**4**	**9**	**16**	**36**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.9	3	<1	<1	1	2	5	6	6
20-34	29	2.1	3	<1	<1	1	2	6	6	7
35-49	46	1.7	3	<1	<1	1	1	4	6	9
50-64	123	1.2		<1	<1	1	1	2	2	5
65+	91	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
0-19 YRS	10	3.8	10	<1	<1	3	6	9	10	10
20-34	29	3.7	17	<1	<1	2	4	12	14	15
35-49	35	2.9	11	<1	<1	2	3	7	10	16
50-64	85	1.8	6	<1	1	1	2	2	4	17
65+	103	2.2	9	<1	1	1	2	4	9	18
TOT. SINGLE DX	297	1.4	1	<1	<1	1	1	2	4	6
" MULTIPLE DX	262	2.4	10	<1	<1	1	2	5	10	17
TOTAL 0-19 YRS	18	2.9	8	<1	<1	2	4	7	9	10
20-34	58	2.9	11	<1	<1	2	3	7	12	15
35-49	81	2.2	7	<1	<1	1	2	6	8	14
50-64	208	1.5	3	<1	<1	1	1	2	3	11
65+	194	1.7	5	<1	<1	1	2	3	4	15
GRAND TOTAL	**559**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**6**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	183	1.3		<1	<1	1	1	2	3	5
20-34	316	1.5	1	<1	<1	1	2	3	3	7
35-49	132	1.6	1	<1	<1	1	2	3	4	7
50-64	72	1.3		<1	<1	1	1	2	3	4
65+	27	1.9	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	196	1.8	1	<1	1	1	2	3	5	7
20-34	425	2.4	8	<1	1	1	3	4	8	15
35-49	200	2.1	3	<1	1	1	2	4	6	10
50-64	100	2.1	4	<1	1	1	2	4	5	14
65+	59	2.4	4	<1	<1	1	3	5	6	11
TOT. SINGLE DX	730	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	980	2.2	5	<1	1	1	2	4	6	13
TOTAL 0-19 YRS	379	1.5	1	<1	<1	1	2	3	4	6
20-34	741	2.0	5	<1	<1	1	2	4	5	13
35-49	332	1.9	3	<1	<1	1	2	4	5	10
50-64	172	1.7	3	<1	<1	1	2	3	4	12
65+	86	2.2	4	<1	1	1	3	5	5	11
GRAND TOTAL	**1710**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	1.8	2	<1	<1	1	2	4	4	7
20-34	443	2.0	2	<1	1	2	2	4	5	9
35-49	520	2.4	3	<1	1	2	3	4	6	8
50-64	577	2.6	2	1	1	2	3	4	5	8
65+	264	3.0	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	102	3.4	29	<1	1	2	3	6	9	35
20-34	282	3.3	24	<1	1	2	4	6	9	14
35-49	329	3.5	12	1	1	3	4	6	10	20
50-64	554	3.5	9	1	1	3	4	6	9	17
65+	445	4.8	31	1	1	3	5	8	13	28
TOT. SINGLE DX	1940	2.4	3	<1	1	2	3	4	5	8
" MULTIPLE DX	1712	3.8	20	1	1	3	4	7	10	22
TOTAL 0-19 YRS	238	2.5	14	<1	1	2	3	4	6	18
20-34	725	2.5	11	<1	1	2	3	5	7	12
35-49	849	2.9	7	<1	1	2	3	5	7	15
50-64	1131	3.1	6	1	1	3	4	5	7	13
65+	709	4.2	21	1	1	3	5	7	10	25
GRAND TOTAL	**3652**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**7**	**16**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	300	2.0	1	<1	1	2	3	3	4	6
20-34	309	2.5	4	<1	1	2	3	4	5	11
35-49	245	2.3	2	<1	1	2	3	4	5	10
50-64	122	2.6	3	1	1	2	3	4	6	11
65+	42	3.9	6	1	1	3	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	316	3.0	27	1	1	2	3	4	6	34
20-34	201	4.2	69	1	1	2	4	8	13	94
35-49	158	4.7	63	1	1	2	4	10	20	46
50-64	126	4.2	33	1	1	3	5	7	11	37
65+	94	7.2	83	1	1	4	8	19	46	99+
TOT. SINGLE DX	1018	2.4	3	<1	1	2	3	4	5	10
" MULTIPLE DX	895	4.2	51	1	1	2	4	7	15	50
TOTAL 0-19 YRS	616	2.5	15	<1	1	2	3	4	5	15
20-34	510	3.2	31	1	1	2	3	5	8	40
35-49	403	3.3	28	1	1	2	3	5	9	27
50-64	248	3.4	19	1	1	2	4	6	8	26
65+	136	6.2	62	1	1	4	7	16	23	99+
GRAND TOTAL	**1913**	**3.2**	**27**	**1**	**1**	**2**	**3**	**5**	**8**	**33**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.6	2	<1	<1	1	1	3	4	10
20-34	92	1.7	1	<1	<1	1	2	3	4	8
35-49	32	1.6	1	<1	<1	1	2	3	4	5
50-64	31	1.6		<1	<1	1	2	3	4	5
65+	25	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	31	3.7	39	1	1	2	4	6	13	35
20-34	102	3.2	17	<1	1	2	3	8	11	22
35-49	103	5.3	109	<1	1	2	5	12	16	64
50-64	73	5.0	41	<1	1	2	7	12	21	31
65+	74	6.8	105	<1	1	2	7	19	29	53
TOT. SINGLE DX	219	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	383	4.9	66	<1	1	2	5	11	18	38
TOTAL 0-19 YRS	70	2.5	20	<1	1	1	2	5	6	31
20-34	194	2.5	11	<1	<1	1	3	5	9	18
35-49	135	4.4	86	<1	1	2	4	10	15	48
50-64	104	4.0	32	<1	1	2	4	10	16	29
65+	99	5.5	84	<1	1	2	5	14	25	53
GRAND TOTAL	**602**	**3.7**	**45**	**<1**	**1**	**2**	**3**	**8**	**14**	**31**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.0	20	1	1	2	5	12	12	12
20-34	3	4.7	8	3	3	3	7	8	8	8
35-49	6	3.0	4	1	1	2	3	7	7	7
50-64	4	5.3	14	2	2	5	8	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	5	10.8	64	5	5	6	16	24	24	24
20-34	8	10.5	58	2	2	8	17	22	22	22
35-49	9	8.3	81	1	1	5	9	24	29	29
50-64	7	15.3	427	4	4	5	14	52	61	61
65+	13	12.5	276	1	1	7	14	27	58	65
TOT. SINGLE DX	19	4.2	10	1	1	3	7	9	11	12
" MULTIPLE DX	42	11.5	181	1	2	6	13	23	42	65
TOTAL 0-19 YRS	10	7.4	51	1	1	5	12	18	24	24
20-34	11	8.9	50	2	2	7	12	21	22	22
35-49	15	6.2	55	1	1	4	7	17	26	29
50-64	11	11.6	286	2	2	5	12	33	59	61
65+	14	12.1	259	1	1	7	13	23	56	65
GRAND TOTAL	**61**	**9.2**	**138**	**1**	**2**	**6**	**12**	**19**	**26**	**65**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.1	2	<1	<1	2	2	4	7	7
20-34	27	3.4	16	<1	<1	2	4	7	10	21
35-49	18	4.6	27	<1	<1	3	4	14	17	18
50-64	13	5.3	14	1	2	5	7	10	14	15
65+	23	5.1	12	<1	1	6	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	21	4.7	38	<1	1	2	5	13	22	24
20-34	65	9.4	93	1	1	7	11	22	32	45
35-49	145	13.2	120	2	2	12	17	27	32	45
50-64	297	12.3	129	1	2	9	16	25	33	54
65+	498	11.2	97	1	2	9	14	23	31	48
TOT. SINGLE DX	93	4.2	16	<1	<1	3	6	9	13	20
" MULTIPLE DX	1026	11.6	110	1	2	9	15	24	32	49
TOTAL 0-19 YRS	33	3.7	26	<1	1	2	4	7	18	24
20-34	92	7.6	78	<1	1	5	9	20	30	42
35-49	163	12.2	118	1	2	11	16	25	32	43
50-64	310	12.0	126	1	2	9	16	25	32	53
65+	521	11.0	96	1	2	9	14	22	30	47
GRAND TOTAL	**1119**	**11.0**	**106**	**1**	**2**	**8**	**15**	**23**	**30**	**48**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	10.0	102	3	3	6	16	25	25	25
20-34	7	6.0	34	<1	<1	3	9	16	17	17
35-49	6	6.0	3	3	3	6	8	8	8	8
50-64	4	10.0	28	4	4	10	14	15	15	15
65+	11	10.3	21	5	5	10	12	17	21	21
2. MULTIPLE DX										
0-19 YRS	6	24.2	675	6	6	17	23	70	75	75
20-34	45	18.4	229	5	6	17	26	49	83	99+
35-49	94	16.7	182	5	7	12	19	31	51	69
50-64	226	18.0	161	6	7	15	23	33	45	94
65+	591	16.7	146	5	6	13	21	31	40	63
TOT. SINGLE DX	32	8.5	31	2	3	7	11	16	21	25
" MULTIPLE DX	962	17.1	160	5	6	14	22	32	44	81
TOTAL 0-19 YRS	10	18.5	463	3	4	10	23	50	75	75
20-34	52	16.7	220	3	4	14	23	42	75	99+
35-49	100	16.0	178	5	6	11	18	31	50	68
50-64	230	17.9	160	6	7	15	23	33	45	93
65+	602	16.6	145	5	6	13	21	31	40	63
GRAND TOTAL	**994**	**16.9**	**158**	**5**	**6**	**13**	**21**	**32**	**44**	**81**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	9.8	154	2	2	6	8	31	40	40
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	8.0	21	3	3	9	11	12	12	12
50-64	5	9.8	42	5	5	7	13	21	21	21
65+	13	7.7	11	3	4	8	9	11	16	17
2. MULTIPLE DX										
0-19 YRS	5	9.0	101	4	4	5	11	27	27	27
20-34	7	18.7	236	3	4	16	23	44	49	49
35-49	19	19.4	255	1	3	15	26	37	52	65
50-64	93	15.7	104	6	7	13	20	28	33	60
65+	503	14.4	116	3	5	11	19	29	35	70
TOT. SINGLE DX	30	8.6	51	3	3	7	9	14	21	40
" MULTIPLE DX	627	14.7	121	4	5	12	19	29	36	68
TOTAL 0-19 YRS	13	9.5	124	2	3	5	8	30	38	40
20-34	8	17.3	220	3	4	12	23	41	49	49
35-49	22	17.8	237	1	3	13	25	37	48	65
50-64	98	15.4	103	6	6	12	20	28	32	58
65+	516	14.2	115	3	5	11	19	29	35	69
GRAND TOTAL	**657**	**14.5**	**119**	**3**	**5**	**11**	**19**	**29**	**36**	**67**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.0	8	2	2	5	7	8	8	8
20-34	3	20.0	148	12	12	14	29	34	34	34
35-49	4	7.0	2	6	6	7	8	9	9	9
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	3	12.7	374	1	1	2	27	35	35	35
2. MULTIPLE DX										
0-19 YRS	9	7.7	50	1	1	7	10	19	24	24
20-34	14	13.7	304	1	2	8	12	49	57	59
35-49	50	16.0	170	3	4	12	21	36	48	54
50-64	89	18.0	186	4	4	14	25	39	44	64
65+	149	16.3	157	4	5	13	20	31	43	66
TOT. SINGLE DX	16	9.4	110	<1	1	6	10	32	35	35
" MULTIPLE DX	311	16.4	172	3	4	12	21	35	44	65
TOTAL 0-19 YRS	13	6.8	37	1	2	7	9	14	22	24
20-34	17	14.8	272	1	2	9	14	45	55	59
35-49	54	15.4	163	3	4	11	19	35	46	54
50-64	91	17.7	188	3	4	14	25	39	44	64
65+	152	16.2	160	4	5	13	20	32	43	66
GRAND TOTAL	**327**	**16.1**	**171**	**3**	**4**	**12**	**21**	**35**	**44**	**64**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	4.1	30	1	1	2	5	7	14	29
20-34	21	3.7	7	<1	1	3	5	7	9	11
35-49	14	5.0	10	1	2	5	7	10	12	12
50-64	6	6.2	11	1	1	6	8	11	11	11
65+	3	3.3	4	<1	<1	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	20	9.9	70	2	3	7	10	28	29	29
20-34	21	7.8	32	1	1	7	11	17	18	18
35-49	14	6.3	8	2	3	6	7	11	12	12
50-64	8	7.3	78	1	2	4	8	23	28	28
65+	7	10.9	105	1	1	7	18	26	28	28
TOT. SINGLE DX	72	4.3	17	1	1	3	6	8	11	25
" MULTIPLE DX	70	8.3	50	1	2	6	11	18	28	29
TOTAL 0-19 YRS	48	6.5	54	1	1	5	7	13	28	29
20-34	42	5.8	24	1	1	5	7	14	17	18
35-49	28	5.6	10	2	2	5	7	11	12	12
50-64	14	6.8	47	1	1	4	8	13	25	28
65+	10	8.6	84	<1	<1	5	14	24	28	28
GRAND TOTAL	**142**	**6.3**	**37**	**1**	**1**	**5**	**7**	**12**	**19**	**29**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.0	7	<1	<1	2	4	8	8	8
20-34	26	2.3	3	<1	<1	2	3	6	21	99+
35-49	28	2.3	2	<1	1	2	3	5	5	6
50-64	13	3.8	16	<1	<1	3	4	10	14	15
65+	8	7.8	144	<1	<1	2	9	29	36	36
2. MULTIPLE DX										
0-19 YRS	11	2.1	2	<1	<1	1	3	5	5	5
20-34	31	7.0	116	<1	1	3	8	15	25	57
35-49	43	8.8	120	1	1	6	12	19	46	99+
50-64	76	10.7	135	1	2	8	12	20	25	69
65+	139	11.3	113	1	2	8	17	25	29	86
TOT. SINGLE DX	81	3.1	20	<1	<1	2	4	6	10	79
" MULTIPLE DX	300	10.0	119	1	1	7	12	23	28	80
TOTAL 0-19 YRS	17	2.4	4	<1	<1	2	3	5	7	8
20-34	57	4.8	70	<1	<1	2	5	12	22	97
35-49	71	6.3	84	1	1	3	7	16	25	91
50-64	89	9.7	124	1	1	7	11	19	23	66
65+	147	11.1	115	1	2	8	16	25	30	85
GRAND TOTAL	**381**	**8.5**	**106**	**1**	**1**	**5**	**11**	**21**	**27**	**82**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.5	35	1	1	3	9	14	14	14
50-64	3	4.0	13	1	1	3	7	8	8	8
65+	6	7.3	24	1	1	8	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	2	13.5	85	7	7	13	20	20	20	20
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	5	3.6	10	1	1	2	6	8	8	8
65+	8	7.9	6	5	5	8	10	11	12	12
TOT. SINGLE DX	15	5.3	23	1	1	4	10	12	14	14
" MULTIPLE DX	19	6.4	21	<1	1	6	9	11	16	20
TOTAL 0-19 YRS	3	9.3	94	1	1	7	17	20	20	20
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	6	4.5	24	<1	<1	3	5	13	14	14
50-64	8	3.8	10	1	1	2	7	8	8	8
65+	14	7.6	13	2	3	8	11	12	12	12
GRAND TOTAL	**34**	**5.9**	**21**	**1**	**1**	**5**	**9**	**12**	**14**	**20**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.3		<1	<1	<1	1	2	4	4
20-34	208	1.4		<1	<1	<1	1	2	4	6
35-49	593	1.5	1	<1	<1	<1	1	3	4	6
50-64	582	1.5	1	<1	<1	<1	2	3	4	6
65+	395	2.0	4	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	5	3.0	15	<1	<1	1	4	10	10	10
20-34	123	2.5	15	<1	<1	1	2	5	8	21
35-49	465	3.0	25	<1	<1	1	3	6	10	36
50-64	573	3.2	36	<1	<1	2	3	6	10	25
65+	741	4.0	20	<1	<1	2	5	10	13	23
TOT. SINGLE DX	1813	1.6	2	<1	<1	<1	2	3	4	6
" MULTIPLE DX	1907	3.4	26	<1	<1	2	4	7	11	26
TOTAL 0-19 YRS	40	1.5	2	<1	<1	<1	1	3	4	10
20-34	331	1.8	7	<1	<1	<1	2	3	5	10
35-49	1058	2.1	12	<1	<1	1	2	4	6	15
50-64	1155	2.3	20	<1	<1	1	2	4	6	18
65+	1136	3.3	16	<1	<1	2	4	7	11	21
GRAND TOTAL	**3720**	**2.5**	**15**	**<1**	**<1**	**1**	**3**	**5**	**8**	**18**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	20	2.4	1	<1	1	2	3	4	5	5
35-49	78	3.3	2	1	1	3	4	5	6	9
50-64	108	3.4	3	1	1	3	4	5	6	10
65+	133	3.5	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	3.1	1	1	1	3	4	5	6	6
35-49	150	3.4	3	1	2	3	4	5	6	8
50-64	213	4.0	10	1	2	3	5	7	8	15
65+	312	4.8	24	1	2	4	6	9	12	28
TOT. SINGLE DX	344	3.3	3	1	1	3	4	5	6	9
" MULTIPLE DX	708	4.2	15	1	2	3	5	7	9	16
TOTAL 0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	52	2.8	2	1	1	3	4	5	5	6
35-49	228	3.4	3	1	1	3	4	5	6	8
50-64	321	3.8	8	1	2	3	5	6	8	14
65+	445	4.4	18	1	2	4	5	8	10	22
GRAND TOTAL	**1052**	**3.9**	**11**	**1**	**1**	**3**	**5**	**6**	**9**	**14**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	69	3.9	3	2	2	4	5	6	7	11
35-49	493	3.6	2	2	2	3	4	5	6	9
50-64	801	3.7	2	2	2	3	4	6	7	8
65+	884	4.0	2	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	78	4.0	3	2	2	4	5	5	9	11
35-49	724	4.0	4	2	2	4	5	6	7	11
50-64	1321	4.3	5	2	2	4	5	7	8	12
65+	2111	4.9	8	2	2	4	6	8	10	16
TOT. SINGLE DX	2249	3.8	3	2	2	4	5	6	7	9
" MULTIPLE DX	4235	4.6	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	3	4.3	16	2	2	2	7	9	9	9
20-34	147	4.0	4	2	2	4	5	6	8	11
35-49	1217	3.8	4	2	2	4	5	6	7	10
50-64	2122	4.1	4	2	2	4	5	7	8	11
65+	2995	4.7	7	2	2	4	6	7	9	14
GRAND TOTAL	**6484**	**4.3**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	221	2.0	1	<1	1	2	3	3	4	6
20-34	495	2.3	1	1	1	2	3	4	4	7
35-49	493	2.5	1	1	1	2	3	4	5	7
50-64	314	2.4	1	1	1	2	3	4	4	7
65+	86	2.3	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	79	2.2	2	1	1	2	3	3	4	11
20-34	415	2.7	3	1	1	2	3	4	5	10
35-49	1006	2.8	4	1	1	2	4	5	6	9
50-64	725	3.0	5	1	1	3	4	5	6	14
65+	213	3.2	8	1	1	3	4	6	8	16
TOT. SINGLE DX	1609	2.3	2	1	1	2	3	4	4	7
" MULTIPLE DX	2438	2.9	5	1	1	2	4	5	6	11
TOTAL 0-19 YRS	300	2.1	2	1	1	2	3	3	4	7
20-34	910	2.5	3	1	1	2	3	4	5	8
35-49	1499	2.7	3	1	1	2	3	4	6	9
50-64	1039	2.8	4	1	1	2	3	5	6	11
65+	299	3.0	7	1	1	2	4	5	7	16
GRAND TOTAL	**4047**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	1.6		<1	1	1	2	3	3	6
20-34	350	1.7	1	<1	1	1	2	3	4	6
35-49	80	1.9	2	<1	<1	1	2	4	6	8
50-64	18	2.6	1	<1	<1	2	4	5	5	5
65+	4	3.8	11	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	41	3.6	31	<1	<1	2	3	6	12	35
20-34	71	3.0	17	1	1	2	3	6	15	83
35-49	25	2.4	2	<1	1	2	4	5	5	5
50-64	10	3.0	6	1	1	2	5	7	8	8
65+	4	3.8	6	1	1	3	5	7	7	7
TOT. SINGLE DX	630	1.7	1	<1	1	1	2	3	4	6
" MULTIPLE DX	151	3.1	18	1	1	2	3	5	8	35
TOTAL 0-19 YRS	219	1.9	7	<1	1	1	2	3	4	11
20-34	421	1.9	4	<1	1	1	2	3	4	12
35-49	105	2.0	2	<1	1	1	2	5	5	8
50-64	28	2.8	3	<1	1	2	4	5	6	8
65+	8	3.8	8	<1	<1	3	6	8	8	8
GRAND TOTAL	**781**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	260	1.5	2	<1	<1	1	1	3	4	7
20-34	259	2.2	7	<1	<1	1	2	5	8	13
35-49	299	2.4	17	<1	<1	1	2	5	8	17
50-64	216	2.1	7	<1	<1	1	2	4	7	12
65+	165	2.4	8	<1	<1	1	3	6	8	16
2. MULTIPLE DX										
0-19 YRS	210	5.9	136	<1	<1	2	5	13	42	99+
20-34	318	8.0	118	<1	1	3	9	23	32	50
35-49	381	7.9	111	<1	1	4	10	20	31	55
50-64	409	7.1	86	<1	<1	4	9	19	25	48
65+	766	9.4	112	1	1	6	12	21	28	55
TOT. SINGLE DX	1199	2.1	9	<1	<1	1	2	4	7	15
" MULTIPLE DX	2084	8.1	112	<1	1	4	10	21	30	62
TOTAL 0-19 YRS	470	3.5	67	<1	<1	1	3	6	12	68
20-34	577	5.4	77	<1	<1	2	5	14	25	47
35-49	680	5.5	78	<1	<1	2	6	14	23	45
50-64	625	5.4	65	<1	<1	3	6	13	22	40
65+	931	8.1	101	<1	1	5	10	18	26	51
GRAND TOTAL	**3283**	**5.9**	**83**	**<1**	**<1**	**2**	**7**	**15**	**23**	**47**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	718	3.2	16	<1	<1	2	4	7	10	19
20-34	1059	3.7	19	<1	1	2	5	8	10	24
35-49	608	4.0	19	<1	1	3	5	9	13	23
50-64	410	4.1	20	<1	<1	2	5	8	12	25
65+	316	5.2	33	<1	1	3	7	12	17	29
2. MULTIPLE DX										
0-19 YRS	1955	4.5	46	<1	1	2	5	9	15	39
20-34	3710	5.8	65	<1	1	3	7	13	21	47
35-49	2294	8.2	117	1	1	5	10	18	29	62
50-64	2135	10.3	137	1	1	7	13	24	35	70
65+	3664	11.2	141	1	2	8	14	25	36	70
TOT. SINGLE DX	3111	3.8	21	<1	1	2	5	8	11	23
" MULTIPLE DX	13758	8.1	109	1	1	5	10	19	29	59
TOTAL 0-19 YRS	2673	4.1	39	<1	1	2	5	8	14	35
20-34	4769	5.3	56	<1	1	3	6	12	18	42
35-49	2902	7.3	100	1	1	4	8	16	25	57
50-64	2545	9.3	124	1	1	6	12	21	31	64
65+	3980	10.7	136	1	1	7	14	24	35	68
GRAND TOTAL	**16869**	**7.3**	**96**	**1**	**1**	**4**	**9**	**17**	**26**	**55**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	126	4.3	17	<1	<1	3	6	11	13	19
20-34	134	4.2	18	<1	1	3	6	8	11	25
35-49	89	5.4	39	<1	1	3	7	13	17	34
50-64	76	5.9	53	<1	<1	3	7	14	19	40
65+	65	8.9	64	<1	1	6	14	18	23	37
2. MULTIPLE DX										
0-19 YRS	138	11.4	217	<1	1	5	14	32	38	75
20-34	259	13.6	191	1	1	10	18	31	42	70
35-49	199	12.8	203	1	1	8	18	35	42	93
50-64	215	14.4	198	1	1	10	21	36	46	85
65+	449	15.7	202	1	2	12	21	32	42	73
TOT. SINGLE DX	490	5.3	35	<1	1	3	7	13	17	28
" MULTIPLE DX	1260	14.1	203	1	1	10	19	33	42	75
TOTAL 0-19 YRS	264	8.0	134	<1	1	4	10	20	33	58
20-34	393	10.4	152	1	1	7	14	23	38	68
35-49	288	10.5	164	1	1	6	14	29	38	81
50-64	291	12.1	174	<1	1	8	17	31	42	73
65+	514	14.9	190	1	2	12	20	31	41	69
GRAND TOTAL	**1750**	**11.7**	**171**	**1**	**1**	**7**	**16**	**29**	**38**	**70**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.9	10	<1	<1	1	4	8	10	14
20-34	59	3.4	20	<1	1	2	3	8	8	30
35-49	32	5.6	55	<1	<1	2	6	20	24	25
50-64	19	5.8	47	<1	1	3	6	16	23	27
65+	15	7.4	98	1	1	2	8	23	32	35
2. MULTIPLE DX										
0-19 YRS	48	7.1	140	<1	<1	3	7	23	38	99+
20-34	137	13.0	295	1	1	6	18	36	55	74
35-49	125	14.6	237	1	1	9	23	41	52	99+
50-64	77	11.9	213	1	1	7	16	30	43	66
65+	104	17.0	326	1	1	9	25	43	59	72
TOT. SINGLE DX	164	4.3	36	<1	<1	2	5	9	19	31
" MULTIPLE DX	491	13.5	265	1	1	7	20	37	53	74
TOTAL 0-19 YRS	87	5.2	85	<1	<1	2	5	14	25	86
20-34	196	10.1	232	<1	1	4	10	28	43	69
35-49	157	12.8	213	<1	1	6	20	35	48	97
50-64	96	10.7	186	1	1	5	12	27	42	64
65+	119	15.8	307	1	1	8	24	42	56	72
GRAND TOTAL	**655**	**11.2**	**223**	**<1**	**1**	**5**	**15**	**31**	**44**	**70**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	118	1.7	3	<1	<1	1	2	3	5	11
20-34	85	2.0	3	<1	<1	1	3	4	6	10
35-49	92	2.3	5	<1	<1	2	3	4	6	14
50-64	73	1.8	1	<1	<1	1	2	3	3	9
65+	38	1.5		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	114	4.2	98	<1	<1	2	3	7	17	61
20-34	137	4.8	57	<1	1	2	4	10	21	35
35-49	203	3.5	13	1	1	3	4	7	9	23
50-64	185	3.3	8	1	1	3	4	7	9	12
65+	194	7.4	95	1	1	4	9	19	27	65
TOT. SINGLE DX	406	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	833	4.7	53	<1	1	3	5	9	16	36
TOTAL 0-19 YRS	232	2.9	51	<1	<1	1	2	4	7	39
20-34	222	3.7	39	<1	<1	2	3	7	14	32
35-49	295	3.1	11	<1	1	2	4	6	8	19
50-64	258	2.9	7	<1	1	2	4	6	8	12
65+	232	6.4	84	<1	1	3	8	16	25	57
GRAND TOTAL	**1239**	**3.8**	**38**	**<1**	**<1**	**2**	**4**	**8**	**12**	**32**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.0	1	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	13	4.1	12	1	1	2	5	10	12	12
2. MULTIPLE DX										
0-19 YRS	11	4.1	8	1	1	4	7	8	8	8
20-34	13	4.3	14	<1	1	3	6	9	13	14
35-49	15	3.0	9	<1	1	2	3	6	11	13
50-64	25	6.9	33	1	2	5	9	15	18	25
65+	127	8.1	32	1	2	7	10	15	17	29
TOT. SINGLE DX	27	3.0	9	1	1	2	4	8	10	12
" MULTIPLE DX	191	7.0	31	1	1	6	9	14	16	25
TOTAL 0-19 YRS	13	3.6	8	1	1	2	6	8	8	8
20-34	22	3.4	10	<1	1	2	4	8	11	14
35-49	16	2.9	9	<1	1	2	3	6	11	13
50-64	27	6.7	32	1	2	5	9	15	17	25
65+	140	7.7	32	1	2	7	10	15	17	27
GRAND TOTAL	**218**	**6.5**	**30**	**1**	**1**	**5**	**9**	**14**	**16**	**25**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	1.9	4	<1	1	1	2	4	7	11
20-34	2451	2.1	7	<1	1	1	2	5	8	13
35-49	3360	1.9	6	<1	1	1	2	4	7	12
50-64	1911	1.7	3	<1	1	1	1	3	6	10
65+	731	1.9	6	<1	1	1	1	4	7	13
2. MULTIPLE DX										
0-19 YRS	74	4.6	92	1	1	2	4	8	20	62
20-34	1429	3.3	16	1	1	1	4	8	11	19
35-49	2371	3.3	19	1	1	1	4	8	11	21
50-64	1999	3.1	15	1	1	1	4	8	11	20
65+	1583	4.5	39	1	1	2	6	11	16	31
TOT. SINGLE DX	8564	1.9	6	<1	1	1	2	4	7	12
" MULTIPLE DX	7456	3.5	23	1	1	1	4	9	12	23
TOTAL 0-19 YRS	185	3.0	41	<1	1	1	2	6	9	34
20-34	3880	2.5	11	1	1	1	2	7	9	16
35-49	5731	2.5	12	1	1	1	2	6	9	17
50-64	3910	2.4	10	1	1	1	2	6	9	17
65+	2314	3.7	30	1	1	1	4	10	14	27
GRAND TOTAL	**16020**	**2.7**	**15**	**1**	**1**	**1**	**2**	**7**	**10**	**18**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.1	23	1	1	2	3	7	11	26
20-34	163	2.8	14	<1	1	1	3	6	11	16
35-49	207	2.8	9	1	1	1	3	8	11	14
50-64	322	2.3	7	<1	1	1	2	5	7	16
65+	361	2.4	7	<1	1	1	3	6	8	14
2. MULTIPLE DX										
0-19 YRS	47	6.0	94	<1	1	2	6	13	23	54
20-34	195	5.4	36	1	1	3	7	13	16	35
35-49	390	5.5	44	1	1	3	6	13	19	31
50-64	1009	5.4	49	1	1	3	7	12	17	33
65+	1993	5.0	28	1	1	4	7	10	14	25
TOT. SINGLE DX	1110	2.6	10	<1	1	1	3	6	9	16
" MULTIPLE DX	3634	5.2	37	1	1	3	7	11	16	29
TOTAL 0-19 YRS	104	4.4	57	<1	1	2	4	10	17	45
20-34	358	4.2	28	1	1	2	5	12	15	32
35-49	597	4.6	34	1	1	2	5	11	16	28
50-64	1331	4.6	41	1	1	2	5	11	16	30
65+	2354	4.6	26	1	1	3	6	10	13	24
GRAND TOTAL	**4744**	**4.6**	**32**	**1**	**1**	**3**	**6**	**10**	**15**	**26**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.9	11	1	1	1	3	9	11	11
35-49	81	2.0	5	<1	<1	1	2	4	6	13
50-64	169	2.1	9	<1	<1	1	2	5	7	10
65+	103	1.6	2	<1	<1	1	1	3	5	9
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	35	4.4	46	1	1	2	3	12	23	31
35-49	292	2.7	8	1	1	2	3	6	8	12
50-64	924	2.9	8	<1	1	2	4	6	8	15
65+	943	3.4	18	<1	1	2	4	8	10	20
TOT. SINGLE DX	364	1.9	6	<1	<1	1	2	4	7	11
" MULTIPLE DX	2196	3.1	13	<1	1	2	4	7	9	16
TOTAL 0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	44	4.1	39	1	1	2	3	11	19	31
35-49	373	2.5	8	<1	1	1	3	6	8	12
50-64	1093	2.8	9	<1	1	2	3	6	8	15
65+	1046	3.2	17	<1	1	2	4	8	10	20
GRAND TOTAL	**2560**	**2.9**	**12**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.6	13	<1	1	2	5	9	10	19
20-34	330	4.1	11	1	1	3	7	9	10	13
35-49	416	4.0	10	<1	1	3	7	9	10	13
50-64	454	3.7	11	<1	1	2	6	9	10	14
65+	482	3.4	11	<1	1	2	5	9	10	13
2. MULTIPLE DX										
0-19 YRS	140	3.8	25	<1	<1	2	5	8	10	21
20-34	526	6.3	45	1	1	5	8	12	15	39
35-49	961	6.0	37	1	1	5	8	12	15	31
50-64	1945	5.7	32	1	1	4	8	11	15	25
65+	3764	6.2	37	1	1	5	8	12	16	30
TOT. SINGLE DX	1757	3.8	11	<1	1	2	6	9	10	13
" MULTIPLE DX	7336	6.0	36	1	1	5	8	12	15	29
TOTAL 0-19 YRS	215	3.7	21	<1	<1	2	5	8	10	19
20-34	856	5.5	33	1	1	4	8	11	13	23
35-49	1377	5.4	30	1	1	4	7	11	14	27
50-64	2399	5.3	29	1	1	4	8	11	14	24
65+	4246	5.8	35	1	1	5	8	12	15	29
GRAND TOTAL	**9093**	**5.6**	**32**	**1**	**1**	**4**	**8**	**11**	**14**	**26**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3834	2.8	11	<1	1	2	3	5	7	15
20-34	6241	3.2	13	<1	1	2	4	6	8	16
35-49	4405	3.5	15	1	1	2	4	7	9	20
50-64	3206	3.7	12	1	1	3	5	7	10	16
65+	2896	4.4	15	1	1	3	5	8	11	19
2. MULTIPLE DX										
0-19 YRS	7676	5.2	60	1	1	3	5	10	18	45
20-34	12521	4.9	34	1	1	3	6	10	14	32
35-49	12816	5.3	31	1	1	4	6	10	14	30
50-64	20179	5.8	29	1	2	4	7	11	15	27
65+	53976	6.8	31	2	2	5	9	13	16	29
TOT. SINGLE DX	20582	3.4	14	1	1	2	4	7	9	18
" MULTIPLE DX	107168	6.1	34	1	2	5	8	12	16	30
TOTAL 0-19 YRS	11510	4.4	45	1	1	3	5	8	14	38
20-34	18762	4.3	28	1	1	3	5	8	12	28
35-49	17221	4.8	28	1	1	3	6	9	13	29
50-64	23385	5.5	28	1	1	4	7	11	14	26
65+	56872	6.7	31	2	2	5	8	13	16	28
GRAND TOTAL	**127750**	**5.7**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2905	4.0	33	1	1	2	4	7	17	30
20-34	1119	4.3	16	1	1	3	5	8	10	21
35-49	1039	4.7	21	1	1	4	6	8	11	23
50-64	807	4.7	19	1	1	4	6	9	11	23
65+	792	5.3	33	1	1	4	7	10	12	34
2. MULTIPLE DX										
0-19 YRS	5049	5.6	78	1	1	3	5	11	22	53
20-34	2043	7.0	73	1	1	4	8	15	24	53
35-49	2561	6.6	49	1	2	5	8	12	18	36
50-64	4375	6.9	50	1	2	5	8	13	19	36
65+	12743	7.7	47	2	2	6	9	15	20	36
TOT. SINGLE DX	6662	4.4	27	1	1	3	5	8	13	28
" MULTIPLE DX	26771	7.0	56	1	2	5	8	14	20	40
TOTAL 0-19 YRS	7954	5.0	63	1	1	3	4	10	20	45
20-34	3162	6.1	55	1	1	4	7	13	19	44
35-49	3600	6.1	42	1	1	4	7	11	16	34
50-64	5182	6.6	47	1	2	5	8	12	18	34
65+	13535	7.6	47	2	2	6	9	14	20	36
GRAND TOTAL	**33433**	**6.5**	**52**	**1**	**2**	**4**	**8**	**13**	**19**	**38**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3116	2.5	9	<1	<1	2	3	4	5	12
20-34	3542	2.3	8	<1	<1	1	2	4	6	14
35-49	1904	3.1	15	<1	1	2	3	6	8	18
50-64	1806	3.4	10	1	1	2	4	7	9	15
65+	1732	4.1	16	1	1	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	7809	5.4	78	1	1	3	5	10	19	55
20-34	5624	4.3	38	<1	1	2	5	9	14	34
35-49	7053	4.6	28	1	1	3	5	9	13	28
50-64	13901	5.2	27	1	1	4	7	10	14	28
65+	36272	6.2	30	1	2	5	8	12	15	27
TOT. SINGLE DX	12100	2.9	12	<1	<1	2	3	6	8	15
" MULTIPLE DX	70659	5.6	36	1	1	4	7	11	15	30
TOTAL 0-19 YRS	10925	4.5	60	<1	1	3	4	8	15	49
20-34	9166	3.5	28	<1	<1	2	4	7	11	23
35-49	8957	4.3	26	1	1	3	5	9	12	26
50-64	15707	5.0	26	1	1	4	6	10	13	26
65+	38004	6.1	30	1	2	5	8	12	15	27
GRAND TOTAL	**82759**	**5.2**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bursitis
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)

Group No.	Title
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary

Group No.	Title
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic

Group No.	Title
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine

Group No.	Title
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy

Group No.	Title
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)

Group No.	Title
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver

Group No.	Title
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3856-1.6U 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19217	5.1	31	1	1	4	6	10	14	29
70-74	16585	5.3	33	1	1	4	6	10	14	31
75-79	13642	5.5	36	1	1	4	7	11	15	32
80-84	9289	5.5	32	1	1	4	7	10	14	28
85+	8686	5.5	28	1	1	4	7	11	14	26
B. *Operated*										
65-69 YRS	37974	4.9	19	<1	1	4	7	10	13	19
70-74	31100	5.3	21	<1	1	4	7	11	14	20
75-79	21881	5.6	26	<1	1	4	8	12	15	22
80-84	12611	6.1	31	<1	1	4	9	13	16	24
85+	8525	7.0	42	<1	1	5	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229680	6.7	39	1	2	5	8	13	17	32
70-74	250562	7.1	41	1	2	5	9	13	18	34
75-79	239296	7.5	44	2	2	6	9	14	19	35
80-84	192452	7.8	48	2	2	6	10	15	19	37
85+	187666	8.2	53	2	3	6	10	15	20	40
B. *Operated*										
65-69 YRS	196278	9.1	84	1	2	7	11	18	26	50
70-74	187504	9.8	91	1	2	7	12	20	27	53
75-79	151702	10.6	101	1	2	8	14	21	29	57
80-84	99521	11.5	113	2	2	9	15	23	31	63
85+	77305	12.5	119	2	3	10	16	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67419	5.4	32	1	1	4	7	10	14	30
B. *Operated*	112091	5.4	24	<1	1	4	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1099656	7.4	45	2	2	6	9	14	19	35
B. *Operated*	712310	10.3	98	1	2	8	13	21	29	57
1. SINGLE DX	179510	5.4	27	1	1	4	7	11	14	25
2. MULTIPLE DX	1811966	8.5	68	1	2	6	11	17	23	45
A. NOT OPERATED	1167075	7.3	44	1	2	6	9	14	18	35
B. OPERATED	824401	9.6	91	1	2	7	12	20	27	53
TOTAL 65-69 YRS	483149	7.5	57	1	2	5	9	15	20	40
70-74	485751	7.9	61	1	2	6	10	16	21	42
75-79	426521	8.4	66	1	2	6	11	17	23	44
80-84	313873	8.9	71	2	2	7	11	17	23	47
85+	282182	9.2	74	2	2	7	11	18	24	50
GRAND TOTAL	**1991476**	**8.3**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**44**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	3.3	4	1	1	3	4	6	7	9
70-74	77	3.6	6	1	1	3	5	7	7	15
75-79	60	3.6	6	1	1	3	5	7	9	11
80-84	53	3.6	8	1	1	3	4	6	9	15
85+	39	3.2	4	1	1	3	4	5	7	9
B. *Operated*										
65-69 YRS	7	10.4	89	4	4	8	10	27	31	31
70-74	3	4.7	10	1	1	6	7	7	7	7
75-79	4	5.8	17	2	2	5	9	11	11	11
80-84	5	7.6	19	2	2	9	11	12	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	957	4.5	10	1	2	4	5	8	11	16
70-74	1014	5.0	17	1	2	4	6	9	12	20
75-79	954	5.5	22	1	2	4	7	11	14	23
80-84	738	5.8	27	2	2	4	7	11	14	24
85+	644	6.0	25	1	2	5	8	11	15	27
B. *Operated*										
65-69 YRS	129	9.7	64	2	3	8	12	18	24	67
70-74	97	10.8	100	3	4	8	13	22	27	61
75-79	129	10.6	74	2	3	8	14	21	30	58
80-84	86	14.5	244	4	5	9	15	37	59	95
85+	56	17.3	261	3	4	13	20	35	51	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	3.4	5	1	1	3	5	6	8	11
B. *Operated*	19	7.8	43	1	2	7	10	12	22	31
2. MULTIPLE DX										
A. *Not Operated*	4307	5.3	20	1	2	4	6	10	13	22
B. *Operated*	497	11.8	132	2	4	8	14	23	35	82
1. SINGLE DX	349	3.7	8	1	1	3	5	7	9	12
2. MULTIPLE DX	4804	6.0	35	1	2	4	7	11	15	30
A. NOT OPERATED	4637	5.2	19	1	2	4	6	10	13	22
B. OPERATED	516	11.7	130	2	3	8	14	23	33	81
TOTAL 65-69 YRS	1194	5.0	19	1	2	4	6	9	13	23
70-74	1191	5.4	26	1	2	4	6	10	14	25
75-79	1147	6.0	30	1	2	4	7	12	16	30
80-84	882	6.6	54	2	2	5	7	12	17	44
85+	739	6.7	51	1	2	5	8	13	18	36
GRAND TOTAL	**5153**	**5.8**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.4	27	<1	<1	4	9	14	15	15
70-74	11	11.2	41	4	5	9	17	21	21	21
75-79	7	9.3	17	3	4	8	13	14	14	14
80-84	3	9.0	12	7	7	7	12	13	13	13
85+	6	13.2	89	2	2	15	21	23	23	23
B. *Operated*										
65-69 YRS	14	10.1	16	4	6	9	12	15	19	20
70-74	10	6.1	9	1	1	7	8	9	9	9
75-79	5	7.0	14	2	2	9	10	10	10	10
80-84	5	11.0	8	8	8	11	13	15	15	15
85+	3	7.0	16	3	3	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	12.1	119	3	4	10	13	24	30	70
70-74	71	13.6	78	4	5	11	17	25	33	45
75-79	87	12.3	51	4	5	10	17	24	27	30
80-84	52	13.4	152	2	3	11	16	25	36	75
85+	51	11.9	64	3	4	11	15	20	26	46
B. *Operated*										
65-69 YRS	94	15.0	101	4	5	12	22	29	33	49
70-74	81	15.1	84	4	6	13	20	29	39	99+
75-79	69	15.7	109	4	6	14	19	30	37	53
80-84	61	16.9	274	2	4	13	19	34	51	94
85+	28	16.9	132	3	5	15	25	32	40	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	9.8	42	1	2	8	14	21	21	23
B. *Operated*	37	8.5	15	2	3	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	325	12.7	88	3	4	10	15	24	28	45
B. *Operated*	333	15.7	132	3	5	13	21	30	39	68
1. SINGLE DX	71	9.1	28	1	3	8	12	16	21	23
2. MULTIPLE DX	658	14.2	112	3	5	11	18	27	34	55
A. NOT OPERATED	359	12.4	84	3	4	10	15	23	27	45
B. OPERATED	370	14.9	125	3	5	12	19	29	37	61
TOTAL 65-69 YRS	179	13.2	102	3	4	10	16	27	30	50
70-74	173	13.7	78	4	5	11	18	27	35	87
75-79	168	13.4	77	3	5	11	17	25	29	46
80-84	121	14.9	206	2	4	11	17	29	41	82
85+	88	13.4	90	3	4	11	17	26	32	46
GRAND TOTAL	**729**	**13.7**	**106**	**3**	**4**	**11**	**17**	**26**	**32**	**53**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	11.5	221	1	1	11	22	22	22	22
70-74	2	7.0	72	1	1	7	13	13	13	13
75-79	2	13.0	32	9	9	13	17	17	17	17
80-84	2	19.0	162	10	10	19	28	28	28	28
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	8.2	25	2	2	8	12	15	15	15
70-74	11	11.8	125	2	3	8	14	33	35	35
75-79	12	15.8	219	4	5	11	18	38	53	56
80-84	11	11.6	22	7	8	10	12	20	21	21
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	20	15.8	125	2	4	15	22	28	38	47
70-74	20	24.5	506	2	4	21	37	70	87	99+
75-79	22	24.5	430	1	3	16	34	64	72	74
80-84	10	20.0	190	8	9	14	29	42	51	51
85+	11	26.3	842	6	6	12	33	78	94	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	9	11.8	86	1	1	10	18	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	41	12.3	106	3	4	10	14	25	33	56
B. *Operated*	83	22.1	395	3	4	16	29	59	71	98
1. SINGLE DX	10	10.9	84	1	1	9	17	25	28	28
2. MULTIPLE DX	124	18.9	320	3	4	12	23	47	66	96
A. NOT OPERATED	42	12.1	106	3	4	10	14	24	33	56
B. OPERATED	92	21.1	373	1	4	16	28	58	69	98
TOTAL 65-69 YRS	28	13.9	111	1	3	11	20	27	31	47
70-74	34	18.7	383	1	3	13	27	59	73	99+
75-79	36	21.0	349	3	4	15	29	54	68	74
80-84	23	15.9	113	7	8	11	19	30	40	51
85+	13	23.4	753	5	6	10	26	72	91	95
GRAND TOTAL	**134**	**18.3**	**306**	**2**	**4**	**12**	**22**	**37**	**65**	**96**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8		2	2	3	3	3	3	3
70-74	4	4.0	3	2	2	4	5	6	6	6
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	4.4	5	2	2	4	6	7	10	10
70-74	19	5.1	12	1	2	5	6	7	13	18
75-79	14	6.0	9	2	3	5	8	11	11	11
80-84	8	4.6	4	3	3	4	5	8	9	9
85+	3	4.7	2	3	3	5	6	6	6	6
B. *Operated*										
65-69 YRS	1	29.0		29	29	29	29	29	29	29
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	13.0		13	13	13	13	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	2	2	2	3	4	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	79	4.9	7	2	2	4	6	8	10	16
B. *Operated*	4	16.0	79	9	9	13	21	29	29	29
1. SINGLE DX	9	3.3	2	2	2	3	4	6	6	6
2. MULTIPLE DX	83	5.4	15	2	3	4	6	9	12	25
A. NOT OPERATED	88	4.7	7	2	2	4	6	8	10	15
B. OPERATED	4	16.0	79	9	9	13	21	29	29	29
TOTAL 65-69 YRS	40	4.9	20	2	2	4	6	8	10	29
70-74	24	5.1	11	2	2	5	6	7	12	18
75-79	16	6.9	13	2	3	6	10	13	13	13
80-84	9	4.4	4	3	3	4	5	8	9	9
85+	3	4.7	2	3	3	5	6	6	6	6
GRAND TOTAL	**92**	**5.2**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**24**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	7.6	63	1	2	6	8	13	20	43
70-74	32	7.7	24	1	2	6	11	14	16	20
75-79	44	9.4	89	2	3	7	10	14	29	56
80-84	39	7.0	19	2	2	6	9	12	17	20
85+	40	8.8	81	1	2	7	9	16	18	58
B. *Operated*										
65-69 YRS										
70-74	3	11.0	9	8	8	11	13	14	14	14
75-79	3	17.3	240	6	6	11	29	35	35	35
80-84	4	15.3	82	6	6	14	22	27	27	27
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2001	10.5	51	3	4	9	13	18	23	42
70-74	2341	10.8	61	3	4	9	13	18	25	42
75-79	2690	10.9	50	4	5	9	13	18	23	42
80-84	2527	11.2	57	4	5	10	13	19	24	42
85+	3181	11.3	53	4	5	10	14	19	25	43
B. *Operated*										
65-69 YRS	677	19.0	209	6	7	14	23	41	54	90
70-74	847	18.6	186	5	7	14	24	40	49	99+
75-79	815	18.9	170	5	7	15	24	36	50	99+
80-84	668	19.6	173	6	8	16	25	37	51	99+
85+	639	18.6	169	6	7	15	22	34	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	8.2	57	2	2	7	10	14	18	52
B. *Operated*	10	14.6	90	6	6	11	17	31	35	35
2. MULTIPLE DX										
A. *Not Operated*	12740	11.0	55	4	5	9	13	18	24	43
B. *Operated*	3646	18.9	181	6	7	15	23	38	51	99+
1. SINGLE DX	193	8.5	60	2	3	7	10	15	19	50
2. MULTIPLE DX	16386	12.7	94	4	5	10	15	23	31	61
A. NOT OPERATED	12923	10.9	55	4	5	9	13	18	24	43
B. OPERATED	3656	18.9	181	6	7	15	23	37	51	99+
TOTAL 65-69 YRS	2706	12.6	105	4	5	10	15	23	34	61
70-74	3223	12.8	106	4	5	10	15	25	32	65
75-79	3552	12.7	89	4	5	10	15	23	31	57
80-84	3238	12.9	92	4	5	10	15	24	31	60
85+	3860	12.4	80	4	5	10	15	22	28	55
GRAND TOTAL	**16579**	**12.7**	**93**	**4**	**5**	**10**	**15**	**23**	**31**	**60**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	6.4	15	2	3	6	9	11	15	16
70-74	14	7.5	53	2	2	5	7	16	26	29
75-79	6	4.2	2	2	2	4	5	6	6	6
80-84	5	6.6	1	5	5	7	7	8	8	8
85+	8	6.1	15	3	3	5	7	13	15	15
B. *Operated*										
65-69 YRS	3	6.3	12	3	3	6	9	10	10	10
70-74	3	3.7		3	3	4	4	4	4	4
75-79	2	5.0	32	1	1	5	9	9	9	9
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	153	9.2	95	3	3	7	11	16	25	58
70-74	145	10.8	95	3	4	8	13	19	26	49
75-79	147	9.0	39	3	4	7	11	18	25	33
80-84	122	10.1	58	3	4	8	12	18	21	48
85+	131	10.3	73	2	3	8	12	20	29	47
B. *Operated*										
65-69 YRS	66	20.0	269	5	6	15	25	52	69	99+
70-74	57	20.3	292	3	5	15	26	50	64	98
75-79	45	16.3	176	4	6	11	20	41	48	56
80-84	50	15.8	166	3	4	13	21	31	41	72
85+	34	18.0	162	3	6	14	26	40	43	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	6.4	23	2	2	6	7	12	15	29
B. *Operated*	11	6.3	23	1	1	4	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	698	9.9	73	3	4	7	12	19	25	46
B. *Operated*	252	18.3	223	4	5	14	23	43	55	99
1. SINGLE DX	58	6.4	22	2	2	5	7	13	15	28
2. MULTIPLE DX	950	12.1	126	3	4	8	15	25	37	68
A. NOT OPERATED	745	9.6	70	3	3	7	11	18	25	44
B. OPERATED	263	17.8	220	3	5	13	22	42	54	96
TOTAL 65-69 YRS	236	12.1	162	3	3	8	14	25	44	85
70-74	219	12.9	161	3	4	9	15	26	41	77
75-79	200	10.5	78	3	4	8	12	22	27	54
80-84	178	11.5	94	3	4	9	14	21	29	57
85+	175	11.7	97	3	3	8	14	24	33	49
GRAND TOTAL	**1008**	**11.8**	**122**	**3**	**4**	**8**	**14**	**24**	**35**	**66**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.8	13	3	3	4	8	11	11	11
70-74	3	3.7	4	2	2	3	5	6	6	6
75-79	4	5.3	4	4	4	5	6	8	8	8
80-84	3	7.0	19	4	4	5	10	12	12	12
85+	2	28.0	1250	3	3	28	53	53	53	53
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.0	19	2	3	6	8	13	17	20
70-74	22	7.7	23	2	3	6	12	15	17	18
75-79	14	8.7	33	2	4	7	10	14	23	26
80-84	10	6.3	11	3	3	6	7	11	15	15
85+	8	7.6	15	3	3	7	10	13	14	14
B. *Operated*										
65-69 YRS	6	13.7	87	4	4	10	19	29	30	30
70-74	6	15.7	54	7	7	13	22	26	27	27
75-79	5	26.0	174	10	10	26	39	39	39	39
80-84	3	22.3	120	16	16	16	30	35	35	35
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	8.3	150	2	3	5	7	12	41	53
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	81	7.5	21	2	3	6	10	14	16	24
B. *Operated*	20	18.7	114	5	8	16	26	37	39	39
1. SINGLE DX	16	8.3	150	2	3	5	7	12	41	53
2. MULTIPLE DX	101	9.7	58	3	3	7	12	18	27	39
A. NOT OPERATED	97	7.6	41	2	3	6	9	14	16	40
B. OPERATED	20	18.7	114	5	8	16	26	37	39	39
TOTAL 65-69 YRS	37	7.9	33	2	3	6	10	15	20	30
70-74	31	8.9	39	2	3	7	13	17	22	27
75-79	23	11.9	111	3	4	8	12	29	39	39
80-84	16	9.4	66	3	4	6	13	16	29	35
85+	10	11.7	224	3	3	7	12	33	53	53
GRAND TOTAL	**117**	**9.5**	**70**	**2**	**3**	**7**	**12**	**18**	**27**	**44**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	4.3	10	<1	1	4	5	7	8	19
70-74	63	5.6	13	1	2	5	7	8	10	24
75-79	51	6.0	16	2	2	5	7	10	13	25
80-84	40	5.4	5	1	2	5	7	8	8	9
85+	34	6.3	9	2	2	7	8	10	11	15
B. *Operated*										
65-69 YRS	6	5.0	12	<1	<1	5	8	9	9	9
70-74	4	8.3	20	3	3	8	11	14	14	14
75-79	7	6.3	11	3	3	5	9	11	11	11
80-84	5	6.0	6	3	3	7	8	8	8	8
85+	2	15.0	50	10	10	15	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	434	6.9	20	2	3	6	8	12	15	25
70-74	521	7.7	47	2	3	6	9	13	18	36
75-79	519	7.8	31	2	3	7	10	14	17	28
80-84	413	8.1	37	2	3	7	10	15	20	32
85+	349	9.0	45	2	3	7	11	18	22	35
B. *Operated*										
65-69 YRS	70	12.4	194	1	2	9	14	23	37	74
70-74	70	13.6	204	1	3	9	16	38	42	74
75-79	74	15.5	162	4	5	12	21	30	50	93
80-84	65	13.8	164	2	3	9	17	30	45	96
85+	26	16.0	173	3	3	13	21	28	48	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	5.5	11	1	2	5	7	8	10	20
B. *Operated*	24	7.0	18	1	3	7	9	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	2236	7.8	36	2	3	6	9	14	19	31
B. *Operated*	305	14.0	179	2	3	10	18	29	44	76
1. SINGLE DX	254	5.6	12	1	2	5	7	9	11	20
2. MULTIPLE DX	2541	8.6	57	2	3	7	10	16	22	42
A. NOT OPERATED	2466	7.6	34	2	3	6	9	14	18	31
B. OPERATED	329	13.5	171	2	3	9	16	28	42	75
TOTAL 65-69 YRS	552	7.3	45	1	2	6	8	13	18	30
70-74	658	8.1	64	2	3	6	9	14	21	42
75-79	651	8.5	51	2	3	7	10	16	21	35
80-84	523	8.6	55	2	3	7	10	17	23	39
85+	411	9.3	53	2	3	7	11	19	23	37
GRAND TOTAL	**2795**	**8.3**	**54**	**2**	**3**	**7**	**10**	**15**	**21**	**40**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	4.5	4	1	2	5	6	7	7	7
70-74	6	4.7	8	3	3	3	6	10	10	10
75-79	9	6.9	8	3	3	7	8	11	12	12
80-84	6	3.5	1	2	2	3	4	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	93	7.4	17	3	3	7	9	13	16	66
70-74	51	9.9	115	3	3	8	12	17	23	99+
75-79	59	7.7	24	3	3	6	9	13	15	32
80-84	35	7.1	11	2	4	7	8	12	12	18
85+	22	8.3	51	2	3	7	9	15	25	35
B. *Operated*										
65-69 YRS	28	11.0	74	1	3	9	15	25	30	35
70-74	21	12.2	31	3	6	12	15	19	24	24
75-79	7	16.3	128	2	3	13	28	31	31	31
80-84	4	7.3	6	4	4	8	9	9	9	9
85+	7	21.4	88	7	9	21	25	36	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.9	6	2	2	4	7	8	10	12
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	260	8.0	40	3	3	7	10	14	17	72
B. *Operated*	67	12.8	72	2	4	10	17	26	30	37
1. SINGLE DX	36	4.9	6	2	2	4	6	8	10	12
2. MULTIPLE DX	327	9.0	50	3	3	7	11	16	22	46
A. NOT OPERATED	295	7.6	37	2	3	7	9	13	16	57
B. OPERATED	68	12.7	72	2	4	10	17	25	30	37
TOTAL 65-69 YRS	135	7.8	30	2	3	7	10	15	19	44
70-74	78	10.1	87	3	3	9	13	17	23	93
75-79	75	8.4	37	3	3	7	10	14	21	32
80-84	45	6.6	10	2	3	6	8	12	12	18
85+	30	11.2	89	3	3	8	18	24	35	38
GRAND TOTAL	**363**	**8.6**	**47**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	6.0	6	3	3	6	8	9	9	9
70-74	9	7.6	117	2	2	4	6	24	36	36
75-79	4	7.8	48	3	3	5	12	18	18	18
80-84	2	9.0	18	6	6	9	12	12	12	12
85+	2	26.0	1058	3	3	26	49	49	49	49
B. *Operated*										
65-69 YRS	6	9.8	30	4	4	10	15	16	16	16
70-74	2	27.5	1105	4	4	27	51	51	51	51
75-79	1	16.0		16	16	16	16	16	16	16
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	25	8.7	120	2	3	5	8	18	39	49
B. *Operated*	9	14.4	216	4	4	13	16	37	51	51
1. SINGLE DX	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX	34	10.2	146	2	3	6	12	20	46	51
A. NOT OPERATED	25	8.7	120	2	3	5	8	18	39	49
B. OPERATED	10	13.8	196	4	4	10	16	34	51	51
TOTAL 65-69 YRS	15	7.7	18	3	4	7	9	15	16	16
70-74	11	11.2	269	2	2	4	7	42	50	51
75-79	5	9.4	50	3	3	6	16	18	18	18
80-84	2	9.0	18	6	6	9	12	12	12	12
85+	2	26.0	1058	3	3	26	49	49	49	49
GRAND TOTAL	**35**	**10.1**	**142**	**2**	**3**	**6**	**11**	**18**	**46**	**51**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	1.3		<1	<1	1	1	2	2	2
70-74	5	2.6	2	<1	<1	3	4	4	4	4
75-79	3	1.3		<1	<1	<1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	9	2.9	10	1	1	2	3	8	11	11
70-74	8	2.1	2	<1	<1	2	3	4	4	4
75-79	8	2.9	3	1	1	2	4	5	6	6
80-84	5	3.6	3	1	1	4	5	5	5	5
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	30	2.8	4	1	1	2	4	5	6	11
1. SINGLE DX	13	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX	30	2.8	4	1	1	2	4	5	6	11
A. NOT OPERATED										
B. OPERATED	43	2.5	4	<1	<1	2	4	4	6	11
TOTAL 65-69 YRS	13	2.4	7	<1	<1	2	2	5	10	11
70-74	13	2.3	2	<1	<1	3	3	4	4	4
75-79	11	2.5	2	<1	<1	2	3	5	6	6
80-84	6	3.2	3	1	1	3	5	5	5	5
85+										
GRAND TOTAL	**43**	**2.5**	**4**	**<1**	**<1**	**2**	**4**	**4**	**6**	**11**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.5	6	1	1	3	4	8	9	11
70-74	22	3.3	2	1	2	3	4	5	6	6
75-79	20	2.9	2	1	1	3	4	5	6	6
80-84	20	4.0	4	1	1	4	5	7	7	8
85+	12	2.8	2	<1	1	3	4	5	5	5
B. *Operated*										
65-69 YRS	5	3.2	5	2	2	2	4	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	5.0	8	3	3	5	7	7	7	7
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	476	4.6	15	1	2	4	6	8	10	17
70-74	467	4.8	13	2	2	4	6	9	12	22
75-79	449	5.1	18	1	2	4	6	9	12	27
80-84	344	5.6	50	2	2	4	6	10	13	33
85+	321	5.3	16	2	2	4	6	10	12	22
B. *Operated*										
65-69 YRS	49	10.7	90	2	3	9	11	21	27	54
70-74	38	10.6	48	2	3	9	12	19	27	34
75-79	39	11.1	83	3	3	9	12	25	27	47
80-84	24	16.1	274	4	4	10	22	37	83	99+
85+	12	11.6	78	3	3	8	16	26	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.4	4	1	1	3	4	6	7	10
B. *Operated*	8	3.5	5	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2057	5.0	21	2	2	4	6	9	12	23
B. *Operated*	162	11.6	105	3	3	9	13	24	33	74
1. SINGLE DX	118	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2219	5.5	30	2	2	4	6	10	13	29
A. NOT OPERATED	2167	4.9	20	1	2	4	6	9	12	23
B. OPERATED	170	11.2	104	2	3	9	13	24	33	72
TOTAL 65-69 YRS	566	5.0	24	1	2	4	6	9	11	23
70-74	528	5.2	17	2	2	4	6	10	13	24
75-79	510	5.5	25	1	2	4	6	10	14	27
80-84	388	6.2	67	2	2	4	7	11	17	81
85+	345	5.4	19	2	2	4	6	10	13	23
GRAND TOTAL	**2337**	**5.4**	**29**	**1**	**2**	**4**	**6**	**10**	**13**	**28**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.6	10	2	2	4	6	10	10	10
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	8.4	80	2	2	5	10	15	29	42
70-74	7	3.4	1	2	2	3	4	5	5	5
75-79	11	5.4	5	3	3	5	7	9	11	11
80-84	3	3.3	5	2	2	2	5	6	6	6
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	4	10.0	27	5	5	10	14	15	15	15
70-74	3	6.3	9	3	3	7	8	9	9	9
75-79	2	22.0	288	10	10	22	34	34	34	34
80-84	1	17.0		17	17	17	17	17	17	17
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	7	2	2	4	4	9	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	6.2	42	2	2	4	7	10	15	42
B. *Operated*	10	12.0	81	3	4	9	15	25	34	34
1. SINGLE DX	7	4.1	7	2	2	4	4	9	10	10
2. MULTIPLE DX	53	7.3	53	2	3	5	9	15	17	42
A. NOT OPERATED	50	5.9	38	2	2	4	7	10	15	42
B. OPERATED	10	12.0	81	3	4	9	15	25	34	34
TOTAL 65-69 YRS	29	7.9	61	2	2	5	10	15	17	42
70-74	11	4.1	5	2	2	3	5	8	9	9
75-79	13	7.9	68	3	3	5	8	16	31	34
80-84	4	6.8	50	2	2	4	11	17	17	17
85+	3	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	**60**	**7.0**	**49**	**2**	**2**	**5**	**9**	**14**	**16**	**41**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	27	1	1	2	10	12	12	12
70-74										
75-79	6	5.2	23	<1	<1	4	10	11	11	11
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	4	3.5	4	1	1	4	5	5	5	5
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	5.7	21	1	1	4	10	12	14	15
70-74	14	9.4	95	1	2	6	13	18	34	39
75-79	28	10.0	77	2	3	9	11	23	28	43
80-84	19	7.2	29	1	1	7	10	19	61	99+
85+	8	10.0	53	<1	<1	11	15	19	20	20
B. *Operated*										
65-69 YRS	16	13.8	397	1	1	7	16	28	65	81
70-74	12	12.1	129	1	2	8	18	30	35	36
75-79	11	11.6	49	2	3	12	15	22	25	26
80-84	3	35.3	1674	2	2	23	66	81	81	81
85+	2	15.0	72	9	9	15	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.8	21	<1	<1	2	9	11	12	12
B. *Operated*	5	4.0	4	1	1	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	83	8.5	58	1	2	7	11	16	26	81
B. *Operated*	44	14.3	296	1	2	10	18	28	49	81
1. SINGLE DX	17	4.5	16	<1	<1	3	7	11	12	12
2. MULTIPLE DX	127	10.5	146	1	2	8	14	23	30	85
A. NOT OPERATED	95	8.1	54	1	1	7	11	15	25	74
B. OPERATED	49	13.3	276	1	1	7	17	27	38	81
TOTAL 65-69 YRS	36	9.2	198	1	1	5	11	17	27	81
70-74	30	9.7	100	1	1	5	15	24	36	39
75-79	45	9.7	65	1	2	9	11	19	26	43
80-84	23	10.6	274	1	1	7	11	29	87	99+
85+	10	11.0	53	<1	<1	11	16	20	21	21
GRAND TOTAL	**144**	**9.8**	**134**	**1**	**1**	**7**	**12**	**21**	**28**	**82**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	4.0	13	1	1	3	7	8	8	8
75-79										
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	9	6.8	15	<1	<1	8	9	12	12	12
70-74	3	11.7	41	7	7	9	16	19	19	19
75-79										
80-84	2	5.5	41	1	1	5	10	10	10	10
85+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	87	8.3	61	2	3	6	10	15	19	46
70-74	67	9.3	46	2	2	7	13	16	22	38
75-79	74	9.5	47	2	3	8	11	20	22	37
80-84	71	11.5	132	3	4	8	13	20	26	72
85+	67	9.9	29	3	4	9	13	18	20	25
B. *Operated*										
65-69 YRS	64	16.3	173	2	5	13	22	34	41	74
70-74	74	15.3	206	2	4	10	17	36	51	95
75-79	57	19.0	378	4	5	13	25	45	65	96
80-84	34	18.7	326	4	4	14	23	55	82	99+
85+	18	18.7	131	3	7	17	23	33	42	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.8	29	1	1	7	10	15	15	15
B. *Operated*	16	7.3	23	<1	<1	8	10	12	17	19
2. MULTIPLE DX										
A. *Not Operated*	366	9.6	64	2	3	7	12	18	22	42
B. *Operated*	247	17.3	248	3	5	12	23	37	54	98
1. SINGLE DX	21	7.2	23	<1	1	8	9	13	17	19
2. MULTIPLE DX	613	12.7	152	3	4	9	15	25	37	77
A. NOT OPERATED	371	9.6	63	2	3	7	12	17	22	42
B. OPERATED	263	16.7	240	2	4	12	22	36	52	97
TOTAL 65-69 YRS	161	11.4	118	2	3	8	14	23	36	49
70-74	147	12.3	135	2	3	9	14	27	40	81
75-79	131	14.0	216	3	4	9	16	32	43	74
80-84	107	13.7	202	3	4	10	16	26	55	94
85+	88	11.6	62	3	4	10	15	22	25	42
GRAND TOTAL	**634**	**12.6**	**149**	**2**	**3**	**9**	**15**	**25**	**37**	**76**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	4.6	11	1	1	4	6	10	10	10
70-74	5	8.2	47	3	3	6	11	20	20	20
75-79	4	7.8	9	4	4	8	10	11	11	11
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	5	8.6	27	3	3	7	13	15	15	15
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	5	10.2	43	3	3	8	15	20	20	20
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	21	7.1	22	2	3	6	9	14	17	20
B. *Operated*	7	9.7	29	3	4	8	12	19	20	20
1. SINGLE DX	3	5.0	9	2	2	5	7	8	8	8
2. MULTIPLE DX	28	7.8	24	2	3	7	10	14	20	20
A. NOT OPERATED	23	6.8	21	2	2	5	9	13	17	20
B. OPERATED	8	9.5	25	3	4	8	11	18	20	20
TOTAL 65-69 YRS	7	4.7	11	1	1	4	7	10	10	10
70-74	11	9.1	37	3	3	8	12	20	20	20
75-79	5	8.0	7	4	4	9	10	11	11	11
80-84	3	5.7	9	3	3	5	8	9	9	9
85+	5	8.6	27	3	3	7	13	15	15	15
GRAND TOTAL	**31**	**7.5**	**23**	**2**	**3**	**7**	**9**	**14**	**20**	**20**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	12	5.3	16	<1	1	5	8	11	13	13
70-74	6	4.3	52	1	1	2	2	17	19	19
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	47	7.6	19	2	2	7	10	14	16	21
70-74	41	7.3	19	3	3	6	8	13	15	23
75-79	30	8.4	29	2	3	7	12	14	21	23
80-84	29	8.3	47	2	2	6	10	15	24	34
85+	23	8.0	18	1	2	8	12	14	15	15
B. *Operated*										
65-69 YRS	51	11.2	111	1	1	9	17	23	25	54
70-74	36	14.3	149	1	2	11	21	31	43	47
75-79	21	13.3	72	2	3	12	18	25	29	34
80-84	6	13.0	32	7	7	12	15	22	23	23
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*	21	4.7	23	<1	<1	3	7	11	16	19
2. MULTIPLE DX										
A. *Not Operated*	170	7.8	25	2	3	7	10	14	16	23
B. *Operated*	114	12.6	111	1	2	9	18	25	33	50
1. SINGLE DX	24	4.4	21	<1	<1	3	6	10	15	19
2. MULTIPLE DX	284	9.8	65	2	2	8	13	21	24	43
A. NOT OPERATED	173	7.7	25	2	3	7	10	14	16	23
B. OPERATED	135	11.4	106	1	1	9	17	24	30	48
TOTAL 65-69 YRS	112	8.9	65	1	1	7	11	20	23	43
70-74	83	10.1	90	1	2	7	13	22	30	47
75-79	54	10.1	51	2	3	8	13	21	24	34
80-84	36	8.9	47	2	2	7	12	16	23	34
85+	23	8.0	18	1	2	8	12	14	15	15
GRAND TOTAL	**308**	**9.3**	**63**	**1**	**2**	**7**	**12**	**20**	**24**	**40**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	10	3	3	8	9	9	9	9
70-74	1	5.0		5	5	5	5	5	5	5
75-79	2	7.5	13	5	5	7	10	10	10	10
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	18.0		18	18	18	18	18	18	18
75-79	3	3.7	6	1	1	4	5	6	6	6
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	6.7	7	3	3	7	9	10	10	10
B. *Operated*	4	7.3	56	1	1	5	12	18	18	18
1. SINGLE DX										
2. MULTIPLE DX	10	6.9	23	1	2	6	9	14	18	18
A. NOT OPERATED	6	6.7	7	3	3	7	9	10	10	10
B. OPERATED	4	7.3	56	1	1	5	12	18	18	18
TOTAL 65-69 YRS	3	6.7	10	3	3	8	9	9	9	9
70-74	2	11.5	85	5	5	11	18	18	18	18
75-79	5	5.2	11	1	1	5	7	10	10	10
80-84										
85+										
GRAND TOTAL	**10**	**6.9**	**23**	**1**	**2**	**6**	**9**	**14**	**18**	**18**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.5	30	<1	1	3	5	9	18	23
70-74	15	5.8	15	<1	2	5	7	13	13	13
75-79	4	7.8	165	<1	<1	1	14	27	27	27
80-84	2	5.5	41	1	1	5	10	10	10	10
85+	4	12.3	151	4	4	8	20	30	30	30
B. *Operated*										
65-69 YRS	135	5.4	62	1	1	3	6	12	16	42
70-74	117	4.6	21	1	1	3	5	11	16	21
75-79	78	5.1	27	1	1	3	7	12	14	27
80-84	59	5.4	46	1	1	3	7	12	15	38
85+	43	4.0	13	<1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	7.1	38	1	1	5	9	15	20	29
70-74	90	9.9	123	2	2	7	11	21	28	68
75-79	49	7.2	39	1	2	5	9	17	19	33
80-84	28	11.0	283	1	2	5	11	28	46	82
85+	37	7.5	32	1	1	7	10	16	19	24
B. *Operated*										
65-69 YRS	542	11.0	135	1	2	8	15	24	36	57
70-74	526	11.5	189	1	1	7	15	26	36	71
75-79	355	11.9	209	1	2	7	15	30	44	80
80-84	181	8.5	77	1	2	5	11	19	28	51
85+	129	8.6	76	1	2	6	13	21	27	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.1	46	<1	1	4	7	13	25	30
B. *Operated*	432	5.0	38	1	1	3	6	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	294	8.4	87	1	2	6	10	17	24	44
B. *Operated*	1733	10.9	157	1	2	7	14	25	36	76
1. SINGLE DX	474	5.1	38	1	1	3	6	12	16	30
2. MULTIPLE DX	2027	10.5	148	1	2	7	14	24	34	72
A. NOT OPERATED	336	8.1	83	1	2	6	10	16	24	43
B. OPERATED	2165	9.7	139	1	1	6	12	23	33	69
TOTAL 65-69 YRS	784	9.5	115	1	1	6	12	21	31	55
70-74	748	10.1	158	1	1	6	13	23	32	69
75-79	486	10.3	169	1	1	6	12	25	35	79
80-84	270	8.1	93	1	2	5	10	18	30	52
85+	213	7.6	60	1	1	5	10	19	25	65
GRAND TOTAL	**2501**	**9.5**	**132**	**1**	**1**	**6**	**12**	**22**	**32**	**67**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.3	14	1	1	3	7	10	11	11
70-74	7	3.4	3	1	1	3	5	6	6	6
75-79										
80-84	3	6.7	20	2	2	7	10	11	11	11
85+	2	3.5	13	<1	<1	3	6	6	6	6
B. *Operated*										
65-69 YRS	24	7.3	33	1	1	6	11	13	19	23
70-74	21	6.6	50	<1	1	4	11	15	23	29
75-79	18	8.6	47	1	1	5	15	19	20	20
80-84	13	12.6	226	1	2	4	16	39	47	49
85+	4	3.3	5	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	106	7.5	33	2	2	6	9	15	17	34
70-74	95	7.6	32	1	2	6	9	17	21	25
75-79	61	8.9	45	2	3	7	11	18	23	33
80-84	31	6.6	38	1	2	5	9	13	17	32
85+	20	6.3	10	2	2	6	8	11	12	14
B. *Operated*										
65-69 YRS	278	16.5	190	3	4	13	22	39	49	99+
70-74	277	15.6	164	2	3	12	21	34	46	78
75-79	184	15.0	143	2	3	13	19	31	40	60
80-84	100	12.7	135	2	2	10	18	25	35	59
85+	60	13.3	179	1	2	10	19	31	40	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.3	10	<1	1	3	6	10	11	11
B. *Operated*	80	8.1	72	1	1	5	12	19	22	45
2. MULTIPLE DX										
A. *Not Operated*	313	7.6	34	2	2	6	10	15	20	32
B. *Operated*	899	15.3	166	2	3	12	20	34	44	84
1. SINGLE DX	102	7.2	61	1	1	4	11	17	20	43
2. MULTIPLE DX	1212	13.3	143	2	3	10	17	28	40	77
A. NOT OPERATED	335	7.4	33	2	2	6	10	15	19	32
B. OPERATED	979	14.7	163	2	3	11	20	32	42	82
TOTAL 65-69 YRS	418	13.4	156	2	3	10	18	30	42	99+
70-74	400	13.0	139	2	3	10	17	27	39	64
75-79	263	13.1	122	2	3	10	17	27	35	57
80-84	147	11.3	125	2	2	8	15	24	34	50
85+	86	11.0	140	1	2	7	14	26	35	93
GRAND TOTAL	**1314**	**12.8**	**140**	**2**	**3**	**10**	**17**	**27**	**39**	**72**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	7.6	27	1	2	6	12	15	16	16
70-74	3	4.0	19	1	1	2	7	9	9	9
75-79	6	6.5	19	3	3	4	12	12	12	12
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	10.5	181	1	1	10	20	20	20	20
B. *Operated*										
65-69 YRS	42	10.7	51	2	3	10	13	15	19	47
70-74	45	11.7	43	1	3	10	16	22	23	27
75-79	36	10.4	43	3	4	9	12	17	25	35
80-84	20	10.8	51	<1	1	11	16	20	23	24
85+	10	13.0	78	<1	3	9	20	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	7.5	45	1	2	5	10	16	19	38
70-74	94	7.8	57	1	2	6	9	15	19	43
75-79	106	8.0	57	2	2	6	10	18	22	41
80-84	69	6.7	25	1	2	5	8	14	18	24
85+	69	8.6	77	1	2	5	11	19	24	49
B. *Operated*										
65-69 YRS	564	16.3	121	4	7	14	20	30	38	55
70-74	663	16.0	136	4	6	13	20	28	38	76
75-79	572	17.2	117	4	7	14	22	31	37	54
80-84	337	17.6	141	5	6	15	22	31	40	73
85+	277	17.7	162	4	5	15	23	32	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.7	31	1	1	5	11	14	18	20
B. *Operated*	153	11.1	47	1	3	10	14	20	24	35
2. MULTIPLE DX										
A. *Not Operated*	438	7.7	52	1	2	6	10	16	21	40
B. *Operated*	2413	16.8	132	4	6	14	21	30	38	68
1. SINGLE DX	173	10.6	47	1	2	10	13	19	22	33
2. MULTIPLE DX	2851	15.4	130	3	4	13	20	29	37	61
A. NOT OPERATED	458	7.7	51	1	2	5	10	16	21	39
B. OPERATED	2566	16.4	129	4	6	14	20	30	38	66
TOTAL 65-69 YRS	714	14.6	116	3	4	12	18	28	36	53
70-74	805	14.8	129	3	4	12	18	26	36	65
75-79	720	15.4	116	3	4	13	20	30	35	52
80-84	427	15.5	136	2	4	13	20	29	37	62
85+	358	15.7	155	3	4	13	21	30	40	74
GRAND TOTAL	**3024**	**15.1**	**127**	**3**	**4**	**12**	**19**	**29**	**36**	**60**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	4	8.3	9	5	5	8	10	12	12	12
70-74	4	12.0	5	10	10	11	13	15	15	15
75-79	5	18.2	30	11	11	18	21	26	26	26
80-84	1	31.0		31	31	31	31	31	31	31
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	4.8	14	<1	<1	4	6	11	11	11
70-74	4	7.3	22	1	1	8	10	12	12	12
75-79	7	13.0	131	5	5	10	13	33	38	38
80-84	9	7.2	26	1	1	7	11	14	16	16
85+	8	6.8	8	2	3	7	9	11	11	11
B. *Operated*										
65-69 YRS	89	17.4	142	6	7	15	21	30	44	92
70-74	93	16.4	125	7	8	13	20	29	39	95
75-79	68	17.4	151	7	8	14	20	29	37	82
80-84	46	18.8	154	6	7	14	23	37	39	65
85+	24	18.8	90	9	10	17	23	27	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	15	14.7	50	5	7	12	18	26	30	31
2. MULTIPLE DX										
A. *Not Operated*	33	8.0	44	1	2	7	11	12	16	38
B. *Operated*	320	17.4	136	7	8	14	21	31	40	89
1. SINGLE DX	17	13.4	59	2	5	12	18	25	29	31
2. MULTIPLE DX	353	16.5	135	5	7	13	20	30	39	88
A. NOT OPERATED	35	7.7	43	1	1	7	11	12	15	38
B. OPERATED	335	17.3	132	7	8	14	21	31	39	88
TOTAL 65-69 YRS	99	16.3	141	3	6	14	21	30	42	90
70-74	101	15.9	120	7	7	13	19	28	37	94
75-79	81	16.9	141	6	7	14	20	28	37	76
80-84	56	17.1	152	2	6	13	22	36	38	63
85+	33	15.8	94	5	6	13	20	27	28	53
GRAND TOTAL	**370**	**16.4**	**132**	**5**	**7**	**13**	**20**	**30**	**38**	**86**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	8.0	153	<1	<1	4	5	30	33	33
70-74	7	4.7	22	<1	<1	5	6	12	14	14
75-79	14	8.0	49	<1	2	6	10	20	25	26
80-84	7	5.3	9	1	1	6	7	9	10	10
85+	6	1.8	1	1	1	2	2	4	4	4
B. *Operated*										
65-69 YRS	304	9.4	8	6	7	9	11	13	14	19
70-74	332	9.2	12	4	6	9	11	13	15	20
75-79	265	10.5	19	5	7	10	12	15	17	28
80-84	154	11.2	35	2	7	10	13	17	23	37
85+	73	12.5	35	5	7	11	15	20	26	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	199	7.6	52	1	2	6	10	15	22	39
70-74	276	8.0	67	1	2	6	10	15	20	41
75-79	245	8.7	84	1	2	6	10	18	23	44
80-84	196	9.4	90	2	3	6	12	19	23	52
85+	198	8.5	81	1	2	6	10	17	21	49
B. *Operated*										
65-69 YRS	2945	13.4	69	7	7	11	15	22	28	49
70-74	3382	13.9	69	6	7	12	16	23	29	48
75-79	3124	15.2	89	7	8	13	18	26	32	57
80-84	2389	15.9	94	7	8	13	19	27	34	61
85+	1812	17.4	106	7	8	15	21	29	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.0	46	<1	<1	4	7	12	22	33
B. *Operated*	1128	10.0	18	5	6	9	12	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	1114	8.4	75	1	2	6	10	17	22	45
B. *Operated*	13652	14.9	85	7	8	12	17	25	32	55
1. SINGLE DX	1168	9.9	19	4	6	9	11	14	17	28
2. MULTIPLE DX	14766	14.4	87	5	7	12	17	25	31	54
A. NOT OPERATED	1154	8.3	74	1	2	6	10	17	22	44
B. OPERATED	14780	14.5	81	6	8	12	17	24	31	53
TOTAL 65-69 YRS	3454	12.7	65	5	7	11	15	21	27	44
70-74	3997	13.1	68	5	7	11	15	22	28	47
75-79	3648	14.4	88	5	7	12	17	25	31	55
80-84	2746	15.1	94	4	7	13	18	26	33	57
85+	2089	16.3	109	4	7	14	20	28	35	61
GRAND TOTAL	**15934**	**14.1**	**83**	**5**	**7**	**12**	**17**	**24**	**31**	**52**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.7	20	<1	<1	4	6	11	15	15
70-74	9	5.8	67	<1	<1	2	7	20	25	25
75-79	5	3.8	23	<1	<1	1	6	12	12	12
80-84	8	3.5	6	1	1	3	5	7	8	8
85+	4	5.8	6	3	3	5	7	9	9	9
B. *Operated*										
65-69 YRS	241	9.2	24	1	2	9	11	15	17	22
70-74	223	9.4	32	1	2	9	12	17	19	29
75-79	149	8.8	30	1	2	9	12	16	17	24
80-84	109	9.4	34	1	2	10	13	16	18	27
85+	60	6.3	41	1	1	4	10	14	17	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	123	7.6	41	1	2	7	10	13	18	34
70-74	151	7.7	52	1	1	6	10	16	21	52
75-79	133	8.5	69	1	2	5	10	18	28	41
80-84	99	8.8	80	1	2	6	11	18	21	55
85+	105	8.5	126	1	1	5	10	17	24	66
B. *Operated*										
65-69 YRS	1365	13.9	85	3	5	12	16	23	30	52
70-74	1480	14.6	86	3	6	13	18	25	31	54
75-79	1202	15.6	122	3	6	13	19	27	36	61
80-84	825	15.7	98	3	5	14	20	27	34	49
85+	581	15.6	128	2	4	14	20	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.7	26	<1	<1	3	6	12	14	25
B. *Operated*	782	9.0	31	1	2	9	12	16	18	24
2. MULTIPLE DX										
A. *Not Operated*	611	8.1	71	1	2	6	10	16	22	52
B. *Operated*	5453	14.9	101	3	5	13	18	26	33	57
1. SINGLE DX	818	8.8	31	1	2	9	12	16	18	24
2. MULTIPLE DX	6064	14.2	102	2	4	12	18	25	32	56
A. NOT OPERATED	647	8.0	69	1	2	6	10	16	21	52
B. OPERATED	6235	14.2	96	2	4	12	17	25	31	53
TOTAL 65-69 YRS	1739	12.7	78	2	4	11	15	21	27	49
70-74	1863	13.4	83	2	4	12	17	23	30	51
75-79	1489	14.3	115	2	4	12	18	25	34	58
80-84	1041	14.3	97	2	3	13	18	26	32	48
85+	750	13.8	131	2	3	12	18	27	35	58
GRAND TOTAL	**6882**	**13.6**	**96**	**2**	**3**	**12**	**17**	**24**	**31**	**53**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.9	10	2	2	3	7	10	10	10
70-74	10	4.0	4	1	1	4	4	7	7	7
75-79	5	5.8	16	1	1	6	9	11	11	11
80-84	3	11.0	39	4	4	13	15	16	16	16
85+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
65-69 YRS	36	9.9	75	<1	1	7	15	18	30	36
70-74	27	9.4	32	1	1	9	13	16	19	24
75-79	16	11.3	254	1	2	8	10	19	53	68
80-84	15	10.5	42	2	4	10	15	20	22	23
85+	6	9.5	8	5	5	10	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	86	6.7	33	1	2	5	8	17	20	27
70-74	90	7.4	34	2	2	5	9	15	19	31
75-79	91	9.5	67	2	3	7	12	18	25	46
80-84	60	7.5	28	2	3	6	10	16	19	23
85+	55	7.1	22	2	2	6	9	13	16	24
B. *Operated*										
65-69 YRS	320	13.8	97	2	4	11	18	29	35	49
70-74	404	15.4	141	3	5	13	19	26	36	60
75-79	327	14.1	90	3	5	13	18	26	29	52
80-84	222	15.0	112	3	5	13	19	27	35	55
85+	152	16.7	136	4	6	14	21	29	38	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.3	14	1	2	4	7	11	13	16
B. *Operated*	100	10.1	80	1	1	9	13	18	23	52
2. MULTIPLE DX										
A. *Not Operated*	382	7.7	39	2	2	6	10	16	19	27
B. *Operated*	1425	14.8	115	3	5	12	19	27	35	55
1. SINGLE DX	127	9.0	70	1	1	8	12	17	20	43
2. MULTIPLE DX	1807	13.3	107	2	3	11	17	26	32	53
A. NOT OPERATED	409	7.6	38	2	2	6	10	16	19	27
B. OPERATED	1525	14.5	114	3	4	12	18	26	35	55
TOTAL 65-69 YRS	449	12.0	90	2	2	9	16	26	32	41
70-74	531	13.5	126	2	3	11	18	25	34	57
75-79	439	12.9	93	2	3	11	17	24	27	54
80-84	300	13.3	100	3	3	11	18	24	30	50
85+	215	13.9	121	2	4	11	17	25	35	55
GRAND TOTAL	**1934**	**13.0**	**106**	**2**	**3**	**11**	**17**	**25**	**31**	**53**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.9	11	1	2	5	7	11	11	11
70-74	12	5.5	36	1	1	3	7	15	20	21
75-79	11	5.0	8	<1	1	4	8	9	9	9
80-84	10	7.2	71	1	1	4	8	20	29	29
85+	6	6.0	10	3	3	5	8	11	11	11
B. *Operated*										
65-69 YRS	33	10.1	39	1	2	10	14	19	22	23
70-74	41	8.2	51	1	1	7	11	19	23	29
75-79	27	9.1	48	1	1	9	13	20	22	24
80-84	12	9.9	42	1	2	9	14	19	22	22
85+	10	10.5	40	2	2	10	17	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	8.5	55	1	2	7	11	17	23	32
70-74	188	8.8	63	2	2	6	11	19	26	40
75-79	174	8.6	67	2	2	6	10	18	22	36
80-84	129	7.4	32	2	2	6	9	13	19	29
85+	138	7.7	29	2	3	6	10	14	18	28
B. *Operated*										
65-69 YRS	632	16.3	126	3	5	14	21	29	37	58
70-74	602	16.2	111	4	6	14	20	30	37	53
75-79	506	16.1	102	3	6	15	20	29	35	53
80-84	347	17.2	105	4	7	15	22	32	39	53
85+	252	18.1	135	5	7	15	22	33	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.9	27	1	1	4	8	11	13	29
B. *Operated*	123	9.3	45	1	1	9	14	19	22	26
2. MULTIPLE DX										
A. *Not Operated*	839	8.3	51	2	2	6	10	17	22	34
B. *Operated*	2339	16.6	115	3	6	14	21	30	38	56
1. SINGLE DX	171	8.3	42	1	1	7	12	18	22	28
2. MULTIPLE DX	3178	14.4	111	2	4	12	19	28	35	53
A. NOT OPERATED	887	8.2	50	2	2	6	10	17	22	34
B. OPERATED	2462	16.2	114	3	5	14	21	30	37	55
TOTAL 65-69 YRS	884	14.1	117	2	3	12	18	26	33	57
70-74	843	14.0	108	2	3	12	18	27	35	51
75-79	718	13.9	102	2	3	12	19	26	33	51
80-84	498	14.3	103	2	3	12	19	29	35	51
85+	406	14.2	119	3	3	11	18	28	37	53
GRAND TOTAL	**3349**	**14.1**	**110**	**2**	**3**	**12**	**18**	**27**	**34**	**53**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	4.3	10	<1	1	3	6	9	10	15
70-74	63	5.2	48	1	1	4	6	9	14	48
75-79	38	6.7	59	1	1	4	6	15	29	32
80-84	14	5.6	37	1	1	4	6	16	21	23
85+	12	8.7	99	1	1	4	12	26	29	30
B. *Operated*										
65-69 YRS	390	7.5	26	1	1	7	10	14	17	23
70-74	320	7.7	34	1	1	7	10	13	19	31
75-79	205	7.2	30	1	1	7	10	14	17	26
80-84	80	6.8	41	1	1	5	9	14	18	38
85+	24	5.7	45	<1	1	3	7	15	22	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1340	8.2	52	2	2	6	10	16	22	35
70-74	1275	8.2	50	2	2	6	10	16	21	35
75-79	898	8.6	70	2	2	6	10	18	24	43
80-84	522	8.3	40	2	2	7	11	16	21	35
85+	246	8.8	77	2	2	6	11	17	24	60
B. *Operated*										
65-69 YRS	3960	11.8	86	2	3	10	15	23	29	49
70-74	3497	12.0	82	2	3	10	15	23	29	46
75-79	2249	12.3	94	2	3	10	15	23	30	53
80-84	1011	12.5	116	2	3	10	16	24	31	56
85+	405	11.7	67	2	3	10	15	23	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.4	39	1	1	4	6	10	15	31
B. *Operated*	1019	7.4	31	1	1	7	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	4281	8.3	55	2	2	6	10	16	22	38
B. *Operated*	11122	12.0	88	2	3	10	15	23	30	49
1. SINGLE DX	1218	7.1	33	1	1	6	10	14	18	29
2. MULTIPLE DX	15403	11.0	82	2	3	9	14	22	28	47
A. NOT OPERATED	4480	8.2	55	2	2	6	10	16	22	37
B. OPERATED	12141	11.7	85	2	3	10	15	22	29	48
TOTAL 65-69 YRS	5762	10.6	77	2	2	9	13	21	27	47
70-74	5155	10.7	74	2	3	9	14	21	27	43
75-79	3390	11.0	87	2	3	9	14	22	28	50
80-84	1627	10.8	92	2	2	8	14	22	28	47
85+	687	10.4	73	2	2	8	14	21	28	49
GRAND TOTAL	**16621**	**10.7**	**79**	**2**	**2**	**9**	**14**	**21**	**27**	**46**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.6	10	1	1	2	6	8	9	9
70-74	6	3.0	10	<1	<1	1	7	7	7	7
75-79	1	3.0		3	3	3	3	3	3	3
80-84	5	4.8	20	<1	<1	2	9	11	11	11
85+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
65-69 YRS	108	6.8	54	<1	<1	5	10	15	20	37
70-74	86	6.2	31	<1	1	3	10	15	16	19
75-79	59	4.8	29	<1	1	2	9	12	15	25
80-84	32	5.1	27	<1	<1	3	9	11	18	19
85+	13	5.2	34	<1	<1	2	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	7.0	53	<1	1	5	9	15	24	35
70-74	62	7.6	53	1	2	5	11	17	26	92
75-79	54	6.8	38	1	2	6	8	15	16	37
80-84	22	7.1	23	1	2	7	9	12	17	22
85+	17	7.4	65	2	2	4	8	17	28	33
B. *Operated*										
65-69 YRS	411	12.0	113	1	1	11	16	25	33	60
70-74	339	12.2	126	1	2	11	16	26	34	60
75-79	236	12.8	127	1	2	11	16	29	38	46
80-84	111	12.4	179	<1	1	10	15	26	35	73
85+	65	11.7	93	1	1	10	19	25	30	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.2	16	<1	<1	2	7	10	13	15
B. *Operated*	298	6.0	39	<1	1	3	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	223	7.2	47	1	2	5	9	15	22	37
B. *Operated*	1162	12.2	125	1	1	11	16	26	35	57
1. SINGLE DX	319	5.9	37	<1	1	3	10	14	17	24
2. MULTIPLE DX	1385	11.4	115	1	1	10	15	25	34	57
A. NOT OPERATED	244	6.9	45	1	1	5	9	15	21	37
B. OPERATED	1460	11.0	113	1	1	9	15	24	31	55
TOTAL 65-69 YRS	595	10.4	100	1	1	9	14	22	29	55
70-74	493	10.5	106	1	1	9	14	23	30	56
75-79	350	10.5	108	1	1	8	14	25	35	44
80-84	170	10.1	135	<1	1	8	13	22	29	56
85+	96	10.1	84	1	1	7	16	22	28	75
GRAND TOTAL	**1704**	**10.4**	**106**	**1**	**1**	**9**	**14**	**23**	**30**	**52**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.4	8	2	2	4	6	9	9	9
70-74	1	6.0		6	6	6	6	6	6	6
75-79	3	12.0	39	5	5	14	16	17	17	17
80-84	1	13.0		13	13	56	99+	99+	99+	99+
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	59	5.9	14	1	1	6	8	10	11	21
70-74	60	7.4	72	1	1	5	10	13	25	48
75-79	42	7.1	50	<1	<1	5	8	17	25	30
80-84	34	6.4	40	1	1	5	8	11	18	34
85+	24	8.9	202	<1	<1	4	8	19	46	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	10.7	182	2	3	6	10	24	45	70
70-74	32	8.2	80	1	1	5	10	20	22	45
75-79	32	8.1	123	1	1	4	7	22	43	45
80-84	16	8.0	69	1	2	6	8	19	30	34
85+	14	6.6	14	<1	1	7	10	11	13	13
B. *Operated*										
65-69 YRS	163	10.4	106	1	2	8	12	23	35	44
70-74	136	11.3	122	1	2	8	13	26	38	49
75-79	110	10.2	113	1	2	7	12	22	33	55
80-84	91	10.5	69	2	3	8	14	22	27	42
85+	67	11.5	99	1	2	9	15	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.0	26	2	2	7	13	42	92	99+
B. *Operated*	219	6.9	61	<1	1	5	8	12	21	42
2. MULTIPLE DX										
A. *Not Operated*	137	8.8	113	1	2	6	9	20	33	53
B. *Operated*	567	10.7	104	1	2	8	13	23	34	48
1. SINGLE DX	230	7.0	59	<1	1	5	9	13	22	53
2. MULTIPLE DX	704	10.4	106	1	2	7	12	22	34	49
A. NOT OPERATED	148	8.7	107	1	2	6	10	20	34	70
B. OPERATED	786	9.7	95	1	2	7	11	21	32	48
TOTAL 65-69 YRS	270	9.4	99	1	2	7	11	18	32	49
70-74	229	9.8	105	1	1	7	11	22	36	48
75-79	187	9.2	100	1	1	6	11	20	31	51
80-84	142	9.3	64	2	2	7	12	20	28	46
85+	106	10.3	111	1	2	8	13	20	29	59
GRAND TOTAL	**934**	**9.5**	**97**	**1**	**2**	**7**	**11**	**21**	**32**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	83	4.5	21	1	1	3	5	9	12	27
70-74	78	4.0	10	<1	1	3	6	10	11	74
75-79	50	3.8	9	<1	<1	3	5	8	11	13
80-84	42	4.6	19	1	1	3	6	10	12	23
85+	22	4.2	27	1	1	2	4	10	16	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	5.0	20	<1	<1	4	6	12	16	16
70-74	19	6.0	39	1	1	4	7	16	23	24
75-79	8	5.1	8	2	2	5	7	9	10	10
80-84	14	6.9	19	3	3	5	9	14	16	16
85+	6	6.3	23	1	1	6	9	13	14	14
B. *Operated*										
65-69 YRS	148	6.0	35	1	1	4	8	13	19	25
70-74	120	6.9	38	1	1	5	8	14	20	32
75-79	113	6.5	27	1	1	5	9	13	18	25
80-84	68	7.5	51	1	1	5	10	16	22	36
85+	49	7.2	56	1	1	5	7	17	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*	275	4.2	16	1	1	3	6	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	58	5.9	24	1	1	5	7	14	16	24
B. *Operated*	498	6.6	38	1	1	5	8	14	20	32
1. SINGLE DX	279	4.2	16	1	1	3	6	9	11	25
2. MULTIPLE DX	556	6.6	37	1	1	5	8	14	20	31
A. NOT OPERATED	62	5.7	23	1	1	4	7	13	16	24
B. OPERATED	773	5.8	32	1	1	4	7	12	18	30
TOTAL 65-69 YRS	243	5.4	30	1	1	4	7	12	17	26
70-74	220	5.7	30	1	1	4	7	12	18	32
75-79	171	5.6	22	1	1	4	7	11	17	24
80-84	124	6.5	38	1	1	4	9	14	18	33
85+	77	6.3	47	1	1	4	7	15	21	34
GRAND TOTAL	**835**	**5.8**	**31**	**1**	**1**	**4**	**7**	**12**	**17**	**28**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	6.0		6	6	6	6	6	6	6
80-84	3	7.3	70	2	2	3	13	17	17	17
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	137	2.2	10	<1	<1	1	2	5	6	12
70-74	162	2.2	5	<1	<1	2	2	4	6	13
75-79	156	2.8	10	<1	<1	1	3	7	10	17
80-84	109	2.6	5	<1	<1	2	3	6	8	10
85+	108	3.0	9	<1	<1	2	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	6.1	60	1	1	3	7	18	26	26
70-74	24	4.3	18	<1	<1	3	6	8	14	18
75-79	14	5.6	23	1	1	5	8	11	17	19
80-84	26	4.7	28	<1	<1	2	6	15	17	18
85+	27	4.0	7	<1	1	4	6	8	9	9
B. *Operated*										
65-69 YRS	277	5.6	94	<1	1	2	6	12	18	55
70-74	308	5.3	61	<1	1	3	6	12	18	45
75-79	340	5.2	51	<1	1	3	6	11	16	42
80-84	294	5.5	76	1	1	3	6	12	18	46
85+	359	6.3	61	1	1	3	8	14	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.0	27	1	1	3	6	14	17	17
B. *Operated*	672	2.5	8	<1	<1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	100	4.7	21	<1	<1	3	6	9	16	22
B. *Operated*	1578	5.6	67	<1	1	3	6	12	19	46
1. SINGLE DX	680	2.6	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX	1678	5.5	64	<1	1	3	6	12	19	46
A. NOT OPERATED	108	4.7	22	<1	1	3	6	9	17	22
B. OPERATED	2250	4.7	51	<1	1	2	5	10	16	42
TOTAL 65-69 YRS	424	4.5	68	<1	<1	2	4	9	15	49
70-74	495	4.3	42	<1	<1	2	5	9	16	30
75-79	512	4.5	38	<1	<1	2	5	10	15	35
80-84	432	4.7	57	<1	1	2	5	10	15	27
85+	495	5.4	48	<1	1	3	7	12	19	43
GRAND TOTAL	**2358**	**4.7**	**50**	**<1**	**1**	**2**	**5**	**10**	**16**	**41**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.5	5	<1	1	3	4	7	9	9
70-74	13	3.8	4	<1	1	3	5	7	7	7
75-79	9	3.6	6	<1	<1	3	6	7	7	7
80-84	3	2.7	8	<1	<1	1	5	6	6	6
85+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
65-69 YRS	1403	4.5	5	1	2	4	6	7	8	12
70-74	1145	4.7	7	1	2	4	6	8	9	12
75-79	766	4.9	6	1	2	5	6	8	9	12
80-84	421	5.0	7	1	2	5	6	8	9	13
85+	281	4.7	7	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	151	6.6	42	<1	1	5	8	14	18	39
70-74	140	7.9	43	1	1	7	10	15	19	38
75-79	110	8.9	131	1	1	6	10	17	23	70
80-84	74	8.7	90	1	2	5	10	20	35	46
85+	75	7.4	44	1	1	6	10	16	24	83
B. *Operated*										
65-69 YRS	3205	6.1	15	2	2	5	7	10	12	20
70-74	2978	6.6	24	2	3	6	8	11	14	28
75-79	2261	6.6	19	2	3	6	8	11	14	24
80-84	1445	6.8	28	2	3	6	8	11	14	30
85+	1018	7.1	33	2	2	6	9	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.6	5	<1	<1	3	5	7	7	9
B. *Operated*	4016	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	550	7.8	67	1	1	6	10	16	22	49
B. *Operated*	10907	6.5	22	2	3	6	8	11	14	26
1. SINGLE DX	4056	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX	11457	6.6	24	2	3	6	8	11	14	27
A. NOT OPERATED	590	7.5	64	1	1	6	9	15	22	45
B. OPERATED	14923	6.0	18	2	2	5	7	10	12	23
TOTAL 65-69 YRS	4772	5.6	14	1	2	5	7	9	11	20
70-74	4276	6.2	21	2	2	5	7	10	13	26
75-79	3146	6.3	20	2	2	6	7	10	13	24
80-84	1943	6.5	26	2	2	6	8	11	13	29
85+	1376	6.6	29	1	2	6	8	12	15	27
GRAND TOTAL	**15513**	**6.1**	**20**	**2**	**2**	**5**	**7**	**10**	**13**	**24**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	3.3	1	2	2	3	4	5	5	6
70-74	22	3.0	1	1	2	3	3	4	5	5
75-79	16	3.1	1	1	2	3	3	5	5	5
80-84	8	3.9	1	3	3	4	5	5	5	5
85+	4	7.5	60	2	2	4	12	19	19	19
B. *Operated*										
65-69 YRS	43	3.8	15	1	1	3	4	7	8	25
70-74	28	4.0	16	<1	1	3	4	8	15	18
75-79	25	4.0	6	<1	1	4	7	7	8	9
80-84	18	5.0	11	<1	1	4	7	9	12	14
85+	9	7.2	38	2	2	4	10	17	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	52	5.2	15	1	2	4	6	11	14	18
70-74	43	6.6	55	1	1	4	8	14	19	43
75-79	38	7.3	42	2	2	6	8	12	26	30
80-84	24	6.5	13	2	2	6	8	12	14	15
85+	29	8.0	37	2	2	6	11	17	19	26
B. *Operated*										
65-69 YRS	179	7.7	76	1	2	5	9	16	23	46
70-74	119	8.8	78	1	2	6	10	22	29	41
75-79	98	8.9	53	2	2	8	10	17	25	38
80-84	73	7.3	58	1	2	5	8	19	24	36
85+	47	8.3	36	1	2	7	11	18	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.5	4	2	2	3	4	5	5	16
B. *Operated*	123	4.3	15	1	1	3	5	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	186	6.6	33	1	2	5	8	13	17	30
B. *Operated*	516	8.2	66	1	2	6	10	18	25	38
1. SINGLE DX	196	4.0	11	1	1	3	4	7	9	20
2. MULTIPLE DX	702	7.8	58	1	2	6	9	17	22	36
A. NOT OPERATED	259	5.7	27	1	2	4	7	12	16	29
B. OPERATED	639	7.4	58	1	2	5	9	16	22	36
TOTAL 65-69 YRS	297	6.4	54	1	2	4	7	12	18	40
70-74	212	7.1	62	1	2	4	8	17	23	39
75-79	177	7.4	43	1	2	6	8	14	21	35
80-84	123	6.6	40	1	2	4	8	14	20	36
85+	89	8.0	36	2	2	6	11	18	20	26
GRAND TOTAL	**898**	**6.9**	**50**	**1**	**2**	**5**	**8**	**15**	**21**	**36**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	2.8	1	1	1	3	4	4	5	5
70-74	19	2.2	1	1	1	2	3	3	4	4
75-79	18	2.6	1	<1	1	3	3	4	4	4
80-84	8	2.9	1	1	1	3	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	205	5.6	7	1	2	6	7	8	9	14
70-74	184	5.7	7	<1	2	6	7	9	11	12
75-79	119	5.8	10	1	2	6	7	9	10	18
80-84	55	5.4	8	1	1	6	7	8	9	16
85+	31	7.0	35	2	2	6	8	14	17	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	71	4.2	16	1	1	3	5	7	12	25
70-74	73	5.5	20	1	1	4	8	11	15	20
75-79	52	6.2	26	1	2	5	7	12	19	25
80-84	41	6.9	136	1	1	4	6	12	28	69
85+	36	5.9	38	1	2	4	7	10	16	35
B. *Operated*										
65-69 YRS	1057	7.8	38	2	4	7	9	13	16	33
70-74	942	8.0	36	2	3	7	9	13	17	29
75-79	629	8.6	51	2	3	7	10	15	19	38
80-84	361	8.9	43	2	3	7	11	14	20	33
85+	217	9.8	80	1	2	8	12	19	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.6	1	1	1	3	3	4	4	5
B. *Operated*	594	5.7	9	1	2	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	273	5.6	40	1	1	4	6	11	15	32
B. *Operated*	3206	8.3	44	2	3	7	9	14	18	35
1. SINGLE DX	666	5.4	9	1	2	5	7	8	10	16
2. MULTIPLE DX	3479	8.1	44	2	3	7	9	14	18	34
A. NOT OPERATED	345	5.0	33	1	1	3	5	10	13	26
B. OPERATED	3800	7.9	39	2	3	7	9	13	17	33
TOTAL 65-69 YRS	1359	7.2	33	2	3	6	8	11	15	31
70-74	1218	7.4	32	1	2	7	8	12	16	26
75-79	818	7.9	44	1	2	7	9	14	19	34
80-84	465	8.2	48	2	2	7	10	14	18	34
85+	285	9.0	71	1	2	7	11	17	24	44
GRAND TOTAL	**4145**	**7.6**	**39**	**2**	**2**	**7**	**9**	**13**	**17**	**33**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	1.9	1	1	1	2	3	3	5	5
70-74	10	3.9	31	<1	<1	2	3	13	19	19
75-79	8	2.4	2	1	1	2	3	5	5	5
80-84	3	2.0		2	2	2	2	2	2	2
85+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
65-69 YRS	52	8.0	18	3	4	7	9	11	16	29
70-74	29	10.5	172	1	3	8	11	16	21	75
75-79	17	12.8	197	5	6	8	12	22	50	64
80-84	11	9.3	11	4	5	8	13	14	14	14
85+	6	9.8	53	4	4	8	10	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	6.9	48	1	1	4	10	15	23	32
70-74	95	6.7	39	1	1	4	10	14	21	30
75-79	77	7.1	26	1	1	7	9	13	17	24
80-84	54	8.6	57	1	2	7	11	18	27	36
85+	60	8.9	51	2	2	7	12	17	22	42
B. *Operated*										
65-69 YRS	507	12.9	71	5	6	11	15	23	29	44
70-74	418	14.0	86	5	7	11	17	25	32	53
75-79	299	14.5	79	6	7	12	18	27	35	58
80-84	160	14.4	77	6	7	12	19	24	29	67
85+	90	17.0	105	6	7	14	20	33	40	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.6	9	1	1	2	3	5	6	19
B. *Operated*	115	9.6	84	3	4	8	10	15	20	68
2. MULTIPLE DX										
A. *Not Operated*	402	7.4	44	1	2	5	10	15	21	32
B. *Operated*	1474	14.0	81	5	6	11	17	25	32	52
1. SINGLE DX	154	7.8	74	1	1	7	9	13	18	63
2. MULTIPLE DX	1876	12.6	80	2	4	10	16	23	30	47
A. NOT OPERATED	441	7.0	42	1	1	5	10	15	21	30
B. OPERATED	1589	13.6	82	5	6	11	17	24	31	53
TOTAL 65-69 YRS	689	11.3	70	2	3	9	14	22	28	39
70-74	552	12.4	90	2	4	10	15	23	29	52
75-79	401	12.8	82	2	4	10	17	24	31	56
80-84	228	12.6	76	2	4	10	17	23	28	56
85+	160	13.4	98	2	4	11	17	26	35	46
GRAND TOTAL	**2030**	**12.2**	**81**	**2**	**4**	**10**	**15**	**23**	**29**	**47**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	3.1	6	1	1	3	4	7	9	9
70-74	3	3.7	1	3	3	3	5	5	5	5
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	2	6.5	1	6	6	6	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	25	5.5	13	1	2	5	8	9	12	16
70-74	26	6.8	45	<1	1	5	9	14	24	26
75-79	29	5.6	16	1	1	4	9	12	12	13
80-84	16	8.2	182	<1	<1	4	8	12	43	57
85+	22	6.9	18	2	2	6	10	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	6.1	32	<1	1	4	6	16	19	20
70-74	17	6.9	69	1	1	3	10	17	28	33
75-79	33	7.7	32	1	2	6	12	16	19	21
80-84	13	6.1	14	1	2	5	8	11	14	15
85+	19	6.4	16	1	3	6	8	12	15	18
B. *Operated*										
65-69 YRS	96	11.0	57	2	4	8	15	22	24	39
70-74	96	12.3	137	2	2	10	16	21	29	72
75-79	101	11.6	97	2	3	9	15	22	28	54
80-84	96	11.4	98	2	3	8	14	22	29	57
85+	77	11.0	98	2	2	8	16	29	35	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.4	5	<1	1	3	5	7	8	9
B. *Operated*	118	6.4	43	1	1	5	9	12	15	36
2. MULTIPLE DX										
A. *Not Operated*	99	6.8	32	1	2	5	8	15	18	27
B. *Operated*	466	11.5	97	2	3	9	15	22	29	53
1. SINGLE DX	136	6.0	39	1	1	4	8	11	14	30
2. MULTIPLE DX	565	10.7	89	2	2	8	14	21	28	45
A. NOT OPERATED	117	6.3	29	1	1	5	8	15	18	25
B. OPERATED	584	10.5	90	2	2	8	14	21	28	51
TOTAL 65-69 YRS	149	9.0	51	1	2	7	13	18	23	35
70-74	142	10.4	116	1	2	8	14	21	27	48
75-79	165	9.6	75	1	2	7	13	19	24	44
80-84	127	10.4	101	1	2	8	12	22	28	57
85+	118	9.5	74	2	2	7	11	22	30	62
GRAND TOTAL	**701**	**9.8**	**82**	**1**	**2**	**7**	**13**	**21**	**26**	**45**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	3.5	19	<1	<1	2	4	10	15	17
70-74	11	7.4	65	<1	1	5	9	19	28	29
75-79	13	5.5	17	1	2	5	6	13	15	15
80-84	13	6.9	32	1	1	6	9	13	20	22
85+	7	4.4	10	1	1	4	5	10	11	11
B. *Operated*										
65-69 YRS	797	5.4	13	1	1	5	7	10	12	18
70-74	844	5.0	12	1	1	4	7	9	11	15
75-79	634	4.5	8	1	1	4	6	8	10	14
80-84	385	4.6	9	1	1	4	6	8	10	15
85+	194	5.2	21	1	1	5	6	9	10	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	284	7.4	63	1	1	5	9	15	23	34
70-74	330	8.6	89	1	2	6	10	17	25	54
75-79	401	7.7	48	2	2	6	10	16	22	35
80-84	299	7.8	62	1	2	6	10	15	20	44
85+	239	7.8	64	1	2	6	10	15	21	44
B. *Operated*										
65-69 YRS	3108	7.1	31	1	2	6	9	14	18	28
70-74	3874	6.8	32	1	2	5	8	13	16	28
75-79	3797	7.0	32	1	2	6	9	13	17	30
80-84	2592	7.7	46	2	2	6	9	14	19	35
85+	1640	8.5	44	2	3	7	11	16	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.5	29	<1	1	4	7	12	16	28
B. *Operated*	2854	4.9	12	1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1553	7.9	65	1	2	6	10	16	22	39
B. *Operated*	15011	7.3	36	1	2	6	9	14	18	31
1. SINGLE DX	2915	5.0	12	1	1	4	7	9	11	16
2. MULTIPLE DX	16564	7.3	38	1	2	6	9	14	18	32
A. NOT OPERATED	1614	7.8	63	1	2	6	10	15	22	39
B. OPERATED	17865	6.9	33	1	2	6	8	13	17	30
TOTAL 65-69 YRS	4206	6.7	30	1	2	5	8	13	17	27
70-74	5059	6.6	33	1	2	5	8	12	16	29
75-79	4845	6.7	31	1	2	5	8	13	16	29
80-84	3289	7.4	44	1	2	6	9	14	19	34
85+	2080	8.1	45	2	3	6	10	15	20	33
GRAND TOTAL	**19479**	**7.0**	**35**	**1**	**2**	**6**	**9**	**13**	**17**	**31**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	14	2.9	2	<1	<1	3	4	5	6	6
70-74	16	3.3	13	<1	<1	2	3	10	12	13
75-79	10	4.2	5	<1	<1	5	6	7	7	7
80-84	5	2.0	1	1	1	2	2	3	3	3
85+	3	5.3	24	2	2	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	2	16.0	50	11	11	16	21	21	21	21
B. *Operated*										
65-69 YRS	23	5.3	25	1	1	3	9	13	15	19
70-74	28	5.7	27	1	1	4	8	16	18	18
75-79	29	7.4	22	2	3	6	9	14	20	20
80-84	17	6.2	23	1	2	5	8	15	17	17
85+	12	6.4	18	2	2	6	10	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*	48	3.3	8	<1	<1	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	4	10.8	58	3	3	9	16	21	21	21
B. *Operated*	109	6.2	24	1	1	5	9	13	17	20
1. SINGLE DX	50	3.5	8	<1	<1	3	5	7	10	13
2. MULTIPLE DX	113	6.4	25	1	2	5	9	13	18	21
A. NOT OPERATED	6	9.5	42	3	3	9	11	20	21	21
B. OPERATED	157	5.3	20	1	1	4	8	12	16	20
TOTAL 65-69 YRS	37	4.4	18	<1	1	3	5	11	13	19
70-74	45	4.9	23	<1	1	3	7	13	17	18
75-79	41	6.6	19	1	2	6	8	11	17	20
80-84	22	5.2	21	1	1	3	8	12	16	17
85+	18	7.2	28	2	2	6	11	13	18	21
GRAND TOTAL	**163**	**5.5**	**21**	**1**	**1**	**4**	**8**	**12**	**16**	**20**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.7	1	1	1	2	2	3	3	3
70-74	7	2.0		1	1	2	2	3	3	3
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	8	3.8	11	<1	<1	3	5	9	11	11
85+	6	5.0	8	2	2	4	6	10	10	10
B. *Operated*										
65-69 YRS	673	3.4	13	1	1	2	4	8	12	20
70-74	664	3.6	15	1	1	3	4	7	11	19
75-79	588	3.7	12	1	1	3	4	8	11	18
80-84	421	3.8	11	1	1	3	5	7	10	16
85+	316	3.6	11	1	1	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	7.7	114	1	2	5	8	13	28	66
70-74	104	5.8	20	1	1	5	8	12	15	21
75-79	121	7.7	75	1	1	5	9	19	29	43
80-84	107	7.9	91	1	2	5	9	16	18	64
85+	96	6.2	29	1	1	5	8	12	15	30
B. *Operated*										
65-69 YRS	1902	6.4	47	1	1	4	8	15	19	36
70-74	2417	6.3	52	1	1	4	7	14	19	35
75-79	2242	6.9	65	1	1	4	8	16	21	49
80-84	1693	6.8	50	1	2	5	8	15	20	38
85+	1351	7.6	64	1	2	5	9	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	7	1	1	2	4	6	10	11
B. *Operated*	2662	3.6	13	1	1	3	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	504	7.1	64	1	1	5	8	14	21	44
B. *Operated*	9605	6.7	56	1	1	4	8	15	20	37
1. SINGLE DX	2691	3.6	13	1	1	3	4	7	11	18
2. MULTIPLE DX	10109	6.8	56	1	1	4	8	15	20	38
A. NOT OPERATED	533	6.8	62	1	1	5	8	13	20	43
B. OPERATED	12267	6.1	48	1	1	4	7	14	19	35
TOTAL 65-69 YRS	2657	5.7	42	1	1	3	7	13	18	34
70-74	3192	5.7	45	1	1	4	7	13	18	34
75-79	2953	6.3	56	1	1	4	7	14	19	39
80-84	2229	6.2	46	1	1	4	7	14	19	35
85+	1769	6.8	55	1	2	5	8	14	20	35
GRAND TOTAL	**12800**	**6.1**	**49**	**1**	**1**	**4**	**7**	**14**	**19**	**35**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	1	1	1	3	3	3	3	3
70-74	4	2.5	4	<1	<1	2	4	5	5	5
75-79	4	4.5	3	3	3	4	6	7	7	7
80-84										
85+	4	4.0	6	<1	<1	4	6	7	7	7
B. *Operated*										
65-69 YRS	94	7.6	13	1	2	8	10	12	15	16
70-74	94	7.6	19	1	1	8	9	13	16	20
75-79	63	8.4	20	1	3	8	11	14	19	20
80-84	37	8.3	19	1	2	8	11	13	15	21
85+	16	5.5	18	<1	1	5	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	8.8	76	1	2	6	10	20	25	41
70-74	91	8.8	73	2	2	6	12	20	28	42
75-79	84	8.6	59	1	2	6	12	17	25	41
80-84	54	9.7	167	1	2	6	12	18	25	89
85+	42	8.3	48	1	2	7	11	17	19	37
B. *Operated*										
65-69 YRS	659	12.2	77	3	5	10	14	21	27	58
70-74	609	12.3	87	3	5	10	15	21	27	47
75-79	514	12.2	71	2	4	10	15	22	27	48
80-84	281	13.9	110	3	5	11	17	27	36	66
85+	132	13.9	81	3	4	12	19	25	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.4	4	<1	<1	3	4	7	7	7
B. *Operated*	304	7.8	17	1	2	8	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	361	8.8	81	1	2	6	12	18	25	41
B. *Operated*	2195	12.6	83	3	5	10	15	22	29	54
1. SINGLE DX	319	7.6	18	1	1	8	10	12	15	20
2. MULTIPLE DX	2556	12.0	84	2	4	10	15	22	28	51
A. NOT OPERATED	376	8.6	79	1	2	6	11	18	25	41
B. OPERATED	2499	12.0	77	2	4	10	15	21	27	50
TOTAL 65-69 YRS	846	11.3	72	2	4	9	13	20	26	48
70-74	798	11.3	80	2	3	10	14	20	26	45
75-79	665	11.4	66	2	3	10	14	21	26	43
80-84	372	12.8	113	2	3	10	15	23	32	67
85+	194	11.8	77	2	2	10	16	21	29	46
GRAND TOTAL	**2875**	**11.5**	**79**	**2**	**3**	**10**	**14**	**21**	**27**	**49**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	15	2.9	4	1	1	3	3	6	7	8
70-74	13	3.4	4	1	1	3	4	7	8	8
75-79	11	2.6	2	1	1	2	3	5	7	7
80-84	9	2.3	1	1	1	2	3	4	4	4
85+	6	2.7	5	1	1	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	7.0	66	1	1	5	10	21	21	21
70-74	2	3.0		3	3	3	3	3	3	3
75-79										
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	20	5.4	14	1	1	4	8	11	13	14
70-74	25	9.0	387	1	1	3	7	10	50	98
75-79	18	7.8	266	1	1	3	5	16	51	71
80-84	12	4.0	11	1	1	3	6	10	11	11
85+	5	3.8	7	1	1	3	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	54	2.8	3	1	1	3	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	10	5.6	34	1	1	3	6	15	21	21
B. *Operated*	80	6.8	184	1	1	3	6	10	17	90
1. SINGLE DX	54	2.8	3	1	1	3	3	6	7	8
2. MULTIPLE DX	90	6.6	167	1	1	3	6	10	20	87
A. NOT OPERATED	10	5.6	34	1	1	3	6	15	21	21
B. OPERATED	134	5.2	114	1	1	3	5	8	11	75
TOTAL 65-69 YRS	40	4.7	17	1	1	3	6	10	13	21
70-74	40	6.9	247	1	1	3	6	8	22	98
75-79	29	5.9	169	1	1	3	4	7	22	71
80-84	23	3.5	8	1	1	3	4	9	10	11
85+	12	3.2	5	1	1	3	4	7	8	8
GRAND TOTAL	**144**	**5.2**	**108**	**1**	**1**	**3**	**5**	**8**	**11**	**73**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.3	14	1	2	6	9	11	13	16
70-74	27	6.7	27	<1	1	7	10	12	14	25
75-79	21	8.6	104	1	1	4	10	24	34	40
80-84	12	10.8	59	1	2	9	14	23	26	27
85+	5	11.8	141	3	3	4	23	28	28	28
B. *Operated*										
65-69 YRS	67	12.4	70	3	5	10	16	21	25	50
70-74	59	12.3	97	2	3	10	15	21	31	59
75-79	36	11.2	65	2	2	10	14	22	30	35
80-84	7	11.9	50	1	2	10	18	21	21	21
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	152	9.1	74	1	2	6	12	19	23	48
70-74	142	10.3	62	2	3	8	13	19	26	41
75-79	100	11.2	134	2	3	8	14	21	48	99+
80-84	76	11.3	69	2	3	10	14	22	27	43
85+	30	11.4	121	3	3	7	14	26	33	52
B. *Operated*										
65-69 YRS	210	16.9	156	4	5	14	21	32	46	62
70-74	217	18.5	170	5	6	15	22	35	49	63
75-79	122	19.7	194	5	7	15	25	39	51	67
80-84	41	19.5	145	6	7	16	27	34	47	56
85+	8	14.9	67	6	7	11	23	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	7.9	51	1	2	6	10	16	25	36
B. *Operated*	170	12.1	76	2	3	10	15	21	25	50
2. MULTIPLE DX										
A. *Not Operated*	500	10.3	85	2	3	8	13	20	27	55
B. *Operated*	598	18.2	168	5	6	15	23	35	49	64
1. SINGLE DX	261	10.6	71	2	2	9	14	21	25	44
2. MULTIPLE DX	1098	14.6	145	3	4	11	18	30	40	60
A. NOT OPERATED	591	10.0	80	2	2	7	13	20	27	54
B. OPERATED	768	16.9	154	4	6	14	21	33	45	61
TOTAL 65-69 YRS	455	13.0	122	2	3	10	16	25	35	56
70-74	445	14.4	135	3	4	11	18	29	37	60
75-79	279	14.7	168	2	3	11	18	34	46	69
80-84	136	13.8	103	2	4	11	18	27	34	55
85+	44	12.0	108	3	3	8	17	27	32	52
GRAND TOTAL	**1359**	**13.9**	**133**	**2**	**4**	**11**	**17**	**28**	**38**	**59**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	9	10.2	24	3	4	9	14	17	18	18
70-74	1	53.0		53	53	53	53	53	53	53
75-79										
80-84	2	8.5	113	1	1	8	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	10.2	77	1	1	8	15	21	29	32
70-74	10	7.2	17	2	2	7	10	13	14	14
75-79	4	11.0	74	2	2	10	18	21	21	21
80-84	6	9.2	39	1	2	8	10	19	20	20
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	16	33.6	485	9	10	28	53	69	70	71
70-74	24	18.3	143	1	3	17	25	34	45	46
75-79	13	13.2	54	5	6	10	21	24	26	27
80-84	10	31.9	537	10	10	27	44	67	73	73
85+	1	40.0		40	40	40	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	12	13.5	183	1	2	10	16	28	49	53
2. MULTIPLE DX										
A. *Not Operated*	36	9.3	49	1	2	8	13	20	21	32
B. *Operated*	64	23.5	328	4	7	17	30	50	66	73
1. SINGLE DX	14	12.0	170	1	1	8	16	21	46	53
2. MULTIPLE DX	100	18.4	273	2	3	12	24	43	59	72
A. NOT OPERATED	38	9.0	49	1	1	7	12	20	21	32
B. OPERATED	76	22.0	316	3	6	16	28	49	64	72
TOTAL 65-69 YRS	41	19.2	350	2	4	12	26	53	67	71
70-74	36	15.7	169	1	2	12	23	33	45	53
75-79	17	12.7	55	3	5	10	21	23	26	27
80-84	18	21.7	439	1	3	12	39	56	68	73
85+	2	25.5	421	11	11	25	40	40	40	40
GRAND TOTAL	**114**	**17.6**	**263**	**1**	**3**	**12**	**22**	**42**	**57**	**72**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.3	1	2	2	3	4	4	4	4
70-74	5	3.0	1	2	2	3	4	4	4	4
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	23.5	1013	1	1	23	46	46	46	46
B. *Operated*										
65-69 YRS	30	3.4	3	1	2	3	4	6	6	8
70-74	26	4.3	7	1	2	4	5	9	10	11
75-79	19	5.7	12	2	3	4	7	10	13	16
80-84	6	4.3	9	2	2	4	4	9	10	10
85+	2	16.0	128	8	8	16	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	5.0	12	<1	1	4	7	11	11	11
70-74	30	10.7	128	1	2	6	18	23	31	53
75-79	23	7.0	30	1	2	5	9	15	18	24
80-84	10	10.5	33	3	3	11	14	18	19	19
85+	7	3.6	4	1	1	3	5	7	7	7
B. *Operated*										
65-69 YRS	132	6.8	49	2	2	4	8	14	22	33
70-74	103	8.5	60	2	3	5	10	21	25	39
75-79	83	9.1	54	3	3	7	12	17	19	46
80-84	43	11.4	126	2	3	8	13	24	40	54
85+	27	13.3	121	4	4	10	16	22	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.6	136	<1	1	3	4	8	38	46
B. *Operated*	83	4.6	12	1	2	4	5	9	10	21
2. MULTIPLE DX										
A. *Not Operated*	91	7.9	62	1	2	5	11	18	23	44
B. *Operated*	388	8.7	69	2	3	6	10	18	25	50
1. SINGLE DX	97	4.7	29	1	2	4	5	9	10	36
2. MULTIPLE DX	479	8.5	68	2	3	6	10	18	24	50
A. NOT OPERATED	105	7.6	71	1	1	4	10	18	23	49
B. OPERATED	471	8.0	62	2	2	5	9	17	22	48
TOTAL 65-69 YRS	187	6.0	38	2	2	4	7	11	18	28
70-74	164	8.1	66	2	2	5	9	20	24	47
75-79	127	8.1	45	2	3	6	10	16	18	35
80-84	60	10.4	101	2	3	7	12	20	35	53
85+	38	12.2	139	2	3	8	14	23	45	49
GRAND TOTAL	**576**	**7.9**	**63**	**2**	**2**	**5**	**9**	**17**	**23**	**48**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	5.7	27	1	1	4	8	11	16	25
70-74	27	9.3	128	<1	1	5	12	21	39	48
75-79	25	5.7	19	2	2	3	9	11	14	19
80-84	23	7.1	19	1	2	6	11	14	15	15
85+	17	4.9	13	<1	1	4	6	10	13	15
B. *Operated*										
65-69 YRS	95	6.1	71	<1	<1	3	8	11	19	51
70-74	97	6.2	37	<1	1	5	8	12	17	35
75-79	79	5.5	40	<1	1	4	7	12	18	34
80-84	46	6.8	34	<1	1	5	11	16	20	21
85+	30	4.7	30	<1	1	3	5	11	13	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3187	8.7	58	2	2	7	11	17	24	36
70-74	3185	9.0	60	2	2	7	12	18	23	38
75-79	2525	9.4	76	2	2	7	12	19	24	43
80-84	1639	9.4	64	2	3	7	12	19	25	43
85+	1062	9.2	60	2	2	7	11	19	24	40
B. *Operated*										
65-69 YRS	4191	11.8	112	1	2	9	15	25	33	57
70-74	3758	12.2	114	1	2	9	16	25	32	58
75-79	2703	12.4	113	2	3	10	16	26	34	54
80-84	1531	12.1	102	1	3	10	16	25	32	47
85+	878	13.0	137	2	3	10	16	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	6.6	44	1	1	5	9	13	17	39
B. *Operated*	347	6.0	46	<1	1	4	8	12	18	31
2. MULTIPLE DX										
A. *Not Operated*	11598	9.1	64	2	2	7	11	18	24	40
B. *Operated*	13061	12.2	113	1	2	9	16	25	33	55
1. SINGLE DX	479	6.1	46	<1	1	4	8	13	18	34
2. MULTIPLE DX	24659	10.7	92	2	2	8	14	22	29	50
A. NOT OPERATED	11730	9.0	63	2	2	7	11	18	24	40
B. OPERATED	13408	12.0	113	1	2	9	16	25	32	55
TOTAL 65-69 YRS	7513	10.4	91	1	2	8	13	22	29	50
70-74	7067	10.6	92	2	2	8	14	22	29	49
75-79	5332	10.8	97	2	2	8	14	22	30	52
80-84	3239	10.7	83	2	3	8	14	22	28	46
85+	1987	10.8	98	2	2	8	14	23	29	51
GRAND TOTAL	**25138**	**10.6**	**92**	**2**	**2**	**8**	**14**	**22**	**29**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.0	19	1	1	2	7	9	9	9
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	16	4.6	16	<1	<1	2	7	9	13	15
70-74	7	5.0	25	1	1	5	7	13	15	15
75-79	8	6.9	35	<1	<1	6	10	16	18	18
80-84	4	6.0	87	<1	<1	1	11	20	20	20
85+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	9.6	122	1	2	5	10	21	39	47
70-74	17	8.1	69	1	2	4	11	18	29	34
75-79	20	6.5	41	1	1	3	13	16	17	18
80-84	3	7.3	2	6	6	7	8	9	9	9
85+	9	12.2	95	3	3	8	21	26	29	29
B. *Operated*										
65-69 YRS	70	12.9	82	2	2	12	18	26	32	37
70-74	42	13.2	86	1	3	11	17	21	35	45
75-79	47	14.0	114	2	3	10	18	27	41	42
80-84	18	19.4	285	2	3	18	28	57	86	99+
85+	10	8.8	37	1	2	8	11	18	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.8	26	1	1	4	10	13	13	13
B. *Operated*	37	5.5	26	<1	<1	5	8	14	17	20
2. MULTIPLE DX										
A. *Not Operated*	66	8.5	74	1	1	5	11	19	25	45
B. *Operated*	187	13.6	110	2	3	11	18	27	38	59
1. SINGLE DX	42	5.5	26	<1	<1	4	8	14	16	20
2. MULTIPLE DX	253	12.3	105	1	2	10	17	25	34	47
A. NOT OPERATED	71	8.3	71	1	1	5	11	18	24	44
B. OPERATED	224	12.3	105	1	2	10	17	25	35	51
TOTAL 65-69 YRS	106	10.8	85	1	2	8	15	24	29	42
70-74	67	11.0	81	1	1	10	15	20	31	44
75-79	76	11.1	97	1	1	9	16	23	35	42
80-84	25	15.8	247	1	2	10	22	41	74	99+
85+	21	10.1	58	2	3	8	13	22	26	29
GRAND TOTAL	**295**	**11.3**	**99**	**1**	**2**	**9**	**16**	**23**	**33**	**46**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.6	33	1	1	3	9	15	16	16
70-74	9	10.3	116	3	3	6	13	29	31	31
75-79	4	6.5	34	<1	<1	6	11	12	12	12
80-84	5	5.6	23	<1	<1	5	10	11	11	11
85+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	12	4.8	18	1	2	4	5	12	15	16
70-74	6	4.8	42	<1	<1	2	3	17	18	18
75-79	4	6.3	15	4	4	5	8	12	12	12
80-84	6	7.0	13	1	1	7	10	11	11	11
85+	3	6.3	44	2	2	3	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	6.9	43	1	1	5	9	16	23	89
70-74	103	7.5	42	2	2	7	9	13	18	36
75-79	93	8.0	52	1	3	6	9	15	25	40
80-84	66	8.5	59	1	2	6	11	21	28	34
85+	76	10.3	77	2	3	8	13	21	27	46
B. *Operated*										
65-69 YRS	97	14.0	209	2	2	8	17	32	45	72
70-74	97	14.0	136	3	4	10	17	32	38	54
75-79	63	11.1	73	3	3	8	15	21	25	44
80-84	68	10.8	92	1	2	8	13	22	33	45
85+	41	12.5	181	2	3	9	14	22	24	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	7.0	56	<1	1	5	10	15	27	31
B. *Operated*	31	5.6	21	1	1	4	8	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	404	8.2	55	1	2	6	10	16	23	45
B. *Operated*	366	12.7	142	2	3	9	16	27	37	54
1. SINGLE DX	59	6.3	37	<1	1	4	9	13	17	31
2. MULTIPLE DX	770	10.4	101	2	2	7	13	22	30	50
A. NOT OPERATED	432	8.1	55	1	2	6	10	16	24	44
B. OPERATED	397	12.2	136	2	3	9	15	26	36	54
TOTAL 65-69 YRS	182	10.5	142	1	2	6	14	27	36	75
70-74	215	10.5	97	2	2	8	12	22	32	51
75-79	164	9.1	61	2	3	7	12	17	25	44
80-84	145	9.4	72	1	2	7	12	21	29	43
85+	123	10.7	110	2	3	8	14	21	26	58
GRAND TOTAL	**829**	**10.1**	**98**	**2**	**2**	**7**	**13**	**22**	**29**	**49**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	4.0	29	<1	<1	1	5	8	12	28
70-74	16	3.6	20	<1	1	1	5	7	15	18
75-79	24	2.8	18	<1	1	1	3	6	11	21
80-84	9	5.7	70	<1	<1	2	6	19	27	27
85+	4	5.0	27	<1	<1	3	9	12	12	12
B. *Operated*										
65-69 YRS	13	11.7	275	1	1	6	10	42	53	56
70-74	16	7.7	52	1	1	7	9	12	26	32
75-79	10	8.6	110	1	1	5	10	25	36	36
80-84	16	7.9	194	2	2	3	6	11	45	59
85+	6	14.8	328	5	5	6	15	47	51	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	9.1	77	1	2	6	13	21	25	44
70-74	147	8.5	86	1	1	5	11	20	29	43
75-79	150	7.4	82	1	1	4	8	15	27	49
80-84	141	7.3	43	1	2	5	10	14	19	32
85+	98	8.5	104	1	1	5	10	20	28	58
B. *Operated*										
65-69 YRS	178	23.4	340	2	3	21	35	47	65	79
70-74	169	21.4	341	3	3	15	33	48	54	87
75-79	160	18.1	274	2	3	12	30	44	51	81
80-84	122	16.4	283	2	3	9	26	43	60	99+
85+	88	12.6	86	2	4	10	15	26	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.8	27	<1	<1	1	5	7	14	28
B. *Operated*	61	9.5	166	1	2	6	9	22	44	59
2. MULTIPLE DX										
A. *Not Operated*	665	8.1	77	1	1	5	10	18	26	42
B. *Operated*	717	19.2	296	2	3	12	30	44	54	81
1. SINGLE DX	143	6.2	94	<1	<1	3	7	12	27	56
2. MULTIPLE DX	1382	13.9	221	1	2	8	19	35	46	75
A. NOT OPERATED	747	7.6	73	1	1	5	10	17	25	42
B. OPERATED	778	18.5	292	2	3	11	29	43	54	79
TOTAL 65-69 YRS	349	16.1	271	1	2	10	25	39	51	75
70-74	348	14.5	251	1	2	8	20	37	48	75
75-79	344	12.1	199	1	1	6	15	35	44	69
80-84	288	11.2	173	2	2	6	13	30	41	76
85+	196	10.4	104	1	2	8	13	21	31	50
GRAND TOTAL	**1525**	**13.2**	**214**	**1**	**2**	**7**	**17**	**35**	**45**	**74**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	5.3	24	1	1	4	6	11	19	24
70-74	41	5.6	21	1	1	4	7	13	15	21
75-79	25	5.2	20	<1	1	3	8	12	14	15
80-84	18	5.7	26	<1	<1	4	8	12	17	20
85+	14	7.1	15	2	3	7	10	13	14	14
B. *Operated*										
65-69 YRS	190	5.4	26	<1	1	4	7	12	16	23
70-74	174	6.5	45	<1	1	5	8	14	20	35
75-79	98	5.2	27	1	1	3	8	11	15	26
80-84	81	5.8	30	<1	1	4	8	13	16	28
85+	38	7.5	37	1	1	6	11	16	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	488	9.7	98	2	2	7	12	21	27	51
70-74	542	9.8	98	2	2	7	12	21	30	63
75-79	424	10.5	111	2	2	7	13	24	33	58
80-84	301	9.1	76	2	2	7	11	20	24	47
85+	182	9.1	61	1	2	7	12	20	25	38
B. *Operated*										
65-69 YRS	917	13.3	142	2	3	10	17	28	41	63
70-74	884	13.8	135	2	3	11	18	28	36	60
75-79	712	14.3	168	2	3	11	18	29	41	72
80-84	476	14.2	170	2	3	11	18	28	39	76
85+	292	13.5	98	2	4	11	17	25	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	5.6	22	1	1	4	8	12	14	21
B. *Operated*	581	5.9	33	1	1	4	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1937	9.7	94	2	2	7	12	21	29	51
B. *Operated*	3281	13.8	146	2	3	11	18	28	39	66
1. SINGLE DX	727	5.8	31	1	1	4	8	13	16	24
2. MULTIPLE DX	5218	12.3	130	2	3	9	16	25	35	63
A. NOT OPERATED	2083	9.4	90	1	2	7	12	21	28	50
B. OPERATED	3862	12.6	137	1	2	10	16	26	36	63
TOTAL 65-69 YRS	1643	11.1	120	1	2	8	14	24	34	58
70-74	1641	11.5	118	1	2	8	15	24	33	59
75-79	1259	12.1	143	1	2	9	16	25	36	65
80-84	876	11.5	131	1	2	8	14	24	32	70
85+	526	11.4	84	2	2	9	15	22	30	49
GRAND TOTAL	**5945**	**11.5**	**123**	**1**	**2**	**8**	**15**	**24**	**33**	**60**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	148	2.4	2	1	1	2	3	4	4	6
70-74	118	2.5	2	1	1	2	3	4	5	7
75-79	65	2.8	3	1	1	2	3	5	6	10
80-84	41	3.1	2	1	1	3	4	5	6	7
85+	12	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	3	2.3	5	<1	<1	1	4	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	4	6.3	15	1	1	7	9	10	10	10
B. *Operated*										
65-69 YRS	181	3.2	5	1	1	3	4	5	7	15
70-74	150	3.5	7	1	1	3	4	6	9	16
75-79	103	3.6	6	1	2	3	4	6	8	14
80-84	42	4.2	10	1	1	3	6	8	11	14
85+	34	4.9	44	1	2	3	5	8	10	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	384	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	10	3.7	11	<1	<1	2	6	9	10	10
B. *Operated*	510	3.6	9	1	1	3	4	6	8	15
1. SINGLE DX	386	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	520	3.6	9	1	1	3	4	6	8	15
A. NOT OPERATED	12	3.5	9	<1	<1	2	5	9	10	10
B. OPERATED	894	3.2	6	1	1	3	4	5	7	14
TOTAL 65-69 YRS	331	2.8	4	1	1	2	4	5	6	14
70-74	272	3.1	5	1	1	3	4	5	7	13
75-79	170	3.3	5	1	1	3	4	6	7	11
80-84	83	3.7	6	1	1	3	4	7	8	14
85+	50	4.5	32	1	1	3	5	8	10	40
GRAND TOTAL	**906**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	1.6	1	<1	<1	<1	2	4	4	4
70-74	4	1.8	1	<1	<1	1	2	3	3	3
75-79	8	2.0	2	<1	<1	2	3	4	4	4
80-84	7	2.0	4	<1	<1	1	3	5	6	6
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	196	4.1	14	<1	<1	2	7	9	11	16
70-74	185	4.1	14	<1	<1	2	7	9	11	14
75-79	112	3.8	16	<1	<1	2	5	10	13	16
80-84	68	4.2	22	<1	<1	2	5	10	14	23
85+	29	5.1	30	<1	1	2	8	13	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	3.5	10	<1	<1	2	5	7	8	17
70-74	64	4.0	13	<1	1	2	5	9	12	17
75-79	65	5.0	16	1	1	4	6	11	14	19
80-84	48	6.0	25	1	2	5	7	13	18	25
85+	36	5.5	23	1	1	4	7	11	14	25
B. *Operated*										
65-69 YRS	771	6.7	35	<1	1	6	9	13	17	30
70-74	837	7.5	66	<1	1	6	10	14	20	49
75-79	685	7.4	48	1	1	6	10	15	19	33
80-84	519	8.1	66	1	1	6	11	18	22	35
85+	315	7.7	52	1	1	5	11	17	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.8	2	<1	<1	1	2	4	4	6
B. *Operated*	590	4.1	16	<1	<1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	264	4.7	18	<1	1	3	6	10	13	20
B. *Operated*	3127	7.4	53	1	1	6	10	15	20	35
1. SINGLE DX	624	4.0	15	<1	<1	2	7	10	11	16
2. MULTIPLE DX	3391	7.2	51	<1	1	6	10	15	19	34
A. NOT OPERATED	298	4.4	17	<1	1	3	6	10	13	20
B. OPERATED	3717	6.9	49	<1	1	5	9	14	19	33
TOTAL 65-69 YRS	1032	6.0	31	<1	<1	5	9	12	16	26
70-74	1090	6.7	56	<1	1	5	9	13	17	40
75-79	870	6.8	43	<1	1	5	10	14	18	32
80-84	642	7.5	60	1	1	5	10	16	21	32
85+	381	7.3	48	1	1	5	10	16	20	37
GRAND TOTAL	**4015**	**6.7**	**47**	**<1**	**1**	**5**	**9**	**14**	**18**	**33**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	44	4.3	19	<1	<1	3	6	9	12	23
70-74	21	6.0	18	<1	<1	7	9	11	14	17
75-79	12	5.3	16	1	1	5	9	10	11	11
80-84	5	2.6	2	1	1	2	4	4	4	4
85+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	4	9.8	70	4	4	6	15	22	22	22
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	91	8.2	58	1	1	7	11	15	19	47
70-74	70	9.1	126	1	1	7	11	18	24	67
75-79	49	9.8	94	1	1	8	13	22	27	53
80-84	23	5.8	20	<1	1	5	8	11	15	20
85+	12	6.1	16	1	2	6	8	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	85	4.7	18	<1	<1	3	7	10	11	21
2. MULTIPLE DX										
A. *Not Operated*	8	6.5	45	1	1	4	7	18	22	22
B. *Operated*	245	8.4	79	1	1	7	11	17	23	55
1. SINGLE DX	86	4.7	18	<1	<1	3	7	10	11	21
2. MULTIPLE DX	253	8.4	78	1	1	7	11	17	23	55
A. NOT OPERATED	9	5.9	43	1	1	4	7	16	22	22
B. OPERATED	330	7.5	66	1	1	6	10	15	20	53
TOTAL 65-69 YRS	136	6.9	48	<1	1	6	9	14	18	39
70-74	92	8.3	102	<1	1	7	10	17	23	64
75-79	66	8.9	79	1	1	8	11	20	26	49
80-84	29	5.1	17	1	1	4	7	10	13	20
85+	16	4.9	16	1	1	3	7	11	13	14
GRAND TOTAL	**339**	**7.4**	**65**	**1**	**1**	**6**	**10**	**15**	**20**	**53**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.2	5	<1	<1	1	3	6	6	6
70-74	3	2.7	8	<1	<1	<1	5	6	6	6
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	161	2.5	6	<1	<1	1	3	5	8	12
70-74	115	3.1	11	<1	<1	2	3	9	11	15
75-79	47	3.2	9	<1	<1	2	5	9	10	11
80-84	29	2.0	2	<1	<1	1	3	4	4	7
85+	9	2.4	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	3.6	18	<1	<1	2	4	9	15	16
70-74	5	5.0	16	<1	<1	5	7	11	11	11
75-79	7	2.3	1	1	1	2	3	4	4	4
80-84	6	3.3	8	<1	<1	2	3	8	9	9
85+										
B. *Operated*										
65-69 YRS	243	4.3	26	<1	<1	3	5	9	14	29
70-74	209	5.7	41	<1	1	3	8	11	18	34
75-79	134	4.8	23	<1	1	3	7	11	15	23
80-84	60	6.9	95	<1	<1	3	9	16	25	58
85+	22	7.6	20	1	2	7	9	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.4	5	<1	<1	1	4	6	6	6
B. *Operated*	361	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*	31	3.5	11	<1	<1	2	4	8	11	16
B. *Operated*	668	5.2	37	<1	1	3	7	11	17	31
1. SINGLE DX	369	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX	699	5.1	36	<1	1	3	7	11	16	31
A. NOT OPERATED	39	3.3	10	<1	<1	2	4	7	10	16
B. OPERATED	1029	4.3	28	<1	<1	2	5	10	14	29
TOTAL 65-69 YRS	422	3.6	19	<1	<1	2	4	8	12	25
70-74	332	4.7	31	<1	<1	3	6	10	15	32
75-79	188	4.3	19	<1	<1	2	5	10	14	22
80-84	95	5.2	66	<1	<1	3	5	11	18	48
85+	31	6.1	20	1	1	5	8	12	16	19
GRAND TOTAL	**1068**	**4.3**	**27**	**<1**	**<1**	**2**	**5**	**10**	**14**	**29**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	3	1.7		1	1	2	2	2	2	2
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	43	2.7	10	<1	1	2	3	5	9	18
70-74	29	2.4	4	<1	<1	2	3	6	7	9
75-79	23	2.3	5	<1	<1	1	3	5	8	9
80-84	3	1.0		1	1	1	1	1	1	1
85+	6	4.2	40	<1	<1	2	3	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.4	20	1	2	4	8	11	16	18
70-74	9	4.9	11	<1	<1	4	7	10	10	10
75-79	12	5.6	40	1	1	3	7	16	21	22
80-84	15	5.5	18	1	1	4	9	11	14	15
85+	15	6.6	12	2	4	5	9	13	13	13
B. *Operated*										
65-69 YRS	88	5.5	48	<1	<1	3	8	15	17	38
70-74	66	6.2	45	<1	<1	4	8	15	18	34
75-79	53	8.5	63	<1	1	6	12	21	29	97
80-84	31	7.9	49	1	1	6	12	18	23	26
85+	23	8.6	168	<1	1	6	9	14	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*	104	2.6	8	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	66	5.7	19	1	1	4	8	11	14	21
B. *Operated*	261	6.8	62	<1	1	4	9	16	22	43
1. SINGLE DX	111	2.5	8	<1	<1	2	3	5	8	17
2. MULTIPLE DX	327	6.6	53	<1	1	4	8	15	20	36
A. NOT OPERATED	73	5.3	19	1	1	4	7	11	13	21
B. OPERATED	365	5.6	50	<1	<1	3	7	15	18	34
TOTAL 65-69 YRS	147	4.6	35	<1	1	2	6	11	17	29
70-74	106	5.0	33	<1	<1	3	6	12	15	33
75-79	91	6.3	50	<1	<1	4	8	17	25	72
80-84	49	6.7	39	1	1	4	10	16	20	26
85+	45	7.2	95	1	1	5	8	13	16	65
GRAND TOTAL	**438**	**5.6**	**45**	**<1**	**<1**	**3**	**7**	**14**	**17**	**34**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		<1	<1	1	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	41	1.5	1	<1	<1	1	2	3	4	5
70-74	29	1.9	2	<1	<1	2	2	4	5	7
75-79	19	3.5	46	<1	<1	2	3	6	20	31
80-84	8	1.9	1	1	1	2	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	114	2.5	10	<1	<1	2	3	4	6	17
70-74	76	2.3	2	<1	<1	2	3	4	6	6
75-79	51	2.9	6	<1	<1	2	3	6	10	13
80-84	24	3.5	25	<1	<1	2	3	6	15	25
85+	6	2.2	1	<1	<1	2	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	98	2.0	10	<1	<1	1	2	3	5	20
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	271	2.6	8	<1	<1	2	3	5	6	13
1. SINGLE DX	101	2.0	10	<1	<1	1	2	3	5	19
2. MULTIPLE DX	274	2.6	8	<1	<1	2	3	4	6	13
A. NOT OPERATED	6	1.3		<1	<1	1	2	2	2	2
B. OPERATED	369	2.4	9	<1	<1	2	3	4	6	13
TOTAL 65-69 YRS	158	2.2	8	<1	<1	2	2	3	5	8
70-74	105	2.2	2	<1	<1	2	3	4	6	7
75-79	71	3.1	17	<1	<1	2	3	6	10	27
80-84	32	3.1	20	<1	<1	2	3	4	10	25
85+	9	1.9	1	<1	<1	2	2	3	4	4
GRAND TOTAL	**375**	**2.4**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	15	5.4	6	<1	1	6	6	9	9	9
70-74	14	5.9	3	2	4	6	7	8	8	8
75-79	4	3.5	4	2	2	3	5	6	6	6
80-84	4	10.5	8	8	8	10	13	13	13	13
85+	5	4.8	7	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	3.0	6	<1	<1	2	5	7	7	7
70-74	7	4.6	10	1	1	3	7	9	10	10
75-79	5	5.6	10	1	1	6	8	9	9	9
80-84	5	4.8	7	2	2	4	7	8	8	8
85+	7	4.4	13	1	1	3	6	10	11	11
B. *Operated*										
65-69 YRS	293	7.1	19	3	4	6	8	11	14	28
70-74	180	7.1	25	2	4	6	8	10	14	19
75-79	96	8.4	23	4	4	7	9	15	20	25
80-84	39	8.1	26	2	3	6	10	15	18	25
85+	24	8.2	14	3	3	8	12	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	42	5.8	7	1	2	5	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	31	4.4	9	<1	1	3	7	9	10	11
B. *Operated*	632	7.4	22	3	4	6	8	12	15	24
1. SINGLE DX	42	5.8	7	1	2	6	8	9	11	13
2. MULTIPLE DX	663	7.2	21	2	4	6	8	11	15	24
A. NOT OPERATED	31	4.4	9	<1	1	3	7	9	10	11
B. OPERATED	674	7.3	21	2	4	6	8	12	15	24
TOTAL 65-69 YRS	315	6.9	18	3	4	6	8	10	13	26
70-74	201	6.9	23	2	3	6	8	10	13	18
75-79	105	8.0	23	2	4	7	9	14	18	25
80-84	48	7.9	24	2	3	7	10	14	17	25
85+	36	7.0	15	1	2	7	10	13	13	14
GRAND TOTAL	**705**	**7.2**	**21**	**2**	**4**	**6**	**8**	**11**	**15**	**24**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	3.5	13	1	1	3	6	6	6	6
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	8	5.4	5	1	2	6	7	8	8	8
70-74	13	8.6	41	2	2	6	13	18	22	23
75-79	3	10.3	16	8	8	8	13	15	15	15
80-84	3	2.7	2	1	1	3	4	4	4	4
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	2.8	6	<1	<1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	27	7.2	27	1	2	6	8	15	18	23
1. SINGLE DX	5	2.8	6	<1	<1	1	5	6	6	6
2. MULTIPLE DX	27	7.2	27	1	2	6	8	15	18	23
A. NOT OPERATED										
B. OPERATED	32	6.5	26	1	1	6	8	15	17	23
TOTAL 65-69 YRS	10	5.0	6	1	1	6	7	8	8	8
70-74	15	7.9	40	<1	2	6	12	17	21	23
75-79	4	8.0	33	1	1	8	12	15	15	15
80-84	3	2.7	2	1	1	3	4	4	4	4
85+										
GRAND TOTAL	**32**	**6.5**	**26**	**1**	**1**	**6**	**8**	**15**	**17**	**23**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	66	6.1	3	4	4	6	7	9	9	13
70-74	35	6.1	4	3	4	6	7	8	10	12
75-79	30	6.3	2	3	4	6	7	8	8	9
80-84	19	8.0	9	4	5	7	9	13	15	16
85+	4	3.8	5	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	331	7.3	11	4	5	6	8	11	14	22
70-74	290	8.4	35	4	5	7	9	13	17	24
75-79	201	9.1	34	4	5	8	10	14	19	34
80-84	104	11.2	108	5	5	9	13	17	22	66
85+	48	10.7	28	5	6	9	13	18	22	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	154	6.3	4	3	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*	974	8.6	36	4	5	7	10	14	17	28
1. SINGLE DX	154	6.3	4	3	4	6	7	8	10	14
2. MULTIPLE DX	976	8.6	36	4	5	7	10	14	17	28
A. NOT OPERATED	2	8.0	2	7	7	8	9	9	9	9
B. OPERATED	1128	8.3	32	4	5	7	9	13	17	27
TOTAL 65-69 YRS	397	7.1	10	4	4	6	8	10	13	21
70-74	325	8.1	32	4	5	7	9	13	16	24
75-79	232	8.8	31	4	5	7	10	13	18	32
80-84	123	10.7	94	5	5	8	13	17	20	54
85+	53	10.1	29	3	5	9	13	17	22	27
GRAND TOTAL	**1130**	**8.3**	**32**	**4**	**5**	**7**	**9**	**13**	**17**	**27**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	2.5	5	<1	<1	2	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	10	4.3	8	<1	<1	4	7	8	9	9
70-74	7	3.4	4	1	1	3	5	6	6	6
75-79	5	6.0	8	2	2	6	8	9	9	9
80-84	6	3.8	5	1	1	3	6	7	7	7
85+	4	5.5	27	2	2	4	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	2.8	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	32	4.4	8	1	1	4	6	8	9	13
1. SINGLE DX	4	2.8	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX	32	4.4	8	1	1	4	6	8	9	13
A. NOT OPERATED										
B. OPERATED	36	4.3	8	<1	1	4	6	8	9	13
TOTAL 65-69 YRS	11	4.4	7	<1	1	4	7	8	9	9
70-74	8	3.1	4	<1	<1	3	5	6	6	6
75-79	7	5.0	9	<1	<1	5	7	9	9	9
80-84	6	3.8	5	1	1	3	6	7	7	7
85+	4	5.5	27	2	2	4	9	13	13	13
GRAND TOTAL	**36**	**4.3**	**8**	**<1**	**1**	**4**	**6**	**8**	**9**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	17	4.5	12	<1	1	3	6	10	11	12
70-74	6	3.0	5	1	1	3	3	7	7	7
75-79	12	5.1	12	1	1	4	8	10	11	11
80-84	5	7.2	14	2	2	8	10	11	11	11
85+	2	4.5	25	1	1	4	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	42	4.8	12	1	1	4	8	10	11	12
1. SINGLE DX	7	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX	42	4.8	12	1	1	4	8	10	11	12
A. NOT OPERATED										
B. OPERATED	49	4.4	11	1	1	3	7	10	11	12
TOTAL 65-69 YRS	20	4.2	10	<1	1	3	6	9	11	12
70-74	8	2.6	4	<1	<1	2	3	6	7	7
75-79	14	4.7	11	1	1	4	7	10	11	11
80-84	5	7.2	14	2	2	8	10	11	11	11
85+	2	4.5	25	1	1	4	8	8	8	8
GRAND TOTAL	**49**	**4.4**	**11**	**1**	**1**	**3**	**7**	**10**	**11**	**12**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	3.6	8	<1	1	3	5	8	9	9
70-74	13	2.8	6	<1	1	2	3	8	8	8
75-79	11	3.9	35	<1	<1	2	3	13	20	21
80-84	6	4.3	23	2	2	3	3	13	14	14
85+	4	3.0	11	<1	<1	1	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	12.0		12	12	12	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	60	4.2	14	1	1	3	6	8	11	21
70-74	70	5.0	32	1	1	3	7	12	20	27
75-79	43	5.9	34	1	1	4	8	12	20	25
80-84	35	6.3	22	1	1	4	9	14	15	21
85+	12	5.3	10	2	2	4	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	48	3.5	15	<1	1	2	3	8	9	21
2. MULTIPLE DX										
A. *Not Operated*	3	5.3	33	2	2	2	10	12	12	12
B. *Operated*	220	5.2	25	1	1	3	7	10	15	25
1. SINGLE DX	49	3.4	14	<1	1	2	3	8	9	21
2. MULTIPLE DX	223	5.2	25	1	1	3	7	10	15	25
A. NOT OPERATED	4	4.3	27	1	1	2	7	12	12	12
B. OPERATED	268	4.9	23	1	1	3	7	10	14	25
TOTAL 65-69 YRS	76	4.0	12	1	1	3	5	8	9	20
70-74	84	4.6	28	1	1	2	6	10	15	27
75-79	54	5.5	34	1	1	3	7	12	20	25
80-84	42	6.1	22	1	2	4	9	14	15	21
85+	16	4.7	11	<1	1	4	8	10	10	10
GRAND TOTAL	**272**	**4.9**	**23**	**1**	**1**	**3**	**7**	**10**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	4	1.5		<1	<1	1	2	2	2	2
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84										
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	9	2.6	3	<1	<1	2	4	5	5	5
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	9	2.6	3	<1	<1	2	4	5	5	5
A. NOT OPERATED										
B. OPERATED	11	2.5	2	<1	<1	2	3	5	5	5
TOTAL 65-69 YRS	3	3.0	3	2	2	2	4	5	5	5
70-74	4	1.5		<1	<1	1	2	2	2	2
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84										
85+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**11**	**2.5**	**2**	**<1**	**<1**	**2**	**3**	**5**	**5**	**5**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.1	6	1	1	2	4	7	8	8
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79	4	2.8	4	<1	<1	2	4	5	5	5
80-84	4	4.0	2	2	2	4	5	5	5	5
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	84	8.0	16	2	2	8	10	12	15	20
70-74	37	10.4	45	1	1	9	13	21	24	29
75-79	29	14.8	130	1	2	12	19	33	41	47
80-84	9	8.7	20	2	3	8	10	16	18	18
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	6.8	48	1	1	5	8	12	22	36
70-74	48	6.4	21	2	2	5	8	12	17	25
75-79	66	8.4	102	1	2	5	11	18	20	62
80-84	44	7.9	34	1	2	7	9	18	21	25
85+	47	8.7	73	2	2	6	10	15	23	50
B. *Operated*										
65-69 YRS	241	15.2	149	3	4	12	18	33	45	71
70-74	209	17.5	201	3	5	14	21	35	50	80
75-79	123	18.6	231	4	5	16	24	33	57	99+
80-84	48	17.2	234	4	5	13	21	52	99	99+
85+	12	17.8	212	1	2	16	24	39	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.2	5	<1	<1	3	5	6	7	8
B. *Operated*	160	9.8	49	1	2	9	12	18	22	40
2. MULTIPLE DX										
A. *Not Operated*	244	7.7	60	1	2	5	9	15	20	46
B. *Operated*	633	16.8	190	3	5	13	21	34	50	99+
1. SINGLE DX	178	9.1	48	1	2	8	11	17	22	39
2. MULTIPLE DX	877	14.3	170	2	3	11	18	30	44	95
A. NOT OPERATED	262	7.4	57	1	2	5	9	14	19	45
B. OPERATED	793	15.4	170	2	4	12	19	31	45	99
TOTAL 65-69 YRS	371	12.5	120	2	3	10	14	27	40	66
70-74	296	14.7	171	2	3	11	18	30	43	75
75-79	222	14.8	197	2	3	11	21	28	42	98
80-84	105	12.1	145	2	2	9	15	24	51	99+
85+	61	10.5	109	1	2	7	11	21	34	52
GRAND TOTAL	**1055**	**13.4**	**153**	**2**	**3**	**10**	**17**	**28**	**41**	**86**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	89	2.9	1	1	1	3	3	4	5	6
70-74	53	2.8	1	1	1	3	4	4	5	5
75-79	32	3.1	1	1	2	3	4	5	5	6
80-84	8	3.3	2	1	1	3	4	5	6	6
85+	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	10.0	43	3	3	11	15	16	16	16
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	2	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	156	3.8	4	1	2	3	5	6	8	10
70-74	113	5.1	24	2	2	4	5	8	11	32
75-79	79	4.7	8	2	3	4	5	8	12	16
80-84	38	6.1	28	2	2	5	7	10	19	29
85+	10	10.2	128	2	2	5	14	30	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	185	2.9	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	8	6.6	21	3	3	5	9	14	16	16
B. *Operated*	396	4.7	17	2	2	4	5	8	10	28
1. SINGLE DX	185	2.9	1	1	1	3	4	4	5	6
2. MULTIPLE DX	404	4.8	17	2	2	4	5	8	10	28
A. NOT OPERATED	8	6.6	21	3	3	5	9	14	16	16
B. OPERATED	581	4.1	13	1	2	3	4	7	9	24
TOTAL 65-69 YRS	246	3.4	3	1	2	3	4	5	7	10
70-74	169	4.5	19	1	2	4	5	7	10	30
75-79	113	4.2	6	2	2	4	4	6	9	15
80-84	48	5.5	24	2	2	4	6	9	16	29
85+	13	8.6	105	2	2	3	11	28	33	34
GRAND TOTAL	**589**	**4.2**	**13**	**1**	**2**	**3**	**4**	**7**	**9**	**24**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	2	7.5	25	4	4	7	11	11	11	11
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	52	5.9	29	2	2	5	7	10	14	35
70-74	29	5.2	10	2	2	4	6	10	12	13
75-79	22	5.5	11	2	3	4	7	10	13	16
80-84	10	5.9	11	2	2	5	10	11	11	11
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	6.3	26	<1	1	5	8	16	18	19
70-74	15	9.1	41	2	3	6	14	15	21	23
75-79	12	9.3	39	2	3	9	11	18	24	25
80-84	5	10.8	236	<1	<1	5	15	38	38	38
85+	3	7.0	4	5	5	7	8	9	9	9
B. *Operated*										
65-69 YRS	187	8.6	107	2	2	5	10	17	23	62
70-74	161	8.4	77	2	2	5	10	19	24	32
75-79	121	10.1	96	2	3	6	14	22	29	53
80-84	48	9.7	71	2	3	7	14	18	26	45
85+	9	8.1	15	4	4	8	10	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.8	14	<1	<1	4	6	11	11	11
B. *Operated*	114	5.6	19	2	2	4	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*	58	8.1	47	1	2	6	10	15	21	37
B. *Operated*	526	9.0	90	2	3	6	11	18	26	59
1. SINGLE DX	119	5.6	19	2	2	4	7	10	12	25
2. MULTIPLE DX	584	8.9	86	2	3	6	11	18	25	56
A. NOT OPERATED	63	7.8	45	1	2	6	10	15	20	36
B. OPERATED	640	8.4	79	2	2	5	10	17	23	51
TOTAL 65-69 YRS	264	7.9	85	2	2	5	9	15	21	61
70-74	207	8.0	65	2	2	5	10	16	23	31
75-79	155	9.4	82	2	3	6	12	21	28	49
80-84	63	9.2	72	2	3	6	12	18	27	44
85+	14	7.1	14	1	3	6	9	11	15	16
GRAND TOTAL	**703**	**8.3**	**76**	**2**	**2**	**5**	**10**	**17**	**23**	**48**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	35	4.4	5	1	1	5	6	7	7	9
70-74	14	3.9	11	<1	1	3	6	8	11	12
75-79	8	5.3	8	2	2	5	6	10	11	11
80-84	3	3.7	21	1	1	1	7	9	9	9
85+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	3.7	9	1	1	3	6	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	93	5.6	9	1	1	6	7	9	12	14
70-74	68	5.5	11	1	1	5	7	10	12	15
75-79	38	6.3	20	1	1	6	8	12	17	20
80-84	25	5.2	16	1	1	5	7	8	12	20
85+	4	11.8	185	3	3	6	19	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	63	4.5	8	1	1	4	6	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*	228	5.7	15	1	1	6	7	10	13	20
1. SINGLE DX	63	4.5	8	1	1	4	6	7	10	13
2. MULTIPLE DX	232	5.7	15	1	1	6	7	9	13	20
A. NOT OPERATED	4	3.8	6	1	1	3	5	7	7	7
B. OPERATED	291	5.5	14	1	1	5	7	9	12	19
TOTAL 65-69 YRS	128	5.3	9	1	1	5	7	9	10	14
70-74	83	5.2	11	1	1	5	7	10	12	14
75-79	49	5.9	17	1	1	6	7	11	14	20
80-84	28	5.1	16	1	1	4	7	9	10	20
85+	7	9.4	112	2	2	5	11	28	32	32
GRAND TOTAL	**295**	**5.4**	**14**	**1**	**1**	**5**	**7**	**9**	**12**	**19**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	101	4.3	9	1	1	4	6	9	10	13
70-74	95	3.7	6	<1	1	3	5	7	8	12
75-79	50	4.0	16	<1	<1	2	7	9	12	20
80-84	28	3.7	10	1	1	2	6	8	9	13
85+	9	3.0	10	1	1	2	4	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	3	4.3	17	1	1	3	7	9	9	9
75-79	4	6.0	26	1	1	5	9	13	13	13
80-84	3	7.7	114	<1	<1	2	15	20	20	20
85+	5	7.0	62	2	2	2	12	20	20	20
B. *Operated*										
65-69 YRS	351	6.5	28	1	1	5	9	13	16	27
70-74	311	7.3	44	1	1	5	10	16	21	34
75-79	247	7.9	59	1	2	6	10	15	23	37
80-84	157	8.4	87	2	2	6	11	17	20	44
85+	88	7.9	43	2	2	6	10	16	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	4	<1	<1	2	4	6	6	6
B. *Operated*	283	4.0	9	<1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	18	5.7	38	<1	1	3	9	18	20	20
B. *Operated*	1154	7.4	49	1	2	6	10	15	19	34
1. SINGLE DX	289	3.9	9	<1	1	3	6	8	10	13
2. MULTIPLE DX	1172	7.3	48	1	2	6	10	15	19	34
A. NOT OPERATED	24	5.0	30	<1	1	3	6	14	20	20
B. OPERATED	1437	6.7	43	1	1	5	9	14	18	32
TOTAL 65-69 YRS	457	6.0	25	1	1	5	8	11	15	24
70-74	410	6.4	37	1	1	4	8	14	19	33
75-79	303	7.2	53	<1	1	5	9	14	19	37
80-84	189	7.6	78	1	2	5	10	16	19	40
85+	102	7.4	42	1	2	6	10	16	19	31
GRAND TOTAL	**1461**	**6.7**	**42**	**1**	**1**	**5**	**9**	**14**	**18**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	4.0	8	1	1	3	6	8	9	12
70-74	23	4.0	9	<1	1	3	5	9	11	11
75-79	18	3.3	6	<1	<1	3	5	7	9	10
80-84	16	3.5	6	<1	1	3	5	8	8	8
85+	4	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	175	4.2	12	<1	1	3	7	10	11	15
70-74	162	3.5	11	<1	1	2	4	9	11	13
75-79	113	4.7	12	1	1	3	8	10	11	14
80-84	59	6.2	68	1	1	3	9	11	17	48
85+	34	3.7	13	<1	1	2	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	173	5.0	17	1	1	4	6	10	14	18
70-74	235	6.3	71	<1	1	4	8	13	15	40
75-79	206	6.6	59	1	1	4	8	13	19	39
80-84	169	7.2	38	1	2	5	10	16	21	29
85+	163	7.3	34	1	1	6	10	15	19	25
B. *Operated*										
65-69 YRS	567	8.5	78	1	1	6	11	17	25	44
70-74	580	8.4	61	1	2	7	11	16	22	50
75-79	584	9.3	71	1	2	8	12	21	26	49
80-84	377	8.8	64	1	2	7	11	18	22	33
85+	264	9.9	88	1	2	7	13	20	25	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	7	<1	1	3	5	8	9	12
B. *Operated*	543	4.3	19	<1	1	3	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	946	6.4	47	1	1	5	8	13	17	29
B. *Operated*	2372	8.9	71	1	2	7	11	18	24	47
1. SINGLE DX	631	4.2	17	<1	1	3	7	9	11	15
2. MULTIPLE DX	3318	8.2	65	1	2	6	11	17	22	44
A. NOT OPERATED	1034	6.2	44	1	1	5	8	13	17	29
B. OPERATED	2915	8.0	65	1	1	6	10	17	22	44
TOTAL 65-69 YRS	942	6.9	56	1	1	5	9	14	20	39
70-74	1000	7.0	58	1	1	5	9	14	18	45
75-79	921	8.0	63	1	1	6	10	16	23	44
80-84	621	8.0	57	1	2	6	10	17	22	35
85+	465	8.5	66	1	2	7	11	18	22	39
GRAND TOTAL	**3949**	**7.6**	**60**	**1**	**1**	**6**	**10**	**16**	**21**	**41**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.5	5	4	4	5	7	7	7	7
70-74	3	8.3	36	2	2	9	13	14	14	14
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	114	3.1	2	1	2	3	4	5	5	7
70-74	82	3.5	2	1	2	3	4	5	6	9
75-79	54	3.3	2	1	1	3	4	5	6	8
80-84	18	4.3	9	1	2	4	5	6	11	14
85+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.0	8	<1	<1	4	4	9	10	10
70-74	25	5.3	18	1	2	4	7	10	16	17
75-79	12	4.8	10	1	2	4	8	9	10	10
80-84	19	5.9	11	1	2	5	8	10	13	15
85+	11	6.8	10	4	4	6	8	12	14	14
B. *Operated*										
65-69 YRS	229	4.6	11	1	2	4	5	9	11	19
70-74	180	5.3	29	2	2	4	6	9	13	27
75-79	121	7.0	80	2	2	5	8	11	17	55
80-84	40	6.5	22	2	2	5	8	12	17	23
85+	23	6.0	12	2	2	6	8	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.2	16	1	1	4	7	11	14	14
B. *Operated*	270	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	74	5.5	13	1	2	4	7	10	13	17
B. *Operated*	593	5.5	32	2	2	4	6	10	13	27
1. SINGLE DX	280	3.4	3	1	2	3	4	5	6	10
2. MULTIPLE DX	667	5.5	30	2	2	4	6	10	13	23
A. NOT OPERATED	84	5.4	13	1	2	4	7	10	14	17
B. OPERATED	863	4.8	24	2	2	4	5	8	11	23
TOTAL 65-69 YRS	352	4.1	8	1	2	3	5	7	10	17
70-74	290	4.8	21	2	2	4	5	8	12	23
75-79	190	5.7	55	1	2	4	6	10	13	39
80-84	78	5.8	16	2	2	5	7	10	14	22
85+	37	6.1	11	2	3	6	7	11	13	14
GRAND TOTAL	**947**	**4.9**	**23**	**2**	**2**	**4**	**5**	**9**	**11**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.1	2	2	2	4	6	6	6	6
70-74	5	5.6	2	4	4	5	6	8	8	8
75-79	8	6.9	41	1	2	4	9	18	21	21
80-84	4	6.3	21	1	1	6	9	12	12	12
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	41	3.4	3	1	1	3	4	5	6	9
70-74	23	3.5	2	1	2	3	5	5	6	6
75-79	18	3.7	12	1	1	3	5	7	12	15
80-84	3	4.3	2	3	3	4	5	6	6	6
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	193	7.7	65	1	2	5	8	14	20	51
70-74	219	7.6	21	2	3	7	10	15	17	21
75-79	220	8.7	37	2	3	7	11	16	20	31
80-84	150	9.3	49	2	3	7	13	17	20	35
85+	127	12.1	170	3	4	8	13	25	35	87
B. *Operated*										
65-69 YRS	106	7.1	100	2	2	4	7	13	26	58
70-74	89	10.2	82	3	3	7	15	24	29	43
75-79	68	13.1	262	2	3	7	14	31	51	77
80-84	36	13.8	121	2	3	10	21	28	35	44
85+	25	16.1	251	3	4	11	20	28	61	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.6	16	1	2	5	6	10	14	21
B. *Operated*	86	3.5	4	1	1	3	5	6	6	13
2. MULTIPLE DX										
A. *Not Operated*	909	8.8	61	2	3	7	11	17	20	37
B. *Operated*	324	10.6	150	2	3	6	13	25	32	72
1. SINGLE DX	112	4.0	8	1	1	4	5	6	8	17
2. MULTIPLE DX	1233	9.3	85	2	3	7	11	18	25	48
A. NOT OPERATED	935	8.7	60	2	3	7	10	17	20	37
B. OPERATED	410	9.2	128	2	2	5	10	22	28	69
TOTAL 65-69 YRS	347	6.9	69	2	2	5	7	13	19	41
70-74	336	8.0	38	2	3	6	10	17	19	32
75-79	314	9.3	89	2	3	7	11	18	23	57
80-84	193	10.0	64	2	3	7	13	20	27	41
85+	155	12.6	182	3	4	8	14	25	36	84
GRAND TOTAL	**1345**	**8.8**	**81**	**2**	**3**	**6**	**10**	**17**	**24**	**45**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	4.1	4	1	2	4	5	6	8	9
70-74	11	5.4	7	1	2	5	7	9	11	11
75-79	8	8.0	50	2	2	4	13	19	21	21
80-84	8	5.5	15	2	2	4	6	12	14	14
85+	5	4.8	8	1	1	5	7	8	8	8
B. *Operated*										
65-69 YRS	3	6.3	85	1	1	1	13	17	17	17
70-74	3	3.0	4	<1	<1	3	4	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	184	6.0	17	2	2	5	7	10	13	24
70-74	135	6.2	19	2	2	5	7	11	16	23
75-79	118	7.3	48	1	3	6	9	12	16	44
80-84	70	7.6	83	1	3	6	9	11	14	61
85+	54	7.5	26	3	3	6	10	13	19	25
B. *Operated*										
65-69 YRS	26	14.0	196	2	3	10	15	31	42	68
70-74	20	7.9	26	2	3	7	12	18	55	99+
75-79	13	12.7	41	4	5	11	19	21	23	23
80-84	8	17.4	50	8	8	17	23	27	27	27
85+	5	13.8	158	6	6	9	17	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.3	15	1	2	4	6	10	14	21
B. *Operated*	7	4.3	34	<1	<1	2	4	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	561	6.7	34	2	3	6	8	11	15	31
B. *Operated*	72	12.4	107	2	4	9	17	26	34	93
1. SINGLE DX	55	5.2	17	1	1	4	6	11	15	21
2. MULTIPLE DX	633	7.3	45	2	3	6	8	13	19	36
A. NOT OPERATED	609	6.6	32	2	2	5	8	11	15	29
B. OPERATED	79	11.7	105	1	2	9	16	24	33	90
TOTAL 65-69 YRS	229	6.8	44	1	2	5	8	12	16	33
70-74	169	6.3	19	2	2	5	7	12	17	29
75-79	140	7.8	49	2	3	6	9	15	20	38
80-84	86	8.3	81	2	3	6	9	14	22	59
85+	64	7.8	36	2	3	6	10	13	20	34
GRAND TOTAL	**688**	**7.2**	**43**	**2**	**2**	**6**	**8**	**13**	**18**	**35**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	6.1	14	1	2	5	8	12	14	16
70-74	38	7.1	56	2	2	5	8	11	17	47
75-79	35	6.3	20	2	2	5	8	10	18	21
80-84	15	4.8	3	1	3	5	6	6	8	9
85+	11	5.4	21	1	2	4	6	11	17	18
B. *Operated*										
65-69 YRS										
70-74	3	4.7	2	3	3	5	6	6	6	6
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	691	8.5	58	2	3	7	10	15	20	42
70-74	604	8.7	41	2	3	7	10	15	20	36
75-79	586	9.2	47	2	3	8	12	16	21	35
80-84	433	9.4	35	3	3	8	12	16	19	32
85+	401	10.6	52	3	4	9	13	19	23	38
B. *Operated*										
65-69 YRS	103	17.5	211	5	6	12	24	42	68	99+
70-74	129	20.2	190	4	6	17	28	41	49	78
75-79	106	16.0	105	5	6	14	20	39	62	99+
80-84	79	21.4	302	7	9	16	25	47	68	98
85+	64	20.3	187	6	8	17	24	35	62	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	6.2	26	2	2	5	7	10	14	22
B. *Operated*	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	2715	9.1	48	3	3	8	11	16	21	37
B. *Operated*	481	18.9	196	5	7	15	24	41	58	99+
1. SINGLE DX	148	6.2	25	2	2	5	7	10	14	21
2. MULTIPLE DX	3196	10.6	82	3	3	8	13	20	29	61
A. NOT OPERATED	2860	9.0	47	2	3	7	11	16	21	36
B. OPERATED	484	18.8	196	5	7	15	24	41	57	99+
TOTAL 65-69 YRS	840	9.5	84	2	3	7	11	17	27	69
70-74	774	10.5	85	3	3	8	12	20	31	49
75-79	727	10.1	60	2	3	8	13	19	25	63
80-84	527	11.1	93	3	4	9	13	19	28	56
85+	476	11.8	81	3	4	9	14	22	29	65
GRAND TOTAL	**3344**	**10.4**	**80**	**3**	**3**	**8**	**13**	**20**	**28**	**60**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	363	5.3	16	2	2	5	7	8	11	16
70-74	309	5.7	17	2	3	5	7	9	12	21
75-79	211	6.1	11	2	3	6	8	11	12	18
80-84	100	5.7	9	2	2	5	7	9	11	17
85+	63	6.0	10	2	3	5	8	10	11	17
B. *Operated*										
65-69 YRS	34	7.3	90	1	1	4	8	22	29	42
70-74	29	4.8	21	1	1	2	8	11	12	20
75-79	20	4.7	14	1	2	3	8	10	12	14
80-84	6	7.2	65	<1	<1	3	17	18	18	18
85+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4859	6.8	23	2	3	6	8	12	14	23
70-74	4468	7.1	31	2	3	6	9	12	15	27
75-79	3540	7.6	36	2	3	6	9	13	17	34
80-84	2301	8.0	40	2	3	7	10	14	18	34
85+	1470	8.4	43	2	3	7	10	16	20	35
B. *Operated*										
65-69 YRS	2302	15.3	173	2	3	12	20	32	43	74
70-74	1924	15.3	168	2	4	12	20	32	43	84
75-79	1417	15.9	158	3	4	13	20	32	43	73
80-84	868	16.4	198	3	5	12	21	34	47	91
85+	511	16.8	184	3	5	13	22	35	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	5.6	14	2	2	5	7	9	11	18
B. *Operated*	91	5.9	48	1	1	3	8	14	20	37
2. MULTIPLE DX										
A. *Not Operated*	16638	7.4	32	2	3	6	9	13	16	29
B. *Operated*	7022	15.7	173	3	4	12	20	32	43	84
1. SINGLE DX	1137	5.7	17	2	2	5	7	10	12	20
2. MULTIPLE DX	23660	9.8	88	2	3	7	11	19	28	57
A. NOT OPERATED	17684	7.3	31	2	3	6	9	12	16	29
B. OPERATED	7113	15.5	172	2	4	12	20	32	43	83
TOTAL 65-69 YRS	7558	9.3	84	2	3	7	11	18	27	51
70-74	6730	9.4	83	2	3	7	11	18	26	57
75-79	5188	9.8	83	2	3	7	12	19	27	52
80-84	3275	10.1	95	2	3	7	12	20	28	65
85+	2046	10.4	90	2	3	8	12	20	28	65
GRAND TOTAL	**24797**	**9.6**	**86**	**2**	**3**	**7**	**11**	**19**	**27**	**57**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	5	6.0	18	2	2	5	8	13	13	13
1. SINGLE DX										
2. MULTIPLE DX	6	5.8	14	2	2	5	6	12	13	13
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	5	6.0	18	2	2	5	8	13	13	13
TOTAL 65-69 YRS	2	9.0	32	5	5	9	13	13	13	13
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	2	4.0	8	2	2	4	6	6	6	6
GRAND TOTAL	**6**	**5.8**	**14**	**2**	**2**	**5**	**6**	**12**	**13**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	4.1	10	1	1	3	5	9	11	14
70-74	26	3.2	4	<1	1	2	5	7	7	7
75-79	45	4.0	15	1	1	4	5	7	9	24
80-84	21	4.1	14	<1	1	3	5	10	13	14
85+	13	4.0	17	1	1	2	4	11	14	15
B. *Operated*										
65-69 YRS	15	7.4	125	2	2	4	6	10	38	47
70-74	11	6.7	21	2	3	5	9	14	18	18
75-79	10	5.9	3	3	3	6	8	8	8	8
80-84	5	2.6	2	1	1	2	3	5	5	5
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1221	5.7	30	1	2	4	7	11	14	29
70-74	1329	5.9	22	1	2	5	8	11	15	25
75-79	1395	6.2	35	1	2	5	8	11	15	30
80-84	1094	6.5	31	2	2	5	8	12	17	31
85+	834	6.7	42	1	2	5	8	13	18	32
B. *Operated*										
65-69 YRS	231	10.0	67	2	3	8	14	20	28	54
70-74	226	12.0	178	2	3	8	14	26	35	89
75-79	183	11.5	134	2	3	8	14	22	34	65
80-84	119	13.3	177	3	4	9	16	27	40	92
85+	66	15.4	147	3	4	13	18	36	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.9	11	1	1	3	5	7	10	17
B. *Operated*	42	6.2	51	2	2	5	7	9	14	47
2. MULTIPLE DX										
A. *Not Operated*	5873	6.2	31	1	2	5	8	12	15	29
B. *Operated*	825	11.8	136	2	3	8	15	24	35	80
1. SINGLE DX	175	4.5	22	1	1	4	5	8	11	22
2. MULTIPLE DX	6698	6.8	48	1	2	5	8	13	18	37
A. NOT OPERATED	6006	6.1	31	1	2	5	7	11	15	29
B. OPERATED	867	11.5	133	2	3	8	14	23	35	77
TOTAL 65-69 YRS	1495	5.3	38	1	2	5	8	13	17	39
70-74	1592	6.7	48	1	2	5	8	13	18	34
75-79	1633	6.7	48	1	2	5	8	12	17	37
80-84	1239	7.1	49	2	2	5	9	14	19	39
85+	914	7.3	54	1	2	5	9	14	19	36
GRAND TOTAL	**6873**	**6.8**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**37**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	4.0	3	3	3	3	5	6	6	6
75-79	3	4.0	4	2	2	4	5	6	6	6
80-84	4	7.8	21	2	2	8	11	13	13	13
85+	3	5.0	13	2	2	4	8	9	9	9
B. *Operated*										
65-69 YRS	2	8.5	85	2	2	8	15	15	15	15
70-74	6	4.3	8	1	1	4	7	8	8	8
75-79										
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	6	4.0	8	2	2	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	176	9.5	87	2	3	7	12	17	22	78
70-74	223	8.8	43	2	3	7	12	18	23	53
75-79	226	9.2	66	2	3	7	11	17	28	60
80-84	217	10.4	104	2	3	8	13	19	29	99+
85+	257	8.7	38	2	3	7	12	16	21	94
B. *Operated*										
65-69 YRS	113	16.0	207	3	4	12	21	33	40	79
70-74	127	13.0	108	2	3	10	18	26	33	53
75-79	141	14.3	131	3	4	11	18	32	39	56
80-84	122	12.5	105	2	3	10	18	26	32	53
85+	162	10.6	109	2	3	8	13	21	29	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.4	11	2	2	4	7	10	12	13
B. *Operated*	16	4.5	14	1	1	3	7	8	13	15
2. MULTIPLE DX										
A. *Not Operated*	1099	9.3	66	2	3	7	12	18	24	80
B. *Operated*	665	13.1	132	2	3	10	17	27	37	58
1. SINGLE DX	29	4.9	13	1	2	4	7	9	13	15
2. MULTIPLE DX	1764	10.7	94	2	3	8	14	21	31	65
A. NOT OPERATED	1112	9.2	65	2	3	7	12	18	24	79
B. OPERATED	681	12.9	131	2	3	9	17	26	37	58
TOTAL 65-69 YRS	291	12.0	143	2	3	8	15	24	35	78
70-74	359	10.1	70	2	3	8	13	20	28	50
75-79	370	11.1	97	2	3	8	13	22	34	58
80-84	345	11.1	104	2	3	8	14	22	31	77
85+	428	9.3	66	2	3	7	12	18	24	73
GRAND TOTAL	**1793**	**10.6**	**93**	**2**	**3**	**8**	**13**	**21**	**30**	**64**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	4.6	10	1	1	3	7	9	11	11
70-74	8	8.4	156	2	2	4	6	29	39	39
75-79	4	5.8	5	3	3	6	7	8	8	8
80-84										
85+	2	11.0	32	7	7	11	15	15	15	15
B. *Operated*										
65-69 YRS	8	8.1	38	3	3	6	9	19	22	22
70-74	3	22.3	426	8	8	13	38	46	46	46
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	25	6.5	56	1	2	5	7	11	21	39
B. *Operated*	12	11.2	150	2	3	7	12	29	44	46
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	37	8.0	88	1	2	6	8	15	33	46
A. NOT OPERATED	25	6.5	56	1	2	5	7	11	21	39
B. OPERATED	13	10.4	145	1	2	6	11	27	42	46
TOTAL 65-69 YRS	19	6.1	23	1	2	6	7	11	17	22
70-74	12	11.3	226	1	2	5	10	41	45	46
75-79	5	5.0	7	2	2	5	7	8	8	8
80-84										
85+	2	11.0	32	7	7	11	15	15	15	15
GRAND TOTAL	**38**	**7.8**	**87**	**1**	**2**	**6**	**8**	**14**	**32**	**46**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	3.0	11	<1	<1	2	4	7	11	15
70-74	15	3.3	3	1	1	3	5	5	7	7
75-79	11	3.5	7	1	1	2	5	8	10	10
80-84	7	6.4	6	2	2	7	8	9	9	9
85+	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
65-69 YRS	27	4.4	56	1	1	2	4	8	19	39
70-74	7	8.0	70	1	1	7	10	22	25	25
75-79	4	8.5	156	1	1	3	16	27	27	27
80-84	2	5.5	13	3	3	5	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	338	7.1	37	1	2	6	9	12	16	37
70-74	309	8.1	55	2	3	6	9	15	21	39
75-79	247	7.9	60	1	2	6	10	16	21	38
80-84	178	8.4	35	2	3	7	12	17	20	36
85+	160	8.8	91	2	3	7	10	15	21	52
B. *Operated*										
65-69 YRS	170	9.4	115	1	2	6	12	22	28	49
70-74	158	12.7	206	1	2	8	16	26	39	70
75-79	102	11.6	118	2	2	8	16	24	32	57
80-84	69	12.6	67	4	5	10	16	25	30	38
85+	41	9.8	53	1	2	8	14	17	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.5	8	<1	<1	3	4	8	9	14
B. *Operated*	40	5.5	63	1	1	3	5	13	26	39
2. MULTIPLE DX										
A. *Not Operated*	1232	7.9	53	1	2	6	10	15	20	38
B. *Operated*	540	11.2	133	1	2	8	15	24	30	60
1. SINGLE DX	101	4.3	31	<1	<1	3	5	8	13	33
2. MULTIPLE DX	1772	8.9	79	1	2	7	11	18	24	49
A. NOT OPERATED	1293	7.7	52	1	2	6	9	14	19	38
B. OPERATED	580	10.8	130	1	2	8	14	24	29	60
TOTAL 65-69 YRS	558	7.5	63	1	1	5	9	15	21	44
70-74	489	9.4	107	1	2	7	12	20	26	60
75-79	364	8.8	78	1	2	6	11	19	24	50
80-84	256	9.4	46	2	3	8	13	18	23	38
85+	206	8.8	82	2	3	7	11	16	21	45
GRAND TOTAL	**1873**	**8.7**	**78**	**1**	**2**	**6**	**11**	**17**	**24**	**49**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.3	30	1	1	3	6	15	17	17
70-74	19	3.3	5	1	1	2	4	7	8	9
75-79	23	4.7	8	1	2	4	6	8	10	14
80-84	8	3.6	1	2	2	4	4	5	5	5
85+	6	5.8	10	2	2	5	9	10	10	10
B. *Operated*										
65-69 YRS	6	1.3		<1	<1	1	2	2	2	2
70-74	5	4.0	7	1	1	4	6	7	7	7
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	3	3.7	2	2	2	4	5	5	5	5
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	181	6.2	27	2	2	5	7	12	16	26
70-74	190	6.1	15	2	2	5	8	10	13	21
75-79	194	5.8	17	2	2	5	7	9	12	25
80-84	160	6.3	45	2	2	5	7	12	14	26
85+	112	8.5	130	2	3	6	8	14	31	83
B. *Operated*										
65-69 YRS	44	7.7	32	1	2	6	10	17	20	22
70-74	58	9.4	50	2	3	8	13	19	35	99+
75-79	35	10.3	78	1	3	8	11	18	33	40
80-84	27	10.0	80	1	2	8	14	21	49	99+
85+	23	12.2	258	1	2	7	11	34	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.3	9	1	2	3	5	8	10	17
B. *Operated*	16	2.9	5	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	837	6.4	40	2	2	5	8	11	15	32
B. *Operated*	187	9.6	81	1	2	8	13	19	32	99+
1. SINGLE DX	79	4.1	8	1	1	3	5	8	9	16
2. MULTIPLE DX	1024	7.0	49	2	2	5	8	13	18	47
A. NOT OPERATED	900	6.3	38	2	2	5	8	11	15	30
B. OPERATED	203	9.1	78	1	2	7	12	18	29	99+
TOTAL 65-69 YRS	238	6.3	28	1	2	5	8	13	17	23
70-74	272	6.6	24	2	2	5	8	12	17	39
75-79	253	6.3	27	2	2	5	8	11	14	33
80-84	198	6.7	49	2	2	5	8	13	18	58
85+	142	9.0	145	2	3	6	9	14	36	75
GRAND TOTAL	**1103**	**6.8**	**46**	**2**	**2**	**5**	**8**	**12**	**17**	**44**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	5.0	30	1	1	3	5	11	14	30
70-74	68	4.3	17	1	1	3	5	7	12	24
75-79	72	4.5	8	1	1	4	6	8	10	13
80-84	68	4.1	6	1	1	4	5	7	8	12
85+	125	5.2	18	1	2	4	7	10	14	21
B. *Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	8.0		8	8	8	8	8	8	8
75-79	2	47.0	2178	14	14	47	80	80	80	80
80-84	4	13.0	105	3	3	11	21	26	26	26
85+	6	20.3	217	3	3	24	25	40	42	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4666	6.0	30	2	2	5	7	11	14	26
70-74	6123	6.6	39	2	2	5	8	12	16	34
75-79	6971	7.1	40	2	2	5	8	13	18	36
80-84	6746	7.5	42	2	3	6	9	14	18	37
85+	8667	7.9	51	2	3	6	9	14	19	42
B. *Operated*										
65-69 YRS	647	12.1	119	2	3	9	15	25	35	67
70-74	784	13.1	141	2	3	10	16	27	38	94
75-79	805	15.0	198	3	4	11	18	31	43	92
80-84	714	15.3	169	3	5	11	20	31	44	89
85+	818	15.7	173	4	5	12	19	33	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	4.7	15	1	1	4	6	9	12	22
B. *Operated*	16	18.1	405	2	3	11	25	40	69	80
2. MULTIPLE DX										
A. *Not Operated*	33173	7.2	42	2	2	6	9	13	18	36
B. *Operated*	3768	14.3	163	3	4	11	18	29	41	97
1. SINGLE DX	399	5.2	37	1	1	4	6	10	14	26
2. MULTIPLE DX	36941	7.9	59	2	2	6	9	15	21	45
A. NOT OPERATED	33556	7.1	42	2	2	6	9	13	18	36
B. OPERATED	3784	14.3	164	3	4	11	18	30	42	97
TOTAL 65-69 YRS	5365	6.7	45	2	2	5	8	13	17	35
70-74	6977	7.4	54	2	2	5	9	14	19	40
75-79	7850	7.9	62	2	2	6	9	15	21	47
80-84	7532	8.2	59	2	3	6	10	15	22	45
85+	9616	8.6	66	2	3	6	10	16	22	53
GRAND TOTAL	**37340**	**7.9**	**59**	**2**	**2**	**6**	**9**	**15**	**21**	**45**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.8	3	1	1	2	4	5	6	7
70-74	33	4.2	7	1	2	4	5	7	10	13
75-79	29	3.7	6	<1	1	3	6	7	8	8
80-84	14	3.4	3	<1	1	3	5	6	6	6
85+	45	3.4	10	<1	<1	2	4	7	9	15
B. *Operated*										
65-69 YRS	10	5.4	8	2	2	5	7	10	11	11
70-74	4	5.3	9	2	2	5	7	9	9	9
75-79	6	6.0	4	4	4	5	8	9	9	9
80-84	5	5.8	28	1	1	3	9	14	14	14
85+	3	5.0	12	3	3	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	553	5.0	12	1	1	4	6	9	11	20
70-74	771	5.4	17	1	2	5	7	10	12	21
75-79	901	5.5	26	1	2	4	7	10	12	24
80-84	853	6.0	31	1	2	5	7	11	14	25
85+	1065	5.8	23	1	2	5	7	11	14	24
B. *Operated*										
65-69 YRS	268	8.6	51	2	3	7	10	15	20	52
70-74	370	8.2	36	2	3	7	10	15	20	33
75-79	381	8.3	35	2	3	7	10	15	19	28
80-84	380	9.1	34	3	3	8	12	16	21	40
85+	303	9.5	41	3	3	8	12	16	22	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.6	7	<1	1	3	5	7	8	13
B. *Operated*	28	5.5	10	2	2	5	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	4143	5.6	23	1	2	5	7	10	13	22
B. *Operated*	1702	8.7	39	2	3	7	11	15	20	38
1. SINGLE DX	167	3.9	8	<1	1	3	5	7	9	14
2. MULTIPLE DX	5845	6.5	30	1	2	5	8	12	15	29
A. NOT OPERATED	4282	5.5	22	1	2	5	7	10	13	22
B. OPERATED	1730	8.7	39	2	3	7	11	15	20	38
TOTAL 65-69 YRS	849	6.1	27	1	2	5	8	11	15	28
70-74	1178	6.3	24	1	2	5	8	12	15	28
75-79	1317	6.3	30	1	2	5	8	11	14	26
80-84	1252	6.9	34	1	2	6	8	13	16	32
85+	1416	6.5	29	1	2	5	8	13	16	30
GRAND TOTAL	**6012**	**6.4**	**29**	**1**	**2**	**5**	**8**	**12**	**15**	**28**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	2	2	2	3	4	5	5	5
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	3.9	13	1	1	2	5	10	11	12
70-74	11	4.5	8	2	2	5	5	9	11	11
75-79										
80-84										
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.2	2	2	2	4	5	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	11	1	1	3	5	10	11	12
B. *Operated*	3	3.7	1	3	3	3	5	5	5	5
1. SINGLE DX	6	4.2	2	2	2	4	5	6	6	6
2. MULTIPLE DX	29	4.3	10	1	1	3	5	10	11	12
A. NOT OPERATED	32	4.3	9	1	1	3	5	9	11	12
B. OPERATED	3	3.7	1	3	3	3	5	5	5	5
TOTAL 65-69 YRS	19	3.8	10	1	1	3	5	9	11	12
70-74	13	4.4	7	2	2	5	5	8	10	11
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	8.0	8	6	6	8	10	10	10	10
GRAND TOTAL	**35**	**4.3**	**9**	**1**	**2**	**3**	**5**	**9**	**11**	**12**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	2.4	5	<1	<1	1	3	6	8	9
70-74	67	3.0	8	<1	<1	2	4	7	8	17
75-79	123	2.5	3	<1	1	2	3	5	5	8
80-84	78	2.2	3	<1	<1	1	3	5	6	9
85+	123	3.0	16	<1	1	2	4	6	8	24
B. *Operated*										
65-69 YRS	23	4.9	6	1	2	4	7	8	9	9
70-74	24	6.5	43	1	2	4	7	14	24	27
75-79	26	6.2	17	1	2	5	9	13	13	14
80-84	13	7.5	21	2	3	6	10	16	16	16
85+	12	6.6	45	1	1	3	11	15	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1429	4.7	23	1	1	3	6	10	14	24
70-74	1607	4.8	20	1	1	3	6	10	13	21
75-79	1632	5.1	28	1	1	4	6	11	14	24
80-84	1507	5.6	37	1	1	4	7	11	15	30
85+	1758	5.8	39	1	1	4	7	11	15	31
B. *Operated*										
65-69 YRS	483	9.3	86	2	3	7	11	18	26	47
70-74	618	9.6	79	2	3	7	12	19	25	46
75-79	664	9.8	70	2	3	8	12	18	24	45
80-84	553	9.8	67	2	3	8	12	18	23	44
85+	489	9.6	58	2	3	8	12	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	2.6	7	<1	<1	2	3	5	7	11
B. *Operated*	98	6.2	24	1	2	5	8	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	7933	5.2	30	1	1	4	7	11	14	25
B. *Operated*	2807	9.6	72	2	3	7	12	18	25	46
1. SINGLE DX	579	3.2	12	<1	1	2	4	7	9	17
2. MULTIPLE DX	10740	6.4	45	1	1	5	8	13	18	33
A. NOT OPERATED	8414	5.1	29	1	1	4	7	10	14	25
B. OPERATED	2905	9.5	71	2	3	7	12	18	24	45
TOTAL 65-69 YRS	2025	5.7	41	1	1	4	7	12	16	32
70-74	2316	6.0	40	1	1	4	8	12	17	32
75-79	2445	6.3	43	1	1	4	8	13	17	33
80-84	2151	6.5	48	1	1	5	8	14	17	32
85+	2382	6.5	45	1	1	5	8	13	18	35
GRAND TOTAL	**11319**	**6.2**	**43**	**1**	**1**	**4**	**8**	**13**	**17**	**33**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	26	2	2	5	10	12	12	12
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	19.0		19	19	19	19	19	19	19
80-84	3	4.3	9	1	1	5	6	7	7	7
85+	4	4.8	14	2	2	4	7	10	10	10
B. *Operated*										
65-69 YRS	1	16.0		16	16	58	99+	99+	99+	99+
70-74										
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	13	5.9	26	1	2	5	8	13	18	19
B. *Operated*	2	14.5	5	13	13	16	79	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	15	7.1	32	1	2	5	12	19	76	99+
A. NOT OPERATED	13	5.9	26	1	2	5	8	13	18	19
B. OPERATED	2	14.5	5	13	13	16	79	99+	99+	99+
TOTAL 65-69 YRS	4	8.8	41	2	2	12	37	99+	99+	99+
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	2	16.0	18	13	13	16	19	19	19	19
80-84	3	4.3	9	1	1	5	6	7	7	7
85+	4	4.8	14	2	2	4	7	10	10	10
GRAND TOTAL	**15**	**7.1**	**32**	**1**	**2**	**5**	**12**	**19**	**76**	**99+**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	3.1	6	<1	1	3	4	6	8	12
70-74	44	3.2	8	<1	<1	2	5	7	10	11
75-79	18	3.4	10	1	1	2	5	9	11	12
80-84	17	5.4	9	1	2	5	7	10	10	10
85+	12	3.1	4	<1	<1	3	5	6	6	6
B. *Operated*										
65-69 YRS	35	6.5	15	2	3	6	8	11	16	18
70-74	29	6.3	15	3	3	5	7	12	14	19
75-79	21	7.9	45	1	1	6	11	14	23	31
80-84	20	6.6	29	2	3	5	7	15	21	22
85+	4	9.5	50	1	1	9	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	694	6.4	24	1	2	5	8	12	16	27
70-74	812	6.3	26	1	2	5	8	12	15	26
75-79	573	6.8	39	1	1	5	9	13	17	35
80-84	399	6.7	35	1	2	5	9	13	17	28
85+	328	6.8	52	1	1	5	8	14	19	35
B. *Operated*										
65-69 YRS	425	11.4	84	3	4	9	14	22	27	47
70-74	417	11.7	81	2	3	9	15	24	30	43
75-79	357	11.3	82	2	3	9	14	22	29	50
80-84	237	11.3	67	2	3	9	15	21	27	44
85+	190	12.4	112	2	3	9	15	26	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.5	8	<1	<1	3	5	7	10	12
B. *Operated*	109	6.9	24	2	3	5	9	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	2806	6.5	33	1	2	5	8	13	16	29
B. *Operated*	1626	11.5	84	3	3	9	15	23	29	45
1. SINGLE DX	232	5.1	18	<1	1	4	6	10	12	20
2. MULTIPLE DX	4432	8.4	57	1	2	6	10	17	23	38
A. NOT OPERATED	2929	6.4	32	1	1	5	8	12	16	29
B. OPERATED	1735	11.3	81	2	3	9	15	22	29	45
TOTAL 65-69 YRS	1186	8.1	51	1	2	6	10	16	21	34
70-74	1302	7.9	50	1	2	6	10	16	22	37
75-79	969	8.4	59	1	2	6	11	16	23	43
80-84	673	8.3	50	1	2	6	11	17	21	37
85+	534	8.7	80	1	2	6	11	19	27	42
GRAND TOTAL	**4664**	**8.2**	**56**	**1**	**2**	**6**	**10**	**17**	**22**	**38**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	14	1	1	4	7	8	8	8
70-74	5	5.4	30	2	2	4	7	15	15	15
75-79	5	3.6	5	1	1	3	5	7	7	7
80-84	1	10.0		10	10	10	10	10	10	10
85+	10	2.9	1	1	1	3	4	4	4	4
B. *Operated*										
65-69 YRS	2	7.0	2	6	6	7	8	8	8	8
70-74	6	7.7	3	6	6	7	9	10	10	10
75-79	3	6.3	5	5	5	5	8	9	9	9
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	1	1	2	3	3	3	3
B. *Operated*	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	25	4.0	10	1	1	3	4	8	11	15
B. *Operated*	13	7.2	3	5	5	7	8	9	10	10
1. SINGLE DX	9	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX	38	5.1	10	1	1	4	7	9	10	15
A. NOT OPERATED	31	3.6	9	1	1	3	4	8	10	15
B. OPERATED	16	6.3	6	2	2	6	8	9	10	10
TOTAL 65-69 YRS	9	3.9	11	1	1	2	7	8	8	8
70-74	13	5.8	16	1	2	6	8	11	14	15
75-79	10	4.3	6	1	1	4	5	8	9	9
80-84	2	9.0	2	8	8	9	10	10	10	10
85+	13	3.2	2	1	2	3	4	5	6	6
GRAND TOTAL	**47**	**4.5**	**10**	**1**	**1**	**4**	**7**	**9**	**10**	**15**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	9	1.3		<1	<1	1	2	2	2	2
70-74	4	3.5	4	1	1	3	5	6	6	6
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	4.5	8	1	1	5	5	9	9	9
70-74	3	7.0	21	2	2	8	10	11	11	11
75-79	6	3.0	2	1	1	3	4	5	5	5
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
65-69 YRS	15	4.3	22	<1	<1	2	5	11	16	18
70-74	15	4.5	11	<1	1	4	7	8	10	11
75-79	9	7.2	107	<1	<1	3	7	25	33	33
80-84	5	4.2	10	<1	<1	3	7	8	8	8
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0		5	5	5	5	5	5	5
B. *Operated*	18	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	21	4.0	7	1	1	3	5	8	10	11
B. *Operated*	44	4.9	33	<1	<1	3	7	11	14	33
1. SINGLE DX	20	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX	65	4.6	24	<1	1	3	6	9	12	31
A. NOT OPERATED	23	4.1	6	1	2	4	5	8	10	11
B. OPERATED	62	4.0	26	<1	<1	2	5	8	12	31
TOTAL 65-69 YRS	31	3.5	14	<1	<1	2	5	8	11	18
70-74	22	4.6	11	<1	1	4	8	9	11	11
75-79	17	5.0	60	<1	1	3	4	11	26	33
80-84	9	3.8	7	<1	<1	3	6	8	8	8
85+	6	2.3	1	<1	<1	2	3	4	4	4
GRAND TOTAL	**85**	**4.0**	**20**	**<1**	**1**	**3**	**5**	**8**	**11**	**28**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	7.7	85	1	1	4	9	20	32	37
70-74	17	13.3	273	2	2	6	19	50	81	99+
75-79	29	12.9	153	2	2	8	19	34	36	43
80-84	28	9.4	60	1	1	6	14	23	29	35
85+	15	6.9	28	1	1	7	10	16	17	17
B. *Operated*										
65-69 YRS										
70-74	1	12.0		12	12	12	12	12	12	12
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	9.3	77	2	2	6	11	20	26	45
70-74	351	10.1	131	1	2	6	13	23	30	72
75-79	397	10.0	97	1	2	7	13	23	28	64
80-84	307	8.3	73	2	2	6	10	16	25	47
85+	357	8.6	67	2	2	6	10	17	25	47
B. *Operated*										
65-69 YRS	37	13.5	119	1	2	13	20	38	73	99+
70-74	44	15.0	174	2	3	10	22	30	38	67
75-79	49	13.2	211	1	1	7	19	38	51	99+
80-84	33	16.0	280	1	1	11	21	41	71	99+
85+	24	11.3	178	1	1	9	14	21	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	10.2	125	1	1	6	14	28	37	70
B. *Operated*	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1654	9.3	91	2	2	6	11	21	27	52
B. *Operated*	187	14.0	190	1	1	9	20	37	50	99+
1. SINGLE DX	113	10.2	123	1	1	6	14	28	37	69
2. MULTIPLE DX	1841	9.8	103	1	2	7	12	22	30	63
A. NOT OPERATED	1765	9.4	93	1	2	6	12	21	28	52
B. OPERATED	189	13.9	189	1	1	9	20	37	49	99+
TOTAL 65-69 YRS	301	9.7	84	1	2	7	13	22	33	48
70-74	413	10.8	142	2	2	7	13	25	33	73
75-79	476	10.5	112	1	2	7	14	25	33	64
80-84	368	9.1	96	2	2	6	11	20	28	72
85+	396	8.7	73	1	2	6	10	17	25	50
GRAND TOTAL	**1954**	**9.8**	**104**	**1**	**2**	**7**	**12**	**23**	**31**	**63**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	89	10.8	135	1	2	8	13	23	35	89
70-74	121	10.5	127	1	1	7	13	21	30	65
75-79	177	10.9	112	1	2	7	16	24	30	61
80-84	157	9.3	93	1	2	7	11	20	26	41
85+	176	8.7	64	1	2	6	11	19	25	39
B. *Operated*										
65-69 YRS	2	20.0	242	9	9	20	31	31	31	31
70-74	4	6.0	47	1	1	3	10	16	16	16
75-79	5	7.8	66	1	1	4	13	21	21	21
80-84	1	10.0		10	10	10	10	10	10	10
85+	3	4.3	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	595	10.7	105	2	2	8	13	23	32	61
70-74	1081	11.3	109	2	3	8	14	24	35	59
75-79	1606	10.7	105	2	3	8	14	23	32	99+
80-84	1546	10.5	112	2	3	8	13	22	33	99+
85+	1600	10.1	114	2	2	7	12	22	35	99+
B. *Operated*										
65-69 YRS	82	18.4	260	3	5	14	25	44	67	99+
70-74	146	16.4	213	3	4	12	21	38	78	99+
75-79	168	18.2	280	2	3	13	24	42	60	99+
80-84	129	15.4	219	3	4	11	21	35	48	99+
85+	125	17.3	256	3	4	12	23	42	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	720	9.9	102	1	2	7	13	21	29	58
B. *Operated*	15	8.4	72	1	1	5	10	21	28	31
2. MULTIPLE DX										
A. *Not Operated*	6428	10.6	109	2	3	8	13	22	34	99+
B. *Operated*	650	17.1	245	3	4	12	23	41	65	99+
1. SINGLE DX	735	9.9	101	1	2	7	13	21	29	58
2. MULTIPLE DX	7078	11.2	125	2	3	8	14	24	36	99+
A. NOT OPERATED	7148	10.6	109	2	2	8	13	22	33	91
B. OPERATED	665	16.9	243	3	4	12	22	41	63	99+
TOTAL 65-69 YRS	768	11.6	130	2	2	8	15	26	35	73
70-74	1352	11.8	124	2	3	8	15	25	37	78
75-79	1956	11.4	124	2	2	8	15	25	35	99+
80-84	1833	10.8	119	2	3	8	13	22	34	99+
85+	1904	10.4	122	2	2	7	13	23	36	99+
GRAND TOTAL	**7813**	**11.1**	**123**	**2**	**3**	**8**	**14**	**24**	**35**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	21.7	169	9	9	21	31	35	35	35
70-74	5	20.4	74	14	14	19	35	93	99+	99+
75-79	8	7.1	23	1	1	7	10	14	15	15
80-84	12	7.6	56	1	1	6	10	17	26	28
85+	10	11.2	54	2	3	9	16	22	24	24
B. *Operated*										
65-69 YRS	1	18.0		18	18	18	18	18	18	18
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	11.0	125	2	3	8	13	22	41	88
70-74	148	11.5	97	2	3	9	14	24	31	49
75-79	193	12.4	161	3	3	9	14	27	39	83
80-84	198	10.5	86	2	3	8	14	20	27	99+
85+	213	10.0	96	2	3	7	13	20	35	74
B. *Operated*										
65-69 YRS	6	14.0	152	7	7	9	11	36	39	39
70-74	17	15.2	51	6	7	14	19	22	31	36
75-79	23	14.3	120	5	6	11	15	23	39	57
80-84	14	14.1	92	5	5	11	19	27	36	38
85+	14	18.1	377	2	4	13	26	71	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	11.2	80	1	2	9	16	26	35	99+
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	837	11.0	112	2	3	8	14	22	33	78
B. *Operated*	74	15.2	143	5	5	12	18	29	46	93
1. SINGLE DX	39	11.4	79	1	2	9	17	26	35	99+
2. MULTIPLE DX	911	11.4	116	2	3	8	14	22	34	83
A. NOT OPERATED	875	11.0	111	2	3	8	14	22	33	89
B. OPERATED	75	15.2	142	5	5	12	18	29	45	92
TOTAL 65-69 YRS	95	11.6	127	2	3	8	13	26	39	84
70-74	170	12.1	94	2	3	10	15	26	34	58
75-79	224	12.4	152	3	3	9	14	27	36	75
80-84	224	10.5	86	2	3	8	14	20	28	99+
85+	237	10.6	113	2	3	7	14	21	38	99+
GRAND TOTAL	**950**	**11.4**	**114**	**2**	**3**	**8**	**14**	**22**	**34**	**93**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	6.7	33	2	2	4	9	15	21	23
70-74	10	13.9	567	2	2	5	14	49	80	80
75-79	5	5.2	4	2	2	5	7	7	7	7
80-84	2	5.0	2	4	4	5	6	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	529	7.8	51	2	2	5	9	17	23	43
70-74	332	8.6	79	2	2	6	10	19	23	54
75-79	179	9.7	83	2	2	6	12	21	28	49
80-84	63	8.3	41	2	2	6	10	18	22	31
85+	28	9.1	35	2	3	9	12	18	19	22
B. *Operated*										
65-69 YRS	36	14.7	158	3	4	11	18	31	40	60
70-74	17	14.1	110	4	5	12	18	22	39	48
75-79	14	17.6	325	5	5	11	20	42	65	71
80-84	3	37.3	330	17	17	47	76	99+	99+	99+
85+	2	36.0	128	28	28	44	86	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	8.3	180	2	2	5	8	16	22	80
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1131	8.4	63	2	2	6	10	18	24	47
B. *Operated*	72	16.7	205	4	5	13	20	43	58	99+
1. SINGLE DX	35	8.3	180	2	2	5	8	16	22	80
2. MULTIPLE DX	1203	8.9	75	2	2	6	11	19	26	52
A. NOT OPERATED	1166	8.4	67	2	2	5	10	18	24	48
B. OPERATED	72	16.7	205	4	5	13	20	43	58	99+
TOTAL 65-69 YRS	582	8.2	59	2	2	5	10	18	25	45
70-74	359	9.0	94	2	2	6	11	19	24	60
75-79	198	10.1	101	2	2	7	13	22	28	52
80-84	68	9.4	85	2	2	7	11	21	33	91
85+	31	10.6	84	2	2	9	16	24	42	99+
GRAND TOTAL	**1238**	**8.9**	**78**	**2**	**2**	**6**	**11**	**19**	**26**	**52**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.0	9	1	1	3	5	9	9	9
70-74	8	6.0	57	<1	<1	4	6	19	24	24
75-79	9	3.1	5	1	1	3	4	7	8	8
80-84	11	5.2	21	2	2	4	6	11	17	18
85+	8	2.6	4	1	1	2	3	6	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	200	7.6	62	1	2	5	9	15	19	47
70-74	226	8.3	72	1	2	6	10	18	23	87
75-79	263	7.0	29	2	2	5	9	14	18	28
80-84	182	6.2	24	1	2	5	8	12	15	21
85+	131	6.1	24	1	2	5	8	12	18	25
B. *Operated*										
65-69 YRS	14	9.8	30	4	6	8	11	16	24	26
70-74	22	9.3	56	1	2	7	11	18	27	34
75-79	26	10.2	69	3	4	8	12	23	27	40
80-84	13	11.4	44	1	3	9	15	22	24	25
85+	8	17.0	213	5	5	12	27	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.2	19	1	1	3	5	8	13	24
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1002	7.1	44	1	2	5	9	15	19	35
B. *Operated*	83	10.7	69	2	4	8	12	23	29	40
1. SINGLE DX	41	4.2	19	1	1	3	5	8	13	24
2. MULTIPLE DX	1085	7.4	47	1	2	5	9	15	20	40
A. NOT OPERATED	1043	7.0	44	1	2	5	9	14	18	34
B. OPERATED	83	10.7	69	2	4	8	12	23	29	40
TOTAL 65-69 YRS	219	7.6	59	1	2	5	9	15	20	45
70-74	256	8.3	70	1	2	6	10	18	23	80
75-79	298	7.2	33	2	2	5	9	15	18	30
80-84	206	6.5	27	2	2	5	8	12	16	23
85+	147	6.5	38	1	2	5	8	13	18	40
GRAND TOTAL	**1126**	**7.3**	**46**	**1**	**2**	**5**	**9**	**15**	**19**	**40**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	16.3	137	1	4	12	21	33	38	53
70-74	34	17.6	126	2	4	15	28	32	35	45
75-79	16	18.1	121	2	3	17	26	33	35	36
80-84	9	19.3	140	7	8	16	24	38	46	46
85+	4	15.3	30	8	8	16	19	20	20	20
B. *Operated*										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	178	16.7	197	2	4	14	20	35	46	99
70-74	116	20.3	220	5	6	17	25	45	52	81
75-79	88	16.6	118	3	4	16	22	32	38	83
80-84	23	17.0	152	4	5	13	25	36	43	45
85+	15	12.1	95	2	4	8	17	30	31	31
B. *Operated*										
65-69 YRS	5	24.8	313	9	9	26	34	52	52	52
70-74	8	30.9	344	4	5	35	47	51	52	52
75-79	5	20.4	43	11	11	24	25	26	26	26
80-84	3	20.7	444	8	8	9	36	45	45	45
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	17.0	127	2	4	14	24	33	37	49
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	420	17.6	183	2	4	15	23	36	47	98
B. *Operated*	21	25.5	258	6	8	25	40	50	52	52
1. SINGLE DX	139	17.0	127	2	4	14	24	32	37	49
2. MULTIPLE DX	441	17.9	189	3	5	15	23	38	48	98
A. NOT OPERATED	558	17.4	169	2	4	14	23	35	45	82
B. OPERATED	22	24.9	252	6	8	24	39	50	52	52
TOTAL 65-69 YRS	259	16.7	181	2	4	14	21	35	45	96
70-74	158	20.3	210	4	6	17	28	44	51	72
75-79	109	17.0	114	3	4	16	24	32	36	74
80-84	35	17.9	159	5	6	13	25	42	45	46
85+	19	12.8	81	2	4	10	19	28	31	31
GRAND TOTAL	**580**	**17.7**	**174**	**2**	**4**	**15**	**24**	**35**	**46**	**79**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	5	2	2	4	6	8	8	8
70-74	3	14.0	259	1	1	9	26	32	32	32
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	15.2	169	2	3	10	25	34	41	42
70-74	7	11.7	160	2	2	8	12	34	39	39
75-79	1	13.0		13	13	13	13	13	13	13
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.3	82	1	1	4	8	20	32	32
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	22	13.1	142	2	3	9	14	33	40	42
B. *Operated*										
1. SINGLE DX	10	7.3	82	1	1	4	8	20	32	32
2. MULTIPLE DX	22	13.1	142	2	3	9	14	33	40	42
A. NOT OPERATED	32	11.3	128	2	2	8	13	31	38	42
B. OPERATED										
TOTAL 65-69 YRS	19	11.2	133	2	2	7	13	31	37	42
70-74	10	12.4	165	1	1	8	13	35	39	39
75-79	1	13.0		13	13	13	13	13	13	13
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**32**	**11.3**	**128**	**2**	**2**	**8**	**13**	**31**	**38**	**42**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	97	16.7	229	2	3	13	21	34	55	96
70-74	64	18.1	261	1	3	14	23	42	49	98
75-79	25	14.8	110	1	2	14	23	33	54	99+
80-84	15	11.4	83	2	2	9	13	19	35	40
85+	13	18.1	351	1	2	10	27	49	60	63
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	318	17.7	187	3	4	14	23	35	45	71
70-74	216	17.7	181	2	4	14	24	39	47	77
75-79	114	14.2	146	2	3	11	19	30	44	99+
80-84	49	15.8	252	4	5	12	18	25	59	91
85+	27	12.0	84	2	3	13	18	36	99+	99+
B. *Operated*										
65-69 YRS	31	28.8	243	13	15	28	37	59	98	99+
70-74	17	28.8	591	4	5	19	43	59	82	94
75-79	8	24.9	221	8	9	28	40	80	99+	99+
80-84	1	57.0		57	57	78	99+	99+	99+	99+
85+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	16.6	221	1	3	13	22	39	46	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	724	16.8	181	2	4	14	22	35	46	97
B. *Operated*	58	28.7	337	7	10	28	39	70	99+	99+
1. SINGLE DX	214	16.6	221	1	3	13	22	39	46	99+
2. MULTIPLE DX	782	17.7	202	3	4	14	23	38	49	99+
A. NOT OPERATED	938	16.8	190	2	4	13	22	36	46	99+
B. OPERATED	58	28.7	337	7	10	28	39	70	99+	99+
TOTAL 65-69 YRS	446	18.2	208	3	4	15	24	36	47	97
70-74	297	18.4	225	2	4	15	25	42	48	97
75-79	147	14.9	147	2	3	13	20	34	51	99+
80-84	65	15.4	238	3	5	12	18	31	60	99
85+	41	14.3	172	2	2	13	20	44	76	99+
GRAND TOTAL	**996**	**17.4**	**206**	**2**	**4**	**14**	**23**	**38**	**49**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	579	17.8	154	2	4	16	25	33	42	64
70-74	492	18.7	166	3	4	16	26	36	43	60
75-79	378	20.4	197	3	5	18	27	38	46	68
80-84	163	20.1	187	3	6	17	28	37	47	63
85+	93	16.8	150	2	5	14	21	34	46	55
B. *Operated*										
65-69 YRS	5	15.6	49	5	5	16	20	24	24	24
70-74	7	21.7	133	3	6	19	28	38	40	40
75-79	3	30.0	741	10	10	19	50	61	61	61
80-84	3	17.7	229	7	7	11	29	35	35	35
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1955	18.9	191	3	4	16	26	37	46	77
70-74	1924	19.5	210	3	5	16	26	39	49	75
75-79	1516	19.2	206	3	5	16	26	38	49	72
80-84	835	19.5	209	3	5	16	26	38	50	83
85+	368	17.0	165	3	4	14	23	34	41	60
B. *Operated*										
65-69 YRS	169	24.2	240	6	6	22	31	44	55	91
70-74	166	25.9	290	8	9	22	34	53	77	99+
75-79	148	27.9	321	6	9	25	36	56	68	99+
80-84	84	25.7	248	6	9	24	32	53	62	93
85+	35	25.2	310	7	11	21	30	57	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	18.8	171	3	4	16	26	36	44	63
B. *Operated*	18	20.7	198	4	6	19	27	38	53	61
2. MULTIPLE DX										
A. *Not Operated*	6598	19.1	201	3	5	16	26	38	48	74
B. *Operated*	602	25.9	279	6	9	23	33	52	65	99+
1. SINGLE DX	1723	18.8	171	3	4	16	26	36	44	63
2. MULTIPLE DX	7200	19.7	211	3	5	16	27	39	50	80
A. NOT OPERATED	8303	19.1	195	3	5	16	26	37	47	72
B. OPERATED	620	25.7	277	6	9	23	33	52	65	99+
TOTAL 65-69 YRS	2708	19.0	188	3	5	16	26	36	46	75
70-74	2589	19.8	209	3	5	16	27	39	49	77
75-79	2045	20.1	218	3	5	17	27	40	50	77
80-84	1085	20.0	211	3	5	17	27	39	50	82
85+	496	17.5	176	3	4	15	23	35	43	68
GRAND TOTAL	**8923**	**19.5**	**203**	**3**	**5**	**16**	**27**	**38**	**49**	**77**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	226	14.8	128	3	4	12	20	30	36	70
70-74	132	15.7	156	2	4	13	22	32	38	58
75-79	76	18.4	177	3	5	15	22	39	51	59
80-84	21	15.5	88	3	4	17	19	23	34	45
85+	18	14.9	98	3	3	13	19	31	34	34
B. *Operated*										
65-69 YRS	2	20.0	242	9	9	20	31	31	31	31
70-74	1	39.0		39	39	39	39	39	39	39
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	633	18.3	163	4	5	16	23	35	43	63
70-74	500	19.5	182	3	5	17	26	37	48	65
75-79	320	17.9	183	3	4	15	22	36	43	74
80-84	124	21.1	236	3	4	18	28	41	52	74
85+	42	15.6	104	4	6	13	23	29	37	45
B. *Operated*										
65-69 YRS	45	24.4	231	9	9	19	30	48	58	71
70-74	32	28.8	215	9	14	29	42	70	99+	99+
75-79	25	28.3	218	6	11	29	39	52	64	99+
80-84	16	24.8	80	15	15	25	35	83	99+	99+
85+	3	18.0	84	8	8	20	24	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	15.7	141	3	4	13	21	31	38	64
B. *Operated*	4	24.5	174	9	9	25	35	39	39	39
2. MULTIPLE DX										
A. *Not Operated*	1619	18.8	177	3	5	16	24	36	44	66
B. *Operated*	121	26.2	201	8	11	25	38	54	75	99+
1. SINGLE DX	477	15.7	142	3	4	14	21	31	39	64
2. MULTIPLE DX	1740	19.3	183	3	5	17	25	38	46	71
A. NOT OPERATED	2092	18.1	171	3	5	15	24	35	43	66
B. OPERATED	125	26.2	199	8	11	25	38	53	71	99+
TOTAL 65-69 YRS	906	17.8	162	3	5	15	23	35	42	66
70-74	665	19.2	185	3	5	16	26	38	47	70
75-79	422	18.6	189	3	5	16	23	39	47	74
80-84	161	20.7	205	3	5	18	28	42	53	97
85+	63	15.6	98	3	5	13	22	29	35	44
GRAND TOTAL	**2217**	**18.5**	**176**	**3**	**5**	**16**	**24**	**37**	**45**	**69**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	85	10.2	79	1	1	8	16	22	26	42
70-74	75	10.5	88	<1	2	7	15	22	31	43
75-79	96	10.3	78	2	3	8	13	21	26	52
80-84	57	12.6	291	<1	1	6	16	24	49	93
85+	52	8.8	48	1	1	7	12	20	21	30
B. *Operated*										
65-69 YRS	3	5.0	19	2	2	3	8	10	10	10
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	537	10.3	82	2	3	8	13	22	28	44
70-74	647	11.0	121	2	2	7	14	24	35	54
75-79	655	9.9	86	2	2	7	12	21	27	53
80-84	521	9.9	87	2	2	7	13	20	29	46
85+	469	9.8	105	1	2	7	12	20	31	55
B. *Operated*										
65-69 YRS	46	13.1	161	2	3	11	15	21	35	71
70-74	64	13.7	117	2	4	11	19	34	42	99+
75-79	48	19.0	326	3	4	14	26	51	61	99+
80-84	44	19.1	377	2	3	11	26	47	63	83
85+	42	14.2	150	2	3	13	19	32	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	10.5	109	1	2	7	14	22	26	50
B. *Operated*	5	4.2	13	1	1	3	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2829	10.2	97	2	2	7	13	21	30	51
B. *Operated*	244	15.7	222	2	3	11	20	36	56	99+
1. SINGLE DX	370	10.4	108	1	2	7	14	22	26	50
2. MULTIPLE DX	3073	10.6	109	2	2	7	13	22	32	56
A. NOT OPERATED	3194	10.2	98	2	2	7	13	21	29	51
B. OPERATED	249	15.5	221	2	3	11	20	35	56	99+
TOTAL 65-69 YRS	671	10.4	87	2	2	8	14	22	28	46
70-74	786	11.1	118	2	2	7	14	24	35	56
75-79	800	10.5	104	2	3	7	13	22	28	57
80-84	623	10.8	131	2	2	7	13	22	33	58
85+	563	10.1	105	1	2	7	13	21	31	56
GRAND TOTAL	**3443**	**10.6**	**109**	**2**	**2**	**7**	**14**	**22**	**31**	**56**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.2	47	<1	1	4	8	15	19	32
70-74	24	4.6	15	1	1	3	7	11	12	14
75-79	16	7.2	47	2	2	4	10	18	23	25
80-84	16	4.3	15	<1	1	3	7	11	12	12
85+	10	10.5	324	<1	<1	3	13	38	59	59
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	286	7.0	66	1	1	5	8	17	22	29
70-74	296	6.2	41	1	2	4	7	14	18	37
75-79	210	5.7	36	1	1	4	7	14	18	28
80-84	159	6.3	40	1	1	4	8	14	18	33
85+	76	5.1	22	1	1	4	6	12	15	25
B. *Operated*										
65-69 YRS	14	9.2	48	1	2	8	12	23	23	23
70-74	16	11.1	203	1	1	7	13	22	48	59
75-79	9	9.6	53	1	2	9	12	22	24	24
80-84	5	9.0	70	1	1	11	14	21	21	21
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	6.1	62	1	1	3	8	14	18	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1027	6.2	46	1	1	4	7	14	18	29
B. *Operated*	44	9.9	103	1	1	8	13	23	24	59
1. SINGLE DX	92	6.1	62	1	1	3	8	14	18	48
2. MULTIPLE DX	1071	6.4	48	1	1	4	8	14	20	30
A. NOT OPERATED	1119	6.2	47	1	1	4	8	14	18	30
B. OPERATED	44	9.9	103	1	1	8	13	23	24	59
TOTAL 65-69 YRS	326	7.0	63	1	1	5	8	17	22	30
70-74	336	6.3	47	1	2	4	8	14	18	42
75-79	235	6.0	38	1	1	4	7	15	19	28
80-84	180	6.2	39	1	1	4	8	13	18	32
85+	86	5.7	57	1	1	4	6	13	16	48
GRAND TOTAL	**1163**	**6.4**	**49**	**1**	**1**	**4**	**8**	**14**	**19**	**31**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	73	10.6	86	1	2	7	14	22	31	42
70-74	51	10.5	67	2	3	7	14	24	26	35
75-79	29	9.8	59	1	2	7	13	20	29	30
80-84	23	12.2	57	3	4	9	17	23	27	30
85+	6	4.7	9	1	1	4	8	8	8	8
B. *Operated*										
65-69 YRS	2	16.5	181	7	7	16	26	26	26	26
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	417	10.5	82	2	2	8	14	21	29	48
70-74	346	10.5	85	2	3	8	13	22	29	41
75-79	259	9.7	63	2	2	8	13	20	26	40
80-84	164	9.3	83	2	2	6	10	22	29	41
85+	60	10.0	141	2	3	7	11	19	24	81
B. *Operated*										
65-69 YRS	22	14.2	115	3	4	11	19	25	37	51
70-74	34	17.0	275	4	4	11	20	33	61	75
75-79	29	16.7	203	3	3	12	23	36	49	61
80-84	11	21.3	544	5	6	14	23	54	84	87
85+	4	6.3	22	2	2	5	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	10.5	71	2	2	8	14	22	29	40
B. *Operated*	3	12.0	151	3	3	7	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	1246	10.2	82	2	3	7	13	21	28	42
B. *Operated*	100	16.3	237	3	4	12	20	31	53	81
1. SINGLE DX	185	10.5	71	2	2	8	14	22	29	40
2. MULTIPLE DX	1346	10.6	96	2	3	8	14	22	29	49
A. NOT OPERATED	1428	10.2	80	2	3	7	13	21	28	41
B. OPERATED	103	16.2	234	3	4	12	20	31	52	81
TOTAL 65-69 YRS	514	10.7	85	2	2	8	15	21	29	48
70-74	431	11.1	100	2	3	8	14	23	29	55
75-79	318	10.3	78	2	3	8	13	22	30	42
80-84	198	10.3	110	2	3	7	12	24	30	53
85+	70	9.3	125	2	3	7	10	18	22	76
GRAND TOTAL	**1531**	**10.6**	**93**	**2**	**3**	**8**	**14**	**22**	**29**	**48**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	7.9	25	1	1	9	12	14	15	16
70-74	21	12.4	250	1	1	5	13	43	50	51
75-79	16	9.4	119	<1	<1	4	14	28	32	34
80-84	7	5.6	51	1	1	3	6	18	21	21
85+	9	5.3	124	<1	<1	2	2	22	35	35
B. *Operated*										
65-69 YRS	11	5.8	31	1	2	4	7	14	20	21
70-74	7	3.4	3	2	2	3	5	6	6	6
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	208	8.4	63	1	2	6	11	20	27	65
70-74	167	8.1	67	1	2	4	11	19	25	40
75-79	143	8.0	61	1	2	5	10	19	25	41
80-84	128	8.0	67	1	2	5	9	16	28	40
85+	85	7.6	39	2	2	6	9	15	18	34
B. *Operated*										
65-69 YRS	20	12.3	92	1	1	9	19	26	29	31
70-74	28	7.9	45	1	2	5	13	20	21	21
75-79	12	12.8	188	1	2	9	16	32	47	50
80-84	7	19.3	406	4	4	11	25	54	61	61
85+	4	10.5	44	5	5	8	15	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	9.1	133	<1	1	4	11	27	35	51
B. *Operated*	19	4.8	19	1	2	4	6	8	16	21
2. MULTIPLE DX										
A. *Not Operated*	731	8.1	61	1	2	5	10	18	26	41
B. *Operated*	71	11.2	120	1	2	8	18	24	28	59
1. SINGLE DX	87	8.1	111	1	1	4	10	21	34	51
2. MULTIPLE DX	802	8.4	67	1	2	5	10	19	26	42
A. NOT OPERATED	799	8.2	67	1	2	5	10	18	27	42
B. OPERATED	90	9.9	105	1	2	6	14	21	26	57
TOTAL 65-69 YRS	254	8.6	62	1	2	6	11	21	26	42
70-74	223	8.3	81	1	2	5	11	20	27	46
75-79	172	8.5	75	1	1	5	10	19	27	43
80-84	142	8.4	86	1	2	5	9	17	29	50
85+	98	7.5	46	1	2	5	9	15	20	36
GRAND TOTAL	**889**	**8.3**	**71**	**1**	**2**	**5**	**10**	**19**	**27**	**43**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	145	7.6	64	<1	1	4	8	21	26	30
70-74	79	7.5	64	1	2	4	8	21	29	30
75-79	35	7.4	45	1	2	4	10	20	21	25
80-84	7	7.6	48	<1	<1	6	11	19	21	21
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1631	11.9	104	2	2	7	21	28	30	39
70-74	1050	11.6	98	2	3	7	20	28	30	39
75-79	420	12.1	113	2	2	7	21	28	34	44
80-84	116	8.7	49	1	2	6	11	19	25	30
85+	50	9.0	71	1	2	5	13	24	29	35
B. *Operated*										
65-69 YRS	93	18.2	196	2	4	17	27	31	38	79
70-74	72	15.7	217	2	3	11	21	35	47	78
75-79	24	18.0	168	2	2	16	28	38	43	44
80-84	9	16.2	92	3	4	15	26	28	28	28
85+	4	42.3	1012	9	9	41	68	78	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	7.5	60	1	1	4	8	21	26	30
B. *Operated*	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	3267	11.7	101	2	2	7	20	28	30	39
B. *Operated*	202	17.7	218	2	3	15	26	35	44	81
1. SINGLE DX	269	7.5	60	1	1	4	8	21	26	30
2. MULTIPLE DX	3469	12.0	110	2	2	7	21	28	30	41
A. NOT OPERATED	3534	11.4	99	2	2	7	20	28	30	39
B. OPERATED	204	17.6	218	2	3	14	25	35	43	81
TOTAL 65-69 YRS	1869	11.9	109	2	2	7	21	28	30	39
70-74	1202	11.6	104	2	2	7	20	28	30	40
75-79	479	12.0	114	2	2	7	20	28	34	44
80-84	133	9.1	54	1	2	6	12	21	27	30
85+	55	11.3	198	1	2	5	14	29	34	77
GRAND TOTAL	**3738**	**11.7**	**108**	**2**	**2**	**7**	**20**	**28**	**30**	**40**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	16.3	184	2	3	12	23	39	46	48
70-74	25	10.7	69	2	4	8	16	22	29	34
75-79	15	14.7	99	3	5	12	21	28	32	33
80-84	4	13.5	156	5	5	8	21	32	32	32
85+	2	16.0	242	5	5	16	27	27	27	27
B. *Operated*										
65-69 YRS	3	49.7	1185	25	25	35	75	89	89	89
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	73	13.9	125	3	4	9	21	29	34	48
B. *Operated*	4	38.3	1312	4	4	30	62	89	89	89
1. SINGLE DX	4	3.8	6	1	1	3	5	7	7	7
2. MULTIPLE DX	77	15.1	199	3	4	9	22	32	39	78
A. NOT OPERATED	77	13.3	123	2	3	9	21	29	34	47
B. OPERATED	4	38.3	1312	4	4	30	62	89	89	89
TOTAL 65-69 YRS	31	19.1	348	3	3	14	27	43	48	89
70-74	26	10.3	70	1	3	8	16	22	29	34
75-79	16	14.2	96	3	5	11	21	28	32	33
80-84	5	11.6	135	4	4	7	15	32	32	32
85+	3	12.0	169	4	4	5	21	27	27	27
GRAND TOTAL	**81**	**14.6**	**196**	**2**	**3**	**9**	**21**	**31**	**38**	**76**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	13.3	202	2	2	6	24	36	38	38
70-74	3	1.7	1	<1	<1	1	2	3	3	3
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84										
85+	1	30.0		30	30	30	30	30	30	30
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	18.7	120	3	5	20	27	33	37	44
70-74	56	17.1	132	3	5	14	24	33	41	45
75-79	19	18.2	370	4	5	13	21	36	67	87
80-84	10	18.7	215	1	2	16	29	38	46	46
85+	4	14.0	235	1	1	9	24	36	36	36
B. *Operated*										
65-69 YRS	3	21.3	82	11	11	25	27	28	28	28
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	10.4	165	<1	1	4	14	32	37	38
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	153	17.9	159	3	5	16	26	33	41	46
B. *Operated*	3	21.3	82	11	11	25	27	28	28	28
1. SINGLE DX	13	10.4	165	<1	1	4	14	32	37	38
2. MULTIPLE DX	156	18.0	158	3	5	16	26	33	41	46
A. NOT OPERATED	166	17.3	163	2	4	14	26	33	40	46
B. OPERATED	3	21.3	82	11	11	25	27	28	28	28
TOTAL 65-69 YRS	74	18.3	125	3	4	19	28	33	37	44
70-74	59	16.3	137	2	4	13	24	33	41	45
75-79	21	16.8	352	3	4	10	21	34	62	87
80-84	10	18.7	215	1	2	16	29	38	46	46
85+	5	17.2	228	1	1	12	31	36	36	36
GRAND TOTAL	**169**	**17.4**	**161**	**2**	**4**	**14**	**26**	**33**	**39**	**46**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	6.0	111	1	1	2	6	22	35	35
70-74	7	2.9	7	<1	<1	1	4	7	8	8
75-79	5	3.2	6	<1	<1	3	5	7	7	7
80-84	4	4.0	15	1	1	3	7	9	9	9
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	6.0	58	1	1	3	6	15	28	32
70-74	80	4.5	29	1	1	3	5	10	13	32
75-79	32	6.3	103	<1	1	3	6	12	20	56
80-84	19	4.5	23	1	2	3	5	6	15	23
85+	9	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*										
65-69 YRS	10	6.5	42	1	1	4	11	16	17	17
70-74	6	2.5	3	1	1	2	4	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	5.5	23	<1	<1	4	9	12	12	12
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.3	47	<1	1	2	5	9	14	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	223	5.2	49	1	1	3	5	11	22	33
B. *Operated*	22	4.8	26	<1	1	2	7	13	16	17
1. SINGLE DX	26	4.3	47	<1	1	2	5	9	14	35
2. MULTIPLE DX	245	5.2	47	1	1	3	5	11	21	33
A. NOT OPERATED	249	5.1	49	1	1	3	5	10	21	33
B. OPERATED	22	4.8	26	<1	1	2	7	13	16	17
TOTAL 65-69 YRS	103	6.0	61	1	1	3	6	16	28	34
70-74	93	4.2	26	1	1	3	5	10	11	32
75-79	38	5.8	89	<1	1	3	6	11	19	56
80-84	27	4.6	20	1	1	3	6	8	14	23
85+	10	1.9	1	<1	<1	2	2	4	4	4
GRAND TOTAL	**271**	**5.1**	**47**	**1**	**1**	**3**	**5**	**11**	**21**	**33**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	41	1	1	8	13	13	13	13
70-74	4	8.0	25	4	4	6	11	15	15	15
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	11.3	66	2	2	9	18	22	26	29
70-74	25	7.2	27	2	2	6	10	14	19	21
75-79	12	10.3	30	2	5	9	14	19	21	21
80-84	7	11.7	81	1	1	13	18	24	25	25
85+	4	9.3	56	3	3	8	15	18	18	18
B. *Operated*										
65-69 YRS	2	11.5	5	10	10	11	13	13	13	13
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	11.0		11	11	11	11	11	11	11
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.7	27	1	1	5	13	14	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	78	9.8	50	2	2	8	14	21	23	28
B. *Operated*	5	11.2	2	10	10	11	12	13	13	13
1. SINGLE DX	10	6.7	27	1	1	5	13	14	15	15
2. MULTIPLE DX	83	9.9	47	2	2	8	14	21	22	28
A. NOT OPERATED	88	9.4	48	2	2	7	14	21	22	28
B. OPERATED	5	11.2	2	10	10	11	12	13	13	13
TOTAL 65-69 YRS	36	10.9	60	1	2	10	16	22	25	29
70-74	30	7.4	25	2	2	6	10	15	19	21
75-79	14	9.8	32	1	2	9	14	18	20	21
80-84	9	10.8	67	1	2	11	17	23	25	25
85+	4	9.3	56	3	3	8	15	18	18	18
GRAND TOTAL	**93**	**9.5**	**45**	**2**	**2**	**8**	**14**	**21**	**22**	**28**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	9.2	50	1	1	10	15	17	17	17
70-74	7	3.3	6	1	1	3	4	7	8	8
75-79	9	2.3	1	1	1	2	3	4	4	4
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	118	5.1	32	1	1	4	5	10	15	35
70-74	91	4.4	14	1	2	4	5	7	9	24
75-79	97	4.4	12	1	2	3	5	8	10	22
80-84	67	4.0	8	1	1	4	5	7	10	15
85+	32	5.0	13	1	2	4	7	9	12	18
B. *Operated*										
65-69 YRS	11	4.5	14	1	1	4	7	40	91	99+
70-74	14	6.1	14	1	2	5	9	10	13	14
75-79	8	6.6	8	3	3	7	8	10	11	11
80-84	3	8.0	13	4	4	9	10	11	11	11
85+	5	8.6	10	5	5	9	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.3	18	1	1	3	5	10	16	17
B. *Operated*	3	5.7	41	<1	<1	3	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	405	4.6	18	1	2	4	5	8	11	24
B. *Operated*	41	6.2	13	1	2	6	9	12	14	99+
1. SINGLE DX	27	4.4	20	<1	1	3	5	12	15	17
2. MULTIPLE DX	446	4.7	18	1	2	4	6	9	12	25
A. NOT OPERATED	429	4.6	18	1	1	4	5	8	12	23
B. OPERATED	44	6.2	14	1	2	6	9	13	14	99+
TOTAL 65-69 YRS	135	5.2	31	1	1	4	6	11	16	47
70-74	113	4.6	15	1	2	4	5	9	12	22
75-79	114	4.4	12	1	2	3	5	8	10	22
80-84	73	4.1	9	1	1	4	5	7	11	15
85+	38	5.5	14	1	2	4	8	10	13	18
GRAND TOTAL	**473**	**4.7**	**18**	**1**	**1**	**4**	**6**	**9**	**13**	**25**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	8.8	63	<1	2	6	13	21	27	30
70-74	32	7.5	58	1	2	6	9	19	22	37
75-79	30	7.5	41	1	1	6	9	18	20	25
80-84	14	13.2	130	1	2	10	21	32	36	37
85+	14	8.0	114	1	1	6	10	14	37	43
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	272	8.4	68	1	1	6	12	18	24	43
70-74	262	9.2	84	1	2	6	12	20	25	46
75-79	175	8.2	51	1	2	6	11	16	23	29
80-84	139	9.5	91	1	2	7	12	20	27	49
85+	97	9.1	129	1	2	6	11	18	34	99+
B. *Operated*										
65-69 YRS	13	8.2	30	1	3	6	12	16	19	20
70-74	20	16.5	166	4	6	12	20	33	48	57
75-79	19	12.2	48	2	4	13	16	19	26	31
80-84	7	25.6	252	5	8	22	31	52	56	56
85+	5	23.0	188	7	7	29	33	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	8.6	70	1	1	6	11	20	27	38
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	945	8.8	79	1	2	6	12	19	25	46
B. *Operated*	64	15.0	135	3	4	12	19	31	38	57
1. SINGLE DX	135	8.6	70	1	1	6	11	20	27	38
2. MULTIPLE DX	1009	9.2	85	1	2	6	12	19	27	48
A. NOT OPERATED	1080	8.8	78	1	2	6	12	19	25	46
B. OPERATED	64	15.0	135	3	4	12	19	31	38	57
TOTAL 65-69 YRS	330	8.4	66	1	1	6	12	18	24	37
70-74	314	9.5	90	1	2	6	12	20	26	49
75-79	224	8.4	50	1	2	6	12	17	23	30
80-84	160	10.5	111	1	2	7	13	22	30	55
85+	116	9.5	136	1	2	7	11	23	38	99+
GRAND TOTAL	**1144**	**9.1**	**83**	**1**	**2**	**6**	**12**	**20**	**27**	**46**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	11.9	143	2	3	7	17	28	32	64
70-74	38	10.0	81	1	2	7	13	23	32	36
75-79	27	11.4	147	2	2	7	13	32	37	52
80-84	11	11.9	228	1	1	5	20	34	49	50
85+	7	5.0	16	2	2	4	4	12	14	14
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	300	9.3	103	1	2	6	11	20	28	64
70-74	331	8.4	63	2	2	6	10	18	25	43
75-79	283	8.8	70	2	2	6	10	18	24	41
80-84	185	9.1	87	2	2	6	12	19	29	86
85+	144	8.0	93	1	2	5	10	17	22	43
B. *Operated*										
65-69 YRS	37	10.8	78	2	3	7	14	26	30	34
70-74	43	11.6	143	3	4	8	12	25	58	99+
75-79	38	14.1	142	2	4	9	19	36	41	41
80-84	21	16.7	189	5	6	11	23	36	48	60
85+	11	19.4	658	3	3	10	22	57	88	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	10.9	125	1	2	7	14	26	34	55
B. *Operated*	4	3.8	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1243	8.8	81	2	2	6	11	19	26	55
B. *Operated*	150	13.3	171	3	4	9	17	31	41	91
1. SINGLE DX	133	10.6	123	1	2	6	14	25	34	54
2. MULTIPLE DX	1393	9.3	93	2	2	6	11	20	28	59
A. NOT OPERATED	1372	9.0	86	2	2	6	11	20	27	54
B. OPERATED	154	13.1	169	2	4	9	16	31	40	89
TOTAL 65-69 YRS	384	9.7	106	2	2	6	12	22	29	64
70-74	412	8.9	74	2	2	6	11	20	27	58
75-79	350	9.5	85	2	2	7	11	21	28	42
80-84	218	9.9	107	2	2	7	12	22	33	75
85+	162	8.6	133	1	2	5	11	18	24	83
GRAND TOTAL	**1526**	**9.4**	**95**	**2**	**2**	**6**	**11**	**21**	**28**	**58**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	17.5	365	4	4	17	31	31	31	31
70-74	2	12.0	162	3	3	12	21	21	21	21
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	14.0	72	8	8	14	20	20	20	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	14.8	186	3	3	12	26	31	31	31
B. *Operated*	1	14.0		14	14	14	14	14	14	14
1. SINGLE DX	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX	5	14.6	139	3	3	14	23	31	31	31
A. NOT OPERATED	6	14.5	126	3	3	14	21	30	31	31
B. OPERATED	1	14.0		14	14	14	14	14	14	14
TOTAL 65-69 YRS	3	14.3	212	4	4	8	25	31	31	31
70-74	2	12.0	162	3	3	12	21	21	21	21
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	**7**	**14.4**	**105**	**3**	**3**	**14**	**21**	**29**	**31**	**31**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	10.1	18	2	3	12	12	14	15	15
70-74	7	4.6	15	1	1	4	7	10	11	11
75-79	2	11.0	200	1	1	11	21	21	21	21
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	9	4.0	31	1	1	1	4	14	17	17
70-74	7	7.4	121	1	1	2	11	27	30	30
75-79	3	5.7	41	<1	<1	3	10	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	14.6	202	2	4	12	16	27	41	88
70-74	78	14.4	147	3	5	13	16	25	29	80
75-79	48	17.3	136	2	4	15	21	35	52	99+
80-84	39	16.1	122	4	4	15	20	29	38	59
85+	22	18.9	494	3	4	12	18	45	77	99
B. *Operated*										
65-69 YRS	83	20.1	261	2	3	15	32	47	56	99+
70-74	54	18.3	287	1	1	12	28	48	53	58
75-79	41	25.6	294	5	7	24	34	52	68	99+
80-84	21	29.4	217	12	16	25	38	57	75	99+
85+	11	22.5	295	5	5	21	29	49	61	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	7.7	33	1	1	8	12	14	17	21
B. *Operated*	19	5.5	61	<1	1	2	8	16	24	30
2. MULTIPLE DX										
A. *Not Operated*	259	15.6	185	3	4	14	19	28	40	95
B. *Operated*	210	21.7	279	1	3	18	34	51	56	99+
1. SINGLE DX	41	6.7	46	1	1	3	12	15	19	30
2. MULTIPLE DX	469	18.4	236	2	4	14	24	41	53	99+
A. NOT OPERATED	281	15.0	177	2	4	13	18	27	39	95
B. OPERATED	229	20.4	281	1	2	16	32	50	56	99+
TOTAL 65-69 YRS	174	16.4	227	1	2	13	20	42	52	99
70-74	146	15.1	201	1	2	11	19	30	48	59
75-79	94	20.4	224	2	4	18	27	44	54	99+
80-84	61	20.6	191	4	6	18	26	41	57	95
85+	35	19.0	414	2	3	14	21	41	63	99
GRAND TOTAL	**510**	**17.4**	**231**	**1**	**3**	**14**	**22**	**40**	**52**	**99**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	7.4	142	1	2	4	8	11	21	74
70-74	45	8.2	17	2	3	8	11	13	16	18
75-79	38	7.7	41	2	2	6	10	16	18	35
80-84	20	7.7	34	1	1	7	9	18	20	22
85+	8	5.8	4	3	3	5	6	9	10	10
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84	3	13.0	124	3	3	11	21	25	25	25
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	304	9.7	83	3	3	8	11	18	24	65
70-74	460	9.8	71	3	3	8	12	20	26	50
75-79	551	10.1	65	2	3	8	12	20	27	54
80-84	364	10.0	76	3	3	8	12	19	27	96
85+	205	11.7	163	2	3	8	14	22	43	95
B. *Operated*										
65-69 YRS	39	14.6	136	4	5	11	19	32	34	62
70-74	58	15.9	251	3	4	11	20	42	79	99+
75-79	82	15.6	218	4	5	12	19	28	71	99+
80-84	42	16.8	149	4	5	14	20	38	47	99+
85+	31	17.3	248	2	6	13	21	38	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	7.7	56	2	2	6	10	14	18	35
B. *Operated*	5	10.8	71	3	3	8	14	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	1884	10.1	83	2	3	8	12	20	27	72
B. *Operated*	252	15.9	203	3	5	12	20	34	61	99+
1. SINGLE DX	155	7.8	57	2	2	6	10	15	18	35
2. MULTIPLE DX	2136	10.8	100	3	3	8	13	21	30	89
A. NOT OPERATED	2034	10.0	81	2	3	8	12	19	26	70
B. OPERATED	257	15.8	200	3	5	12	20	33	61	99+
TOTAL 65-69 YRS	383	10.0	97	2	3	8	12	19	25	70
70-74	564	10.3	89	3	3	8	12	21	27	74
75-79	671	10.7	86	2	3	8	13	21	28	81
80-84	429	10.5	86	3	3	8	13	20	32	99+
85+	244	12.2	173	2	3	9	15	27	46	99+
GRAND TOTAL	**2291**	**10.6**	**98**	**2**	**3**	**8**	**13**	**21**	**29**	**83**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	7.6	10	2	3	9	10	11	11	11
70-74	3	9.3	72	1	1	9	16	18	18	18
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	8.3	89	1	1	5	8	25	27	27
70-74	3	4.3	24	1	1	2	8	10	10	10
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	8.7	29	3	3	7	12	17	20	23
70-74	43	10.8	71	3	4	8	14	22	27	45
75-79	14	9.9	125	2	2	7	11	17	40	46
80-84	3	7.3	32	1	1	9	11	12	12	12
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	23	14.3	167	2	2	12	17	33	75	99+
70-74	16	16.4	177	3	4	12	18	34	47	53
75-79	3	19.3	74	10	10	21	25	27	27	27
80-84	1	40.0		40	40	40	40	40	40	40
85+	2	8.0	98	1	1	8	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	8.0	21	1	2	9	10	13	17	18
B. *Operated*	9	7.0	66	1	1	5	8	20	27	27
2. MULTIPLE DX										
A. *Not Operated*	127	9.5	53	2	3	8	12	18	22	45
B. *Operated*	45	15.6	168	2	3	12	20	34	55	99+
1. SINGLE DX	21	7.6	38	1	1	8	10	14	22	27
2. MULTIPLE DX	172	11.1	89	2	3	9	14	21	30	61
A. NOT OPERATED	139	9.4	50	2	3	8	12	18	22	45
B. OPERATED	54	14.2	160	1	2	11	18	34	50	98
TOTAL 65-69 YRS	104	9.8	65	2	3	8	12	19	23	80
70-74	65	11.8	100	2	3	9	14	24	34	52
75-79	17	11.6	124	2	2	9	13	26	39	46
80-84	4	15.5	288	1	1	10	26	40	40	40
85+	3	8.7	50	1	1	10	14	15	15	15
GRAND TOTAL	**193**	**10.7**	**85**	**2**	**3**	**9**	**13**	**21**	**28**	**59**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	3.4	5	1	1	3	4	6	8	11
70-74	75	3.3	7	1	1	3	4	7	8	15
75-79	46	4.0	12	<1	1	3	4	9	13	15
80-84	30	3.8	8	1	1	3	5	7	8	14
85+	31	4.0	11	1	1	3	5	9	11	15
B. *Operated*										
65-69 YRS	4	3.3	1	2	2	3	4	4	4	4
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1021	5.8	28	1	2	4	7	12	15	29
70-74	1026	6.3	27	1	2	5	8	12	16	29
75-79	972	6.5	39	1	2	5	8	13	17	41
80-84	669	6.8	49	2	2	5	8	13	17	45
85+	517	7.1	57	2	2	5	8	13	17	33
B. *Operated*										
65-69 YRS	141	12.4	133	2	3	9	17	28	40	99+
70-74	115	13.6	152	3	4	10	16	30	34	77
75-79	103	14.5	186	3	4	11	18	32	69	99+
80-84	73	15.9	248	2	3	10	25	42	57	92
85+	35	16.1	171	3	5	13	21	33	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.6	8	1	1	3	4	7	9	15
B. *Operated*	7	4.7	9	2	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	4205	6.4	37	1	2	5	8	12	16	33
B. *Operated*	467	14.0	170	2	4	11	18	30	46	99+
1. SINGLE DX	271	3.6	8	1	1	3	4	7	9	15
2. MULTIPLE DX	4672	7.2	56	1	2	5	9	14	20	47
A. NOT OPERATED	4469	6.2	36	1	2	5	8	12	16	30
B. OPERATED	474	13.8	169	2	3	10	18	30	45	99+
TOTAL 65-69 YRS	1248	6.4	43	1	2	5	8	13	19	42
70-74	1218	6.8	43	1	2	5	8	13	18	33
75-79	1122	7.1	57	1	2	5	9	14	21	72
80-84	772	7.5	73	2	2	5	9	14	21	64
85+	583	7.5	66	1	2	5	9	14	20	47
GRAND TOTAL	**4943**	**7.0**	**54**	**1**	**2**	**5**	**8**	**14**	**19**	**45**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	5.4	17	1	1	4	7	11	13	21
70-74	90	6.1	31	1	1	4	8	12	17	28
75-79	80	5.6	38	1	1	4	7	11	21	80
80-84	55	5.9	22	<1	1	5	7	11	15	25
85+	33	6.1	32	<1	1	4	9	12	21	23
B. *Operated*										
65-69 YRS	90	5.5	37	1	1	4	7	12	15	33
70-74	92	6.5	24	1	1	5	9	13	15	23
75-79	58	7.4	49	1	1	5	10	17	20	34
80-84	35	7.8	42	1	2	8	10	15	22	30
85+	13	7.3	28	1	2	7	12	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1133	11.3	151	2	2	7	14	25	38	64
70-74	1416	11.4	160	2	2	7	14	26	38	79
75-79	1546	11.2	134	2	3	8	14	26	37	86
80-84	1244	11.0	139	2	3	8	13	22	33	74
85+	937	10.7	128	2	3	8	13	22	30	78
B. *Operated*										
65-69 YRS	600	13.3	172	2	2	9	18	30	42	94
70-74	627	14.3	201	1	2	10	18	34	48	95
75-79	656	14.4	180	2	3	10	19	30	44	97
80-84	352	15.7	187	3	4	12	21	31	52	99+
85+	209	14.9	210	2	3	11	20	31	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	5.8	28	1	1	4	7	11	16	29
B. *Operated*	288	6.6	36	1	1	5	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	6276	11.2	143	2	3	7	13	24	36	75
B. *Operated*	2444	14.3	187	2	2	10	19	31	46	99+
1. SINGLE DX	628	6.1	31	1	1	5	8	13	16	30
2. MULTIPLE DX	8720	12.0	157	2	3	8	15	27	39	85
A. NOT OPERATED	6616	10.9	138	2	3	7	13	24	35	74
B. OPERATED	2732	13.5	177	1	2	10	18	30	43	99+
TOTAL 65-69 YRS	1905	11.4	150	1	2	7	14	27	37	67
70-74	2225	11.8	165	1	2	8	15	27	39	80
75-79	2340	11.8	145	2	2	8	15	27	38	88
80-84	1686	11.7	148	2	3	8	14	24	36	87
85+	1192	11.3	142	2	3	8	14	24	34	95
GRAND TOTAL	**9348**	**11.6**	**151**	**2**	**2**	**8**	**14**	**26**	**37**	**82**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.1	8	<1	<1	2	3	8	10	11
70-74	13	3.5	11	<1	1	2	4	8	12	13
75-79	6	2.2	4	1	1	2	2	6	6	6
80-84	3	1.3		1	1	1	2	2	2	2
85+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	147	4.3	12	1	1	4	6	7	11	18
70-74	109	4.4	13	1	2	3	6	8	11	20
75-79	72	4.8	13	2	2	3	6	9	13	18
80-84	31	3.9	7	1	1	3	5	7	9	13
85+	20	4.8	17	1	1	4	6	10	14	18
B. *Operated*										
65-69 YRS	22	5.0	7	2	2	4	7	9	10	12
70-74	12	7.9	110	1	1	5	9	19	36	39
75-79	9	6.3	17	2	2	6	8	13	15	15
80-84	2	7.0	32	3	3	7	11	11	11	11
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.0	8	<1	1	2	3	7	10	13
B. *Operated*	8	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	379	4.4	12	1	2	3	6	8	11	18
B. *Operated*	45	6.1	36	1	2	4	8	11	13	39
1. SINGLE DX	54	3.0	7	<1	1	2	4	6	9	13
2. MULTIPLE DX	424	4.6	15	1	2	3	6	9	12	18
A. NOT OPERATED	425	4.3	12	1	1	3	6	8	11	18
B. OPERATED	53	5.6	32	1	2	4	7	10	12	38
TOTAL 65-69 YRS	194	4.2	11	1	1	3	5	8	10	18
70-74	135	4.6	22	1	1	3	6	9	12	28
75-79	87	4.8	13	1	2	3	6	9	14	18
80-84	38	3.8	8	1	1	3	5	7	10	13
85+	24	4.5	15	1	1	3	6	9	13	18
GRAND TOTAL	**478**	**4.4**	**14**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	3	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	91	1.3	1	<1	<1	<1	1	2	3	7
70-74	105	1.2		<1	<1	<1	1	2	2	3
75-79	67	1.3	1	<1	<1	<1	1	2	3	8
80-84	39	1.6	3	<1	<1	1	2	3	3	11
85+	19	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.4	6	1	1	3	5	7	9	9
70-74	7	1.7	1	1	1	2	2	3	3	3
75-79	8	3.0	7	<1	<1	2	4	7	9	9
80-84	4	4.5	4	3	3	4	6	7	7	7
85+	4	12.8	383	<1	<1	4	23	42	42	42
B. *Operated*										
65-69 YRS	200	2.3	13	<1	<1	1	2	5	6	11
70-74	141	2.6	10	<1	<1	2	3	5	8	22
75-79	105	2.8	13	<1	<1	1	3	7	11	20
80-84	59	2.5	9	<1	<1	2	3	5	8	16
85+	51	2.5	6	<1	<1	2	3	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*	321	1.3	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	34	4.2	49	<1	1	3	4	7	9	42
B. *Operated*	556	2.5	11	<1	<1	2	3	5	7	16
1. SINGLE DX	327	1.3	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	590	2.6	13	<1	<1	2	3	5	8	16
A. NOT OPERATED	40	3.8	43	<1	1	2	4	6	9	42
B. OPERATED	877	2.1	8	<1	<1	1	2	4	6	13
TOTAL 65-69 YRS	304	2.1	9	<1	<1	1	2	4	6	10
70-74	256	1.9	6	<1	<1	1	2	3	5	13
75-79	181	2.3	9	<1	<1	1	2	4	8	14
80-84	102	2.2	7	<1	<1	1	2	4	7	16
85+	74	2.8	26	<1	<1	1	2	6	8	35
GRAND TOTAL	**917**	**2.1**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	3.9	13	1	1	3	5	9	10	21
70-74	67	4.3	24	1	1	3	6	9	10	33
75-79	46	4.0	11	1	1	3	5	10	12	14
80-84	23	4.1	7	<1	<1	4	6	7	10	10
85+	13	4.0	5	1	1	4	5	7	8	8
B. *Operated*										
65-69 YRS	247	2.6	8	<1	<1	2	3	6	9	16
70-74	166	3.3	11	<1	1	2	4	8	12	18
75-79	129	2.8	7	1	1	2	3	6	8	15
80-84	46	3.1	7	1	1	2	5	7	9	11
85+	24	3.0	5	<1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	476	6.8	44	1	2	5	8	14	18	33
70-74	468	6.4	26	1	2	5	8	13	15	25
75-79	409	6.8	25	2	2	6	9	13	17	28
80-84	284	7.4	41	1	2	6	9	15	19	33
85+	176	6.8	34	2	2	5	8	13	16	33
B. *Operated*										
65-69 YRS	490	7.0	79	1	1	4	9	16	24	88
70-74	408	8.1	120	1	1	4	9	20	31	99+
75-79	300	9.3	127	1	1	6	11	22	29	75
80-84	150	8.7	73	1	2	6	12	19	26	42
85+	75	11.4	201	1	2	7	15	24	34	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	4.1	15	1	1	3	5	8	10	17
B. *Operated*	612	2.9	9	<1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	1813	6.8	34	1	2	5	9	13	18	32
B. *Operated*	1423	8.2	108	1	1	5	10	19	29	80
1. SINGLE DX	815	3.2	11	<1	1	2	4	7	10	16
2. MULTIPLE DX	3236	7.4	67	1	2	5	9	15	22	54
A. NOT OPERATED	2016	6.5	32	1	2	5	8	13	17	31
B. OPERATED	2035	6.6	84	1	1	3	8	16	23	63
TOTAL 65-69 YRS	1267	6.0	52	1	1	4	8	13	18	52
70-74	1109	6.4	61	1	1	4	8	13	20	62
75-79	884	6.9	61	1	1	5	9	14	21	45
80-84	503	7.2	48	1	2	5	9	15	20	37
85+	288	7.6	79	1	2	5	9	15	21	44
GRAND TOTAL	**4051**	**6.6**	**58**	**1**	**1**	**4**	**8**	**14**	**20**	**47**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	5.0		5	5	5	5	5	5	5
75-79	3	3.3	4	1	1	4	5	5	5	5
80-84	3	3.7		3	3	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	426	2.9	3	1	1	3	4	5	6	10
70-74	337	2.9	2	1	1	3	4	5	6	7
75-79	221	2.7	2	1	1	2	3	4	5	8
80-84	94	3.4	3	1	1	3	4	6	7	9
85+	44	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	2.5	3	<1	<1	2	4	5	5	6
70-74	15	2.9	5	<1	1	2	4	5	8	9
75-79	9	1.6	1	<1	<1	1	2	3	3	3
80-84	10	3.4	25	<1	<1	1	4	11	17	17
85+	4	4.0	7	1	1	4	6	7	7	7
B. *Operated*										
65-69 YRS	831	3.4	5	1	1	3	4	6	7	11
70-74	708	3.5	5	1	1	3	4	6	7	11
75-79	508	3.8	6	1	2	3	5	6	8	14
80-84	291	3.8	8	1	1	3	5	6	8	15
85+	125	3.9	6	1	1	3	5	6	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	2	1	2	4	5	5	5	5
B. *Operated*	1122	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	62	2.7	7	<1	<1	2	4	5	6	16
B. *Operated*	2463	3.6	6	1	1	3	4	6	8	12
1. SINGLE DX	1131	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	2525	3.6	6	1	1	3	4	6	7	12
A. NOT OPERATED	71	2.8	6	<1	<1	2	4	5	6	15
B. OPERATED	3585	3.4	5	1	1	3	4	6	7	11
TOTAL 65-69 YRS	1282	3.2	4	1	1	3	4	5	7	10
70-74	1062	3.3	4	1	1	3	4	6	7	10
75-79	741	3.5	5	1	1	3	4	6	7	12
80-84	398	3.7	7	1	1	3	5	6	7	15
85+	173	3.7	6	1	1	3	5	6	7	13
GRAND TOTAL	**3656**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	1.5	1	1	1	1	2	3	3	3
70-74	14	1.4	1	1	1	1	1	3	4	5
75-79	17	1.5		1	1	1	2	2	3	3
80-84	6	1.5		1	1	1	2	2	2	2
85+	9	1.8	1	1	1	1	2	4	4	4
B. *Operated*										
65-69 YRS	104	2.6	4	<1	1	2	3	5	7	11
70-74	107	2.4	3	<1	<1	2	3	4	6	10
75-79	77	2.3	2	<1	1	2	3	4	5	8
80-84	41	2.3	2	1	1	2	3	4	5	8
85+	23	2.5	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	3.5	17	1	1	2	3	12	14	14
70-74	34	2.4	5	1	1	2	2	4	7	13
75-79	43	3.3	7	1	1	3	4	6	11	12
80-84	25	2.4	3	<1	1	2	3	5	6	7
85+	18	2.6	2	1	1	2	3	5	6	6
B. *Operated*										
65-69 YRS	204	2.9	5	1	1	2	4	5	7	12
70-74	228	3.2	6	1	1	2	4	6	8	13
75-79	237	3.4	10	1	1	2	4	7	8	19
80-84	133	3.0	8	1	1	2	3	6	9	17
85+	135	3.9	24	1	1	3	4	7	10	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	1.5	1	1	1	1	2	3	3	5
B. *Operated*	352	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	145	2.9	7	1	1	2	3	6	9	14
B. *Operated*	937	3.3	10	1	1	2	4	6	8	16
1. SINGLE DX	411	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	1082	3.2	9	1	1	2	4	6	8	16
A. NOT OPERATED	204	2.5	6	1	1	2	3	5	7	13
B. OPERATED	1289	3.0	8	1	1	2	4	6	8	14
TOTAL 65-69 YRS	346	2.8	6	1	1	2	3	5	8	13
70-74	383	2.9	5	1	1	2	3	6	8	12
75-79	374	3.1	8	1	1	2	4	6	8	15
80-84	205	2.8	6	1	1	2	3	5	7	14
85+	185	3.5	19	1	1	2	4	6	9	28
GRAND TOTAL	**1493**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.3	2	2	2	3	4	5	5	5
70-74	5	2.2	1	1	1	2	3	4	4	4
75-79	5	2.0	1	1	1	2	2	3	3	3
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
65-69 YRS	29	2.2	2	<1	<1	2	3	4	4	5
70-74	37	2.1	2	<1	<1	2	3	4	5	6
75-79	33	2.0	3	<1	<1	1	2	4	6	9
80-84	14	2.0	3	<1	1	2	2	4	6	7
85+	13	2.7	7	<1	<1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	2.5	5	1	1	2	2	6	9	10
70-74	13	2.2	4	<1	<1	1	3	5	7	7
75-79	18	3.6	5	1	1	3	4	6	9	10
80-84	17	3.7	8	<1	<1	3	6	8	9	10
85+	20	5.5	150	1	1	2	4	7	32	57
B. *Operated*										
65-69 YRS	90	3.3	10	<1	1	2	4	6	9	18
70-74	97	3.2	8	<1	1	2	4	7	8	15
75-79	86	3.3	8	<1	1	2	4	7	8	17
80-84	78	3.9	15	1	1	3	4	10	13	19
85+	52	2.5	4	<1	1	2	3	4	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	126	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	87	3.6	39	1	1	2	4	7	8	40
B. *Operated*	403	3.3	9	<1	1	2	4	7	10	16
1. SINGLE DX	145	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	490	3.3	15	1	1	2	4	7	9	17
A. NOT OPERATED	106	3.3	32	<1	1	2	4	7	8	31
B. OPERATED	529	3.0	8	<1	1	2	4	6	9	15
TOTAL 65-69 YRS	142	2.9	8	<1	1	2	4	5	8	16
70-74	152	2.8	6	<1	1	2	4	6	7	13
75-79	142	3.0	7	<1	1	2	4	6	8	14
80-84	111	3.6	13	1	1	2	4	8	12	17
85+	88	3.2	38	<1	1	2	3	6	7	40
GRAND TOTAL	**635**	**3.1**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	4	1.0		<1	<1	1	1	1	1	1
75-79	3	1.3		<1	<1	1	2	2	2	2
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
65-69 YRS	799	1.3		<1	<1	<1	2	2	2	3
70-74	979	1.4		<1	<1	<1	2	2	2	3
75-79	1170	1.4	1	<1	<1	<1	2	2	2	3
80-84	992	1.4		<1	<1	1	2	2	2	3
85+	723	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	1.7	2	<1	<1	1	2	3	4	10
70-74	64	2.4	17	<1	<1	1	2	5	7	29
75-79	53	1.9	5	<1	<1	1	2	4	7	13
80-84	70	2.2	5	<1	<1	1	2	4	8	13
85+	58	2.8	10	<1	<1	2	3	7	8	19
B. *Operated*										
65-69 YRS	1465	2.0	6	<1	<1	2	2	3	4	8
70-74	2073	1.9	3	<1	<1	2	2	3	4	7
75-79	2573	1.9	3	<1	<1	2	2	3	4	9
80-84	2055	2.0	5	<1	<1	2	2	3	4	8
85+	1831	2.1	6	<1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.3		<1	<1	1	2	2	3	3
B. *Operated*	4663	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	293	2.2	8	<1	<1	1	2	5	7	14
B. *Operated*	9997	2.0	4	<1	<1	2	2	3	4	9
1. SINGLE DX	4675	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX	10290	2.0	5	<1	<1	2	2	3	4	9
A. NOT OPERATED	305	2.2	8	<1	<1	1	2	5	7	13
B. OPERATED	14660	1.8	3	<1	<1	2	2	2	3	7
TOTAL 65-69 YRS	2313	1.8	4	<1	<1	2	2	2	3	7
70-74	3120	1.7	3	<1	<1	2	2	2	3	7
75-79	3799	1.8	2	<1	<1	2	2	2	3	7
80-84	3119	1.8	4	<1	<1	2	2	2	3	7
85+	2614	1.9	5	<1	<1	2	2	3	4	10
GRAND TOTAL	**14965**	**1.8**	**3**	**<1**	**<1**	**2**	**2**	**2**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	26	1.5		<1	<1	1	2	2	2	2
70-74	10	1.3		<1	<1	<1	2	2	2	2
75-79	18	1.4		<1	<1	1	2	2	3	3
80-84	15	1.5		<1	1	1	2	2	2	2
85+	18	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	3	2.0	3	1	1	3	52	99+	99+	99+
80-84	2	1.0		<1	<1	<1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	69	1.8	2	<1	<1	1	2	3	4	9
70-74	101	2.0	3	<1	<1	2	2	3	3	12
75-79	94	2.1	2	<1	<1	2	2	3	4	9
80-84	68	2.0	2	<1	<1	2	2	3	4	8
85+	47	2.0	1	<1	<1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	87	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	10	1.4	1	<1	<1	1	2	42	95	99+
B. *Operated*	379	2.0	2	<1	<1	2	2	3	4	9
1. SINGLE DX	87	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX	389	1.9	2	<1	<1	2	2	3	4	10
A. NOT OPERATED	10	1.4	1	<1	<1	1	2	42	95	99+
B. OPERATED	466	1.9	2	<1	<1	2	2	3	4	8
TOTAL 65-69 YRS	97	1.7	1	<1	<1	1	2	2	4	8
70-74	113	1.9	3	<1	<1	2	2	3	3	12
75-79	115	2.0	2	<1	<1	2	2	3	4	41
80-84	85	1.8	1	<1	<1	2	2	3	4	8
85+	66	1.8	1	<1	<1	2	2	3	4	7
GRAND TOTAL	**476**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	3	1	1	2	4	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	9	1.1		<1	<1	1	1	2	2	2
70-74	13	1.8	1	1	1	1	2	3	5	5
75-79	5	3.6	4	<1	<1	3	5	6	6	6
80-84	7	2.0	2	<1	<1	1	3	5	5	5
85+	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	4.1	8	1	2	3	5	8	9	14
70-74	38	4.3	9	1	1	4	5	10	11	12
75-79	35	4.6	6	1	2	4	6	8	10	11
80-84	21	5.1	9	1	2	4	7	9	11	12
85+	8	4.1	5	<1	1	4	5	7	8	8
B. *Operated*										
65-69 YRS	41	4.7	19	1	1	3	6	9	15	21
70-74	35	3.3	8	1	1	2	4	7	10	13
75-79	26	3.6	12	1	1	2	4	9	13	15
80-84	9	4.7	18	1	1	4	7	11	12	12
85+	4	3.0	11	1	1	2	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.4	2	1	1	2	3	4	5	5
B. *Operated*	36	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	136	4.4	8	1	1	4	6	8	10	13
B. *Operated*	115	4.0	14	1	1	2	5	9	12	18
1. SINGLE DX	45	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX	251	4.2	10	1	1	3	6	9	11	15
A. NOT OPERATED	145	4.3	7	1	1	4	6	8	10	12
B. OPERATED	151	3.5	12	<1	1	2	4	8	11	17
TOTAL 65-69 YRS	88	4.0	13	1	1	3	5	8	11	19
70-74	87	3.5	8	1	1	2	5	7	10	13
75-79	68	4.1	8	1	1	3	5	8	10	14
80-84	38	4.3	11	<1	1	4	6	9	11	12
85+	15	3.7	7	<1	1	3	6	8	8	8
GRAND TOTAL	**296**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.5	13	<1	1	5	8	11	11	11
70-74	16	3.9	9	1	2	3	4	6	12	14
75-79	19	5.1	9	1	1	5	8	9	10	11
80-84	13	5.5	8	3	3	5	6	8	13	14
85+	14	3.9	4	1	2	4	5	7	8	8
B. *Operated*										
65-69 YRS	180	1.7	1	<1	<1	1	2	3	4	5
70-74	219	1.8	1	<1	<1	1	2	3	4	6
75-79	214	2.1	2	<1	1	2	3	4	5	9
80-84	158	2.2	4	<1	<1	2	3	4	5	13
85+	126	2.5	5	<1	<1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	4.4	7	<1	1	4	5	9	10	11
70-74	73	6.3	29	<1	1	5	8	14	20	23
75-79	70	6.7	64	<1	1	5	9	11	19	53
80-84	88	5.6	16	1	2	5	7	11	15	20
85+	64	6.5	36	<1	1	5	7	14	21	29
B. *Operated*										
65-69 YRS	442	2.6	10	<1	1	2	3	5	6	17
70-74	568	2.9	12	1	1	2	3	5	7	19
75-79	607	2.6	7	<1	1	2	3	5	6	15
80-84	468	3.0	10	1	1	2	3	5	6	16
85+	311	3.5	29	<1	1	2	3	6	11	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.7	9	1	2	4	6	8	11	14
B. *Operated*	897	2.0	3	<1	<1	1	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	356	5.9	30	<1	1	5	7	11	16	24
B. *Operated*	2396	2.9	12	<1	1	2	3	5	7	17
1. SINGLE DX	972	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	2752	3.3	16	<1	1	2	4	6	9	20
A. NOT OPERATED	431	5.7	27	<1	1	4	7	11	15	23
B. OPERATED	3293	2.6	10	<1	1	2	3	4	6	16
TOTAL 65-69 YRS	696	2.6	8	<1	1	2	3	5	7	12
70-74	876	2.9	12	<1	1	2	3	5	8	20
75-79	910	2.9	12	<1	1	2	3	5	8	16
80-84	727	3.2	11	<1	1	2	4	6	7	17
85+	515	3.6	25	<1	1	2	4	7	11	28
GRAND TOTAL	**3724**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.2	3	1	1	3	4	6	6	6
70-74	16	3.5	4	1	1	3	5	7	7	7
75-79	33	3.9	5	<1	1	4	5	7	7	9
80-84	15	4.5	12	<1	1	3	7	8	12	14
85+	13	3.8	5	1	1	3	5	8	8	8
B. *Operated*										
65-69 YRS	137	2.2	6	<1	<1	1	2	4	6	13
70-74	137	2.4	4	<1	<1	2	3	5	7	9
75-79	138	2.4	7	<1	<1	2	2	5	8	12
80-84	72	2.7	8	<1	<1	2	3	7	10	13
85+	32	3.8	16	<1	<1	2	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	146	4.4	12	1	1	3	6	9	10	18
70-74	136	4.8	12	1	1	4	7	9	12	16
75-79	110	5.3	14	1	1	5	7	11	13	17
80-84	96	5.4	26	1	1	4	7	11	12	31
85+	70	7.5	77	1	1	5	9	13	17	59
B. *Operated*										
65-69 YRS	509	3.5	13	<1	1	2	4	7	9	18
70-74	498	3.6	15	<1	1	2	4	8	11	19
75-79	490	3.7	17	<1	1	2	4	8	11	22
80-84	307	3.7	22	<1	1	2	4	7	11	27
85+	208	3.8	18	<1	1	2	4	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.8	5	1	1	3	5	7	8	12
B. *Operated*	516	2.5	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	558	5.2	24	1	1	4	7	10	13	20
B. *Operated*	2012	3.6	17	<1	1	2	4	7	11	21
1. SINGLE DX	613	2.7	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX	2570	4.0	18	<1	1	3	5	8	11	21
A. NOT OPERATED	655	5.0	21	1	1	4	7	9	12	18
B. OPERATED	2528	3.4	15	<1	1	2	4	7	10	19
TOTAL 65-69 YRS	812	3.4	12	<1	1	2	4	7	9	18
70-74	787	3.6	13	<1	1	2	4	8	10	17
75-79	771	3.7	15	<1	1	2	5	8	11	19
80-84	490	3.9	21	<1	1	2	5	8	11	24
85+	323	4.6	32	<1	1	3	6	9	14	26
GRAND TOTAL	**3183**	**3.7**	**16**	**<1**	**1**	**2**	**4**	**8**	**11**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	3	<1	<1	2	3	5	5	5
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
65-69 YRS	5	1.4	1	1	1	1	2	3	3	3
70-74	6	2.8	20	<1	<1	1	1	11	12	12
75-79	3	1.7		1	1	2	2	2	2	2
80-84	2	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	4.1	6	1	2	3	5	7	10	12
70-74	35	4.8	10	1	1	4	6	10	13	13
75-79	35	4.2	6	1	2	4	6	7	9	10
80-84	22	4.5	14	1	1	4	6	8	13	18
85+	22	4.7	11	1	1	5	6	9	12	13
B. *Operated*										
65-69 YRS	40	3.3	8	1	1	2	4	7	9	13
70-74	45	2.9	6	<1	1	2	3	6	9	10
75-79	36	2.9	6	1	1	2	4	7	8	11
80-84	21	2.1	4	1	1	1	2	5	7	9
85+	20	4.1	21	1	1	2	5	10	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.3	5	<1	1	3	5	6	8	8
B. *Operated*	16	1.9	8	<1	1	1	2	3	9	12
2. MULTIPLE DX										
A. *Not Operated*	160	4.4	9	1	1	4	6	9	10	13
B. *Operated*	162	3.0	8	1	1	2	3	7	9	13
1. SINGLE DX	29	2.6	7	<1	1	1	3	6	8	12
2. MULTIPLE DX	322	3.7	9	1	1	3	5	7	10	13
A. NOT OPERATED	173	4.3	8	1	1	4	6	8	10	13
B. OPERATED	178	2.9	8	1	1	2	3	7	10	13
TOTAL 65-69 YRS	96	3.5	7	1	1	3	5	7	10	13
70-74	88	3.6	9	1	1	3	5	8	10	13
75-79	77	3.5	6	1	1	3	5	7	9	11
80-84	46	3.3	10	1	1	2	5	7	9	18
85+	44	4.4	15	1	1	3	6	10	12	18
GRAND TOTAL	**351**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**10**	**13**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	3	22.0	1261	1	1	2	48	63	63	63
B. *Operated*										
65-69 YRS	54	1.4		<1	1	1	2	2	2	3
70-74	45	1.6	2	<1	1	1	2	2	3	9
75-79	20	1.8	2	<1	1	1	2	4	5	6
80-84	5	1.4		<1	<1	1	2	2	2	2
85+	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	4.6	15	<1	1	4	5	12	13	14
70-74	17	7.1	33	1	3	4	11	17	18	18
75-79	16	6.9	54	1	3	4	6	22	26	27
80-84	12	7.9	56	1	2	6	8	21	26	27
85+	14	5.3	17	1	1	5	7	10	14	15
B. *Operated*										
65-69 YRS	166	2.0	3	1	1	2	2	3	5	11
70-74	97	2.6	13	1	1	2	2	4	9	22
75-79	41	2.8	7	1	1	2	3	5	9	14
80-84	15	4.5	31	<1	1	2	5	11	19	22
85+	8	2.1	3	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.9	375	1	1	2	2	33	63	63
B. *Operated*	128	1.6	1	<1	1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	82	6.2	32	<1	1	4	7	15	18	27
B. *Operated*	327	2.4	8	1	1	2	2	4	6	15
1. SINGLE DX	138	2.0	28	<1	1	1	2	2	3	15
2. MULTIPLE DX	409	3.2	15	1	1	2	3	7	11	22
A. NOT OPERATED	92	6.3	66	1	1	4	7	15	18	48
B. OPERATED	455	2.2	6	1	1	2	2	4	5	14
TOTAL 65-69 YRS	247	2.1	4	1	1	2	2	4	5	13
70-74	161	2.8	14	<1	1	2	3	5	11	18
75-79	78	3.3	18	1	1	2	4	6	10	26
80-84	32	5.3	39	<1	1	3	7	13	22	27
85+	29	5.6	133	1	1	2	6	9	17	63
GRAND TOTAL	**547**	**2.9**	**19**	**1**	**1**	**2**	**3**	**5**	**9**	**22**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.1	3	2	2	3	5	7	7	7
70-74	8	13.4	759	1	1	3	8	60	81	81
75-79	4	8.0	4	7	7	7	9	11	11	11
80-84	3	11.7	49	5	5	11	17	19	19	19
85+	2	21.0	162	12	12	21	30	30	30	30
B. *Operated*										
65-69 YRS	9	6.4	199	1	1	2	3	28	44	44
70-74	11	1.4		<1	<1	1	2	2	2	2
75-79	5	6.2	23	1	1	6	10	12	12	12
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	5	4.4	29	1	1	2	6	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	60	6.7	46	2	3	5	8	11	16	47
70-74	52	8.2	51	2	3	6	10	16	22	44
75-79	44	8.5	67	2	3	6	9	14	29	41
80-84	31	12.0	235	3	3	8	12	24	41	82
85+	32	8.2	52	2	3	6	9	17	29	31
B. *Operated*										
65-69 YRS	78	7.8	190	1	1	2	7	23	28	84
70-74	63	10.3	195	1	1	4	13	40	45	53
75-79	43	10.6	166	1	1	5	16	28	30	66
80-84	23	10.2	107	1	1	7	15	23	33	44
85+	18	6.8	21	1	2	6	9	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	9.7	251	2	2	5	11	18	40	81
B. *Operated*	33	4.0	62	1	1	2	3	10	14	44
2. MULTIPLE DX										
A. *Not Operated*	219	8.4	80	2	3	6	9	15	23	46
B. *Operated*	225	9.2	164	1	1	4	12	24	36	61
1. SINGLE DX	59	6.5	150	1	1	3	7	12	25	78
2. MULTIPLE DX	444	8.8	123	1	1	5	10	19	30	54
A. NOT OPERATED	245	8.5	97	2	3	6	9	15	23	52
B. OPERATED	258	8.5	154	1	1	3	10	23	34	59
TOTAL 65-69 YRS	156	7.1	123	1	1	4	7	15	26	58
70-74	134	8.9	157	1	1	5	10	20	43	58
75-79	96	9.3	106	1	2	6	11	23	29	54
80-84	60	10.8	165	1	2	7	12	20	36	78
85+	57	7.9	48	2	2	6	9	15	27	31
GRAND TOTAL	**503**	**8.5**	**126**	**1**	**1**	**5**	**10**	**18**	**30**	**56**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	209	2.6	3	1	1	2	3	5	6	8
70-74	159	2.7	4	1	1	2	3	5	7	11
75-79	128	2.9	4	1	1	3	3	5	7	10
80-84	70	2.8	3	1	1	2	3	6	7	7
85+	49	3.3	3	1	1	3	4	6	6	7
B. *Operated*										
65-69 YRS	46	2.4	3	1	1	2	3	4	6	11
70-74	29	2.6	4	1	1	2	4	5	6	8
75-79	15	2.4	2	1	1	2	3	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1162	3.6	8	1	1	3	4	7	8	13
70-74	1133	4.0	8	1	1	3	5	7	9	14
75-79	1082	4.2	8	1	2	3	5	7	9	15
80-84	746	4.4	9	1	2	4	6	8	10	15
85+	507	5.2	32	1	2	4	6	9	12	26
B. *Operated*										
65-69 YRS	125	5.8	17	1	1	5	8	13	14	16
70-74	112	6.2	38	1	2	4	8	12	16	35
75-79	75	7.7	40	2	2	6	10	14	17	39
80-84	45	7.3	36	1	2	6	9	12	20	32
85+	17	11.2	258	2	2	5	12	23	54	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	615	2.8	3	1	1	2	3	5	6	9
B. *Operated*	94	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	4630	4.1	11	1	1	3	5	7	10	15
B. *Operated*	374	6.7	42	1	2	5	9	13	16	32
1. SINGLE DX	709	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	5004	4.3	13	1	2	3	5	8	10	16
A. NOT OPERATED	5245	4.0	10	1	1	3	5	7	9	14
B. OPERATED	468	5.9	37	1	1	4	8	12	15	31
TOTAL 65-69 YRS	1542	3.6	8	1	1	3	4	7	9	14
70-74	1433	4.0	10	1	1	3	5	7	10	15
75-79	1300	4.2	10	1	1	3	5	8	10	16
80-84	862	4.4	10	1	2	4	6	8	11	16
85+	576	5.2	37	1	2	4	6	9	12	34
GRAND TOTAL	**5713**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.0		2	2	2	2	2	2	2
70-74	5	2.4		2	2	2	3	3	3	3
75-79	9	2.0		2	2	2	2	2	2	2
80-84	2	2.0		2	2	2	2	2	2	2
85+										
B. Operated										
65-69 YRS	119	1.6	1	1	1	1	2	3	3	4
70-74	48	1.9	1	1	1	2	3	3	3	4
75-79	29	1.8	1	1	1	2	2	3	3	4
80-84	7	2.1		1	1	2	3	3	3	3
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	1.8		<1	<1	2	2	2	2	2
70-74	1	3.0		3	3	3	3	3	3	3
75-79	7	4.0	17	1	1	2	4	11	13	13
80-84	4	3.3	2	2	2	3	4	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	96	1.9	1	1	1	2	3	3	3	5
70-74	55	2.0	2	1	1	2	3	3	5	8
75-79	23	2.3	1	1	1	2	3	4	5	5
80-84	12	2.1	1	1	1	2	3	4	4	4
85+	4	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.1		2	2	2	2	3	3	3
B. Operated	205	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	19	3.0	7	<1	1	2	3	5	10	13
B. Operated	190	2.0	1	1	1	2	3	3	4	5
1. SINGLE DX	229	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	209	2.1	2	1	1	2	3	3	4	6
A. NOT OPERATED	43	2.5	3	1	2	2	2	3	5	13
B. OPERATED	395	1.8	1	1	1	2	2	3	3	5
TOTAL 65-69 YRS	229	1.7	1	1	1	2	2	3	3	4
70-74	109	2.0	1	1	1	2	3	3	4	6
75-79	68	2.2	3	1	1	2	3	3	4	12
80-84	25	2.3	1	1	1	2	3	4	4	5
85+	7	2.1	1	1	1	2	2	4	4	4
GRAND TOTAL	**438**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	3.2	3	1	1	3	4	5	6	6
70-74	9	3.2	3	1	1	3	5	5	5	5
75-79	4	3.5		3	3	3	4	4	4	4
80-84	2	5.0	8	3	3	5	7	7	7	7
85+	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	117	1.4	1	<1	1	1	2	2	3	4
70-74	47	1.7	1	<1	1	1	2	3	4	6
75-79	22	1.5	1	<1	<1	1	2	2	3	4
80-84	15	2.1	4	<1	<1	1	2	5	7	8
85+	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	4.8	16	1	2	4	5	8	14	22
70-74	27	3.7	16	1	1	3	4	6	10	22
75-79	26	4.7	16	<1	1	4	5	9	12	20
80-84	20	5.2	11	1	2	4	7	9	12	15
85+	11	5.7	38	1	2	4	5	15	22	23
B. Operated										
65-69 YRS	236	1.9	4	1	1	1	2	3	5	11
70-74	125	2.3	8	<1	1	2	2	3	7	16
75-79	61	2.2	4	1	1	2	2	4	6	13
80-84	32	2.9	5	1	1	2	3	6	8	10
85+	13	3.0	14	1	1	2	3	7	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.6	3	1	1	3	5	6	7	8
B. Operated	204	1.5	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	130	4.7	17	1	1	4	5	9	14	22
B. Operated	467	2.2	6	1	1	1	2	4	6	13
1. SINGLE DX	231	1.8	2	<1	1	1	2	4	4	7
2. MULTIPLE DX	597	2.7	9	1	1	2	3	5	8	18
A. NOT OPERATED	157	4.5	15	1	1	4	5	8	11	22
B. OPERATED	671	2.0	4	<1	1	1	2	3	5	12
TOTAL 65-69 YRS	410	2.1	5	<1	1	1	2	4	6	13
70-74	208	2.4	8	1	1	2	3	4	6	17
75-79	113	2.7	7	<1	1	2	3	5	8	16
80-84	69	3.4	8	<1	1	2	4	8	9	14
85+	28	4.0	24	1	1	3	4	9	16	23
GRAND TOTAL	**828**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	2	8.5	13	6	6	8	11	11	11	11
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	7.9	22	2	3	7	11	16	17	17
70-74	19	6.6	16	2	2	6	9	12	15	17
75-79	20	7.6	8	2	4	8	9	10	13	15
80-84	9	9.0	28	4	4	6	13	17	17	17
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	7	14.3	397	2	3	8	10	49	59	59
70-74	14	13.0	32	4	6	13	18	19	21	22
75-79	7	8.6	33	2	2	10	11	17	18	18
80-84	2	8.0	2	7	7	8	9	9	9	9
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	10.3	9	6	6	11	12	13	13	13
B. *Operated*	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	67	7.6	16	2	3	7	10	15	16	17
B. *Operated*	30	11.9	109	2	3	10	17	19	22	59
1. SINGLE DX	6	9.8	12	5	5	11	13	13	13	13
2. MULTIPLE DX	97	8.9	48	2	3	8	11	17	18	42
A. NOT OPERATED	71	7.7	16	2	3	7	10	14	16	17
B. OPERATED	32	11.8	103	2	3	10	15	19	22	59
TOTAL 65-69 YRS	27	9.6	115	2	3	7	11	16	23	59
70-74	36	9.4	30	2	3	8	13	18	19	22
75-79	28	8.0	14	2	3	8	10	12	15	18
80-84	11	8.8	23	4	4	7	12	16	17	17
85+	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**103**	**9.0**	**46**	**2**	**3**	**8**	**11**	**17**	**18**	**39**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	3	14.7	409	2	2	4	29	38	38	38
75-79	4	3.3	4	2	2	3	4	6	6	6
80-84	2	7.5	5	6	6	7	9	9	9	9
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	57	5.2	33	1	1	2	9	15	16	21
70-74	31	5.8	31	1	1	2	10	14	16	19
75-79	14	7.3	72	<1	1	2	16	22	23	23
80-84	5	8.2	43	1	1	9	14	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	178	6.5	23	1	2	5	8	12	15	25
70-74	203	7.7	43	1	2	6	9	14	19	42
75-79	205	8.0	40	2	2	6	10	16	22	30
80-84	132	8.5	45	2	3	6	10	17	22	37
85+	97	8.1	37	2	3	7	10	17	20	72
B. *Operated*										
65-69 YRS	547	10.8	95	1	2	10	15	23	28	53
70-74	463	12.6	145	1	2	11	17	27	35	56
75-79	233	12.7	126	1	1	10	19	29	33	51
80-84	63	13.3	144	1	1	11	20	27	35	62
85+	22	14.9	261	1	2	10	20	31	52	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.7	107	2	2	5	8	21	37	38
B. *Operated*	107	5.8	37	1	1	2	11	16	17	22
2. MULTIPLE DX										
A. *Not Operated*	815	7.7	38	2	2	6	9	15	20	37
B. *Operated*	1328	12.0	123	1	2	10	16	26	32	57
1. SINGLE DX	118	6.0	43	1	1	2	9	16	18	28
2. MULTIPLE DX	2143	10.3	95	1	2	8	14	22	29	48
A. NOT OPERATED	826	7.7	39	2	2	6	9	15	20	38
B. OPERATED	1435	11.5	119	1	1	10	16	25	31	54
TOTAL 65-69 YRS	783	9.4	79	1	2	8	13	20	25	43
70-74	700	10.9	117	1	2	8	15	24	30	51
75-79	456	10.3	90	1	2	7	15	23	30	40
80-84	202	10.0	80	1	2	7	14	21	27	40
85+	120	9.3	82	2	3	7	10	19	26	80
GRAND TOTAL	**2261**	**10.1**	**93**	**1**	**2**	**8**	**14**	**22**	**28**	**46**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	137	3.3	8	1	1	3	4	6	7	13
70-74	117	3.8	6	1	1	3	5	7	8	15
75-79	97	4.0	7	1	2	3	5	8	9	16
80-84	59	4.6	52	1	2	3	5	8	10	52
85+	46	3.4	4	1	1	3	5	6	8	8
B. *Operated*										
65-69 YRS	20	4.0	25	<1	1	3	4	6	15	24
70-74	18	4.9	41	1	1	2	6	15	21	24
75-79	8	4.0	9	1	1	3	5	9	10	10
80-84	5	1.4		<1	<1	1	2	2	2	2
85+	4	10.0	88	2	2	9	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1575	4.9	15	1	2	4	6	9	11	19
70-74	1498	5.1	15	1	2	4	6	9	12	20
75-79	1231	5.3	17	1	2	4	7	10	12	19
80-84	851	5.8	33	1	2	4	7	11	14	37
85+	543	5.3	21	1	2	4	6	10	12	24
B. *Operated*										
65-69 YRS	305	7.2	73	1	1	5	9	13	20	36
70-74	267	7.7	66	1	1	6	10	17	22	36
75-79	203	7.4	59	1	1	5	9	15	22	37
80-84	111	6.7	34	1	1	5	9	14	19	57
85+	64	9.0	87	1	1	6	13	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.8	13	1	1	3	5	7	9	15
B. *Operated*	55	4.5	31	<1	1	2	5	13	19	24
2. MULTIPLE DX										
A. *Not Operated*	5698	5.2	19	1	2	4	6	10	12	21
B. *Operated*	950	7.5	64	1	1	5	9	16	21	37
1. SINGLE DX	511	3.8	15	1	1	3	5	7	9	18
2. MULTIPLE DX	6648	5.5	26	1	2	4	7	10	13	25
A. NOT OPERATED	6154	5.1	19	1	2	4	6	9	12	21
B. OPERATED	1005	7.3	63	1	1	5	9	16	21	36
TOTAL 65-69 YRS	2037	5.1	25	1	2	4	6	9	12	22
70-74	1900	5.4	23	1	2	4	7	10	13	24
75-79	1539	5.5	23	1	2	4	7	10	13	23
80-84	1026	5.8	35	1	2	4	7	11	14	37
85+	657	5.6	28	1	2	4	6	11	15	27
GRAND TOTAL	**7159**	**5.4**	**26**	**1**	**2**	**4**	**7**	**10**	**13**	**25**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	4.4	9	1	1	4	5	9	10	13
70-74	51	5.1	10	1	2	5	7	8	10	20
75-79	41	5.7	13	1	2	5	8	11	13	16
80-84	42	5.9	25	2	2	4	7	11	14	31
85+	40	5.1	8	2	3	5	7	8	9	17
B. *Operated*										
65-69 YRS	16	2.3	2	1	1	2	3	3	6	7
70-74	6	5.0	55	1	1	2	3	18	20	20
75-79	1	8.0		8	8	8	8	8	8	8
80-84	3	3.7	2	2	2	4	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1129	6.9	27	2	3	6	9	12	15	27
70-74	1492	7.4	24	2	3	6	9	13	17	25
75-79	1522	7.6	30	2	3	6	9	14	18	28
80-84	1323	8.3	51	2	3	7	10	15	20	37
85+	1122	8.5	46	2	3	7	11	16	20	41
B. *Operated*										
65-69 YRS	239	8.9	70	1	2	7	12	18	26	99+
70-74	266	12.0	163	1	2	9	14	24	36	96
75-79	196	12.7	149	2	3	10	15	24	33	76
80-84	125	15.4	242	4	5	11	18	39	95	99+
85+	88	15.8	186	4	6	13	18	29	49	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.2	13	1	2	4	7	9	11	18
B. *Operated*	26	3.3	15	1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	6588	7.7	35	2	3	6	9	14	18	31
B. *Operated*	914	12.2	154	2	2	9	15	25	37	99+
1. SINGLE DX	250	5.0	13	1	1	4	6	9	11	20
2. MULTIPLE DX	7502	8.3	52	2	3	6	10	15	20	39
A. NOT OPERATED	6812	7.7	35	2	3	6	9	14	18	31
B. OPERATED	940	12.0	152	1	2	9	15	25	37	99+
TOTAL 65-69 YRS	1434	7.1	34	2	2	6	9	13	17	34
70-74	1815	8.0	47	2	3	6	9	15	19	34
75-79	1760	8.2	45	2	3	6	10	15	19	33
80-84	1493	8.8	70	2	3	7	10	16	23	60
85+	1250	8.9	59	2	3	7	11	17	22	46
GRAND TOTAL	**7752**	**8.2**	**51**	**2**	**3**	**6**	**10**	**15**	**20**	**39**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.5	6	1	1	2	6	7	8	8
70-74	12	5.9	12	2	2	6	8	11	13	13
75-79	7	5.0	29	2	2	4	4	14	17	17
80-84	2	8.5	1	8	8	8	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	31	4.6	23	1	1	2	7	13	16	17
70-74	34	4.8	20	1	1	3	8	11	14	18
75-79	13	3.0	21	1	1	2	2	7	16	18
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	195	8.0	47	2	2	6	10	16	21	36
70-74	212	7.4	26	1	2	6	10	14	18	27
75-79	191	8.7	44	2	3	7	11	16	18	34
80-84	145	10.2	113	2	3	8	12	18	21	70
85+	95	10.0	47	2	3	9	13	19	22	37
B. *Operated*										
65-69 YRS	311	10.0	88	1	2	7	14	22	30	45
70-74	261	12.4	163	2	2	9	15	31	38	87
75-79	140	11.4	89	2	3	9	14	24	30	52
80-84	77	14.8	236	2	3	10	20	28	62	95
85+	33	16.5	104	2	4	15	24	33	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.1	14	2	2	4	7	9	13	17
B. *Operated*	79	4.4	21	1	1	2	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*	838	8.6	53	2	3	7	11	16	20	37
B. *Operated*	822	11.7	129	2	2	8	15	26	35	71
1. SINGLE DX	110	4.6	19	1	1	2	7	11	15	18
2. MULTIPLE DX	1660	10.1	93	2	2	8	13	20	29	51
A. NOT OPERATED	869	8.5	52	2	2	7	11	16	19	37
B. OPERATED	901	11.1	124	1	2	8	14	24	35	69
TOTAL 65-69 YRS	547	8.8	71	1	2	6	11	19	27	41
70-74	519	9.7	102	1	2	7	12	20	32	74
75-79	351	9.5	64	2	2	7	12	17	24	36
80-84	225	11.7	158	2	3	9	14	21	31	82
85+	128	11.7	69	2	3	9	15	23	28	39
GRAND TOTAL	**1770**	**9.8**	**90**	**2**	**2**	**7**	**12**	**19**	**28**	**49**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	744	8.2	10	3	4	8	10	11	13	16
70-74	591	8.2	10	3	4	8	10	12	13	17
75-79	442	8.9	38	3	4	8	10	13	15	22
80-84	237	8.5	11	3	4	8	10	13	15	18
85+	180	9.0	15	3	4	9	11	14	15	21
B. *Operated*										
65-69 YRS	194	8.9	17	2	4	8	11	14	15	21
70-74	115	9.5	18	3	5	9	11	14	16	27
75-79	41	9.7	103	2	2	8	11	14	16	69
80-84	15	10.7	19	5	6	9	13	15	20	22
85+	4	6.0	19	2	2	5	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8444	9.8	22	4	5	9	12	15	17	27
70-74	9369	10.3	28	4	6	9	12	15	19	30
75-79	8790	10.6	28	4	6	10	12	16	20	30
80-84	6740	10.9	33	4	6	10	13	17	21	34
85+	4920	11.2	42	4	6	10	13	18	23	37
B. *Operated*										
65-69 YRS	3490	12.6	66	3	6	11	15	21	28	46
70-74	2668	14.3	89	4	6	12	17	25	32	55
75-79	1748	15.6	111	5	7	13	18	27	34	62
80-84	914	16.1	93	6	8	14	20	27	34	57
85+	551	18.0	168	6	8	15	21	32	48	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2194	8.4	16	3	4	8	10	12	14	19
B. *Operated*	369	9.2	27	2	4	9	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	38263	10.5	30	4	6	10	12	16	20	31
B. *Operated*	9371	14.3	92	4	6	12	17	25	32	56
1. SINGLE DX	2563	8.6	18	3	4	8	10	12	14	20
2. MULTIPLE DX	47634	11.2	44	4	6	10	13	18	22	38
A. NOT OPERATED	40457	10.4	29	4	5	10	12	16	19	30
B. OPERATED	9740	14.1	91	4	6	12	17	24	32	55
TOTAL 65-69 YRS	12872	10.5	35	4	5	10	12	16	20	35
70-74	12743	11.0	43	4	6	10	13	17	22	36
75-79	11021	11.3	46	4	6	10	13	18	23	38
80-84	7906	11.4	43	4	6	10	13	18	23	37
85+	5655	11.8	58	4	6	10	14	19	25	46
GRAND TOTAL	**50197**	**11.1**	**43**	**4**	**6**	**10**	**13**	**18**	**22**	**37**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	417	2.9	3	1	1	3	4	5	6	8
70-74	341	3.0	5	1	1	3	4	5	6	12
75-79	268	3.0	4	1	1	3	4	5	6	8
80-84	180	3.0	2	1	1	3	4	5	6	7
85+	154	2.9	3	1	1	2	4	5	6	9
B. *Operated*										
65-69 YRS	170	2.1	2	1	1	2	2	4	6	9
70-74	87	3.0	9	<1	1	2	4	7	9	17
75-79	41	2.2	4	<1	1	2	2	3	6	13
80-84	10	3.6	26	1	1	2	3	11	18	18
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6020	4.1	7	1	2	3	5	7	9	14
70-74	6136	4.3	9	1	2	4	5	7	9	15
75-79	5622	4.4	11	1	2	4	5	8	10	17
80-84	4123	4.6	13	1	2	4	6	8	10	18
85+	3037	4.6	14	1	2	4	5	8	10	17
B. *Operated*										
65-69 YRS	3297	5.1	26	1	1	3	7	12	15	23
70-74	2309	5.5	31	1	1	3	8	12	16	25
75-79	1082	6.5	42	1	1	4	9	15	19	30
80-84	403	8.4	60	1	1	7	12	16	24	36
85+	140	10.7	104	2	3	8	13	23	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1360	2.9	4	1	1	3	4	5	6	9
B. *Operated*	310	2.4	6	<1	1	2	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	24938	4.4	10	1	2	4	5	8	10	15
B. *Operated*	7231	5.7	35	1	1	3	8	13	16	28
1. SINGLE DX	1670	2.9	4	1	1	2	4	5	6	9
2. MULTIPLE DX	32169	4.7	16	1	2	4	6	9	11	20
A. NOT OPERATED	26298	4.3	10	1	2	4	5	7	9	15
B. OPERATED	7541	5.6	34	1	1	3	8	13	16	27
TOTAL 65-69 YRS	9904	4.3	14	1	1	3	5	9	11	18
70-74	8873	4.5	15	1	1	3	5	9	11	19
75-79	7013	4.7	16	1	2	4	6	9	11	20
80-84	4716	4.9	18	1	2	4	6	9	11	21
85+	3333	4.7	19	1	2	4	6	8	11	22
GRAND TOTAL	**33839**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	727	3.6	5	1	1	3	5	6	8	11
70-74	720	3.8	4	1	2	3	5	6	8	11
75-79	570	4.1	8	1	2	3	5	7	8	16
80-84	376	4.0	5	1	2	4	5	7	8	12
85+	238	4.0	5	1	2	4	5	7	9	12
B. *Operated*										
65-69 YRS	183	4.1	10	1	1	3	6	9	10	16
70-74	111	4.9	17	1	1	4	6	10	14	19
75-79	59	6.2	31	1	1	5	8	16	20	23
80-84	16	5.7	37	1	1	3	6	18	19	19
85+	5	6.4	8	3	3	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10429	4.9	10	2	2	4	6	8	10	15
70-74	11674	5.1	11	2	2	4	6	9	11	17
75-79	10867	5.4	13	2	2	5	7	9	12	18
80-84	8028	5.7	15	2	2	5	7	10	12	19
85+	5538	5.9	22	2	2	5	7	10	13	24
B. *Operated*										
65-69 YRS	4976	8.4	53	1	2	7	11	16	20	35
70-74	4095	9.5	64	1	2	8	13	18	23	41
75-79	2408	10.4	81	1	2	9	14	20	26	49
80-84	911	11.0	83	2	3	9	14	22	29	55
85+	352	12.2	79	3	4	10	15	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2631	3.8	6	1	2	3	5	7	8	11
B. *Operated*	374	4.8	17	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	46536	5.3	14	2	2	5	7	9	11	18
B. *Operated*	12742	9.4	66	1	2	8	12	18	23	42
1. SINGLE DX	3005	4.0	7	1	2	3	5	7	9	14
2. MULTIPLE DX	59278	6.2	28	2	2	5	8	12	15	26
A. NOT OPERATED	49167	5.3	13	2	2	4	6	9	11	18
B. OPERATED	13116	9.3	65	1	2	8	12	18	23	41
TOTAL 65-69 YRS	16315	5.9	26	1	2	5	7	11	14	25
70-74	16600	6.1	28	2	2	5	7	12	15	26
75-79	13904	6.2	29	2	2	5	7	12	15	26
80-84	9331	6.2	24	2	2	5	7	11	14	26
85+	6133	6.2	27	2	2	5	7	11	15	27
GRAND TOTAL	**62283**	**6.1**	**27**	**2**	**2**	**5**	**7**	**11**	**15**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	4.3	15	1	1	3	6	10	10	22
70-74	61	3.8	13	1	1	3	5	7	9	23
75-79	34	6.8	58	1	1	4	8	15	16	42
80-84	28	4.9	16	1	2	4	6	11	14	18
85+	12	5.9	40	1	2	4	7	13	23	25
B. *Operated*										
65-69 YRS	1325	4.1	18	1	1	2	6	11	13	17
70-74	841	4.4	24	1	1	2	6	12	15	21
75-79	319	4.5	25	<1	1	2	5	13	15	22
80-84	56	6.1	40	<1	1	4	8	16	19	27
85+	11	7.3	73	1	1	2	11	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1116	4.8	12	1	2	4	6	9	11	16
70-74	1159	5.1	15	1	2	4	6	10	12	20
75-79	1074	5.7	18	2	2	5	7	11	14	22
80-84	780	6.0	23	2	2	5	7	11	14	24
85+	666	6.4	40	2	2	5	8	12	15	45
B. *Operated*										
65-69 YRS	9253	7.1	55	1	1	5	10	15	19	35
70-74	6245	8.0	67	1	1	6	11	17	22	39
75-79	2598	8.8	75	1	1	7	12	19	26	41
80-84	613	9.7	95	1	1	7	14	21	28	49
85+	134	8.9	57	1	2	7	12	20	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	4.7	23	1	1	3	6	10	13	25
B. *Operated*	2552	4.3	22	1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	4795	5.5	20	1	2	4	7	10	13	22
B. *Operated*	18843	7.7	64	1	1	6	11	16	21	39
1. SINGLE DX	2761	4.4	22	1	1	2	6	11	14	21
2. MULTIPLE DX	23638	7.3	55	1	1	5	10	15	20	36
A. NOT OPERATED	5004	5.5	20	1	2	4	7	10	13	23
B. OPERATED	21395	7.3	60	1	1	5	11	16	21	37
TOTAL 65-69 YRS	11768	6.5	48	1	1	4	9	14	18	31
70-74	8306	7.2	57	1	1	5	10	15	20	36
75-79	4025	7.6	58	1	1	5	11	16	22	36
80-84	1477	7.5	57	1	2	5	10	16	21	42
85+	823	6.8	44	1	2	5	9	13	18	35
GRAND TOTAL	**26399**	**7.0**	**53**	**1**	**1**	**4**	**10**	**15**	**19**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	8.9	10	4	5	9	11	13	13	21
70-74	91	8.9	12	4	5	8	11	13	16	20
75-79	48	8.4	13	4	5	8	10	12	15	22
80-84	32	9.3	14	4	5	9	11	15	16	19
85+	16	9.2	17	3	5	8	11	15	18	19
B. *Operated*										
65-69 YRS	20	9.4	13	3	5	9	12	14	15	15
70-74	18	10.8	20	4	6	10	15	18	19	20
75-79	10	10.2	23	5	6	9	10	18	22	22
80-84	7	7.9	14	2	3	7	10	13	14	14
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1036	10.3	24	5	6	10	12	15	18	29
70-74	1191	10.6	25	5	6	10	13	16	19	29
75-79	1006	11.4	36	5	6	10	13	18	21	31
80-84	735	11.9	41	5	6	10	14	18	24	40
85+	540	12.3	50	5	6	11	14	19	26	38
B. *Operated*										
65-69 YRS	394	13.8	75	5	7	12	16	24	29	49
70-74	349	15.6	125	6	8	12	17	28	40	65
75-79	274	15.7	87	6	7	14	20	27	33	73
80-84	188	14.5	75	6	7	12	17	24	29	55
85+	127	16.9	94	6	7	15	20	30	36	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	8.9	12	4	5	8	11	13	15	20
B. *Operated*	56	9.8	17	4	5	9	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	4508	11.1	33	5	6	10	13	17	20	32
B. *Operated*	1332	15.1	93	5	7	12	18	26	33	57
1. SINGLE DX	345	9.0	13	4	5	9	11	13	15	20
2. MULTIPLE DX	5840	12.0	50	5	6	10	14	19	24	41
A. NOT OPERATED	4797	11.0	32	5	6	10	13	17	20	31
B. OPERATED	1388	14.8	91	5	7	12	18	26	33	56
TOTAL 65-69 YRS	1552	11.1	38	5	6	10	13	17	21	36
70-74	1649	11.6	50	5	6	10	13	18	22	42
75-79	1338	12.2	49	5	6	11	14	20	24	38
80-84	962	12.3	48	5	7	11	14	19	25	42
85+	684	13.1	60	5	6	11	15	22	28	46
GRAND TOTAL	**6185**	**11.9**	**48**	**5**	**6**	**10**	**14**	**19**	**24**	**40**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	13.3	92	3	3	15	20	22	22	22
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	7.0	72	1	1	7	13	13	13	13
80-84	1	8.0		8	8	8	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	22.9	190	5	6	21	31	40	50	64
70-74	110	24.3	173	6	8	22	32	43	47	60
75-79	94	24.0	151	7	9	22	31	44	49	78
80-84	71	24.4	184	6	7	22	36	44	49	91
85+	50	25.7	212	7	9	25	33	43	47	80
B. *Operated*										
65-69 YRS	69	29.3	238	9	11	28	44	52	58	92
70-74	58	27.9	187	7	13	29	35	49	52	62
75-79	59	31.5	266	8	11	30	44	53	58	69
80-84	44	29.1	207	5	11	29	36	45	56	72
85+	20	28.8	192	10	13	28	37	51	52	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	9.0	64	1	1	8	14	21	22	22
B. *Operated*	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	425	24.1	177	6	8	22	32	43	48	73
B. *Operated*	250	29.4	222	8	12	29	40	51	56	70
1. SINGLE DX	10	8.0	55	1	1	6	13	18	22	22
2. MULTIPLE DX	675	26.1	200	6	9	25	35	47	51	71
A. NOT OPERATED	432	23.8	179	5	8	22	32	43	48	72
B. OPERATED	253	29.1	226	7	11	29	40	51	56	70
TOTAL 65-69 YRS	170	25.4	220	5	7	23	34	48	55	69
70-74	172	25.3	180	6	9	24	33	44	48	61
75-79	155	26.6	213	6	9	24	37	48	53	69
80-84	117	25.9	200	6	8	24	36	44	52	81
85+	71	26.3	208	8	9	26	34	46	52	75
GRAND TOTAL	**685**	**25.8**	**203**	**6**	**8**	**24**	**35**	**46**	**51**	**71**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	2.1	2	<1	1	2	3	4	5	7
70-74	54	2.7	15	1	1	2	3	4	6	28
75-79	39	3.0	6	1	1	2	4	5	9	13
80-84	23	2.8	6	<1	1	3	3	4	7	13
85+	14	3.3	5	1	1	3	5	6	8	8
B. *Operated*										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	684	4.1	13	1	1	3	5	8	11	16
70-74	752	4.5	11	1	1	4	6	9	10	15
75-79	589	4.9	28	1	1	4	6	9	12	20
80-84	421	5.3	27	1	2	4	6	9	13	31
85+	309	5.6	18	1	2	4	7	11	15	20
B. *Operated*										
65-69 YRS	47	7.7	82	2	2	6	9	13	18	62
70-74	55	10.1	111	2	2	7	13	24	29	59
75-79	39	7.6	31	1	2	7	10	16	18	27
80-84	42	10.1	39	3	4	8	14	20	22	29
85+	18	10.9	73	2	3	9	15	31	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	2.6	7	1	1	2	3	4	6	13
B. *Operated*	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	2755	4.7	19	1	1	4	6	9	12	19
B. *Operated*	201	9.2	70	2	2	7	12	18	24	61
1. SINGLE DX	197	2.6	7	1	1	2	3	4	6	13
2. MULTIPLE DX	2956	5.0	23	1	1	4	6	10	13	22
A. NOT OPERATED	2947	4.6	18	1	1	4	6	9	11	19
B. OPERATED	206	9.0	70	2	2	7	11	18	24	61
TOTAL 65-69 YRS	796	4.1	17	1	1	3	5	8	11	17
70-74	862	4.7	20	1	1	4	6	9	12	22
75-79	668	4.9	27	1	1	4	6	9	12	20
80-84	486	5.6	29	1	2	4	7	10	15	30
85+	341	5.8	22	1	2	5	7	13	16	32
GRAND TOTAL	**3153**	**4.9**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	389	2.4	3	<1	<1	2	3	5	6	8
70-74	383	2.5	4	<1	1	2	3	5	6	11
75-79	244	3.3	17	<1	1	2	4	6	8	15
80-84	147	3.2	5	<1	1	3	4	6	7	11
85+	89	3.1	4	1	1	2	4	5	7	12
B. *Operated*										
65-69 YRS	13	2.8	6	<1	<1	2	4	7	8	8
70-74	7	3.4	12	1	1	2	5	9	10	10
75-79	10	2.8	3	<1	<1	2	4	5	6	6
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4346	4.5	13	1	1	4	6	9	11	18
70-74	5061	4.9	18	1	1	4	6	9	11	19
75-79	4686	5.4	21	1	2	4	7	10	13	22
80-84	3644	5.9	29	1	2	5	7	11	14	29
85+	2908	6.2	27	1	2	5	8	11	15	28
B. *Operated*										
65-69 YRS	441	8.5	52	1	2	7	11	17	23	39
70-74	500	10.2	86	2	3	8	13	21	29	66
75-79	505	10.3	85	2	2	8	13	21	27	49
80-84	367	11.6	111	2	3	9	15	23	31	91
85+	299	13.5	175	2	3	10	16	29	42	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1252	2.8	7	<1	1	2	4	5	7	11
B. *Operated*	33	3.1	6	<1	1	2	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	20645	5.3	21	1	2	4	7	10	13	22
B. *Operated*	2112	10.6	98	2	3	8	13	21	29	63
1. SINGLE DX	1285	2.8	7	<1	1	2	4	5	7	11
2. MULTIPLE DX	22757	5.8	31	1	2	4	7	11	14	28
A. NOT OPERATED	21897	5.1	21	1	1	4	7	10	13	21
B. OPERATED	2145	10.5	97	2	2	8	13	21	29	61
TOTAL 65-69 YRS	5189	4.7	17	1	1	4	6	9	12	21
70-74	5951	5.2	26	1	1	4	7	10	13	24
75-79	5445	5.8	29	1	2	4	7	11	15	27
80-84	4159	6.3	39	1	2	5	8	12	16	33
85+	3298	6.8	45	1	2	5	8	13	17	36
GRAND TOTAL	**24042**	**5.6**	**30**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	245	3.4	5	1	1	3	4	6	8	12
70-74	213	3.2	5	1	1	3	4	6	7	13
75-79	218	3.3	6	1	1	3	4	6	8	13
80-84	143	4.3	13	1	1	4	5	8	10	19
85+	98	4.2	12	1	1	3	5	9	10	19
B. *Operated*										
65-69 YRS	138	4.3	10	1	1	4	5	8	9	14
70-74	169	4.5	13	1	1	4	5	9	11	15
75-79	190	4.1	9	1	1	3	5	8	10	15
80-84	158	5.0	9	1	2	5	7	9	11	15
85+	134	4.4	8	1	1	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5028	5.0	15	1	2	4	6	9	12	20
70-74	5779	5.5	19	1	2	4	7	10	13	21
75-79	5421	5.7	22	1	2	5	7	10	14	22
80-84	4197	6.1	25	2	2	5	7	11	14	25
85+	3700	6.4	30	2	2	5	8	12	15	29
B. *Operated*										
65-69 YRS	2107	8.0	46	1	2	6	10	15	20	38
70-74	2768	8.2	53	2	2	6	10	16	21	40
75-79	3061	8.0	43	2	3	6	10	15	19	33
80-84	2647	8.8	49	2	3	7	11	16	21	37
85+	2417	9.1	60	2	3	7	11	17	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	917	3.6	7	1	1	3	4	7	8	14
B. *Operated*	789	4.5	10	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	24125	5.7	22	1	2	5	7	10	13	23
B. *Operated*	13000	8.4	50	2	3	7	10	16	20	38
1. SINGLE DX	1706	4.0	9	1	1	3	5	8	9	14
2. MULTIPLE DX	37125	6.6	34	2	2	5	8	13	16	29
A. NOT OPERATED	25042	5.6	21	1	2	5	7	10	13	22
B. OPERATED	13789	8.2	49	2	2	6	10	15	20	37
TOTAL 65-69 YRS	7518	5.8	26	1	2	4	7	11	15	25
70-74	8929	6.3	31	1	2	5	8	12	16	28
75-79	8890	6.4	30	2	2	5	8	12	15	27
80-84	7145	7.0	36	2	2	6	9	13	17	30
85+	6349	7.4	43	2	2	6	9	14	18	32
GRAND TOTAL	**38831**	**6.5**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	261	4.8	10	1	2	4	7	9	11	15
70-74	336	5.4	18	1	2	4	7	10	13	25
75-79	400	5.3	17	1	2	4	6	9	11	25
80-84	416	5.3	15	1	2	4	6	9	13	19
85+	547	5.3	16	1	2	4	6	9	13	22
B. *Operated*										
65-69 YRS	6	6.8	23	1	1	6	10	14	14	14
70-74	11	9.2	55	2	2	7	15	20	23	23
75-79	12	4.0	9	1	1	3	5	9	11	11
80-84	4	12.5	111	5	5	8	19	28	28	28
85+	6	9.8	49	1	1	10	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14084	7.4	31	2	3	6	9	13	17	28
70-74	18323	7.5	30	2	3	6	9	14	17	28
75-79	20407	7.7	33	2	3	6	9	14	18	30
80-84	18535	7.9	35	2	3	7	10	14	18	30
85+	20095	8.4	47	2	3	7	10	15	20	36
B. *Operated*										
65-69 YRS	1911	13.2	124	2	3	10	16	26	34	62
70-74	2306	13.6	114	3	4	11	17	26	34	66
75-79	2279	14.5	130	3	4	12	18	28	38	75
80-84	1729	14.7	132	4	5	12	18	28	38	78
85+	1509	15.0	144	4	5	12	19	29	38	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1960	5.3	15	1	2	4	7	9	13	21
B. *Operated*	39	7.7	44	1	2	5	10	17	22	28
2. MULTIPLE DX										
A. *Not Operated*	91444	7.8	36	2	3	6	10	14	18	31
B. *Operated*	9734	14.2	128	3	4	11	18	28	36	72
1. SINGLE DX	1999	5.3	16	1	2	4	7	9	13	22
2. MULTIPLE DX	101178	8.4	48	2	3	7	10	16	20	37
A. NOT OPERATED	93404	7.8	35	2	3	6	9	14	18	30
B. OPERATED	9773	14.1	128	3	4	11	18	27	36	72
TOTAL 65-69 YRS	16262	8.1	45	2	3	6	10	15	20	34
70-74	20976	8.2	43	2	3	6	10	15	20	34
75-79	23098	8.4	47	2	3	7	10	16	20	37
80-84	20684	8.4	47	2	3	7	10	16	20	36
85+	22157	8.8	56	2	3	7	11	16	21	40
GRAND TOTAL	**103177**	**8.4**	**48**	**2**	**3**	**7**	**10**	**16**	**20**	**36**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	140	2.9	11	<1	<1	2	3	6	10	16
70-74	72	3.2	6	<1	<1	3	4	7	8	10
75-79	54	4.6	12	1	1	4	5	8	11	20
80-84	22	5.6	23	2	2	5	6	11	19	20
85+	16	3.7	2	2	2	3	4	6	7	7
B. *Operated*										
65-69 YRS	182	4.7	56	1	1	2	6	11	14	22
70-74	154	4.9	39	1	1	2	8	14	17	22
75-79	99	4.8	26	<1	1	2	7	13	16	21
80-84	26	4.1	21	1	1	2	4	11	15	17
85+	6	2.3	11	1	1	1	1	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2036	6.9	27	2	2	6	9	13	17	25
70-74	1912	7.7	36	2	3	6	10	14	18	30
75-79	1598	7.6	36	2	3	6	9	14	18	30
80-84	1034	7.8	40	2	3	6	10	14	18	39
85+	738	8.0	43	2	3	6	10	15	20	35
B. *Operated*										
65-69 YRS	1910	9.1	82	1	1	7	13	20	24	43
70-74	1808	9.8	87	1	1	8	14	21	27	44
75-79	1123	11.7	141	1	1	9	16	24	33	59
80-84	472	13.2	157	2	2	11	17	27	38	70
85+	150	11.5	66	2	2	10	15	24	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.5	11	<1	<1	3	4	7	10	19
B. *Operated*	467	4.7	41	1	1	2	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	7318	7.5	35	2	2	6	9	14	18	31
B. *Operated*	5463	10.3	103	1	1	8	14	22	28	50
1. SINGLE DX	771	4.2	30	<1	<1	2	5	11	14	20
2. MULTIPLE DX	12781	8.7	66	1	2	7	11	17	23	41
A. NOT OPERATED	7622	7.3	35	2	2	6	9	14	17	31
B. OPERATED	5930	9.9	101	1	1	8	14	21	27	49
TOTAL 65-69 YRS	4268	7.7	55	1	1	6	10	16	21	35
70-74	3946	8.5	61	1	2	6	11	17	23	37
75-79	2874	9.0	81	1	2	7	12	18	24	47
80-84	1554	9.3	81	2	2	7	11	18	25	50
85+	910	8.4	48	2	2	7	11	16	23	35
GRAND TOTAL	**13552**	**8.4**	**65**	**1**	**2**	**6**	**11**	**17**	**23**	**40**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	3	7.3	20	3	3	7	11	12	12	12
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	80	5.5	21	1	2	4	7	10	12	28
70-74	91	5.1	15	1	2	4	6	10	13	20
75-79	103	6.4	21	2	2	5	9	14	17	20
80-84	94	5.7	14	1	2	5	8	11	14	18
85+	106	6.3	22	1	2	6	8	12	17	59
B. *Operated*										
65-69 YRS	75	6.5	40	1	2	4	9	14	18	35
70-74	48	7.3	64	1	2	5	9	20	31	99+
75-79	31	10.3	138	1	2	6	12	21	36	58
80-84	22	10.4	103	1	1	8	11	18	34	49
85+	9	13.7	368	1	1	9	12	45	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	15	2	2	4	7	11	12	12
B. *Operated*	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	474	5.9	19	1	2	5	8	12	15	22
B. *Operated*	185	8.2	87	1	2	6	10	17	24	61
1. SINGLE DX	9	4.1	12	1	1	3	5	10	12	12
2. MULTIPLE DX	659	6.5	39	1	2	5	8	13	17	39
A. NOT OPERATED	480	5.8	19	1	2	5	7	12	15	22
B. OPERATED	188	8.1	86	1	2	6	10	17	24	61
TOTAL 65-69 YRS	157	5.9	30	1	2	4	8	12	16	30
70-74	142	5.9	33	1	2	4	7	13	19	45
75-79	137	7.2	49	1	2	5	9	15	18	40
80-84	117	6.6	33	1	2	6	8	12	15	32
85+	115	6.9	50	1	2	6	8	15	18	76
GRAND TOTAL	**668**	**6.5**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**39**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	13.0	50	8	8	13	18	18	18	18
75-79	1	25.0		25	25	25	25	25	25	25
80-84	2	5.0	8	3	3	5	7	7	7	7
85+	4	9.3	32	1	1	11	13	14	14	14
B. *Operated*										
65-69 YRS	13	10.2	49	1	2	10	15	20	22	22
70-74	6	16.7	195	1	1	15	25	38	39	39
75-79	4	11.5	123	3	3	8	19	27	27	27
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	14.0	129	3	5	10	19	25	41	52
70-74	29	13.9	91	<1	2	13	19	26	32	39
75-79	33	10.8	28	2	4	10	15	19	23	99+
80-84	26	14.6	41	4	6	16	20	23	38	99+
85+	54	14.4	184	2	3	10	18	33	44	73
B. *Operated*										
65-69 YRS	107	24.3	266	5	7	21	33	50	63	99+
70-74	65	23.2	225	2	5	21	29	52	65	99+
75-79	50	31.6	474	4	11	30	39	76	95	99+
80-84	18	25.3	208	10	13	20	29	52	59	60
85+	17	22.6	167	9	11	20	27	43	49	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	9.1	60	<1	<1	8	13	21	25	25
B. *Operated*	24	11.9	92	1	2	10	17	25	31	39
2. MULTIPLE DX										
A. *Not Operated*	161	13.6	105	2	3	11	18	24	37	96
B. *Operated*	257	25.4	291	5	8	22	34	57	66	99+
1. SINGLE DX	35	11.0	82	<1	1	10	16	25	27	39
2. MULTIPLE DX	418	20.9	253	3	5	17	28	44	61	99+
A. NOT OPERATED	172	13.3	103	2	3	11	18	24	35	94
B. OPERATED	281	24.3	288	3	6	21	33	54	65	99+
TOTAL 65-69 YRS	141	21.3	254	2	5	18	28	49	61	99+
70-74	102	20.0	197	2	3	18	26	40	58	99+
75-79	88	22.8	387	3	5	18	33	59	90	99+
80-84	47	18.1	136	5	7	17	22	32	57	99+
85+	75	16.0	184	2	3	12	20	36	45	68
GRAND TOTAL	**453**	**20.1**	**246**	**2**	**5**	**17**	**27**	**43**	**60**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	24.4	271	8	8	15	40	45	45	45
70-74	8	26.9	364	8	8	21	41	56	58	58
75-79	3	5.0	12	<1	<1	7	7	7	7	7
80-84	7	13.4	163	1	2	11	13	35	41	41
85+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
65-69 YRS	8	23.5	102	12	12	25	35	76	99+	99+
70-74	13	31.5	299	13	15	22	40	61	66	67
75-79	4	31.0	231	16	16	30	64	99+	99+	99+
80-84	3	17.3	44	10	10	19	22	23	23	23
85+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	19.4	264	1	6	14	26	46	54	58
B. *Operated*	29	27.0	218	10	12	23	38	62	98	99+
1. SINGLE DX										
2. MULTIPLE DX	53	23.6	249	7	8	20	36	53	65	99+
A. NOT OPERATED	24	19.4	264	1	6	14	26	46	54	58
B. OPERATED	29	27.0	218	10	12	23	38	62	98	99+
TOTAL 65-69 YRS	13	23.8	150	9	12	22	39	50	89	99+
70-74	21	29.8	312	9	11	21	40	58	63	67
75-79	7	19.9	312	<1	2	21	41	86	99+	99+
80-84	10	14.6	122	1	4	11	19	32	41	41
85+	2	14.5	61	9	9	14	20	20	20	20
GRAND TOTAL	**53**	**23.6**	**249**	**7**	**8**	**20**	**36**	**53**	**65**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	8.7	67	1	2	8	10	16	18	45
70-74	39	6.8	26	1	1	6	10	13	15	24
75-79	41	10.0	113	1	2	6	12	23	33	53
80-84	33	11.3	233	2	3	8	12	19	35	87
85+	29	9.5	76	1	2	8	12	18	23	44
B. *Operated*										
65-69 YRS	41	10.1	75	2	4	8	10	26	30	41
70-74	56	8.5	25	3	4	7	10	15	19	27
75-79	49	11.4	79	3	5	8	14	20	33	49
80-84	35	12.0	98	4	5	8	14	22	32	54
85+	18	13.3	253	5	5	9	14	16	51	75
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	322	11.8	98	2	4	9	15	22	30	67
70-74	452	11.5	99	2	3	9	15	23	31	65
75-79	490	12.6	107	2	4	10	16	24	30	59
80-84	454	13.0	102	3	4	11	16	25	35	55
85+	412	12.8	123	3	4	10	16	25	35	78
B. *Operated*										
65-69 YRS	237	18.7	243	4	5	14	26	39	60	99+
70-74	290	20.2	250	5	6	16	27	43	59	99+
75-79	277	18.1	178	5	6	15	24	35	51	99+
80-84	232	21.9	273	5	7	18	28	46	65	99+
85+	165	20.7	245	5	7	16	27	41	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	9.2	102	1	2	7	11	16	23	51
B. *Operated*	199	10.6	82	3	5	8	12	18	27	52
2. MULTIPLE DX										
A. *Not Operated*	2130	12.4	106	2	4	10	16	24	32	66
B. *Operated*	1201	19.8	237	5	6	16	26	41	59	99+
1. SINGLE DX	370	10.0	92	1	3	8	11	17	26	52
2. MULTIPLE DX	3331	15.1	166	3	4	11	20	31	42	94
A. NOT OPERATED	2301	12.1	106	2	3	10	15	24	31	65
B. OPERATED	1400	18.5	225	4	6	14	25	38	56	99+
TOTAL 65-69 YRS	629	14.1	162	3	4	10	18	29	44	92
70-74	837	14.1	164	3	4	11	18	31	41	90
75-79	857	14.2	136	3	4	11	19	28	38	85
80-84	754	15.6	177	3	4	12	21	33	43	98
85+	624	14.7	169	3	4	11	18	30	42	91
GRAND TOTAL	**3701**	**14.5**	**161**	**3**	**4**	**11**	**19**	**30**	**41**	**90**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	15.9	192	2	5	12	20	33	46	87
70-74	162	15.8	167	4	6	12	19	28	38	90
75-79	190	17.0	197	4	6	13	20	35	49	85
80-84	164	17.1	167	6	7	13	21	32	45	83
85+	166	15.2	136	4	6	12	18	29	45	99+
B. *Operated*										
65-69 YRS	61	23.9	277	6	7	20	31	47	63	81
70-74	69	22.9	321	4	8	20	30	54	92	99+
75-79	62	23.2	217	7	10	20	31	47	85	99+
80-84	48	24.3	362	7	8	19	33	59	81	99+
85+	31	21.6	297	6	8	16	25	44	54	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	798	16.2	171	4	6	13	19	30	45	91
B. *Operated*	271	23.3	288	7	8	19	31	52	76	99+
1. SINGLE DX										
2. MULTIPLE DX	1069	18.0	210	5	6	14	22	37	54	99+
A. NOT OPERATED	798	16.2	171	4	6	13	19	30	45	91
B. OPERATED	271	23.3	288	7	8	19	31	52	76	99+
TOTAL 65-69 YRS	177	18.6	234	4	6	14	24	40	56	82
70-74	231	17.9	223	4	6	14	22	38	54	99+
75-79	252	18.5	208	5	7	14	23	39	54	99+
80-84	212	18.7	219	6	7	14	22	36	56	90
85+	197	16.2	165	4	6	13	19	30	46	99+
GRAND TOTAL	**1069**	**18.0**	**210**	**5**	**6**	**14**	**22**	**37**	**54**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	3.3	7	<1	<1	2	5	7	9	10
70-74	25	2.9	4	<1	<1	2	5	5	6	8
75-79	26	5.3	47	1	1	4	6	8	14	37
80-84	10	4.5	5	1	1	5	6	7	8	8
85+	6	3.3	3	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	707	4.2	7	1	1	4	5	7	9	14
70-74	734	4.2	8	1	1	4	5	7	10	16
75-79	534	4.5	9	1	1	4	5	8	10	15
80-84	228	5.0	14	1	1	4	6	9	13	22
85+	71	5.3	13	1	2	5	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	326	5.0	15	1	1	4	6	10	12	21
70-74	366	6.0	22	1	2	5	8	11	14	25
75-79	393	5.1	34	1	2	5	7	11	15	35
80-84	325	6.7	30	2	2	5	8	12	16	31
85+	235	7.2	57	2	2	5	8	13	18	41
B. *Operated*										
65-69 YRS	3674	6.3	31	1	2	5	8	12	16	26
70-74	3784	6.5	29	1	2	5	8	12	16	28
75-79	2732	7.0	39	1	2	5	8	13	17	33
80-84	1209	7.5	42	1	2	6	9	14	18	36
85+	367	8.4	44	2	2	7	11	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.9	17	<1	<1	3	5	7	8	25
B. *Operated*	2274	4.4	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1645	6.1	30	1	2	5	7	11	15	29
B. *Operated*	11766	6.7	34	1	2	5	8	13	17	29
1. SINGLE DX	2369	4.4	9	1	1	4	5	8	10	15
2. MULTIPLE DX	13411	6.7	34	1	2	5	8	12	16	29
A. NOT OPERATED	1740	6.0	30	1	2	5	7	11	14	29
B. OPERATED	14040	6.3	31	1	2	5	8	12	16	28
TOTAL 65-69 YRS	4735	5.9	27	1	2	5	7	11	15	24
70-74	4909	6.1	26	1	2	5	7	11	15	26
75-79	3685	6.5	35	1	2	5	8	12	16	31
80-84	1772	7.0	37	1	2	6	8	14	17	32
85+	679	7.6	46	1	2	6	10	15	19	36
GRAND TOTAL	**15780**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	10.4	50	2	4	8	14	21	25	30
70-74	52	8.9	27	2	3	8	11	16	19	26
75-79	45	9.9	96	2	3	7	10	24	31	53
80-84	31	11.0	67	3	4	9	13	18	34	38
85+	19	10.3	51	2	3	9	14	17	26	33
B. *Operated*										
65-69 YRS	173	9.8	106	2	2	7	13	17	25	56
70-74	182	11.2	154	2	4	7	12	25	36	98
75-79	143	12.4	178	2	3	9	15	24	37	98
80-84	51	13.4	75	3	4	11	19	25	28	40
85+	24	15.1	137	2	6	12	23	35	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	184	9.9	57	2	3	8	12	18	25	38
B. *Operated*	573	11.4	139	2	3	8	14	23	34	93
1. SINGLE DX										
2. MULTIPLE DX	757	11.1	119	2	3	8	13	22	30	77
A. NOT OPERATED	184	9.9	57	2	3	8	12	18	25	38
B. OPERATED	573	11.4	139	2	3	8	14	23	34	93
TOTAL 65-69 YRS	210	9.9	96	2	2	7	13	19	25	55
70-74	234	10.7	127	2	4	7	12	23	30	95
75-79	188	11.8	159	2	3	9	13	24	37	90
80-84	82	12.5	72	3	4	10	17	23	31	39
85+	43	13.0	103	2	3	10	16	32	40	99+
GRAND TOTAL	**757**	**11.1**	**119**	**2**	**3**	**8**	**13**	**22**	**30**	**77**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	194	6.6	24	1	2	6	8	12	15	25
70-74	206	6.9	42	2	2	5	8	12	15	38
75-79	229	6.7	19	2	3	6	8	13	17	21
80-84	202	8.1	51	2	3	6	10	14	19	40
85+	191	7.8	31	2	2	6	10	15	19	27
B. *Operated*										
65-69 YRS	42	7.4	51	1	1	6	9	14	25	34
70-74	45	5.5	38	1	1	4	7	8	12	41
75-79	17	5.2	11	1	1	5	9	10	11	11
80-84	15	9.5	89	1	1	5	17	23	29	31
85+	5	8.4	10	5	5	8	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3262	9.4	72	2	3	7	11	18	24	49
70-74	4422	9.7	74	3	3	7	11	18	24	57
75-79	4844	10.4	79	3	3	8	13	19	27	59
80-84	4345	11.0	92	3	4	9	13	21	29	66
85+	4304	11.1	94	3	4	9	13	21	29	69
B. *Operated*										
65-69 YRS	771	13.5	160	3	4	10	17	29	40	99+
70-74	835	15.0	183	3	4	11	19	35	48	99+
75-79	797	15.9	200	3	4	12	20	37	59	99+
80-84	545	18.9	227	4	5	15	25	45	59	99+
85+	390	21.1	285	4	5	17	30	59	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1022	7.2	34	2	2	6	9	14	17	27
B. *Operated*	124	6.7	45	1	1	5	8	13	19	36
2. MULTIPLE DX										
A. *Not Operated*	21177	10.4	83	3	3	8	12	19	27	61
B. *Operated*	3338	16.2	207	3	4	12	21	38	57	99+
1. SINGLE DX	1146	7.1	35	2	2	6	9	13	17	28
2. MULTIPLE DX	24515	11.2	104	3	4	8	13	22	31	76
A. NOT OPERATED	22199	10.2	81	3	3	8	12	19	26	60
B. OPERATED	3462	15.9	204	3	4	12	21	38	56	99+
TOTAL 65-69 YRS	4269	10.0	89	2	3	7	12	19	27	60
70-74	5508	10.3	93	2	3	8	12	20	29	68
75-79	5887	11.0	97	3	3	8	13	21	30	77
80-84	5107	11.7	111	3	4	9	14	23	33	75
85+	4890	11.8	115	3	4	9	14	23	34	87
GRAND TOTAL	**25661**	**11.0**	**102**	**3**	**3**	**8**	**13**	**21**	**31**	**73**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1444	11.6	83	3	4	9	14	23	31	56
70-74	1995	12.5	109	3	4	10	15	23	32	59
75-79	2207	12.6	110	3	4	10	15	24	32	72
80-84	1995	13.4	114	4	5	10	16	27	36	74
85+	1957	13.1	107	4	5	10	16	24	34	86
B. *Operated*										
65-69 YRS	296	17.4	195	4	6	13	22	39	52	99+
70-74	335	19.5	297	5	6	15	23	45	67	99+
75-79	342	19.6	295	4	6	15	25	53	94	99+
80-84	256	21.0	267	5	7	16	28	46	78	99+
85+	192	21.7	239	6	8	18	29	52	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9598	12.7	106	3	4	10	15	24	33	68
B. *Operated*	1421	19.7	263	5	6	15	25	47	71	99+
1. SINGLE DX										
2. MULTIPLE DX	11019	13.6	132	3	5	10	16	27	38	86
A. NOT OPERATED	9598	12.7	106	3	4	10	15	24	33	68
B. OPERATED	1421	19.7	263	5	6	15	25	47	71	99+
TOTAL 65-69 YRS	1740	12.6	107	3	4	10	15	25	34	68
70-74	2330	13.5	143	3	4	10	16	25	37	74
75-79	2549	13.5	141	3	4	10	16	27	40	99+
80-84	2251	14.3	137	4	5	11	18	30	40	99+
85+	2149	13.9	125	4	5	11	17	26	37	99
GRAND TOTAL	**11019**	**13.6**	**132**	**3**	**5**	**10**	**16**	**27**	**38**	**86**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	339	3.4	4	1	1	3	4	6	8	9
70-74	376	3.3	4	1	1	3	4	6	7	10
75-79	363	3.6	7	1	1	3	5	7	9	14
80-84	319	3.5	5	1	1	3	5	6	8	12
85+	326	3.3	5	1	1	3	4	6	7	14
B. *Operated*										
65-69 YRS	121	4.3	34	1	1	3	5	8	12	27
70-74	94	3.0	5	1	1	2	4	6	8	10
75-79	93	3.7	10	1	1	2	5	8	11	15
80-84	36	4.8	14	1	1	4	7	12	13	13
85+	12	4.4	8	1	1	3	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3547	4.8	18	1	2	4	6	9	11	18
70-74	4769	5.1	17	1	2	4	6	9	12	20
75-79	5756	5.6	31	1	2	4	7	10	13	24
80-84	5561	6.0	39	2	2	5	7	11	14	30
85+	5882	6.2	44	2	2	5	7	11	15	40
B. *Operated*										
65-69 YRS	1093	6.5	30	1	2	5	8	13	17	28
70-74	1238	7.1	50	1	2	5	9	13	18	43
75-79	1049	7.9	60	2	2	6	9	16	22	46
80-84	720	9.1	73	2	2	7	11	19	26	53
85+	456	11.8	150	2	3	8	15	25	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1723	3.4	5	1	1	3	4	6	8	12
B. *Operated*	356	3.9	17	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	25515	5.6	32	1	2	4	7	10	13	27
B. *Operated*	4556	7.9	64	1	2	6	10	16	22	50
1. SINGLE DX	2079	3.5	7	1	1	3	4	7	8	13
2. MULTIPLE DX	30071	6.0	37	1	2	5	7	11	14	31
A. NOT OPERATED	27238	5.5	30	1	2	4	7	10	13	26
B. OPERATED	4912	7.6	61	1	2	6	9	15	21	48
TOTAL 65-69 YRS	5100	5.1	21	1	2	4	6	9	12	21
70-74	6477	5.4	23	1	2	4	7	10	13	23
75-79	7261	5.8	35	1	2	4	7	10	14	28
80-84	6636	6.2	43	1	2	5	7	11	15	33
85+	6676	6.4	52	1	2	5	7	12	16	49
GRAND TOTAL	**32150**	**5.8**	**36**	**1**	**2**	**4**	**7**	**11**	**14**	**30**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	131	5.8	15	1	2	5	8	10	11	18
70-74	177	7.1	32	1	2	5	9	14	20	28
75-79	176	7.0	44	2	2	6	9	13	16	55
80-84	164	7.5	31	2	2	6	9	13	18	30
85+	187	8.4	69	2	2	6	10	15	22	52
B. *Operated*										
65-69 YRS	24	9.1	170	1	2	5	9	15	39	64
70-74	30	7.6	118	1	1	5	7	15	25	58
75-79	12	8.0	119	2	2	5	7	18	39	42
80-84	8	11.8	69	1	2	11	18	24	24	24
85+	5	11.8	79	1	1	12	18	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1501	8.2	48	2	3	7	10	15	20	42
70-74	2021	8.6	60	2	3	7	10	16	21	50
75-79	2525	9.3	72	2	3	7	11	17	23	54
80-84	2397	9.4	62	3	3	7	11	17	24	46
85+	2833	9.6	67	3	3	8	12	17	23	45
B. *Operated*										
65-69 YRS	284	13.4	211	2	3	9	15	28	43	95
70-74	345	13.9	154	3	4	10	16	29	40	74
75-79	371	14.5	158	3	4	11	19	29	43	99+
80-84	262	16.9	234	4	4	13	21	35	63	99+
85+	220	19.4	302	4	6	13	25	46	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	835	7.2	40	2	2	6	9	13	19	32
B. *Operated*	79	8.8	123	1	2	6	9	20	27	62
2. MULTIPLE DX										
A. *Not Operated*	11277	9.1	64	2	3	7	11	17	22	46
B. *Operated*	1482	15.3	206	3	4	11	19	32	49	99+
1. SINGLE DX	914	7.4	48	2	2	6	9	13	19	42
2. MULTIPLE DX	12759	9.8	84	2	3	7	12	18	26	59
A. NOT OPERATED	12112	9.0	62	2	3	7	11	16	22	45
B. OPERATED	1561	14.9	204	3	4	11	18	32	48	99+
TOTAL 65-69 YRS	1940	8.8	75	2	3	7	11	16	22	46
70-74	2573	9.2	75	2	3	7	11	17	24	53
75-79	3084	9.8	84	2	3	7	12	19	26	65
80-84	2831	10.0	81	3	3	8	12	19	25	59
85+	3245	10.2	90	3	3	8	12	19	26	62
GRAND TOTAL	**13673**	**9.7**	**82**	**2**	**3**	**7**	**11**	**18**	**25**	**58**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	561	10.7	88	2	3	8	13	21	30	58
70-74	852	10.0	51	3	4	8	12	18	25	40
75-79	970	11.2	81	3	4	9	14	21	28	59
80-84	930	11.8	121	3	4	9	14	22	31	80
85+	1103	11.2	87	3	4	9	13	21	29	60
B. *Operated*										
65-69 YRS	105	15.2	171	3	4	11	19	29	42	69
70-74	135	15.3	153	3	4	11	19	33	46	99+
75-79	121	18.6	210	4	6	15	24	38	57	99+
80-84	96	19.0	323	5	6	13	22	44	63	97
85+	84	20.0	241	5	6	15	26	41	54	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4416	11.0	87	3	4	9	13	21	28	58
B. *Operated*	541	17.4	215	4	5	13	21	36	53	93
1. SINGLE DX										
2. MULTIPLE DX	4957	11.7	105	3	4	9	14	22	31	66
A. NOT OPERATED	4416	11.0	87	3	4	9	13	21	28	58
B. OPERATED	541	17.4	215	4	5	13	21	36	53	93
TOTAL 65-69 YRS	666	11.4	104	3	3	8	14	23	31	59
70-74	987	10.8	68	3	4	9	13	20	27	47
75-79	1091	12.0	101	3	4	9	15	23	30	71
80-84	1026	12.5	144	3	4	9	15	24	35	84
85+	1187	11.8	103	3	4	9	14	23	32	64
GRAND TOTAL	**4957**	**11.7**	**105**	**3**	**4**	**9**	**14**	**22**	**31**	**66**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	4.1	16	1	1	3	5	8	11	21
70-74	66	3.8	11	1	1	3	5	7	12	17
75-79	64	4.6	12	1	1	3	7	9	11	16
80-84	39	5.3	17	2	2	4	6	12	14	21
85+	31	4.2	11	1	2	3	5	10	13	15
B. *Operated*										
65-69 YRS	41	4.1	16	1	1	2	6	10	13	17
70-74	27	3.3	8	1	1	2	4	9	10	11
75-79	21	4.1	30	1	1	2	4	11	19	23
80-84	10	1.7	2	1	1	1	2	4	4	4
85+	5	3.6	1	2	2	4	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	873	5.8	23	2	2	5	7	10	14	29
70-74	1043	6.4	39	2	2	5	8	12	15	29
75-79	1137	7.0	48	2	2	5	8	13	16	37
80-84	1090	7.2	46	2	2	6	8	13	18	42
85+	1075	7.8	73	2	2	6	9	14	20	79
B. *Operated*										
65-69 YRS	266	8.5	84	1	2	6	10	19	26	50
70-74	312	9.0	109	1	1	6	11	17	25	62
75-79	232	9.8	143	1	2	7	12	21	28	92
80-84	143	12.3	192	2	2	8	14	28	48	99+
85+	98	12.2	182	2	2	9	15	39	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	4.4	13	1	1	3	5	9	12	17
B. *Operated*	104	3.7	15	1	1	2	4	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	5218	6.9	47	2	2	5	8	13	17	40
B. *Operated*	1051	9.8	130	1	2	7	12	21	31	92
1. SINGLE DX	353	4.2	14	1	1	3	5	9	12	17
2. MULTIPLE DX	6269	7.4	62	2	2	6	9	14	19	53
A. NOT OPERATED	5467	6.8	46	2	2	5	8	12	17	39
B. OPERATED	1155	9.2	122	1	2	6	11	19	29	89
TOTAL 65-69 YRS	1229	6.2	37	1	2	5	8	11	17	37
70-74	1448	6.8	54	1	2	5	8	14	17	38
75-79	1454	7.3	62	2	2	5	9	14	18	48
80-84	1282	7.7	64	2	2	6	9	14	20	53
85+	1209	8.1	82	2	2	6	9	15	22	98
GRAND TOTAL	**6622**	**7.2**	**60**	**1**	**2**	**5**	**9**	**14**	**18**	**51**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.0	3	<1	<1	1	3	5	5	5
70-74	4	3.8	14	1	1	3	6	9	9	9
75-79	4	6.8	58	1	1	5	12	17	17	17
80-84	4	4.5	16	1	1	3	7	10	10	10
85+	3	4.3	17	1	1	3	7	9	9	9
B. *Operated*										
65-69 YRS	155	4.5	20	<1	1	2	7	11	14	19
70-74	136	4.7	26	1	1	3	7	11	14	24
75-79	91	4.0	17	1	1	2	6	9	13	21
80-84	39	4.8	22	1	1	3	8	13	14	15
85+	25	4.6	17	<1	1	2	6	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	87	5.3	23	<1	1	4	7	12	17	22
70-74	128	5.9	42	1	1	4	7	11	18	38
75-79	110	5.3	15	1	1	4	7	11	14	18
80-84	95	8.1	71	<1	1	6	10	18	29	80
85+	125	7.6	37	1	2	6	10	15	19	31
B. *Operated*										
65-69 YRS	1844	10.8	118	1	2	8	13	22	30	63
70-74	1842	10.9	117	1	1	8	14	24	33	60
75-79	1458	12.5	128	1	2	10	16	26	36	59
80-84	884	13.8	164	1	2	11	17	30	41	85
85+	863	13.8	143	2	4	11	17	27	36	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.0	18	<1	1	2	5	9	13	17
B. *Operated*	446	4.5	21	1	1	2	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	545	6.5	38	1	1	5	8	14	18	34
B. *Operated*	6891	11.9	131	1	2	9	15	25	35	70
1. SINGLE DX	468	4.5	21	1	1	2	7	11	14	19
2. MULTIPLE DX	7436	11.5	126	1	2	9	15	24	34	66
A. NOT OPERATED	567	6.4	38	1	1	5	8	14	18	33
B. OPERATED	7337	11.5	127	1	1	9	15	24	34	66
TOTAL 65-69 YRS	2093	10.0	110	1	1	8	13	20	29	60
70-74	2110	10.2	110	1	1	8	13	22	31	57
75-79	1663	11.5	121	1	2	9	15	24	35	58
80-84	1022	12.9	155	1	2	10	16	29	40	84
85+	1016	12.8	132	2	3	10	16	25	34	81
GRAND TOTAL	**7904**	**11.1**	**122**	**1**	**1**	**9**	**14**	**23**	**33**	**63**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	2.5	3	<1	<1	2	4	5	6	6
70-74	12	6.8	68	<1	1	3	9	21	26	27
75-79	7	8.4	55	<1	<1	5	13	20	21	21
80-84	6	2.5	4	<1	<1	2	3	6	6	6
85+	6	2.8	3	1	1	2	3	6	6	6
B. *Operated*										
65-69 YRS	152	8.6	17	1	1	9	11	13	16	18
70-74	156	8.6	19	1	2	9	11	13	17	19
75-79	109	9.0	20	1	2	9	11	14	16	21
80-84	38	10.1	31	1	2	10	14	17	20	21
85+	13	10.5	25	1	3	11	14	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	141	5.4	29	<1	1	3	7	13	17	21
70-74	166	5.9	36	1	1	4	8	15	19	29
75-79	197	5.6	30	1	1	4	6	12	16	29
80-84	156	7.1	47	1	2	5	9	14	21	31
85+	172	7.3	100	1	2	5	8	14	18	59
B. *Operated*										
65-69 YRS	1816	13.6	113	2	6	11	15	23	33	76
70-74	1902	13.8	114	2	5	11	16	24	34	65
75-79	1376	14.2	110	2	5	12	17	25	34	63
80-84	618	16.3	164	2	5	13	19	31	46	92
85+	216	17.0	138	2	7	15	21	30	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.8	34	<1	<1	3	5	13	20	27
B. *Operated*	468	8.9	19	1	2	9	11	14	17	19
2. MULTIPLE DX										
A. *Not Operated*	832	6.3	49	1	1	4	8	14	18	31
B. *Operated*	5928	14.2	120	2	6	12	16	25	35	75
1. SINGLE DX	510	8.5	22	1	1	9	11	14	17	20
2. MULTIPLE DX	6760	13.2	118	2	3	11	16	24	33	70
A. NOT OPERATED	874	6.2	48	1	1	4	8	14	19	31
B. OPERATED	6396	13.8	114	2	5	11	16	24	34	71
TOTAL 65-69 YRS	2120	12.6	106	1	3	10	14	22	31	71
70-74	2236	12.8	107	2	3	11	15	23	31	62
75-79	1689	12.9	103	2	3	11	16	23	32	61
80-84	818	14.2	149	2	3	12	17	27	40	89
85+	407	12.5	139	2	2	10	16	24	33	82
GRAND TOTAL	**7270**	**12.9**	**113**	**2**	**3**	**11**	**15**	**23**	**32**	**66**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7	1	2	2	2	4	4	4	4
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	45	6.3	14	1	1	6	9	10	13	17
70-74	54	7.2	25	2	2	6	9	13	17	30
75-79	38	6.7	13	1	1	7	9	11	12	16
80-84	12	6.1	16	1	1	6	9	11	12	12
85+	5	5.8	11	1	1	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	7.2	10	4	4	6	10	12	12	12
70-74	7	5.9	25	1	1	4	11	13	13	13
75-79	15	5.7	69	<1	1	3	5	11	28	34
80-84	9	5.4	29	2	2	3	6	15	17	17
85+	13	6.5	14	1	2	7	9	12	13	13
B. *Operated*										
65-69 YRS	282	10.2	74	1	2	8	12	19	27	48
70-74	310	11.3	128	2	3	9	13	20	27	74
75-79	234	10.9	90	2	3	8	13	20	25	69
80-84	121	12.7	117	3	4	10	15	25	33	64
85+	65	12.5	61	3	5	11	16	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	2	1	1	2	4	4	4	4
B. *Operated*	154	6.7	17	1	1	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	50	6.1	32	1	1	4	8	12	13	34
B. *Operated*	1012	11.1	99	2	3	9	14	20	28	63
1. SINGLE DX	162	6.5	17	1	1	6	9	11	13	19
2. MULTIPLE DX	1062	10.9	97	2	3	9	13	20	27	63
A. NOT OPERATED	58	5.6	29	1	1	4	7	12	13	33
B. OPERATED	1166	10.5	91	2	3	8	13	19	26	62
TOTAL 65-69 YRS	336	9.6	67	1	2	8	12	18	24	44
70-74	373	10.5	113	2	2	8	12	19	26	73
75-79	288	10.0	82	1	3	8	12	19	24	64
80-84	143	11.6	108	2	3	9	14	22	30	63
85+	84	11.0	56	2	4	10	14	19	24	41
GRAND TOTAL	**1224**	**10.3**	**89**	**2**	**2**	**8**	**12**	**19**	**25**	**61**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	5.5	21	<1	1	4	9	11	15	16
70-74	20	4.7	21	<1	<1	3	6	12	15	16
75-79	21	3.8	4	<1	1	4	5	7	7	7
80-84	10	4.4	13	1	1	3	7	10	12	12
85+	14	5.3	9	1	1	5	7	8	11	12
B. *Operated*										
65-69 YRS	274	5.8	20	1	1	5	8	11	14	21
70-74	245	6.0	23	1	1	6	9	11	13	21
75-79	150	6.3	22	1	1	6	9	12	14	23
80-84	108	6.2	22	1	1	6	9	12	15	20
85+	62	6.8	45	1	1	6	8	12	17	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	178	7.0	42	1	1	6	9	13	17	37
70-74	180	6.2	37	<1	1	5	8	12	15	32
75-79	189	6.8	21	1	2	6	9	12	15	25
80-84	156	7.1	24	1	2	6	9	13	16	24
85+	190	9.0	67	2	3	7	10	16	23	37
B. *Operated*										
65-69 YRS	2594	10.8	88	1	2	9	13	21	27	53
70-74	2535	11.0	88	1	2	9	14	22	28	51
75-79	1960	12.2	116	2	3	10	15	24	33	61
80-84	1210	12.5	99	2	3	10	16	24	32	55
85+	995	12.9	123	2	3	10	16	26	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.8	14	<1	1	4	7	11	12	16
B. *Operated*	839	6.1	24	1	1	6	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	893	7.2	40	1	1	6	9	13	18	31
B. *Operated*	9294	11.6	100	1	2	9	14	23	30	56
1. SINGLE DX	932	6.0	23	1	1	5	9	11	14	21
2. MULTIPLE DX	10187	11.2	96	1	2	9	14	22	29	54
A. NOT OPERATED	986	7.0	38	1	1	6	9	13	16	30
B. OPERATED	10133	11.2	96	1	2	9	14	22	29	54
TOTAL 65-69 YRS	3074	10.1	81	1	2	8	12	19	26	51
70-74	2980	10.3	82	1	2	9	13	20	27	50
75-79	2320	11.3	105	1	2	9	14	22	30	58
80-84	1484	11.4	90	1	2	9	15	22	29	53
85+	1261	11.9	113	2	3	9	15	24	31	57
GRAND TOTAL	**11119**	**10.8**	**92**	**1**	**2**	**9**	**13**	**21**	**28**	**53**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	5.2	39	1	1	2	7	13	23	24
70-74	39	4.7	30	<1	1	3	6	11	18	25
75-79	16	4.4	29	<1	1	3	5	9	19	23
80-84	13	4.4	8	1	1	4	6	8	10	10
85+	14	4.4	13	<1	1	3	6	8	13	14
B. *Operated*										
65-69 YRS	208	4.1	18	1	1	2	6	10	14	19
70-74	178	4.0	16	<1	1	2	6	9	11	19
75-79	114	4.9	35	1	1	2	6	10	16	29
80-84	64	5.5	37	<1	1	3	8	11	18	31
85+	23	4.9	30	1	1	2	6	15	16	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	306	5.7	24	1	1	4	8	11	15	23
70-74	318	6.3	25	1	2	5	8	13	18	24
75-79	297	6.6	31	1	2	5	8	13	18	28
80-84	218	7.0	38	1	2	5	9	13	20	37
85+	233	8.9	103	2	2	6	10	16	22	54
B. *Operated*										
65-69 YRS	1316	9.6	117	1	1	6	12	21	31	59
70-74	1298	10.3	140	1	1	7	13	23	32	64
75-79	976	10.2	99	1	2	8	13	22	31	54
80-84	604	11.2	118	1	2	8	15	23	31	52
85+	399	12.1	116	2	2	9	15	24	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	4.7	27	<1	1	3	6	10	17	24
B. *Operated*	587	4.4	23	1	1	2	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*	1372	6.8	42	1	2	5	8	14	18	31
B. *Operated*	4593	10.4	120	1	2	7	13	22	31	60
1. SINGLE DX	704	4.4	24	1	1	2	6	10	15	22
2. MULTIPLE DX	5965	9.5	105	1	2	7	12	21	28	57
A. NOT OPERATED	1489	6.6	41	1	1	5	8	13	18	31
B. OPERATED	5180	9.7	113	1	1	7	13	21	30	58
TOTAL 65-69 YRS	1865	8.3	94	1	1	5	11	18	25	48
70-74	1833	8.9	111	1	1	6	11	20	26	59
75-79	1403	9.0	82	1	2	6	11	20	27	49
80-84	899	9.7	96	1	2	7	13	21	28	50
85+	669	10.6	110	1	2	8	14	21	29	60
GRAND TOTAL	**6669**	**9.0**	**98**	**1**	**1**	**6**	**11**	**20**	**27**	**51**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	274	7.1	8	3	4	7	9	10	12	17
70-74	233	6.5	8	2	3	6	8	10	11	16
75-79	182	7.0	9	3	3	7	8	10	13	15
80-84	116	6.8	10	2	3	6	9	11	13	16
85+	76	6.9	11	2	3	6	9	11	13	17
B. *Operated*										
65-69 YRS	127	7.1	16	2	2	7	9	11	15	22
70-74	100	7.1	17	1	2	7	9	12	13	23
75-79	68	6.3	12	1	2	6	9	11	12	15
80-84	48	7.9	18	2	3	8	10	13	15	21
85+	24	8.7	12	4	4	8	11	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1420	8.4	17	3	4	8	10	13	16	24
70-74	1417	8.4	18	3	4	8	10	13	16	23
75-79	1263	8.5	19	3	4	8	10	14	16	25
80-84	921	8.7	21	3	4	8	11	14	17	24
85+	717	9.0	29	3	4	8	11	15	17	26
B. *Operated*										
65-69 YRS	902	9.9	44	3	4	8	12	16	22	38
70-74	894	10.0	39	3	4	9	12	17	22	37
75-79	743	10.9	78	3	4	9	12	18	25	48
80-84	501	10.6	64	3	4	9	12	18	23	40
85+	377	11.1	61	4	5	9	13	19	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	881	6.9	9	2	3	7	8	10	12	17
B. *Operated*	367	7.2	16	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	5738	8.5	20	3	4	8	10	14	16	24
B. *Operated*	3417	10.4	55	3	4	9	12	17	23	40
1. SINGLE DX	1248	7.0	11	2	3	7	9	11	13	17
2. MULTIPLE DX	9155	9.2	34	3	4	8	11	15	19	32
A. NOT OPERATED	6619	8.3	19	3	4	8	10	13	16	24
B. OPERATED	3784	10.1	52	3	4	9	12	17	22	39
TOTAL 65-69 YRS	2723	8.7	26	3	4	8	10	14	17	29
70-74	2644	8.7	25	3	4	8	10	14	18	28
75-79	2256	9.1	39	3	4	8	11	14	18	35
80-84	1586	9.1	35	3	4	8	11	15	19	29
85+	1194	9.5	39	3	4	8	11	15	19	37
GRAND TOTAL	**10403**	**8.9**	**32**	**3**	**4**	**8**	**11**	**14**	**18**	**30**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	9.6	25	2	4	9	12	16	20	21
70-74	21	8.7	46	2	3	7	11	20	24	26
75-79	15	10.0	59	4	4	7	11	19	29	33
80-84	19	8.9	43	2	3	7	12	20	24	24
85+	21	7.1	19	2	3	6	10	10	16	22
B. *Operated*										
65-69 YRS	203	4.5	33	1	1	3	5	9	14	35
70-74	119	4.5	20	1	1	3	5	9	16	25
75-79	82	6.6	45	1	1	4	8	15	24	31
80-84	54	9.2	105	1	2	6	11	21	34	47
85+	24	12.3	133	1	2	9	16	28	39	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	193	9.3	53	2	3	8	11	16	20	42
70-74	240	10.2	77	2	3	8	13	19	24	44
75-79	272	10.2	51	3	4	9	13	18	24	43
80-84	276	10.4	63	3	4	8	13	18	25	53
85+	248	10.3	52	3	4	8	12	20	24	37
B. *Operated*										
65-69 YRS	424	11.4	152	1	2	6	15	29	39	61
70-74	359	11.4	110	1	2	8	16	27	32	60
75-79	292	14.8	180	2	2	12	20	32	40	93
80-84	215	17.7	219	2	3	14	24	41	50	99+
85+	162	17.8	173	4	5	14	23	37	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	8.7	37	3	3	7	10	18	22	30
B. *Operated*	482	5.8	49	1	1	3	6	12	19	37
2. MULTIPLE DX										
A. *Not Operated*	1229	10.1	59	3	4	8	12	19	23	42
B. *Operated*	1452	13.7	166	2	2	10	19	31	40	76
1. SINGLE DX	571	6.2	48	1	1	4	8	14	20	36
2. MULTIPLE DX	2681	12.1	120	2	3	9	15	25	35	65
A. NOT OPERATED	1318	10.0	58	3	4	8	12	19	23	41
B. OPERATED	1934	11.7	149	1	2	8	16	28	37	73
TOTAL 65-69 YRS	833	9.2	106	1	2	5	11	21	31	55
70-74	739	9.8	89	1	2	7	13	22	29	50
75-79	661	11.8	115	2	3	9	15	24	32	71
80-84	564	13.0	139	2	3	10	16	28	41	75
85+	455	12.9	111	3	4	10	16	26	35	63
GRAND TOTAL	**3252**	**11.0**	**113**	**2**	**2**	**8**	**14**	**24**	**32**	**61**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	1.6	1	<1	<1	1	2	3	4	5
70-74	16	2.0	2	<1	<1	1	3	4	5	5
75-79	8	3.1	3	1	1	3	4	5	6	6
80-84	6	2.0	1	<1	<1	2	3	3	3	3
85+	10	2.5	5	<1	<1	2	3	6	8	8
B. *Operated*										
65-69 YRS	107	3.2	2	1	1	3	4	5	6	8
70-74	53	3.2	3	1	1	3	4	6	7	7
75-79	45	4.3	28	1	1	3	4	6	9	36
80-84	12	2.1	2	1	1	2	3	4	5	5
85+	10	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	124	4.1	20	1	1	3	5	7	8	26
70-74	151	3.9	8	1	1	3	5	7	8	15
75-79	149	4.1	11	1	1	3	5	7	9	19
80-84	114	6.0	117	1	2	4	6	9	14	74
85+	144	4.7	30	1	2	4	5	9	11	17
B. *Operated*										
65-69 YRS	1196	4.2	8	1	2	4	5	7	9	15
70-74	792	4.8	15	1	2	4	6	9	12	19
75-79	476	5.0	15	1	2	4	6	9	12	19
80-84	243	5.7	16	1	2	5	8	10	15	19
85+	128	6.3	50	2	2	5	7	12	14	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.1	2	<1	<1	1	3	4	5	8
B. *Operated*	227	3.3	8	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	682	4.5	34	1	1	3	5	8	10	20
B. *Operated*	2835	4.7	14	1	2	4	6	9	12	17
1. SINGLE DX	289	3.0	7	<1	1	3	4	5	6	8
2. MULTIPLE DX	3517	4.7	18	1	2	4	6	8	11	18
A. NOT OPERATED	744	4.3	32	<1	1	3	5	7	9	19
B. OPERATED	3062	4.6	14	1	2	4	6	8	11	17
TOTAL 65-69 YRS	1449	4.1	9	1	1	3	5	7	9	14
70-74	1012	4.5	14	1	1	4	5	8	11	18
75-79	678	4.7	15	1	2	4	6	9	11	19
80-84	375	5.6	46	1	2	4	7	10	15	21
85+	292	5.2	38	1	2	4	6	9	13	23
GRAND TOTAL	**3806**	**4.6**	**17**	**1**	**1**	**4**	**5**	**8**	**11**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	130	6.6	15	1	1	6	9	11	13	19
70-74	133	6.3	19	1	2	6	8	10	13	23
75-79	109	6.2	13	1	2	6	9	11	13	16
80-84	99	6.8	22	1	2	6	9	11	18	26
85+	50	6.5	10	2	2	6	9	11	12	12
B. *Operated*										
65-69 YRS	110	7.5	16	1	2	7	10	12	13	20
70-74	89	7.3	16	1	2	7	9	13	15	19
75-79	59	7.6	18	2	3	7	9	11	14	26
80-84	62	8.8	40	1	2	8	11	14	17	41
85+	21	8.2	18	2	3	8	12	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1699	6.6	24	1	2	6	9	12	14	22
70-74	1891	6.4	20	1	2	6	8	11	14	21
75-79	1852	6.9	28	2	2	6	9	12	15	25
80-84	1452	6.8	30	2	2	6	9	12	15	27
85+	1288	7.1	30	2	2	6	9	13	16	32
B. *Operated*										
65-69 YRS	1020	10.1	74	2	3	8	12	18	24	48
70-74	1006	10.0	58	2	3	9	12	17	23	43
75-79	869	10.1	66	2	3	8	12	18	24	49
80-84	574	11.1	65	3	4	9	13	20	27	45
85+	434	10.6	73	2	3	9	13	20	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	6.5	16	1	2	6	8	11	13	21
B. *Operated*	341	7.7	21	1	2	7	10	13	14	23
2. MULTIPLE DX										
A. *Not Operated*	8182	6.7	26	1	2	6	9	12	15	25
B. *Operated*	3903	10.3	67	2	3	9	12	18	24	46
1. SINGLE DX	862	7.0	18	1	2	7	9	12	14	21
2. MULTIPLE DX	12085	7.9	42	2	2	7	10	14	18	34
A. NOT OPERATED	8703	6.7	26	1	2	6	9	12	15	25
B. OPERATED	4244	10.1	63	2	3	8	12	18	23	45
TOTAL 65-69 YRS	2959	7.9	43	1	2	7	10	14	18	34
70-74	3119	7.6	35	1	2	7	9	14	17	29
75-79	2889	7.8	41	2	2	7	10	14	18	34
80-84	2187	8.0	42	2	2	7	10	15	19	34
85+	1793	7.9	42	2	2	7	10	14	19	37
GRAND TOTAL	**12947**	**7.8**	**40**	**2**	**2**	**7**	**10**	**14**	**18**	**33**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	33	3.4	6	1	1	3	4	7	10	12
70-74	33	4.2	6	1	1	4	6	7	8	10
75-79	13	4.0	2	2	2	4	5	7	7	7
80-84	12	3.6	9	1	1	3	5	8	11	11
85+	13	3.2	5	<1	1	3	4	5	8	9
B. *Operated*										
65-69 YRS	3	3.3		3	3	3	4	4	4	4
70-74	5	2.8	6	1	1	1	5	6	6	6
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	2	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	537	5.5	19	2	2	4	7	10	12	21
70-74	504	5.8	20	2	2	5	7	10	14	25
75-79	467	6.0	18	2	2	5	7	11	13	21
80-84	310	5.9	19	2	2	5	7	11	13	29
85+	317	6.0	14	2	2	5	8	10	12	19
B. *Operated*										
65-69 YRS	102	8.9	74	1	1	6	13	22	28	69
70-74	58	7.5	40	1	1	6	11	19	21	24
75-79	56	7.8	53	1	1	5	10	14	24	37
80-84	31	8.6	33	1	2	7	11	15	23	24
85+	29	11.0	87	3	4	8	11	24	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	3.7	5	1	1	3	5	7	8	11
B. *Operated*	13	2.2	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	2135	5.8	18	2	2	5	7	10	13	23
B. *Operated*	276	8.5	60	1	1	6	11	19	25	41
1. SINGLE DX	117	3.5	5	1	1	3	5	7	8	11
2. MULTIPLE DX	2411	6.1	24	2	2	5	8	11	14	27
A. NOT OPERATED	2239	5.7	18	2	2	5	7	10	13	22
B. OPERATED	289	8.3	59	1	1	6	11	19	24	41
TOTAL 65-69 YRS	675	5.9	29	1	2	4	7	11	15	30
70-74	600	5.9	22	1	2	5	7	10	15	24
75-79	539	6.1	21	2	2	5	7	11	14	25
80-84	355	6.0	21	1	2	5	7	11	14	29
85+	359	6.3	21	2	2	5	8	11	13	26
GRAND TOTAL	**2528**	**6.0**	**23**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	4.7	5	2	2	4	6	8	8	13
70-74	113	4.7	5	2	2	5	5	8	9	12
75-79	96	4.7	6	1	2	4	6	8	10	14
80-84	79	4.7	8	1	2	4	6	9	11	13
85+	82	4.8	7	1	2	4	6	8	10	13
B. *Operated*										
65-69 YRS	10	5.6	16	1	1	5	7	11	15	15
70-74	4	5.8	7	2	2	6	7	8	8	8
75-79	4	7.8	9	4	4	8	10	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5949	6.8	22	2	3	6	8	12	15	25
70-74	6398	6.9	20	2	3	6	8	12	15	24
75-79	5390	7.1	22	2	3	6	9	12	15	25
80-84	3405	7.1	26	2	3	6	9	12	16	26
85+	2956	7.5	32	2	3	6	9	13	16	27
B. *Operated*										
65-69 YRS	485	11.1	81	2	3	9	14	21	28	57
70-74	487	12.4	110	3	4	9	15	24	35	61
75-79	432	11.9	85	3	4	9	14	24	33	61
80-84	253	13.3	162	4	4	9	15	26	37	99
85+	154	12.4	75	3	4	11	16	24	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	4.7	6	1	2	4	6	8	9	13
B. *Operated*	18	6.1	12	1	2	6	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	24038	7.0	23	2	3	6	9	12	15	25
B. *Operated*	1811	12.0	101	3	4	9	15	23	33	76
1. SINGLE DX	496	4.8	6	1	2	4	6	8	10	13
2. MULTIPLE DX	25909	7.4	30	2	3	6	9	13	16	29
A. NOT OPERATED	24576	7.0	23	2	3	6	8	12	15	25
B. OPERATED	1829	12.0	100	3	4	9	15	23	33	75
TOTAL 65-69 YRS	6552	7.1	28	2	3	6	8	12	16	28
70-74	7002	7.3	28	2	3	6	9	13	16	28
75-79	5922	7.4	28	2	3	6	9	13	16	29
80-84	3737	7.5	37	2	3	6	9	13	17	32
85+	3192	7.7	34	2	3	6	9	14	17	30
GRAND TOTAL	**26405**	**7.3**	**30**	**2**	**3**	**6**	**9**	**13**	**16**	**29**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74										
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	60	1.3		<1	<1	1	2	2	3	3
70-74	35	1.3		1	1	1	1	2	3	3
75-79	6	1.2		1	1	1	1	2	2	2
80-84	2	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	327	1.8	1	1	1	2	2	3	4	6
70-74	170	1.7	1	1	1	1	2	3	3	6
75-79	89	2.0	2	1	1	2	3	4	5	9
80-84	16	1.7	1	1	1	2	2	2	4	5
85+	7	6.1	73	1	1	3	6	21	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.5	41	<1	<1	5	10	10	10	10
B. *Operated*	103	1.3		<1	1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	8	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*	609	1.9	2	1	1	2	2	3	4	6
1. SINGLE DX	105	1.4	1	<1	1	1	1	2	3	6
2. MULTIPLE DX	617	1.9	2	1	1	2	2	3	4	6
A. NOT OPERATED	10	2.5	8	<1	<1	1	3	7	10	10
B. OPERATED	712	1.8	2	1	1	1	2	3	4	6
TOTAL 65-69 YRS	391	1.8	1	1	1	1	2	3	4	6
70-74	207	1.7	1	1	1	1	2	3	3	5
75-79	97	2.0	2	1	1	2	2	3	5	9
80-84	20	1.6	1	<1	1	1	2	2	4	5
85+	7	6.1	73	1	1	3	6	21	25	25
GRAND TOTAL	**722**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	22	1.5	1	<1	<1	1	2	3	4	5
70-74	24	1.5		<1	<1	1	2	2	3	3
75-79	13	1.5	1	<1	<1	1	2	3	3	3
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	5	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	25	<1	<1	1	6	11	11	11
70-74	2	7.0	72	1	1	7	13	13	13	13
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	171	2.1	2	1	1	2	2	4	5	8
70-74	111	2.3	5	1	1	2	3	4	6	12
75-79	63	3.4	15	<1	1	2	4	7	10	22
80-84	25	2.4	2	<1	1	2	3	5	5	6
85+	8	3.4	13	<1	<1	2	5	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*	67	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	9	4.0	24	<1	<1	1	7	12	13	13
B. *Operated*	378	2.4	6	1	1	2	3	5	7	12
1. SINGLE DX	71	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	387	2.5	6	1	1	2	3	5	7	13
A. NOT OPERATED	13	3.3	17	<1	<1	1	4	11	13	13
B. OPERATED	445	2.3	5	1	1	2	3	4	6	11
TOTAL 65-69 YRS	199	2.1	2	<1	1	2	2	3	5	9
70-74	137	2.2	5	1	1	2	3	4	6	14
75-79	79	3.1	13	<1	1	2	3	7	9	21
80-84	30	2.4	2	<1	1	2	3	5	6	6
85+	13	2.8	8	<1	<1	2	3	7	10	11
GRAND TOTAL	**458**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	1.2		<1	<1	1	1	2	2	2
70-74	5	1.4		1	1	1	2	2	2	2
75-79	3	1.7		1	1	2	2	2	2	2
80-84	7	1.4	1	<1	<1	1	2	3	3	3
85+	9	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	13	1	1	3	6	6	6	6
70-74										
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	14	1.2		1	1	1	1	2	2	2
70-74	11	1.6		1	1	2	2	3	3	3
75-79	5	2.8	12	1	1	1	4	9	9	9
80-84	5	1.8	1	<1	<1	1	3	3	3	3
85+	11	1.6	2	<1	<1	1	2	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	30	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*	46	1.7	2	<1	1	1	2	3	4	9
1. SINGLE DX	30	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX	49	1.8	2	1	1	1	2	3	5	9
A. NOT OPERATED	3	3.7	6	1	1	4	5	6	6	6
B. OPERATED	76	1.5	1	<1	<1	1	2	2	3	8
TOTAL 65-69 YRS	22	1.4	1	<1	<1	1	1	2	4	6
70-74	16	1.6		1	1	2	2	2	3	3
75-79	8	2.4	7	1	1	2	2	7	9	9
80-84	12	1.6	1	<1	<1	1	2	3	3	3
85+	21	1.5	1	<1	<1	1	2	3	4	5
GRAND TOTAL	**79**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	3.5	5	1	1	3	5	7	8	10
70-74	15	2.9	2	1	1	3	4	5	5	5
75-79	16	4.2	8	1	1	3	6	8	9	10
80-84	8	6.6	59	<1	1	3	8	20	24	24
85+	4	2.8	4	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	229	1.7	2	<1	<1	1	2	3	5	7
70-74	170	1.8	2	<1	<1	1	2	3	5	9
75-79	69	1.6	1	<1	<1	1	2	3	3	6
80-84	29	2.1	3	<1	<1	2	2	4	5	10
85+	18	2.0	3	<1	1	1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	163	4.3	12	<1	1	3	5	10	12	15
70-74	106	4.8	12	1	1	4	6	9	11	16
75-79	83	4.8	11	1	1	4	6	9	10	19
80-84	63	4.3	6	1	1	4	6	8	9	12
85+	40	5.8	20	2	2	4	7	11	14	25
B. *Operated*										
65-69 YRS	657	3.7	36	1	1	2	4	7	13	30
70-74	518	3.7	25	1	1	2	4	8	12	33
75-79	282	4.4	33	1	1	2	5	10	18	31
80-84	119	6.0	66	1	1	3	8	14	21	44
85+	63	8.0	67	1	1	6	11	16	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.9	11	1	1	3	5	7	10	22
B. *Operated*	515	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	455	4.6	12	1	1	4	6	9	11	15
B. *Operated*	1639	4.2	36	1	1	2	4	9	15	32
1. SINGLE DX	584	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	2094	4.3	31	1	1	2	5	9	14	29
A. NOT OPERATED	524	4.5	12	1	1	4	6	9	11	16
B. OPERATED	2154	3.6	29	<1	1	2	4	8	13	29
TOTAL 65-69 YRS	1075	3.4	25	<1	1	2	3	7	11	25
70-74	809	3.5	19	1	1	2	4	8	11	24
75-79	450	4.1	24	1	1	2	5	8	13	28
80-84	219	5.0	42	1	1	3	6	10	15	32
85+	125	6.2	45	1	1	4	8	14	16	35
GRAND TOTAL	**2678**	**3.8**	**26**	**<1**	**1**	**2**	**4**	**8**	**12**	**27**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	719	5.6	9	2	2	5	7	9	11	16
70-74	751	5.8	9	2	3	5	7	10	11	15
75-79	679	6.0	10	2	3	5	7	10	12	18
80-84	566	6.1	17	2	3	6	7	10	11	18
85+	751	6.7	13	3	3	6	8	11	13	20
B. *Operated*										
65-69 YRS	47	8.7	19	1	4	8	11	14	16	23
70-74	54	9.0	24	2	3	9	11	16	19	22
75-79	42	9.5	25	2	4	8	14	17	18	19
80-84	24	10.4	22	3	4	11	14	17	17	18
85+	15	11.4	58	2	4	10	14	26	28	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11440	8.1	29	3	3	7	10	14	17	27
70-74	14147	8.5	35	3	4	7	10	14	18	31
75-79	14925	8.9	35	3	4	8	11	15	19	31
80-84	13567	9.3	41	3	4	8	11	16	20	34
85+	17306	9.8	48	3	4	8	12	17	21	40
B. *Operated*										
65-69 YRS	1900	16.0	163	4	6	12	20	32	43	92
70-74	2208	15.6	141	5	6	12	19	29	40	90
75-79	2109	17.0	164	5	6	13	21	33	46	90
80-84	1672	17.6	183	5	7	14	21	33	48	99
85+	1614	18.4	176	6	7	15	22	35	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3466	6.0	12	2	3	5	7	10	12	18
B. *Operated*	182	9.4	25	2	4	9	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	71385	9.0	39	3	4	8	11	15	19	33
B. *Operated*	9503	16.8	165	5	6	13	21	32	45	95
1. SINGLE DX	3648	6.2	13	2	3	5	8	10	12	18
2. MULTIPLE DX	80888	9.9	60	3	4	8	12	17	23	45
A. NOT OPERATED	74851	8.8	38	3	4	7	11	15	19	32
B. OPERATED	9685	16.7	163	5	6	13	20	32	44	94
TOTAL 65-69 YRS	14106	9.0	54	3	3	7	11	16	21	41
70-74	17160	9.3	54	3	4	7	11	16	22	41
75-79	17755	9.8	57	3	4	8	12	17	23	43
80-84	15829	10.0	62	3	4	8	12	17	23	47
85+	19686	10.4	63	3	4	8	12	18	24	48
GRAND TOTAL	**84536**	**9.7**	**58**	**3**	**4**	**8**	**12**	**17**	**23**	**44**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	57	4.5	7	1	2	4	6	7	9	16
70-74	48	4.3	8	1	2	4	6	7	7	19
75-79	58	4.6	7	1	1	4	6	8	10	12
80-84	38	4.1	4	1	2	4	5	7	7	10
85+	38	4.6	10	1	1	4	6	10	12	13
B. *Operated*										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	663	5.4	10	2	2	5	7	9	11	17
70-74	821	5.7	13	2	2	5	7	10	13	20
75-79	801	6.1	17	2	2	5	7	11	14	22
80-84	599	6.4	16	2	3	6	8	11	14	22
85+	627	6.8	23	2	2	6	8	12	14	22
B. *Operated*										
65-69 YRS	39	9.6	38	3	3	8	13	16	22	30
70-74	36	11.4	92	3	5	8	13	19	31	53
75-79	33	17.5	254	4	4	13	21	44	46	78
80-84	38	12.6	101	2	3	10	19	28	41	99+
85+	21	10.3	28	3	4	10	13	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	4.4	7	1	2	4	6	7	9	13
B. *Operated*	3	6.3	44	2	2	3	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	3511	6.0	16	2	2	5	8	11	13	21
B. *Operated*	167	12.3	111	3	3	10	15	24	32	73
1. SINGLE DX	242	4.5	8	1	2	4	6	7	9	14
2. MULTIPLE DX	3678	6.3	22	2	2	5	8	11	14	24
A. NOT OPERATED	3750	5.9	15	2	2	5	7	11	13	20
B. OPERATED	170	12.2	110	3	3	10	15	23	31	73
TOTAL 65-69 YRS	760	5.5	12	2	2	5	7	10	12	18
70-74	907	5.8	17	2	2	5	7	10	13	21
75-79	892	6.4	30	2	2	5	8	12	15	26
80-84	675	6.6	23	2	3	6	8	12	16	27
85+	686	6.8	23	2	2	6	8	12	14	22
GRAND TOTAL	**3920**	**6.2**	**21**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	5.9	10	2	3	5	8	10	12	16
70-74	103	5.5	8	2	3	5	7	10	11	15
75-79	88	5.3	8	2	2	5	7	9	10	16
80-84	39	5.7	9	1	2	6	8	9	10	15
85+	25	5.8	13	1	2	5	8	10	14	14
B. *Operated*										
65-69 YRS	16	3.0	4	<1	<1	3	4	5	7	8
70-74	11	3.4	7	<1	<1	3	5	8	8	8
75-79	7	4.7	17	<1	<1	4	8	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1410	7.1	26	2	3	6	9	12	16	25
70-74	1490	7.4	36	2	3	6	9	13	16	32
75-79	1202	7.2	27	2	3	6	9	13	16	24
80-84	724	7.2	30	2	3	6	8	13	16	27
85+	582	7.3	40	2	3	6	9	13	17	33
B. *Operated*										
65-69 YRS	224	10.3	145	1	2	8	12	19	27	94
70-74	174	11.4	109	1	2	10	14	22	33	70
75-79	140	10.9	84	1	2	9	13	25	33	99+
80-84	78	9.5	54	2	3	8	13	20	29	99+
85+	44	11.9	63	3	5	10	14	24	31	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	5.6	9	2	2	5	7	9	11	15
B. *Operated*	36	3.6	8	<1	<1	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	5408	7.2	31	2	3	6	9	13	16	28
B. *Operated*	660	10.7	106	1	2	8	13	22	32	96
1. SINGLE DX	404	5.4	9	1	2	5	7	9	11	15
2. MULTIPLE DX	6068	7.6	40	2	3	6	9	14	18	33
A. NOT OPERATED	5776	7.1	30	2	3	6	9	13	16	28
B. OPERATED	696	10.4	104	1	2	8	13	21	30	94
TOTAL 65-69 YRS	1763	7.4	41	2	3	6	9	13	17	31
70-74	1778	7.7	43	2	3	6	9	14	18	36
75-79	1437	7.4	33	2	3	6	9	13	17	32
80-84	842	7.3	31	2	3	6	9	13	17	32
85+	652	7.5	42	2	3	6	9	14	17	33
GRAND TOTAL	**6472**	**7.5**	**39**	**2**	**3**	**6**	**9**	**13**	**17**	**33**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	5.9	17	1	2	5	7	9	12	26
70-74	105	6.2	17	2	2	5	8	11	14	25
75-79	64	6.7	23	2	2	6	8	10	13	30
80-84	29	5.1	7	1	3	4	7	9	10	11
85+	6	5.8	9	1	1	6	9	9	9	9
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	4	4.5	27	<1	<1	2	8	12	12	12
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1185	8.0	39	2	3	6	10	14	19	31
70-74	1316	8.0	35	2	3	7	10	15	18	34
75-79	991	8.1	38	2	3	7	10	14	19	36
80-84	454	8.2	28	2	3	7	10	14	18	31
85+	210	8.4	52	3	3	7	10	15	19	53
B. *Operated*										
65-69 YRS	159	15.0	188	2	4	11	18	32	49	86
70-74	142	16.9	220	3	5	13	22	36	60	99+
75-79	99	15.8	124	3	5	14	20	30	37	84
80-84	49	23.8	549	4	6	15	33	62	85	96
85+	18	12.2	34	3	6	11	16	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	6.1	17	2	2	5	8	10	12	26
B. *Operated*	9	3.2	12	<1	<1	2	4	9	12	12
2. MULTIPLE DX										
A. *Not Operated*	4156	8.0	37	2	3	7	10	14	18	34
B. *Operated*	467	16.6	221	2	5	13	20	35	53	99
1. SINGLE DX	309	6.0	17	2	2	5	8	10	12	26
2. MULTIPLE DX	4623	8.9	62	2	3	7	11	16	21	44
A. NOT OPERATED	4456	7.9	36	2	3	7	10	14	18	32
B. OPERATED	476	16.3	221	2	4	12	20	35	52	98
TOTAL 65-69 YRS	1442	8.6	59	2	3	7	10	16	21	43
70-74	1565	8.7	57	2	3	7	10	16	22	48
75-79	1158	8.7	49	2	3	7	10	17	21	39
80-84	533	9.4	95	2	3	7	11	16	22	62
85+	234	8.6	51	3	3	7	10	16	19	41
GRAND TOTAL	**4932**	**8.7**	**60**	**2**	**3**	**7**	**10**	**16**	**21**	**43**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	730	4.9	9	1	2	4	6	9	10	15
70-74	563	4.8	8	1	2	4	6	8	10	14
75-79	391	4.7	8	1	2	4	6	8	11	16
80-84	176	5.3	12	2	2	5	7	9	11	16
85+	88	5.0	13	2	2	4	6	9	12	22
B. *Operated*										
65-69 YRS	9	6.8	12	2	2	6	9	12	12	12
70-74	2	9.5	1	9	9	9	10	10	10	10
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5034	6.5	20	2	3	6	8	11	14	24
70-74	4588	6.7	20	2	3	6	8	12	14	24
75-79	3335	6.8	21	2	3	6	8	12	14	23
80-84	1845	7.4	25	2	3	6	9	14	17	26
85+	1078	7.6	26	2	3	7	10	13	17	25
B. *Operated*										
65-69 YRS	272	12.4	112	3	4	9	14	26	34	63
70-74	240	12.2	85	3	5	10	15	23	33	53
75-79	160	13.2	106	3	4	10	17	26	32	52
80-84	93	16.0	177	4	5	13	20	30	37	75
85+	48	12.9	150	3	4	8	18	27	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1948	4.9	9	1	2	4	6	8	10	16
B. *Operated*	14	6.9	12	1	2	7	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	15880	6.8	21	2	3	6	8	12	15	24
B. *Operated*	813	12.9	113	3	4	10	16	26	34	62
1. SINGLE DX	1962	4.9	9	1	2	4	6	8	10	16
2. MULTIPLE DX	16693	7.1	27	2	3	6	9	12	16	28
A. NOT OPERATED	17828	6.6	20	2	3	6	8	11	14	23
B. OPERATED	827	12.8	112	3	4	10	15	26	33	61
TOTAL 65-69 YRS	6045	6.6	25	2	3	5	8	11	14	28
70-74	5393	6.8	23	2	3	6	8	12	15	25
75-79	3888	6.9	25	2	3	6	8	12	15	25
80-84	2115	7.6	34	2	3	6	9	14	18	29
85+	1214	7.7	32	2	3	6	10	13	18	30
GRAND TOTAL	**18655**	**6.9**	**26**	**2**	**3**	**6**	**8**	**12**	**15**	**27**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	538	5.8	12	2	2	5	7	10	12	17
70-74	485	6.3	22	2	2	5	8	11	13	26
75-79	343	5.7	13	2	2	5	7	10	14	17
80-84	158	5.2	13	1	2	5	6	9	11	17
85+	61	4.6	8	1	2	4	6	7	9	16
B. *Operated*										
65-69 YRS	22	5.9	17	1	2	4	9	12	14	15
70-74	12	3.9	8	<1	1	3	6	8	10	10
75-79	7	9.4	23	3	4	10	12	16	17	17
80-84	5	5.0	23	<1	<1	4	7	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5315	7.5	30	2	3	6	9	13	17	28
70-74	5549	7.8	34	2	3	6	10	14	18	30
75-79	4155	7.9	42	2	3	6	10	14	18	34
80-84	2371	7.8	34	2	3	6	10	14	18	31
85+	1115	8.0	39	2	3	6	10	15	20	39
B. *Operated*										
65-69 YRS	522	14.9	241	2	4	10	17	35	56	99+
70-74	589	14.0	162	3	4	10	17	29	41	99+
75-79	440	14.2	162	3	4	11	17	27	45	96
80-84	203	14.3	134	3	5	11	18	29	41	99+
85+	99	14.0	109	4	5	11	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1585	5.9	15	2	2	5	7	10	13	18
B. *Operated*	46	5.8	18	1	1	4	9	13	14	17
2. MULTIPLE DX										
A. *Not Operated*	18505	7.7	35	2	3	6	9	14	18	31
B. *Operated*	1853	14.3	178	3	4	11	17	29	48	99+
1. SINGLE DX	1631	5.9	15	2	2	5	7	10	13	18
2. MULTIPLE DX	20358	8.3	52	2	3	7	10	15	20	41
A. NOT OPERATED	20090	7.6	34	2	3	6	9	14	17	30
B. OPERATED	1899	14.1	176	3	4	11	17	29	48	99+
TOTAL 65-69 YRS	6397	8.0	50	2	3	6	10	14	19	40
70-74	6635	8.2	48	2	3	7	10	15	19	37
75-79	4945	8.3	54	2	3	7	10	15	20	42
80-84	2737	8.2	44	2	3	7	10	15	19	34
85+	1275	8.3	47	2	3	7	10	16	22	50
GRAND TOTAL	**21989**	**8.2**	**49**	**2**	**3**	**6**	**10**	**15**	**19**	**39**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.8	2	1	1	3	4	4	4	4
70-74	6	5.3	13	2	2	4	7	11	12	12
75-79	4	6.0	8	4	4	5	8	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+	4	4.5	16	1	1	3	7	10	10	10
B. *Operated*										
65-69 YRS	42	6.9	23	2	3	5	9	13	17	26
70-74	25	6.8	26	1	2	5	8	14	18	22
75-79	28	6.1	21	1	1	5	8	10	15	24
80-84	8	10.8	89	3	3	6	17	26	29	29
85+	9	10.6	73	2	3	8	12	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	7.3	34	1	2	6	9	15	21	28
70-74	64	6.3	26	2	2	4	8	12	16	25
75-79	57	5.7	20	1	2	5	7	11	12	28
80-84	27	7.1	17	1	2	7	9	12	15	20
85+	31	7.1	14	2	3	7	10	12	14	15
B. *Operated*										
65-69 YRS	344	11.7	101	2	4	9	14	24	32	52
70-74	367	11.7	96	2	4	9	15	26	31	48
75-79	273	13.1	122	3	4	10	17	26	36	58
80-84	157	12.0	106	4	4	10	15	23	27	69
85+	83	13.5	153	3	4	9	16	27	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.8	9	1	1	4	6	10	11	12
B. *Operated*	112	7.2	32	2	2	6	9	14	20	29
2. MULTIPLE DX										
A *Not Operated*	240	6.6	24	1	2	6	9	12	15	26
B. *Operated*	1224	12.2	108	3	4	9	15	25	32	53
1. SINGLE DX	132	6.9	30	1	2	5	8	14	20	29
2. MULTIPLE DX	1464	11.3	99	2	3	8	14	23	30	52
A. NOT OPERATED	260	6.5	23	1	2	5	9	12	15	25
B. OPERATED	1336	11.8	104	3	4	9	14	24	31	52
TOTAL 65-69 YRS	452	10.5	88	2	3	8	13	22	29	48
70-74	462	10.6	86	2	3	8	13	22	29	44
75-79	362	11.4	107	2	3	8	14	24	32	52
80-84	193	11.2	95	3	4	9	14	21	26	64
85+	127	11.5	117	3	3	8	14	23	30	59
GRAND TOTAL	**1596**	**10.9**	**95**	**2**	**3**	**8**	**13**	**22**	**29**	**51**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	5.0	21	1	1	4	6	9	11	29
70-74	107	4.6	13	1	1	4	7	8	10	21
75-79	93	5.4	17	<1	1	5	7	11	14	20
80-84	65	4.8	10	1	1	4	7	9	10	15
85+	91	6.4	18	1	2	5	8	12	15	22
B. *Operated*										
65-69 YRS	126	5.9	21	<1	1	5	8	11	16	21
70-74	98	6.3	55	<1	1	4	8	14	17	44
75-79	71	5.6	29	<1	1	4	8	12	17	24
80-84	45	6.3	36	1	1	5	8	12	22	25
85+	23	7.3	83	1	1	4	10	16	28	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3035	7.1	37	2	2	6	9	13	17	29
70-74	3573	7.7	39	2	2	6	10	15	19	32
75-79	3538	8.2	41	2	3	7	10	15	20	32
80-84	2942	8.6	43	2	3	7	11	16	20	34
85+	3323	9.4	54	2	3	8	12	17	22	40
B. *Operated*										
65-69 YRS	1611	12.2	133	1	2	9	15	25	34	60
70-74	1598	13.0	153	2	3	10	16	26	37	77
75-79	1326	13.9	146	2	3	11	18	29	37	79
80-84	962	14.8	169	2	3	11	19	29	42	79
85+	808	16.7	180	3	5	13	21	35	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	5.2	16	1	1	4	7	10	12	20
B. *Operated*	363	6.1	37	<1	1	5	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	16411	8.2	43	2	3	7	10	15	20	34
B. *Operated*	6305	13.7	154	2	3	10	17	28	38	73
1. SINGLE DX	828	5.6	26	1	1	4	7	11	15	25
2. MULTIPLE DX	22716	9.7	80	2	3	7	12	19	26	50
A. NOT OPERATED	16876	8.1	43	2	3	7	10	15	20	34
B. OPERATED	6668	13.3	151	2	3	10	17	27	37	73
TOTAL 65-69 YRS	4881	8.7	74	1	2	6	11	17	23	46
70-74	5376	9.2	79	2	2	7	11	18	25	52
75-79	5028	9.6	75	2	3	7	12	19	25	47
80-84	4014	10.0	80	2	3	8	12	19	25	47
85+	4245	10.7	86	2	3	8	13	20	27	50
GRAND TOTAL	**23544**	**9.6**	**79**	**2**	**3**	**7**	**12**	**19**	**25**	**49**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	2.3	1	1	1	2	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	108	2.4	6	1	1	2	3	3	5	16
70-74	53	2.4	3	1	1	2	3	4	7	9
75-79	29	2.2	2	<1	<1	2	3	4	5	5
80-84	18	2.1	1	<1	<1	2	3	4	4	4
85+	11	1.5	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	4.8	17	<1	1	4	5	9	16	20
70-74	41	5.4	62	1	1	3	6	10	21	41
75-79	25	4.1	8	<1	1	3	6	9	9	10
80-84	25	4.2	8	<1	1	4	6	8	9	11
85+	23	4.0	7	<1	1	4	6	8	9	10
B. *Operated*										
65-69 YRS	360	3.6	50	1	1	2	3	5	8	41
70-74	295	3.0	12	1	1	2	3	6	8	19
75-79	229	3.9	35	1	1	2	3	7	18	36
80-84	137	3.1	9	1	1	2	3	8	10	15
85+	141	3.4	19	1	1	2	3	7	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	1	1	1	3	3	3	3	3
B. *Operated*	219	2.3	4	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	158	4.6	24	1	1	3	6	9	11	32
B. *Operated*	1162	3.4	29	1	1	2	3	6	10	28
1. SINGLE DX	227	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	1320	3.6	29	1	1	2	3	7	10	29
A. NOT OPERATED	166	4.5	23	1	1	3	6	9	11	31
B. OPERATED	1381	3.2	25	1	1	2	3	5	9	27
TOTAL 65-69 YRS	513	3.4	38	1	1	2	3	5	9	31
70-74	390	3.2	17	1	1	2	3	6	9	21
75-79	284	3.7	30	1	1	2	3	6	14	34
80-84	184	3.1	8	<1	1	2	4	7	9	14
85+	176	3.4	17	1	1	2	3	7	11	20
GRAND TOTAL	**1547**	**3.4**	**25**	**1**	**1**	**2**	**3**	**6**	**10**	**27**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	4.5	5	2	2	4	7	8	8	8
70-74	9	4.4	6	1	2	4	5	8	10	10
75-79	9	3.7	3	<1	1	4	4	6	7	7
80-84	7	4.7	1	3	3	5	6	6	6	6
85+	7	4.0	4	2	2	3	5	7	8	8
B. *Operated*										
65-69 YRS	105	2.0	2	1	1	2	2	3	5	8
70-74	70	2.3	3	<1	1	2	3	4	6	9
75-79	55	2.6	3	<1	1	2	3	5	5	10
80-84	25	2.3	2	<1	1	2	3	4	6	6
85+	14	4.7	22	1	1	2	9	15	79	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	6.8	27	1	2	6	8	12	16	30
70-74	95	6.4	25	1	2	5	7	12	16	27
75-79	87	6.9	24	2	3	6	9	12	16	29
80-84	76	7.1	21	2	3	6	8	13	17	27
85+	101	7.8	15	3	3	7	10	14	15	17
B. *Operated*										
65-69 YRS	214	3.9	17	1	1	3	4	8	12	19
70-74	165	4.2	28	1	1	3	4	10	14	23
75-79	147	5.5	64	1	1	3	6	14	19	37
80-84	95	6.9	133	1	1	3	8	14	17	72
85+	61	6.6	27	1	2	5	10	14	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.3	4	2	2	4	5	7	8	10
B. *Operated*	269	2.4	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	472	7.0	22	2	3	6	9	13	16	28
B. *Operated*	682	5.0	48	1	1	3	6	11	15	33
1. SINGLE DX	317	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX	1154	5.8	38	1	1	4	7	12	15	30
A. NOT OPERATED	520	6.8	21	2	2	6	8	12	15	26
B. OPERATED	951	4.2	37	1	1	2	4	10	14	25
TOTAL 65-69 YRS	448	4.2	18	1	1	3	5	9	12	24
70-74	339	4.4	23	1	1	3	5	10	14	23
75-79	298	5.3	41	1	1	3	7	11	15	32
80-84	203	6.4	73	1	1	4	7	13	16	45
85+	183	7.0	20	2	2	6	10	14	15	23
GRAND TOTAL	**1471**	**5.1**	**33**	**1**	**1**	**3**	**7**	**11**	**14**	**25**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	2.6	2	1	1	3	4	4	5	7
70-74	68	2.8	4	1	1	2	4	5	6	10
75-79	45	2.4	2	<1	<1	2	3	5	5	5
80-84	34	3.0	7	<1	1	2	4	7	9	12
85+	23	3.4	9	<1	1	3	4	6	10	15
B. *Operated*										
65-69 YRS	89	5.1	18	<1	<1	4	7	10	13	21
70-74	87	4.2	9	<1	1	4	6	9	10	14
75-79	68	6.1	137	<1	<1	3	7	11	13	81
80-84	46	3.6	11	<1	<1	3	5	6	10	17
85+	31	4.1	8	<1	<1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1367	4.5	14	1	2	4	5	8	10	19
70-74	1239	4.7	12	1	2	4	6	8	11	20
75-79	1087	4.9	13	1	2	4	6	9	12	19
80-84	799	5.3	19	1	2	4	7	9	13	25
85+	716	5.7	23	1	2	5	7	11	14	26
B. *Operated*										
65-69 YRS	1003	7.7	60	1	2	6	9	15	21	44
70-74	1076	8.1	76	1	2	6	9	16	23	47
75-79	889	8.3	68	1	2	6	10	17	22	43
80-84	712	8.7	76	1	2	6	10	17	24	49
85+	599	9.3	87	2	2	7	11	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.7	4	<1	1	2	4	5	6	10
B. *Operated*	321	4.7	39	<1	<1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	5208	4.9	16	1	2	4	6	9	12	20
B. *Operated*	4279	8.3	72	1	2	6	10	17	22	46
1. SINGLE DX	572	3.9	25	<1	1	3	5	8	10	16
2. MULTIPLE DX	9487	6.5	44	1	2	5	8	12	17	35
A. NOT OPERATED	5459	4.8	15	1	2	4	6	9	11	20
B. OPERATED	4600	8.1	71	1	2	6	10	16	22	46
TOTAL 65-69 YRS	2540	5.7	35	1	2	4	7	11	15	31
70-74	2470	6.1	43	1	2	4	7	11	16	34
75-79	2089	6.4	43	1	2	5	8	12	17	35
80-84	1591	6.7	47	1	2	5	8	13	18	36
85+	1369	7.2	54	1	2	5	9	14	19	38
GRAND TOTAL	**10059**	**6.3**	**43**	**1**	**2**	**5**	**7**	**12**	**17**	**34**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	4.7	18	<1	<1	4	6	8	8	25
70-74	24	5.0	5	2	2	5	7	8	9	10
75-79	22	2.8	3	2	2	3	5	6	7	8
80-84	9	4.9	4	2	2	5	6	8	8	8
85+	8	5.1	26	<1	<1	3	7	14	16	16
B. *Operated*										
65-69 YRS	22	7.1	21	<1	1	6	10	15	16	16
70-74	22	5.2	12	1	2	4	7	11	12	13
75-79	21	4.9	8	<1	<1	6	7	8	9	10
80-84	5	11.0	97	<1	<1	9	16	27	27	27
85+	7	6.7	6	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	308	5.4	9	2	2	5	7	9	11	15
70-74	340	5.5	12	2	2	5	7	10	13	18
75-79	341	5.7	12	2	2	5	7	10	12	19
80-84	253	6.7	28	2	3	5	8	12	15	26
85+	194	6.2	14	2	3	5	8	11	14	20
B. *Operated*										
65-69 YRS	345	7.6	40	2	2	6	9	14	19	37
70-74	375	8.3	42	2	3	7	10	15	19	35
75-79	327	8.8	44	2	3	7	11	15	20	37
80-84	253	9.0	46	2	3	7	11	16	21	39
85+	167	8.3	65	2	3	6	9	14	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.6	10	1	2	4	6	8	9	21
B. *Operated*	77	6.2	19	<1	1	6	8	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	1436	5.8	15	2	2	5	7	10	13	20
B. *Operated*	1467	8.4	45	2	3	7	10	15	19	37
1. SINGLE DX	174	5.3	15	<1	2	5	7	10	12	23
2. MULTIPLE DX	2903	7.1	32	2	2	6	9	13	17	30
A. NOT OPERATED	1533	5.8	14	2	2	5	7	10	13	20
B. OPERATED	1544	8.3	44	2	3	7	10	15	19	36
TOTAL 65-69 YRS	709	6.5	26	1	2	5	8	11	14	27
70-74	761	6.9	29	2	2	5	8	13	16	31
75-79	711	7.0	29	2	2	6	9	12	16	29
80-84	520	7.8	38	2	3	6	9	14	18	34
85+	376	7.1	38	2	3	6	9	12	16	27
GRAND TOTAL	**3077**	**7.0**	**31**	**2**	**2**	**6**	**8**	**13**	**16**	**29**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	4.2	4	1	2	4	5	7	8	10
70-74	66	4.4	6	2	2	4	5	8	10	13
75-79	69	3.7	2	2	2	3	5	6	7	7
80-84	36	5.6	26	2	2	5	7	8	9	33
85+	44	4.8	4	2	3	5	6	8	9	10
B. *Operated*										
65-69 YRS	59	6.1	7	3	3	6	8	10	11	12
70-74	67	6.9	21	2	3	6	9	12	13	29
75-79	56	6.1	13	2	3	5	8	12	13	17
80-84	35	8.6	43	3	4	7	10	14	26	33
85+	30	6.6	17	2	3	5	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	819	5.9	17	2	3	5	7	10	13	24
70-74	951	6.1	14	2	3	5	8	10	13	22
75-79	926	6.7	21	2	3	6	8	11	14	25
80-84	777	6.9	26	2	3	6	8	12	15	26
85+	745	7.5	24	3	3	6	9	13	17	26
B. *Operated*										
65-69 YRS	921	10.8	123	3	3	7	13	21	30	61
70-74	1017	10.1	74	3	3	8	12	19	26	53
75-79	1076	10.5	77	3	4	8	13	20	27	54
80-84	804	11.3	108	3	4	8	13	21	30	64
85+	803	12.0	110	3	4	9	14	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	4.4	7	2	2	4	5	7	8	12
B. *Operated*	247	6.7	19	2	3	6	9	12	13	29
2. MULTIPLE DX										
A. *Not Operated*	4218	6.6	20	2	3	6	8	11	14	25
B. *Operated*	4621	10.9	97	3	4	8	13	21	29	58
1. SINGLE DX	543	5.5	14	2	2	5	7	9	12	17
2. MULTIPLE DX	8839	8.8	65	3	3	7	10	17	23	46
A. NOT OPERATED	4514	6.5	20	2	3	5	8	11	14	24
B. OPERATED	4868	10.7	94	3	4	8	13	20	28	57
TOTAL 65-69 YRS	1880	8.2	74	2	3	6	9	16	22	48
70-74	2101	8.0	47	2	3	6	9	15	20	38
75-79	2127	8.5	53	3	3	7	10	16	22	40
80-84	1652	9.1	71	3	3	7	10	17	23	51
85+	1622	9.7	71	3	4	7	11	18	24	46
GRAND TOTAL	**9382**	**8.6**	**63**	**2**	**3**	**6**	**10**	**16**	**22**	**45**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	3.4	4	1	1	3	4	6	8	8
70-74	44	3.5	6	1	1	3	4	7	9	11
75-79	39	4.5	13	1	1	4	5	7	11	21
80-84	15	4.0	2	2	2	4	5	6	6	6
85+	22	4.1	8	1	2	4	5	7	10	14
B. *Operated*										
65-69 YRS	9	8.8	68	2	3	7	8	22	30	30
70-74	9	5.1	10	<1	<1	6	7	9	10	10
75-79	7	9.9	148	4	4	5	9	32	37	37
80-84	2	9.0	50	4	4	9	14	14	14	14
85+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	643	5.0	12	2	2	4	6	8	11	16
70-74	658	5.2	22	2	2	4	6	8	10	18
75-79	603	5.8	17	2	2	5	7	10	13	23
80-84	445	5.9	21	2	2	5	7	10	12	21
85+	326	6.5	21	2	3	5	8	12	16	33
B. *Operated*										
65-69 YRS	188	9.0	56	2	3	7	10	18	24	39
70-74	177	9.2	59	2	3	8	11	16	20	51
75-79	165	9.5	86	2	2	7	11	18	32	66
80-84	100	11.8	118	3	4	8	13	23	32	63
85+	58	8.9	65	2	3	7	12	16	25	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.8	7	1	1	3	5	7	8	14
B. *Operated*	29	7.6	61	1	2	5	8	12	30	37
2. MULTIPLE DX										
A. *Not Operated*	2675	5.5	18	2	2	5	7	9	12	20
B. *Operated*	688	9.6	74	2	3	8	11	17	26	54
1. SINGLE DX	208	4.3	16	1	1	4	5	7	9	25
2. MULTIPLE DX	3363	6.4	32	2	2	5	8	11	15	30
A. NOT OPERATED	2854	5.4	18	2	2	4	7	9	12	19
B. OPERATED	717	9.5	74	2	3	7	11	17	26	53
TOTAL 65-69 YRS	899	5.8	24	2	2	5	7	10	13	27
70-74	888	5.9	31	2	2	5	7	10	14	23
75-79	814	6.5	34	2	2	5	8	12	16	35
80-84	562	6.9	43	2	2	5	8	12	15	33
85+	408	6.7	28	2	2	5	8	13	17	50
GRAND TOTAL	**3571**	**6.2**	**32**	**2**	**2**	**5**	**7**	**11**	**15**	**30**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	153	4.3	4	2	2	4	5	7	8	11
70-74	137	4.3	4	2	2	4	5	6	7	11
75-79	99	4.7	5	2	2	4	6	8	9	11
80-84	60	5.0	9	2	2	4	6	9	10	18
85+	66	6.2	20	2	3	5	7	10	13	28
B. *Operated*										
65-69 YRS	51	9.1	18	2	4	9	11	15	18	21
70-74	47	8.6	19	2	3	8	11	13	17	21
75-79	51	9.5	32	4	4	9	11	14	17	39
80-84	31	12.0	46	4	5	11	13	23	28	32
85+	33	9.5	27	3	5	9	12	18	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1209	5.7	15	2	2	5	7	10	12	23
70-74	1326	6.2	15	2	3	5	7	10	13	21
75-79	1245	6.6	21	2	3	5	8	11	14	23
80-84	932	7.3	28	2	3	6	9	13	17	28
85+	996	8.1	50	3	3	6	9	14	18	35
B. *Operated*										
65-69 YRS	686	12.7	148	3	4	9	15	23	32	89
70-74	698	12.7	129	4	4	9	15	24	38	67
75-79	705	14.2	131	4	5	11	17	28	40	64
80-84	531	14.4	129	4	5	11	17	28	38	65
85+	494	14.3	113	4	5	11	18	26	36	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.7	7	2	2	4	6	8	10	14
B. *Operated*	213	9.6	28	3	4	9	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	5708	6.7	25	2	3	6	8	11	15	25
B. *Operated*	3114	13.6	132	3	4	10	16	26	37	69
1. SINGLE DX	728	6.1	18	2	2	5	8	11	14	21
2. MULTIPLE DX	8822	9.1	74	3	3	7	11	17	24	49
A. NOT OPERATED	6223	6.5	24	2	3	5	8	11	14	25
B. OPERATED	3327	13.3	126	3	4	10	16	25	36	68
TOTAL 65-69 YRS	2099	8.0	69	2	3	6	9	15	21	52
70-74	2208	8.2	60	2	3	6	9	15	21	46
75-79	2100	9.1	71	3	3	7	11	17	24	52
80-84	1554	9.7	74	3	3	7	12	19	26	44
85+	1589	9.9	76	3	4	7	12	19	24	47
GRAND TOTAL	**9550**	**8.9**	**70**	**2**	**3**	**7**	**10**	**17**	**23**	**48**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.5	7	1	1	4	7	8	10	11
70-74	13	5.5	16	1	1	4	8	12	14	14
75-79	3	8.7	66	3	3	5	15	18	18	18
80-84	5	6.4	5	3	3	6	8	9	9	9
85+	6	4.8	5	3	3	4	7	8	8	8
B. *Operated*										
65-69 YRS	28	9.1	13	3	5	9	10	14	18	19
70-74	18	8.8	11	4	5	8	10	14	15	16
75-79	15	13.5	62	4	6	12	17	29	29	29
80-84	3	8.3	36	2	2	9	13	14	14	14
85+	9	12.2	40	2	3	15	16	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	6.6	16	2	3	6	8	11	16	22
70-74	118	6.9	18	3	3	6	8	13	16	23
75-79	102	7.3	21	2	3	6	8	13	16	26
80-84	108	8.1	43	3	3	7	9	14	19	38
85+	92	9.6	69	3	3	7	12	16	21	52
B. *Operated*										
65-69 YRS	184	13.8	93	4	5	12	17	25	35	51
70-74	214	17.5	224	4	5	14	21	36	49	81
75-79	173	15.7	143	3	4	13	21	28	43	76
80-84	131	15.8	162	4	5	13	19	33	41	98
85+	104	15.7	122	5	6	12	20	31	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.4	13	1	2	4	7	10	12	18
B. *Operated*	73	10.3	29	3	5	9	13	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	518	7.6	33	3	3	6	9	14	17	29
B. *Operated*	806	15.7	155	4	5	13	20	31	41	74
1. SINGLE DX	114	8.5	29	2	3	7	11	16	18	29
2. MULTIPLE DX	1324	12.6	123	3	4	9	16	24	34	61
A. NOT OPERATED	559	7.5	32	3	3	6	9	13	17	29
B. OPERATED	879	15.3	146	4	5	12	19	29	39	70
TOTAL 65-69 YRS	324	10.8	71	3	4	8	13	20	26	47
70-74	363	13.2	166	3	4	9	16	25	37	76
75-79	293	12.6	111	3	4	10	16	24	32	63
80-84	247	12.1	120	3	4	9	15	25	34	65
85+	211	12.6	102	3	4	10	16	25	34	58
GRAND TOTAL	**1438**	**12.3**	**116**	**3**	**4**	**9**	**15**	**24**	**33**	**61**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	2.9	2	<1	1	3	4	5	6	8
70-74	79	3.4	5	<1	1	3	4	7	8	11
75-79	58	2.5	4	<1	1	2	3	6	7	10
80-84	37	3.6	7	<1	<1	3	5	7	9	12
85+	30	3.4	8	<1	<1	3	4	7	10	13
B. *Operated*										
65-69 YRS	25	3.7	11	<1	<1	2	6	8	11	12
70-74	20	3.7	9	<1	<1	3	5	9	10	11
75-79	17	5.8	34	<1	<1	4	8	17	18	18
80-84	9	3.9	7	<1	<1	4	6	7	8	8
85+	3	4.0	7	<1	<1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1884	4.9	14	1	2	4	6	9	11	19
70-74	1923	5.2	16	1	2	4	6	10	12	21
75-79	1672	5.6	19	2	2	5	7	10	13	22
80-84	1327	5.8	26	2	2	5	7	10	13	26
85+	1151	6.4	28	2	2	5	8	11	15	25
B. *Operated*										
65-69 YRS	599	7.5	40	2	3	6	9	13	18	36
70-74	601	8.4	58	2	3	7	10	15	21	33
75-79	541	8.3	47	2	3	7	10	16	20	31
80-84	374	9.0	43	2	3	7	12	17	23	34
85+	260	10.9	106	3	4	8	12	20	31	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	3.1	4	<1	1	3	4	6	8	11
B. *Operated*	74	4.2	15	<1	<1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	7957	5.5	19	2	2	4	7	10	13	22
B. *Operated*	2375	8.5	55	2	3	7	10	16	22	38
1. SINGLE DX	391	3.3	7	<1	<1	3	4	6	8	13
2. MULTIPLE DX	10332	6.2	29	2	2	5	7	11	15	26
A. NOT OPERATED	8274	5.4	19	1	2	4	7	10	13	22
B. OPERATED	2449	8.4	54	2	3	7	10	15	21	37
TOTAL 65-69 YRS	2621	5.4	21	1	2	4	6	10	13	24
70-74	2623	5.9	27	1	2	5	7	11	14	25
75-79	2288	6.1	27	2	2	5	7	11	15	25
80-84	1747	6.4	31	2	2	5	8	12	16	28
85+	1444	7.1	44	2	2	6	8	13	17	41
GRAND TOTAL	**10723**	**6.1**	**29**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	2.6	4	<1	<1	2	3	4	8	9
70-74	28	3.2	9	<1	1	2	4	8	11	12
75-79	14	4.6	40	1	1	2	4	11	22	25
80-84	16	3.5	9	<1	1	3	4	8	11	12
85+	10	2.4	2	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	5	4.4	18	<1	<1	2	8	10	10	10
70-74	11	9.0	23	3	4	7	11	16	20	20
75-79	10	13.4	12	9	9	12	17	18	18	18
80-84	4	9.3	38	3	3	9	14	15	15	15
85+	5	12.0	327	1	1	4	17	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	415	4.9	13	1	2	4	6	9	11	20
70-74	421	5.6	21	1	2	4	7	11	14	21
75-79	354	5.9	20	1	2	5	8	12	14	22
80-84	300	5.9	32	1	2	5	7	11	15	43
85+	230	7.3	84	2	2	5	9	13	16	52
B. *Operated*										
65-69 YRS	224	14.4	182	3	4	11	17	29	41	88
70-74	269	14.1	151	2	3	11	18	30	40	63
75-79	242	14.0	163	3	3	11	18	31	43	68
80-84	134	12.7	99	2	3	10	17	25	30	48
85+	114	15.5	190	3	5	11	18	35	45	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.2	12	<1	1	2	4	7	10	20
B. *Operated*	35	10.1	63	<1	2	9	14	18	20	44
2. MULTIPLE DX										
A. *Not Operated*	1720	5.8	30	1	2	4	7	11	14	24
B. *Operated*	983	14.1	158	2	3	11	18	30	40	67
1. SINGLE DX	128	5.1	35	<1	1	3	7	12	16	29
2. MULTIPLE DX	2703	8.8	93	1	2	6	11	18	26	53
A. NOT OPERATED	1813	5.6	29	1	2	4	7	11	14	24
B. OPERATED	1018	14.0	155	2	3	11	17	29	40	66
TOTAL 65-69 YRS	669	8.0	90	1	2	5	10	16	25	52
70-74	729	8.7	86	1	2	6	11	19	27	54
75-79	620	9.2	92	1	2	6	12	19	28	55
80-84	454	7.9	60	1	2	6	10	17	23	45
85+	359	9.8	134	1	2	6	11	20	31	61
GRAND TOTAL	**2831**	**8.6**	**91**	**1**	**2**	**6**	**10**	**18**	**26**	**53**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	4.0	2	3	3	4	5	5	5	5
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	146	4.2	3	2	3	4	5	7	7	10
70-74	82	4.4	3	2	3	4	5	6	7	12
75-79	43	4.8	4	2	3	4	6	8	9	10
80-84	21	5.5	5	2	3	5	7	9	10	11
85+	15	4.5	9	2	2	3	5	8	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	5.3	23	1	1	4	6	13	17	17
70-74	6	4.5	12	1	1	4	5	10	11	11
75-79	4	4.3	2	3	3	4	5	6	6	6
80-84	3	4.7	2	3	3	5	6	6	6	6
85+	3	13.7	177	5	5	7	23	29	29	29
B. *Operated*										
65-69 YRS	225	6.2	12	2	3	5	8	11	13	18
70-74	165	7.5	22	3	3	6	9	13	17	22
75-79	88	6.6	19	3	3	6	8	11	13	30
80-84	47	10.9	49	4	4	9	12	21	25	37
85+	33	10.8	153	2	3	8	12	18	19	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	307	4.4	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	25	5.9	34	1	2	5	6	11	20	29
B. *Operated*	558	7.3	30	3	3	6	9	13	16	27
1. SINGLE DX	309	4.4	4	2	3	4	5	7	8	11
2. MULTIPLE DX	583	7.2	30	3	3	6	9	13	17	28
A. NOT OPERATED	27	5.7	32	1	2	5	6	10	19	29
B. OPERATED	865	6.3	22	2	3	5	7	11	14	22
TOTAL 65-69 YRS	380	5.4	10	2	3	5	7	9	11	16
70-74	255	6.4	18	3	3	5	8	11	14	20
75-79	135	5.9	15	3	3	5	7	9	11	23
80-84	71	9.0	41	3	4	7	11	16	22	36
85+	51	9.1	118	2	3	7	10	17	19	74
GRAND TOTAL	**892**	**6.3**	**23**	**2**	**3**	**5**	**7**	**11**	**14**	**22**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.0	11	2	2	5	8	11	11	11
70-74	5	7.4	20	3	3	6	9	15	15	15
75-79	2	8.5	1	8	8	8	9	9	9	9
80-84	1	14.0		14	14	14	14	14	14	14
85+										
B. *Operated*										
65-69 YRS	153	7.9	11	4	4	7	9	11	14	20
70-74	81	7.7	15	4	4	7	9	11	14	26
75-79	51	9.5	21	4	5	8	11	15	21	23
80-84	22	7.3	9	3	4	7	9	11	13	15
85+	12	9.0	17	3	4	8	11	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	9.6	15	5	5	9	12	15	17	18
70-74	15	10.3	18	4	5	10	13	17	18	19
75-79	12	7.5	25	<1	1	7	11	15	16	16
80-84	6	15.7	296	6	6	8	16	47	50	50
85+	5	10.0	16	7	7	9	11	17	17	17
B. *Operated*										
65-69 YRS	468	11.6	60	5	6	10	13	21	26	40
70-74	427	12.2	81	5	6	10	14	21	26	49
75-79	248	12.8	83	5	6	11	14	21	28	61
80-84	164	12.9	58	6	6	10	15	25	28	42
85+	99	14.7	89	7	8	12	16	25	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.5	15	2	3	7	9	14	15	15
B. *Operated*	319	8.1	14	4	4	7	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	51	10.1	51	3	4	8	13	16	18	50
B. *Operated*	1406	12.4	73	5	6	10	14	21	27	48
1. SINGLE DX	332	8.1	14	4	4	7	10	12	15	22
2. MULTIPLE DX	1457	12.3	72	5	6	10	14	21	27	49
A. NOT OPERATED	64	9.6	44	3	4	8	12	16	17	46
B. OPERATED	1725	11.6	65	5	6	9	13	20	26	45
TOTAL 65-69 YRS	639	10.6	50	4	5	9	12	18	23	38
70-74	528	11.4	71	4	5	9	13	19	25	45
75-79	313	12.0	73	5	6	10	14	20	27	58
80-84	193	12.4	62	5	6	10	15	23	28	43
85+	116	13.9	82	6	7	11	15	23	31	57
GRAND TOTAL	**1789**	**11.5**	**64**	**5**	**5**	**9**	**13**	**20**	**26**	**45**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.3	7	3	3	4	7	9	9	9
70-74										
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	12	4.7	6	2	2	4	6	8	10	10
70-74	11	4.5	4	2	2	4	5	8	9	9
75-79	5	5.2	5	3	3	4	7	8	8	8
80-84	2	7.5	5	6	6	7	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	5.5	23	1	1	4	9	12	12	12
70-74	6	2.8	4	1	1	2	4	6	6	6
75-79	7	6.3	24	1	1	6	7	14	16	16
80-84	5	5.2	8	3	3	4	6	10	10	10
85+	4	6.3	15	2	2	6	9	10	10	10
B. *Operated*										
65-69 YRS	36	8.3	29	2	3	7	10	16	21	23
70-74	18	8.0	22	2	3	7	10	13	19	22
75-79	14	10.2	60	3	4	8	13	23	28	30
80-84	6	12.7	41	5	5	13	15	22	23	23
85+	3	13.3	8	10	10	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.3	6	2	2	4	5	9	9	9
B. *Operated*	30	4.9	5	2	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	26	5.2	14	1	1	4	7	10	13	16
B. *Operated*	77	9.1	34	3	3	8	11	16	22	28
1. SINGLE DX	36	4.8	5	2	2	4	6	9	9	10
2. MULTIPLE DX	103	8.1	32	2	3	7	10	15	21	26
A. NOT OPERATED	32	5.0	13	1	1	4	7	10	12	16
B. OPERATED	107	7.9	29	2	3	7	10	15	21	26
TOTAL 65-69 YRS	56	7.1	24	2	3	6	10	14	19	23
70-74	35	6.0	18	1	2	5	8	11	13	22
75-79	28	7.8	42	2	2	6	9	16	23	30
80-84	13	9.0	33	3	4	7	13	17	22	23
85+	7	9.3	25	2	2	10	14	15	15	15
GRAND TOTAL	**139**	**7.3**	**27**	**2**	**2**	**6**	**10**	**14**	**18**	**24**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	2.9	8	1	1	1	5	8	8	8
70-74	16	1.9	2	1	1	2	3	3	5	6
75-79	6	3.2	1	2	2	3	4	4	4	4
80-84	4	2.3	1	<1	<1	2	3	3	3	3
85+	9	2.0	2	<1	<1	1	3	5	5	5
B. *Operated*										
65-69 YRS	2075	2.5	2	1	1	2	3	4	5	7
70-74	1674	2.5	2	<1	1	2	3	4	5	7
75-79	1197	2.7	3	1	1	3	3	5	6	7
80-84	616	2.7	2	1	1	3	4	5	5	8
85+	294	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	2.7	9	<1	<1	1	4	6	7	18
70-74	64	2.5	7	<1	<1	2	3	5	8	13
75-79	62	3.3	16	<1	<1	2	3	9	12	19
80-84	53	3.8	23	<1	<1	2	5	8	11	30
85+	35	4.2	24	<1	1	2	5	9	16	23
B. *Operated*										
65-69 YRS	3884	3.3	6	1	1	3	4	6	7	13
70-74	3707	3.5	9	1	1	3	4	6	8	13
75-79	2824	3.9	11	1	1	3	5	7	9	16
80-84	1647	4.3	13	1	1	3	5	8	10	19
85+	815	4.8	15	1	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	5856	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	290	3.2	14	<1	<1	2	4	7	10	20
B. *Operated*	12877	3.7	10	1	1	3	4	7	9	15
1. SINGLE DX	5902	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	13167	3.7	10	1	1	3	4	7	9	15
A. NOT OPERATED	336	3.1	13	<1	<1	2	4	7	10	19
B. OPERATED	18733	3.4	8	1	1	3	4	6	8	13
TOTAL 65-69 YRS	6046	3.0	5	1	1	3	4	5	6	11
70-74	5461	3.2	7	1	1	3	4	6	7	12
75-79	4089	3.5	9	1	1	3	4	6	8	14
80-84	2320	3.8	11	1	1	3	5	7	9	17
85+	1153	4.3	13	1	1	4	5	8	11	18
GRAND TOTAL	**19069**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	1.3		<1	<1	1	2	2	2	2
70-74	5	2.8	6	1	1	2	4	7	7	7
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	5	3.4	10	1	1	2	4	9	9	9
85+	12	2.9	3	1	1	3	4	5	6	6
B. *Operated*										
65-69 YRS	170	3.4	5	1	1	3	4	6	7	9
70-74	162	3.7	4	1	2	3	5	6	7	11
75-79	145	3.8	8	1	1	3	5	7	8	14
80-84	107	4.3	12	1	1	4	5	7	9	21
85+	118	4.6	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.5	16	<1	1	3	6	9	14	15
70-74	17	5.8	130	1	1	2	5	9	35	49
75-79	27	4.0	9	1	1	3	6	9	10	11
80-84	25	4.5	23	<1	1	3	5	10	16	22
85+	52	4.5	20	1	1	2	6	12	16	19
B. *Operated*										
65-69 YRS	467	5.7	26	1	2	4	7	11	15	27
70-74	557	6.2	42	1	2	4	7	12	16	35
75-79	628	7.0	46	2	2	5	8	14	17	40
80-84	542	7.8	44	2	2	6	10	15	21	31
85+	536	8.5	54	2	3	7	10	16	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.5	4	<1	1	2	3	5	7	9
B. *Operated*	702	3.9	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	134	4.6	31	1	1	3	6	10	14	26
B. *Operated*	2730	7.0	44	2	2	5	9	14	18	33
1. SINGLE DX	735	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX	2864	6.9	44	1	2	5	8	14	18	33
A. NOT OPERATED	167	4.1	26	1	1	2	5	9	13	21
B. OPERATED	3432	6.4	38	1	2	5	8	12	17	31
TOTAL 65-69 YRS	658	5.0	21	1	1	4	6	9	14	27
70-74	741	5.6	36	1	2	4	6	11	15	30
75-79	803	6.3	39	1	2	5	7	12	17	34
80-84	679	7.1	40	1	2	5	9	14	20	30
85+	718	7.4	46	1	2	6	9	14	19	33
GRAND TOTAL	**3599**	**6.3**	**38**	**1**	**2**	**5**	**8**	**12**	**17**	**30**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	2	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	65	2.7	2	1	1	2	3	5	6	7
70-74	37	2.3	3	<1	<1	2	3	4	5	10
75-79	25	2.6	2	<1	1	2	3	5	6	6
80-84	10	3.4	2	1	1	3	5	5	5	5
85+	14	3.9	5	1	2	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	2.0	2	<1	<1	2	3	4	4	4
70-74	11	3.8	6	<1	1	3	6	7	8	8
75-79	4	3.5	6	1	1	3	5	6	6	6
80-84	5	4.4	8	2	2	3	6	9	9	9
85+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
65-69 YRS	176	4.1	18	1	1	3	5	7	10	15
70-74	108	4.0	10	1	1	3	5	8	10	19
75-79	79	4.2	7	1	1	4	5	8	10	13
80-84	35	4.6	9	1	2	4	6	8	11	12
85+	22	5.6	33	<1	1	4	7	9	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	151	2.7	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	28	3.5	6	<1	1	3	5	7	8	9
B. *Operated*	420	4.2	14	1	1	3	5	8	10	16
1. SINGLE DX	154	2.7	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	448	4.2	13	1	1	3	5	8	10	15
A. NOT OPERATED	31	3.3	6	<1	1	2	5	7	8	9
B. OPERATED	571	3.8	11	1	1	3	5	7	9	14
TOTAL 65-69 YRS	248	3.6	14	1	1	3	5	6	8	13
70-74	156	3.6	8	<1	1	3	5	7	9	17
75-79	110	3.7	6	1	1	3	5	7	8	12
80-84	50	4.3	7	1	2	4	6	8	10	12
85+	38	4.9	21	1	1	4	7	9	10	28
GRAND TOTAL	**602**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.3	3	1	1	2	4	5	5	5
70-74	5	2.2	5	1	1	1	3	6	6	6
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	435	4.0	5	1	1	4	5	7	8	10
70-74	340	4.1	5	1	1	4	5	7	8	11
75-79	193	4.6	6	1	2	5	6	8	8	11
80-84	88	4.5	6	1	1	4	6	8	9	12
85+	35	4.6	7	1	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	3.7	19	<1	<1	2	5	8	12	24
70-74	38	3.3	8	<1	<1	2	5	7	8	12
75-79	33	3.5	4	<1	1	4	5	7	7	7
80-84	25	4.6	12	<1	1	4	7	9	12	14
85+	19	3.8	5	2	2	3	5	7	9	10
B. *Operated*										
65-69 YRS	1132	6.0	19	1	2	5	7	10	13	21
70-74	1023	6.2	24	2	2	5	7	11	14	24
75-79	646	6.3	15	2	2	5	8	11	13	19
80-84	251	6.7	23	1	2	6	9	11	15	22
85+	137	8.1	67	2	2	6	10	14	20	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.6	4	1	1	2	4	6	7	7
B. *Operated*	1091	4.2	5	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	163	3.7	11	<1	1	3	5	7	9	16
B. *Operated*	3189	6.2	22	2	2	5	8	11	14	23
1. SINGLE DX	1106	4.2	5	1	1	4	6	7	8	10
2. MULTIPLE DX	3352	6.1	22	1	2	5	8	11	14	23
A. NOT OPERATED	178	3.6	10	<1	1	3	5	7	9	15
B. OPERATED	4280	5.7	19	1	2	5	7	10	13	20
TOTAL 65-69 YRS	1622	5.3	16	1	2	5	7	9	11	19
70-74	1406	5.6	20	1	2	5	7	10	13	21
75-79	873	5.8	13	1	2	5	7	10	13	19
80-84	365	6.0	19	1	2	5	8	10	14	21
85+	192	7.1	52	2	2	5	9	13	17	41
GRAND TOTAL	**4458**	**5.6**	**18**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	3.2	2	1	1	3	4	5	6	8
70-74	18	3.5	4	1	2	3	4	6	8	9
75-79	15	3.8	6	<1	1	3	6	7	8	8
80-84	9	3.1	5	<1	<1	3	4	7	8	8
85+	10	3.3	4	<1	<1	3	5	6	7	7
B. *Operated*										
65-69 YRS	18	6.6	8	1	2	7	8	11	12	12
70-74	12	6.7	9	2	3	7	8	11	12	12
75-79	9	6.9	3	4	4	7	8	9	9	9
80-84	4	7.8	34	1	1	8	12	14	14	14
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	510	4.2	8	1	1	4	5	7	8	16
70-74	610	4.4	9	1	2	4	5	7	10	15
75-79	499	4.7	9	2	2	4	6	8	10	15
80-84	364	5.1	10	2	2	4	6	9	11	18
85+	308	5.5	14	2	2	5	7	9	12	21
B. *Operated*										
65-69 YRS	283	8.2	27	2	3	7	10	15	17	36
70-74	254	9.9	55	3	3	8	12	17	23	42
75-79	166	9.8	58	2	2	8	13	20	23	38
80-84	88	9.7	43	3	4	8	12	19	22	34
85+	57	10.6	64	2	2	8	15	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.4	4	1	1	3	4	6	8	9
B. *Operated*	44	6.8	9	2	3	7	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	2291	4.7	10	1	2	4	6	8	10	16
B. *Operated*	848	9.4	46	2	3	8	11	17	22	37
1. SINGLE DX	120	4.6	8	1	1	4	7	8	10	13
2. MULTIPLE DX	3139	5.9	24	1	2	5	7	11	15	25
A. NOT OPERATED	2367	4.6	10	1	2	4	6	8	10	16
B. OPERATED	892	9.2	44	2	3	8	11	17	22	37
TOTAL 65-69 YRS	835	5.6	18	1	2	5	7	10	13	23
70-74	894	6.0	28	1	2	5	7	11	16	26
75-79	689	5.9	25	2	2	4	7	11	15	25
80-84	465	5.9	20	1	2	5	7	11	14	23
85+	376	6.3	24	2	2	5	7	12	16	28
GRAND TOTAL	**3259**	**5.9**	**23**	**1**	**2**	**5**	**7**	**11**	**15**	**25**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	54	3.2	7	1	1	2	4	6	8	17
70-74	44	2.4	1	1	1	2	3	4	5	5
75-79	33	2.8	5	1	1	2	3	6	7	12
80-84	15	3.9	11	1	2	3	4	6	13	15
85+	13	3.2	6	<1	1	3	4	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	4.0	3	2	2	4	5	6	6	6
70-74	5	2.4	3	1	1	2	3	5	5	5
75-79	5	7.4	50	1	1	4	14	16	16	16
80-84	9	3.3	6	1	1	3	5	7	8	8
85+	10	9.1	24	3	3	8	13	16	16	16
B. *Operated*										
65-69 YRS	98	4.7	11	1	2	4	6	9	11	18
70-74	106	4.7	16	1	1	4	6	9	14	21
75-79	101	4.5	15	1	1	3	5	9	12	20
80-84	62	6.4	39	1	1	5	8	13	22	31
85+	35	6.0	22	1	2	4	8	15	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*	159	3.0	6	1	1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	34	5.6	22	1	1	4	6	14	16	16
B. *Operated*	402	5.0	19	1	1	4	6	9	14	22
1. SINGLE DX	162	3.0	6	1	1	2	3	5	7	15
2. MULTIPLE DX	436	5.1	19	1	1	4	6	10	15	22
A. NOT OPERATED	37	5.3	21	1	1	4	6	14	16	16
B. OPERATED	561	4.4	16	1	1	3	5	8	13	21
TOTAL 65-69 YRS	158	4.2	10	1	1	3	5	8	10	17
70-74	156	4.0	13	1	1	3	5	7	13	21
75-79	139	4.2	14	1	1	3	5	9	13	20
80-84	87	5.6	32	1	1	4	7	12	17	30
85+	58	5.9	22	1	1	4	8	14	16	22
GRAND TOTAL	**598**	**4.5**	**16**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.4	5	1	1	3	4	6	9	10
70-74	11	3.7	6	1	1	3	6	7	8	8
75-79	9	2.2	2	1	1	2	3	5	5	5
80-84	4	3.5	1	3	3	3	4	5	5	5
85+	14	4.9	7	1	1	5	6	8	10	10
B. *Operated*										
65-69 YRS	201	4.5	11	1	1	4	6	8	10	19
70-74	226	4.9	9	1	2	4	7	10	11	14
75-79	159	5.3	12	1	2	4	7	10	12	17
80-84	94	5.6	13	1	2	5	7	10	13	17
85+	76	6.4	17	2	2	5	8	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	4.5	9	1	2	4	6	8	11	15
70-74	65	5.0	17	1	2	4	6	8	10	26
75-79	100	5.5	14	2	2	5	7	10	12	20
80-84	76	5.9	81	1	2	4	7	9	11	62
85+	96	6.1	16	2	2	5	8	12	15	18
B. *Operated*										
65-69 YRS	768	8.5	56	2	3	7	10	16	23	44
70-74	740	9.0	51	2	3	7	11	17	22	44
75-79	731	9.5	63	2	3	8	12	17	24	44
80-84	598	11.3	76	3	4	9	14	21	29	49
85+	497	12.1	79	3	4	10	15	24	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.7	5	1	1	3	5	7	8	10
B. *Operated*	756	5.1	12	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	405	5.5	27	1	2	4	7	10	12	20
B. *Operated*	3334	9.9	65	2	3	8	12	19	25	47
1. SINGLE DX	812	5.0	11	1	2	4	7	10	11	17
2. MULTIPLE DX	3739	9.4	63	2	3	7	12	18	24	45
A. NOT OPERATED	461	5.2	24	1	2	4	6	10	12	20
B. OPERATED	4090	9.0	58	2	3	7	11	17	24	43
TOTAL 65-69 YRS	1055	7.4	47	1	2	6	9	14	21	38
70-74	1042	7.8	43	2	2	6	10	15	20	36
75-79	999	8.4	53	2	3	7	10	16	21	38
80-84	772	10.0	74	2	3	8	12	19	26	47
85+	683	10.5	69	2	3	8	13	20	26	41
GRAND TOTAL	**4551**	**8.6**	**56**	**2**	**2**	**7**	**11**	**17**	**22**	**42**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	415	4.1	8	1	1	3	5	7	9	15
70-74	376	3.9	5	1	1	4	5	7	8	12
75-79	308	4.4	7	1	2	4	6	8	10	12
80-84	215	4.5	10	1	2	4	6	8	10	16
85+	183	5.1	18	1	2	4	6	9	13	19
B. *Operated*										
65-69 YRS	155	10.8	25	5	6	10	13	17	21	28
70-74	146	10.4	24	5	6	9	13	16	20	32
75-79	98	10.9	39	5	6	9	13	17	25	37
80-84	92	11.7	39	6	7	10	13	19	22	42
85+	69	12.3	39	4	6	11	15	22	25	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2203	5.9	20	2	2	5	7	11	14	25
70-74	2497	6.3	22	2	2	5	8	11	14	23
75-79	2438	6.5	25	2	2	5	8	12	15	25
80-84	2052	7.0	27	2	2	6	9	13	16	26
85+	2163	7.9	44	2	3	6	10	14	19	33
B. *Operated*										
65-69 YRS	1517	15.5	133	5	7	12	18	28	37	73
70-74	1694	15.6	117	6	7	13	18	28	38	61
75-79	1569	16.1	124	6	7	13	19	29	39	84
80-84	1205	16.3	118	6	7	14	20	29	37	79
85+	1022	16.2	88	6	8	14	19	28	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1497	4.3	9	1	1	4	5	8	10	15
B. *Operated*	560	11.1	31	5	6	10	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	11353	6.7	28	2	2	5	8	12	15	27
B. *Operated*	7007	15.9	118	6	7	13	19	28	37	66
1. SINGLE DX	2057	6.1	24	1	2	5	8	12	15	25
2. MULTIPLE DX	18360	10.2	82	2	3	8	13	20	27	49
A. NOT OPERATED	12850	6.4	26	2	2	5	8	12	15	26
B. OPERATED	7567	15.6	113	6	7	13	18	27	36	64
TOTAL 65-69 YRS	4290	9.3	81	2	2	7	12	18	25	45
70-74	4713	9.6	77	2	3	7	12	19	25	47
75-79	4413	9.9	81	2	3	7	12	20	27	50
80-84	3564	10.1	78	2	3	8	13	20	26	46
85+	3437	10.3	71	2	3	8	13	20	26	43
GRAND TOTAL	**20417**	**9.8**	**78**	**2**	**3**	**7**	**12**	**19**	**26**	**46**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	223	2.7	4	1	1	2	3	5	6	13
70-74	177	3.0	6	1	1	2	4	5	7	12
75-79	159	3.0	3	1	1	2	4	6	7	10
80-84	116	3.3	4	1	1	3	4	6	7	9
85+	108	3.3	5	1	1	2	4	7	8	11
B. *Operated*										
65-69 YRS	24	7.4	29	2	2	6	9	17	19	20
70-74	13	6.5	11	2	3	7	9	11	12	12
75-79	5	6.8	16	<1	<1	6	10	11	11	11
80-84	7	8.4	37	2	2	5	14	17	17	17
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2401	4.8	17	1	2	4	6	9	11	19
70-74	2682	4.8	14	1	2	4	6	8	11	19
75-79	2569	5.3	24	1	2	4	6	10	13	23
80-84	2116	5.4	24	2	2	4	7	10	12	26
85+	2025	5.8	28	2	2	5	7	11	14	22
B. *Operated*										
65-69 YRS	359	9.9	93	2	3	7	12	19	25	57
70-74	399	10.7	91	2	3	8	13	22	28	49
75-79	343	11.8	108	2	4	9	14	22	34	54
80-84	259	11.8	91	3	4	9	15	23	30	55
85+	203	11.9	88	3	4	9	15	22	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	3.0	4	1	1	2	4	6	7	11
B. *Operated*	50	7.1	23	2	2	6	10	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	11793	5.2	21	1	2	4	6	9	12	22
B. *Operated*	1563	11.1	95	2	3	8	14	21	29	55
1. SINGLE DX	833	3.3	6	1	1	2	4	6	8	15
2. MULTIPLE DX	13356	5.9	33	1	2	4	7	11	15	29
A. NOT OPERATED	12576	5.1	20	1	2	4	6	9	12	21
B. OPERATED	1613	11.0	93	2	3	8	14	21	29	55
TOTAL 65-69 YRS	3007	5.3	28	1	2	4	6	10	13	25
70-74	3271	5.4	27	1	2	4	6	10	14	28
75-79	3076	5.9	37	1	2	4	7	11	15	30
80-84	2498	6.0	34	2	2	4	7	11	15	31
85+	2337	6.2	35	2	2	5	7	12	15	27
GRAND TOTAL	**14189**	**5.7**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	497	4.8	6	1	2	4	6	8	9	13
70-74	432	4.8	5	1	2	5	6	8	9	13
75-79	334	4.8	7	1	2	4	6	8	10	14
80-84	200	4.5	6	<1	1	4	6	8	9	12
85+	177	4.6	10	<1	1	4	6	8	11	15
B. *Operated*										
65-69 YRS	152	9.6	17	3	5	9	11	15	16	23
70-74	103	10.2	19	3	5	9	12	16	19	23
75-79	63	11.2	17	5	6	10	13	17	19	21
80-84	32	11.6	26	7	7	10	14	16	20	32
85+	14	10.9	37	2	2	10	14	18	23	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2459	5.7	11	2	2	5	7	10	12	18
70-74	2756	5.9	14	2	2	5	7	10	12	20
75-79	2855	6.3	20	2	2	5	8	11	13	22
80-84	2534	6.6	24	2	3	6	8	12	15	25
85+	2616	7.1	30	2	3	6	9	12	16	30
B. *Operated*										
65-69 YRS	1624	13.5	91	4	5	11	16	24	31	59
70-74	1591	13.2	82	3	5	11	16	23	31	54
75-79	1454	14.0	104	4	5	11	17	25	33	57
80-84	977	15.0	128	4	5	12	18	27	36	76
85+	700	14.5	120	3	4	12	19	29	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1640	4.7	7	1	2	4	6	8	9	13
B. *Operated*	364	10.3	19	3	6	10	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	13220	6.3	20	2	2	5	8	11	14	23
B. *Operated*	6346	13.9	101	4	5	11	17	25	33	58
1. SINGLE DX	2004	5.7	13	1	2	5	7	10	13	17
2. MULTIPLE DX	19566	8.8	59	2	3	7	11	17	22	42
A. NOT OPERATED	14860	6.1	19	2	2	5	7	11	13	22
B. OPERATED	6710	13.7	97	4	5	11	16	24	32	57
TOTAL 65-69 YRS	4732	8.4	53	2	3	7	10	15	21	37
70-74	4882	8.3	48	2	3	6	10	16	21	37
75-79	4706	8.6	59	2	3	7	11	16	22	41
80-84	3743	8.7	64	2	3	7	11	17	23	42
85+	3507	8.5	56	2	3	6	10	16	23	42
GRAND TOTAL	**21570**	**8.5**	**56**	**2**	**3**	**7**	**10**	**16**	**22**	**40**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.3	4	<1	<1	4	5	5	5	5
70-74	5	2.2	2	<1	<1	2	3	4	4	4
75-79	6	2.3	1	1	1	2	3	4	4	4
80-84	3	3.0	4	<1	<1	3	4	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	157	2.7	8	<1	1	2	3	4	5	13
70-74	103	2.8	6	<1	1	2	3	5	8	13
75-79	50	3.1	8	1	1	3	4	6	8	17
80-84	29	3.3	6	1	1	3	4	6	9	12
85+	12	4.8	15	1	1	4	6	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	6.1	38	<1	1	5	8	10	18	39
70-74	54	6.2	27	2	2	5	7	11	16	31
75-79	34	6.7	37	1	2	5	7	15	16	31
80-84	23	7.6	113	1	2	5	7	14	30	53
85+	23	9.0	29	2	3	9	13	18	44	99+
B. *Operated*										
65-69 YRS	693	4.8	34	1	1	3	5	10	13	29
70-74	465	5.4	39	1	1	3	6	12	18	29
75-79	300	6.4	60	1	1	4	7	14	21	43
80-84	126	7.2	55	1	1	5	8	16	23	39
85+	71	9.7	102	1	2	6	11	22	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*	351	2.9	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	189	6.8	43	1	2	5	8	14	18	48
B. *Operated*	1655	5.7	46	1	1	4	6	12	18	35
1. SINGLE DX	372	2.9	7	<1	1	2	3	5	6	14
2. MULTIPLE DX	1844	5.8	46	1	1	4	7	12	18	35
A. NOT OPERATED	210	6.4	40	1	2	5	7	13	18	45
B. OPERATED	2006	5.2	40	1	1	3	6	10	16	33
TOTAL 65-69 YRS	911	4.5	31	1	1	3	5	9	13	29
70-74	627	5.0	33	1	1	3	6	10	16	28
75-79	390	6.0	52	1	1	4	7	12	18	41
80-84	181	6.6	55	1	1	4	8	14	20	47
85+	107	8.9	78	1	2	6	11	20	30	72
GRAND TOTAL	**2216**	**5.3**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	185	3.7	7	<1	<1	3	5	8	9	11
70-74	151	3.1	6	<1	1	2	4	6	8	11
75-79	146	3.9	10	<1	<1	3	5	8	11	14
80-84	115	3.6	18	<1	1	3	4	6	8	22
85+	130	3.7	10	1	1	3	5	8	10	15
B. *Operated*										
65-69 YRS	169	6.4	24	1	1	6	9	13	15	25
70-74	160	5.8	23	<1	1	5	8	10	13	16
75-79	120	7.1	40	<1	1	6	10	13	19	33
80-84	79	7.0	21	1	1	6	10	13	16	19
85+	62	8.7	86	1	2	7	10	15	20	62
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1850	5.7	25	1	2	4	7	11	14	26
70-74	2054	6.1	27	1	2	5	8	12	15	25
75-79	2252	6.3	34	1	2	5	8	12	15	24
80-84	1894	6.6	43	1	2	5	8	13	17	31
85+	2305	6.5	34	1	2	5	8	13	17	31
B. *Operated*										
65-69 YRS	2081	12.1	140	2	3	9	15	25	35	78
70-74	2092	12.7	151	2	3	9	16	26	35	74
75-79	1788	13.5	149	2	3	10	16	27	36	74
80-84	1289	13.3	140	2	3	10	16	26	38	72
85+	1052	14.0	140	3	4	11	18	27	39	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	727	3.6	10	<1	1	3	5	7	9	13
B. *Operated*	590	6.7	33	<1	1	6	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*	10355	6.2	33	1	2	5	8	12	16	28
B. *Operated*	8302	13.0	145	2	3	10	16	26	36	75
1. SINGLE DX	1317	5.0	23	<1	1	4	7	10	13	21
2. MULTIPLE DX	18657	9.2	94	1	2	6	11	19	26	56
A. NOT OPERATED	11082	6.1	32	1	2	5	8	12	15	27
B. OPERATED	8892	12.6	140	2	3	9	15	26	35	73
TOTAL 65-69 YRS	4285	8.8	91	1	2	6	10	18	26	53
70-74	4457	9.1	96	1	2	6	11	19	27	55
75-79	4306	9.2	94	1	2	7	11	18	26	54
80-84	3377	9.0	90	1	2	6	11	18	26	54
85+	3549	8.7	78	1	2	6	11	18	25	53
GRAND TOTAL	**19974**	**9.0**	**90**	**1**	**2**	**6**	**11**	**18**	**26**	**53**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	7.2	129	<1	1	4	7	15	39	44
70-74	6	10.0	74	4	4	7	9	25	27	27
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	16	3.4	7	1	1	2	6	8	8	8
70-74	9	3.4	14	1	1	2	5	10	12	12
75-79	3	3.0	3	1	1	4	4	4	4	4
80-84										
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	485	9.9	64	2	3	8	12	19	23	41
70-74	349	9.9	56	2	3	8	13	18	25	46
75-79	132	9.9	44	2	3	8	13	20	22	31
80-84	57	10.7	56	2	4	8	14	20	26	35
85+	14	9.9	18	5	6	8	13	16	18	19
B. *Operated*										
65-69 YRS	271	11.7	103	1	2	9	15	25	34	65
70-74	129	11.9	98	2	3	9	16	25	30	51
75-79	61	15.2	244	1	2	10	19	31	53	72
80-84	14	18.6	300	1	3	13	23	48	60	63
85+	3	9.7	4	8	8	9	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	8.1	98	1	1	6	8	17	35	44
B. *Operated*	29	3.7	10	1	1	2	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	1037	9.9	57	2	3	8	13	19	24	38
B. *Operated*	478	12.4	126	1	2	9	16	26	35	68
1. SINGLE DX	50	5.5	51	1	1	4	7	10	12	44
2. MULTIPLE DX	1515	10.7	80	2	3	8	14	21	28	51
A. NOT OPERATED	1058	9.9	58	2	3	8	13	19	24	40
B. OPERATED	507	11.9	124	1	2	8	16	25	34	68
TOTAL 65-69 YRS	785	10.3	79	2	3	8	13	20	27	50
70-74	493	10.3	68	2	3	8	13	20	27	46
75-79	197	11.5	111	1	3	9	14	22	28	62
80-84	72	12.2	109	2	4	9	15	22	34	59
85+	18	9.9	15	5	6	9	12	15	18	19
GRAND TOTAL	**1565**	**10.5**	**80**	**2**	**3**	**8**	**14**	**20**	**27**	**50**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.6	8	<1	<1	1	4	7	8	8
70-74	4	4.3	8	1	1	4	6	7	7	7
75-79	5	4.6	29	<1	<1	3	6	14	14	14
80-84	4	16.8	723	1	1	4	31	57	57	57
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	55	3.4	30	1	1	1	3	10	15	28
70-74	41	2.7	9	<1	<1	1	2	8	9	11
75-79	17	3.8	27	<1	1	2	4	8	17	22
80-84	11	8.2	198	1	1	2	10	31	45	46
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	282	9.2	71	2	2	8	11	16	23	44
70-74	326	8.9	36	2	3	8	11	17	20	33
75-79	256	9.2	52	2	3	7	11	19	26	37
80-84	151	9.9	58	2	3	8	13	19	21	28
85+	65	10.8	68	3	4	8	14	20	23	50
B. *Operated*										
65-69 YRS	337	9.3	105	1	1	7	13	21	29	46
70-74	322	8.9	64	1	1	7	13	20	24	40
75-79	211	10.2	86	1	1	8	15	23	28	44
80-84	104	11.8	81	1	2	9	16	21	28	48
85+	46	13.8	68	3	4	13	19	22	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.3	141	<1	<1	3	6	12	31	57
B. *Operated*	124	3.6	38	<1	1	1	3	9	13	33
2. MULTIPLE DX										
A. *Not Operated*	1080	9.3	54	2	3	8	12	18	22	36
B. *Operated*	1020	9.8	85	1	1	8	14	21	27	45
1. SINGLE DX	146	4.0	53	<1	1	1	4	10	14	46
2. MULTIPLE DX	2100	9.6	69	1	1	8	13	20	24	39
A. NOT OPERATED	1102	9.2	56	2	3	8	11	18	22	37
B. OPERATED	1144	9.2	84	1	1	7	13	21	26	45
TOTAL 65-69 YRS	682	8.7	86	1	1	7	11	19	26	45
70-74	693	8.5	49	1	1	7	11	18	21	33
75-79	489	9.4	67	1	1	7	13	21	27	38
80-84	270	10.6	81	1	2	8	15	20	24	55
85+	112	12.0	69	3	4	10	16	21	27	43
GRAND TOTAL	**2246**	**9.2**	**70**	**1**	**1**	**7**	**12**	**19**	**24**	**40**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	4.7	10	<1	1	4	6	9	11	12
70-74	16	5.1	16	1	1	4	7	9	14	16
75-79	12	4.3	8	<1	1	4	5	9	10	10
80-84	5	7.8	41	3	3	6	9	19	19	19
85+	4	6.0	17	1	1	6	9	11	11	11
B. *Operated*										
65-69 YRS	20	2.4	5	<1	1	2	3	5	8	10
70-74	23	4.3	20	<1	1	2	7	9	14	19
75-79	16	4.9	37	<1	<1	1	8	16	18	19
80-84	7	5.7	23	1	1	5	9	13	14	14
85+	4	6.0	13	3	3	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	612	8.7	62	2	3	7	10	16	22	42
70-74	471	9.0	69	2	3	7	11	17	23	49
75-79	358	9.2	51	2	3	7	12	18	22	34
80-84	222	9.5	60	2	3	7	12	18	22	45
85+	119	8.0	52	2	3	6	9	15	19	41
B. *Operated*										
65-69 YRS	222	12.7	118	1	2	10	17	28	36	49
70-74	196	12.2	122	1	2	9	16	27	35	64
75-79	153	14.8	150	2	3	11	21	30	38	63
80-84	70	14.8	151	2	3	12	18	30	42	63
85+	37	16.1	82	5	6	15	22	31	33	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.1	14	1	1	4	7	10	12	19
B. *Operated*	70	4.1	20	<1	1	2	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	1782	8.9	61	2	3	7	11	17	22	42
B. *Operated*	678	13.5	128	1	2	10	18	29	36	55
1. SINGLE DX	127	4.5	17	<1	1	3	7	10	13	19
2. MULTIPLE DX	2460	10.2	84	2	3	7	13	21	28	50
A. NOT OPERATED	1839	8.8	60	2	3	7	11	17	22	42
B. OPERATED	748	12.6	126	1	2	9	17	28	35	53
TOTAL 65-69 YRS	874	9.5	79	2	2	7	11	19	28	45
70-74	706	9.7	84	2	2	7	12	20	27	51
75-79	539	10.5	86	2	3	8	14	22	27	56
80-84	304	10.6	85	2	3	8	13	20	28	51
85+	164	9.7	68	2	3	7	13	20	27	38
GRAND TOTAL	**2587**	**9.9**	**82**	**2**	**3**	**7**	**12**	**20**	**27**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	185	2.8	3	1	1	2	3	5	6	9
70-74	119	3.4	4	1	1	3	5	6	7	8
75-79	108	3.5	8	1	1	3	4	7	9	16
80-84	69	4.3	5	2	2	4	5	8	9	11
85+	97	4.4	7	1	1	4	6	8	9	12
B. *Operated*										
65-69 YRS	1582	6.0	5	3	4	6	7	9	10	14
70-74	994	6.5	6	3	4	6	8	10	11	15
75-79	549	7.0	8	4	4	6	8	11	12	16
80-84	225	7.9	10	4	5	8	9	12	14	17
85+	140	8.8	18	3	4	8	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1143	4.8	11	1	2	4	6	9	10	18
70-74	1174	5.2	16	1	2	4	6	10	12	22
75-79	1129	5.9	23	1	2	5	7	11	13	24
80-84	904	6.3	23	2	2	5	8	11	14	28
85+	1057	6.9	27	2	2	6	8	12	15	27
B. *Operated*										
65-69 YRS	6729	8.7	29	4	4	7	10	14	17	29
70-74	5892	9.6	33	4	5	8	11	16	19	31
75-79	4252	10.7	45	4	5	9	13	18	22	37
80-84	2392	12.0	54	5	6	10	14	20	25	42
85+	1580	13.6	70	6	7	12	16	22	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	578	3.5	5	1	1	3	5	7	8	11
B. *Operated*	3490	6.6	7	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	5407	5.8	20	1	2	5	7	10	13	23
B. *Operated*	20845	10.1	41	4	5	8	12	17	21	35
1. SINGLE DX	4068	6.1	8	2	3	6	7	10	11	15
2. MULTIPLE DX	26252	9.2	40	3	4	8	11	16	20	33
A. NOT OPERATED	5985	5.6	19	1	2	5	7	10	13	22
B. OPERATED	24335	9.6	38	4	5	8	11	16	20	33
TOTAL 65-69 YRS	9639	7.7	25	3	4	7	9	13	16	25
70-74	8179	8.5	30	3	4	7	10	14	18	28
75-79	6038	9.4	41	3	4	8	11	16	20	33
80-84	3590	10.2	50	3	4	9	12	18	22	39
85+	2874	10.6	61	3	4	9	13	19	24	45
GRAND TOTAL	**30320**	**8.8**	**37**	**3**	**4**	**7**	**11**	**15**	**19**	**32**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	83	3.2	4	<1	1	3	4	6	7	9
70-74	42	3.1	5	1	1	3	4	6	8	10
75-79	44	4.0	13	1	2	3	5	6	7	25
80-84	29	3.9	4	1	2	3	5	7	7	8
85+	25	5.7	11	1	2	5	7	10	13	14
B. *Operated*										
65-69 YRS	95	7.0	21	3	4	7	8	10	12	31
70-74	67	7.1	7	3	4	7	8	11	12	14
75-79	36	7.6	17	3	4	7	9	12	13	25
80-84	17	8.5	16	4	5	8	10	13	18	20
85+	12	8.8	20	4	5	8	9	15	20	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	329	5.4	12	1	2	5	7	10	12	16
70-74	402	5.9	13	2	2	5	7	10	12	18
75-79	357	6.0	16	1	2	5	8	11	13	20
80-84	272	7.4	26	2	3	6	9	14	18	27
85+	325	7.8	24	2	3	7	10	13	16	23
B. *Operated*										
65-69 YRS	614	10.1	43	4	5	9	12	16	21	33
70-74	542	10.9	46	4	5	9	13	18	24	38
75-79	425	12.6	66	5	5	10	15	22	28	43
80-84	285	13.4	92	5	6	11	16	21	28	66
85+	200	14.6	81	6	7	12	17	24	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.7	7	1	1	3	5	7	8	13
B. *Operated*	227	7.3	16	3	4	7	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	1685	6.4	18	2	2	6	8	12	14	22
B. *Operated*	2066	11.7	61	4	5	10	14	20	26	42
1. SINGLE DX	450	5.5	15	1	2	5	7	10	12	20
2. MULTIPLE DX	3751	9.3	49	2	3	8	11	16	22	37
A. NOT OPERATED	1908	6.1	18	1	2	5	8	11	14	21
B. OPERATED	2293	11.3	58	4	5	9	13	19	25	41
TOTAL 65-69 YRS	1121	7.9	35	2	3	7	10	14	17	28
70-74	1053	8.4	36	2	3	7	10	14	19	33
75-79	862	9.2	52	2	3	8	11	17	23	39
80-84	603	10.1	67	2	3	8	13	18	22	40
85+	562	10.1	55	3	4	8	12	18	23	41
GRAND TOTAL	**4201**	**8.9**	**47**	**2**	**3**	**7**	**11**	**16**	**21**	**36**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.8	3	<1	1	4	5	6	6	6
70-74	20	4.4	11	1	1	3	6	8	12	15
75-79	14	3.9	5	<1	1	4	5	7	8	9
80-84	12	5.2	44	2	2	3	5	11	24	26
85+	17	4.8	9	<1	1	4	7	8	11	13
B. *Operated*										
65-69 YRS	104	7.0	28	1	1	7	9	12	15	31
70-74	104	7.6	23	1	1	8	10	13	15	22
75-79	94	7.3	30	1	1	7	11	16	18	22
80-84	46	6.5	26	1	1	5	10	15	16	17
85+	71	9.2	63	1	1	9	13	17	21	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	127	5.0	11	1	2	4	7	9	11	18
70-74	120	5.4	9	1	2	5	6	10	12	14
75-79	127	6.5	21	2	2	5	8	12	15	24
80-84	116	6.2	15	2	2	5	8	10	14	21
85+	163	7.2	21	2	3	6	9	14	16	23
B. *Operated*										
65-69 YRS	606	11.1	52	2	4	10	14	19	23	39
70-74	653	11.9	68	3	5	10	14	20	24	50
75-79	744	12.5	76	2	4	11	16	20	26	53
80-84	571	13.6	73	3	5	12	17	23	31	50
85+	544	14.2	103	3	5	12	17	24	29	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.4	13	1	1	4	5	7	9	23
B. *Operated*	419	7.5	33	1	1	7	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	653	6.1	17	2	2	5	8	11	14	20
B. *Operated*	3118	12.6	75	3	5	11	15	21	26	51
1. SINGLE DX	494	7.1	31	1	1	6	10	14	17	24
2. MULTIPLE DX	3771	11.5	71	2	3	10	14	20	25	47
A. NOT OPERATED	728	5.9	17	1	2	5	7	11	14	21
B. OPERATED	3537	12.0	73	2	4	11	15	21	26	49
TOTAL 65-69 YRS	849	9.6	49	1	2	8	12	17	21	37
70-74	897	10.3	60	2	3	9	13	18	23	43
75-79	979	11.1	70	2	3	10	14	19	24	47
80-84	745	11.8	70	2	3	11	15	21	27	42
85+	795	12.1	90	2	3	10	15	22	26	55
GRAND TOTAL	**4265**	**11.0**	**68**	**2**	**3**	**10**	**14**	**19**	**24**	**44**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.9	4	1	1	4	5	7	8	9
70-74	21	4.0	5	<1	1	3	5	8	8	9
75-79	13	5.8	20	1	3	5	6	10	18	20
80-84	14	3.9	6	<1	1	4	5	7	9	10
85+	17	3.8	4	1	1	4	5	6	8	9
B. *Operated*										
65-69 YRS	27	7.3	45	1	1	5	10	19	23	26
70-74	13	8.7	46	1	2	8	14	20	21	21
75-79	12	8.6	66	1	1	6	14	21	24	25
80-84	10	5.8	21	<1	<1	6	8	12	14	14
85+	7	6.4	26	1	1	4	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	175	6.2	16	2	2	5	8	12	14	20
70-74	206	6.6	19	2	2	6	8	11	14	25
75-79	183	6.9	23	1	2	6	9	13	15	22
80-84	171	6.9	14	2	3	6	9	11	14	21
85+	215	8.0	41	2	3	6	9	14	19	37
B. *Operated*										
65-69 YRS	281	11.5	74	1	2	10	16	21	28	49
70-74	286	13.6	98	2	3	12	17	27	34	52
75-79	274	12.0	67	1	3	11	16	22	25	38
80-84	212	13.8	102	3	4	12	17	23	27	54
85+	185	15.3	128	2	5	13	18	28	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.2	7	1	1	4	5	7	9	16
B. *Operated*	69	7.5	42	1	1	5	11	18	21	26
2. MULTIPLE DX										
A. *Not Operated*	950	6.9	23	2	2	6	9	12	15	24
B. *Operated*	1238	13.1	92	2	3	11	17	24	30	53
1. SINGLE DX	155	5.7	25	1	1	4	7	12	19	25
2. MULTIPLE DX	2188	10.4	71	2	3	8	13	20	25	45
A. NOT OPERATED	1036	6.7	23	2	2	6	8	12	15	23
B. OPERATED	1307	12.8	91	2	3	11	16	23	29	52
TOTAL 65-69 YRS	504	9.1	57	1	2	7	12	19	23	39
70-74	526	10.4	75	2	3	8	13	21	28	46
75-79	482	9.8	55	1	2	9	13	19	23	35
80-84	407	10.4	72	2	3	9	13	19	23	41
85+	424	11.0	92	2	3	8	13	21	29	53
GRAND TOTAL	**2343**	**10.1**	**70**	**2**	**2**	**8**	**13**	**20**	**25**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	158	5.4	15	1	2	5	7	9	11	23
70-74	126	5.6	14	2	2	5	6	10	12	20
75-79	84	5.4	15	1	2	5	7	9	10	25
80-84	66	5.3	9	1	2	5	7	9	11	14
85+	43	4.9	5	2	2	5	6	8	9	10
B. *Operated*										
65-69 YRS	25	7.1	35	<1	1	7	8	12	22	27
70-74	31	7.4	38	<1	<1	6	11	17	18	19
75-79	11	3.8	6	1	1	3	6	7	9	9
80-84	16	7.0	31	1	1	5	11	12	18	21
85+	4	8.8	23	2	2	10	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1201	6.8	21	2	3	6	8	12	16	24
70-74	1086	7.3	31	2	3	6	9	13	16	27
75-79	942	7.4	31	2	3	6	9	13	16	28
80-84	697	8.1	34	2	3	6	10	15	20	33
85+	626	8.2	30	3	4	7	10	14	17	31
B. *Operated*										
65-69 YRS	523	15.6	208	3	4	11	19	30	51	83
70-74	445	15.1	163	3	5	11	19	32	43	99+
75-79	365	14.1	125	2	4	12	17	28	36	71
80-84	265	15.9	163	3	5	12	20	30	42	67
85+	167	17.3	166	5	6	14	21	31	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	5.4	13	2	2	5	7	9	11	19
B. *Operated*	87	6.9	31	<1	1	6	9	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	4552	7.4	29	2	3	6	9	13	16	29
B. *Operated*	1765	15.4	169	3	5	12	19	30	44	81
1. SINGLE DX	564	5.6	16	1	2	5	7	10	12	21
2. MULTIPLE DX	6317	9.7	81	2	3	7	11	18	26	55
A. NOT OPERATED	5029	7.3	28	2	3	6	9	13	16	28
B. OPERATED	1852	15.0	166	2	4	11	18	29	43	80
TOTAL 65-69 YRS	1907	9.1	88	2	3	7	11	18	24	56
70-74	1688	9.2	77	2	3	7	11	17	25	54
75-79	1402	9.0	63	2	3	7	11	16	24	50
80-84	1044	9.9	78	2	3	7	12	20	28	53
85+	840	9.9	69	3	4	7	12	18	24	44
GRAND TOTAL	**6881**	**9.3**	**77**	**2**	**3**	**7**	**11**	**18**	**25**	**53**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	3.6	5	<1	1	3	5	7	9	11
70-74	119	3.9	7	<1	1	3	5	7	9	15
75-79	87	3.9	5	1	1	3	5	7	8	12
80-84	89	4.4	9	1	1	4	6	8	10	17
85+	124	4.2	8	1	1	4	6	7	9	15
B. *Operated*										
65-69 YRS	21	6.1	9	1	2	6	8	10	11	13
70-74	20	5.0	11	1	1	4	7	11	12	12
75-79	19	6.5	32	<1	1	5	9	15	20	23
80-84	10	3.6	10	<1	<1	3	4	9	10	10
85+	9	7.6	26	3	3	4	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2428	5.6	23	2	2	5	7	10	13	25
70-74	2885	6.1	29	2	2	5	7	11	14	26
75-79	3117	6.3	28	2	2	5	7	11	14	25
80-84	2972	6.6	28	2	2	5	8	12	15	29
85+	3775	6.8	27	2	3	6	8	12	15	24
B. *Operated*										
65-69 YRS	865	8.8	71	2	3	6	11	18	23	57
70-74	1045	9.9	100	2	3	7	11	19	27	55
75-79	1080	9.7	77	3	3	7	11	18	26	43
80-84	892	10.4	87	3	3	8	13	20	27	52
85+	738	10.9	95	3	3	8	13	21	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	4.0	7	1	1	3	5	7	9	13
B. *Operated*	79	5.8	18	1	1	4	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	15177	6.3	27	2	2	5	8	11	14	25
B. *Operated*	4620	9.9	86	2	3	7	12	19	27	54
1. SINGLE DX	607	4.2	9	1	1	4	6	8	10	15
2. MULTIPLE DX	19797	7.2	43	2	2	6	8	13	18	34
A. NOT OPERATED	15705	6.2	27	2	2	5	8	11	14	25
B. OPERATED	4699	9.8	85	2	3	7	12	19	27	53
TOTAL 65-69 YRS	3423	6.4	36	2	2	5	8	12	16	32
70-74	4069	7.0	49	2	2	5	8	13	18	39
75-79	4303	7.1	42	2	2	5	8	13	18	34
80-84	3963	7.4	43	2	3	6	9	14	18	33
85+	4646	7.4	40	2	3	6	9	13	17	33
GRAND TOTAL	**20404**	**7.1**	**42**	**2**	**2**	**5**	**8**	**13**	**17**	**34**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	2	1	1	3	4	5	5	5
70-74										
75-79										
80-84	3	6.7	5	4	4	8	8	8	8	8
85+	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	4.3	2	3	3	4	5	6	6	6
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	7.0	37	2	2	5	8	15	19	33
70-74	40	7.9	66	2	2	6	8	17	20	49
75-79	40	8.5	40	2	3	6	12	19	22	28
80-84	26	12.5	354	3	4	8	10	17	51	98
85+	24	10.6	58	3	4	9	13	21	26	34
B. *Operated*										
65-69 YRS	49	16.2	131	4	5	12	23	31	41	49
70-74	32	19.1	245	4	7	15	26	40	76	99+
75-79	32	14.7	192	4	4	10	17	40	65	99+
80-84	22	9.7	25	3	4	9	13	17	19	20
85+	8	19.5	532	2	3	13	18	58	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.2	8	1	2	4	8	9	9	9
B. *Operated*	6	7.8	37	3	3	5	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	170	8.9	97	2	3	6	10	18	22	47
B. *Operated*	143	15.7	179	4	5	11	19	31	45	99+
1. SINGLE DX	16	6.2	19	1	3	5	8	14	16	16
2. MULTIPLE DX	313	12.0	145	2	3	9	14	26	36	86
A. NOT OPERATED	180	8.7	93	2	3	6	10	17	21	46
B. OPERATED	149	15.4	175	3	4	11	18	31	44	99+
TOTAL 65-69 YRS	95	11.6	107	2	3	8	16	27	33	47
70-74	75	12.5	170	2	3	8	16	30	45	95
75-79	73	11.1	115	3	3	8	12	26	38	93
80-84	51	10.9	191	3	4	8	11	17	20	97
85+	35	12.7	164	3	4	10	15	21	31	75
GRAND TOTAL	**329**	**11.7**	**141**	**2**	**3**	**8**	**14**	**25**	**34**	**83**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	19	1	1	3	7	11	11	11
70-74	3	10.0	31	4	4	11	14	15	15	15
75-79	4	6.0	17	3	3	4	8	12	12	12
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	24	3.9	19	1	1	2	4	12	15	16
70-74	10	6.2	58	<1	<1	2	8	20	21	21
75-79	8	2.1	1	1	1	2	3	4	4	4
80-84	3	13.0	124	3	3	11	21	25	25	25
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	8.3	107	2	3	6	9	14	16	75
70-74	68	8.7	50	1	2	6	12	18	25	33
75-79	62	8.0	22	2	2	8	11	13	16	24
80-84	41	11.5	47	4	5	9	14	21	26	33
85+	36	10.1	42	3	4	8	14	22	23	26
B. *Operated*										
65-69 YRS	126	8.3	79	1	1	5	11	24	27	61
70-74	106	10.6	128	1	2	7	13	24	38	51
75-79	79	12.0	175	2	2	9	17	24	34	98
80-84	25	12.4	101	2	3	9	20	29	32	34
85+	11	24.2	679	1	2	13	39	63	86	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.3	19	1	2	4	11	12	14	15
B. *Operated*	45	4.7	35	1	1	2	4	14	19	25
2. MULTIPLE DX										
A. *Not Operated*	271	9.1	56	2	3	7	11	17	22	32
B. *Operated*	347	10.6	142	1	2	7	14	25	35	88
1. SINGLE DX	59	5.1	31	1	1	3	5	13	18	25
2. MULTIPLE DX	618	9.9	105	1	2	7	13	21	29	51
A. NOT OPERATED	285	8.9	55	2	3	7	11	16	22	32
B. OPERATED	392	9.9	133	1	1	6	13	24	34	72
TOTAL 65-69 YRS	218	7.7	81	1	1	5	10	16	25	60
70-74	187	9.6	95	1	1	6	13	19	34	49
75-79	153	9.7	107	1	2	8	12	19	25	92
80-84	71	11.7	67	3	3	9	16	24	29	34
85+	48	13.3	212	3	4	9	14	23	45	88
GRAND TOTAL	**677**	**9.5**	**100**	**1**	**2**	**7**	**12**	**21**	**28**	**50**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74	2	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	8.2	38	3	3	6	10	15	24	29
70-74	29	8.1	19	3	3	7	11	13	18	20
75-79	24	6.5	9	2	3	6	8	11	12	12
80-84	21	10.8	93	3	3	10	12	19	35	46
85+	24	10.6	85	2	3	7	13	25	35	35
B. *Operated*										
65-69 YRS	22	14.1	62	4	5	13	17	28	29	29
70-74	23	13.2	84	2	2	13	19	23	32	39
75-79	16	16.0	168	2	3	13	19	37	47	50
80-84	9	12.4	66	1	3	12	15	24	30	30
85+	9	16.3	81	7	8	14	20	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	125	8.8	47	3	3	7	11	14	23	38
B. *Operated*	79	14.3	90	2	4	13	18	28	32	47
1. SINGLE DX	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX	204	10.9	71	3	3	9	14	21	29	42
A. NOT OPERATED	126	8.7	47	3	3	7	11	14	23	38
B. OPERATED	81	14.0	92	2	3	13	18	28	32	47
TOTAL 65-69 YRS	49	10.8	56	3	3	9	14	25	29	29
70-74	54	10.0	54	2	2	8	13	19	21	39
75-79	40	10.3	92	2	3	7	12	19	31	50
80-84	30	11.3	83	3	3	10	13	21	30	46
85+	34	11.9	89	2	3	9	14	29	35	35
GRAND TOTAL	**207**	**10.8**	**71**	**2**	**3**	**9**	**14**	**21**	**29**	**42**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3		2	2	2	3	3	3	3
70-74	2	9.0	8	7	7	9	11	11	11	11
75-79	3	8.7	58	2	2	7	14	17	17	17
80-84										
85+										
B. *Operated*										
65-69 YRS	40	3.6	9	<1	1	2	5	8	10	12
70-74	38	4.0	65	<1	1	2	4	5	15	48
75-79	22	4.1	16	<1	1	2	6	10	14	16
80-84	16	3.6	9	1	1	3	4	9	11	12
85+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	196	7.5	43	1	2	6	9	15	21	36
70-74	246	7.9	44	2	2	6	10	15	19	33
75-79	249	10.0	115	2	3	7	11	20	29	50
80-84	222	10.6	92	2	3	8	12	19	30	58
85+	218	9.6	85	2	3	8	11	19	25	53
B. *Operated*										
65-69 YRS	537	11.0	123	1	2	8	14	24	32	52
70-74	470	11.0	128	1	2	7	15	23	33	76
75-79	359	13.8	156	1	2	10	19	30	39	66
80-84	209	12.8	146	1	2	10	18	25	35	78
85+	88	12.9	195	1	2	9	16	26	43	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.4	29	2	2	5	9	15	17	17
B. *Operated*	118	3.8	27	1	1	2	4	8	11	30
2. MULTIPLE DX										
A. *Not Operated*	1131	9.2	78	2	2	7	11	17	25	49
B. *Operated*	1663	11.9	139	1	2	9	16	26	35	68
1. SINGLE DX	126	4.0	28	1	1	2	4	8	12	27
2. MULTIPLE DX	2794	10.8	116	1	2	8	14	23	31	63
A. NOT OPERATED	1139	9.1	78	2	2	7	11	17	25	49
B. OPERATED	1781	11.4	136	1	2	8	15	25	35	66
TOTAL 65-69 YRS	776	9.7	101	1	2	7	12	22	29	49
70-74	756	9.6	101	1	2	7	13	20	28	57
75-79	633	12.0	140	2	2	8	15	27	37	64
80-84	447	11.4	118	2	2	8	15	24	31	69
85+	308	10.5	118	2	2	8	13	21	28	69
GRAND TOTAL	**2920**	**10.5**	**114**	**1**	**2**	**7**	**14**	**23**	**31**	**61**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	16.8	761	3	3	4	22	66	66	66
70-74	5	6.6	50	<1	<1	2	12	17	17	17
75-79	9	6.0	25	1	1	5	8	14	17	17
80-84	8	4.5	2	3	3	4	5	7	7	7
85+	5	8.4	50	2	2	6	14	19	19	19
B. *Operated*										
65-69 YRS	14	6.3	41	1	1	4	7	18	22	23
70-74	3	3.0	4	1	1	3	4	5	5	5
75-79	3	12.0	127	5	5	6	20	25	25	25
80-84	1	18.0		18	18	18	18	18	18	18
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	442	9.6	51	2	3	8	12	17	21	41
70-74	550	9.7	57	2	3	8	12	18	24	33
75-79	622	9.7	40	2	4	8	12	17	22	33
80-84	605	10.2	50	3	4	8	13	19	23	39
85+	696	10.3	58	3	4	8	13	18	23	42
B. *Operated*										
65-69 YRS	387	17.2	213	3	4	13	22	36	44	77
70-74	413	17.4	169	3	5	15	22	32	41	74
75-79	355	18.5	149	4	7	15	24	34	43	63
80-84	269	17.1	130	5	7	14	22	33	41	98
85+	165	18.2	181	5	6	15	23	35	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.8	135	1	2	5	8	17	19	66
B. *Operated*	21	7.2	52	1	1	5	7	20	24	25
2. MULTIPLE DX										
A. *Not Operated*	2915	9.9	51	3	4	8	12	18	23	39
B. *Operated*	1589	17.6	170	4	6	14	22	34	43	81
1. SINGLE DX	53	7.5	101	1	1	5	8	17	22	65
2. MULTIPLE DX	4504	12.6	107	3	4	10	16	24	33	60
A. NOT OPERATED	2947	9.9	52	3	3	8	12	18	23	40
B. OPERATED	1610	17.5	170	4	5	14	22	34	43	81
TOTAL 65-69 YRS	848	13.0	143	2	3	10	16	26	37	64
70-74	971	12.9	119	2	3	10	16	25	32	61
75-79	989	12.8	97	3	4	10	16	25	33	52
80-84	883	12.3	84	3	4	10	15	23	31	55
85+	866	11.8	91	3	4	9	15	22	30	62
GRAND TOTAL	**4557**	**12.6**	**107**	**3**	**4**	**10**	**16**	**24**	**33**	**60**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.4	4	2	2	4	5	7	9	10
70-74	31	4.8	5	2	2	4	6	8	10	11
75-79	29	4.3	5	1	1	4	6	7	8	9
80-84	21	5.9	11	3	3	5	7	10	13	16
85+	21	4.9	8	2	2	4	7	9	11	12
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	3	8.3	14	4	4	10	11	11	11	11
75-79	2	10.5	25	7	7	10	14	14	14	14
80-84										
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	868	6.4	14	2	3	6	8	11	13	23
70-74	924	6.9	23	3	3	6	8	11	15	22
75-79	881	7.2	20	2	3	6	9	12	15	25
80-84	707	7.3	28	3	3	6	9	12	15	26
85+	796	8.3	40	3	3	7	10	14	18	31
B. *Operated*										
65-69 YRS	221	12.3	119	4	4	10	14	21	26	83
70-74	198	11.7	86	4	4	10	14	19	27	45
75-79	149	12.1	53	4	5	11	15	20	25	42
80-84	120	12.6	42	4	6	11	16	22	24	34
85+	87	14.7	178	4	5	11	16	28	42	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.7	6	2	2	4	6	8	10	12
B. *Operated*	7	9.7	11	4	5	10	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	4176	7.2	25	3	3	6	9	12	15	25
B. *Operated*	775	12.4	93	4	5	10	15	21	28	56
1. SINGLE DX	168	4.9	7	2	2	4	6	9	10	14
2. MULTIPLE DX	4951	8.0	39	3	3	7	10	14	18	31
A. NOT OPERATED	4337	7.1	24	3	3	6	9	12	15	25
2. OPERATED	782	12.4	92	4	5	10	15	21	27	56
TOTAL 65-69 YRS	1149	7.4	40	2	3	6	9	12	17	29
70-74	1156	7.7	37	3	3	6	9	13	17	32
75-79	1061	7.8	27	2	3	7	9	14	17	28
80-84	848	8.0	33	3	3	7	10	14	18	28
85+	905	8.8	56	3	3	7	10	15	19	43
GRAND TOTAL	**5119**	**7.9**	**38**	**3**	**3**	**7**	**9**	**14**	**18**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.9	7	1	2	4	6	8	11	12
70-74	27	4.4	7	1	1	4	5	9	10	11
75-79	18	5.9	15	2	2	5	7	9	15	19
80-84	13	5.2	8	1	2	4	7	9	11	12
85+	12	5.8	7	3	3	5	7	9	12	12
B. *Operated*										
65-69 YRS	6	10.5	96	4	4	7	10	28	30	30
70-74	5	6.4	20	2	2	4	10	13	13	13
75-79	2	4.0	8	2	2	4	6	6	6	6
80-84	3	8.7	56	<1	<1	9	14	16	16	16
85+	4	5.5	6	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	383	6.2	15	2	3	5	8	10	13	21
70-74	416	7.0	19	3	3	6	8	12	15	24
75-79	413	7.0	20	2	3	6	8	11	14	28
80-84	321	7.5	23	3	3	6	9	13	16	25
85+	354	8.0	26	3	3	7	10	15	18	23
B. *Operated*										
65-69 YRS	176	12.3	97	3	5	10	16	21	26	49
70-74	156	13.1	112	3	4	10	16	24	37	48
75-79	136	14.9	156	4	5	11	19	32	37	97
80-84	72	13.6	114	3	5	10	17	24	31	59
85+	66	15.7	216	3	5	11	19	26	47	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.1	9	1	2	5	7	9	11	16
B. *Operated*	20	7.6	42	1	2	6	9	14	23	30
2. MULTIPLE DX										
A. *Not Operated*	1887	7.1	21	3	3	6	9	12	15	24
B. *Operated*	606	13.6	129	3	5	10	17	24	36	61
1. SINGLE DX	113	5.5	15	1	2	5	7	10	12	23
2. MULTIPLE DX	2493	8.7	55	3	3	7	10	16	21	41
A. NOT OPERATED	1980	7.0	20	2	3	6	8	12	15	23
B. OPERATED	626	13.4	128	3	4	10	17	24	35	60
TOTAL 65-69 YRS	588	8.0	48	2	3	6	9	15	20	35
70-74	604	8.5	50	2	3	7	10	16	21	39
75-79	569	8.9	63	2	3	7	10	17	23	43
80-84	409	8.5	44	3	3	7	10	15	19	38
85+	436	9.0	61	3	3	7	11	16	20	45
GRAND TOTAL	**2606**	**8.6**	**54**	**3**	**3**	**7**	**10**	**16**	**20**	**40**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	2.1	3	1	1	2	3	4	5	8
70-74	124	2.3	2	1	1	2	3	4	6	8
75-79	53	2.7	13	1	1	2	3	4	7	25
80-84	31	2.5	2	1	1	2	3	5	6	8
85+	12	3.4	13	1	1	1	5	9	12	12
B. *Operated*										
65-69 YRS	212	4.2	10	1	1	3	6	8	10	14
70-74	141	4.2	9	1	1	3	5	9	11	13
75-79	57	4.8	19	1	1	4	5	10	13	25
80-84	26	4.5	8	1	1	4	6	9	10	10
85+	8	7.9	35	2	2	6	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	394	3.2	6	1	1	2	4	7	8	12
70-74	324	3.2	5	1	1	2	4	6	8	11
75-79	213	4.1	22	1	1	3	5	7	10	26
80-84	121	4.4	13	1	1	3	5	9	12	18
85+	74	5.7	22	1	1	4	8	11	14	26
B. *Operated*										
65-69 YRS	598	7.9	41	1	2	7	10	15	20	34
70-74	471	8.3	64	1	2	6	10	16	22	36
75-79	268	8.6	81	1	2	6	10	16	22	53
80-84	144	10.4	94	2	3	8	12	21	31	51
85+	79	8.5	40	2	2	7	12	16	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.3	4	1	1	2	3	4	6	10
B. *Operated*	444	4.3	11	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1126	3.7	11	1	1	3	5	7	9	15
B. *Operated*	1560	8.4	60	1	2	7	11	16	21	41
1. SINGLE DX	852	3.4	9	1	1	2	4	7	9	14
2. MULTIPLE DX	2686	6.4	45	1	1	5	8	13	18	33
A. NOT OPERATED	1534	3.3	10	1	1	2	4	7	9	14
B. OPERATED	2004	7.5	52	1	2	6	10	15	20	36
TOTAL 65-69 YRS	1392	5.2	27	1	1	3	7	12	15	25
70-74	1060	5.5	38	1	1	4	7	11	16	26
75-79	591	6.1	53	1	1	4	7	12	17	44
80-84	322	6.9	58	1	2	5	8	13	20	46
85+	173	6.9	32	1	1	6	10	14	18	27
GRAND TOTAL	**3538**	**5.7**	**38**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	509	1.9	1	<1	1	2	2	3	4	7
70-74	268	2.0	2	1	1	2	3	4	5	7
75-79	124	2.2	1	<1	1	2	3	4	5	6
80-84	46	1.8	1	1	1	2	2	3	4	5
85+	17	2.2	4	1	1	1	2	5	8	9
B. *Operated*										
65-69 YRS	460	4.2	9	1	1	3	6	8	11	15
70-74	301	4.4	12	1	1	3	6	9	11	17
75-79	142	4.8	12	1	1	4	7	8	11	18
80-84	38	4.9	16	1	2	3	7	11	12	19
85+	20	4.8	8	1	2	4	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	804	2.7	4	1	1	2	3	5	7	10
70-74	546	2.9	4	1	1	2	4	6	7	10
75-79	344	3.0	5	1	1	2	4	6	7	11
80-84	142	3.8	6	1	1	3	5	7	9	11
85+	82	3.8	4	1	2	3	5	7	8	11
B. *Operated*										
65-69 YRS	1155	6.2	23	1	2	5	8	11	15	25
70-74	874	7.0	35	1	2	5	9	14	18	30
75-79	583	8.3	63	1	2	7	10	16	22	38
80-84	298	8.3	41	2	2	7	11	16	19	39
85+	116	9.2	58	2	3	8	12	16	20	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	964	2.0	2	<1	1	2	2	4	4	6
B. *Operated*	961	4.4	11	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	1918	2.9	4	1	1	2	4	6	7	10
B. *Operated*	3026	7.2	38	1	2	6	9	14	18	30
1. SINGLE DX	1925	3.2	8	1	1	2	4	7	8	13
2. MULTIPLE DX	4944	5.5	29	1	1	4	7	11	15	26
A. NOT OPERATED	2882	2.6	4	1	1	2	3	5	6	10
B. OPERATED	3987	6.5	33	1	2	5	8	13	16	28
TOTAL 65-69 YRS	2928	4.2	15	1	1	3	6	9	11	19
70-74	1989	4.8	23	1	1	3	6	10	13	22
75-79	1193	5.7	41	1	1	4	7	12	16	29
80-84	524	6.3	32	1	2	5	9	13	16	30
85+	235	6.4	39	1	2	5	9	13	16	32
GRAND TOTAL	**6869**	**4.9**	**24**	**1**	**1**	**3**	**6**	**10**	**14**	**23**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	2.4	2	1	1	2	3	4	6	7
70-74	15	2.3	3	1	1	2	3	5	6	7
75-79	9	4.1	6	1	1	3	6	8	8	8
80-84	4	2.0	1	<1	<1	2	3	3	3	3
85+	3	5.7	2	4	4	6	7	7	7	7
B. *Operated*										
65-69 YRS	90	4.5	10	<1	1	4	7	9	11	12
70-74	68	3.8	11	<1	1	2	6	9	9	14
75-79	45	5.2	28	1	1	3	8	10	17	27
80-84	19	3.2	9	1	1	2	5	8	10	11
85+	9	5.8	22	<1	<1	4	10	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	184	5.3	25	1	1	4	7	9	13	26
70-74	173	5.7	19	1	2	4	8	11	15	21
75-79	175	6.5	22	2	2	5	8	13	17	30
80-84	149	6.9	23	1	2	5	9	14	18	22
85+	137	7.0	25	2	2	6	8	12	16	27
B. *Operated*										
65-69 YRS	678	8.3	42	1	2	7	11	16	21	32
70-74	656	9.1	68	1	2	7	12	19	23	36
75-79	465	8.5	51	1	2	7	12	18	23	33
80-84	285	9.5	89	1	2	7	12	18	26	42
85+	151	10.9	114	1	2	8	15	23	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.9	4	1	1	2	4	7	7	8
B. *Operated*	231	4.4	14	<1	1	3	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	818	6.2	23	1	2	5	8	12	16	23
B. *Operated*	2235	8.9	63	1	2	7	12	18	23	36
1. SINGLE DX	279	4.1	13	<1	1	3	6	9	10	16
2. MULTIPLE DX	3053	8.2	53	1	2	6	11	17	21	35
A. NOT OPERATED	866	6.0	23	1	2	5	8	11	15	22
B. OPERATED	2466	8.5	60	1	1	7	11	17	22	35
TOTAL 65-69 YRS	969	7.3	38	1	1	6	10	14	19	30
70-74	912	7.9	57	1	1	6	10	17	21	33
75-79	694	7.7	43	1	2	6	10	17	21	32
80-84	457	8.3	66	1	2	6	11	16	21	37
85+	300	8.9	74	1	2	7	11	19	24	43
GRAND TOTAL	**3332**	**7.8**	**51**	**1**	**2**	**6**	**10**	**16**	**21**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	1.8	2	<1	1	1	2	3	5	7
70-74	7	1.7		1	1	2	2	2	2	2
75-79	8	1.9	1	1	1	2	3	4	4	4
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	35	2.4	3	<1	1	2	3	6	6	8
70-74	39	3.0	13	<1	<1	2	4	6	8	21
75-79	17	3.7	11	<1	1	2	5	9	12	13
80-84	20	3.5	10	1	1	2	5	8	11	12
85+	7	4.4	12	2	2	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.6	9	1	1	3	5	7	8	17
70-74	28	3.3	6	1	1	3	5	7	8	10
75-79	22	3.5	5	1	1	3	4	7	9	10
80-84	14	4.1	13	<1	1	3	6	10	11	11
85+	19	5.6	17	1	2	4	8	12	15	16
B. *Operated*										
65-69 YRS	240	5.3	16	1	1	4	7	10	13	18
70-74	297	5.1	14	1	2	4	7	9	13	19
75-79	242	6.4	31	1	2	5	9	12	16	29
80-84	179	7.3	69	1	1	5	9	14	16	44
85+	142	7.7	48	1	2	6	10	16	22	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.9	2	1	1	2	2	4	5	7
B. *Operated*	118	3.1	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	132	3.9	9	1	1	3	5	8	10	16
B. *Operated*	1100	6.1	32	1	1	5	8	12	15	29
1. SINGLE DX	156	2.8	7	<1	1	2	3	6	8	13
2. MULTIPLE DX	1232	5.9	30	1	1	4	8	12	15	27
A. NOT OPERATED	170	3.4	8	1	1	2	4	7	10	15
B. OPERATED	1218	5.8	31	1	1	4	8	12	15	27
TOTAL 65-69 YRS	344	4.5	14	1	1	3	7	9	12	17
70-74	371	4.7	14	1	1	4	6	9	12	20
75-79	289	5.9	28	1	1	4	8	12	14	28
80-84	214	6.8	61	1	1	5	9	13	16	42
85+	170	7.3	43	1	2	5	10	15	21	47
GRAND TOTAL	**1388**	**5.5**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.6	6	1	1	1	3	6	8	8
70-74	8	3.5	16	1	1	2	3	10	13	13
75-79	5	3.8	4	2	2	3	5	7	7	7
80-84	5	3.0	1	2	2	3	4	4	4	4
85+	7	2.7	3	1	1	2	4	5	5	5
B. *Operated*										
65-69 YRS	80	2.1	4	<1	<1	1	2	5	6	12
70-74	77	2.4	3	<1	<1	2	3	4	6	10
75-79	62	2.7	6	<1	<1	2	3	6	8	13
80-84	37	2.1	3	<1	<1	2	3	4	5	10
85+	16	4.8	13	<1	1	5	6	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	6.1	33	1	2	5	7	10	12	21
70-74	175	6.0	57	2	2	5	7	10	12	22
75-79	252	5.8	13	2	2	5	7	10	13	20
80-84	260	6.6	16	2	3	6	8	12	15	20
85+	288	7.1	24	2	3	6	8	12	16	26
B. *Operated*										
65-69 YRS	452	5.5	31	1	1	4	7	11	14	29
70-74	573	6.0	43	1	1	4	8	12	16	27
75-79	517	6.1	31	1	1	5	8	11	16	28
80-84	433	7.6	80	1	2	5	9	14	19	61
85+	440	8.4	73	2	2	7	10	15	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.1	6	1	1	3	4	5	8	13
B. *Operated*	272	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	1139	6.4	26	2	2	5	8	11	14	23
B. *Operated*	2415	6.7	52	1	1	5	8	13	17	34
1. SINGLE DX	306	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	3554	6.6	43	1	2	5	8	12	16	29
A. NOT OPERATED	1173	6.3	26	2	2	5	8	11	14	23
B. OPERATED	2687	6.2	48	1	1	4	8	12	16	32
TOTAL 65-69 YRS	705	5.2	30	1	1	4	7	11	13	26
70-74	833	5.7	43	1	1	4	7	11	15	25
75-79	836	5.7	25	1	1	5	7	11	14	25
80-84	735	6.9	54	1	2	5	9	13	17	39
85+	751	7.8	53	2	2	6	10	14	18	35
GRAND TOTAL	**3860**	**6.2**	**42**	**1**	**1**	**5**	**8**	**12**	**15**	**29**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	4	1.8	2	1	1	1	3	4	4	4
80-84	2	15.0	32	11	11	15	19	19	19	19
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	76	2.4	2	<1	1	2	3	5	6	7
70-74	88	2.2	2	<1	<1	2	3	4	5	8
75-79	93	2.8	5	<1	<1	2	4	6	8	10
80-84	52	2.7	5	<1	<1	2	4	5	6	13
85+	31	2.5	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	3.4	5	<1	<1	3	4	6	8	9
70-74	20	3.2	4	<1	1	3	4	5	8	10
75-79	33	3.2	3	1	1	3	4	5	7	8
80-84	20	6.2	22	1	2	4	9	14	16	17
85+	27	6.3	44	1	1	5	8	10	19	35
B. *Operated*										
65-69 YRS	439	4.0	12	1	1	3	5	8	10	19
70-74	543	4.2	13	1	1	3	5	8	11	19
75-79	486	4.4	12	1	1	4	6	9	11	16
80-84	318	4.9	21	1	1	4	6	9	13	26
85+	261	6.4	38	1	2	5	8	13	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.1	43	1	1	2	7	17	19	19
B. *Operated*	340	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	113	4.5	18	1	1	3	5	8	12	24
B. *Operated*	2047	4.6	18	1	1	3	6	9	12	22
1. SINGLE DX	348	2.6	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX	2160	4.6	18	1	1	3	6	9	12	22
A. NOT OPERATED	121	4.5	20	1	1	3	5	9	12	24
B. OPERATED	2387	4.3	16	1	1	3	5	9	11	21
TOTAL 65-69 YRS	528	3.7	11	1	1	3	5	8	9	16
70-74	651	3.9	12	<1	1	3	5	7	10	18
75-79	616	4.1	11	1	1	3	5	8	11	16
80-84	392	4.7	20	1	1	3	6	9	13	25
85+	321	6.0	36	1	1	4	7	12	18	38
GRAND TOTAL	**2508**	**4.3**	**16**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	3.5	5	1	1	3	5	7	8	11
70-74	90	3.5	6	1	1	3	5	7	9	11
75-79	106	4.5	10	1	1	4	6	9	10	18
80-84	91	4.9	14	1	1	4	7	9	12	20
85+	111	5.1	20	1	1	4	7	10	11	24
B. *Operated*										
65-69 YRS	233	2.7	4	<1	1	2	4	5	5	9
70-74	232	3.4	9	<1	1	3	4	6	9	15
75-79	162	3.0	5	1	1	2	4	5	7	11
80-84	93	3.4	7	<1	1	3	5	6	8	14
85+	66	3.5	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2771	6.8	24	2	3	6	8	12	15	28
70-74	3831	7.0	24	2	3	6	9	12	15	24
75-79	4781	7.7	34	2	3	6	9	14	17	32
80-84	4958	8.2	44	2	3	7	10	14	18	36
85+	6170	8.4	43	2	3	7	10	15	19	37
B. *Operated*										
65-69 YRS	1927	7.4	63	1	1	5	9	15	21	44
70-74	2267	7.9	65	1	2	6	10	16	22	47
75-79	2237	9.6	93	1	2	7	12	20	26	52
80-84	1839	9.8	89	2	2	7	12	19	26	57
85+	1655	11.9	135	2	3	9	15	23	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	4.3	12	1	1	3	6	8	10	16
B. *Operated*	786	3.1	6	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	22511	7.7	36	2	3	6	9	13	17	32
B. *Operated*	9925	9.2	90	1	2	7	12	19	25	54
1. SINGLE DX	1287	3.6	9	1	1	3	5	7	9	14
2. MULTIPLE DX	32436	8.2	53	2	3	6	10	15	20	41
A. NOT OPERATED	23012	7.7	36	2	3	6	9	13	17	32
B. OPERATED	10711	8.8	86	1	2	6	11	18	25	52
TOTAL 65-69 YRS	5034	6.8	39	1	2	5	8	13	17	35
70-74	6420	7.1	38	1	2	6	9	13	17	32
75-79	7286	8.2	52	2	3	6	10	15	21	39
80-84	6981	8.5	56	2	3	7	10	15	21	43
85+	8002	9.0	64	2	3	7	11	16	22	49
GRAND TOTAL	**33723**	**8.0**	**52**	**2**	**2**	**6**	**10**	**15**	**20**	**40**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	3.1	12	1	1	2	3	5	12	15
70-74	8	3.5	12	<1	<1	2	4	9	11	11
75-79	9	7.0	66	1	1	5	9	21	26	26
80-84	4	3.5	2	2	2	3	4	5	5	5
85+	6	5.0	14	<1	<1	5	9	9	9	9
B. *Operated*										
65-69 YRS	2218	4.3	4	1	2	4	5	6	7	10
70-74	2011	4.5	4	1	2	4	5	7	8	11
75-79	1342	4.6	5	1	2	4	6	7	8	12
80-84	638	5.0	6	2	3	5	6	8	9	13
85+	265	5.3	8	2	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	227	3.6	12	<1	1	3	5	7	10	17
70-74	300	3.9	13	<1	1	3	5	8	10	17
75-79	253	4.5	25	<1	1	3	6	9	13	30
80-84	218	5.6	49	<1	1	4	7	12	16	54
85+	161	6.5	25	1	2	5	8	14	17	26
B. *Operated*										
65-69 YRS	9924	5.5	13	2	3	5	6	9	12	18
70-74	10332	5.9	17	2	3	5	7	10	13	20
75-79	8216	6.5	19	2	3	5	8	11	14	22
80-84	4795	7.3	33	3	3	6	8	13	16	29
85+	2567	8.2	33	3	3	7	10	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.3	23	<1	1	2	5	10	14	26
B. *Operated*	6474	4.5	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1159	4.7	25	<1	1	3	6	10	13	25
B. *Operated*	35834	6.3	20	2	3	5	7	11	14	23
1. SINGLE DX	6516	4.5	5	1	2	4	6	7	8	12
2. MULTIPLE DX	36993	6.2	20	2	3	5	7	11	14	23
A. NOT OPERATED	1201	4.6	25	<1	1	3	6	10	13	25
B. OPERATED	42308	6.0	18	2	3	5	7	10	13	22
TOTAL 65-69 YRS	12384	5.3	11	2	2	5	6	9	11	18
70-74	12651	5.6	15	2	3	5	7	9	12	20
75-79	9820	6.2	18	2	3	5	7	11	13	21
80-84	5655	7.0	31	2	3	6	8	12	16	28
85+	2999	7.8	31	3	3	6	9	15	18	28
GRAND TOTAL	**43509**	**6.0**	**18**	**2**	**3**	**5**	**7**	**10**	**13**	**22**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.7	3	1	1	4	5	7	7	7
70-74	12	3.6	3	1	1	3	5	6	6	6
75-79	7	3.4	3	1	1	4	4	6	6	6
80-84	3	3.3	10	1	1	2	6	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	23	2.2	2	<1	1	2	3	4	5	6
70-74	16	2.5	3	<1	<1	2	4	5	5	5
75-79	11	4.3	11	1	1	3	6	10	12	12
80-84	11	2.3	2	1	1	2	3	4	5	5
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	214	5.2	10	2	2	5	6	8	10	15
70-74	147	4.8	9	1	2	4	6	8	10	14
75-79	104	5.1	9	2	2	5	6	8	9	19
80-84	55	5.2	11	2	2	4	6	9	13	17
85+	40	5.4	13	2	3	4	7	8	9	23
B. *Operated*										
65-69 YRS	231	5.6	18	1	1	5	7	11	14	22
70-74	206	5.7	19	1	2	5	8	13	15	56
75-79	165	6.9	36	1	2	5	9	13	20	31
80-84	93	7.4	56	2	2	5	9	15	19	45
85+	72	7.8	42	2	3	6	9	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.6	3	1	1	4	4	6	7	7
B. *Operated*	63	2.7	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	560	5.1	10	2	2	5	6	8	10	16
B. *Operated*	767	6.3	29	1	2	5	8	13	16	28
1. SINGLE DX	111	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1327	5.8	22	1	2	5	7	11	14	26
A. NOT OPERATED	608	5.0	10	2	2	4	6	8	10	16
B. OPERATED	830	6.1	28	1	2	5	8	13	16	27
TOTAL 65-69 YRS	493	5.2	14	1	2	4	6	9	11	19
70-74	381	5.2	15	1	2	4	6	10	13	24
75-79	287	6.0	25	1	2	5	7	11	16	29
80-84	162	6.2	38	1	2	4	7	13	16	27
85+	115	6.9	32	2	3	5	8	13	18	31
GRAND TOTAL	**1438**	**5.6**	**21**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	106	2.1	2	1	1	2	3	4	5	6
70-74	78	2.0	1	<1	1	2	3	3	4	4
75-79	49	2.0	2	<1	<1	1	3	4	4	7
80-84	19	2.1	1	1	1	2	2	4	5	5
85+	9	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	8	1	1	2	7	7	7	7
70-74	3	5.0	19	2	2	3	8	10	10	10
75-79	1	6.0		6	6	6	6	6	6	6
80-84	4	6.3	26	2	2	6	10	12	12	12
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	212	3.2	12	1	1	3	4	6	8	12
70-74	179	3.1	8	1	1	2	4	7	8	15
75-79	109	3.3	9	1	1	3	4	7	9	17
80-84	62	4.6	53	1	1	3	4	10	12	51
85+	30	4.5	23	1	1	3	5	9	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8		1	1	2	2	2	2	2
B. *Operated*	261	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	15	4.6	13	1	2	2	7	10	11	12
B. *Operated*	592	3.4	15	1	1	3	4	7	9	18
1. SINGLE DX	265	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	607	3.4	15	1	1	3	4	7	9	17
A. NOT OPERATED	19	4.0	11	1	1	2	7	10	11	12
B. OPERATED	853	3.0	11	1	1	2	3	5	8	15
TOTAL 65-69 YRS	326	2.8	8	1	1	2	3	5	7	11
70-74	261	2.8	6	1	1	2	3	5	8	11
75-79	160	2.9	7	1	1	2	3	6	8	15
80-84	85	4.1	41	1	1	3	4	9	12	42
85+	40	3.9	18	1	1	3	4	7	13	24
GRAND TOTAL	**872**	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**15**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	5.2	8	2	2	5	6	9	10	17
70-74	31	5.7	10	3	3	5	7	9	13	17
75-79	22	5.6	14	1	1	5	7	11	13	15
80-84	11	4.5	5	2	2	4	5	7	10	10
85+	7	5.3	2	4	4	5	7	7	7	7
B. *Operated*										
65-69 YRS	25	4.0	10	1	2	3	4	8	11	15
70-74	20	5.4	17	1	1	4	7	12	15	16
75-79	8	2.4	6	<1	<1	1	3	7	8	8
80-84	8	3.4	8	1	1	3	4	8	10	10
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	208	5.8	9	2	3	5	7	10	10	16
70-74	211	6.4	13	2	3	6	8	10	13	19
75-79	147	6.7	42	3	3	5	8	10	13	17
80-84	89	6.6	15	2	3	6	8	12	14	20
85+	39	6.7	14	2	2	6	9	12	13	17
B. *Operated*										
65-69 YRS	128	6.8	46	1	1	6	9	12	15	49
70-74	140	7.2	32	1	1	6	9	14	18	26
75-79	114	7.8	26	1	2	8	11	14	17	27
80-84	65	8.8	28	2	2	8	11	16	18	26
85+	37	7.6	32	1	2	6	9	13	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	5.4	9	2	2	5	6	9	11	17
B. *Operated*	63	4.2	12	<1	1	3	5	8	12	16
2. MULTIPLE DX										
A. *Not Operated*	694	6.3	18	2	3	5	8	10	13	18
B. *Operated*	484	7.5	34	1	2	6	10	13	17	28
1. SINGLE DX	184	4.9	10	1	2	4	6	9	11	16
2. MULTIPLE DX	1178	6.8	25	2	2	6	8	12	15	25
A. NOT OPERATED	815	6.2	17	2	3	5	8	10	12	18
B. OPERATED	547	7.1	33	1	2	6	9	13	16	27
TOTAL 65-69 YRS	411	5.9	21	2	2	5	7	10	12	20
70-74	402	6.5	20	1	2	6	8	12	15	24
75-79	291	6.9	34	1	2	6	9	12	14	23
80-84	173	7.2	21	2	2	6	9	13	16	22
85+	85	6.9	21	2	2	6	9	12	14	27
GRAND TOTAL	**1362**	**6.5**	**24**	**2**	**2**	**5**	**8**	**11**	**14**	**24**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	2	5.0	32	<1	<1	4	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	18	1.4	1	<1	<1	<1	1	3	4	4
70-74	17	1.4		<1	<1	1	2	2	3	3
75-79	4	1.8	1	1	1	2	2	3	3	3
80-84	7	1.9	1	<1	<1	2	2	4	4	4
85+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	4	2.8	2	1	1	3	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	4.5	15	<1	<1	3	7	10	10	10
85+	3	5.3	34	1	1	3	10	12	12	12
B. *Operated*										
65-69 YRS	65	2.2	3	<1	<1	2	3	3	6	11
70-74	63	2.3	3	<1	<1	2	3	4	6	10
75-79	35	4.0	14	1	1	2	6	10	12	15
80-84	28	3.4	9	<1	1	2	5	8	10	11
85+	24	3.0	5	<1	1	2	5	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	21	<1	<1	1	7	9	9	9
B. *Operated*	49	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	13	3.7	12	<1	1	3	4	10	12	12
B. *Operated*	215	2.8	6	<1	1	2	3	6	8	12
1. SINGLE DX	52	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	228	2.8	7	<1	1	2	3	6	10	12
A. NOT OPERATED	16	3.7	13	<1	<1	2	4	10	11	12
B. OPERATED	264	2.5	5	<1	<1	2	3	6	8	11
TOTAL 65-69 YRS	84	2.0	3	<1	<1	2	2	3	5	10
70-74	85	2.1	3	<1	<1	2	3	4	5	10
75-79	40	3.8	13	1	1	2	5	10	11	15
80-84	41	3.3	9	<1	<1	2	5	9	10	11
85+	30	3.1	7	<1	<1	2	5	6	8	12
GRAND TOTAL	**280**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**6**	**8**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.9	6	1	1	2	4	7	9	9
70-74	6	2.2	2	1	1	2	3	4	4	4
75-79	3	2.7	8	<1	<1	1	5	6	6	6
80-84	3	2.7	1	2	2	2	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	208	2.6	3	1	1	2	3	5	6	9
70-74	111	2.4	2	1	1	2	3	5	5	8
75-79	52	2.8	4	1	1	2	4	6	7	8
80-84	21	2.7	3	<1	<1	2	4	5	6	7
85+	8	4.0	20	2	2	3	3	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	5.3	33	<1	1	4	7	10	17	29
70-74	38	5.4	18	<1	<1	5	9	10	13	18
75-79	25	6.0	29	1	2	4	8	11	16	27
80-84	19	5.8	17	1	1	5	8	12	15	16
85+	24	8.4	33	2	3	6	11	20	20	21
B. *Operated*										
65-69 YRS	595	3.7	16	1	1	3	4	7	10	20
70-74	349	4.6	53	1	1	3	5	8	14	33
75-79	170	5.2	47	1	1	3	6	11	19	27
80-84	74	8.0	131	1	1	4	10	18	26	65
85+	55	9.3	71	1	2	7	13	21	33	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	5	<1	1	2	4	6	7	9
B. *Operated*	400	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	142	6.0	27	<1	1	5	9	12	17	27
B. *Operated*	1243	4.7	42	1	1	3	5	9	16	30
1. SINGLE DX	426	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	1385	4.8	40	1	1	3	5	10	16	28
A. NOT OPERATED	168	5.5	25	<1	1	4	8	11	16	26
B. OPERATED	1643	4.2	33	1	1	3	5	8	13	26
TOTAL 65-69 YRS	852	3.5	13	1	1	3	4	6	9	19
70-74	504	4.2	40	1	1	3	4	7	10	27
75-79	250	4.7	37	1	1	3	6	9	14	27
80-84	117	6.5	90	1	1	3	8	15	22	61
85+	88	8.5	57	1	2	6	12	20	22	76
GRAND TOTAL	**1811**	**4.3**	**32**	**1**	**1**	**3**	**5**	**9**	**14**	**26**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	200	1.6	1	<1	<1	1	2	3	4	5
70-74	140	1.7	1	<1	<1	1	2	3	4	7
75-79	86	1.7	1	<1	<1	1	2	3	4	7
80-84	32	1.7	1	<1	<1	2	2	3	3	4
85+	10	1.7		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	2.0	2	<1	<1	1	3	4	4	4
70-74	5	5.2	19	<1	<1	5	7	12	12	12
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	4.5	13	2	2	4	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	369	2.5	4	<1	<1	2	3	5	6	12
70-74	286	2.7	19	<1	<1	2	3	5	6	14
75-79	178	2.5	3	<1	1	2	3	5	5	8
80-84	90	3.3	21	<1	1	2	4	6	8	30
85+	42	4.3	74	<1	2	3	4	5	8	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	468	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	3.7	11	<1	<1	2	5	8	11	12
B. *Operated*	965	2.7	13	<1	<1	2	3	5	6	13
1. SINGLE DX	470	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	977	2.7	13	<1	<1	2	3	5	6	13
A. NOT OPERATED	14	3.3	11	<1	<1	2	5	7	11	12
B. OPERATED	1433	2.4	9	<1	<1	2	3	4	5	10
TOTAL 65-69 YRS	573	2.2	3	<1	<1	2	2	4	6	9
70-74	432	2.4	14	<1	<1	2	3	4	6	12
75-79	266	2.2	2	<1	<1	2	3	4	5	7
80-84	124	2.9	16	<1	<1	2	3	5	7	20
85+	52	3.8	61	<1	1	2	4	4	6	57
GRAND TOTAL	**1447**	**2.4**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	2.1	2	<1	<1	2	3	4	5	5
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	158	2.3	3	<1	<1	2	3	4	4	6
70-74	64	2.3	4	<1	<1	2	3	5	7	11
75-79	36	2.1	2	<1	<1	2	3	4	5	7
80-84	18	2.3	1	<1	<1	2	3	4	5	5
85+	13	2.2	4	<1	<1	2	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	6.7	37	<1	<1	5	8	17	21	21
70-74	29	3.3	12	<1	<1	2	4	9	11	15
75-79	22	5.2	11	<1	1	6	8	9	10	11
80-84	19	6.9	21	1	2	7	8	12	17	20
85+	12	5.3	17	<1	1	4	7	11	14	15
B. *Operated*										
65-69 YRS	289	3.0	5	<1	1	2	4	5	7	13
70-74	155	3.3	8	<1	1	2	4	7	10	14
75-79	88	3.9	29	1	1	3	5	6	14	34
80-84	48	4.6	34	1	1	2	4	13	20	28
85+	19	2.7	2	<1	1	2	4	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	289	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	103	5.3	20	<1	<1	4	7	11	14	21
B. *Operated*	599	3.4	12	1	1	2	4	6	9	15
1. SINGLE DX	303	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	702	3.6	13	<1	1	3	4	7	10	19
A. NOT OPERATED	117	4.9	19	<1	<1	4	7	10	14	21
B. OPERATED	888	3.0	9	<1	1	2	4	5	7	15
TOTAL 65-69 YRS	478	2.9	6	<1	<1	2	4	5	7	15
70-74	249	3.1	8	<1	<1	2	4	6	9	14
75-79	147	3.7	20	<1	1	2	5	7	9	16
80-84	86	4.6	26	1	1	3	5	10	16	25
85+	45	3.2	8	<1	<1	2	4	7	9	15
GRAND TOTAL	**1005**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**9**	**15**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84										
85+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	29	5.6	8	2	2	5	6	10	11	14
70-74	17	5.6	2	4	4	5	6	8	9	9
75-79	6	5.8	1	5	5	6	6	7	7	7
80-84	7	6.6	7	1	2	8	8	9	9	9
85+	7	6.9	10	3	3	5	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	5.7	25	1	1	4	9	14	15	15
70-74	5	5.0	11	2	2	4	8	9	9	9
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	10	6.9	53	2	2	4	9	19	25	25
85+	7	4.6	7	1	1	5	7	7	7	7
B. *Operated*										
65-69 YRS	145	6.6	8	4	4	6	7	9	11	16
70-74	130	8.4	31	4	4	7	10	14	16	30
75-79	97	7.9	11	4	5	7	9	13	15	18
80-84	52	9.3	23	5	5	8	11	18	20	24
85+	30	12.9	195	2	3	9	12	27	57	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.9	4	1	1	2	4	6	7	7
B. *Operated*	66	5.9	6	2	3	6	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	34	5.4	25	1	1	4	7	12	15	25
B. *Operated*	454	8.1	31	4	4	7	9	13	16	26
1. SINGLE DX	75	5.5	6	1	2	5	6	9	10	13
2. MULTIPLE DX	488	7.9	31	3	4	7	9	13	16	26
A. NOT OPERATED	43	4.9	22	1	1	4	6	10	14	25
B. OPERATED	520	7.8	28	3	4	7	9	12	16	25
TOTAL 65-69 YRS	185	6.4	8	3	4	6	7	10	12	16
70-74	154	7.9	28	4	4	7	9	14	16	26
75-79	108	7.5	11	3	4	7	9	13	14	18
80-84	69	8.7	26	2	4	8	11	17	20	25
85+	47	10.1	140	1	2	7	11	19	37	60
GRAND TOTAL	**563**	**7.6**	**28**	**3**	**4**	**6**	**9**	**12**	**16**	**25**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	1	2	2	4	4	4	4	4
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
65-69 YRS	5	3.8	12	<1	<1	2	7	8	8	8
70-74	5	6.0	7	2	2	6	7	9	9	9
75-79	1	32.0		32	32	32	32	32	32	32
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	7.0	17	3	3	6	8	11	16	21
70-74	18	7.3	14	2	3	7	10	13	13	13
75-79	11	7.7	18	2	3	7	11	14	16	16
80-84	9	6.1	14	1	2	4	10	11	11	11
85+	8	11.0	43	5	5	9	15	22	23	23
B. *Operated*										
65-69 YRS	79	7.3	18	2	3	6	9	13	17	22
70-74	58	10.1	75	2	4	8	11	18	22	59
75-79	37	13.2	208	4	5	8	14	20	56	67
80-84	13	13.6	65	5	6	14	16	24	32	34
85+	13	16.3	153	4	4	16	23	30	45	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.8	2	1	1	4	5	6	6	6
B. *Operated*	13	7.3	63	<1	<1	6	8	14	29	32
2. MULTIPLE DX										
A. *Not Operated*	66	7.5	20	2	3	7	10	13	17	23
B. *Operated*	200	10.2	87	3	4	7	12	18	23	64
1. SINGLE DX	22	5.9	40	<1	1	5	7	9	18	32
2. MULTIPLE DX	266	9.5	72	3	4	7	11	17	22	60
A. NOT OPERATED	75	7.1	19	2	3	6	9	13	15	22
B. OPERATED	213	10.0	86	2	4	7	11	18	24	64
TOTAL 65-69 YRS	108	7.0	17	2	3	6	8	12	17	22
70-74	82	9.1	59	2	3	8	11	16	19	50
75-79	49	12.3	174	3	5	8	13	20	37	67
80-84	23	10.5	55	2	4	9	15	17	26	34
85+	26	12.5	106	4	4	8	19	24	30	48
GRAND TOTAL	**288**	**9.3**	**70**	**2**	**3**	**7**	**11**	**17**	**22**	**57**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	6	6.3	9	2	2	6	9	10	10	10
70-74	1	7.0		7	7	7	7	7	7	7
75-79	3	3.7	9	1	1	3	6	7	7	7
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	78	7.5	22	4	4	6	8	13	15	32
70-74	41	6.1	4	3	4	6	7	9	10	12
75-79	12	8.3	7	2	5	8	9	11	14	14
80-84	6	7.0	4	5	5	6	9	10	10	10
85+	11	4.9	5	2	2	5	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	12	5.4	8	1	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	148	6.9	15	3	4	6	8	10	13	19
1. SINGLE DX	13	5.1	8	<1	1	5	7	9	10	10
2. MULTIPLE DX	148	6.9	15	3	4	6	8	10	13	19
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	160	6.8	14	3	4	6	8	10	13	19
TOTAL 65-69 YRS	84	7.4	21	3	4	6	8	13	14	31
70-74	42	6.1	4	3	4	6	7	9	10	12
75-79	16	6.9	13	<1	1	8	9	10	13	14
80-84	7	6.7	4	5	5	6	8	10	10	10
85+	12	4.8	4	2	2	5	6	8	9	9
GRAND TOTAL	**161**	**6.8**	**14**	**3**	**4**	**6**	**8**	**10**	**13**	**19**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	1.3		<1	<1	1	2	2	2	2
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79	2	2.0	2	<1	<1	1	3	3	3	3
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	21	4.5	8	<1	<1	4	7	8	9	11
70-74	12	4.7	15	<1	1	4	6	10	13	14
75-79	13	2.9	4	<1	1	2	4	6	7	7
80-84	7	5.7	12	1	2	5	7	11	12	12
85+	6	5.5	8	2	2	5	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	7	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	6	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	59	4.4	9	<1	1	4	7	8	10	14
1. SINGLE DX	8	1.8	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	65	4.2	9	<1	1	4	6	8	10	14
A. NOT OPERATED	7	2.1	1	<1	<1	2	3	3	3	3
B. OPERATED	66	4.1	9	<1	1	4	6	8	10	14
TOTAL 65-69 YRS	28	3.9	8	<1	<1	3	6	8	9	11
70-74	14	4.3	14	<1	<1	3	5	9	13	14
75-79	16	2.8	4	<1	<1	2	4	6	7	7
80-84	9	4.8	13	1	1	4	6	10	12	12
85+	6	5.5	8	2	2	5	8	9	9	9
GRAND TOTAL	**73**	**3.9**	**9**	**<1**	**1**	**3**	**6**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	2.7	1	2	2	2	4	4	4	4
75-79	2	5.0		5	5	5	5	5	5	5
80-84	2	7.0	8	5	5	7	9	9	9	9
85+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
65-69 YRS	8	2.1	1	<1	<1	2	3	4	4	4
70-74	6	2.3	8	<1	<1	1	2	7	8	8
75-79	6	5.0	24	1	1	3	7	13	14	14
80-84	3	2.7	8	<1	<1	1	5	6	6	6
85+	4	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	7.7	24	2	3	6	11	16	17	17
70-74	13	8.1	49	1	2	6	9	15	26	29
75-79	10	7.9	17	<1	1	8	11	13	14	14
80-84	12	12.3	214	1	3	8	12	28	53	57
85+	16	5.7	16	1	1	4	9	12	13	13
B. *Operated*										
65-69 YRS	48	7.6	63	1	1	5	11	16	19	47
70-74	47	8.2	75	<1	1	5	8	24	34	99+
75-79	30	10.4	165	1	1	8	12	22	29	66
80-84	15	8.6	48	<1	2	6	13	19	21	22
85+	19	8.5	51	2	3	7	10	14	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.6	4	2	2	4	6	7	9	9
B. *Operated*	27	2.9	9	<1	<1	2	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	66	8.2	61	1	2	7	10	14	16	52
B. *Operated*	159	8.5	82	1	1	6	11	19	26	64
1. SINGLE DX	39	3.4	8	<1	<1	2	5	7	9	14
2. MULTIPLE DX	225	8.4	75	1	1	6	11	16	25	59
A. NOT OPERATED	78	7.6	54	1	2	6	9	13	16	49
B. OPERATED	186	7.7	75	<1	1	5	11	16	25	59
TOTAL 65-69 YRS	72	7.0	50	1	1	5	10	15	17	42
70-74	69	7.4	64	<1	1	5	8	22	29	88
75-79	48	9.0	112	1	1	7	12	16	26	66
80-84	32	9.3	107	<1	1	7	11	18	22	57
85+	43	6.5	32	1	2	5	9	12	14	34
GRAND TOTAL	**264**	**7.7**	**69**	**1**	**1**	**5**	**10**	**16**	**22**	**55**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.7	4	2	2	3	5	6	6	6
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	4	10.3	60	3	3	8	15	21	21	21
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	762	5.4	4	3	3	5	7	8	9	12
70-74	669	5.7	4	3	3	6	7	8	9	12
75-79	399	5.6	6	2	3	5	7	8	9	11
80-84	141	5.8	6	3	3	6	7	9	10	13
85+	48	5.6	4	2	3	5	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	2.9	7	<1	<1	2	4	6	8	12
70-74	51	2.3	3	<1	<1	1	3	5	6	8
75-79	40	2.7	6	<1	<1	2	3	6	9	11
80-84	24	3.5	12	<1	<1	3	5	7	11	16
85+	20	7.1	56	<1	1	5	8	19	27	28
B. *Operated*										
65-69 YRS	2895	6.4	7	3	4	6	7	9	11	17
70-74	2370	6.6	9	3	4	6	8	9	11	17
75-79	1625	6.9	13	3	4	6	8	10	13	18
80-84	670	7.1	17	3	4	7	8	11	14	24
85+	231	8.1	18	4	4	7	10	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.7	30	1	2	4	7	13	20	21
B. *Operated*	2019	5.6	4	3	3	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	183	3.2	13	<1	<1	2	4	7	9	23
B. *Operated*	7791	6.7	10	3	4	6	8	10	12	18
1. SINGLE DX	2031	5.6	4	3	3	5	7	8	9	12
2. MULTIPLE DX	7974	6.6	10	3	4	6	8	10	12	18
A. NOT OPERATED	195	3.4	15	<1	<1	2	4	7	9	24
B. OPERATED	9810	6.5	9	3	4	6	7	9	11	17
TOTAL 65-69 YRS	3708	6.1	7	3	4	6	7	9	10	16
70-74	3092	6.4	8	3	4	6	7	9	11	16
75-79	2068	6.6	12	3	3	6	8	10	12	17
80-84	836	6.8	16	3	3	6	8	10	13	21
85+	301	7.6	19	3	4	7	9	12	15	26
GRAND TOTAL	**10005**	**6.4**	**9**	**3**	**4**	**6**	**7**	**9**	**11**	**17**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.8	1	<1	<1	2	2	3	3	3
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	92	1.4	1	<1	<1	<1	1	2	3	7
70-74	64	1.5	1	<1	<1	1	2	3	4	6
75-79	35	1.7	2	<1	<1	1	2	3	4	8
80-84	30	1.9	2	<1	<1	1	2	4	5	6
85+	12	1.8	1	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	4.8	26	<1	<1	3	6	10	17	21
70-74	26	4.2	18	<1	1	3	6	9	16	17
75-79	25	4.2	16	<1	1	3	5	8	14	18
80-84	9	4.4	9	<1	<1	5	7	8	9	9
85+	24	4.3	9	1	1	4	6	8	11	12
B. *Operated*										
65-69 YRS	427	3.7	13	<1	<1	2	5	8	10	19
70-74	279	3.7	15	<1	1	2	5	8	10	20
75-79	197	3.1	7	<1	1	2	5	6	8	12
80-84	133	3.8	32	1	1	2	4	8	11	27
85+	93	4.0	21	<1	1	2	4	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	233	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	101	4.3	15	<1	1	3	6	9	12	19
B. *Operated*	1129	3.6	15	<1	1	2	5	8	10	20
1. SINGLE DX	245	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1230	3.7	15	<1	1	2	5	8	10	20
A. NOT OPERATED	113	4.0	14	<1	1	3	5	8	12	19
B. OPERATED	1362	3.3	14	<1	<1	2	4	7	9	19
TOTAL 65-69 YRS	541	3.3	12	<1	<1	2	5	7	9	19
70-74	371	3.4	13	<1	<1	2	5	7	9	19
75-79	259	3.0	8	<1	1	2	4	6	8	13
80-84	173	3.5	26	<1	1	2	4	7	10	20
85+	131	3.8	17	1	1	2	5	8	11	25
GRAND TOTAL	**1475**	**3.3**	**14**	**<1**	**<1**	**2**	**4**	**7**	**9**	**19**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74										
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	3	4.0	13	1	1	3	7	8	8	8
83+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	87	3.4	6	<1	<1	3	5	6	7	11
70-74	63	3.6	7	<1	<1	3	5	7	9	11
75-79	33	3.5	4	<1	1	3	5	6	7	7
80-84	19	2.9	6	<1	1	2	4	6	8	10
85+	8	3.3	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	5.2	30	<1	1	3	8	11	13	29
70-74	36	4.6	11	<1	1	4	6	10	11	14
75-79	36	4.9	14	1	1	4	7	11	13	15
80-84	36	6.2	23	1	2	5	8	13	22	99+
85+	43	7.2	40	1	2	5	8	18	21	30
B. *Operated*										
65-69 YRS	683	6.0	30	<1	1	5	7	10	15	29
70-74	474	6.9	49	1	1	5	8	15	19	38
75-79	275	7.5	63	1	1	6	9	15	23	38
80-84	174	8.3	91	1	1	6	11	17	24	47
85+	124	8.2	67	1	2	6	12	20	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	5	1	1	2	4	7	8	8
B. *Operated*	210	3.4	6	<1	<1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	185	5.7	25	1	1	4	7	12	15	30
B. *Operated*	1730	6.9	50	1	1	5	8	14	20	37
1. SINGLE DX	218	3.4	6	<1	<1	3	5	6	8	11
2. MULTIPLE DX	1915	6.8	47	1	1	5	8	13	20	37
A. NOT OPERATED	193	5.6	24	1	1	4	7	12	15	30
B. OPERATED	1940	6.5	46	<1	1	5	8	13	19	36
TOTAL 65-69 YRS	806	5.7	28	<1	1	5	7	10	14	28
70-74	573	6.4	43	<1	1	5	8	13	18	35
75-79	346	6.8	53	1	1	5	8	14	21	37
80-84	232	7.5	74	1	1	5	10	16	24	52
85+	176	7.7	58	1	2	5	9	17	24	39
GRAND TOTAL	**2133**	**6.4**	**44**	**<1**	**1**	**5**	**8**	**13**	**18**	**35**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	213	5.5	5	2	3	5	7	9	9	11
70-74	155	5.8	6	2	3	6	8	9	10	13
75-79	86	5.8	6	2	3	6	7	9	10	12
80-84	23	6.7	10	2	3	7	8	9	12	17
85+	15	6.5	9	2	3	6	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	4.3	49	<1	<1	2	4	9	19	33
70-74	24	5.9	30	1	2	4	7	13	17	25
75-79	10	5.8	27	1	1	4	10	13	16	16
80-84	10	4.2	20	<1	<1	4	5	11	16	16
85+	5	3.6	12	1	1	2	6	9	9	9
B. *Operated*										
65-69 YRS	590	6.5	13	3	3	6	8	9	11	22
70-74	394	6.7	9	3	3	6	8	10	12	18
75-79	242	6.8	12	2	3	6	8	12	14	19
80-84	123	7.5	17	3	4	7	8	12	15	24
85+	59	7.9	18	2	3	7	10	12	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	492	5.7	6	2	3	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	71	5.0	32	<1	1	3	7	11	16	31
B. *Operated*	1408	6.7	12	3	3	6	8	10	13	20
1. SINGLE DX	496	5.7	6	2	3	5	7	9	10	13
2. MULTIPLE DX	1479	6.6	13	2	3	6	8	10	13	21
A. NOT OPERATED	75	4.8	31	<1	1	3	6	11	15	31
B. OPERATED	1900	6.5	11	2	3	6	8	10	12	19
TOTAL 65-69 YRS	826	6.1	12	2	3	6	7	9	10	21
70-74	574	6.4	9	2	3	6	8	10	11	18
75-79	339	6.5	11	2	3	6	8	11	13	19
80-84	157	7.1	16	2	3	7	8	11	15	22
85+	79	7.4	17	2	3	7	10	12	14	23
GRAND TOTAL	**1975**	**6.4**	**12**	**2**	**3**	**6**	**8**	**10**	**12**	**19**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated.*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	190	5.4	16	2	2	5	7	9	12	17
70-74	149	5.6	9	2	3	5	6	10	12	14
75-79	154	5.8	8	2	2	5	8	10	11	15
80-84	111	6.3	14	2	3	5	8	11	14	20
85+	122	5.8	12	2	3	5	6	11	14	17
B. *Operated*										
65-69 YRS	62	6.0	14	1	2	5	9	12	13	15
70-74	60	7.0	21	1	2	6	9	13	17	21
75-79	43	7.1	47	1	2	5	9	15	20	38
80-84	27	8.6	36	2	2	8	11	15	24	27
85+	32	7.2	31	1	2	5	11	13	15	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2177	7.8	38	2	3	6	9	14	17	28
70-74	2083	7.8	29	3	3	7	9	14	18	32
75-79	2026	8.1	31	3	3	7	10	14	17	30
80-84	1835	8.4	37	3	3	7	10	15	18	35
85+	2108	8.8	48	3	3	7	11	15	20	36
B. *Operated*										
65-69 YRS	1117	12.7	106	3	4	10	16	25	33	55
70-74	973	13.1	125	3	4	10	16	27	35	71
75-79	823	13.4	129	3	4	10	16	27	38	66
80-84	657	14.3	170	3	4	10	17	30	40	90
85+	615	12.9	100	3	4	10	17	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	5.7	12	2	2	5	7	10	12	17
B. *Operated*	224	7.0	27	1	2	6	10	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	10229	8.2	37	3	3	7	10	14	18	33
B. *Operated*	4185	13.2	124	3	4	10	16	27	36	68
1. SINGLE DX	950	6.0	16	2	2	5	8	11	13	20
2. MULTIPLE DX	14414	9.6	67	3	3	7	11	18	24	47
A. NOT OPERATED	10955	8.0	35	3	3	7	10	14	18	32
B. OPERATED	4409	12.9	121	3	4	10	16	26	35	66
TOTAL 65-69 YRS	3546	9.2	63	2	3	7	11	17	22	42
70-74	3265	9.3	63	3	3	7	11	18	25	47
75-79	3046	9.4	62	3	3	7	11	17	22	46
80-84	2630	9.8	76	3	4	8	11	18	26	55
85+	2877	9.5	61	3	3	7	11	18	24	46
GRAND TOTAL	**15364**	**9.4**	**65**	**3**	**3**	**7**	**11**	**17**	**24**	**46**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	4.5	6	1	2	4	6	7	9	10
70-74	15	4.9	18	1	2	4	6	7	16	19
75-79	16	3.9	4	<1	2	4	5	8	8	8
80-84	8	5.9	14	1	2	5	9	11	11	11
85+	9	4.2	10	1	1	3	5	10	11	11
B. *Operated*										
65-69 YRS	24	3.8	21	<1	1	2	4	13	16	17
70-74	11	5.3	43	<1	<1	3	6	14	23	24
75-79	14	6.0	30	<1	1	4	9	15	17	18
80-84	6	5.0	20	<1	<1	3	10	11	11	11
85+	9	6.2	26	1	1	7	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	223	7.4	23	2	3	7	9	14	17	27
70-74	198	7.1	19	2	3	6	9	12	15	23
75-79	166	6.2	13	2	3	5	8	10	12	22
80-84	160	7.9	40	3	3	6	9	13	17	43
85+	161	7.6	27	3	3	6	9	13	17	32
B. *Operated*										
65-69 YRS	218	9.2	54	1	2	7	12	19	23	33
70-74	220	10.2	72	2	3	8	14	20	25	48
75-79	159	10.1	59	2	3	9	13	19	25	49
80-84	92	12.0	67	3	4	9	16	23	27	45
85+	94	9.6	71	2	3	7	12	18	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.6	9	1	2	4	6	8	11	18
B. *Operated*	64	5.0	27	<1	<1	3	7	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	908	7.3	24	2	3	6	9	12	16	26
B. *Operated*	783	10.0	64	2	3	8	13	20	25	44
1. SINGLE DX	131	4.8	18	<1	1	3	6	11	14	20
2. MULTIPLE DX	1691	8.5	44	2	3	7	10	16	21	33
A. NOT OPERATED	975	7.1	23	2	3	6	8	12	16	26
B. OPERATED	847	9.6	63	1	2	8	13	19	24	44
TOTAL 65-69 YRS	484	7.9	38	1	2	7	10	16	20	31
70-74	444	8.5	48	2	3	7	10	17	21	31
75-79	355	7.9	38	2	3	6	10	15	19	38
80-84	266	9.2	53	3	3	7	11	17	24	45
85+	273	8.2	43	2	3	7	10	15	19	35
GRAND TOTAL	**1822**	**8.3**	**43**	**2**	**3**	**7**	**10**	**16**	**21**	**32**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	9	2.8	5	<1	<1	2	3	6	8	8
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	3	2.3	1	1	1	3	3	3	3	3
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	6	1	1	3	5	6	6	6
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	11.0		11	11	11	11	11	11	11
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	21	4.3	27	<1	1	3	5	7	16	25
70-74	11	8.8	330	1	1	3	6	31	60	63
75-79	4	4.3	10	2	2	3	6	9	9	9
80-84	2	5.5	41	1	1	5	10	10	10	10
85+	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	16	3.1	6	<1	<1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	8	6.6	19	1	2	5	10	13	14	14
B. *Operated*	40	5.6	105	1	1	3	5	9	18	63
1. SINGLE DX	17	3.6	10	<1	<1	3	4	8	11	12
2. MULTIPLE DX	48	5.8	90	1	1	3	6	10	15	63
A. NOT OPERATED	9	7.2	20	1	2	6	11	13	14	14
B. OPERATED	56	4.9	77	<1	1	3	5	8	10	61
TOTAL 65-69 YRS	34	4.0	20	<1	1	3	5	8	11	25
70-74	13	8.6	276	1	1	3	7	21	55	63
75-79	7	4.4	15	1	1	3	8	11	11	11
80-84	7	3.9	9	1	1	3	5	9	10	10
85+	4	7.5	22	4	4	6	11	14	14	14
GRAND TOTAL	**65**	**5.2**	**69**	**<1**	**1**	**3**	**6**	**10**	**12**	**57**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	29	1.3	1	<1	<1	<1	1	2	3	6
70-74	14	1.5	3	<1	<1	<1	1	2	6	7
75-79	4	1.3		<1	<1	<1	1	2	2	2
80-84	7	1.6	1	<1	<1	<1	2	3	3	3
85+	3	3.3	10	<1	<1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	5.5	1	5	5	5	6	6	6	6
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84	1	21.0		21	21	21	21	21	21	21
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	28	3.0	9	<1	<1	2	4	6	9	14
70-74	22	2.8	8	<1	<1	2	3	8	10	12
75-79	17	5.4	9	<1	1	6	7	9	10	10
80-84	11	4.5	17	<1	<1	3	7	11	14	14
85+	9	3.4	5	1	1	3	4	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	57	1.5	2	<1	<1	<1	1	2	5	7
2. MULTIPLE DX										
A. *Not Operated*	6	6.8	51	1	1	5	6	19	21	21
B. *Operated*	87	3.7	10	<1	<1	3	6	8	9	14
1. SINGLE DX	58	1.5	2	<1	<1	<1	1	2	5	7
2. MULTIPLE DX	93	3.9	13	<1	<1	3	6	8	10	18
A. NOT OPERATED	7	6.0	47	1	1	4	6	18	21	21
B. OPERATED	144	2.8	8	<1	<1	1	3	7	9	14
TOTAL 65-69 YRS	59	2.2	6	<1	<1	1	2	5	6	14
70-74	37	2.4	6	<1	<1	1	3	6	8	12
75-79	22	4.4	10	<1	<1	5	7	9	10	10
80-84	19	4.3	28	<1	<1	2	5	12	18	21
85+	14	3.3	5	<1	1	3	4	7	8	8
GRAND TOTAL	**151**	**2.9**	**10**	**<1**	**<1**	**1**	**4**	**7**	**9**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	6.5	41	1	1	4	7	17	19	33
70-74	50	6.2	49	1	1	4	7	12	15	46
75-79	35	8.1	50	1	2	6	11	19	22	31
80-84	42	6.9	30	1	2	6	8	15	20	22
85+	22	9.1	22	3	3	8	12	16	18	19
B. *Operated*										
65-69 YRS	183	4.0	28	<1	<1	2	4	11	16	23
70-74	134	4.5	27	<1	<1	2	6	11	16	26
75-79	97	6.7	66	<1	1	3	8	18	24	39
80-84	84	8.7	76	<1	1	7	12	17	23	44
85+	72	10.8	166	<1	1	7	13	25	34	77
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	836	9.4	82	2	2	7	12	18	25	56
70-74	874	9.7	70	2	3	7	12	20	25	44
75-79	941	10.4	87	2	3	8	13	20	31	57
80-84	849	10.1	62	2	3	8	13	20	25	42
85+	1039	11.5	119	2	3	9	13	22	32	60
B. *Operated*										
65-69 YRS	1179	14.6	223	1	1	10	20	36	47	88
70-74	1206	16.3	229	2	3	12	22	38	55	99+
75-79	1293	17.7	238	2	3	14	23	39	58	99+
80-84	1116	17.8	238	3	4	13	24	41	58	99+
85+	1319	17.7	225	3	5	14	22	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	7.1	40	1	2	5	9	15	19	32
B. *Operated*	570	6.1	64	<1	<1	3	8	16	21	40
2. MULTIPLE DX										
A. *Not Operated*	4539	10.3	86	2	3	8	12	20	28	53
B. *Operated*	6113	16.8	232	2	3	13	22	38	55	99+
1. SINGLE DX	769	6.4	58	<1	1	4	8	16	21	35
2. MULTIPLE DX	10652	14.0	180	2	3	10	18	31	44	91
A. NOT OPERATED	4738	10.1	84	2	3	8	12	20	27	53
B. OPERATED	6683	15.9	227	1	2	12	21	36	52	99+
TOTAL 65-69 YRS	2248	11.6	163	1	1	8	15	27	39	72
70-74	2264	12.8	167	1	2	9	16	29	41	82
75-79	2366	14.2	183	2	3	10	18	32	45	99+
80-84	2091	14.1	172	2	3	10	18	31	44	99
85+	2452	14.8	186	3	4	11	18	31	45	87
GRAND TOTAL	**11421**	**13.5**	**176**	**1**	**3**	**10**	**17**	**30**	**43**	**90**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.3	8	1	2	6	8	10	10	10
70-74	4	5.8	12	3	3	5	8	10	10	10
75-79	3	4.7	4	3	3	4	6	7	7	7
80-84	2	13.5	181	4	4	13	23	23	23	23
85+	3	4.7	5	2	2	6	6	6	3	6
B. *Operated*										
65-69 YRS	5	7.6	40	1	1	7	10	18	18	18
70-74	2	7.5	1	7	7	7	8	8	8	8
75-79	2	40.0	3042	<1	<1	39	79	79	79	79
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	7.9	27	3	3	7	9	13	17	36
70-74	147	7.9	45	2	2	6	10	17	21	99+
75-79	117	8.8	46	2	3	7	11	16	22	69
80-84	49	9.3	54	2	3	8	12	16	28	37
85+	29	11.2	154	3	3	8	14	17	25	70
B. *Operated*										
65-69 YRS	93	13.8	131	2	4	11	16	26	34	64
70-74	83	13.5	99	3	4	11	17	28	35	47
75-79	67	17.2	309	3	5	12	19	39	67	99+
80-84	34	19.4	282	4	5	14	23	41	44	90
85+	11	14.5	41	3	5	14	19	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.4	21	2	2	6	7	10	16	23
B. *Operated*	9	14.8	605	<1	<1	7	10	55	79	79
2. MULTIPLE DX										
A. *Not Operated*	506	8.4	47	2	3	7	11	16	21	60
B. *Operated*	288	15.2	180	3	4	12	19	31	42	86
1. SINGLE DX	30	8.9	196	1	2	6	8	14	23	79
2. MULTIPLE DX	794	10.9	106	2	3	8	13	21	31	76
A. NOT OPERATED	527	8.3	46	2	3	7	10	16	21	57
B. OPERATED	297	15.2	191	2	4	11	19	31	43	85
TOTAL 65-69 YRS	271	9.9	70	2	3	8	11	18	26	53
70-74	236	9.8	70	2	3	7	12	20	29	54
75-79	189	12.0	179	2	3	9	14	24	42	99
80-84	85	13.4	168	3	4	10	15	28	38	74
85+	43	11.6	119	3	3	9	15	19	24	70
GRAND TOTAL	**824**	**10.8**	**109**	**2**	**3**	**8**	**13**	**21**	**31**	**79**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	5.3	6	2	2	5	7	9	10	12
70-74	49	5.4	7	2	2	5	7	9	10	14
75-79	37	7.2	71	2	3	5	7	12	18	52
80-84	19	5.3	12	1	2	5	6	10	14	15
85+	6	10.2	245	2	2	4	6	38	42	42
B. *Operated*										
65-69 YRS	272	6.6	21	1	2	5	10	13	15	20
70-74	196	6.8	20	1	2	6	10	13	15	19
75-79	92	8.0	31	1	2	8	12	14	17	27
80-84	27	7.6	17	2	3	8	11	13	14	16
85+	8	10.9	114	3	3	6	16	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	377	7.5	43	1	3	6	9	13	16	32
70-74	389	7.1	33	2	3	6	8	13	17	32
75-79	337	7.8	27	2	2	7	10	14	18	26
80-84	204	7.4	40	2	3	6	8	13	17	29
85+	98	8.4	55	2	3	6	10	17	24	43
B. *Operated*										
65-69 YRS	766	9.1	49	1	2	8	12	17	23	38
70-74	557	10.4	67	2	2	9	13	19	24	46
75-79	319	11.9	106	2	3	10	14	23	30	61
80-84	116	13.2	90	2	3	12	17	22	26	59
85+	37	10.9	36	1	3	11	14	19	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	5.9	28	2	2	5	7	9	11	36
B. *Operated*	595	7.0	23	1	2	6	10	14	15	21
2. MULTIPLE DX										
A. *Not Operated*	1405	7.5	37	2	3	6	9	14	17	31
B. *Operated*	1795	10.3	69	2	2	9	13	19	24	43
1. SINGLE DX	774	6.8	24	1	2	6	9	13	15	21
2. MULTIPLE DX	3200	9.1	57	2	3	7	12	17	22	40
A. NOT OPERATED	1584	7.3	36	2	3	6	9	13	17	31
B. OPERATED	2390	9.5	59	2	2	8	12	17	23	40
TOTAL 65-69 YRS	1483	8.0	42	1	2	7	11	15	20	34
70-74	1191	8.5	49	2	2	7	11	16	20	40
75-79	785	9.5	66	2	3	8	12	17	23	42
80-84	366	9.1	60	2	3	7	12	18	21	42
85+	149	9.3	60	2	3	7	12	19	23	42
GRAND TOTAL	**3974**	**8.6**	**51**	**2**	**2**	**7**	**11**	**16**	**20**	**38**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	4.3	11	<1	1	3	7	9	11	12
70-74	35	5.5	25	1	1	4	8	11	14	26
75-79	38	5.1	18	<1	<1	4	7	10	14	20
80-84	32	4.6	12	1	2	4	6	8	10	18
85+	46	6.0	21	1	2	4	7	12	15	24
B. *Operated*										
65-69 YRS	2229	9.8	17	2	4	10	12	15	16	20
70-74	2111	10.3	17	3	6	10	12	15	16	22
75-79	1461	10.9	14	5	7	11	13	15	17	22
80-84	700	11.1	15	6	7	11	14	16	17	21
85+	226	11.7	15	6	7	11	14	16	18	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	[illegible]	5.2	28	<1	1	4	7	10	15	29
70-74	453	5.5	33	<1	1	4	7	11	14	25
75-79	521	5.5	21	1	1	4	7	11	14	21
80-84	486	5.9	63	1	1	5	8	13	17	32
85+	523	7.6	66	1	2	6	10	15	21	96
B. *Operated*										
65-69 YRS	5048	11.2	36	3	5	11	14	17	20	30
70-74	5468	12.0	40	4	7	11	14	18	21	37
75-79	4598	12.9	44	5	7	12	15	19	23	38
80-84	2351	13.8	54	6	8	13	16	21	25	46
85+	829	14.1	59	6	8	13	16	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	5.2	18	1	1	4	7	11	14	23
B. *Operated*	6727	10.4	16	3	6	10	13	15	17	22
2. MULTIPLE DX										
A. *Not Operated*	2392	6.2	44	1	1	5	8	12	16	34
B. *Operated*	18294	12.4	43	4	7	11	15	18	22	37
1. SINGLE DX	6912	10.2	17	2	5	10	13	15	16	22
2. MULTIPLE DX	20686	11.6	47	2	4	11	14	18	22	37
A. NOT OPERATED	2577	6.1	42	1	1	4	8	12	16	33
B. OPERATED	25021	11.8	37	4	6	11	14	17	21	32
TOTAL 65-69 YRS	7729	10.5	32	2	4	10	13	16	19	28
70-74	8067	11.2	36	2	5	11	14	17	20	30
75-79	6618	11.8	40	3	5	11	14	18	21	34
80-84	3549	12.2	53	3	5	11	15	19	23	41
85+	1624	11.5	63	2	3	11	15	20	23	51
GRAND TOTAL	**27598**	**11.3**	**40**	**2**	**4**	**11**	**14**	**17**	**21**	**33**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	4.0	6	<1	1	4	5	8	9	10
70-74	21	6.0	32	1	2	5	6	10	18	28
75-79	25	4.6	13	1	2	4	6	8	12	18
80-84	11	4.7	10	1	1	4	7	9	11	11
85+	13	3.2	9	1	1	2	3	6	12	13
B. *Operated*										
65-69 YRS	121	7.4	31	1	1	6	11	14	19	23
70-74	76	8.8	37	1	2	8	12	16	19	32
75-79	49	10.5	34	2	3	10	13	19	22	29
80-84	31	8.7	20	1	2	10	12	14	15	17
85+	13	11.2	20	4	5	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	184	8.0	45	2	2	6	9	16	20	34
70-74	226	8.7	64	2	2	6	11	17	26	41
75-79	181	7.7	43	2	2	6	9	15	20	37
80-84	166	8.3	48	2	2	6	10	17	24	37
85+	191	7.8	54	2	3	6	9	15	21	54
B. *Operated*										
65-69 YRS	371	12.8	143	1	3	10	17	26	34	64
70-74	314	14.7	144	2	3	12	19	30	38	68
75-79	230	15.3	124	3	4	13	18	30	37	60
80-84	144	16.4	107	3	5	15	21	31	42	59
85+	90	17.0	152	4	5	14	22	30	37	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.6	15	1	1	4	6	8	10	23
B. *Operated*	290	8.6	33	1	2	9	11	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	948	8.1	51	2	2	6	10	16	21	39
B. *Operated*	1149	14.6	137	2	3	12	18	29	38	63
1. SINGLE DX	387	7.6	31	1	2	7	11	15	18	27
2. MULTIPLE DX	2097	11.7	109	2	3	9	15	24	32	54
A. NOT OPERATED	1045	7.8	49	2	2	6	9	16	21	38
B. OPERATED	1439	13.4	122	2	3	11	16	27	35	58
TOTAL 65-69 YRS	703	10.2	100	1	2	8	13	21	29	53
70-74	637	11.6	109	2	3	9	15	23	34	47
75-79	485	11.4	93	2	3	9	14	22	30	54
80-84	352	11.5	85	2	3	9	15	24	31	44
85+	307	10.5	98	2	3	7	14	22	29	54
GRAND TOTAL	**2484**	**11.0**	**99**	**2**	**3**	**9**	**14**	**22**	**30**	**51**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7	1	<1	<1	1	2	3	3	3
70-74	5	1.4	1	<1	<1	1	2	3	3	3
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	62	2.0	3	<1	<1	1	2	4	6	9
70-74	50	2.6	5	<1	<1	2	3	6	7	10
75-79	21	3.0	17	<1	<1	2	3	5	12	20
80-84	10	3.0	14	<1	<1	2	3	8	13	13
85+	7	4.1	10	<1	<1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	3.7	22	<1	<1	2	4	12	14	14
70-74	13	2.7	2	1	1	3	4	5	5	5
75-79	6	6.0	18	<1	<1	5	9	13	13	13
80-84	4	3.5	4	1	1	3	5	6	6	6
85+	3	4.3	5	3	3	3	6	7	7	7
B. *Operated*										
65-69 YRS	329	2.8	8	<1	<1	2	3	6	9	14
70-74	217	2.7	7	<1	<1	2	3	6	8	14
75-79	135	3.7	46	<1	<1	2	3	7	11	32
80-84	55	3.9	9	<1	1	3	6	9	10	14
85+	22	2.9	4	1	1	2	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.1	3	<1	<1	1	3	5	7	7
B. *Operated*	150	2.5	7	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	10	<1	1	3	4	7	12	14
B. *Operated*	758	3.0	15	<1	<1	2	3	6	9	17
1. SINGLE DX	161	2.5	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	791	3.1	14	<1	<1	2	3	6	9	17
A. NOT OPERATED	44	3.3	9	<1	<1	3	4	7	10	14
B. OPERATED	908	3.0	13	<1	<1	2	3	6	9	16
TOTAL 65-69 YRS	401	2.7	7	<1	<1	2	3	6	9	14
70-74	285	2.7	6	<1	<1	2	3	5	7	14
75-79	163	3.7	41	<1	<1	2	3	7	12	25
80-84	71	3.7	9	<1	1	3	5	8	10	14
85+	32	3.3	6	1	1	3	4	7	8	9
GRAND TOTAL	**952**	**3.0**	**13**	**<1**	**<1**	**2**	**3**	**6**	**9**	**16**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.3	4	<1	1	3	5	6	7	9
70-74	21	5.2	11	1	2	4	7	10	13	13
75-79	16	3.6	4	1	2	3	5	6	7	8
80-84	12	3.8	8	1	1	3	5	8	11	11
85+	16	4.0	6	1	1	3	5	9	10	10
B. *Operated*										
65-69 YRS	82	4.0	13	<1	1	3	5	9	11	17
70-74	61	4.0	13	<1	1	2	6	11	12	15
75-79	42	5.5	34	1	2	4	7	11	14	36
80-84	32	5.3	17	1	1	5	7	10	11	19
85+	16	5.6	20	1	1	5	6	12	16	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	216	6.7	57	1	1	5	8	13	18	48
70-74	188	6.7	67	1	2	4	8	11	25	43
75-79	221	7.5	76	1	2	5	8	14	23	51
80-84	215	7.4	79	2	2	5	8	14	20	76
85+	258	7.3	88	1	2	5	8	12	19	57
B. *Operated*										
65-69 YRS	280	6.8	59	1	1	4	8	14	19	39
70-74	221	7.0	41	1	1	5	10	16	20	34
75-79	180	8.2	77	1	1	6	10	17	22	54
80-84	97	10.0	104	1	1	7	14	20	26	59
85+	77	11.5	170	1	2	7	16	31	39	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.9	7	1	1	3	5	7	9	13
B. *Operated*	233	4.5	18	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1098	7.1	74	1	2	5	8	13	20	52
B. *Operated*	855	7.9	75	1	1	5	10	17	23	53
1. SINGLE DX	329	4.4	15	1	1	3	6	9	12	17
2. MULTIPLE DX	1953	7.5	74	1	2	5	9	15	22	52
A. NOT OPERATED	1194	6.9	69	1	2	5	8	12	19	51
B. OPERATED	1088	7.2	65	1	1	5	9	16	21	44
TOTAL 65-69 YRS	609	6.2	50	1	1	4	8	13	18	36
70-74	491	6.4	47	1	1	4	8	13	19	39
75-79	459	7.5	70	1	2	5	9	15	22	50
80-84	356	7.8	80	1	2	5	9	15	21	68
85+	367	8.0	102	1	2	5	9	16	28	63
GRAND TOTAL	**2282**	**7.0**	**67**	**1**	**1**	**5**	**8**	**14**	**20**	**49**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.0	22	1	2	3	5	14	17	18
70-74	13	13.0	184	5	6	9	12	26	50	56
75-79	9	5.6	9	2	2	5	7	10	11	11
80-84	2	7.0	2	6	6	7	8	8	8	8
85+	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*										
65-69 YRS	7	12.6	121	6	6	9	11	32	37	37
70-74	7	15.1	43	5	6	16	21	23	23	23
75-79	9	17.6	158	2	3	18	22	37	43	43
80-84	1	18.0		18	18	18	18	18	18	18
85+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	42	7.6	77	2	2	6	9	15	18	56
B. *Operated*	25	15.6	99	4	5	16	20	27	38	43
1. SINGLE DX	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX	67	10.6	99	2	2	7	15	21	28	54
A. NOT OPERATED	45	7.4	73	2	2	5	8	14	18	56
B. OPERATED	26	15.0	103	2	5	14	20	27	38	43
TOTAL 65-69 YRS	22	7.4	62	1	2	5	9	15	26	37
70-74	22	12.8	129	3	5	9	17	22	36	56
75-79	19	11.2	113	2	2	7	17	25	36	43
80-84	4	8.5	46	2	2	7	13	18	18	18
85+	4	8.3	68	2	2	5	14	20	20	20
GRAND TOTAL	**71**	**10.2**	**97**	**2**	**2**	**7**	**14**	**20**	**27**	**53**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	78	4.7	9	1	1	4	7	9	10	12
70-74	67	5.4	11	1	1	5	8	10	12	13
75-79	57	5.7	18	1	1	5	8	11	17	94
80-84	36	6.0	11	2	2	6	8	10	13	15
85+	23	5.6	13	2	3	5	6	11	14	17
B. *Operated*										
65-69 YRS	328	4.7	20	1	1	3	7	10	15	20
70-74	220	5.5	26	1	1	4	8	13	16	24
75-79	135	5.9	33	1	1	4	8	13	17	26
80-84	35	6.3	30	1	1	5	9	15	18	19
85+	14	9.8	109	1	2	6	10	29	36	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	618	6.2	16	1	2	5	8	11	14	18
70-74	687	6.5	19	1	2	5	8	12	15	25
75-79	695	7.4	36	2	3	6	9	13	17	31
80-84	604	7.4	51	2	2	6	9	13	17	54
85+	580	7.5	33	2	2	6	9	14	19	38
B. *Operated*										
65-69 YRS	913	7.8	52	1	1	6	10	15	21	34
70-74	791	9.1	79	1	1	7	11	17	23	52
75-79	541	10.1	79	1	2	8	13	20	26	46
80-84	257	11.8	98	1	2	10	15	23	31	66
85+	70	12.0	119	2	3	11	16	21	34	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	5.3	12	1	1	5	7	10	12	19
B. *Operated*	732	5.3	27	1	1	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	3184	7.0	31	2	2	6	9	13	16	29
B. *Operated*	2572	9.2	74	1	1	7	12	19	24	45
1. SINGLE DX	993	5.3	23	1	1	4	8	11	15	22
2. MULTIPLE DX	5756	8.0	51	1	2	6	10	15	20	38
A. NOT OPERATED	3445	6.9	30	2	2	6	9	12	16	28
B. OPERATED	3304	8.3	66	1	1	7	11	17	22	40
TOTAL 65-69 YRS	1937	6.7	34	1	1	5	9	13	17	29
70-74	1765	7.5	49	1	1	6	10	15	19	34
75-79	1428	8.2	54	1	2	7	11	16	20	39
80-84	932	8.5	66	1	2	7	11	16	22	58
85+	687	7.9	45	2	2	6	10	15	20	42
GRAND TOTAL	**6749**	**7.6**	**48**	**1**	**1**	**6**	**10**	**15**	**20**	**36**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	203	5.9	12	1	2	6	8	10	12	16
70-74	144	6.5	16	1	2	6	9	12	14	22
75-79	89	6.1	12	2	2	6	8	9	11	22
80-84	36	6.5	17	2	2	6	9	11	15	19
85+	19	5.3	11	1	2	4	8	10	12	13
B. *Operated*										
65-69 YRS	899	6.0	21	1	1	5	8	12	15	21
70-74	447	6.6	24	1	1	6	9	13	16	23
75-79	211	6.7	29	1	1	6	9	13	16	26
80-84	69	7.3	47	1	1	6	9	15	18	41
85+	27	7.6	25	1	1	6	10	12	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	829	7.2	21	1	2	6	9	13	15	23
70-74	812	8.0	26	2	3	7	10	14	18	26
75-79	611	8.2	32	2	3	7	11	14	17	23
80-84	413	8.1	28	2	3	7	10	14	17	31
85+	245	8.1	34	2	3	7	11	14	17	35
B. *Operated*										
65-69 YRS	1749	9.1	49	1	2	8	11	18	22	36
70-74	1242	10.1	58	1	2	9	14	19	24	38
75-79	724	10.6	62	1	2	9	14	20	25	41
80-84	301	11.8	67	2	3	11	16	22	28	41
85+	100	12.3	86	2	3	10	16	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	491	6.1	14	1	2	6	8	10	13	19
B. *Operated*	1653	6.3	24	1	1	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2910	7.8	27	2	3	7	10	14	17	26
B. *Operated*	4116	9.9	57	1	2	8	13	19	24	37
1. SINGLE DX	2144	6.3	22	1	1	6	9	12	15	22
2. MULTIPLE DX	7026	9.1	46	1	2	8	11	17	21	34
A. NOT OPERATED	3401	7.6	26	2	3	7	10	13	16	26
B. OPERATED	5769	8.9	50	1	1	8	12	17	22	35
TOTAL 65-69 YRS	3680	7.8	36	1	1	7	10	15	18	30
70-74	2645	8.7	42	1	2	7	11	16	21	31
75-79	1635	8.9	46	1	2	8	11	17	21	34
80-84	819	9.3	47	2	3	8	12	17	22	34
85+	391	9.0	49	2	3	8	11	17	22	36
GRAND TOTAL	**9170**	**8.4**	**41**	**1**	**2**	**7**	**11**	**16**	**20**	**32**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	4.7	8	1	2	4	7	9	10	11
70-74	23	5.5	22	1	1	4	9	11	17	18
75-79	12	6.3	10	1	2	6	9	10	10	10
80-84	2	10.0	32	6	6	10	14	14	14	14
85+	3	7.0	39	2	2	5	12	14	14	14
B. *Operated*										
65-69 YRS	122	5.4	17	1	1	5	7	11	15	19
70-74	56	4.3	10	1	1	4	6	9	11	13
75-79	24	6.2	21	1	1	5	8	13	16	17
80-84	2	4.0	18	1	1	4	7	7	7	7
85+	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	162	6.9	22	2	2	5	9	14	17	21
70-74	123	6.0	20	1	2	5	8	11	13	26
75-79	85	7.8	38	2	2	6	9	15	19	37
80-84	65	6.1	15	2	2	5	8	11	13	20
85+	44	7.7	30	2	3	6	9	15	20	26
B. *Operated*										
65-69 YRS	210	8.8	73	1	1	7	12	17	25	49
70-74	147	8.7	48	1	2	7	11	15	22	42
75-79	78	8.6	47	1	1	7	12	19	22	32
80-84	21	16.0	202	3	4	12	20	37	49	58
85+	9	8.7	30	1	2	9	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.6	15	1	1	5	8	10	14	18
B. *Operated*	207	5.1	15	1	1	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	479	6.8	24	2	2	6	9	13	16	25
B. *Operated*	465	9.1	67	1	1	7	12	18	24	42
1. SINGLE DX	271	5.2	15	1	1	4	7	10	14	18
2. MULTIPLE DX	944	7.9	47	1	2	6	10	15	20	37
A. NOT OPERATED	543	6.6	23	2	2	5	9	12	16	24
B. OPERATED	672	7.9	54	1	1	6	10	16	21	41
TOTAL 65-69 YRS	518	7.2	43	1	1	5	9	15	17	32
70-74	349	6.8	33	1	1	6	9	13	16	31
75-79	199	7.8	38	1	2	6	10	16	20	32
80-84	90	8.4	75	2	2	6	10	18	21	52
85+	59	7.5	29	2	2	6	9	15	18	26
GRAND TOTAL	**1215**	**7.3**	**41**	**1**	**2**	**6**	**9**	**15**	**19**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	7.2	15	2	2	7	9	13	13	13
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	7	6.1	19	1	2	5	7	13	15	15
80-84	3	4.0	9	<1	<1	4	6	7	7	7
85+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	7.1	27	2	2	6	9	13	17	25
70-74	38	7.3	15	2	3	7	9	13	15	19
75-79	34	9.0	78	2	3	7	10	16	25	49
80-84	15	5.3	6	1	2	5	7	9	10	10
85+	20	7.7	42	2	2	5	10	14	23	30
B. *Operated*										
65-69 YRS	8	10.1	86	1	1	8	14	25	29	29
70-74	16	11.3	114	1	1	8	18	30	32	33
75-79	13	7.2	27	1	2	6	8	17	19	19
80-84	3	15.7	44	8	8	19	20	20	20	20
85+	3	12.7	121	2	2	12	21	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.6	14	<1	1	5	7	11	14	15
B. *Operated*	7	3.0	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	151	7.5	36	2	2	6	9	13	16	30
B. *Operated*	43	10.3	76	1	1	8	15	23	30	33
1. SINGLE DX	26	4.9	12	1	1	4	7	8	13	15
2. MULTIPLE DX	194	8.1	46	1	2	6	10	15	23	32
A. NOT OPERATED	170	7.3	33	2	2	6	9	13	16	29
B. OPERATED	50	9.2	72	1	1	6	14	22	29	33
TOTAL 65-69 YRS	59	7.4	33	2	2	6	10	14	20	29
70-74	58	8.1	45	1	1	7	10	15	22	33
75-79	55	8.1	58	1	2	6	9	16	19	48
80-84	21	5.6	24	1	2	5	8	14	19	20
85+	27	7.7	45	2	2	5	11	15	25	30
GRAND TOTAL	**220**	**7.7**	**43**	**1**	**2**	**6**	**10**	**15**	**20**	**32**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	4.5	5	1	2	4	7	8	8	8
70-74	26	6.0	12	2	3	5	8	9	12	18
75-79	15	7.7	78	<1	1	5	9	15	31	36
80-84	12	8.0	38	3	3	6	10	16	24	25
85+	8	6.8	9	3	4	6	8	12	13	13
B. *Operated*										
65-69 YRS	19	2.9	12	<1	1	2	4	5	11	16
70-74	4	1.3		1	1	1	2	2	2	2
75-79	5	4.4	25	1	1	3	6	13	13	13
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	181	7.0	16	2	3	6	9	12	14	23
70-74	182	7.6	22	2	3	7	9	12	17	27
75-79	141	7.1	18	2	3	6	9	13	15	20
80-84	113	8.2	35	3	3	7	10	14	18	36
85+	76	7.8	28	2	3	6	11	15	19	27
B. *Operated*										
65-69 YRS	49	9.0	62	1	1	8	13	19	22	41
70-74	37	9.1	54	2	2	8	10	17	28	35
75-79	38	9.1	42	1	2	8	13	19	22	26
80-84	20	10.7	52	2	3	10	14	21	27	28
85+	12	8.4	26	2	3	7	13	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	6.2	26	1	2	5	8	10	13	32
B. *Operated*	29	3.1	13	1	1	2	4	7	13	16
2. MULTIPLE DX										
A. *Not Operated*	693	7.5	23	2	3	6	9	13	16	27
B. *Operated*	156	9.2	50	1	2	8	12	18	24	35
1. SINGLE DX	114	5.4	24	1	1	4	8	9	13	29
2. MULTIPLE DX	849	7.8	28	2	3	6	10	14	17	29
A. NOT OPERATED	778	7.3	23	2	3	6	9	13	15	27
B. OPERATED	185	8.2	49	1	1	7	12	17	22	33
TOTAL 65-69 YRS	273	6.8	25	1	2	6	9	13	15	25
70-74	249	7.5	27	2	3	6	9	12	18	30
75-79	199	7.5	27	2	2	6	9	14	17	29
80-84	146	8.5	38	3	3	7	11	15	21	36
85+	96	7.8	26	2	3	6	11	14	18	26
GRAND TOTAL	**963**	**7.5**	**28**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	207	4.5	14	1	1	4	6	9	11	17
70-74	167	4.4	11	1	1	4	6	9	11	14
75-79	130	5.1	17	1	1	4	7	10	13	23
80-84	59	4.5	14	<1	1	3	6	9	12	17
85+	30	4.8	13	1	1	4	7	10	13	13
B. *Operated*										
65-69 YRS	595	5.2	18	1	1	5	8	11	14	18
70-74	558	5.7	20	1	1	5	8	11	14	19
75-79	336	5.8	22	1	1	6	9	11	14	21
80-84	102	6.5	31	1	1	6	10	12	17	26
85+	31	6.7	25	1	1	7	10	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1088	6.4	23	1	2	5	8	12	15	22
70-74	1077	6.5	24	1	2	5	8	11	15	24
75-79	894	6.7	20	1	2	6	9	12	15	21
80-84	753	7.4	32	2	2	6	10	13	17	32
85+	586	7.4	47	2	2	6	9	13	17	36
B. *Operated*										
65-69 YRS	1591	8.2	43	1	1	7	11	16	21	33
70-74	1525	9.2	51	1	1	8	12	18	22	35
75-79	1035	10.2	73	1	2	9	13	19	25	39
80-84	500	11.4	88	1	2	10	14	22	29	51
85+	173	12.7	112	2	4	10	16	22	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	4.6	14	1	1	4	6	9	11	16
B. *Operated*	1622	5.6	20	1	1	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	4398	6.8	28	1	2	6	9	12	15	25
B. *Operated*	4824	9.4	60	1	1	8	12	18	23	38
1. SINGLE DX	2215	5.3	19	1	1	5	8	11	13	19
2. MULTIPLE DX	9222	8.2	46	1	2	7	10	16	20	33
A. NOT OPERATED	4991	6.5	26	1	2	5	8	12	15	25
B. OPERATED	6446	8.5	53	1	1	7	11	17	21	35
TOTAL 65-69 YRS	3481	6.9	32	1	1	6	9	14	17	28
70-74	3327	7.5	38	1	1	6	10	15	18	29
75-79	2395	8.0	47	1	1	7	10	15	20	32
80-84	1414	8.7	55	1	2	7	11	16	22	42
85+	820	8.4	64	1	2	7	10	16	20	45
GRAND TOTAL	**11437**	**7.6**	**42**	**1**	**1**	**6**	**10**	**15**	**19**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	3.2	3	<1	1	3	4	5	6	7
70-74	28	4.0	10	1	1	3	6	8	10	15
75-79	15	6.6	24	1	1	5	9	15	16	17
80-84	11	3.2	2	1	1	3	4	5	6	6
85+	15	3.2	1	1	2	3	4	4	6	6
B. *Operated*										
65-69 YRS	254	2.6	5	<1	<1	2	3	5	7	11
70-74	130	2.6	5	<1	<1	2	3	5	7	12
75-79	64	2.7	5	<1	<1	2	4	5	8	11
80-84	21	4.8	57	<1	<1	2	4	10	22	35
85+	11	2.8	5	<1	<1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	211	5.3	14	1	2	4	7	10	13	18
70-74	170	5.6	12	1	2	5	8	10	11	16
75-79	169	5.5	14	2	2	4	8	11	14	18
80-84	117	5.9	15	2	2	5	8	11	14	19
85+	106	6.3	16	2	2	6	8	12	16	19
B. *Operated*										
65-69 YRS	524	4.4	22	<1	1	3	5	9	12	22
70-74	332	5.2	28	<1	1	3	6	11	17	25
75-79	206	5.5	31	1	1	4	7	11	17	28
80-84	97	6.2	38	<1	1	4	8	13	21	32
85+	48	7.4	35	1	1	6	10	17	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	4.0	9	1	1	3	5	7	10	16
B. *Operated*	480	2.7	7	<1	<1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	773	5.6	14	1	2	5	7	11	14	18
B. *Operated*	1207	5.0	27	<1	1	3	6	10	15	26
1. SINGLE DX	572	2.9	8	<1	<1	2	4	5	8	15
2. MULTIPLE DX	1980	5.3	22	1	1	4	7	10	14	23
A. NOT OPERATED	865	5.5	14	1	2	4	7	10	13	18
B. OPERATED	1687	4.4	23	<1	1	3	5	9	13	25
TOTAL 65-69 YRS	1012	4.1	16	<1	1	3	5	8	11	20
70-74	660	4.7	20	<1	1	3	6	10	13	22
75-79	454	5.1	22	1	1	4	6	11	15	26
80-84	246	5.8	28	1	1	4	8	11	16	28
85+	180	6.1	21	1	2	5	8	12	17	23
GRAND TOTAL	**2552**	**4.7**	**20**	**<1**	**1**	**3**	**6**	**10**	**13**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	228	2.4	3	<1	1	2	3	4	5	8
70-74	175	2.3	3	<1	<1	2	3	4	5	8
75-79	102	2.5	2	<1	1	2	3	5	5	7
80-84	35	2.1	2	<1	<1	2	3	4	5	6
85+	20	2.5	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	2.6	4	<1	<1	2	3	5	7	8
70-74	12	3.6	10	<1	<1	3	5	8	11	11
75-79	11	1.8	3	<1	<1	1	2	5	7	7
80-84	3	2.0	1	<1	<1	2	3	3	3	3
85+	3	3.7	9	<1	<1	3	6	7	7	7
B. *Operated*										
65-69 YRS	1383	3.1	4	1	1	3	4	5	6	10
70-74	1020	3.1	5	1	1	3	4	6	7	10
75-79	588	3.2	5	1	1	3	4	6	7	11
80-84	227	4.0	46	1	1	3	4	6	8	25
85+	84	3.6	7	1	1	3	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	560	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	43	2.7	6	<1	<1	2	3	7	8	11
B. *Operated*	3302	3.2	8	1	1	3	4	6	7	11
1. SINGLE DX	563	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	3345	3.2	7	1	1	3	4	6	7	11
A. NOT OPERATED	46	2.7	5	<1	<1	2	3	7	7	11
B. OPERATED	3862	3.1	7	1	1	3	4	5	7	11
TOTAL 65-69 YRS	1625	3.0	4	1	1	3	4	5	6	9
70-74	1207	3.0	5	<1	1	3	4	5	7	10
75-79	702	3.1	4	1	1	3	4	6	7	10
80-84	266	3.7	40	<1	1	3	4	6	8	16
85+	108	3.4	6	<1	1	3	4	7	8	13
GRAND TOTAL	**3908**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	3	4.0	13	<1	<1	3	7	8	8	8
75-79	2	5.5	13	3	3	5	8	8	8	8
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	58	1.9	2	<1	<1	1	2	4	5	6
70-74	34	2.6	4	<1	<1	2	3	6	7	8
75-79	27	2.4	3	<1	<1	2	3	5	7	8
80-84	7	4.9	8	<1	1	4	7	9	9	9
85+	9	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	3.7	6	1	1	3	5	8	8	8
70-74	8	3.9	18	<1	<1	2	6	11	12	12
75-79	10	4.9	13	2	2	4	6	10	14	14
80-84	5	9.8	51	2	2	11	16	18	18	18
85+	3	7.7	17	3	3	9	10	11	11	11
B. *Operated*										
65-69 YRS	90	3.7	21	<1	1	2	4	8	10	28
70-74	85	3.8	14	<1	1	3	5	7	9	24
75-79	62	3.5	8	<1	1	3	4	8	10	14
80-84	31	3.6	4	<1	1	4	5	6	6	7
85+	17	4.2	7	<1	1	3	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.8	8	<1	<1	3	6	8	8	8
B. *Operated*	135	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	39	5.1	19	1	1	3	8	12	15	18
B. *Operated*	285	3.7	13	<1	1	3	5	7	9	16
1. SINGLE DX	143	2.4	4	<1	<1	2	3	5	7	8
2. MULTIPLE DX	324	3.9	14	<1	1	3	5	8	10	17
A. NOT OPERATED	47	4.9	17	1	1	3	7	11	14	18
B. OPERATED	420	3.2	10	<1	<1	2	4	7	8	14
TOTAL 65-69 YRS	163	3.0	13	<1	<1	2	4	7	8	15
70-74	130	3.5	12	<1	<1	3	5	7	9	19
75-79	101	3.4	8	<1	<1	2	4	7	9	14
80-84	43	4.5	13	<1	1	4	6	8	12	18
85+	30	3.7	9	<1	<1	2	7	8	9	11
GRAND TOTAL	**467**	**3.4**	**11**	**<1**	**<1**	**2**	**4**	**7**	**9**	**15**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	10.2	250	<1	1	6	11	15	41	78
70-74	11	9.5	44	1	2	9	13	19	24	24
75-79	6	9.5	62	4	4	6	10	23	25	25
80-84	3	15.3	44	8	8	17	20	21	21	21
85+	5	16.4	75	6	6	15	22	29	29	29
B. *Operated*										
65-69 YRS	56	11.0	142	<1	2	7	13	21	38	65
70-74	42	12.2	170	1	2	7	16	26	40	66
75-79	26	8.3	42	1	1	7	14	18	20	23
80-84	18	6.7	21	1	2	5	10	14	16	16
85+	14	12.0	184	1	2	9	13	20	49	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	185	15.3	134	4	6	12	19	33	43	51
70-74	150	14.0	153	3	4	10	17	29	39	84
75-79	113	13.9	78	4	6	12	17	28	31	45
80-84	105	14.1	115	2	4	11	18	27	39	54
85+	109	14.1	111	4	5	12	18	26	34	57
B. *Operated*										
65-69 YRS	589	18.9	224	3	4	15	27	41	48	81
70-74	464	17.8	203	4	5	14	23	40	50	81
75-79	369	19.0	186	3	5	16	25	41	46	73
80-84	225	18.5	268	3	4	13	24	44	53	87
85+	197	18.9	208	5	5	15	24	38	50	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	11.0	144	1	2	7	14	21	26	78
B. *Operated*	156	10.4	123	1	2	7	14	21	27	65
2. MULTIPLE DX										
A. *Not Operated*	662	14.4	121	3	5	11	18	29	38	57
B. *Operated*	1844	18.6	215	3	5	14	24	41	48	80
1. SINGLE DX	203	10.6	128	1	2	7	14	21	27	66
2. MULTIPLE DX	2506	17.5	193	3	5	13	22	38	46	78
A. NOT OPERATED	709	14.2	124	3	5	11	17	29	37	59
B. OPERATED	2000	18.0	212	3	4	14	24	40	48	79
TOTAL 65-69 YRS	852	17.4	205	2	4	13	23	39	46	77
70-74	667	16.5	191	3	4	12	21	38	47	81
75-79	514	17.3	163	3	4	14	23	36	45	64
80-84	351	16.6	216	3	4	12	20	41	48	78
85+	325	17.0	177	5	5	13	20	34	44	63
GRAND TOTAL	**2709**	**17.0**	**192**	**3**	**4**	**13**	**22**	**37**	**46**	**76**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	5.2	22	1	2	4	6	9	12	31
70-74	85	5.8	17	1	2	5	8	11	14	21
75-79	94	5.8	36	1	1	5	7	10	12	38
80-84	87	5.8	15	1	2	5	7	11	14	20
85+	93	6.0	19	1	2	5	8	11	12	25
B. *Operated*										
65-69 YRS	203	6.7	26	1	1	5	9	14	17	23
70-74	154	7.3	36	1	2	6	10	13	16	39
75-79	115	8.4	27	1	2	8	12	15	16	24
80-84	77	9.0	34	2	2	8	11	17	19	31
85+	50	10.5	30	2	3	11	15	17	19	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1273	7.9	41	2	2	6	10	15	20	30
70-74	1765	8.1	42	2	2	7	10	15	19	33
75-79	2097	8.5	43	2	3	7	11	15	19	36
80-84	2008	8.6	47	2	3	7	11	16	20	31
85+	2076	8.6	49	2	3	7	11	16	21	37
B. *Operated*										
65-69 YRS	958	11.7	89	2	3	10	15	22	29	65
70-74	1086	12.3	86	2	3	11	15	22	29	50
75-79	1011	13.3	85	3	4	11	17	24	30	52
80-84	686	14.9	123	4	5	12	18	27	35	69
85+	559	14.8	107	4	6	13	18	25	33	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	5.7	22	1	2	5	7	10	13	22
B. *Operated*	599	7.8	31	1	2	7	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	9219	8.4	45	2	3	7	10	15	20	33
B. *Operated*	4300	13.1	96	2	4	11	16	24	31	63
1. SINGLE DX	1032	6.9	28	1	2	6	9	13	16	25
2. MULTIPLE DX	13519	9.9	66	2	3	8	12	18	24	45
A. NOT OPERATED	9652	8.3	44	2	3	7	10	15	19	33
B. OPERATED	4899	12.5	92	2	3	11	16	23	30	57
TOTAL 65-69 YRS	2508	9.1	62	2	2	7	12	18	23	44
70-74	3090	9.5	61	2	3	8	12	17	23	40
75-79	3317	9.9	60	2	3	8	13	18	23	44
80-84	2858	10.1	71	2	3	8	12	19	24	47
85+	2778	9.8	66	2	3	8	13	18	23	51
GRAND TOTAL	**14551**	**9.7**	**64**	**2**	**3**	**8**	**12**	**18**	**23**	**44**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	16	4.3	9	1	1	4	5	9	12	13
70-74	14	7.1	29	2	2	5	8	16	20	21
75-79	12	4.7	17	<1	<1	2	9	10	11	11
80-84	3	9.7	52	5	5	6	15	18	18	18
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	15.4	302	1	1	9	23	40	59	64
70-74	13	23.4	570	1	2	14	34	68	73	74
75-79	17	17.0	283	3	3	11	18	45	56	62
80-84	6	22.2	153	3	4	23	28	38	39	39
85+	9	17.9	659	2	3	11	14	59	85	85
B. *Operated*										
65-69 YRS	108	5.5	26	1	1	4	8	11	14	29
70-74	74	5.8	18	1	2	4	9	12	15	17
75-79	56	7.6	35	2	2	6	9	17	21	28
80-84	22	7.9	42	1	1	6	12	18	21	24
85+	13	5.1	16	<1	1	3	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	47	5.4	21	1	1	4	8	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	59	18.7	378	1	2	12	23	46	65	84
B. *Operated*	273	6.2	27	1	1	4	8	12	17	27
1. SINGLE DX	48	5.4	21	1	1	4	8	11	16	21
2. MULTIPLE DX	332	8.4	111	1	1	5	10	17	24	64
A. NOT OPERATED	60	18.4	375	1	2	12	23	45	65	84
B. OPERATED	320	6.1	26	1	1	4	8	12	17	25
TOTAL 65-69 YRS	138	6.3	59	1	1	4	8	12	20	40
70-74	102	8.2	119	1	2	5	9	16	19	70
75-79	85	9.1	96	1	2	7	10	18	25	56
80-84	31	10.8	91	1	1	7	17	25	28	39
85+	24	9.5	282	<1	1	5	11	14	39	85
GRAND TOTAL	**380**	**8.0**	**101**	**1**	**1**	**5**	**9**	**16**	**23**	**63**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	11	4.6	14	<1	<1	4	8	10	11	11
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	6	3.0	8	1	1	2	6	7	7	7
70-74	4	11.5	166	1	1	7	20	30	30	30
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	5.9	14	1	2	5	8	11	14	17
70-74	41	5.9	14	1	2	5	7	9	12	22
75-79	34	6.7	23	2	2	6	9	12	13	26
80-84	29	6.2	21	1	1	6	8	13	17	18
85+	17	8.5	119	2	3	6	8	14	37	49
B. *Operated*										
65-69 YRS	16	9.4	134	1	1	5	9	33	38	39
70-74	11	5.6	12	1	2	5	6	12	12	12
75-79	9	14.0	77	1	1	15	19	25	29	29
80-84	3	20.0	148	12	12	14	29	34	34	34
85+	3	8.7	16	5	5	8	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	11	<1	1	2	5	10	11	11
B. *Operated*	13	5.6	61	1	1	3	6	14	27	30
2. MULTIPLE DX										
A. *Not Operated*	163	6.4	28	1	2	5	8	12	14	25
B. *Operated*	42	10.1	91	1	2	6	14	23	34	39
1. SINGLE DX	30	4.6	32	1	1	3	6	10	11	30
2. MULTIPLE DX	205	7.2	43	1	2	5	8	14	18	37
A. NOT OPERATED	180	6.2	26	1	2	5	8	11	14	25
B. OPERATED	55	9.0	87	1	1	6	12	20	33	39
TOTAL 65-69 YRS	67	6.3	44	1	1	5	8	12	17	38
70-74	67	6.0	22	1	1	5	7	11	12	29
75-79	47	7.8	40	2	2	6	11	15	21	29
80-84	33	7.4	44	1	2	7	9	15	18	34
85+	21	8.3	98	2	3	6	8	14	30	49
GRAND TOTAL	**235**	**6.8**	**42**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	4.3	8	1	1	4	7	9	10	10
70-74	53	4.2	11	1	1	4	5	8	10	19
75-79	31	3.7	10	<1	1	3	4	7	9	16
80-84	11	3.4	5	<1	1	3	4	7	9	9
85+	19	4.5	13	1	1	4	6	9	13	15
B. *Operated*										
65-69 YRS	308	2.8	8	<1	1	2	4	6	8	16
70-74	214	2.8	8	<1	<1	2	3	7	10	11
75-79	108	3.1	15	<1	<1	2	3	8	10	21
80-84	44	3.9	33	<1	1	2	4	8	12	36
85+	15	4.5	15	1	1	2	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	479	5.3	22	1	2	4	7	10	13	23
70-74	445	5.8	39	1	1	4	7	12	16	32
75-79	413	5.7	18	1	2	4	8	11	13	20
80-84	328	6.5	40	1	2	5	8	12	16	30
85+	250	6.4	33	2	2	5	8	12	15	41
B. *Operated*										
65-69 YRS	741	6.0	66	1	1	4	7	13	18	49
70-74	529	6.2	59	1	1	3	7	14	21	42
75-79	381	7.4	58	1	1	6	10	15	22	32
80-84	174	7.9	77	1	1	5	10	19	25	40
85+	94	9.0	89	1	2	6	12	23	30	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	4.1	9	1	1	3	5	8	10	16
B. *Operated*	689	3.0	11	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	1915	5.8	30	1	2	4	7	11	15	29
B. *Operated*	1919	6.7	65	1	1	4	8	15	22	46
1. SINGLE DX	854	3.2	11	<1	1	2	4	7	10	16
2. MULTIPLE DX	3834	6.3	48	1	1	4	8	13	18	37
A. NOT OPERATED	2080	5.7	28	1	2	4	7	11	14	26
B. OPERATED	2608	5.7	54	1	1	3	7	13	18	41
TOTAL 65-69 YRS	1579	5.1	41	1	1	3	6	11	15	29
70-74	1241	5.4	43	1	1	3	7	11	16	36
75-79	933	6.1	36	1	1	4	8	13	16	28
80-84	557	6.7	52	1	1	5	8	13	19	32
85+	378	6.9	47	1	2	5	8	14	19	48
GRAND TOTAL	**4688**	**5.7**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	4.8	6	2	2	4	7	9	9	9
70-74	10	4.4	6	1	1	4	6	8	9	9
75-79	6	4.3	8	2	2	3	4	9	10	10
80-84	4	5.5	6	3	3	5	7	9	9	9
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	16.0	18	13	13	16	19	19	19	19
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	33	4.9	7	2	2	4	6	9	10	11
B. *Operated*	4	10.8	43	5	5	9	16	19	19	19
1. SINGLE DX										
2. MULTIPLE DX	37	5.5	13	2	2	4	7	10	12	19
A. NOT OPERATED	33	4.9	7	2	2	4	6	9	10	11
B. OPERATED	4	10.8	43	5	5	9	16	19	19	19
TOTAL 65-69 YRS	13	4.8	6	2	2	4	6	9	9	9
70-74	11	4.5	6	1	1	4	6	8	9	9
75-79	8	7.3	38	2	2	4	11	17	19	19
80-84	4	5.5	6	3	3	5	7	9	9	9
85+	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**37**	**5.5**	**13**	**2**	**2**	**4**	**7**	**10**	**12**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	3	2.7	4	1	1	2	4	5	5	5
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	11.0	8	9	9	11	13	13	13	13
75-79	4	11.3	88	2	2	10	19	22	22	22
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	7.8	30	2	2	6	13	15	15	15
70-74	6	5.8	27	1	1	4	10	14	14	14
75-79	4	9.8	119	3	3	5	16	26	26	26
80-84	5	12.2	547	1	1	2	16	54	54	54
85+	4	6.8	24	2	2	6	10	13	13	13
B. *Operated*										
65-69 YRS	11	9.7	49	2	2	7	13	21	24	24
70-74	8	7.4	39	2	2	4	12	17	17	17
75-79	5	8.8	40	3	3	9	12	19	19	19
80-84	3	4.0	1	3	3	4	5	5	5	5
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	3	<1	<1	2	5	5	5	5
B. *Operated*	7	10.4	49	2	3	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	24	8.4	131	1	1	4	11	16	34	54
B. *Operated*	27	8.2	39	2	2	6	11	18	20	24
1. SINGLE DX	13	6.9	41	<1	1	5	10	17	21	22
2. MULTIPLE DX	51	8.3	80	1	2	5	11	18	24	54
A. NOT OPERATED	30	7.3	109	1	1	4	8	14	26	54
B. OPERATED	34	8.7	40	2	2	6	13	19	21	24
TOTAL 65-69 YRS	19	8.4	38	2	2	6	12	17	22	24
70-74	19	6.5	29	1	1	5	10	16	17	17
75-79	14	9.2	67	<1	2	5	16	22	25	26
80-84	8	9.1	331	1	1	3	4	39	54	54
85+	4	6.8	24	2	2	6	10	13	13	13
GRAND TOTAL	**64**	**8.0**	**72**	**1**	**2**	**5**	**11**	**17**	**23**	**50**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	1.6		<1	<1	2	2	3	3	3
70-74	12	2.5	2	1	1	2	4	5	5	5
75-79	3	1.3		<1	<1	1	2	2	2	2
80-84	5	1.8		1	1	2	2	2	2	2
85+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	18	1.8	1	<1	1	2	3	3	3	3
70-74	19	3.7	39	<1	<1	2	3	5	18	29
75-79	16	1.8	1	<1	1	2	2	3	4	4
80-84	5	2.0	2	1	1	2	3	4	4	4
85+	8	1.5		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	34	1.9	1	<1	1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	4	3.8	5	1	1	4	5	6	6	6
B. *Operated*	66	2.3	12	<1	1	2	2	3	4	25
1. SINGLE DX	34	1.9	1	<1	1	2	2	3	5	5
2. MULTIPLE DX	70	2.4	12	<1	1	2	3	4	5	24
A. NOT OPERATED	4	3.8	5	1	1	4	5	6	6	6
B. OPERATED	100	2.2	8	<1	1	2	2	3	4	17
TOTAL 65-69 YRS	29	1.8	1	<1	1	2	2	3	3	3
70-74	32	3.3	24	<1	1	2	4	5	6	29
75-79	19	1.7	1	<1	<1	2	2	3	4	4
80-84	12	2.1	2	1	1	2	2	4	5	5
85+	12	1.6		<1	<1	1	2	3	3	3
GRAND TOTAL	**104**	**2.2**	**8**	**<1**	**1**	**2**	**2**	**4**	**5**	**17**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	3	6.0	3	4	4	7	7	7	7	7
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	10	4.2	37	1	1	2	3	13	21	21
70-74	8	6.5	27	1	1	6	11	14	14	14
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	4.4	8	1	1	4	5	10	10	12
70-74	37	5.8	18	1	1	5	7	12	14	20
75-79	29	6.1	14	2	2	6	8	12	14	15
80-84	23	5.5	19	1	2	5	6	14	16	17
85+	23	6.6	16	1	2	6	9	12	15	16
B. *Operated*										
65-69 YRS	96	8.7	79	1	1	6	12	19	30	41
70-74	66	9.4	68	1	2	7	14	21	25	41
75-79	48	10.9	102	1	2	9	14	22	35	48
80-84	33	10.3	54	2	3	8	13	18	25	38
85+	21	10.9	200	1	2	7	12	19	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	12	1	1	4	7	10	11	11
B. *Operated*	21	5.2	28	1	1	3	7	13	17	21
2. MULTIPLE DX										
A. *Not Operated*	141	5.7	15	1	2	5	7	11	14	17
B. *Operated*	264	9.7	86	1	2	8	13	20	27	44
1. SINGLE DX	28	5.2	24	1	1	3	7	12	15	21
2. MULTIPLE DX	405	8.3	65	1	2	6	11	16	22	40
A. NOT OPERATED	148	5.6	15	1	2	5	7	11	14	17
B. OPERATED	285	9.3	83	1	1	7	13	20	26	43
TOTAL 65-69 YRS	137	7.4	64	1	1	4	10	17	22	39
70-74	114	7.9	50	1	2	6	11	15	23	36
75-79	80	9.1	72	1	2	7	12	20	23	45
80-84	58	8.2	45	1	2	6	11	17	19	37
85+	44	8.6	106	1	2	7	11	14	19	68
GRAND TOTAL	**433**	**8.1**	**63**	**1**	**1**	**6**	**11**	**16**	**22**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX										
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. NOT OPERATED										
B. OPERATED	1	4.0		4	4	4	4	4	4	4
TOTAL 65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	5.2	20	<1	<1	4	7	12	13	13
70-74										
75-79	6	7.0	22	1	1	6	12	13	13	13
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	2	11.5	1	11	11	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	6.9	51	1	2	5	7	17	26	27
70-74	16	5.2	23	<1	1	4	5	10	18	21
75-79	14	6.9	27	1	2	5	10	15	17	17
80-84	20	4.8	5	1	2	5	6	7	9	11
85+	19	4.7	9	<1	1	4	6	9	11	13
B. *Operated*										
65-69 YRS	38	8.6	51	1	2	8	9	14	24	39
70-74	42	11.5	103	1	3	8	15	21	41	46
75-79	22	8.6	36	2	2	7	11	18	21	25
80-84	28	12.2	54	1	2	12	16	21	23	34
85+	12	13.0	107	3	3	9	18	30	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	16	6.4	20	<1	1	5	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	80	5.5	19	1	2	4	6	10	14	25
B. *Operated*	142	10.5	70	1	3	8	13	20	28	42
1. SINGLE DX	17	6.1	20	<1	<1	5	11	13	13	13
2. MULTIPLE DX	222	8.7	58	1	2	7	11	17	21	41
A. NOT OPERATED	81	5.4	19	1	1	4	6	10	14	25
B. OPERATED	158	10.1	67	1	2	8	13	19	27	42
TOTAL 65-69 YRS	56	7.8	48	<1	1	7	9	14	24	38
70-74	58	9.8	89	1	2	7	12	20	33	46
75-79	42	7.8	30	1	2	7	11	16	18	25
80-84	50	8.9	46	1	2	6	13	17	21	34
85+	33	8.1	59	1	2	6	10	18	27	35
GRAND TOTAL	**239**	**8.5**	**56**	**1**	**2**	**6**	**11**	**17**	**21**	**40**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	5	1.8	1	1	1	2	2	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	9	1.7	1	1	1	1	2	3	3	3
1. SINGLE DX	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	10	1.6	1	<1	<1	1	2	3	3	3
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	11	1.5	1	1	1	1	2	3	3	3
TOTAL 65-69 YRS	6	1.7	1	1	1	2	2	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	4	1.0		<1	<1	1	1	1	1	1
GRAND TOTAL	**12**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**3**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	3	2	2	2	4	5	5	5
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	3.4	6	<1	<1	3	5	7	7	7
70-74	10	5.8	8	<1	2	6	8	9	9	9
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.8	13	1	1	4	7	10	12	12
70-74	12	5.0	10	2	2	4	6	9	12	13
75-79	9	5.6	16	1	2	5	6	12	15	15
80-84	6	5.2	14	2	2	4	6	11	12	12
85+	6	5.0	7	2	2	4	7	9	9	9
B. *Operated*										
65-69 YRS	60	6.8	34	1	2	6	8	14	16	32
70-74	40	9.9	60	1	2	7	13	24	25	29
75-79	29	10.2	74	1	2	8	12	19	28	43
80-84	15	8.2	13	2	6	7	10	15	15	15
85+	12	6.5	20	1	2	5	10	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*	24	4.1	7	<1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	46	5.1	11	1	2	4	7	9	12	15
B. *Operated*	156	8.3	47	1	2	7	10	17	24	33
1. SINGLE DX	30	3.8	6	<1	1	4	5	8	9	9
2. MULTIPLE DX	202	7.6	40	1	2	6	9	15	21	31
A. NOT OPERATED	52	4.8	11	1	2	4	6	9	12	15
B. OPERATED	180	7.8	43	1	2	6	9	15	22	32
TOTAL 65-69 YRS	83	6.1	28	1	1	5	8	12	15	31
70-74	65	8.0	46	1	2	6	9	21	24	29
75-79	40	8.8	62	1	2	7	10	17	23	43
80-84	23	6.8	16	1	2	6	9	13	15	15
85+	21	5.5	15	1	1	4	9	11	13	15
GRAND TOTAL	**232**	**7.1**	**37**	**1**	**2**	**6**	**9**	**14**	**19**	**30**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	4.0	9	<1	<1	3	6	8	8	8
70-74	3	1.3		<1	<1	1	2	2	2	2
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84										
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	38	3.1	3	<1	1	3	4	6	7	8
70-74	18	3.4	5	1	1	3	4	7	9	10
75-79	10	4.2	5	1	1	4	6	7	8	8
80-84	5	3.6	13	<1	<1	2	5	10	10	10
85+	2	2.5	5	1	1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	3.7	16	<1	<1	2	4	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	73	3.4	4	<1	1	3	4	7	8	10
1. SINGLE DX	11	3.7	16	<1	<1	2	4	10	14	14
2. MULTIPLE DX	73	3.4	4	<1	1	3	4	7	8	10
A. NOT OPERATED										
B. OPERATED	84	3.4	6	<1	1	3	4	7	8	13
TOTAL 65-69 YRS	42	3.2	4	<1	1	3	4	6	7	8
70-74	21	3.1	5	<1	1	2	4	6	8	10
75-79	13	3.8	5	1	1	3	5	7	8	8
80-84	5	3.6	13	<1	<1	2	5	10	10	10
85+	3	6.3	46	1	1	4	11	14	14	14
GRAND TOTAL	**84**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**7**	**8**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	4.4	10	2	2	3	4	10	12	12
70-74	3	3.0	1	2	2	3	4	4	4	4
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84										
85+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	36	4.2	11	1	1	3	6	9	10	13
70-74	17	5.9	76	1	1	4	6	10	28	38
75-79	11	3.9	24	1	1	3	3	11	17	18
80-84	3	3.7	6	1	1	4	5	6	6	6
85+	3	4.7	6	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	7.3	54	2	2	5	8	13	18	44
70-74	33	6.5	19	2	3	6	8	11	15	24
75-79	28	7.0	34	2	2	5	8	14	21	26
80-84	24	6.7	15	2	4	6	8	10	16	20
85+	26	7.0	23	2	2	7	8	11	21	21
B. *Operated*										
65-69 YRS	94	7.7	29	1	2	7	10	14	17	26
70-74	65	8.0	50	1	1	6	11	18	23	32
75-79	41	10.2	75	1	1	7	16	22	28	37
80-84	22	8.7	63	1	2	5	13	21	25	28
85+	9	12.0	39	6	6	9	15	21	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.8	6	1	2	3	4	6	10	12
B. *Operated*	70	4.6	27	1	1	3	6	9	10	34
2. MULTIPLE DX										
A. *Not Operated*	150	6.9	30	2	2	6	8	12	20	26
B. *Operated*	231	8.5	47	1	2	7	12	18	25	31
1. SINGLE DX	86	4.4	23	1	1	3	5	9	11	31
2. MULTIPLE DX	381	7.9	41	1	2	6	10	16	21	29
A. NOT OPERATED	166	6.6	29	2	2	5	8	12	16	26
B. OPERATED	301	7.6	45	1	1	6	10	16	21	31
TOTAL 65-69 YRS	177	6.7	31	1	1	5	9	13	14	26
70-74	118	7.1	44	1	1	5	9	16	22	35
75-79	82	8.1	57	1	1	6	10	19	25	35
80-84	49	7.4	37	1	2	5	9	17	20	28
85+	41	7.7	29	2	2	7	8	16	21	25
GRAND TOTAL	**467**	**7.2**	**39**	**1**	**2**	**6**	**9**	**15**	**20**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	119	3.7	6	1	1	3	5	7	9	12
70-74	104	3.4	17	1	1	2	4	7	8	24
75-79	87	3.8	7	1	1	3	5	6	8	15
80-84	55	3.2	2	1	1	3	4	5	6	7
85+	29	3.0	3	<1	1	3	4	6	6	7
B. *Operated*										
65-69 YRS	10	3.3	3	2	2	3	4	6	7	7
70-74	4	4.0	5	2	2	3	5	7	7	7
75-79	3	4.0	12	2	2	2	7	8	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1291	5.5	26	1	2	4	7	10	14	31
70-74	1480	5.7	26	1	2	4	7	11	14	25
75-79	1285	6.2	31	1	2	5	8	11	15	26
80-84	968	6.5	32	2	2	5	8	12	16	29
85+	845	6.9	42	2	2	5	9	13	17	37
B. *Operated*										
65-69 YRS	120	11.5	170	2	3	8	13	20	41	89
70-74	155	10.6	73	2	3	8	15	25	31	99+
75-79	108	10.5	117	2	2	8	13	19	44	99+
80-84	70	13.5	203	2	4	9	16	25	61	96
85+	58	12.9	110	3	4	10	17	27	43	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.5	9	1	1	3	4	7	8	11
B. *Operated*	18	3.6	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	5869	6.1	31	1	2	5	7	11	15	28
B. *Operated*	511	11.4	127	2	3	8	14	23	36	99+
1. SINGLE DX	412	3.5	8	1	1	3	4	7	8	11
2. MULTIPLE DX	6380	6.5	41	1	2	5	8	12	17	35
A. NOT OPERATED	6263	5.9	30	1	2	5	7	11	15	27
B. OPERATED	529	11.2	125	2	3	8	14	23	34	99+
TOTAL 65-69 YRS	1540	5.8	39	1	2	4	7	11	15	37
70-74	1743	6.0	32	1	2	4	7	12	16	31
75-79	1483	6.4	37	1	2	5	8	12	16	34
80-84	1094	6.7	45	2	2	5	8	12	17	35
85+	932	7.1	48	2	2	6	9	14	19	51
GRAND TOTAL	**6792**	**6.3**	**39**	**1**	**2**	**5**	**8**	**12**	**16**	**34**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	4.3	6	1	2	3	6	8	9	11
70-74	50	4.2	11	1	1	3	5	8	12	15
75-79	32	4.8	8	1	1	4	7	9	11	12
80-84	20	5.9	11	1	2	5	7	11	13	14
85+	19	5.2	18	2	2	4	5	9	16	21
B. *Operated*										
65-69 YRS	5	8.6	123	1	1	6	12	28	28	28
70-74	4	11.8	29	6	6	11	15	19	19	19
75-79	4	8.5	15	4	4	8	11	13	13	13
80-84	3	8.7	4	7	7	8	10	11	11	11
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	720	6.1	19	2	2	5	7	10	15	22
70-74	796	6.5	35	2	2	5	8	11	14	26
75-79	710	6.9	24	2	3	6	8	13	16	28
80-84	522	6.8	31	2	2	5	8	13	16	26
85+	452	6.7	27	2	2	5	8	14	18	26
B. *Operated*										
65-69 YRS	169	12.1	76	3	4	10	15	23	28	55
70-74	159	13.5	98	4	4	11	17	26	33	52
75-79	126	13.2	96	2	4	11	17	23	28	51
80-84	86	14.3	116	3	4	12	16	29	37	52
85+	50	13.3	142	4	4	9	15	26	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.7	10	1	2	4	6	8	11	15
B. *Operated*	16	9.4	44	1	2	8	11	18	25	28
2. MULTIPLE DX										
A. *Not Operated*	3200	6.6	27	2	2	5	8	12	16	25
B. *Operated*	590	13.1	97	3	4	11	16	25	32	53
1. SINGLE DX	180	5.1	15	1	2	4	7	10	12	20
2. MULTIPLE DX	3790	7.6	44	2	2	6	9	15	19	34
A. NOT OPERATED	3364	6.5	27	2	2	5	8	12	15	25
B. OPERATED	606	13.0	96	3	4	10	16	25	32	53
TOTAL 65-69 YRS	937	7.1	34	2	2	5	9	14	18	30
70-74	1009	7.5	50	2	2	5	9	14	19	38
75-79	872	7.8	39	2	3	6	9	15	20	31
80-84	631	7.8	49	2	3	6	9	14	22	35
85+	521	7.3	41	2	2	5	9	15	19	32
GRAND TOTAL	**3970**	**7.5**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	2.9	3	<1	1	3	4	5	6	7
70-74	16	3.3	4	1	1	3	4	6	7	8
75-79	9	4.3	10	<1	<1	4	6	9	10	10
80-84	4	4.3	21	1	1	2	7	11	11	11
85+	4	3.5	6	1	1	3	5	7	7	7
B. *Operated*										
65-69 YRS	11	2.4	2	<1	<1	2	3	5	5	5
70-74	3	2.0		2	2	2	2	2	2	2
75-79	4	2.8	4	<1	<1	2	4	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	4.3	9	1	1	3	5	8	11	15
70-74	203	4.1	8	1	1	3	5	8	10	15
75-79	176	4.6	12	1	2	4	6	8	10	18
80-84	129	4.6	25	1	1	3	5	9	12	29
85+	80	3.6	5	1	1	3	5	7	8	11
B. *Operated*										
65-69 YRS	57	7.2	73	1	1	6	8	12	30	45
70-74	41	6.7	27	1	1	5	9	16	17	22
75-79	35	7.0	13	2	3	6	9	11	13	19
80-84	15	5.1	12	1	1	5	8	10	11	11
85+	9	5.7	20	1	1	4	7	13	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.4	5	1	1	3	4	7	8	11
B. *Operated*	19	2.3	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	812	4.3	12	1	1	3	5	8	10	16
B. *Operated*	157	6.7	39	1	1	6	8	12	16	38
1. SINGLE DX	74	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	969	4.7	17	1	1	4	6	9	11	18
A. NOT OPERATED	867	4.2	11	1	1	3	5	8	10	16
B. OPERATED	176	6.2	37	1	1	5	8	11	16	37
TOTAL 65-69 YRS	314	4.6	21	1	1	3	6	8	11	24
70-74	263	4.5	12	1	1	3	6	9	11	17
75-79	224	4.9	13	1	2	4	6	9	11	18
80-84	148	4.7	24	1	1	3	6	9	12	25
85+	94	3.8	7	1	1	3	5	7	8	14
GRAND TOTAL	**1043**	**4.6**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	2.9	3	1	1	3	4	5	6	9
70-74	67	3.0	4	1	1	2	4	6	7	10
75-79	46	2.8	3	1	1	2	3	5	6	8
80-84	46	3.0	4	<1	1	3	4	6	7	9
85+	33	2.2	2	<1	1	2	3	5	5	6
B. *Operated*										
65-69 YRS	89	4.5	8	1	1	4	6	8	9	16
70-74	71	3.7	7	1	1	3	5	7	8	15
75-79	56	3.6	4	1	1	4	5	6	6	10
80-84	39	3.9	6	1	1	4	5	6	7	14
85+	21	4.1	7	1	1	4	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	295	3.8	14	1	1	3	5	7	9	17
70-74	282	3.7	8	1	1	3	5	6	9	17
75-79	306	3.6	7	1	1	3	4	7	8	13
80-84	224	3.4	6	1	1	3	4	6	8	13
85+	227	4.1	26	1	1	3	5	7	8	22
B. *Operated*										
65-69 YRS	318	5.2	18	1	1	4	6	9	12	22
70-74	296	5.2	17	1	2	4	6	10	14	26
75-79	259	5.5	29	1	1	4	6	10	13	25
80-84	176	5.0	14	1	1	4	6	9	11	21
85+	132	5.3	18	1	2	4	6	9	12	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	2.8	3	1	1	2	4	5	7	9
B. *Operated*	276	4.0	7	1	1	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	1334	3.7	12	1	1	3	5	7	9	15
B. *Operated*	1181	5.2	20	1	1	4	6	9	13	25
1. SINGLE DX	538	3.4	5	1	1	3	5	6	8	11
2. MULTIPLE DX	2515	4.4	16	1	1	4	5	8	11	20
A. NOT OPERATED	1596	3.6	11	1	1	3	4	6	8	14
B. OPERATED	1457	5.0	17	1	1	4	6	9	12	22
TOTAL 65-69 YRS	772	4.4	15	1	1	4	5	8	10	20
70-74	716	4.2	12	1	1	3	5	8	10	20
75-79	667	4.3	16	1	1	3	5	8	10	18
80-84	485	4.0	9	1	1	3	5	7	9	14
85+	413	4.3	21	1	1	3	5	8	10	23
GRAND TOTAL	**3053**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	2.7	4	<1	<1	2	4	6	7	7
70-74	11	2.1	6	1	1	1	2	5	9	9
75-79	5	1.8	1	1	1	2	2	3	3	3
80-84	8	2.0	1	1	1	2	3	4	4	4
85+										
B. *Operated*										
65-69 YRS	21	2.0	2	<1	<1	2	2	4	6	7
70-74	19	2.5	6	<1	<1	2	3	6	9	10
75-79	11	2.7	14	<1	<1	2	2	7	13	14
80-84	3	1.7		1	1	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	228	6.4	45	1	1	4	8	15	19	35
70-74	221	6.9	63	1	1	4	8	15	19	46
75-79	205	6.3	28	1	2	4	8	13	15	27
80-84	163	7.1	50	1	2	5	9	14	20	41
85+	178	8.0	40	2	2	6	11	17	20	31
B. *Operated*										
65-69 YRS	108	7.9	73	1	1	4	11	20	30	35
70-74	90	11.2	140	1	1	8	16	23	37	61
75-79	69	11.1	217	1	1	6	11	27	49	76
80-84	55	11.8	165	1	1	8	16	24	36	63
85+	38	17.8	199	2	6	14	21	39	53	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.2	3	<1	1	2	2	4	7	9
B. *Operated*	54	2.3	6	<1	<1	2	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	995	6.9	46	1	2	5	9	14	19	33
B. *Operated*	360	11.0	151	1	1	7	15	24	36	62
1. SINGLE DX	88	2.3	5	<1	<1	2	2	4	7	12
2. MULTIPLE DX	1355	8.0	77	1	2	5	10	17	23	49
A. NOT OPERATED	1029	6.8	45	1	2	5	9	14	19	33
B. OPERATED	414	9.9	140	1	1	6	14	23	33	60
TOTAL 65-69 YRS	367	6.5	51	1	1	4	8	15	20	34
70-74	341	7.6	84	1	1	4	10	17	23	51
75-79	290	7.2	77	1	1	5	9	14	22	49
80-84	229	8.0	80	1	1	5	10	18	25	47
85+	216	9.8	81	2	2	7	13	19	23	51
GRAND TOTAL	**1443**	**7.6**	**74**	**1**	**1**	**5**	**10**	**17**	**23**	**46**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	13.2	472	2	2	4	17	52	52	52
70-74	4	12.5	79	3	3	11	19	24	24	24
75-79	2	17.0	162	8	8	17	26	26	26	26
80-84	1	5.0		5	5	5	5	5	5	5
85+	4	4.8	19	1	1	5	8	9	9	9
B. *Operated*										
65-69 YRS	19	12.2	57	1	2	10	18	23	25	26
70-74	37	11.1	132	1	2	8	15	20	32	63
75-79	32	8.4	49	1	2	7	9	20	21	35
80-84	39	8.8	24	1	2	9	12	15	18	20
85+	36	11.6	125	2	3	8	12	23	34	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	7.3	26	1	2	7	9	13	17	28
70-74	62	7.7	24	2	3	7	11	14	17	25
75-79	64	9.6	46	1	2	8	13	19	23	31
80-84	64	8.3	37	2	3	7	10	17	20	31
85+	135	9.2	90	1	2	7	11	19	30	47
B. *Operated*										
65-69 YRS	572	17.5	192	3	5	13	23	36	47	82
70-74	635	17.0	170	4	5	13	22	34	44	86
75-79	595	16.5	175	3	5	13	21	33	43	80
80-84	498	16.4	195	3	5	13	20	30	42	85
85+	763	14.8	114	4	5	13	19	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	10.9	176	1	1	6	12	26	44	52
B. *Operated*	163	10.2	80	1	3	8	13	20	24	55
2. MULTIPLE DX										
A. *Not Operated*	390	8.6	53	1	2	7	11	16	22	36
B. *Operated*	3063	16.3	166	3	5	13	20	32	42	79
1. SINGLE DX	179	10.3	87	1	2	8	13	21	25	56
2. MULTIPLE DX	3453	15.5	159	3	4	12	19	30	41	75
A. NOT OPERATED	406	8.7	58	1	2	7	11	17	23	38
B. OPERATED	3226	16.0	163	3	5	13	20	31	42	78
TOTAL 65-69 YRS	661	16.3	183	3	4	13	21	34	46	80
70-74	738	15.9	163	3	5	13	20	33	42	85
75-79	693	15.5	163	3	4	12	20	30	41	77
80-84	602	15.0	176	3	4	11	18	28	40	75
85+	938	13.8	115	3	4	11	18	26	33	58
GRAND TOTAL	**3632**	**15.2**	**157**	**3**	**4**	**12**	**19**	**30**	**40**	**72**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	727	2.5	3	1	1	2	3	4	5	8
70-74	449	2.5	3	1	1	2	3	4	5	8
75-79	305	2.4	2	1	1	2	3	4	5	8
80-84	150	3.2	25	1	1	2	3	5	6	19
85+	117	3.0	5	1	1	2	3	6	8	11
B. *Operated*										
65-69 YRS	379	2.0	3	<1	1	2	2	3	6	9
70-74	181	1.9	1	<1	1	2	2	3	5	7
75-79	58	2.1	3	<1	<1	2	2	5	6	7
80-84	20	2.2	1	<1	1	2	2	3	4	5
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5663	3.4	5	1	1	3	4	6	7	11
70-74	4631	3.6	7	1	1	3	4	6	8	13
75-79	3495	3.8	10	1	1	3	5	7	8	14
80-84	2109	4.0	15	1	1	3	5	7	9	16
85+	1465	4.1	17	1	1	3	5	7	10	17
B. *Operated*										
65-69 YRS	1675	3.8	14	1	1	2	5	8	10	17
70-74	1053	4.4	17	1	1	3	6	9	12	17
75-79	513	5.1	21	1	1	4	7	10	14	24
80-84	161	6.1	31	1	1	4	8	14	16	28
85+	66	7.4	27	1	2	6	11	15	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1748	2.6	5	1	1	2	3	4	5	9
B. *Operated*	640	2.0	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	17363	3.6	9	1	1	3	4	6	8	13
B. *Operated*	3468	4.3	18	1	1	3	6	9	12	20
1. SINGLE DX	2388	2.4	4	1	1	2	3	4	5	9
2. MULTIPLE DX	20831	3.8	10	1	1	3	5	7	9	15
A. NOT OPERATED	19111	3.6	9	1	1	3	4	6	8	13
B. OPERATED	4108	4.0	16	1	1	2	5	9	11	19
TOTAL 65-69 YRS	8444	3.3	7	1	1	3	4	6	8	12
70-74	6314	3.6	8	1	1	3	4	7	8	14
75-79	4371	3.8	11	1	1	3	5	7	9	16
80-84	2440	4.0	17	1	1	3	5	7	10	18
85+	1650	4.2	17	1	1	3	5	7	10	17
GRAND TOTAL	**23219**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	2.5	6	<1	1	2	3	6	7	13
70-74	21	3.5	9	<1	<1	3	4	8	10	12
75-79	26	3.8	12	<1	<1	3	5	11	11	12
80-84	14	3.3	4	1	1	3	4	6	7	8
85+	13	3.8	13	1	1	3	4	8	14	15
B. *Operated*										
65-69 YRS	41	2.6	5	<1	<1	2	3	6	7	11
70-74	39	3.8	10	1	1	3	5	8	11	12
75-79	21	2.5	5	<1	<1	1	3	7	8	8
80-84	11	3.7	11	<1	<1	3	4	9	12	12
85+	5	2.6	6	<1	<1	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	693	5.3	17	1	1	4	7	10	13	21
70-74	691	5.5	20	1	2	4	7	10	14	24
75-79	617	5.5	21	1	2	4	7	11	13	19
80-84	405	6.0	36	1	2	4	8	11	16	30
85+	321	5.5	24	1	2	4	7	11	14	28
B. *Operated*										
65-69 YRS	313	5.6	35	1	1	4	7	12	17	34
70-74	325	6.1	35	1	1	4	8	13	17	33
75-79	224	7.6	49	1	1	6	10	16	23	38
80-84	110	6.8	48	1	2	5	9	15	18	74
85+	71	8.3	56	1	2	7	11	16	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.2	8	<1	1	2	4	7	10	14
B. *Operated*	117	3.1	7	<1	<1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2727	5.5	22	1	2	4	7	11	14	24
B. *Operated*	1043	6.5	41	1	1	4	8	14	19	35
1. SINGLE DX	232	3.2	8	<1	1	2	4	7	9	13
2. MULTIPLE DX	3770	5.8	28	1	1	4	7	12	15	29
A. NOT OPERATED	2842	5.4	22	1	1	4	7	10	14	24
B. OPERATED	1160	6.2	39	1	1	4	8	14	18	34
TOTAL 65-69 YRS	1088	5.2	22	1	1	4	7	10	14	25
70-74	1076	5.6	24	1	1	4	7	11	14	27
75-79	888	5.9	28	1	1	4	8	12	15	28
80-84	540	6.0	38	1	2	4	8	12	16	32
85+	410	5.9	30	1	2	4	7	12	15	29
GRAND TOTAL	**4002**	**5.6**	**27**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	2.0	1	1	1	2	2	4	4	5
70-74	55	2.0	1	<1	1	2	3	3	4	4
75-79	34	3.1	29	1	1	1	3	6	8	32
80-84	29	2.2	2	<1	<1	2	3	4	4	5
85+	18	3.8	3	1	1	4	5	6	7	8
B. *Operated*										
65-69 YRS	31	4.3	8	1	1	4	5	8	12	12
70-74	19	5.1	15	1	1	4	7	12	14	14
75-79	15	4.7	8	<1	1	4	7	9	10	10
80-84	14	4.3	6	<1	1	4	5	7	10	11
85+	11	4.3	3	1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	375	3.8	9	1	1	3	5	7	10	15
70-74	417	4.0	12	1	1	3	5	7	10	20
75-79	375	4.7	37	1	1	4	6	9	11	20
80-84	316	5.4	33	1	1	4	7	10	13	28
85+	338	5.8	21	1	2	5	7	12	16	23
B. *Operated*										
65-69 YRS	323	7.0	35	1	2	6	9	14	17	27
70-74	373	7.2	30	1	2	6	9	14	16	32
75-79	357	7.9	59	1	2	6	9	15	22	42
80-84	279	7.6	42	1	2	6	10	14	20	34
85+	245	8.3	33	2	2	7	11	16	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	2.4	6	<1	1	2	3	4	5	8
B. *Operated*	90	4.5	8	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1821	4.7	22	1	1	4	6	9	12	21
B. *Operated*	1577	7.6	40	1	2	6	9	14	19	33
1. SINGLE DX	286	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX	3398	6.0	33	1	1	5	8	12	15	27
A. NOT OPERATED	2017	4.5	21	1	1	3	6	8	12	21
B. OPERATED	1667	7.4	39	1	2	6	9	14	19	31
TOTAL 65-69 YRS	789	5.0	22	1	1	4	6	11	13	22
70-74	864	5.3	22	1	1	4	7	11	14	22
75-79	781	6.1	49	1	1	4	7	11	16	32
80-84	638	6.2	37	1	1	5	8	12	15	31
85+	612	6.7	26	1	2	5	9	13	17	23
GRAND TOTAL	**3684**	**5.8**	**31**	**1**	**1**	**4**	**7**	**12**	**15**	**26**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	246	3.4	13	1	1	3	4	6	8	17
70-74	188	2.9	5	<1	1	2	4	6	8	11
75-79	154	2.9	10	<1	1	2	3	5	7	14
80-84	81	3.0	5	<1	1	2	4	6	7	12
85+	92	3.4	9	1	1	3	4	6	10	17
B. *Operated*										
65-69 YRS	41	3.3	8	<1	1	2	4	7	9	14
70-74	17	3.8	14	<1	<1	2	6	9	12	13
75-79	17	3.8	13	<1	<1	2	6	7	12	15
80-84	6	6.3	12	2	2	6	8	12	12	12
85+	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1520	4.3	13	1	1	3	5	8	10	15
70-74	1551	4.6	11	1	1	4	6	9	11	17
75-79	1359	4.8	14	1	2	4	6	9	12	20
80-84	1055	4.8	20	1	2	4	6	9	11	19
85+	954	5.5	34	1	2	4	7	10	14	27
B. *Operated*										
65-69 YRS	318	7.2	37	1	2	6	9	14	19	31
70-74	316	7.7	45	1	2	6	10	16	20	38
75-79	241	8.6	77	1	2	7	11	17	22	75
80-84	143	8.6	91	1	2	7	10	16	22	88
85+	95	9.5	43	2	3	8	12	21	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.2	9	<1	1	2	4	6	8	14
B. *Operated*	83	3.8	12	<1	1	2	6	8	12	15
2. MULTIPLE DX										
A. *Not Operated*	6439	4.7	17	1	2	4	6	9	11	19
B. *Operated*	1113	8.0	56	1	2	6	10	15	21	42
1. SINGLE DX	844	3.2	10	<1	1	2	4	6	8	14
2. MULTIPLE DX	7552	5.2	24	1	2	4	6	10	13	24
A. NOT OPERATED	7200	4.6	17	1	1	4	6	9	11	19
B. OPERATED	1196	7.8	54	1	2	6	10	15	21	39
TOTAL 65-69 YRS	2125	4.6	18	1	1	4	6	9	11	21
70-74	2072	4.9	18	1	1	4	6	9	12	22
75-79	1771	5.2	25	1	1	4	6	10	13	24
80-84	1285	5.1	29	1	1	4	6	10	12	24
85+	1143	5.7	34	1	2	4	7	10	15	27
GRAND TOTAL	**8396**	**5.0**	**23**	**1**	**1**	**4**	**6**	**9**	**13**	**24**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	2.9	5	<1	1	2	4	7	8	9
70-74	31	2.7	3	<1	1	2	4	5	6	7
75-79	26	4.3	12	<1	<1	3	6	10	11	13
80-84	29	2.9	3	1	1	3	4	6	6	7
85+	19	3.6	11	<1	1	2	5	8	12	13
B. *Operated*										
65-69 YRS	12	2.3	4	<1	<1	1	3	6	7	7
70-74	24	4.4	12	<1	1	4	7	10	11	12
75-79	6	4.2	7	<1	<1	5	6	7	7	7
80-84	5	3.0	8	<1	<1	1	5	7	7	7
85+	7	4.6	28	<1	<1	2	7	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	766	5.2	19	1	1	4	6	10	14	22
70-74	892	5.1	18	1	2	4	6	9	12	20
75-79	774	5.4	22	1	2	4	7	10	14	24
80-84	607	5.4	22	1	2	4	7	10	14	20
85+	575	5.7	27	1	2	5	7	10	13	25
B. *Operated*										
65-69 YRS	303	7.0	61	1	1	5	9	15	20	42
70-74	308	8.5	78	1	1	6	11	20	23	42
75-79	245	8.6	85	1	1	7	11	17	23	55
80-84	184	8.3	74	1	1	6	10	18	27	41
85+	176	8.5	64	1	2	6	11	19	23	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.2	6	<1	1	3	4	7	8	13
B. *Operated*	54	3.8	11	<1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	3614	5.3	21	1	2	4	7	10	13	22
B. *Operated*	1216	8.1	73	1	1	6	11	18	23	47
1. SINGLE DX	195	3.4	8	<1	1	3	5	7	9	13
2. MULTIPLE DX	4830	6.0	36	1	1	4	7	12	16	29
A. NOT OPERATED	3755	5.3	21	1	2	4	7	10	13	22
B. OPERATED	1270	7.9	71	1	1	6	10	17	23	46
TOTAL 65-69 YRS	1117	5.6	31	1	1	4	7	11	16	26
70-74	1255	5.8	35	1	1	4	7	11	16	30
75-79	1051	6.1	39	1	1	4	8	12	15	29
80-84	825	6.0	34	1	2	4	7	11	16	30
85+	777	6.3	36	1	2	5	7	12	16	29
GRAND TOTAL	**5025**	**5.9**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	406	3.1	11	1	1	2	4	6	8	16
70-74	412	3.5	10	1	1	3	5	7	9	14
75-79	397	3.2	7	1	1	2	4	6	8	15
80-84	287	3.3	7	1	1	3	4	7	9	13
85+	267	3.5	10	1	1	2	4	7	10	17
B. *Operated*										
65-69 YRS	90	3.3	9	<1	<1	2	4	8	9	15
70-74	60	3.5	13	<1	1	2	4	7	10	22
75-79	43	3.0	7	<1	1	2	3	7	8	12
80-84	27	4.2	21	<1	1	2	4	12	16	17
85+	14	4.5	18	<1	1	2	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5759	5.5	26	1	2	4	7	11	14	27
70-74	6933	5.6	26	1	2	4	7	11	14	26
75-79	6944	5.6	28	1	2	4	7	11	14	26
80-84	5776	5.8	31	1	2	4	7	11	15	30
85+	5403	5.7	29	1	2	4	7	11	14	27
B. *Operated*										
65-69 YRS	1107	9.5	134	1	1	6	12	22	33	66
70-74	1174	10.6	144	1	2	7	13	24	37	88
75-79	1083	10.1	120	1	2	7	12	21	33	68
80-84	768	9.7	98	1	2	7	12	21	29	56
85+	609	10.5	128	1	2	7	13	21	34	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1769	3.3	9	1	1	2	4	6	9	15
B. *Operated*	234	3.5	11	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	30815	5.7	28	1	2	4	7	11	14	27
B. *Operated*	4741	10.1	127	1	2	7	12	22	33	72
1. SINGLE DX	2003	3.3	9	1	1	2	4	7	9	15
2. MULTIPLE DX	35556	6.2	43	1	2	4	7	12	17	36
A. NOT OPERATED	32584	5.5	27	1	2	4	7	11	14	27
B. OPERATED	4975	9.8	123	1	2	7	12	21	33	70
TOTAL 65-69 YRS	7362	6.0	44	1	1	4	7	12	17	35
70-74	8579	6.2	44	1	2	4	7	12	17	37
75-79	8467	6.0	41	1	2	4	7	12	16	36
80-84	6858	6.1	39	1	2	4	7	12	16	34
85+	6293	6.1	40	1	2	4	7	12	16	34
GRAND TOTAL	**37559**	**6.1**	**42**	**1**	**2**	**4**	**7**	**12**	**16**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	6	5.8	26	1	1	4	12	12	12	12
75-79	2	3.5	13	<1	<1	3	6	6	6	6
80-84	3	4.7	2	3	3	5	6	6	6	6
85+	2	7.5	5	6	6	7	9	9	9	9
B. *Operated*										
65-69 YRS	2	6.0	50	1	1	6	11	11	11	11
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	9.0	68	1	1	9	11	16	27	37
70-74	13	7.9	32	1	2	9	12	15	18	19
75-79	23	12.0	122	1	2	9	16	28	35	43
80-84	5	10.6	106	3	3	8	15	28	28	28
85+	13	10.2	52	4	4	7	14	23	25	25
B. *Operated*										
65-69 YRS	30	19.8	493	1	1	8	33	50	62	89
70-74	14	15.0	160	3	4	9	25	34	38	39
75-79	20	18.9	272	3	4	17	25	52	86	99+
80-84	11	27.7	517	1	3	26	42	58	75	77
85+	12	8.3	27	1	2	8	12	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.8	13	<1	1	4	6	11	12	12
B. *Operated*	4	5.8	21	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	79	10.0	76	1	1	9	12	24	28	41
B. *Operated*	87	18.2	342	1	2	12	29	44	63	96
1. SINGLE DX	20	5.0	14	<1	1	4	7	11	12	12
2. MULTIPLE DX	166	14.3	231	1	2	9	19	37	44	87
A. NOT OPERATED	95	9.1	69	1	1	7	12	22	27	40
B. OPERATED	91	17.7	334	1	2	12	27	43	61	95
TOTAL 65-69 YRS	60	13.9	308	1	1	8	16	38	50	86
70-74	34	10.5	94	1	2	8	13	26	34	39
75-79	45	14.7	196	1	2	11	20	36	49	99+
80-84	19	19.6	411	2	3	9	29	45	63	77
85+	28	8.9	37	2	3	7	12	19	22	25
GRAND TOTAL	**186**	**13.3**	**216**	**1**	**2**	**9**	**17**	**34**	**43**	**85**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	5.7	30	2	2	3	10	12	12	12
70-74	5	6.0	18	1	1	8	9	10	10	10
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+	7	17.3	781	1	1	4	22	67	77	77
B. *Operated*										
65-69 YRS	3	5.7	52	1	1	2	11	14	14	14
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	10.3	168	2	2	6	11	18	38	67
70-74	53	12.8	201	2	3	9	15	30	39	79
75-79	43	8.6	41	1	2	7	11	18	21	30
80-84	33	9.9	39	3	4	9	13	21	22	26
85+	28	9.9	99	2	2	7	12	28	47	99+
B. *Operated*										
65-69 YRS	38	18.1	377	1	2	10	33	53	91	99+
70-74	34	13.1	145	1	2	11	17	27	33	60
75-79	21	22.0	500	1	2	17	28	59	74	79
80-84	21	12.5	97	2	2	9	19	29	32	34
85+	13	13.6	562	1	1	5	11	39	79	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	9.5	307	1	1	3	9	22	55	77
B. *Operated*	3	5.7	52	1	1	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	200	10.5	119	2	2	8	12	21	30	73
B. *Operated*	127	16.0	309	1	2	10	20	43	60	99+
1. SINGLE DX	22	9.0	270	1	1	3	9	18	48	77
2. MULTIPLE DX	327	12.6	199	2	2	8	16	29	46	91
A. NOT OPERATED	219	10.4	134	2	2	7	12	21	30	78
B. OPERATED	130	15.8	305	1	2	10	20	42	59	99+
TOTAL 65-69 YRS	87	13.4	265	2	2	8	17	44	58	99+
70-74	92	12.6	171	2	2	9	16	28	38	72
75-79	67	12.5	220	1	2	8	16	24	45	77
80-84	55	10.8	62	2	3	9	13	22	28	34
85+	48	12.0	308	1	2	6	12	29	78	99+
GRAND TOTAL	**349**	**12.4**	**204**	**1**	**2**	**8**	**16**	**29**	**46**	**89**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.5	1	1	1	1	2	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	23	2.1	2	<1	1	2	3	4	5	6
70-74	27	3.7	8	1	1	3	5	8	10	14
75-79	14	4.8	52	1	1	3	5	9	25	29
80-84	9	3.7	14	1	1	2	4	10	12	12
85+	6	4.3	6	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	4.5	12	<1	2	3	6	10	13	15
70-74	52	4.8	19	1	1	4	5	11	14	23
75-79	50	5.0	32	1	1	3	6	11	14	35
80-84	48	5.8	18	1	2	4	8	13	15	16
85+	82	6.6	75	1	1	5	8	11	17	58
B. *Operated*										
65-69 YRS	127	7.0	87	1	1	5	9	14	18	43
70-74	116	6.4	82	1	1	4	8	13	18	48
75-79	121	6.3	39	1	2	5	8	13	18	37
80-84	79	7.2	27	1	2	6	10	14	18	26
85+	73	8.3	118	2	2	5	10	15	20	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	1	1	1	3	3	3	3
B. *Operated*	79	3.5	15	1	1	2	4	7	9	25
2. MULTIPLE DX										
A. *Not Operated*	267	5.5	38	1	1	4	7	12	15	33
B. *Operated*	516	6.9	70	1	1	5	9	14	18	37
1. SINGLE DX	86	3.4	14	1	1	2	4	6	8	24
2. MULTIPLE DX	783	6.4	59	1	1	4	8	13	17	36
A. NOT OPERATED	274	5.4	37	1	1	4	6	11	15	32
B. OPERATED	595	6.5	64	1	1	4	8	13	18	34
TOTAL 65-69 YRS	189	5.9	64	1	1	3	8	13	17	26
70-74	196	5.6	56	1	1	3	7	12	15	31
75-79	185	5.8	38	1	1	4	7	12	17	36
80-84	137	6.4	24	1	2	5	9	13	16	24
85+	162	7.2	92	1	2	5	8	14	18	64
GRAND TOTAL	**869**	**6.1**	**56**	**1**	**1**	**4**	**8**	**13**	**17**	**34**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	156	5.4	17	1	2	4	7	10	13	25
70-74	145	6.6	15	1	2	6	9	12	14	17
75-79	151	7.0	16	2	2	6	9	12	14	21
80-84	118	6.7	21	2	3	6	9	12	15	24
85+	123	6.1	16	2	2	5	8	12	14	21
B. *Operated*										
65-69 YRS	12	7.1	25	1	2	6	10	15	16	16
70-74	14	10.4	84	2	2	8	13	21	33	36
75-79	3	5.3	20	1	1	5	9	10	10	10
80-84	3	17.3	9	14	14	18	19	20	20	20
85+	2	10.0	50	5	5	10	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	835	8.4	35	2	3	7	10	15	19	30
70-74	1130	8.7	35	2	3	7	11	15	19	29
75-79	1494	8.8	31	3	3	8	11	15	19	30
80-84	1490	8.9	44	2	3	7	11	16	20	31
85+	1698	8.9	57	2	3	7	11	16	20	36
B. *Operated*										
65-69 YRS	154	13.4	118	3	4	10	18	25	36	88
70-74	156	16.0	208	2	3	13	21	32	47	99
75-79	207	15.9	132	3	5	13	20	32	44	99+
80-84	148	16.1	146	5	6	13	20	29	37	71
85+	146	15.2	152	4	5	12	18	28	41	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	6.3	17	2	2	5	8	12	14	21
B. *Operated*	34	9.4	54	1	2	7	14	18	20	36
2. MULTIPLE DX										
A. *Not Operated*	6647	8.8	42	2	3	7	11	16	20	31
B. *Operated*	811	15.4	150	3	5	12	19	29	40	94
1. SINGLE DX	727	6.5	19	2	2	5	8	12	14	21
2. MULTIPLE DX	7458	9.5	58	2	3	8	12	17	22	40
A. NOT OPERATED	7340	8.6	40	2	3	7	11	15	19	31
B. OPERATED	845	15.1	148	3	5	12	19	29	40	94
TOTAL 65-69 YRS	1157	8.7	48	2	3	7	10	16	21	36
70-74	1445	9.3	58	2	3	8	11	17	22	38
75-79	1855	9.4	47	3	3	8	12	16	22	40
80-84	1759	9.4	56	2	3	8	12	18	22	36
85+	1969	9.2	65	2	3	7	11	16	21	42
GRAND TOTAL	**8185**	**9.2**	**55**	**2**	**3**	**8**	**11**	**17**	**22**	**38**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	12.0	18	9	9	12	15	15	15	15
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	8.0	2	7	7	8	9	9	9	9
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	2	11.0	18	8	8	11	14	14	14	14
75-79	2	13.0	50	8	8	13	18	18	18	18
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	8.5	34	2	2	8	13	17	18	18
70-74	17	11.0	38	1	4	11	12	20	24	26
75-79	12	9.3	21	1	3	9	13	15	17	17
80-84	18	11.2	64	3	3	9	12	21	30	35
85+	14	7.2	16	2	3	7	8	13	16	17
B. *Operated*										
65-69 YRS	19	23.3	203	6	9	21	35	49	75	99+
70-74	11	25.6	236	6	11	26	38	71	96	99+
75-79	13	25.0	361	8	10	15	31	56	67	70
80-84	4	20.3	26	16	16	20	24	26	26	26
85+	4	26.0	121	13	13	33	53	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	8.6	19	3	3	9	11	15	15	15
B. *Operated*	4	12.0	24	8	8	11	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	71	9.6	37	2	3	8	12	17	21	33
B. *Operated*	51	24.2	218	7	11	22	33	53	94	99+
1. SINGLE DX	9	10.1	22	3	5	9	14	17	18	18
2. MULTIPLE DX	122	15.7	164	3	4	13	21	37	51	99+
A. NOT OPERATED	76	9.6	36	2	3	9	12	17	20	33
B. OPERATED	55	23.3	213	7	9	20	33	52	88	99+
TOTAL 65-69 YRS	31	17.8	183	2	5	14	24	47	51	99+
70-74	31	15.9	155	3	5	13	23	36	56	99+
75-79	29	16.5	227	4	6	12	17	36	54	70
80-84	22	12.8	69	3	4	11	17	24	30	35
85+	18	11.4	99	2	4	8	16	35	72	99+
GRAND TOTAL	**131**	**15.4**	**156**	**3**	**4**	**12**	**20**	**35**	**50**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	3.0	4	1	1	2	4	6	7	9
70-74	46	3.2	6	1	1	3	4	6	7	15
75-79	47	3.0	5	1	1	2	4	6	8	10
80-84	39	3.5	5	1	1	3	5	7	8	11
85+	50	4.5	20	1	1	3	5	9	12	28
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	621	5.7	18	1	2	5	8	11	13	21
70-74	671	6.5	30	1	2	5	8	13	16	25
75-79	742	7.2	52	2	2	5	8	14	18	43
80-84	684	7.0	31	2	2	6	9	13	18	32
85+	895	7.5	61	2	2	5	9	14	19	44
B. *Operated*										
65-69 YRS	139	11.8	125	2	3	9	14	27	36	55
70-74	140	12.4	129	2	3	9	14	23	35	59
75-79	129	13.0	180	3	3	9	16	27	42	91
80-84	96	11.9	50	3	4	11	15	24	27	69
85+	91	14.8	129	3	3	12	20	29	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.4	9	1	1	3	4	7	9	14
B. *Operated*	5	4.4	6	2	2	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	3613	6.9	41	1	2	5	8	13	17	33
B. *Operated*	595	12.7	127	2	3	10	15	26	35	59
1. SINGLE DX	234	3.5	9	1	1	3	4	7	9	14
2. MULTIPLE DX	4208	7.7	57	2	2	6	9	15	20	44
A. NOT OPERATED	3842	6.7	39	1	2	5	8	13	16	33
B. OPERATED	600	12.6	126	2	3	10	15	26	35	59
TOTAL 65-69 YRS	808	6.6	41	1	2	5	8	12	17	36
70-74	858	7.3	50	1	2	5	9	14	19	39
75-79	919	7.8	73	1	2	6	9	15	21	54
80-84	820	7.4	35	2	2	6	10	15	19	34
85+	1037	8.0	70	2	2	6	10	15	21	48
GRAND TOTAL	**4442**	**7.5**	**55**	**1**	**2**	**5**	**9**	**14**	**20**	**44**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	6.8	28	2	2	6	8	14	17	28
70-74	111	6.6	13	2	3	6	8	12	14	17
75-79	150	6.9	17	2	2	6	9	13	15	18
80-84	154	8.1	33	2	3	7	10	14	18	31
85+	231	7.4	38	2	2	6	9	13	17	27
B. *Operated*										
65-69 YRS	3	22.3	289	3	3	29	33	35	35	35
70-74	1	7.0		7	7	7	7	7	7	7
75-79	3	19.7	82	10	10	21	26	28	28	28
80-84	2	24.0	392	10	10	24	38	38	38	38
85+	1	60.0		60	60	60	60	60	60	60
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	423	10.9	83	3	4	9	13	20	27	48
70-74	732	10.4	64	3	4	9	13	18	24	46
75-79	960	10.6	67	3	4	9	13	19	24	51
80-84	1134	10.8	69	3	4	9	13	20	25	50
85+	1795	10.6	83	3	4	9	13	19	25	63
B. *Operated*										
65-69 YRS	89	25.0	336	5	7	20	34	52	63	81
70-74	119	20.4	214	6	7	16	27	44	59	99+
75-79	125	19.7	208	5	6	16	26	41	60	99+
80-84	149	21.4	278	4	6	17	28	48	66	99+
85+	158	17.1	201	3	5	13	21	34	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	7.2	28	2	2	6	9	13	17	25
B. *Operated*	10	24.1	309	3	5	24	35	49	60	60
2. MULTIPLE DX										
A. *Not Operated*	5044	10.6	74	3	4	9	13	19	25	51
B. *Operated*	640	20.3	246	4	6	16	26	44	60	99+
1. SINGLE DX	757	7.5	35	2	2	6	9	14	17	31
2. MULTIPLE DX	5684	11.7	103	3	4	9	14	22	30	65
A. NOT OPERATED	5791	10.2	69	3	3	8	12	18	24	49
B. OPERATED	650	20.4	247	4	6	16	27	44	60	99+
TOTAL 65-69 YRS	616	12.4	141	2	3	9	14	26	38	64
70-74	963	11.2	90	3	4	9	14	20	30	60
75-79	1238	11.1	85	3	4	9	13	20	29	60
80-84	1439	11.6	99	3	4	9	14	22	30	63
85+	2185	10.8	92	3	3	9	13	19	26	66
GRAND TOTAL	**6441**	**11.2**	**97**	**3**	**4**	**9**	**13**	**21**	**29**	**63**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	2.6	3	<1	1	2	4	5	6	8
70-74	66	3.7	10	1	1	3	4	8	10	16
75-79	95	2.7	3	1	1	2	4	5	6	8
80-84	86	3.7	10	<1	1	3	5	7	8	19
85+	85	3.9	10	1	1	3	5	8	11	17
B. *Operated*										
65-69 YRS	161	4.1	8	1	1	4	5	7	9	15
70-74	141	4.7	42	1	1	3	5	8	10	50
75-79	156	4.4	10	1	1	4	6	9	11	15
80-84	97	4.6	13	1	1	3	6	10	13	17
85+	99	5.1	13	1	1	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	6.3	48	1	2	4	7	12	17	43
70-74	316	6.3	40	1	2	5	8	13	17	45
75-79	423	6.8	52	1	2	5	8	13	18	43
80-84	479	7.2	61	1	2	5	9	14	22	58
85+	583	7.4	73	1	2	5	9	14	20	66
B. *Operated*										
65-69 YRS	416	8.2	82	1	2	6	9	18	24	63
70-74	425	8.5	105	1	2	6	10	15	22	52
75-79	490	8.6	65	1	2	6	11	16	24	44
80-84	444	10.7	138	1	2	7	13	21	34	80
85+	367	9.9	90	2	3	8	12	19	26	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	3.3	8	1	1	3	4	6	8	15
B. *Operated*	654	4.5	17	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2035	6.9	58	1	2	5	8	14	19	46
B. *Operated*	2142	9.1	97	1	2	6	11	18	25	61
1. SINGLE DX	1033	4.1	14	1	1	3	5	8	10	15
2. MULTIPLE DX	4177	8.1	79	1	2	6	10	16	23	53
A. NOT OPERATED	2414	6.4	52	1	1	4	8	13	18	43
B. OPERATED	2796	8.1	82	1	2	6	10	16	23	51
TOTAL 65-69 YRS	858	6.6	58	1	1	4	7	13	20	40
70-74	948	6.9	70	1	1	5	8	13	19	46
75-79	1164	6.9	51	1	1	5	8	14	19	41
80-84	1106	8.1	89	1	2	5	10	17	23	62
85+	1134	7.7	72	1	2	5	9	15	20	50
GRAND TOTAL	**5210**	**7.3**	**69**	**1**	**2**	**5**	**9**	**14**	**20**	**47**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	2.1	6	1	1	1	2	3	9	11
70-74	9	2.9	18	<1	<1	1	2	10	14	14
75-79	6	9.0	365	<1	<1	1	2	43	48	48
80-84	10	2.7	6	<1	<1	2	4	6	8	8
85+	7	2.6	4	<1	<1	2	4	6	6	6
B. *Operated*										
65-69 YRS	376	2.3	3	<1	1	2	3	4	6	10
70-74	285	2.5	4	1	1	2	3	5	6	11
75-79	269	2.6	4	1	1	2	3	5	6	12
80-84	168	2.9	5	1	1	2	4	6	8	13
85+	124	2.7	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	4.9	24	1	1	4	6	9	18	27
70-74	81	5.3	42	1	1	4	6	11	13	43
75-79	81	6.6	61	1	1	4	8	14	22	46
80-84	78	5.8	35	1	1	4	6	12	19	32
85+	143	7.2	51	1	1	5	10	15	22	35
B. *Operated*										
65-69 YRS	555	5.3	45	1	1	3	6	11	14	34
70-74	541	5.2	33	1	1	3	6	11	15	36
75-79	493	5.6	36	1	1	4	7	11	16	30
80-84	416	6.9	110	1	1	4	7	14	19	73
85+	372	7.3	50	1	2	5	9	15	21	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.3	50	<1	1	1	3	6	11	48
B. *Operated*	1222	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	439	6.2	45	1	1	4	7	13	18	34
B. *Operated*	2377	5.9	53	1	1	4	7	12	17	41
1. SINGLE DX	1270	2.6	6	1	1	2	3	5	7	11
2. MULTIPLE DX	2816	6.0	52	1	1	4	7	12	17	39
A. NOT OPERATED	487	5.9	46	1	1	4	7	12	17	34
B. OPERATED	3599	4.8	39	1	1	3	5	10	14	33
TOTAL 65-69 YRS	1003	4.1	30	1	1	3	5	8	12	24
70-74	916	4.3	26	1	1	3	5	9	13	28
75-79	849	4.7	32	1	1	3	5	10	14	29
80-84	672	5.7	76	1	1	3	6	11	16	51
85+	646	6.4	44	1	1	4	8	14	20	41
GRAND TOTAL	**4086**	**4.9**	**40**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	2	1	1	2	3	4	4	4
70-74										
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	3	1.3		1	1	1	2	2	2	2
85+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	55	2.1	2	<1	<1	2	3	4	6	9
70-74	35	3.1	12	<1	1	2	3	7	10	18
75-79	21	2.2	4	<1	<1	1	3	5	7	9
80-84	18	2.9	8	<1	1	2	4	8	9	10
85+	8	2.5	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	7.9	229	<1	<1	3	5	31	48	48
70-74	13	3.7	8	<1	1	3	5	7	10	11
75-79	15	5.7	23	1	1	4	7	15	16	16
80-84	12	5.9	40	1	1	4	6	15	23	24
85+	24	9.3	201	1	1	4	10	25	47	62
B. *Operated*										
65-69 YRS	107	2.9	6	1	1	2	4	5	9	13
70-74	100	3.6	11	1	1	3	5	7	10	19
75-79	60	4.5	20	1	1	3	6	12	13	21
80-84	43	6.0	100	1	1	4	6	9	24	50
85+	33	5.6	32	1	1	4	9	12	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.8	1	1	1	1	2	4	4	4
B. *Operated*	137	2.5	6	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	73	6.8	106	1	1	4	6	13	24	59
B. *Operated*	343	4.0	25	1	1	3	5	9	11	22
1. SINGLE DX	148	2.5	6	<1	1	2	3	5	8	10
2. MULTIPLE DX	416	4.5	40	1	1	3	5	10	12	43
A. NOT OPERATED	84	6.2	95	1	1	3	5	12	23	57
B. OPERATED	480	3.6	20	1	1	2	4	8	11	20
TOTAL 65-69 YRS	174	2.9	16	<1	1	2	3	5	6	14
70-74	148	3.5	11	1	1	2	5	7	10	18
75-79	98	4.2	18	<1	1	2	5	11	13	20
80-84	76	5.1	66	1	1	3	5	9	11	50
85+	68	6.3	91	1	1	3	7	13	23	58
GRAND TOTAL	**564**	**4.0**	**32**	**1**	**1**	**2**	**5**	**9**	**11**	**25**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	6.5	29	1	1	5	9	15	17	21
70-74	64	8.1	51	1	2	6	11	17	22	35
75-79	69	8.9	85	1	1	7	11	17	28	56
80-84	94	8.0	75	1	1	6	9	19	26	46
85+	116	8.7	66	1	2	6	11	20	24	38
B. *Operated*										
65-69 YRS	635	10.3	19	5	6	10	13	15	18	28
70-74	865	10.6	16	5	6	10	13	16	18	22
75-79	1135	11.5	25	6	7	11	14	17	19	32
80-84	1323	12.0	30	6	7	11	14	17	21	30
85+	1892	12.3	39	5	7	11	14	18	22	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	181	9.0	52	2	3	7	11	17	21	54
70-74	313	11.0	145	2	3	8	13	20	30	88
75-79	432	11.6	131	2	3	8	14	23	33	65
80-84	554	11.7	154	1	2	8	14	24	34	91
85+	976	10.4	104	2	3	8	13	20	30	90
B. *Operated*										
65-69 YRS	2800	14.3	80	6	7	12	16	23	30	52
70-74	4509	14.8	82	6	7	13	17	24	32	61
75-79	6975	15.0	91	6	8	13	17	24	32	67
80-84	8501	15.4	93	7	8	13	18	25	34	69
85+	12566	15.4	95	6	8	13	18	26	34	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	8.3	66	1	1	6	10	18	24	40
B. *Operated*	5850	11.6	29	5	6	11	14	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	2456	10.9	122	2	3	8	13	21	31	78
B. *Operated*	35351	15.1	91	6	8	13	17	25	33	69
1. SINGLE DX	6223	11.4	32	5	6	11	14	17	20	31
2. MULTIPLE DX	37807	14.9	94	6	7	13	17	25	33	69
A. NOT OPERATED	2829	10.5	115	1	2	8	13	20	30	70
B. OPERATED	41201	14.6	84	6	7	13	17	24	31	64
TOTAL 65-69 YRS	3646	13.3	71	5	6	12	15	21	28	49
70-74	5751	13.9	78	5	7	12	16	22	30	57
75-79	8611	14.3	86	6	7	12	16	23	31	63
80-84	10472	14.7	90	6	7	13	17	24	32	65
85+	15550	14.6	91	6	7	13	17	24	32	73
GRAND TOTAL	**44030**	**14.4**	**87**	**6**	**7**	**12**	**17**	**24**	**31**	**65**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	9.9	89	<1	1	7	15	25	31	33
70-74	25	10.6	192	<1	1	5	12	22	49	59
75-79	24	13.3	270	2	2	8	14	38	54	70
80-84	33	12.5	206	2	3	7	17	23	53	65
85+	46	6.0	37	1	1	4	8	13	19	32
B. *Operated*										
65-69 YRS	47	11.4	98	2	3	9	12	21	36	47
70-74	43	14.2	106	4	6	12	17	22	31	64
75-79	44	13.4	26	5	7	13	17	20	22	27
80-84	52	12.9	46	4	4	12	17	22	25	37
85+	82	12.0	93	3	5	11	14	16	19	67
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	16.2	338	2	4	9	18	44	61	94
70-74	118	16.3	279	2	3	9	22	43	54	83
75-79	180	15.1	265	2	3	9	17	42	54	99+
80-84	169	15.1	271	2	3	10	18	40	62	99+
85+	328	13.8	237	2	3	8	16	36	49	94
B. *Operated*										
65-69 YRS	264	19.7	220	7	8	16	23	38	53	99
70-74	351	19.5	229	6	7	15	23	41	58	99+
75-79	394	17.9	177	5	7	14	21	37	55	99+
80-84	446	19.0	243	6	7	14	22	40	56	99+
85+	655	17.2	158	5	7	14	21	31	43	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	9.9	149	1	1	6	11	22	33	65
B. *Operated*	268	12.7	76	3	5	11	15	20	25	49
2. MULTIPLE DX										
A. *Not Operated*	890	14.9	265	2	3	9	17	40	56	99+
B. *Operated*	2110	18.4	200	6	7	14	22	37	52	99+
1. SINGLE DX	416	11.7	103	2	3	10	14	20	27	61
2. MULTIPLE DX	3000	17.4	222	3	5	13	21	38	54	99+
A. NOT OPERATED	1038	14.2	251	2	3	8	17	38	55	94
B. OPERATED	2378	17.7	189	5	7	14	21	35	49	99
TOTAL 65-69 YRS	426	17.6	236	3	5	13	22	38	52	98
70-74	537	18.0	233	3	5	14	22	40	55	99+
75-79	642	16.6	197	3	5	13	20	38	53	99+
80-84	700	17.3	238	3	5	13	20	37	56	99+
85+	1111	15.3	178	2	4	12	18	31	44	86
GRAND TOTAL	**3416**	**16.7**	**211**	**3**	**5**	**13**	**20**	**36**	**51**	**99**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	4.7	11	1	1	3	7	9	11	15
70-74	54	5.9	15	1	2	5	9	11	15	15
75-79	47	5.4	10	1	2	5	7	10	11	15
80-84	41	5.5	10	1	1	6	7	9	11	17
85+	30	5.3	12	1	2	5	5	10	15	15
B. *Operated*										
65-69 YRS	152	6.9	18	1	2	6	10	12	15	21
70-74	91	7.3	19	2	2	6	10	14	17	19
75-79	50	8.1	17	3	3	8	10	14	17	18
80-84	27	9.1	47	1	2	8	13	17	25	30
85+	30	6.6	19	2	2	6	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	183	7.2	55	1	2	5	9	14	19	60
70-74	172	8.4	54	2	3	6	10	16	22	43
75-79	199	8.5	54	2	3	7	10	16	23	47
80-84	182	7.8	30	2	3	6	10	17	20	25
85+	215	9.0	85	2	3	7	11	15	21	53
B. *Operated*										
65-69 YRS	398	12.0	113	3	4	9	15	23	31	56
70-74	326	12.6	117	2	3	9	15	28	35	70
75-79	251	13.0	99	3	4	10	17	26	35	62
80-84	208	13.7	147	2	3	11	17	26	35	62
85+	150	11.1	107	2	2	8	15	28	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	5.3	12	1	2	5	7	10	12	15
B. *Operated*	350	7.3	21	2	2	6	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	951	8.2	57	2	3	6	10	15	21	43
B. *Operated*	1333	12.5	116	2	3	10	16	25	34	70
1. SINGLE DX	590	6.5	18	1	2	6	9	13	15	19
2. MULTIPLE DX	2284	10.7	96	2	3	8	13	21	29	57
A. NOT OPERATED	1191	7.6	49	2	2	6	9	14	19	41
B. OPERATED	1683	11.4	101	2	3	9	14	23	30	60
TOTAL 65-69 YRS	801	9.3	80	2	2	7	12	18	26	54
70-74	643	10.2	84	2	3	8	13	20	29	54
75-79	547	10.3	74	2	3	8	12	21	28	55
80-84	458	10.3	92	2	3	7	13	20	26	57
85+	425	9.3	85	2	3	7	11	19	28	94
GRAND TOTAL	**2874**	**9.9**	**83**	**2**	**3**	**7**	**12**	**19**	**28**	**55**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	3.8	10	1	1	3	5	7	9	18
70-74	58	3.5	5	1	1	3	4	7	8	9
75-79	44	3.9	6	1	1	4	5	8	9	10
80-84	45	4.5	12	1	1	3	6	9	11	16
85+	33	3.9	7	1	1	3	5	7	10	11
B. *Operated*										
65-69 YRS	691	4.9	14	1	2	4	6	8	10	15
70-74	416	5.6	11	2	2	5	7	9	12	17
75-79	218	6.0	42	2	2	5	7	10	12	17
80-84	124	6.1	9	2	3	6	7	10	11	16
85+	95	7.6	21	1	3	7	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	5.6	32	1	1	4	7	10	20	81
70-74	221	6.8	75	1	2	5	7	12	18	48
75-79	224	6.9	63	1	2	5	8	12	17	40
80-84	194	7.5	54	1	2	6	9	14	21	53
85+	227	6.9	36	1	2	5	9	14	17	38
B. *Operated*										
65-69 YRS	1171	7.4	48	2	3	6	9	12	16	29
70-74	948	8.2	59	2	3	6	9	14	20	43
75-79	664	9.3	58	3	3	7	11	16	23	42
80-84	450	10.1	80	3	4	8	12	18	24	53
85+	288	10.7	78	2	4	8	13	19	23	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	3.9	8	1	1	3	5	8	9	15
B. *Operated*	1544	5.5	18	2	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	1045	6.8	53	1	2	5	8	12	18	44
B. *Operated*	3521	8.6	61	2	3	7	10	15	20	43
1. SINGLE DX	1788	5.3	17	1	2	5	6	9	11	16
2. MULTIPLE DX	4566	8.2	59	2	3	6	10	15	20	43
A. NOT OPERATED	1289	6.2	46	1	1	5	7	12	17	41
B. OPERATED	5065	7.6	50	2	3	6	9	14	18	37
TOTAL 65-69 YRS	2105	6.3	36	1	2	5	7	11	14	28
70-74	1643	7.2	49	2	2	6	8	13	17	37
75-79	1150	8.0	56	2	3	6	9	14	18	39
80-84	813	8.6	63	2	3	7	10	16	21	46
85+	643	8.6	55	1	2	7	11	16	21	41
GRAND TOTAL	**6354**	**7.4**	**49**	**2**	**2**	**6**	**9**	**13**	**18**	**38**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	3	2.7	4	<1	<1	2	4	5	5	5
80-84	3	3.3	10	1	1	2	6	7	7	7
85+	3	4.3	12	1	1	4	7	8	8	8
B. *Operated*										
65-69 YRS	4	2.5	6	1	1	2	4	6	6	6
70-74	4	4.0	1	3	3	4	5	5	5	5
75-79	2	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	6.1	24	1	2	4	10	13	15	23
70-74	71	6.6	65	1	2	5	7	11	16	55
75-79	73	6.6	24	1	1	6	9	14	16	82
80-84	81	6.5	16	1	2	6	9	13	14	17
85+	105	7.4	45	1	2	6	9	14	19	39
B. *Operated*										
65-69 YRS	27	8.1	126	1	2	5	10	13	21	61
70-74	19	6.4	34	<1	1	4	8	16	20	22
75-79	21	10.3	110	1	2	7	13	29	35	39
80-84	23	7.0	35	1	2	6	11	15	20	21
85+	11	7.5	30	1	2	5	13	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	7	<1	<1	2	5	7	8	8
B. *Operated*	10	2.8	4	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	397	6.7	35	1	2	5	9	13	16	34
B. *Operated*	101	7.9	74	1	1	5	11	15	21	50
1. SINGLE DX	21	3.1	5	<1	1	2	5	6	7	8
2. MULTIPLE DX	498	6.9	43	1	2	5	9	14	17	38
A. NOT OPERATED	408	6.6	34	1	2	5	9	13	16	34
B. OPERATED	111	7.5	69	1	1	5	10	15	21	48
TOTAL 65-69 YRS	98	6.5	52	1	1	4	9	13	14	43
70-74	96	6.4	55	1	1	5	7	12	17	48
75-79	99	7.2	44	1	1	5	9	15	23	69
80-84	107	6.5	20	1	2	6	9	13	14	20
85+	119	7.3	42	1	2	5	9	14	18	38
GRAND TOTAL	**519**	**6.8**	**42**	**1**	**1**	**5**	**9**	**13**	**17**	**37**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	4	13.8	34	5	5	16	17	17	17	17
75-79	3	10.7	46	3	3	13	15	16	16	16
80-84	4	8.5	6	5	5	9	10	10	10	10
85+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
65-69 YRS	6	13.2	127	3	3	11	19	31	32	32
70-74	5	20.6	840	4	4	11	27	72	72	72
75-79	4	27.3	914	6	6	15	45	72	72	72
80-84	5	22.6	283	2	2	18	37	44	44	44
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	3	4.7	21	2	2	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	15	9.3	31	1	2	9	15	17	17	17
B. *Operated*	20	20.2	442	2	3	13	25	58	72	72
1. SINGLE DX	4	3.8	18	1	1	2	6	10	10	10
2. MULTIPLE DX	35	15.5	290	2	3	11	17	35	65	72
A. NOT OPERATED	16	8.8	33	1	1	8	14	17	17	17
B. OPERATED	23	18.2	412	2	2	12	19	50	72	72
TOTAL 65-69 YRS	9	9.3	113	1	1	3	16	27	32	32
70-74	11	14.6	399	1	2	11	17	39	69	72
75-79	7	20.1	551	3	4	13	17	61	72	72
80-84	10	15.7	181	2	3	10	18	39	44	44
85+	2	7.5	1	7	7	7	8	8	8	8
GRAND TOTAL	**39**	**14.3**	**274**	**1**	**2**	**10**	**17**	**34**	**59**	**72**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	<1	<1	1	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	26	1.7	2	<1	<1	1	2	3	5	8
70-74	35	2.4	7	<1	<1	1	2	8	9	10
75-79	18	2.4	3	<1	1	2	3	6	6	6
80-84	14	3.6	31	<1	1	1	3	13	18	20
85+	14	1.5	1	<1	<1	1	1	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	5.3	48	1	1	3	5	11	23	30
70-74	9	7.7	61	<1	1	3	15	20	22	22
75-79	15	5.2	16	1	1	4	7	12	14	15
80-84	15	4.9	22	1	1	3	6	14	16	17
85+	23	5.4	19	1	1	4	8	10	14	20
B. *Operated*										
65-69 YRS	50	4.3	43	1	1	2	5	9	12	42
70-74	69	4.3	21	1	1	3	6	11	17	84
75-79	58	5.0	28	1	1	3	8	11	16	29
80-84	46	6.1	75	1	1	4	7	12	13	58
85+	61	5.6	47	1	1	3	8	14	17	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	107	2.3	8	<1	<1	1	2	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	79	5.5	29	1	1	4	7	13	17	28
B. *Operated*	284	5.0	41	1	1	3	7	11	16	41
1. SINGLE DX	114	2.2	7	<1	<1	1	2	5	8	15
2. MULTIPLE DX	363	5.1	38	1	1	3	7	11	16	37
A. NOT OPERATED	86	5.2	28	1	1	3	6	12	16	27
B. OPERATED	391	4.3	33	<1	1	2	6	10	14	35
TOTAL 65-69 YRS	95	3.7	33	<1	<1	2	4	8	11	37
70-74	114	4.0	21	<1	<1	2	6	10	16	49
75-79	91	4.5	22	1	1	3	6	10	15	25
80-84	77	5.3	55	1	1	3	7	12	14	48
85+	100	4.9	35	1	1	3	7	10	16	34
GRAND TOTAL	**477**	**4.4**	**32**	**<1**	**1**	**3**	**6**	**10**	**15**	**30**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	4	2.3	4	<1	<1	1	3	5	5	5
75-79	3	2.7	4	1	1	2	4	5	5	5
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	63	2.2	3	<1	<1	1	3	5	6	9
70-74	41	2.2	3	<1	<1	1	3	5	6	7
75-79	31	1.8	2	<1	<1	1	3	4	4	7
80-84	18	4.4	16	<1	1	3	7	10	13	14
85+	5	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	3.3	6	<1	<1	3	5	7	9	9
70-74	11	2.6	3	1	1	2	3	6	6	6
75-79	7	6.1	30	1	1	6	11	14	14	14
80-84	6	3.5	4	2	2	3	4	7	7	7
85+	7	6.0	40	2	2	4	6	17	20	20
B. *Operated*										
65-69 YRS	241	3.1	13	<1	<1	2	4	7	9	20
70-74	152	3.1	17	<1	<1	2	3	7	10	36
75-79	94	4.0	22	<1	1	2	5	9	11	25
80-84	52	4.1	22	1	1	2	4	10	14	25
85+	14	4.6	19	<1	<1	3	6	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.9	3	<1	<1	2	5	5	5	5
B. *Operated*	158	2.4	5	<1	<1	1	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	46	4.0	14	<1	1	3	6	7	13	20
B. *Operated*	553	3.4	16	<1	<1	2	4	8	11	25
1. SINGLE DX	167	2.4	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX	599	3.5	16	<1	<1	2	4	8	11	24
A. NOT OPERATED	55	3.8	13	<1	1	3	5	7	12	20
B. OPERATED	711	3.2	14	<1	<1	2	4	7	10	22
TOTAL 65-69 YRS	320	3.0	10	<1	<1	2	3	7	9	19
70-74	208	2.9	13	<1	<1	2	3	7	8	27
75-79	135	3.6	18	<1	<1	2	4	8	11	25
80-84	76	4.1	19	1	1	2	5	10	13	22
85+	27	4.6	21	<1	1	4	6	11	17	20
GRAND TOTAL	**766**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**7**	**10**	**22**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.6	8	<1	<1	3	6	7	7	7
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	4	4.8	39	1	1	2	8	14	14	14
80-84	2	6.0	50	1	1	6	11	11	11	11
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	31	2.7	6	<1	1	2	4	7	8	9
70-74	31	4.2	21	1	1	2	5	11	14	19
75-79	18	3.9	21	<1	1	2	3	11	15	17
80-84	10	5.6	45	<1	<1	2	8	17	21	21
85+	7	4.4	16	1	1	2	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	7.5	27	1	1	6	10	16	17	19
70-74	22	4.9	10	1	1	4	6	10	11	12
75-79	23	9.3	129	2	3	6	8	19	38	54
80-84	16	7.1	25	2	2	6	11	15	16	16
85+	20	4.5	12	<1	1	3	6	8	12	16
B. *Operated*										
65-69 YRS	114	9.1	144	1	1	5	10	20	31	64
70-74	87	9.9	169	<1	1	5	11	25	38	61
75-79	64	9.5	82	1	2	6	12	24	30	38
80-84	35	10.0	126	1	1	4	14	30	37	44
85+	31	8.9	85	<1	<1	7	14	17	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.6	19	<1	<1	3	6	12	13	14
B. *Operated*	97	3.8	18	<1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	120	6.8	42	1	2	5	9	14	17	36
B. *Operated*	331	9.5	130	1	1	6	12	21	33	59
1. SINGLE DX	114	3.9	18	<1	1	2	5	10	13	20
2. MULTIPLE DX	451	8.8	108	1	1	6	11	19	30	55
A. NOT OPERATED	137	6.5	40	1	1	5	8	13	16	32
B. OPERATED	428	8.2	110	<1	1	4	10	20	30	56
TOTAL 65-69 YRS	192	7.5	98	1	1	4	9	17	25	58
70-74	142	7.8	116	<1	1	4	9	18	29	58
75-79	109	8.3	83	1	1	5	11	20	30	45
80-84	63	8.4	86	<1	1	5	12	18	31	43
85+	59	6.9	55	<1	1	5	10	16	18	44
GRAND TOTAL	**565**	**7.8**	**93**	**1**	**1**	**5**	**10**	**17**	**26**	**54**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.9	16	1	1	3	4	10	14	14
70-74	8	4.4	7	2	2	4	5	9	10	10
75-79	11	3.5	4	1	1	3	5	7	7	7
80-84	4	3.0		3	3	3	3	3	3	3
85+	9	5.0	5	2	2	4	7	8	8	8
B. *Operated*										
65-69 YRS	22	4.4	3	2	2	4	5	7	8	8
70-74	16	4.7	9	1	1	5	7	8	10	11
75-79	15	6.2	9	1	3	6	8	11	12	12
80-84	3	7.3	37	2	2	6	12	14	14	14
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	4.7	9	1	2	4	6	8	11	16
70-74	53	5.1	22	<1	1	4	6	11	18	23
75-79	79	5.0	14	2	2	5	6	8	9	26
80-84	58	7.4	112	1	2	6	7	11	14	78
85+	69	5.7	23	2	2	4	7	9	12	29
B. *Operated*										
65-69 YRS	64	6.3	27	1	2	5	8	13	15	28
70-74	46	6.6	37	1	1	5	9	14	22	27
75-79	33	9.0	157	2	2	6	9	16	24	73
80-84	13	10.6	85	2	3	8	16	24	32	34
85+	16	6.2	15	1	2	5	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.0	7	1	2	3	5	7	9	14
B. *Operated*	57	5.1	8	1	2	5	7	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	310	5.6	36	1	2	4	7	9	12	28
B. *Operated*	172	7.2	58	1	2	5	9	14	20	33
1. SINGLE DX	98	4.7	8	1	2	4	6	8	10	14
2. MULTIPLE DX	482	6.2	44	1	2	5	7	11	15	30
A. NOT OPERATED	351	5.4	32	1	2	4	7	9	12	27
B. OPERATED	229	6.7	47	1	2	5	8	13	16	30
TOTAL 65-69 YRS	146	5.3	17	1	2	4	6	10	14	23
70-74	123	5.6	25	1	1	4	7	12	16	26
75-79	138	6.0	49	2	2	5	7	9	12	37
80-84	78	7.7	100	2	2	6	8	14	18	69
85+	95	5.7	20	2	2	5	7	9	12	29
GRAND TOTAL	**580**	**5.9**	**38**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	78	4.9	13	2	2	4	6	7	9	25
70-74	41	5.7	13	1	2	5	7	9	12	20
75-79	38	6.1	16	2	2	5	8	12	13	18
80-84	13	4.8	3	2	3	5	6	7	7	7
85+	17	6.3	9	2	2	6	8	10	12	13
B. *Operated*										
65-69 YRS	3	6.0	48	2	2	2	11	14	14	14
70-74	4	5.0	11	3	3	4	7	10	10	10
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	408	6.5	23	2	2	5	8	11	14	23
70-74	412	6.4	16	2	2	6	8	12	14	21
75-79	374	6.6	20	2	3	5	8	12	15	24
80-84	305	6.6	16	2	3	6	8	11	14	21
85+	277	7.2	30	2	3	6	9	12	17	36
B. *Operated*										
65-69 YRS	23	8.9	36	2	3	8	10	19	24	25
70-74	27	10.3	63	4	5	8	13	16	27	43
75-79	37	10.7	57	3	4	8	15	19	24	41
80-84	16	12.9	112	3	5	10	16	20	40	48
85+	10	20.3	402	3	3	14	23	53	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	5.4	12	2	2	5	7	9	12	19
B. *Operated*	7	5.4	22	2	2	3	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	1776	6.6	21	2	2	6	8	12	14	23
B. *Operated*	113	11.4	96	3	4	8	14	21	25	56
1. SINGLE DX	194	5.4	13	2	2	5	7	9	12	19
2. MULTIPLE DX	1889	6.9	27	2	3	6	8	12	16	25
A. NOT OPERATED	1963	6.5	20	2	2	5	8	11	14	22
B. OPERATED	120	11.1	94	3	3	8	13	20	25	55
TOTAL 65-69 YRS	512	6.4	23	2	2	5	8	10	14	26
70-74	484	6.5	19	2	2	6	8	12	14	22
75-79	449	6.9	24	2	3	6	8	12	16	24
80-84	334	6.8	22	2	3	6	9	12	15	21
85+	304	7.6	46	2	3	6	9	13	18	39
GRAND TOTAL	**2083**	**6.6**	**25**	**2**	**2**	**6**	**8**	**12**	**15**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.6	8	1	1	3	6	7	10	12
70-74	33	4.2	4	1	2	4	5	7	7	8
75-79	18	3.8	8	1	1	3	5	6	10	12
80-84	10	4.2	9	<1	1	3	6	9	11	11
85+	14	3.6	9	1	1	3	6	8	10	11
B. *Operated*										
65-69 YRS	4	4.8	14	2	2	4	7	10	10	10
70-74	3	4.0	19	1	1	2	7	9	9	9
75-79										
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	381	5.2	11	1	2	5	7	9	12	17
70-74	318	5.7	14	1	2	5	8	11	12	17
75-79	284	6.0	15	1	2	5	8	11	14	18
80-84	289	6.1	18	1	2	5	8	11	14	26
85+	277	6.2	20	2	2	5	7	12	16	24
B. *Operated*										
65-69 YRS	35	8.3	62	1	2	5	10	21	28	31
70-74	31	9.0	53	2	2	7	13	17	18	37
75-79	25	8.7	26	2	2	7	12	14	18	23
80-84	24	10.0	46	2	2	9	14	21	23	27
85+	16	9.5	67	1	1	8	13	17	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.9	6	1	1	3	6	7	8	12
B. *Operated*	8	4.8	13	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1549	5.8	15	1	2	5	8	11	13	21
B. *Operated*	131	9.0	49	1	2	7	13	18	23	34
1. SINGLE DX	114	4.0	7	1	1	3	6	7	10	12
2. MULTIPLE DX	1680	6.1	19	1	2	5	8	11	14	23
A. NOT OPERATED	1655	5.7	15	1	2	5	7	10	13	21
B. OPERATED	139	8.8	48	1	2	7	12	17	22	33
TOTAL 65-69 YRS	451	5.4	15	1	2	5	7	10	12	21
70-74	385	5.8	17	1	2	5	8	11	13	18
75-79	327	6.1	16	1	2	5	8	12	14	19
80-84	323	6.4	21	1	2	5	8	12	16	27
85+	308	6.3	22	1	2	5	7	12	16	26
GRAND TOTAL	**1794**	**5.9**	**18**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	2.2	3	1	1	1	3	5	6	7
70-74	8	2.8	1	2	2	3	3	4	5	5
75-79	12	2.8	2	1	1	3	4	5	6	6
80-84	13	2.7	2	1	1	3	4	4	4	4
85+	14	3.5	8	1	1	2	5	8	8	8
B. *Operated*										
65-69 YRS	295	3.4	3	1	1	3	4	5	6	10
70-74	178	3.7	5	1	1	3	5	7	7	13
75-79	95	3.8	4	1	2	3	5	7	8	12
80-84	26	4.2	6	1	2	4	5	7	9	12
85+	6	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	121	4.2	12	1	1	3	5	9	12	17
70-74	132	4.4	11	1	1	4	6	8	10	19
75-79	123	6.3	75	1	2	4	7	11	18	83
80-84	131	5.6	15	1	2	4	7	11	14	19
85+	174	6.4	22	1	2	5	9	12	16	24
B. *Operated*										
65-69 YRS	454	4.5	13	1	2	4	5	7	10	23
70-74	335	5.0	10	1	2	4	6	9	11	17
75-79	158	5.7	30	1	2	4	6	10	15	34
80-84	60	6.4	43	2	2	5	7	11	16	44
85+	34	10.0	53	1	3	7	14	23	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.7	3	1	1	2	4	5	7	8
B. *Operated*	600	3.6	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	681	5.4	27	1	2	4	7	11	14	24
B. *Operated*	1041	5.1	19	1	2	4	6	9	13	23
1. SINGLE DX	668	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1722	5.3	22	1	2	4	6	10	13	24
A. NOT OPERATED	749	5.2	26	1	1	4	6	10	13	24
B. OPERATED	1641	4.6	14	1	2	4	5	7	10	22
TOTAL 65-69 YRS	891	4.0	10	1	1	3	5	6	9	19
70-74	653	4.5	9	1	2	4	6	8	10	16
75-79	388	5.3	38	1	2	4	6	10	13	43
80-84	230	5.5	21	1	2	4	7	11	12	22
85+	228	6.6	28	1	2	5	9	14	18	26
GRAND TOTAL	**2390**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	1.7	2	<1	1	1	2	4	4	7
70-74	32	2.1	2	<1	<1	2	3	4	4	6
75-79	27	2.1	1	1	1	2	3	4	5	5
80-84	24	2.5	3	<1	1	2	3	5	7	8
85+	16	2.2	3	1	1	2	2	5	6	7
B. *Operated*										
65-69 YRS										
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	388	3.4	8	1	1	3	4	7	8	14
70-74	392	4.1	29	1	1	3	5	8	12	17
75-79	454	4.7	25	1	1	3	6	10	12	21
80-84	384	5.7	41	1	1	4	7	11	16	27
85+	411	5.9	55	1	1	4	7	11	15	38
B. *Operated*										
65-69 YRS	141	4.7	21	1	1	3	6	11	15	21
70-74	163	5.4	37	1	1	3	7	12	20	28
75-79	171	6.4	87	1	1	4	8	13	17	52
80-84	149	6.0	93	1	1	3	7	12	17	44
85+	153	6.3	41	1	1	4	8	14	19	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.0	2	<1	1	2	3	4	5	7
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2029	4.8	32	1	1	3	6	9	13	25
B. *Operated*	777	5.8	57	1	1	3	7	13	17	37
1. SINGLE DX	150	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	2806	5.0	39	1	1	3	6	10	14	30
A. NOT OPERATED	2176	4.6	31	1	1	3	5	9	12	22
B. OPERATED	780	5.8	57	1	1	3	7	13	17	37
TOTAL 65-69 YRS	577	3.6	11	1	1	2	4	7	10	18
70-74	589	4.3	30	1	1	3	5	9	14	26
75-79	652	5.0	41	1	1	3	6	11	13	31
80-84	557	5.6	53	1	1	4	7	11	16	33
85+	581	5.9	50	1	1	4	7	12	17	44
GRAND TOTAL	**2956**	**4.9**	**38**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.7	23	1	1	2	6	13	15	17
70-74	20	4.2	19	1	1	3	5	10	14	18
75-79	15	3.3	8	1	1	2	4	8	9	10
80-84	11	3.5	13	1	1	2	5	10	11	11
85+	21	4.5	25	<1	1	3	4	11	18	21
B. *Operated*										
65-69 YRS	21	8.5	35	2	3	8	9	16	22	28
70-74	27	9.4	20	2	4	9	11	17	18	19
75-79	22	11.8	267	2	3	8	11	17	48	82
80-84	17	9.6	123	1	1	6	11	21	38	46
85+	18	10.3	38	3	4	8	14	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	244	5.4	34	1	1	3	7	13	17	34
70-74	280	7.2	61	1	1	5	9	15	20	42
75-79	323	8.7	89	1	2	6	11	20	25	38
80-84	349	7.9	73	1	1	5	10	17	23	48
85+	406	7.5	57	1	2	5	9	15	23	54
B. *Operated*										
65-69 YRS	167	14.9	207	1	2	11	20	41	54	99+
70-74	260	15.3	226	1	2	11	20	34	46	76
75-79	212	14.6	191	1	3	10	19	35	45	69
80-84	225	15.6	217	1	2	12	20	33	45	72
85+	231	14.6	198	1	2	11	19	34	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.1	18	1	1	2	5	11	14	20
B. *Operated*	105	9.9	92	2	3	8	11	18	22	62
2. MULTIPLE DX										
A. *Not Operated*	1602	7.5	65	1	1	5	9	16	23	43
B. *Operated*	1095	15.0	208	1	2	11	19	35	47	78
1. SINGLE DX	193	7.3	66	1	1	6	10	15	19	38
2. MULTIPLE DX	2697	10.5	137	1	2	7	13	24	35	70
A. NOT OPERATED	1690	7.3	63	1	1	5	9	16	22	42
B. OPERATED	1200	14.6	200	1	2	10	19	34	46	78
TOTAL 65-69 YRS	453	9.0	118	1	1	5	12	22	38	99+
70-74	587	10.8	148	1	2	7	13	23	35	67
75-79	572	10.9	140	1	2	7	13	24	35	63
80-84	602	10.8	141	1	1	7	14	24	33	65
85+	676	9.9	116	1	2	6	12	22	33	62
GRAND TOTAL	**2890**	**10.3**	**133**	**1**	**2**	**7**	**13**	**23**	**34**	**70**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	1.9	1	<1	<1	1	3	4	4	4
70-74	6	3.3	5	<1	<1	3	5	7	7	7
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	3	3.0	7	1	1	2	5	6	6	6
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	5	7.0	4	4	4	8	8	9	9	9
70-74	2	5.5	5	4	4	5	7	7	7	7
75-79	4	9.8	78	1	1	9	17	20	20	20
80-84	1	21.0		21	21	21	21	21	21	21
85+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	128	5.7	17	1	2	5	7	11	15	19
70-74	108	6.4	33	1	2	5	8	14	18	33
75-79	110	7.2	30	1	2	6	9	15	18	27
80-84	89	8.9	111	2	2	6	10	17	26	62
85+	76	7.3	32	2	2	6	9	12	20	30
B. *Operated*										
65-69 YRS	158	11.4	106	2	3	8	14	26	31	43
70-74	127	11.6	92	3	3	9	16	23	33	66
75-79	96	10.9	55	3	4	10	13	19	22	44
80-84	74	12.9	100	3	5	9	17	26	41	88
85+	70	13.6	131	3	4	10	14	34	43	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.6	4	<1	<1	2	4	5	6	7
B. *Operated*	14	8.6	37	1	3	7	12	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	511	7.0	42	1	2	5	9	13	18	34
B. *Operated*	525	11.9	96	3	4	9	15	24	34	54
1. SINGLE DX	34	5.1	26	<1	1	4	7	12	19	21
2. MULTIPLE DX	1036	9.4	75	2	2	7	11	19	27	51
A. NOT OPERATED	531	6.8	42	1	2	5	8	13	18	34
B. OPERATED	539	11.8	95	3	4	9	14	24	33	53
TOTAL 65-69 YRS	298	8.6	72	1	2	6	11	18	26	39
70-74	243	9.0	69	2	3	7	11	19	25	51
75-79	213	8.8	45	1	2	7	12	18	20	34
80-84	167	10.6	109	2	2	8	12	22	34	64
85+	149	10.2	88	2	3	8	12	23	33	52
GRAND TOTAL	**1070**	**9.3**	**74**	**2**	**2**	**7**	**11**	**19**	**26**	**50**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	5	4.6	4	2	2	4	6	7	7	7
75-79	2	4.0	8	2	2	4	6	6	6	6
80-84	3	3.3	16	1	1	1	6	8	8	8
85+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
65-69 YRS	9	8.8	14	3	4	9	11	14	15	15
70-74	5	7.2	17	1	1	9	10	11	11	11
75-79	3	9.0	4	7	7	9	10	11	11	11
80-84	3	7.3	2	6	6	7	8	9	9	9
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	5.0	23	1	1	4	7	10	12	30
70-74	62	6.2	34	1	2	4	8	14	17	35
75-79	51	5.2	13	1	1	4	6	11	12	17
80-84	55	6.1	32	2	2	5	7	11	13	32
85+	60	5.3	15	1	1	4	7	11	13	18
B. *Operated*										
65-69 YRS	113	16.0	246	2	3	11	18	38	54	73
70-74	108	17.4	246	4	6	12	20	41	51	76
75-79	94	16.8	222	2	3	12	21	35	60	90
80-84	53	13.9	159	2	3	10	17	34	46	54
85+	60	16.1	157	2	4	12	20	36	42	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.6	7	1	1	4	7	8	9	9
B. *Operated*	21	8.3	11	2	4	9	11	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	292	5.5	24	1	2	4	7	11	13	31
B. *Operated*	428	16.3	217	2	3	12	20	37	50	73
1. SINGLE DX	35	6.8	12	1	2	7	9	11	12	15
2. MULTIPLE DX	720	11.9	166	1	2	8	14	29	39	64
A. NOT OPERATED	306	5.5	23	1	1	4	7	11	13	31
B. OPERATED	449	15.9	210	2	3	11	20	36	50	72
TOTAL 65-69 YRS	188	11.8	183	1	2	8	14	29	40	67
70-74	180	12.9	190	2	3	8	15	32	44	63
75-79	150	12.5	174	2	2	9	16	28	39	77
80-84	114	9.6	105	2	2	7	11	23	34	51
85+	123	10.6	112	1	2	8	13	25	36	49
GRAND TOTAL	**755**	**11.7**	**160**	**1**	**2**	**8**	**14**	**28**	**39**	**64**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	2.6	2	1	1	2	4	5	5	5
70-74	11	2.3	2	1	1	2	3	5	5	5
75-79	7	2.4	2	<1	<1	3	4	4	4	4
80-84	7	2.3	3	<1	<1	2	4	5	5	5
85+	8	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	1	1	2	3	4	4	4
70-74	5	3.6	9	1	1	3	6	8	8	8
75-79	4	3.8	5	1	1	4	5	6	6	6
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	3	5.0	7	2	2	6	7	7	7	7
B. *Operated*										
65-69 YRS	49	5.1	94	<1	1	3	5	8	12	67
70-74	34	4.7	15	<1	1	3	6	10	12	17
75-79	41	4.8	14	1	1	4	6	9	10	22
80-84	32	3.8	10	1	1	3	5	9	11	11
85+	32	6.7	114	1	1	4	7	13	21	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	44	2.5	2	<1	1	2	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	18	3.4	5	1	1	3	5	7	8	8
B. *Operated*	188	5.0	51	1	1	3	6	9	11	45
1. SINGLE DX	45	2.5	2	<1	1	2	4	4	5	5
2. MULTIPLE DX	206	4.9	47	1	1	3	6	9	11	38
A. NOT OPERATED	19	3.3	5	1	1	3	5	7	8	8
B. OPERATED	232	4.6	43	1	1	3	5	9	11	29
TOTAL 65-69 YRS	65	4.5	72	<1	1	3	4	8	11	60
70-74	50	4.0	12	1	1	3	5	9	10	17
75-79	52	4.4	12	1	1	4	6	8	9	22
80-84	41	3.5	8	1	1	2	4	9	11	11
85+	43	5.9	87	1	1	4	6	9	20	59
GRAND TOTAL	**251**	**4.5**	**40**	**1**	**1**	**3**	**5**	**9**	**11**	**22**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	5	3.8	18	1	1	2	6	11	11	11
75-79	3	1.7	1	1	1	1	3	3	3	3
80-84	3	1.0		1	1	1	1	1	1	1
85+	6	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*										
65-69 YRS	7	1.6	1	1	1	1	2	3	3	3
70-74	8	2.1	4	<1	<1	1	2	6	7	7
75-79	7	2.3	1	1	1	2	3	4	4	4
80-84	5	2.0	5	<1	<1	1	2	6	6	6
85+	12	3.1	6	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	54	4.7	11	1	1	4	7	9	12	15
70-74	46	4.3	14	1	1	3	6	10	12	17
75-79	61	4.8	24	1	1	4	5	9	15	29
80-84	59	4.6	11	1	1	3	7	9	10	17
85+	84	4.7	15	1	1	4	6	9	13	18
B. *Operated*										
65-69 YRS	155	4.4	40	1	1	3	5	10	14	30
70-74	164	4.4	20	1	1	3	5	9	13	31
75-79	155	4.6	30	1	1	3	6	9	13	19
80-84	154	4.9	18	1	1	3	6	11	13	23
85+	210	5.5	54	1	1	3	6	10	15	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	6	<1	1	1	3	4	8	11
B. *Operated*	39	2.3	4	<1	1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	304	4.6	15	1	1	4	6	9	12	18
B. *Operated*	838	4.8	34	1	1	3	6	10	14	30
1. SINGLE DX	57	2.4	4	<1	1	1	3	5	7	11
2. MULTIPLE DX	1142	4.7	29	1	1	3	6	9	13	29
A. NOT OPERATED	322	4.5	15	1	1	3	6	9	12	18
B. OPERATED	877	4.7	33	1	1	3	6	10	13	30
TOTAL 65-69 YRS	217	4.4	31	1	1	3	5	9	13	29
70-74	223	4.3	18	1	1	3	5	10	12	27
75-79	226	4.5	27	1	1	3	5	9	13	22
80-84	221	4.7	16	1	1	3	6	9	12	20
85+	312	5.1	41	1	1	3	6	10	14	40
GRAND TOTAL	**1199**	**4.6**	**28**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	3	1.7		1	1	2	2	2	2	2
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84										
85+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
65-69 YRS	6	2.5	4	1	1	2	3	6	6	6
70-74										
75-79	4	2 3	2	<1	<1	2	3	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	2.8	2	1	1	3	4	5	5	5
70-74	6	4.2	19	<1	<1	2	8	11	11	11
75-79	7	4.3	7	2	2	3	6	8	9	9
80-84	11	8.2	99	1	2	6	7	21	36	37
85+	8	6.4	9	2	2	7	8	10	11	11
B. *Operated*										
65-69 YRS	32	6.9	116	<1	1	5	8	12	15	62
70-74	20	9.5	205	<1	1	6	10	15	41	67
75-79	22	5.0	10	1	2	4	8	9	10	11
80-84	5	3.4	7	1	1	3	5	7	7	7
85+	17	7.7	36	1	2	7	8	17	22	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4		<1	<1	1	2	2	2	2
B. *Operated*	11	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	40	5.5	35	1	1	4	7	10	11	37
B. *Operated*	96	7.0	90	1	1	5	8	12	16	65
1. SINGLE DX	19	1.9	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX	136	6.5	74	1	1	5	8	11	15	63
A. NOT OPERATED	48	4.8	32	<1	1	3	6	9	11	37
B. OPERATED	107	6.5	83	1	1	5	8	12	15	64
TOTAL 65-69 YRS	47	5.5	83	1	1	3	6	10	13	62
70-74	29	7.6	151	<1	1	5	9	14	18	67
75-79	35	4.4	9	<1	1	3	7	9	10	11
80-84	17	6.4	70	1	1	5	7	10	28	37
85+	27	6.8	28	1	1	7	8	13	19	24
GRAND TOTAL	**155**	**6.0**	**67**	**1**	**1**	**4**	**8**	**11**	**14**	**61**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.2	9	<1	<1	3	4	7	11	13
70-74	6	3.7	2	2	2	3	4	6	6	6
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	7	2.1	1	1	1	2	3	4	4	4
85+	5	5.4	10	2	2	4	8	10	10	10
B. *Operated*										
65-69 YRS	91	2.0	3	<1	<1	1	2	4	5	10
70-74	60	3.1	21	<1	1	2	3	6	9	27
75-79	32	2.1	1	<1	1	2	3	4	4	5
80-84	22	2.4	7	<1	<1	2	2	6	9	11
85+	19	1.4	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	4.9	16	1	1	4	6	10	11	22
70-74	32	4.6	12	1	1	3	6	10	11	16
75-79	32	6.4	47	2	2	4	7	13	24	32
80-84	15	5.1	14	1	2	4	6	9	14	16
85+	27	5.7	16	1	2	5	7	11	15	17
B. *Operated*										
65-69 YRS	213	4.0	40	<1	1	2	4	8	13	36
70-74	170	5.1	85	1	1	2	6	10	17	50
75-79	123	4.7	33	1	1	3	5	11	17	32
80-84	69	5.2	25	1	1	3	7	11	14	27
85+	51	6.2	47	1	1	3	8	13	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.4	7	<1	1	3	4	6	10	13
B. *Operated*	224	2.3	8	<1	1	1	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	143	5.3	22	1	2	4	7	10	15	25
B. *Operated*	626	4.8	50	1	1	3	5	10	15	33
1. SINGLE DX	266	2.5	8	<1	1	2	3	4	6	13
2. MULTIPLE DX	769	4.9	44	1	1	3	6	10	15	32
A. NOT OPERATED	185	4.9	19	1	1	3	6	10	12	24
B. OPERATED	850	4.1	40	1	1	2	4	9	12	30
TOTAL 65-69 YRS	362	3.6	27	<1	1	2	4	7	10	22
70-74	268	4.5	60	1	1	2	5	9	12	30
75-79	190	4.5	31	1	1	3	5	10	16	32
80-84	113	4.5	20	1	1	3	6	10	12	23
85+	102	5.1	31	1	1	3	7	10	16	31
GRAND TOTAL	**1035**	**4.2**	**36**	**1**	**1**	**2**	**5**	**9**	**12**	**29**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.7	9	1	1	4	5	10	10	10
70-74	9	2.9	4	<1	<1	2	4	6	7	7
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	4	2.3	2	1	1	2	3	4	4	4
85+	4	4.8	6	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	29	5.0	19	<1	1	4	7	12	13	19
70-74	29	4.3	18	1	1	3	6	10	11	20
75-79	25	5.9	17	1	2	5	9	12	14	16
80-84	8	6.3	17	1	1	6	10	12	12	12
85+	13	10.2	132	1	1	6	15	25	38	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	5.7	29	<1	1	4	7	12	14	30
70-74	51	7.5	32	2	3	5	10	15	20	24
75-79	47	5.7	18	1	2	5	7	12	14	22
80-84	31	7.6	49	2	2	5	11	17	24	31
85+	33	7.3	30	2	3	6	9	14	18	27
B. *Operated*										
65-69 YRS	111	9.3	87	1	2	6	13	18	25	50
70-74	88	10.1	124	1	2	7	11	26	33	58
75-79	84	13.0	188	2	2	9	16	28	42	74
80-84	60	11.0	70	1	2	8	16	24	26	35
85+	48	11.0	100	2	3	8	14	24	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.6	5	<1	1	3	5	7	8	10
B. *Operated*	104	5.8	34	1	1	4	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	202	6.7	31	1	2	5	8	14	18	28
B. *Operated*	391	10.7	117	1	2	7	14	25	31	55
1. SINGLE DX	129	5.4	29	1	1	4	7	12	15	25
2. MULTIPLE DX	593	9.4	91	1	2	6	12	21	27	48
A. NOT OPERATED	227	6.4	29	1	2	5	8	13	17	28
B. OPERATED	495	9.7	103	1	2	6	12	21	29	51
TOTAL 65-69 YRS	186	7.7	65	1	1	5	10	15	21	46
70-74	177	8.0	79	1	1	5	10	18	26	52
75-79	158	9.6	120	1	2	6	12	22	28	59
80-84	103	9.2	61	1	2	7	12	21	25	33
85+	98	9.4	79	2	2	6	13	18	28	45
GRAND TOTAL	**722**	**8.6**	**82**	**1**	**2**	**6**	**11**	**18**	**26**	**47**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	1	1	1	2	3	4	4	4
70-74	6	6.5	19	2	2	6	8	13	14	14
75-79	3	4.0	7	1	1	5	6	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	6.7	22	3	3	5	10	12	12	12
B. *Operated*										
65-69 YRS	21	11.2	256	1	1	5	12	34	49	65
70-74	22	5.3	32	1	1	4	7	10	19	27
75-79	13	18.1	407	1	2	9	27	46	67	72
80-84	5	21.2	869	1	1	2	42	68	68	68
85+	12	8.3	137	1	1	3	12	25	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	18	4.8	13	1	1	4	6	11	13	14
B. *Operated*	73	10.9	245	1	1	5	12	33	40	71
1. SINGLE DX	5	4.4	20	1	1	2	8	11	11	11
2. MULTIPLE DX	91	9.7	204	1	1	5	9	29	39	70
A. NOT OPERATED	20	4.7	13	1	1	4	6	10	13	14
B. OPERATED	76	10.6	237	1	1	5	11	33	40	71
TOTAL 65-69 YRS	28	9.1	204	1	1	3	10	30	39	65
70-74	28	5.6	29	1	1	4	7	12	15	27
75-79	17	15.2	337	1	1	8	18	39	61	72
80-84	7	15.9	662	1	1	2	25	61	68	68
85+	16	7.5	107	1	1	3	9	19	33	39
GRAND TOTAL	**96**	**9.4**	**196**	**1**	**1**	**4**	**9**	**27**	**38**	**70**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	7	3.0	6	1	1	2	5	7	7	7
70-74	3	6.0	13	2	2	7	8	9	9	9
75-79	5	11.2	70	1	1	15	17	21	21	21
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	5.9	31	1	1	4	6	16	17	18
70-74	8	7.9	23	2	2	7	12	14	14	14
75-79	12	7.4	78	1	1	3	10	22	29	30
80-84	9	7.9	29	1	1	9	12	15	16	16
85+	15	15.3	150	1	2	13	29	31	34	35
B. *Operated*										
65-69 YRS	27	7.7	54	1	1	5	10	19	23	30
70-74	13	7.5	35	1	1	8	11	16	19	20
75-79	11	14.5	421	1	1	6	18	47	67	69
80-84	8	11.6	37	3	4	10	16	21	21	21
85+	6	11.5	70	1	2	10	18	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	18	6.1	35	1	1	4	9	15	19	21
2. MULTIPLE DX										
A. *Not Operated*	60	9.1	78	1	1	5	13	23	30	35
B. *Operated*	65	9.6	111	1	1	7	11	21	25	64
1. SINGLE DX	19	5.8	34	<1	1	3	9	15	18	21
2. MULTIPLE DX	125	9.4	95	1	1	7	12	21	30	43
A. NOT OPERATED	61	9.0	78	1	1	5	13	22	30	35
B. OPERATED	83	8.9	96	1	1	7	11	20	23	57
TOTAL 65-69 YRS	50	6.5	42	1	1	4	8	17	19	30
70-74	24	7.5	27	1	2	7	11	14	16	20
75-79	28	10.9	209	1	1	6	15	27	37	69
80-84	19	8.8	36	1	2	9	12	18	21	21
85+	23	13.4	122	<1	1	11	23	30	32	35
GRAND TOTAL	**144**	**8.9**	**88**	**1**	**1**	**6**	**12**	**20**	**29**	**37**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	4	4.5	3	2	2	5	6	6	6	6
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	3	3.3	4	1	1	4	5	5	5	5
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	2.6	1	1	1	2	3	4	4	4
70-74	22	4.5	15	1	1	3	5	11	13	15
75-79	15	4.9	14	1	2	4	6	11	14	15
80-84	16	4.1	10	<1	1	3	6	8	11	12
85+	16	2.7	2	<1	1	3	4	5	5	5
B. *Operated*										
65-69 YRS	6	5.3	23	2	2	3	8	13	14	14
70-74	7	3.7	7	1	1	3	6	7	7	7
75-79	8	4.0	5	<1	<1	5	6	7	7	7
80-84	4	21.5	855	3	3	9	38	65	65	65
85+	3	8.0	37	4	4	5	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.5	4	1	1	3	5	6	6	6
B. *Operated*	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	81	3.9	10	1	1	3	5	7	11	15
B. *Operated*	28	7.1	142	1	1	5	7	13	20	65
1. SINGLE DX	12	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX	109	4.7	45	1	1	3	5	8	12	36
A. NOT OPERATED	89	3.8	9	1	1	3	5	7	11	15
B. OPERATED	32	6.6	127	1	1	4	6	13	15	65
TOTAL 65-69 YRS	21	3.4	8	1	1	2	4	6	11	14
70-74	33	4.2	12	1	1	3	5	9	12	15
75-79	24	4.5	11	<1	1	4	6	8	12	15
80-84	20	7.6	194	<1	1	4	7	12	39	65
85+	23	3.7	8	<1	1	3	5	6	9	15
GRAND TOTAL	**121**	**4.6**	**41**	**1**	**1**	**3**	**5**	**8**	**12**	**30**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	3.1	6	1	1	2	4	7	8	13
70-74	64	3.0	4	<1	1	3	4	6	7	9
75-79	76	3.5	7	<1	1	2	5	7	9	12
80-84	76	4.0	10	1	1	3	5	9	11	14
85+	115	3.7	11	1	1	3	5	8	9	18
B. *Operated*										
65-69 YRS	20	4.0	16	<1	<1	3	5	7	13	19
70-74	12	3.4	6	<1	1	3	5	7	9	9
75-79	15	5.3	57	1	2	3	5	6	26	32
80-84	15	5.3	23	1	1	3	6	15	16	16
85+	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	632	4.6	26	1	1	3	5	9	13	23
70-74	732	5.1	24	1	1	4	7	9	12	21
75-79	916	5.6	35	1	1	4	7	11	14	26
80-84	973	6.0	47	1	2	4	7	11	15	29
85+	1383	6.0	47	1	2	5	7	12	15	55
B. *Operated*										
65-69 YRS	134	7.2	67	1	1	5	9	14	22	46
70-74	126	8.3	65	1	2	6	10	18	26	60
75-79	138	8.4	78	1	2	5	11	17	32	55
80-84	123	12.4	129	2	3	9	15	24	35	62
85+	139	8.7	44	1	2	7	12	23	25	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.5	8	1	1	3	5	7	9	14
B. *Operated*	65	4.6	25	1	1	3	5	9	15	30
2. MULTIPLE DX										
A. *Not Operated*	4636	5.6	38	1	1	4	7	11	14	27
B. *Operated*	660	8.9	78	1	2	6	11	21	26	64
1. SINGLE DX	470	3.7	11	1	1	3	5	7	9	16
2. MULTIPLE DX	5296	6.0	45	1	2	4	7	12	16	38
A. NOT OPERATED	5041	5.4	36	1	1	4	7	10	14	27
B. OPERATED	725	8.5	75	1	2	6	11	20	26	62
TOTAL 65-69 YRS	860	4.8	31	1	1	3	6	10	13	25
70-74	934	5.4	30	1	1	4	7	10	14	27
75-79	1145	5.8	40	1	1	4	7	11	15	38
80-84	1187	6.5	57	1	2	5	7	12	18	40
85+	1640	6.1	45	1	2	4	7	12	16	56
GRAND TOTAL	**5766**	**5.8**	**42**	**1**	**1**	**4**	**7**	**11**	**16**	**35**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	6.0		6	6	6	6	6	6	6
75-79	5	11.6	128	<1	<1	12	18	29	29	29
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	7.1	101	1	2	4	7	17	35	40
70-74	8	9.6	73	1	1	7	18	20	21	21
75-79	4	7.0	21	3	3	7	11	11	11	11
80-84	5	9.8	108	1	1	5	18	25	25	25
85+	2	10.0	98	3	3	10	17	17	17	17
B. *Operated*										
65-69 YRS	16	11.3	133	1	1	8	16	29	36	39
70-74	12	8.4	102	1	2	4	11	22	35	37
75-79	5	5.8	11	1	1	6	8	10	10	10
80-84	4	12.5	388	1	1	3	23	42	42	42
85+	5	13.2	323	2	2	6	18	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.4	13	2	2	4	8	11	11	11
B. *Operated*	7	9.3	103	<1	<1	6	13	26	29	29
2. MULTIPLE DX										
A. *Not Operated*	33	8.3	77	1	2	4	12	19	24	40
B. *Operated*	42	10.1	142	1	1	5	12	31	40	45
1. SINGLE DX	12	7.7	65	<1	1	5	11	18	27	29
2. MULTIPLE DX	75	9.3	113	1	1	5	12	25	38	44
A. NOT OPERATED	38	7.9	69	1	2	4	11	19	23	40
B. OPERATED	49	10.0	134	1	1	6	13	29	39	45
TOTAL 65-69 YRS	32	8.9	114	1	1	4	12	26	38	40
70-74	22	8.5	80	1	1	4	12	20	27	37
75-79	15	8.4	51	<1	1	7	11	14	25	29
80-84	10	10.2	186	1	1	4	16	33	42	42
85+	8	11.6	204	2	2	6	13	37	45	45
GRAND TOTAL	**87**	**9.1**	**106**	**1**	**1**	**5**	**12**	**24**	**37**	**44**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
1. SINGLE DX										
2. MULTIPLE DX	2	3.5	5	2	2	3	5	5	5	5
A. NOT OPERATED										
B. OPERATED	2	3.5	5	2	2	3	5	5	5	5
TOTAL 65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
GRAND TOTAL	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	55	2.3	32	<1	<1	1	1	3	3	33
70-74	50	1.4		<1	<1	1	2	2	3	4
75-79	34	1.9	2	<1	1	1	2	4	6	7
80-84	19	1.6	1	<1	<1	1	2	3	4	4
85+	28	1.5	2	<1	1	1	2	2	4	9
B. *Operated*										
65-69 YRS	12	1.8	1	<1	<1	2	2	3	3	3
70-74	10	3.0	10	1	1	2	4	8	10	10
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	5	4.0	17	<1	<1	1	8	9	9	9
85+	3	6.0	19	3	3	4	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	3.1	13	<1	1	2	4	6	8	19
70-74	177	3.4	13	1	1	2	4	8	12	21
75-79	183	4.1	20	<1	1	3	5	8	15	22
80-84	139	3.6	12	1	1	2	5	9	10	14
85+	143	4.5	15	1	1	3	6	10	13	17
B. *Operated*										
65-69 YRS	115	6.0	43	<1	1	4	9	12	22	32
70-74	123	6.3	79	1	1	4	7	13	20	46
75-79	125	5.7	37	1	1	4	8	15	21	99+
80-84	97	7.2	65	1	1	4	10	17	20	44
85+	77	6.5	96	1	1	4	7	14	18	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	1.8	11	<1	<1	1	2	3	3	22
B. *Operated*	33	2.9	8	<1	1	2	3	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	819	3.7	15	1	1	2	5	8	11	20
B. *Operated*	537	6.3	61	1	1	4	8	14	20	43
1. SINGLE DX	219	2.0	10	<1	<1	1	2	3	5	17
2. MULTIPLE DX	1356	4.7	35	1	1	3	6	10	15	31
A. NOT OPERATED	1005	3.4	15	<1	1	2	4	7	10	20
B. OPERATED	570	6.1	59	1	1	3	8	14	19	42
TOTAL 65-69 YRS	359	3.9	27	<1	1	2	5	9	12	31
70-74	360	4.1	37	1	1	2	5	9	14	35
75-79	345	4.4	26	1	1	3	6	10	16	31
80-84	260	4.8	35	1	1	3	7	11	15	31
85+	251	4.8	40	1	1	3	6	10	14	30
GRAND TOTAL	**1575**	**4.4**	**32**	**1**	**1**	**2**	**5**	**10**	**14**	**31**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79	2	3.0	8	<1	<1	2	5	5	5	5
80-84	1	16.0		16	16	16	16	16	16	16
85+	2	10.0	72	4	4	10	16	16	16	16
B. *Operated*										
65-69 YRS	11	8.8	52	1	2	5	16	19	21	21
70-74	6	9.7	93	2	2	8	10	26	28	28
75-79	8	8.1	11	2	3	8	9	13	14	14
80-84	2	16.0	98	9	9	16	23	23	23	23
85+	5	20.4	264	4	4	21	28	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	10.3	130	1	2	7	11	20	34	55
70-74	22	11.6	103	1	2	8	17	30	33	36
75-79	28	9.6	47	1	2	8	13	19	25	28
80-84	24	8.0	24	1	3	7	11	13	19	21
85+	14	13.6	57	4	6	12	19	25	28	29
B. *Operated*										
65-69 YRS	84	18.6	237	3	4	15	27	45	57	99+
70-74	82	24.2	286	4	6	21	36	57	70	99+
75-79	65	21.4	315	3	4	17	29	48	58	78
80-84	59	24.2	279	6	8	21	35	58	81	99+
85+	54	26.2	408	6	8	19	42	56	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.2	41	<1	<1	6	16	16	16	16
B. *Operated*	32	11.1	92	2	2	9	16	22	27	46
2. MULTIPLE DX										
A. *Not Operated*	111	10.3	72	1	2	8	13	21	28	43
B. *Operated*	344	22.6	301	4	5	18	33	53	62	99+
1. SINGLE DX	38	10.6	83	1	2	8	16	22	26	46
2. MULTIPLE DX	455	19.6	273	2	4	15	28	48	61	99+
A. NOT OPERATED	117	10.2	70	1	2	8	13	20	27	42
B. OPERATED	376	21.6	294	3	5	17	31	52	62	99+
TOTAL 65-69 YRS	119	16.0	212	2	3	12	21	39	54	99+
70-74	110	20.9	270	2	4	17	29	50	62	99+
75-79	103	16.8	249	1	3	11	23	42	53	71
80-84	86	19.4	251	4	5	14	29	53	63	99+
85+	75	23.0	346	4	7	17	34	50	60	99+
GRAND TOTAL	**493**	**18.9**	**264**	**2**	**4**	**14**	**27**	**47**	**58**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.7	7	1	1	3	4	8	10	10
70-74	5	4.4	19	1	1	3	6	12	12	12
75-79	3	6.3	37	1	1	5	11	13	13	13
80-84	3	2.3		2	2	2	3	3	3	3
85+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
65-69 YRS	4	8.5	48	2	2	8	14	15	15	15
70-74	3	6.7	17	2	2	8	9	10	10	10
75-79	1	4.0		4	4	4	4	4	4	4
80-84	5	6.0	39	2	2	4	7	17	17	17
85+	2	8.5	25	5	5	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	70	7.0	38	1	1	5	10	17	20	25
70-74	77	7.4	29	2	3	6	10	14	18	30
75-79	55	7.6	51	1	2	5	10	17	20	40
80-84	49	8.8	37	2	3	8	11	13	18	34
85+	44	10.0	114	1	2	8	10	27	40	99+
B. *Operated*										
65-69 YRS	55	15.7	304	1	3	9	17	39	55	91
70-74	33	13.7	127	2	3	11	21	36	44	99+
75-79	28	21.6	412	3	4	13	38	61	83	99+
80-84	18	16.4	243	2	3	11	24	42	52	56
85+	16	11.9	120	2	4	9	14	21	40	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.4	12	1	1	3	5	11	12	13
B. *Operated*	15	7.0	28	2	2	4	11	15	16	17
2. MULTIPLE DX										
A. *Not Operated*	295	8.0	49	1	2	6	10	16	20	38
B. *Operated*	150	16.0	261	2	3	10	21	41	55	99+
1. SINGLE DX	37	5.4	20	1	2	4	8	13	15	17
2. MULTIPLE DX	445	10.7	135	1	2	7	12	23	38	82
A. NOT OPERATED	317	7.7	48	1	2	6	10	15	20	36
B. OPERATED	165	15.2	246	2	3	10	19	40	55	99
TOTAL 65-69 YRS	138	10.3	160	1	1	7	12	22	34	60
70-74	118	9.0	64	2	2	6	11	20	27	62
75-79	87	12.0	207	2	2	7	14	34	44	93
80-84	75	10.2	96	2	3	8	12	19	33	53
85+	64	10.3	108	1	2	8	12	21	37	94
GRAND TOTAL	**482**	**10.3**	**128**	**1**	**2**	**7**	**12**	**21**	**36**	**76**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	4	7.5	41	1	1	8	13	13	13	13
75-79	1	1.0		1	1	1	1	1	1	1
80-84	6	5.7	14	1	1	5	7	11	12	12
85+										
B. *Operated*										
65-69 YRS	8	4.6	58	1	1	1	4	18	23	23
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.8	33	1	2	6	10	15	19	26
70-74	26	7.2	41	<1	1	6	9	13	22	29
75-79	23	6.1	16	1	2	6	9	12	14	15
80-84	36	7.8	69	1	1	5	8	19	23	42
85+	30	9.9	84	2	2	5	16	30	37	99+
B. *Operated*										
65-69 YRS	40	9.8	225	<1	1	3	11	32	45	67
70-74	25	7.8	73	1	1	5	14	34	99+	99+
75-79	16	13.5	161	<1	1	13	25	37	78	99+
80-84	6	10.5	58	1	1	13	19	84	99+	99+
85+	5	13.4	225	4	4	8	17	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.9	23	1	1	5	11	13	13	13
B. *Operated*	11	4.3	42	1	1	1	5	13	22	23
2. MULTIPLE DX										
A. *Not Operated*	142	7.8	52	1	2	5	10	17	25	46
B. *Operated*	92	10.2	159	1	1	5	15	36	63	99+
1. SINGLE DX	22	5.1	32	1	1	3	6	13	17	23
2. MULTIPLE DX	234	8.8	95	1	1	5	12	22	36	99+
A. NOT OPERATED	153	7.7	50	1	1	5	10	17	24	42
B. OPERATED	103	9.5	149	1	1	4	14	35	56	99+
TOTAL 65-69 YRS	75	8.5	138	1	1	4	10	22	34	64
70-74	57	7.3	53	1	1	5	12	19	33	99+
75-79	41	8.9	84	1	1	6	13	25	36	99+
80-84	48	7.9	61	1	1	5	11	20	26	99+
85+	35	10.4	100	2	3	6	16	31	39	99+
GRAND TOTAL	**256**	**8.4**	**90**	**1**	**1**	**5**	**11**	**21**	**36**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.9	7	<1	<1	2	4	5	9	12
70-74	18	6.7	66	2	3	5	7	9	27	38
75-79	11	4.5	12	1	1	3	7	10	12	12
80-84	14	3.5	16	<1	1	2	4	7	14	16
85+	14	4.2	11	1	1	3	7	9	11	12
B. *Operated*										
65-69 YRS	11	4.5	12	<1	1	3	6	10	12	12
70-74	10	6.1	38	1	1	4	10	15	20	20
75-79	6	6.8	15	1	1	7	8	12	13	13
80-84	2	7.5	5	6	6	7	9	9	9	9
85+	2	10.0	162	1	1	10	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	167	5.5	25	1	2	4	7	10	13	29
70-74	173	5.6	28	1	1	4	7	11	16	22
75-79	176	6.4	29	1	2	5	8	14	17	30
80-84	189	7.1	41	1	2	5	9	13	19	35
85+	222	6.7	57	1	2	5	8	13	17	30
B. *Operated*										
65-69 YRS	69	12.8	133	1	2	9	16	31	37	53
70-74	64	12.4	153	1	2	10	14	26	35	71
75-79	56	11.9	206	2	2	7	14	30	36	89
80-84	50	12.4	160	1	2	9	15	25	43	60
85+	43	12.5	185	1	2	9	16	25	32	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.4	25	1	1	3	5	8	12	32
B. *Operated*	31	6.0	26	1	1	6	9	12	19	20
2. MULTIPLE DX										
A. *Not Operated*	927	6.3	37	1	2	5	8	12	16	32
B. *Operated*	282	12.4	163	1	2	9	15	26	36	70
1. SINGLE DX	106	4.9	26	1	1	4	6	10	12	28
2. MULTIPLE DX	1209	7.7	73	1	2	5	9	15	23	42
A. NOT OPERATED	1002	6.1	37	1	2	5	8	12	16	32
B. OPERATED	313	11.8	153	1	2	9	14	25	35	66
TOTAL 65-69 YRS	265	7.1	63	1	2	4	9	15	25	42
70-74	265	7.3	69	1	1	5	9	15	21	46
75-79	249	7.6	73	1	2	5	9	15	21	37
80-84	255	7.9	67	1	2	5	10	15	24	43
85+	281	7.5	79	1	2	5	9	15	22	34
GRAND TOTAL	**1315**	**7.5**	**70**	**1**	**2**	**5**	**9**	**15**	**22**	**41**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	2.2	1	<1	<1	2	3	4	5	5
70-74	38	2.7	4	1	1	2	3	6	7	9
75-79	27	3.2	8	<1	1	2	3	8	9	12
80-84	27	3.5	8	1	1	3	4	9	10	11
85+	21	2.6	7	<1	<1	2	3	4	9	13
B. *Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	3	8.3	70	3	3	4	14	18	18	18
75-79	2	6.0	32	2	2	6	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	832	5.1	27	1	1	4	6	10	14	25
70-74	860	5.6	26	1	1	4	7	11	15	26
75-79	848	5.7	25	1	2	4	7	11	15	26
80-84	694	6.4	43	1	2	5	8	12	15	33
85+	516	6.2	33	1	2	5	7	11	16	27
B. *Operated*										
65-69 YRS	76	11.9	79	2	3	10	16	27	30	41
70-74	79	13.1	159	1	2	10	17	24	47	63
75-79	70	12.5	130	1	3	10	17	30	46	90
80-84	39	13.7	117	1	3	10	22	29	37	38
85+	36	11.8	94	2	3	9	15	30	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.8	6	<1	1	2	3	6	8	12
B. *Operated*	7	6.0	36	1	1	4	9	16	18	18
2. MULTIPLE DX										
A. *Not Operated*	3750	5.8	30	1	1	4	7	11	15	27
B. *Operated*	300	12.6	118	1	3	10	17	27	38	61
1. SINGLE DX	148	3.0	7	<1	1	2	3	6	9	13
2. MULTIPLE DX	4050	6.3	40	1	1	5	8	12	17	34
A. NOT OPERATED	3891	5.6	29	1	1	4	7	11	15	27
B. OPERATED	307	12.4	117	1	3	10	16	27	38	60
TOTAL 65-69 YRS	938	5.5	34	1	1	4	7	12	16	28
70-74	980	6.1	40	1	1	4	8	13	17	32
75-79	947	6.2	35	1	2	5	7	12	17	34
80-84	760	6.6	48	1	2	5	8	12	18	36
85+	573	6.4	38	1	2	5	8	13	17	39
GRAND TOTAL	**4198**	**6.1**	**39**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	1.8	2	<1	1	1	2	3	5	8
70-74	27	1.6	1	<1	<1	1	2	2	4	5
75-79	17	2.2	3	1	1	1	3	5	6	6
80-84	15	2.4	5	<1	<1	2	3	3	8	10
85+	10	2.1	3	1	1	1	4	5	5	5
B. *Operated*										
65-69 YRS										
70-74	2	6.0	18	3	3	6	9	9	9	9
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	3.8	21	1	1	2	5	8	11	19
70-74	170	4.3	43	1	1	3	5	8	12	63
75-79	137	5.0	54	1	1	3	6	11	16	46
80-84	75	3.7	11	<1	1	2	6	8	9	18
85+	59	5.4	41	<1	1	3	6	12	17	38
B. *Operated*										
65-69 YRS	12	14.0	112	1	4	12	18	33	35	35
70-74	13	8.1	66	<1	1	4	12	19	26	28
75-79	15	16.3	132	1	3	14	23	37	38	38
80-84	9	30.4	585	4	6	24	48	68	68	68
85+	8	11.0	58	2	3	9	18	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	1.9	2	<1	1	1	2	4	5	9
B. *Operated*	4	9.0	42	3	3	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	605	4.4	35	1	1	3	5	9	12	35
B. *Operated*	57	15.4	212	1	2	12	21	34	40	68
1. SINGLE DX	115	2.1	5	<1	1	1	2	4	6	13
2. MULTIPLE DX	662	5.3	60	1	1	3	6	11	18	44
A. NOT OPERATED	716	4.0	31	1	1	2	5	8	11	29
B. OPERATED	61	15.0	203	1	2	11	21	33	39	68
TOTAL 65-69 YRS	218	4.0	28	1	1	2	5	8	12	33
70-74	212	4.2	40	<1	1	3	5	9	12	45
75-79	170	5.7	66	1	1	3	6	14	22	44
80-84	99	6.0	118	<1	1	2	6	9	23	68
85+	78	5.7	43	1	1	4	6	14	20	35
GRAND TOTAL	**777**	**4.8**	**53**	**1**	**1**	**3**	**5**	**10**	**16**	**40**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	1.8	2	<1	<1	1	2	3	5	10
70-74	43	2.3	4	<1	1	2	3	4	7	11
75-79	41	2.2	3	1	1	2	3	4	6	8
80-84	26	3.0	4	1	1	2	4	5	7	9
85+	31	3.3	8	1	1	2	4	8	10	11
B. *Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	4	5.0	37	1	1	2	8	14	14	14
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	797	4.9	21	1	1	4	6	10	13	25
70-74	904	5.4	33	1	1	4	7	11	14	23
75-79	824	6.0	32	1	2	5	7	11	15	26
80-84	619	5.9	25	1	2	5	7	11	15	26
85+	650	6.6	38	1	2	5	8	12	18	36
B. *Operated*										
65-69 YRS	111	10.8	213	1	1	6	13	29	45	86
70-74	115	9.2	134	1	1	6	11	23	31	62
75-79	132	11.9	230	1	1	8	14	35	70	99+
80-84	75	9.2	75	1	1	7	14	21	31	86
85+	49	10.4	114	1	1	8	12	29	37	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	2.4	4	<1	1	2	3	5	7	11
B. *Operated*	7	4.1	20	1	1	3	4	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	3794	5.7	30	1	1	4	7	11	15	27
B. *Operated*	482	10.4	167	1	1	7	13	28	39	99+
1. SINGLE DX	207	2.4	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	4276	6.2	48	1	1	4	8	12	17	38
A. NOT OPERATED	3994	5.5	29	1	1	4	7	11	14	26
B. OPERATED	489	10.3	166	1	1	7	13	28	39	99+
TOTAL 65-69 YRS	969	5.3	46	1	1	4	6	11	16	39
70-74	1066	5.7	45	1	1	4	7	11	14	31
75-79	997	6.6	62	1	1	5	8	12	18	54
80-84	721	6.2	31	1	2	5	8	12	16	31
85+	730	6.7	43	1	2	5	8	13	18	38
GRAND TOTAL	**4483**	**6.1**	**46**	**1**	**1**	**4**	**7**	**12**	**16**	**37**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	6.5	71	<1	1	5	7	14	22	46
70-74	55	6.8	42	1	1	4	10	15	23	25
75-79	54	5.4	37	1	1	3	6	11	20	30
80-84	24	6.9	69	1	1	5	8	14	23	41
85+	30	5.7	72	1	1	3	6	15	20	42
B. *Operated*										
65-69 YRS	683	6.4	36	1	1	5	9	14	17	27
70-74	731	7.0	57	1	1	5	10	15	18	42
75-79	672	6.4	39	1	1	4	10	14	16	25
80-84	437	6.4	61	1	1	3	9	15	16	38
85+	359	5.6	44	1	1	3	7	14	16	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	471	6.6	45	1	1	5	8	13	18	39
70-74	482	7.1	52	1	1	5	9	14	20	36
75-79	435	7.3	66	1	1	5	8	14	22	48
80-84	327	6.4	26	1	1	5	8	13	17	25
85+	325	6.6	29	1	2	5	9	13	17	35
B. *Operated*										
65-69 YRS	3952	9.6	110	1	1	7	12	20	29	53
70-74	4021	10.3	121	1	2	7	13	21	30	60
75-79	3344	10.5	119	1	2	8	14	22	32	57
80-84	2160	10.6	124	1	2	7	14	23	33	63
85+	1631	9.8	115	1	2	7	13	22	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.2	53	1	1	4	8	14	21	41
B. *Operated*	2882	6.5	47	1	1	4	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	2040	6.8	46	1	1	5	8	13	18	36
B. *Operated*	15108	10.1	118	1	2	7	13	21	31	58
1. SINGLE DX	3082	6.4	47	1	1	4	9	14	17	31
2. MULTIPLE DX	17148	9.8	110	1	2	7	13	21	30	56
A. NOT OPERATED	2240	6.8	46	1	1	5	8	14	18	38
B. OPERATED	17990	9.6	108	1	1	7	12	20	29	56
TOTAL 65-69 YRS	5143	8.9	95	1	1	6	11	18	27	51
70-74	5289	9.5	107	1	1	7	12	19	28	56
75-79	4505	9.5	104	1	1	7	13	20	29	54
80-84	2948	9.5	107	1	1	6	12	20	30	59
85+	2345	8.7	95	1	1	6	11	19	27	54
GRAND TOTAL	**20230**	**9.2**	**102**	**1**	**1**	**6**	**12**	**19**	**28**	**54**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	180	3.1	8	1	1	2	4	5	7	9
70-74	142	3.1	3	1	1	3	4	6	6	8
75-79	130	3.0	3	1	1	3	4	5	6	8
80-84	68	3.2	4	1	1	3	4	6	7	10
85+	35	2.8	5	1	1	2	4	6	6	11
B. *Operated*										
65-69 YRS	73	3.4	18	1	1	2	4	6	10	28
70-74	66	3.8	15	1	1	2	4	8	10	23
75-79	47	3.3	8	1	1	3	4	7	8	18
80-84	33	3.1	6	1	1	2	4	6	8	11
85+	13	4.1	10	1	1	3	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	393	3.7	6	1	1	3	5	7	8	12
70-74	439	3.8	6	1	1	3	5	7	9	13
75-79	336	4.0	10	1	1	3	5	7	10	19
80-84	214	4.5	33	1	1	3	5	8	10	26
85+	158	4.7	11	1	1	4	6	8	11	17
B. *Operated*										
65-69 YRS	542	4.7	35	1	1	3	6	12	16	29
70-74	564	4.7	43	1	1	2	5	11	14	32
75-79	433	5.0	38	1	1	3	6	12	16	35
80-84	263	4.8	25	1	1	3	6	10	15	27
85+	155	5.3	30	1	1	4	7	11	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	3.1	5	1	1	3	4	5	6	9
B. *Operated*	232	3.5	13	1	1	2	4	8	9	19
2. MULTIPLE DX										
A. *Not Operated*	1540	4.0	11	1	1	3	5	7	9	15
B. *Operated*	1957	4.8	36	1	1	3	6	11	15	31
1. SINGLE DX	787	3.2	7	1	1	3	4	6	8	11
2. MULTIPLE DX	3497	4.5	25	1	1	3	5	9	13	26
A. NOT OPERATED	2095	3.8	10	1	1	3	5	7	8	14
B. OPERATED	2189	4.7	34	1	1	3	6	11	15	30
TOTAL 65-69 YRS	1188	4.1	21	1	1	3	5	8	12	24
70-74	1211	4.1	24	1	1	3	5	8	12	25
75-79	946	4.3	22	1	1	3	5	9	13	27
80-84	578	4.4	25	1	1	3	5	8	11	26
85+	361	4.8	19	1	1	3	6	10	13	22
GRAND TOTAL	**4284**	**4.2**	**22**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	6.8	19	1	2	6	8	13	15	24
70-74	53	6.5	35	2	3	5	7	11	15	38
75-79	39	5.9	11	2	3	5	7	10	15	16
80-84	17	7.8	29	2	3	6	11	12	21	25
85+	12	6.3	5	3	4	6	8	9	11	11
B. *Operated*										
65-69 YRS	66	6.9	35	1	1	6	8	13	20	28
70-74	58	8.2	36	1	2	7	12	15	20	30
75-79	34	10.9	135	2	2	7	14	20	39	57
80-84	26	7.6	16	3	4	7	9	14	17	19
85+	15	7.6	25	1	2	7	10	14	18	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	447	7.9	43	2	3	6	10	14	17	29
70-74	424	8.3	36	2	3	7	10	15	20	28
75-79	286	8.2	34	2	3	7	10	15	18	32
80-84	169	8.9	36	2	3	8	12	16	21	31
85+	125	9.7	66	3	3	7	11	17	28	44
B. *Operated*										
65-69 YRS	535	14.6	154	2	4	11	19	30	41	79
70-74	491	14.9	168	3	4	11	20	32	43	97
75-79	368	16.1	215	3	4	12	20	34	51	97
80-84	207	15.8	202	3	4	11	20	30	44	77
85+	109	16.2	209	4	5	13	19	31	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	6.6	22	2	3	5	8	12	15	26
B. *Operated*	199	8.1	50	1	2	6	10	16	20	37
2. MULTIPLE DX										
A. *Not Operated*	1451	8.4	41	2	3	7	10	15	20	31
B. *Operated*	1710	15.3	180	3	4	12	20	32	44	86
1. SINGLE DX	396	7.4	36	1	2	6	9	14	18	30
2. MULTIPLE DX	3161	12.1	128	2	3	9	15	25	34	67
A. NOT OPERATED	1648	8.1	39	2	3	7	10	15	20	30
B. OPERATED	1909	14.5	172	2	4	11	19	30	43	82
TOTAL 65-69 YRS	1124	11.0	106	2	3	8	14	23	30	56
70-74	1026	11.4	111	2	3	8	14	23	33	65
75-79	727	12.2	145	2	3	8	15	24	35	78
80-84	419	12.2	129	3	3	9	15	25	31	66
85+	261	12.1	132	3	4	8	14	24	33	58
GRAND TOTAL	**3557**	**11.6**	**120**	**2**	**3**	**8**	**14**	**24**	**33**	**65**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	3.8	9	1	1	3	5	8	9	15
70-74	62	4.2	10	1	1	3	6	9	10	11
75-79	47	5.6	19	1	1	5	7	10	12	26
80-84	26	5.6	20	1	1	4	8	12	13	17
85+	18	6.6	57	1	1	3	9	21	24	25
B. *Operated*										
65-69 YRS	122	6.1	29	1	1	5	8	11	15	30
70-74	101	6.2	29	1	1	5	8	15	18	23
75-79	75	6.0	36	<1	1	4	9	13	20	29
80-84	57	5.6	31	<1	1	4	8	14	16	26
85+	21	6.5	59	<1	1	5	9	11	23	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	743	5.6	25	1	1	5	7	11	14	25
70-74	695	5.7	25	1	1	4	7	11	15	25
75-79	521	5.8	29	1	1	4	8	12	15	24
80-84	328	6.2	35	1	1	5	8	12	15	33
85+	263	6.3	25	1	1	5	9	12	15	25
B. *Operated*										
65-69 YRS	1796	7.7	105	1	1	4	10	19	28	51
70-74	1589	8.0	109	1	1	4	11	19	28	56
75-79	1236	7.3	99	1	1	4	10	17	26	55
80-84	746	7.6	100	1	1	4	10	19	26	55
85+	488	8.5	108	1	1	5	11	19	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	4.7	17	1	1	3	7	9	12	24
B. *Operated*	376	6.1	32	1	1	4	8	13	18	27
2. MULTIPLE DX										
A. *Not Operated*	2550	5.8	27	1	1	5	8	12	15	25
B. *Operated*	5855	7.8	104	1	1	4	10	19	27	54
1. SINGLE DX	592	5.6	27	1	1	4	7	11	15	26
2. MULTIPLE DX	8405	7.2	82	1	1	4	9	16	24	49
A. NOT OPERATED	2766	5.7	27	1	1	4	8	12	15	25
B. OPERATED	6231	7.7	100	1	1	4	10	18	27	53
TOTAL 65-69 YRS	2724	7.0	78	1	1	4	9	16	24	46
70-74	2447	7.2	81	1	1	4	9	16	23	48
75-79	1879	6.8	75	1	1	4	9	15	22	50
80-84	1157	7.1	77	1	1	4	9	16	22	51
85+	790	7.7	79	1	1	5	10	16	25	42
GRAND TOTAL	**8997**	**7.1**	**78**	**1**	**1**	**4**	**9**	**16**	**23**	**47**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	6	1	1	3	5	6	6	6
70-74	4	3.0	6	1	1	3	5	6	6	6
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84										
85+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	4.2	14	1	1	3	5	9	13	17
70-74	69	3.9	10	1	1	3	5	7	8	17
75-79	66	4.7	22	1	1	3	6	10	13	27
80-84	31	3.4	11	1	1	2	3	10	11	12
85+	35	4.0	10	1	1	3	6	9	10	11
B. *Operated*										
65-69 YRS	22	5.0	15	1	1	4	7	10	13	16
70-74	26	6.7	64	1	1	6	8	10	17	43
75-79	17	13.0	185	2	3	9	15	30	49	57
80-84	14	10.9	231	2	2	5	8	43	47	48
85+	10	4.9	14	1	1	4	7	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	6	<1	<1	3	5	6	7	7
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	301	4.1	14	1	1	3	5	9	11	17
B. *Operated*	89	7.9	101	1	1	5	9	16	33	53
1. SINGLE DX	13	3.7	7	<1	<1	4	6	7	8	8
2. MULTIPLE DX	390	5.0	36	1	1	3	6	10	13	39
A. NOT OPERATED	313	4.1	14	1	1	3	5	9	11	17
B. OPERATED	90	7.9	100	1	1	5	9	15	33	53
TOTAL 65-69 YRS	126	4.3	14	1	1	3	6	9	12	17
70-74	100	4.6	25	1	1	4	6	8	10	30
75-79	85	6.4	63	1	1	4	8	12	17	49
80-84	45	5.7	89	1	1	3	6	11	23	48
85+	47	4.2	10	<1	1	4	6	10	10	12
GRAND TOTAL	**403**	**4.9**	**35**	**1**	**1**	**3**	**6**	**10**	**13**	**38**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	3	2.0	3	<1	<1	1	3	4	4	4
TOTAL 65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	**3**	**2.0**	**3**	**<1**	**<1**	**1**	**3**	**4**	**4**	**4**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	<1	1	1	1	1
70-74	5	4.4	36	1	1	2	6	15	15	15
75-79	3	23.0	1387	1	1	2	50	66	66	66
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	162	2.2	3	<1	<1	2	3	4	6	9
70-74	74	2.1	3	<1	<1	1	3	4	5	10
75-79	85	2.8	3	<1	1	3	4	5	6	8
80-84	46	2.6	4	<1	<1	2	3	5	7	10
85+	42	2.7	5	<1	1	2	3	5	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	1.2		<1	<1	1	1	2	2	2
70-74	7	2.3	4	<1	<1	1	3	6	6	6
75-79	10	6.6	94	<1	<1	2	7	24	27	27
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	3	3.7	9	1	1	3	6	7	7	7
B. *Operated*										
65-69 YRS	116	3.2	8	<1	1	2	4	7	8	17
70-74	121	4.2	18	<1	1	3	5	9	11	22
75-79	96	5.5	30	1	1	4	7	11	17	29
80-84	56	5.4	62	1	1	3	6	10	15	50
85+	37	5.2	15	1	2	4	7	11	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.9	350	<1	<1	1	3	30	61	66
B. *Operated*	409	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	27	3.9	39	<1	<1	1	4	7	23	27
B. *Operated*	426	4.5	24	1	1	3	5	10	12	25
1. SINGLE DX	421	2.5	13	<1	<1	2	3	5	6	10
2. MULTIPLE DX	453	4.4	25	1	1	3	5	9	12	27
A. NOT OPERATED	39	5.1	132	<1	<1	1	3	12	25	66
B. OPERATED	835	3.5	15	<1	1	2	4	7	10	18
TOTAL 65-69 YRS	286	2.6	5	<1	<1	2	3	5	7	12
70-74	207	3.4	13	<1	<1	2	4	7	10	17
75-79	194	4.6	42	<1	1	3	5	8	14	31
80-84	104	4.1	37	<1	1	2	5	9	11	39
85+	83	3.8	11	1	1	3	5	9	11	16
GRAND TOTAL	**874**	**3.5**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	2.4	3	1	1	2	3	5	6	8
70-74	18	2.1	2	1	1	2	3	4	5	6
75-79	74	1.4	1	1	1	1	2	2	3	8
80-84	5	3.0	1	2	2	3	3	4	4	4
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	64	4.4	24	<1	<1	3	5	11	15	24
70-74	49	3.9	13	<1	<1	3	5	10	12	16
75-79	41	6.2	54	<1	1	3	8	18	24	29
80-84	9	5.6	27	1	1	4	7	14	18	18
85+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	126	1.8	2	1	1	1	2	4	4	8
B. *Operated*	164	4.9	30	<1	<1	3	6	12	18	27
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	290	3.6	20	<1	1	2	4	8	13	24
A. NOT OPERATED	127	1.8	2	1	1	1	2	4	4	8
B. OPERATED	164	4.9	30	<1	<1	3	6	12	18	27
TOTAL 65-69 YRS	92	3.8	18	<1	1	2	4	8	13	24
70-74	68	3.4	11	<1	<1	2	4	7	12	15
75-79	115	3.2	25	1	1	1	2	7	16	28
80-84	14	4.6	19	1	2	3	4	10	16	18
85+	2	13.0	162	4	4	13	22	22	22	22
GRAND TOTAL	**291**	**3.6**	**20**	**<1**	**1**	**2**	**4**	**8**	**13**	**24**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	307	3.1	30	<1	<1	1	3	7	12	33
70-74	248	3.5	30	<1	<1	2	4	7	14	35
75-79	181	4.2	59	<1	<1	2	4	9	16	36
80-84	108	8.1	140	<1	<1	3	10	24	31	57
85+	116	8.6	161	<1	1	4	11	21	32	90
B. *Operated*										
65-69 YRS	261	5.3	16	<1	1	5	8	11	12	15
70-74	202	4.9	16	<1	<1	4	8	10	11	15
75-79	161	5.5	20	<1	<1	5	9	11	13	17
80-84	73	5.5	18	<1	1	5	9	11	13	17
85+	33	6.8	29	<1	1	5	9	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12964	4.9	63	1	1	3	5	9	20	45
70-74	10400	5.8	79	1	1	3	5	14	24	47
75-79	6675	7.6	106	1	1	4	8	21	30	50
80-84	3194	9.8	141	1	1	5	14	25	34	60
85+	1916	12.4	159	1	2	8	18	29	38	86
B. *Operated*										
65-69 YRS	3231	7.0	98	1	1	4	8	14	24	57
70-74	2767	7.3	99	1	1	4	9	14	26	55
75-79	1952	8.0	125	1	1	4	9	18	31	64
80-84	944	9.1	139	1	1	5	11	23	32	64
85+	538	8.5	102	1	1	4	12	22	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	960	4.7	68	<1	<1	2	4	12	19	41
B. *Operated*	730	5.3	18	<1	<1	5	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	35149	6.5	92	1	1	3	6	17	27	50
B. *Operated*	9432	7.6	109	1	1	4	9	16	27	57
1. SINGLE DX	1690	4.9	46	<1	<1	2	7	11	15	34
2. MULTIPLE DX	44581	6.7	96	1	1	3	7	17	27	52
A. NOT OPERATED	36109	6.5	92	1	1	3	6	17	27	50
B. OPERATED	10162	7.4	102	1	1	4	9	16	26	56
TOTAL 65-69 YRS	16763	5.3	69	1	1	3	5	11	20	47
70-74	13617	6.0	82	1	1	3	6	14	24	49
75-79	8969	7.6	108	1	1	4	8	20	30	53
80-84	4319	9.5	139	1	1	5	13	24	34	60
85+	2603	11.3	148	1	1	7	16	27	36	85
GRAND TOTAL	**46271**	**6.7**	**94**	**1**	**1**	**3**	**7**	**17**	**27**	**51**

Operation Groups

Length of Stay Tables
Operation Groups

1463 Hospitals, United States, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44894	4.9	19	1	1	4	7	10	13	20
70-74	36980	5.3	22	<1	1	4	7	11	14	21
75-79	26641	5.6	26	<1	1	4	8	12	15	23
80-84	15918	6.1	31	<1	1	5	8	13	16	25
85+	11553	6.7	38	1	1	5	9	14	17	27
2. MULTIPLE DX										
65-69 YRS	297662	8.5	69	1	2	6	11	17	23	45
70-74	301201	9.0	74	1	2	7	11	18	24	47
75-79	262359	9.6	80	2	2	7	12	19	26	50
80-84	189452	10.1	88	2	3	8	13	20	27	55
85+	162112	10.6	91	2	3	8	13	21	28	59
TOT. SINGLE DX	135986	5.4	25	<1	1	4	7	11	14	22
" MULTIPLE DX	1212786	9.4	79	2	2	7	12	18	25	50
TOTAL 65-69 YRS	342556	8.0	64	1	2	6	10	16	22	43
70-74	338181	8.6	70	1	2	6	11	17	23	45
75-79	289000	9.2	76	1	2	7	12	18	25	48
80-84	205370	9.8	85	2	2	7	12	19	26	53
85+	173665	10.4	99	2	3	8	13	20	27	57
GRAND TOTAL	**1348772**	**9.0**	**75**	**1**	**2**	**7**	**11**	**18**	**24**	**48**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	161	10.5	54	3	4	9	12	18	23	44
70-74	152	10.6	51	2	5	9	13	18	23	33
75-79	98	12.3	114	2	4	10	14	22	34	65
80-84	52	12.6	102	3	5	10	15	23	34	54
85+	30	10.8	29	5	5	9	14	19	22	22
2. MULTIPLE DX										
65-69 YRS	742	17.9	167	5	6	14	24	38	47	72
70-74	750	19.2	192	5	7	15	24	36	51	83
75-79	493	19.1	189	5	7	15	25	38	51	96
80-84	345	20.7	230	6	7	17	26	42	54	98
85+	217	19.7	206	5	8	15	24	40	49	76
TOT. SINGLE DX	493	11.1	69	2	4	9	13	19	25	47
" MULTIPLE DX	2547	19.0	191	5	7	15	24	38	50	88
TOTAL 65-69 YRS	903	16.6	155	4	6	13	21	34	45	70
70-74	902	17.7	179	5	6	14	22	34	48	76
75-79	591	17.9	183	4	6	14	23	35	47	90
80-84	397	19.7	221	5	7	15	25	40	53	94
85+	247	18.6	193	5	7	15	22	34	48	73
GRAND TOTAL	**3040**	**17.8**	**180**	**5**	**6**	**14**	**22**	**35**	**47**	**82**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	11.7	131	4	5	9	12	21	27	70
70-74	28	10.1	34	3	4	8	13	21	21	23
75-79	30	10.8	93	4	5	8	10	22	33	49
80-84	11	8.5	35	4	4	6	8	20	22	22
85+	7	10.0	22	4	4	10	15	16	16	16
2. MULTIPLE DX										
65-69 YRS	140	22.9	289	5	7	19	33	50	71	99+
70-74	151	19.8	284	5	6	15	26	42	69	99+
75-79	126	18.8	224	4	7	16	21	36	52	98
80-84	88	19.0	195	6	7	15	25	34	63	99+
85+	72	19.4	177	5	7	16	27	35	50	96
TOT. SINGLE DX	113	10.6	80	4	5	8	12	20	25	57
" MULTIPLE DX	577	20.2	247	5	7	16	26	41	63	99+
TOTAL 65-69 YRS	177	20.5	276	4	6	16	27	46	68	99+
70-74	179	18.3	258	4	5	13	23	36	67	99+
75-79	156	17.3	209	4	6	14	20	34	50	97
80-84	99	17.9	189	5	6	15	23	32	61	99+
85+	79	18.5	171	5	6	15	26	34	47	95
GRAND TOTAL	**690**	**18.6**	**232**	**4**	**6**	**14**	**24**	**39**	**56**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	3.7		3	3	4	4	4	4	4
70-74	9	7.6	44	2	2	8	8	18	24	24
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	5.5	13	3	3	5	8	8	8	8
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	32	10.5	138	3	3	7	10	24	32	62
70-74	20	14.7	208	2	3	9	19	36	49	56
75-79	11	10.9	103	2	3	8	11	28	36	37
80-84	7	21.6	678	3	3	10	26	67	77	77
85+	4	12.0	18	8	8	11	15	18	18	18
TOT. SINGLE DX	17	6.2	26	2	3	4	8	8	19	24
" MULTIPLE DX	74	12.8	195	3	3	8	13	30	42	73
TOTAL 65-69 YRS	35	9.9	130	3	3	7	10	21	31	62
70-74	29	12.4	165	2	3	8	13	29	44	56
75-79	13	9.9	92	2	3	6	10	25	35	37
80-84	9	18.0	561	3	3	8	21	58	77	77
85+	5	11.0	19	7	7	10	13	18	18	18
GRAND TOTAL	**91**	**11.6**	**170**	**3**	**3**	**8**	**11**	**28**	**37**	**71**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	8.0	13	3	3	8	10	13	15	16
70-74	32	8.4	24	3	4	7	10	14	21	23
75-79	28	10.1	50	3	4	8	12	17	29	34
80-84	18	10.4	33	3	4	9	13	20	23	24
85+	3	10.0	9	7	7	10	12	13	13	13
2. MULTIPLE DX										
65-69 YRS	130	17.0	199	3	5	13	24	34	60	99+
70-74	149	19.8	212	5	6	16	25	40	60	99+
75-79	193	18.8	206	5	6	16	25	39	52	99+
80-84	96	18.5	125	5	7	17	24	31	42	99+
85+	35	17.7	94	5	5	17	27	33	35	99+
TOT. SINGLE DX	96	9.3	31	3	4	8	11	15	22	32
" MULTIPLE DX	603	18.6	187	5	6	15	25	36	52	99+
TOTAL 65-69 YRS	145	16.1	188	3	5	12	21	32	48	99+
70-74	181	17.8	198	4	5	14	23	39	51	99+
75-79	221	17.7	195	5	6	15	24	35	49	99+
80-84	114	17.3	120	5	6	15	23	30	36	99+
85+	38	17.1	92	5	6	17	26	33	35	99+
GRAND TOTAL	**699**	**17.3**	**176**	**4**	**5**	**14**	**23**	**34**	**46**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	5.3	19	1	1	3	7	12	14	16
70-74	16	9.3	99	2	2	6	10	26	35	38
75-79	4	10.8	17	6	6	10	13	16	16	16
80-84	7	6.4	21	2	2	4	10	13	14	14
85+	4	8.3	41	3	3	6	13	17	17	17
2. MULTIPLE DX										
65-69 YRS	94	17.6	255	2	4	13	21	43	52	78
70-74	97	17.6	216	2	4	14	25	40	56	99+
75-79	93	17.2	152	2	4	15	24	35	41	84
80-84	41	18.9	182	3	7	16	23	30	35	85
85+	14	13.1	86	1	4	10	18	31	33	33
TOT. SINGLE DX	52	7.3	47	1	2	5	10	15	17	38
" MULTIPLE DX	339	17.5	199	3	4	14	23	37	45	91
TOTAL 65-69 YRS	115	15.3	234	1	3	11	19	37	45	72
70-74	113	16.4	207	2	3	12	22	38	54	99+
75-79	97	16.9	148	2	4	15	24	35	40	82
80-84	48	17.1	178	3	3	15	22	28	33	85
85+	18	12.1	78	1	3	9	17	27	32	33
GRAND TOTAL	**391**	**16.1**	**190**	**2**	**3**	**13**	**21**	**35**	**44**	**88**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	400	8.0	13	4	4	7	9	13	15	20
70-74	326	8.6	17	4	5	8	10	14	16	23
75-79	213	9.3	20	4	5	8	11	15	17	25
80-84	64	10.1	25	3	5	9	12	17	21	27
85+	20	11.3	70	3	4	9	12	23	33	38
2. MULTIPLE DX										
65-69 YRS	1224	11.9	74	4	5	9	14	21	28	50
70-74	1202	12.9	101	4	5	10	15	23	32	58
75-79	810	13.7	80	5	6	11	16	25	31	50
80-84	365	15.1	94	6	7	12	18	28	35	56
85+	124	16.0	100	6	7	13	20	28	39	51
TOT. SINGLE DX	1023	8.7	18	4	5	8	10	14	17	24
" MULTIPLE DX	3725	13.1	88	5	6	10	15	24	31	54
TOTAL 65-69 YRS	1624	10.9	62	4	5	9	12	19	24	46
70-74	1528	12.0	87	4	5	9	14	21	29	56
75-79	1023	12.8	71	5	6	10	15	23	30	44
80-84	429	14.3	88	5	6	12	17	27	34	49
85+	144	15.4	98	6	7	12	19	28	38	51
GRAND TOTAL	**4748**	**12.1**	**77**	**4**	**5**	**10**	**14**	**22**	**29**	**50**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	52	6.0	20	1	1	5	9	12	15	20
70-74	31	7.5	83	1	2	6	9	11	15	53
75-79	21	7.4	30	1	2	6	11	15	19	22
80-84	12	7.3	38	1	2	6	8	19	20	20
85+	5	8.4	76	1	1	5	14	22	22	22
2. MULTIPLE DX										
65-69 YRS	245	15.1	177	2	2	11	19	32	45	71
70-74	193	15.0	147	2	3	11	19	33	44	56
75-79	118	14.7	123	3	5	12	20	29	35	79
80-84	44	18.6	177	3	5	15	27	44	66	99+
85+	24	15.2	228	3	4	9	17	42	55	55
TOT. SINGLE DX	121	6.9	41	1	1	6	9	13	17	31
" MULTIPLE DX	624	15.2	160	2	3	12	20	33	44	70
TOTAL 65-69 YRS	297	13.5	162	1	2	10	17	30	40	68
70-74	224	13.9	145	1	3	10	18	30	43	56
75-79	139	13.6	116	2	3	11	17	27	33	73
80-84	56	16.2	168	2	3	12	24	41	55	99+
85+	29	14.0	206	2	3	9	16	36	55	55
GRAND TOTAL	**745**	**13.8**	**150**	**2**	**2**	**10**	**18**	**31**	**41**	**65**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	2.5	4	<1	<1	2	3	7	7	8
70-74	64	2.7	6	<1	<1	2	3	6	8	12
75-79	44	2.5	4	<1	1	2	3	6	7	9
80-84	16	3.3	18	<1	<1	2	4	7	15	18
85+	11	3.0	4	<1	1	2	4	6	8	8
2. MULTIPLE DX										
65-69 YRS	147	7.4	81	1	1	4	10	19	30	57
70-74	105	6.2	45	1	1	4	9	13	20	34
75-79	77	10.9	233	<1	1	4	14	32	39	81
80-84	33	5.0	27	1	1	3	8	10	20	22
85+	20	6.2	80	1	2	4	5	10	27	43
TOT. SINGLE DX	200	2.7	6	<1	<1	2	3	6	8	11
" MULTIPLE DX	382	7.5	100	1	1	4	9	19	27	53
TOTAL 65-69 YRS	212	5.9	63	<1	1	3	7	13	22	51
70-74	169	4.9	33	<1	1	3	6	11	14	24
75-79	121	7.8	166	<1	1	3	8	22	35	73
80-84	49	4.4	25	1	1	2	5	9	18	22
85+	31	5.1	55	1	1	4	5	8	12	43
GRAND TOTAL	**582**	**5.8**	**73**	**<1**	**1**	**3**	**7**	**13**	**22**	**46**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	215	1.8	2	<1	<1	1	2	3	5	9
70-74	179	1.8	3	<1	<1	1	2	3	5	11
75-79	135	1.7	1	<1	<1	1	2	3	4	7
80-84	59	1.8	2	<1	<1	1	2	3	5	11
85+	28	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
65-69 YRS	420	3.6	24	<1	<1	2	4	8	11	30
70-74	315	3.9	27	<1	1	2	4	9	12	25
75-79	239	4.4	26	<1	1	2	5	12	16	25
80-84	118	4.8	41	<1	<1	2	6	11	17	36
85+	91	5.0	48	<1	<1	2	7	11	23	76
TOT. SINGLE DX	616	1.8	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	1183	4.1	29	<1	<1	2	4	10	13	30
TOTAL 65-69 YRS	635	3.0	18	<1	<1	2	3	7	10	19
70-74	494	3.1	20	<1	<1	2	3	8	10	21
75-79	374	3.4	19	<1	<1	2	3	8	13	24
80-84	177	3.8	31	<1	<1	2	4	9	12	33
85+	119	4.3	39	<1	<1	2	5	10	21	59
GRAND TOTAL	**1799**	**3.3**	**21**	**<1**	**<1**	**2**	**3**	**8**	**11**	**25**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	6.3	31	3	3	5	7	13	22	23
70-74	7	7.0	4	5	5	7	9	10	10	10
75-79	10	11.3	159	2	2	7	14	31	44	44
80-84	3	8.3	21	3	3	11	11	11	11	11
85+	4	15.8	83	6	6	14	21	28	28	28
2. MULTIPLE DX										
65-69 YRS	83	12.4	133	3	4	9	15	25	30	70
70-74	89	14.3	276	4	5	9	15	23	39	94
75-79	82	12.3	56	4	5	11	15	22	29	37
80-84	53	11.3	84	3	4	10	13	17	29	60
85+	29	15.1	203	4	5	11	19	26	32	79
TOT. SINGLE DX	36	9.1	70	3	3	7	10	19	26	44
" MULTIPLE DX	336	12.9	151	4	5	10	15	23	29	80
TOTAL 65-69 YRS	95	11.6	124	3	3	8	13	23	30	65
70-74	96	13.7	260	4	5	9	14	22	34	93
75-79	92	12.2	66	3	4	10	15	22	29	41
80-84	56	11.1	81	3	4	10	13	17	29	59
85+	33	15.2	186	4	5	12	19	28	30	79
GRAND TOTAL	**372**	**12.6**	**144**	**3**	**4**	**9**	**14**	**22**	**29**	**79**

511: Miscellaneous operations on sympathetic nerves and gangila (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	4.1	18	<1	<1	3	6	8	15	17
70-74	6	12.8	185	2	2	7	18	36	38	38
75-79	4	4.0	12	1	1	3	6	9	9	9
80-84	3	1.7	-	1	1	2	2	2	2	2
85+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	79	8.2	58	1	1	5	11	22	25	33
70-74	58	11.0	179	2	2	7	13	24	34	84
75-79	39	9.8	62	1	1	8	15	20	24	36
80-84	26	9.1	88	2	3	6	13	23	29	44
85+	11	10.6	32	3	5	9	14	19	23	23
TOT. SINGLE DX	30	5.9	57	<1	1	3	7	14	18	38
" MULTIPLE DX	213	9.5	95	1	2	7	12	23	25	41
TOTAL 65-69 YRS	94	7.5	54	1	1	5	10	19	24	32
70-74	64	11.2	177	2	2	7	13	25	35	81
75-79	43	9.3	61	1	1	7	13	19	23	36
80-84	29	8.3	85	1	2	6	10	20	26	44
85+	13	10.3	29	3	5	9	13	17	22	23
GRAND TOTAL	**243**	**9.0**	**91**	**1**	**1**	**6**	**12**	**21**	**25**	**39**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	279	3.1	1	1	2	3	4	5	5	7
70-74	177	3.6	5	1	2	3	4	5	6	16
75-79	108	3.7	5	1	2	3	4	6	7	15
80-84	33	4.2	4	1	2	4	5	7	9	10
85+	7	4.9	3	3	3	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	579	4.8	24	1	2	4	5	8	12	26
70-74	416	5.7	42	2	2	4	6	10	16	30
75-79	279	6.7	56	2	2	5	7	12	18	41
80-84	125	6.9	33	2	3	5	8	13	20	30
85+	44	8.6	67	2	3	6	10	15	25	44
TOT. SINGLE DX	604	3.4	4	1	2	3	4	5	6	10
" MULTIPLE DX	1443	5.7	39	2	2	4	6	10	15	30
TOTAL 65-69 YRS	858	4.3	17	1	2	3	5	7	9	19
70-74	593	5.1	33	2	2	4	5	8	13	27
75-79	387	5.8	44	2	2	4	6	10	16	30
80-84	158	6.3	29	2	2	5	7	11	17	26
85+	51	8.1	60	2	3	6	9	14	21	44
GRAND TOTAL	**2047**	**5.1**	**29**	**2**	**2**	**4**	**5**	**9**	**13**	**26**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	55	3.1	1	1	1	3	4	5	6	7
70-74	39	3.1	1	1	1	3	4	5	6	6
75-79	32	4.5	4	2	2	4	5	7	8	12
80-84	16	3.8	1	2	2	4	5	6	6	6
85+	4	9.0	100	3	3	4	14	24	24	24
2. MULTIPLE DX										
65-69 YRS	264	7.3	64	2	2	4	8	15	22	41
70-74	237	8.0	73	2	2	5	9	17	28	45
75-79	193	8.8	97	2	3	5	9	19	29	51
80-84	90	9.6	82	2	2	6	12	21	25	80
85+	46	11.3	71	2	3	9	18	25	26	38
TOT. SINGLE DX	146	3.6	6	1	2	3	4	6	6	12
" MULTIPLE DX	830	8.3	78	2	2	5	10	19	26	51
TOTAL 65-69 YRS	319	6.6	56	2	2	4	7	14	21	39
70-74	276	7.3	66	2	2	4	8	15	27	41
75-79	225	8.2	87	2	3	5	9	18	27	46
80-84	106	8.8	74	2	2	5	12	21	24	72
85+	50	11.1	72	2	3	8	18	24	26	38
GRAND TOTAL	**976**	**7.6**	**70**	**2**	**2**	**5**	**8**	**17**	**25**	**43**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	28	11.4	85	6	6	8	12	19	36	47
70-74	18	8.0	12	2	4	8	9	13	15	16
75-79	11	8.9	8	4	6	8	10	13	16	16
80-84	3	10.3		10	10	10	11	11	11	11
85+										
2. MULTIPLE DX										
65-69 YRS	129	13.4	123	4	5	10	15	24	35	61
70-74	94	14.7	173	3	4	10	18	26	41	75
75-79	63	16.8	144	5	6	13	22	29	51	58
80-84	21	15.0	101	4	7	10	18	28	39	45
85+	4	11.8	84	4	4	9	17	25	25	25
TOT. SINGLE DX	60	9.9	47	4	5	8	10	15	19	46
" MULTIPLE DX	311	14.5	141	4	5	11	18	27	42	61
TOTAL 65-69 YRS	157	13.0	117	4	5	10	14	23	35	61
70-74	112	13.6	153	3	4	10	17	24	38	74
75-79	74	15.6	132	4	6	12	19	29	47	57
80-84	24	14.4	90	5	8	10	17	25	38	45
85+	4	11.8	84	4	4	9	17	25	25	25
GRAND TOTAL	**371**	**13.8**	**128**	**4**	**5**	**10**	**16**	**25**	**35**	**61**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	1.5		<1	<1	1	2	2	3	4
70-74	14	2.2	3	<1	<1	1	3	5	6	6
75-79	22	1.5	2	<1	<1	1	1	3	5	7
80-84	14	2.4	4	<1	<1	1	3	6	8	8
85+	11	1.7		<1	<1	1	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	51	8.0	207	<1	<1	3	11	17	24	97
70-74	50	5.3	58	<1	<1	3	6	10	18	50
75-79	57	5.0	44	<1	1	2	4	15	18	36
80-84	42	5.8	28	<1	1	4	9	14	16	26
85+	35	5.3	63	<1	<1	2	4	15	29	34
TOT. SINGLE DX	82	1.8	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	235	5.9	83	<1	1	3	7	15	19	39
TOTAL 65-69 YRS	72	6.1	155	<1	<1	2	7	13	22	82
70-74	64	4.6	48	<1	<1	3	6	9	16	46
75-79	79	4.1	35	<1	<1	2	4	13	17	32
80-84	56	5.0	25	<1	<1	3	7	11	15	25
85+	46	4.4	50	<1	<1	2	3	10	20	34
GRAND TOTAL	**317**	**4.8**	**65**	**<1**	**<1**	**2**	**5**	**12**	**17**	**35**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	56	1.3		<1	<1	1	1	2	3	5
70-74	41	1.1		<1	<1	<1	1	2	2	2
75-79	36	1.4	1	<1	<1	1	1	3	3	7
80-84	23	1.3		<1	<1	<1	2	2	3	3
85+	22	1.3		<1	<1	<1	2	2	3	3
2. MULTIPLE DX										
65-69 YRS	234	3.9	36	<1	1	2	4	10	15	37
70-74	230	6.4	104	<1	1	3	7	14	28	55
75-79	201	5.4	72	<1	1	2	6	14	21	88
80-84	138	5.7	67	<1	1	4	7	13	19	99+
85+	164	6.1	55	<1	1	3	8	16	18	55
TOT. SINGLE DX	178	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	967	5.4	68	<1	1	2	6	13	19	57
TOTAL 65-69 YRS	290	3.4	30	<1	<1	1	3	8	13	33
70-74	271	5.6	93	<1	<1	2	6	12	22	53
75-79	237	4.8	64	<1	<1	2	6	11	19	80
80-84	161	5.1	60	<1	<1	3	7	10	18	95
85+	186	5.5	51	<1	<1	3	7	16	18	51
GRAND TOTAL	**1145**	**4.8**	**60**	**<1**	**<1**	**2**	**5**	**12**	**18**	**53**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	1.4		1	1	1	2	2	3	5
70-74	51	1.3		1	1	1	2	2	2	3
75-79	44	1.5	1	<1	1	1	2	2	3	8
80-84	19	1.5		1	1	1	2	3	3	3
85+	22	3.1	16	<1	<1	2	3	8	13	18
2. MULTIPLE DX										
65-69 YRS	72	2.9	23	1	1	2	2	5	8	33
70-74	83	2.5	9	1	1	2	3	4	6	19
75-79	83	2.1	3	1	1	2	2	4	6	12
80-84	61	2.6	4	1	1	2	3	5	6	12
85+	48	3.2	11	<1	<1	2	3	7	13	14
TOT. SINGLE DX	180	1.6	3	<1	1	1	2	2	3	9
" MULTIPLE DX	347	2.6	10	1	1	2	3	5	7	15
TOTAL 65-69 YRS	116	2.3	15	1	1	1	2	4	6	25
70-74	134	2.0	6	1	1	1	2	3	5	16
75-79	127	1.9	3	1	1	1	2	3	5	10
80-84	80	2.4	4	1	1	2	3	5	6	11
85+	70	3.2	13	<1	<1	2	3	7	13	17
GRAND TOTAL	**527**	**2.3**	**8**	**1**	**1**	**2**	**2**	**4**	**6**	**14**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	1	9.0		9	9	9	9	9	9	9
80-84	4	3.0	2	2	2	3	4	5	5	5
85+										
2. MULTIPLE DX										
65-69 YRS	12	7.6	89	1	1	2	11	23	30	31
70-74	9	3.8	9	<1	<1	3	6	8	10	10
75-79	10	5.9	25	<1	<1	5	10	13	16	16
80-84	8	7.3	72	<1	<1	3	11	22	25	25
85+	7	5.4	99	1	1	2	2	23	28	28
TOT. SINGLE DX	9	3.3	7	<1	<1	2	5	7	9	9
" MULTIPLE DX	46	6.1	55	<1	<1	2	9	16	26	31
TOTAL 65-69 YRS	14	6.7	81	<1	1	2	9	21	29	31
70-74	11	3.6	8	<1	<1	3	6	8	10	10
75-79	11	6.2	23	<1	<1	6	10	13	16	16
80-84	12	5.8	51	<1	1	3	7	17	24	25
85+	7	5.4	99	1	1	2	2	23	28	28
GRAND TOTAL	**55**	**5.6**	**48**	**<1**	**<1**	**2**	**7**	**14**	**24**	**31**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	104	2.0	1	1	1	2	3	3	4	5
70-74	135	2.1	1	1	1	2	3	4	4	7
75-79	150	2.4	1	1	1	2	3	4	5	8
80-84	120	2.3	1	1	1	2	3	4	5	7
85+	85	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
65-69 YRS	268	2.6	11	1	1	2	3	4	5	7
70-74	418	2.6	2	1	1	2	3	4	6	9
75-79	463	2.6	3	1	1	2	3	4	5	10
80-84	379	2.8	3	1	1	2	3	5	6	12
85+	221	3.1	10	1	1	3	3	5	8	26
TOT. SINGLE DX	594	2.2	2	1	1	2	3	4	4	6
" MULTIPLE DX	1749	2.7	5	1	1	2	3	4	6	11
TOTAL 65-69 YRS	372	2.5	8	1	1	2	3	4	5	7
70-74	553	2.5	2	1	1	2	3	4	5	9
75-79	613	2.5	3	1	1	2	3	4	5	8
80-84	499	2.6	3	1	1	2	3	4	5	11
85+	306	2.9	8	1	1	2	3	5	6	18
GRAND TOTAL	**2343**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	14	2.6	2	<1	<1	2	4	5	5	5
70-74	20	1.7	1	<1	<1	1	2	3	5	6
75-79	17	2.8	6	<1	<1	2	3	4	9	12
80-84	13	1.6		1	1	1	2	3	4	4
85+	10	3.1	11	<1	<1	2	2	9	10	10
2. MULTIPLE DX										
65-69 YRS	35	5.9	44	<1	<1	3	8	12	20	31
70-74	42	5.7	33	<1	1	4	7	14	16	31
75-79	53	5.7	111	<1	1	3	5	11	17	72
80-84	47	3.3	10	<1	<1	2	5	9	10	14
85+	38	5.6	35	1	1	3	7	17	20	21
TOT. SINGLE DX	74	2.3	4	<1	<1	2	3	4	6	12
" MULTIPLE DX	215	5.2	50	<1	<1	3	6	11	17	31
TOTAL 65-69 YRS	49	4.9	35	<1	<1	3	6	11	18	31
70-74	62	4.4	27	<1	<1	3	5	11	15	29
75-79	70	5.0	87	<1	1	3	4	11	14	64
80-84	60	3.0	9	<1	<1	2	4	8	10	14
85+	48	5.1	31	1	1	2	6	13	20	21
GRAND TOTAL	**289**	**4.4**	**40**	**<1**	**<1**	**2**	**5**	**10**	**14**	**28**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	109	2.7	4	<1	<1	2	3	5	6	11
70-74	112	2.4	2	<1	<1	2	3	4	6	10
75-79	82	2.3	2	<1	<1	2	3	4	6	9
80-84	43	2.3	2	<1	1	2	3	4	6	8
85+	29	2.4	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
65-69 YRS	258	3.3	21	1	1	2	4	5	9	23
70-74	278	3.3	8	1	1	2	4	7	9	16
75-79	284	3.6	23	1	1	2	4	7	9	24
80-84	174	3.8	33	1	1	2	4	7	12	21
85+	121	3.4	14	1	1	2	4	7	9	26
TOT. SINGLE DX	375	2.4	3	<1	<1	2	3	4	6	10
" MULTIPLE DX	1115	3.5	20	1	1	2	4	7	9	22
TOTAL 65-69 YRS	367	3.1	17	<1	1	2	4	5	8	19
70-74	390	3.0	7	<1	1	2	4	6	8	14
75-79	366	3.3	19	<1	1	2	4	6	8	22
80-84	217	3.5	27	1	1	2	4	7	10	21
85+	150	3.2	12	1	1	2	4	6	9	25
GRAND TOTAL	**1490**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	28	2.0	1	1	1	2	3	4	4	5
70-74	35	2.5	3	1	1	2	3	5	7	9
75-79	41	2.5	9	<1	1	2	3	4	6	20
80-84	24	2.0	2	<1	1	2	3	4	5	7
85+	12	4.3	12	1	1	3	7	10	12	12
2. MULTIPLE DX										
65-69 YRS	116	4.8	37	<1	1	3	6	10	17	35
70-74	111	4.7	22	1	1	3	6	10	15	23
75-79	147	4.4	28	1	1	3	5	9	11	25
80-84	108	4.3	26	1	1	3	6	9	12	29
85+	84	4.6	28	1	1	3	6	11	13	32
TOT. SINGLE DX	140	2.5	6	1	1	2	3	5	7	13
" MULTIPLE DX	566	4.5	29	1	1	3	6	10	13	28
TOTAL 65-69 YRS	144	4.3	31	1	1	3	5	9	16	30
70-74	146	4.2	19	1	1	2	6	10	13	19
75-79	188	3.9	25	1	1	2	5	8	11	23
80-84	132	3.9	23	1	1	2	5	8	12	23
85+	96	4.6	26	1	1	3	6	11	13	29
GRAND TOTAL	**706**	**4.1**	**25**	**1**	**1**	**2**	**5**	**9**	**12**	**23**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	138	1.7		<1	<1	2	2	2	3	5
70-74	170	1.6		<1	<1	2	2	2	3	3
75-79	187	1.6	1	<1	<1	2	2	2	3	6
80-84	156	1.6		<1	<1	2	2	2	2	3
85+	110	1.8		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	313	2.8	24	<1	<1	2	2	4	7	25
70-74	417	2.1	2	<1	1	2	2	3	5	10
75-79	530	2.6	9	<1	1	2	2	4	8	20
80-84	382	2.6	13	<1	1	2	2	4	7	27
85+	403	2.6	9	1	1	2	2	4	7	21
TOT. SINGLE DX	761	1.6	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	2045	2.5	11	<1	1	2	2	4	7	19
TOTAL 65-69 YRS	451	2.5	17	<1	<1	2	2	3	6	19
70-74	587	2.0	2	<1	<1	2	2	3	4	8
75-79	717	2.3	8	<1	<1	2	2	3	6	17
80-84	538	2.3	10	<1	<1	2	2	3	5	18
85+	513	2.4	8	<1	1	2	2	4	6	20
GRAND TOTAL	**2806**	**2.3**	**9**	**<1**	**<1**	**2**	**2**	**3**	**5**	**16**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	673	1.3		<1	<1	<1	2	2	2	3
70-74	822	1.3		<1	<1	<1	2	2	2	3
75-79	992	1.4	1	<1	<1	<1	2	2	2	3
80-84	847	1.3		<1	<1	<1	2	2	2	3
85+	605	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
65-69 YRS	1432	2.2	12	<1	<1	2	2	3	5	12
70-74	2021	2.5	9	<1	<1	2	2	3	5	16
75-79	2484	2.3	20	<1	<1	2	2	3	5	17
80-84	1979	2.3	15	<1	<1	2	2	3	5	16
85+	1708	2.3	11	<1	1	2	2	3	6	16
TOT. SINGLE DX	3939	1.3	1	<1	<1	<1	2	2	2	3
" MULTIPLE DX	9624	2.3	14	<1	<1	2	2	3	5	16
TOTAL 65-69 YRS	2105	1.9	9	<1	<1	1	2	3	4	9
70-74	2843	2.0	7	<1	<1	2	2	3	4	13
75-79	3476	2.1	15	<1	<1	2	2	3	4	14
80-84	2826	2.0	11	<1	<1	2	2	3	4	14
85+	2313	2.1	9	<1	<1	2	2	3	4	13
GRAND TOTAL	**13563**	**2.0**	**10**	**<1**	**<1**	**2**	**2**	**3**	**4**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	70	1.2		<1	<1	<1	1	2	2	2
70-74	58	1.2		<1	<1	1	1	2	2	3
75-79	73	1.4		<1	<1	1	2	2	2	4
80-84	43	1.3		<1	<1	1	2	2	3	4
85+	48	2.0	7	<1	<1	1	2	3	5	19
2. MULTIPLE DX										
65-69 YRS	123	2.0	4	<1	<1	2	2	3	4	12
70-74	155	1.9	2	<1	<1	1	2	3	5	10
75-79	168	2.3	7	<1	<1	2	2	4	8	14
80-84	130	1.9	1	<1	<1	2	2	3	4	8
85+	118	2.0	3	<1	1	2	2	3	5	12
TOT. SINGLE DX	292	1.4	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	694	2.0	4	<1	<1	2	2	3	5	11
TOTAL 65-69 YRS	193	1.7	3	<1	<1	1	2	2	3	10
70-74	213	1.7	2	<1	<1	1	2	3	4	9
75-79	241	2.0	6	<1	<1	1	2	3	5	12
80-84	173	1.7	1	<1	<1	2	2	3	3	7
85+	166	2.0	4	<1	<1	2	2	3	5	15
GRAND TOTAL	**986**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	430	2.9	3	1	1	3	4	5	6	10
70-74	335	2.9	2	1	1	3	4	5	6	7
75-79	219	2.7	2	1	1	2	3	4	5	8
80-84	92	3.4	3	1	1	3	4	6	7	9
85+	41	3.2	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
65-69 YRS	853	3.5	7	1	1	3	4	6	7	11
70-74	717	3.5	6	1	1	3	4	6	7	11
75-79	525	3.8	6	1	1	3	5	6	8	15
80-84	303	3.9	9	1	1	3	5	6	9	17
85+	129	3.8	6	1	1	3	5	6	7	15
TOT. SINGLE DX	1117	2.9	3	1	1	3	4	5	6	8
" MULTIPLE DX	2527	3.6	7	1	1	3	4	6	8	13
TOTAL 65-69 YRS	1283	3.3	6	1	1	3	4	5	7	11
70-74	1052	3.3	5	1	1	3	4	6	7	10
75-79	744	3.5	6	1	1	3	4	6	7	12
80-84	395	3.8	8	1	1	3	5	6	8	15
85+	170	3.7	6	1	1	3	5	6	7	13
GRAND TOTAL	**3644**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	62	2.4	3	<1	1	2	3	4	6	11
70-74	80	2.8	4	<1	1	2	3	5	7	13
75-79	71	3.0	6	<1	1	2	3	6	9	11
80-84	32	3.2	6	1	1	2	4	8	10	10
85+	15	4.9	18	1	2	3	6	9	16	18
2. MULTIPLE DX										
65-69 YRS	355	3.8	25	1	1	3	4	7	9	25
70-74	357	3.4	8	<1	1	3	4	7	9	13
75-79	317	4.0	18	<1	1	3	4	8	12	22
80-84	219	3.8	14	<1	1	3	4	9	11	16
85+	121	3.7	12	1	1	3	4	8	10	18
TOT. SINGLE DX	260	2.9	6	1	1	2	3	6	8	12
" MULTIPLE DX	1363	3.7	16	<1	1	3	4	8	10	18
TOTAL 65-69 YRS	417	3.6	22	<1	1	3	4	7	9	22
70-74	431	3.3	8	<1	1	3	4	7	9	13
75-79	388	3.8	16	<1	1	3	4	8	11	20
80-84	251	3.7	14	<1	1	3	4	9	11	16
85+	136	3.8	13	1	1	3	4	8	11	19
GRAND TOTAL	**1623**	**3.6**	**15**	**<1**	**1**	**3**	**4**	**7**	**10**	**17**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	1.2		<1	<1	1	1	2	2	2
70-74	11	1.4		<1	<1	1	2	2	3	3
75-79	3	2.0	1	<1	<1	2	3	3	3	3
80-84	6	1.3		<1	<1	1	1	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	14	1.4		1	1	1	2	2	2	2
70-74	20	2.0	1	<1	<1	2	2	4	5	6
75-79	15	2.0		1	1	2	2	3	4	4
80-84	4	1.0		1	1	1	1	1	1	1
85+	3	1.3		1	1	1	2	2	2	2
TOT. SINGLE DX	32	1.3		<1	<1	1	2	2	3	3
" MULTIPLE DX	56	1.7	1	1	1	2	2	3	4	6
TOTAL 65-69 YRS	25	1.3		<1	<1	1	2	2	2	2
70-74	31	1.8	1	<1	1	1	2	3	5	6
75-79	18	2.0	1	<1	1	2	2	3	4	4
80-84	10	1.2		<1	<1	1	1	2	3	3
85+	4	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**88**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL 65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
GRAND TOTAL	**1**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**	**<1**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	46	2.5	8	<1	1	2	3	4	7	18
70-74	36	4.4	76	1	1	2	4	7	8	54
75-79	26	1.8		<1	1	2	2	3	4	4
80-84	27	4.3	22	1	1	2	5	13	14	19
85+	17	3.5	7	1	1	3	5	7	9	10
2. MULTIPLE DX										
65-69 YRS	120	5.4	91	1	1	3	6	10	12	71
70-74	129	4.5	26	1	1	3	5	11	14	28
75-79	143	5.4	76	1	1	3	6	9	15	46
80-84	81	4.0	14	1	1	3	5	8	13	18
85+	101	6.0	95	1	1	3	7	11	18	65
TOT. SINGLE DX	152	3.3	26	1	1	2	3	6	10	19
" MULTIPLE DX	574	5.1	63	1	1	3	6	10	14	44
TOTAL 65-69 YRS	166	4.6	70	1	1	3	5	9	12	60
70-74	165	4.5	37	1	1	3	5	10	14	33
75-79	169	4.8	66	1	1	3	5	8	13	44
80-84	108	4.1	16	1	1	3	5	9	14	18
85+	118	5.7	83	1	1	3	6	10	15	63
GRAND TOTAL	**726**	**4.7**	**56**	**1**	**1**	**3**	**5**	**9**	**13**	**42**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	1.8	1	<1	<1	1	2	4	4	4
70-74	24	1.5		<1	<1	1	2	2	3	3
75-79	26	2.5	8	<1	<1	2	2	7	11	13
80-84	15	1.9	2	<1	<1	1	2	3	6	7
85+	20	3.0	8	<1	1	2	4	5	10	14
2. MULTIPLE DX										
65-69 YRS	106	5.6	38	1	1	3	7	12	22	28
70-74	86	7.4	89	1	1	4	8	18	31	45
75-79	105	6.8	52	1	1	4	9	16	20	36
80-84	84	7.4	66	<1	1	4	10	18	21	42
85+	88	7.1	47	1	2	4	10	16	21	34
TOT. SINGLE DX	102	2.1	5	<1	<1	2	2	4	6	13
" MULTIPLE DX	469	6.8	58	1	1	4	9	17	21	41
TOTAL 65-69 YRS	123	5.1	35	<1	1	3	6	12	21	28
70-74	110	6.1	76	1	1	3	7	14	21	44
75-79	131	5.9	46	1	1	3	8	15	19	33
80-84	99	6.5	61	<1	1	3	9	18	21	38
85+	108	6.3	43	1	1	4	8	15	20	32
GRAND TOTAL	**571**	**6.0**	**51**	**1**	**1**	**3**	**7**	**15**	**20**	**39**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	130	1.6		1	1	1	2	3	3	4
70-74	56	1.8		1	1	2	2	3	3	4
75-79	32	1.7		<1	1	2	2	3	3	4
80-84	8	2.0		<1	<1	2	3	3	3	3
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	124	1.9	3	1	1	2	2	3	3	9
70-74	70	2.1	2	1	1	2	3	4	5	8
75-79	30	2.3	1	1	1	2	3	4	4	5
80-84	16	2.3	1	<1	1	2	3	4	5	6
85+	5	2.2	1	1	1	2	3	4	4	4
TOT. SINGLE DX	228	1.7	1	1	1	1	2	3	3	4
" MULTIPLE DX	245	2.1	3	1	1	2	3	3	4	7
TOTAL 65-69 YRS	254	1.8	2	1	1	1	2	3	3	5
70-74	126	2.0	2	1	1	2	3	3	5	7
75-79	62	2.0	1	1	1	2	3	3	4	5
80-84	24	2.2	1	<1	1	2	3	3	5	6
85+	7	2.1	1	1	1	2	2	4	4	4
GRAND TOTAL	**473**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	93	1.3		1	1	1	2	2	2	2
70-74	38	1.3		<1	1	1	1	3	4	4
75-79	18	1.3		<1	<1	1	2	2	2	2
80-84	12	1.4		<1	<1	1	2	2	2	2
85+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	170	1.6		1	1	1	2	3	3	5
70-74	97	2.0	14	<1	1	1	2	2	3	26
75-79	38	1.8		<1	1	2	2	3	4	5
80-84	15	2.3	2	1	1	2	3	5	6	6
85+	6	1.5		1	1	1	2	2	2	2
TOT. SINGLE DX	164	1.3		<1	1	1	2	2	2	4
" MULTIPLE DX	326	1.8	5	1	1	1	2	3	3	6
TOTAL 65-69 YRS	263	1.5	1	1	1	1	2	2	3	5
70-74	135	1.8	10	<1	1	1	2	2	3	19
75-79	56	1.7	1	<1	1	2	2	2	4	5
80-84	27	1.9	1	<1	<1	2	2	3	5	6
85+	9	1.4		<1	<1	1	2	2	2	2
GRAND TOTAL	**490**	**1.6**	**3**	**<1**	**1**	**1**	**2**	**2**	**3**	**6**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	1.2		<1	<1	1	1	2	2	2
70-74	7	1.4		<1	<1	1	2	2	2	2
75-79	5	2.8	4	<1	<1	2	4	6	6	6
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	43	4.5	22	<1	<1	2	7	12	15	16
70-74	36	8.9	75	<1	1	6	14	20	29	35
75-79	26	9.4	51	<1	1	8	13	20	25	26
80-84	16	8.4	49	<1	1	6	12	18	24	26
85+	11	9.5	57	1	1	10	13	20	26	27
TOT. SINGLE DX	26	1.6	1	<1	<1	1	2	2	4	6
" MULTIPLE DX	132	7.6	52	<1	1	6	12	16	23	33
TOTAL 65-69 YRS	55	3.8	19	<1	<1	1	4	11	14	16
70-74	43	7.7	71	<1	1	4	13	20	26	35
75-79	31	8.3	49	<1	1	7	12	19	25	26
80-84	17	7.9	50	<1	1	6	12	18	23	26
85+	12	8.9	57	1	1	8	13	19	26	27
GRAND TOTAL	**158**	**6.6**	**48**	**<1**	**<1**	**4**	**11**	**16**	**20**	**32**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	41	1.9	1	1	1	2	2	3	4	6
70-74	35	2.3	3	1	1	2	3	4	7	9
75-79	13	2.4	2	1	1	2	3	4	6	6
80-84	5	3.8	8	1	1	4	6	8	8	8
85+	6	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	184	2.6	11	1	1	2	3	4	7	17
70-74	108	4.3	85	1	1	2	3	7	12	59
75-79	61	4.8	90	1	1	2	4	8	18	62
80-84	25	5.8	117	1	1	2	4	11	39	44
85+	14	6.9	61	<1	1	3	9	16	26	29
TOT. SINGLE DX	100	2.2	3	1	1	2	3	4	6	9
" MULTIPLE DX	392	3.7	54	1	1	2	3	6	12	46
TOTAL 65-69 YRS	225	2.5	10	1	1	2	3	4	6	16
70-74	143	3.8	66	1	1	2	3	6	11	55
75-79	74	4.4	76	1	1	2	4	7	15	58
80-84	30	5.4	99	1	1	2	4	9	38	44
85+	20	5.3	49	<1	1	2	8	14	22	29
GRAND TOTAL	**492**	**3.4**	**44**	**1**	**1**	**2**	**3**	**6**	**11**	**41**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	60	2.0	2	<1	1	2	2	4	4	10
70-74	41	1.9	1	<1	<1	1	2	4	5	6
75-79	18	1.9	1	1	1	2	2	4	5	5
80-84	5	2.4	4	1	1	2	3	6	6	6
85+	4	2.3	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	109	4.3	127	1	1	2	3	7	11	77
70-74	65	4.6	54	1	1	2	4	11	20	42
75-79	31	2.9	7	1	1	2	3	7	11	11
80-84	6	3.8	15	1	1	2	6	10	11	11
85+	4	3.8	5	1	1	4	5	6	6	6
TOT. SINGLE DX	128	2.0	2	<1	1	1	2	4	5	7
" MULTIPLE DX	215	4.2	83	1	1	2	3	8	11	52
TOTAL 65-69 YRS	169	3.5	84	1	1	2	3	5	8	60
70-74	106	3.6	36	<1	1	2	3	7	13	36
75-79	49	2.5	6	1	1	2	3	5	8	11
80-84	11	3.2	10	1	1	2	5	8	11	11
85+	8	3.0	4	1	1	2	5	6	6	6
GRAND TOTAL	**343**	**3.3**	**54**	**1**	**1**	**2**	**3**	**6**	**10**	**34**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	1.5		<1	1	1	2	3	4	4
70-74	6	1.3		<1	<1	1	1	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	127	2.3	5	1	1	2	3	4	6	16
70-74	87	2.2	1	1	1	2	3	4	4	8
75-79	43	1.8	1	<1	1	1	2	3	4	6
80-84	12	6.4	74	1	1	3	8	17	30	32
85+	7	5.3	36	1	1	2	8	15	17	17
TOT. SINGLE DX	25	1.4	1	<1	1	1	2	3	3	4
" MULTIPLE DX	276	2.4	8	1	1	2	3	4	6	16
TOTAL 65-69 YRS	143	2.2	5	1	1	2	2	4	5	15
70-74	93	2.1	2	1	1	2	3	3	4	8
75-79	44	1.8	1	<1	1	2	2	3	4	6
80-84	13	6.0	71	1	1	2	7	15	29	32
85+	8	4.8	33	1	1	2	7	15	17	17
GRAND TOTAL	**301**	**2.4**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	77	1.5		<1	<1	1	2	3	3	5
70-74	50	1.4		<1	1	1	2	3	3	5
75-79	18	1.4		1	1	1	2	3	4	4
80-84	11	1.7	1	1	1	1	2	3	5	5
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	352	2.4	6	1	1	2	3	4	7	16
70-74	203	2.7	11	1	1	2	3	5	8	18
75-79	122	3.3	11	1	1	2	4	7	10	18
80-84	62	4.8	23	1	1	3	7	11	16	22
85+	43	5.8	71	<1	1	3	6	19	29	99+
TOT. SINGLE DX	157	1.5	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	782	3.0	14	1	1	2	3	6	10	20
TOTAL 65-69 YRS	429	2.2	6	<1	1	2	2	4	6	15
70-74	253	2.4	10	1	1	1	3	4	7	15
75-79	140	3.1	10	1	1	2	4	7	10	17
80-84	73	4.3	21	1	1	2	6	10	15	22
85+	44	5.7	70	<1	1	3	6	19	28	99+
GRAND TOTAL	**939**	**2.7**	**12**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	51	1.4		<1	<1	1	2	3	3	3
70-74	66	1.8	2	<1	<1	1	2	3	5	10
75-79	53	1.6	1	<1	<1	1	2	3	4	7
80-84	29	2.2	3	<1	1	2	2	4	6	10
85+	29	3.0	15	<1	<1	2	3	6	11	20
2. MULTIPLE DX										
65-69 YRS	265	3.7	45	1	1	2	3	7	14	48
70-74	205	3.8	33	1	1	2	4	9	13	26
75-79	170	5.3	36	1	1	3	7	13	18	39
80-84	92	6.8	78	1	1	4	8	15	23	50
85+	100	7.8	120	1	1	5	9	15	30	89
TOT. SINGLE DX	228	1.9	4	<1	<1	1	2	3	5	10
" MULTIPLE DX	832	4.9	55	1	1	2	6	11	17	50
TOTAL 65-69 YRS	316	3.3	39	<1	1	2	3	7	11	42
70-74	271	3.3	26	<1	1	2	3	8	10	22
75-79	223	4.4	31	<1	<1	2	6	10	16	35
80-84	121	5.7	64	1	1	3	6	13	22	43
85+	129	6.7	101	1	1	4	8	14	25	82
GRAND TOTAL	**1060**	**4.2**	**46**	**<1**	**1**	**2**	**4**	**10**	**15**	**41**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	90	4.1	5	1	1	4	5	7	8	10
70-74	74	3.6	7	1	1	3	5	7	8	15
75-79	53	3.6	4	1	1	4	5	6	6	10
80-84	39	3.8	6	1	1	3	5	6	7	14
85+	21	3.6	5	1	1	3	5	7	8	9
2. MULTIPLE DX										
65-69 YRS	360	5.0	16	1	1	4	6	9	11	20
70-74	359	5.6	27	1	1	4	6	11	16	31
75-79	312	5.8	31	1	2	4	7	11	16	33
80-84	243	5.7	26	1	1	5	7	11	14	25
85+	176	5.7	24	1	2	4	6	12	16	28
TOT. SINGLE DX	277	3.8	6	1	1	4	5	7	8	13
" MULTIPLE DX	1450	5.5	25	1	2	4	7	10	14	28
TOTAL 65-69 YRS	450	4.8	14	1	1	4	6	9	11	20
70-74	433	5.3	24	1	1	4	6	10	15	28
75-79	365	5.5	28	1	1	4	6	10	14	30
80-84	282	5.5	24	1	1	4	7	10	14	24
85+	197	5.5	23	1	2	4	6	11	15	28
GRAND TOTAL	**1727**	**5.2**	**22**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	63	2.1	5	<1	1	1	2	4	5	15
70-74	54	2.0	1	1	1	2	2	3	4	7
75-79	23	1.8	1	<1	1	1	2	3	4	5
80-84	8	1.5		<1	<1	1	2	2	2	2
85+	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	218	3.5	20	1	1	2	4	7	12	24
70-74	184	3.7	16	1	1	2	4	9	11	22
75-79	107	4.1	45	1	1	2	4	8	10	38
80-84	44	4.6	18	1	1	3	6	10	14	20
85+	13	3.6	12	1	1	2	4	10	12	13
TOT. SINGLE DX	152	2.0	3	1	1	2	2	3	4	10
" MULTIPLE DX	566	3.8	24	1	1	2	4	8	12	23
TOTAL 65-69 YRS	281	3.2	18	1	1	2	3	6	11	23
70-74	238	3.3	13	1	1	2	3	8	10	21
75-79	130	3.7	39	1	1	2	4	7	9	28
80-84	52	4.1	17	1	1	3	5	10	13	20
85+	17	3.2	10	1	1	2	3	8	12	13
GRAND TOTAL	**718**	**3.4**	**20**	**1**	**1**	**2**	**3**	**7**	**10**	**21**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	70	2.4	2	1	1	2	3	5	6	8
70-74	32	2.6	5	1	1	2	4	6	8	10
75-79	19	1.9	2	<1	1	1	2	4	6	7
80-84	8	2.8	2	1	1	3	4	4	4	4
85+	3	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	267	4.9	54	1	1	2	5	12	17	41
70-74	191	5.4	47	1	1	3	7	13	20	36
75-79	151	6.1	46	1	1	4	8	15	22	33
80-84	49	6.0	38	1	2	4	8	11	15	39
85+	33	7.4	41	1	1	6	9	17	19	30
TOT. SINGLE DX	132	2.5	4	1	1	2	3	5	6	9
" MULTIPLE DX	691	5.5	49	1	1	3	7	13	19	37
TOTAL 65-69 YRS	337	4.3	45	1	1	2	4	10	15	38
70-74	223	5.1	42	1	1	2	6	12	19	34
75-79	170	5.6	43	1	1	3	7	13	22	32
80-84	57	5.6	34	1	1	4	7	11	14	38
85+	36	7.1	39	1	1	6	9	17	19	30
GRAND TOTAL	**823**	**5.0**	**43**	**1**	**1**	**3**	**6**	**12**	**17**	**34**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	22	1.8		<1	<1	2	2	3	3	3
70-74	13	1.6		<1	<1	2	2	3	3	3
75-79	10	2.9	24	<1	<1	1	2	10	17	17
80-84	10	2.0	2	<1	<1	1	2	4	6	6
85+	9	1.7	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	278	5.7	89	1	1	2	6	13	24	87
70-74	264	7.0	106	1	1	3	8	17	30	77
75-79	232	6.3	77	1	1	3	8	15	23	71
80-84	173	8.6	201	1	1	3	10	20	43	98
85+	179	7.3	132	1	1	3	8	17	36	94
TOT. SINGLE DX	64	2.0	4	<1	<1	2	2	3	4	15
" MULTIPLE DX	1126	6.8	116	1	1	3	8	16	29	89
TOTAL 65-69 YRS	300	5.4	84	1	1	2	6	12	22	85
70-74	277	6.7	103	1	1	3	8	17	30	75
75-79	242	6.2	75	1	1	3	8	15	23	67
80-84	183	8.2	193	1	1	3	10	19	41	97
85+	188	7.1	128	1	1	3	8	16	36	92
GRAND TOTAL	**1190**	**6.6**	**111**	**1**	**1**	**3**	**7**	**16**	**28**	**65**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	2	7.5	85	1	1	7	14	14	14	14
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	4	6.5	35	2	2	4	10	15	15	15
70-74	5	17.2	423	2	2	10	24	53	53	53
75-79	2	32.0	722	13	13	32	51	51	51	51
80-84										
85+										
TOT. SINGLE DX	5	3.8	33	1	1	1	5	14	14	14
" MULTIPLE DX	11	16.0	340	2	2	10	15	52	53	53
TOTAL 65-69 YRS	5	5.4	32	1	1	3	8	15	15	15
70-74	5	17.2	424	2	2	10	24	53	53	53
75-79	4	19.8	469	1	1	13	32	51	51	51
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
GRAND TOTAL	**16**	**12.2**	**270**	**1**	**1**	**6**	**14**	**47**	**52**	**53**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	39	2.5	1	<1	1	2	3	4	5	8
70-74	17	2.6	3	1	1	2	3	3	7	9
75-79	4	3.5	5	1	1	3	5	6	6	6
80-84	5	2.2		1	1	2	3	3	3	3
85+	5	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	105	4.5	85	1	1	3	3	7	11	66
70-74	93	4.7	64	1	1	3	4	9	17	51
75-79	68	4.9	31	1	1	2	6	13	15	28
80-84	37	6.9	82	1	1	3	9	18	25	45
85+	27	4.9	40	1	1	2	5	14	18	29
TOT. SINGLE DX	70	2.6	2	1	1	2	3	4	5	9
" MULTIPLE DX	330	4.9	64	1	1	3	4	11	16	47
TOTAL 65-69 YRS	144	4.0	64	1	1	3	3	6	9	58
70-74	110	4.4	55	1	1	3	4	9	16	45
75-79	72	4.8	30	1	1	2	6	12	15	28
80-84	42	6.4	75	1	1	3	9	16	23	45
85+	32	4.6	35	1	1	3	4	13	16	29
GRAND TOTAL	**400**	**4.5**	**54**	**1**	**1**	**3**	**4**	**9**	**15**	**37**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	265	2.2	1	1	1	2	3	4	5	6
70-74	196	2.6	2	1	1	2	3	4	5	8
75-79	121	2.9	2	1	1	3	3	5	6	9
80-84	77	2.9	3	1	1	3	4	5	7	9
85+	39	3.5	9	1	1	3	5	7	11	15
2. MULTIPLE DX										
65-69 YRS	417	3.7	15	1	1	3	4	7	10	16
70-74	352	4.5	43	1	1	3	5	8	13	29
75-79	278	4.3	14	1	1	3	5	8	11	21
80-84	160	5.3	34	1	1	4	6	12	15	25
85+	114	5.9	25	1	2	4	8	13	19	23
TOT. SINGLE DX	698	2.6	3	1	1	2	3	4	6	9
" MULTIPLE DX	1321	4.4	26	1	1	3	5	9	13	23
TOTAL 65-69 YRS	682	3.1	10	1	1	2	4	5	7	15
70-74	548	3.8	30	1	1	3	4	7	9	25
75-79	399	3.9	11	1	1	3	5	7	9	19
80-84	237	4.6	26	1	1	3	5	9	14	24
85+	153	5.3	22	1	1	4	6	12	15	22
GRAND TOTAL	**2019**	**3.8**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	19	2.5	5	<1	1	2	3	4	8	11
70-74	6	3.3	4	1	1	3	4	7	7	7
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
" MULTIPLE DX	30	3.0	5	1	1	2	4	6	7	11
TOTAL 65-69 YRS	21	2.5	5	<1	1	2	3	4	7	11
70-74	6	3.3	5	1	1	3	4	7	7	7
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**32**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	111	3.6	24	<1	1	2	4	7	12	28
70-74	101	3.6	22	<1	<1	2	4	8	11	28
75-79	77	3.2	10	<1	1	2	4	9	12	14
80-84	47	3.6	25	<1	1	2	4	8	11	32
85+	34	3.9	17	<1	1	2	6	9	11	20
2. MULTIPLE DX										
65-69 YRS	444	7.5	65	1	1	4	10	17	23	36
70-74	422	7.1	82	1	1	4	8	17	24	40
75-79	318	8.5	142	1	1	5	10	19	31	85
80-84	200	7.7	145	1	1	4	8	15	27	80
85+	141	8.2	78	1	1	5	11	17	25	47
TOT. SINGLE DX	370	3.5	20	<1	1	2	4	8	12	22
" MULTIPLE DX	1525	7.7	98	1	1	4	10	17	25	46
TOTAL 65-69 YRS	555	6.7	60	1	1	4	9	16	22	36
70-74	523	6.5	73	1	1	3	8	15	22	38
75-79	395	7.5	121	1	1	4	9	17	29	82
80-84	247	6.9	125	1	1	4	7	13	26	70
85+	175	7.4	69	1	1	5	10	16	24	41
GRAND TOTAL	**1895**	**6.9**	**86**	**1**	**1**	**4**	**8**	**16**	**23**	**45**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	1.4		<1	<1	1	2	2	3	3
70-74	8	2.0	2	1	1	2	3	4	5	5
75-79	6	4.5	23	<1	<1	3	5	13	14	14
80-84	8	1.1		<1	<1	1	1	2	2	2
85+	8	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	35	3.5	10	1	1	2	5	10	11	11
70-74	12	3.1	8	<1	<1	2	3	9	10	10
75-79	5	1.6	1	1	1	1	2	3	3	3
80-84	5	2.6	1	<1	<1	3	3	3	3	3
85+	6	2.0	2	1	1	2	2	5	5	5
TOT. SINGLE DX	43	1.9	5	<1	<1	1	2	3	5	14
" MULTIPLE DX	63	3.0	8	1	1	2	3	8	10	11
TOTAL 65-69 YRS	48	2.9	9	<1	1	2	3	8	11	11
70-74	20	2.7	6	<1	1	2	3	6	9	10
75-79	11	3.2	14	<1	<1	2	3	9	14	14
80-84	13	1.7	1	<1	<1	1	3	3	3	3
85+	14	1.6	1	<1	<1	1	2	3	5	5
GRAND TOTAL	**106**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**5**	**10**	**13**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	8	1.3		<1	<1	1	1	3	3	3
TOT. SINGLE DX	4	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	10	1.2		<1	<1	1	1	2	3	3
TOTAL 65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	11	1.3		<1	<1	1	1	2	3	3
GRAND TOTAL	**14**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**3**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	54	4.5	98	1	1	2	5	8	11	70
70-74	48	3.6	10	1	1	3	5	7	8	21
75-79	22	3.0	7	<1	1	2	4	7	9	10
80-84	19	3.6	6	<1	<1	3	5	8	9	10
85+	6	4.3	8	1	1	5	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	182	6.9	74	<1	1	4	9	18	23	44
70-74	141	7.9	90	1	1	4	10	22	28	44
75-79	94	9.9	162	1	1	6	12	21	28	71
80-84	46	10.0	102	1	2	7	13	20	37	46
85+	37	12.0	141	1	2	9	15	35	47	99+
TOT. SINGLE DX	149	3.9	41	1	1	2	5	7	8	21
" MULTIPLE DX	500	8.4	105	1	1	5	11	20	28	52
TOTAL 65-69 YRS	236	6.4	80	<1	1	3	8	17	22	46
70-74	189	6.8	74	1	1	4	7	19	27	44
75-79	116	8.6	140	1	1	5	10	19	25	67
80-84	65	8.1	83	1	1	5	10	17	29	45
85+	43	11.0	129	1	2	7	14	30	43	99+
GRAND TOTAL	**649**	**7.4**	**94**	**1**	**1**	**4**	**9**	**18**	**26**	**51**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	3.2	8	1	1	3	4	6	8	15
70-74	28	2.9	3	1	1	3	4	5	7	7
75-79	12	2.0	1	1	1	2	2	4	5	5
80-84	11	3.9	5	<1	<1	4	5	8	9	9
85+	13	2.1	1	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	159	5.7	63	1	1	4	7	11	15	40
70-74	146	5.2	38	1	1	4	6	10	16	35
75-79	167	5.7	55	1	1	4	6	11	14	32
80-84	113	6.4	62	1	1	4	7	16	27	39
85+	114	5.9	38	1	2	4	7	13	21	31
TOT. SINGLE DX	91	2.9	5	1	1	2	4	5	7	13
" MULTIPLE DX	699	5.7	52	1	1	4	6	12	18	35
TOTAL 65-69 YRS	186	5.3	56	1	1	3	6	10	15	39
70-74	174	4.9	34	1	1	3	6	9	12	35
75-79	179	5.4	52	1	1	4	6	11	14	31
80-84	124	6.2	58	1	1	4	7	15	24	39
85+	127	5.5	36	1	1	3	6	12	21	31
GRAND TOTAL	**790**	**5.4**	**47**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	122	1.6	6	<1	<1	1	2	2	3	18
70-74	83	1.5	1	<1	<1	1	1	2	3	9
75-79	44	1.8	8	<1	<1	1	2	2	4	20
80-84	26	1.7	3	<1	1	1	2	3	5	10
85+	8	1.3		<1	<1	1	1	3	3	3
2. MULTIPLE DX										
65-69 YRS	279	4.7	74	<1	1	2	4	13	20	53
70-74	205	4.4	66	<1	1	2	3	10	16	63
75-79	128	6.8	128	1	1	2	7	18	30	61
80-84	69	5.1	46	<1	<1	2	6	14	20	34
85+	35	7.9	133	<1	1	2	9	27	32	53
TOT. SINGLE DX	283	1.6	5	<1	<1	1	2	2	3	13
" MULTIPLE DX	716	5.2	82	<1	1	2	4	14	24	54
TOTAL 65-69 YRS	401	3.7	55	<1	<1	1	2	9	17	50
70-74	288	3.5	49	<1	<1	1	2	9	13	53
75-79	172	5.5	102	<1	1	2	4	14	28	57
80-84	95	4.2	37	<1	1	2	4	11	17	32
85+	43	6.7	115	<1	<1	2	8	20	30	53
GRAND TOTAL	**999**	**4.2**	**63**	**<1**	**<1**	**1**	**3**	**10**	**18**	**50**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	8.8	51	1	2	7	13	16	24	27
70-74	18	8.9	41	1	1	11	15	16	18	19
75-79	5	7.4	24	2	2	9	10	14	14	14
80-84	2	6.5	41	2	2	6	11	11	11	11
85+										
2. MULTIPLE DX										
65-69 YRS	70	11.6	65	2	2	10	15	22	31	36
70-74	58	13.2	152	1	2	11	16	22	43	61
75-79	28	14.3	232	1	2	10	17	30	46	72
80-84	18	13.2	106	1	3	11	16	26	37	43
85+	3	10.7	70	1	1	15	16	16	16	16
TOT. SINGLE DX	41	8.5	41	1	1	9	13	16	18	27
" MULTIPLE DX	177	12.7	123	1	2	10	16	24	35	59
TOTAL 65-69 YRS	86	11.0	64	2	2	10	15	22	28	35
70-74	76	12.2	129	1	1	11	15	21	41	59
75-79	33	13.3	205	1	2	9	17	27	41	72
80-84	20	12.6	102	1	2	10	15	25	35	43
85+	3	10.7	70	1	1	15	16	16	16	16
GRAND TOTAL	**218**	**11.9**	**110**	**1**	**2**	**10**	**15**	**22**	**33**	**57**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	31	12.3	19	7	8	11	14	19	23	23
70-74	25	11.8	14	7	7	10	15	18	19	20
75-79	13	12.9	24	8	9	11	14	22	24	25
80-84	6	14.3	18	10	10	14	19	19	19	19
85+	2	15.5	1	15	15	15	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	160	18.4	128	9	10	14	23	31	42	98
70-74	140	19.7	151	10	11	15	24	39	47	99+
75-79	72	21.7	169	8	9	18	33	39	44	94
80-84	28	23.6	355	9	10	16	26	48	62	96
85+	13	17.6	19	10	12	17	20	24	25	25
TOT. SINGLE DX	77	12.5	18	7	8	11	15	19	21	25
" MULTIPLE DX	413	19.8	156	9	10	15	25	37	45	99+
TOTAL 65-69 YRS	191	17.4	115	8	9	14	21	30	41	92
70-74	165	18.5	138	9	10	15	22	36	43	99
75-79	85	20.4	157	8	9	15	30	39	42	91
80-84	34	22.0	307	9	10	16	24	44	56	96
85+	15	17.3	18	10	12	17	20	24	25	25
GRAND TOTAL	**490**	**18.6**	**141**	**9**	**10**	**15**	**23**	**35**	**42**	**98**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	9.3	5	8	8	8	11	12	12	12
70-74	3	4.7	12	1	1	5	7	8	8	8
75-79										
80-84										
85+	3	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	144	31.7	584	3	6	29	52	86	99+	99+
70-74	135	30.5	516	3	6	31	52	85	99+	99+
75-79	85	34.3	442	7	10	36	63	99+	99+	99+
80-84	50	36.0	658	3	6	30	64	77	94	99+
85+	36	33.5	528	8	9	35	61	99+	99+	99+
TOT. SINGLE DX	9	6.0	13	1	1	7	8	11	12	12
" MULTIPLE DX	450	32.5	540	4	7	31	56	88	99+	99+
TOTAL 65-69 YRS	147	31.3	583	3	6	29	52	86	99+	99+
70-74	138	29.9	519	3	6	29	52	85	99+	99+
75-79	85	34.3	442	7	10	36	63	99+	99+	99+
80-84	50	36.0	659	3	6	30	64	77	94	99+
85+	39	31.2	550	5	8	30	58	99+	99+	99+
GRAND TOTAL	**459**	**31.9**	**543**	**4**	**7**	**30**	**56**	**87**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	3.3	27	<1	1	1	3	9	18	21
70-74	20	2.7	4	<1	<1	2	4	6	7	8
75-79	8	8.3	178	1	1	1	12	32	36	36
80-84	6	1.7	1	1	1	1	2	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	305	26.5	518	1	2	23	45	76	99+	99+
70-74	266	29.5	531	1	2	30	51	82	99+	99+
75-79	191	31.9	526	2	4	31	49	76	99+	99+
80-84	101	33.0	573	1	4	31	53	87	99+	99+
85+	54	36.3	710	4	5	36	61	86	99	99+
TOT. SINGLE DX	56	3.6	38	<1	1	1	3	7	19	35
" MULTIPLE DX	917	29.8	547	1	2	29	49	80	99+	99+
TOTAL 65-69 YRS	326	25.0	519	1	1	21	43	72	99+	99+
70-74	286	27.7	542	1	1	28	49	80	99+	99+
75-79	199	30.9	533	1	3	30	48	76	99+	99+
80-84	107	31.3	594	1	2	29	51	85	99+	99+
85+	55	35.7	718	3	5	33	60	86	99	99+
GRAND TOTAL	**973**	**28.3**	**555**	**1**	**2**	**27**	**48**	**78**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	169	5.5	23	<1	1	4	8	12	15	21
70-74	142	5.4	19	<1	1	4	8	12	15	19
75-79	110	5.3	18	<1	1	4	8	11	14	19
80-84	65	6.7	28	<1	1	6	9	14	18	24
85+	25	7.7	59	<1	1	5	11	19	26	28
2. MULTIPLE DX										
65-69 YRS	2686	10.9	91	2	2	9	14	21	29	47
70-74	2722	11.1	75	2	3	9	14	21	27	48
75-79	2089	12.0	102	2	3	10	15	23	31	55
80-84	1239	12.8	106	2	3	10	16	25	33	57
85+	660	13.2	87	3	4	11	17	25	30	53
TOT. SINGLE DX	511	5.7	24	<1	1	4	8	12	16	21
" MULTIPLE DX	9396	11.6	92	2	3	9	15	22	29	51
TOTAL 65-69 YRS	2855	10.6	89	1	2	8	14	21	28	47
70-74	2864	10.8	74	2	2	9	14	21	26	47
75-79	2199	11.7	100	2	3	9	15	22	30	53
80-84	1304	12.5	104	2	3	10	16	24	32	56
85+	685	13.0	87	2	4	11	17	25	29	52
GRAND TOTAL	**9907**	**11.3**	**90**	**2**	**2**	**9**	**15**	**22**	**29**	**50**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	12.0	148	4	4	6	21	26	26	26
70-74	3	6.3	30	1	1	6	10	12	12	12
75-79	3	11.0	93	4	4	7	18	22	22	22
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX										
" MULTIPLE DX	11	8.7	65	1	2	6	11	24	26	26
TOTAL 65-69 YRS	3	12.0	148	4	4	6	21	26	26	26
70-74	3	6.3	30	1	1	6	10	12	12	12
75-79	3	11.0	93	4	4	7	18	22	22	22
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**11**	**8.7**	**65**	**1**	**2**	**6**	**11**	**24**	**26**	**26**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	187	7.3	21	1	1	7	10	14	16	21
70-74	144	6.9	27	1	1	7	9	13	16	28
75-79	90	6.5	27	1	1	6	9	12	19	24
80-84	40	5.3	15	1	1	4	9	12	13	13
85+	10	4.5	24	1	1	2	7	12	16	16
2. MULTIPLE DX										
65-69 YRS	1441	12.0	96	1	3	10	15	22	30	53
70-74	1326	12.3	99	2	3	10	16	24	31	50
75-79	909	12.3	111	1	2	10	16	24	32	58
80-84	402	12.4	115	1	2	10	16	24	32	50
85+	161	13.0	174	1	2	9	17	26	35	94
TOT. SINGLE DX	471	6.8	24	1	1	7	9	13	16	23
" MULTIPLE DX	4239	12.2	106	1	2	10	16	24	31	54
TOTAL 65-69 YRS	1628	11.4	90	1	2	9	15	21	29	52
70-74	1470	11.8	95	1	2	9	15	23	31	49
75-79	999	11.8	107	1	2	9	15	24	31	57
80-84	442	11.7	111	1	2	9	15	23	30	50
85+	171	12.5	170	1	2	9	16	25	34	92
GRAND TOTAL	**4710**	**11.7**	**100**	**1**	**2**	**9**	**15**	**23**	**30**	**53**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	119	10.3	15	6	7	9	12	16	18	23
70-74	88	11.5	34	5	6	10	13	19	24	35
75-79	45	10.9	17	6	7	10	12	15	18	30
80-84	9	12.2	142	4	4	9	12	31	43	43
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	995	14.6	74	6	7	12	17	25	33	57
70-74	771	15.8	107	7	8	13	18	28	35	62
75-79	415	16.6	93	8	9	14	20	27	34	62
80-84	109	18.1	149	7	9	15	22	32	36	79
85+	17	18.5	148	7	7	15	26	39	40	40
TOT. SINGLE DX	262	10.9	26	5	7	10	12	17	20	32
" MULTIPLE DX	2307	15.6	94	7	8	13	19	27	34	59
TOTAL 65-69 YRS	1114	14.1	70	6	7	12	17	24	32	56
70-74	859	15.4	102	7	8	13	18	27	33	60
75-79	460	16.0	89	8	8	13	19	26	32	59
80-84	118	17.6	150	7	8	14	21	32	40	77
85+	18	18.0	143	7	7	15	24	39	40	40
GRAND TOTAL	**2569**	**15.1**	**89**	**7**	**7**	**12**	**18**	**26**	**33**	**57**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	126	6.6	42	1	1	5	9	13	14	32
70-74	91	5.9	31	1	1	4	8	12	19	28
75-79	79	6.6	24	<1	<1	6	10	14	17	19
80-84	35	7.3	29	<1	1	5	11	15	18	18
85+	16	5.8	32	<1	<1	2	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	1802	11.7	109	2	3	9	15	23	31	60
70-74	1823	12.0	104	2	3	10	16	24	31	60
75-79	1421	13.4	124	2	3	11	17	26	35	72
80-84	911	13.6	118	2	3	11	18	27	36	70
85+	582	15.2	149	3	5	12	19	28	37	72
TOT. SINGLE DX	347	6.5	33	<1	1	5	9	14	16	22
" MULTIPLE DX	6539	12.8	117	2	3	10	16	25	33	65
TOTAL 65-69 YRS	1928	11.4	107	2	3	9	14	23	30	59
70-74	1914	11.8	103	2	3	9	15	24	30	59
75-79	1500	13.1	121	2	3	10	17	26	34	70
80-84	946	13.4	117	2	3	11	17	26	35	69
85+	598	14.9	148	2	4	12	19	28	37	72
GRAND TOTAL	**6886**	**12.4**	**115**	**2**	**3**	**10**	**16**	**25**	**32**	**64**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	11.3	53	2	3	11	14	23	25	25
70-74	5	17.4	517	6	6	8	21	58	58	58
75-79	3	10.3	65	3	3	9	16	19	19	19
80-84										
85+	2	15.0	50	10	10	15	20	20	20	20
2. MULTIPLE DX										
65-69 YRS	75	12.2	113	1	3	9	14	29	36	45
70-74	74	13.7	149	4	4	10	17	28	34	73
75-79	44	13.7	235	2	3	7	19	29	41	80
80-84	39	12.3	92	2	3	10	16	24	34	43
85+	28	15.4	155	3	4	10	20	40	45	46
TOT. SINGLE DX	17	13.4	169	2	4	9	16	24	46	58
" MULTIPLE DX	260	13.2	144	2	3	9	17	29	36	61
TOTAL 65-69 YRS	82	12.1	108	2	3	9	14	28	35	44
70-74	79	13.9	167	4	4	10	17	28	35	72
75-79	47	13.5	224	2	3	7	19	29	37	80
80-84	39	12.3	93	2	3	10	16	24	34	43
85+	30	15.4	146	3	5	10	20	38	45	46
GRAND TOTAL	**277**	**13.2**	**145**	**2**	**3**	**9**	**17**	**28**	**36**	**60**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	82	7.3	24	2	3	6	9	13	19	27
70-74	60	7.8	27	2	2	7	11	13	18	27
75-79	43	9.0	46	2	3	7	13	20	24	30
80-84	21	6.6	28	2	2	5	7	16	20	21
85+	19	7.3	38	2	2	6	9	12	21	29
2. MULTIPLE DX										
65-69 YRS	1271	12.4	109	3	4	9	16	25	33	55
70-74	1219	12.7	112	3	4	10	16	25	33	56
75-79	907	13.6	123	3	4	10	17	26	33	57
80-84	568	13.1	97	4	4	11	17	25	31	54
85+	408	14.0	109	3	4	12	18	28	35	99+
TOT. SINGLE DX	225	7.7	31	2	3	6	10	14	20	28
" MULTIPLE DX	4373	13.0	112	3	4	10	16	25	33	58
TOTAL 65-69 YRS	1353	12.1	106	3	4	9	15	25	33	53
70-74	1279	12.5	110	3	4	10	16	25	32	55
75-79	950	13.4	121	3	4	10	17	26	33	54
80-84	589	12.9	96	3	4	10	17	24	31	54
85+	427	13.7	108	3	4	11	18	27	35	99+
GRAND TOTAL	**4598**	**12.7**	**109**	**3**	**4**	**10**	**16**	**25**	**33**	**56**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	81	4.6	38	<1	<1	3	6	9	11	40
70-74	81	4.8	19	1	1	3	8	11	13	21
75-79	49	4.8	17	<1	1	3	8	11	13	17
80-84	20	9.4	68	<1	1	7	11	25	27	29
85+	11	4.6	23	1	1	2	9	12	13	13
2. MULTIPLE DX										
65-69 YRS	843	10.8	90	1	2	8	14	22	30	45
70-74	765	12.5	146	1	2	9	16	26	35	67
75-79	548	12.6	119	1	2	10	16	27	36	62
80-84	312	11.8	129	2	2	9	15	24	32	61
85+	222	12.8	96	2	3	10	16	28	34	49
TOT. SINGLE DX	242	5.1	31	<1	1	3	8	11	13	26
" MULTIPLE DX	2690	11.9	118	1	2	9	16	25	33	57
TOTAL 65-69 YRS	924	10.3	89	1	2	8	14	21	29	46
70-74	846	11.7	140	1	2	9	15	25	33	66
75-79	597	12.0	116	1	2	9	16	26	35	60
80-84	332	11.7	126	2	2	9	15	25	31	56
85+	233	12.4	96	2	2	10	16	27	34	48
GRAND TOTAL	**2932**	**11.4**	**114**	**1**	**2**	**9**	**15**	**24**	**32**	**55**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	59	13.4	104	8	8	11	15	19	21	79
70-74	56	12.4	30	6	8	12	15	18	19	40
75-79	26	13.4	18	8	9	12	17	19	22	23
80-84	9	11.9	10	8	8	11	14	16	17	17
85+										
2. MULTIPLE DX										
65-69 YRS	1136	16.5	115	8	8	13	19	28	38	59
70-74	1042	17.7	122	8	9	15	21	30	39	62
75-79	612	19.4	142	8	9	16	23	33	42	66
80-84	209	20.3	169	9	10	17	24	34	40	75
85+	39	19.6	167	4	5	17	25	35	39	72
TOT. SINGLE DX	150	12.9	56	8	8	12	15	18	19	41
" MULTIPLE DX	3038	17.8	129	8	9	14	21	30	40	64
TOTAL 65-69 YRS	1195	16.3	115	8	8	13	19	28	37	59
70-74	1098	17.4	119	8	9	14	21	29	38	61
75-79	638	19.1	139	8	9	16	23	33	42	66
80-84	218	20.0	165	9	10	16	24	33	40	74
85+	39	19.6	168	4	5	17	25	35	39	72
GRAND TOTAL	**3188**	**17.6**	**127**	**8**	**9**	**14**	**21**	**30**	**39**	**64**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	307	11.1	14	7	8	10	12	15	17	27
70-74	197	12.0	17	7	8	11	14	17	20	25
75-79	72	13.1	20	8	9	12	15	19	23	27
80-84	15	16.2	19	9	11	15	18	22	26	27
85+	4	16.8	54	9	9	17	23	24	24	24
2. MULTIPLE DX										
65-69 YRS	6106	13.8	69	7	8	12	16	22	28	52
70-74	4480	15.0	75	8	8	13	17	24	31	57
75-79	1935	16.7	104	8	9	14	19	28	36	69
80-84	431	18.4	107	8	9	15	22	31	41	63
85+	57	19.5	160	6	8	16	23	42	51	97
TOT. SINGLE DX	595	11.8	17	7	8	11	14	17	20	27
" MULTIPLE DX	13009	14.8	80	8	8	12	17	24	31	59
TOTAL 65-69 YRS	6413	13.7	67	7	8	11	15	21	28	52
70-74	4677	14.9	74	8	8	13	17	24	31	56
75-79	2007	16.5	102	8	9	14	19	28	35	68
80-84	446	18.3	105	8	9	15	22	30	41	63
85+	61	19.3	153	6	8	16	23	42	50	96
GRAND TOTAL	**13604**	**14.7**	**78**	**8**	**8**	**12**	**17**	**24**	**30**	**58**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1714	2.4	4	1	1	2	2	5	7	12
70-74	1009	2.6	8	<1	1	2	2	6	9	14
75-79	423	2.6	7	<1	1	2	2	6	8	14
80-84	97	2.7	4	<1	1	2	3	6	8	11
85+	16	2.9	8	1	1	2	3	7	10	12
2. MULTIPLE DX										
65-69 YRS	14050	4.7	24	1	1	2	7	11	14	23
70-74	9958	5.3	32	1	1	3	7	12	16	26
75-79	4702	6.0	37	1	1	4	8	14	18	30
80-84	1286	7.2	54	1	1	5	10	16	20	33
85+	264	9.7	105	1	2	8	12	19	26	45
TOT. SINGLE DX	3259	2.5	6	<1	1	2	2	5	8	13
" MULTIPLE DX	30260	5.3	32	1	1	3	7	12	16	26
TOTAL 65-69 YRS	15764	4.5	23	1	1	2	6	10	13	22
70-74	10967	5.1	31	1	1	3	7	12	15	26
75-79	5125	5.7	36	1	1	3	8	13	17	29
80-84	1383	6.9	52	1	1	4	10	15	20	32
85+	280	9.3	103	1	1	8	12	19	26	44
GRAND TOTAL	**33519**	**5.0**	**30**	**1**	**1**	**3**	**7**	**12**	**15**	**26**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	230	3.9	10	1	1	3	5	7	11	15
70-74	301	4.0	12	1	1	3	5	8	11	15
75-79	385	3.4	6	1	1	3	4	6	8	14
80-84	312	4.0	13	1	1	3	5	8	9	15
85+	289	3.6	7	1	1	3	5	7	9	12
2. MULTIPLE DX										
65-69 YRS	2623	8.9	52	2	2	7	12	17	21	38
70-74	3840	9.1	64	2	2	7	12	18	23	40
75-79	4588	9.1	62	2	2	7	12	18	23	41
80-84	4026	9.5	66	2	3	8	12	18	23	40
85+	3817	9.8	74	2	3	8	13	19	24	47
TOT. SINGLE DX	1517	3.7	10	1	1	3	5	7	9	15
" MULTIPLE DX	18894	9.3	65	2	3	7	12	18	23	41
TOTAL 65-69 YRS	2853	8.5	51	1	2	7	11	16	21	37
70-74	4141	8.7	63	2	2	7	11	17	22	39
75-79	4973	8.7	61	2	2	7	11	17	22	40
80-84	4338	9.1	65	2	2	7	12	17	22	39
85+	4106	9.3	72	2	2	7	12	18	23	43
GRAND TOTAL	**20411**	**8.9**	**63**	**2**	**2**	**7**	**12**	**17**	**22**	**40**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	392	4.4	9	2	2	3	6	8	11	15
70-74	245	4.5	11	1	2	3	6	9	11	17
75-79	95	4.1	8	1	2	3	6	8	10	15
80-84	25	7.7	44	1	2	6	9	19	23	28
85+	6	5.0	12	1	1	4	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	3254	6.6	34	2	2	5	8	13	17	30
70-74	2140	7.3	40	2	2	5	9	15	19	32
75-79	1046	8.6	52	2	3	7	11	17	23	36
80-84	316	9.8	77	2	3	8	13	20	26	47
85+	97	13.0	154	2	3	11	17	25	32	99+
TOT. SINGLE DX	763	4.5	11	1	2	3	6	9	11	17
" MULTIPLE DX	6853	7.4	44	2	2	5	9	15	19	34
TOTAL 65-69 YRS	3646	6.4	32	2	2	5	8	13	16	29
70-74	2385	7.0	38	2	2	5	9	14	19	31
75-79	1141	8.2	50	2	2	6	11	16	22	36
80-84	341	9.7	76	2	3	7	13	20	25	43
85+	103	12.6	150	2	3	10	16	24	31	99+
GRAND TOTAL	**7616**	**7.1**	**41**	**2**	**2**	**5**	**9**	**14**	**19**	**32**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	94	4.1	15	<1	1	2	6	11	12	16
70-74	95	3.5	12	<1	<1	2	5	8	11	17
75-79	69	4.3	24	<1	<1	2	6	8	13	27
80-84	47	6.2	28	<1	<1	5	10	15	18	19
85+	37	6.2	38	1	1	4	9	16	21	24
2. MULTIPLE DX										
65-69 YRS	2086	9.7	72	1	2	8	13	20	25	44
70-74	2281	10.6	82	1	2	8	14	21	27	47
75-79	2156	11.5	84	2	3	9	15	23	29	47
80-84	1651	11.8	86	2	3	10	15	23	28	46
85+	1810	12.4	97	2	4	10	16	24	30	61
TOT. SINGLE DX	342	4.5	22	<1	1	2	6	11	14	22
" MULTIPLE DX	9984	11.1	85	2	3	9	15	22	28	47
TOTAL 65-69 YRS	2180	9.5	71	1	2	7	12	19	25	44
70-74	2376	10.3	81	1	2	8	14	21	27	46
75-79	2225	11.3	84	2	2	9	15	22	28	46
80-84	1698	11.6	86	2	3	10	15	23	28	46
85+	1847	12.2	97	2	4	10	16	24	30	60
GRAND TOTAL	**10326**	**10.9**	**84**	**1**	**2**	**9**	**14**	**22**	**28**	**47**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	179	3.1	5	1	1	3	4	5	7	14
70-74	98	3.0	2	1	1	3	4	5	6	8
75-79	56	4.5	19	1	1	3	6	9	10	29
80-84	28	4.5	9	1	2	3	6	10	11	11
85+	8	4.9	10	<1	1	4	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	263	5.9	63	1	1	4	6	11	18	43
70-74	172	5.6	36	1	2	4	6	13	18	30
75-79	95	7.6	72	1	2	4	9	17	24	44
80-84	41	8.1	147	1	2	4	9	16	23	75
85+	15	12.2	157	1	2	9	15	38	42	43
TOT. SINGLE DX	369	3.5	8	1	1	3	4	6	8	13
" MULTIPLE DX	586	6.4	66	1	2	4	7	13	20	44
TOTAL 65-69 YRS	442	4.8	42	1	1	3	5	9	13	36
70-74	270	4.7	26	1	1	3	5	10	14	23
75-79	151	6.5	55	1	1	4	8	14	21	35
80-84	69	6.7	94	1	2	4	8	12	17	66
85+	23	9.7	116	1	2	6	10	22	40	43
GRAND TOTAL	**955**	**5.3**	**46**	**1**	**1**	**3**	**5**	**11**	**16**	**36**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	262	8.0	16	2	4	7	10	14	16	19
70-74	237	7.8	16	1	3	7	10	13	15	19
75-79	143	8.5	15	2	4	8	10	14	16	21
80-84	76	9.5	26	2	4	9	12	15	19	28
85+	25	12.9	144	5	5	9	13	19	46	57
2. MULTIPLE DX										
65-69 YRS	3778	13.6	111	4	5	11	16	26	36	62
70-74	3396	14.1	121	4	5	11	16	27	37	66
75-79	2422	15.4	130	5	6	12	18	29	38	63
80-84	1200	16.8	154	5	7	14	20	32	43	73
85+	598	17.1	151	6	7	14	21	31	43	79
TOT. SINGLE DX	743	8.3	22	2	4	8	10	14	16	21
" MULTIPLE DX	11394	14.7	127	4	6	11	17	28	37	67
TOTAL 65-69 YRS	4040	13.3	108	4	5	10	15	25	35	61
70-74	3633	13.7	117	4	5	11	16	26	36	65
75-79	2565	15.0	126	5	6	12	18	28	37	63
80-84	1276	16.3	150	5	6	13	19	31	41	72
85+	623	16.9	151	6	7	13	20	31	43	79
GRAND TOTAL	**12137**	**14.3**	**122**	**4**	**5**	**11**	**17**	**27**	**37**	**66**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	1	23.0		23	23	23	23	23	23	23
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	17.0	28	13	13	15	21	23	23	23
70-74	2	12.5	13	10	10	12	15	15	15	15
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+										
TOT. SINGLE DX	1	23.0		23	23	23	23	23	23	23
" MULTIPLE DX	6	14.5	22	10	10	14	15	22	23	23
TOTAL 65-69 YRS	3	17.0	28	13	13	15	21	23	23	23
70-74	2	12.5	13	10	10	12	15	15	15	15
75-79	2	17.0	72	11	11	17	23	23	23	23
80-84										
85+										
GRAND TOTAL	**7**	**15.7**	**28**	**10**	**10**	**15**	**21**	**23**	**23**	**23**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	4.4	21	1	1	2	6	13	15	15
70-74	10	4.0	10	1	1	3	5	9	11	11
75-79	5	11.2	85	2	2	7	18	25	25	25
80-84	1	16.0		16	16	16	16	16	16	16
85+										
2. MULTIPLE DX										
65-69 YRS	1417	7.1	65	1	2	5	8	14	20	43
70-74	1203	7.8	74	1	2	5	9	15	22	51
75-79	886	7.5	48	1	2	5	10	16	20	34
80-84	382	8.4	81	1	2	6	10	18	23	44
85+	151	9.4	113	1	2	6	10	23	31	63
TOT. SINGLE DX	29	5.8	36	1	1	3	8	15	17	25
" MULTIPLE DX	4039	7.6	68	1	2	5	9	15	22	42
TOTAL 65-69 YRS	1430	7.0	65	1	2	5	8	14	20	43
70-74	1213	7.8	74	1	2	5	9	15	22	50
75-79	891	7.5	48	1	2	5	10	16	20	34
80-84	383	8.4	82	1	2	6	10	18	23	44
85+	151	9.4	114	1	2	6	10	23	31	63
GRAND TOTAL	**4068**	**7.6**	**68**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1006	5.8	14	1	2	5	8	11	13	18
70-74	968	6.0	20	1	2	5	8	11	14	22
75-79	697	6.2	23	1	2	5	8	11	14	23
80-84	327	6.2	20	1	2	5	8	11	15	22
85+	136	6.4	19	1	2	5	8	13	15	20
2. MULTIPLE DX										
65-69 YRS	9187	10.3	98	2	3	8	13	20	29	57
70-74	9092	10.7	101	2	3	8	13	21	29	60
75-79	6682	11.4	106	2	3	9	14	23	31	60
80-84	3436	12.3	119	2	3	9	15	24	34	65
85+	1784	13.2	125	3	4	11	17	26	35	91
TOT. SINGLE DX	3134	6.0	19	1	2	5	8	11	14	21
" MULTIPLE DX	30181	11.1	106	2	3	8	14	22	30	61
TOTAL 65-69 YRS	10193	9.9	92	2	2	7	12	19	28	55
70-74	10060	10.3	95	2	3	8	13	20	27	58
75-79	7379	10.9	101	2	3	8	13	22	30	58
80-84	3763	11.7	113	2	3	9	15	23	33	64
85+	1920	12.7	121	2	4	10	16	26	34	88
GRAND TOTAL	**33315**	**10.6**	**100**	**2**	**3**	**8**	**13**	**21**	**29**	**59**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	213	4.1	10	<1	1	3	6	8	11	14
70-74	151	4.6	19	<1	1	4	6	9	11	24
75-79	92	4.3	17	<1	1	3	6	9	14	19
80-84	42	5.1	33	<1	1	3	7	13	14	31
85+	23	5.0	22	<1	1	3	9	12	45	99+
2. MULTIPLE DX										
65-69 YRS	987	8.0	62	1	1	6	10	17	22	39
70-74	800	9.3	75	1	2	7	12	19	25	43
75-79	552	9.6	84	1	2	7	13	20	27	43
80-84	322	10.2	96	1	2	8	14	23	30	76
85+	179	10.3	61	2	2	9	15	21	25	42
TOT. SINGLE DX	521	4.4	17	<1	1	3	6	9	12	21
" MULTIPLE DX	2840	9.1	75	1	2	7	12	19	25	43
TOTAL 65-69 YRS	1200	7.3	56	1	1	5	9	16	21	37
70-74	951	8.5	69	1	1	6	11	18	24	42
75-79	644	8.9	78	1	1	6	12	19	25	42
80-84	364	9.6	91	1	1	7	13	22	29	66
85+	202	9.7	60	2	2	8	14	21	25	44
GRAND TOTAL	**3361**	**8.3**	**69**	**1**	**1**	**6**	**11**	**18**	**24**	**42**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	93	5.3	12	1	1	5	7	10	12	17
70-74	77	5.4	14	1	2	5	6	10	14	20
75-79	31	6.3	18	1	2	5	7	15	16	18
80-84	16	4.1	4	1	1	4	6	7	8	8
85+	7	6.9	21	1	1	5	10	13	14	14
2. MULTIPLE DX										
65-69 YRS	427	9.3	93	2	3	7	10	19	28	55
70-74	357	9.0	57	2	3	7	10	18	24	41
75-79	194	9.2	106	2	3	6	10	15	26	66
80-84	92	10.0	72	1	3	7	12	19	27	46
85+	70	8.7	37	1	2	7	12	18	23	85
TOT. SINGLE DX	224	5.4	14	1	1	5	7	10	14	18
" MULTIPLE DX	1140	9.2	79	2	3	7	11	18	25	50
TOTAL 65-69 YRS	520	8.6	81	2	2	6	9	17	23	51
70-74	434	8.4	52	2	3	6	10	17	24	38
75-79	225	8.8	95	2	3	6	10	15	24	62
80-84	108	9.1	67	1	2	7	11	18	23	46
85+	77	8.5	36	1	2	7	12	17	22	81
GRAND TOTAL	**1364**	**8.6**	**70**	**2**	**3**	**6**	**10**	**16**	**23**	**48**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	2	17.0	450	2	2	17	32	32	32	32
70-74	5	11.0	246	2	2	5	14	39	39	39
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	8.5	5	7	7	8	10	10	10	10
85+										
TOT. SINGLE DX	2	6.5	13	4	4	6	9	9	9	9
" MULTIPLE DX	10	10.7	180	1	1	5	10	35	39	39
TOTAL 65-69 YRS	3	14.3	246	2	2	9	26	32	32	32
70-74	5	11.0	247	2	2	5	14	39	39	39
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	8.5	5	7	7	8	10	10	10	10
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**12**	**10.0**	**151**	**1**	**2**	**5**	**9**	**34**	**38**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	115	5.4	50	1	2	5	8	10	16	44
70-74	106	6.2	20	1	2	5	8	11	15	23
75-79	73	7.0	34	1	2	5	10	12	14	35
80-84	64	7.1	60	2	2	5	9	12	16	53
85+	36	7.6	71	1	1	6	11	13	14	51
2. MULTIPLE DX										
65-69 YRS	2344	11.6	102	2	3	9	14	23	31	59
70-74	2790	11.6	88	3	4	9	14	22	29	49
75-79	2806	11.8	96	3	4	9	14	23	31	53
80-84	2191	11.6	86	3	4	9	14	22	30	56
85+	1786	11.9	93	3	4	10	14	21	28	59
TOT. SINGLE DX	394	6.7	43	1	2	5	8	11	15	37
" MULTIPLE DX	11917	11.7	93	3	4	9	14	22	30	55
TOTAL 65-69 YRS	2459	11.4	101	2	3	9	14	22	30	57
70-74	2896	11.4	87	3	3	9	14	22	29	48
75-79	2879	11.6	95	3	4	9	14	23	30	53
80-84	2255	11.5	86	3	4	9	14	22	29	56
85+	1822	11.8	94	3	4	10	14	21	28	58
GRAND TOTAL	**12311**	**11.5**	**93**	**3**	**3**	**9**	**14**	**22**	**30**	**54**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	6.0	22	1	1	5	8	15	16	17
70-74	43	7.2	53	1	1	5	9	18	23	32
75-79	27	7.8	136	1	1	3	11	15	24	61
80-84	14	7.6	68	1	1	6	9	17	29	33
85+	4	15.0	330	3	3	7	25	42	42	42
2. MULTIPLE DX										
65-69 YRS	1639	13.1	154	1	2	9	17	29	39	64
70-74	1465	13.7	147	2	3	10	18	29	38	56
75-79	1051	15.0	176	2	3	11	19	33	44	76
80-84	703	15.7	176	2	4	12	20	32	44	78
85+	587	16.1	162	3	5	13	20	33	42	90
TOT. SINGLE DX	136	7.2	67	1	1	5	9	15	19	45
" MULTIPLE DX	5445	14.3	161	2	3	11	19	31	41	71
TOTAL 65-69 YRS	1687	12.9	152	1	2	9	17	29	39	63
70-74	1508	13.5	146	2	3	10	18	29	37	56
75-79	1078	14.8	176	2	3	11	19	33	44	76
80-84	717	15.5	175	2	4	12	20	32	43	78
85+	591	16.1	163	3	5	13	20	33	42	89
GRAND TOTAL	**5581**	**14.1**	**160**	**2**	**3**	**11**	**19**	**30**	**40**	**70**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	100	4.8	18	<1	<1	4	7	11	12	20
70-74	86	4.5	16	<1	<1	3	6	10	12	20
75-79	63	5.2	25	<1	<1	4	7	13	17	20
80-84	55	4.0	32	<1	<1	2	5	9	13	36
85+	24	4.8	16	<1	<1	4	7	11	13	16
2. MULTIPLE DX										
65-69 YRS	1216	9.6	101	1	2	7	12	21	28	72
70-74	1278	9.5	85	1	2	7	12	21	28	52
75-79	1010	9.6	85	1	2	7	12	20	26	53
80-84	760	9.5	75	1	2	7	12	20	25	44
85+	643	10.2	84	2	2	7	13	21	29	44
TOT. SINGLE DX	328	4.7	21	<1	<1	3	6	11	13	20
" MULTIPLE DX	4907	9.6	88	1	2	7	12	20	27	52
TOTAL 65-69 YRS	1316	9.2	97	1	1	7	11	19	28	71
70-74	1364	9.2	82	1	2	6	12	20	27	52
75-79	1073	9.4	83	1	2	7	12	19	25	52
80-84	815	9.2	75	1	2	7	12	19	25	43
85+	667	10.0	83	1	2	7	13	21	29	44
GRAND TOTAL	**5235**	**9.3**	**85**	**1**	**2**	**7**	**12**	**20**	**27**	**50**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	6.7	16	3	3	6	10	11	11	11
70-74	3	12.0	31	6	6	13	16	17	17	17
75-79	3	7.0	19	4	4	5	10	12	12	12
80-84	2	6.0		6	6	6	6	6	6	6
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	30	19.9	207	7	8	16	32	45	62	99+
70-74	29	19.8	118	7	8	18	25	35	43	48
75-79	32	17.0	93	7	8	15	21	33	44	99+
80-84	24	19.6	171	4	8	16	24	33	51	62
85+	22	21.1	196	10	10	17	22	43	52	64
TOT. SINGLE DX	12	8.0	18	3	4	6	11	14	17	17
" MULTIPLE DX	137	19.3	151	7	8	16	25	39	48	99+
TOTAL 65-69 YRS	33	18.7	204	4	7	12	31	41	61	99+
70-74	32	19.0	114	6	8	17	23	35	42	48
75-79	35	16.2	94	5	7	14	20	30	44	99+
80-84	26	18.5	172	4	6	15	24	32	50	62
85+	23	20.5	196	9	10	17	21	42	51	64
GRAND TOTAL	**149**	**18.4**	**150**	**6**	**7**	**15**	**23**	**37**	**47**	**99**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	9.4	63	1	2	7	12	22	26	29
70-74	13	9.0	62	1	2	6	13	21	27	29
75-79	15	10.4	294	1	2	4	11	21	57	69
80-84	13	13.3	71	1	3	11	23	24	26	26
85+	20	10.8	294	1	2	4	12	26	52	75
2. MULTIPLE DX										
65-69 YRS	523	19.7	294	3	5	15	25	44	63	99+
70-74	701	19.9	303	3	4	15	27	47	70	99+
75-79	865	19.6	266	3	5	15	26	45	70	99+
80-84	896	20.4	301	3	4	16	28	46	67	99+
85+	1285	18.9	263	3	4	15	25	41	57	99+
TOT. SINGLE DX	82	10.5	157	1	2	6	13	24	29	73
" MULTIPLE DX	4270	19.6	283	3	4	15	26	44	66	99+
TOTAL 65-69 YRS	544	19.3	290	3	4	15	24	41	62	99+
70-74	714	19.7	301	3	4	15	27	46	70	99+
75-79	880	19.4	269	3	5	15	26	45	70	99+
80-84	909	20.3	299	3	4	15	27	45	67	99+
85+	1305	18.7	264	3	4	14	25	41	57	99+
GRAND TOTAL	**4352**	**19.4**	**282**	**3**	**4**	**15**	**26**	**44**	**66**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	79	5.3	10	<1	<1	5	8	9	11	16
70-74	74	6.2	39	<1	2	5	7	12	14	41
75-79	70	5.3	12	<1	<1	5	7	10	12	18
80-84	33	5.2	15	<1	<1	4	7	10	15	17
85+	31	6.4	21	1	2	5	7	13	16	22
2. MULTIPLE DX										
65-69 YRS	1586	8.6	58	2	3	7	10	16	21	45
70-74	1861	9.0	58	2	3	7	10	17	23	44
75-79	1781	9.4	62	3	3	7	11	18	24	42
80-84	1353	9.9	68	3	4	8	12	18	24	49
85+	1144	11.0	94	3	4	8	13	21	27	57
TOT. SINGLE DX	287	5.6	20	<1	1	5	7	10	13	19
" MULTIPLE DX	7725	9.5	67	2	3	7	11	18	24	46
TOTAL 65-69 YRS	1665	8.5	56	2	3	7	10	15	21	45
70-74	1935	8.9	58	2	3	7	10	17	23	44
75-79	1851	9.3	61	2	3	7	11	17	23	42
80-84	1386	9.8	67	3	3	8	12	18	24	48
85+	1175	10.9	93	3	4	8	13	21	27	55
GRAND TOTAL	**8012**	**9.3**	**66**	**2**	**3**	**7**	**11**	**17**	**23**	**45**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	58	11.7	38	7	7	10	12	16	21	46
70-74	52	11.6	27	6	7	10	13	20	23	31
75-79	45	12.3	31	7	8	11	14	17	24	35
80-84	24	13.4	32	7	8	12	16	21	25	32
85+	5	13.2	61	9	9	9	16	27	27	27
2. MULTIPLE DX										
65-69 YRS	642	17.7	132	7	8	14	21	31	42	68
70-74	668	18.3	153	8	8	15	21	33	47	79
75-79	555	18.7	107	8	9	16	23	34	42	66
80-84	330	21.1	207	8	9	17	25	38	51	84
85+	243	23.4	233	9	10	19	28	45	54	88
TOT. SINGLE DX	184	12.1	33	7	7	10	13	18	23	34
" MULTIPLE DX	2438	19.1	156	8	9	16	22	34	46	77
TOTAL 65-69 YRS	700	17.2	128	7	8	14	20	30	41	64
70-74	720	17.8	147	7	8	14	20	32	47	78
75-79	600	18.2	105	8	9	15	22	33	41	63
80-84	354	20.6	200	8	9	16	24	37	50	84
85+	248	23.2	232	9	10	18	28	45	54	88
GRAND TOTAL	**2622**	**18.6**	**150**	**8**	**9**	**15**	**22**	**33**	**45**	**75**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	14.1	28	7	7	14	17	22	23	23
70-74	15	17.1	61	8	8	16	20	27	35	38
75-79	3	19.3	56	12	12	19	25	27	27	27
80-84	3	20.7	36	15	15	20	25	27	27	27
85+	3	18.0	19	13	13	20	21	21	21	21
2. MULTIPLE DX										
65-69 YRS	165	21.4	192	9	10	17	25	37	49	80
70-74	135	19.7	105	9	11	17	23	38	48	99+
75-79	100	23.0	202	9	11	19	29	38	57	96
80-84	37	21.3	129	10	11	16	27	35	45	58
85+	17	26.3	247	10	11	22	36	42	61	71
TOT. SINGLE DX	31	17.1	46	8	9	16	21	27	27	38
" MULTIPLE DX	454	21.4	167	9	11	18	26	38	48	98
TOTAL 65-69 YRS	172	21.1	188	9	10	17	25	36	48	79
70-74	150	19.4	101	9	11	17	23	38	47	99+
75-79	103	22.9	198	9	11	19	28	36	55	96
80-84	40	21.3	122	10	11	17	27	35	44	58
85+	20	25.1	219	10	11	20	33	40	57	71
GRAND TOTAL	**485**	**21.1**	**160**	**9**	**11**	**18**	**26**	**37**	**47**	**96**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	9.5	9	5	6	9	11	15	15	15
70-74	11	12.0	22	8	8	10	15	20	21	21
75-79	14	14.0	47	8	9	12	14	29	29	29
80-84	8	13.9	36	9	9	12	14	24	28	28
85+	4	15.0	18	9	9	16	18	19	19	19
2. MULTIPLE DX										
65-69 YRS	159	15.0	93	6	7	12	18	29	39	99+
70-74	157	19.6	325	7	8	13	20	42	67	98
75-79	155	19.3	161	8	9	15	24	34	48	65
80-84	69	18.4	100	8	8	15	23	31	38	57
85+	47	19.3	109	8	9	16	24	32	45	50
TOT. SINGLE DX	54	12.2	29	6	8	10	14	19	27	29
" MULTIPLE DX	587	18.1	178	7	8	14	21	33	48	92
TOTAL 65-69 YRS	176	14.5	88	6	7	12	17	28	35	99+
70-74	168	19.1	309	8	8	13	19	37	62	98
75-79	169	18.9	154	8	9	14	23	34	47	64
80-84	77	17.9	95	8	8	15	22	30	38	56
85+	51	19.0	103	8	9	16	23	31	45	50
GRAND TOTAL	**641**	**17.6**	**168**	**7**	**8**	**13**	**21**	**32**	**46**	**87**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	56	8.7	15	3	5	8	10	15	16	23
70-74	45	9.2	13	5	6	9	11	14	16	22
75-79	45	11.6	36	5	6	10	14	18	19	39
80-84	19	12.6	53	5	6	11	14	24	31	33
85+	21	12.0	75	1	4	11	15	18	30	44
2. MULTIPLE DX										
65-69 YRS	733	16.5	194	6	7	12	19	32	49	93
70-74	682	16.8	144	6	7	13	20	32	42	61
75-79	614	17.9	161	6	7	14	22	33	48	77
80-84	464	18.4	134	7	8	15	23	36	42	68
85+	422	17.9	141	7	8	14	23	35	44	99+
TOT. SINGLE DX	186	10.3	32	4	6	9	12	17	18	37
" MULTIPLE DX	2915	17.4	159	6	7	13	21	33	45	80
TOTAL 65-69 YRS	789	15.9	186	6	7	11	19	31	48	92
70-74	727	16.3	140	6	7	12	20	31	40	61
75-79	659	17.4	155	6	7	14	21	33	46	76
80-84	483	18.2	132	7	8	15	23	35	42	67
85+	443	17.6	140	6	8	14	22	35	44	99+
GRAND TOTAL	**3101**	**16.9**	**154**	**6**	**7**	**13**	**21**	**33**	**43**	**79**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	180	3.7	11	<1	<1	2	6	9	10	14
70-74	158	3.7	18	<1	<1	2	5	9	11	14
75-79	135	4.7	81	<1	<1	2	5	10	15	35
80-84	74	4.3	17	<1	<1	2	7	11	13	17
85+	39	4.6	20	<1	1	3	7	10	14	22
2. MULTIPLE DX										
65-69 YRS	2221	8.4	61	1	2	6	10	17	23	37
70-74	2679	8.6	57	1	2	7	11	17	22	40
75-79	2450	9.1	72	1	2	7	11	17	24	48
80-84	1827	9.7	76	1	2	8	12	19	26	52
85+	1392	10.7	107	2	3	8	13	20	29	66
TOT. SINGLE DX	586	4.1	31	<1	<1	2	6	9	12	20
" MULTIPLE DX	10569	9.1	72	1	2	7	11	18	24	46
TOTAL 65-69 YRS	2401	8.0	59	1	1	6	10	16	22	36
70-74	2837	8.3	57	1	1	7	11	16	22	40
75-79	2585	8.9	74	1	2	7	11	17	23	48
80-84	1901	9.4	75	1	2	7	12	19	25	50
85+	1431	10.6	106	1	2	8	13	20	28	65
GRAND TOTAL	**11155**	**8.8**	**71**	**1**	**2**	**7**	**11**	**17**	**24**	**46**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	11.1	35	5	6	9	12	21	26	29
70-74	28	10.2	28	5	6	9	11	14	19	33
75-79	32	11.5	30	6	6	10	14	21	25	25
80-84	27	11.7	36	5	7	10	12	19	28	31
85+	26	13.5	51	4	6	11	18	25	29	29
2. MULTIPLE DX										
65-69 YRS	676	18.7	191	7	8	14	23	38	50	96
70-74	716	18.4	186	7	8	14	21	34	47	83
75-79	660	19.0	183	7	8	15	22	34	47	85
80-84	503	18.3	140	7	9	15	22	34	42	73
85+	373	19.2	130	7	9	16	23	38	45	93
TOT. SINGLE DX	161	11.5	36	5	6	10	14	20	26	31
" MULTIPLE DX	2928	18.7	172	7	8	15	22	35	46	85
TOTAL 65-69 YRS	724	18.2	185	7	8	14	22	35	48	92
70-74	744	18.1	183	7	8	14	21	33	46	82
75-79	692	18.6	179	7	8	15	22	33	47	83
80-84	530	18.0	137	7	8	14	22	33	42	72
85+	399	18.9	127	7	9	16	23	36	44	87
GRAND TOTAL	**3089**	**18.3**	**167**	**7**	**8**	**14**	**22**	**34**	**45**	**84**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	565	9.9	9	6	7	9	11	13	16	21
70-74	497	9.9	10	6	7	9	11	13	16	23
75-79	388	10.8	15	7	7	10	12	15	17	25
80-84	217	12.1	40	7	8	10	13	17	23	43
85+	101	12.8	26	7	8	12	15	19	24	30
2. MULTIPLE DX										
65-69 YRS	4876	14.2	90	7	8	11	16	23	32	59
70-74	5194	15.0	91	7	8	12	17	25	33	58
75-79	4666	16.0	98	8	8	13	19	28	35	63
80-84	3292	17.1	110	8	9	14	20	29	38	70
85+	2284	18.4	107	8	9	16	22	31	37	64
TOT. SINGLE DX	1768	10.5	17	6	7	10	12	15	17	26
" MULTIPLE DX	20312	15.8	100	7	8	13	18	27	35	61
TOTAL 65-69 YRS	5441	13.7	84	7	7	11	15	22	30	58
70-74	5691	14.5	87	7	8	12	16	24	32	58
75-79	5054	15.6	94	7	8	13	18	27	34	60
80-84	3509	16.8	108	8	9	14	20	29	37	66
85+	2385	18.2	105	8	9	15	22	31	37	63
GRAND TOTAL	**22080**	**15.3**	**95**	**7**	**8**	**12**	**18**	**26**	**34**	**59**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	7.6	7	3	4	7	9	11	13	15
70-74	25	11.2	18	6	7	10	13	17	20	24
75-79	16	10.1	9	5	6	10	12	14	15	15
80-84	8	14.9	111	2	4	11	20	32	36	36
85+	5	12.8	19	7	7	13	15	19	19	19
2. MULTIPLE DX										
65-69 YRS	254	16.1	128	6	7	12	20	30	39	79
70-74	268	16.8	148	6	7	14	20	29	35	74
75-79	242	18.0	140	6	8	14	22	33	48	73
80-84	178	16.9	121	6	7	14	20	27	42	64
85+	153	18.0	132	8	9	14	22	35	42	99
TOT. SINGLE DX	73	10.5	27	5	6	9	13	16	19	33
" MULTIPLE DX	1095	17.1	135	6	8	14	21	30	41	76
TOTAL 65-69 YRS	273	15.5	125	5	7	12	19	29	38	79
70-74	293	16.4	140	6	7	13	19	28	33	72
75-79	258	17.5	136	6	8	14	21	32	47	72
80-84	186	16.8	120	6	7	14	20	27	40	64
85+	158	17.9	129	8	9	14	21	35	42	97
GRAND TOTAL	**1168**	**16.7**	**131**	**6**	**7**	**13**	**20**	**29**	**39**	**75**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	152	8.1	8	3	5	8	10	11	13	17
70-74	131	8.1	7	4	5	8	10	11	12	16
75-79	100	8.2	16	3	4	8	10	12	13	25
80-84	65	8.8	12	3	5	9	11	14	14	18
85+	33	8.8	14	2	4	9	11	13	15	16
2. MULTIPLE DX										
65-69 YRS	1084	13.4	105	5	6	10	15	25	35	63
70-74	1014	13.3	100	5	6	10	15	24	35	54
75-79	856	13.9	112	5	6	11	16	24	34	75
80-84	513	14.5	118	4	6	12	18	25	35	69
85+	363	14.7	80	5	7	12	18	25	35	49
TOT. SINGLE DX	481	8.3	11	3	4	8	10	12	14	17
" MULTIPLE DX	3830	13.7	105	5	6	11	16	24	35	59
TOTAL 65-69 YRS	1236	12.7	97	4	6	10	14	23	33	60
70-74	1145	12.7	92	4	6	10	14	22	33	53
75-79	956	13.3	106	4	6	10	15	23	32	71
80-84	578	13.8	109	4	5	11	16	24	34	68
85+	396	14.2	78	4	6	12	17	25	33	49
GRAND TOTAL	**4311**	**13.1**	**98**	**4**	**6**	**10**	**15**	**23**	**33**	**57**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	25	11.2	26	5	6	11	13	15	19	30
70-74	11	10.5	16	3	5	11	14	16	17	17
75-79	13	12.4	76	3	5	10	17	27	32	33
80-84	16	13.3	18	8	10	12	16	19	22	24
85+	8	16.6	146	4	5	12	22	37	42	42
2. MULTIPLE DX										
65-69 YRS	403	19.1	191	6	7	15	24	38	51	97
70-74	464	19.0	166	7	8	15	23	37	46	99
75-79	438	20.1	185	7	8	16	26	38	53	99+
80-84	328	20.6	178	7	8	17	26	41	52	99+
85+	309	19.7	148	6	8	16	25	37	47	73
TOT. SINGLE DX	73	12.3	45	4	6	11	14	19	25	40
" MULTIPLE DX	1942	19.6	175	7	8	16	25	38	50	99
TOTAL 65-69 YRS	428	18.6	185	6	7	15	23	37	51	96
70-74	475	18.8	165	7	8	15	23	36	45	98
75-79	451	19.9	184	6	8	16	25	37	53	98
80-84	344	20.3	173	7	8	17	25	41	50	99+
85+	317	19.6	148	6	8	16	25	37	47	73
GRAND TOTAL	**2015**	**19.4**	**172**	**6**	**8**	**16**	**24**	**37**	**50**	**96**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	310	5.8	8	2	3	5	7	10	11	16
70-74	170	5.9	10	3	3	5	7	10	12	18
75-79	94	6.9	16	3	3	6	8	11	15	22
80-84	48	6.3	7	3	4	6	8	10	11	15
85+	27	6.3	18	2	2	5	8	13	15	17
2. MULTIPLE DX										
65-69 YRS	713	9.3	41	3	4	8	11	16	21	37
70-74	613	10.4	61	4	4	9	12	17	22	41
75-79	341	10.7	71	3	4	9	12	18	26	50
80-84	212	12.7	81	5	6	10	14	24	31	44
85+	144	12.9	98	4	5	11	15	20	30	63
TOT. SINGLE DX	649	6.0	11	3	3	5	7	10	12	19
" MULTIPLE DX	2023	10.5	62	3	4	9	12	18	24	41
TOTAL 65-69 YRS	1023	8.3	34	3	3	7	10	14	19	30
70-74	783	9.4	54	3	4	8	11	16	21	38
75-79	435	9.9	62	3	4	8	11	17	24	48
80-84	260	11.5	73	4	5	9	13	21	28	43
85+	171	11.8	91	3	4	10	14	19	28	61
GRAND TOTAL	**2672**	**9.4**	**53**	**3**	**4**	**8**	**11**	**16**	**21**	**38**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	11.0	16	7	7	11	14	15	15	15
70-74	3	18.7	69	12	12	16	25	28	28	28
75-79	2	26.5	545	10	10	26	43	43	43	43
80-84	1	22.0		22	22	22	22	22	22	22
85+	1	31.0		31	31	31	31	31	31	31
TOT. SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
" MULTIPLE DX	10	19.5	130	7	8	15	28	37	43	43
TOTAL 65-69 YRS	5	8.4	21	4	4	7	12	15	15	15
70-74	3	18.7	69	12	12	16	25	28	28	28
75-79	2	26.5	545	10	10	26	43	43	43	43
80-84	1	22.0		22	22	22	22	22	22	22
85+	1	31.0		31	31	31	31	31	31	31
GRAND TOTAL	**12**	**17.0**	**141**	**4**	**5**	**13**	**25**	**35**	**42**	**43**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	13.0	28	9	9	11	17	19	19	19
70-74	3	6.0	13	2	2	7	8	9	9	9
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	10	11.5	54	6	7	9	11	22	32	32
70-74	8	15.1	32	8	8	15	19	23	24	24
75-79	8	16.0	106	10	10	12	15	33	41	41
80-84	4	19.0	36	15	15	16	22	28	28	28
85+	3	8.7	9	6	6	8	11	12	12	12
TOT. SINGLE DX	8	9.3	23	2	3	9	10	17	19	19
" MULTIPLE DX	33	14.1	59	6	8	12	16	25	31	41
TOTAL 65-69 YRS	13	11.8	46	6	8	9	11	22	30	32
70-74	11	12.6	44	2	5	11	18	22	24	24
75-79	9	15.2	99	9	9	12	15	31	41	41
80-84	4	19.0	37	15	15	16	22	28	28	28
85+	4	8.5	6	6	6	8	10	12	12	12
GRAND TOTAL	**41**	**13.2**	**55**	**6**	**7**	**11**	**16**	**22**	**30**	**41**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	115	4.1	31	<1	1	2	4	8	15	34
70-74	141	2.6	4	<1	<1	2	3	5	6	10
75-79	95	3.0	4	1	1	2	4	5	8	11
80-84	79	4.0	12	1	1	3	5	9	12	18
85+	59	4.0	24	<1	1	3	5	7	9	35
2. MULTIPLE DX										
65-69 YRS	469	6.5	40	1	1	5	9	14	17	32
70-74	532	7.1	44	1	1	5	10	15	19	33
75-79	547	8.0	64	1	2	6	10	17	21	36
80-84	468	9.0	100	1	2	6	12	20	26	64
85+	400	8.0	42	1	2	6	11	16	22	32
TOT. SINGLE DX	489	3.4	15	<1	1	2	4	7	10	19
" MULTIPLE DX	2416	7.7	59	1	2	6	10	16	22	38
TOTAL 65-69 YRS	584	6.0	39	1	1	4	8	13	17	33
70-74	673	6.1	39	1	1	4	8	13	18	31
75-79	642	7.3	59	1	2	5	9	16	20	36
80-84	547	8.3	91	1	2	5	11	18	25	52
85+	459	7.5	42	1	2	6	10	15	21	35
GRAND TOTAL	**2905**	**7.0**	**54**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	32	2.5	2	1	1	2	3	4	6	6
70-74	20	4.1	13	<1	1	3	5	10	13	14
75-79	11	3.3	5	<1	<1	3	5	7	8	8
80-84	9	3.3	1	2	2	3	4	5	5	5
85+	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	153	6.3	31	1	2	4	8	12	16	28
70-74	139	7.9	63	2	2	5	9	20	24	40
75-79	84	8.2	72	1	1	5	9	18	26	42
80-84	50	7.9	30	1	2	7	10	15	22	24
85+	26	13.6	211	3	4	8	15	35	53	61
TOT. SINGLE DX	76	3.1	6	1	1	3	4	6	7	14
" MULTIPLE DX	452	7.7	61	1	2	5	9	16	23	40
TOTAL 65-69 YRS	185	5.6	28	1	1	4	7	12	15	27
70-74	159	7.4	59	1	2	5	9	18	23	37
75-79	95	7.6	67	1	1	5	9	16	23	42
80-84	59	7.2	29	1	2	6	9	15	20	24
85+	30	12.2	197	1	3	7	13	29	51	61
GRAND TOTAL	**528**	**7.1**	**56**	**1**	**1**	**5**	**8**	**15**	**22**	**38**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	161	11.1	15	6	8	10	12	16	18	23
70-74	143	11.8	32	5	6	11	14	18	21	33
75-79	81	11.9	18	6	7	11	15	17	20	24
80-84	48	13.1	24	8	9	13	15	18	19	38
85+	21	11.6	13	5	7	12	13	16	17	18
2. MULTIPLE DX										
65-69 YRS	1125	16.1	92	8	9	13	18	26	34	61
70-74	1197	16.2	80	8	9	14	19	27	36	59
75-79	890	18.0	127	8	9	15	21	31	43	66
80-84	564	18.9	116	8	9	16	23	31	38	65
85+	354	20.2	135	8	10	17	24	36	44	75
TOT. SINGLE DX	454	11.7	23	6	7	11	14	17	19	30
" MULTIPLE DX	4130	17.3	105	8	9	14	20	29	38	63
TOTAL 65-69 YRS	1286	15.5	85	7	8	13	18	25	32	58
70-74	1340	15.7	77	8	9	13	18	26	34	55
75-79	971	17.5	122	8	9	14	20	30	42	65
80-84	612	18.4	111	8	9	16	23	31	38	61
85+	375	19.7	132	8	10	17	24	35	44	74
GRAND TOTAL	**4584**	**16.7**	**100**	**8**	**9**	**14**	**19**	**28**	**37**	**61**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	510	4.2	10	<1	<1	4	5	8	10	17
70-74	453	4.5	13	<1	<1	4	6	9	11	16
75-79	339	4.9	14	<1	1	4	6	10	12	20
80-84	204	5.4	22	<1	1	5	7	10	14	26
85+	196	5.5	14	<1	1	5	7	10	14	18
2. MULTIPLE DX										
65-69 YRS	8838	7.5	43	2	3	6	9	14	18	35
70-74	9732	8.0	50	2	3	6	10	15	20	38
75-79	9214	8.5	55	2	3	7	10	16	21	40
80-84	7174	8.9	55	2	3	7	11	17	22	41
85+	6101	9.2	62	2	3	7	11	17	22	44
TOT. SINGLE DX	1702	4.7	14	<1	<1	4	6	9	11	18
" MULTIPLE DX	41059	8.4	53	2	3	7	10	16	21	39
TOTAL 65-69 YRS	9348	7.3	42	2	2	6	9	14	18	34
70-74	10185	7.9	49	2	3	6	9	15	20	38
75-79	9553	8.3	55	2	3	7	10	16	20	39
80-84	7378	8.8	55	2	3	7	11	17	22	41
85+	6297	9.1	61	2	3	7	11	17	22	43
GRAND TOTAL	**42761**	**8.2**	**52**	**2**	**3**	**6**	**10**	**15**	**20**	**39**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	62	2.2	1	<1	1	2	3	4	5	8
70-74	42	2.5	2	<1	<1	2	3	5	6	7
75-79	22	2.3	2	1	1	2	3	5	5	5
80-84	7	2.0	1	1	1	2	3	3	3	3
85+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	230	3.6	6	1	1	3	4	6	10	13
70-74	136	3.6	10	1	1	3	4	6	11	17
75-79	67	4.7	52	1	1	4	5	8	10	51
80-84	26	5.7	110	<1	1	3	6	8	18	56
85+	12	6.3	41	1	1	4	8	19	19	19
TOT. SINGLE DX	135	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	471	3.9	21	1	1	3	4	7	10	19
TOTAL 65-69 YRS	292	3.3	6	1	1	3	4	5	8	13
70-74	178	3.3	8	1	1	3	4	6	9	17
75-79	89	4.1	41	1	1	3	5	7	9	44
80-84	33	4.9	89	1	1	3	5	7	9	56
85+	14	6.1	36	1	1	4	7	19	19	19
GRAND TOTAL	**606**	**3.6**	**17**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	32	2.2	2	<1	<1	2	3	4	5	8
70-74	19	2.7	2	<1	<1	3	4	5	6	6
75-79	14	2.9	3	<1	1	3	3	5	7	8
80-84	12	1.9		<1	<1	2	2	3	4	4
85+	8	3.4	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	227	4.1	29	1	1	3	5	8	11	29
70-74	161	4.2	25	1	1	3	5	8	10	25
75-79	120	5.3	64	1	1	4	6	9	11	39
80-84	75	6.6	42	1	1	5	8	14	19	32
85+	41	7.6	75	1	2	6	9	11	18	55
TOT. SINGLE DX	85	2.5	2	<1	1	2	3	4	6	8
" MULTIPLE DX	624	4.9	41	1	1	3	6	9	12	31
TOTAL 65-69 YRS	259	3.9	26	1	1	3	4	7	10	27
70-74	180	4.0	23	1	1	3	4	7	10	24
75-79	134	5.1	59	1	1	4	6	8	10	30
80-84	87	5.9	39	1	1	4	7	13	18	32
85+	49	6.9	66	1	2	5	9	11	13	55
GRAND TOTAL	**709**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**11**	**30**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	106	3.2	2	1	1	3	4	5	6	9
70-74	54	3.1	3	1	1	3	4	6	7	7
75-79	39	4.2	29	1	2	3	4	6	7	36
80-84	11	2.2	1	1	1	2	3	4	5	5
85+	10	2.7	1	1	1	3	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	1239	4.3	10	1	2	4	5	8	10	16
70-74	802	4.9	19	1	2	4	6	9	13	22
75-79	487	5.2	16	1	2	4	6	10	12	24
80-84	241	6.0	19	1	2	5	8	12	15	24
85+	126	6.9	54	2	2	5	8	13	16	38
TOT. SINGLE DX	220	3.3	7	1	1	3	4	5	6	9
" MULTIPLE DX	2895	4.9	17	1	2	4	6	9	12	21
TOTAL 65-69 YRS	1345	4.2	10	1	1	4	5	7	10	16
70-74	856	4.8	18	1	1	4	6	9	12	22
75-79	526	5.1	18	1	2	4	6	10	12	24
80-84	252	5.9	19	1	2	5	8	12	15	23
85+	136	6.6	51	2	2	5	8	13	16	33
GRAND TOTAL	**3115**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	58	3.0	4	1	1	3	4	5	6	13
70-74	48	3.0	4	1	1	2	4	5	7	10
75-79	24	5.0	44	<1	1	3	5	9	21	32
80-84	22	3.5	4	1	1	3	5	6	7	8
85+	12	9.8	326	1	2	4	6	30	61	66
2. MULTIPLE DX										
65-69 YRS	300	5.5	56	1	1	4	6	11	15	31
70-74	210	6.1	35	1	1	4	8	13	19	28
75-79	162	8.0	111	1	2	5	8	18	25	60
80-84	106	8.3	94	1	1	5	9	20	30	84
85+	87	6.4	17	2	2	6	8	11	16	23
TOT. SINGLE DX	164	3.9	35	1	1	3	4	6	8	30
" MULTIPLE DX	865	6.6	63	1	1	4	8	14	20	43
TOTAL 65-69 YRS	358	5.1	49	1	1	4	6	10	14	30
70-74	258	5.5	31	1	1	4	7	11	16	27
75-79	186	7.6	103	1	1	4	8	18	25	59
80-84	128	7.5	82	1	1	5	8	19	27	78
85+	99	6.8	53	2	2	5	7	11	16	46
GRAND TOTAL	**1029**	**6.1**	**60**	**1**	**1**	**4**	**7**	**12**	**19**	**37**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	3.5	13	1	1	3	6	6	6	6
70-74	5	2.8	5	<1	<1	2	3	7	7	7
75-79	3	8.7	86	1	1	6	16	19	19	19
80-84	4	8.3	21	4	4	7	12	14	14	14
85+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	50	16.9	140	2	3	16	21	34	44	50
70-74	40	19.9	254	1	2	16	28	36	50	80
75-79	56	18.2	131	1	3	18	25	33	36	51
80-84	34	20.1	288	2	5	14	30	48	59	67
85+	11	13.8	69	4	5	13	19	26	31	32
TOT. SINGLE DX	16	5.9	28	<1	1	4	8	14	17	19
" MULTIPLE DX	191	18.3	183	2	3	16	25	35	46	64
TOTAL 65-69 YRS	52	16.4	142	2	3	16	21	34	44	50
70-74	45	18.0	256	1	2	15	28	36	48	80
75-79	59	17.7	132	1	2	18	25	33	36	51
80-84	38	18.8	272	2	4	13	26	44	59	67
85+	13	12.8	67	3	4	12	16	24	30	32
GRAND TOTAL	**207**	**17.3**	**182**	**1**	**3**	**15**	**23**	**35**	**44**	**62**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	110	3.3	14	<1	1	1	4	9	12	18
70-74	81	3.8	25	<1	1	1	5	10	12	26
75-79	47	3.0	11	<1	<1	1	3	9	10	16
80-84	21	8.2	129	1	1	2	12	22	33	46
85+	5	4.4	14	1	1	4	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	1088	9.1	73	1	1	7	12	20	25	41
70-74	959	10.5	109	1	1	8	14	21	28	58
75-79	724	11.1	108	1	1	9	14	22	29	56
80-84	367	11.9	90	1	2	10	16	23	32	48
85+	183	13.4	111	2	3	10	19	26	30	52
TOT. SINGLE DX	264	3.8	28	<1	1	1	5	10	13	25
" MULTIPLE DX	3321	10.5	97	1	1	8	14	21	28	51
TOTAL 65-69 YRS	1198	8.6	71	1	1	7	12	19	24	40
70-74	1040	10.0	106	1	1	8	13	21	27	57
75-79	771	10.6	106	1	1	8	14	22	29	55
80-84	388	11.7	93	1	2	9	16	23	32	48
85+	188	13.1	111	2	3	10	18	26	30	51
GRAND TOTAL	**3585**	**10.0**	**95**	**1**	**1**	**8**	**13**	**21**	**27**	**49**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1714	6.2	7	3	4	6	7	9	10	14
70-74	1099	6.7	7	3	4	6	8	10	12	15
75-79	610	7.3	9	4	4	7	9	11	13	17
80-84	249	8.3	12	4	5	8	10	13	14	22
85+	162	9.1	19	4	4	8	11	14	17	24
2. MULTIPLE DX										
65-69 YRS	7945	9.4	39	4	5	8	11	15	19	35
70-74	7016	10.3	43	4	5	9	12	17	21	36
75-79	5245	11.7	60	5	5	10	14	19	25	45
80-84	3136	13.1	67	5	6	11	16	22	28	50
85+	2133	15.1	98	6	7	13	18	25	33	67
TOT. SINGLE DX	3834	6.8	9	3	4	6	8	10	12	17
" MULTIPLE DX	25475	11.1	56	4	5	9	13	19	24	43
TOTAL 65-69 YRS	9659	8.8	35	4	4	7	10	14	18	33
70-74	8115	9.8	40	4	5	8	12	16	21	34
75-79	5855	11.2	57	5	5	9	13	19	24	43
80-84	3385	12.7	65	5	6	11	15	22	27	47
85+	2295	14.7	95	6	7	12	17	24	32	62
GRAND TOTAL	**29309**	**10.5**	**52**	**4**	**5**	**9**	**12**	**18**	**23**	**41**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	71	7.3	40	1	1	7	10	14	17	34
70-74	79	8.8	37	1	1	9	13	17	21	24
75-79	75	7.6	44	1	1	7	11	17	20	32
80-84	45	6.4	24	1	1	5	10	14	16	18
85+	64	8.9	58	1	1	9	12	17	18	47
2. MULTIPLE DX										
65-69 YRS	754	13.2	91	2	3	11	17	24	30	58
70-74	831	15.0	126	2	4	13	19	27	35	59
75-79	819	14.2	92	2	4	13	18	26	32	52
80-84	645	15.6	120	3	4	13	19	30	38	61
85+	567	16.0	146	2	4	13	19	28	40	68
TOT. SINGLE DX	334	7.9	42	1	1	7	11	16	18	27
" MULTIPLE DX	3616	14.7	115	2	4	13	18	27	35	57
TOTAL 65-69 YRS	825	12.7	90	1	3	11	16	23	29	58
70-74	910	14.4	122	2	4	12	18	26	34	57
75-79	894	13.7	92	2	3	12	18	25	31	51
80-84	690	15.0	120	2	3	13	18	29	38	58
85+	631	15.3	142	2	4	13	19	28	38	67
GRAND TOTAL	**3950**	**14.1**	**112**	**2**	**3**	**12**	**18**	**26**	**33**	**55**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	6.3	50	<1	1	4	8	17	23	31
70-74	73	5.6	29	<1	1	3	8	14	18	23
75-79	50	7.7	136	1	1	3	8	21	26	68
80-84	32	3.9	9	<1	1	3	5	9	11	12
85+	19	7.4	60	1	1	3	12	20	22	24
2. MULTIPLE DX										
65-69 YRS	651	14.0	207	1	2	9	18	31	49	84
70-74	636	13.3	167	1	2	10	17	31	43	71
75-79	566	10.8	109	1	2	8	14	23	31	72
80-84	372	12.5	121	2	3	10	16	23	35	58
85+	284	11.6	71	2	3	10	15	22	28	44
TOT. SINGLE DX	259	6.2	57	<1	1	3	8	16	21	32
" MULTIPLE DX	2509	12.6	148	1	2	9	16	26	38	72
TOTAL 65-69 YRS	736	13.1	195	1	2	9	17	29	45	81
70-74	709	12.5	159	1	2	9	16	29	41	70
75-79	616	10.6	112	1	2	8	14	23	31	72
80-84	404	11.9	118	2	3	9	15	23	33	57
85+	303	11.4	72	2	3	9	15	22	27	44
GRAND TOTAL	**2768**	**12.0**	**143**	**1**	**2**	**9**	**15**	**26**	**37**	**70**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	270	4.5	15	<1	<1	4	6	9	12	23
70-74	232	4.8	21	<1	<1	4	6	9	14	24
75-79	169	4.5	11	<1	<1	4	6	9	11	15
80-84	141	4.9	37	<1	1	3	6	8	11	43
85+	118	6.0	34	<1	1	4	7	13	16	35
2. MULTIPLE DX										
65-69 YRS	3455	7.5	48	1	2	6	9	14	19	37
70-74	3900	7.8	53	2	2	6	9	15	20	37
75-79	4160	8.4	58	2	3	7	10	16	21	39
80-84	3600	8.6	54	2	3	7	11	16	21	39
85+	3281	9.0	64	2	3	7	11	17	23	47
TOT. SINGLE DX	930	4.8	22	<1	<1	4	6	9	13	24
" MULTIPLE DX	18396	8.3	56	2	3	6	10	16	21	40
TOTAL 65-69 YRS	3725	7.3	47	1	2	6	9	14	19	36
70-74	4132	7.6	52	1	2	6	9	14	19	37
75-79	4329	8.2	57	2	2	6	10	16	20	38
80-84	3741	8.5	54	2	3	7	10	16	21	39
85+	3399	8.9	64	2	3	7	11	17	23	47
GRAND TOTAL	**19326**	**8.1**	**55**	**2**	**2**	**6**	**10**	**15**	**20**	**39**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1959	2.5	2	1	1	2	3	4	5	7
70-74	1606	2.5	2	<1	1	2	3	4	5	7
75-79	1179	2.8	3	1	1	3	4	5	6	8
80-84	632	2.9	3	1	1	3	4	5	6	8
85+	366	3.5	5	1	1	3	5	6	8	12
2. MULTIPLE DX										
65-69 YRS	3981	3.5	10	1	1	3	4	6	9	16
70-74	3935	3.9	17	1	1	3	5	7	10	19
75-79	3229	4.4	20	1	1	3	5	8	12	23
80-84	2055	5.2	30	1	1	4	6	10	14	26
85+	1281	6.5	43	1	2	4	8	13	18	36
TOT. SINGLE DX	5742	2.7	3	1	1	2	3	5	6	8
" MULTIPLE DX	14481	4.3	21	1	1	3	5	8	12	23
TOTAL 65-69 YRS	5940	3.1	8	1	1	3	4	5	7	14
70-74	5541	3.5	13	1	1	3	4	6	9	17
75-79	4408	4.0	16	1	1	3	5	7	10	20
80-84	2687	4.7	25	1	1	3	5	9	13	25
85+	1647	5.8	37	1	1	4	7	12	15	33
GRAND TOTAL	**20223**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	297	2.9	2	1	1	3	4	5	6	8
70-74	230	2.9	3	1	1	3	4	5	6	8
75-79	166	3.0	2	1	1	3	4	5	6	9
80-84	85	3.2	3	1	1	3	4	6	7	8
85+	43	3.7	5	1	1	3	5	7	9	9
2. MULTIPLE DX										
65-69 YRS	643	3.8	9	1	1	3	4	6	9	15
70-74	575	4.1	11	1	1	3	5	7	10	14
75-79	439	4.8	15	1	1	4	6	9	12	19
80-84	247	5.3	17	1	2	4	7	10	12	25
85+	153	7.4	42	2	2	6	9	14	19	33
TOT. SINGLE DX	821	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	2057	4.6	16	1	1	4	5	9	11	21
TOTAL 65-69 YRS	940	3.5	7	1	1	3	4	6	7	15
70-74	805	3.8	9	1	1	3	5	7	9	13
75-79	605	4.3	13	1	1	3	5	8	10	17
80-84	332	4.8	14	1	1	4	6	9	11	24
85+	196	6.6	37	1	2	5	8	12	16	33
GRAND TOTAL	**2878**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	107	3.7	7	1	1	3	5	7	8	17
70-74	120	3.7	7	1	1	3	5	7	9	14
75-79	95	3.7	4	1	1	3	5	7	8	10
80-84	52	4.9	9	1	2	4	7	8	13	14
85+	51	5.3	16	1	1	4	6	12	14	20
2. MULTIPLE DX										
65-69 YRS	194	5.7	25	1	2	4	8	14	18	27
70-74	249	5.9	32	1	2	4	7	11	16	29
75-79	280	6.9	40	1	2	5	9	14	19	43
80-84	251	7.9	42	2	2	7	10	14	17	37
85+	222	9.8	66	2	3	8	12	19	24	46
TOT. SINGLE DX	425	4.0	9	1	1	3	5	8	10	14
" MULTIPLE DX	1196	7.2	44	1	2	5	9	14	19	36
TOTAL 65-69 YRS	301	5.0	20	1	2	4	6	9	15	25
70-74	369	5.2	25	1	1	4	6	10	14	26
75-79	375	6.1	33	1	2	4	8	13	17	34
80-84	303	7.4	38	2	2	6	9	13	16	37
85+	273	8.9	60	2	3	7	11	18	22	38
GRAND TOTAL	**1621**	**6.4**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	110	3.0	3	1	1	3	4	6	6	9
70-74	75	3.1	5	<1	<1	3	4	7	8	10
75-79	48	3.0	3	<1	1	3	4	6	6	9
80-84	26	3.7	7	1	1	3	5	6	11	13
85+	20	4.5	6	1	1	4	7	8	9	9
2. MULTIPLE DX										
65-69 YRS	383	5.7	28	1	1	4	7	11	15	30
70-74	281	5.7	27	1	2	4	7	12	15	36
75-79	212	6.3	37	1	2	5	8	12	15	35
80-84	107	9.3	122	2	2	6	12	18	21	73
85+	94	9.0	58	1	2	7	11	21	24	38
TOT. SINGLE DX	279	3.2	5	<1	1	3	4	6	8	10
" MULTIPLE DX	1077	6.5	44	1	2	5	8	13	18	35
TOTAL 65-69 YRS	493	5.1	24	1	1	4	6	10	13	29
70-74	356	5.2	24	1	1	4	6	10	14	34
75-79	260	5.7	33	1	1	4	7	11	14	28
80-84	133	8.2	105	1	2	5	10	17	20	68
85+	114	8.2	52	1	2	7	10	18	24	35
GRAND TOTAL	**1356**	**5.8**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	508	4.0	4	1	1	4	5	7	8	10
70-74	420	4.3	5	1	1	4	6	7	9	12
75-79	244	4.9	7	1	2	5	6	8	10	16
80-84	114	4.6	6	1	1	4	6	8	9	14
85+	59	5.4	10	1	2	5	7	9	12	18
2. MULTIPLE DX										
65-69 YRS	1480	6.4	26	1	2	5	8	11	15	26
70-74	1320	6.9	34	2	2	6	8	13	16	27
75-79	936	7.2	31	2	2	6	9	13	16	32
80-84	444	8.3	44	2	2	7	10	16	20	37
85+	264	10.3	93	2	3	8	12	20	25	49
TOT. SINGLE DX	1345	4.4	6	1	1	4	6	8	9	12
" MULTIPLE DX	4444	7.1	37	2	2	6	9	13	17	32
TOTAL 65-69 YRS	1988	5.8	22	1	2	5	7	10	13	25
70-74	1740	6.3	29	1	2	5	8	11	15	26
75-79	1180	6.7	27	2	2	5	8	12	15	26
80-84	558	7.6	39	1	2	6	9	15	19	36
85+	323	9.4	82	2	3	7	11	18	23	44
GRAND TOTAL	**5789**	**6.5**	**31**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	6.6	10	2	2	6	9	11	12	14
70-74	16	7.4	7	2	4	8	9	12	12	12
75-79	14	7.9	7	2	5	8	9	11	12	12
80-84	10	9.5	21	4	4	8	11	17	20	20
85+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	182	9.9	51	4	5	8	11	17	25	90
70-74	176	12.6	59	5	6	10	15	24	29	43
75-79	138	12.4	54	5	6	11	15	21	27	40
80-84	82	17.6	171	5	8	13	20	37	50	93
85+	58	19.0	130	6	8	16	26	37	57	99+
TOT. SINGLE DX	69	7.5	11	2	3	8	9	12	12	19
" MULTIPLE DX	636	13.0	85	5	6	10	15	25	32	71
TOTAL 65-69 YRS	209	9.5	47	3	5	8	11	15	23	82
70-74	192	12.2	57	5	6	10	14	22	28	43
75-79	152	12.0	52	5	6	10	14	20	26	38
80-84	92	16.8	161	5	7	13	20	34	49	91
85+	60	18.6	130	7	8	16	25	36	56	99+
GRAND TOTAL	**705**	**12.5**	**81**	**5**	**5**	**10**	**14**	**23**	**32**	**68**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	74	5.5	24	1	1	4	7	12	15	27
70-74	84	7.3	97	1	1	5	9	12	17	66
75-79	54	5.4	19	1	1	4	7	11	14	23
80-84	35	7.1	30	1	2	5	10	14	16	27
85+	33	5.8	16	1	2	4	8	11	14	17
2. MULTIPLE DX										
65-69 YRS	1505	11.3	95	2	3	9	14	23	30	56
70-74	1360	12.3	114	2	3	9	15	25	35	60
75-79	1016	12.3	98	2	3	10	16	24	31	56
80-84	628	13.1	110	3	4	10	16	26	33	60
85+	427	12.3	96	2	3	10	16	24	30	54
TOT. SINGLE DX	280	6.3	46	1	1	5	8	12	16	28
" MULTIPLE DX	4936	12.1	104	2	3	9	15	24	32	57
TOTAL 65-69 YRS	1579	11.0	94	2	3	8	14	22	30	54
70-74	1444	12.0	115	2	3	9	15	24	34	60
75-79	1070	12.0	97	2	3	9	15	24	31	54
80-84	663	12.8	108	2	4	10	15	24	32	60
85+	460	11.8	93	1	2	10	16	23	28	54
GRAND TOTAL	**5216**	**11.8**	**102**	**2**	**3**	**9**	**15**	**23**	**31**	**57**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	82	8.3	25	2	3	7	10	14	17	29
70-74	66	8.5	17	2	3	8	10	14	15	22
75-79	35	8.9	26	1	4	8	11	13	19	28
80-84	18	10.7	18	5	6	10	13	16	20	22
85+	11	13.2	64	3	5	12	15	27	28	28
2. MULTIPLE DX										
65-69 YRS	730	15.1	152	4	6	12	18	28	39	78
70-74	722	15.5	120	5	6	12	19	29	37	65
75-79	525	16.8	143	5	6	14	21	30	39	78
80-84	352	17.2	142	5	7	14	22	34	44	63
85+	225	16.9	121	6	7	15	20	28	41	60
TOT. SINGLE DX	212	8.9	26	2	3	8	11	14	18	28
" MULTIPLE DX	2554	16.0	138	5	6	13	20	29	40	69
TOTAL 65-69 YRS	812	14.5	144	4	5	11	17	27	38	75
70-74	788	14.9	115	4	6	12	18	28	37	64
75-79	560	16.3	140	5	6	13	21	29	38	77
80-84	370	16.9	138	5	7	13	21	33	43	63
85+	236	16.8	119	6	7	15	20	28	40	59
GRAND TOTAL	**2766**	**15.5**	**133**	**5**	**6**	**12**	**19**	**28**	**39**	**67**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	1.5		<1	<1	1	2	3	4	4
70-74	10	2.3	4	<1	<1	2	2	5	8	8
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	6.0	34	1	1	6	11	12	12	12
85+	3	3.3	4	<1	<1	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	62	8.0	85	1	1	4	11	18	27	49
70-74	49	6.1	52	1	1	2	7	18	25	30
75-79	35	7.2	30	1	1	7	10	16	19	21
80-84	25	11.9	106	1	2	10	18	23	33	40
85+	4	14.5	173	2	2	11	23	33	33	33
TOT. SINGLE DX	29	2.6	8	<1	<1	1	3	7	10	12
" MULTIPLE DX	175	8.0	72	1	1	5	11	19	26	38
TOTAL 65-69 YRS	73	7.0	78	<1	1	3	10	18	25	47
70-74	59	5.5	46	1	1	2	7	16	23	30
75-79	36	7.1	30	1	1	6	10	16	19	21
80-84	29	11.1	99	1	1	10	18	23	31	40
85+	7	9.7	124	<1	<1	5	12	29	33	33
GRAND TOTAL	**204**	**7.2**	**67**	**1**	**1**	**4**	**10**	**18**	**24**	**36**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	140	9.1	23	2	3	9	11	14	19	25
70-74	129	9.0	21	3	5	8	11	14	16	26
75-79	83	10.2	39	2	4	9	12	17	21	36
80-84	65	10.2	26	4	6	9	12	19	21	28
85+	39	10.4	33	3	4	9	14	19	22	24
2. MULTIPLE DX										
65-69 YRS	1388	13.6	123	3	4	11	16	25	34	61
70-74	1245	14.6	119	4	5	12	18	27	37	66
75-79	1008	15.4	119	5	7	12	18	30	38	73
80-84	682	16.5	115	6	7	14	20	28	37	62
85+	514	16.3	97	6	8	14	19	29	36	57
TOT. SINGLE DX	456	9.5	27	2	4	9	11	16	20	29
" MULTIPLE DX	4837	14.9	119	4	6	12	18	27	36	64
TOTAL 65-69 YRS	1528	13.2	116	3	4	10	16	25	33	59
70-74	1374	14.1	113	3	5	11	17	26	36	66
75-79	1091	15.0	115	4	6	12	18	28	38	70
80-84	747	15.9	111	6	7	13	20	27	35	61
85+	553	15.9	96	6	8	13	19	28	36	56
GRAND TOTAL	**5293**	**14.5**	**113**	**4**	**6**	**12**	**18**	**26**	**35**	**62**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	81	8.5	7	5	6	8	10	12	15	16
70-74	68	9.3	11	5	6	9	10	14	19	20
75-79	50	10.0	18	4	6	9	11	16	19	26
80-84	24	10.0	11	6	7	9	12	15	17	21
85+	10	8.8	6	5	5	9	10	12	13	13
2. MULTIPLE DX										
65-69 YRS	721	12.8	80	6	7	10	14	22	27	53
70-74	631	13.8	77	6	7	11	16	24	29	47
75-79	519	14.6	90	6	7	12	17	26	31	58
80-84	278	15.9	110	7	8	13	19	30	41	65
85+	119	17.7	157	7	8	15	21	30	40	85
TOT. SINGLE DX	233	9.2	11	5	6	9	11	13	16	20
" MULTIPLE DX	2268	14.1	91	6	7	11	16	24	31	58
TOTAL 65-69 YRS	802	12.4	75	6	7	10	14	21	26	49
70-74	699	13.3	73	6	7	11	16	23	29	47
75-79	569	14.2	86	6	7	11	17	25	30	56
80-84	302	15.4	105	7	7	12	18	29	40	63
85+	129	17.0	151	7	8	13	21	29	39	83
GRAND TOTAL	**2501**	**13.7**	**86**	**6**	**7**	**11**	**16**	**23**	**30**	**54**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	142	5.6	14	1	1	5	8	11	12	16
70-74	86	6.3	18	1	1	5	8	11	14	21
75-79	50	4.9	13	1	1	4	8	9	10	17
80-84	25	7.2	29	1	1	6	10	12	17	25
85+	10	7.4	31	2	2	6	11	16	18	18
2. MULTIPLE DX										
65-69 YRS	886	10.1	75	1	2	8	13	20	25	45
70-74	823	10.9	97	1	2	9	14	21	28	47
75-79	529	12.5	109	2	2	10	16	25	33	50
80-84	302	12.5	126	2	2	9	15	28	35	61
85+	172	12.9	109	1	2	10	19	26	35	49
TOT. SINGLE DX	313	5.9	17	1	1	5	8	11	13	21
" MULTIPLE DX	2712	11.2	97	1	2	9	15	22	30	50
TOTAL 65-69 YRS	1028	9.5	69	1	2	8	12	19	24	41
70-74	909	10.5	92	1	2	8	14	21	27	45
75-79	579	11.8	105	1	2	9	15	25	32	50
80-84	327	12.1	121	1	2	9	15	27	34	59
85+	182	12.6	107	1	2	9	18	25	33	49
GRAND TOTAL	**3025**	**10.7**	**92**	**1**	**2**	**8**	**14**	**22**	**29**	**49**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	88	5.9	11	1	1	6	8	10	12	16
70-74	69	7.5	20	1	2	7	9	14	16	23
75-79	40	7.0	11	1	2	7	9	11	12	17
80-84	11	9.0	21	<1	3	9	11	15	19	19
85+	4	5.0	4	2	2	5	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	364	9.9	59	2	2	8	12	19	24	37
70-74	284	10.0	52	2	2	9	13	20	22	41
75-79	257	12.9	99	2	3	10	17	23	33	50
80-84	148	11.5	97	2	2	10	14	21	28	52
85+	68	12.6	104	1	2	11	16	23	36	55
TOT. SINGLE DX	212	6.8	16	1	1	7	9	11	14	20
" MULTIPLE DX	1121	11.0	76	2	2	9	14	21	26	48
TOTAL 65-69 YRS	452	9.1	52	1	2	8	11	17	21	37
70-74	353	9.5	47	2	2	8	13	19	22	31
75-79	297	12.1	92	2	3	10	16	22	31	50
80-84	159	11.3	92	2	2	10	14	20	28	52
85+	72	12.2	102	1	2	10	16	22	35	54
GRAND TOTAL	**1333**	**10.3**	**69**	**1**	**2**	**8**	**13**	**20**	**24**	**47**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	10.7	25	3	6	10	12	16	23	24
70-74	7	10.4	14	6	6	10	12	16	17	17
75-79	4	8.3	21	3	3	8	11	14	14	14
80-84	2	22.0	288	10	10	22	34	34	34	34
85+										
2. MULTIPLE DX										
65-69 YRS	123	17.2	157	6	8	13	21	29	40	88
70-74	107	17.3	186	6	8	13	20	27	47	80
75-79	76	19.1	233	3	8	16	22	31	47	87
80-84	38	17.4	189	5	6	14	21	26	47	76
85+	13	18.9	96	5	6	16	29	30	32	33
TOT. SINGLE DX	25	11.1	41	3	6	10	12	17	26	34
" MULTIPLE DX	357	17.7	183	5	7	14	21	29	42	84
TOTAL 65-69 YRS	135	16.6	149	6	7	13	20	29	38	86
70-74	114	16.9	179	6	8	13	20	27	45	79
75-79	80	18.6	228	3	7	15	22	30	46	87
80-84	40	17.6	189	5	6	14	21	28	46	76
85+	13	18.9	96	5	6	16	29	30	32	33
GRAND TOTAL	**382**	**17.3**	**176**	**5**	**7**	**13**	**21**	**29**	**40**	**84**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	281	3.8	8	1	1	3	5	7	10	15
70-74	161	3.8	8	1	1	3	5	7	9	14
75-79	82	4.2	8	1	1	3	6	8	11	14
80-84	30	3.8	7	1	1	3	4	8	9	11
85+	13	3.2	3	1	2	3	3	5	8	9
2. MULTIPLE DX										
65-69 YRS	708	5.8	26	1	1	4	7	11	16	28
70-74	551	6.8	39	1	2	5	9	13	17	38
75-79	359	9.0	89	1	2	6	11	17	25	46
80-84	197	8.4	59	2	2	7	11	17	21	42
85+	84	9.1	31	2	3	8	12	17	19	25
TOT. SINGLE DX	567	3.8	8	1	1	3	5	7	9	14
" MULTIPLE DX	1899	7.1	47	1	2	5	9	14	19	36
TOTAL 65-69 YRS	989	5.2	22	1	1	4	7	11	14	24
70-74	712	6.1	34	1	1	4	8	12	16	33
75-79	441	8.1	78	1	2	6	10	16	22	45
80-84	227	7.8	55	1	2	6	10	16	19	39
85+	97	8.3	32	2	2	7	12	17	19	24
GRAND TOTAL	**2466**	**6.3**	**40**	**1**	**1**	**5**	**8**	**13**	**17**	**32**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	404	3.0	6	<1	<1	2	4	6	8	14
70-74	375	3.2	10	<1	<1	2	4	7	9	16
75-79	226	3.5	12	<1	<1	2	4	7	11	20
80-84	138	3.9	15	<1	<1	3	5	8	13	21
85+	85	4.2	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
65-69 YRS	3015	7.5	58	1	1	6	9	15	21	42
70-74	3353	8.3	71	1	2	6	10	17	23	49
75-79	3270	9.4	87	1	2	7	12	19	27	53
80-84	2465	10.0	80	2	2	8	12	20	27	51
85+	2112	10.6	100	2	3	8	13	20	28	75
TOT. SINGLE DX	1228	3.4	10	<1	<1	2	4	7	9	15
" MULTIPLE DX	14215	9.0	79	1	2	7	11	18	25	50
TOTAL 65-69 YRS	3419	6.9	55	1	1	5	9	14	20	40
70-74	3728	7.8	68	1	1	6	10	16	22	46
75-79	3496	9.0	84	1	2	7	11	19	26	52
80-84	2603	9.7	79	1	2	7	12	20	26	50
85+	2197	10.3	98	2	3	8	13	20	28	74
GRAND TOTAL	**15443**	**8.6**	**76**	**1**	**2**	**6**	**11**	**18**	**24**	**49**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	763	2.6	3	1	1	2	3	5	6	10
70-74	765	2.7	3	<1	1	2	4	5	6	8
75-79	638	3.0	6	1	1	2	4	5	7	14
80-84	456	3.1	4	1	1	3	4	6	7	11
85+	326	3.5	9	1	1	3	5	6	8	16
2. MULTIPLE DX										
65-69 YRS	2515	4.6	24	1	1	3	6	10	13	24
70-74	3154	4.8	24	1	1	3	6	10	14	26
75-79	2954	5.6	36	1	1	4	7	12	17	32
80-84	2282	6.1	37	1	1	4	7	13	18	32
85+	1800	7.7	71	1	2	5	9	15	21	43
TOT. SINGLE DX	2948	2.9	5	1	1	2	4	5	7	11
" MULTIPLE DX	12705	5.6	37	1	1	4	7	12	16	31
TOTAL 65-69 YRS	3278	4.1	20	1	1	3	5	8	12	22
70-74	3919	4.4	21	1	1	3	5	9	13	24
75-79	3592	5.2	32	1	1	4	6	11	15	30
80-84	2738	5.6	33	1	1	4	7	12	16	30
85+	2126	7.0	65	1	2	5	8	14	20	40
GRAND TOTAL	**15653**	**5.1**	**32**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	173	5.8	32	<1	1	3	10	14	19	27
70-74	169	6.0	41	1	1	3	8	14	18	34
75-79	117	5.7	22	1	1	4	9	14	16	19
80-84	55	5.8	26	1	1	4	10	13	17	19
85+	40	5.0	24	<1	1	3	6	11	15	25
2. MULTIPLE DX										
65-69 YRS	1087	9.5	87	1	2	7	13	20	27	55
70-74	1323	10.0	97	1	2	7	13	20	30	61
75-79	1177	10.2	93	1	2	8	13	22	28	54
80-84	798	10.8	111	1	2	8	14	22	30	68
85+	729	10.6	95	2	2	8	13	22	31	63
TOT. SINGLE DX	554	5.8	32	1	1	4	8	14	17	26
" MULTIPLE DX	5114	10.1	96	1	2	8	13	21	29	59
TOTAL 65-69 YRS	1260	9.0	81	1	1	6	12	19	26	53
70-74	1492	9.5	93	1	2	7	13	20	28	59
75-79	1294	9.8	89	1	2	7	13	21	27	53
80-84	853	10.5	107	1	2	8	14	21	29	66
85+	769	10.3	93	2	2	8	13	22	30	60
GRAND TOTAL	**5668**	**9.7**	**92**	**1**	**2**	**7**	**13**	**20**	**28**	**58**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	4	2.0	4	<1	<1	1	3	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	15	10.2	142	<1	1	5	12	33	37	38
70-74	15	5.7	41	1	1	3	6	18	18	18
75-79	19	8.3	48	1	1	7	11	19	24	26
80-84	23	8.9	108	1	2	6	9	17	38	45
85+	5	5.2	10	3	3	4	6	11	11	11
TOT. SINGLE DX	6	2.5	3	<1	<1	2	4	5	5	5
" MULTIPLE DX	77	8.1	80	1	1	5	10	18	31	43
TOTAL 65-69 YRS	16	9.8	136	<1	1	4	12	32	36	38
70-74	15	5.7	41	1	1	3	6	18	18	18
75-79	23	7.2	46	<1	1	5	9	17	23	26
80-84	24	8.7	104	1	2	6	8	15	38	45
85+	5	5.2	11	3	3	4	6	11	11	11
GRAND TOTAL	**83**	**7.7**	**76**	**1**	**1**	**5**	**9**	**18**	**28**	**43**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	3.3	7	<1	1	2	5	7	10	13
70-74	45	3.3	6	<1	1	3	4	8	9	10
75-79	34	3.3	5	<1	1	3	4	7	8	11
80-84	17	2.8	6	<1	<1	2	3	8	9	9
85+	14	2.4	1	<1	1	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	158	4.9	24	1	1	3	6	11	15	24
70-74	179	5.9	31	1	1	4	7	15	19	26
75-79	159	5.7	34	1	1	4	7	12	16	33
80-84	91	5.7	32	1	1	4	8	13	16	31
85+	76	7.3	67	1	2	5	9	14	18	51
TOT. SINGLE DX	154	3.2	6	<1	1	2	4	7	9	11
" MULTIPLE DX	663	5.7	35	1	1	4	7	13	17	31
TOTAL 65-69 YRS	202	4.5	21	1	1	3	6	9	15	23
70-74	224	5.4	27	1	1	4	7	11	18	24
75-79	193	5.2	30	1	1	4	6	10	15	31
80-84	108	5.2	30	1	1	3	7	12	14	28
85+	90	6.6	61	1	1	4	8	12	17	50
GRAND TOTAL	**817**	**5.3**	**31**	**1**	**1**	**4**	**6**	**11**	**16**	**27**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	2.6	2	<1	<1	2	4	5	6	6
70-74	27	2.2	2	<1	<1	1	3	5	5	6
75-79	26	4.0	25	<1	<1	2	4	8	12	25
80-84	17	3.2	7	<1	<1	2	5	7	8	9
85+	3	2.3	5	<1	<1	<1	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	343	7.4	55	1	1	5	10	15	20	44
70-74	490	7.5	48	1	1	5	9	15	22	38
75-79	489	9.3	68	1	2	7	11	19	25	40
80-84	455	9.8	82	1	2	8	12	19	26	59
85+	425	10.3	99	2	2	8	13	22	28	75
TOT. SINGLE DX	92	3.0	10	<1	<1	2	4	6	8	18
" MULTIPLE DX	2202	8.9	72	1	2	7	11	18	25	47
TOTAL 65-69 YRS	362	7.1	54	1	1	5	9	14	20	43
70-74	517	7.2	47	1	1	5	9	15	21	36
75-79	515	9.0	68	1	2	7	11	19	25	39
80-84	472	9.6	81	1	2	7	12	19	25	57
85+	428	10.2	99	2	2	8	13	22	28	75
GRAND TOTAL	**2294**	**8.6**	**71**	**1**	**2**	**7**	**11**	**18**	**25**	**46**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	2.5	4	<1	1	2	3	4	7	13
70-74	68	2.8	5	<1	1	2	3	6	8	11
75-79	59	2.6	2	1	1	2	4	4	6	7
80-84	35	2.9	5	<1	1	2	4	5	7	13
85+	24	3.0	3	<1	1	3	4	6	7	8
2. MULTIPLE DX										
65-69 YRS	444	5.4	43	1	1	3	6	11	16	39
70-74	466	5.2	28	1	1	4	6	11	15	32
75-79	425	5.6	33	1	1	4	7	11	17	35
80-84	299	6.4	38	1	1	5	8	13	18	31
85+	186	8.0	89	1	2	5	10	18	21	72
TOT. SINGLE DX	251	2.7	4	<1	1	2	3	5	7	11
" MULTIPLE DX	1820	5.8	42	1	1	4	7	12	17	36
TOTAL 65-69 YRS	509	5.0	39	1	1	3	6	10	14	38
70-74	534	4.9	26	1	1	3	6	10	14	29
75-79	484	5.2	31	1	1	3	6	11	16	34
80-84	334	6.0	36	1	1	4	7	12	18	30
85+	210	7.5	82	1	2	5	9	17	20	62
GRAND TOTAL	**2071**	**5.4**	**38**	**1**	**1**	**4**	**7**	**11**	**16**	**34**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	108	6.3	4	3	4	6	8	9	10	12
70-74	71	6.5	5	4	4	6	8	10	11	12
75-79	47	6.5	6	3	3	7	8	9	10	12
80-84	10	6.6	6	2	2	7	8	9	10	10
85+	4	7.5	8	4	4	7	9	11	11	11
2. MULTIPLE DX										
65-69 YRS	338	7.3	14	3	4	7	9	11	14	24
70-74	258	7.7	12	3	4	7	9	11	15	21
75-79	156	8.2	21	3	4	7	9	14	15	21
80-84	69	8.3	20	4	4	7	9	13	19	27
85+	23	8.5	18	4	5	8	10	14	17	22
TOT. SINGLE DX	240	6.4	5	3	4	6	8	9	10	12
" MULTIPLE DX	844	7.8	16	3	4	7	9	12	15	22
TOTAL 65-69 YRS	446	7.2	13	3	4	7	8	10	13	21
70-74	329	7.4	11	3	4	7	9	11	13	20
75-79	203	7.8	19	3	4	7	9	13	15	19
80-84	79	8.1	19	3	4	7	9	12	18	26
85+	27	8.3	16	4	4	8	10	14	16	22
GRAND TOTAL	**1084**	**7.5**	**14**	**3**	**4**	**7**	**9**	**11**	**14**	**21**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	103	5.1	5	2	3	5	6	8	9	13
70-74	80	5.3	5	2	3	5	7	8	9	14
75-79	42	5.6	6	2	3	5	7	10	11	12
80-84	12	5.4	4	2	3	5	7	8	9	9
85+	9	6.1	10	2	2	5	7	11	13	13
2. MULTIPLE DX										
65-69 YRS	325	5.7	8	2	3	5	7	9	10	15
70-74	218	6.3	12	3	3	6	8	10	13	21
75-79	153	6.8	17	2	3	6	8	13	16	20
80-84	74	8.1	30	2	3	7	9	12	18	33
85+	33	9.9	38	2	3	8	12	22	23	24
TOT. SINGLE DX	245	5.3	6	2	3	5	7	8	10	13
" MULTIPLE DX	803	6.5	15	2	3	6	8	10	13	23
TOTAL 65-69 YRS	428	5.6	8	2	3	5	7	9	10	15
70-74	298	6.1	11	2	3	5	7	9	12	20
75-79	195	6.6	15	2	3	6	8	11	14	20
80-84	86	7.7	28	2	3	7	9	12	15	33
85+	42	9.1	35	2	3	8	11	21	23	24
GRAND TOTAL	**1049**	**6.2**	**13**	**2**	**3**	**5**	**7**	**10**	**13**	**22**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	4.0	7	1	1	3	6	8	9	10
70-74	30	3.7	12	<1	<1	2	6	8	9	17
75-79	12	2.9	5	<1	<1	2	4	7	7	7
80-84	4	1.8	1	1	1	2	2	3	3	3
85+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	186	8.2	80	1	1	6	11	17	21	36
70-74	163	7.6	42	1	2	5	11	17	21	28
75-79	129	8.6	60	1	1	7	12	18	27	34
80-84	73	10.1	145	2	3	8	13	17	20	84
85+	38	9.8	35	2	3	9	15	19	20	21
TOT. SINGLE DX	68	3.6	10	<1	1	2	5	8	9	16
" MULTIPLE DX	589	8.5	71	1	2	6	11	18	22	34
TOTAL 65-69 YRS	206	7.8	75	1	1	6	10	17	20	34
70-74	193	7.0	40	1	1	5	9	17	20	28
75-79	141	8.2	59	1	1	6	11	18	26	34
80-84	77	9.7	141	2	2	7	13	17	20	81
85+	40	9.6	36	2	2	9	14	19	20	21
GRAND TOTAL	**657**	**8.0**	**67**	**1**	**1**	**6**	**11**	**17**	**20**	**34**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	188	2.6	7	1	1	2	3	5	7	12
70-74	142	2.5	3	1	1	2	3	5	6	10
75-79	48	3.3	14	1	1	2	4	6	9	25
80-84	25	3.1	8	1	1	2	3	5	8	16
85+	6	1.8	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
65-69 YRS	255	5.0	37	1	1	3	6	12	18	33
70-74	184	6.1	49	1	1	3	8	14	24	35
75-79	100	7.5	76	1	1	4	10	17	23	49
80-84	54	9.6	186	1	2	5	13	19	32	88
85+	39	10.4	199	1	1	6	10	21	49	65
TOT. SINGLE DX	409	2.7	7	1	1	2	3	5	6	12
" MULTIPLE DX	632	6.4	72	1	1	3	8	15	22	36
TOTAL 65-69 YRS	443	4.0	26	1	1	2	4	8	13	31
70-74	326	4.5	33	1	1	2	5	11	15	33
75-79	148	6.1	60	1	1	3	8	15	20	37
80-84	79	7.5	139	1	1	3	9	17	21	74
85+	45	9.2	181	1	1	5	9	19	41	65
GRAND TOTAL	**1041**	**5.0**	**50**	**1**	**1**	**2**	**5**	**11**	**17**	**35**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2214	4.5	2	2	3	4	5	6	7	9
70-74	2181	4.7	3	2	3	4	6	7	8	10
75-79	1542	4.9	4	2	3	5	6	7	8	12
80-84	842	5.2	6	2	3	5	6	8	9	14
85+	387	5.7	15	2	3	5	6	8	10	24
2. MULTIPLE DX										
65-69 YRS	11456	6.0	22	2	3	5	7	10	14	24
70-74	12886	6.5	28	2	3	5	7	11	15	29
75-79	11094	7.3	35	3	3	6	8	13	17	33
80-84	7182	8.4	55	3	3	6	10	16	22	40
85+	4200	9.7	59	3	4	7	12	18	24	41
TOT. SINGLE DX	7166	4.8	4	2	3	5	6	7	8	12
" MULTIPLE DX	46818	7.2	37	3	3	5	8	13	17	32
TOTAL 65-69 YRS	13670	5.8	20	2	3	5	6	10	13	23
70-74	15067	6.2	26	2	3	5	7	10	14	26
75-79	12636	7.0	32	3	3	5	8	12	16	31
80-84	8024	8.1	52	3	3	6	9	15	21	38
85+	4587	9.4	57	3	4	7	11	18	23	39
GRAND TOTAL	**53984**	**6.8**	**33**	**2**	**3**	**5**	**8**	**12**	**16**	**31**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	262	9.2	10	6	6	8	11	14	16	20
70-74	203	8.8	9	4	5	8	11	13	14	18
75-79	75	8.7	8	4	5	8	11	13	14	16
80-84	28	9.2	7	5	6	9	10	13	14	18
85+	12	9.3	13	5	6	8	10	15	18	19
2. MULTIPLE DX										
65-69 YRS	1053	10.7	29	5	6	9	13	17	21	28
70-74	1007	11.1	30	5	6	10	13	17	23	31
75-79	708	11.6	33	5	6	10	14	19	23	37
80-84	333	12.6	41	6	7	11	15	19	25	33
85+	158	14.7	65	6	7	13	18	24	27	42
TOT. SINGLE DX	580	9.0	10	5	6	8	11	13	15	19
" MULTIPLE DX	3259	11.4	34	5	6	10	13	18	22	32
TOTAL 65-69 YRS	1315	10.4	26	5	6	9	12	16	19	27
70-74	1210	10.8	28	5	6	10	13	17	21	30
75-79	783	11.4	32	5	6	10	13	18	22	35
80-84	361	12.3	40	6	7	11	14	19	24	33
85+	170	14.3	64	6	7	13	17	23	27	41
GRAND TOTAL	**3839**	**11.1**	**32**	**5**	**6**	**10**	**13**	**17**	**22**	**31**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	334	1.9	2	<1	<1	1	2	3	4	8
70-74	239	2.1	4	<1	<1	1	2	4	6	9
75-79	187	1.9	1	<1	<1	1	2	4	4	8
80-84	74	2.4	3	<1	1	2	3	5	6	9
85+	30	2.5	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
65-69 YRS	799	4.4	30	<1	1	2	5	10	14	24
70-74	843	4.8	31	1	1	3	6	11	15	28
75-79	659	5.5	28	1	1	3	8	13	16	24
80-84	406	7.2	74	1	1	4	9	15	21	42
85+	247	8.5	59	1	2	7	12	18	23	42
TOT. SINGLE DX	864	2.0	3	<1	<1	1	2	4	5	9
" MULTIPLE DX	2954	5.5	40	1	1	3	7	13	17	30
TOTAL 65-69 YRS	1133	3.6	23	<1	<1	2	4	8	12	22
70-74	1082	4.2	27	<1	1	2	5	10	15	25
75-79	846	4.7	25	<1	1	3	6	12	15	23
80-84	480	6.5	67	1	1	4	8	14	19	41
85+	277	7.8	57	1	1	6	11	17	22	38
GRAND TOTAL	**3818**	**4.7**	**34**	**<1**	**1**	**2**	**6**	**11**	**15**	**27**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	49	2.2	2	1	1	2	3	5	5	7
70-74	44	2.0	1	<1	1	2	3	3	4	7
75-79	17	2.8	5	1	1	2	4	7	8	8
80-84	13	2.1	3	1	1	1	2	5	7	7
85+	3	6.3	56	2	2	2	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	125	5.5	40	1	1	3	7	11	18	36
70-74	125	6.8	79	1	1	3	8	15	23	47
75-79	92	7.1	120	1	1	4	8	14	23	68
80-84	50	8.2	89	1	2	4	11	19	25	55
85+	39	6.4	19	1	2	5	9	11	17	21
TOT. SINGLE DX	126	2.3	4	<1	1	2	3	5	6	10
" MULTIPLE DX	431	6.6	73	1	1	4	8	15	22	40
TOTAL 65-69 YRS	174	4.6	32	1	1	3	5	10	16	34
70-74	169	5.6	64	1	1	3	6	12	20	39
75-79	109	6.4	105	1	1	3	8	13	17	60
80-84	63	6.9	78	1	1	4	9	17	24	51
85+	42	6.4	21	1	2	5	9	12	17	21
GRAND TOTAL	**557**	**5.6**	**61**	**1**	**1**	**3**	**7**	**12**	**18**	**40**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	109	2.5	5	<1	1	2	3	5	7	14
70-74	151	2.5	5	1	1	2	3	5	6	15
75-79	143	2.2	2	1	1	2	3	4	5	8
80-84	86	2.1	2	1	1	2	3	3	4	10
85+	34	2.5	5	<1	1	2	3	5	8	11
2. MULTIPLE DX										
65-69 YRS	619	6.2	43	1	1	4	8	15	20	31
70-74	806	6.1	62	1	1	3	8	14	20	36
75-79	862	6.3	53	1	1	3	8	15	19	34
80-84	593	7.5	67	1	1	5	10	17	23	37
85+	332	8.3	76	1	1	5	12	18	24	50
TOT. SINGLE DX	523	2.4	4	1	1	2	3	4	6	11
" MULTIPLE DX	3212	6.6	59	1	1	4	9	15	21	35
TOTAL 65-69 YRS	728	5.6	40	1	1	3	7	14	19	30
70-74	957	5.5	55	1	1	3	7	13	18	33
75-79	1005	5.7	48	1	1	3	8	14	18	33
80-84	679	6.8	62	1	1	4	9	16	22	36
85+	366	7.8	72	1	1	5	11	18	23	47
GRAND TOTAL	**3735**	**6.0**	**54**	**1**	**1**	**3**	**8**	**15**	**19**	**34**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84	2	2.0		2	2	2	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	15.0		15	15	15	15	15	15	15
80-84	1	2.0		2	2	2	2	2	2	2
85+	3	2.3	1	1	1	3	3	3	3	3
TOT. SINGLE DX	5	2.0	1	1	1	2	2	3	3	3
" MULTIPLE DX	6	4.5	27	1	1	3	3	14	15	15
TOTAL 65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	15.0		15	15	15	15	15	15	15
80-84	3	2.0		2	2	2	2	2	2	2
85+	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**11**	**3.4**	**15**	**1**	**1**	**2**	**3**	**8**	**14**	**15**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	1.8	1	1	1	1	3	4	4	4
70-74	5	2.8	4	1	1	2	4	6	6	6
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	17	4.4	20	1	1	2	7	12	14	15
70-74	10	5.7	51	1	1	3	5	18	23	23
75-79	6	6.5	27	2	2	4	9	15	16	16
80-84	3	17.3	82	9	9	16	24	27	27	27
85+	3	13.3	262	3	3	5	25	32	32	32
TOT. SINGLE DX	13	2.4	3	1	1	2	4	5	6	6
" MULTIPLE DX	39	6.7	58	1	1	4	9	16	25	32
TOTAL 65-69 YRS	23	3.7	16	1	1	2	4	10	13	15
70-74	15	4.7	37	1	1	3	5	14	21	23
75-79	7	6.1	23	2	2	4	8	15	16	16
80-84	4	13.5	114	2	2	12	21	27	27	27
85+	3	13.3	262	3	3	5	25	32	32	32
GRAND TOTAL	**52**	**5.6**	**47**	**1**	**1**	**3**	**6**	**15**	**22**	**32**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	5	8.4	13	4	4	10	11	12	12	12
70-74	3	5.0	13	2	2	4	8	9	9	9
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	23.0		23	23	23	23	23	23	23
85+	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX	1	4.0		4	4	4	4	4	4	4
" MULTIPLE DX	11	9.3	46	2	3	9	12	21	23	23
TOTAL 65-69 YRS	5	8.4	13	4	4	10	11	12	12	12
70-74	4	4.8	9	2	2	4	7	9	9	9
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	23.0		23	23	23	23	23	23	23
85+	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**12**	**8.8**	**44**	**2**	**3**	**7**	**11**	**20**	**23**	**23**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	115	2.1	1	<1	1	2	3	4	5	6
70-74	66	2.4	3	<1	1	2	3	4	6	9
75-79	47	2.4	3	<1	<1	2	3	4	7	7
80-84	11	2.4	1	1	1	2	3	4	4	4
85+	8	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	239	3.3	14	1	1	2	4	6	10	17
70-74	169	3.3	10	1	1	2	4	7	11	17
75-79	124	3.8	20	1	1	3	5	8	9	26
80-84	51	4.5	19	1	1	3	7	10	13	21
85+	19	6.6	39	1	1	3	9	17	21	24
TOT. SINGLE DX	247	2.3	2	<1	1	2	3	4	5	8
" MULTIPLE DX	602	3.6	16	1	1	3	4	8	10	19
TOTAL 65-69 YRS	354	2.9	10	1	1	2	3	5	8	16
70-74	235	3.1	9	1	1	2	4	6	8	17
75-79	171	3.4	16	1	1	3	4	7	9	18
80-84	62	4.1	17	1	1	2	5	10	12	21
85+	27	5.3	32	1	1	3	7	15	18	24
GRAND TOTAL	**849**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	1.2		<1	<1	1	1	2	3	3
70-74	18	1.4		<1	<1	1	2	2	2	2
75-79	7	2.0	1	<1	<1	2	3	4	4	4
80-84	10	1.7	1	<1	<1	1	2	3	4	4
85+	5	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	114	3.7	18	<1	1	2	4	8	12	22
70-74	98	3.5	20	<1	<1	2	4	8	12	26
75-79	89	6.1	32	1	1	5	9	13	17	26
80-84	50	6.4	52	1	1	4	8	17	21	35
85+	54	6.8	24	1	1	6	11	15	15	17
TOT. SINGLE DX	59	1.5	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	405	4.9	29	<1	1	3	7	12	15	25
TOTAL 65-69 YRS	133	3.4	16	<1	<1	2	4	8	11	21
70-74	116	3.2	18	<1	<1	2	3	8	11	22
75-79	96	5.8	31	1	1	3	9	13	16	26
80-84	60	5.6	47	<1	1	2	7	15	20	34
85+	59	6.4	25	<1	1	5	10	15	15	17
GRAND TOTAL	**464**	**4.5**	**26**	**<1**	**1**	**2**	**6**	**11**	**15**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	189	2.9	3	1	1	2	4	6	6	9
70-74	121	2.9	6	1	1	2	3	5	7	15
75-79	52	3.3	9	1	1	2	4	6	6	20
80-84	16	2.6	1	1	1	2	4	5	5	5
85+	5	4.4	14	2	2	3	5	11	11	11
2. MULTIPLE DX										
65-69 YRS	575	3.8	16	1	1	3	5	7	9	20
70-74	329	3.7	9	1	1	3	4	6	9	17
75-79	141	5.3	47	1	1	4	6	9	17	31
80-84	46	7.5	125	1	1	4	8	13	28	67
85+	25	5.4	18	1	1	5	7	12	14	16
TOT. SINGLE DX	383	2.9	5	1	1	2	4	5	6	12
" MULTIPLE DX	1116	4.2	23	1	1	3	5	8	11	21
TOTAL 65-69 YRS	764	3.6	13	1	1	3	4	6	8	19
70-74	450	3.5	9	1	1	3	4	6	8	16
75-79	193	4.7	38	1	1	3	5	9	15	25
80-84	62	6.2	97	1	1	3	7	11	22	63
85+	30	5.2	17	1	1	4	7	12	14	16
GRAND TOTAL	**1499**	**3.8**	**19**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	8.0	12	4	4	7	11	13	14	14
70-74	7	7.3	19	5	5	6	7	15	17	17
75-79	3	5.7	5	3	3	7	7	7	7	7
80-84	5	7.8	1	6	6	8	9	9	9	9
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	57	10.1	53	4	4	7	12	21	29	37
70-74	67	14.1	100	6	6	10	17	30	34	53
75-79	44	12.4	54	4	5	10	17	23	31	99+
80-84	36	15.7	286	4	5	10	17	27	42	99
85+	15	11.1	40	1	3	10	14	19	25	27
TOT. SINGLE DX	24	7.3	11	4	4	6	8	12	15	17
" MULTIPLE DX	219	12.8	108	4	5	9	15	25	32	68
TOTAL 65-69 YRS	65	9.8	49	4	4	7	11	17	29	37
70-74	74	13.5	96	5	6	10	16	29	33	52
75-79	47	12.0	54	3	5	10	16	23	30	99+
80-84	41	14.8	258	4	5	9	16	25	41	99
85+	16	10.7	41	2	3	10	13	19	25	27
GRAND TOTAL	**243**	**12.2**	**101**	**4**	**5**	**9**	**14**	**24**	**31**	**58**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	30	6.1	11	2	3	6	7	9	10	20
70-74	13	5.7	6	3	3	5	7	9	11	12
75-79	6	8.7	22	6	6	7	8	17	18	18
80-84	7	6.3	2	4	4	6	7	9	9	9
85+	8	8.1	52	1	2	6	10	20	24	24
2. MULTIPLE DX										
65-69 YRS	115	9.4	40	4	5	7	11	16	22	35
70-74	131	12.1	72	5	5	10	15	23	28	43
75-79	107	11.2	51	4	5	9	14	21	26	38
80-84	64	11.3	25	5	6	10	14	19	22	24
85+	35	12.4	77	4	5	9	15	26	34	36
TOT. SINGLE DX	64	6.5	15	2	3	6	7	10	14	23
" MULTIPLE DX	452	11.1	53	4	5	9	14	21	25	36
TOTAL 65-69 YRS	145	8.7	36	4	4	7	10	15	21	29
70-74	144	11.5	70	4	5	9	14	22	28	39
75-79	113	11.0	50	4	5	8	14	20	25	38
80-84	71	10.8	25	5	5	9	14	18	22	24
85+	43	11.6	74	3	4	9	14	25	32	36
GRAND TOTAL	**516**	**10.5**	**51**	**4**	**5**	**8**	**13**	**20**	**25**	**36**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	6.0	4	4	4	6	7	8	9	16
70-74	25	6.1	6	3	4	6	7	9	11	14
75-79	19	9.3	179	3	4	6	7	10	40	64
80-84	11	10.6	22	4	5	8	14	18	20	20
85+	5	7.2	4	5	5	8	9	10	10	10
2. MULTIPLE DX										
65-69 YRS	306	9.4	45	4	5	8	11	15	19	37
70-74	239	10.4	42	4	5	8	13	21	24	51
75-79	174	11.3	64	5	6	9	12	19	28	47
80-84	81	11.7	88	5	5	9	13	21	27	59
85+	43	17.2	168	5	7	13	19	28	55	60
TOT. SINGLE DX	108	7.1	39	4	4	6	8	9	14	38
" MULTIPLE DX	843	10.7	61	4	5	8	12	19	24	50
TOTAL 65-69 YRS	354	8.9	41	4	5	7	10	14	19	36
70-74	264	10.0	40	4	5	8	12	20	24	45
75-79	193	11.1	75	4	5	9	12	19	28	57
80-84	92	11.6	80	5	5	9	14	20	27	56
85+	48	16.2	160	5	6	13	19	24	54	60
GRAND TOTAL	**951**	**10.3**	**60**	**4**	**5**	**8**	**12**	**19**	**24**	**50**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	5	7.0	6	3	3	7	8	10	10	10
70-74	6	9.0	5	6	6	9	9	13	13	13
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	10.0	79	2	2	9	17	20	20	20
TOT. SINGLE DX	4	2.8		2	2	3	3	3	3	3
" MULTIPLE DX	17	7.9	23	2	3	8	9	15	18	20
TOTAL 65-69 YRS	7	5.9	8	3	3	7	8	10	10	10
70-74	6	9.0	5	6	6	9	9	13	13	13
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+	5	8.6	69	2	2	3	16	20	20	20
GRAND TOTAL	**21**	**7.0**	**23**	**2**	**2**	**7**	**9**	**14**	**17**	**20**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	9.8	67	5	5	6	14	22	22	22
70-74	6	9.0	19	2	2	9	13	14	14	14
75-79	5	18.8	149	6	6	18	25	38	38	38
80-84	2	25.5	113	18	18	25	33	33	33	33
85+	3	13.3	92	3	3	15	20	22	22	22
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	20	13.9	95	2	4	12	20	28	35	38
TOTAL 65-69 YRS	5	8.8	55	5	5	6	10	22	22	22
70-74	6	9.0	19	2	2	9	13	14	14	14
75-79	5	18.8	150	6	6	18	25	38	38	38
80-84	2	25.5	113	18	18	25	33	33	33	33
85+	3	13.3	92	3	3	15	20	22	22	22
GRAND TOTAL	**21**	**13.5**	**94**	**3**	**4**	**11**	**19**	**27**	**35**	**38**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	1.6	1	<1	<1	1	2	3	4	6
70-74	14	1.5		<1	<1	1	2	3	4	4
75-79	7	1.9	1	<1	<1	2	2	4	4	4
80-84	4	1.3		1	1	1	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	55	2.0	2	<1	1	1	2	4	5	7
70-74	46	3.2	15	<1	1	2	3	8	12	19
75-79	17	2.6	5	<1	<1	2	3	6	8	9
80-84	20	4.4	27	<1	<1	2	5	12	17	20
85+	5	7.4	43	2	2	3	14	16	16	16
TOT. SINGLE DX	53	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	143	3.0	12	<1	1	2	3	6	11	19
TOTAL 65-69 YRS	82	1.9	2	<1	<1	1	2	4	5	7
70-74	60	2.8	12	<1	1	2	3	5	10	19
75-79	24	2.4	4	<1	<1	2	3	5	7	9
80-84	24	3.8	24	<1	1	2	3	11	16	20
85+	6	6.5	40	2	2	3	13	16	16	16
GRAND TOTAL	**196**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**9**	**18**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	29	3.1	4	<1	1	2	5	7	7	8
70-74	28	3.9	5	<1	<1	4	6	7	8	9
75-79	25	4.5	6	<1	1	4	7	8	9	9
80-84	9	4.2	6	<1	<1	4	6	8	8	8
85+	10	4.0	6	2	2	3	6	8	9	9
2. MULTIPLE DX										
65-69 YRS	178	5.2	30	<1	<1	3	7	12	16	25
70-74	146	6.5	43	1	1	5	8	14	21	36
75-79	132	6.5	52	1	1	5	8	14	17	44
80-84	96	6.7	40	1	1	5	8	14	20	34
85+	45	8.4	74	1	1	6	11	20	27	38
TOT. SINGLE DX	101	3.9	6	<1	1	4	6	7	8	9
" MULTIPLE DX	597	6.3	44	1	1	4	8	14	20	36
TOTAL 65-69 YRS	207	4.9	28	<1	1	3	6	11	15	24
70-74	174	6.1	38	1	1	4	7	11	19	34
75-79	157	6.2	46	1	1	5	8	11	17	42
80-84	105	6.5	38	1	1	5	8	14	19	34
85+	55	7.6	65	1	1	4	10	18	24	38
GRAND TOTAL	**698**	**5.9**	**39**	**1**	**1**	**4**	**8**	**12**	**17**	**35**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX										
" MULTIPLE DX	3	6.7	54	1	1	4	12	15	15	15
TOTAL 65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**3**	**6.7**	**54**	**1**	**1**	**4**	**12**	**15**	**15**	**15**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	3.0		3	3	3	3	3	3	3
80-84	1	13.0		13	13	13	13	13	13	13
85+	4	4.0	8	1	1	3	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	48	5.5	37	<1	<1	3	7	13	18	29
70-74	39	8.4	56	1	1	5	12	19	24	32
75-79	36	9.5	190	1	1	4	12	19	26	79
80-84	25	6.9	31	1	2	4	11	14	19	21
85+	29	8.8	43	2	2	8	13	20	29	99+
TOT. SINGLE DX	12	3.8	12	<1	<1	3	4	9	12	13
" MULTIPLE DX	177	7.7	73	1	1	5	11	18	22	66
TOTAL 65-69 YRS	51	5.2	36	<1	<1	2	7	13	17	29
70-74	40	8.3	55	1	1	5	12	19	23	32
75-79	39	9.0	179	1	1	3	11	19	25	79
80-84	26	7.2	31	1	2	4	12	14	19	21
85+	33	8.2	41	1	2	7	11	20	27	99+
GRAND TOTAL	**189**	**7.4**	**70**	**1**	**1**	**5**	**11**	**17**	**22**	**60**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	323	6.5	5	4	4	6	7	9	10	15
70-74	227	6.5	3	4	4	6	8	9	10	12
75-79	141	6.9	8	4	4	6	7	9	11	23
80-84	60	7.4	5	5	5	7	8	11	13	16
85+	26	8.7	39	3	4	7	9	17	23	32
2. MULTIPLE DX										
65-69 YRS	2516	7.9	23	4	5	7	9	12	16	26
70-74	1829	8.5	33	4	5	7	9	14	17	31
75-79	1101	9.6	44	5	5	8	11	16	21	38
80-84	513	10.1	39	5	5	8	11	17	21	31
85+	267	11.6	62	5	5	9	13	21	31	43
TOT. SINGLE DX	777	6.7	7	4	4	6	8	9	11	16
" MULTIPLE DX	6226	8.7	34	4	5	7	9	14	19	32
TOTAL 65-69 YRS	2839	7.7	21	4	5	7	8	12	16	26
70-74	2056	8.3	31	4	5	7	9	13	17	29
75-79	1242	9.3	41	4	5	7	10	15	20	37
80-84	573	9.8	36	5	5	8	11	17	21	30
85+	293	11.3	61	5	5	9	13	21	30	43
GRAND TOTAL	**7003**	**8.5**	**31**	**4**	**5**	**7**	**9**	**14**	**18**	**31**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	288	5.9	2	3	4	6	7	8	8	10
70-74	275	6.4	3	4	5	6	7	8	9	12
75-79	156	6.4	7	3	4	6	7	9	9	15
80-84	55	6.6	4	4	4	6	7	9	11	12
85+	13	6.8	5	3	4	7	8	10	11	11
2. MULTIPLE DX										
65-69 YRS	1483	6.6	7	4	4	6	7	9	11	17
70-74	1186	6.9	8	4	4	6	8	9	12	18
75-79	765	7.5	11	4	5	7	8	11	13	18
80-84	307	7.8	30	4	5	7	8	11	14	22
85+	113	8.8	19	4	5	8	10	14	19	26
TOT. SINGLE DX	787	6.2	4	4	4	6	7	8	9	12
" MULTIPLE DX	3854	7.0	11	4	4	6	8	10	12	18
TOTAL 65-69 YRS	1771	6.5	7	4	4	6	7	9	10	17
70-74	1461	6.8	7	4	4	6	8	9	11	17
75-79	921	7.3	11	4	4	7	8	11	13	18
80-84	362	7.6	27	4	5	7	8	11	13	20
85+	126	8.6	18	4	5	8	10	13	17	26
GRAND TOTAL	**4641**	**6.9**	**10**	**4**	**4**	**6**	**8**	**10**	**12**	**17**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	11.3	48	6	6	9	11	24	25	25
70-74	7	12.7	26	7	7	12	17	20	20	20
75-79	3	16.7	21	14	14	14	20	22	22	22
80-84	3	5.7	8	4	4	4	8	9	9	9
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	56	17.4	95	7	8	15	22	34	36	47
70-74	42	18.4	310	6	8	13	20	30	56	96
75-79	26	18.2	204	7	8	14	17	49	54	56
80-84	17	20.9	206	8	9	15	23	45	55	59
85+	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	20	11.7	35	4	5	10	15	21	23	25
" MULTIPLE DX	142	18.3	188	7	8	14	20	34	47	83
TOTAL 65-69 YRS	62	16.8	93	7	7	14	22	33	35	47
70-74	49	17.6	273	6	7	13	19	29	40	96
75-79	29	18.0	185	7	8	14	18	44	54	56
80-84	20	18.6	205	4	6	14	19	41	53	59
85+	2	13.5	41	9	9	13	18	18	18	18
GRAND TOTAL	**162**	**17.4**	**174**	**6**	**7**	**14**	**20**	**33**	**45**	**79**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	143	1.5	1	<1	<1	1	2	3	4	7
70-74	109	1.8	4	<1	<1	1	2	3	5	12
75-79	65	2.2	3	<1	<1	2	3	4	5	13
80-84	55	1.9	1	<1	<1	1	2	4	4	8
85+	22	3.3	7	<1	<1	2	5	7	10	12
2. MULTIPLE DX										
65-69 YRS	627	4.1	45	<1	<1	2	4	9	15	35
70-74	558	4.6	54	<1	1	2	5	11	16	45
75-79	442	5.3	65	<1	1	2	6	13	20	62
80-84	301	5.0	54	1	1	2	6	12	17	43
85+	239	6.3	75	1	1	3	8	14	20	47
TOT. SINGLE DX	394	1.9	3	<1	<1	1	2	4	5	11
" MULTIPLE DX	2167	4.8	57	<1	1	2	5	12	17	45
TOTAL 65-69 YRS	770	3.6	38	<1	<1	2	3	8	13	29
70-74	667	4.2	48	<1	<1	2	4	10	15	30
75-79	507	4.9	59	<1	<1	2	5	12	19	61
80-84	356	4.5	48	<1	1	2	5	11	16	34
85+	261	6.1	70	1	1	3	8	14	19	44
GRAND TOTAL	**2561**	**4.4**	**50**	**<1**	**<1**	**2**	**4**	**10**	**16**	**39**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
2 MULTIPLE DX										
65-69 YRS	7	5.6	11	2	2	4	8	11	11	11
70-74	7	2.9	8	<1	<1	1	5	8	8	8
75-79	4	10.0	68	3	3	7	15	22	22	22
80-84	4	9.5	21	4	4	9	13	15	15	15
85+	7	10.1	83	4	4	6	11	26	30	30
TOT. SINGLE DX	3	1.3		1	1	1	2	2	2	2
" MULTIPLE DX	29	7.2	41	<1	1	6	9	14	22	30
TOTAL 65-69 YRS	7	5.6	11	2	2	4	8	11	11	11
70-74	8	2.6	8	<1	<1	1	4	7	8	8
75-79	4	10.0	69	3	3	7	15	22	22	22
80-84	4	9.5	22	4	4	9	13	15	15	15
85+	9	8.2	77	1	1	6	9	23	30	30
GRAND TOTAL	**32**	**6.6**	**40**	**<1**	**1**	**5**	**8**	**13**	**21**	**30**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	4	4.8	1	4	4	5	5	6	6	6
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	10	8.1	22	4	4	7	9	16	17	17
70-74	8	6.5	8	2	2	7	9	10	10	10
75-79	4	6.3	3	4	4	6	7	8	8	8
80-84	6	7.0	25	4	4	5	7	16	17	17
85+	3	16.7	234	5	5	11	28	34	34	34
TOT. SINGLE DX	6	4.5	1	4	4	4	5	6	6	6
" MULTIPLE DX	31	8.1	38	3	4	7	9	16	17	34
TOTAL 65-69 YRS	11	7.7	22	4	4	7	9	16	17	17
70-74	12	5.9	7	2	3	5	8	9	10	10
75-79	4	6.3	3	4	4	6	7	8	8	8
80-84	7	6.6	23	4	4	4	7	15	17	17
85+	3	16.7	234	5	5	11	28	34	34	34
GRAND TOTAL	**37**	**7.5**	**33**	**3**	**4**	**6**	**8**	**15**	**17**	**34**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	3.4	2	1	1	4	4	5	5	5
70-74	9	2.3	1	1	1	2	3	4	4	4
75-79	6	4.3	5	1	1	4	5	8	8	8
80-84	6	4.2	1	3	3	4	5	6	6	6
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	48	4.4	12	1	2	3	4	10	14	17
70-74	39	3.6	4	2	2	3	4	5	7	14
75-79	31	3.8	5	1	2	3	4	7	9	11
80-84	16	6.5	22	1	3	4	11	14	15	15
85+	12	4.3	7	1	2	4	5	9	10	10
TOT. SINGLE DX	27	3.4	3	1	1	3	4	5	6	8
" MULTIPLE DX	146	4.3	10	1	2	3	4	8	12	15
TOTAL 65-69 YRS	53	4.3	12	1	2	3	4	9	14	17
70-74	48	3.3	4	1	2	3	4	5	6	14
75-79	37	3.9	5	1	2	3	4	8	9	11
80-84	22	5.9	18	2	3	4	7	13	15	15
85+	13	4.2	6	1	2	3	5	8	10	10
GRAND TOTAL	**173**	**4.1**	**9**	**1**	**2**	**3**	**4**	**8**	**12**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	389	5.1	4	2	3	5	6	8	9	12
70-74	297	5.2	3	2	3	5	6	8	8	11
75-79	168	5.1	3	2	2	5	6	8	9	11
80-84	54	5.6	7	3	3	5	6	8	11	19
85+	19	5.5	3	3	3	5	6	8	9	10
2. MULTIPLE DX										
65-69 YRS	963	6.0	9	3	3	6	7	9	10	17
70-74	792	6.2	7	3	3	6	7	9	11	15
75-79	549	6.3	16	3	3	6	7	9	12	21
80-84	199	7.0	15	3	3	6	8	11	14	21
85+	60	8.3	23	4	4	7	10	12	18	29
TOT. SINGLE DX	927	5.2	4	2	3	5	6	8	9	12
" MULTIPLE DX	2563	6.2	11	3	3	6	7	9	11	18
TOTAL 65-69 YRS	1352	5.7	8	3	3	5	7	8	10	15
70-74	1089	5.9	7	3	3	6	7	9	10	15
75-79	717	6.1	14	2	3	5	7	9	11	18
80-84	253	6.7	14	3	3	6	8	11	14	20
85+	79	7.6	20	4	4	6	9	11	16	28
GRAND TOTAL	**3490**	**6.0**	**10**	**3**	**3**	**6**	**7**	**9**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	39	4.8	2	1	3	5	5	7	7	9
70-74	26	5.4	2	2	4	6	6	7	8	9
75-79	18	5.3	5	1	2	5	7	8	10	11
80-84	6	4.8	9	1	1	6	7	8	8	8
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	109	8.1	81	2	3	6	8	15	20	62
70-74	79	8.6	80	2	3	6	10	14	22	56
75-79	42	6.8	14	2	3	6	7	12	16	20
80-84	26	8.9	28	3	4	7	11	18	20	24
85+	12	8.0	9	3	4	8	10	12	13	13
TOT. SINGLE DX	90	5.1	4	1	2	5	6	7	8	10
" MULTIPLE DX	268	8.1	62	2	3	6	9	15	19	55
TOTAL 65-69 YRS	148	7.2	63	2	3	6	7	13	16	54
70-74	105	7.8	63	2	3	6	8	12	17	56
75-79	60	6.4	12	2	2	6	7	10	14	20
80-84	32	8.2	27	1	3	7	9	17	19	24
85+	13	7.8	10	3	4	7	10	12	13	13
GRAND TOTAL	**358**	**7.4**	**49**	**2**	**3**	**6**	**8**	**12**	**17**	**52**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	3.8	4	1	1	4	5	6	7	11
70-74	58	4.1	5	<1	1	4	6	7	8	11
75-79	49	3.9	4	1	2	4	5	7	8	12
80-84	29	4.1	7	1	1	4	5	7	9	14
85+	16	3.6	2	1	1	4	5	5	6	6
2. MULTIPLE DX										
65-69 YRS	261	6.0	31	1	2	5	7	10	13	28
70-74	256	6.7	44	1	2	5	7	13	18	40
75-79	220	7.6	65	1	2	5	8	16	21	58
80-84	160	7.9	64	1	2	5	9	17	25	44
85+	89	10.2	160	2	2	6	11	29	45	91
TOT. SINGLE DX	196	3.9	5	1	1	4	5	6	8	12
" MULTIPLE DX	986	7.2	61	1	2	5	8	14	21	47
TOTAL 65-69 YRS	305	5.7	28	1	2	5	7	10	13	26
70-74	314	6.2	38	1	2	5	7	11	17	39
75-79	269	6.9	57	1	2	5	8	14	20	53
80-84	189	7.3	57	1	2	5	8	16	23	41
85+	105	9.2	142	2	2	5	9	23	41	87
GRAND TOTAL	**1182**	**6.7**	**53**	**1**	**2**	**5**	**7**	**13**	**19**	**45**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	29	2.2	3	<1	<1	2	3	4	5	10
70-74	21	2.5	8	<1	<1	1	3	7	10	11
75-79	16	3.5	10	<1	<1	2	4	9	11	12
80-84	12	2.8	4	<1	<1	2	5	6	6	6
85+	8	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	97	7.5	96	1	1	4	9	18	29	54
70-74	78	6.3	53	1	1	4	7	16	23	36
75-79	87	8.4	83	1	1	6	12	19	22	87
80-84	73	6.7	39	1	2	4	8	16	21	29
85+	71	9.1	84	2	2	6	10	21	28	47
TOT. SINGLE DX	86	2.6	6	<1	<1	2	3	6	10	12
" MULTIPLE DX	406	7.6	73	1	1	5	10	19	24	48
TOTAL 65-69 YRS	126	6.3	80	<1	1	3	7	15	24	50
70-74	99	5.5	46	<1	1	3	6	14	21	36
75-79	103	7.6	75	<1	1	5	11	19	22	82
80-84	85	6.1	36	1	1	4	7	15	20	29
85+	79	8.4	80	1	2	5	10	21	28	46
GRAND TOTAL	**492**	**6.7**	**65**	**<1**	**1**	**4**	**8**	**16**	**22**	**43**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	5.8	15	1	2	5	8	9	14	16
70-74	20	6.8	28	1	2	5	8	14	19	24
75-79	19	6.3	16	1	1	6	10	12	13	13
80-84	6	15.0	437	1	1	8	11	32	57	57
85+	19	7.5	18	1	2	7	10	14	16	16
2. MULTIPLE DX										
65-69 YRS	57	11.7	66	2	4	8	16	22	25	42
70-74	59	13.6	84	3	4	13	19	25	29	48
75-79	57	13.0	138	2	3	10	16	26	40	63
80-84	55	11.2	85	2	3	9	13	22	29	53
85+	43	12.4	88	2	3	10	18	29	35	99+
TOT. SINGLE DX	80	7.2	51	1	2	6	9	12	16	47
" MULTIPLE DX	271	12.4	92	3	4	10	16	25	30	53
TOTAL 65-69 YRS	73	10.4	61	2	3	8	14	20	24	41
70-74	79	11.8	79	2	3	9	15	23	28	47
75-79	76	11.3	116	2	3	9	13	24	35	59
80-84	61	11.6	114	2	3	9	13	24	31	57
85+	62	10.9	71	2	3	9	15	26	31	92
GRAND TOTAL	**351**	**11.2**	**87**	**2**	**3**	**9**	**14**	**22**	**29**	**54**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	3	6.0	48	2	2	2	11	14	14	14
75-79	2	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	13	6.5	22	1	1	6	10	13	15	15
70-74	10	5.0	9	2	2	4	7	9	11	11
75-79	9	6.7	18	1	1	6	10	13	13	13
80-84	7	7.4	71	2	2	4	7	22	26	26
85+	3	5.3	24	2	2	3	9	11	11	11
TOT. SINGLE DX	6	4.7	22	2	2	3	4	13	14	14
" MULTIPLE DX	42	6.3	24	1	2	5	9	12	14	26
TOTAL 65-69 YRS	14	6.2	22	1	1	5	10	13	14	15
70-74	13	5.2	15	2	2	4	7	12	14	14
75-79	11	6.2	16	1	2	5	9	12	13	13
80-84	7	7.4	71	2	2	4	7	22	26	26
85+	3	5.3	24	2	2	3	9	11	11	11
GRAND TOTAL	**48**	**6.1**	**24**	**1**	**2**	**5**	**9**	**12**	**14**	**26**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	10	3.4	7	<1	<1	3	4	8	10	10
70-74	2	3.5	13	1	1	3	6	6	6	6
75-79	7	6.1	27	1	1	7	11	13	13	13
80-84	6	19.5	251	4	4	16	37	38	38	38
85+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	2	2.5	5	1	1	2	4	4	4	4
" MULTIPLE DX	26	8.1	103	<1	1	5	10	24	37	38
TOTAL 65-69 YRS	10	3.4	8	<1	<1	3	4	8	10	10
70-74	3	2.7	8	1	1	1	5	6	6	6
75-79	7	6.1	27	1	1	7	11	13	13	13
80-84	6	19.5	252	4	4	16	37	38	38	38
85+	2	7.0	18	4	4	7	10	10	10	10
GRAND TOTAL	**28**	**7.7**	**98**	**<1**	**1**	**4**	**9**	**21**	**37**	**38**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this operation group because of clinical implausibility."

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility."

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	5.7	30	1	1	3	9	16	18	18
70-74	13	5.9	21	1	1	5	11	12	12	12
75-79	16	5.6	18	1	2	4	8	13	14	14
80-84	7	5.6	15	2	2	4	7	12	13	13
85+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	80	9.0	89	1	2	6	12	19	26	52
70-74	66	10.5	131	1	1	7	14	22	37	53
75-79	53	9.1	102	1	1	7	11	17	27	54
80-84	22	10.7	100	3	4	8	13	17	31	50
85+	20	11.8	158	1	2	8	19	39	74	99+
TOT. SINGLE DX	58	5.7	21	1	1	4	9	13	14	18
" MULTIPLE DX	241	9.8	109	1	2	7	13	21	33	54
TOTAL 65-69 YRS	100	8.3	79	1	2	5	12	17	24	49
70-74	79	9.7	115	1	1	7	12	20	35	51
75-79	69	8.3	84	1	1	6	10	15	27	52
80-84	29	9.4	84	2	3	7	13	17	20	50
85+	22	11.2	147	1	2	7	17	34	69	99+
GRAND TOTAL	**299**	**9.0**	**95**	**1**	**2**	**6**	**12**	**18**	**28**	**54**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	33	2.1		1	1	2	3	3	3	4
70-74	21	3.0	3	1	1	3	3	6	7	8
75-79	7	3.0	3	1	1	3	5	6	6	6
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	47	5.4	57	1	1	3	5	11	23	43
70-74	32	5.1	29	1	1	3	5	11	19	24
75-79	25	10.7	287	1	1	3	9	29	57	69
80-84	9	9.8	106	2	2	4	17	27	30	30
85+	5	17.2	246	2	2	16	29	39	39	39
TOT. SINGLE DX	66	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	118	7.3	115	1	1	3	5	21	28	58
TOTAL 65-69 YRS	80	4.0	36	1	1	3	3	6	13	38
70-74	53	4.2	20	1	1	3	4	10	12	24
75-79	32	9.0	233	1	1	3	6	24	51	69
80-84	12	7.9	89	1	1	4	10	24	29	30
85+	7	12.7	223	1	1	3	23	36	39	39
GRAND TOTAL	**184**	**5.5**	**79**	**1**	**1**	**3**	**4**	**12**	**23**	**50**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	5	2.4	3	1	1	2	3	5	5	5
75-79	4	3.5	5	1	1	3	5	6	6	6
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	11	8.8	92	1	2	3	12	25	31	32
70-74	20	7.9	52	1	1	6	10	16	23	31
75-79	24	8.9	128	2	2	5	8	19	40	50
80-84	12	6.8	16	2	2	6	11	12	12	12
85+	11	10.3	113	1	2	8	12	26	38	39
TOT. SINGLE DX	14	3.0	3	1	1	3	5	5	6	6
" MULTIPLE DX	78	8.5	81	1	2	6	11	17	32	47
TOTAL 65-69 YRS	15	7.2	74	1	1	3	10	20	29	32
70-74	25	6.8	47	1	1	6	9	15	20	31
75-79	28	8.1	114	2	2	5	7	16	37	50
80-84	12	6.8	16	2	2	6	11	12	12	12
85+	12	9.8	106	1	2	6	11	24	37	39
GRAND TOTAL	**92**	**7.6**	**73**	**1**	**2**	**5**	**10**	**15**	**30**	**45**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	3.0	3	1	1	3	4	6	6	6
70-74	17	4.2	11	1	1	3	5	9	12	14
75-79	6	2.3	1	1	1	2	3	4	4	4
80-84	5	5.0	23	1	1	2	9	12	12	12
85+	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	72	8.6	68	1	2	7	11	18	21	51
70-74	56	9.7	136	1	2	7	13	17	19	79
75-79	48	8.0	54	2	2	6	10	17	22	41
80-84	31	9.1	39	1	3	9	12	18	23	27
85+	24	8.5	26	2	3	7	11	15	18	23
TOT. SINGLE DX	39	3.8	9	1	1	3	5	8	11	14
" MULTIPLE DX	231	8.8	73	1	2	7	12	17	21	44
TOTAL 65-69 YRS	80	8.1	65	1	1	6	10	17	20	49
70-74	73	8.4	112	1	2	5	12	16	18	70
75-79	54	7.4	52	1	2	5	10	16	21	40
80-84	36	8.5	39	1	2	8	11	18	22	27
85+	27	8.0	26	2	3	7	11	15	17	23
GRAND TOTAL	**270**	**8.1**	**67**	**1**	**2**	**6**	**11**	**16**	**19**	**39**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	1.8		<1	1	2	2	3	4	4
70-74	12	2.0		1	1	2	3	3	4	4
75-79	6	2.5	2	1	1	2	4	5	5	5
80-84	3	2.0	3	<1	<1	1	3	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	34	7.3	218	1	1	3	5	14	33	82
70-74	36	5.1	40	1	1	3	7	11	17	34
75-79	17	6.8	109	<1	1	3	8	11	33	45
80-84	8	9.6	45	4	4	8	12	21	24	24
85+	9	11.1	133	1	1	7	20	29	33	33
TOT. SINGLE DX	39	2.0	1	<1	1	2	2	4	4	5
" MULTIPLE DX	104	7.0	118	1	1	3	8	14	27	62
TOTAL 65-69 YRS	51	5.5	152	1	1	2	4	10	15	82
70-74	48	4.4	32	1	1	3	4	9	14	34
75-79	23	5.7	84	<1	1	3	6	11	23	45
80-84	11	7.5	45	<1	1	5	10	18	23	24
85+	10	10.1	129	1	1	5	20	27	33	33
GRAND TOTAL	**143**	**5.6**	**91**	**1**	**1**	**3**	**5**	**11**	**21**	**48**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	99	6.5	59	2	3	5	7	10	13	55
70-74	43	5.3	24	1	2	4	7	10	15	26
75-79	21	5.0	14	1	2	4	6	9	14	18
80-84	5	7.0	15	2	2	6	11	11	11	11
85+	10	6.8	17	2	2	5	10	13	15	15
2. MULTIPLE DX										
65-69 YRS	268	7.6	73	1	1	5	8	15	22	55
70-74	159	8.2	88	1	1	5	10	16	24	56
75-79	81	11.6	207	2	2	7	13	21	46	75
80-84	55	14.6	210	2	2	11	17	31	52	68
85+	43	11.1	53	2	3	10	15	21	26	34
TOT. SINGLE DX	178	6.1	42	1	2	5	7	11	13	38
" MULTIPLE DX	606	9.2	110	1	2	6	11	18	31	61
TOTAL 65-69 YRS	367	7.3	70	1	2	5	8	13	20	55
70-74	202	7.6	76	1	1	4	10	15	22	49
75-79	102	10.2	174	1	2	6	11	18	41	73
80-84	60	14.0	198	2	2	11	16	29	49	67
85+	53	10.3	49	2	3	10	14	18	23	34
GRAND TOTAL	**784**	**8.5**	**96**	**1**	**2**	**5**	**10**	**16**	**25**	**60**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	152	2.6	3	<1	1	2	3	5	5	8
70-74	121	2.5	2	<1	1	2	3	5	6	7
75-79	56	2.9	2	1	1	3	4	5	6	7
80-84	20	3.0	2	<1	1	3	4	5	6	6
85+	12	2.8	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
65-69 YRS	1176	3.2	6	1	1	3	4	5	7	13
70-74	843	3.3	7	1	1	3	4	6	7	14
75-79	482	3.4	5	1	1	3	4	6	7	14
80-84	193	4.4	68	1	1	3	5	7	10	50
85+	64	5.3	31	1	1	3	6	12	21	27
TOT. SINGLE DX	361	2.7	3	<1	1	2	4	5	6	8
" MULTIPLE DX	2758	3.4	12	1	1	3	4	6	7	16
TOTAL 65-69 YRS	1328	3.1	6	1	1	3	4	5	6	12
70-74	964	3.2	7	1	1	3	4	6	7	13
75-79	538	3.4	5	1	1	3	4	6	7	14
80-84	213	4.3	62	1	1	3	5	6	10	39
85+	76	4.9	28	<1	1	3	6	9	19	27
GRAND TOTAL	**3119**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	299	3.8	20	<1	<1	3	4	8	11	20
70-74	208	6.0	66	1	1	4	7	13	20	47
75-79	125	4.7	18	<1	1	3	6	10	14	19
80-84	75	5.6	33	<1	1	4	8	11	15	36
85+	43	5.8	20	1	1	4	8	13	16	17
2. MULTIPLE DX										
65-69 YRS	1115	10.4	152	1	1	6	13	26	37	67
70-74	1047	9.8	116	1	1	6	13	23	33	55
75-79	718	11.9	159	1	2	8	16	29	39	67
80-84	428	13.9	204	1	2	10	17	32	47	93
85+	250	13.5	167	1	3	10	17	29	41	71
TOT. SINGLE DX	750	4.9	35	<1	1	3	6	10	15	28
" MULTIPLE DX	3558	11.2	153	1	2	7	14	27	38	69
TOTAL 65-69 YRS	1414	9.0	132	1	1	5	11	24	34	61
70-74	1255	9.2	110	1	1	6	12	22	31	55
75-79	843	10.9	145	1	1	7	14	26	36	63
80-84	503	12.6	188	1	2	8	16	29	45	87
85+	293	12.4	153	1	2	9	16	27	39	67
GRAND TOTAL	**4308**	**10.1**	**138**	**1**	**1**	**6**	**13**	**24**	**36**	**64**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	92	7.5	15	2	2	7	10	12	15	19
70-74	93	8.5	48	2	3	8	10	13	16	45
75-79	75	8.6	19	2	3	8	12	16	17	19
80-84	88	9.1	19	3	4	9	11	16	18	21
85+	110	10.7	30	3	5	10	13	17	20	32
2. MULTIPLE DX										
65-69 YRS	382	12.7	109	3	3	10	15	25	34	55
70-74	429	12.5	100	3	4	10	15	22	31	51
75-79	490	13.5	95	4	5	11	16	24	30	57
80-84	450	12.9	56	5	6	11	16	21	27	47
85+	585	14.1	93	5	7	12	17	24	31	79
TOT. SINGLE DX	458	8.9	28	2	3	8	11	15	17	21
" MULTIPLE DX	2336	13.2	91	4	5	11	16	23	31	57
TOTAL 65-69 YRS	474	11.7	95	2	3	9	14	22	31	53
70-74	522	11.8	93	3	4	10	14	20	29	52
75-79	565	12.9	88	3	5	11	15	22	29	55
80-84	538	12.3	53	4	6	11	15	20	25	43
85+	695	13.6	85	5	6	12	16	22	29	66
GRAND TOTAL	**2794**	**12.5**	**83**	**3**	**5**	**11**	**15**	**21**	**29**	**55**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	254	2.8	8	<1	<1	2	3	6	9	16
70-74	151	3.8	41	<1	<1	2	4	6	10	44
75-79	146	3.9	15	<1	1	3	5	7	10	21
80-84	102	4.3	25	<1	1	3	6	9	11	33
85+	86	5.4	48	1	1	3	6	14	17	41
2. MULTIPLE DX										
65-69 YRS	345	6.3	87	1	1	4	7	14	19	52
70-74	397	8.4	101	1	1	5	10	19	31	63
75-79	356	9.5	126	1	2	6	12	20	32	85
80-84	294	11.9	154	1	2	8	15	28	40	65
85+	296	11.4	119	2	3	8	15	23	30	62
TOT. SINGLE DX	739	3.7	24	<1	1	2	4	8	11	24
" MULTIPLE DX	1688	9.3	120	1	1	6	12	21	30	61
TOTAL 65-69 YRS	599	4.8	57	<1	1	3	5	10	16	32
70-74	548	7.1	89	<1	1	4	8	17	27	61
75-79	502	7.9	101	1	1	4	10	18	26	58
80-84	396	9.9	132	1	1	6	12	22	34	59
85+	382	10.0	110	1	2	7	13	22	29	51
GRAND TOTAL	**2427**	**7.6**	**97**	**1**	**1**	**4**	**9**	**17**	**25**	**56**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	66	10.3	26	4	5	9	12	17	18	30
70-74	76	9.4	11	5	6	9	11	14	17	20
75-79	79	10.7	16	5	6	10	13	15	18	25
80-84	101	12.0	41	5	7	11	14	18	24	42
85+	157	11.6	60	5	6	10	13	17	21	50
2. MULTIPLE DX										
65-69 YRS	234	13.8	106	5	6	11	16	24	28	84
70-74	351	14.3	90	5	6	12	17	23	32	87
75-79	532	14.3	100	5	7	12	16	25	31	77
80-84	590	14.7	85	6	7	12	17	23	32	60
85+	956	14.4	85	6	7	12	17	24	30	64
TOT. SINGLE DX	479	11.0	37	5	6	10	13	16	19	35
" MULTIPLE DX	2653	14.4	91	6	7	12	17	24	31	68
TOTAL 65-69 YRS	300	13.0	91	5	6	11	15	22	27	67
70-74	427	13.5	80	5	6	12	16	22	29	86
75-79	611	13.8	91	5	7	12	16	24	29	72
80-84	691	14.3	80	6	7	12	17	23	31	56
85+	1113	14.0	83	6	7	12	16	23	29	63
GRAND TOTAL	**3142**	**13.9**	**84**	**6**	**7**	**12**	**16**	**23**	**29**	**63**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	357	10.5	25	5	5	10	12	16	19	32
70-74	444	10.6	16	5	6	10	13	16	18	22
75-79	588	11.7	29	5	7	11	14	17	20	31
80-84	703	12.2	32	6	7	12	14	18	22	31
85+	1076	12.5	43	6	7	11	14	19	22	35
2. MULTIPLE DX										
65-69 YRS	1771	15.1	96	6	7	13	17	25	34	67
70-74	2614	15.7	108	6	7	13	18	27	35	74
75-79	3915	15.5	102	6	8	13	17	26	35	76
80-84	4829	15.9	107	6	8	13	18	27	36	83
85+	7386	15.6	96	6	8	13	18	26	36	88
TOT. SINGLE DX	3168	11.8	33	5	7	11	14	18	21	31
" MULTIPLE DX	20515	15.6	102	6	8	13	18	26	35	80
TOTAL 65-69 YRS	2128	14.4	88	6	7	12	16	24	32	62
70-74	3058	14.9	98	6	7	12	17	25	33	69
75-79	4503	15.0	94	6	7	13	17	25	32	74
80-84	5532	15.4	99	6	7	13	18	26	34	76
85+	8462	15.2	91	6	7	13	18	25	34	83
GRAND TOTAL	**23683**	**15.1**	**94**	**6**	**7**	**13**	**17**	**25**	**33**	**75**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	7.0	38	1	1	6	9	17	22	23
70-74	15	6.7	29	1	1	6	12	15	15	15
75-79	20	7.4	42	1	2	5	11	14	21	27
80-84	16	9.4	92	<1	1	6	13	19	32	38
85+	32	10.2	157	2	2	7	12	16	46	60
2. MULTIPLE DX										
65-69 YRS	54	21.1	372	5	6	14	29	48	71	99+
70-74	76	20.2	354	3	5	13	24	48	61	88
75-79	89	16.3	226	3	4	11	18	39	48	69
80-84	92	15.0	191	2	3	11	19	34	51	99+
85+	176	16.4	280	3	3	11	19	34	53	98
TOT. SINGLE DX	107	8.3	81	1	1	6	11	16	21	54
" MULTIPLE DX	487	17.2	277	3	4	12	21	40	58	99
TOTAL 65-69 YRS	78	16.7	311	1	2	11	21	43	63	99+
70-74	91	18.0	325	1	3	12	22	44	57	86
75-79	109	14.7	204	2	3	11	16	36	46	69
80-84	108	14.1	180	2	3	10	17	34	51	99+
85+	208	15.5	266	2	3	11	18	33	49	98
GRAND TOTAL	**594**	**15.6**	**254**	**2**	**3**	**11**	**19**	**36**	**51**	**98**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	117	2.1	2	<1	1	2	3	5	6	8
70-74	94	3.2	9	1	1	2	3	6	9	17
75-79	103	3.2	9	1	1	2	4	7	9	16
80-84	41	3.0	5	1	1	2	4	6	8	11
85+	34	5.2	32	1	1	3	7	11	18	27
2. MULTIPLE DX										
65-69 YRS	180	6.9	105	1	1	4	7	14	20	59
70-74	141	7.8	75	1	2	5	10	17	22	55
75-79	136	8.2	98	1	1	5	9	18	31	68
80-84	120	9.2	126	1	2	6	11	19	32	62
85+	87	7.5	51	1	2	6	9	18	21	37
TOT. SINGLE DX	389	3.0	10	1	1	2	4	7	9	17
" MULTIPLE DX	664	7.9	94	1	2	5	9	17	24	56
TOTAL 65-69 YRS	297	5.0	70	1	1	3	5	9	16	54
70-74	235	5.9	54	1	1	3	7	13	19	36
75-79	239	6.0	66	1	1	3	7	15	20	48
80-84	161	7.6	103	1	1	5	9	17	23	53
85+	121	6.9	47	1	1	5	8	16	21	33
GRAND TOTAL	**1053**	**6.1**	**68**	**1**	**1**	**3**	**7**	**13**	**19**	**50**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	868	4.8	10	1	2	4	6	8	10	16
70-74	555	5.6	21	2	2	5	7	10	13	17
75-79	351	5.5	12	1	2	5	7	10	13	18
80-84	208	6.1	17	1	2	5	8	11	13	20
85+	127	6.7	16	1	2	6	9	13	14	18
2. MULTIPLE DX										
65-69 YRS	1662	8.2	60	2	3	6	10	15	21	41
70-74	1364	8.9	66	2	3	7	10	16	24	46
75-79	1023	9.6	66	2	3	7	11	18	25	44
80-84	701	11.5	112	2	3	8	14	23	29	59
85+	474	11.5	79	3	4	9	14	21	30	59
TOT. SINGLE DX	2109	5.4	15	1	2	4	7	10	12	18
" MULTIPLE DX	5224	9.4	73	2	3	7	11	18	25	49
TOTAL 65-69 YRS	2530	7.0	46	1	2	5	8	13	18	36
70-74	1919	7.9	56	2	2	6	9	14	20	43
75-79	1374	8.6	56	2	3	7	10	16	23	41
80-84	909	10.2	96	2	3	7	12	20	27	56
85+	601	10.5	70	3	3	8	13	19	25	57
GRAND TOTAL	**7333**	**8.2**	**60**	**2**	**2**	**6**	**10**	**15**	**22**	**43**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	346	3.2	14	1	1	2	4	6	9	15
70-74	262	3.3	11	<1	1	2	4	7	9	15
75-79	226	3.4	40	1	1	2	4	7	9	13
80-84	162	3.5	15	1	1	2	4	7	12	23
85+	164	3.6	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
65-69 YRS	753	7.2	82	1	1	5	8	15	21	47
70-74	795	7.3	77	1	1	5	9	17	24	56
75-79	802	7.3	54	1	1	5	9	15	22	45
80-84	707	8.1	94	1	1	5	10	18	23	62
85+	671	8.9	111	1	2	6	10	18	29	59
TOT. SINGLE DX	1160	3.4	18	1	1	2	4	7	10	15
" MULTIPLE DX	3729	7.7	83	1	1	5	9	16	24	54
TOTAL 65-69 YRS	1099	5.9	65	1	1	4	7	13	17	42
70-74	1058	6.3	64	1	1	4	7	14	21	48
75-79	1028	6.4	54	1	1	4	8	14	20	42
80-84	869	7.2	83	1	1	4	9	16	21	55
85+	835	7.9	96	1	1	5	9	16	27	53
GRAND TOTAL	**4889**	**6.7**	**71**	**1**	**1**	**4**	**8**	**14**	**21**	**49**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	100	3.5	9	<1	<1	2	5	8	9	14
70-74	122	4.4	52	<1	<1	2	5	10	17	37
75-79	106	4.2	17	1	1	3	6	9	12	24
80-84	71	4.3	25	1	1	2	6	11	16	21
85+	75	4.6	25	1	1	3	6	8	10	33
2. MULTIPLE DX										
65-69 YRS	200	6.8	82	1	1	4	7	15	31	45
70-74	242	8.6	113	1	1	5	10	24	33	61
75-79	231	7.5	67	1	1	5	10	16	22	42
80-84	178	8.5	96	1	1	5	11	20	30	87
85+	176	7.3	83	1	1	4	9	16	28	57
TOT. SINGLE DX	474	4.2	27	<1	1	2	6	9	13	23
" MULTIPLE DX	1027	7.8	89	1	1	5	9	18	30	55
TOTAL 65-69 YRS	300	5.7	61	<1	1	3	7	12	19	43
70-74	364	7.2	97	<1	1	4	8	19	27	60
75-79	337	6.5	54	1	1	4	8	14	21	39
80-84	249	7.3	79	1	1	4	9	17	26	58
85+	251	6.5	68	1	1	4	8	14	19	53
GRAND TOTAL	**1501**	**6.6**	**72**	**1**	**1**	**4**	**8**	**15**	**24**	**52**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	30	5.7	19	1	1	4	8	13	16	17
70-74	12	4.1	5	1	1	4	5	8	8	8
75-79	11	5.5	12	2	2	6	7	11	12	12
80-84	7	5.7	19	<1	<1	4	10	12	12	12
85+	13	10.8	37	2	3	12	15	18	20	21
2. MULTIPLE DX										
65-69 YRS	38	8.0	70	1	1	5	9	18	30	36
70-74	40	12.9	359	1	3	8	12	19	62	96
75-79	29	15.6	108	4	4	13	22	35	43	99+
80-84	41	16.1	257	4	5	12	18	29	50	87
85+	42	14.0	136	3	3	11	19	28	42	54
TOT. SINGLE DX	73	6.3	23	1	2	5	9	14	16	20
" MULTIPLE DX	190	13.3	197	2	3	10	16	27	42	92
TOTAL 65-69 YRS	68	7.0	48	1	1	5	9	15	20	36
70-74	52	10.8	290	1	2	6	10	17	43	96
75-79	40	12.8	102	2	3	11	18	31	40	99+
80-84	48	14.6	235	2	4	11	16	25	38	87
85+	55	13.3	114	3	3	12	16	25	40	53
GRAND TOTAL	**263**	**11.3**	**158**	**1**	**2**	**8**	**14**	**21**	**36**	**86**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	70	7.1	86	1	1	4	8	12	28	52
70-74	63	9.1	80	1	2	7	10	22	31	41
75-79	46	9.1	87	1	1	6	14	20	27	43
80-84	21	12.0	197	1	2	8	14	26	44	65
85+	24	9.8	32	2	3	10	14	15	18	24
2. MULTIPLE DX										
65-69 YRS	333	13.6	234	1	2	8	17	39	46	73
70-74	340	15.8	249	2	2	11	19	35	52	77
75-79	236	18.4	278	1	2	14	25	46	55	76
80-84	167	16.6	177	2	3	14	22	35	44	78
85+	140	18.8	235	3	3	14	24	35	49	83
TOT. SINGLE DX	224	8.8	89	1	1	6	11	19	27	49
" MULTIPLE DX	1216	16.2	242	1	2	12	21	39	52	78
TOTAL 65-69 YRS	403	12.5	215	1	2	7	16	36	45	67
70-74	403	14.7	228	1	2	10	19	32	48	76
75-79	282	16.8	259	1	2	13	24	43	54	73
80-84	188	16.1	181	2	3	13	21	34	44	76
85+	164	17.5	216	3	5	13	22	33	46	81
GRAND TOTAL	**1440**	**15.0**	**226**	**1**	**2**	**10**	**20**	**35**	**47**	**75**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	723	7.6	18	3	3	7	9	13	16	22
70-74	431	8.1	17	3	4	7	10	13	17	23
75-79	182	9.1	26	3	4	8	11	16	19	29
80-84	59	9.6	42	3	4	8	11	16	21	43
85+	22	9.3	16	3	4	9	11	16	18	19
2. MULTIPLE DX										
65-69 YRS	1588	10.9	50	4	5	9	13	19	25	39
70-74	1163	12.0	68	4	5	10	15	21	27	49
75-79	681	13.2	78	5	6	11	16	23	27	53
80-84	281	14.5	63	5	6	13	19	25	32	50
85+	75	15.2	91	4	5	14	18	27	35	52
TOT. SINGLE DX	1417	8.1	20	3	4	7	10	14	17	23
" MULTIPLE DX	3788	12.0	64	4	5	10	15	21	27	46
TOTAL 65-69 YRS	2311	9.9	43	3	4	8	12	17	23	36
70-74	1594	10.9	58	4	4	9	14	19	24	43
75-79	863	12.3	70	4	5	10	15	22	26	50
80-84	340	13.7	63	5	6	12	17	24	30	47
85+	97	13.8	80	4	5	12	17	23	30	50
GRAND TOTAL	**5205**	**10.9**	**55**	**4**	**4**	**9**	**13**	**20**	**25**	**42**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	98	1.9	2	<1	<1	1	2	4	5	10
70-74	75	2.0	1	<1	<1	2	2	4	5	8
75-79	44	1.8	3	<1	<1	1	2	3	4	11
80-84	19	2.8	4	<1	1	2	4	6	7	7
85+	5	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	539	2.8	13	<1	<1	2	3	6	8	14
70-74	377	2.6	7	<1	1	2	3	5	8	14
75-79	223	3.2	31	<1	1	2	3	7	10	18
80-84	95	3.5	20	<1	1	2	4	8	9	29
85+	35	3.6	12	<1	1	2	5	7	11	18
TOT. SINGLE DX	241	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	1269	2.9	15	<1	1	2	3	6	9	17
TOTAL 65-69 YRS	637	2.7	12	<1	<1	2	3	5	8	13
70-74	452	2.5	7	<1	<1	2	3	5	7	14
75-79	267	3.0	27	<1	<1	2	3	6	10	18
80-84	114	3.4	18	<1	1	2	4	7	9	28
85+	40	3.5	11	<1	1	2	4	6	10	18
GRAND TOTAL	**1510**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**8**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	142	3.0	9	<1	<1	2	3	7	9	27
70-74	113	4.0	39	<1	<1	2	4	8	15	35
75-79	62	3.7	12	<1	<1	2	5	8	12	17
80-84	23	2.5	6	<1	<1	1	3	7	8	10
85+	15	3.5	10	<1	<1	2	4	8	11	12
2. MULTIPLE DX										
65-69 YRS	557	6.6	92	<1	1	3	7	18	28	51
70-74	446	7.9	124	1	1	3	9	22	31	53
75-79	286	9.1	125	<1	1	4	13	24	32	56
80-84	147	12.6	222	1	1	7	18	34	44	93
85+	72	13.6	193	1	1	9	18	36	44	56
TOT. SINGLE DX	355	3.4	20	<1	<1	2	4	8	11	26
" MULTIPLE DX	1508	8.4	130	<1	1	3	10	23	33	55
TOTAL 65-69 YRS	699	5.9	78	<1	1	3	6	15	26	50
70-74	559	7.1	110	<1	1	3	8	19	29	52
75-79	348	8.2	110	<1	1	4	11	22	27	48
80-84	170	11.2	205	1	1	6	15	29	44	89
85+	87	11.9	176	<1	1	7	15	32	43	56
GRAND TOTAL	**1863**	**7.5**	**113**	**<1**	**1**	**3**	**9**	**21**	**29**	**53**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	45	9.3	27	3	4	8	13	17	19	23
70-74	26	9.2	45	2	3	8	10	15	22	36
75-79	16	9.3	61	2	3	6	10	22	28	31
80-84	3	15.3	6	13	13	15	17	18	18	18
85+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	215	14.3	134	4	5	11	17	27	37	71
70-74	130	14.9	146	5	6	12	18	24	36	98
75-79	78	17.0	152	5	6	14	21	34	42	67
80-84	23	20.5	351	4	5	12	24	53	67	67
85+	16	16.8	112	4	7	14	19	32	42	46
TOT. SINGLE DX	92	9.4	38	3	4	8	12	18	21	34
" MULTIPLE DX	462	15.3	152	4	6	12	18	28	41	74
TOTAL 65-69 YRS	260	13.5	120	4	5	11	16	26	34	68
70-74	156	13.8	133	4	5	11	16	23	35	95
75-79	94	15.7	145	3	5	12	20	30	41	62
80-84	26	19.9	313	4	5	13	24	48	67	67
85+	18	15.7	108	4	7	13	18	31	41	46
GRAND TOTAL	**554**	**14.3**	**138**	**4**	**5**	**11**	**17**	**26**	**38**	**68**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	112	3.8	10	<1	1	3	5	8	9	17
70-74	84	3.4	7	<1	<1	3	4	8	9	13
75-79	52	3.6	7	<1	1	3	5	8	10	12
80-84	17	3.6	15	<1	<1	1	5	11	12	13
85+	8	4.5	16	<1	<1	3	6	11	13	13
2. MULTIPLE DX										
65-69 YRS	277	5.5	53	1	1	4	6	10	17	39
70-74	210	5.5	32	1	1	4	7	12	16	28
75-79	127	6.5	52	<1	1	4	8	15	18	34
80-84	59	7.1	50	1	1	5	8	17	26	31
85+	19	8.8	77	1	1	7	13	28	69	99+
TOT. SINGLE DX	273	3.6	10	<1	<1	3	5	8	10	13
" MULTIPLE DX	692	5.9	47	1	1	4	7	13	17	36
TOTAL 65-69 YRS	389	5.0	42	<1	1	4	6	9	13	29
70-74	294	4.9	26	<1	1	3	7	10	15	25
75-79	179	5.6	42	<1	1	4	7	12	17	25
80-84	76	6.3	45	<1	1	4	8	15	23	30
85+	27	7.5	62	<1	1	6	12	16	45	99+
GRAND TOTAL	**965**	**5.3**	**38**	**<1**	**1**	**4**	**7**	**11**	**16**	**30**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1109	10.7	12	6	7	10	12	15	16	23
70-74	1084	11.1	14	6	7	11	13	15	17	24
75-79	843	11.4	13	7	8	11	13	15	17	23
80-84	452	12.2	26	7	8	11	14	16	18	31
85+	237	12.8	37	6	8	12	15	18	22	36
2. MULTIPLE DX										
65-69 YRS	3064	13.0	43	7	8	11	15	19	24	39
70-74	3396	13.6	55	7	8	12	15	20	25	50
75-79	3166	14.5	64	8	8	13	16	22	28	52
80-84	2007	16.0	97	7	9	14	18	26	35	63
85+	1346	16.0	91	8	9	13	18	26	34	63
TOT. SINGLE DX	3725	11.3	17	6	7	11	13	16	17	24
" MULTIPLE DX	12979	14.3	66	7	8	12	16	22	28	53
TOTAL 65-69 YRS	4173	12.4	37	7	7	11	14	18	23	38
70-74	4480	13.0	47	7	8	12	15	19	24	44
75-79	4009	13.9	55	7	8	12	15	20	26	50
80-84	2459	15.3	87	7	8	13	17	24	33	60
85+	1583	15.5	84	7	8	13	17	24	32	60
GRAND TOTAL	**16704**	**13.6**	**57**	**7**	**8**	**12**	**15**	**20**	**26**	**49**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	209	11.1	13	6	6	11	14	16	17	22
70-74	321	11.3	16	6	7	11	14	17	18	26
75-79	431	11.9	21	6	7	11	14	17	20	33
80-84	433	12.2	26	6	7	11	14	17	20	25
85+	535	12.2	28	6	7	11	15	18	21	31
2. MULTIPLE DX										
65-69 YRS	1021	14.7	75	7	8	12	16	24	33	50
70-74	1711	14.8	70	7	8	13	17	23	30	51
75-79	2443	15.4	83	7	8	13	17	25	33	60
80-84	2806	15.8	102	7	8	13	18	26	36	73
85+	3699	15.8	99	7	8	13	18	27	35	76
TOT. SINGLE DX	1929	11.9	23	6	7	11	14	17	20	28
" MULTIPLE DX	11680	15.5	91	7	8	13	18	25	34	67
TOTAL 65-69 YRS	1230	14.1	66	6	8	12	16	22	30	49
70-74	2032	14.3	64	7	8	13	16	22	29	50
75-79	2874	14.9	76	7	8	13	17	23	32	59
80-84	3239	15.3	94	7	8	13	17	25	33	71
85+	4234	15.4	92	7	8	13	18	25	33	72
GRAND TOTAL	**13609**	**15.0**	**83**	**7**	**8**	**13**	**17**	**24**	**32**	**63**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1267	10.5	14	5	6	10	13	15	17	22
70-74	1294	10.6	14	6	7	10	13	15	17	22
75-79	856	11.4	13	6	7	11	14	16	18	23
80-84	436	11.2	15	6	7	11	14	16	18	22
85+	132	11.9	15	6	7	11	14	16	18	25
2. MULTIPLE DX										
65-69 YRS	3003	12.1	38	6	7	11	14	18	21	32
70-74	3280	12.7	43	6	8	12	15	18	22	45
75-79	2754	13.3	40	7	8	12	15	19	24	37
80-84	1432	14.0	46	7	8	13	16	21	24	45
85+	468	14.4	47	7	8	13	16	22	25	41
TOT. SINGLE DX	3985	10.8	15	6	7	10	13	16	17	23
" MULTIPLE DX	10937	12.9	42	6	8	12	15	19	23	40
TOTAL 65-69 YRS	4270	11.7	32	5	7	11	14	17	20	30
70-74	4574	12.1	36	6	7	11	14	17	21	38
75-79	3610	12.8	35	7	8	12	15	18	22	34
80-84	1868	13.3	41	6	8	12	15	19	23	43
85+	600	13.9	42	6	8	13	16	21	23	39
GRAND TOTAL	**14922**	**12.4**	**36**	**6**	**7**	**11**	**15**	**18**	**21**	**35**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	394	3.5	6	1	1	3	4	7	9	13
70-74	202	3.5	6	1	1	3	4	7	9	11
75-79	122	4.6	12	1	1	4	6	9	13	15
80-84	41	5.0	12	1	1	4	7	10	12	14
85+	25	6.4	29	<1	1	5	9	12	16	26
2. MULTIPLE DX										
65-69 YRS	814	4.4	18	1	1	3	5	8	11	22
70-74	558	5.0	27	1	1	4	6	10	12	24
75-79	324	6.3	39	1	1	5	8	13	18	30
80-84	141	7.8	66	2	2	6	10	15	19	81
85+	62	7.4	25	1	2	7	9	13	16	27
TOT. SINGLE DX	784	3.8	9	1	1	3	5	8	10	14
" MULTIPLE DX	1899	5.3	29	1	1	4	6	10	13	25
TOTAL 65-69 YRS	1208	4.1	15	1	1	3	5	8	10	19
70-74	760	4.6	22	1	1	4	6	9	11	21
75-79	446	5.9	32	1	1	4	7	12	15	28
80-84	182	7.2	55	1	2	6	10	14	17	63
85+	87	7.1	26	1	1	7	9	13	16	27
GRAND TOTAL	**2683**	**4.8**	**24**	**1**	**1**	**4**	**6**	**10**	**12**	**23**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	68	3.8	61	<1	<1	1	4	7	10	52
70-74	37	2.3	4	<1	<1	<1	3	6	8	9
75-79	27	4.3	23	<1	<1	2	7	9	14	22
80-84	14	7.3	74	<1	1	5	9	13	30	35
85+	6	7.8	70	1	1	6	8	22	24	24
2. MULTIPLE DX										
65-69 YRS	199	8.7	92	<1	1	5	11	21	27	50
70-74	150	8.9	76	1	1	7	11	20	25	45
75-79	137	10.4	95	1	2	7	13	26	32	43
80-84	77	12.2	259	<1	1	8	15	28	42	99+
85+	53	13.0	119	2	3	9	17	23	31	55
TOT. SINGLE DX	152	4.0	43	<1	<1	1	5	8	11	35
" MULTIPLE DX	616	9.9	114	1	1	7	13	22	31	54
TOTAL 65-69 YRS	267	7.4	89	<1	<1	4	9	18	25	54
70-74	187	7.6	69	<1	<1	5	9	18	24	43
75-79	164	9.4	88	<1	1	7	12	23	31	43
80-84	91	11.5	233	<1	1	8	14	25	35	99
85+	59	12.5	116	2	3	9	17	24	31	55
GRAND TOTAL	**768**	**8.7**	**105**	**<1**	**<1**	**6**	**11**	**21**	**29**	**54**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	127	2.8	10	<1	<1	2	4	6	8	19
70-74	81	3.0	8	<1	<1	2	4	7	9	16
75-79	61	3.3	18	<1	<1	2	4	8	11	26
80-84	28	3.3	6	<1	<1	2	5	7	9	9
85+	26	6.7	200	<1	1	2	3	17	43	65
2. MULTIPLE DX										
65-69 YRS	345	9.4	141	1	1	6	13	21	28	82
70-74	307	8.1	75	1	1	5	11	19	27	58
75-79	213	9.2	109	<1	1	6	13	22	29	64
80-84	128	10.4	95	1	2	7	14	22	28	46
85+	67	12.0	79	1	1	9	17	25	28	35
TOT. SINGLE DX	323	3.3	27	<1	<1	2	4	7	9	23
" MULTIPLE DX	1060	9.3	107	1	1	6	13	22	28	63
TOTAL 65-69 YRS	472	7.6	115	<1	<1	4	10	17	24	74
70-74	388	7.1	66	<1	1	4	9	17	26	48
75-79	274	7.9	95	<1	<1	4	10	19	25	62
80-84	156	9.1	87	<1	1	6	12	21	26	44
85+	93	10.5	117	1	1	7	16	25	28	53
GRAND TOTAL	**1383**	**7.9**	**95**	**<1**	**1**	**4**	**10**	**19**	**25**	**54**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	153	1.6		<1	<1	1	2	3	3	4
70-74	108	1.5		<1	<1	1	2	3	3	5
75-79	45	1.4		<1	<1	1	2	2	3	3
80-84	15	1.9	2	<1	1	1	3	4	5	6
85+	5	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	156	2.5	8	<1	1	2	3	5	8	19
70-74	118	2.5	7	<1	1	2	3	5	8	15
75-79	68	3.1	15	1	1	2	3	6	11	22
80-84	28	2.9	9	<1	<1	2	3	8	11	12
85+	14	4.7	11	1	2	4	5	11	12	12
TOT. SINGLE DX	326	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	384	2.7	10	<1	1	2	3	6	9	19
TOTAL 65-69 YRS	309	2.1	5	<1	<1	1	2	3	6	13
70-74	226	2.0	5	<1	<1	1	2	3	5	11
75-79	113	2.4	10	<1	1	2	2	4	6	21
80-84	43	2.6	7	<1	<1	1	3	6	10	12
85+	19	4.1	10	1	1	3	5	10	12	12
GRAND TOTAL	**710**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	29	1.8		<1	<1	2	2	3	3	4
70-74	15	2.7	6	<1	1	2	3	6	9	10
75-79	8	1.9	1	<1	<1	2	2	4	4	4
80-84	6	1.8		1	1	2	2	2	2	2
85+	7	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	94	2.8	14	1	1	2	3	5	8	24
70-74	44	2.8	9	<1	1	2	3	6	9	17
75-79	34	4.1	37	1	1	2	4	11	14	33
80-84	20	4.6	35	<1	1	3	5	10	19	27
85+	7	3.7	12	<1	<1	4	4	10	11	11
TOT. SINGLE DX	65	2.0	2	<1	1	2	2	3	4	9
" MULTIPLE DX	199	3.2	19	1	1	2	3	6	10	30
TOTAL 65-69 YRS	123	2.5	11	<1	1	2	3	4	6	17
70-74	59	2.8	8	<1	1	2	3	6	9	16
75-79	42	3.7	31	1	1	2	3	10	13	33
80-84	26	4.0	28	<1	1	2	4	9	14	27
85+	14	2.6	8	<1	1	1	4	5	10	11
GRAND TOTAL	**264**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**5**	**9**	**26**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	326	3.3	2	1	1	3	4	5	6	8
70-74	186	3.8	5	1	1	3	5	7	8	12
75-79	103	4.0	14	1	1	3	4	7	9	26
80-84	32	5.6	33	<1	1	5	7	9	11	34
85+	11	3.1	1	2	2	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	538	4.5	21	1	1	3	5	8	12	24
70-74	395	6.0	39	1	2	4	7	12	18	29
75-79	185	6.2	49	1	1	4	7	11	18	39
80-84	87	8.5	105	1	2	6	9	17	31	59
85+	47	10.4	93	2	3	7	13	20	24	61
TOT. SINGLE DX	658	3.7	7	1	1	3	5	6	7	11
" MULTIPLE DX	1252	5.7	41	1	2	4	6	11	16	35
TOTAL 65-69 YRS	864	4.1	15	1	1	3	5	6	9	22
70-74	581	5.3	29	1	1	4	6	10	14	28
75-79	280	5.4	38	1	1	4	6	10	15	36
80-84	119	7.8	87	1	2	5	8	14	26	52
85+	58	9.0	84	2	2	6	11	18	22	58
GRAND TOTAL	**1910**	**5.0**	**30**	**1**	**1**	**4**	**6**	**9**	**13**	**30**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	4.3	11	1	1	4	5	8	10	19
70-74	48	4.6	11	1	1	3	7	9	12	15
75-79	37	5.2	8	1	2	5	7	9	11	12
80-84	9	6.0	12	1	2	5	8	12	12	12
85+										
2. MULTIPLE DX										
65-69 YRS	155	6.8	69	1	2	4	7	12	20	48
70-74	107	8.6	122	1	2	6	9	19	31	99+
75-79	78	9.4	143	1	2	5	9	22	42	90
80-84	27	10.1	43	2	3	9	17	21	30	99+
85+	19	10.3	131	2	3	7	13	37	76	99+
TOT. SINGLE DX	159	4.7	11	1	1	4	6	9	11	17
" MULTIPLE DX	386	8.2	101	1	2	5	9	18	29	99+
TOTAL 65-69 YRS	220	6.1	53	1	2	4	6	11	18	45
70-74	155	7.4	91	1	1	5	8	15	21	98
75-79	115	8.1	103	1	2	5	9	16	29	78
80-84	36	9.1	39	2	3	7	15	20	22	99+
85+	19	10.3	131	2	3	7	13	37	76	99+
GRAND TOTAL	**545**	**7.2**	**77**	**1**	**2**	**5**	**8**	**15**	**22**	**81**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	42	2.1	5	<1	<1	1	2	4	6	14
70-74	20	2.2	3	1	1	2	3	4	6	8
75-79	18	1.7	1	<1	1	1	2	3	4	5
80-84	9	3.9	40	<1	<1	1	3	15	20	20
85+	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	85	6.7	105	<1	1	3	7	19	24	53
70-74	94	7.6	82	1	1	4	10	19	28	46
75-79	73	5.5	43	1	1	3	6	12	21	33
80-84	33	8.9	69	1	1	7	12	22	28	30
85+	32	8.8	150	<1	1	3	11	19	47	51
TOT. SINGLE DX	93	2.2	7	<1	1	1	2	4	7	17
" MULTIPLE DX	317	7.1	85	1	1	3	9	19	26	50
TOTAL 65-69 YRS	127	5.2	77	<1	1	2	5	13	21	52
70-74	114	6.7	73	1	1	3	8	18	27	45
75-79	91	4.8	38	1	1	3	5	11	21	32
80-84	42	7.8	66	1	1	4	11	21	26	30
85+	36	7.9	140	<1	1	3	11	18	41	51
GRAND TOTAL	**410**	**6.0**	**72**	**1**	**1**	**3**	**7**	**14**	**22**	**49**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	7.7	34	1	1	10	11	12	12	12
70-74										
75-79	3	4.7	5	2	2	6	6	6	6	6
80-84	1	9.0		9	9	9	9	9	9	9
85+										
2. MULTIPLE DX										
65-69 YRS	15	13.5	207	1	3	11	16	23	51	60
70-74	14	20.9	405	3	5	13	42	65	91	99+
75-79	12	19.8	581	1	2	12	22	61	79	82
80-84	7	9.9	14	5	5	9	13	15	15	15
85+	16	9.0	46	1	3	7	12	18	24	26
TOT. SINGLE DX	7	6.6	17	1	1	6	10	12	12	12
" MULTIPLE DX	64	14.8	269	2	3	10	17	47	61	97
TOTAL 65-69 YRS	18	12.6	180	1	2	10	15	22	45	60
70-74	14	20.9	406	3	5	13	42	65	91	99+
75-79	15	16.7	497	1	2	6	16	52	74	82
80-84	8	9.8	12	5	5	9	12	15	15	15
85+	16	9.0	47	1	3	7	12	18	24	26
GRAND TOTAL	**71**	**14.0**	**249**	**1**	**3**	**10**	**15**	**34**	**59**	**96**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	7.8	89	1	1	4	11	18	30	42
70-74	26	5.5	21	1	1	4	7	15	17	18
75-79	26	5.6	26	1	1	4	8	10	18	24
80-84	15	6.5	30	<1	1	4	11	15	16	17
85+	11	6.1	68	1	1	4	7	16	29	30
2. MULTIPLE DX										
65-69 YRS	775	14.8	146	2	3	12	20	30	39	64
70-74	670	15.4	155	2	4	13	20	30	40	60
75-79	519	15.3	164	3	4	12	20	30	40	65
80-84	351	14.4	149	2	3	11	19	29	39	66
85+	327	13.7	130	2	3	12	18	29	38	99
TOT. SINGLE DX	105	6.3	45	1	1	4	8	15	18	35
" MULTIPLE DX	2642	14.9	151	2	3	12	20	30	40	65
TOTAL 65-69 YRS	802	14.6	146	2	3	12	19	30	39	64
70-74	696	15.0	154	2	4	12	19	29	40	60
75-79	545	14.9	162	2	3	12	19	29	39	65
80-84	366	14.1	147	2	3	11	19	28	39	66
85+	338	13.5	130	2	3	11	18	28	38	99
GRAND TOTAL	**2747**	**14.5**	**149**	**2**	**3**	**12**	**19**	**29**	**39**	**65**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	12.8	43	7	7	10	18	22	26	27
70-74	17	14.2	188	4	5	10	18	21	48	63
75-79	7	14.6	57	7	7	12	21	24	25	25
80-84	13	12.9	42	6	7	12	14	20	30	32
85+	8	13.4	99	5	6	10	15	30	36	36
2. MULTIPLE DX										
65-69 YRS	680	21.5	213	7	9	17	27	40	55	81
70-74	721	21.5	214	7	8	17	27	41	57	99+
75-79	624	21.1	184	7	8	18	27	41	52	99+
80-84	457	21.5	275	6	7	16	28	43	65	99+
85+	574	17.8	202	5	7	14	21	34	47	89
TOT. SINGLE DX	58	13.5	90	5	7	10	17	21	30	61
" MULTIPLE DX	3056	20.7	217	6	8	16	26	41	54	99
TOTAL 65-69 YRS	693	21.4	212	7	8	17	27	40	55	81
70-74	738	21.3	215	7	8	17	27	41	57	99+
75-79	631	21.0	183	7	8	18	26	41	52	99+
80-84	470	21.3	271	6	7	16	28	43	65	99+
85+	582	17.8	201	5	7	14	21	34	47	89
GRAND TOTAL	**3114**	**20.6**	**215**	**6**	**8**	**16**	**26**	**40**	**54**	**98**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	11.2	30	4	5	10	15	20	21	21
70-74	14	14.0	69	6	7	11	16	27	33	35
75-79	12	9.5	26	3	4	8	13	18	19	19
80-84	19	9.8	24	3	4	9	14	16	18	20
85+	20	8.0	19	2	3	8	9	12	18	23
2. MULTIPLE DX										
65-69 YRS	442	20.3	213	6	7	15	27	43	57	99+
70-74	581	19.4	203	6	7	16	25	37	51	79
75-79	686	18.0	167	5	7	14	22	37	52	99+
80-84	653	17.4	230	5	6	13	20	35	58	99+
85+	1081	15.5	147	4	6	13	19	29	40	89
TOT. SINGLE DX	82	10.3	35	3	4	9	14	18	22	32
" MULTIPLE DX	3443	17.7	188	5	6	14	22	35	51	99+
TOTAL 65-69 YRS	459	20.0	210	6	7	15	26	43	55	99+
70-74	595	19.3	201	6	7	16	25	37	51	79
75-79	698	17.9	166	5	7	14	22	37	51	99+
80-84	672	17.2	226	5	6	13	20	35	57	99+
85+	1101	15.4	146	4	6	12	19	29	40	88
GRAND TOTAL	**3525**	**17.5**	**185**	**5**	**6**	**14**	**22**	**35**	**50**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	14.3	90	5	5	14	21	24	24	24
70-74	3	16.0	13	13	13	15	19	20	20	20
75-79	4	12.5	239	1	1	7	22	35	35	35
80-84	3	7.3	16	5	5	5	10	12	12	12
85+	4	13.3	77	2	2	14	19	23	23	23
2. MULTIPLE DX										
65-69 YRS	238	24.8	382	5	7	19	32	56	69	99
70-74	182	22.9	204	5	7	21	32	43	57	99+
75-79	152	21.8	260	4	6	18	28	44	55	82
80-84	111	19.2	238	5	5	15	25	42	54	90
85+	91	21.0	275	5	6	16	32	46	57	94
TOT. SINGLE DX	17	12.7	82	1	2	12	17	24	31	35
" MULTIPLE DX	774	22.5	285	5	6	18	30	46	60	99
TOTAL 65-69 YRS	241	24.6	380	5	7	19	32	56	69	99
70-74	185	22.8	202	5	7	21	31	43	57	99+
75-79	156	21.5	261	4	5	17	28	43	54	81
80-84	114	18.9	236	5	5	14	24	42	54	90
85+	95	20.7	268	4	6	16	31	46	57	94
GRAND TOTAL	**791**	**22.3**	**283**	**5**	**6**	**18**	**30**	**46**	**60**	**99**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	6.7	27	1	1	7	8	14	18	18
70-74	7	21.1	1097	1	1	9	24	80	93	93
75-79	3	9.3	86	3	3	5	16	20	20	20
80-84										
85+										
TOT. SINGLE DX	3	3.3	4	<1	<1	4	5	5	5	5
" MULTIPLE DX	19	12.4	435	1	1	7	13	25	64	93
TOTAL 65-69 YRS	10	6.5	25	1	1	6	8	13	18	18
70-74	8	18.6	992	<1	<1	5	21	73	93	93
75-79	4	8.0	65	3	3	4	12	20	20	20
80-84										
85+										
GRAND TOTAL	**22**	**11.2**	**384**	**<1**	**1**	**5**	**9**	**22**	**54**	**93**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	6.4	43	<1	<1	5	7	14	23	26
70-74	18	8.8	70	<1	1	5	12	22	27	31
75-79	8	6.4	41	2	2	4	6	17	22	22
80-84	10	6.5	17	1	1	6	9	12	14	14
85+	6	9.8	180	<1	<1	5	10	33	36	36
2. MULTIPLE DX										
65-69 YRS	155	13.3	128	2	3	10	18	28	34	57
70-74	157	12.7	140	2	3	10	17	26	33	70
75-79	127	12.6	172	2	3	9	16	28	36	99+
80-84	76	14.4	194	3	4	12	19	27	36	96
85+	79	12.6	119	3	4	10	14	26	31	69
TOT. SINGLE DX	57	7.5	58	<1	1	5	9	20	25	36
" MULTIPLE DX	594	13.0	148	2	3	10	17	27	35	82
TOTAL 65-69 YRS	170	12.7	125	2	3	9	16	28	34	56
70-74	175	12.3	135	1	3	9	17	26	31	65
75-79	135	12.2	166	2	3	9	15	27	36	99+
80-84	86	13.5	180	2	3	10	17	25	35	94
85+	85	12.4	122	2	3	10	14	27	33	66
GRAND TOTAL	**651**	**12.6**	**142**	**2**	**3**	**9**	**16**	**26**	**34**	**80**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	9.3	22	4	4	11	12	13	13	13
70-74	3	8.3	40	1	1	12	12	12	12	12
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	9.6	18	3	4	9	13	15	15	15
70-74	8	8.0	9	5	5	7	9	13	14	14
75-79	6	11.5	30	6	6	11	16	19	19	19
80-84	5	9.2	12	5	5	10	12	13	13	13
85+	2	27.5	685	9	9	27	46	46	46	46
TOT. SINGLE DX	7	8.1	24	1	2	11	12	13	13	13
" MULTIPLE DX	28	10.8	63	4	5	9	13	16	22	46
TOTAL 65-69 YRS	10	9.5	17	3	3	10	13	14	15	15
70-74	11	8.1	15	1	3	8	11	13	14	14
75-79	7	10.4	34	4	4	7	15	18	19	19
80-84	5	9.2	13	5	5	10	12	13	13	13
85+	2	27.5	685	9	9	27	46	46	46	46
GRAND TOTAL	**35**	**10.2**	**56**	**3**	**4**	**9**	**13**	**15**	**18**	**46**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	562	2.1	2	<1	<1	2	3	4	5	8
70-74	425	2.5	4	<1	<1	2	3	5	7	9
75-79	276	2.6	8	<1	<1	2	3	5	8	13
80-84	130	2.6	3	<1	<1	2	3	5	7	9
85+	79	2.8	3	<1	1	2	4	6	7	8
2. MULTIPLE DX										
65-69 YRS	1251	4.3	29	<1	<1	2	5	9	13	30
70-74	1089	5.4	50	<1	1	3	6	12	16	37
75-79	830	5.7	48	<1	1	3	7	13	18	36
80-84	542	6.7	83	1	1	4	8	14	21	50
85+	439	8.4	85	1	2	6	11	17	25	58
TOT. SINGLE DX	1472	2.4	5	<1	<1	2	3	5	6	9
" MULTIPLE DX	4151	5.6	53	<1	1	3	7	12	17	38
TOTAL 65-69 YRS	1813	3.6	22	<1	<1	2	4	8	11	24
70-74	1514	4.6	40	<1	<1	2	5	10	15	30
75-79	1106	4.9	40	<1	1	3	6	11	16	31
80-84	672	5.9	71	<1	1	3	7	12	19	46
85+	518	7.5	77	1	1	5	9	16	24	57
GRAND TOTAL	**5623**	**4.8**	**43**	**<1**	**<1**	**3**	**5**	**10**	**15**	**33**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	90	4.1	6	1	2	3	5	8	10	12
70-74	83	4.0	4	1	2	4	5	7	8	11
75-79	62	4.3	4	1	1	4	5	7	8	9
80-84	54	4.5	3	1	2	4	5	7	8	10
85+	85	4.4	6	1	1	4	5	8	9	13
2. MULTIPLE DX										
65-69 YRS	275	5.8	33	2	2	5	7	9	13	28
70-74	228	6.6	39	2	2	5	8	12	17	42
75-79	231	6.7	29	1	2	5	8	12	17	30
80-84	226	7.1	36	2	2	6	9	14	19	38
85+	282	7.6	72	2	2	6	9	14	20	89
TOT. SINGLE DX	374	4.2	5	1	1	4	5	7	9	11
" MULTIPLE DX	1242	6.8	43	2	2	5	8	13	17	44
TOTAL 65-69 YRS	365	5.4	27	2	2	4	6	9	12	24
70-74	311	5.9	31	2	2	5	7	10	14	38
75-79	293	6.2	25	1	2	5	7	12	15	28
80-84	280	6.6	31	2	2	5	8	13	16	33
85+	367	6.9	59	1	2	5	8	13	17	68
GRAND TOTAL	**1616**	**6.2**	**36**	**1**	**2**	**5**	**7**	**11**	**15**	**38**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1034	5.0	4	2	3	5	6	8	9	12
70-74	845	5.1	5	2	3	5	6	8	9	12
75-79	577	5.3	4	2	3	5	6	8	9	12
80-84	295	5.6	6	2	3	5	7	9	9	15
85+	138	5.5	6	2	2	5	7	9	10	13
2. MULTIPLE DX										
65-69 YRS	2568	6.4	13	2	3	6	8	10	12	20
70-74	2381	6.8	18	3	3	6	8	11	14	26
75-79	1751	7.0	22	3	3	6	8	11	14	25
80-84	1028	7.0	15	3	3	6	8	11	14	25
85+	551	7.6	21	3	4	7	9	13	17	27
TOT. SINGLE DX	2889	5.2	5	2	3	5	6	8	9	12
" MULTIPLE DX	8279	6.8	18	3	3	6	8	11	14	24
TOTAL 65-69 YRS	3602	6.0	12	2	3	5	7	9	11	18
70-74	3226	6.4	16	2	3	6	8	10	13	23
75-79	2328	6.6	19	3	3	6	8	10	13	23
80-84	1323	6.7	13	3	3	6	8	11	13	22
85+	689	7.2	19	2	3	6	8	12	15	26
GRAND TOTAL	**11168**	**6.4**	**15**	**2**	**3**	**6**	**8**	**10**	**12**	**22**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	127	2.7	3	1	1	2	3	4	5	10
70-74	52	2.8	4	<1	1	2	4	6	7	11
75-79	13	3.0	2	<1	1	3	4	5	7	7
80-84	7	2.4	1	<1	<1	2	3	5	5	5
85+	6	3.5	14	<1	<1	2	3	10	11	11
2. MULTIPLE DX										
65-69 YRS	332	3.8	35	1	1	3	4	6	8	22
70-74	135	4.3	20	1	1	3	5	9	15	26
75-79	64	4.2	13	1	1	3	5	7	13	19
80-84	24	11.0	255	1	1	4	11	32	54	62
85+	25	9.4	116	1	2	6	13	18	33	51
TOT. SINGLE DX	205	2.8	4	<1	1	2	3	5	6	11
" MULTIPLE DX	580	4.5	44	1	1	3	5	8	13	32
TOTAL 65-69 YRS	459	3.5	27	1	1	3	4	5	7	20
70-74	187	3.9	17	1	1	3	5	7	11	22
75-79	77	4.0	12	1	1	3	5	7	12	19
80-84	31	9.1	209	1	1	3	8	28	50	62
85+	31	8.3	101	1	1	4	11	17	27	51
GRAND TOTAL	**785**	**4.1**	**34**	**1**	**1**	**3**	**4**	**7**	**11**	**27**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	3.0	4	<1	<1	2	4	6	8	8
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	3	1.3		<1	<1	1	2	2	2	2
80-84	3	2.3	1	1	1	3	3	3	3	3
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	21	4.4	27	<1	1	3	5	8	16	25
70-74	12	4.4	18	1	1	3	7	12	13	13
75-79	6	5.3	21	2	2	3	9	13	13	13
80-84	2	5.5	41	1	1	5	10	10	10	10
85+	5	5.6	15	2	2	4	7	12	12	12
TOT. SINGLE DX	19	3.1	5	<1	<1	3	4	7	8	8
" MULTIPLE DX	46	4.7	21	1	1	3	6	11	13	25
TOTAL 65-69 YRS	31	4.0	20	<1	<1	3	5	7	8	25
70-74	14	4.4	16	1	1	3	6	11	13	13
75-79	9	4.0	17	<1	<1	2	5	11	13	13
80-84	5	3.6	14	1	1	3	5	10	10	10
85+	6	6.0	13	2	2	5	8	12	12	12
GRAND TOTAL	**65**	**4.2**	**17**	**<1**	**1**	**3**	**5**	**10**	**12**	**23**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	213	2.5	7	<1	<1	1	3	5	8	15
70-74	174	3.3	14	<1	<1	2	4	9	11	20
75-79	115	4.0	63	<1	<1	2	4	7	11	43
80-84	97	4.2	32	<1	<1	2	5	10	13	33
85+	63	5.9	137	<1	<1	2	6	11	15	80
2. MULTIPLE DX										
65-69 YRS	1024	9.2	136	1	1	6	11	20	30	76
70-74	992	10.1	123	1	2	7	13	22	29	72
75-79	899	10.2	107	1	2	8	13	21	28	69
80-84	718	11.3	129	1	2	8	14	23	36	75
85+	702	11.0	121	1	2	8	14	23	33	92
TOT. SINGLE DX	662	3.5	36	<1	<1	2	4	8	11	23
" MULTIPLE DX	4335	10.2	125	1	2	7	13	22	31	75
TOTAL 65-69 YRS	1237	8.0	121	<1	1	5	10	18	28	74
70-74	1166	9.1	113	<1	1	6	12	21	28	70
75-79	1014	9.5	107	1	1	7	12	21	27	69
80-84	815	10.4	123	1	1	7	13	22	34	71
85+	765	10.6	125	1	2	8	13	22	33	89
GRAND TOTAL	**4997**	**9.4**	**118**	**<1**	**1**	**6**	**12**	**21**	**29**	**73**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	378	5.8	40	<1	1	3	7	13	19	31
70-74	350	5.6	44	<1	1	4	7	11	18	26
75-79	253	7.2	69	1	1	5	9	16	21	47
80-84	191	6.1	26	1	1	5	8	12	16	26
85+	170	7.8	80	<1	1	5	10	20	27	43
2. MULTIPLE DX										
65-69 YRS	4011	12.9	163	1	2	9	17	29	41	77
70-74	3986	13.1	173	1	2	9	17	30	43	89
75-79	3747	14.3	199	2	3	10	18	33	49	99+
80-84	3109	14.5	204	2	2	10	19	34	50	99+
85+	3428	14.3	200	2	3	10	18	33	49	99+
TOT. SINGLE DX	1342	6.3	51	<1	1	4	8	14	20	35
" MULTIPLE DX	18281	13.7	187	2	2	10	18	32	45	99+
TOTAL 65-69 YRS	4389	12.2	157	1	2	9	16	27	39	75
70-74	4336	12.5	167	1	2	9	16	29	41	84
75-79	4000	13.8	194	2	2	10	18	32	47	99+
80-84	3300	14.0	198	1	2	10	19	33	48	99+
85+	3598	14.0	197	1	2	10	18	32	48	99+
GRAND TOTAL	**19623**	**13.2**	**181**	**1**	**2**	**9**	**17**	**30**	**44**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	71	7.2	40	1	1	6	10	16	18	31
70-74	76	8.4	57	<1	1	7	10	17	25	37
75-79	69	9.3	64	1	2	8	13	21	28	32
80-84	58	12.7	123	1	2	11	15	26	44	47
85+	41	11.1	121	1	1	9	15	21	36	49
2. MULTIPLE DX										
65-69 YRS	469	17.4	202	2	3	13	24	39	47	97
70-74	498	18.6	268	2	3	14	25	41	61	95
75-79	429	19.4	264	2	4	16	25	39	56	90
80-84	364	20.3	250	2	4	17	28	41	49	80
85+	284	19.8	212	3	6	16	26	40	50	93
TOT. SINGLE DX	315	9.5	78	1	1	8	13	20	27	46
" MULTIPLE DX	2044	19.0	242	2	3	15	26	40	53	88
TOTAL 65-69 YRS	540	16.1	193	1	2	12	22	37	46	89
70-74	574	17.2	252	1	3	13	24	39	56	90
75-79	498	18.0	249	2	3	15	24	37	53	89
80-84	422	19.2	240	2	3	15	27	41	47	79
85+	325	18.7	209	2	4	15	23	38	49	87
GRAND TOTAL	**2359**	**17.7**	**231**	**2**	**3**	**14**	**24**	**38**	**49**	**88**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	5.9	88	1	1	2	6	20	31	35
70-74	13	5.9	66	<1	<1	2	9	18	25	27
75-79	9	2.8	2	1	1	3	3	5	6	6
80-84	8	9.6	76	1	1	6	16	23	23	23
85+	9	4.6	22	1	1	3	6	12	16	16
2. MULTIPLE DX										
65-69 YRS	100	13.0	260	1	1	6	19	31	45	74
70-74	98	19.7	407	1	2	11	31	58	71	99+
75-79	74	16.7	286	1	2	9	24	41	53	77
80-84	59	15.6	237	1	1	11	25	45	55	99+
85+	52	19.9	333	2	3	15	24	44	56	90
TOT. SINGLE DX	55	5.7	57	1	1	2	6	16	23	35
" MULTIPLE DX	383	16.8	314	1	2	10	25	44	59	96
TOTAL 65-69 YRS	116	12.0	242	1	1	5	17	30	38	73
70-74	111	18.1	386	1	1	10	28	56	70	99+
75-79	83	15.2	275	1	1	8	23	40	50	76
80-84	67	14.9	221	1	1	10	25	43	53	99+
85+	61	17.7	317	2	2	11	22	43	54	88
GRAND TOTAL	**438**	**15.4**	**295**	**1**	**1**	**9**	**23**	**40**	**57**	**92**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	95	2.0	5	<1	<1	1	2	3	5	16
70-74	47	1.4		<1	<1	1	1	2	3	6
75-79	18	2.9	17	1	1	2	2	5	13	19
80-84	9	2.4	6	<1	<1	1	3	7	9	9
85+	3	8.0	31	3	3	7	12	14	14	14
2. MULTIPLE DX										
65-69 YRS	339	6.9	104	1	1	3	8	16	27	76
70-74	248	9.4	112	1	1	6	13	22	35	99+
75-79	230	12.2	173	1	3	9	14	24	39	89
80-84	175	13.3	206	2	3	9	16	28	52	99+
85+	191	13.1	176	3	4	9	17	41	99+	99+
TOT. SINGLE DX	172	2.1	7	<1	<1	1	2	3	5	18
" MULTIPLE DX	1183	10.4	153	1	1	7	13	24	42	99+
TOTAL 65-69 YRS	434	5.8	87	<1	1	3	6	13	22	56
70-74	295	8.1	103	1	1	5	11	20	32	89
75-79	248	11.5	168	1	2	8	14	23	38	87
80-84	184	12.8	202	2	3	9	16	28	48	99+
85+	194	13.0	174	3	4	9	17	40	99+	99+
GRAND TOTAL	**1355**	**9.3**	**142**	**1**	**1**	**6**	**12**	**22**	**38**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	2.1	2	1	1	1	3	4	6	7
70-74	11	4.0	12	1	1	2	6	10	12	12
75-79	11	4.9	14	1	1	3	8	11	13	13
80-84	4	4.3	16	1	1	3	7	10	10	10
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	86	9.6	117	1	2	7	10	19	30	64
70-74	124	9.6	77	2	3	8	11	18	26	49
75-79	119	9.9	93	2	3	7	12	19	25	55
80-84	94	10.9	85	2	3	8	14	18	31	52
85+	79	12.0	198	2	3	9	15	24	83	99+
TOT. SINGLE DX	43	3.6	10	1	1	3	4	9	11	13
" MULTIPLE DX	502	10.3	109	2	3	8	12	19	30	72
TOTAL 65-69 YRS	102	8.5	107	1	1	6	9	18	29	63
70-74	135	9.2	75	2	2	7	11	17	24	47
75-79	130	9.5	89	2	3	7	12	19	23	54
80-84	98	10.6	84	2	3	8	14	18	30	52
85+	80	11.9	196	2	3	9	15	23	82	99+
GRAND TOTAL	**545**	**9.8**	**104**	**2**	**2**	**7**	**12**	**19**	**29**	**64**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	950	2.5	9	1	1	1	2	6	8	15
70-74	600	2.5	9	1	1	1	2	6	9	17
75-79	336	2.2	6	1	1	1	2	5	8	13
80-84	95	2.4	9	1	1	1	2	7	10	16
85+	34	3.9	14	1	1	3	5	10	13	17
2. MULTIPLE DX										
65-69 YRS	2121	5.4	43	1	1	3	7	13	18	30
70-74	1754	6.2	54	1	1	3	8	15	20	38
75-79	1184	6.6	51	1	1	4	9	16	20	35
80-84	483	7.9	73	1	1	5	11	19	24	51
85+	149	9.0	87	1	1	6	13	20	28	42
TOT. SINGLE DX	2015	2.5	9	1	1	1	2	6	9	16
" MULTIPLE DX	5691	6.2	53	1	1	3	8	15	20	37
TOTAL 65-69 YRS	3071	4.5	35	1	1	2	6	11	15	27
70-74	2354	5.3	45	1	1	2	7	13	18	35
75-79	1520	5.6	45	1	1	3	8	14	19	32
80-84	578	7.0	67	1	1	4	10	16	23	45
85+	183	8.1	78	1	1	5	11	19	25	41
GRAND TOTAL	**7706**	**5.2**	**44**	**1**	**1**	**2**	**7**	**13**	**18**	**32**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	464	3.1	18	1	1	2	3	6	8	19
70-74	434	3.0	13	1	1	2	3	6	9	18
75-79	275	2.8	5	1	1	2	3	6	8	12
80-84	130	3.0	9	1	1	2	4	7	11	16
85+	30	3.3	9	1	1	2	6	9	10	10
2. MULTIPLE DX										
65-69 YRS	2880	6.1	40	1	1	4	8	13	16	31
70-74	2831	6.1	42	1	1	4	8	12	17	34
75-79	2188	6.3	41	1	1	5	8	13	17	32
80-84	1074	6.6	43	1	2	5	8	13	17	36
85+	373	7.0	50	1	2	6	9	13	17	38
TOT. SINGLE DX	1333	3.0	13	1	1	2	3	6	9	16
" MULTIPLE DX	9346	6.2	42	1	1	5	8	13	17	33
TOTAL 65-69 YRS	3344	5.7	38	1	1	4	7	12	16	30
70-74	3265	5.7	40	1	1	4	7	12	16	33
75-79	2463	5.9	38	1	1	4	8	12	17	30
80-84	1204	6.2	41	1	1	5	8	13	17	34
85+	403	6.8	48	1	1	5	9	13	16	36
GRAND TOTAL	**10679**	**5.8**	**40**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	71	2.1	4	<1	<1	1	2	6	8	9
70-74	43	1.4		<1	<1	1	2	2	3	5
75-79	16	1.8	2	<1	<1	1	2	4	6	7
80-84	3	1.0		1	1	1	1	1	1	1
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	701	4.6	28	<1	1	2	7	10	14	25
70-74	537	4.9	30	1	1	3	7	11	15	24
75-79	260	5.6	34	1	1	3	8	13	17	29
80-84	75	7.3	65	1	1	5	10	15	21	48
85+	17	4.8	13	<1	1	4	7	9	12	14
TOT. SINGLE DX	134	1.8	3	<1	<1	1	2	3	7	9
" MULTIPLE DX	1590	5.0	32	1	1	3	7	11	15	28
TOTAL 65-69 YRS	772	4.4	27	<1	1	2	6	10	13	22
70-74	580	4.7	29	1	1	2	7	10	15	24
75-79	276	5.3	33	1	1	3	7	12	16	29
80-84	78	7.0	64	1	1	4	10	15	21	47
85+	18	4.7	12	<1	1	4	7	9	12	14
GRAND TOTAL	**1724**	**4.7**	**30**	**<1**	**1**	**2**	**7**	**11**	**15**	**27**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	707	4.1	14	1	1	2	6	10	11	16
70-74	623	4.0	15	1	1	2	6	9	12	18
75-79	423	4.0	16	1	1	2	6	9	11	19
80-84	235	5.1	19	1	1	3	8	11	14	19
85+	121	5.0	17	1	1	3	7	11	13	18
2. MULTIPLE DX										
65-69 YRS	4932	6.7	40	1	1	5	9	13	17	30
70-74	4868	7.0	44	1	1	6	9	14	18	33
75-79	3733	7.5	47	1	1	6	10	15	19	35
80-84	2361	8.4	60	1	2	7	11	16	21	43
85+	1522	9.3	66	1	2	8	12	18	23	43
TOT. SINGLE DX	2109	4.2	16	1	1	2	7	10	12	18
" MULTIPLE DX	17416	7.4	49	1	1	6	10	15	19	35
TOTAL 65-69 YRS	5639	6.4	38	1	1	5	9	13	16	29
70-74	5491	6.7	42	1	1	5	9	13	17	31
75-79	4156	7.1	45	1	1	6	10	14	19	35
80-84	2596	8.1	57	1	1	7	11	16	20	42
85+	1643	9.0	64	1	2	7	12	17	22	43
GRAND TOTAL	**19525**	**7.1**	**46**	**1**	**1**	**6**	**10**	**14**	**18**	**34**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3746	5.0	22	1	1	4	6	9	12	25
70-74	3187	5.5	28	1	1	4	7	10	14	29
75-79	2570	5.7	24	1	2	4	7	11	14	26
80-84	1782	6.1	30	1	2	5	7	11	15	27
85+	1543	6.0	28	1	2	5	8	11	15	25
2. MULTIPLE DX										
65-69 YRS	52582	7.5	41	2	2	6	9	14	18	34
70-74	58755	7.9	45	2	3	6	10	15	19	36
75-79	57971	8.4	51	2	3	7	10	15	20	39
80-84	47429	8.8	59	2	3	7	11	16	22	44
85+	43272	9.2	63	2	3	7	11	17	23	48
TOT. SINGLE DX	12828	5.5	27	1	2	4	7	10	14	26
" MULTIPLE DX	260009	8.3	52	2	3	7	10	15	20	39
TOTAL 65-69 YRS	56328	7.3	40	2	2	6	9	14	18	33
70-74	61942	7.8	45	2	2	6	10	14	19	36
75-79	60541	8.3	51	2	3	7	10	15	20	38
80-84	49211	8.7	59	2	3	7	11	16	21	44
85+	44815	9.1	63	2	3	7	11	17	22	47
GRAND TOTAL	**272837**	**8.2**	**51**	**2**	**3**	**6**	**10**	**15**	**20**	**39**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	813	6.1	35	1	2	5	8	11	17	31
70-74	719	6.6	33	1	2	5	9	13	16	28
75-79	663	6.6	46	1	1	5	8	13	17	37
80-84	451	7.3	56	1	2	5	9	13	18	41
85+	439	6.3	23	1	2	5	8	13	16	24
2. MULTIPLE DX										
65-69 YRS	10276	8.7	68	2	3	7	10	17	24	47
70-74	11665	9.1	71	2	3	7	11	17	24	48
75-79	11419	9.4	73	2	3	7	11	18	25	49
80-84	9327	9.7	75	2	3	7	12	18	25	51
85+	9367	9.9	78	2	3	8	12	19	26	54
TOT. SINGLE DX	3085	6.5	39	1	2	5	8	13	17	32
" MULTIPLE DX	52054	9.3	73	2	3	7	11	18	25	50
TOTAL 65-69 YRS	11089	8.6	66	2	2	6	10	16	23	46
70-74	12384	8.9	69	2	3	7	11	17	24	48
75-79	12082	9.3	73	2	3	7	11	18	25	49
80-84	9778	9.5	75	2	3	7	11	18	25	51
85+	9806	9.7	76	2	3	7	12	18	25	53
GRAND TOTAL	**55139**	**9.2**	**72**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1965	4.9	22	1	1	4	6	9	11	26
70-74	1601	4.9	22	1	1	4	6	9	12	25
75-79	1278	5.1	23	1	1	4	6	10	12	25
80-84	879	5.4	24	1	2	4	7	11	14	22
85+	820	5.2	15	1	2	4	7	10	12	22
2. MULTIPLE DX										
65-69 YRS	32183	6.8	36	2	2	5	9	13	17	31
70-74	35782	7.3	42	2	2	6	9	14	18	33
75-79	33566	7.7	46	2	2	6	9	14	19	36
80-84	26442	8.1	50	2	2	6	10	15	20	39
85+	25324	8.5	54	2	3	7	10	16	21	42
TOT. SINGLE DX	6543	5.0	22	1	1	4	6	10	12	23
" MULTIPLE DX	153297	7.6	46	2	2	6	9	14	19	36
TOTAL 65-69 YRS	34148	6.7	36	1	2	5	8	13	17	31
70-74	37383	7.2	42	2	2	6	9	13	18	33
75-79	34844	7.6	46	2	2	6	9	14	19	36
80-84	27321	8.0	50	2	2	6	10	15	20	38
85+	26144	8.4	54	2	3	7	10	16	21	41
GRAND TOTAL	**159840**	**7.5**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	— Elective
256	— Illegal
258	— Missed
256	— Self-induced
257	— Spontaneous
255	— Therapeutic
259	— Threatened
	Abscess
210	— Anal
312	— Bone
292	— Digit
188	— Mouth
188	— Salivary gland
291	— Skin and subcutaneous tissue, except digit
188	— Tongue
81	Acidosis, except diabetic
72	— Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	— in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	— Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	— due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	— Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	— Iron deficiency
267	— of pregnancy
269	— of pregnancy, with delivery
83	— Sickle cell
166	Aneurysm, except aorta
165	— Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	— Central nervous system
320	— Circulatory system
323	— Digestive system, except cleft palate and lip, and pyloric stenosis
319	— Ear
319	— Eye
327	— Generalized
325	— Genitourinary system, except undescended testis and urethral stenosis
320	— Heart
317	— Musculoskeletal system, except clubfoot
323	— Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	— Acute, without peritonitis
198	— Acute, with peritonitis
199	— Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	— Cerebral
143	— Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	— Osteo-, except spine

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary

Group No.	Title
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
	Debridement (continued)
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine

Group No.	Title
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy

Group No.	Title
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)

Group No.	Title
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver

Group No.	Title
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1-74 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	387308	2.5	2	1	1	2	3	4	5	6
1-11 MOS	27808	3.3	7	1	1	3	4	6	8	13
1-5 YRS	51298	2.9	8	1	1	2	3	5	7	14
6-12 YRS	35275	3.3	25	1	1	2	4	6	8	28
13-19 YRS	90001	3.5	38	<1	1	2	3	6	9	37
B. Operated										
0-27 DYS	1072	4.0	14	1	1	3	5	8	11	18
1-11 MOS	7777	3.3	13	<1	1	2	4	7	9	18
1-5 YRS	26295	2.5	11	<1	<1	1	3	6	8	17
6-12 YRS	40851	2.6	11	<1	1	1	3	5	7	17
13-19 YRS	100010	2.7	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	278944	3.9	18	1	2	3	4	6	8	22
1-11 MOS	54727	4.2	17	1	1	3	5	8	11	20
1-5 YRS	95665	3.6	15	1	1	3	4	6	9	18
6-12 YRS	49829	4.7	69	1	1	3	4	8	15	62
13-19 YRS	103214	6.6	123	1	1	3	6	16	31	65
B. Operated										
0-27 DYS	11359	18.6	441	2	3	10	27	58	83	99
1-11 MOS	10392	7.7	110	1	1	4	9	18	29	74
1-5 YRS	31570	4.7	59	<1	1	2	5	11	18	42
6-12 YRS	31576	4.6	57	<1	1	2	5	10	17	41
13-19 YRS	94031	4.9	46	1	1	3	5	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	591690	2.8	10	1	1	2	3	4	5	12
B. Operated	176005	2.7	9	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	582379	4.4	42	1	1	3	5	7	12	39
B. Operated	178928	5.8	91	1	1	3	6	12	22	62
1. SINGLE DX	767695	2.8	9	1	1	2	3	5	6	13
2. MULTIPLE DX	761307	4.8	53	1	1	3	5	8	14	44
A. NOT OPERATED	1174069	3.6	26	1	1	3	4	6	8	29
B. OPERATED	354933	4.3	52	<1	1	2	4	8	14	43
TOTAL 0-27 DYS	678683	3.4	20	1	1	3	4	5	6	21
1-11 MOS	100704	4.3	25	1	1	3	5	8	11	26
1-5 YRS	204828	3.4	20	<1	1	2	4	6	10	22
6-12 YRS	157531	3.8	43	<1	1	2	4	7	12	39
13-19 YRS	387256	4.5	57	<1	1	3	4	8	14	45
GRAND TOTAL	**1529002**	**3.8**	**32**	**1**	**1**	**3**	**4**	**6**	**10**	**32**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	11113	3.0	8	1	1	2	3	5	7	15
1-11 MOS	27808	3.3	7	1	1	3	4	6	8	13
1-5 YRS	51298	2.9	8	1	1	2	3	5	7	14
6-12 YRS	35275	3.3	25	1	1	2	4	6	8	28
13-19 YRS	90001	3.5	38	<1	1	2	3	6	9	37
B. Operated										
0-27 DYS	959	4.1	16	1	1	3	5	8	12	18
1-11 MOS	7777	3.3	13	<1	1	2	4	7	9	18
1-5 YRS	26295	2.5	11	<1	<1	1	3	6	8	17
6-12 YRS	40851	2.6	11	<1	1	1	3	5	7	17
13-19 YRS	100010	2.7	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9516	6.1	63	1	2	4	6	13	21	42
1-11 MOS	54727	4.2	17	1	1	3	5	8	11	20
1-5 YRS	95665	3.6	15	1	1	3	4	6	9	18
6-12 YRS	49829	4.7	69	1	1	3	4	8	15	62
13-19 YRS	103214	6.6	123	1	1	3	6	16	31	65
B. Operated										
0-27 DYS	1511	13.7	288	1	2	8	17	41	67	99
1-11 MOS	10392	7.7	110	1	1	4	9	18	29	74
1-5 YRS	31570	4.7	59	<1	1	2	5	11	18	42
6-12 YRS	31576	4.6	57	<1	1	2	5	10	17	41
13-19 YRS	94031	4.9	46	1	1	3	5	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	215495	3.3	23	1	1	2	3	5	8	27
B. Operated	175892	2.7	9	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	312951	5.0	63	1	1	3	5	9	16	49
B. Operated	169080	5.0	58	1	1	3	5	11	17	44
1. SINGLE DX	391387	3.0	17	<1	1	2	3	5	8	20
2. MULTIPLE DX	482031	5.0	61	1	1	3	5	10	16	47
A. NOT OPERATED	528446	4.3	47	1	1	3	4	7	12	42
B. OPERATED	344972	3.8	34	<1	1	2	4	8	12	31
TOTAL 0-27 DYS	23099	5.0	57	1	1	3	5	10	17	43
1-11 MOS	100704	4.3	25	1	1	3	5	8	11	26
1-5 YRS	204828	3.4	20	<1	1	2	4	6	10	22
6-12 YRS	157531	3.8	43	<1	1	2	4	7	12	39
13-19 YRS	387256	4.5	57	<1	1	3	4	8	14	45
GRAND TOTAL	**873418**	**4.1**	**42**	**1**	**1**	**2**	**4**	**7**	**12**	**38**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	128	3.5	4	1	2	3	4	6	6	12
1-11 MOS	1063	3.3	8	1	1	3	4	5	7	11
1-5 YRS	1217	2.8	3	1	1	2	3	5	6	11
6-12 YRS	881	2.3	3	1	1	2	3	4	5	8
13-19 YRS	885	2.4	3	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	10	7.2	103	1	1	3	8	22	35	35
1-5 YRS	11	6.5	149	1	1	2	5	21	41	43
6-12 YRS	16	4.6	10	1	2	4	5	10	12	13
13-19 YRS	55	4.0	5	1	2	4	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	176	5.3	48	1	2	4	6	10	14	33
1-11 MOS	2732	3.7	9	1	2	3	4	6	8	14
1-5 YRS	4039	3.1	6	1	1	3	4	5	6	12
6-12 YRS	1426	2.9	5	1	1	2	3	5	6	10
13-19 YRS	1154	2.8	4	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	7	7.6	22	3	3	5	11	14	15	15
1-11 MOS	56	12.1	293	3	3	6	10	30	66	99+
1-5 YRS	58	12.1	210	1	2	6	16	36	50	97
6-12 YRS	41	7.6	52	2	3	6	8	13	21	43
13-19 YRS	66	4.8	7	1	2	4	7	9	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4174	2.7	4	1	1	2	3	5	6	10
B. *Operated*	94	4.8	32	1	2	4	5	7	11	39
2. MULTIPLE DX										
A. *Not Operated*	9527	3.2	7	1	1	3	4	5	7	13
B. *Operated*	228	9.0	146	2	2	6	9	20	32	98
1. SINGLE DX	4268	2.8	5	1	1	2	3	5	6	10
2. MULTIPLE DX	9755	3.4	11	1	1	3	4	6	7	14
A. NOT OPERATED	13701	3.1	7	1	1	3	4	5	7	12
B. OPERATED	322	7.8	116	2	2	5	8	15	30	85
TOTAL 0-27 DYS	313	4.6	30	1	2	3	5	7	12	18
1-11 MOS	3861	3.7	14	1	2	3	4	6	8	15
1-5 YRS	5325	3.1	9	1	1	3	4	5	7	14
6-12 YRS	2364	2.7	5	1	1	2	3	5	6	10
13-19 YRS	2160	2.7	4	1	1	2	3	5	6	10
GRAND TOTAL	**14023**	**3.2**	**10**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.3	28	<1	<1	3	8	14	15	15
1-5 YRS	16	3.9	10	1	1	3	4	5	12	15
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	10	14.6	266	3	4	9	13	41	58	58
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	8	7.8	22	2	2	8	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	7.6	14	3	3	7	10	13	14	14
1-5 YRS	15	7.1	73	1	1	5	8	15	30	35
6-12 YRS	7	7.3	24	3	3	5	11	15	16	16
13-19 YRS	19	10.9	45	1	2	10	16	22	23	24
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	4	18.0	417	1	1	12	32	47	47	47
6-12 YRS										
13-19 YRS	5	26.2	1492	3	3	11	33	95	95	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.4	105	1	2	4	8	15	22	58
B. *Operated*	10	6.8	21	2	2	6	9	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	48	8.7	47	1	2	7	11	16	22	35
B. *Operated*	11	19.5	782	1	2	10	16	66	93	95
1. SINGLE DX	44	7.2	85	1	2	4	8	15	19	58
2. MULTIPLE DX	59	10.7	191	1	2	7	12	19	30	91
A. NOT OPERATED	82	8.1	71	1	2	6	10	16	23	51
B. OPERATED	21	13.5	443	2	2	8	11	29	69	95
TOTAL 0-27 DYS										
1-11 MOS	15	6.5	18	<1	2	6	9	14	15	15
1-5 YRS	37	6.7	86	1	1	3	7	15	29	47
6-12 YRS	9	6.8	21	2	2	5	9	14	16	16
13-19 YRS	42	13.0	257	2	3	9	13	23	38	95
GRAND TOTAL	**103**	**9.2**	**148**	**1**	**2**	**6**	**10**	**16**	**24**	**75**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	27.7	1176	4	4	12	53	67	67	67
6-12 YRS	3	3.7	9	<1	<1	3	6	7	7	7
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.8	11	<1	<1	1	3	9	11	11
6-12 YRS	2	13.5	13	11	11	13	16	16	16	16
13-19 YRS	3	4.0	7	<1	<1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	9.5	94	2	2	6	16	23	23	23
1-5 YRS	3	14.3	4	12	12	15	16	16	16	16
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	5	30.2	1251	7	7	19	42	92	92	92
1-5 YRS	10	25.7	475	<1	1	31	41	54	61	61
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	30.3	1249	7	7	13	56	71	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	13.7	566	<1	<1	4	11	56	67	67
B. *Operated*	14	4.6	24	<1	<1	2	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	7	11.6	55	2	2	12	16	22	23	23
B. *Operated*	19	26.4	692	1	2	19	39	67	83	92
1. SINGLE DX	21	7.6	205	<1	<1	3	8	14	39	67
2. MULTIPLE DX	26	22.4	556	1	2	14	33	60	75	92
A. NOT OPERATED	14	12.6	288	<1	2	8	15	27	58	67
B. OPERATED	33	17.2	519	<1	1	7	26	51	69	92
TOTAL 0-27 DYS										
1-11 MOS	9	21.0	780	2	2	10	23	65	92	92
1-5 YRS	25	16.3	402	<1	1	5	31	48	62	67
6-12 YRS	6	6.8	33	<1	<1	5	11	15	16	16
13-19 YRS	7	15.0	625	<1	<1	6	11	59	71	71
GRAND TOTAL	**47**	**15.8**	**447**	**<1**	**1**	**7**	**18**	**47**	**68**	**92**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	3	2	2	3	5	6	6	6
1-11 MOS	21	3.0	2	1	1	3	4	5	6	6
1-5 YRS	152	2.3	1	1	1	2	3	4	5	6
6-12 YRS	189	2.3	2	1	1	2	3	4	5	9
13-19 YRS	145	2.5	1	1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	1.2		<1	1	1	1	2	2	3
6-12 YRS	80	1.1		1	1	1	1	1	2	3
13-19 YRS	53	1.4	1	1	1	1	1	2	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	66	3.5	4	1	2	3	4	7	8	10
1-5 YRS	505	2.7	2	1	1	2	3	4	5	8
6-12 YRS	591	2.6	2	1	1	2	3	4	5	8
13-19 YRS	459	3.1	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	27	2.7	9	<1	1	1	3	7	10	11
6-12 YRS	63	1.7	3	1	1	1	2	3	5	10
13-19 YRS	33	1.9	3	1	1	1	2	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	2.4	2	1	1	2	3	4	5	7
B. *Operated*	161	1.2	1	1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	1624	2.8	2	1	1	2	3	4	6	8
B. *Operated*	125	2.0	4	1	1	1	2	5	7	10
1. SINGLE DX	672	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	1749	2.7	3	1	1	2	3	5	6	9
A. NOT OPERATED	2135	2.7	2	1	1	2	3	4	5	8
B. OPERATED	286	1.5	2	1	1	1	1	3	4	10
TOTAL 0-27 DYS	8	3.8	6	2	2	3	5	8	9	9
1-11 MOS	88	3.4	3	1	2	3	4	6	7	9
1-5 YRS	712	2.5	2	1	1	2	3	4	5	8
6-12 YRS	923	2.3	2	1	1	2	3	4	5	8
13-19 YRS	690	2.8	3	1	1	3	3	4	5	9
GRAND TOTAL	**2421**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	191	4.8	9	2	2	4	6	10	11	14
1-11 MOS	587	4.5	8	1	2	3	6	9	10	14
1-5 YRS	358	4.1	6	1	2	3	5	8	10	12
6-12 YRS	44	4.8	11	1	2	4	6	8	13	16
13-19 YRS	27	5.5	12	1	2	5	7	10	13	15
B. *Operated*										
0-27 DYS	8	5.9	17	2	2	4	8	13	14	14
1-11 MOS	13	5.2	8	2	2	4	6	10	11	11
1-5 YRS	5	8.2	17	2	2	9	11	13	13	13
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	2	12.5	61	7	7	12	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	231	5.8	15	2	2	5	8	11	12	20
1-11 MOS	1046	5.4	18	2	2	4	7	10	12	21
1-5 YRS	986	5.5	23	1	2	4	7	10	13	21
6-12 YRS	230	6.9	23	1	2	6	10	14	16	20
13-19 YRS	221	7.5	37	2	2	6	9	14	17	34
B. *Operated*										
0-27 DYS	18	11.9	491	2	3	6	10	16	67	99
1-11 MOS	78	12.9	162	2	3	10	14	31	46	91
1-5 YRS	78	13.8	145	3	4	11	17	25	39	72
6-12 YRS	31	12.6	69	5	6	10	15	22	35	40
13-19 YRS	50	15.1	121	3	4	13	19	30	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1207	4.4	8	1	2	4	5	9	10	14
B. *Operated*	30	6.5	18	2	2	5	10	13	14	18
2. MULTIPLE DX										
A. *Not Operated*	2714	5.8	22	2	2	4	7	11	13	21
B. *Operated*	255	13.5	158	3	3	10	15	27	40	80
1. SINGLE DX	1237	4.5	8	1	2	4	5	9	11	14
2. MULTIPLE DX	2969	6.4	38	2	2	5	8	12	15	32
A. NOT OPERATED	3921	5.4	18	2	2	4	7	10	12	19
B. OPERATED	285	12.8	148	3	3	10	14	24	38	76
TOTAL 0-27 DYS	448	5.6	32	2	2	4	7	10	12	18
1-11 MOS	1724	5.4	24	2	2	4	7	10	12	22
1-5 YRS	1427	5.6	29	1	2	4	7	11	13	25
6-12 YRS	307	7.1	30	1	2	6	10	14	17	27
13-19 YRS	300	8.6	57	2	3	7	11	16	21	41
GRAND TOTAL	**4206**	**5.9**	**30**	**2**	**2**	**4**	**7**	**11**	**14**	**25**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	33	9.1	36	2	3	8	14	18	21	22
1-11 MOS	298	6.2	17	2	2	5	8	12	14	21
1-5 YRS	177	6.7	11	2	2	7	9	11	12	15
6-12 YRS	46	5.5	12	1	2	5	9	10	11	11
13-19 YRS	90	5.4	10	1	2	5	7	10	11	14
B. *Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	8	9.5	12	5	5	9	11	15	16	16
1-5 YRS	9	7.9	24	<1	<1	11	12	13	13	13
6-12 YRS	5	5.2	11	2	2	4	8	10	10	10
13-19 YRS	7	8.0	38	1	1	7	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	10.1	37	2	3	11	14	18	21	24
1-11 MOS	285	7.6	29	2	2	7	10	13	16	26
1-5 YRS	204	7.0	21	2	2	7	10	12	13	22
6-12 YRS	85	5.8	19	1	2	4	8	12	14	21
13-19 YRS	117	6.4	20	2	2	5	8	11	13	24
B. *Operated*										
0-27 DYS	3	15.3	64	7	7	16	21	23	23	23
1-11 MOS	19	16.5	333	4	5	11	15	31	62	85
1-5 YRS	28	11.0	82	2	3	9	13	16	29	49
6-12 YRS	10	6.5	44	1	1	4	8	17	23	23
13-19 YRS	25	11.2	72	2	3	11	14	20	32	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	6.3	15	2	2	6	9	11	13	20
B. *Operated*	31	8.1	21	1	2	9	11	14	16	17
2. MULTIPLE DX										
A. *Not Operated*	718	7.1	25	2	2	6	10	13	15	24
B. *Operated*	85	11.9	134	2	3	10	14	23	31	72
1. SINGLE DX	675	6.4	16	2	2	6	9	11	13	20
2. MULTIPLE DX	803	7.6	38	2	2	6	10	13	16	30
A. NOT OPERATED	1362	6.7	21	2	2	6	10	12	14	21
B. OPERATED	116	10.9	106	2	3	10	13	17	28	61
TOTAL 0-27 DYS	65	9.9	37	2	3	11	14	18	21	24
1-11 MOS	610	7.2	35	2	2	6	10	13	16	26
1-5 YRS	418	7.2	22	2	2	7	10	12	13	20
6-12 YRS	146	5.7	18	1	2	4	8	11	12	21
13-19 YRS	239	6.6	25	1	2	5	9	12	14	31
GRAND TOTAL	**1478**	**7.1**	**28**	**2**	**2**	**6**	**10**	**12**	**15**	**24**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	238	4.0	3	2	2	4	5	6	7	11
1-11 MOS	785	3.7	3	2	2	3	4	6	7	10
1-5 YRS	393	3.2	3	1	2	3	4	5	7	10
6-12 YRS	431	3.0	4	1	1	3	4	5	7	10
13-19 YRS	443	3.2	4	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	19	4.2	5	2	2	3	5	7	10	12
1-5 YRS	7	3.4	1	2	2	3	4	5	5	5
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	125	4.8	7	2	3	4	5	9	10	15
1-11 MOS	561	4.3	6	2	2	4	5	7	9	13
1-5 YRS	296	4.4	15	1	2	3	5	8	10	24
6-12 YRS	220	3.2	6	1	1	3	4	5	7	14
13-19 YRS	215	4.1	9	1	2	3	5	7	10	15
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	23	5.5	9	2	3	5	7	10	12	14
1-5 YRS	18	7.8	26	2	2	8	9	17	20	20
6-12 YRS										
13-19 YRS	6	21.5	878	4	4	7	28	74	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2290	3.4	3	1	2	3	4	5	7	11
B. *Operated*	29	4.0	4	2	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1417	4.2	9	1	2	3	5	7	10	16
B. *Operated*	49	8.2	131	2	3	5	8	13	20	79
1. SINGLE DX	2319	3.4	3	1	2	3	4	5	7	11
2. MULTIPLE DX	1466	4.3	13	1	2	3	5	8	10	19
A. NOT OPERATED	3707	3.7	6	1	2	3	4	6	8	12
B. OPERATED	78	6.6	88	2	2	4	8	10	17	65
TOTAL 0-27 DYS	368	4.3	5	2	2	4	5	7	9	12
1-11 MOS	1388	4.0	5	2	2	3	4	6	8	12
1-5 YRS	714	3.8	9	1	2	3	4	7	9	18
6-12 YRS	651	3.0	4	1	1	3	4	5	7	11
13-19 YRS	664	3.6	15	1	1	3	4	6	8	14
GRAND TOTAL	**3785**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	21	5.8	35	<1	1	3	10	12	19	25
1-11 MOS	152	2.8	2	1	1	3	3	4	5	10
1-5 YRS	265	3.1	3	1	1	3	4	5	6	10
6-12 YRS	82	3.3	7	1	1	3	4	7	10	12
13-19 YRS	120	3.6	4	1	1	3	5	6	7	9
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	6.5	40	1	1	4	9	17	18	18
1-5 YRS										
6-12 YRS	3	8.0	63	2	2	5	14	17	17	17
13-19 YRS	6	5.8	21	<1	<1	4	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	6.6	30	1	1	5	10	17	18	18
1-11 MOS	307	3.6	10	1	1	3	4	5	9	17
1-5 YRS	874	3.6	6	1	2	3	4	6	8	12
6-12 YRS	302	4.5	27	1	1	4	6	8	10	15
13-19 YRS	270	4.5	8	1	2	4	5	8	9	17
B. *Operated*										
0-27 DYS	2	14.0	32	10	10	14	18	18	18	18
1-11 MOS	7	6.4	20	2	2	4	10	13	13	13
1-5 YRS	22	14.0	291	3	4	7	12	47	58	64
6-12 YRS	10	9.0	56	2	3	6	10	22	26	26
13-19 YRS	11	15.3	406	3	3	8	11	52	64	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	3.2	5	1	1	3	4	6	7	11
B. *Operated*	16	6.7	30	<1	1	5	9	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	1768	3.9	11	1	2	3	5	7	9	16
B. *Operated*	52	12.3	222	2	3	7	12	31	53	65
1. SINGLE DX	656	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1820	4.2	19	1	2	3	5	7	9	17
A. NOT OPERATED	2408	3.7	9	1	1	3	4	7	8	15
B. OPERATED	68	11.0	182	2	2	7	11	19	45	65
TOTAL 0-27 DYS	39	6.6	34	<1	1	4	10	16	18	25
1-11 MOS	472	3.4	8	1	1	3	4	5	8	17
1-5 YRS	1161	3.7	13	1	1	3	4	6	8	14
6-12 YRS	397	4.4	24	1	1	3	5	8	10	18
13-19 YRS	407	4.5	20	1	2	4	5	8	9	17
GRAND TOTAL	**2476**	**3.9**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	23	3.4	6	1	1	2	5	7	10	10
6-12 YRS	38	4.0	4	1	2	4	5	7	8	8
13-19 YRS	110	4.9	10	1	2	4	7	8	10	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	33	2	2	2	10	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	24	5.0	17	1	2	4	5	11	16	18
6-12 YRS	35	5.4	52	1	1	4	6	7	26	34
13-19 YRS	130	5.1	10	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	8.0	98	1	1	8	15	15	15	15
13-19 YRS	9	12.8	295	1	1	4	20	41	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	4.4	9	1	2	4	6	8	10	17
B. *Operated*	5	3.6	22	1	1	2	5	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	192	5.1	18	1	2	4	6	9	11	27
B. *Operated*	12	11.5	229	1	1	5	17	33	50	53
1. SINGLE DX	179	4.4	9	1	2	4	6	8	10	17
2. MULTIPLE DX	204	5.5	32	1	2	4	6	10	14	31
A. NOT OPERATED	366	4.8	14	1	2	4	6	8	10	19
B. OPERATED	17	9.2	177	1	1	4	13	23	43	53
TOTAL 0-27 DYS										
1-11 MOS	6	3.0	2	1	1	3	4	5	5	5
1-5 YRS	51	4.4	13	1	1	3	5	10	12	18
6-12 YRS	76	4.7	28	1	1	4	5	7	13	33
13-19 YRS	250	5.2	21	1	2	4	6	9	11	24
GRAND TOTAL	**383**	**5.0**	**21**	**1**	**2**	**4**	**6**	**9**	**11**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	74	3.3	3	1	1	3	4	6	7	9
6-12 YRS	102	3.3	4	1	1	3	5	5	7	11
13-19 YRS	722	3.4	3	1	2	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	9	5.7	20	2	2	4	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.6	4	1	1	3	5	6	7	7
1-5 YRS	214	3.7	5	1	2	3	4	6	8	12
6-12 YRS	285	3.4	4	1	1	3	4	6	7	10
13-19 YRS	1758	3.9	5	1	2	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	8.6	41	2	3	7	12	17	23	24
6-12 YRS	4	9.5	68	2	2	8	16	20	20	20
13-19 YRS	35	5.5	7	2	3	5	6	9	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.4	3	1	1	3	4	6	7	9
B. *Operated*	12	6.3	17	2	2	5	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	2267	3.8	5	1	2	3	5	6	8	11
B. *Operated*	51	6.6	20	2	3	5	8	13	14	24
1. SINGLE DX	912	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2318	3.9	5	1	2	3	5	7	8	12
A. NOT OPERATED	3167	3.7	5	1	2	3	5	6	7	11
B. OPERATED	63	6.5	19	2	2	5	8	13	14	23
TOTAL 0-27 DYS										
1-11 MOS	12	3.5	3	1	1	3	5	6	7	7
1-5 YRS	301	3.8	7	1	2	3	4	6	9	14
6-12 YRS	393	3.5	5	1	1	3	4	6	7	12
13-19 YRS	2524	3.8	5	1	2	3	5	6	7	11
GRAND TOTAL	**3230**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	5	4	4	5	7	7	7	7
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	11	1.6	1	<1	<1	1	2	3	5	5
6-12 YRS	19	1.5	3	<1	<1	<1	1	2	6	9
13-19 YRS	129	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	19	<1	<1	2	7	9	9	9
6-12 YRS	2	4.5	25	<1	<1	4	8	8	8	8
13-19 YRS	8	2.5	6	<1	<1	1	3	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	2.8	4	<1	<1	2	4	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	45	2.2	3	<1	<1	2	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	9	<1	<1	4	7	8	8	8
B. *Operated*	162	1.4	1	<1	<1	1	1	2	4	5
2. MULTIPLE DX										
A. *Not Operated*	13	3.2	9	<1	<1	2	5	8	9	9
B. *Operated*	54	2.3	3	<1	<1	2	3	5	6	9
1. SINGLE DX	167	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX	67	2.4	5	<1	<1	2	3	6	8	9
A. NOT OPERATED	18	3.5	9	<1	<1	2	7	8	9	9
B. OPERATED	216	1.6	2	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	24	2.6	5	<1	<1	2	4	6	8	9
6-12 YRS	23	2.0	6	<1	<1	<1	1	8	9	9
13-19 YRS	184	1.6	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**234**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	535	3.3	3	1	2	3	4	5	5	8
1-11 MOS	1665	2.8	2	1	1	3	3	4	5	7
1-5 YRS	1045	2.6	2	1	1	2	3	4	5	7
6-12 YRS	488	2.4	4	1	1	2	3	4	6	11
13-19 YRS	503	2.5	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	10	3.3	1	2	2	3	4	5	5	5
1-11 MOS	15	3.1	1	2	2	3	4	4	5	5
1-5 YRS	24	3.0	4	<1	<1	3	4	5	7	9
6-12 YRS	20	3.2	4	<1	1	3	4	6	8	9
13-19 YRS	23	3.3	9	<1	<1	2	4	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	358	3.5	3	1	2	3	4	5	7	11
1-11 MOS	1849	3.1	3	1	1	3	4	5	6	10
1-5 YRS	2191	3.0	5	1	1	2	4	5	6	11
6-12 YRS	1002	2.9	10	1	1	2	3	5	6	13
13-19 YRS	991	3.2	13	1	1	3	4	5	7	15
B. *Operated*										
0-27 DYS	13	3.8	11	1	1	3	4	8	13	14
1-11 MOS	43	7.6	75	1	2	5	8	27	55	99+
1-5 YRS	51	7.4	154	<1	1	5	7	12	19	67
6-12 YRS	28	6.6	77	1	1	3	8	24	42	99+
13-19 YRS	51	6.9	95	<1	1	4	7	15	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4236	2.7	2	1	1	2	3	4	5	7
B. *Operated*	92	3.1	4	<1	<1	3	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	6391	3.1	7	1	1	3	4	5	6	11
B. *Operated*	186	6.9	97	1	1	4	7	16	32	99+
1. SINGLE DX	4328	2.7	2	1	1	2	3	4	5	8
2. MULTIPLE DX	6577	3.2	9	1	1	3	4	5	7	13
A. NOT OPERATED	10627	2.9	5	1	1	3	4	5	6	10
B. OPERATED	278	5.7	69	<1	1	4	6	11	21	90
TOTAL 0-27 DYS	916	3.4	3	1	2	3	4	5	6	10
1-11 MOS	3572	3.0	4	1	1	3	4	5	6	9
1-5 YRS	3311	2.9	7	1	1	2	4	5	6	11
6-12 YRS	1538	2.8	9	1	1	2	3	5	6	13
13-19 YRS	1568	3.1	13	1	1	2	4	5	7	15
GRAND TOTAL	**10905**	**3.0**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.4	4	1	1	4	5	6	6	6
1-5 YRS	37	4.2	7	1	1	4	6	7	10	13
6-12 YRS	43	4.3	8	1	2	4	5	8	10	15
13-19 YRS	49	3.7	4	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.7	30	3	3	4	11	13	13	13
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	35	4.2	11	1	1	4	5	7	10	18
6-12 YRS	28	4.9	10	<1	1	4	7	10	11	14
13-19 YRS	37	6.0	25	1	2	4	7	14	17	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	11.5	25	8	8	11	15	15	15	15
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	4.0	6	1	1	3	5	8	9	13
B. *Operated*	4	7.0	21	3	3	6	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	101	5.0	16	1	1	4	7	10	14	20
B. *Operated*	4	9.0	21	4	4	8	12	15	15	15
1. SINGLE DX	138	4.1	7	1	1	3	5	8	9	13
2. MULTIPLE DX	105	5.2	17	1	1	4	7	10	14	20
A. NOT OPERATED	235	4.4	11	1	1	4	6	8	10	17
B. OPERATED	8	8.0	19	3	3	8	11	14	15	15
TOTAL 0-27 DYS										
1-11 MOS	7	4.0	8	1	1	4	6	8	9	9
1-5 YRS	74	4.4	10	1	1	4	6	8	10	17
6-12 YRS	74	4.6	10	1	2	4	6	10	11	15
13-19 YRS	88	4.7	14	1	2	4	5	8	14	21
GRAND TOTAL	**243**	**4.6**	**11**	**1**	**1**	**4**	**6**	**8**	**11**	**17**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	5.4	6	1	2	5	7	8	9	10
1-11 MOS	11	7.5	10	3	3	8	10	12	13	13
1-5 YRS	15	5.8	12	1	1	7	9	10	10	10
6-12 YRS	4	4.3	21	1	1	2	7	11	11	11
13-19 YRS	222	4.2	5	1	2	4	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.5	113	3	3	10	18	18	18	18
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	27	3.3	7	<1	<1	2	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	8.4	18	4	4	7	10	15	17	17
1-11 MOS	11	7.5	22	2	2	6	11	14	16	16
1-5 YRS	13	6.9	24	1	1	8	10	14	15	15
6-12 YRS	15	4.4	4	2	3	4	5	7	9	9
13-19 YRS	227	5.1	7	2	2	5	7	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	40	5.8	12	1	3	5	7	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	4.5	6	1	2	4	6	8	10	13
B. *Operated*	31	3.6	14	<1	<1	2	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	274	5.3	9	2	2	5	7	10	11	15
B. *Operated*	43	6.0	14	1	3	6	7	11	13	21
1. SINGLE DX	303	4.4	7	1	2	4	6	8	10	13
2. MULTIPLE DX	317	5.4	10	2	2	5	7	10	11	15
A. NOT OPERATED	546	4.9	8	2	2	4	7	8	10	14
B. OPERATED	74	5.0	15	<1	1	4	7	9	12	20
TOTAL 0-27 DYS	28	6.2	10	2	2	6	7	9	12	17
1-11 MOS	25	7.9	19	2	3	8	11	13	16	18
1-5 YRS	29	6.2	17	1	1	7	10	11	14	15
6-12 YRS	22	4.5	12	1	1	4	5	10	13	15
13-19 YRS	516	4.6	7	1	2	4	6	8	10	13
GRAND TOTAL	**620**	**4.9**	**9**	**1**	**2**	**4**	**7**	**9**	**11**	**15**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	11	2.4	2	1	1	2	4	5	5	5
1-5 YRS	6	3.7	6	1	1	3	5	8	8	8
6-12 YRS	6	4.7	3	3	3	4	7	7	7	7
13-19 YRS	12	8.4	267	1	1	4	6	22	55	60
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7	6	2	2	5	6	7	7	7
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	2.6	2	1	1	3	3	4	5	5
1-11 MOS	48	3.4	6	1	1	3	4	7	8	14
1-5 YRS	36	5.9	24	1	2	4	7	14	17	20
6-12 YRS	18	4.6	15	<1	<1	4	6	11	14	14
13-19 YRS	19	4.5	5	2	2	4	6	7	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	8	23.0	193	7	8	19	34	43	45	45
6-12 YRS	9	13.4	78	1	3	15	21	24	25	25
13-19 YRS	15	26.1	529	4	4	22	38	66	74	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.9	90	1	1	3	5	7	8	60
B. *Operated*	4	4.8	4	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	135	4.3	12	1	1	3	5	8	13	17
B. *Operated*	33	21.7	322	4	5	19	29	45	63	77
1. SINGLE DX	41	4.9	82	1	1	3	5	7	8	60
2. MULTIPLE DX	168	7.7	120	1	1	4	7	19	29	62
A. NOT OPERATED	172	4.4	29	1	1	3	5	8	13	19
B. OPERATED	37	19.9	315	3	4	15	26	44	59	77
TOTAL 0-27 DYS	16	2.5	2	1	1	3	3	4	5	5
1-11 MOS	60	3.5	9	1	1	3	4	6	8	18
1-5 YRS	50	8.4	87	1	2	5	9	19	29	45
6-12 YRS	36	6.8	41	<1	<1	5	7	19	22	25
13-19 YRS	47	12.4	319	2	2	5	10	39	61	77
GRAND TOTAL	**209**	**7.2**	**113**	**1**	**1**	**4**	**7**	**17**	**25**	**62**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	4	3	3	3	5	7	7	7
6-12 YRS	9	2.1	2	<1	<1	1	3	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	15	3.1	2	1	2	3	3	6	6	6
13-19 YRS	5	5.4	14	3	3	4	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	11	3.9	6	1	1	3	6	7	9	9
6-12 YRS	11	4.0	11	1	1	3	5	8	13	13
13-19 YRS	4	6.0	25	1	1	5	9	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.0	19	3	3	4	9	11	11	11
6-12 YRS	18	4.2	7	2	2	3	4	9	10	11
13-19 YRS	7	5.6	16	2	2	4	6	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.8	3	<1	1	3	4	5	7	7
B. *Operated*	22	3.6	5	1	2	3	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	27	4.5	12	1	1	4	5	11	13	13
B. *Operated*	28	4.7	10	2	2	4	5	10	12	14
1. SINGLE DX	36	3.3	4	1	1	3	4	6	7	12
2. MULTIPLE DX	55	4.6	11	1	2	4	5	11	12	14
A. NOT OPERATED	41	3.9	9	1	1	3	5	8	12	13
B. OPERATED	50	4.2	8	2	2	3	4	9	11	14
TOTAL 0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	20	4.1	7	1	1	3	5	8	10	11
6-12 YRS	53	3.5	6	1	1	3	4	6	9	13
13-19 YRS	17	5.5	15	1	2	4	6	13	14	14
GRAND TOTAL	**91**	**4.1**	**9**	**1**	**1**	**3**	**5**	**9**	**11**	**14**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	2.0		1	1	2	2	3	3	3
1-5 YRS	9	3.6	7	1	1	2	5	8	9	9
6-12 YRS	5	4.8	13	2	2	3	8	10	10	10
13-19 YRS	19	4.6	6	1	2	4	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	8	5.1	36	<1	<1	3	6	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	4.8	13	1	2	3	6	10	14	16
1-5 YRS	36	5.0	19	1	1	4	6	11	17	17
6-12 YRS	21	4.5	13	1	2	3	5	11	13	14
13-19 YRS	34	6.0	20	1	2	5	7	14	16	19
B. *Operated*										
0-27 DYS										
1-11 MOS	3	17.0	63	11	11	14	23	26	26	26
1-5 YRS	10	14.3	124	<1	2	14	17	32	37	37
6-12 YRS	5	6.0	33	1	1	3	11	14	14	14
13-19 YRS	20	12.4	79	3	4	9	15	28	32	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.0	6	1	2	3	5	8	9	10
B. *Operated*	14	4.4	23	<1	1	2	6	9	17	19
2. MULTIPLE DX										
A. *Not Operated*	110	5.2	17	1	2	4	6	12	16	18
B. *Operated*	38	12.4	86	1	3	10	14	28	33	37
1. SINGLE DX	54	4.1	10	1	2	3	6	8	9	19
2. MULTIPLE DX	148	7.0	44	1	2	5	10	15	18	35
A. NOT OPERATED	150	4.8	14	1	2	4	6	10	14	17
B. OPERATED	52	10.3	81	1	2	8	14	27	29	37
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	30	5.6	29	1	2	3	6	13	16	26
1-5 YRS	56	6.4	48	1	1	4	8	16	17	36
6-12 YRS	34	4.5	14	1	2	3	5	11	13	14
13-19 YRS	81	7.1	41	1	2	5	9	15	19	33
GRAND TOTAL	**202**	**6.2**	**37**	**1**	**2**	**4**	**8**	**14**	**17**	**32**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	13	1	1	6	7	8	8	8
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	2	8.0	50	3	3	8	13	13	13	13
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	4	5.3	9	1	1	6	7	8	8	8
2. MULTIPLE DX	3	5.7	41	1	1	3	10	13	13	13
A. NOT OPERATED	5	6.2	22	1	1	6	9	13	13	13
B. OPERATED	2	3.5	13	1	1	3	6	6	6	6
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	9.0	13	6	6	8	12	13	13	13
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	**7**	**5.4**	**18**	**1**	**1**	**6**	**8**	**12**	**13**	**13**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	5.1	13	1	1	5	8	10	10	10
13-19 YRS	17	4.5	24	1	1	3	4	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	19.4	368	3	3	8	36	47	47	47
6-12 YRS	7	4.4	5	2	2	3	6	8	8	8
13-19 YRS	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	6.3	14	2	2	8	9	9	9	9
13-19 YRS	9	9.1	116	1	1	6	11	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3		3	3	3	4	4	4	4
B. *Operated*	27	4.6	19	1	1	3	6	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	15	9.4	162	2	2	5	8	32	43	47
B. *Operated*	16	7.9	71	1	1	6	9	17	29	34
1. SINGLE DX	30	4.5	17	1	1	3	5	11	12	18
2. MULTIPLE DX	31	8.6	111	1	2	6	8	24	34	47
A. NOT OPERATED	18	8.4	139	2	2	4	7	25	41	47
B. OPERATED	43	5.8	39	1	1	4	8	12	18	34
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS	8	13.4	283	1	1	7	20	42	47	47
6-12 YRS	20	4.9	9	1	1	4	8	9	10	10
13-19 YRS	30	5.8	50	1	1	3	6	15	18	34
GRAND TOTAL	**61**	**6.6**	**68**	**1**	**1**	**4**	**8**	**13**	**24**	**46**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX										
2. MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
A. NOT OPERATED										
B. OPERATED	1	6.0		6	6	6	6	6	6	6
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	14.7	86	4	4	19	20	21	21	21
1. SINGLE DX	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX	4	12.0	86	4	4	12	20	21	21	21
A. NOT OPERATED	2	4.0		4	4	4	4	4	4	4
B. OPERATED	4	13.0	69	4	4	13	20	21	21	21
TOTAL 0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	3	10.3	60	4	4	8	16	19	19	19
GRAND TOTAL	**6**	**10.0**	**63**	**4**	**4**	**6**	**19**	**21**	**21**	**21**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	8.0	8	6	6	8	10	10	10	10
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	2	8.0	8	6	6	8	10	10	10	10
A. NOT OPERATED										
B. OPERATED	3	7.7	4	6	6	7	9	10	10	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**3**	**7.7**	**4**	**6**	**6**	**7**	**9**	**10**	**10**	**10**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.3	6	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	4	17.5	63	11	11	15	22	29	29	29
1-11 MOS	9	12.4	33	3	6	11	16	21	23	23
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	4	12.3	15	8	8	12	15	16	16	16
13-19 YRS	6	9.3	42	3	3	8	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	6.4	5	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	2	6.0		6	6	6	6	6	6	6
B. *Operated*	24	13.0	45	3	3	12	16	23	27	29
1. SINGLE DX	5	6.4	5	3	3	7	8	9	9	9
2. MULTIPLE DX	26	12.5	45	3	3	11	16	22	27	29
A. NOT OPERATED	2	6.0		6	6	6	6	6	6	6
B. OPERATED	29	11.9	45	3	3	11	16	21	26	29
TOTAL 0-27 DYS	4	17.5	63	11	11	15	22	29	29	29
1-11 MOS	12	10.9	32	3	5	10	14	19	22	23
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	4	12.3	15	8	8	12	15	16	16	16
13-19 YRS	10	8.1	28	3	3	6	12	16	17	17
GRAND TOTAL	**31**	**11.5**	**44**	**3**	**3**	**10**	**16**	**20**	**26**	**29**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	8.8	43	1	1	7	12	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	8	9.4	49	1	1	8	14	20	20	20
1. SINGLE DX										
2. MULTIPLE DX	9	8.7	47	1	1	7	12	20	20	20
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	8	9.4	49	1	1	8	14	20	20	20
TOTAL 0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	7.8	40	1	1	7	10	18	19	19
GRAND TOTAL	**9**	**8.7**	**47**	**1**	**1**	**7**	**12**	**20**	**20**	**20**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.4	4	3	3	5	7	8	8	8
1-5 YRS	13	8.5	26	1	2	9	12	16	18	18
6-12 YRS	5	14.0	34	5	5	15	17	21	21	21
13-19 YRS	6	6.3	4	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.6	27	1	1	3	10	13	13	13
1-5 YRS	14	6.1	16	1	2	5	10	11	13	13
6-12 YRS	5	5.2	17	1	1	5	7	12	12	12
13-19 YRS	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	11.7	52	2	4	10	18	63	99+	99+
1-5 YRS	25	13.3	84	2	4	11	18	26	32	37
6-12 YRS	10	13.4	178	2	2	9	16	36	43	43
13-19 YRS	9	8.7	51	1	1	7	11	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	29	8.5	26	2	3	8	12	16	18	21
2. MULTIPLE DX										
A. *Not Operated*	26	6.1	18	1	1	5	10	13	13	14
B. *Operated*	54	12.1	87	2	2	10	17	27	35	97
1. SINGLE DX	34	7.5	27	1	1	7	10	15	18	21
2. MULTIPLE DX	80	10.2	72	1	2	9	14	24	30	82
A. NOT OPERATED	31	5.5	18	1	1	4	9	12	13	14
B. OPERATED	83	10.9	68	2	2	9	15	24	30	81
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	20	8.2	39	1	2	8	11	22	60	99+
1-5 YRS	54	9.8	60	1	2	9	14	19	26	37
6-12 YRS	20	11.5	109	1	2	9	15	25	36	43
13-19 YRS	19	7.4	30	1	2	7	8	15	20	24
GRAND TOTAL	**114**	**9.4**	**60**	**1**	**2**	**8**	**13**	**19**	**27**	**63**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	2	9.5	13	7	7	9	12	12	12	12
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	3	7.0	25	2	2	7	11	12	12	12
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	2	9.5	13	7	7	9	12	12	12	12
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**4**	**6.0**	**21**	**2**	**2**	**5**	**9**	**12**	**12**	**12**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	4.2	7	1	1	4	6	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	2	19.0	50	14	14	19	24	24	24	24
1-11 MOS	6	11.0	34	5	5	9	12	21	22	22
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	7.6	14	2	2	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	8	4.0	5	1	1	4	5	7	8	8
B. *Operated*	18	9.7	35	2	2	9	11	20	23	24
1. SINGLE DX	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX	26	7.9	33	1	2	7	11	14	22	24
A. NOT OPERATED	8	4.0	5	1	1	4	5	7	8	8
B. OPERATED	20	9.3	33	2	3	8	11	18	23	24
TOTAL 0-27 DYS	3	13.0	133	1	1	14	21	24	24	24
1-11 MOS	12	7.8	30	1	2	7	9	15	21	22
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	6.9	11	2	3	6	10	11	11	11
GRAND TOTAL	**28**	**7.8**	**31**	**1**	**2**	**7**	**10**	**13**	**22**	**24**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	13	5	5	7	10	10	10	10
1-5 YRS	6	4.7	9	1	1	6	7	7	7	7
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	4.3	12	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	6.7	16	3	3	6	10	11	11	11
13-19 YRS	5	4.6	6	1	1	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.6	94	2	2	9	14	27	27	27
1-5 YRS	8	12.0	29	4	5	12	14	20	22	22
6-12 YRS	4	5.5	2	4	4	5	6	7	7	7
13-19 YRS	7	10.3	75	4	4	7	13	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	4.8	10	1	1	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	11	4.6	9	1	1	5	6	9	11	11
B. *Operated*	24	10.1	50	3	4	8	13	22	27	28
1. SINGLE DX	12	4.8	10	1	1	5	7	9	10	10
2. MULTIPLE DX	35	8.4	43	1	2	6	11	15	26	28
A. NOT OPERATED	11	4.6	9	1	1	5	6	9	11	11
B. OPERATED	36	8.3	43	1	1	7	10	15	25	28
TOTAL 0-27 DYS										
1-11 MOS	9	8.3	59	2	2	5	10	20	27	27
1-5 YRS	15	8.3	35	1	1	7	12	15	20	22
6-12 YRS	8	5.4	9	1	2	5	7	10	11	11
13-19 YRS	15	7.2	44	1	1	5	8	15	25	28
GRAND TOTAL	**47**	**7.5**	**37**	**1**	**1**	**6**	**9**	**15**	**23**	**28**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	2.6	3	1	1	2	4	5	7	7
6-12 YRS	17	3.5	5	<1	<1	4	4	6	9	10
13-19 YRS	61	4.0	70	1	1	3	4	5	7	61
B. *Operated*										
0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	11	4.2	5	1	2	4	5	7	10	10
1-5 YRS	35	5.1	48	1	1	3	6	9	11	41
6-12 YRS	58	7.1	40	1	2	6	8	14	21	34
13-19 YRS	111	5.7	30	1	1	4	7	10	12	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.6	11	1	1	4	6	10	10	10
1-5 YRS	26	6.2	45	<1	1	3	8	15	23	28
6-12 YRS	53	4.5	9	1	1	4	5	9	11	14
13-19 YRS	115	4.5	16	1	1	4	5	8	11	23
B. *Operated*										
0-27 DYS										
1-11 MOS	8	8.0	31	2	2	8	10	16	19	19
1-5 YRS	26	12.7	321	1	2	6	10	48	60	68
6-12 YRS	46	10.8	137	1	2	7	12	22	34	66
13-19 YRS	88	10.5	108	1	2	7	15	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.7	48	1	1	3	4	5	7	44
B. *Operated*	217	6.0	34	1	1	5	8	11	15	37
2. MULTIPLE DX										
A. *Not Operated*	199	4.7	17	1	1	4	5	9	12	25
B. *Operated*	168	10.8	143	1	2	7	13	25	38	65
1. SINGLE DX	308	5.3	39	1	1	4	7	10	12	37
2. MULTIPLE DX	367	7.5	84	1	1	5	9	15	25	54
A. NOT OPERATED	290	4.4	27	1	1	3	5	8	11	26
B. OPERATED	385	8.1	87	1	2	6	9	15	26	53
TOTAL 0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	25	5.4	16	1	2	4	8	10	13	19
1-5 YRS	99	7.1	123	1	1	4	8	13	27	63
6-12 YRS	174	7.0	59	1	2	5	8	13	18	40
13-19 YRS	375	6.2	56	1	1	4	7	12	18	40
GRAND TOTAL	**675**	**6.5**	**65**	**1**	**1**	**4**	**7**	**12**	**19**	**45**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	9	4.4	33	<1	<1	2	6	14	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	14.5	265	3	3	14	26	26	26	26
1-5 YRS										
6-12 YRS										
13-19 YRS	9	4.1	8	1	1	4	5	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	4.1	26	<1	<1	2	5	12	17	18
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	12	5.8	47	1	1	4	5	15	24	26
1. SINGLE DX	12	4.1	26	<1	<1	2	5	12	17	18
2. MULTIPLE DX	13	5.4	44	1	1	4	5	13	24	26
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	24	4.9	35	<1	1	3	5	11	20	26
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	10.0	193	1	1	3	20	26	26	26
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	19	4.1	19	<1	<1	2	5	10	14	18
GRAND TOTAL	**25**	**4.8**	**34**	**<1**	**1**	**3**	**5**	**10**	**20**	**26**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	17	2.5	5	1	1	1	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	21	2.2	4	<1	<1	1	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	4	4.3	7	2	2	4	6	7	7	7
1. SINGLE DX	22	2.2	4	<1	<1	1	2	6	7	7
2. MULTIPLE DX	6	4.3	4	2	2	4	6	7	7	7
A. NOT OPERATED	3	3.7	2	2	2	4	5	5	5	5
B. OPERATED	25	2.6	5	<1	1	2	3	7	7	7
TOTAL 0-27 DYS										
1-11 MOS	3	3.7	6	<1	<1	4	5	6	6	6
1-5 YRS	3	4.3	9	<1	<1	5	6	7	7	7
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	18	2.4	5	1	1	2	3	7	7	7
GRAND TOTAL	**28**	**2.7**	**5**	**<1**	**1**	**2**	**4**	**7**	**7**	**7**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	7.0	3	5	5	7	8	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.3	6	3	3	5	7	8	8	8
1-5 YRS	5	5.4	3	3	3	6	7	7	7	7
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	7	5.0	8	1	1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	10	5.6	8	2	2	5	7	9	11	11
1. SINGLE DX	8	4.9	7	1	1	5	7	8	9	9
2. MULTIPLE DX	11	5.5	7	2	2	5	7	9	11	11
A. NOT OPERATED	2	4.5	1	4	4	4	5	5	5	5
B. OPERATED	17	5.4	7	1	2	5	7	9	10	11
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.1	4	3	3	6	8	9	9	9
1-5 YRS	5	5.4	3	3	3	6	7	7	7	7
6-12 YRS										
13-19 YRS	4	5.0	18	1	1	4	8	11	11	11
GRAND TOTAL	**19**	**5.3**	**7**	**1**	**2**	**5**	**7**	**9**	**10**	**11**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	7.3	22	2	2	9	10	11	11	11
13-19 YRS	3	4.3	9	<1	<1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	8	5.1	13	<1	1	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*	3	5.0	4	3	3	5	6	7	7	7
1. SINGLE DX	8	5.1	13	<1	1	4	8	10	11	11
2. MULTIPLE DX	5	5.6	4	3	3	5	7	8	8	8
A. NOT OPERATED	2	6.5	5	5	5	6	8	8	8	8
B. OPERATED	11	5.1	10	<1	1	5	7	10	11	11
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	6.0	8	4	4	6	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	6.8	12	2	2	7	9	11	11	11
13-19 YRS	4	4.0	7	<1	<1	4	6	7	7	7
GRAND TOTAL	**13**	**5.3**	**9**	**<1**	**1**	**5**	**7**	**9**	**11**	**11**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.5	6	4	4	6	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	11.8	52	1	1	15	16	16	16	16
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	13.5	113	6	6	13	21	21	21	21
B. *Operated*	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	4	6.5	6	4	4	6	8	9	9	9
B. *Operated*	4	11.8	52	1	1	15	16	16	16	16
1. SINGLE DX	5	7.6	60	1	1	5	10	21	21	21
2. MULTIPLE DX	8	9.1	33	1	2	8	15	16	16	16
A. NOT OPERATED	6	8.8	39	4	4	7	9	20	21	21
B. OPERATED	7	8.3	47	1	1	5	15	16	16	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	10.6	46	1	1	14	16	16	16	16
6-12 YRS										
13-19 YRS	8	7.3	37	1	2	5	8	17	21	21
GRAND TOTAL	**13**	**8.5**	**40**	**1**	**1**	**6**	**14**	**17**	**20**	**21**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	7.8	5	5	5	8	9	10	10	10
13-19 YRS	14	5.4	13	1	1	5	6	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.6	3	2	2	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	4	8.8	38	5	5	6	12	18	18	18
13-19 YRS	23	7.5	9	4	5	7	9	11	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	9	1	1	2	6	8	8	8
B. *Operated*	18	5.9	12	1	2	5	9	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	6	4.2	3	2	2	4	6	6	6	6
B. *Operated*	29	8.6	37	4	5	7	9	15	19	35
1. SINGLE DX	24	5.3	12	1	1	5	7	9	11	15
2. MULTIPLE DX	35	7.9	34	3	4	6	8	14	17	35
A. NOT OPERATED	12	3.8	6	1	1	3	6	7	8	8
B. OPERATED	47	7.6	29	3	4	6	9	13	16	35
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	8.4	222	1	1	2	11	35	35	35
1-5 YRS	2	8.0		8	8	8	8	8	8	8
6-12 YRS	8	8.3	19	5	5	7	9	16	18	18
13-19 YRS	43	6.4	10	2	3	6	8	10	14	16
GRAND TOTAL	**59**	**6.8**	**26**	**1**	**2**	**6**	**8**	**10**	**16**	**33**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.3	1	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	11	1	1	2	5	8	8	8
1-5 YRS	4	6.5	8	3	3	6	8	10	10	10
6-12 YRS										
13-19 YRS	3	5.0	9	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	22	1	1	3	8	10	10	10
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	10.0	53	1	1	10	15	20	22	22
6-12 YRS										
13-19 YRS	2	8.5	5	7	7	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	2	1	1	3	3	5	5	5
B. *Operated*	11	4.8	10	1	1	5	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	4	6.5	28	1	1	6	11	12	12	12
B. *Operated*	13	9.4	38	1	2	8	14	17	21	22
1. SINGLE DX	18	4.0	8	1	1	3	6	8	9	10
2. MULTIPLE DX	17	8.7	35	1	1	8	13	16	20	22
A. NOT OPERATED	11	4.1	13	1	1	3	5	11	12	12
B. OPERATED	24	7.3	30	1	1	6	10	15	18	22
TOTAL 0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS	5	3.2	9	1	1	2	5	8	8	8
1-5 YRS	19	6.8	35	1	1	5	10	15	19	22
6-12 YRS										
13-19 YRS	9	6.0	13	2	2	5	8	11	12	12
GRAND TOTAL	**35**	**6.3**	**26**	**1**	**1**	**5**	**9**	**13**	**16**	**22**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	6	4.0	5	1	1	4	6	7	7	7
1-5 YRS	4	7.8	16	2	2	9	10	11	11	11
6-12 YRS	2	11.5	13	9	9	11	14	14	14	14
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	7.0	39	2	2	5	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*	13	7.5	27	1	2	7	10	15	18	19
1. SINGLE DX	3	7.0	39	2	2	5	12	14	14	14
2. MULTIPLE DX	15	7.4	23	1	2	7	9	14	18	19
A. NOT OPERATED	2	7.0	2	6	6	7	8	8	8	8
B. OPERATED	16	7.4	27	1	2	6	10	14	18	19
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	8	4.0	5	1	1	4	6	7	7	7
1-5 YRS	6	7.3	11	2	2	8	9	11	11	11
6-12 YRS	2	11.5	13	9	9	11	14	14	14	14
13-19 YRS	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	**18**	**7.3**	**24**	**1**	**2**	**7**	**9**	**14**	**17**	**19**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	6	3.3	9	1	1	2	6	8	8	8
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	52	3.8	7	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	7	2	2	3	6	7	7	7
6-12 YRS										
13-19 YRS	8	4.8	10	<1	<1	5	6	10	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	5.8	19	2	2	4	8	12	12	12
6-12 YRS										
13-19 YRS	31	5.8	14	1	1	5	9	11	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*	63	3.7	7	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	11	4.5	9	<1	1	4	6	9	11	11
B. *Operated*	35	5.8	14	1	1	5	9	12	12	13
1. SINGLE DX	65	3.7	7	1	1	3	5	7	9	12
2. MULTIPLE DX	46	5.5	13	1	1	5	9	11	12	13
A. NOT OPERATED	13	4.6	7	<1	1	4	6	8	10	11
B. OPERATED	98	4.4	10	1	1	4	6	9	11	13
TOTAL 0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	13	4.2	11	1	1	3	6	9	11	12
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	93	4.6	10	1	1	4	6	9	11	13
GRAND TOTAL	**111**	**4.5**	**10**	**1**	**1**	**4**	**6**	**9**	**11**	**13**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	5.3	12	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	3	9.3	60	3	3	7	15	18	18	18
1-5 YRS	7	12.1	511	1	1	4	8	52	63	63
6-12 YRS	4	10.0	90	2	2	7	17	23	23	23
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	3.8	8	1	1	2	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	18	9.4	214	1	1	5	9	21	47	63
1. SINGLE DX	9	3.8	8	1	1	2	6	9	9	9
2. MULTIPLE DX	21	8.3	189	1	1	4	7	20	41	63
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	27	7.5	150	1	1	4	8	17	29	63
TOTAL 0-27 DYS	3	3.7	4	2	2	3	5	6	6	6
1-11 MOS	5	7.8	38	3	3	7	10	18	18	18
1-5 YRS	12	7.8	307	1	1	2	4	25	58	63
6-12 YRS	5	8.4	80	2	2	4	14	23	23	23
13-19 YRS	5	4.6	10	1	1	5	7	9	9	9
GRAND TOTAL	**30**	**7.0**	**137**	**1**	**1**	**3**	**7**	**14**	**23**	**63**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	2.5	12	<1	<1	1	2	9	11	11
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	10	9.3	24	4	4	8	11	17	20	20
1-5 YRS	39	9.7	70	3	4	8	11	14	24	52
6-12 YRS	7	6.0	7	1	2	6	8	9	9	9
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	6	5.2	10	1	1	5	8	8	8	8
1-5 YRS	20	4.9	29	1	1	2	6	13	18	20
6-12 YRS	10	3.9	4	1	1	4	5	7	8	8
13-19 YRS	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	9	9.9	62	4	4	8	10	22	30	30
1-5 YRS	52	12.0	77	4	5	9	14	25	37	98
6-12 YRS	10	17.9	249	2	5	14	21	41	59	59
13-19 YRS	9	11.0	46	3	3	11	13	21	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	8	<1	<1	1	2	5	10	11
B. *Operated*	56	9.2	55	2	4	8	11	14	21	50
2. MULTIPLE DX										
A. *Not Operated*	41	4.6	18	1	1	3	6	10	14	20
B. *Operated*	80	12.4	94	3	4	9	14	25	36	87
1. SINGLE DX	69	7.8	53	1	1	7	10	13	20	47
2. MULTIPLE DX	121	9.7	81	1	1	7	13	21	28	70
A. NOT OPERATED	54	4.0	17	<1	1	3	5	9	12	20
B. OPERATED	136	11.1	80	3	4	9	13	22	29	64
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	26	8.3	36	2	3	7	9	14	22	30
1-5 YRS	119	9.4	71	1	1	7	11	21	26	66
6-12 YRS	30	8.8	124	1	1	6	9	18	24	59
13-19 YRS	14	7.9	49	<1	1	6	12	15	24	26
GRAND TOTAL	**190**	**9.1**	**72**	**1**	**1**	**7**	**11**	**20**	**26**	**56**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	16	1.4	2	<1	<1	1	1	3	5	6
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	2.0	2	<1	<1	1	3	4	5	5
1-5 YRS	28	2.4	2	<1	1	2	3	4	5	7
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.4	25	<1	<1	2	7	12	16	16
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	12.3	108	4	4	9	20	24	24	24
1-5 YRS	13	9.8	64	1	2	7	16	22	24	24
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.4	1	<1	<1	1	1	2	4	6
B. *Operated*	42	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	10	4.5	22	<1	<1	3	7	12	16	16
B. *Operated*	18	9.3	66	<1	1	6	14	23	24	24
1. SINGLE DX	62	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	28	7.6	55	<1	<1	5	10	22	24	24
A. NOT OPERATED	30	2.4	10	<1	<1	1	2	6	7	16
B. OPERATED	60	4.5	31	<1	<1	2	5	10	21	24
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	3.5	31	<1	<1	1	4	8	18	24
1-5 YRS	66	3.9	26	<1	<1	2	4	9	17	24
6-12 YRS	4	4.0	10	<1	<1	3	6	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**90**	**3.8**	**25**	**<1**	**<1**	**2**	**4**	**8**	**16**	**24**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	3.4	10	1	1	3	4	7	11	12
6-12 YRS	17	3.1	5	1	1	3	4	6	8	9
13-19 YRS	10	5.2	58	<1	<1	2	5	17	26	26
B. *Operated*										
0-27 DYS										
1-11 MOS	7	4.7	8	2	2	3	7	9	9	9
1-5 YRS	53	10.2	80	1	2	8	14	19	25	43
6-12 YRS	67	8.7	25	1	1	9	12	14	17	23
13-19 YRS	69	8.7	32	1	3	8	12	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	6.2	9	3	3	6	7	11	11	11
1-5 YRS	49	5.8	82	1	1	3	5	11	17	52
6-12 YRS	68	4.7	24	1	1	3	6	12	17	86
13-19 YRS	45	4.8	26	<1	1	3	5	9	17	26
B. *Operated*										
0-27 DYS										
1-11 MOS	16	15.0	201	2	4	10	17	42	43	44
1-5 YRS	100	14.9	194	2	2	11	22	38	65	99+
6-12 YRS	97	17.1	338	2	3	12	20	47	58	99+
13-19 YRS	91	14.7	218	1	3	11	16	30	61	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.7	19	1	1	3	5	7	11	26
B. *Operated*	196	9.0	42	1	2	8	12	16	19	36
2. MULTIPLE DX										
A. *Not Operated*	167	5.1	41	1	1	3	6	11	17	50
B. *Operated*	304	15.6	246	2	3	11	19	42	59	99+
1. SINGLE DX	235	8.1	42	1	1	7	11	15	19	31
2. MULTIPLE DX	471	11.8	198	1	2	7	15	31	49	99+
A. NOT OPERATED	206	4.8	37	1	1	3	5	11	16	45
B. OPERATED	500	13.0	177	1	2	9	15	29	45	99+
TOTAL 0-27 DYS										
1-11 MOS	28	10.9	139	2	3	7	11	33	42	44
1-5 YRS	214	11.0	146	1	2	8	15	29	44	99+
6-12 YRS	249	10.5	175	1	1	7	13	22	45	99
13-19 YRS	215	10.3	126	1	2	7	13	22	29	69
GRAND TOTAL	**706**	**10.6**	**149**	**1**	**1**	**7**	**13**	**23**	**42**	**99**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	5	6.4	51	2	2	4	8	19	19	19
1-5 YRS	4	7.3	26	1	1	7	11	13	13	13
6-12 YRS	5	5.8	16	1	1	4	10	10	10	10
13-19 YRS	10	7.3	34	1	1	7	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	18.0	721	2	2	3	37	49	49	49
6-12 YRS	5	6.8	106	1	1	2	10	25	25	25
13-19 YRS										
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	7	12.9	35	3	4	12	18	20	20	20
1-5 YRS	10	15.2	285	2	3	9	18	42	58	58
6-12 YRS	8	15.9	207	1	2	10	28	38	38	38
13-19 YRS	7	11.0	10	7	7	11	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	5	<1	<1	1	2	6	7	7
B. *Operated*	24	6.8	29	1	1	5	10	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	9	9.9	274	<1	<1	3	25	74	99+	99+
B. *Operated*	33	14.2	140	2	3	11	18	28	38	58
1. SINGLE DX	31	5.7	27	1	1	4	10	14	16	19
2. MULTIPLE DX	42	13.3	166	1	2	11	19	37	52	99+
A. NOT OPERATED	16	6.4	164	<1	<1	2	5	44	82	99+
B. OPERATED	57	11.1	105	1	2	10	14	20	33	57
TOTAL 0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	15	8.4	52	<1	1	5	13	20	20	20
1-5 YRS	19	12.8	251	1	1	6	15	40	54	58
6-12 YRS	20	9.6	132	<1	1	5	11	31	37	38
13-19 YRS	18	8.4	28	1	1	10	13	16	62	99+
GRAND TOTAL	**73**	**10.1**	**120**	**1**	**1**	**8**	**13**	**23**	**38**	**90**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	23	2.4	4	<1	1	2	3	4	7	10
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	2.1	3	<1	<1	2	2	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	10	5.5	14	2	2	4	9	11	12	12
1-5 YRS	27	9.1	127	1	1	6	9	19	27	58
6-12 YRS	9	5.0	24	2	2	3	6	14	15	15
13-19 YRS	28	2.8	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	43	5.4	44	<1	1	3	7	12	20	34
6-12 YRS	4	5.5	6	3	3	5	7	8	8	8
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	13	10.2	33	2	5	8	12	19	20	20
1-5 YRS	54	15.1	292	1	2	8	14	48	55	79
6-12 YRS	10	18.3	394	3	3	14	16	50	70	70
13-19 YRS	46	7.8	216	1	2	4	7	14	21	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.3	3	<1	1	2	3	4	6	10
B. *Operated*	74	5.7	58	1	2	3	7	12	18	49
2. MULTIPLE DX										
A. *Not Operated*	53	5.2	37	<1	1	3	7	11	18	34
B. *Operated*	124	12.1	251	1	2	7	13	30	49	84
1. SINGLE DX	109	4.6	43	1	1	3	5	10	15	36
2. MULTIPLE DX	177	10.0	196	1	1	6	11	20	40	77
A. NOT OPERATED	88	4.0	25	<1	1	2	5	10	11	29
B. OPERATED	198	9.7	188	1	2	5	10	19	40	75
TOTAL 0-27 DYS	3	6.7	17	2	2	8	9	10	10	10
1-11 MOS	28	7.0	30	1	1	6	10	17	19	20
1-5 YRS	147	9.2	166	1	1	5	10	20	37	59
6-12 YRS	24	10.5	209	2	2	4	14	18	42	70
13-19 YRS	84	5.4	125	1	2	3	5	8	14	77
GRAND TOTAL	**286**	**7.9**	**144**	**1**	**1**	**4**	**8**	**16**	**30**	**66**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	13	5.7	27	1	2	4	6	12	19	21
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.8	33	1	1	7	11	15	15	15
1-5 YRS	20	6.4	31	<1	1	5	8	12	19	25
6-12 YRS	5	6.4	32	2	2	4	9	16	16	16
13-19 YRS	11	4.5	10	<1	1	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	6.5	33	1	1	4	12	15	17	17
1-5 YRS	37	5.8	70	<1	<1	4	7	12	14	50
6-12 YRS	31	5.5	40	<1	1	3	7	11	17	32
13-19 YRS	49	5.6	38	<1	1	4	6	13	24	26
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	17	16.6	177	2	2	16	28	37	40	42
1-5 YRS	55	9.3	72	1	2	7	12	19	31	38
6-12 YRS	38	9.4	27	2	3	8	13	17	20	22
13-19 YRS	88	12.2	184	2	2	8	13	26	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.9	22	1	2	4	8	10	17	21
B. *Operated*	40	6.0	24	<1	1	4	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	127	5.7	46	<1	1	4	7	12	18	36
B. *Operated*	199	11.3	124	1	2	8	13	22	36	61
1. SINGLE DX	57	6.0	23	<1	1	4	8	12	16	25
2. MULTIPLE DX	326	9.1	101	1	1	6	12	18	30	52
A. NOT OPERATED	144	5.7	43	<1	1	4	7	12	18	33
B. OPERATED	239	10.4	111	1	2	7	13	21	34	57
TOTAL 0-27 DYS	2	9.0	72	3	3	9	15	15	15	15
1-11 MOS	31	12.2	132	1	2	8	17	32	37	42
1-5 YRS	125	7.4	62	<1	1	5	8	16	23	41
6-12 YRS	75	7.6	35	1	1	6	11	16	19	29
13-19 YRS	150	9.4	131	1	2	6	11	21	33	65
GRAND TOTAL	**383**	**8.6**	**91**	**1**	**1**	**6**	**11**	**17**	**27**	**51**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	12	2.4	2	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.0	25	1	1	5	9	13	13	13
6-12 YRS	24	6.3	19	1	1	6	9	11	14	19
13-19 YRS	137	5.0	13	<1	1	5	7	9	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	8	3.0	2	1	1	3	4	5	5	5
13-19 YRS	32	5.8	21	1	2	5	8	10	15	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	11.3	46	2	5	9	17	21	22	22
13-19 YRS	85	11.2	111	2	2	8	13	25	36	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	2	<1	1	2	3	4	5	5
B. *Operated*	165	5.2	14	1	1	5	7	9	10	18
2. MULTIPLE DX										
A. *Not Operated*	41	5.2	18	1	1	4	7	10	13	23
B. *Operated*	97	11.2	102	2	2	8	13	24	35	45
1. SINGLE DX	188	4.9	13	1	1	4	7	9	10	17
2. MULTIPLE DX	138	9.4	85	1	2	7	11	23	33	43
A. NOT OPERATED	64	4.2	14	1	1	3	5	8	10	22
B. OPERATED	262	7.4	55	1	1	6	8	13	24	42
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.0	19	1	1	5	8	13	13	13
6-12 YRS	55	6.1	28	1	1	4	8	13	19	22
13-19 YRS	266	7.0	53	1	1	5	8	13	24	42
GRAND TOTAL	**326**	**6.8**	**48**	**1**	**1**	**5**	**8**	**13**	**22**	**40**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.0	2	<1	<1	3	4	4	4	4
1-5 YRS	79	2.9	7	<1	<1	2	4	6	8	13
6-12 YRS	63	4.2	32	<1	1	3	5	7	18	33
13-19 YRS	37	3.5	5	1	1	3	5	7	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	6	8.0	11	2	3	8	9	12	12	12
1-5 YRS	114	6.9	37	<1	1	5	9	15	21	28
6-12 YRS	84	7.0	60	<1	<1	5	8	17	28	33
13-19 YRS	31	7.5	58	<1	<1	6	10	15	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	6.9	38	2	3	5	7	18	22	22
1-5 YRS	204	5.2	21	<1	1	4	7	11	14	23
6-12 YRS	167	5.7	36	<1	1	4	7	13	19	28
13-19 YRS	117	5.8	43	1	1	4	7	11	19	40
B. *Operated*										
0-27 DYS										
1-11 MOS	9	22.2	144	4	4	24	32	36	38	38
1-5 YRS	163	14.4	100	2	4	11	22	28	33	50
6-12 YRS	100	16.8	265	1	2	12	23	38	46	79
13-19 YRS	89	17.9	262	2	2	11	28	43	55	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.5	15	<1	<1	3	4	7	8	23
B. *Operated*	235	7.0	47	<1	<1	5	9	15	23	32
2. MULTIPLE DX										
A. *Not Operated*	497	5.5	31	1	1	4	7	12	15	29
B. *Operated*	361	16.1	188	2	3	12	23	35	43	62
1. SINGLE DX	419	5.4	36	<1	<1	4	7	12	18	31
2. MULTIPLE DX	858	10.0	124	1	1	6	13	24	33	55
A. NOT OPERATED	681	5.0	28	<1	1	3	6	10	14	28
B. OPERATED	596	12.5	152	<1	1	8	17	29	36	59
TOTAL 0-27 DYS										
1-11 MOS	29	11.2	113	2	2	5	18	29	33	38
1-5 YRS	560	7.9	94	<1	1	5	10	20	24	36
6-12 YRS	414	8.4	118	<1	1	4	10	21	29	52
13-19 YRS	274	9.6	144	1	1	5	11	24	39	58
GRAND TOTAL	**1277**	**8.5**	**100**	**<1**	**1**	**5**	**10**	**22**	**29**	**48**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	33	2.6	6	<1	<1	1	4	5	8	11
6-12 YRS	28	5.0	11	<1	1	5	7	10	11	15
13-19 YRS	25	5.2	11	1	1	4	7	10	12	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	5.0	8	<1	<1	5	7	8	8	8
1-5 YRS	22	8.4	26	<1	<1	8	12	15	18	21
6-12 YRS	12	14.3	249	2	4	9	12	43	53	55
13-19 YRS	24	13.3	185	1	2	7	25	36	39	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	8.7	128	1	2	6	7	27	38	38
1-5 YRS	84	6.0	46	<1	1	4	8	14	21	33
6-12 YRS	48	5.3	30	<1	<1	3	7	12	19	22
13-19 YRS	51	9.2	112	<1	1	5	13	20	36	50
B. *Operated*										
0-27 DYS										
1-11 MOS	5	17.4	267	3	3	9	33	38	38	38
1-5 YRS	72	24.4	324	3	5	22	35	54	61	66
6-12 YRS	36	23.4	254	4	7	19	37	45	62	99+
13-19 YRS	59	30.9	499	2	7	29	45	62	74	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.2	11	<1	1	3	6	9	11	15
B. *Operated*	64	11.1	130	<1	2	8	12	30	38	53
2. MULTIPLE DX										
A. *Not Operated*	192	6.8	65	<1	1	4	9	16	22	39
B. *Operated*	172	26.2	375	3	6	24	37	54	65	94
1. SINGLE DX	151	7.1	72	<1	1	5	8	12	26	43
2. MULTIPLE DX	364	16.0	305	1	1	9	26	42	53	74
A. NOT OPERATED	279	6.0	49	<1	1	4	7	14	19	37
B. OPERATED	236	22.1	353	2	4	14	35	48	60	92
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	20	10.1	134	<1	2	6	9	35	38	38
1-5 YRS	211	12.0	214	<1	1	6	14	34	46	62
6-12 YRS	124	11.4	176	<1	1	6	13	36	44	75
13-19 YRS	159	17.2	363	1	1	8	29	44	54	90
GRAND TOTAL	**515**	**13.4**	**253**	**<1**	**1**	**7**	**16**	**37**	**47**	**69**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	23	1	1	2	7	11	11	11
6-12 YRS	19	2.4	7	<1	<1	1	2	7	9	10
13-19 YRS	12	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	18	5.4	22	<1	1	4	8	12	15	17
6-12 YRS	32	7.4	53	<1	1	5	9	14	24	36
13-19 YRS	39	4.7	9	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.3	6	3	3	6	8	9	9	9
1-5 YRS	22	4.1	11	<1	1	4	6	8	11	14
6-12 YRS	22	5.1	20	1	1	3	6	14	15	15
13-19 YRS	40	5.2	28	<1	1	4	7	10	14	30
B. *Operated*										
0-27 DYS										
1-11 MOS	6	15.0	200	4	4	10	17	39	42	42
1-5 YRS	33	21.0	368	3	5	15	27	40	72	84
6-12 YRS	30	11.9	125	1	1	10	16	33	44	99+
13-19 YRS	55	12.1	112	1	2	9	15	32	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.6	7	<1	<1	1	3	6	9	11
B. *Operated*	92	5.7	28	1	1	4	8	12	14	31
2. MULTIPLE DX										
A. *Not Operated*	88	5.0	21	1	1	4	6	10	14	24
B. *Operated*	124	14.5	198	1	3	10	19	36	41	88
1. SINGLE DX	127	4.9	24	<1	1	3	7	11	13	28
2. MULTIPLE DX	212	10.6	146	1	1	7	13	27	38	80
A. NOT OPERATED	123	4.3	18	<1	1	3	6	9	13	19
B. OPERATED	216	10.8	144	1	2	7	13	27	37	80
TOTAL 0-27 DYS										
1-11 MOS	13	9.5	116	1	2	6	10	22	38	42
1-5 YRS	77	11.6	230	1	1	7	14	29	40	82
6-12 YRS	103	7.3	69	<1	1	4	10	15	28	70
13-19 YRS	146	7.4	66	1	1	5	9	15	26	38
GRAND TOTAL	**339**	**8.4**	**108**	**1**	**1**	**5**	**10**	**19**	**32**	**48**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS	13	1.3		<1	<1	1	2	2	2	2
6-12 YRS	13	1.8	1	<1	<1	1	2	4	4	4
13-19 YRS	61	2.8	5	1	1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	2.3	2	1	1	2	3	4	4	4
6-12 YRS	11	3.4	25	1	1	1	2	12	17	17
13-19 YRS	18	5.2	30	1	1	3	6	10	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	90	2.5	4	<1	<1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	34	4.2	24	1	1	2	5	9	16	24
1. SINGLE DX	91	2.4	4	<1	<1	2	3	6	8	10
2. MULTIPLE DX	35	4.1	24	1	1	2	5	9	15	24
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	124	2.9	10	<1	1	2	4	7	9	19
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.7	12	<1	<1	5	7	8	8	8
1-5 YRS	19	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	24	2.5	12	<1	1	1	2	5	11	17
13-19 YRS	79	3.3	12	1	1	2	4	8	9	20
GRAND TOTAL	**126**	**2.9**	**10**	**<1**	**1**	**2**	**4**	**7**	**8**	**19**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	22	2.4	3	<1	<1	2	3	5	6	6
6-12 YRS	25	3.7	10	<1	1	2	6	9	10	11
13-19 YRS	20	3.4	8	<1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.4	2	1	1	2	4	4	4	4
6-12 YRS	7	2.0	2	<1	<1	2	2	4	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	1	1	5	99+	99+	99+	99+
1-5 YRS	13	5.5	37	<1	1	2	8	15	20	21
6-12 YRS	23	6.7	26	1	2	4	12	14	16	18
13-19 YRS	30	7.2	35	1	1	6	9	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*	68	3.2	7	<1	1	2	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	15	2.3	2	<1	1	2	3	4	5	5
B. *Operated*	69	6.5	31	1	1	5	9	15	21	99+
1. SINGLE DX	73	3.1	7	<1	1	2	4	7	9	11
2. MULTIPLE DX	84	5.7	28	1	1	4	8	14	19	99+
A. NOT OPERATED	20	2.3	2	<1	<1	2	3	4	5	5
B. OPERATED	137	4.8	22	1	1	3	7	12	15	99+
TOTAL 0-27 DYS										
1-11 MOS	7	2.4	2	<1	<1	3	29	99+	99+	99+
1-5 YRS	40	3.4	15	<1	1	2	4	7	11	21
6-12 YRS	55	4.7	18	<1	1	3	7	12	14	18
13-19 YRS	55	5.4	26	1	1	3	8	11	15	28
GRAND TOTAL	**157**	**4.5**	**20**	**<1**	**1**	**3**	**7**	**11**	**14**	**93**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	3	1	1	2	3	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.7	14	<1	<1	1	2	9	11	11
1-5 YRS	146	1.7	4	<1	<1	1	2	3	5	12
6-12 YRS	80	1.6	2	<1	<1	1	1	2	5	9
13-19 YRS	51	2.2	5	<1	<1	1	2	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.8	3	1	1	4	5	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	15	6.1	92	1	2	2	4	28	30	31
1-5 YRS	60	4.0	38	1	1	2	4	8	21	32
6-12 YRS	39	2.4	9	<1	1	1	2	6	10	14
13-19 YRS	22	2.8	9	<1	<1	2	3	6	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	3	1	1	2	3	5	5	5
B. *Operated*	284	1.8	4	<1	<1	1	2	3	6	11
2. MULTIPLE DX										
A. *Not Operated*	8	3.5	3	1	1	4	5	5	5	5
B. *Operated*	137	3.6	32	<1	1	2	3	7	15	31
1. SINGLE DX	289	1.8	4	<1	<1	1	2	3	6	11
2. MULTIPLE DX	145	3.6	30	<1	1	2	4	7	14	31
A. NOT OPERATED	13	3.0	3	1	1	4	4	5	5	5
B. OPERATED	421	2.4	13	<1	<1	1	2	5	8	23
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	22	5.0	68	<1	<1	2	3	16	29	31
1-5 YRS	216	2.4	14	<1	<1	1	2	5	7	23
6-12 YRS	120	1.8	4	<1	<1	1	2	3	6	13
13-19 YRS	75	2.4	6	<1	<1	1	3	6	7	13
GRAND TOTAL	**434**	**2.4**	**13**	**<1**	**<1**	**1**	**2**	**5**	**7**	**23**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	5	2.4	1	<1	<1	2	3	4	4	4
13-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
B. *Operated*										
0-27 DYS	2	4.0	18	<1	<1	3	7	7	7	7
1-11 MOS	24	3.4	8	<1	1	2	5	9	9	10
1-5 YRS	77	2.4	4	<1	<1	2	3	5	7	10
6-12 YRS	319	2.1	2	<1	1	2	3	4	5	8
13-19 YRS	705	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.3	1	<1	<1	2	3	4	4	4
6-12 YRS	5	1.8	2	1	1	1	2	4	4	4
13-19 YRS	10	1.3		<1	<1	1	1	2	3	3
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	15	5.5	11	1	2	5	7	12	12	12
1-5 YRS	43	4.9	21	<1	1	4	7	11	14	22
6-12 YRS	66	3.5	9	1	1	3	4	9	9	15
13-19 YRS	145	3.7	33	<1	1	2	4	7	13	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	1127	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	21	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	270	4.0	24	1	1	2	5	9	12	22
1. SINGLE DX	1140	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX	291	3.8	23	<1	1	2	4	8	12	22
A. NOT OPERATED	34	1.9	1	<1	<1	1	2	4	4	5
B. OPERATED	1397	2.5	8	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	3	6.0	21	<1	<1	7	9	10	10	10
1-11 MOS	40	4.2	10	<1	1	3	6	9	11	12
1-5 YRS	128	3.2	11	<1	<1	2	4	8	10	17
6-12 YRS	395	2.4	4	<1	1	2	3	4	7	9
13-19 YRS	865	2.4	9	<1	<1	2	3	5	6	14
GRAND TOTAL	**1431**	**2.5**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.4	17	<1	<1	1	4	11	11	11
1-5 YRS	16	2.4	3	<1	<1	2	3	4	7	8
6-12 YRS	4	1.3		<1	<1	1	2	2	2	2
13-19 YRS	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-27 DYS	10	7.0	77	1	1	5	8	20	31	31
1-11 MOS	152	3.1	15	<1	<1	2	4	7	9	25
1-5 YRS	360	2.3	4	<1	<1	2	3	5	7	10
6-12 YRS	276	1.9	3	<1	<1	1	2	4	5	10
13-19 YRS	160	1.9	4	<1	<1	1	2	3	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	28	4.3	27	<1	1	2	6	16	24	99+
1-5 YRS	17	2.9	15	<1	<1	1	2	11	12	12
6-12 YRS	6	4.0	10	2	2	2	8	8	8	8
13-19 YRS	5	2.6	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-27 DYS	5	5.8	38	1	1	2	12	13	13	13
1-11 MOS	51	7.0	90	1	1	3	8	15	32	50
1-5 YRS	117	4.7	57	1	1	2	6	10	14	76
6-12 YRS	81	3.3	31	<1	<1	2	4	6	9	38
13-19 YRS	74	4.1	31	<1	1	2	4	9	14	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.6	7	<1	<1	2	3	7	10	11
B. *Operated*	958	2.3	7	<1	<1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	58	3.7	19	<1	<1	2	5	11	16	93
B. *Operated*	328	4.6	50	<1	1	2	5	9	14	46
1. SINGLE DX	991	2.3	7	<1	<1	1	3	5	7	12
2. MULTIPLE DX	386	4.5	46	<1	1	2	5	10	14	48
A. NOT OPERATED	91	3.3	15	<1	<1	2	3	10	11	66
B. OPERATED	1286	2.9	19	<1	<1	2	3	6	9	24
TOTAL 0-27 DYS	17	6.2	54	1	1	3	8	13	25	31
1-11 MOS	241	4.1	35	<1	1	2	4	9	13	35
1-5 YRS	510	2.9	18	<1	<1	2	3	6	9	18
6-12 YRS	367	2.3	10	<1	<1	1	2	5	7	12
13-19 YRS	242	2.6	13	<1	<1	1	3	6	8	18
GRAND TOTAL	**1377**	**2.9**	**19**	**<1**	**<1**	**2**	**3**	**6**	**9**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.3	3	<1	<1	2	4	5	5	5
13-19 YRS	115	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	1.6	1	<1	<1	1	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	122	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	27	1.6	1	<1	<1	1	2	3	4	6
1. SINGLE DX	122	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX	28	1.6	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	149	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.3	3	<1	<1	2	4	5	5	5
13-19 YRS	143	1.5	1	<1	<1	1	2	2	3	6
GRAND TOTAL	**150**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	3.4	3	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	4	3.8	8	1	1	3	6	7	7	7
1-11 MOS	13	4.8	2	2	3	5	6	7	8	8
1-5 YRS	4	6.5	6	5	5	6	8	10	10	10
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	9	4.6	2	3	3	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	3.9	2	1	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*	31	4.9	3	2	3	5	6	7	8	10
1. SINGLE DX	10	3.9	2	1	2	4	5	5	5	5
2. MULTIPLE DX	34	4.6	4	1	2	5	6	7	8	10
A. NOT OPERATED	3	2.3	2	1	1	2	3	4	4	4
B. OPERATED	41	4.6	3	2	2	5	5	7	8	10
TOTAL 0-27 DYS	6	3.8	5	1	1	4	5	7	7	7
1-11 MOS	16	4.8	2	2	4	5	5	7	8	8
1-5 YRS	4	6.5	6	5	5	6	8	10	10	10
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	16	3.8	3	1	1	4	5	6	7	7
GRAND TOTAL	**44**	**4.5**	**3**	**1**	**2**	**4**	**5**	**7**	**8**	**10**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.7	12	1	1	5	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	5.8	2	4	4	6	7	7	7	7
6-12 YRS	23	4.3	3	<1	1	4	6	7	7	7
13-19 YRS	321	4.3	2	3	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	8	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	5	4.6	4	3	3	4	6	8	8	8
6-12 YRS	14	5.9	4	3	4	5	6	10	10	10
13-19 YRS	242	4.9	5	3	3	5	6	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	12	1	1	5	7	8	8	8
B. *Operated*	349	4.4	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	9	2.4	5	<1	<1	1	4	6	7	7
B. *Operated*	264	5.0	5	3	3	5	6	7	8	11
1. SINGLE DX	352	4.4	2	3	3	4	5	6	7	8
2. MULTIPLE DX	273	4.9	6	3	3	5	6	7	8	11
A. NOT OPERATED	12	3.0	7	<1	<1	2	5	7	8	8
B. OPERATED	613	4.6	3	3	3	4	5	6	7	10
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	10	5.3	3	3	3	5	7	8	8	8
6-12 YRS	37	4.9	4	1	2	5	6	7	9	10
13-19 YRS	574	4.6	3	3	3	4	5	6	7	11
GRAND TOTAL	**625**	**4.6**	**4**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	4.5		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	6	3.5	3	<1	<1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	7	3.1	3	<1	<1	4	5	5	5	5
2. MULTIPLE DX	1	5.0		5	5	5	5	5	5	5
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	7	3.7	3	<1	<1	4	5	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	4.0	2	1	1	4	5	5	5	5
GRAND TOTAL	**8**	**3.4**	**3**	**<1**	**<1**	**4**	**5**	**5**	**5**	**5**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	7	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	6	2.7	10	1	1	2	2	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	18	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	12	2.0	5	<1	<1	1	2	5	8	9
1. SINGLE DX	18	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	12	2.0	5	<1	<1	1	2	5	8	9
A. NOT OPERATED										
B. OPERATED	30	1.8	2	<1	<1	1	2	3	3	9
TOTAL 0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	8	1.3		<1	<1	1	2	2	2	2
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	14	2.3	4	<1	<1	2	3	4	8	9
GRAND TOTAL	**30**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**9**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	4	8.8	24	3	3	8	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	7.0	22	2	2	8	9	14	15	15
1. SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	7	7.0	22	2	2	8	9	14	15	15
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	10	5.3	22	1	1	3	9	12	15	15
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	7	5.9	25	1	1	3	9	14	15	15
GRAND TOTAL	**11**	**5.1**	**20**	**1**	**1**	**3**	**9**	**12**	**15**	**15**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	2.2	5	<1	<1	1	3	6	6	6
1-5 YRS	14	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	27	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	3	2.0	1	1	1	2	3	3	3	3
1. SINGLE DX	27	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	4	1.8	1	<1	<1	1	2	3	3	3
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	30	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	1.9	3	<1	<1	1	2	5	6	6
1-5 YRS	15	1.3		<1	<1	1	2	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**31**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	7.0	61	2	2	3	13	16	16	16
1-5 YRS	5	9.0	15	5	5	8	13	13	13	13
6-12 YRS	9	7.9	14	<1	2	8	10	13	13	13
13-19 YRS	10	7.4	19	2	2	7	10	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	11	18.1	101	3	5	18	28	30	30	30
1-5 YRS	11	14.7	246	4	4	7	20	41	52	53
6-12 YRS	9	8.9	48	2	3	6	11	21	24	24
13-19 YRS	17	9.7	37	2	3	9	11	15	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*	28	7.9	18	1	2	7	11	13	16	16
2. MULTIPLE DX										
A. *Not Operated*	4	1.3		1	1	1	2	2	2	2
B. *Operated*	48	12.7	106	2	4	9	16	28	30	53
1. SINGLE DX	30	7.6	18	1	2	7	10	13	16	16
2. MULTIPLE DX	53	11.8	108	1	2	9	16	28	30	52
A. NOT OPERATED	6	2.3	8	1	1	1	2	7	8	8
B. OPERATED	77	10.9	79	2	3	9	14	24	29	48
TOTAL 0-27 DYS	2	13.0	32	9	9	13	17	17	17	17
1-11 MOS	15	14.7	116	1	2	15	25	30	30	30
1-5 YRS	18	11.6	169	1	2	7	13	30	45	53
6-12 YRS	20	8.1	28	1	2	7	9	15	20	24
13-19 YRS	28	8.6	32	2	2	8	11	15	17	28
GRAND TOTAL	**83**	**10.3**	**79**	**1**	**2**	**8**	**13**	**24**	**29**	**46**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	69	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	24	2.5	1	1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	76	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	26	2.4	1	1	1	2	3	4	4	5
1. SINGLE DX	76	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	27	2.4	1	1	1	2	3	4	4	5
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	102	2.2	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	<1	2	2	2	2
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	94	2.3	1	1	1	2	3	3	4	5
GRAND TOTAL	**103**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	6.0	2	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.0	8	2	2	2	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	11.5	85	5	5	11	18	18	18	18
13-19 YRS	29	11.0	162	3	3	7	11	25	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	11	6.0	2	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	5	4.0	8	2	2	2	7	7	7	7
B. *Operated*	31	11.0	154	3	3	7	11	24	34	65
1. SINGLE DX	20	4.1	6	<1	<1	4	6	7	8	8
2. MULTIPLE DX	36	10.1	139	2	2	7	10	21	32	65
A. NOT OPERATED	14	2.5	4	<1	<1	2	3	7	7	7
B. OPERATED	42	9.7	118	3	4	7	9	19	30	65
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.0	79	1	1	5	15	18	18	18
13-19 YRS	53	7.9	102	1	2	6	8	13	27	64
GRAND TOTAL	**56**	**7.9**	**99**	**1**	**2**	**6**	**8**	**15**	**26**	**63**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.0	4	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.2	3	1	1	2	3	5	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	2.7	5	<1	<1	1	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	14	2.5	4	1	1	2	3	6	7	7
1. SINGLE DX	9	2.7	5	<1	<1	1	4	6	6	6
2. MULTIPLE DX	14	2.5	4	1	1	2	3	6	7	7
A. NOT OPERATED										
B. OPERATED	23	2.6	4	<1	1	2	4	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	3	5.3	1	4	4	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.2	3	<1	1	1	3	5	6	7
GRAND TOTAL	**43**	**2.6**	**4**	**<1**	**1**	**2**	**4**	**6**	**7**	**7**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	3	5.3	16	1	1	6	8	9	9	9
1. SINGLE DX	4	3.3	7	1	1	2	5	7	7	7
2. MULTIPLE DX	4	4.5	14	1	1	4	7	9	9	9
A. NOT OPERATED	4	2.0	1	1	1	2	3	3	3	3
B. OPERATED	4	5.8	12	1	1	6	8	9	9	9
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**8**	**3.9**	**9**	**1**	**1**	**3**	**6**	**8**	**9**	**9**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	1.5	1	1	1	1	2	3	3	3
1-5 YRS	22	2.4	3	<1	<1	2	3	5	6	7
6-12 YRS	16	2.5	6	<1	<1	2	3	5	8	10
13-19 YRS	21	3.0	5	1	1	2	4	6	8	9
B. *Operated*										
0-27 DYS	5	7.4	34	2	2	8	11	16	16	16
1-11 MOS	16	3.5	9	<1	<1	2	7	8	9	9
1-5 YRS	54	3.9	18	<1	1	2	5	8	15	19
6-12 YRS	81	4.3	17	<1	1	3	6	8	9	24
13-19 YRS	136	5.0	27	<1	1	3	6	9	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	39	3.7	29	<1	<1	2	3	9	13	31
6-12 YRS	41	3.6	74	<1	<1	2	3	6	8	56
13-19 YRS	50	2.8	8	<1	<1	2	3	6	9	16
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	7	6.9	18	1	1	9	10	12	12	12
1-5 YRS	41	7.8	65	1	1	5	10	17	24	41
6-12 YRS	67	7.8	46	1	2	6	11	15	18	38
13-19 YRS	96	7.5	48	1	2	6	9	17	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	292	4.5	22	<1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	133	3.3	34	<1	<1	2	3	6	9	35
B. *Operated*	213	7.6	49	1	1	6	9	15	23	40
1. SINGLE DX	357	4.2	19	<1	1	3	6	8	11	22
2. MULTIPLE DX	346	5.9	47	<1	1	3	8	13	18	40
A. NOT OPERATED	198	3.0	24	<1	<1	2	3	6	9	24
B. OPERATED	505	5.8	36	1	1	4	8	13	17	27
TOTAL 0-27 DYS	8	5.9	26	1	1	4	8	14	16	16
1-11 MOS	31	3.7	12	<1	1	2	7	9	10	12
1-5 YRS	156	4.6	34	<1	<1	2	6	11	16	31
6-12 YRS	205	5.2	40	<1	1	3	7	11	15	32
13-19 YRS	303	5.3	32	<1	1	3	7	11	17	26
GRAND TOTAL	**703**	**5.0**	**34**	**<1**	**1**	**3**	**7**	**11**	**15**	**27**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS										
6-12 YRS	8	2.6	2	1	1	3	4	4	4	4
13-19 YRS	57	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	22	3.0	1	2	2	3	4	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	68	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*	26	2.9	1	2	2	3	4	4	5	5
1. SINGLE DX	70	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	31	2.8	1	1	2	3	4	4	4	5
A. NOT OPERATED	7	2.9	2	<1	<1	3	4	5	5	5
B. OPERATED	94	2.5	1	1	1	2	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS	5	2.8	1	2	2	3	3	4	4	4
1-5 YRS										
6-12 YRS	12	2.6	1	1	1	3	3	4	4	4
13-19 YRS	84	2.5	1	1	1	2	3	4	4	5
GRAND TOTAL	**101**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.0	1	1	1	2	3	3	3	3
1-11 MOS	4	3.3	7	1	1	2	5	7	7	7
1-5 YRS	11	4.8	19	<1	<1	3	9	12	12	12
6-12 YRS	10	3.2	8	<1	<1	2	3	8	9	9
13-19 YRS	23	3.7	5	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	3	3.0	3	1	1	4	4	4	4	4
6-12 YRS	12	3.2	3	1	1	3	4	5	5	5
13-19 YRS	76	3.3	3	1	2	3	4	5	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	5	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	18	4.3	17	1	1	3	5	9	15	18
13-19 YRS	52	4.1	8	1	1	3	5	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	11.5	25	8	8	11	15	15	15	15
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	34	5.2	31	1	1	4	6	7	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.5	8	<1	1	3	4	8	10	12
B. *Operated*	93	3.2	3	1	1	3	4	5	5	11
2. MULTIPLE DX										
A. *Not Operated*	80	4.0	10	1	1	3	5	8	10	16
B. *Operated*	37	5.5	31	1	1	4	6	8	18	31
1. SINGLE DX	150	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX	117	4.5	17	1	1	3	6	8	11	23
A. NOT OPERATED	137	3.8	9	1	1	3	5	8	10	14
B. OPERATED	130	3.9	12	1	1	3	4	6	8	21
TOTAL 0-27 DYS	12	2.3	1	1	1	2	3	4	4	4
1-11 MOS	8	3.3	6	1	1	2	5	7	7	7
1-5 YRS	21	4.5	18	<1	<1	3	5	12	13	15
6-12 YRS	41	3.7	10	1	1	3	4	7	9	18
13-19 YRS	185	3.9	10	1	1	3	4	7	9	17
GRAND TOTAL	**267**	**3.8**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	73	4.7	4	1	2	5	6	7	8	10
6-12 YRS	207	4.9	4	2	2	5	6	7	8	11
13-19 YRS	142	6.7	127	1	2	5	6	9	16	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0		4	4	4	4	4	4	4
1-5 YRS	86	4.8	6	1	1	5	6	7	9	14
6-12 YRS	238	4.5	12	<1	1	4	6	8	9	17
13-19 YRS	182	4.6	29	<1	1	4	6	8	9	51
B. *Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS	3	2.7	8	1	1	1	5	6	6	6
13-19 YRS	6	6.2	14	3	3	5	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	5.4	46	2	2	5	6	8	9	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	509	4.6	17	<1	1	4	6	8	9	27
B. *Operated*	10	6.1	24	1	1	5	7	14	16	16
1. SINGLE DX	424	5.4	46	2	2	5	6	8	9	44
2. MULTIPLE DX	519	4.6	17	<1	1	4	6	8	9	26
A. NOT OPERATED	933	5.0	30	1	1	4	6	8	9	32
B. OPERATED	10	6.1	24	1	1	5	7	14	16	16
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	6.2	30	3	3	4	7	16	16	16
1-5 YRS	159	4.8	5	1	2	5	6	7	8	10
6-12 YRS	448	4.7	8	<1	1	5	6	8	9	13
13-19 YRS	330	5.5	72	1	1	4	6	8	10	86
GRAND TOTAL	**943**	**5.0**	**30**	**1**	**1**	**4**	**6**	**8**	**9**	**32**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	3.6	4	1	1	3	5	6	6	6
1-5 YRS	65	4.8	6	1	2	4	6	8	9	11
6-12 YRS	567	4.2	10	1	1	3	6	8	10	15
13-19 YRS	1231	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	6.8	5	4	4	8	8	9	9	9
13-19 YRS	13	4.6	5	2	2	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	7.4	22	<1	1	7	11	14	15	15
1-5 YRS	129	5.5	18	1	1	5	6	10	13	24
6-12 YRS	691	4.4	19	1	1	3	6	8	9	17
13-19 YRS	1892	4.2	15	1	2	3	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS	5	8.2	2	7	7	8	9	10	10	10
6-12 YRS	16	5.6	8	2	2	5	7	10	11	12
13-19 YRS	76	8.1	56	2	3	7	9	13	18	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1873	3.6	6	1	1	3	5	7	8	12
B. *Operated*	20	5.1	6	1	2	5	7	9	9	10
2. MULTIPLE DX										
A. *Not Operated*	2722	4.3	16	1	1	3	5	8	10	16
B. *Operated*	98	7.9	48	2	3	7	9	12	18	44
1. SINGLE DX	1893	3.6	6	1	1	3	5	7	8	12
2. MULTIPLE DX	2820	4.4	18	1	2	3	6	8	10	17
A. NOT OPERATED	4595	4.0	12	1	1	3	5	7	9	15
B. OPERATED	118	7.4	42	2	3	6	8	11	16	42
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	21	6.3	35	<1	1	5	7	14	19	25
1-5 YRS	200	5.4	14	1	2	5	7	9	11	20
6-12 YRS	1279	4.3	15	1	1	3	6	8	10	16
13-19 YRS	3212	3.9	12	1	1	3	5	7	9	14
GRAND TOTAL	**4713**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**9**	**15**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	11	2	2	3	4	10	11	11
1-5 YRS	87	5.7	9	3	3	5	7	9	11	19
6-12 YRS	349	5.0	7	2	2	5	7	8	10	15
13-19 YRS	519	4.5	9	1	2	4	6	8	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.5	6	4	4	6	8	10	10	10
1-11 MOS	12	8.7	35	2	3	8	10	16	24	25
1-5 YRS	87	4.9	9	1	1	5	6	8	10	17
6-12 YRS	329	5.6	61	1	1	4	7	10	12	93
13-19 YRS	827	4.8	13	1	1	4	6	9	11	21
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	12.7	1	12	12	12	14	14	14	14
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	9	6.0	12	2	2	6	9	10	11	11
13-19 YRS	58	7.3	37	1	2	5	10	15	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	961	4.8	8	1	2	4	6	8	10	15
B. *Operated*	5	4.8	7	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1259	5.0	25	1	2	4	6	9	11	22
B. *Operated*	72	7.3	32	2	2	6	10	14	16	32
1. SINGLE DX	966	4.8	8	1	2	4	6	8	10	15
2. MULTIPLE DX	1331	5.2	26	1	2	4	6	9	12	24
A. NOT OPERATED	2220	4.9	18	1	2	4	6	9	10	20
B. OPERATED	77	7.2	31	2	2	6	9	14	16	32
TOTAL 0-27 DYS	5	6.0	6	4	4	6	7	10	10	10
1-11 MOS	21	8.0	30	2	2	8	11	13	19	25
1-5 YRS	177	5.3	9	1	2	5	6	8	11	17
6-12 YRS	688	5.3	33	1	2	4	7	9	11	33
13-19 YRS	1406	4.8	12	1	2	4	6	8	11	20
GRAND TOTAL	**2297**	**5.0**	**19**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	24	3.3	3	<1	<1	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	13	2.1	2	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	50	3.9	5	<1	1	4	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.9	2	1	1	1	3	4	4	4
B. *Operated*	27	3.3	3	<1	<1	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	16	2.1	2	<1	1	2	3	4	5	5
B. *Operated*	52	4.0	5	<1	1	4	5	7	8	9
1. SINGLE DX	36	3.0	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX	68	3.5	5	<1	1	3	5	6	8	9
A. NOT OPERATED	25	2.0	2	<1	1	2	3	4	4	5
B. OPERATED	79	3.7	4	<1	<1	4	5	6	8	9
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	3.5	4	1	1	3	6	6	6	6
13-19 YRS	95	3.4	4	<1	1	3	5	6	7	9
GRAND TOTAL	**104**	**3.3**	**4**	**<1**	**1**	**3**	**5**	**6**	**7**	**9**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	7.4	23	1	1	9	11	13	13	13
1-11 MOS	29	3.2	10	1	1	2	4	7	8	16
1-5 YRS	133	1.8	2	<1	1	1	2	3	4	9
6-12 YRS	110	1.7	2	<1	<1	1	2	3	5	9
13-19 YRS	97	1.9	2	<1	<1	1	2	3	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3	4	3	3	6	7	7	7	7
1-5 YRS	7	5.1	11	1	1	4	8	10	10	10
6-12 YRS	9	4.0	22	1	1	3	4	12	16	16
13-19 YRS	8	4.0	7	2	2	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	5.1	10	2	2	4	7	10	11	11
1-11 MOS	80	5.0	26	1	1	3	6	9	14	31
1-5 YRS	224	2.8	9	<1	1	2	3	6	9	16
6-12 YRS	217	2.6	8	<1	1	2	3	5	7	14
13-19 YRS	290	3.1	14	1	1	2	3	7	9	19
B. *Operated*										
0-27 DYS	1	55.0		55	55	55	55	55	55	55
1-11 MOS	10	24.4	714	4	4	13	35	63	90	90
1-5 YRS	16	9.5	130	1	1	5	13	35	78	99+
6-12 YRS	8	12.1	241	2	3	8	9	38	50	50
13-19 YRS	20	8.7	149	1	1	4	10	22	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.0	4	<1	<1	1	2	4	6	12
B. *Operated*	27	4.4	12	1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	821	3.1	12	<1	1	2	4	6	9	18
B. *Operated*	55	13.1	306	1	2	6	14	36	54	99
1. SINGLE DX	405	2.2	5	<1	<1	1	2	4	7	12
2. MULTIPLE DX	876	3.7	36	1	1	2	4	7	11	35
A. NOT OPERATED	1199	2.7	10	<1	1	2	3	6	8	16
B. OPERATED	82	10.3	225	1	2	5	9	35	51	97
TOTAL 0-27 DYS	20	8.7	135	1	1	7	10	12	34	55
1-11 MOS	122	6.2	103	1	1	3	7	11	19	51
1-5 YRS	380	2.8	14	<1	1	2	3	6	9	27
6-12 YRS	344	2.5	13	<1	<1	1	3	5	7	16
13-19 YRS	415	3.1	19	<1	1	2	3	7	9	23
GRAND TOTAL	**1281**	**3.2**	**27**	**<1**	**1**	**2**	**3**	**7**	**9**	**29**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	15	6.8	40	<1	2	4	8	15	22	25
1-5 YRS	7	6.1	70	1	1	4	4	21	25	25
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.5	7	5	5	9	10	11	11	11
1-11 MOS	53	7.3	49	1	2	5	7	17	27	32
1-5 YRS	54	6.6	31	1	2	5	8	12	17	30
6-12 YRS	14	8.9	63	2	2	6	10	18	29	32
13-19 YRS	46	26.0	543	1	2	21	42	55	67	85
B. *Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	5	31.8	1295	6	6	25	94	99	99+	99+
1-5 YRS	18	12.9	100	2	5	11	22	68	99+	99+
6-12 YRS	12	11.0	70	1	2	9	17	24	26	26
13-19 YRS	20	14.2	154	2	3	10	25	38	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.1	41	1	1	4	7	14	25	25
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	171	12.3	244	1	2	6	12	34	51	78
B. *Operated*	56	14.9	227	2	3	11	25	39	99+	99+
1. SINGLE DX	28	5.9	40	1	1	4	7	14	25	25
2. MULTIPLE DX	227	12.9	240	1	2	7	15	36	55	99+
A. NOT OPERATED	198	11.4	220	1	2	6	11	32	46	73
B. OPERATED	57	14.7	226	2	3	10	25	39	99+	99+
TOTAL 0-27 DYS	7	9.7	93	1	1	8	11	26	30	30
1-11 MOS	74	8.8	153	1	2	5	9	22	30	98
1-5 YRS	79	8.0	56	1	2	6	10	21	32	99+
6-12 YRS	28	9.6	60	2	2	8	11	23	27	32
13-19 YRS	67	22.1	451	1	2	15	36	55	65	97
GRAND TOTAL	**255**	**12.2**	**222**	**1**	**2**	**6**	**14**	**34**	**52**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	41	4.2	15	1	1	3	5	9	12	20
1-5 YRS	109	8.2	27	<1	<1	9	12	14	15	23
6-12 YRS	118	10.4	44	2	3	10	13	16	20	36
13-19 YRS	133	10.7	36	3	4	10	13	15	21	35
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.7	294	1	1	14	30	35	35	35
1-5 YRS	3	5.0	37	1	1	2	9	12	12	12
6-12 YRS	10	16.4	135	2	6	13	20	33	46	46
13-19 YRS	4	10.5	4	9	9	10	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	14	2	2	3	7	9	9	9
1-11 MOS	119	10.1	70	1	2	9	14	18	27	42
1-5 YRS	190	9.9	28	2	3	10	13	15	19	25
6-12 YRS	314	11.1	28	2	5	11	14	15	20	26
13-19 YRS	396	13.0	60	4	5	12	15	19	24	56
B. *Operated*										
0-27 DYS	7	24.0	360	8	9	16	29	57	63	63
1-11 MOS	18	20.0	213	4	6	16	34	50	79	99+
1-5 YRS	14	10.7	35	2	3	11	14	17	22	24
6-12 YRS	32	15.3	106	4	6	14	19	22	27	62
13-19 YRS	66	17.8	123	4	5	15	23	35	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	9.3	38	1	2	9	12	14	18	29
B. *Operated*	20	13.6	119	1	1	12	15	28	40	46
2. MULTIPLE DX										
A. *Not Operated*	1022	11.5	47	2	4	11	14	18	21	35
B. *Operated*	137	17.1	137	4	5	14	21	34	45	67
1. SINGLE DX	422	9.5	42	1	2	9	12	15	19	33
2. MULTIPLE DX	1159	12.1	61	3	4	11	14	19	25	47
A. NOT OPERATED	1424	10.9	45	2	3	10	14	17	21	32
B. OPERATED	157	16.7	136	3	4	14	21	34	45	63
TOTAL 0-27 DYS	11	16.7	321	2	2	11	23	44	61	63
1-11 MOS	181	9.9	91	1	2	8	14	20	34	54
1-5 YRS	316	9.3	28	<1	2	10	13	15	18	25
6-12 YRS	474	11.3	41	2	4	11	14	17	21	27
13-19 YRS	599	13.0	65	4	5	12	15	21	27	47
GRAND TOTAL	**1581**	**11.4**	**97**	**2**	**3**	**11**	**14**	**18**	**23**	**46**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	5	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	44	5.2	6	2	2	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	14.3	354	2	2	5	28	36	36	36
1-5 YRS	6	3.8	11	2	2	2	9	82	99+	99+
6-12 YRS	18	12.7	378	1	1	4	11	40	63	76
13-19 YRS	23	21.6	441	1	2	13	44	56	59	59
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	15.0	200	5	5	15	25	25	25	25
13-19 YRS	47	5.9	9	2	3	5	7	9	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	4	<1	<1	3	4	6	7	7
B. *Operated*	45	5.2	6	2	2	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	50	15.8	381	1	2	5	25	51	59	99+
B. *Operated*	50	6.3	16	2	3	5	7	10	11	25
1. SINGLE DX	53	4.8	6	2	2	4	6	8	9	12
2. MULTIPLE DX	100	11.0	219	2	2	5	10	38	52	88
A. NOT OPERATED	58	14.0	348	1	1	4	20	48	59	98
B. OPERATED	95	5.7	11	2	3	5	7	9	10	22
TOTAL 0-27 DYS										
1-11 MOS	3	14.3	354	2	2	5	28	36	36	36
1-5 YRS	8	4.0	8	2	2	3	7	64	99+	99+
6-12 YRS	23	11.9	310	1	2	5	10	33	55	76
13-19 YRS	119	8.5	129	2	2	5	8	14	43	59
GRAND TOTAL	**153**	**8.9**	**154**	**2**	**2**	**5**	**8**	**21**	**45**	**75**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	35	2.9	8	<1	1	2	3	6	10	15
1-11 MOS	34	2.6	4	1	1	2	3	5	8	8
1-5 YRS	87	2.1	5	<1	<1	1	3	5	6	99+
6-12 YRS	68	2.1	5	<1	<1	1	2	5	6	13
13-19 YRS	59	3.7	30	<1	1	2	4	8	14	29
B. *Operated*										
0-27 DYS										
1-11 MOS	11	3.6	4	<1	1	3	4	7	8	8
1-5 YRS	34	3.7	9	<1	1	3	5	7	11	14
6-12 YRS	33	4.2	9	1	1	4	6	8	11	14
13-19 YRS	18	2.9	3	<1	<1	3	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	32	5.5	17	1	1	4	8	11	12	18
1-11 MOS	101	8.2	97	1	1	4	9	21	24	56
1-5 YRS	224	4.3	23	<1	<1	2	5	10	17	26
6-12 YRS	172	3.8	29	<1	<1	2	4	8	13	30
13-19 YRS	129	4.5	24	<1	<1	3	5	11	15	25
B. *Operated*										
0-27 DYS	5	13.2	61	3	3	11	20	22	22	22
1-11 MOS	34	17.2	444	1	2	10	21	73	94	99+
1-5 YRS	49	11.6	225	1	1	6	14	39	52	99+
6-12 YRS	32	13.4	212	<1	2	7	17	35	45	61
13-19 YRS	36	6.1	22	1	2	5	7	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	2.6	11	<1	<1	2	3	5	8	29
B. *Operated*	96	3.7	8	<1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	658	4.8	38	<1	<1	3	6	11	18	30
B. *Operated*	156	12.0	228	1	2	6	14	35	60	99+
1. SINGLE DX	379	2.9	10	<1	<1	2	3	6	8	25
2. MULTIPLE DX	814	6.2	82	<1	1	3	7	15	22	66
A. NOT OPERATED	941	4.2	31	<1	<1	2	5	9	16	29
B. OPERATED	252	8.8	160	1	1	5	9	21	41	99
TOTAL 0-27 DYS	72	4.8	22	1	1	3	6	11	15	22
1-11 MOS	180	8.6	160	1	1	4	9	21	35	93
1-5 YRS	394	4.7	50	<1	<1	2	5	11	19	86
6-12 YRS	305	4.5	50	<1	<1	2	4	10	15	42
13-19 YRS	242	4.4	24	<1	<1	3	5	10	15	27
GRAND TOTAL	**1193**	**5.2**	**61**	**<1**	**<1**	**3**	**6**	**12**	**19**	**60**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	3	7.3	34	3	3	5	12	14	14	14
B. *Operated*	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX	4	7.8	24	3	3	7	11	14	14	14
A. NOT OPERATED	4	6.5	26	3	3	4	9	14	14	14
B. OPERATED	3	3.7	21	1	1	1	7	9	9	9
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	3	3.3	4	1	1	4	5	5	5	5
GRAND TOTAL	**7**	**5.3**	**22**	**1**	**1**	**4**	**8**	**13**	**14**	**14**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	3.3	6	<1	1	3	4	8	8	8
1-11 MOS	72	2.5	3	1	1	2	4	4	5	11
1-5 YRS	162	2.2	1	1	1	2	3	4	4	6
6-12 YRS	73	2.1	3	1	1	2	2	4	4	12
13-19 YRS	49	2.3	4	1	1	2	3	4	6	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	138	4.2	15	1	1	3	5	8	12	21
1-11 MOS	1989	3.6	11	1	1	3	4	6	8	17
1-5 YRS	4097	2.8	5	1	1	2	3	5	6	10
6-12 YRS	1503	2.8	6	1	1	2	3	5	6	12
13-19 YRS	1292	3.0	13	1	1	2	4	5	6	14
B. *Operated*										
0-27 DYS	14	9.1	36	2	3	8	14	17	20	21
1-11 MOS	56	11.5	146	3	3	7	16	37	52	99+
1-5 YRS	59	8.4	102	1	1	4	11	20	28	51
6-12 YRS	23	8.5	60	1	1	7	9	22	25	30
13-19 YRS	35	10.9	211	1	1	4	17	30	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	2.3	3	1	1	2	3	4	5	9
B. *Operated*	7	2.6	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	9019	3.0	8	1	1	2	4	5	6	13
B. *Operated*	187	9.9	125	1	2	5	13	24	40	85
1. SINGLE DX	376	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	9206	3.2	11	1	1	2	4	5	7	16
A. NOT OPERATED	9388	3.0	8	1	1	2	3	5	6	13
B. OPERATED	194	9.6	122	1	2	5	13	24	39	82
TOTAL 0-27 DYS	166	4.5	18	1	1	3	5	10	14	21
1-11 MOS	2119	3.7	16	1	1	3	4	6	8	23
1-5 YRS	4321	2.9	7	1	1	2	3	5	6	12
6-12 YRS	1599	2.8	7	1	1	2	3	5	6	14
13-19 YRS	1377	3.2	19	1	1	2	4	5	7	20
GRAND TOTAL	**9582**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**7**	**16**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.4	2	1	1	2	3	4	5	5
1-5 YRS	40	2.8	2	1	1	3	4	5	6	6
6-12 YRS	3	3.7	6	<1	<1	4	5	6	6	6
13-19 YRS	27	2.8	3	1	1	2	3	4	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	3.6	2	2	2	3	4	6	6	6
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	4.5	4	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	34	3.4	6	1	1	3	5	6	7	11
1-5 YRS	68	3.2	5	1	1	2	5	6	6	14
6-12 YRS	17	3.9	25	<1	<1	3	4	7	17	22
13-19 YRS	94	2.7	3	1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	5.2	17	2	2	4	7	12	12	12
1-5 YRS	7	2.3	4	1	1	1	3	5	6	6
6-12 YRS	3	5.3	14	1	1	7	8	8	8	8
13-19 YRS	13	7.1	33	<1	1	5	10	15	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.8	3	1	1	2	4	5	6	9
B. *Operated*	11	3.6	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	214	3.1	6	1	1	2	4	6	7	14
B. *Operated*	29	5.3	22	1	1	4	7	12	14	21
1. SINGLE DX	92	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	243	3.4	8	1	1	3	4	6	7	15
A. NOT OPERATED	295	3.0	5	1	1	2	4	6	6	12
B. OPERATED	40	4.8	17	1	1	4	6	11	13	21
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	51	3.3	6	1	1	3	5	6	7	12
1-5 YRS	120	3.0	4	1	1	3	4	6	6	10
6-12 YRS	24	4.0	19	<1	<1	3	5	7	12	22
13-19 YRS	138	3.2	7	1	1	3	4	6	7	15
GRAND TOTAL	**335**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	3.9	3	2	2	3	5	6	8	10
1-5 YRS	215	3.5	4	1	1	3	5	6	7	11
6-12 YRS	330	3.8	6	1	1	3	5	7	8	14
13-19 YRS	647	4.7	10	1	1	4	6	8	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	5.0	1	4	4	5	6	6	6	6
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	53	3.8	4	1	2	3	5	6	8	11
1-5 YRS	432	4.2	7	1	2	4	5	7	8	15
6-12 YRS	430	4.7	11	1	1	4	6	9	11	16
13-19 YRS	641	5.8	20	1	2	5	7	10	14	22
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	16	5.8	22	2	2	4	6	12	18	20
6-12 YRS	19	8.6	69	2	2	7	11	15	28	38
13-19 YRS	37	11.8	97	2	3	9	14	26	36	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1214	4.2	8	1	1	4	5	8	9	16
B. *Operated*	8	4.3	3	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1558	5.0	14	1	2	4	6	9	12	19
B. *Operated*	74	9.4	76	2	2	7	12	18	33	41
1. SINGLE DX	1222	4.2	8	1	1	4	5	7	9	16
2. MULTIPLE DX	1632	5.2	17	1	2	4	6	10	12	20
A. NOT OPERATED	2772	4.7	11	1	1	4	6	8	11	18
B. OPERATED	82	8.9	71	2	2	6	12	17	30	41
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	78	3.8	4	2	2	3	5	6	8	11
1-5 YRS	666	4.0	6	1	2	4	5	7	8	15
6-12 YRS	781	4.4	11	1	1	4	6	8	10	16
13-19 YRS	1327	5.4	19	1	1	5	7	10	13	21
GRAND TOTAL	**2854**	**4.8**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	1.9	2	1	1	2	2	4	5	5
1-11 MOS	62	2.2	3	<1	<1	2	3	4	5	11
1-5 YRS	152	2.4	5	<1	<1	1	3	5	8	10
6-12 YRS	130	2.5	7	<1	<1	1	3	6	8	13
13-19 YRS	89	3.0	12	<1	1	1	4	7	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.0	3	1	2	2	4	5	6	7
1-5 YRS	63	3.9	11	<1	1	3	5	7	12	17
6-12 YRS	40	5.7	72	2	2	4	5	9	11	56
13-19 YRS	17	9.6	324	1	1	5	8	14	56	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.2	5	1	1	3	5	6	7	7
1-11 MOS	96	3.7	15	1	1	3	4	8	12	21
1-5 YRS	296	3.4	16	<1	<1	2	4	7	10	19
6-12 YRS	223	3.3	16	<1	<1	2	4	7	10	16
13-19 YRS	204	3.4	14	<1	1	2	4	9	11	19
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	27	6.6	65	<1	1	3	8	17	24	35
1-5 YRS	81	9.9	80	1	2	7	14	24	28	41
6-12 YRS	62	7.3	47	2	3	5	7	15	20	41
13-19 YRS	56	7.6	44	1	2	6	9	16	25	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	2.5	7	<1	<1	1	3	5	8	12
B. *Operated*	136	5.0	69	1	1	3	5	8	12	59
2. MULTIPLE DX										
A. *Not Operated*	829	3.4	15	<1	<1	2	4	7	10	17
B. *Operated*	227	8.2	61	1	1	6	10	18	26	42
1. SINGLE DX	580	3.1	22	<1	<1	2	4	6	9	16
2. MULTIPLE DX	1056	4.5	29	<1	1	3	6	10	15	29
A. NOT OPERATED	1273	3.1	12	<1	<1	2	4	7	10	16
B. OPERATED	363	7.0	66	1	1	5	8	15	23	43
TOTAL 0-27 DYS	22	3.0	8	1	1	2	4	6	9	13
1-11 MOS	201	3.6	19	<1	1	2	4	7	12	24
1-5 YRS	592	4.1	27	<1	<1	2	5	9	14	29
6-12 YRS	455	3.8	25	<1	<1	3	5	8	11	24
13-19 YRS	366	4.3	35	<1	1	2	5	10	12	27
GRAND TOTAL	**1636**	**4.0**	**27**	**<1**	**1**	**2**	**5**	**9**	**12**	**27**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.3	3	<1	<1	2	2	6	6	6
1-5 YRS	11	4.2	16	<1	<1	3	6	10	14	14
6-12 YRS	26	3.8	2	1	1	4	5	5	6	6
13-19 YRS	23	5.9	12	2	2	6	8	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	3	4.0	27	1	1	1	8	10	10	10
1-5 YRS	29	5.0	50	<1	1	3	5	8	23	35
6-12 YRS	53	5.8	71	1	1	3	5	11	23	50
13-19 YRS	53	5.5	25	1	2	3	7	14	17	21
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	9	14.2	118	2	2	15	25	28	30	30
13-19 YRS	7	7.0	41	2	2	6	7	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.5	9	1	1	4	6	8	11	14
B. *Operated*	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	141	5.5	46	1	1	3	6	13	18	36
B. *Operated*	18	11.2	84	2	2	7	18	25	28	30
1. SINGLE DX	68	4.5	9	1	1	4	6	9	11	14
2. MULTIPLE DX	159	6.1	54	1	1	3	6	15	22	35
A. NOT OPERATED	207	5.1	35	1	1	4	6	11	14	33
B. OPERATED	20	10.8	78	2	2	7	17	25	28	30
TOTAL 0-27 DYS	4	6.8	40	2	2	4	10	16	16	16
1-11 MOS	9	2.9	10	<1	<1	2	3	8	10	10
1-5 YRS	41	4.9	39	<1	<1	3	6	8	18	35
6-12 YRS	88	6.1	63	1	1	4	5	14	25	44
13-19 YRS	85	5.8	22	1	2	4	7	13	15	21
GRAND TOTAL	**227**	**5.6**	**41**	**1**	**1**	**4**	**6**	**13**	**18**	**33**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.2	2	1	1	3	4	5	5	5
1-11 MOS	30	3.3	5	1	1	3	5	6	8	9
1-5 YRS	357	2.7	5	<1	<1	2	3	5	7	13
6-12 YRS	193	3.3	7	1	1	3	4	6	9	14
13-19 YRS	88	3.2	9	<1	<1	3	4	6	8	18
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	3.1	15	1	1	2	2	8	13	15
1-5 YRS	105	3.2	4	1	1	3	4	5	7	12
6-12 YRS	103	4.2	23	1	1	4	5	6	9	28
13-19 YRS	98	5.6	15	2	3	5	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.4	3	1	1	3	5	6	6	6
1-11 MOS	85	4.1	17	1	1	3	4	7	11	24
1-5 YRS	481	3.9	8	1	1	3	5	8	10	14
6-12 YRS	366	4.4	14	1	1	3	6	8	11	22
13-19 YRS	286	4.7	12	<1	1	4	6	9	11	18
B. *Operated*										
0-27 DYS	4	10.8	33	6	6	9	14	19	19	19
1-11 MOS	27	4.7	29	1	1	4	5	8	15	29
1-5 YRS	123	8.7	122	1	2	5	10	22	34	90
6-12 YRS	76	6.9	32	2	3	6	8	13	21	32
13-19 YRS	159	8.1	72	1	2	6	9	16	28	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	3.0	6	<1	1	2	4	5	8	13
B. *Operated*	321	4.3	15	1	1	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1228	4.3	11	1	1	3	5	8	11	17
B. *Operated*	389	7.9	77	1	2	5	9	16	27	58
1. SINGLE DX	995	3.4	9	<1	1	3	4	6	8	14
2. MULTIPLE DX	1617	5.1	29	1	1	4	6	10	14	30
A. NOT OPERATED	1902	3.8	10	<1	1	3	5	8	10	15
B. OPERATED	710	6.2	52	1	2	4	7	12	19	40
TOTAL 0-27 DYS	21	4.9	16	1	1	4	6	9	14	19
1-11 MOS	156	4.0	16	1	1	3	5	7	10	25
1-5 YRS	1066	4.0	23	<1	1	3	5	8	11	26
6-12 YRS	738	4.3	16	1	1	3	5	8	11	23
13-19 YRS	631	5.5	29	<1	1	4	7	10	14	30
GRAND TOTAL	**2612**	**4.5**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	151	1.7	1	1	1	1	2	3	4	5
6-12 YRS	757	1.8	1	1	1	1	2	3	4	5
13-19 YRS	748	1.8	1	1	1	2	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	67	3.3	2	2	2	3	4	6	6	9
6-12 YRS	407	3.0	2	1	2	3	4	4	5	8
13-19 YRS	534	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.4	1	2	2	2	3	4	4	4
1-5 YRS	108	1.9	2	<1	1	1	3	3	5	7
6-12 YRS	502	2.1	2	1	1	2	3	4	4	7
13-19 YRS	445	2.3	2	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	45	3.5	1	2	2	3	4	5	6	6
6-12 YRS	221	3.9	5	1	2	3	5	6	9	12
13-19 YRS	284	4.1	4	2	2	4	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1658	1.8	1	1	1	2	2	3	4	5
B. *Operated*	1010	3.2	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1060	2.2	2	1	1	2	3	4	4	8
B. *Operated*	552	4.0	4	2	2	4	5	6	8	11
1. SINGLE DX	2668	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1612	2.8	3	1	1	2	4	5	6	10
A. NOT OPERATED	2718	1.9	1	1	1	2	2	3	4	6
B. OPERATED	1562	3.5	3	2	2	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS	11	2.8	3	1	1	2	4	5	6	6
1-5 YRS	371	2.3	2	1	1	2	3	4	5	6
6-12 YRS	1887	2.4	2	1	1	2	3	4	5	8
13-19 YRS	2011	2.6	3	1	1	2	3	5	6	9
GRAND TOTAL	**4280**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	37	4.1	3	1	2	4	5	6	7	10
1-5 YRS	155	3.9	3	2	2	4	5	6	7	9
6-12 YRS	95	4.2	5	1	2	4	5	7	8	12
13-19 YRS	28	3.3	4	1	1	3	4	7	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.1	4	3	3	4	7	8	8	8
1-5 YRS	42	4.0	9	<1	1	3	6	8	9	12
6-12 YRS	31	2.6	6	<1	1	2	3	7	8	10
13-19 YRS	40	2.2	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	5.2	8	2	2	5	7	9	11	14
1-5 YRS	170	4.4	7	2	2	4	5	8	10	14
6-12 YRS	75	4.3	12	1	1	4	5	8	10	22
13-19 YRS	34	3.5	4	1	2	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	20	6.6	11	2	3	6	8	11	13	14
1-5 YRS	47	5.3	12	1	1	5	7	10	12	15
6-12 YRS	34	5.0	16	<1	1	4	7	9	10	22
13-19 YRS	24	4.9	24	<1	<1	3	6	12	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.0	4	1	2	4	5	6	8	10
B. *Operated*	122	3.2	7	<1	<1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	309	4.4	8	1	2	4	5	8	10	14
B. *Operated*	125	5.4	15	1	1	5	7	10	13	20
1. SINGLE DX	437	3.7	5	1	1	3	5	7	8	10
2. MULTIPLE DX	434	4.7	10	1	2	4	6	8	10	16
A. NOT OPERATED	624	4.2	6	1	2	4	5	7	8	12
B. OPERATED	247	4.3	12	<1	1	3	6	8	10	17
TOTAL 0-27 DYS										
1-11 MOS	96	5.0	7	2	2	5	6	8	10	14
1-5 YRS	414	4.3	6	1	2	4	5	8	9	13
6-12 YRS	235	4.1	9	1	1	3	5	8	10	13
13-19 YRS	126	3.3	8	<1	1	3	4	7	8	17
GRAND TOTAL	**871**	**4.2**	**8**	**1**	**1**	**4**	**5**	**8**	**9**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	11.1	309	<1	<1	3	13	38	56	67
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	15.8	222	3	3	12	27	35	35	35
1-5 YRS	4	2.3	4	<1	<1	1	3	5	5	5
6-12 YRS	8	7.3	245	1	1	2	2	33	46	46
13-19 YRS	41	9.6	115	1	1	4	15	24	36	39
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	11.1	309	<1	<1	3	13	38	56	67
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	57	9.2	132	1	1	3	13	24	36	46
B. *Operated*										
1. SINGLE DX	21	11.1	309	<1	<1	3	13	38	56	67
2. MULTIPLE DX	57	9.2	132	1	1	3	13	24	36	46
A. NOT OPERATED	78	9.7	177	<1	1	3	13	30	38	61
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS	4	15.8	222	3	3	12	27	35	35	35
1-5 YRS	4	2.3	4	<1	<1	1	3	5	5	5
6-12 YRS	8	7.3	245	1	1	2	2	33	46	46
13-19 YRS	62	10.1	177	<1	1	4	13	27	38	65
GRAND TOTAL	**78**	**9.7**	**177**	**<1**	**1**	**3**	**13**	**30**	**38**	**61**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	65	1.6	5	<1	1	1	1	2	4	15
6-12 YRS	90	1.6	15	1	1	1	1	2	3	99+
13-19 YRS	126	2.2	8	<1	1	1	2	4	6	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	9	4.4	29	<1	<1	2	6	14	17	17
1-5 YRS	73	2.6	9	1	1	2	3	5	10	17
6-12 YRS	113	6.0	131	<1	1	2	4	34	49	99+
13-19 YRS	289	8.7	258	1	1	3	8	23	53	99
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7		1	1	2	51	99+	99+	99+
6-12 YRS	3	1.7	1	1	1	3	99+	99+	99+	99+
13-19 YRS	29	11.7	281	1	1	3	26	40	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	1.9	9	<1	1	1	2	3	5	34
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	486	7.1	191	1	1	2	6	19	45	99+
B. *Operated*	35	9.9	246	1	1	3	33	84	99+	99+
1. SINGLE DX	284	1.9	9	<1	1	1	2	3	5	34
2. MULTIPLE DX	521	7.3	194	1	1	2	6	24	51	99+
A. NOT OPERATED	770	5.2	130	1	1	2	4	11	28	99
B. OPERATED	35	9.9	246	1	1	3	33	84	99+	99+
TOTAL 0-27 DYS	3	4.7	16	1	1	4	8	9	9	9
1-11 MOS	11	4.0	24	<1	<1	2	4	12	17	17
1-5 YRS	141	2.1	7	<1	1	1	2	4	7	24
6-12 YRS	206	4.0	83	1	1	1	2	14	45	99+
13-19 YRS	444	7.1	198	1	1	2	5	18	39	98
GRAND TOTAL	**805**	**5.4**	**136**	**1**	**1**	**2**	**4**	**13**	**37**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility."

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	4	1.5		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	3.5	2	2	2	3	4	5	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	56	7.2	74	<1	1	4	6	22	27	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	64	6.8	66	<1	1	4	6	22	27	32
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	65	6.7	66	<1	1	4	6	22	27	32
A. NOT OPERATED	69	6.4	63	<1	1	3	6	22	27	32
B. OPERATED	1	1.0		1	1	1	1	1	1	1
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	3.5	2	2	2	3	4	6	6	6
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	61	6.7	70	<1	1	4	6	22	27	33
GRAND TOTAL	**70**	**6.3**	**63**	**<1**	**1**	**3**	**6**	**22**	**27**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1 SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.5	313	1	1	13	26	26	26	26
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	48	4.9	30	<1	<1	3	6	12	17	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.7	10	4	4	9	10	10	10	10
1-11 MOS	3	5.0	13	1	1	6	7	8	8	8
1-5 YRS	2	25.0	152	1	1	25	49	49	49	49
6-12 YRS	6	3.2	12	1	1	2	3	9	10	10
13-19 YRS	202	9.2	132	1	1	5	10	27	32	50
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.2	37	<1	<1	3	6	14	19	26
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	216	9.1	133	1	1	5	10	27	32	51
B. *Operated*	1	24.0		24	24	24	24	24	24	24
1. SINGLE DX	53	5.2	36	<1	1	3	6	14	19	26
2. MULTIPLE DX	217	9.2	134	1	1	5	10	27	32	51
A. NOT OPERATED	268	8.3	117	1	1	4	9	24	30	49
B. OPERATED	2	14.5	181	5	5	14	24	24	24	24
TOTAL 0-27 DYS	3	7.7	10	4	4	9	10	10	10	10
1-11 MOS	3	5.0	13	1	1	6	7	8	8	8
1-5 YRS	4	19.3	532	1	1	14	37	49	49	49
6-12 YRS	8	3.0	9	1	1	2	3	8	10	10
13-19 YRS	252	8.4	115	1	1	5	9	24	30	46
GRAND TOTAL	**270**	**8.4**	**117**	**1**	**1**	**4**	**9**	**24**	**30**	**48**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	14.5	5	13	13	14	16	16	16	16
6-12 YRS	5	23.4	218	4	4	33	34	36	36	36
13-19 YRS	191	17.8	266	2	3	14	24	44	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	8.1	39	<1	1	6	9	19	21	21
1-5 YRS										
6-12 YRS	2	36.5	481	21	21	36	52	52	52	52
13-19 YRS	129	21.4	310	1	3	18	29	46	64	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	26.6	219	13	13	31	45	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	17.9	262	2	3	14	24	43	61	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	138	20.9	307	1	3	18	29	46	63	99+
B. *Operated*	5	26.6	219	13	13	31	45	94	99+	99+
1. SINGLE DX	199	17.9	262	2	3	14	24	43	61	99+
2. MULTIPLE DX	143	21.1	304	1	3	18	29	47	64	99+
A. NOT OPERATED	337	19.1	282	2	3	15	28	46	62	99+
B. OPERATED	5	26.6	219	13	13	31	45	94	99+	99+
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	8.1	39	<1	1	6	9	19	21	21
1-5 YRS	2	14.5	5	13	13	14	16	16	16	16
6-12 YRS	7	27.1	266	4	5	33	35	46	52	52
13-19 YRS	325	19.4	285	2	3	15	28	46	63	99+
GRAND TOTAL	**342**	**19.2**	**281**	**2**	**3**	**15**	**28**	**46**	**62**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	24.1	472	2	3	19	39	57	77	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	31.0		31	31	31	31	31	31	31
13-19 YRS	47	22.6	325	2	3	18	28	50	57	79
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	34.5	221	24	24	34	45	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	24.1	472	2	3	19	41	59	83	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	49	22.5	319	2	4	18	29	50	56	79
B. *Operated*	2	34.5	221	24	24	34	45	45	45	45
1. SINGLE DX	68	24.1	472	2	3	19	41	59	83	99+
2. MULTIPLE DX	51	22.9	316	2	4	18	30	50	56	79
A. NOT OPERATED	117	23.4	406	2	3	18	37	54	71	99+
B. OPERATED	2	34.5	221	24	24	34	45	45	45	45
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	31.0		31	31	65	99+	99+	99+	99+
13-19 YRS	117	23.7	406	2	3	19	38	51	63	99
GRAND TOTAL	**119**	**23.6**	**403**	**2**	**3**	**19**	**38**	**53**	**70**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	12.0	134	<1	<1	7	25	28	28	28
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	11	27.5	336	1	2	30	40	54	56	56
13-19 YRS	367	17.9	275	2	3	13	26	45	58	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	10.7	97	4	4	6	18	22	22	22
1-5 YRS	3	20.7	992	<1	<1	4	44	57	57	57
6-12 YRS	14	32.6	252	4	9	32	48	62	90	99+
13-19 YRS	393	21.8	384	2	3	17	34	57	84	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS										
6-12 YRS										
13-19 YRS	13	26.4	331	2	4	26	39	67	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	18.1	275	2	3	13	27	46	58	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	413	22.1	383	2	3	17	34	58	84	99+
B. *Operated*	14	26.5	306	2	4	27	39	63	91	99+
1. SINGLE DX	385	18.1	275	2	3	13	27	46	58	99+
2. MULTIPLE DX	427	22.2	330	2	3	18	34	58	84	99+
A. NOT OPERATED	798	20.1	335	2	3	15	30	51	67	99+
B. OPERATED	14	26.5	306	2	4	27	39	63	91	99+
TOTAL 0-27 DYS										
1-11 MOS	10	13.2	123	<1	2	7	25	28	28	28
1-5 YRS	4	19.8	665	<1	<1	10	37	57	57	57
6-12 YRS	25	30.3	283	2	4	31	44	56	70	99+
13-19 YRS	773	20.0	335	2	3	15	29	51	68	99+
GRAND TOTAL	**812**	**20.2**	**334**	**2**	**3**	**15**	**30**	**51**	**67**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	7.7	67	2	2	4	9	24	24	24
6-12 YRS	33	25.2	380	3	6	22	36	53	57	87
13-19 YRS	7	21.1	237	6	7	18	42	83	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	16.4	221	3	3	20	75	99+	99+	99+
6-12 YRS	76	34.2	725	2	3	35	60	96	99+	99+
13-19 YRS	21	28.0	490	2	3	26	38	63	70	78
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	50	99+	99+	99+	99+
6-12 YRS	2	36.5	1985	5	5	36	68	68	68	68
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	20.6	334	2	2	14	30	48	57	99+
B. *Operated*	1	29.0		29	29	64	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	118	29.9	632	2	3	29	55	99+	99+	99+
B. *Operated*	3	24.7	1412	1	1	36	84	99+	99+	99+
1. SINGLE DX	53	20.8	329	2	2	16	31	53	79	99+
2. MULTIPLE DX	121	29.8	640	2	3	29	59	99+	99+	99+
A. NOT OPERATED	170	27.1	557	2	3	25	46	91	99+	99+
B. OPERATED	4	25.8	946	1	1	48	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	34	12.9	178	2	2	11	40	99+	99+	99+
6-12 YRS	112	31.5	635	2	4	29	49	87	99+	99+
13-19 YRS	28	26.3	425	2	4	22	42	63	79	99+
GRAND TOTAL	**174**	**27.0**	**560**	**2**	**3**	**25**	**47**	**95**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	14.0	32	10	10	14	18	18	18	18
1-11 MOS	6	14.2	232	1	1	9	27	36	37	37
1-5 YRS	4	20.0	1157	2	2	3	37	71	71	71
6-12 YRS	76	26.7	278	2	4	26	39	50	58	92
13-19 YRS	854	18.7	274	1	3	15	28	45	61	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	63.0		63	63	63	63	63	63	63
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	7	13.9	100	2	3	15	26	79	99+	99+
1-5 YRS	4	30.8	510	2	2	32	47	56	56	56
6-12 YRS	159	32.2	463	4	6	30	52	71	97	99+
13-19 YRS	1964	24.1	451	2	3	18	37	62	80	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	42.0	18	39	39	42	45	45	45	45
13-19 YRS	59	27.3	661	2	3	19	50	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	19.3	281	1	3	15	29	46	61	99+
B. *Operated*	1	63.0		63	63	63	63	63	63	63
2. MULTIPLE DX										
A. *Not Operated*	2135	24.6	455	2	3	19	38	62	83	99+
B. *Operated*	61	27.8	646	2	3	20	49	86	99+	99+
1. SINGLE DX	943	19.3	283	1	3	15	29	46	61	99+
2. MULTIPLE DX	2196	24.7	460	2	3	19	38	63	84	99+
A. NOT OPERATED	3077	23.0	408	2	3	18	35	58	74	99+
B. OPERATED	62	28.4	656	2	3	20	51	86	99+	99+
TOTAL 0-27 DYS	3	14.7	17	10	10	16	17	18	18	18
1-11 MOS	13	14.0	147	1	1	15	27	43	87	99+
1-5 YRS	8	25.4	747	2	2	15	47	66	71	71
6-12 YRS	237	30.5	406	3	6	28	46	61	85	99+
13-19 YRS	2878	22.5	409	2	3	17	34	58	75	99+
GRAND TOTAL	**3139**	**23.1**	**413**	**2**	**3**	**18**	**35**	**59**	**75**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL-PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	28.8	501	3	4	25	38	61	75	82
13-19 YRS	364	17.2	220	2	3	13	24	36	48	78
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	13.0	8	11	11	13	15	15	15	15
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	12.3	240	1	1	6	24	30	30	30
6-12 YRS	36	33.3	647	3	4	34	58	99	99+	99+
13-19 YRS	563	22.1	384	2	3	17	32	57	79	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	28.8	600	3	4	18	50	63	73	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	17.8	238	2	3	13	25	38	50	81
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	605	22.6	404	2	3	18	34	60	83	99+
B. *Operated*	15	28.8	600	3	4	18	50	63	73	76
1. SINGLE DX	382	17.8	238	2	3	13	25	38	50	81
2. MULTIPLE DX	620	22.8	409	2	3	18	34	60	82	99+
A. NOT OPERATED	987	20.7	345	2	3	16	30	52	69	99+
B. OPERATED	15	28.8	600	3	4	18	50	63	73	76
TOTAL 0-27 DYS	2	13.0	8	11	11	13	15	15	15	15
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	12.3	240	1	1	6	24	30	30	30
6-12 YRS	54	31.8	593	3	4	33	51	91	99+	99+
13-19 YRS	942	20.3	330	2	3	15	29	50	69	99+
GRAND TOTAL	**1002**	**20.9**	**349**	**2**	**3**	**16**	**30**	**52**	**70**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	45.0		45	45	45	45	45	45	45
6-12 YRS	19	7.7	52	1	1	7	10	19	26	27
13-19 YRS	166	12.7	176	1	1	8	18	30	39	77
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	3	9.7	58	3	3	8	15	18	18	18
1-5 YRS	6	7.0	128	1	1	3	4	27	30	30
6-12 YRS	39	26.2	724	1	1	23	41	87	99	99+
13-19 YRS	328	16.7	316	1	2	11	23	45	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	13.0	189	1	1	19	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	12.4	170	1	1	8	18	29	39	74
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	378	17.4	361	1	2	11	25	45	77	99+
B. *Operated*	3	13.0	189	1	1	28	99+	99+	99+	99+
1. SINGLE DX	187	12.3	170	1	1	8	17	29	39	74
2. MULTIPLE DX	381	17.4	359	1	2	11	25	46	80	99+
A. NOT OPERATED	564	15.8	303	1	1	10	22	41	58	99+
B. OPERATED	4	10.8	146	1	1	19	99+	99+	99+	99+
TOTAL 0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	3	9.7	58	3	3	8	15	18	18	18
1-5 YRS	7	12.4	313	1	1	3	23	42	45	45
6-12 YRS	58	20.1	575	1	1	11	32	76	99	99+
13-19 YRS	498	15.3	271	1	2	10	21	40	57	99+
GRAND TOTAL	**568**	**15.7**	**302**	**1**	**1**	**10**	**23**	**42**	**62**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS										
6-12 YRS	18	4.0	40	<1	<1	2	3	8	20	28
13-19 YRS	73	7.8	130	<1	1	3	7	28	38	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	10	1	1	4	53	99+	99+	99+
6-12 YRS	24	20.3	729	1	1	11	84	99+	99+	99+
13-19 YRS	171	10.4	214	<1	1	4	14	27	49	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	45.5	3785	2	2	45	89	89	89	89
13-19 YRS	4	26.3	1174	2	2	15	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	7.0	113	<1	1	3	6	22	33	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	198	11.5	281	1	1	5	17	46	88	99+
B. *Operated*	6	32.7	1560	2	2	15	86	98	99+	99+
1. SINGLE DX	92	7.0	113	<1	1	3	6	22	33	44
2. MULTIPLE DX	204	12.1	324	1	1	5	18	51	89	99+
A. NOT OPERATED	290	10.0	232	<1	1	4	13	37	60	99+
B. OPERATED	6	32.7	1560	2	2	15	86	98	99+	99+
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	3	3.3	10	1	1	4	53	99+	99+	99+
6-12 YRS	44	14.8	603	1	1	3	42	99+	99+	99+
13-19 YRS	248	9.9	205	<1	1	4	13	29	44	99+
GRAND TOTAL	**296**	**10.5**	**264**	**<1**	**1**	**4**	**14**	**39**	**75**	**99+**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	51	22.6	285	3	4	19	33	55	67	99+
13-19 YRS	532	18.8	357	1	1	12	29	46	61	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	8.2	49	3	3	5	12	20	20	20
1-5 YRS	4	34.5	722	4	4	35	56	63	63	63
6-12 YRS	180	37.2	511	5	10	39	62	99+	99+	99+
13-19 YRS	1319	23.5	448	2	3	18	40	62	89	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS	3	43.3	856	11	11	59	84	99+	99+	99+
13-19 YRS	38	26.5	390	2	4	25	50	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	583	19.1	351	1	2	13	30	46	62	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1508	25.1	475	2	3	21	43	67	95	99+
B. *Operated*	42	27.4	417	3	4	25	51	94	99+	99+
1. SINGLE DX	583	19.1	351	1	2	13	30	46	62	98
2. MULTIPLE DX	1550	25.2	473	2	3	21	43	68	97	99+
A. NOT OPERATED	2091	23.5	447	1	3	18	40	62	85	99+
B. OPERATED	42	27.4	417	3	4	25	51	94	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	6	9.2	45	3	3	7	14	19	20	20
1-5 YRS	4	34.5	722	4	4	35	56	63	63	63
6-12 YRS	234	34.1	498	4	7	34	56	91	99+	99+
13-19 YRS	1889	22.2	426	1	2	16	36	59	79	99+
GRAND TOTAL	**2133**	**23.5**	**447**	**1**	**3**	**18**	**40**	**62**	**86**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	6	2.7	4	1	1	2	5	5	5	5
6-12 YRS	52	7.2	204	1	1	3	5	10	45	67
13-19 YRS	414	10.4	208	1	1	4	13	30	45	78
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	4.5	11	1	1	4	6	9	13	13
1-5 YRS	11	9.9	246	1	1	4	19	65	95	99+
6-12 YRS	101	16.9	494	1	1	5	24	57	77	99+
13-19 YRS	864	12.8	270	1	1	6	19	39	56	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	28	20.0	492	1	2	14	39	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	9.9	205	1	1	4	12	30	45	73
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	987	13.1	291	1	1	6	19	41	58	99+
B. *Operated*	28	20.0	492	1	2	14	39	77	99+	99+
1. SINGLE DX	476	9.9	205	1	1	4	12	30	45	73
2. MULTIPLE DX	1015	13.3	298	1	1	6	19	42	59	99+
A. NOT OPERATED	1462	12.1	265	1	1	5	17	38	56	99+
B. OPERATED	29	19.4	487	1	2	14	36	75	99	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	4.2	10	1	2	4	5	8	12	13
1-5 YRS	17	7.4	168	1	1	3	6	44	80	99+
6-12 YRS	153	13.6	415	1	1	4	20	46	68	99+
13-19 YRS	1307	12.2	257	1	1	5	17	38	55	99+
GRAND TOTAL	**1491**	**12.2**	**270**	**1**	**1**	**5**	**17**	**39**	**56**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	8.8	148	2	2	3	15	27	27	27
1-5 YRS	1	21.0		21	21	21	21	21	21	21
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	243	8.4	166	<1	<1	2	9	28	36	55
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	15.0	72	9	9	15	21	21	21	21
1-11 MOS	17	13.5	98	3	4	10	24	28	29	29
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	9	20.9	219	1	1	22	29	41	45	45
13-19 YRS	2305	23.6	248	1	2	25	35	43	47	61
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	26	28.1	294	2	3	29	36	50	57	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	8.4	164	<1	<1	2	9	28	35	54
B. *Operated*	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	2335	23.5	248	1	2	25	35	43	47	61
B. *Operated*	27	27.1	310	1	3	28	36	50	57	66
1. SINGLE DX	252	8.4	164	<1	<1	2	10	28	35	54
2. MULTIPLE DX	2362	23.5	248	1	2	25	35	43	47	61
A. NOT OPERATED	2586	22.0	260	1	1	22	33	42	47	61
B. OPERATED	28	26.9	299	1	3	28	35	50	56	66
TOTAL 0-27 DYS	3	11.0	84	3	3	9	18	21	21	21
1-11 MOS	21	12.6	105	2	3	7	24	28	29	29
1-5 YRS	3	8.7	114	2	2	3	16	21	21	21
6-12 YRS	12	16.0	237	1	1	14	26	39	44	45
13-19 YRS	2575	22.2	261	1	1	23	34	43	47	61
GRAND TOTAL	**2614**	**22.1**	**260**	**1**	**1**	**22**	**33**	**43**	**47**	**61**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	9.2	51	1	2	6	14	20	24	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	27.5	113	20	20	27	35	35	35	35
1-5 YRS										
6-12 YRS	1	26.0		26	26	26	26	26	26	26
13-19 YRS	59	21.6	361	2	3	21	31	41	66	85
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	9.2	51	1	2	6	14	20	24	24
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	62	21.9	347	2	3	21	31	41	65	84
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	9	9.2	51	1	2	6	14	20	24	24
2. MULTIPLE DX	63	21.7	343	2	3	21	31	41	65	84
A. NOT OPERATED	71	20.3	326	2	3	19	30	40	62	83
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS	2	27.5	113	20	20	27	35	35	35	35
1-5 YRS										
6-12 YRS	1	26.0		26	26	26	26	26	26	26
13-19 YRS	69	19.8	333	2	3	15	29	41	63	83
GRAND TOTAL	**72**	**20.1**	**323**	**2**	**3**	**17**	**29**	**40**	**61**	**83**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	28.0		28	28	28	28	28	28	28
13-19 YRS	187	24.6	393	1	2	25	39	46	59	90
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	13.0	84	3	3	15	19	21	21	21
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	9	26.9	233	2	2	29	37	43	46	46
13-19 YRS	1522	26.4	269	3	4	28	37	45	53	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	41.0	293	22	27	39	60	82	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	24.5	392	1	2	25	39	46	59	90
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1536	26.4	269	3	4	28	37	45	53	81
B. *Operated*	21	41.0	293	22	27	39	60	82	99+	99+
1. SINGLE DX	189	24.5	392	1	2	25	39	46	59	90
2. MULTIPLE DX	1557	26.6	272	3	4	28	37	45	53	84
A. NOT OPERATED	1725	26.2	282	2	4	28	37	46	53	83
B. OPERATED	21	41.0	293	22	27	39	60	82	99+	99+
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	13.0	84	3	3	15	19	21	21	21
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	10	27.0	207	2	2	29	37	42	46	46
13-19 YRS	1730	26.4	285	2	4	28	38	46	54	86
GRAND TOTAL	**1746**	**26.4**	**285**	**2**	**4**	**28**	**38**	**46**	**54**	**86**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	36	1.3	1	<1	<1	1	1	3	3	4
13-19 YRS	610	1.8	28	<1	<1	1	1	2	3	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	15.5	421	1	1	15	30	30	30	30
1-5 YRS	3	6.0	28	2	2	4	10	12	12	12
6-12 YRS	29	3.7	68	<1	<1	1	2	6	19	43
13-19 YRS	869	8.2	219	<1	<1	2	6	31	44	60
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	2.8	31	<1	<1	1	2	6	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	1.8	26	<1	<1	1	1	2	3	31
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	904	8.1	214	<1	<1	1	6	30	44	60
B. *Operated*	27	2.8	31	<1	<1	1	2	6	12	29
1. SINGLE DX	652	1.8	26	<1	<1	1	1	2	3	31
2. MULTIPLE DX	931	7.9	209	<1	<1	1	5	30	44	59
A. NOT OPERATED	1555	5.4	145	<1	<1	1	2	16	36	56
B. OPERATED	28	2.8	30	<1	<1	1	2	6	11	29
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	15.5	421	1	1	15	30	30	30	30
1-5 YRS	8	2.9	15	<1	<1	1	3	10	12	12
6-12 YRS	66	2.3	31	<1	<1	1	2	3	6	39
13-19 YRS	1506	5.5	148	<1	<1	1	2	17	36	56
GRAND TOTAL	**1583**	**5.4**	**143**	**<1**	**<1**	**1**	**2**	**15**	**36**	**55**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	166	10.7	195	<1	1	4	14	35	41	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	66	3	3	5	15	18	18	18
1-5 YRS										
6-12 YRS	15	19.2	399	1	1	9	27	60	62	63
13-19 YRS	793	22.0	341	1	2	19	36	48	56	76
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	24.5	377	2	2	19	42	51	57	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	10.5	194	<1	1	3	14	35	41	52
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	811	21.9	341	1	2	19	36	48	57	75
B. *Operated*	14	24.5	377	2	2	19	42	51	57	59
1. SINGLE DX	168	10.5	194	<1	1	3	14	35	41	52
2. MULTIPLE DX	825	21.9	341	1	2	19	36	48	57	75
A. NOT OPERATED	979	20.0	334	1	1	16	34	46	54	73
B. OPERATED	14	24.5	377	2	2	19	42	51	57	59
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	66	3	3	5	15	18	18	18
1-5 YRS										
6-12 YRS	17	17.1	383	1	1	9	26	54	62	63
13-19 YRS	973	20.1	334	1	1	16	35	47	54	73
GRAND TOTAL	**993**	**20.0**	**334**	**1**	**1**	**16**	**34**	**47**	**54**	**73**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	23	3.0	4	1	1	2	4	6	7	8
13-19 YRS	35	2.9	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	10	4.4	22	1	1	3	4	12	16	16
6-12 YRS	32	7.2	286	1	1	3	4	12	33	92
13-19 YRS	104	7.1	203	<1	1	3	5	11	42	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	18.8	1297	1	1	1	27	83	83	83
6-12 YRS										
13-19 YRS	10	9.3	107	2	2	6	9	25	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.8	3	1	1	2	4	5	7	9
B. *Operated*	8	2.6	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	149	6.8	204	<1	1	3	5	11	34	85
B. *Operated*	15	12.5	461	1	1	6	9	37	71	83
1. SINGLE DX	77	2.8	3	1	1	2	4	5	7	9
2. MULTIPLE DX	164	7.3	227	<1	1	3	5	12	38	85
A. NOT OPERATED	218	5.6	143	<1	1	3	4	8	15	81
B. OPERATED	23	9.0	318	1	1	3	8	19	53	83
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	27	6.0	247	<1	1	2	4	9	26	83
6-12 YRS	59	5.2	159	1	1	2	4	6	17	87
13-19 YRS	152	6.2	150	<1	1	3	5	10	23	79
GRAND TOTAL	**241**	**5.9**	**160**	**1**	**1**	**3**	**5**	**9**	**20**	**83**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.5	1	<1	<1	3	3	3	3	3
1-5 YRS	16	21.7	696	1	2	8	32	56	85	97
6-12 YRS	143	15.8	227	1	1	11	25	39	45	86
13-19 YRS	1632	11.5	179	1	1	6	16	30	40	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	10.7	180	1	1	5	21	26	26	26
1-11 MOS	8	17.6	380	4	4	11	20	52	62	62
1-5 YRS	22	26.0	491	3	4	29	39	95	99+	99+
6-12 YRS	289	23.5	426	2	2	19	39	55	86	99+
13-19 YRS	2056	13.7	230	1	1	8	19	35	46	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	8.0	98	1	1	8	15	15	15	15
13-19 YRS	59	14.9	264	1	2	10	21	39	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1796	11.9	189	1	1	7	17	32	41	69
B. *Operated*	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	3278	14.6	257	1	1	9	22	39	50	99+
B. *Operated*	62	14.7	255	1	2	10	21	39	53	98
1. SINGLE DX	1798	11.9	188	1	1	7	17	32	41	69
2. MULTIPLE DX	3340	14.6	257	1	1	9	22	39	51	99+
A. NOT OPERATED	5074	13.7	235	1	1	8	20	36	47	94
B. OPERATED	64	14.3	251	<1	1	10	20	39	53	98
TOTAL 0-27 DYS	4	8.5	139	1	1	3	15	26	26	26
1-11 MOS	12	12.6	297	<1	2	6	12	38	59	62
1-5 YRS	39	23.8	554	2	3	18	35	73	98	99+
6-12 YRS	434	20.9	372	1	2	15	35	50	76	99+
13-19 YRS	4649	12.9	213	1	1	7	18	34	44	86
GRAND TOTAL	**5138**	**13.7**	**235**	**1**	**1**	**8**	**20**	**36**	**47**	**95**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	7.2	163	1	1	3	6	23	43	45
1-5 YRS	90	8.9	168	<1	1	3	10	36	49	99+
6-12 YRS	379	19.9	410	1	2	13	33	48	66	99+
13-19 YRS	1291	19.4	370	1	2	14	30	49	68	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	8	12.1	224	2	2	4	23	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	21	8.0	115	1	2	3	8	21	33	48
1-5 YRS	189	17.7	505	1	1	5	34	60	83	99+
6-12 YRS	1061	29.1	595	2	3	28	51	88	99+	99+
13-19 YRS	3303	24.4	484	1	2	19	40	63	85	99+
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	13	23.3	905	2	3	14	88	99+	99+	99+
6-12 YRS	20	35.6	1111	2	3	30	80	99+	99+	99+
13-19 YRS	79	35.4	792	3	4	31	68	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1771	18.9	373	1	2	13	30	48	66	99+
B. *Operated*	11	9.5	178	1	1	4	9	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	4575	25.1	517	2	2	20	42	69	93	99+
B. *Operated*	114	33.7	852	3	3	30	71	99+	99+	99+
1. SINGLE DX	1782	18.9	372	1	2	13	30	47	66	99+
2. MULTIPLE DX	4689	25.3	526	2	2	21	43	70	95	99+
A. NOT OPERATED	6346	23.4	484	1	2	18	39	63	88	99+
B. OPERATED	125	31.6	839	2	3	29	68	99	99+	99+
TOTAL 0-27 DYS	2	17.0	288	5	5	17	29	29	29	29
1-11 MOS	33	7.6	123	1	1	3	7	21	41	48
1-5 YRS	293	15.2	433	1	1	4	27	55	85	99+
6-12 YRS	1462	26.8	570	2	2	23	45	80	99+	99+
13-19 YRS	4681	23.2	465	1	2	18	38	61	83	99+
GRAND TOTAL	**6471**	**23.5**	**492**	**1**	**2**	**18**	**40**	**65**	**89**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	9	1	1	3	6	7	7	7
6-12 YRS	5	2.8	9	1	1	2	4	8	8	8
13-19 YRS	17	11.1	121	1	1	5	19	29	34	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	5.8	11	1	1	6	8	10	11	11
6-12 YRS	20	15.0	297	1	1	4	37	45	70	99+
13-19 YRS	59	12.2	190	2	2	7	15	29	43	72
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	3	76	99+	99+	99+
6-12 YRS	8	10.5	187	1	1	4	14	34	41	41
13-19 YRS	6	5.2	37	1	1	3	5	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	8.3	95	1	1	4	14	21	32	35
B. *Operated*	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	88	12.2	199	1	2	7	15	38	45	90
B. *Operated*	16	7.5	110	1	1	4	12	37	79	99+
1. SINGLE DX	29	7.7	88	1	1	3	12	21	31	35
2. MULTIPLE DX	104	11.5	187	1	2	7	15	39	45	99+
A. NOT OPERATED	114	11.3	177	1	1	7	15	33	44	83
B. OPERATED	19	6.7	96	1	1	4	8	30	70	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	15	4.7	10	1	1	5	8	11	73	99+
6-12 YRS	35	11.4	231	1	1	4	19	41	45	99+
13-19 YRS	83	11.4	164	1	2	7	15	28	37	68
GRAND TOTAL	**133**	**10.6**	**167**	**1**	**1**	**6**	**14**	**33**	**44**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	43	9.0	33	1	2	9	11	16	21	26
1-11 MOS	425	9.9	15	3	4	10	11	14	15	22
1-5 YRS	413	9.5	13	2	3	10	11	13	15	18
6-12 YRS	82	5.8	18	1	1	5	10	11	13	16
13-19 YRS	69	5.5	26	1	1	4	8	12	12	30
B. *Operated*										
0-27 DYS	3	13.0	133	<1	<1	14	21	24	24	24
1-11 MOS	50	12.7	54	6	8	11	13	17	24	56
1-5 YRS	24	10.3	46	<1	<1	10	13	15	21	33
6-12 YRS	5	15.2	145	5	5	9	22	35	35	35
13-19 YRS	13	13.6	119	1	3	7	25	29	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	53	14.7	55	3	5	14	21	23	24	38
1-11 MOS	646	11.0	22	3	4	11	13	16	18	25
1-5 YRS	539	10.7	20	3	5	11	12	15	17	26
6-12 YRS	91	8.9	27	2	2	10	11	15	18	25
13-19 YRS	85	10.5	92	2	3	9	12	20	33	51
B. *Operated*										
0-27 DYS	19	21.0	100	7	9	21	25	41	72	99+
1-11 MOS	117	17.4	143	5	7	14	22	32	41	86
1-5 YRS	74	18.2	178	6	8	14	20	32	47	72
6-12 YRS	31	20.9	234	6	8	17	25	44	59	64
13-19 YRS	43	23.4	205	6	9	20	34	48	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1032	9.1	18	1	3	10	11	14	15	22
B. *Operated*	95	12.3	65	1	5	11	14	24	28	47
2. MULTIPLE DX										
A. *Not Operated*	1414	10.9	28	2	4	11	13	16	20	28
B. *Operated*	284	19.1	171	6	8	15	24	37	48	92
1. SINGLE DX	1127	9.4	23	1	3	10	11	14	16	24
2. MULTIPLE DX	1698	12.2	61	3	4	11	14	20	26	48
A. NOT OPERATED	2446	10.1	24	2	3	10	12	15	17	25
B. OPERATED	379	17.4	153	5	7	14	22	34	46	78
TOTAL 0-27 DYS	118	13.6	71	2	3	12	21	24	27	62
1-11 MOS	1238	11.3	37	3	4	11	13	16	21	34
1-5 YRS	1050	10.8	33	2	4	11	12	15	18	32
6-12 YRS	209	9.6	81	1	2	9	11	18	24	56
13-19 YRS	210	11.7	135	1	2	9	14	30	41	52
GRAND TOTAL	**2825**	**11.1**	**48**	**2**	**3**	**11**	**13**	**17**	**22**	**41**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	17	5.4	13	1	1	4	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.8	25	1	1	3	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	16	11.1	132	1	1	10	14	41	80	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	56	99+	99+	99+	99+
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.1	12	1	1	4	8	10	11	11
B. *Operated*	4	4.8	25	1	1	3	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	20	9.7	113	1	1	6	13	36	69	99+
B. *Operated*	1	12.0		12	12	56	99+	99+	99+	99+
1. SINGLE DX	24	5.0	13	1	1	4	8	11	11	12
2. MULTIPLE DX	21	9.8	108	1	2	6	14	54	99+	99+
A. NOT OPERATED	40	7.4	66	1	1	6	10	14	37	99+
B. OPERATED	5	6.2	29	1	1	8	12	91	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	5.0	1	4	4	5	6	6	6	6
6-12 YRS	4	5.3	21	2	2	4	34	99+	99+	99+
13-19 YRS	37	7.8	72	1	1	6	11	15	39	99+
GRAND TOTAL	**45**	**7.2**	**62**	**1**	**1**	**6**	**11**	**15**	**51**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	2.9	6	1	1	2	3	7	9	10
1-11 MOS	153	3.9	12	1	1	3	5	8	10	15
1-5 YRS	610	3.0	10	1	1	2	4	6	8	15
6-12 YRS	581	2.8	7	1	1	2	3	5	7	12
13-19 YRS	600	2.8	11	1	1	2	3	5	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	1	2	2	3	4	4	4	4
1-5 YRS	12	6.0	17	1	2	5	9	12	14	14
6-12 YRS	13	3.5	7	<1	1	3	5	8	9	9
13-19 YRS	25	4.6	9	1	1	4	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	8.6	45	1	1	9	12	19	21	21
1-11 MOS	293	5.7	48	1	1	4	7	12	16	44
1-5 YRS	1283	4.5	38	1	1	3	5	9	14	32
6-12 YRS	846	4.7	39	1	1	3	5	9	17	36
13-19 YRS	847	4.6	35	1	1	3	5	9	14	36
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	27	17.6	344	2	2	11	25	51	85	99+
1-5 YRS	63	11.7	90	2	3	9	16	23	25	50
6-12 YRS	35	10.6	85	2	3	8	13	24	31	44
13-19 YRS	58	9.7	116	1	1	6	13	28	33	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1960	3.0	10	1	1	2	3	5	8	15
B. *Operated*	56	4.5	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	3278	4.7	39	1	1	3	5	9	15	34
B. *Operated*	184	11.7	138	1	2	9	14	25	35	94
1. SINGLE DX	2016	3.0	10	1	1	2	3	6	8	15
2. MULTIPLE DX	3462	5.1	46	1	1	3	5	11	17	36
A. NOT OPERATED	5238	4.0	29	1	1	3	4	8	12	31
B. OPERATED	240	10.0	117	1	2	7	12	24	31	84
TOTAL 0-27 DYS	26	5.3	28	1	1	3	9	14	16	21
1-11 MOS	479	5.8	61	1	1	4	7	12	17	52
1-5 YRS	1968	4.3	33	1	1	3	5	9	13	31
6-12 YRS	1475	4.0	29	1	1	2	4	8	12	33
13-19 YRS	1530	4.1	30	1	1	3	4	8	13	32
GRAND TOTAL	**5478**	**4.3**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	3.6	11	2	2	2	3	9	11	11
1-11 MOS	75	3.1	14	<1	1	2	3	5	9	24
1-5 YRS	146	3.0	44	<1	1	2	3	5	8	99+
6-12 YRS	132	3.9	25	1	1	3	4	8	14	99+
13-19 YRS	161	3.0	5	1	1	2	4	7	8	12
B. *Operated*										
0-27 DYS	7	5.1	9	1	1	6	7	9	10	10
1-11 MOS	89	4.4	8	1	2	4	5	8	10	16
1-5 YRS	161	3.4	11	<1	1	2	5	6	8	21
6-12 YRS	150	4.6	44	1	1	3	6	8	11	18
13-19 YRS	125	6.0	24	1	1	5	8	12	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.9	63	1	1	4	10	21	23	23
1-11 MOS	168	5.3	64	<1	1	3	5	11	18	45
1-5 YRS	436	7.3	206	1	1	4	6	26	96	99+
6-12 YRS	533	8.1	236	1	2	4	9	99+	99+	99+
13-19 YRS	432	8.7	191	1	1	4	9	32	58	99+
B. *Operated*										
0-27 DYS	8	19.5	800	3	4	8	18	68	88	88
1-11 MOS	175	9.7	155	2	2	6	10	24	33	76
1-5 YRS	361	7.3	107	1	1	4	8	17	34	99+
6-12 YRS	334	7.9	145	1	2	5	9	17	41	99+
13-19 YRS	342	11.8	260	1	2	7	13	34	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.3	22	<1	1	2	4	6	9	84
B. *Operated*	532	4.5	24	1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1576	7.8	197	1	1	4	7	40	99+	99+
B. *Operated*	1220	9.1	175	1	2	5	10	22	46	99+
1. SINGLE DX	1053	3.9	23	1	1	3	5	8	10	26
2. MULTIPLE DX	2796	8.4	188	1	1	4	9	26	83	99+
A. NOT OPERATED	2097	6.6	157	1	1	3	6	21	90	99+
B. OPERATED	1752	7.7	133	1	1	5	8	17	30	99+
TOTAL 0-27 DYS	29	9.1	262	1	1	6	9	19	26	88
1-11 MOS	507	6.3	84	1	1	4	6	12	20	46
1-5 YRS	1104	6.2	127	1	1	3	6	14	41	99+
6-12 YRS	1149	7.1	163	1	1	4	7	25	99+	99+
13-19 YRS	1060	8.5	174	1	1	4	9	23	52	99+
GRAND TOTAL	**3849**	**7.1**	**147**	**1**	**1**	**4**	**7**	**18**	**55**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	19	2.2	1	<1	<1	2	3	4	5	5
6-12 YRS	154	1.9	2	<1	1	2	2	3	4	8
13-19 YRS	343	2.3	3	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	85	1	1	7	14	14	14	14
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	18	2.1	2	<1	1	2	2	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	1.9	1	<1	1	2	2	3	3	3
6-12 YRS	158	2.8	5	1	1	2	3	5	7	12
13-19 YRS	339	3.1	6	1	1	2	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	4.9	15	1	1	2	8	10	11	11
13-19 YRS	16	4.7	14	1	1	3	6	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	2.2	3	<1	1	2	3	4	5	9
B. *Operated*	25	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	511	3.0	6	1	1	2	3	6	8	12
B. *Operated*	26	4.6	14	1	1	3	7	11	12	14
1. SINGLE DX	544	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	537	3.0	6	1	1	2	4	6	8	12
A. NOT OPERATED	1030	2.6	4	1	1	2	3	5	7	11
B. OPERATED	51	3.6	12	1	1	2	4	9	11	14
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	36	2.3	5	<1	<1	2	3	4	5	14
6-12 YRS	326	2.4	4	1	1	2	3	4	6	11
13-19 YRS	716	2.7	5	1	1	2	3	6	7	12
GRAND TOTAL	**1081**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	22	1.2		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.7	17	<1	<1	7	8	9	9	9
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	13.0	397	1	1	2	27	36	36	36
13-19 YRS	14	2.1	4	<1	<1	1	2	4	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	25	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	3	5.7	17	<1	<1	7	8	9	9	9
B. *Operated*	17	4.0	71	<1	<1	1	3	7	26	36
1. SINGLE DX	27	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX	20	4.3	62	<1	<1	2	3	8	22	36
A. NOT OPERATED	5	4.0	14	<1	<1	2	7	9	9	9
B. OPERATED	42	2.4	30	<1	<1	1	2	3	6	36
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	7.4	143	<1	<1	2	8	28	36	36
13-19 YRS	38	1.6	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**47**	**2.6**	**28**	**<1**	**<1**	**1**	**2**	**4**	**8**	**36**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	29	5.8	28	1	1	4	7	13	14	24
6-12 YRS	46	6.2	58	1	1	4	7	23	29	99+
13-19 YRS	119	6.2	126	1	1	4	7	11	13	85
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	3.3	6	1	1	2	5	7	7	7
6-12 YRS	23	3.0	8	<1	1	2	3	5	9	14
13-19 YRS	191	2.9	5	<1	1	2	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.7	13	1	1	3	8	10	11	11
1-5 YRS	23	5.0	44	1	1	3	5	20	22	22
6-12 YRS	45	14.6	398	1	2	6	15	43	70	83
13-19 YRS	96	9.6	156	1	2	5	11	25	32	69
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	16	<1	<1	3	7	10	10	10
1-5 YRS	16	6.0	57	<1	1	3	6	17	26	30
6-12 YRS	35	4.2	8	1	2	3	5	7	10	15
13-19 YRS	160	7.4	179	1	1	3	6	18	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	6.1	93	1	1	4	7	12	16	86
B. *Operated*	224	2.9	5	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	174	10.0	203	1	1	5	11	25	41	74
B. *Operated*	215	6.7	140	1	1	3	6	13	26	70
1. SINGLE DX	422	4.4	49	<1	1	3	5	9	12	31
2. MULTIPLE DX	389	8.2	171	1	1	4	7	19	32	72
A. NOT OPERATED	372	7.9	148	1	1	4	8	18	29	81
B. OPERATED	439	4.8	75	<1	1	3	5	8	14	60
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	3.8	11	<1	1	2	5	10	11	11
1-5 YRS	76	5.3	36	1	1	3	6	13	21	28
6-12 YRS	149	7.8	161	1	1	3	7	18	35	83
13-19 YRS	566	6.0	111	1	1	3	6	11	20	70
GRAND TOTAL	**811**	**6.2**	**111**	**1**	**1**	**3**	**6**	**12**	**23**	**70**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.8	1	2	2	3	3	4	4	4
1-5 YRS	8	2.4	1	1	1	2	3	4	4	4
6-12 YRS	49	3.0	3	1	1	3	4	6	6	7
13-19 YRS	109	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	2.4	2	1	1	2	3	4	5	5
1-5 YRS	25	3.0	6	<1	1	3	3	4	7	14
6-12 YRS	58	3.3	3	1	1	3	5	6	6	7
13-19 YRS	102	4.0	7	1	2	3	5	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	171	2.8	2	1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	11	1.2		<1	<1	1	1	2	3	3
B. *Operated*	200	3.5	6	1	1	3	4	6	7	14
1. SINGLE DX	173	2.8	2	1	1	2	3	5	6	7
2. MULTIPLE DX	211	3.4	6	1	1	3	4	6	7	14
A. NOT OPERATED	13	1.3	1	<1	<1	1	1	3	3	3
B. OPERATED	371	3.2	4	1	1	3	4	5	7	13
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	2.4	1	1	1	2	3	4	5	5
1-5 YRS	39	2.6	5	<1	<1	2	3	4	4	14
6-12 YRS	110	3.2	3	1	1	3	4	6	6	7
13-19 YRS	213	3.3	5	1	1	3	4	5	7	13
GRAND TOTAL	**384**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**13**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.3		1	1	1	2	2	2	2
13-19 YRS	13	2.0	1	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	3.3	2	2	2	3	4	5	5	5
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	5	3.0	1	2	2	3	4	4	4	4
13-19 YRS	11	2.7	13	<1	<1	1	3	8	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	24	1.8	1	1	1	1	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	7	2.6	2	1	1	2	4	5	5	5
B. *Operated*	25	2.4	6	<1	1	2	3	4	7	13
1. SINGLE DX	29	1.7	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	32	2.4	5	1	1	2	3	4	5	13
A. NOT OPERATED	12	2.0	2	<1	<1	2	3	4	5	5
B. OPERATED	49	2.1	4	1	1	1	3	4	4	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	2.0	1	1	1	2	3	4	4	4
1-5 YRS	10	1.2		<1	<1	1	1	2	2	2
6-12 YRS	17	2.3	2	1	1	2	3	4	5	5
13-19 YRS	25	2.3	6	<1	1	1	3	4	7	13
GRAND TOTAL	**61**	**2.1**	**3**	**<1**	**1**	**1**	**3**	**4**	**5**	**12**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	2.0		2	2	2	2	2	2	2
13-19 YRS	13	1.3		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	1.2		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	8	2.3	6	1	1	1	2	6	8	8
6-12 YRS	8	2.0	1	1	1	2	3	4	4	4
13-19 YRS	8	5.4	32	1	1	3	8	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	18	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	11	1.4		1	1	1	2	3	3	3
B. *Operated*	26	3.2	13	1	1	2	3	8	11	17
1. SINGLE DX	21	1.5		<1	1	1	2	3	3	3
2. MULTIPLE DX	37	2.7	10	1	1	2	3	7	9	17
A. NOT OPERATED	14	1.4		<1	<1	1	2	2	3	3
B. OPERATED	44	2.5	9	1	1	2	3	5	8	17
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	15	2.0	3	<1	1	1	3	3	7	8
6-12 YRS	13	1.9	1	1	1	2	2	3	4	4
13-19 YRS	27	2.5	12	1	1	1	2	7	10	17
GRAND TOTAL	**58**	**2.3**	**7**	**1**	**1**	**1**	**2**	**4**	**8**	**16**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility."

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	15	1.4		<1	<1	1	2	2	3	3
6-12 YRS	23	1.7	1	<1	<1	1	2	3	4	4
13-19 YRS	19	2.2	6	<1	<1	1	2	5	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	14	1.9	1	<1	1	2	3	3	3	3
6-12 YRS	31	2.4	4	<1	1	2	3	5	7	9
13-19 YRS	20	2.2	3	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	66	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*	68	2.2	3	<1	1	2	3	4	6	9
1. SINGLE DX	69	1.7	2	<1	<1	1	2	3	3	10
2. MULTIPLE DX	73	2.2	3	<1	1	2	3	4	6	9
A. NOT OPERATED	8	1.4		<1	<1	1	2	2	2	2
B. OPERATED	134	2.0	2	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	1.6		<1	<1	1	2	3	3	3
1-5 YRS	31	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	58	2.0	2	<1	<1	1	3	4	5	9
13-19 YRS	40	2.2	4	<1	<1	2	2	5	7	11
GRAND TOTAL	**142**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	10	1.9	1	1	1	2	3	3	3	3
6-12 YRS	6	2.8	16	<1	<1	1	2	10	11	11
13-19 YRS	5	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	70	1.1		<1	<1	<1	1	1	2	2
1-5 YRS	649	1.2		<1	<1	1	1	2	2	2
6-12 YRS	337	1.2		<1	<1	1	1	2	2	3
13-19 YRS	135	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	27	1.4	1	<1	<1	<1	2	3	4	5
6-12 YRS	11	2.4	6	<1	<1	1	2	7	8	8
13-19 YRS	15	4.0	9	<1	1	3	6	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	24	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	273	1.3		<1	<1	1	1	2	2	3
6-12 YRS	120	1.3		<1	<1	1	2	2	2	3
13-19 YRS	63	1.2		<1	<1	1	1	2	2	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.0	4	<1	1	1	2	3	6	11
B. *Operated*	1192	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	54	2.4	5	<1	<1	1	3	6	8	10
B. *Operated*	480	1.2		<1	<1	1	1	2	2	3
1. SINGLE DX	1216	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX	534	1.4	1	<1	<1	1	1	2	2	6
A. NOT OPERATED	78	2.2	5	<1	<1	1	3	5	8	11
B. OPERATED	1672	1.2		<1	<1	1	1	2	2	3
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	98	1.1		<1	<1	1	1	2	2	3
1-5 YRS	959	1.2		<1	<1	1	1	2	2	3
6-12 YRS	474	1.3	1	<1	<1	1	1	2	2	3
13-19 YRS	218	1.4	1	<1	<1	1	1	2	2	8
GRAND TOTAL	**1750**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	3.1	2	1	2	3	4	5	6	7
1-11 MOS	49	2.1	3	<1	<1	1	3	5	7	8
1-5 YRS	115	2.4	3	<1	<1	2	3	5	6	8
6-12 YRS	36	3.0	2	<1	1	3	4	5	6	7
13-19 YRS	41	3.7	7	<1	1	3	4	7	10	13
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	2.7	4	<1	<1	2	4	6	6	6
1-5 YRS	61	1.7	5	<1	<1	1	2	2	4	14
6-12 YRS	53	1.6	2	<1	<1	1	2	3	4	7
13-19 YRS	69	2.1	3	<1	<1	2	2	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	45	3.4	3	1	1	3	4	6	6	8
1-11 MOS	115	3.7	6	1	1	3	5	6	7	15
1-5 YRS	158	3.7	12	<1	1	3	4	7	9	21
6-12 YRS	44	4.0	5	<1	1	4	5	7	8	10
13-19 YRS	43	3.8	3	1	2	4	5	6	6	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	24	4.3	14	<1	1	3	6	8	12	18
1-5 YRS	41	2.9	7	<1	<1	2	4	6	9	10
6-12 YRS	45	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	58	2.5	5	<1	1	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	2.7	4	<1	<1	2	4	5	6	9
B. *Operated*	193	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	405	3.7	8	1	1	3	5	6	7	13
B. *Operated*	169	2.8	6	<1	1	2	4	6	7	12
1. SINGLE DX	456	2.3	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	574	3.4	7	<1	1	3	4	6	7	13
A. NOT OPERATED	668	3.3	6	<1	<1	3	4	6	7	11
B. OPERATED	362	2.3	5	<1	<1	1	3	5	7	10
TOTAL 0-27 DYS	69	3.3	3	1	1	3	4	6	6	8
1-11 MOS	197	3.3	7	<1	<1	3	4	6	7	15
1-5 YRS	375	2.9	8	<1	<1	2	4	6	7	14
6-12 YRS	178	2.7	4	<1	<1	2	4	5	7	9
13-19 YRS	211	2.9	5	<1	1	2	4	6	7	11
GRAND TOTAL	**1030**	**3.0**	**6**	**<1**	**<1**	**2**	**4**	**6**	**7**	**11**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	3.4	4	2	2	3	4	5	8	10
1-11 MOS	205	3.6	4	1	2	3	4	6	8	11
1-5 YRS	562	3.1	2	1	2	3	4	5	6	8
6-12 YRS	190	3.4	4	1	1	3	4	6	7	11
13-19 YRS	109	3.5	4	<1	1	3	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.3	8	<1	1	2	4	8	9	10
1-5 YRS	40	2.7	5	<1	<1	2	3	5	8	11
6-12 YRS	32	3.2	11	<1	1	2	4	8	12	13
13-19 YRS	31	3.2	7	<1	<1	2	4	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	3.9	4	1	2	3	5	7	8	10
1-11 MOS	344	4.0	5	1	2	3	5	7	9	11
1-5 YRS	668	3.9	6	1	2	3	5	7	8	12
6-12 YRS	263	4.2	6	1	2	4	5	7	9	14
13-19 YRS	121	5.0	10	1	2	4	6	9	11	17
B. *Operated*										
0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	25	3.0	7	<1	1	2	3	8	9	10
1-5 YRS	52	4.5	12	<1	1	4	7	11	11	13
6-12 YRS	69	4.6	16	1	1	3	6	10	13	20
13-19 YRS	94	4.7	45	1	1	3	5	10	13	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	3.3	3	1	2	3	4	5	7	10
B. *Operated*	119	3.0	7	<1	1	2	4	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1423	4.1	6	1	2	3	5	7	9	12
B. *Operated*	243	4.4	25	1	1	3	6	10	12	21
1. SINGLE DX	1202	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	1666	4.1	9	1	2	3	5	7	9	14
A. NOT OPERATED	2506	3.7	5	1	2	3	5	6	8	11
B. OPERATED	362	4.0	20	<1	1	3	5	9	11	17
TOTAL 0-27 DYS	47	3.7	4	1	2	3	5	7	8	10
1-11 MOS	590	3.8	5	1	2	3	5	7	8	11
1-5 YRS	1322	3.5	5	1	2	3	4	6	7	11
6-12 YRS	554	3.9	7	1	1	3	5	7	9	14
13-19 YRS	355	4.3	18	1	1	3	5	8	10	17
GRAND TOTAL	**2868**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	2.6	3	<1	<1	2	4	5	5	5
1-5 YRS	5	2.0	5	<1	<1	<1	2	6	6	6
6-12 YRS	11	2.4	4	<1	<1	2	2	5	8	8
13-19 YRS	3	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	6	2.7	7	1	1	2	2	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.8	10	<1	<1	2	3	8	11	11
1-5 YRS	10	2.0	2	<1	<1	2	2	4	5	5
6-12 YRS	10	2.4	2	1	1	2	3	4	5	5
13-19 YRS	23	2.9	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	28	1	1	3	9	11	11	11
1-5 YRS	11	1.5	1	<1	<1	1	2	3	4	4
6-12 YRS	11	2.0	1	<1	1	2	2	3	4	4
13-19 YRS	13	1.6	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.4	3	<1	<1	2	3	5	6	8
B. *Operated*	12	1.9	4	<1	<1	1	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	52	2.6	4	<1	<1	2	3	5	7	11
B. *Operated*	38	2.0	3	<1	1	2	2	3	4	11
1. SINGLE DX	39	2.3	3	<1	<1	2	3	5	7	8
2. MULTIPLE DX	90	2.3	4	<1	1	2	3	4	6	11
A. NOT OPERATED	79	2.5	4	<1	<1	2	3	5	7	10
B. OPERATED	50	2.0	3	<1	<1	2	2	3	4	11
TOTAL 0-27 DYS										
1-11 MOS	20	3.1	9	<1	<1	2	3	8	11	11
1-5 YRS	30	1.7	2	<1	<1	1	2	3	5	6
6-12 YRS	34	2.2	2	<1	1	2	2	3	5	8
13-19 YRS	45	2.5	3	<1	1	2	3	5	7	8
GRAND TOTAL	**129**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	95	2.9	2	1	2	3	4	4	5	8
1-11 MOS	605	2.5	2	1	1	2	3	4	5	7
1-5 YRS	423	2.5	2	1	1	2	3	4	5	8
6-12 YRS	46	2.9	3	<1	1	2	4	6	7	7
13-19 YRS	19	2.9	3	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS	5	2.4	1	<1	<1	3	3	3	3	3
1-11 MOS	132	1.6	2	<1	<1	<1	1	3	4	9
1-5 YRS	1080	1.2	1	<1	<1	<1	<1	1	2	7
6-12 YRS	647	1.3	7	<1	<1	<1	1	2	2	6
13-19 YRS	269	1.3	1	<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	157	3.5	7	1	2	3	4	5	7	11
1-11 MOS	1938	2.9	3	1	1	3	4	5	6	9
1-5 YRS	2349	2.9	4	1	1	3	4	5	6	10
6-12 YRS	287	3.3	6	1	1	3	4	7	8	12
13-19 YRS	96	4.0	13	1	1	3	5	9	10	19
B. *Operated*										
0-27 DYS	11	3.0	2	1	1	3	4	5	6	6
1-11 MOS	169	3.2	11	<1	<1	2	4	6	8	18
1-5 YRS	1876	1.5	3	<1	<1	1	1	2	5	10
6-12 YRS	1315	1.3	2	<1	<1	1	1	2	2	6
13-19 YRS	431	1.6	2	<1	1	1	2	2	3	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	2.5	2	1	1	2	3	4	5	7
B. *Operated*	2133	1.3	3	<1	<1	<1	1	2	2	7
2. MULTIPLE DX										
A. *Not Operated*	4827	3.0	4	1	1	3	4	5	6	10
B. *Operated*	3802	1.5	3	<1	<1	1	1	2	4	10
1. SINGLE DX	3321	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	8629	2.3	4	<1	<1	2	3	4	6	10
A. NOT OPERATED	6015	2.9	4	1	1	3	4	5	6	10
B. OPERATED	5935	1.4	3	<1	<1	1	1	2	3	9
TOTAL 0-27 DYS	268	3.3	5	1	2	3	4	5	6	9
1-11 MOS	2844	2.8	3	<1	1	2	3	5	6	9
1-5 YRS	5728	2.1	4	<1	<1	1	3	4	6	10
6-12 YRS	2295	1.6	4	<1	<1	1	1	3	4	9
13-19 YRS	815	1.8	4	<1	<1	1	2	3	5	10
GRAND TOTAL	**11950**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	2.3	1	1	1	2	3	4	4	4
1-11 MOS	73	2.8	3	1	1	3	4	4	6	10
1-5 YRS	141	3.2	4	1	1	3	4	5	8	10
6-12 YRS	59	3.9	10	1	1	3	4	8	11	16
13-19 YRS	51	4.2	7	2	2	4	5	7	10	16
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	26	2.4	6	<1	<1	1	3	5	9	10
1-5 YRS	144	2.0	5	<1	<1	<1	2	4	6	13
6-12 YRS	105	1.8	3	<1	<1	1	2	3	6	10
13-19 YRS	55	2.7	15	<1	<1	1	2	7	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.1	2	1	3	4	4	6	8	8
1-11 MOS	213	3.3	5	1	1	3	4	5	8	15
1-5 YRS	442	3.5	5	1	1	3	5	6	8	11
6-12 YRS	158	4.3	15	1	2	4	5	7	9	17
13-19 YRS	94	4.3	11	1	2	3	6	7	10	21
B. *Operated*										
0-27 DYS	3	4.7	10	1	1	6	7	7	7	7
1-11 MOS	38	5.6	17	1	2	4	7	13	15	17
1-5 YRS	228	3.2	16	<1	<1	1	4	9	11	21
6-12 YRS	214	2.7	28	<1	<1	1	2	5	8	31
13-19 YRS	140	3.6	35	1	1	2	3	8	13	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	3.4	5	1	1	3	4	6	8	12
B. *Operated*	332	2.1	6	<1	<1	1	2	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	921	3.7	8	1	1	3	5	6	8	14
B. *Operated*	623	3.3	25	<1	<1	1	3	8	12	26
1. SINGLE DX	664	2.7	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX	1544	3.5	15	<1	1	3	4	7	10	18
A. NOT OPERATED	1253	3.6	7	1	1	3	4	6	8	13
B. OPERATED	955	2.9	19	<1	<1	1	3	7	10	21
TOTAL 0-27 DYS	27	3.6	3	1	1	4	4	6	7	8
1-11 MOS	350	3.4	7	1	1	3	4	6	9	15
1-5 YRS	955	3.2	8	<1	<1	2	4	6	9	14
6-12 YRS	536	3.1	18	<1	<1	2	4	6	9	18
13-19 YRS	340	3.8	21	1	1	2	4	7	12	22
GRAND TOTAL	**2208**	**3.3**	**12**	**<1**	**<1**	**2**	**4**	**6**	**9**	**16**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	9	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	7	2.0	1	<1	<1	2	2	4	4	4
13-19 YRS	23	2.0	2	1	1	1	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.8	2	1	1	1	3	4	4	4
6-12 YRS	7	2.0	5	<1	<1	1	2	6	7	7
13-19 YRS	13	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	9	2.2	2	<1	<1	2	4	4	4	4
6-12 YRS	17	3.1	4	1	1	3	4	6	8	9
13-19 YRS	42	3.2	5	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	3.0	5	1	1	2	4	6	6	6
13-19 YRS	14	3.4	10	<1	1	3	5	6	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.0	1	<1	1	2	3	4	4	5
B. *Operated*	26	2.0	2	<1	1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	72	3.1	4	1	1	3	4	6	8	10
B. *Operated*	19	3.5	8	<1	1	3	5	6	10	13
1. SINGLE DX	68	2.0	2	<1	1	1	3	4	5	7
2. MULTIPLE DX	91	3.2	5	1	1	3	4	6	8	12
A. NOT OPERATED	114	2.7	3	1	1	2	3	5	6	10
B. OPERATED	45	2.6	5	<1	1	2	3	5	6	13
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	3.2	1	2	2	3	4	4	4	4
1-5 YRS	25	2.1	2	<1	<1	1	3	4	5	6
6-12 YRS	35	2.7	4	<1	1	2	3	6	7	9
13-19 YRS	92	2.8	5	1	1	2	4	5	6	12
GRAND TOTAL	**159**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.3		<1	<1	1	2	2	2	2
13-19 YRS	32	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	1.3	1	1	1	1	1	3	3	3
13-19 YRS	15	1.7		1	1	2	2	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	40	1.6		<1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	21	1.6		1	1	2	2	3	3	3
1. SINGLE DX	42	1.5		<1	1	2	2	2	2	2
2. MULTIPLE DX	21	1.6		1	1	2	2	3	3	3
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	61	1.6		1	1	2	2	2	2	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	14	1.4		<1	<1	1	2	2	3	3
13-19 YRS	48	1.6		1	1	2	2	2	2	3
GRAND TOTAL	**63**	**1.6**		**1**	**1**	**2**	**2**	**2**	**2**	**3**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	14	2.0	2	<1	<1	1	3	4	5	5
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	11	2.6	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	165	1.3		<1	<1	1	1	2	2	4
6-12 YRS	600	1.2	2	<1	<1	1	1	2	2	3
13-19 YRS	444	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	2.6	2	1	1	2	3	5	5	5
1-5 YRS	33	2.8	7	<1	<1	2	4	6	9	12
6-12 YRS	20	3.4	12	<1	<1	1	6	9	10	11
13-19 YRS	18	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	138	1.9	10	<1	<1	1	2	3	6	18
6-12 YRS	606	1.3	1	<1	1	1	1	2	3	6
13-19 YRS	486	1.4	1	<1	1	1	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	1212	1.2	1	<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	81	2.8	6	<1	<1	2	4	6	9	12
B. *Operated*	1231	1.4	2	<1	1	1	1	2	3	7
1. SINGLE DX	1243	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1312	1.5	2	<1	1	1	2	2	3	8
A. NOT OPERATED	112	2.7	5	<1	<1	2	3	5	8	11
B. OPERATED	2443	1.3	1	<1	<1	1	1	2	2	5
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	14	2.1	2	<1	<1	2	3	5	5	5
1-5 YRS	350	1.7	5	<1	<1	1	2	3	5	11
6-12 YRS	1230	1.3	1	<1	<1	1	1	2	2	6
13-19 YRS	959	1.3	1	<1	1	1	1	2	3	5
GRAND TOTAL	**2555**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	4.3	4	1	2	4	6	7	8	8
6-12 YRS	82	6.4	20	2	2	5	9	12	15	22
13-19 YRS	33	7.4	50	2	3	5	7	15	28	32
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	2	17.5	145	9	9	17	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	11.2	159	1	2	7	14	25	44	49
6-12 YRS	59	6.8	25	2	3	5	9	14	15	27
13-19 YRS	45	6.7	16	2	2	6	9	12	15	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	3	7.7	58	1	1	6	13	16	16	16
13-19 YRS	4	23.8	248	6	6	25	37	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	6.4	26	2	2	5	8	12	15	30
B. *Operated*	3	13.3	124	5	5	9	22	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	117	7.2	37	2	2	5	9	14	16	34
B. *Operated*	9	13.6	206	1	1	6	21	37	38	38
1. SINGLE DX	133	6.5	28	2	2	5	8	12	17	30
2. MULTIPLE DX	126	7.7	50	2	2	6	10	15	17	41
A. NOT OPERATED	247	6.8	31	2	2	5	9	13	16	29
B. OPERATED	12	13.5	173	1	1	8	21	37	38	38
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	31	7.1	79	1	2	5	7	15	19	49
6-12 YRS	144	6.6	22	2	2	5	9	14	15	24
13-19 YRS	84	8.0	54	2	2	6	9	15	27	37
GRAND TOTAL	**259**	**7.1**	**39**	**2**	**2**	**5**	**9**	**14**	**17**	**36**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	3.7	6	1	1	4	5	6	6	6
13-19 YRS	3	18.7	506	1	1	11	36	44	44	44
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	19	4.3	12	1	1	2	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	11	4.2	2	2	2	4	5	7	7	7
13-19 YRS	15	4.3	13	1	1	3	6	10	12	13
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.7	42	1	1	8	12	14	14	14
1-5 YRS	6	16.7	716	1	1	6	16	65	70	70
6-12 YRS	13	8.9	178	1	1	7	9	22	46	51
13-19 YRS	20	9.8	201	1	1	7	10	19	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	10.0	237	1	1	4	10	37	44	44
B. *Operated*	25	4.1	11	1	1	2	7	10	10	11
2. MULTIPLE DX										
A. *Not Operated*	27	4.1	8	1	1	4	5	8	10	13
B. *Operated*	42	10.4	242	1	1	7	10	18	57	70
1. SINGLE DX	32	5.4	61	1	1	3	7	10	11	44
2. MULTIPLE DX	69	7.9	158	1	1	4	8	15	22	69
A. NOT OPERATED	34	5.3	55	1	1	4	6	10	13	44
B. OPERATED	67	8.0	164	1	1	4	9	15	25	69
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	8.3	30	1	1	9	12	14	14	14
1-5 YRS	8	13.1	555	1	1	3	12	54	70	70
6-12 YRS	31	5.9	80	1	1	4	7	9	15	51
13-19 YRS	57	7.0	108	1	1	4	8	13	20	64
GRAND TOTAL	**101**	**7.1**	**128**	**1**	**1**	**4**	**8**	**13**	**19**	**67**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.7	3	1	1	2	4	5	5	5
1-5 YRS	4	2.5	2	1	1	2	3	4	4	4
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	49	2.7	3	1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	12	1	1	5	7	8	8	8
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	11	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	9.5	85	3	3	9	16	16	16	16
1-11 MOS	19	3.5	4	1	1	3	5	6	8	9
1-5 YRS	23	4.7	9	1	1	5	7	9	11	12
6-12 YRS	35	4.0	10	1	1	3	6	8	10	15
13-19 YRS	78	3.5	5	1	1	3	4	7	8	11
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	7.7	2	6	6	8	9	9	9	9
1-5 YRS	4	14.8	300	1	1	9	25	40	40	40
6-12 YRS	14	2.7	3	1	1	2	3	6	7	7
13-19 YRS	27	6.3	45	1	1	3	8	15	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.6	2	1	1	2	3	5	6	7
B. *Operated*	16	2.8	4	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	157	3.9	7	1	1	3	5	7	9	15
B. *Operated*	50	5.9	53	1	1	3	7	11	20	40
1. SINGLE DX	80	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	207	4.4	19	1	1	3	6	8	11	24
A. NOT OPERATED	221	3.5	6	1	1	3	5	7	8	13
B. OPERATED	66	5.2	43	1	1	3	7	10	17	38
TOTAL 0-27 DYS	5	5.4	36	1	1	3	7	16	16	16
1-11 MOS	29	3.7	5	1	1	3	5	8	9	9
1-5 YRS	34	5.6	46	1	1	4	7	10	12	40
6-12 YRS	54	3.5	8	1	1	3	4	7	8	15
13-19 YRS	165	3.6	12	1	1	3	4	7	8	19
GRAND TOTAL	**287**	**3.9**	**15**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	3.7	1	3	3	3	5	5	5	5
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	7	3.6	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	15	3.8	3	<1	1	3	5	6	7	7
B. *Operated*	2	5.5	1	5	5	5	6	6	6	6
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	17	4.0	3	<1	1	4	5	6	7	7
A. NOT OPERATED	16	3.9	3	<1	1	4	5	6	7	7
B. OPERATED	2	5.5	1	5	5	5	6	6	6	6
TOTAL 0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	4.3	2	3	3	4	5	6	6	6
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	9	3.9	3	<1	1	4	5	6	6	6
GRAND TOTAL	**18**	**4.1**	**3**	**<1**	**1**	**4**	**5**	**6**	**7**	**7**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	4	3.5	3	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	6.0	14	1	1	6	7	12	13	13
6-12 YRS	8	3.8	13	1	1	3	4	10	12	12
13-19 YRS	9	2.9	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.2	14	1	1	3	5	10	14	14
1-5 YRS	17	3.4	11	<1	1	2	4	8	12	14
6-12 YRS	31	6.5	60	1	1	3	10	15	15	40
13-19 YRS	35	4.6	14	1	1	3	6	10	13	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	52	99+	99+	99+	99+
1-5 YRS	9	19.4	186	6	6	17	29	41	46	46
6-12 YRS	22	10.5	238	1	1	7	13	18	45	74
13-19 YRS	43	8.2	46	1	1	7	14	19	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.1	6	2	2	4	5	8	9	9
B. *Operated*	24	4.1	10	1	1	3	5	8	12	13
2. MULTIPLE DX										
A. *Not Operated*	93	5.0	30	1	1	3	6	13	15	30
B. *Operated*	75	10.2	127	1	1	7	14	22	31	93
1. SINGLE DX	32	4.1	9	1	1	3	5	8	12	13
2. MULTIPLE DX	168	7.3	79	1	1	4	9	15	22	69
A. NOT OPERATED	101	4.9	28	1	1	3	5	12	14	28
B. OPERATED	99	8.7	105	1	1	6	13	19	27	87
TOTAL 0-27 DYS										
1-11 MOS	12	4.0	12	1	1	4	5	31	87	99+
1-5 YRS	34	8.4	100	1	1	5	9	18	32	46
6-12 YRS	63	7.5	117	1	1	4	10	15	19	70
13-19 YRS	91	6.1	32	1	1	4	8	14	19	25
GRAND TOTAL	**200**	**6.8**	**69**	**1**	**1**	**4**	**9**	**15**	**20**	**60**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	10.8	21	5	5	12	13	17	17	17
1-11 MOS	17	8.1	11	3	4	8	10	12	15	16
1-5 YRS	6	7.2	5	4	4	7	8	11	11	11
6-12 YRS	2	14.0	128	6	6	22	80	99+	99+	99+
13-19 YRS	14	6.1	11	<1	1	6	9	10	12	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	24.9	650	9	10	17	20	70	82	82
1-5 YRS	1	47.0		47	47	47	47	47	47	47
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	5	8.2	5	6	6	8	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.7	20	3	3	8	11	12	12	12
B. *Operated*	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	44	7.9	17	2	4	7	10	12	18	99+
B. *Operated*	15	18.9	407	6	7	12	18	47	73	82
1. SINGLE DX	5	7.0	19	2	2	8	10	12	12	12
2. MULTIPLE DX	59	10.7	134	2	4	8	12	18	34	98
A. NOT OPERATED	47	7.9	17	2	3	7	10	12	17	99+
B. OPERATED	17	17.4	376	3	6	12	17	42	70	82
TOTAL 0-27 DYS	6	10.2	19	5	5	10	12	17	17	17
1-11 MOS	27	12.0	219	3	3	9	12	18	30	82
1-5 YRS	7	12.9	231	4	4	7	10	40	47	47
6-12 YRS	3	14.0	64	6	6	18	61	99+	99+	99+
13-19 YRS	21	7.0	11	1	2	7	9	12	12	12
GRAND TOTAL	**64**	**10.4**	**126**	**2**	**4**	**8**	**12**	**17**	**28**	**97**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.0	7	1	1	4	5	8	9	9
1-11 MOS	11	3.4	3	1	1	4	5	5	5	5
1-5 YRS	3	6.0	9	3	3	6	8	9	9	9
6-12 YRS										
13-19 YRS	7	3.7	5	1	1	3	6	7	7	7
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	4.9	13	1	1	6	8	10	10	10
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS										
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	28	3.9	5	1	1	4	5	7	9	9
B. *Operated*	12	4.3	9	<1	1	4	6	9	10	10
1. SINGLE DX	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX	40	4.0	6	1	1	4	5	7	9	10
A. NOT OPERATED	30	3.7	5	1	1	4	5	7	9	9
B. OPERATED	14	3.9	8	<1	<1	3	6	8	10	10
TOTAL 0-27 DYS	9	3.3	7	<1	<1	3	4	7	9	9
1-11 MOS	21	3.6	7	1	1	3	5	7	9	10
1-5 YRS	5	5.2	6	3	3	5	7	9	9	9
6-12 YRS										
13-19 YRS	9	3.8	4	1	1	3	5	7	7	7
GRAND TOTAL	**44**	**3.8**	**6**	**<1**	**1**	**3**	**5**	**7**	**9**	**10**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	3.9	7	2	2	3	5	8	10	10
1-11 MOS	31	5.1	11	1	2	4	7	11	12	14
1-5 YRS	9	4.0	2	2	2	3	5	6	6	6
6-12 YRS	2	6.0	8	4	4	6	8	8	8	8
13-19 YRS	7	4.7	5	2	2	4	6	8	9	9
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	10.0	12	6	6	12	12	12	12	12
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	6.7	26	1	1	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	58	4.7	8	2	2	4	6	9	11	14
B. *Operated*	9	6.8	18	1	1	6	11	12	12	12
1. SINGLE DX	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX	67	5.0	9	2	2	4	6	10	12	14
A. NOT OPERATED	62	4.6	8	1	2	4	6	8	11	14
B. OPERATED	9	6.8	18	1	1	6	11	12	12	12
TOTAL 0-27 DYS	10	3.7	7	2	2	3	4	8	10	10
1-11 MOS	36	5.3	13	1	2	4	7	12	12	14
1-5 YRS	12	3.9	2	2	2	4	5	6	6	6
6-12 YRS	3	5.7	4	4	4	5	7	8	8	8
13-19 YRS	10	5.3	10	1	1	5	8	10	11	11
GRAND TOTAL	**71**	**4.9**	**9**	**1**	**2**	**4**	**6**	**10**	**12**	**14**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	4	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	4.5	17	<1	<1	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	6	3.5	2	1	1	4	5	5	5	5
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	7	8.7	49	2	2	7	13	20	21	21
1-11 MOS	8	7.4	70	1	1	5	9	22	26	26
1-5 YRS	6	2.3	2	1	1	2	4	4	4	4
6-12 YRS	7	5.7	26	1	1	3	10	13	13	13
13-19 YRS	4	2.0	4	1	1	1	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	2.4	6	<1	<1	2	2	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	10	5.1	21	1	1	4	5	12	17	17
B. *Operated*	32	5.7	38	1	1	3	7	14	20	26
1. SINGLE DX	15	2.4	6	<1	<1	2	2	7	8	9
2. MULTIPLE DX	42	5.5	33	1	1	4	7	14	19	26
A. NOT OPERATED	10	5.1	21	1	1	4	5	12	17	17
B. OPERATED	47	4.6	29	<1	1	2	6	12	16	26
TOTAL 0-27 DYS	10	8.4	47	2	2	6	15	19	21	21
1-11 MOS	19	4.5	35	<1	1	3	5	10	20	26
1-5 YRS	11	2.7	4	1	1	2	3	6	8	8
6-12 YRS	8	5.3	24	1	1	3	10	12	13	13
13-19 YRS	9	3.1	10	<1	<1	1	5	8	9	9
GRAND TOTAL	**57**	**4.7**	**28**	**1**	**1**	**2**	**6**	**12**	**16**	**26**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	14	7.0	7	4	4	6	9	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.0	3	5	5	7	8	9	9	9
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	30	9.6	31	3	4	8	11	17	18	30
B. *Operated*										
0-27 DYS										
1-11 MOS	4	14.0	43	8	8	12	18	24	24	24
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	15	11.1	34	4	5	12	15	18	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.2	6	4	4	7	9	11	12	12
B. *Operated*	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	37	8.8	28	2	4	7	11	15	18	30
B. *Operated*	20	11.2	40	2	4	11	15	21	23	24
1. SINGLE DX	18	7.4	6	4	4	7	9	11	12	12
2. MULTIPLE DX	57	9.7	33	2	4	8	12	18	21	30
A. NOT OPERATED	53	8.3	22	3	4	7	10	13	17	30
B. OPERATED	22	11.0	36	3	4	10	14	20	23	24
TOTAL 0-27 DYS										
1-11 MOS	9	10.2	32	5	6	8	11	20	24	24
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	4.0	15	1	1	3	7	9	9	9
13-19 YRS	61	9.4	26	4	4	8	12	17	18	29
GRAND TOTAL	**75**	**9.1**	**27**	**3**	**4**	**8**	**11**	**16**	**18**	**28**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	2	15.0	338	2	2	15	28	28	28	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	16.3	617	1	1	3	34	45	45	45
1-5 YRS	9	13.8	233	2	2	4	24	39	43	43
6-12 YRS	17	20.4	235	3	4	15	30	41	50	54
13-19 YRS	30	22.6	191	2	3	26	31	41	46	51
B. *Operated*										
0-27 DYS										
1-11 MOS	1	85.0		85	85	85	85	85	85	85
1-5 YRS	2	39.0	1800	9	9	39	69	69	69	69
6-12 YRS	7	41.3	536	10	11	42	55	73	77	77
13-19 YRS	11	24.3	157	11	12	22	35	43	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	11.3	209	2	2	4	22	28	28	28
B. *Operated*	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	59	20.3	224	2	2	18	31	42	46	54
B. *Operated*	21	34.2	532	10	11	34	46	72	81	85
1. SINGLE DX	4	15.8	218	2	2	16	28	29	29	29
2. MULTIPLE DX	80	24.0	337	2	3	20	34	45	55	83
A. NOT OPERATED	62	19.9	224	2	2	17	30	42	45	54
B. OPERATED	22	34.0	508	10	11	31	44	71	80	85
TOTAL 0-27 DYS										
1-11 MOS	4	33.5	1590	1	1	24	65	85	85	85
1-5 YRS	12	17.2	445	2	2	7	27	51	66	69
6-12 YRS	24	26.5	397	3	4	22	41	54	62	77
13-19 YRS	44	22.8	178	2	4	24	31	43	45	51
GRAND TOTAL	**84**	**23.6**	**332**	**2**	**3**	**20**	**34**	**45**	**55**	**82**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	3.1	8	1	1	1	4	8	9	10
1-11 MOS	20	2.4	2	1	1	2	3	4	5	6
1-5 YRS	17	2.1	2	<1	1	2	3	4	5	6
6-12 YRS	18	1.7	1	<1	1	1	2	3	4	4
13-19 YRS	20	2.5	3	<1	<1	2	3	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	7.1	67	1	1	4	10	20	28	28
1-11 MOS	27	3.9	8	<1	1	3	6	8	9	12
1-5 YRS	24	2.8	5	<1	1	2	4	5	8	10
6-12 YRS	21	2.5	2	<1	1	2	3	4	5	5
13-19 YRS	30	2.3	2	1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.3	3	1	1	2	3	5	6	9
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	112	3.3	11	<1	1	2	4	6	9	18
B. *Operated*	6	2.5	2	1	1	2	4	4	4	4
1. SINGLE DX	92	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX	118	3.2	11	<1	1	2	4	6	9	17
A. NOT OPERATED	202	2.8	8	<1	1	2	4	6	7	12
B. OPERATED	8	2.3	2	1	1	2	3	4	4	4
TOTAL 0-27 DYS	25	4.7	34	1	1	3	5	10	16	28
1-11 MOS	47	3.3	6	1	1	3	4	7	8	12
1-5 YRS	43	2.5	4	<1	1	2	4	5	6	10
6-12 YRS	42	2.1	1	<1	1	2	3	4	5	5
13-19 YRS	53	2.4	3	<1	1	2	3	5	6	7
GRAND TOTAL	**210**	**2.8**	**8**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS										
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	18	2.0	1	1	1	2	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	12	<1	<1	1	5	7	7	7
1-11 MOS	18	4.0	2	2	2	3	6	6	7	7
1-5 YRS	10	2.8	3	<1	<1	2	4	5	6	6
6-12 YRS	24	5.0	18	<1	1	3	8	12	13	15
13-19 YRS	57	2.8	6	<1	<1	2	4	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.7	41	1	1	3	10	13	13	13
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	10	5.3	15	1	1	5	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	112	3.4	9	<1	<1	2	4	8	10	13
B. *Operated*	18	4.4	16	1	1	3	8	11	12	13
1. SINGLE DX	25	2.4	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	130	3.6	10	<1	1	3	4	8	11	13
A. NOT OPERATED	136	3.3	8	<1	1	2	4	7	10	13
B. OPERATED	19	4.4	15	1	1	3	8	11	12	13
TOTAL 0-27 DYS	5	3.0	8	<1	<1	1	5	7	7	7
1-11 MOS	23	4.1	6	1	2	3	5	6	9	13
1-5 YRS	11	2.6	3	<1	<1	2	4	5	6	6
6-12 YRS	30	4.6	16	<1	1	3	8	11	12	15
13-19 YRS	86	2.9	7	<1	1	2	4	8	10	11
GRAND TOTAL	**155**	**3.4**	**9**	**<1**	**1**	**2**	**4**	**8**	**10**	**13**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	3.5	6	1	1	3	4	7	8	13
1-11 MOS	46	2.8	6	<1	1	2	4	4	7	15
1-5 YRS	30	3.6	30	<1	1	2	2	8	18	26
6-12 YRS	31	1.9	2	<1	<1	1	3	4	5	6
13-19 YRS	54	2.2	1	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	17	3.7	9	1	1	2	4	9	11	12
13-19 YRS	36	4.3	10	1	1	3	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	28	3.5	4	1	1	3	5	7	7	8
1-11 MOS	109	4.4	23	1	1	3	5	9	13	30
1-5 YRS	67	3.4	6	<1	1	3	4	7	8	11
6-12 YRS	61	3.4	9	<1	1	2	4	7	8	18
13-19 YRS	180	3.3	10	1	1	2	4	6	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	18	15.1	493	1	2	8	10	39	74	93
1-5 YRS	29	8.9	235	1	1	4	9	14	47	76
6-12 YRS	31	4.8	26	1	1	3	5	11	19	22
13-19 YRS	66	7.6	192	1	2	4	8	11	19	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	2.7	8	<1	1	2	3	5	6	17
B. *Operated*	57	4.1	9	1	1	3	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	445	3.6	12	1	1	3	4	7	9	18
B. *Operated*	144	8.2	206	1	1	4	8	13	24	93
1. SINGLE DX	249	3.0	9	<1	1	2	3	6	9	15
2. MULTIPLE DX	589	4.7	63	1	1	3	5	9	12	39
A. NOT OPERATED	637	3.3	11	1	1	2	4	6	8	18
B. OPERATED	201	7.0	153	1	1	4	8	11	20	84
TOTAL 0-27 DYS	60	3.5	5	1	1	3	5	7	8	13
1-11 MOS	173	5.1	77	1	1	3	5	10	15	42
1-5 YRS	129	4.6	67	1	1	2	5	9	11	51
6-12 YRS	140	3.4	12	<1	1	2	4	7	10	19
13-19 YRS	336	4.1	47	1	1	3	5	8	11	25
GRAND TOTAL	**838**	**4.2**	**47**	**1**	**1**	**3**	**5**	**8**	**11**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	5.0	6	2	2	4	7	8	9	9
1-5 YRS	6	3.0	2	1	1	3	4	5	5	5
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	3	5.3	16	1	1	6	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	5.5	14	1	2	5	7	10	15	15
1-11 MOS	194	5.5	23	1	2	4	7	13	14	23
1-5 YRS	118	6.2	29	1	2	5	8	13	16	31
6-12 YRS	39	4.7	9	1	1	4	6	8	11	15
13-19 YRS	78	5.9	23	1	1	4	8	13	15	23
B. *Operated*										
0-27 DYS	8	14.0	38	4	5	14	18	22	24	24
1-11 MOS	45	14.4	248	2	3	9	18	40	66	99+
1-5 YRS	17	7.7	31	1	1	7	12	15	18	19
6-12 YRS	3	19.0	241	3	3	20	30	34	34	34
13-19 YRS	16	12.1	225	2	2	8	16	23	50	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.5	7	1	1	4	6	9	9	9
B. *Operated*	3	4.0	9	<1	<1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	455	5.7	23	1	2	4	7	12	15	24
B. *Operated*	89	12.8	185	2	2	9	16	26	57	87
1. SINGLE DX	23	4.4	7	<1	1	4	7	9	9	9
2. MULTIPLE DX	544	6.9	56	1	2	5	8	14	19	42
A. NOT OPERATED	475	5.7	22	1	2	4	7	12	15	23
B. OPERATED	92	12.5	181	2	2	9	16	26	55	86
TOTAL 0-27 DYS	35	7.3	32	1	2	6	10	16	18	24
1-11 MOS	248	7.1	74	1	2	5	8	14	22	66
1-5 YRS	142	6.2	28	1	2	5	8	13	16	30
6-12 YRS	44	5.8	33	1	2	4	6	11	16	34
13-19 YRS	98	6.9	59	1	1	5	9	14	18	45
GRAND TOTAL	**567**	**6.8**	**54**	**1**	**2**	**5**	**8**	**14**	**19**	**40**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	9	2.7	7	<1	<1	2	3	7	9	9
1-5 YRS	11	3.2	9	1	1	2	4	8	11	11
6-12 YRS	18	3.6	4	<1	1	3	5	6	7	7
13-19 YRS	111	3.5	7	<1	1	3	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	12	3.6	9	1	1	2	6	8	9	9
1-5 YRS	33	2.9	15	<1	1	2	3	6	7	22
6-12 YRS	36	3.6	8	<1	1	2	6	9	9	9
13-19 YRS	48	3.2	9	<1	1	2	5	7	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.8	25	1	1	3	6	13	16	16
1-11 MOS	39	7.6	49	1	2	6	9	19	22	34
1-5 YRS	67	5.3	22	1	1	4	7	12	14	23
6-12 YRS	64	4.2	15	1	1	3	5	10	12	18
13-19 YRS	208	4.4	16	1	1	4	6	8	10	23
B. *Operated*										
0-27 DYS	4	34.8	790	10	10	33	59	62	62	62
1-11 MOS	33	9.3	127	1	2	6	11	20	37	53
1-5 YRS	88	5.5	37	<1	1	2	8	15	18	28
6-12 YRS	58	5.7	51	1	1	3	8	15	25	94
13-19 YRS	119	9.2	154	1	1	6	11	20	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.5	7	<1	1	3	5	6	8	16
B. *Operated*	129	3.3	10	<1	1	2	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	388	4.9	21	1	1	4	6	10	13	24
B. *Operated*	302	7.8	115	<1	1	4	10	16	28	61
1. SINGLE DX	280	3.4	8	<1	1	2	5	7	9	15
2. MULTIPLE DX	690	6.1	64	1	1	4	7	13	18	42
A. NOT OPERATED	539	4.5	18	1	1	3	6	9	12	21
B. OPERATED	431	6.4	88	<1	1	3	8	14	23	57
TOTAL 0-27 DYS	16	12.7	348	1	1	6	11	52	60	62
1-11 MOS	93	7.2	72	1	1	4	9	16	23	47
1-5 YRS	199	4.9	27	<1	1	3	7	12	16	25
6-12 YRS	176	4.5	25	1	1	3	6	10	14	35
13-19 YRS	486	5.2	52	1	1	3	6	10	14	37
GRAND TOTAL	**970**	**5.3**	**50**	**1**	**1**	**3**	**6**	**11**	**16**	**38**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX	1	8.0		8	8	8	8	8	8	8
A. NOT OPERATED	1	8.0		8	8	8	8	8	8	8
B. OPERATED										
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	7.3	25	2	2	8	11	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	11	11.6	98	1	2	8	19	27	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	9.5	5	8	8	9	11	11	11	11
1-5 YRS	2	23.0	800	3	3	23	43	43	43	43
6-12 YRS										
13-19 YRS	4	4.5	6	2	2	4	6	7	7	7
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	22.5	481	7	7	22	38	38	38	38
1-5 YRS	3	10.7	65	2	2	12	16	18	18	18
6-12 YRS	5	27.2	1513	3	3	10	38	96	96	96
13-19 YRS	14	19.1	174	7	10	16	23	49	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.3	25	2	2	8	11	12	12	12
B. *Operated*	13	10.5	90	1	2	8	14	26	30	31
2. MULTIPLE DX										
A. *Not Operated*	9	9.6	166	2	2	6	9	30	43	43
B. *Operated*	25	19.6	398	3	6	13	22	49	97	99+
1. SINGLE DX	16	9.9	77	1	2	8	11	25	29	31
2. MULTIPLE DX	34	17.0	350	2	3	11	20	47	84	99+
A. NOT OPERATED	12	9.0	126	2	2	6	10	21	40	43
B. OPERATED	38	16.5	306	2	3	11	21	43	75	99+
TOTAL 0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	5	13.2	203	2	2	8	18	38	38	38
1-5 YRS	5	15.6	278	2	2	12	24	43	43	43
6-12 YRS	6	23.8	1278	3	3	9	19	88	96	96
13-19 YRS	32	13.6	136	2	3	11	20	34	49	99+
GRAND TOTAL	**50**	**14.7**	**270**	**2**	**2**	**10**	**19**	**40**	**49**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	2	19.0	8	17	17	19	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	17.0	16	13	13	17	20	21	21	21
1. SINGLE DX										
2. MULTIPLE DX	3	17.0	16	13	13	17	20	21	21	21
A. NOT OPERATED										
B. OPERATED	3	17.0	16	13	13	17	20	21	21	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	2	19.0	8	17	17	19	21	21	21	21
GRAND TOTAL	**3**	**17.0**	**16**	**13**	**13**	**17**	**20**	**21**	**21**	**21**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	8	5.5	19	<1	<1	5	9	12	12	12
1-5 YRS										
6-12 YRS	3	4.7	16	1	1	4	8	9	9	9
13-19 YRS	4	9.3	113	2	2	5	15	25	25	25
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	14	7.6	52	2	2	5	8	22	24	25
1-5 YRS	2	6.5	61	1	1	6	12	12	12	12
6-12 YRS	5	13.4	25	10	10	12	15	22	22	22
13-19 YRS	11	5.7	4	3	3	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	6.2	3	4	4	6	8	8	8	8
1-11 MOS	13	6.8	39	<1	1	6	10	17	20	21
1-5 YRS	7	4.3	49	<1	<1	2	3	17	20	20
6-12 YRS	6	4.0	7	1	1	3	6	8	8	8
13-19 YRS	5	11.4	20	6	6	12	15	17	17	17
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	25	14.4	140	2	4	12	18	29	45	47
1-5 YRS	19	9.1	79	1	2	7	11	15	29	41
6-12 YRS	20	12.9	77	2	4	11	16	24	33	39
13-19 YRS	27	17.4	156	4	5	14	26	32	44	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.7	35	<1	1	4	7	12	20	25
B. *Operated*	33	8.1	37	2	2	7	10	19	22	25
2. MULTIPLE DX										
A. *Not Operated*	37	6.4	30	<1	1	6	9	16	19	21
B. *Operated*	92	13.7	123	3	3	11	18	29	41	49
1. SINGLE DX	51	7.2	37	1	1	6	9	15	22	25
2. MULTIPLE DX	129	11.6	107	1	2	9	15	26	33	48
A. NOT OPERATED	55	6.1	31	<1	1	5	8	14	19	25
B. OPERATED	125	12.2	106	2	3	9	15	27	34	48
TOTAL 0-27 DYS	11	5.9	21	1	2	5	7	12	18	18
1-11 MOS	60	10.0	94	1	1	7	12	22	27	47
1-5 YRS	28	7.7	70	<1	1	5	11	15	22	41
6-12 YRS	34	10.7	65	1	2	10	13	20	27	39
13-19 YRS	47	13.4	124	3	4	9	19	30	34	50
GRAND TOTAL	**180**	**10.4**	**91**	**1**	**2**	**8**	**13**	**23**	**29**	**46**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	19.5	61	14	14	19	25	25	25	25
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	2	29.5	1301	4	4	29	55	55	55	55
B. *Operated*										
0-27 DYS										
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS										
6-12 YRS	1	25.0		25	25	25	25	25	25	25
13-19 YRS	3	9.0	3	8	8	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	19.7	374	2	2	16	25	52	55	55
B. *Operated*	5	15.4	78	8	8	11	25	25	25	25
1. SINGLE DX										
2. MULTIPLE DX	11	17.7	223	2	3	14	25	37	53	55
A. NOT OPERATED	6	19.7	374	2	2	16	25	52	55	55
B. OPERATED	5	15.4	78	8	8	11	25	25	25	25
TOTAL 0-27 DYS										
1-11 MOS	2	13.5	265	2	2	13	25	25	25	25
1-5 YRS	2	19.5	61	14	14	19	25	25	25	25
6-12 YRS	2	21.5	25	18	18	21	25	25	25	25
13-19 YRS	5	17.2	453	4	4	8	22	55	55	55
GRAND TOTAL	**11**	**17.7**	**223**	**2**	**3**	**14**	**25**	**37**	**53**	**55**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	9.5	1	9	9	9	10	10	10	10
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	5.4	7	3	3	5	7	9	9	9
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	2	8.0	98	1	1	8	15	15	15	15
13-19 YRS	5	12.0	266	2	2	6	15	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	5	6.0	14	1	1	6	9	10	10	10
B. *Operated*	15	7.9	97	1	1	5	8	15	34	41
1. SINGLE DX	3	5.3	26	1	1	4	9	11	11	11
2. MULTIPLE DX	20	7.4	75	1	1	5	9	12	28	41
A. NOT OPERATED	6	5.7	11	1	1	5	9	10	10	10
B. OPERATED	17	7.6	88	1	1	5	9	14	32	41
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	4.7	9	1	1	4	7	9	9	9
1-5 YRS	4	8.3	5	5	5	9	10	10	10	10
6-12 YRS	4	6.5	36	1	1	5	10	15	15	15
13-19 YRS	8	9.5	171	1	1	5	9	32	41	41
GRAND TOTAL	**23**	**7.1**	**68**	**1**	**1**	**5**	**9**	**12**	**24**	**41**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	13.0	242	2	2	13	24	24	24	24
13-19 YRS	4	5.5	16	2	2	5	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	8	7.1	56	2	2	4	9	20	24	24
1. SINGLE DX										
2. MULTIPLE DX	8	7.1	56	2	2	4	9	20	24	24
A. NOT OPERATED										
B. OPERATED	8	7.1	56	2	2	4	9	20	24	24
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	13.0	242	2	2	13	24	24	24	24
13-19 YRS	4	5.5	16	2	2	5	9	9	9	9
GRAND TOTAL	**8**	**7.1**	**56**	**2**	**2**	**4**	**9**	**20**	**24**	**24**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	7.0	50	2	2	7	12	12	12	12
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	3	2	2	5	5	5	5	5
13-19 YRS	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	6.6	11	3	3	6	8	12	12	12
1-11 MOS	15	8.6	45	2	2	6	11	20	24	25
1-5 YRS	8	10.3	169	1	2	5	11	33	41	41
6-12 YRS	8	5.6	27	1	1	4	7	15	17	17
13-19 YRS	15	10.7	165	1	2	4	13	37	41	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	10.3	162	2	2	4	20	25	25	25
6-12 YRS	4	15.0	329	3	3	7	25	42	42	42
13-19 YRS	8	7.9	34	2	2	6	13	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.2	19	<1	<1	1	2	11	12	12
B. *Operated*	7	4.0	4	2	2	5	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	51	8.8	91	1	2	5	11	18	36	43
B. *Operated*	15	10.3	120	2	2	7	13	25	38	42
1. SINGLE DX	13	3.6	10	<1	1	2	5	8	11	12
2. MULTIPLE DX	66	9.2	96	2	2	5	12	20	38	43
A. NOT OPERATED	57	8.2	86	1	1	5	11	17	33	43
B. OPERATED	22	8.3	90	2	2	5	8	19	32	42
TOTAL 0-27 DYS	5	6.6	11	3	3	6	8	12	12	12
1-11 MOS	15	8.6	45	2	2	6	11	20	24	25
1-5 YRS	12	9.5	144	<1	1	5	11	30	39	41
6-12 YRS	17	7.7	95	1	2	5	8	16	33	42
13-19 YRS	30	8.1	99	1	1	4	11	17	37	43
GRAND TOTAL	**79**	**8.2**	**86**	**1**	**2**	**5**	**10**	**17**	**32**	**43**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	11	8.4	16	1	3	9	10	13	17	17
1-5 YRS	8	7.3	20	2	2	6	10	14	15	15
6-12 YRS	3	9.3	20	5	5	9	13	14	14	14
13-19 YRS	5	27.2	694	5	5	27	68	97	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	6.5	61	1	1	6	12	12	12	12
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	5	8.6	5	6	6	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	28	12.0	174	2	4	9	14	32	70	99+
B. *Operated*	9	8.2	15	1	3	8	11	13	13	13
1. SINGLE DX										
2. MULTIPLE DX	37	11.1	137	2	3	9	12	20	56	99+
A. NOT OPERATED	28	12.0	174	2	4	9	14	32	70	99+
B. OPERATED	9	8.2	15	1	3	8	11	13	13	13
TOTAL 0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	12	8.1	16	1	4	8	10	12	16	17
1-5 YRS	10	7.1	22	1	1	6	11	13	15	15
6-12 YRS	4	10.3	17	5	5	11	13	14	14	14
13-19 YRS	10	17.9	407	5	6	11	33	81	98	99+
GRAND TOTAL	**37**	**11.1**	**137**	**2**	**3**	**9**	**12**	**20**	**56**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.0	2	1	1	3	4	4	4	4
1-11 MOS	15	4.9	24	1	1	3	6	8	18	21
1-5 YRS	9	2.9	6	1	1	2	3	7	9	9
6-12 YRS	5	4.2	44	1	1	1	5	16	16	16
13-19 YRS	9	3.2	3	1	1	3	4	6	6	6
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	6	3.2	4	1	1	3	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8		1	1	2	2	2	2	2
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	42	3.8	15	1	1	3	4	7	12	21
B. *Operated*	11	5.2	18	1	1	4	7	12	15	15
1. SINGLE DX	8	1.9		1	1	2	2	2	2	2
2. MULTIPLE DX	53	4.1	16	1	1	3	5	8	14	21
A. NOT OPERATED	47	3.6	14	1	1	2	4	6	10	21
B. OPERATED	14	4.5	16	1	1	3	6	10	14	15
TOTAL 0-27 DYS	5	4.4	11	1	1	4	6	10	10	10
1-11 MOS	17	4.5	22	1	1	3	6	8	16	21
1-5 YRS	10	4.1	20	1	1	2	4	12	15	15
6-12 YRS	7	4.6	30	1	1	2	6	14	16	16
13-19 YRS	22	2.8	2	1	1	2	4	5	6	6
GRAND TOTAL	**61**	**3.8**	**14**	**1**	**1**	**2**	**4**	**7**	**12**	**20**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	5	5.8	26	<1	<1	4	10	13	13	13
1-5 YRS	10	6.4	13	2	2	6	7	12	13	13
6-12 YRS	10	6.7	56	1	1	4	6	20	22	22
13-19 YRS	8	4.8	7	1	2	5	5	9	10	10
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	3	5.7	5	3	3	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	35	5.9	23	1	2	5	7	13	18	22
B. *Operated*	5	8.2	23	3	3	7	10	16	16	16
1. SINGLE DX	9	2.6	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX	40	6.2	23	1	2	5	7	13	17	22
A. NOT OPERATED	42	5.3	21	<1	1	4	6	12	16	22
B. OPERATED	7	6.9	21	2	2	7	8	14	16	16
TOTAL 0-27 DYS	4	7.3	35	3	3	5	11	16	16	16
1-11 MOS	5	5.8	26	<1	<1	4	10	13	13	13
1-5 YRS	11	6.0	14	2	2	6	7	12	13	13
6-12 YRS	13	6.5	43	1	2	4	6	20	22	22
13-19 YRS	16	4.0	6	<1	1	4	5	7	9	10
GRAND TOTAL	**49**	**5.6**	**21**	**1**	**1**	**4**	**7**	**12**	**16**	**22**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	12.4	86	2	2	9	19	26	26	26
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	13.5	1	13	13	13	14	14	14	14
13-19 YRS	2	11.0	162	2	2	11	20	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	13.3	41	6	6	16	17	18	18	18
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	11.4	66	2	2	11	17	23	26	26
B. *Operated*	5	11.6	28	6	6	11	16	18	18	18
1. SINGLE DX										
2. MULTIPLE DX	15	11.5	50	2	2	11	17	20	24	26
A. NOT OPERATED	10	11.4	66	2	2	11	17	23	26	26
B. OPERATED	5	11.6	28	6	6	11	16	18	18	18
TOTAL 0-27 DYS										
1-11 MOS	6	11.5	74	2	2	8	17	25	26	26
1-5 YRS	4	10.8	54	3	3	11	17	18	18	18
6-12 YRS	3	12.7	2	11	11	13	14	14	14	14
13-19 YRS	2	11.0	162	2	2	11	20	20	20	20
GRAND TOTAL	**15**	**11.5**	**50**	**2**	**2**	**11**	**17**	**20**	**24**	**26**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	4	2.5	4	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	7	5.6	20	1	1	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.0	7	6	6	7	10	11	11	11
1-5 YRS	15	5.2	51	<1	2	3	6	8	24	30
6-12 YRS	12	4.3	15	1	1	3	6	11	13	13
13-19 YRS	13	4.5	18	<1	<1	3	5	9	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	8	7.9	52	1	1	4	14	19	19	19
6-12 YRS	8	24.3	945	2	2	8	46	74	78	78
13-19 YRS	11	16.1	610	<1	1	6	19	49	84	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	3	1	1	1	3	5	5	5
B. *Operated*	13	4.2	14	1	1	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	43	4.9	27	<1	1	3	6	10	14	30
B. *Operated*	28	16.0	524	1	2	6	18	54	79	87
1. SINGLE DX	21	3.4	10	1	1	2	4	9	11	12
2. MULTIPLE DX	71	9.3	249	<1	1	4	9	20	30	85
A. NOT OPERATED	51	4.5	24	<1	1	3	6	9	13	30
B. OPERATED	41	12.3	389	1	1	5	13	25	71	87
TOTAL 0-27 DYS										
1-11 MOS	4	9.8	17	6	6	9	13	15	15	15
1-5 YRS	25	5.9	48	1	1	3	6	18	22	30
6-12 YRS	28	9.3	345	1	1	3	6	23	67	78
13-19 YRS	35	8.1	220	<1	1	4	7	17	22	87
GRAND TOTAL	**92**	**7.9**	**200**	**1**	**1**	**3**	**7**	**17**	**27**	**83**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.7	41	5	5	7	14	17	17	17
1-5 YRS	15	8.3	30	1	2	8	11	12	20	23
6-12 YRS	6	4.7	14	1	1	4	8	9	9	9
13-19 YRS	5	6.6	40	1	1	4	11	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	4	2.8	8	<1	<1	1	4	7	7	7
B. *Operated*	29	7.4	29	1	1	7	10	14	17	23
1. SINGLE DX	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX	33	6.8	28	1	1	7	10	13	17	23
A. NOT OPERATED	4	2.8	8	<1	<1	1	4	7	7	7
B. OPERATED	33	6.7	29	1	1	5	10	13	17	23
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	6.3	35	1	1	6	7	16	17	17
1-5 YRS	17	7.5	32	<1	1	7	11	12	19	23
6-12 YRS	6	4.7	14	1	1	4	8	9	9	9
13-19 YRS	7	5.1	33	1	1	2	8	15	16	16
GRAND TOTAL	**37**	**6.2**	**28**	**1**	**1**	**5**	**10**	**12**	**17**	**23**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	8	15.5	209	2	4	9	20	41	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	13	12.9	147	<1	2	9	14	32	43	46
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	14	12.1	146	<1	<1	9	14	30	42	46
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	14	12.4	140	<1	2	9	14	30	42	46
TOTAL 0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	9.5	41	5	5	9	14	14	14	14
13-19 YRS	9	13.9	206	<1	1	9	17	39	46	46
GRAND TOTAL	**15**	**11.6**	**139**	**<1**	**<1**	**9**	**14**	**28**	**41**	**46**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	3	3.3	16	1	1	1	6	8	8	8
13-19 YRS	6	3.0	10	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	12	1	1	1	6	7	7	7
6-12 YRS	2	13.0	2	12	12	13	14	14	14	14
13-19 YRS	7	7.4	14	2	2	8	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	3.1	9	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	12	7.3	21	1	1	8	11	13	14	14
1. SINGLE DX	11	3.1	9	1	1	2	4	8	9	9
2. MULTIPLE DX	13	6.8	21	1	1	8	10	13	14	14
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	23	5.3	19	1	1	4	9	12	13	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	7	1	1	2	5	7	7	7
6-12 YRS	6	6.3	34	1	1	5	12	14	14	14
13-19 YRS	13	5.4	17	1	1	4	9	10	12	13
GRAND TOTAL	**24**	**5.1**	**19**	**1**	**1**	**3**	**8**	**12**	**13**	**14**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	5	6.8	2	5	5	7	8	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	12	6.8	16	1	2	6	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	4.7	8	3	3	3	7	8	8	8
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	10.5	36	4	4	10	15	17	17	17
B. *Operated*										
0-27 DYS	2	14.0	50	9	9	14	19	19	19	19
1-11 MOS	4	13.0	90	4	4	11	20	25	25	25
1-5 YRS	2	17.5	85	11	11	17	24	24	24	24
6-12 YRS	4	6.5	18	2	2	6	10	11	11	11
13-19 YRS	13	11.2	72	2	4	9	13	23	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.2	2	5	5	7	8	9	9	9
B. *Operated*	13	6.5	16	1	2	6	9	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	9	6.4	33	<1	<1	4	9	16	17	17
B. *Operated*	25	11.5	63	2	4	9	16	24	27	34
1. SINGLE DX	19	6.7	11	1	2	6	9	10	13	16
2. MULTIPLE DX	34	10.1	59	1	2	9	14	20	25	34
A. NOT OPERATED	15	6.7	20	<1	1	7	8	14	16	17
B. OPERATED	38	9.8	52	1	2	9	11	20	25	34
TOTAL 0-27 DYS	2	14.0	50	9	9	14	19	19	19	19
1-11 MOS	6	10.3	77	<1	<1	8	16	24	25	25
1-5 YRS	6	8.7	67	3	3	6	11	23	24	24
6-12 YRS	5	5.4	19	1	1	4	9	11	11	11
13-19 YRS	34	8.9	40	1	4	7	10	17	19	34
GRAND TOTAL	**53**	**8.9**	**44**	**1**	**2**	**7**	**11**	**18**	**23**	**34**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	29	6.3	19	2	2	5	8	14	15	16
1-5 YRS	162	5.1	13	1	2	4	6	9	11	20
6-12 YRS	45	4.3	10	1	1	4	6	8	10	14
13-19 YRS	17	4.2	6	1	1	4	5	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	16	3.1	6	1	1	2	4	7	8	9
6-12 YRS	11	4.9	16	1	2	4	6	11	16	16
13-19 YRS	13	2.8	3	1	1	2	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	41	6.8	16	1	2	6	9	13	15	17
1-5 YRS	139	5.5	11	2	2	4	7	11	12	14
6-12 YRS	36	6.1	35	1	2	4	7	14	20	28
13-19 YRS	37	3.9	11	1	1	3	5	9	12	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	15.2	466	1	1	5	19	52	67	67
1-5 YRS	24	8.5	34	1	1	10	12	15	20	22
6-12 YRS	15	11.7	160	<1	2	4	20	33	37	39
13-19 YRS	35	7.3	62	1	1	5	10	14	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	5.0	13	1	1	4	6	9	12	20
B. *Operated*	42	3.4	8	1	1	3	4	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	253	5.5	16	1	2	4	7	11	14	19
B. *Operated*	84	9.3	114	1	1	6	12	22	34	88
1. SINGLE DX	295	4.8	12	1	1	4	6	9	12	19
2. MULTIPLE DX	337	6.5	42	1	2	5	8	13	15	40
A. NOT OPERATED	506	5.3	14	1	2	4	7	10	13	19
B. OPERATED	126	7.3	86	1	1	4	10	16	27	75
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	81	7.4	70	1	2	5	9	14	16	55
1-5 YRS	341	5.4	14	1	2	4	7	11	13	20
6-12 YRS	107	6.0	44	1	1	4	7	14	20	36
13-19 YRS	102	5.0	29	1	1	4	6	11	14	71
GRAND TOTAL	**632**	**5.7**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	7.5	25	4	4	7	11	11	11	11
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	7.3	57	2	2	4	13	16	16	16
13-19 YRS	71	6.1	14	1	2	6	8	11	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.3	42	1	1	7	12	14	14	14
13-19 YRS	52	6.7	18	1	2	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	10.2	45	4	4	8	15	20	20	20
1-5 YRS	5	8.2	21	5	5	7	10	16	16	16
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	62	7.4	29	2	2	7	9	13	17	29
B. *Operated*										
0-27 DYS	1	34.0		34	34	34	34	34	34	34
1-11 MOS	5	7.6	22	1	1	7	11	13	13	13
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	46	9.5	34	2	3	8	12	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	6.2	15	1	2	6	8	11	12	22
B. *Operated*	55	6.7	19	1	1	6	9	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	77	7.3	29	2	2	7	9	13	19	28
B. *Operated*	53	9.8	43	2	3	8	12	15	19	35
1. SINGLE DX	133	6.5	16	1	2	6	9	11	14	20
2. MULTIPLE DX	130	8.3	36	2	2	7	11	15	19	34
A. NOT OPERATED	155	6.8	22	1	2	6	8	12	14	27
B. OPERATED	108	8.3	33	1	2	8	11	14	16	34
TOTAL 0-27 DYS	4	12.5	208	3	3	6	20	34	34	34
1-11 MOS	12	8.7	28	1	3	7	12	16	19	20
1-5 YRS	6	8.2	17	5	5	7	8	15	16	16
6-12 YRS	10	6.2	33	1	1	3	12	15	16	16
13-19 YRS	231	7.3	24	1	2	7	9	13	15	27
GRAND TOTAL	**263**	**7.4**	**27**	**1**	**2**	**7**	**9**	**13**	**15**	**29**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	39	2.6	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	9.3	16	7	7	7	12	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	15	3.6	11	1	1	4	4	5	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	42	2.7	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	4	7.3	28	1	1	7	11	14	14	14
B. *Operated*	18	4.4	16	1	1	4	5	12	14	14
1. SINGLE DX	42	2.7	3	<1	1	2	3	5	6	7
2. MULTIPLE DX	22	5.0	18	1	1	4	7	14	14	14
A. NOT OPERATED	4	7.3	28	1	1	7	11	14	14	14
B. OPERATED	60	3.2	7	<1	1	2	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS	5	6.4	25	1	1	7	9	14	14	14
1-5 YRS	2	10.5	25	7	7	10	14	14	14	14
6-12 YRS	2	5.0	32	<1	<1	4	9	9	9	9
13-19 YRS	55	2.9	5	1	1	2	4	5	6	14
GRAND TOTAL	**64**	**3.5**	**9**	**<1**	**1**	**3**	**4**	**7**	**10**	**14**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS	10	2.3	3	<1	<1	1	4	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	8	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	25	3.2	5	1	1	3	4	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	5.4	79	<1	1	3	5	7	29	38
B. *Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	12	4.3	13	1	2	3	4	9	14	15
1-5 YRS	3	5.0	19	2	2	3	8	10	10	10
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	68	3.3	3	1	1	3	4	6	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	38	2.6	4	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	20	4.7	65	<1	1	3	5	6	22	38
B. *Operated*	87	3.5	5	1	2	3	4	6	7	13
1. SINGLE DX	50	2.5	4	<1	<1	2	3	4	5	13
2. MULTIPLE DX	107	3.7	16	1	1	3	4	6	7	25
A. NOT OPERATED	32	3.8	42	<1	<1	2	4	6	7	38
B. OPERATED	125	3.2	5	1	1	3	4	6	7	13
TOTAL 0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	18	3.4	11	<1	1	3	4	6	12	15
1-5 YRS	14	2.2	6	<1	<1	1	2	4	9	10
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	119	3.5	14	1	1	3	4	6	7	21
GRAND TOTAL	**157**	**3.3**	**12**	**<1**	**1**	**3**	**4**	**6**	**7**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.1	2	3	3	5	6	8	8	8
6-12 YRS	24	2.1	2	1	1	2	2	4	5	6
13-19 YRS	80	5.8	13	1	1	6	8	10	12	16
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	6	3.5	32	1	1	1	2	14	15	15
6-12 YRS	29	1.4	1	<1	<1	1	2	3	3	4
13-19 YRS	205	2.8	14	<1	1	1	3	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	3	2	2	2	4	5	5	5
1-11 MOS	13	9.3	74	1	2	6	11	23	27	28
1-5 YRS	24	4.1	8	1	1	3	6	9	10	10
6-12 YRS	32	3.2	4	<1	1	3	4	6	7	7
13-19 YRS	137	4.6	22	1	1	3	6	9	13	21
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	15	12.8	140	2	3	9	18	29	41	45
1-5 YRS	30	8.4	161	1	1	3	10	18	45	56
6-12 YRS	30	4.9	39	<1	1	2	6	10	13	33
13-19 YRS	132	6.2	64	<1	1	3	9	14	17	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.9	12	1	1	4	7	9	12	16
B. *Operated*	243	2.7	13	<1	1	1	2	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	209	4.6	22	1	1	3	6	9	13	24
B. *Operated*	208	6.8	81	<1	1	4	9	15	20	50
1. SINGLE DX	354	3.4	14	<1	1	2	5	8	10	18
2. MULTIPLE DX	417	5.7	53	1	1	3	7	12	17	45
A. NOT OPERATED	320	4.7	18	1	1	3	6	9	12	21
B. OPERATED	451	4.6	49	<1	1	2	6	11	16	45
TOTAL 0-27 DYS	5	4.0	14	1	1	2	6	10	10	10
1-11 MOS	30	11.0	105	2	2	7	16	25	29	45
1-5 YRS	67	6.1	81	1	1	3	7	12	18	54
6-12 YRS	115	2.9	13	<1	1	2	4	6	7	20
13-19 YRS	554	4.5	29	<1	1	2	6	10	13	22
GRAND TOTAL	**771**	**4.6**	**36**	**<1**	**1**	**2**	**6**	**10**	**14**	**32**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	142	2.5	3	<1	1	2	3	4	5	11
1-11 MOS	1376	2.5	2	1	1	2	3	4	5	9
1-5 YRS	2855	2.1	2	<1	1	2	3	4	5	7
6-12 YRS	636	2.2	2	<1	1	2	3	4	4	8
13-19 YRS	569	2.9	2	1	1	3	3	5	5	7
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	5.8	12	1	1	6	9	9	9	9
1-5 YRS	133	1.8	3	<1	1	1	2	4	6	8
6-12 YRS	271	1.3	1	<1	1	1	1	2	2	6
13-19 YRS	335	1.5	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	235	3.3	6	1	1	3	4	6	7	16
1-11 MOS	2900	3.3	6	1	1	3	4	6	7	13
1-5 YRS	5487	2.9	5	1	1	2	4	5	6	10
6-12 YRS	1658	2.9	3	1	1	2	3	5	6	10
13-19 YRS	1719	3.2	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS	2	16.0	392	2	2	16	30	30	30	30
1-11 MOS	37	11.0	137	1	1	6	15	33	44	99+
1-5 YRS	329	3.3	31	1	1	1	3	8	11	27
6-12 YRS	334	1.6	3	1	1	1	2	2	6	9
13-19 YRS	350	2.9	22	1	1	1	3	6	9	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5578	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	745	1.5	1	<1	1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	11999	3.0	5	1	1	3	4	5	7	11
B. *Operated*	1052	2.9	26	1	1	1	2	7	10	31
1. SINGLE DX	6323	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	13051	3.0	6	1	1	3	4	5	7	12
A. NOT OPERATED	17577	2.8	4	1	1	2	3	5	6	10
B. OPERATED	1797	2.3	17	1	1	1	2	5	8	22
TOTAL 0-27 DYS	380	3.1	7	1	1	3	4	5	6	14
1-11 MOS	4318	3.1	6	1	1	3	4	5	7	12
1-5 YRS	8804	2.6	5	1	1	2	3	5	6	10
6-12 YRS	2899	2.4	3	1	1	2	3	4	5	9
13-19 YRS	2973	2.9	6	1	1	2	4	5	6	11
GRAND TOTAL	**19374**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	151	3.6	5	1	2	3	4	6	7	13
1-11 MOS	4604	3.5	3	1	2	3	4	6	7	9
1-5 YRS	2939	2.8	2	1	1	2	4	5	6	8
6-12 YRS	402	2.7	2	1	1	2	3	5	6	8
13-19 YRS	201	3.2	3	1	2	3	4	5	6	9
B. *Operated*										
0-27 DYS	2	9.5	85	3	3	9	16	16	16	16
1-11 MOS	11	3.6	7	1	1	3	6	7	9	9
1-5 YRS	12	4.8	19	1	1	3	6	13	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	9.7	16	6	6	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	236	4.7	15	2	2	4	6	8	9	16
1-11 MOS	7403	4.1	7	1	2	4	5	7	9	13
1-5 YRS	4529	3.5	5	1	2	3	4	6	7	11
6-12 YRS	733	3.6	6	1	2	3	4	6	7	14
13-19 YRS	639	4.0	8	1	2	3	5	7	9	14
B. *Operated*										
0-27 DYS	6	8.3	20	3	3	8	12	13	13	13
1-11 MOS	71	10.5	162	2	3	7	11	22	37	98
1-5 YRS	36	8.4	75	<1	1	6	10	21	29	38
6-12 YRS	5	9.8	220	1	1	3	14	36	36	36
13-19 YRS	12	9.0	47	1	1	8	14	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8297	3.2	3	1	1	3	4	5	6	9
B. *Operated*	29	5.2	18	1	1	3	7	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	13540	3.9	6	1	2	3	5	7	8	13
B. *Operated*	130	9.6	121	1	2	7	11	21	32	92
1. SINGLE DX	8326	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	13670	4.0	8	1	2	3	5	7	8	13
A. NOT OPERATED	21837	3.6	5	1	2	3	4	6	8	11
B. OPERATED	159	8.8	105	1	2	6	11	20	26	86
TOTAL 0-27 DYS	395	4.3	12	1	2	4	5	7	9	14
1-11 MOS	12089	3.9	7	1	2	3	5	7	8	12
1-5 YRS	7516	3.3	5	1	1	3	4	6	7	10
6-12 YRS	1141	3.3	6	1	1	3	4	5	7	12
13-19 YRS	855	3.9	8	1	2	3	5	6	9	15
GRAND TOTAL	**21996**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	40	1.2		<1	<1	1	1	2	2	3
13-19 YRS	699	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	14	1.5	1	<1	<1	1	1	4	4	4
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	6	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	109	1.4		<1	1	1	2	2	3	4
13-19 YRS	1801	1.5	1	1	1	1	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	743	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	17	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	1921	1.5	1	1	1	1	2	2	3	4
1. SINGLE DX	745	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	1938	1.4	1	1	1	1	2	2	3	4
A. NOT OPERATED	19	1.4	1	<1	<1	1	1	3	4	4
B. OPERATED	2664	1.4	1	1	1	1	2	2	3	4
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	11	1.5	1	<1	<1	1	1	3	4	4
6-12 YRS	152	1.3		<1	<1	1	2	2	3	4
13-19 YRS	2514	1.4	1	1	1	1	2	2	3	5
GRAND TOTAL	**2683**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	9	2.1	2	1	1	1	4	4	4	4
13-19 YRS	31	1.4	1	<1	<1	1	1	2	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8	1	1	1	1	3	3	3	3
6-12 YRS	46	2.2	3	<1	<1	1	3	5	7	8
13-19 YRS	110	2.0	4	<1	1	1	2	3	4	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	44	1.5	1	<1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	161	2.0	4	<1	1	1	2	4	5	8
1. SINGLE DX	45	1.5	1	<1	1	1	2	4	4	4
2. MULTIPLE DX	163	2.0	4	<1	1	1	2	4	5	8
A. NOT OPERATED	3	3.0	1	2	2	3	4	4	4	4
B. OPERATED	205	1.9	3	<1	1	1	2	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	9	1.6	1	1	1	1	2	3	3	3
6-12 YRS	56	2.2	3	<1	<1	1	3	5	6	8
13-19 YRS	143	1.8	3	<1	1	1	2	3	4	8
GRAND TOTAL	**208**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	33	1.9	1	<1	<1	1	3	3	4	6
6-12 YRS	39	1.3	1	<1	<1	1	1	3	3	4
13-19 YRS	74	1.6	1	1	1	1	2	4	4	5
B. *Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	20	1.1		<1	1	1	1	2	2	2
1-5 YRS	5976	1.2		<1	<1	1	1	2	2	3
6-12 YRS	10895	1.1		<1	1	1	1	2	2	2
13-19 YRS	9121	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	173	1.8	3	<1	<1	1	2	4	6	8
6-12 YRS	140	1.4	1	<1	<1	1	1	3	3	5
13-19 YRS	74	1.8	1	<1	<1	1	3	4	4	5
B. *Operated*										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	35	2.3	9	<1	1	1	2	6	10	14
1-5 YRS	7485	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	7113	1.2		<1	1	1	1	2	2	3
13-19 YRS	2931	1.3	3	1	1	1	1	2	2	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	26015	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	390	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	17568	1.2	1	<1	1	1	1	2	2	4
1. SINGLE DX	26161	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX	17958	1.2	1	<1	1	1	1	2	2	4
A. NOT OPERATED	536	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	43583	1.2	1	<1	1	1	1	2	2	3
TOTAL 0-27 DYS	7	1.3		1	1	1	2	2	2	2
1-11 MOS	58	1.8	6	<1	1	1	2	2	8	14
1-5 YRS	13667	1.2		<1	<1	1	1	2	2	3
6-12 YRS	18187	1.2		<1	1	1	1	2	2	3
13-19 YRS	12200	1.2	2	<1	1	1	1	2	2	4
GRAND TOTAL	**44119**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.9	3	<1	<1	3	4	5	6	6
1-11 MOS	69	2.5	3	1	1	2	3	5	5	11
1-5 YRS	288	2.2	3	<1	<1	2	3	4	5	8
6-12 YRS	256	2.8	3	<1	1	2	4	5	6	7
13-19 YRS	536	2.8	2	1	1	3	3	5	5	8
B. *Operated*										
0-27 DYS	2	5.5	41	1	1	5	10	10	10	10
1-11 MOS	35	3.9	20	<1	1	2	5	9	12	22
1-5 YRS	189	2.2	4	<1	<1	2	2	5	7	10
6-12 YRS	301	1.9	3	<1	1	1	2	4	4	9
13-19 YRS	879	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	2.5	3	<1	1	2	3	5	6	7
1-11 MOS	153	3.8	17	1	1	3	4	7	10	24
1-5 YRS	407	3.1	4	1	1	3	4	6	7	11
6-12 YRS	351	3.1	6	1	1	3	4	5	7	10
13-19 YRS	479	3.6	6	1	2	3	4	6	8	13
B. *Operated*										
0-27 DYS	6	9.0	89	1	1	4	16	24	25	25
1-11 MOS	97	10.2	171	1	1	5	13	27	38	62
1-5 YRS	371	3.5	37	<1	1	2	3	8	12	38
6-12 YRS	434	2.5	6	<1	1	2	3	5	8	13
13-19 YRS	921	2.5	9	1	1	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	2.6	2	<1	1	2	3	5	6	8
B. *Operated*	1406	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1412	3.3	7	1	1	3	4	6	7	12
B. *Operated*	1829	3.2	25	1	1	2	3	7	10	28
1. SINGLE DX	2566	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	3241	3.2	17	1	1	2	4	6	9	21
A. NOT OPERATED	2572	3.0	5	1	1	3	4	5	6	11
B. OPERATED	3235	2.7	16	<1	1	2	3	5	8	19
TOTAL 0-27 DYS	41	3.7	20	<1	1	3	4	7	13	25
1-11 MOS	354	5.3	65	1	1	3	5	11	20	47
1-5 YRS	1255	2.9	14	<1	1	2	3	6	7	14
6-12 YRS	1342	2.6	5	<1	1	2	3	5	6	10
13-19 YRS	2815	2.7	5	1	1	2	3	5	6	11
GRAND TOTAL	**5807**	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	295	4.5	5	2	2	4	6	8	9	12
1-11 MOS	4118	3.8	5	1	2	3	5	6	8	11
1-5 YRS	6855	3.4	3	1	2	3	4	6	7	9
6-12 YRS	2845	3.9	4	1	2	3	5	6	8	11
13-19 YRS	1473	4.1	5	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	4	6.8	7	3	3	7	8	9	9	9
1-11 MOS	23	6.7	16	2	3	6	10	11	14	18
1-5 YRS	32	5.2	15	<1	1	4	8	11	13	14
6-12 YRS	18	6.8	32	<1	<1	4	12	16	17	17
13-19 YRS	15	7.0	13	2	3	6	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	423	5.8	11	2	2	5	7	11	12	16
1-11 MOS	7393	4.7	11	2	2	4	6	8	10	16
1-5 YRS	13485	4.1	8	1	2	3	5	7	9	14
6-12 YRS	4188	4.6	10	2	2	4	5	8	11	18
13-19 YRS	2266	5.7	18	2	2	4	7	11	14	22
B. *Operated*										
0-27 DYS	24	11.8	65	3	5	10	14	24	31	37
1-11 MOS	194	14.0	212	2	3	10	17	33	50	99+
1-5 YRS	244	11.3	153	1	2	8	14	24	35	74
6-12 YRS	105	13.7	126	3	4	10	17	30	34	57
13-19 YRS	152	14.7	140	3	4	12	20	29	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15586	3.7	4	1	2	3	5	6	7	10
B. *Operated*	92	6.3	18	1	2	6	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*	27755	4.5	10	1	2	4	5	8	10	16
B. *Operated*	719	13.1	161	2	3	10	16	28	39	81
1. SINGLE DX	15678	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	28474	4.7	16	1	2	4	5	8	11	20
A. NOT OPERATED	43341	4.2	8	1	2	4	5	7	9	15
B. OPERATED	811	12.3	149	2	3	9	15	26	36	78
TOTAL 0-27 DYS	746	5.5	12	2	2	5	7	10	11	16
1-11 MOS	11728	4.5	14	2	2	4	5	8	10	17
1-5 YRS	20616	3.9	9	1	2	3	5	7	8	14
6-12 YRS	7156	4.4	11	1	2	4	5	7	10	18
13-19 YRS	3906	5.4	22	2	2	4	6	10	14	24
GRAND TOTAL	**44152**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	4.7	11	2	2	3	6	10	11	11
1-11 MOS	57	2.9	4	1	1	2	4	5	7	10
1-5 YRS	110	2.8	3	1	1	3	3	4	7	9
6-12 YRS	121	2.6	2	<1	1	2	3	5	6	7
13-19 YRS	179	2.4	1	1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.6	5	2	2	3	5	7	8	8
1-11 MOS	129	3.8	10	1	1	3	5	7	12	15
1-5 YRS	383	3.0	3	1	1	3	4	5	6	10
6-12 YRS	348	3.2	4	1	1	3	4	5	7	11
13-19 YRS	437	3.1	3	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	12.3	261	3	3	3	24	31	31	31
1-5 YRS	7	18.0	521	4	4	7	24	59	66	66
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	7.8	55	2	2	5	9	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	2.6	2	1	1	2	3	4	5	9
B. *Operated*	4	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1304	3.2	4	1	1	3	4	5	7	11
B. *Operated*	17	12.6	271	2	3	7	12	31	54	66
1. SINGLE DX	477	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX	1321	3.3	9	1	1	3	4	6	7	12
A. NOT OPERATED	1777	3.0	4	1	1	3	4	5	7	11
B. OPERATED	21	11.0	229	2	3	6	8	30	47	66
TOTAL 0-27 DYS	13	4.1	8	2	2	3	5	9	11	11
1-11 MOS	189	3.7	12	1	1	3	4	7	10	16
1-5 YRS	501	3.2	13	1	1	3	4	5	7	10
6-12 YRS	470	3.0	4	1	1	3	4	5	6	11
13-19 YRS	625	3.0	4	1	1	3	4	5	6	9
GRAND TOTAL	**1798**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	3.7	1	2	2	4	4	5	6	6
1-11 MOS	316	3.3	4	1	1	3	4	6	7	11
1-5 YRS	469	2.5	3	<1	1	2	3	4	5	9
6-12 YRS	109	2.8	3	1	1	2	4	5	6	8
13-19 YRS	60	3.4	3	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	10	2.8	9	<1	<1	1	4	8	9	9
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	3.8	5	1	2	3	5	7	9	10
1-11 MOS	625	3.5	4	1	2	3	4	6	7	11
1-5 YRS	822	3.2	4	1	1	3	4	5	7	10
6-12 YRS	218	3.5	6	1	1	3	4	6	8	14
13-19 YRS	185	4.5	12	1	2	3	5	10	11	15
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	8.9	42	4	4	7	17	77	99+	99+
1-5 YRS	12	3.8	21	<1	<1	2	5	12	14	14
6-12 YRS	10	6.7	35	1	1	5	9	16	20	20
13-19 YRS	16	12.1	334	1	1	7	13	20	60	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	2.9	3	1	1	2	4	5	6	9
B. *Operated*	20	2.3	5	<1	<1	2	2	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	1872	3.5	5	1	1	3	4	6	8	12
B. *Operated*	46	8.2	140	1	1	5	10	19	30	99+
1. SINGLE DX	985	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1918	3.6	9	1	1	3	4	6	8	14
A. NOT OPERATED	2837	3.3	5	1	1	3	4	6	7	11
B. OPERATED	66	6.4	106	1	1	3	8	16	21	96
TOTAL 0-27 DYS	34	3.9	4	2	2	4	5	6	8	10
1-11 MOS	952	3.5	4	1	1	3	4	6	7	11
1-5 YRS	1313	3.0	4	1	1	3	4	5	7	10
6-12 YRS	340	3.4	6	1	1	3	4	6	8	14
13-19 YRS	264	4.6	32	1	2	3	5	9	11	20
GRAND TOTAL	**2903**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	10.0	50	5	5	10	15	15	15	15
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.0	19	1	1	2	7	9	9	9
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	14.3	320	4	4	4	27	35	35	35
1-5 YRS	3	3.3	6	1	1	3	5	6	6	6
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS	2	11.5	85	5	5	11	18	18	18	18
6-12 YRS										
13-19 YRS	12	13.8	80	3	4	13	20	26	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.3	46	2	2	5	12	15	15	15
B. *Operated*	5	4.8	23	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	11	6.5	91	1	2	4	5	18	34	35
B. *Operated*	16	13.6	78	3	4	13	20	25	29	31
1. SINGLE DX	8	5.8	28	1	1	4	10	14	15	15
2. MULTIPLE DX	27	10.7	93	2	3	5	18	25	32	35
A. NOT OPERATED	14	6.6	78	1	2	4	5	17	31	35
B. OPERATED	21	11.5	78	1	2	10	18	24	28	31
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	11.1	138	1	1	5	17	31	35	35
1-5 YRS	6	5.8	39	1	1	4	6	17	18	18
6-12 YRS	3	3.3	4	1	1	4	5	5	5	5
13-19 YRS	16	11.6	77	2	3	10	18	24	29	31
GRAND TOTAL	**35**	**9.6**	**82**	**1**	**2**	**5**	**15**	**24**	**29**	**35**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.0	5	<1	<1	3	4	5	8	10
1-11 MOS	1176	3.4	4	1	1	3	4	6	7	9
1-5 YRS	8763	2.7	2	1	1	2	3	4	5	8
6-12 YRS	6409	2.8	2	1	1	3	3	5	5	7
13-19 YRS	3669	3.0	4	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	6	5.7	15	2	2	5	10	10	10	10
1-5 YRS	19	3.3	7	1	1	2	3	9	9	9
6-12 YRS	34	3.2	2	1	1	3	4	5	6	6
13-19 YRS	16	4.3	8	1	1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	4.3	21	1	1	2	4	12	15	16
1-11 MOS	1822	4.2	7	1	2	4	5	7	9	12
1-5 YRS	8636	3.2	4	1	1	3	4	5	7	10
6-12 YRS	4017	3.3	5	1	1	3	4	5	6	9
13-19 YRS	2493	3.6	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	29	8.2	66	1	1	6	11	15	17	43
1-5 YRS	83	6.9	39	1	2	5	8	14	20	35
6-12 YRS	36	6.2	16	1	2	6	8	12	13	14
13-19 YRS	43	6.8	18	1	2	6	9	11	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20033	2.9	3	1	1	3	4	5	6	8
B. *Operated*	75	3.7	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	16980	3.4	5	1	1	3	4	6	7	11
B. *Operated*	192	6.9	34	1	2	6	9	13	17	34
1. SINGLE DX	20108	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	17172	3.5	6	1	1	3	4	6	7	11
A. NOT OPERATED	37013	3.1	4	1	1	3	4	5	6	9
B. OPERATED	267	6.0	28	1	1	5	8	12	15	24
TOTAL 0-27 DYS	29	3.4	11	<1	1	3	4	8	11	16
1-11 MOS	3033	3.9	6	1	2	3	5	7	8	12
1-5 YRS	17501	3.0	4	1	1	3	4	5	5	9
6-12 YRS	10496	3.0	3	1	1	3	4	5	6	8
13-19 YRS	6221	3.3	5	1	1	3	4	6	7	10
GRAND TOTAL	**37280**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.9	1	2	2	3	3	4	5	5
1-5 YRS	7	2.4	1	1	1	2	3	4	4	4
6-12 YRS	12	3.6	4	1	1	3	4	6	9	9
13-19 YRS	7	5.0	14	2	2	4	5	11	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.8	7	<1	<1	3	6	8	8	8
6-12 YRS	6	5.3	21	<1	<1	4	8	12	13	13
13-19 YRS	3	8.0	43	2	2	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	6.0	10	3	3	5	8	11	11	11
1-11 MOS	27	7.2	78	2	2	4	9	13	19	47
1-5 YRS	21	4.7	11	1	1	3	6	10	12	13
6-12 YRS	13	6.6	9	1	3	7	9	11	11	11
13-19 YRS	18	7.8	23	2	2	8	11	15	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	4	13.0	48	7	7	13	19	19	19	19
6-12 YRS	8	10.4	16	4	5	10	13	16	17	17
13-19 YRS	6	9.5	76	1	1	5	20	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.5	5	1	2	3	4	5	8	13
B. *Operated*	15	5.3	19	<1	<1	4	8	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	84	6.5	35	2	2	5	9	12	14	37
B. *Operated*	19	10.8	37	2	4	10	16	20	21	21
1. SINGLE DX	50	4.0	10	1	1	3	5	8	13	15
2. MULTIPLE DX	103	7.3	38	2	2	6	10	13	18	33
A. NOT OPERATED	119	5.6	28	2	2	4	7	11	13	26
B. OPERATED	34	8.4	36	<1	1	7	13	19	20	21
TOTAL 0-27 DYS	5	6.0	10	3	3	5	8	11	11	11
1-11 MOS	37	6.3	61	2	2	4	7	13	14	47
1-5 YRS	38	5.0	20	<1	1	3	7	10	16	19
6-12 YRS	39	6.3	16	1	1	5	9	12	14	17
13-19 YRS	34	7.5	31	2	2	5	11	16	19	21
GRAND TOTAL	**153**	**6.2**	**31**	**1**	**2**	**4**	**9**	**13**	**16**	**21**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	127	2.7	5	<1	1	2	3	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS										
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	335	6.1	17	2	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	3	12.3	161	5	5	5	22	27	27	27
1-5 YRS	7	2.4	2	1	1	2	4	4	4	4
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	46	3.5	6	1	1	3	5	6	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.0	63	2	2	14	16	17	17	17
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	9	11.6	75	<1	1	10	16	25	27	27
13-19 YRS	148	10.2	60	3	4	8	13	20	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.7	5	1	1	2	3	6	7	11
B. *Operated*	339	6.1	17	2	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	59	3.8	15	1	1	3	5	7	10	26
B. *Operated*	161	10.2	60	3	3	8	13	21	24	42
1. SINGLE DX	468	5.2	16	1	1	4	7	10	13	18
2. MULTIPLE DX	220	8.5	56	1	2	6	11	18	23	37
A. NOT OPERATED	188	3.0	9	1	1	2	4	6	8	14
B. OPERATED	500	7.5	34	2	3	6	9	14	18	32
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	10	9.0	75	1	1	5	14	22	27	27
1-5 YRS	8	2.8	2	1	1	3	4	5	5	5
6-12 YRS	12	9.7	70	<1	<1	9	12	24	27	27
13-19 YRS	656	6.2	30	1	2	5	8	13	17	31
GRAND TOTAL	**688**	**6.2**	**31**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.2	4	1	1	3	4	7	7	7
1-11 MOS	226	3.2	4	1	1	3	4	6	7	10
1-5 YRS	472	2.6	3	1	1	2	3	5	6	10
6-12 YRS	174	2.7	3	1	1	2	3	5	6	12
13-19 YRS	170	3.0	6	<1	1	2	4	5	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS	22	5.0	41	<1	1	2	6	11	19	30
1-5 YRS	96	2.8	14	<1	1	2	3	6	10	23
6-12 YRS	61	4.1	43	<1	1	2	3	13	17	37
13-19 YRS	38	6.9	36	1	1	5	10	17	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	49	4.9	28	1	1	4	6	9	13	35
1-11 MOS	700	5.2	42	1	1	4	6	10	13	31
1-5 YRS	1060	4.2	20	1	1	3	5	8	12	27
6-12 YRS	411	5.2	30	1	1	4	6	11	14	30
13-19 YRS	448	5.1	43	1	1	3	6	11	14	26
B. *Operated*										
0-27 DYS	5	14.6	255	1	1	13	41	94	99+	99+
1-11 MOS	114	15.0	292	1	2	9	21	43	56	99+
1-5 YRS	288	8.9	162	1	1	4	12	25	34	98
6-12 YRS	113	12.1	210	1	1	7	17	29	46	97
13-19 YRS	170	10.3	128	1	1	7	14	23	29	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	2.8	4	1	1	2	4	5	7	11
B. *Operated*	217	4.1	31	<1	1	2	5	11	17	25
2. MULTIPLE DX										
A. *Not Operated*	2668	4.8	31	1	1	3	5	10	13	29
B. *Operated*	690	10.8	187	1	1	6	15	27	40	99+
1. SINGLE DX	1284	3.0	9	1	1	2	4	6	7	16
2. MULTIPLE DX	3358	6.0	69	1	1	3	7	13	21	47
A. NOT OPERATED	3735	4.2	24	1	1	3	5	8	12	25
B. OPERATED	907	9.2	158	1	1	4	13	23	33	97
TOTAL 0-27 DYS	79	4.9	39	1	1	3	6	9	15	82
1-11 MOS	1062	5.8	71	1	1	4	6	11	20	49
1-5 YRS	1916	4.5	41	1	1	3	4	9	15	33
6-12 YRS	759	5.6	60	1	1	3	6	12	19	40
13-19 YRS	826	5.8	59	1	1	3	7	14	18	33
GRAND TOTAL	**4642**	**5.2**	**54**	**1**	**1**	**3**	**6**	**11**	**17**	**39**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	26	2.8	2	1	1	2	4	5	5	5
6-12 YRS	20	2.5	1	1	1	2	3	4	5	5
13-19 YRS	25	2.8	2	1	1	2	4	5	5	6
B. *Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	14	2.1	2	<1	<1	1	3	5	5	5
1-5 YRS	203	1.2	1	<1	<1	<1	1	2	2	4
6-12 YRS	143	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	1961	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	6	3.7	3	2	2	3	4	7	7	7
1-5 YRS	135	3.5	11	1	1	3	4	5	6	25
6-12 YRS	68	3.4	5	<1	1	3	5	6	8	9
13-19 YRS	99	2.7	4	<1	<1	2	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	11	6.3	158	<1	<1	2	4	20	42	44
1-5 YRS	437	1.6	2	<1	<1	1	2	2	3	9
6-12 YRS	342	2.2	7	<1	<1	2	3	4	5	9
13-19 YRS	1892	2.8	4	1	1	3	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.7	2	1	1	2	4	5	5	6
B. *Operated*	2323	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	311	3.2	6	<1	1	3	4	6	6	12
B. *Operated*	2682	2.6	5	<1	<1	2	3	4	5	9
1. SINGLE DX	2397	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	2993	2.6	5	<1	<1	2	3	5	5	9
A. NOT OPERATED	385	3.1	6	<1	1	3	4	5	6	10
B. OPERATED	5005	2.4	3	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	5	2.8		2	2	3	3	3	3	3
1-11 MOS	34	3.8	53	<1	<1	2	4	5	7	44
1-5 YRS	801	1.9	4	<1	<1	1	2	4	5	10
6-12 YRS	573	2.2	5	<1	<1	2	3	4	5	9
13-19 YRS	3977	2.5	3	<1	1	2	3	4	5	7
GRAND TOTAL	**5390**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	29	3.6	4	1	1	3	5	6	6	10
1-5 YRS	93	3.5	4	<1	1	3	4	6	7	12
6-12 YRS	46	3.3	3	1	1	3	4	6	7	10
13-19 YRS	40	3.2	3	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	9	2.6	9	<1	<1	1	3	8	9	9
1-5 YRS	56	2.2	3	<1	<1	2	3	4	5	9
6-12 YRS	86	2.4	4	<1	<1	2	3	5	6	11
13-19 YRS	121	2.3	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	91	4.2	6	1	2	4	5	7	9	13
1-5 YRS	293	3.6	5	1	2	3	4	6	7	12
6-12 YRS	87	3.7	4	1	2	3	5	6	7	12
13-19 YRS	88	3.8	5	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	3.5	7	1	1	3	5	8	8	8
1-5 YRS	85	3.7	9	1	1	3	5	8	9	17
6-12 YRS	98	3.7	10	<1	1	3	4	9	10	16
13-19 YRS	93	3.0	4	<1	1	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.4	4	1	1	3	4	6	7	11
B. *Operated*	272	2.3	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	561	3.7	5	1	2	3	5	6	8	12
B. *Operated*	285	3.5	8	1	1	3	4	7	9	14
1. SINGLE DX	482	2.8	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	846	3.6	6	1	1	3	5	7	8	13
A. NOT OPERATED	771	3.6	5	1	2	3	5	6	7	11
B. OPERATED	557	2.9	6	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	5	3.2	4	1	1	3	4	6	6	6
1-11 MOS	137	3.9	6	1	1	3	5	7	9	12
1-5 YRS	527	3.4	5	1	1	3	4	6	8	11
6-12 YRS	317	3.3	6	<1	1	3	4	6	8	12
13-19 YRS	342	3.0	4	<1	1	2	4	5	7	10
GRAND TOTAL	**1328**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	149	2.9	6	1	1	2	3	5	6	14
1-11 MOS	460	2.7	4	1	1	2	3	5	6	11
1-5 YRS	78	2.4	4	1	1	2	3	5	5	13
6-12 YRS	37	2.6	6	<1	<1	2	3	6	7	14
13-19 YRS	73	2.7	3	<1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	66	5.5	32	1	1	4	7	10	15	33
1-5 YRS	77	3.7	9	1	1	2	6	8	9	11
6-12 YRS	55	6.3	90	1	1	5	6	13	28	53
13-19 YRS	59	4.3	20	1	1	2	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	189	3.8	9	1	1	3	5	7	9	16
1-11 MOS	789	4.3	12	1	1	3	5	8	10	16
1-5 YRS	147	4.8	64	1	1	3	5	9	19	76
6-12 YRS	66	4.3	33	1	1	3	5	8	9	40
13-19 YRS	198	3.4	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	11	18.5	478	5	6	11	14	52	79	81
1-11 MOS	210	10.8	110	1	2	7	15	26	36	57
1-5 YRS	256	12.0	154	1	1	8	15	30	37	86
6-12 YRS	144	9.4	134	1	1	7	12	20	24	63
13-19 YRS	143	10.5	155	1	2	7	11	22	46	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	2.7	4	1	1	2	3	5	6	11
B. *Operated*	259	4.9	35	1	1	3	6	10	14	36
2. MULTIPLE DX										
A. *Not Operated*	1389	4.1	17	1	1	3	5	8	10	20
B. *Operated*	764	11.0	143	1	1	8	14	25	36	70
1. SINGLE DX	1056	3.2	13	1	1	2	4	6	8	16
2. MULTIPLE DX	2153	6.6	73	1	1	4	7	14	22	52
A. NOT OPERATED	2186	3.6	13	1	1	3	4	7	9	16
B. OPERATED	1023	9.4	123	1	1	6	11	22	33	61
TOTAL 0-27 DYS	351	3.9	28	1	1	3	4	7	10	23
1-11 MOS	1525	4.7	30	1	1	3	5	10	14	31
1-5 YRS	558	7.6	106	1	1	4	9	19	30	69
6-12 YRS	302	6.9	94	1	1	4	8	15	22	54
13-19 YRS	473	5.5	63	1	1	3	6	10	18	54
GRAND TOTAL	**3209**	**5.5**	**55**	**1**	**1**	**3**	**6**	**11**	**18**	**40**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS	22	2.8	3	<1	1	2	3	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	4	9.3	40	3	3	8	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	7	2.3	1	1	1	2	3	3	3	3
13-19 YRS	29	3.6	2	1	2	4	4	6	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	11.5	61	6	6	11	17	17	17	17
13-19 YRS	9	7.2	52	2	2	4	8	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.8	3	<1	1	2	3	5	7	7
B. *Operated*	5	7.8	41	2	2	7	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	42	3.6	3	1	2	3	4	6	7	9
B. *Operated*	14	7.3	42	2	3	5	7	18	23	24
1. SINGLE DX	29	3.7	12	1	1	3	4	7	9	18
2. MULTIPLE DX	56	4.6	15	1	2	4	5	7	12	24
A. NOT OPERATED	66	3.3	3	1	1	3	4	6	7	9
B. OPERATED	19	7.4	39	2	2	5	9	18	21	24
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	4.0	3	2	2	4	5	7	7	7
1-5 YRS	5	4.8	6	3	3	4	5	9	9	9
6-12 YRS	9	4.3	25	1	1	3	4	13	17	17
13-19 YRS	64	4.2	14	1	1	3	5	7	10	23
GRAND TOTAL	**85**	**4.3**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**22**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	8	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	4.9	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	16.5	221	6	6	16	27	27	27	27
1-11 MOS	5	5.6	7	3	3	5	7	10	10	10
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	6	3.2	6	1	1	2	5	7	7	7
13-19 YRS	19	3.6	2	1	1	4	5	6	6	6
B. *Operated*										
0-27 DYS	1	59.0		59	59	59	59	59	59	59
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS	4	10.5	38	5	5	9	15	18	18	18
6-12 YRS	6	7.8	42	1	1	6	14	17	17	17
13-19 YRS	12	7.3	68	2	2	4	9	21	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.1	3	1	1	3	5	5	5	5
B. *Operated*	9	4.9	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	35	4.5	19	1	1	4	5	6	9	27
B. *Operated*	26	9.7	147	1	2	5	13	18	35	59
1. SINGLE DX	20	3.9	5	1	1	4	5	7	8	8
2. MULTIPLE DX	61	6.7	79	1	1	4	6	15	22	56
A. NOT OPERATED	46	4.2	16	1	1	4	5	6	8	27
B. OPERATED	35	8.4	114	2	2	5	8	17	26	59
TOTAL 0-27 DYS	3	30.7	712	6	6	27	51	59	59	59
1-11 MOS	9	5.3	5	3	3	5	6	9	10	10
1-5 YRS	7	7.1	38	1	1	5	11	17	18	18
6-12 YRS	14	5.1	25	1	1	3	7	14	16	17
13-19 YRS	48	4.7	21	1	2	4	5	8	12	29
GRAND TOTAL	**81**	**6.0**	**62**	**1**	**1**	**4**	**6**	**12**	**18**	**50**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	29	2.9	2	1	1	3	4	5	6	6
13-19 YRS	118	2.9	3	1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	9	4.7	7	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	3	2	2	4	5	7	7	7
1-5 YRS	4	6.0	11	4	4	5	8	11	11	11
6-12 YRS	31	3.2	3	1	1	3	4	6	6	7
13-19 YRS	142	3.8	9	1	1	3	5	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	19	1	1	2	7	9	9	9
13-19 YRS	17	5.3	7	1	2	5	7	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	2.9	3	1	1	2	4	5	6	7
B. *Operated*	12	4.7	5	2	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	183	3.8	7	1	1	3	5	6	8	14
B. *Operated*	20	5.1	8	1	1	5	7	9	9	10
1. SINGLE DX	163	3.0	3	1	1	3	4	6	6	8
2. MULTIPLE DX	203	3.9	8	1	1	3	5	7	8	14
A. NOT OPERATED	334	3.4	5	1	1	3	4	6	7	11
B. OPERATED	32	4.9	7	1	2	5	7	8	9	10
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	4.4	3	2	2	4	5	7	7	7
1-5 YRS	6	5.0	10	2	2	4	5	10	11	11
6-12 YRS	65	3.1	3	1	1	3	4	6	6	9
13-19 YRS	286	3.5	6	1	1	3	5	6	8	12
GRAND TOTAL	**366**	**3.5**	**6**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	6	3.8	2	2	2	4	5	6	6	6
13-19 YRS	68	3.4	4	1	1	3	4	6	7	11
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS										
13-19 YRS	14	6.6	9	3	4	6	8	10	14	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	6	4.0	2	2	2	4	4	6	6	6
1-5 YRS	4	4.0	9	1	1	4	6	7	7	7
6-12 YRS	15	4.9	20	1	2	3	6	9	16	19
13-19 YRS	93	3.9	4	1	2	4	5	6	7	11
B. Operated										
0-27 DYS	2	13.0	32	9	9	13	17	17	17	17
1-11 MOS	3	6.0	13	3	3	5	9	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	23	9.3	32	3	4	8	11	19	22	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	3.4	4	1	1	3	4	6	7	10
B. Operated	18	6.7	8	3	4	6	8	9	13	15
2. MULTIPLE DX										
A. Not Operated	120	4.0	6	1	2	4	5	7	8	13
B. Operated	28	9.2	31	3	3	8	11	18	20	25
1. SINGLE DX	95	4.0	6	1	1	3	5	8	8	13
2. MULTIPLE DX	148	5.0	15	1	2	4	6	9	11	20
A. NOT OPERATED	197	3.8	5	1	1	3	5	6	7	11
B. OPERATED	46	8.2	23	3	4	7	9	15	19	25
TOTAL 0-27 DYS	5	8.0	33	3	3	8	11	17	17	17
1-11 MOS	11	5.0	5	2	3	4	6	9	10	10
1-5 YRS	8	4.0	7	1	1	3	6	8	8	8
6-12 YRS	21	4.6	15	1	2	3	6	8	13	19
13-19 YRS	198	4.5	11	1	2	4	6	8	10	20
GRAND TOTAL	**243**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.8	4	2	2	4	5	7	7	7
B. Operated										
0-27 DYS										
1-11 MOS	2	22.5	545	6	6	22	39	39	39	39
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	3	2	2	4	5	6	6	6
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	7	4.4	7	2	2	4	6	9	9	9
B. Operated	5	15.8	177	6	6	11	20	39	39	39
1. SINGLE DX	5	4.8	6	2	2	5	6	8	8	8
2. MULTIPLE DX	12	9.2	102	2	2	6	10	21	36	39
A. NOT OPERATED	11	4.3	5	2	2	4	6	8	9	9
B. OPERATED	6	14.5	152	6	6	10	14	36	39	39
TOTAL 0-27 DYS										
1-11 MOS	5	12.6	222	3	3	6	16	39	39	39
1-5 YRS	2	11.0	18	8	8	11	14	14	14	14
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	9	4.4	9	2	2	4	5	9	11	11
GRAND TOTAL	**17**	**7.9**	**76**	**2**	**2**	**6**	**9**	**13**	**30**	**39**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	68	2.0	1	<1	1	2	3	4	4	82
1-5 YRS	157	2.0	1	<1	1	2	2	3	4	6
6-12 YRS	219	2.2	2	1	1	2	3	4	4	6
13-19 YRS	466	2.5	3	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	3.2	9	1	1	2	3	6	12	13
13-19 YRS	22	4.0	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	3.7	8	2	2	2	4	9	11	11
1-11 MOS	197	3.0	4	1	1	3	3	4	6	13
1-5 YRS	684	2.4	2	1	1	2	3	4	5	8
6-12 YRS	632	2.5	2	1	1	2	3	4	5	8
13-19 YRS	969	3.0	4	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS	4	2.8	2	<1	<1	3	4	4	4	4
1-11 MOS	8	6.5	41	1	1	5	8	17	21	21
1-5 YRS	13	6.8	19	<1	2	7	11	24	83	99+
6-12 YRS	25	5.6	47	1	2	4	6	11	18	35
13-19 YRS	82	5.1	33	1	2	4	6	8	9	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	914	2.3	2	1	1	2	3	4	5	6
B. *Operated*	35	3.7	7	1	1	3	4	7	11	13
2. MULTIPLE DX										
A. *Not Operated*	2495	2.7	3	1	1	2	3	5	6	10
B. *Operated*	132	5.4	34	1	2	4	6	9	14	58
1. SINGLE DX	949	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2627	2.8	5	1	1	2	3	5	6	10
A. NOT OPERATED	3409	2.6	3	1	1	2	3	4	5	9
B. OPERATED	167	5.0	28	1	2	4	6	9	13	47
TOTAL 0-27 DYS	21	3.2	5	1	2	2	4	6	9	11
1-11 MOS	273	2.8	5	1	1	2	3	4	6	17
1-5 YRS	854	2.4	2	1	1	2	3	4	5	9
6-12 YRS	889	2.5	4	1	1	2	3	4	5	10
13-19 YRS	1539	2.9	5	1	1	2	4	5	6	10
GRAND TOTAL	**3576**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.9	1	<1	<1	2	2	3	3	3
1-11 MOS	20	3.0	3	<1	1	3	3	6	7	7
1-5 YRS	23	2.4	2	<1	1	2	3	4	5	5
6-12 YRS	51	2.4	3	1	1	2	3	4	5	12
13-19 YRS	83	2.8	3	<1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	30	3.5	2	2	2	3	4	5	8	8
1-11 MOS	106	3.5	2	2	2	3	4	5	6	10
1-5 YRS	13	5.2	35	1	1	3	5	13	21	23
6-12 YRS	3	8.0	7	6	6	7	10	11	11	11
13-19 YRS	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	2.5	1	<1	<1	2	3	4	4	4
1-11 MOS	65	2.8	4	1	1	2	3	6	7	10
1-5 YRS	120	3.4	41	1	1	2	3	5	7	29
6-12 YRS	134	3.3	11	1	1	2	4	6	8	21
13-19 YRS	186	4.3	71	1	1	3	4	7	10	49
B. *Operated*										
0-27 DYS	12	8.1	43	3	3	5	12	19	20	20
1-11 MOS	59	4.3	3	2	2	4	5	7	8	8
1-5 YRS	27	11.8	293	1	1	5	15	31	48	81
6-12 YRS	18	16.9	707	1	1	5	14	70	79	83
13-19 YRS	27	8.1	66	1	1	6	9	15	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.6	3	<1	1	2	3	5	5	8
B. *Operated*	154	3.8	6	2	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	511	3.6	39	1	1	2	4	6	8	23
B. *Operated*	143	8.3	173	1	2	5	8	16	28	81
1. SINGLE DX	340	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX	654	4.6	72	1	1	3	5	7	12	58
A. NOT OPERATED	697	3.3	29	1	1	2	4	6	7	16
B. OPERATED	297	6.0	91	1	2	4	5	10	17	69
TOTAL 0-27 DYS	57	4.1	15	1	2	3	4	7	14	20
1-11 MOS	250	3.5	3	1	2	3	4	6	7	8
1-5 YRS	183	4.6	80	1	1	2	4	7	14	61
6-12 YRS	206	4.4	82	1	1	2	4	7	11	68
13-19 YRS	298	4.2	53	1	1	3	4	7	11	35
GRAND TOTAL	**994**	**4.1**	**49**	**1**	**1**	**3**	**4**	**7**	**9**	**33**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	37	2.0	1	<1	1	2	3	3	4	5
13-19 YRS	88	2.1	2	<1	1	2	3	3	4	8
B. *Operated*										
0-27 DYS	4	4.8	24	2	2	3	7	12	12	12
1-11 MOS	15	2.9	2	1	2	2	4	4	6	7
1-5 YRS	418	3.2	3	1	2	3	4	5	6	9
6-12 YRS	5098	3.0	3	1	2	3	3	4	5	8
13-19 YRS	8276	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	22	1.9	1	<1	1	2	2	3	4	4
13-19 YRS	51	2.2	3	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	103	5.0	12	2	2	4	7	9	13	17
6-12 YRS	936	4.2	8	2	2	3	5	7	9	16
13-19 YRS	1678	4.1	7	2	2	4	5	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	2.0	1	<1	1	2	3	3	4	7
B. *Operated*	13811	3.1	2	2	2	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	78	2.1	2	<1	1	2	3	4	5	9
B. *Operated*	2721	4.2	8	2	2	4	5	7	9	16
1. SINGLE DX	13938	3.1	2	1	2	3	4	4	5	8
2. MULTIPLE DX	2799	4.1	8	2	2	3	5	7	9	16
A. NOT OPERATED	205	2.1	2	<1	1	2	3	3	4	8
B. OPERATED	16532	3.2	3	2	2	3	4	5	6	9
TOTAL 0-27 DYS	5	4.2	19	2	2	2	5	12	12	12
1-11 MOS	18	3.1	2	1	2	3	4	6	7	
1-5 YRS	528	3.5	5	1	2	3	4	6	8	14
6-12 YRS	6093	3.2	4	1	2	3	4	5	6	9
13-19 YRS	10093	3.2	3	2	2	3	4	5	6	9
GRAND TOTAL	**16737**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.3	6	2	2	5	7	9	9	9
6-12 YRS	15	7.0	10	1	3	7	9	11	12	12
13-19 YRS	16	7.2	14	1	2	7	10	12	13	14
B. *Operated*										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	312	6.8	7	3	4	6	8	10	11	14
6-12 YRS	1292	6.2	8	2	3	6	8	9	11	16
13-19 YRS	1272	6.0	8	2	3	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	7.3	50	<1	<1	6	13	15	15	15
6-12 YRS	14	6.5	10	1	3	6	8	11	12	12
13-19 YRS	5	6.8	11	4	4	5	9	12	12	12
B. *Operated*										
0-27 DYS	2	8.0		8	8	8	77	99+	99+	99+
1-11 MOS	3	7.7		7	7	8	8	8	8	8
1-5 YRS	281	9.4	30	4	4	8	11	15	20	29
6-12 YRS	873	9.1	33	4	4	8	10	16	20	33
13-19 YRS	993	8.3	21	3	4	7	10	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.8	11	1	2	7	9	11	12	14
B. *Operated*	2880	6.2	8	2	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	22	6.7	13	1	2	6	8	12	13	15
B. *Operated*	2152	8.8	27	3	4	8	10	15	19	29
1. SINGLE DX	2918	6.2	8	2	3	6	8	10	11	15
2. MULTIPLE DX	2174	8.7	27	3	4	8	10	15	18	29
A. NOT OPERATED	60	6.7	11	1	2	7	9	11	12	15
B. OPERATED	5032	7.3	18	3	3	7	9	12	15	24
TOTAL 0-27 DYS	4	8.5	1	8	8	8	32	99+	99+	99+
1-11 MOS	5	6.8	2	5	5	7	8	8	8	8
1-5 YRS	603	8.0	19	3	4	7	9	12	15	24
6-12 YRS	2194	7.3	20	3	3	7	9	12	15	25
13-19 YRS	2286	7.0	15	3	3	6	8	11	14	21
GRAND TOTAL	**5092**	**7.3**	**18**	**3**	**3**	**7**	**9**	**12**	**15**	**24**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.8	11	<1	<1	4	7	9	9	9
6-12 YRS	47	1.9	2	<1	<1	1	2	3	5	8
13-19 YRS	101	2.0	2	<1	1	2	2	4	5	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	30	3.2	3	1	1	3	4	6	6	8
6-12 YRS	308	3.0	2	1	2	3	3	4	5	8
13-19 YRS	581	3.4	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	35	2.3	4	<1	1	2	3	3	7	11
13-19 YRS	61	2.1	2	1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	18	5.2	33	2	2	3	4	11	21	26
6-12 YRS	170	4.3	21	2	2	3	5	7	8	16
13-19 YRS	364	4.2	6	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	2.0	2	<1	1	2	2	4	5	8
B. *Operated*	922	3.2	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	100	2.2	3	1	1	2	3	4	5	9
B. *Operated*	554	4.3	11	2	2	4	5	7	8	15
1. SINGLE DX	1074	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	654	4.0	10	1	2	3	5	6	8	15
A. NOT OPERATED	252	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	1476	3.6	6	2	2	3	4	6	7	11
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.5	6	2	2	4	6	7	7	7
1-5 YRS	56	3.9	14	1	1	3	4	6	9	25
6-12 YRS	560	3.3	8	1	1	3	4	5	7	11
13-19 YRS	1107	3.5	4	1	2	3	4	6	7	10
GRAND TOTAL	**1728**	**3.4**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	16	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	16	1.1		<1	<1	1	1	1	2	2
6-12 YRS	5	2.0	3	1	1	1	3	5	5	5
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	36	1.3		<1	1	1	2	2	2	3
1-11 MOS	1056	1.3		<1	<1	1	1	2	2	4
1-5 YRS	974	1.3		<1	<1	1	1	2	2	3
6-12 YRS	556	1.3		<1	<1	1	1	2	2	4
13-19 YRS	1297	1.7	2	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	92	1.6	2	<1	<1	1	2	3	6	8
1-5 YRS	84	1.2		<1	<1	1	1	2	3	4
6-12 YRS	10	1.1		<1	<1	1	1	2	2	2
13-19 YRS	16	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*										
0-27 DYS	26	4.2	115	<1	1	1	3	5	19	56
1-11 MOS	1087	1.8	3	<1	<1	1	2	3	4	12
1-5 YRS	876	1.5	2	<1	<1	1	2	2	3	6
6-12 YRS	326	1.5	1	<1	<1	1	2	3	3	5
13-19 YRS	419	2.0	3	<1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	3919	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	204	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	2734	1.7	4	<1	<1	1	2	3	4	8
1. SINGLE DX	3961	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	2938	1.7	3	<1	<1	1	2	3	4	8
A. NOT OPERATED	246	1.4	1	<1	<1	1	1	2	3	7
B. OPERATED	6653	1.6	2	<1	<1	1	2	3	3	6
TOTAL 0-27 DYS	66	2.4	47	<1	1	1	2	3	4	49
1-11 MOS	2251	1.6	2	<1	<1	1	2	2	3	8
1-5 YRS	1950	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	897	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	1735	1.8	2	<1	1	1	2	3	4	5
GRAND TOTAL	**6899**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	1.2		<1	<1	1	1	2	2	2
1-5 YRS	12	1.2		<1	<1	1	1	2	3	3
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	40	1.8	2	<1	1	1	2	3	5	9
1-11 MOS	413	1.6	1	<1	1	1	2	3	3	6
1-5 YRS	287	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	45	1.4		1	1	1	2	2	2	3
13-19 YRS	118	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	22	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	10	1.1		<1	<1	1	1	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	43	2.4	4	1	1	2	3	5	7	8
1-11 MOS	421	2.4	5	<1	1	2	3	4	6	12
1-5 YRS	192	2.4	42	<1	1	1	2	4	5	12
6-12 YRS	23	2.0	2	<1	<1	2	3	4	5	6
13-19 YRS	39	2.8	3	1	1	3	4	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.2		<1	<1	1	1	2	2	3
B. *Operated*	903	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	36	1.5	1	<1	<1	1	1	3	4	7
B. *Operated*	718	2.4	14	<1	1	2	3	4	6	11
1. SINGLE DX	928	1.6	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	754	2.4	14	<1	1	2	3	4	5	11
A. NOT OPERATED	61	1.4	1	<1	<1	1	1	2	3	7
B. OPERATED	1621	2.0	7	<1	1	1	2	4	5	8
TOTAL 0-27 DYS	84	2.2	3	1	1	1	3	4	7	9
1-11 MOS	868	2.0	3	<1	1	1	2	4	5	8
1-5 YRS	501	1.8	17	<1	<1	1	2	3	4	7
6-12 YRS	69	1.6	1	1	1	1	2	3	3	6
13-19 YRS	160	2.3	2	1	1	2	3	4	5	7
GRAND TOTAL	**1682**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	10	1.1		<1	<1	1	1	2	2	2
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	3	5.0	9	2	2	5	7	8	8	8
1-11 MOS	53	1.5	1	<1	<1	1	2	3	3	5
1-5 YRS	247	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	113	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	60	2.1	2	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.4	8	<1	<1	1	2	7	10	10
1-5 YRS	12	1.1		<1	<1	1	1	2	2	2
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	3	10.3	56	6	6	13	59	99+	99+	99+
1-11 MOS	27	2.3	7	<1	1	1	2	7	9	12
1-5 YRS	88	1.9	3	<1	<1	1	2	4	6	9
6-12 YRS	51	1.6	1	<1	<1	1	2	3	4	4
13-19 YRS	17	2.5	2	<1	1	2	4	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.1		<1	<1	1	1	2	2	2
B. *Operated*	476	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	27	1.7	3	<1	<1	1	2	2	6	10
B. *Operated*	186	2.1	5	<1	<1	1	2	4	6	16
1. SINGLE DX	490	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	213	2.0	4	<1	<1	1	2	4	6	15
A. NOT OPERATED	41	1.5	2	<1	<1	1	1	2	4	10
B. OPERATED	662	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	6	7.7	35	2	3	6	16	84	99+	99+
1-11 MOS	94	1.8	3	<1	<1	1	2	3	5	11
1-5 YRS	357	1.6	1	<1	<1	1	2	3	4	6
6-12 YRS	167	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	79	2.1	2	<1	<1	2	3	4	5	8
GRAND TOTAL	**703**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	9	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	42	2.3	3	<1	<1	1	3	5	6	7
6-12 YRS	39	1.5	2	<1	<1	1	1	2	4	8
13-19 YRS	75	1.8	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	4	3.0	6	1	1	3	5	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	19	3.2	3	<1	1	3	5	6	7	7
1-5 YRS	31	4.0	12	1	1	3	5	8	14	15
6-12 YRS	12	2.6	13	<1	<1	1	2	6	13	14
13-19 YRS	29	3.9	36	<1	1	3	4	5	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	165	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	92	3.6	18	<1	1	3	4	7	13	25
1. SINGLE DX	165	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	101	3.5	17	<1	1	3	4	6	11	23
A. NOT OPERATED	9	2.2	3	<1	<1	1	3	5	6	6
B. OPERATED	257	2.5	8	<1	<1	2	3	5	7	15
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	30	2.7	3	<1	<1	2	4	6	6	7
1-5 YRS	77	3.0	7	<1	<1	2	4	7	8	15
6-12 YRS	52	1.7	4	<1	<1	1	2	3	4	14
13-19 YRS	106	2.4	11	<1	<1	2	3	4	5	22
GRAND TOTAL	**266**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**15**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	3	6.7	4	5	5	6	8	9	9	9
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	3.6	6	<1	<1	5	5	6	6	6
6-12 YRS	5	4.0	6	1	1	3	6	7	7	7
13-19 YRS	10	4.0	4	2	2	4	5	7	8	8
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	15	9.2	61	4	5	7	10	16	30	35
1-5 YRS	14	10.4	123	2	2	6	12	26	38	41
6-12 YRS	9	11.9	62	4	5	9	14	26	28	28
13-19 YRS	7	9.7	20	5	5	9	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	6	6.5	2	5	5	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	24	3.6	4	1	1	3	5	6	7	8
B. *Operated*	46	10.4	70	3	4	7	11	22	29	41
1. SINGLE DX	8	5.6	4	3	3	6	7	8	9	9
2. MULTIPLE DX	70	8.0	58	2	2	6	9	17	24	40
A. NOT OPERATED	26	3.5	4	1	1	3	5	6	7	8
B. OPERATED	52	9.9	64	3	4	7	11	21	28	41
TOTAL 0-27 DYS	4	7.3	57	2	2	5	12	18	18	18
1-11 MOS	18	8.2	56	2	3	6	9	14	27	35
1-5 YRS	22	8.4	86	1	2	6	8	22	31	41
6-12 YRS	16	8.3	53	1	3	7	10	21	26	28
13-19 YRS	18	6.3	17	2	2	5	8	14	16	16
GRAND TOTAL	**78**	**7.8**	**53**	**2**	**2**	**6**	**9**	**16**	**23**	**39**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	6	3.2	12	1	1	2	3	9	10	10
13-19 YRS	9	2.2	1	1	1	2	3	52	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS										
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	6	3.7	4	1	1	3	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	23	2.5	4	<1	1	2	3	5	37	99+
2. MULTIPLE DX										
A. *Not Operated*	5	3.6	7	1	1	3	5	8	8	8
B. *Operated*	13	3.4	6	<1	<1	3	5	7	8	8
1. SINGLE DX	25	2.4	4	<1	<1	2	3	5	28	99+
2. MULTIPLE DX	18	3.4	6	<1	1	3	4	8	8	8
A. NOT OPERATED	7	3.1	6	<1	<1	3	4	7	8	8
B. OPERATED	36	2.8	5	<1	1	2	4	7	9	99+
TOTAL 0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	4	3.3	1	2	2	3	4	4	4	4
1-5 YRS	10	1.7	2	<1	<1	1	2	4	4	4
6-12 YRS	10	3.0	11	<1	<1	1	3	9	10	10
13-19 YRS	17	2.8	2	1	1	3	4	6	63	99+
GRAND TOTAL	**43**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**7**	**9**	**99+**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	5	2.4	2	1	1	3	3	4	4	4
1-11 MOS	12	2.4	6	<1	<1	1	3	7	8	8
1-5 YRS	28	2.7	12	<1	<1	2	3	7	8	18
6-12 YRS	16	2.5	3	1	1	2	3	5	6	7
13-19 YRS	40	2.9	5	<1	1	2	3	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4	2.0	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-27 DYS	4	5.5	10	1	1	6	7	8	8	8
1-11 MOS	14	5.3	12	1	2	4	7	11	13	13
1-5 YRS	16	8.6	103	1	2	4	11	19	35	41
6-12 YRS	12	5.4	18	1	2	4	7	12	15	15
13-19 YRS	26	6.7	44	1	1	5	9	12	23	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	101	2.7	6	<1	1	2	3	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	9	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	72	6.6	44	1	1	4	9	12	19	38
1. SINGLE DX	109	2.6	6	<1	1	2	3	6	7	13
2. MULTIPLE DX	81	6.0	42	1	1	4	8	12	17	37
A. NOT OPERATED	17	1.5	1	<1	<1	1	2	3	3	3
B. OPERATED	173	4.3	26	1	1	3	5	9	12	27
TOTAL 0-27 DYS	9	3.8	7	1	1	3	6	8	8	8
1-11 MOS	28	3.8	11	1	1	3	5	8	11	13
1-5 YRS	53	4.3	45	<1	1	2	4	11	17	40
6-12 YRS	29	3.7	11	1	1	3	4	8	11	15
13-19 YRS	71	4.2	22	<1	1	3	5	9	11	28
GRAND TOTAL	**190**	**4.0**	**24**	**<1**	**1**	**2**	**4**	**9**	**12**	**26**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	3	1	1	1	2	5	5	5
1-11 MOS	137	1.9	2	<1	<1	2	2	4	5	7
1-5 YRS	181	2.2	3	<1	1	2	3	4	6	9
6-12 YRS	56	2.8	6	<1	1	2	4	5	8	12
13-19 YRS	149	3.3	4	1	1	3	4	7	7	10
B. *Operated*										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	178	4.9	22	2	2	4	6	9	10	19
1-5 YRS	102	5.3	20	2	2	4	6	9	10	29
6-12 YRS	50	7.1	6	4	4	7	8	11	12	13
13-19 YRS	102	7.6	7	4	5	7	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.4	11	<1	<1	4	6	10	11	11
1-11 MOS	102	2.8	4	<1	1	2	3	6	7	9
1-5 YRS	150	4.2	34	1	1	3	4	8	11	45
6-12 YRS	88	3.6	15	1	1	3	4	6	8	26
13-19 YRS	145	4.2	8	1	2	4	5	8	9	13
B. *Operated*										
0-27 DYS	11	8.7	14	4	6	8	11	43	92	99+
1-11 MOS	176	9.2	101	2	3	6	10	18	29	59
1-5 YRS	132	10.0	129	3	3	7	10	17	30	63
6-12 YRS	93	9.7	48	4	5	8	12	16	18	45
13-19 YRS	168	11.9	153	4	5	9	12	19	28	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	434	5.9	17	2	3	5	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	494	3.8	16	1	1	3	5	7	9	18
B. *Operated*	580	10.2	113	3	4	7	11	18	27	63
1. SINGLE DX	962	4.0	13	1	1	3	6	8	10	13
2. MULTIPLE DX	1074	7.3	79	1	2	5	8	14	19	57
A. NOT OPERATED	1022	3.1	10	1	1	2	4	6	8	12
B. OPERATED	1014	8.4	77	2	3	6	9	14	20	58
TOTAL 0-27 DYS	27	6.0	18	1	1	6	8	12	26	99+
1-11 MOS	593	5.1	46	1	1	3	6	10	13	36
1-5 YRS	565	5.1	52	1	1	3	6	10	13	42
6-12 YRS	287	6.0	30	1	1	5	8	12	15	26
13-19 YRS	564	6.9	62	1	2	5	8	12	17	47
GRAND TOTAL	**2036**	**5.7**	**50**	**1**	**1**	**4**	**7**	**11**	**15**	**42**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	201	2.8	4	1	1	3	3	5	6	10
1-11 MOS	1528	2.7	3	1	1	2	3	5	6	8
1-5 YRS	2261	2.3	2	1	1	2	3	4	5	7
6-12 YRS	1757	1.9	1	1	1	2	2	3	4	6
13-19 YRS	2154	2.0	2	<1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	6.2	48	1	1	5	7	17	23	23
1-5 YRS	22	4.4	19	1	1	3	5	9	14	21
6-12 YRS	63	3.1	2	1	2	3	4	5	7	8
13-19 YRS	139	3.8	6	2	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	356	3.7	5	1	2	3	4	6	8	11
1-11 MOS	5404	3.3	5	1	1	3	4	5	7	11
1-5 YRS	9094	2.8	3	1	1	2	3	5	5	8
6-12 YRS	3007	2.5	2	1	1	2	3	4	5	8
13-19 YRS	2401	2.6	3	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS	6	6.2	27	2	2	4	8	15	16	16
1-11 MOS	94	10.6	210	1	2	6	10	35	48	94
1-5 YRS	108	6.8	45	1	2	5	8	16	21	36
6-12 YRS	69	5.6	74	1	2	4	6	9	13	61
13-19 YRS	159	5.4	28	2	2	4	6	9	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7901	2.2	2	1	1	2	3	4	5	7
B. *Operated*	234	3.8	5	1	2	3	4	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	20262	2.9	4	1	1	2	3	5	6	9
B. *Operated*	436	6.9	82	2	2	4	7	12	21	53
1. SINGLE DX	8135	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	20698	3.0	6	1	1	3	4	5	6	10
A. NOT OPERATED	28163	2.7	3	1	1	2	3	5	6	9
B. OPERATED	670	5.8	59	2	2	4	6	10	17	48
TOTAL 0-27 DYS	564	3.4	5	1	1	3	4	6	8	11
1-11 MOS	7035	3.3	8	1	1	3	4	5	7	11
1-5 YRS	11485	2.7	4	1	1	2	3	5	5	9
6-12 YRS	4896	2.3	3	1	1	2	3	4	5	8
13-19 YRS	4853	2.4	4	1	1	2	3	4	5	9
GRAND TOTAL	**28833**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	6	7.0	18	2	2	7	11	12	12	12
1-5 YRS	7	11.4	67	3	3	11	19	22	22	22
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	3	8.3	10	6	6	7	11	12	12	12
1-5 YRS	4	10.0	13	7	7	10	13	14	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	13	6.5	19	2	2	5	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.0	15	4	4	6	10	12	12	12
B. *Operated*	6	5.2	11	1	1	5	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	17	8.5	40	2	3	5	12	20	22	22
B. *Operated*	22	7.9	20	2	3	7	12	14	15	17
1. SINGLE DX	10	5.9	12	1	2	5	8	11	12	12
2. MULTIPLE DX	39	8.2	28	2	3	7	12	15	19	22
A. NOT OPERATED	21	8.2	35	2	3	5	12	17	21	22
B. OPERATED	28	7.3	19	2	2	6	11	14	15	17
TOTAL 0-27 DYS	5	10.4	23	4	4	11	13	17	17	17
1-11 MOS	11	7.5	15	2	3	7	11	12	12	12
1-5 YRS	13	9.5	48	1	2	7	14	21	22	22
6-12 YRS	4	5.3	2	4	4	5	6	7	7	7
13-19 YRS	16	6.1	16	2	2	5	9	13	14	14
GRAND TOTAL	**49**	**7.7**	**25**	**2**	**3**	**6**	**11**	**14**	**17**	**22**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.6		1	1	2	2	2	2	2
1-11 MOS	13	2.2	2	1	1	2	3	4	6	6
1-5 YRS	5	2.6	5	1	1	1	4	6	6	6
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	11	2.4	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	82	2.5	12	<1	<1	2	3	4	8	23
1-5 YRS	36	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	34	2.1	2	<1	1	2	3	4	5	8
13-19 YRS	170	2.5	4	1	1	2	3	4	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.8	20	1	1	2	4	10	16	17
1-11 MOS	13	2.2	3	<1	<1	2	3	5	6	6
1-5 YRS	13	7.5	99	<1	1	4	7	28	30	30
6-12 YRS	11	3.7	6	1	1	3	5	8	8	8
13-19 YRS	25	3.0	5	<1	1	2	3	6	8	10
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	40	3.1	5	<1	1	2	4	6	8	11
1-5 YRS	23	3.2	15	<1	<1	2	4	7	11	19
6-12 YRS	18	3.3	8	<1	1	2	4	8	10	11
13-19 YRS	154	3.9	23	1	1	3	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.2	2	<1	1	2	3	4	6	6
B. *Operated*	323	2.4	6	<1	1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*	74	3.9	25	<1	1	2	4	8	12	30
B. *Operated*	237	3.7	18	1	1	3	4	7	9	19
1. SINGLE DX	359	2.4	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	311	3.7	20	1	1	3	4	7	9	24
A. NOT OPERATED	110	3.3	18	<1	1	2	3	6	8	29
B. OPERATED	560	2.9	11	<1	1	2	3	5	8	17
TOTAL 0-27 DYS	20	3.0	13	1	1	2	3	5	12	17
1-11 MOS	148	2.6	9	<1	<1	2	3	5	7	11
1-5 YRS	77	3.2	25	<1	<1	2	3	6	11	29
6-12 YRS	65	2.7	5	<1	1	2	3	5	8	11
13-19 YRS	360	3.1	13	1	1	2	4	6	8	17
GRAND TOTAL	**670**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.8	2	1	1	2	4	5	5	5
1-11 MOS	62	2.7	8	1	1	2	3	5	7	17
1-5 YRS	173	2.3	5	<1	1	2	3	4	6	14
6-12 YRS	309	2.5	4	<1	1	2	3	5	6	10
13-19 YRS	497	3.7	8	1	1	3	5	7	8	15
B. *Operated*										
0-27 DYS	2	12.0	18	9	9	12	15	15	15	15
1-11 MOS	20	5.2	41	1	1	3	7	9	19	30
1-5 YRS	79	4.0	21	<1	1	2	5	10	14	23
6-12 YRS	108	5.0	14	1	1	4	7	10	11	20
13-19 YRS	267	6.7	38	1	2	5	8	14	18	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	21	4.6	14	1	1	3	6	10	13	16
1-11 MOS	114	4.0	14	1	1	3	4	8	12	21
1-5 YRS	333	3.5	20	<1	1	2	4	7	11	24
6-12 YRS	477	3.6	17	1	1	2	4	7	10	17
13-19 YRS	758	4.6	16	1	1	4	6	9	13	20
B. *Operated*										
0-27 DYS	7	8.3	56	1	1	6	13	21	22	22
1-11 MOS	68	10.2	151	1	2	7	13	30	75	99+
1-5 YRS	152	8.4	169	1	1	4	9	19	30	90
6-12 YRS	219	8.6	81	1	2	6	10	17	31	47
13-19 YRS	602	11.1	109	2	2	8	14	26	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1053	3.0	7	1	1	2	4	6	8	14
B. *Operated*	476	5.8	31	1	1	4	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	1703	4.1	17	1	1	3	5	8	12	20
B. *Operated*	1048	10.1	115	1	2	7	12	24	31	55
1. SINGLE DX	1529	3.9	16	1	1	3	5	8	10	20
2. MULTIPLE DX	2751	6.4	63	1	1	4	8	14	21	44
A. NOT OPERATED	2756	3.7	13	1	1	3	4	7	10	18
B. OPERATED	1524	8.8	93	1	2	6	11	19	28	49
TOTAL 0-27 DYS	42	5.0	22	1	1	4	6	12	16	22
1-11 MOS	264	5.4	58	1	1	3	6	13	19	96
1-5 YRS	737	4.3	52	<1	1	2	4	10	14	36
6-12 YRS	1113	4.4	30	1	1	3	5	9	12	32
13-19 YRS	2124	6.5	52	1	1	4	8	14	21	36
GRAND TOTAL	**4280**	**5.5**	**48**	**1**	**1**	**3**	**6**	**12**	**18**	**36**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS	3	8.3	4	6	6	9	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	7.5	9	3	3	8	10	11	11	11
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX	7	6.6	14	1	1	6	10	11	11	11
A. NOT OPERATED	7	8.6	16	3	4	9	11	14	15	15
B. OPERATED	1	1.0		1	1	1	1	1	1	1
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	9.0	72	3	3	9	15	15	15	15
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS	4	6.5	16	1	1	7	9	10	10	10
GRAND TOTAL	**8**	**7.6**	**21**	**1**	**2**	**8**	**10**	**14**	**15**	**15**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.0	61	1	1	2	12	15	15	15
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	4	1.8	1	<1	<1	1	2	3	3	3
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	1.6	2	1	1	1	2	4	6	6
6-12 YRS	15	1.7	1	<1	1	1	2	3	4	4
13-19 YRS	12	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	3.8	4	1	1	3	6	7	7	7
1-5 YRS	11	3.0	4	<1	<1	3	4	6	7	7
6-12 YRS	14	3.6	12	<1	<1	2	5	8	12	13
13-19 YRS	24	4.8	24	1	1	4	6	10	16	22
B. *Operated*										
0-27 DYS										
1-11 MOS	7	15.0	371	1	1	9	15	49	57	57
1-5 YRS	21	8.2	431	1	1	2	5	13	53	97
6-12 YRS	21	13.8	572	1	1	4	14	54	81	83
13-19 YRS	38	4.6	29	1	1	2	4	13	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	14	<1	<1	2	3	6	13	15
B. *Operated*	39	1.7	1	1	1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	60	4.0	14	<1	1	3	6	7	11	21
B. *Operated*	87	8.5	289	1	1	3	8	17	40	92
1. SINGLE DX	52	2.0	5	1	1	1	2	3	5	15
2. MULTIPLE DX	147	6.7	181	1	1	3	6	14	21	83
A. NOT OPERATED	73	3.8	14	<1	1	3	5	7	12	20
B. OPERATED	126	6.4	209	1	1	2	4	15	21	86
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	7.9	146	1	1	5	8	15	34	57
1-5 YRS	46	4.9	203	<1	1	2	4	7	12	97
6-12 YRS	54	6.9	251	<1	1	2	5	14	33	83
13-19 YRS	77	4.1	23	1	1	2	4	9	16	22
GRAND TOTAL	**199**	**5.5**	**139**	**1**	**1**	**2**	**5**	**11**	**17**	**81**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	3.8	6	<1	<1	3	6	7	8	8
6-12 YRS	25	3.5	2	1	1	3	4	6	6	6
13-19 YRS	69	3.3	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	5.3	26	1	1	4	9	11	11	11
1-5 YRS	7	6.9	80	1	1	4	8	22	26	26
6-12 YRS	8	5.0	7	1	2	4	7	9	9	9
13-19 YRS	12	5.1	24	1	1	4	8	12	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	17	6.6	85	2	2	4	6	14	32	40
1-5 YRS	24	3.4	11	<1	<1	2	5	6	10	16
6-12 YRS	41	4.2	13	1	2	3	4	7	9	23
13-19 YRS	93	4.6	11	1	2	4	6	9	11	20
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	13	10.2	267	1	1	3	11	26	55	62
1-5 YRS	24	4.8	16	1	1	4	8	11	38	99+
6-12 YRS	25	10.4	159	1	2	4	16	33	38	49
13-19 YRS	30	12.2	242	1	1	6	16	32	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	3.4	4	1	1	3	4	6	7	10
B. *Operated*	31	5.4	29	1	1	4	8	10	17	26
2. MULTIPLE DX										
A. *Not Operated*	177	4.6	19	1	2	4	5	7	11	24
B. *Operated*	93	9.6	165	1	1	5	11	27	41	87
1. SINGLE DX	135	3.8	10	1	1	3	4	7	9	18
2. MULTIPLE DX	270	6.3	74	1	1	4	6	13	23	59
A. NOT OPERATED	281	4.1	13	1	1	3	5	7	9	21
B. OPERATED	124	8.5	134	1	1	4	10	21	34	78
TOTAL 0-27 DYS	4	7.3	36	3	3	5	11	16	16	16
1-11 MOS	34	7.7	144	1	2	4	6	16	35	62
1-5 YRS	64	4.4	19	<1	1	3	6	8	16	89
6-12 YRS	99	5.6	53	1	2	4	5	10	21	42
13-19 YRS	204	5.3	51	1	1	4	6	10	15	39
GRAND TOTAL	**405**	**5.5**	**54**	**1**	**1**	**4**	**6**	**10**	**17**	**45**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	93	2.3	1	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	6	8.2	15	4	4	8	10	14	14	14
1-11 MOS	13	5.0	6	2	2	5	6	9	10	10
1-5 YRS	5	3.6	3	1	1	4	5	5	5	5
6-12 YRS	22	5.6	9	2	3	5	6	9	13	16
13-19 YRS	784	4.9	4	2	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	9	4.6	8	2	2	4	7	9	9	9
6-12 YRS	8	2.9	2	1	1	3	4	5	5	5
13-19 YRS	123	2.9	4	<1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS	4	9.0	13	4	4	10	11	12	12	12
1-11 MOS	21	8.0	7	4	5	8	9	12	13	13
1-5 YRS	19	7.6	26	1	3	6	10	16	19	20
6-12 YRS	33	7.8	15	3	4	7	10	14	16	17
13-19 YRS	664	6.5	13	3	3	6	8	10	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.3	1	<1	1	2	3	4	5	6
B. *Operated*	830	5.0	4	2	3	5	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	143	3.0	4	<1	1	2	4	6	8	10
B. *Operated*	741	6.6	13	3	3	6	8	11	13	19
1. SINGLE DX	926	4.7	5	2	2	4	6	7	8	11
2. MULTIPLE DX	884	6.0	14	2	2	5	8	10	12	18
A. NOT OPERATED	239	2.7	3	<1	1	2	3	5	6	9
B. OPERATED	1571	5.7	9	3	3	5	7	9	11	16
TOTAL 0-27 DYS	11	8.3	12	4	4	9	11	13	14	14
1-11 MOS	27	6.5	9	2	3	6	9	11	12	13
1-5 YRS	33	6.2	20	1	2	5	9	11	17	20
6-12 YRS	65	6.2	14	1	2	5	8	12	15	17
13-19 YRS	1664	5.2	9	2	2	5	6	9	10	14
GRAND TOTAL	**1810**	**5.3**	**10**	**2**	**2**	**5**	**6**	**9**	**11**	**15**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	2	3	3	5	6	6	6	6
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	58	3.3	4	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	5.0	2	3	3	5	6	6	6	6
13-19 YRS	72	4.8	6	2	3	4	6	7	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.0	7	1	1	2	5	7	7	7
1-5 YRS	6	6.2	32	<1	<1	4	12	14	14	14
6-12 YRS	6	5.0	48	1	1	2	3	17	19	19
13-19 YRS	60	3.0	3	1	1	3	3	6	7	8
B. *Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	4	5.8	14	1	1	6	8	10	10	10
1-5 YRS	3	11.7	12	8	8	12	14	15	15	15
6-12 YRS	6	6.8	15	3	3	6	7	13	14	14
13-19 YRS	77	6.3	12	2	3	5	8	10	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.3	4	1	1	3	5	6	8	10
B. *Operated*	79	4.8	6	1	3	4	6	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	77	3.4	9	1	1	3	4	7	8	18
B. *Operated*	92	6.5	13	2	3	6	8	10	12	22
1. SINGLE DX	143	4.1	6	1	1	4	5	7	8	11
2. MULTIPLE DX	169	5.1	13	1	2	4	7	9	12	19
A. NOT OPERATED	141	3.4	7	1	1	3	4	7	8	14
B. OPERATED	171	5.7	10	2	3	5	7	9	11	19
TOTAL 0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	13	4.6	8	1	1	5	6	8	10	10
1-5 YRS	12	6.3	31	<1	<1	4	12	14	15	15
6-12 YRS	18	5.4	21	1	1	4	6	12	17	19
13-19 YRS	267	4.5	9	1	2	4	6	8	9	18
GRAND TOTAL	**312**	**4.6**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	2.7	1	2	2	3	3	4	4	4
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	36	7.1	10	1	3	7	9	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	7	5.0	18	2	2	4	6	12	14	14
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	14.0	109	7	7	17	63	99+	99+	99+
1-5 YRS	2	8.5	13	6	6	8	11	11	11	11
6-12 YRS	2	15.0	72	9	9	15	21	21	21	21
13-19 YRS	53	9.8	45	5	6	8	11	15	16	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.7	1	2	2	3	3	4	4	4
B. *Operated*	40	6.9	10	1	3	7	9	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	9	5.3	15	2	2	4	7	12	14	14
B. *Operated*	61	10.2	46	5	6	9	11	16	23	94
1. SINGLE DX	51	6.0	11	1	2	6	9	10	12	14
2. MULTIPLE DX	70	9.6	45	3	5	8	11	16	21	90
A. NOT OPERATED	20	3.9	9	2	2	3	4	7	11	14
B. OPERATED	101	8.9	34	3	4	8	10	14	18	74
TOTAL 0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	5	10.4	79	4	4	8	26	93	99+	99+
1-5 YRS	4	8.0	6	6	6	8	10	11	11	11
6-12 YRS	3	11.3	76	4	4	9	18	21	21	21
13-19 YRS	107	7.9	32	2	3	7	10	13	15	33
GRAND TOTAL	**121**	**8.1**	**33**	**2**	**3**	**7**	**10**	**14**	**16**	**65**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.9	23	2	2	6	9	14	16	16
1-5 YRS	7	9.9	59	4	4	6	17	21	21	21
6-12 YRS	3	7.0	4	5	5	7	8	9	9	9
13-19 YRS	5	6.4	64	<1	<1	3	10	20	20	20
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	11.4	87	2	2	10	14	27	27	27
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	29	10.8	89	2	2	8	13	28	34	37
1-5 YRS	26	8.3	19	2	2	8	10	15	16	16
6-12 YRS	14	5.1	5	1	2	5	6	8	10	10
13-19 YRS	15	3.8	6	2	2	2	5	6	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	20	20.0	287	2	6	15	21	52	62	62
1-5 YRS	14	14.8	233	4	4	10	14	41	54	58
6-12 YRS	3	31.3	814	2	2	33	52	59	59	59
13-19 YRS	9	9.7	72	2	2	6	13	23	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.5	37	<1	2	6	8	20	21	21
B. *Operated*	8	7.9	73	2	2	5	10	22	27	27
2. MULTIPLE DX										
A. *Not Operated*	86	7.7	44	2	2	6	10	15	18	36
B. *Operated*	46	17.1	267	2	4	12	17	42	60	62
1. SINGLE DX	32	7.6	44	<1	2	6	9	20	21	27
2. MULTIPLE DX	132	11.0	141	2	2	7	13	21	37	62
A. NOT OPERATED	110	7.7	43	1	2	6	9	16	21	35
B. OPERATED	54	15.8	248	2	2	11	16	39	59	62
TOTAL 0-27 DYS	4	2.8	5	1	1	2	4	6	6	6
1-11 MOS	62	13.3	162	2	3	10	16	31	39	62
1-5 YRS	48	10.3	92	2	4	7	13	16	23	58
6-12 YRS	20	9.3	181	1	2	5	8	21	46	59
13-19 YRS	30	5.9	39	<1	2	4	7	13	20	29
GRAND TOTAL	**164**	**10.3**	**124**	**2**	**2**	**7**	**12**	**21**	**33**	**61**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	3.8	3	3	3	3	4	7	7	7
1-5 YRS	11	6.4	13	1	2	6	8	12	13	13
6-12 YRS	31	4.7	6	1	2	4	7	8	9	10
13-19 YRS	160	4.2	9	1	2	4	5	7	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	10.0	12	8	8	8	13	14	14	14
6-12 YRS	12	9.7	83	1	1	7	15	22	30	31
13-19 YRS	21	8.5	28	1	2	9	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	8.5	71	1	2	6	10	24	26	26
1-5 YRS	21	5.3	24	1	1	4	6	12	18	20
6-12 YRS	48	7.4	61	1	2	5	9	20	27	36
13-19 YRS	217	5.2	12	1	2	5	6	9	11	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	9	24.4	276	3	5	19	41	47	48	48
6-12 YRS	12	12.8	130	<1	1	8	19	32	35	35
13-19 YRS	50	16.7	287	3	3	11	21	37	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.4	9	1	2	4	6	7	9	14
B. *Operated*	36	9.0	43	1	1	8	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	298	5.7	23	1	2	5	7	9	15	26
B. *Operated*	72	16.9	260	1	3	12	21	37	46	80
1. SINGLE DX	244	5.1	17	1	2	4	6	9	13	22
2. MULTIPLE DX	370	7.9	89	1	2	5	8	17	25	46
A. NOT OPERATED	506	5.2	18	1	2	4	6	9	12	25
B. OPERATED	108	14.3	201	1	2	9	18	35	40	79
TOTAL 0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	17	7.2	50	2	3	3	8	21	25	26
1-5 YRS	44	9.8	124	1	2	6	12	20	42	48
6-12 YRS	103	7.5	59	1	2	5	9	18	28	35
13-19 YRS	448	6.3	56	1	2	5	7	12	16	37
GRAND TOTAL	**614**	**6.8**	**62**	**1**	**2**	**5**	**7**	**13**	**21**	**39**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	2.1	1	1	1	2	3	4	4	4
1-11 MOS	41	2.1	1	1	1	2	2	3	5	6
1-5 YRS	44	2.5	2	1	1	2	3	5	6	7
6-12 YRS	34	2.7	2	<1	1	3	3	5	5	6
13-19 YRS	79	2.7	4	<1	<1	2	3	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.2	4	1	1	3	5	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	3.1	4	1	1	3	4	6	7	7
1-11 MOS	86	4.3	15	1	1	3	5	8	11	22
1-5 YRS	117	3.6	20	1	1	3	4	6	9	26
6-12 YRS	86	3.0	5	1	1	3	4	5	7	11
13-19 YRS	243	3.5	22	1	1	3	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	13	4.9	6	2	3	4	6	9	10	10
1-5 YRS	13	13.0	181	4	5	7	16	28	49	54
6-12 YRS	23	4.9	14	1	2	3	7	11	12	13
13-19 YRS	39	10.9	250	1	1	6	9	38	55	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	2.5	2	<1	1	2	3	5	6	8
B. *Operated*	12	2.7	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	551	3.6	17	1	1	3	4	6	8	19
B. *Operated*	88	8.8	150	1	2	5	9	15	51	60
1. SINGLE DX	233	2.5	2	<1	1	2	3	5	6	7
2. MULTIPLE DX	639	4.3	38	1	1	3	4	8	11	40
A. NOT OPERATED	772	3.3	13	1	1	2	4	6	8	16
B. OPERATED	100	8.0	136	1	2	5	8	14	36	59
TOTAL 0-27 DYS	42	2.5	2	1	1	2	3	5	6	7
1-11 MOS	140	3.7	11	1	1	3	4	7	10	19
1-5 YRS	180	4.0	32	1	1	3	4	7	11	34
6-12 YRS	144	3.3	6	1	1	3	4	6	9	12
13-19 YRS	366	4.1	47	1	1	3	4	7	9	53
GRAND TOTAL	**872**	**3.8**	**29**	**1**	**1**	**3**	**4**	**7**	**10**	**23**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	2.6	2	1	1	3	3	4	6	6
1-11 MOS	67	3.1	3	1	1	3	4	6	7	9
1-5 YRS	19	4.0	6	<1	<1	4	6	8	9	9
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.0	50	9	9	14	19	19	19	19
1-5 YRS	7	11.3	150	1	1	6	20	31	33	33
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	35	4.8	29	1	1	3	5	8	15	30
1-11 MOS	131	5.5	41	1	2	4	6	10	19	41
1-5 YRS	69	7.1	111	1	2	4	7	20	69	99+
6-12 YRS	10	3.1	2	<1	1	3	3	5	6	6
13-19 YRS	29	2.3	8	1	1	1	2	6	7	14
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	17	24.5	499	2	3	25	46	92	99+	99+
1-5 YRS	25	11.2	193	1	2	8	15	49	64	99+
6-12 YRS	5	3.2	3	1	1	3	5	5	5	5
13-19 YRS	4	5.8	8	4	4	5	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.2	3	<1	1	3	4	6	7	9
B. *Operated*	11	10.2	110	1	1	6	17	27	32	33
2. MULTIPLE DX										
A. *Not Operated*	274	5.4	54	1	1	3	6	12	20	92
B. *Operated*	52	14.4	305	1	2	9	20	52	95	99+
1. SINGLE DX	114	3.9	17	1	1	3	4	7	9	27
2. MULTIPLE DX	326	6.8	104	1	1	4	6	18	39	99+
A. NOT OPERATED	377	4.8	41	1	1	3	5	9	18	64
B. OPERATED	63	13.6	271	1	2	8	19	48	85	99+
TOTAL 0-27 DYS	49	4.4	23	1	1	3	4	8	12	30
1-11 MOS	217	6.3	93	1	2	4	6	13	28	87
1-5 YRS	120	7.7	117	1	2	4	9	20	53	99+
6-12 YRS	16	3.2	2	<1	1	3	4	5	6	6
13-19 YRS	38	2.7	8	1	1	1	4	6	9	14
GRAND TOTAL	**440**	**6.0**	**83**	**1**	**1**	**3**	**6**	**15**	**25**	**99+**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.5	3	2	2	3	5	6	6	6
1-5 YRS	125	4.5	12	1	1	3	6	9	10	17
6-12 YRS	74	4.7	13	1	1	4	6	11	14	16
13-19 YRS	40	4.3	12	<1	1	3	6	10	12	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	39	3.1	9	1	1	2	3	7	12	13
6-12 YRS	65	2.7	9	1	1	2	3	5	6	19
13-19 YRS	96	3.1	13	1	1	2	3	6	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	6.1	36	2	2	4	6	15	22	23
1-5 YRS	127	5.6	18	1	2	4	8	11	15	22
6-12 YRS	120	4.7	9	1	2	4	6	9	11	15
13-19 YRS	81	4.6	15	1	1	3	6	9	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.2	44	1	1	10	12	19	19	19
1-5 YRS	42	9.1	114	1	2	7	13	16	20	67
6-12 YRS	49	6.8	51	2	2	4	8	19	25	99+
13-19 YRS	107	4.8	17	1	1	3	7	12	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	4.5	12	1	1	3	6	9	11	15
B. *Operated*	201	3.0	11	1	1	2	3	6	10	20
2. MULTIPLE DX										
A. *Not Operated*	339	5.1	15	1	2	4	7	10	13	21
B. *Operated*	203	6.3	48	1	1	4	8	14	17	50
1. SINGLE DX	444	3.8	12	1	1	2	5	8	11	16
2. MULTIPLE DX	542	5.5	27	1	2	4	7	12	15	24
A. NOT OPERATED	582	4.8	14	1	1	4	6	9	12	20
B. OPERATED	404	4.6	32	1	1	2	6	12	15	24
TOTAL 0-27 DYS										
1-11 MOS	21	6.1	32	1	2	4	7	14	21	23
1-5 YRS	333	5.3	29	1	1	4	7	11	14	22
6-12 YRS	308	4.6	18	1	1	3	6	9	13	24
13-19 YRS	324	4.2	15	1	1	3	5	9	13	20
GRAND TOTAL	**986**	**4.7**	**21**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	27	3.8	4	1	1	3	5	7	8	8
6-12 YRS	34	5.1	6	2	2	4	7	8	10	11
13-19 YRS	21	3.7	4	1	1	4	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.3	56	1	1	8	14	16	16	16
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	5.1	24	1	1	3	8	12	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	39	4.5	6	1	2	4	5	9	10	10
6-12 YRS	68	5.0	7	2	2	5	6	9	10	12
13-19 YRS	32	5.2	16	1	2	4	8	11	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	12.2	180	<1	1	5	18	33	42	42
6-12 YRS	15	7.3	30	1	1	7	11	16	17	17
13-19 YRS	8	11.8	175	1	1	7	20	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.3	5	1	2	4	6	8	8	11
B. *Operated*	15	5.5	28	1	1	3	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	141	4.9	8	1	2	4	6	9	10	13
B. *Operated*	33	9.8	108	1	1	6	14	26	34	42
1. SINGLE DX	97	4.5	9	1	2	4	6	8	9	17
2. MULTIPLE DX	174	5.8	31	1	2	4	7	10	16	33
A. NOT OPERATED	223	4.7	7	1	2	4	6	8	10	12
B. OPERATED	48	8.5	86	1	1	5	11	18	31	42
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	79	5.4	34	1	1	4	6	9	17	37
6-12 YRS	118	5.3	10	1	2	5	7	10	11	16
13-19 YRS	72	5.5	34	1	1	4	7	10	16	33
GRAND TOTAL	**271**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**12**	**30**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	5	3.0	4	1	1	2	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	4	4.0	2	2	2	4	5	5	5	5
6-12 YRS	12	3.9	4	<1	1	4	6	7	7	7
13-19 YRS	23	7.7	39	1	2	4	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	5.3	38	1	1	3	7	15	21	21
1-5 YRS	28	6.9	91	1	2	3	8	15	24	49
6-12 YRS	49	5.3	74	1	1	2	6	13	20	55
13-19 YRS	51	2.7	8	<1	1	2	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	7	14.4	239	2	2	14	16	41	47	47
1-5 YRS	42	15.3	296	2	2	11	22	45	95	99+
6-12 YRS	87	13.4	136	2	3	10	18	31	42	83
13-19 YRS	183	12.2	112	2	2	9	17	28	36	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*	40	6.0	27	<1	1	4	7	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	138	4.7	52	1	1	2	5	9	16	50
B. *Operated*	319	13.0	145	2	3	9	18	30	39	99+
1. SINGLE DX	51	5.3	24	<1	1	4	6	13	17	23
2. MULTIPLE DX	457	10.5	131	1	1	6	14	26	36	89
A. NOT OPERATED	149	4.5	48	1	1	2	5	9	15	49
B. OPERATED	359	12.2	136	2	2	9	17	29	38	99
TOTAL 0-27 DYS										
1-11 MOS	19	8.4	122	<1	1	4	13	19	35	47
1-5 YRS	77	11.1	215	1	2	6	14	29	54	99+
6-12 YRS	150	9.8	121	1	1	6	14	26	33	56
13-19 YRS	262	9.8	98	1	1	6	14	24	33	51
GRAND TOTAL	**508**	**9.9**	**123**	**1**	**1**	**6**	**14**	**25**	**35**	**72**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	5.8	57	1	1	2	10	17	17	17
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	7	5.1	16	1	1	5	8	10	11	11
1-5 YRS	19	4.1	7	<1	1	4	6	7	10	11
6-12 YRS	7	4.9	24	1	1	4	6	13	15	15
13-19 YRS	20	5.8	77	1	1	4	6	8	25	42
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	6	10.8	61	1	1	10	17	21	22	22
1-5 YRS	7	17.9	34	13	13	16	21	28	29	29
6-12 YRS	8	18.4	229	6	6	12	32	41	41	41
13-19 YRS	26	12.7	110	3	3	9	19	30	33	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	25	<1	<1	2	3	12	17	17
B. *Operated*	4	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	55	4.9	35	1	1	4	6	8	11	41
B. *Operated*	48	14.5	115	3	3	12	20	30	40	43
1. SINGLE DX	13	3.5	18	<1	1	2	3	8	15	17
2. MULTIPLE DX	103	9.4	95	1	1	6	13	23	30	42
A. NOT OPERATED	64	4.8	33	<1	1	3	6	8	12	38
B. OPERATED	52	13.6	117	2	3	11	19	29	39	43
TOTAL 0-27 DYS	4	9.3	175	1	1	2	16	29	29	29
1-11 MOS	14	7.5	40	1	1	6	11	17	21	22
1-5 YRS	31	7.5	50	<1	1	5	12	17	22	29
6-12 YRS	16	11.4	168	1	1	6	16	38	41	41
13-19 YRS	51	8.9	101	1	2	5	10	23	31	43
GRAND TOTAL	**116**	**8.7**	**89**	**1**	**1**	**5**	**11**	**22**	**30**	**42**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	21	4.0	6	1	1	4	6	8	8	8
1-5 YRS	132	3.7	4	1	2	3	5	6	7	11
6-12 YRS	194	3.5	3	2	2	3	4	5	6	11
13-19 YRS	597	3.6	3	1	2	3	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	6	5.2	2	4	4	5	7	7	7	7
13-19 YRS	18	4.7	4	1	2	4	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	6.8	14	3	3	6	8	13	13	13
1-11 MOS	74	5.4	11	2	2	4	7	10	12	19
1-5 YRS	319	4.3	5	2	2	4	5	7	9	12
6-12 YRS	369	4.3	7	2	2	4	5	7	10	15
13-19 YRS	1110	4.3	5	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	4	6.3	18	2	2	5	9	12	12	12
1-11 MOS	18	9.9	18	4	5	10	12	14	19	22
1-5 YRS	40	7.1	14	3	4	6	9	12	15	20
6-12 YRS	42	6.1	16	2	3	5	8	10	13	24
13-19 YRS	88	6.4	18	3	3	5	8	11	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	3.6	3	1	2	3	4	6	7	10
B. *Operated*	27	4.6	4	1	2	4	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	1877	4.3	6	2	2	4	5	7	9	12
B. *Operated*	192	6.8	17	3	3	6	8	11	14	23
1. SINGLE DX	972	3.6	3	1	2	3	4	6	7	10
2. MULTIPLE DX	2069	4.6	7	2	2	4	6	8	9	14
A. NOT OPERATED	2822	4.1	5	2	2	4	5	7	8	11
B. OPERATED	219	6.5	16	2	3	5	8	11	14	23
TOTAL 0-27 DYS	10	6.4	12	2	2	6	7	12	13	13
1-11 MOS	113	5.8	14	2	2	5	8	11	13	21
1-5 YRS	494	4.4	6	2	2	4	5	7	10	14
6-12 YRS	611	4.2	7	2	2	4	5	7	9	14
13-19 YRS	1813	4.2	5	2	2	4	5	7	8	11
GRAND TOTAL	**3041**	**4.3**	**6**	**2**	**2**	**4**	**5**	**7**	**9**	**13**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	31	4.2	4	2	2	4	6	7	8	8
1-5 YRS	112	3.5	4	2	2	3	4	6	7	12
6-12 YRS	135	3.5	3	1	2	3	4	6	6	10
13-19 YRS	375	3.5	3	1	2	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.5	6	2	2	6	7	7	7	7
1-5 YRS	9	7.0	22	2	2	5	11	14	14	14
6-12 YRS	21	5.4	11	1	1	5	8	9	12	14
13-19 YRS	17	5.1	6	2	3	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	5.5	12	2	2	5	8	10	10	10
1-11 MOS	72	5.3	8	2	2	5	7	10	11	14
1-5 YRS	227	4.1	5	2	2	3	5	7	9	11
6-12 YRS	228	4.3	6	1	2	4	5	8	9	12
13-19 YRS	666	4.1	5	1	2	4	5	7	8	13
B. *Operated*										
0-27 DYS	3	8.0	12	4	4	10	10	10	10	10
1-11 MOS	19	9.6	80	2	3	7	12	15	30	43
1-5 YRS	61	7.9	25	3	4	7	8	14	19	27
6-12 YRS	50	6.6	17	1	2	6	8	12	16	21
13-19 YRS	99	7.4	24	2	3	6	9	15	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	3.5	3	1	2	3	4	6	7	9
B. *Operated*	51	5.6	11	1	2	5	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	1197	4.2	6	1	2	4	5	7	9	12
B. *Operated*	232	7.5	27	2	3	6	9	14	17	25
1. SINGLE DX	704	3.7	4	1	2	3	4	6	7	10
2. MULTIPLE DX	1429	4.8	11	2	2	4	6	8	10	17
A. NOT OPERATED	1850	4.0	5	1	2	4	5	7	8	11
B. OPERATED	283	7.2	25	2	3	6	9	13	16	25
TOTAL 0-27 DYS	7	6.6	12	2	2	6	10	10	10	10
1-11 MOS	126	5.7	20	2	2	5	7	10	12	22
1-5 YRS	409	4.6	10	2	2	4	6	8	10	17
6-12 YRS	434	4.4	7	1	2	4	5	8	10	14
13-19 YRS	1157	4.2	7	1	2	4	5	7	9	15
GRAND TOTAL	**2133**	**4.4**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**15**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	6	2.7	2	1	1	2	3	5	5	5
6-12 YRS	20	2.1	1	<1	1	2	3	4	5	5
13-19 YRS	132	2.0	1	<1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	3.3	3	1	1	3	4	6	6	6
6-12 YRS	8	5.8	24	1	1	3	10	13	14	14
13-19 YRS	42	4.7	14	1	1	4	6	8	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.6	18	<1	<1	2	5	11	11	11
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	13	2.8	4	1	1	2	3	6	8	8
13-19 YRS	146	2.3	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.5	41	3	3	7	12	12	12	12
1-5 YRS	9	9.3	29	3	4	8	11	18	22	22
6-12 YRS	13	4.4	9	1	1	3	6	9	11	11
13-19 YRS	52	5.9	20	1	2	5	8	13	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	2.0	1	<1	1	2	3	4	4	6
B. *Operated*	59	4.5	14	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	168	2.4	3	1	1	2	3	5	6	8
B. *Operated*	77	6.0	20	1	2	5	8	12	14	22
1. SINGLE DX	220	2.7	6	<1	1	2	3	5	7	14
2. MULTIPLE DX	245	3.5	11	1	1	2	4	8	11	15
A. NOT OPERATED	329	2.2	2	1	1	2	3	4	5	7
B. OPERATED	136	5.4	18	1	1	4	7	11	14	22
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	3.5	15	<1	<1	2	3	11	12	12
1-5 YRS	26	5.0	21	1	1	3	7	11	13	22
6-12 YRS	54	3.4	9	1	1	2	4	8	10	14
13-19 YRS	372	3.0	8	1	1	2	4	6	8	14
GRAND TOTAL	**465**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**9**	**14**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.6	1	1	1	1	2	3	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	30	1.9	2	1	1	1	2	4	4	6
13-19 YRS	502	1.9	1	1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	4	5.0	5	2	2	5	6	7	7	7
6-12 YRS	23	3.9	4	1	2	3	6	6	7	7
13-19 YRS	271	3.7	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.2	3	1	1	2	3	5	5	5
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	19	1.8	1	1	1	1	2	4	4	4
13-19 YRS	238	2.2	3	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	5	6.4	23	2	2	4	9	14	14	14
1-5 YRS	10	2.9	3	<1	<1	2	5	6	6	6
6-12 YRS	23	4.5	9	1	1	4	6	8	10	12
13-19 YRS	139	4.3	9	1	1	4	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	1.9	1	1	1	2	2	3	4	6
B. *Operated*	303	3.7	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	264	2.2	2	1	1	2	3	4	5	6
B. *Operated*	179	4.3	9	1	1	4	6	8	9	14
1. SINGLE DX	845	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	443	3.0	6	1	1	2	4	6	8	13
A. NOT OPERATED	806	2.0	2	1	1	2	2	4	4	6
B. OPERATED	482	3.9	7	1	1	3	5	7	9	13
TOTAL 0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	23	2.8	9	1	1	2	3	6	10	14
1-5 YRS	17	3.2	4	<1	1	3	5	6	7	7
6-12 YRS	95	3.0	5	1	1	2	4	6	8	11
13-19 YRS	1150	2.7	5	1	1	2	3	5	6	10
GRAND TOTAL	**1288**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.6	14	1	1	2	5	10	10	10
1-11 MOS	12	5.2	47	<1	1	3	6	13	24	26
1-5 YRS	25	2.4	3	<1	1	2	3	5	6	8
6-12 YRS	16	2.8	5	1	1	2	4	7	8	8
13-19 YRS	26	2.0	2	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	41	4.4	5	<1	1	4	5	8	9	10
1-5 YRS	315	5.4	6	1	2	5	7	8	9	11
6-12 YRS	337	5.9	6	2	3	6	7	9	11	14
13-19 YRS	139	5.6	9	1	1	6	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	10.7	72	2	2	7	18	23	24	24
1-11 MOS	60	4.7	12	<1	1	4	6	11	12	15
1-5 YRS	63	3.5	11	<1	1	2	5	7	11	18
6-12 YRS	39	2.6	4	<1	1	2	4	5	7	10
13-19 YRS	73	3.0	10	<1	1	2	4	7	8	18
B. *Operated*										
0-27 DYS	9	7.0	32	2	2	5	10	16	19	19
1-11 MOS	104	7.1	29	1	2	6	9	13	16	30
1-5 YRS	461	6.8	17	1	2	6	9	12	14	22
6-12 YRS	366	6.6	16	1	2	6	8	11	14	21
13-19 YRS	288	7.2	44	1	2	7	9	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.8	10	1	1	2	4	5	7	21
B. *Operated*	834	5.6	5	1	2	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	241	3.7	13	<1	1	2	4	8	11	19
B. *Operated*	1228	6.9	24	1	2	6	9	12	14	23
1. SINGLE DX	918	5.4	7	1	1	5	7	9	10	13
2. MULTIPLE DX	1469	6.4	24	1	1	6	8	11	14	21
A. NOT OPERATED	325	3.5	12	<1	1	2	4	8	10	19
B. OPERATED	2062	6.4	17	1	2	6	8	10	13	19
TOTAL 0-27 DYS	22	6.8	41	1	1	5	9	18	21	24
1-11 MOS	217	5.8	22	1	1	5	8	11	15	28
1-5 YRS	864	5.9	13	1	1	6	8	10	12	18
6-12 YRS	758	6.0	12	1	2	6	8	10	12	19
13-19 YRS	526	6.0	31	1	1	6	8	10	13	18
GRAND TOTAL	**2387**	**6.0**	**18**	**1**	**1**	**6**	**8**	**10**	**12**	**19**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	19	2.3	4	<1	1	2	2	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	8	2	2	2	6	7	7	7
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	10	2.6	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	2	<1	<1	2	3	4	4	4
13-19 YRS	11	2.2	3	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	9	1	1	4	6	7	7	7
6-12 YRS	5	8.2	88	1	1	3	15	23	23	23
13-19 YRS	27	5.6	25	1	1	3	9	13	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.3	3	<1	1	2	2	6	7	7
B. *Operated*	16	2.6	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	16	2.1	2	<1	1	2	3	4	5	6
B. *Operated*	35	5.9	31	1	1	3	9	13	18	23
1. SINGLE DX	38	2.4	3	<1	<1	2	3	5	7	7
2. MULTIPLE DX	51	4.7	25	1	1	2	6	12	15	23
A. NOT OPERATED	38	2.2	3	<1	1	2	2	5	6	7
B. OPERATED	51	4.8	24	<1	1	3	7	12	15	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.8	7	1	1	3	7	7	7	7
6-12 YRS	16	3.9	33	<1	1	2	3	11	20	23
13-19 YRS	67	3.7	14	<1	1	2	4	9	12	18
GRAND TOTAL	**89**	**3.7**	**17**	**<1**	**1**	**2**	**4**	**9**	**12**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	2.2	1	1	1	2	3	3	4	5
6-12 YRS	25	2.3	1	<1	1	2	3	4	4	5
13-19 YRS	51	2.4	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	13	2.9	4	1	1	3	4	6	6	6
6-12 YRS	10	1.9	2	<1	<1	1	3	4	4	4
13-19 YRS	31	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.3	2	1	1	3	4	4	4	4
1-11 MOS	12	5.6	8	2	2	5	7	9	12	12
1-5 YRS	57	3.5	7	1	1	3	4	6	10	15
6-12 YRS	57	2.8	3	1	1	2	3	4	6	9
13-19 YRS	88	3.3	7	1	1	3	4	6	7	16
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	31	3.2	6	<1	<1	2	5	7	8	10
6-12 YRS	37	3.3	6	<1	<1	3	5	6	8	11
13-19 YRS	80	4.0	6	<1	1	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.3	2	1	1	2	3	4	5	7
B. *Operated*	55	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	219	3.3	6	1	1	3	4	6	7	14
B. *Operated*	152	3.6	6	<1	1	3	5	7	8	11
1. SINGLE DX	159	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	371	3.5	6	1	1	3	4	6	8	13
A. NOT OPERATED	323	3.0	5	1	1	3	4	6	7	12
B. OPERATED	207	3.3	5	<1	<1	3	4	6	8	11
TOTAL 0-27 DYS	7	2.7	1	1	1	3	4	4	4	4
1-11 MOS	15	5.2	7	2	2	5	7	8	11	12
1-5 YRS	129	3.1	5	1	1	3	4	6	7	13
6-12 YRS	129	2.8	3	<1	1	2	4	5	6	10
13-19 YRS	250	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**530**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	160	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	127	1.5	1	<1	<1	1	1	3	4	7
13-19 YRS	84	2.4	9	<1	<1	2	3	5	6	19
2. MULTIPLE DX			–							
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	5	1.6	2	<1	<1	<1	2	4	4	4
13-19 YRS	5	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	129	2.0	4	<1	<1	1	2	5	7	9
6-12 YRS	135	2.1	7	<1	<1	1	2	4	8	13
13-19 YRS	112	2.9	6	<1	<1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	375	1.6	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	16	1.3	1	<1	<1	<1	1	2	3	4
B. *Operated*	378	2.3	6	<1	<1	1	3	5	8	11
1. SINGLE DX	380	1.6	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	394	2.3	5	<1	<1	1	3	5	8	11
A. NOT OPERATED	21	1.3	1	<1	<1	1	1	2	3	4
B. OPERATED	753	2.0	4	<1	<1	1	2	4	6	10
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.2	3	<1	<1	1	3	5	5	5
1-5 YRS	297	1.5	2	<1	<1	<1	1	3	4	8
6-12 YRS	270	1.8	4	<1	<1	1	2	3	5	11
13-19 YRS	201	2.7	7	<1	<1	2	3	5	8	13
GRAND TOTAL	**774**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	3.6	7	1	1	3	4	6	11	13
1-11 MOS	173	3.3	4	1	1	3	4	6	7	11
1-5 YRS	257	2.7	2	1	1	2	3	5	6	7
6-12 YRS	232	2.6	2	1	1	2	3	5	6	7
13-19 YRS	306	2.5	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	5	5.0	6	3	3	4	7	8	8	8
1-11 MOS	16	5.1	6	<1	1	5	7	8	9	9
1-5 YRS	132	2.3	6	<1	<1	1	3	5	7	13
6-12 YRS	151	2.2	3	<1	<1	1	3	4	6	9
13-19 YRS	113	2.5	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	181	5.4	14	2	2	4	7	10	11	22
1-11 MOS	807	4.2	7	1	2	3	5	7	9	13
1-5 YRS	1110	4.0	6	1	2	3	5	7	8	13
6-12 YRS	651	3.5	6	1	1	3	4	6	8	14
13-19 YRS	955	3.7	6	1	1	3	5	6	8	12
B. *Operated*										
0-27 DYS	29	7.9	46	2	2	7	9	11	25	35
1-11 MOS	126	7.4	60	1	3	6	8	12	17	49
1-5 YRS	304	4.8	23	<1	<1	3	7	10	13	22
6-12 YRS	253	4.4	23	<1	<1	3	6	9	13	23
13-19 YRS	277	4.7	23	1	1	3	6	10	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	994	2.7	3	1	1	2	3	5	6	8
B. *Operated*	417	2.4	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	3704	3.9	7	1	1	3	5	7	9	13
B. *Operated*	989	5.1	30	<1	<1	4	7	10	14	25
1. SINGLE DX	1411	2.6	3	<1	1	2	3	5	6	10
2. MULTIPLE DX	4693	4.2	12	1	1	3	5	8	10	16
A. NOT OPERATED	4698	3.7	6	1	1	3	4	7	8	13
B. OPERATED	1406	4.3	24	<1	<1	3	6	9	12	22
TOTAL 0-27 DYS	241	5.5	17	2	2	4	7	10	11	25
1-11 MOS	1122	4.4	13	1	2	4	5	8	10	16
1-5 YRS	1803	3.8	9	1	1	3	5	7	9	15
6-12 YRS	1287	3.3	9	<1	1	3	4	7	9	15
13-19 YRS	1651	3.5	9	1	1	3	4	7	9	14
GRAND TOTAL	**6104**	**3.8**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	2.5	5	<1	<1	2	4	4	4	4
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	6	6.2	18	2	2	6	6	13	14	14
1-11 MOS	16	4.9	4	3	3	4	6	8	9	9
1-5 YRS	4	5.5	6	4	4	5	7	9	9	9
6-12 YRS	3	3.3	10	1	1	2	6	7	7	7
13-19 YRS	4	6.3	11	4	4	5	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	6	3.7	5	<1	<1	4	5	6	6	6
B. *Operated*	33	5.2	8	2	2	5	6	9	11	14
1. SINGLE DX	4	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX	39	5.0	7	1	2	5	6	8	10	14
A. NOT OPERATED	6	3.7	5	<1	<1	4	5	6	6	6
B. OPERATED	37	5.0	7	2	2	4	6	9	10	14
TOTAL 0-27 DYS	8	5.5	15	2	2	5	6	12	14	14
1-11 MOS	19	4.7	4	3	3	4	6	8	9	9
1-5 YRS	5	5.6	4	4	4	5	7	9	9	9
6-12 YRS	6	3.2	5	<1	<1	3	4	7	7	7
13-19 YRS	5	5.2	14	1	1	4	7	11	11	11
GRAND TOTAL	**43**	**4.8**	**7**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	2.6	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	21	3.6	3	1	2	3	5	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	12	4.0	10	<1	1	3	5	8	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.5	2	1	1	2	3	5	6	6
B. *Operated*	7	2.7	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	23	3.7	3	1	2	3	5	6	7	8
B. *Operated*	14	4.8	19	<1	1	3	5	13	15	16
1. SINGLE DX	24	2.6	2	1	1	2	4	5	5	6
2. MULTIPLE DX	37	4.1	9	1	2	3	5	6	11	16
A. NOT OPERATED	40	3.2	3	1	1	3	4	6	6	8
B. OPERATED	21	4.1	14	<1	1	3	4	9	14	16
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	6.7	66	1	1	3	13	16	16	16
13-19 YRS	54	3.4	4	1	1	3	4	6	6	13
GRAND TOTAL	**61**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**16**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS	5	1.2		1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	1.2		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	43	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	153	1.2		<1	<1	1	1	2	2	3
6-12 YRS	70	1.9	13	<1	<1	1	2	2	3	26
13-19 YRS	111	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	15	1.1		<1	<1	1	1	2	2	2
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	6	1.8	1	1	1	2	2	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	51	2.1	4	<1	<1	1	2	5	6	11
1-5 YRS	154	1.4		<1	<1	1	2	2	3	6
6-12 YRS	53	1.4	1	<1	<1	1	2	2	3	4
13-19 YRS	65	1.8	2	<1	1	1	2	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.3		<1	<1	1	2	2	2	2
B. *Operated*	378	1.5	3	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	28	1.4	1	<1	<1	1	2	3	3	4
B. *Operated*	323	1.6	1	<1	<1	1	2	3	4	7
1. SINGLE DX	394	1.5	3	<1	<1	1	2	2	3	5
2. MULTIPLE DX	351	1.6	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	44	1.3		<1	<1	1	2	2	3	4
B. OPERATED	701	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	103	1.7	2	<1	<1	1	2	3	5	9
1-5 YRS	327	1.3		<1	<1	1	1	2	3	3
6-12 YRS	126	1.7	7	<1	<1	1	2	2	3	11
13-19 YRS	187	1.7	1	<1	1	1	2	3	4	6
GRAND TOTAL	**745**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	3.2	4	1	1	3	4	6	6	6
1-5 YRS	6	3.5	2	1	1	4	4	5	5	5
6-12 YRS	54	3.2	6	1	1	2	4	6	8	13
13-19 YRS	196	3.9	5	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	7	1.9		1	1	2	2	3	3	3
6-12 YRS	30	2.5	7	<1	1	2	2	6	10	12
13-19 YRS	67	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	19	4.7	8	1	1	4	7	9	11	11
13-19 YRS	96	3.8	5	1	1	3	5	7	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.5	6	2	2	3	5	7	7	7
1-5 YRS	4	5.0	15	2	2	4	8	10	10	10
6-12 YRS	14	3.6	13	<1	1	2	5	8	12	13
13-19 YRS	50	4.2	9	1	1	3	6	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.7	6	1	1	3	5	7	8	11
B. *Operated*	107	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	116	3.9	6	1	1	3	5	7	9	11
B. *Operated*	72	4.1	10	1	1	3	6	8	11	14
1. SINGLE DX	369	3.4	5	1	1	3	4	6	8	11
2. MULTIPLE DX	188	4.0	7	1	1	3	5	8	9	13
A. NOT OPERATED	378	3.8	6	1	1	3	5	7	8	11
B. OPERATED	179	3.1	7	1	1	2	4	7	9	13
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	13	2.8	3	1	1	2	3	6	7	7
1-5 YRS	17	3.2	5	1	1	2	4	6	9	10
6-12 YRS	117	3.3	8	1	1	2	4	7	10	13
13-19 YRS	409	3.7	6	1	1	3	5	7	8	11
GRAND TOTAL	**557**	**3.6**	**6**	**1**	**1**	**3**	**5**	**7**	**9**	**12**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	8	1.3	1	1	1	1	1	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	44	1.2		<1	<1	<1	1	1	2	4
1-5 YRS	372	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	122	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	85	1.3		<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	23	1.3		<1	<1	<1	1	2	3	4
6-12 YRS	4	2.5	4	<1	<1	2	4	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	26	1.6	1	<1	<1	1	2	3	4	4
1-5 YRS	130	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	39	1.4	1	<1	<1	1	1	3	3	5
13-19 YRS	31	1.9	2	<1	<1	1	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	623	1.1		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	32	1.4	1	<1	<1	1	1	3	4	5
B. *Operated*	226	1.5	1	<1	<1	1	1	3	4	5
1. SINGLE DX	637	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	258	1.4	1	<1	<1	1	1	3	4	5
A. NOT OPERATED	46	1.4	1	<1	<1	1	1	3	4	5
B. OPERATED	849	1.2		<1	<1	<1	1	2	2	4
TOTAL 0-27 DYS	4	1.0		<1	<1	1	1	1	1	1
1-11 MOS	76	1.3	1	<1	<1	1	1	2	4	4
1-5 YRS	533	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	166	1.2		<1	<1	<1	1	2	2	5
13-19 YRS	116	1.5	1	<1	<1	1	2	2	4	6
GRAND TOTAL	**895**	**1.2**		**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	3	4.0	9	1	1	4	6	7	7	7
1-5 YRS	23	1.7	1	<1	<1	2	2	3	3	3
6-12 YRS	36	1.6	1	<1	1	1	2	3	4	5
13-19 YRS	48	2.1	3	<1	1	1	3	5	6	8
B. *Operated*										
0-27 DYS	9	1.3		<1	<1	1	2	2	2	2
1-11 MOS	22	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	128	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	498	1.3	1	<1	<1	1	1	2	2	5
13-19 YRS	1013	1.6	1	<1	1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	11	3.3	2	1	1	3	4	5	6	6
1-5 YRS	39	3.4	7	<1	1	3	4	6	10	13
6-12 YRS	25	2.8	5	<1	1	2	3	6	8	9
13-19 YRS	27	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-27 DYS	7	1.6	1	1	1	1	2	4	4	4
1-11 MOS	24	1.7	1	1	1	1	2	3	4	5
1-5 YRS	121	1.9	3	<1	<1	1	2	3	6	9
6-12 YRS	188	1.8	3	<1	<1	1	2	4	5	7
13-19 YRS	338	2.3	6	1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	1670	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	105	2.9	5	<1	1	2	4	5	7	11
B. *Operated*	678	2.1	4	<1	1	1	2	4	5	10
1. SINGLE DX	1782	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	783	2.2	4	<1	1	1	3	4	6	10
A. NOT OPERATED	217	2.4	4	<1	1	2	3	5	6	10
B. OPERATED	2348	1.7	2	<1	1	1	2	3	4	8
TOTAL 0-27 DYS	21	1.9	1	<1	1	1	3	4	4	4
1-11 MOS	60	2.1	2	1	1	2	3	4	5	7
1-5 YRS	311	1.8	3	<1	<1	1	2	3	5	10
6-12 YRS	747	1.5	1	<1	<1	1	2	2	3	7
13-19 YRS	1426	1.8	3	<1	1	1	2	3	4	8
GRAND TOTAL	**2565**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	58	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	<1	2	2	2	2
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	1.7	2	<1	<1	1	2	2	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	60	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	19	1.7	2	<1	<1	1	2	2	5	7
1. SINGLE DX	60	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	21	1.8	2	<1	<1	1	2	3	5	7
A. NOT OPERATED	2	2.5	5	1	1	2	4	4	4	4
B. OPERATED	79	1.6	1	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	75	1.6	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**81**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	5.5	17	2	2	4	6	12	14	14
1-11 MOS	8	3.3	3	2	2	3	4	6	7	7
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	4	5.3	7	3	3	5	7	8	8	8
13-19 YRS	23	3.8	8	<1	1	3	6	7	9	12
B. *Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	6	1.8	1	1	1	2	2	3	3	3
6-12 YRS	34	1.9	3	<1	1	1	2	3	5	11
13-19 YRS	843	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.0	3	1	1	3	4	5	5	5
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	33	2.3	3	<1	<1	1	3	5	7	7
B. *Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	8	4.5	8	1	1	4	6	8	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	11	4.6	27	1	1	3	4	13	18	19
13-19 YRS	259	2.6	3	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.0	9	1	1	3	6	7	11	14
B. *Operated*	890	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	41	2.6	4	<1	<1	2	3	6	7	9
B. *Operated*	281	2.8	4	1	1	3	3	4	6	12
1. SINGLE DX	939	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX	322	2.8	4	<1	1	3	3	4	6	11
A. NOT OPERATED	90	3.4	7	<1	<1	3	5	7	8	13
B. OPERATED	1171	2.3	2	1	1	2	3	4	4	7
TOTAL 0-27 DYS	19	4.4	11	1	1	4	5	9	13	14
1-11 MOS	22	3.7	4	1	2	3	5	7	8	9
1-5 YRS	12	2.6	5	1	1	2	3	5	8	9
6-12 YRS	50	2.8	10	<1	1	2	3	6	9	19
13-19 YRS	1158	2.3	2	1	1	2	3	4	4	7
GRAND TOTAL	**1261**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	65	2.0	1	1	1	2	2	3	4	5
13-19 YRS	875	2.1	1	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	4.0		4	4	4	4	4	4	4
1-5 YRS	6	3.3	1	2	2	3	4	5	5	5
6-12 YRS	35	3.3	2	1	1	3	4	6	6	7
13-19 YRS	997	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	26	2.4	2	1	1	2	3	5	6	6
13-19 YRS	611	2.4	2	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	3	6.0	3	4	4	7	7	7	7	7
1-11 MOS	7	4.0	3	1	1	4	6	6	6	6
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	34	4.4	4	3	3	4	5	6	9	12
13-19 YRS	1126	4.1	4	1	2	4	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	2.1	1	1	1	2	3	4	4	6
B. *Operated*	1042	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	637	2.4	2	1	1	2	3	4	6	7
B. *Operated*	1173	4.1	4	1	2	4	5	7	8	11
1. SINGLE DX	1984	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	1810	3.5	4	1	1	3	5	6	7	10
A. NOT OPERATED	1579	2.2	2	1	1	2	3	4	5	7
B. OPERATED	2215	3.8	4	1	1	4	5	6	7	10
TOTAL 0-27 DYS	5	5.2	3	3	3	5	7	7	7	7
1-11 MOS	11	3.7	3	1	1	4	5	6	6	6
1-5 YRS	9	3.2	2	1	1	3	4	5	5	5
6-12 YRS	160	2.9	3	1	1	2	4	5	6	10
13-19 YRS	3609	3.1	4	1	1	3	4	6	7	9
GRAND TOTAL	**3794**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**9**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	5	2	2	4	5	8	8	8
1-5 YRS										
6-12 YRS	13	6.3	17	2	2	5	10	12	14	14
13-19 YRS	2243	3.7	4	1	2	3	5	6	7	10
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS	8	5.3	5	3	3	5	7	9	9	9
13-19 YRS	387	4.4	6	<1	2	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.6	2	3	3	5	5	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	9	4.1	5	2	2	4	5	7	9	9
13-19 YRS	1787	4.4	6	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	20	7.4	16	2	3	6	9	13	16	19
13-19 YRS	911	5.5	11	1	2	5	7	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2262	3.8	4	1	2	3	5	6	7	10
B. *Operated*	398	4.4	6	<1	2	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	1806	4.4	6	1	2	4	5	7	9	14
B. *Operated*	936	5.6	11	1	2	5	7	10	12	18
1. SINGLE DX	2660	3.9	4	1	2	3	5	6	8	11
2. MULTIPLE DX	2742	4.8	8	1	2	4	6	8	10	15
A. NOT OPERATED	4068	4.0	5	1	2	4	5	7	8	12
B. OPERATED	1334	5.2	10	1	2	5	7	9	11	16
TOTAL 0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	17	4.3	3	2	2	5	5	6	7	8
1-5 YRS	5	5.8	10	2	2	5	8	10	10	10
6-12 YRS	50	6.2	13	2	3	5	8	12	13	19
13-19 YRS	5328	4.3	6	1	2	4	5	7	9	14
GRAND TOTAL	**5402**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	2.9	2	1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.2		4	4	4	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	93	3.1	5	<1	<1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	3.1	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	12	5.2	3	2	3	5	6	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	171	3.8	6	<1	1	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.9	2	1	1	3	4	5	6	7
B. *Operated*	98	3.2	4	<1	<1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	21	3.1	4	1	1	3	4	5	7	9
B. *Operated*	185	3.9	6	<1	1	4	5	7	8	12
1. SINGLE DX	129	3.1	4	<1	<1	3	4	5	6	10
2. MULTIPLE DX	206	3.9	6	<1	1	4	5	7	8	12
A. NOT OPERATED	52	3.0	3	1	1	3	4	5	6	9
B. OPERATED	283	3.7	6	<1	<1	4	5	6	8	12
TOTAL 0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	17	4.9	2	3	4	4	6	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	316	3.5	5	<1	<1	3	5	6	8	12
GRAND TOTAL	**335**	**3.6**	**5**	**<1**	**<1**	**3**	**5**	**6**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	12	2.4	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.9	2	1	1	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	5	2.6	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	13	2.4	1	1	1	2	3	4	4	4
B. *Operated*	9	3.2	2	1	1	3	4	5	5	5
1. SINGLE DX	6	2.8	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX	22	2.7	2	1	1	3	4	4	5	5
A. NOT OPERATED	14	2.5	1	1	1	2	3	4	4	4
B. OPERATED	14	3.0	2	<1	<1	3	4	5	5	5
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	23	2.6	2	<1	1	3	4	4	5	5
GRAND TOTAL	**28**	**2.8**	**2**	**<1**	**1**	**3**	**4**	**4**	**5**	**5**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	18	3.7	7	<1	<1	3	4	8	10	10
6-12 YRS	5	2.2	1	1	1	2	3	3	3	3
13-19 YRS	68	3.0	2	1	1	3	4	4	5	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3	3	1	1	3	4	5	5	5
13-19 YRS	109	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	8.5	41	4	4	8	13	13	13	13
1-5 YRS	10	3.2	5	<1	<1	3	5	6	7	7
6-12 YRS	14	2.8	3	<1	1	2	4	5	7	7
13-19 YRS	140	3.9	7	1	2	4	5	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	221	<1	<1	11	22	22	22	22
1-5 YRS	3	8.7	86	1	1	6	16	19	19	19
6-12 YRS	4	9.3	41	4	4	8	14	17	17	17
13-19 YRS	93	3.4	7	1	1	3	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.1	3	1	1	3	4	5	6	10
B. *Operated*	114	2.0	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	167	3.9	7	1	1	4	5	6	7	13
B. *Operated*	102	3.9	14	1	1	3	5	8	12	20
1. SINGLE DX	206	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	269	3.9	10	1	1	3	5	7	9	19
A. NOT OPERATED	259	3.6	5	1	1	3	4	6	7	12
B. OPERATED	216	2.9	9	<1	1	2	4	6	8	18
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	9.0	73	<1	<1	5	15	22	22	22
1-5 YRS	31	4.0	14	<1	<1	3	5	8	10	19
6-12 YRS	27	3.7	13	<1	1	3	4	7	13	17
13-19 YRS	410	3.1	5	1	1	3	4	6	7	12
GRAND TOTAL	**475**	**3.3**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	7.3	1	6	6	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	5	5.8	2	5	5	5	6	8	8	8
1-11 MOS	7	5.9	2	4	4	6	7	72	99+	99+
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	4.3	12	1	1	4	7	8	8	8
13-19 YRS	10	5.2	3	2	2	5	6	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	5.6	5	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	26	5.4	3	2	3	6	7	8	22	99+
1. SINGLE DX	7	5.6	5	2	2	6	7	8	8	8
2. MULTIPLE DX	27	5.5	3	2	3	6	7	8	17	99+
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	33	5.5	3	2	3	6	7	8	8	99+
TOTAL 0-27 DYS	6	6.0	2	5	5	6	7	8	8	8
1-11 MOS	10	5.6	2	4	4	6	7	45	95	99+
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	3.8	10	1	1	3	6	8	8	8
13-19 YRS	13	5.7	4	2	3	6	7	8	8	8
GRAND TOTAL	**34**	**5.5**	**3**	**2**	**3**	**6**	**7**	**8**	**8**	**99+**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	1.1		1	1	1	1	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	1.6	2	<1	<1	1	1	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.2	5	<1	<1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		1	1	1	1	2	2	2
B. *Operated*	10	1.6	2	<1	<1	1	1	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	7	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	6	3.2	5	<1	<1	2	5	7	7	7
1. SINGLE DX	18	1.4	1	<1	<1	1	1	2	4	6
2. MULTIPLE DX	13	2.2	4	<1	<1	1	3	5	7	7
A. NOT OPERATED	15	1.3	1	<1	1	1	1	2	3	4
B. OPERATED	16	2.2	4	<1	<1	1	2	6	7	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	1.7	2	<1	<1	1	2	4	6	7
GRAND TOTAL	**31**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**4**	**6**	**7**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6		2	2	3	3	3	3	3
13-19 YRS	126	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.0	1	1	1	2	3	3	3	3
13-19 YRS	157	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	2.4	2	<1	1	2	3	5	6	6
13-19 YRS	210	2.5	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	3.2	5	1	1	3	4	7	9	9
13-19 YRS	267	2.6	3	<1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	163	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	228	2.5	2	1	1	2	3	4	5	8
B. *Operated*	280	2.6	3	<1	1	2	3	5	7	9
1. SINGLE DX	294	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	508	2.5	3	1	1	2	3	5	6	9
A. NOT OPERATED	359	2.2	2	<1	1	2	3	4	5	8
B. OPERATED	443	2.2	3	<1	<1	2	3	4	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	42	2.6	3	1	1	2	3	5	6	9
13-19 YRS	760	2.2	2	<1	<1	2	3	4	5	8
GRAND TOTAL	**802**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX										
2. MULTIPLE DX	3	4.3	4	2	2	5	6	6	6	6
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	1	6.0		6	6	6	6	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.3	4	2	2	5	6	6	6	6
GRAND TOTAL	**3**	**4.3**	**4**	**2**	**2**	**5**	**6**	**6**	**6**	**6**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	7	1.6	2	<1	<1	<1	1	4	5	5
6-12 YRS	9	1.8	1	1	1	1	2	4	4	4
13-19 YRS	86	2.1	1	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	4	3.0	1	<1	<1	1	5	9	9	9
1-5 YRS	4	4.5	19	<1	<1	3	8	10	10	10
6-12 YRS	23	3.8	4	<1	1	4	5	7	8	9
13-19 YRS	196	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	13	2.5	3	<1	1	2	3	4	7	8
13-19 YRS	76	2.5	4	<1	1	2	3	4	5	13
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	12	4.0	17	<1	<1	2	6	9	14	15
1-5 YRS	12	6.4	84	1	1	4	6	15	32	35
6-12 YRS	42	4.4	7	1	2	4	5	8	10	14
13-19 YRS	250	4.0	7	1	1	4	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.0	1	<1	1	2	3	4	5	6
B. *Operated*	229	2.9	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	96	2.4	4	<1	1	2	3	4	5	12
B. *Operated*	318	4.1	10	1	1	4	5	7	9	15
1. SINGLE DX	334	2.6	3	<1	<1	2	4	5	6	9
2. MULTIPLE DX	414	3.7	9	1	1	3	5	6	8	15
A. NOT OPERATED	201	2.2	3	<1	1	2	3	4	5	7
B. OPERATED	547	3.6	8	<1	1	3	5	6	8	14
TOTAL 0-27 DYS	5	3.6	5	1	1	4	5	7	7	7
1-11 MOS	20	3.5	13	<1	<1	2	5	8	12	15
1-5 YRS	28	4.1	42	<1	<1	2	5	6	12	35
6-12 YRS	87	3.7	6	1	1	3	4	7	8	13
13-19 YRS	608	3.1	5	<1	1	3	4	6	7	11
GRAND TOTAL	**748**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	51	1.7	1	1	1	1	2	3	4	5
13-19 YRS	387	1.7	1	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS										
6-12 YRS	9	2.1	3	<1	<1	2	2	5	6	6
13-19 YRS	157	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	14	1.9	2	1	1	1	2	4	6	6
13-19 YRS	325	2.3	7	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	10	5.9	16	<1	<1	6	8	11	13	13
1-5 YRS										
6-12 YRS	9	3.6	4	1	1	4	5	6	7	7
13-19 YRS	186	3.1	5	<1	<1	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	169	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	342	2.3	7	<1	1	2	3	4	5	7
B. *Operated*	207	3.3	6	<1	1	3	4	6	7	12
1. SINGLE DX	611	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	549	2.7	6	<1	1	2	3	5	6	10
A. NOT OPERATED	784	1.9	3	<1	1	2	2	3	4	6
B. OPERATED	376	2.8	5	<1	<1	2	4	6	7	11
TOTAL 0-27 DYS	4	3.8	12	<1	<1	3	6	8	8	8
1-11 MOS	15	4.7	14	<1	<1	3	7	10	12	13
1-5 YRS	3	3.3	5	2	2	2	5	6	6	6
6-12 YRS	83	2.0	2	1	1	1	2	4	5	7
13-19 YRS	1055	2.2	4	<1	1	2	3	4	5	7
GRAND TOTAL	**1160**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	1.9	1	<1	<1	2	2	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	437	3.8	2	2	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	425	4.4	4	2	3	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.9	1	<1	<1	2	2	4	4	5
B. *Operated*	437	3.8	2	2	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	14	1.4		<1	<1	1	2	2	2	2
B. *Operated*	425	4.4	4	2	3	4	5	6	7	11
1. SINGLE DX	457	3.7	2	1	2	4	5	5	6	7
2. MULTIPLE DX	439	4.3	4	2	2	4	5	6	7	11
A. NOT OPERATED	34	1.7	1	<1	<1	1	2	3	4	5
B. OPERATED	862	4.1	3	2	2	4	5	6	7	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	896	4.0	3	1	2	4	5	6	6	9
GRAND TOTAL	**896**	**4.0**	**3**	**1**	**2**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	39	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	718	1.4	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	35	2.6	2	<1	1	2	3	4	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	778	1.4	3	<1	<1	<1	<1	2	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	720	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	36	2.6	2	<1	1	2	4	5	6	6
B. *Operated*	781	1.4	3	<1	<1	<1	<1	2	3	7
1. SINGLE DX	759	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	817	1.4	3	<1	<1	<1	1	2	3	7
A. NOT OPERATED	75	2.1	2	<1	<1	2	3	4	5	6
B. OPERATED	1501	1.4	2	<1	<1	<1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	1.8	3	<1	<1	1	2	5	5	5
13-19 YRS	1570	1.4	2	<1	<1	<1	1	2	3	6
GRAND TOTAL	**1576**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	2	4.0		4	4	4	4	4	4	4
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	3	4.3		4	4	4	5	5	5	5
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	3	4.3		4	4	4	5	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.5		4	4	4	5	5	5	5
GRAND TOTAL	**4**	**4.5**		**4**	**4**	**4**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	530	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	3391	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	172	1.9	2	<1	1	1	2	3	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	700	2.0	3	<1	<1	1	2	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	3393	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	172	1.9	2	<1	1	1	2	3	5	9
B. *Operated*	703	2.0	3	<1	<1	1	2	4	5	9
1. SINGLE DX	3923	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	875	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	702	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	4096	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	3	<1	<1	1	3	5	5	5
13-19 YRS	4793	1.4	1	<1	<1	1	2	2	3	6
GRAND TOTAL	**4798**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	173	2.4	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	439	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	90	2.9	4	1	1	2	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	215	2.7	8	<1	1	2	3	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	2.4	2	<1	1	2	3	4	5	7
B. *Operated*	439	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	90	2.9	4	1	1	2	4	5	6	11
B. *Operated*	216	2.7	8	<1	1	2	3	6	7	9
1. SINGLE DX	613	1.8	2	<1	<1	1	2	4	4	7
2. MULTIPLE DX	306	2.7	7	<1	1	2	4	6	7	9
A. NOT OPERATED	264	2.6	3	<1	1	2	4	5	5	8
B. OPERATED	655	2.0	4	<1	<1	1	2	4	6	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	917	2.1	4	<1	<1	2	3	4	5	8
GRAND TOTAL	**919**	**2.1**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	484	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	139	2.2	3	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	2.5	6	1	1	1	3	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	20	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	139	2.2	3	<1	1	2	3	4	5	9
B. *Operated*	16	2.5	6	1	1	1	3	7	8	9
1. SINGLE DX	504	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	155	2.3	3	<1	1	2	3	4	5	9
A. NOT OPERATED	623	1.8	1	<1	<1	1	2	3	4	5
B. OPERATED	36	2.2	4	<1	1	1	3	5	7	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	659	1.8	1	<1	<1	1	2	3	4	6
GRAND TOTAL	**659**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	1.6		<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	19	1.6		<1	<1	1	2	3	3	3
B. *Operated*	2	1.0		1	1	1	1	1	1	1
1. SINGLE DX	43	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	21	1.5		<1	<1	1	2	3	3	3
A. NOT OPERATED	62	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	2	1.0		1	1	1	1	1	1	1
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	64	1.6	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**64**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	739	2.8	5	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	64	3.3	9	<1	1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	254	3.0	7	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	3.6	12	<1	<1	2	4	8	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	740	2.8	5	<1	1	2	3	5	7	10
B. *Operated*	64	3.3	9	<1	1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	254	3.0	7	<1	1	2	4	5	7	12
B. *Operated*	53	3.6	12	<1	<1	2	4	8	9	19
1. SINGLE DX	804	2.9	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	307	3.1	8	<1	<1	2	4	6	8	14
A. NOT OPERATED	994	2.9	6	<1	1	2	3	5	7	11
B. OPERATED	117	3.4	10	<1	<1	2	4	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1110	2.9	6	<1	1	2	3	5	7	12
GRAND TOTAL	**1111**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	924	3.0	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	7	3.7	3	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	605	3.1	5	1	1	3	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	4.0	4	1	1	4	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	3.0	4	1	1	3	4	5	7	9
B. *Operated*	8	4.0	3	1	1	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	605	3.1	5	1	1	3	4	5	7	12
B. *Operated*	21	4.0	4	1	1	4	5	7	8	8
1. SINGLE DX	932	3.0	4	1	1	3	4	5	7	9
2. MULTIPLE DX	626	3.2	5	1	1	3	4	5	7	11
A. NOT OPERATED	1529	3.1	4	1	1	3	4	5	7	10
B. OPERATED	29	4.0	4	1	1	4	5	7	7	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1557	3.1	4	1	1	3	4	5	7	10
GRAND TOTAL	**1558**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3079	1.1		<1	<1	<1	1	1	2	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	425	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	402	1.5	2	<1	<1	1	1	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	60	1.8	5	<1	<1	1	2	4	5	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3079	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	425	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	402	1.5	2	<1	<1	1	1	3	4	6
B. *Operated*	60	1.8	5	<1	<1	1	2	4	5	15
1. SINGLE DX	3504	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	462	1.5	2	<1	<1	1	1	3	4	7
A. NOT OPERATED	3481	1.1		<1	<1	<1	1	1	2	4
B. OPERATED	485	1.2	1	<1	<1	<1	1	1	2	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3966	1.1	1	<1	<1	<1	1	1	2	4
GRAND TOTAL	**3966**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	81	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	3.6	30	<1	<1	2	3	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	4.4	66	1	1	3	4	6	8	54
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.8	4	2	2	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	8	3.6	30	<1	<1	2	3	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	42	4.4	66	1	1	3	4	6	8	54
B. *Operated*	4	4.8	4	2	2	5	6	6	6	6
1. SINGLE DX	89	2.5	5	<1	<1	2	3	5	6	13
2. MULTIPLE DX	46	4.4	60	1	1	3	5	6	8	54
A. NOT OPERATED	123	3.0	25	<1	1	2	4	6	7	22
B. OPERATED	12	4.0	20	<1	<1	2	5	9	16	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	135	3.1	24	<1	<1	2	4	6	7	23
GRAND TOTAL	**135**	**3.1**	**24**	**<1**	**<1**	**2**	**4**	**6**	**7**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	319	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	1.9	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	169	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	2.1	2	<1	<1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	27	1.9	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	169	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	10	2.1	2	<1	<1	2	3	4	4	4
1. SINGLE DX	346	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	179	2.0	3	<1	<1	1	3	4	5	8
A. NOT OPERATED	488	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	37	1.9	4	<1	<1	1	2	4	5	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	525	1.8	2	<1	<1	1	2	4	5	7
GRAND TOTAL	**525**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	573	2.9	3	<1	<1	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1637	3.2	4	<1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	82	3.7	7	1	1	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	573	2.9	3	<1	<1	3	4	5	6	8
B. *Operated*	52	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1638	3.2	4	<1	1	3	4	5	6	9
B. *Operated*	82	3.7	7	1	1	3	5	7	8	15
1. SINGLE DX	625	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	1720	3.2	4	<1	1	3	4	6	6	9
A. NOT OPERATED	2211	3.1	4	<1	1	3	4	5	6	9
B. OPERATED	134	3.2	6	<1	1	3	4	6	8	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2344	3.1	4	<1	1	3	4	5	6	9
GRAND TOTAL	**2345**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	217	2.9	10	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1432	2.9	12	<1	<1	2	4	5	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	164	3.5	11	1	1	3	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	2.9	10	<1	1	2	3	5	7	13
B. *Operated*	20	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1433	2.9	12	<1	<1	2	4	5	7	14
B. *Operated*	164	3.5	11	1	1	3	4	7	10	15
1. SINGLE DX	237	2.9	10	<1	1	2	3	5	7	12
2. MULTIPLE DX	1597	3.0	12	<1	<1	2	4	6	8	14
A. NOT OPERATED	1650	2.9	12	<1	<1	2	4	5	7	13
B. OPERATED	184	3.3	11	<1	1	2	4	7	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1833	3.0	11	<1	<1	2	4	6	8	14
GRAND TOTAL	**1834**	**3.0**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**14**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2	1	<1	<1	2	3	3	3	3
13-19 YRS	3115	2.0	5	<1	<1	1	2	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	782	2.4	9	<1	<1	1	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1645	2.9	12	<1	<1	2	3	5	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	522	3.1	22	<1	<1	2	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3120	2.0	5	<1	<1	1	2	4	5	10
B. *Operated*	782	2.4	9	<1	<1	1	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	1645	2.9	12	<1	<1	2	3	5	8	17
B. *Operated*	522	3.1	22	<1	<1	2	4	6	8	18
1. SINGLE DX	3902	2.0	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2167	2.9	14	<1	<1	2	3	6	8	17
A. NOT OPERATED	4765	2.3	8	<1	<1	1	3	4	6	14
B. OPERATED	1304	2.7	15	<1	<1	1	3	5	7	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2	1	<1	<1	2	3	3	3	3
13-19 YRS	6064	2.4	9	<1	<1	1	3	4	6	15
GRAND TOTAL	**6069**	**2.4**	**9**	**<1**	**<1**	**1**	**3**	**4**	**6**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	336	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	161	3.2	7	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	634	2.7	2	1	2	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	833	4.0	17	1	2	3	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	2.4	1	1	1	2	3	3	4	5
B. *Operated*	161	3.2	7	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	635	2.7	2	1	2	2	3	4	4	7
B. *Operated*	833	4.0	17	1	2	3	4	7	9	20
1. SINGLE DX	497	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1468	3.4	11	1	2	3	4	5	7	15
A. NOT OPERATED	971	2.6	2	1	1	2	3	4	4	6
B. OPERATED	994	3.9	15	1	2	3	4	6	9	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1964	3.2	9	1	2	3	4	5	6	13
GRAND TOTAL	**1965**	**3.2**	**9**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.0	1	1	1	2	3	3	3	3
13-19 YRS	17614	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.8	1	1	1	3	4	4	4	4
13-19 YRS	4932	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	723	2.5	2	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	500	2.7	3	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17621	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4938	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	725	2.5	2	1	1	2	3	4	4	6
B. *Operated*	501	2.7	3	1	1	2	3	4	5	9
1. SINGLE DX	22559	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX	1226	2.6	2	1	1	2	3	4	4	8
A. NOT OPERATED	18346	2.3	1	1	1	2	3	3	4	4
B. OPERATED	5439	2.3	1	1	1	2	3	3	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	16	2.5	1	1	1	2	3	4	4	4
13-19 YRS	23769	2.3	1	1	1	2	3	3	4	4
GRAND TOTAL	**23785**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	4.4	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	2.5	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	84	6.6	60	2	2	5	6	13	21	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*	30	4.4	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	11	2.5	2	1	1	2	3	5	6	6
B. *Operated*	84	6.6	60	2	2	5	6	13	21	48
1. SINGLE DX	34	4.1	3	1	2	4	5	6	7	9
2. MULTIPLE DX	95	6.2	55	2	2	4	6	10	20	45
A. NOT OPERATED	15	2.3	2	1	1	2	3	4	5	6
B. OPERATED	114	6.1	46	2	2	5	6	9	19	38
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	129	5.6	42	2	2	4	5	8	19	33
GRAND TOTAL	**129**	**5.6**	**42**	**2**	**2**	**4**	**5**	**8**	**19**	**33**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	64	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	92	3.5	2	1	1	3	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	105	2.4	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	331	4.5	14	2	2	4	5	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.2	1	1	1	2	3	3	4	5
B. *Operated*	92	3.5	2	1	1	3	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	105	2.4	2	<1	1	2	3	4	5	7
B. *Operated*	331	4.5	14	2	2	4	5	7	10	16
1. SINGLE DX	156	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX	436	4.0	12	1	1	4	5	6	8	15
A. NOT OPERATED	169	2.3	1	1	1	2	3	4	4	7
B. OPERATED	423	4.2	12	1	2	4	5	6	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	592	3.7	10	1	1	3	4	6	7	14
GRAND TOTAL	**592**	**3.7**	**10**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	1.9	1	1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	172	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	2.5	1	1	2	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	155	2.6	2	1	1	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.9	1	1	1	2	2	3	3	3
B. *Operated*	172	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	18	2.5	1	1	2	2	3	4	4	4
B. *Operated*	155	2.6	2	1	1	2	3	4	4	8
1. SINGLE DX	189	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	173	2.6	2	1	1	2	3	4	4	8
A. NOT OPERATED	35	2.2	1	1	1	2	3	3	4	4
B. OPERATED	327	2.4	1	1	1	2	3	4	4	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	362	2.4	1	1	1	2	3	4	4	6
GRAND TOTAL	**362**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	135	2.4	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	2.5	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	2.5	1	1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	123	2.6	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.4	1	1	1	2	3	4	4	5
B. *Operated*	69	2.5	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	97	2.5	1	1	1	2	3	4	5	6
B. *Operated*	123	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	204	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	220	2.5	1	1	1	2	3	4	5	7
A. NOT OPERATED	232	2.4	1	1	1	2	3	4	4	5
B. OPERATED	192	2.6	2	1	1	2	3	4	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	424	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**424**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	2.9	2	1	1	3	4	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	3.8	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	3.8	21	1	1	2	4	5	15	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	209	6.2	53	2	2	5	6	10	14	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.9	2	1	1	3	4	4	6	7
B. *Operated*	19	3.8	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	25	3.8	21	1	1	2	4	5	15	23
B. *Operated*	209	6.2	53	2	2	5	6	10	14	47
1. SINGLE DX	50	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX	234	5.9	50	2	2	4	6	10	14	46
A. NOT OPERATED	56	3.3	10	1	1	3	4	5	7	22
B. OPERATED	228	6.0	49	2	2	5	6	10	13	47
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	284	5.5	42	1	2	4	6	9	13	42
GRAND TOTAL	**284**	**5.5**	**42**	**1**	**2**	**4**	**6**	**9**	**13**	**42**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	37	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	679	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.1	5	1	1	2	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	846	4.8	5	2	3	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.2	1	1	1	2	3	3	4	4
B. *Operated*	679	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	33	3.1	5	1	1	2	4	6	8	11
B. *Operated*	847	4.8	5	2	3	4	5	7	8	13
1. SINGLE DX	716	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	880	4.7	5	2	3	4	5	7	8	13
A. NOT OPERATED	70	2.6	3	1	1	2	3	4	6	10
B. OPERATED	1526	4.5	3	2	3	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1595	4.4	3	2	3	4	5	6	7	11
GRAND TOTAL	**1596**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	153	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	342	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	147	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1498	3.8	3	1	2	4	5	6	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.2	1	1	1	2	3	3	4	5
B. *Operated*	342	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	147	2.3	1	1	1	2	3	4	4	4
B. *Operated*	1500	3.8	3	1	2	4	5	6	6	10
1. SINGLE DX	495	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	1647	3.7	3	1	2	4	5	6	6	10
A. NOT OPERATED	300	2.3	1	1	1	2	3	4	4	5
B. OPERATED	1842	3.7	3	1	2	4	5	6	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	2140	3.5	3	1	2	3	4	5	6	9
GRAND TOTAL	**2142**	**3.5**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	2.8	1	1	1	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1053	4.6	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	4.1	3	2	2	4	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	3145	5.0	4	3	3	5	6	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	1	1	1	3	3	4	5	5
B. *Operated*	1053	4.6	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	14	4.1	3	2	2	4	5	6	7	7
B. *Operated*	3148	5.0	4	3	3	5	6	7	8	12
1. SINGLE DX	1062	4.5	2	3	3	4	5	6	7	8
2. MULTIPLE DX	3162	5.0	4	3	3	5	6	7	8	12
A. NOT OPERATED	23	3.6	2	1	2	3	5	6	7	7
B. OPERATED	4201	4.9	3	3	3	5	5	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	4221	4.9	3	3	3	5	5	7	8	11
GRAND TOTAL	**4224**	**4.9**	**3**	**3**	**3**	**5**	**5**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	383	2.5	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	661	3.6	2	1	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	329	2.6	2	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1941	4.1	4	2	2	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	2.5	1	1	1	2	3	4	4	5
B. *Operated*	663	3.6	2	1	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	329	2.6	2	1	1	3	3	4	4	6
B. *Operated*	1942	4.1	4	2	2	4	5	6	7	11
1. SINGLE DX	1046	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	2271	3.9	4	1	2	4	5	6	7	11
A. NOT OPERATED	712	2.6	1	1	1	2	3	4	4	6
B. OPERATED	2605	4.0	4	2	2	4	5	6	7	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.3		4	4	4	5	5	5	5
13-19 YRS	3314	3.7	4	1	2	3	5	6	7	10
GRAND TOTAL	**3317**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	2.2	1	<1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	134	4.0	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	36	2.5	3	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	423	4.7	4	2	3	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.2	1	<1	1	2	3	4	4	5
B. *Operated*	134	4.0	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	36	2.5	3	<1	1	2	3	4	6	10
B. *Operated*	423	4.7	4	2	3	4	5	7	8	13
1. SINGLE DX	180	3.6	3	1	1	4	5	6	6	9
2. MULTIPLE DX	459	4.5	5	2	2	4	5	7	8	13
A. NOT OPERATED	82	2.3	2	<1	1	2	3	4	5	9
B. OPERATED	557	4.5	4	2	2	4	5	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	639	4.2	4	1	2	4	5	6	8	12
GRAND TOTAL	**639**	**4.2**	**4**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	2.1	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1078	4.2	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.9	3	1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	984	4.7	2	3	3	4	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.1	1	1	1	2	3	3	4	5
B. *Operated*	1078	4.2	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	20	2.9	3	1	1	2	4	5	7	9
B. *Operated*	985	4.7	2	3	3	4	5	6	7	10
1. SINGLE DX	1120	4.2	1	2	3	4	5	6	6	7
2. MULTIPLE DX	1005	4.6	3	3	3	4	5	6	7	10
A. NOT OPERATED	62	2.4	2	1	1	2	3	4	5	9
B. OPERATED	2063	4.4	2	3	3	4	5	6	6	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2124	4.4	2	2	3	4	5	6	6	8
GRAND TOTAL	**2125**	**4.4**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	572	2.6	2	1	1	3	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	433	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	565	3.3	10	1	1	3	4	5	6	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	1556	4.1	11	1	2	3	5	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	2.6	2	1	1	3	3	4	4	7
B. *Operated*	433	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	566	3.3	10	1	1	3	4	5	6	15
B. *Operated*	1558	4.1	11	1	2	3	5	7	8	16
1. SINGLE DX	1005	2.7	2	1	1	3	3	4	4	7
2. MULTIPLE DX	2124	3.9	11	1	2	3	5	6	8	16
A. NOT OPERATED	1138	3.0	6	1	1	3	3	4	5	12
B. OPERATED	1991	3.8	9	1	2	3	5	6	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.3	16	2	2	2	7	9	9	9
13-19 YRS	3126	3.5	8	1	2	3	4	6	7	14
GRAND TOTAL	**3129**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**14**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1875	2.2	1	1	1	2	3	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1054	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	619	2.3	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1268	2.6	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1876	2.2	1	1	1	2	3	3	3	4
B. *Operated*	1054	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	620	2.3	1	1	1	2	3	3	4	5
B. *Operated*	1268	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	2930	2.2	1	1	1	2	3	3	3	5
2. MULTIPLE DX	1888	2.5	2	1	1	2	3	4	5	7
A. NOT OPERATED	2496	2.2	1	1	1	2	3	3	4	5
B. OPERATED	2322	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	4816	2.3	1	1	1	2	3	3	4	5
GRAND TOTAL	**4818**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	451	2.2	2	1	1	2	3	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3647	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	273	2.7	12	1	1	2	3	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	2187	2.5	3	1	1	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	2.2	2	1	1	2	3	3	3	4
B. *Operated*	3648	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	274	2.7	12	1	1	2	3	4	4	8
B. *Operated*	2189	2.5	3	1	1	2	3	4	4	7
1. SINGLE DX	4100	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	2463	2.5	4	1	1	2	3	4	4	7
A. NOT OPERATED	726	2.4	6	1	1	2	3	3	4	6
B. OPERATED	5837	2.3	2	1	1	2	3	3	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6	4	<1	<1	2	4	5	6	6
13-19 YRS	6558	2.3	2	1	1	2	3	3	4	5
GRAND TOTAL	**6563**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	179	2.3	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2845	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	107	2.9	3	1	2	3	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3	2	2	2	3	4	5	5	5
13-19 YRS	2238	2.8	3	1	2	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.3	1	1	1	2	3	3	4	5
B. *Operated*	2847	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	107	2.9	3	1	2	3	3	5	6	10
B. *Operated*	2242	2.8	3	1	2	3	3	4	5	7
1. SINGLE DX	3026	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2349	2.8	3	1	2	3	3	4	5	7
A. NOT OPERATED	286	2.5	2	1	1	2	3	4	4	9
B. OPERATED	5089	2.6	2	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0	1	2	2	3	3	5	5	5
13-19 YRS	5369	2.6	2	1	1	2	3	4	4	6
GRAND TOTAL	**5375**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	207	2.1	1	1	1	2	3	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1022	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	129	2.7	3	1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	900	2.7	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	2.1	1	1	1	2	3	3	3	4
B. *Operated*	1022	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	129	2.7	3	1	1	2	3	4	6	11
B. *Operated*	901	2.7	2	1	1	2	3	4	5	7
1. SINGLE DX	1229	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1030	2.7	2	1	1	2	3	4	5	7
A. NOT OPERATED	336	2.3	1	1	1	2	3	3	4	7
B. OPERATED	1923	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2258	2.4	1	1	1	2	3	4	4	6
GRAND TOTAL	**2259**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3791	2.4	2	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6745	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2935	2.8	6	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	3.9	4	1	1	3	6	6	6	6
13-19 YRS	12635	3.8	8	1	2	3	5	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3793	2.4	2	1	1	2	3	4	4	7
B. *Operated*	6745	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	2936	2.8	6	1	1	2	3	4	5	10
B. *Operated*	12644	3.8	8	1	2	3	5	6	8	14
1. SINGLE DX	10538	2.7	2	1	1	2	3	4	5	8
2. MULTIPLE DX	15580	3.6	8	1	2	3	4	6	8	14
A. NOT OPERATED	6729	2.6	4	1	1	2	3	4	5	9
B. OPERATED	19389	3.5	6	1	2	3	4	6	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	3.7	3	1	2	3	5	6	6	6
13-19 YRS	26106	3.2	6	1	1	3	4	5	7	12
GRAND TOTAL	**26118**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	190	3.2	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.8	5	<1	<1	3	4	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	101	3.8	5	1	2	3	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	5.6	16	1	1	4	7	11	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	3.2	2	1	2	3	4	5	6	8
B. *Operated*	13	2.8	5	<1	<1	3	4	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	101	3.8	5	1	2	3	4	6	8	13
B. *Operated*	21	5.6	16	1	1	4	7	11	15	16
1. SINGLE DX	203	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX	122	4.1	7	1	2	3	5	8	8	15
A. NOT OPERATED	291	3.4	3	1	2	3	4	5	6	8
B. OPERATED	34	4.5	13	<1	1	4	6	9	14	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	325	3.5	4	1	2	3	4	6	8	13
GRAND TOTAL	**325**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	74	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.0	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	74	2.2	2	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	74	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	20	2.0	1	1	1	2	3	4	4	5
B. *Operated*	74	2.2	2	1	1	2	3	4	5	9
1. SINGLE DX	105	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	94	2.2	2	1	1	2	3	4	5	8
A. NOT OPERATED	51	1.6	1	<1	<1	1	2	3	4	5
B. OPERATED	148	1.9	2	<1	1	1	2	3	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	199	1.8	1	<1	1	1	2	3	4	6
GRAND TOTAL	**199**	**1.8**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**6**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	44	3.8	9	1	1	3	4	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	75	3.2	14	1	1	2	3	6	8	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	4.3	13	1	1	3	4	10	14	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	78	3.9	14	1	1	3	4	8	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.8	9	1	1	3	4	8	10	15
B. *Operated*	76	3.1	13	1	1	2	3	6	8	25
2. MULTIPLE DX										
A. *Not Operated*	54	4.3	13	1	1	3	4	10	14	16
B. *Operated*	79	3.9	14	1	1	3	4	8	14	19
1. SINGLE DX	120	3.4	12	1	1	2	4	7	9	19
2. MULTIPLE DX	133	4.0	14	1	1	3	4	9	14	18
A. NOT OPERATED	98	4.1	12	1	1	3	4	9	13	16
B. OPERATED	155	3.5	14	1	1	2	4	7	11	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	251	3.7	13	1	1	3	4	8	12	17
GRAND TOTAL	**253**	**3.7**	**13**	**1**	**1**	**3**	**4**	**8**	**12**	**17**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	3.8	3	1	2	4	5	5	7	9
1-11 MOS	140	3.7	4	2	2	3	4	6	8	11
1-5 YRS	564	3.3	4	1	2	3	4	6	7	10
6-12 YRS	602	3.5	5	1	2	3	4	6	7	10
13-19 YRS	630	3.7	5	1	2	3	4	7	8	12
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	57	3.5	4	1	1	4	5	6	6	10
1-5 YRS	246	4.0	7	1	1	3	5	8	9	13
6-12 YRS	209	4.7	9	1	2	4	6	9	10	16
13-19 YRS	278	4.5	9	1	1	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	36	6.3	33	1	2	4	9	11	19	28
1-11 MOS	300	4.5	9	2	2	4	5	8	10	13
1-5 YRS	869	4.0	7	1	2	3	5	7	8	14
6-12 YRS	735	4.0	6	1	2	3	5	7	9	14
13-19 YRS	876	4.3	6	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS	4	4.0	3	2	2	4	5	6	6	6
1-11 MOS	92	7.2	22	2	2	6	10	13	16	24
1-5 YRS	320	6.0	33	1	2	5	7	12	15	32
6-12 YRS	294	6.0	19	1	2	5	8	10	15	20
13-19 YRS	457	6.4	34	1	2	5	8	13	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1962	3.5	5	1	2	3	4	6	7	11
B. *Operated*	792	4.3	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2816	4.2	7	2	2	4	5	7	9	14
B. *Operated*	1167	6.2	29	1	2	5	8	12	15	29
1. SINGLE DX	2754	3.8	6	1	2	3	5	7	8	13
2. MULTIPLE DX	3983	4.8	14	1	2	4	6	9	11	19
A. NOT OPERATED	4778	3.9	6	1	2	3	5	7	8	13
B. OPERATED	1959	5.5	21	1	2	4	7	10	14	23
TOTAL 0-27 DYS	68	5.1	20	2	2	4	6	10	12	27
1-11 MOS	589	4.6	10	2	2	4	5	9	11	16
1-5 YRS	1999	4.1	11	1	2	3	5	7	9	15
6-12 YRS	1840	4.3	9	1	2	3	5	7	10	15
13-19 YRS	2241	4.6	13	1	2	4	5	8	11	17
GRAND TOTAL	**6737**	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	58	3.3	3	1	2	3	4	7	8	8
1-11 MOS	62	3.8	4	1	2	3	5	7	8	9
1-5 YRS	234	4.0	5	1	2	4	5	7	8	10
6-12 YRS	108	3.7	5	1	2	3	5	7	9	12
13-19 YRS	125	3.8	5	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS	4	2.8	6	<1	<1	2	4	6	6	6
1-11 MOS	31	4.4	8	<1	1	4	7	9	10	11
1-5 YRS	85	3.7	8	<1	<1	3	5	8	9	13
6-12 YRS	87	5.0	25	<1	1	3	7	9	15	31
13-19 YRS	113	3.5	12	<1	1	3	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	58	3.7	6	1	2	3	5	7	9	12
1-11 MOS	122	4.5	6	2	2	4	6	8	10	13
1-5 YRS	363	4.0	5	1	2	3	5	7	8	10
6-12 YRS	205	4.0	7	1	2	3	5	7	8	16
13-19 YRS	185	4.2	6	1	2	4	5	7	9	13
B. *Operated*										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	65	6.9	18	1	2	6	9	14	15	19
1-5 YRS	129	5.7	17	1	2	5	7	11	13	21
6-12 YRS	85	5.6	31	1	1	4	7	12	16	31
13-19 YRS	142	5.9	27	1	2	4	6	13	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.8	5	1	2	3	5	7	8	10
B. *Operated*	326	4.0	14	<1	1	3	5	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	933	4.1	6	1	2	3	5	7	9	13
B. *Operated*	424	5.9	23	1	2	5	7	12	15	25
1. SINGLE DX	913	3.9	8	1	1	3	5	7	9	13
2. MULTIPLE DX	1357	4.7	12	1	2	4	6	8	11	19
A. NOT OPERATED	1520	4.0	5	1	2	3	5	7	8	12
B. OPERATED	750	5.1	20	1	1	4	7	10	14	24
TOTAL 0-27 DYS	123	3.5	4	1	2	3	4	6	8	11
1-11 MOS	280	4.9	10	1	2	4	6	9	11	15
1-5 YRS	811	4.2	7	1	2	4	5	8	9	13
6-12 YRS	485	4.4	15	1	2	3	5	8	10	22
13-19 YRS	571	4.4	13	1	1	3	5	8	11	21
GRAND TOTAL	**2270**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	18	3.6	12	<1	<1	2	5	8	12	14
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	18	3.1	7	1	1	2	4	7	9	10
1-5 YRS	7	1.6	1	1	1	1	2	3	3	3
6-12 YRS	14	2.6	4	1	1	2	3	5	7	8
13-19 YRS	1560	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	18	2.2	3	<1	<1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.4	15	2	2	4	7	12	13	13
1-5 YRS	4	2.5		2	2	2	3	3	3	3
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	241	3.2	13	1	1	3	4	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.4	11	<1	<1	2	4	7	11	14
B. *Operated*	1601	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	20	2.1	3	<1	<1	1	3	4	6	7
B. *Operated*	255	3.2	13	1	1	3	4	5	7	14
1. SINGLE DX	1621	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	275	3.1	12	<1	1	2	4	5	7	14
A. NOT OPERATED	40	2.8	7	<1	<1	2	3	6	8	14
B. OPERATED	1856	2.4	4	1	1	2	3	4	5	9
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	27	3.5	10	<1	1	3	4	8	10	13
1-5 YRS	13	1.9	1	1	1	2	2	3	3	3
6-12 YRS	17	2.4	3	<1	1	2	3	5	7	8
13-19 YRS	1837	2.4	4	1	1	2	3	4	5	9
GRAND TOTAL	**1896**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	21	1.3	1	<1	<1	1	1	2	4	5
1-5 YRS	46	1.2		<1	<1	1	1	2	2	3
6-12 YRS	28	1.3	1	<1	<1	<1	1	2	3	7
13-19 YRS	45	1.5	1	<1	<1	<1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	4.7	14	2	2	3	7	9	9	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	12.0	301	1	1	3	25	32	32	32
1-5 YRS	9	1.4	1	<1	<1	1	2	3	4	4
6-12 YRS	7	1.4		<1	<1	1	2	2	2	2
13-19 YRS	16	2.3	3	<1	<1	1	3	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*	141	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	8	3.6	8	<1	<1	3	5	8	9	9
B. *Operated*	36	2.7	27	<1	<1	1	2	4	6	32
1. SINGLE DX	145	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	44	2.8	24	<1	<1	1	3	6	8	32
A. NOT OPERATED	12	3.0	7	<1	<1	2	4	8	9	9
B. OPERATED	177	1.6	6	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS	4	2.8	2	1	1	3	4	4	4	4
1-11 MOS	25	2.6	39	<1	<1	1	1	3	12	32
1-5 YRS	60	1.3		<1	<1	1	1	2	3	4
6-12 YRS	36	1.5	2	<1	<1	1	1	2	5	7
13-19 YRS	64	1.8	2	<1	<1	1	2	3	5	9
GRAND TOTAL	**189**	**1.7**	**6**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	3.8	4	<1	1	3	5	7	8	8
1-11 MOS	100	3.3	11	1	1	2	4	6	7	20
1-5 YRS	257	3.1	6	1	1	2	4	7	8	12
6-12 YRS	178	4.0	16	1	1	3	5	8	12	24
13-19 YRS	210	6.0	49	1	1	3	7	16	18	37
B. *Operated*										
0-27 DYS	4	5.0	12	2	2	4	7	10	10	10
1-11 MOS	11	2.8	10	<1	<1	1	3	8	11	11
1-5 YRS	115	3.2	22	<1	<1	2	3	7	9	25
6-12 YRS	195	2.5	11	<1	<1	1	3	5	9	17
13-19 YRS	350	2.9	21	<1	<1	1	3	6	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	3.7	4	1	2	3	4	5	9	10
1-11 MOS	207	3.6	6	1	1	3	5	7	9	16
1-5 YRS	445	3.9	11	1	1	3	5	7	10	18
6-12 YRS	266	5.1	40	1	1	3	6	11	14	32
13-19 YRS	301	5.3	29	1	1	4	6	11	19	31
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	19	6.5	44	1	1	5	12	20	63	99+
1-5 YRS	146	5.3	69	<1	1	3	5	12	15	49
6-12 YRS	231	6.5	99	<1	<1	2	7	15	26	53
13-19 YRS	452	9.0	163	<1	1	4	10	26	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	4.1	22	1	1	3	5	8	14	25
B. *Operated*	675	2.9	18	<1	<1	1	3	6	10	17
2. MULTIPLE DX										
A. *Not Operated*	1256	4.4	21	1	1	3	5	8	12	25
B. *Operated*	850	7.6	129	<1	1	3	8	20	37	69
1. SINGLE DX	1439	3.5	21	<1	<1	2	4	7	12	25
2. MULTIPLE DX	2106	5.7	67	1	1	3	6	12	21	52
A. NOT OPERATED	2020	4.3	21	1	1	3	5	8	13	26
B. OPERATED	1525	5.5	85	<1	<1	2	6	14	24	56
TOTAL 0-27 DYS	62	3.8	4	1	2	3	4	6	9	10
1-11 MOS	337	3.7	10	1	1	3	5	7	10	26
1-5 YRS	963	3.8	20	<1	1	3	4	7	10	21
6-12 YRS	870	4.7	47	<1	<1	2	5	10	15	39
13-19 YRS	1313	6.0	82	<1	<1	3	6	15	25	57
GRAND TOTAL	**3545**	**4.8**	**49**	**<1**	**1**	**3**	**5**	**10**	**16**	**41**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	22	3.5	5	1	1	3	4	7	9	9
13-19 YRS	44	4.5	13	1	1	3	6	9	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.8	25	2	2	4	7	14	15	15
6-12 YRS	19	5.4	27	<1	1	3	7	12	17	21
13-19 YRS	35	5.5	80	<1	1	2	8	11	11	53
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	60	6.4	46	1	1	4	8	14	21	36
13-19 YRS	141	5.7	32	1	1	4	7	12	15	32
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS	3	10.7	226	1	1	15	64	99+	99+	99+
6-12 YRS	24	21.7	898	3	3	10	21	99	99+	99+
13-19 YRS	71	12.6	215	2	2	7	13	32	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.2	11	1	1	3	6	9	10	18
B. *Operated*	60	5.5	56	<1	1	3	7	11	14	50
2. MULTIPLE DX										
A. *Not Operated*	204	5.9	36	1	1	4	8	12	17	34
B. *Operated*	100	14.8	381	2	2	8	18	42	73	99+
1. SINGLE DX	128	4.8	32	1	1	3	6	10	11	28
2. MULTIPLE DX	304	8.8	166	1	2	5	10	21	33	99
A. NOT OPERATED	272	5.5	30	1	1	4	7	11	15	31
B. OPERATED	160	11.3	279	1	1	6	11	28	58	99+
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	2	16.5	85	10	10	16	23	23	23	23
1-5 YRS	13	6.1	58	1	1	3	7	35	86	99+
6-12 YRS	125	8.6	235	1	2	4	8	19	28	99+
13-19 YRS	291	7.2	88	1	1	4	9	13	24	54
GRAND TOTAL	**432**	**7.6**	**130**	**1**	**1**	**4**	**9**	**15**	**26**	**80**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.3	32	2	2	5	10	14	14	14
1-5 YRS	56	4.7	20	<1	1	3	7	11	13	23
6-12 YRS	76	4.5	15	1	2	4	5	8	11	24
13-19 YRS	57	5.8	21	2	2	5	8	11	12	30
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	8.3	66	2	2	5	13	20	20	20
6-12 YRS	18	6.8	59	1	1	4	9	13	25	33
13-19 YRS	27	6.1	44	<1	<1	4	10	12	16	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	6.4	6	4	4	6	8	10	10	10
1-5 YRS	47	8.0	53	1	2	5	10	21	25	25
6-12 YRS	80	8.0	92	2	2	5	10	16	28	91
13-19 YRS	107	7.3	53	<1	1	5	9	17	20	38
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	12	8.1	272	1	1	3	6	24	55	60
6-12 YRS	18	7.7	34	<1	1	7	11	17	19	19
13-19 YRS	29	11.3	197	1	2	6	16	20	30	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	5.0	18	1	2	4	6	10	12	25
B. *Operated*	50	6.4	48	<1	<1	4	9	13	20	33
2. MULTIPLE DX										
A. *Not Operated*	242	7.6	64	1	2	5	9	17	24	41
B. *Operated*	61	9.5	156	1	1	5	14	18	24	72
1. SINGLE DX	243	5.3	25	1	1	4	7	11	14	31
2. MULTIPLE DX	303	8.0	82	1	2	5	10	17	24	65
A. NOT OPERATED	435	6.5	45	1	2	4	8	14	20	34
B. OPERATED	111	8.1	109	<1	1	4	11	17	21	65
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	6.2	18	1	2	5	9	14	14	14
1-5 YRS	119	6.5	59	1	1	4	7	16	21	36
6-12 YRS	192	6.5	55	1	2	4	8	14	19	55
13-19 YRS	220	7.3	64	<1	1	5	9	16	19	38
GRAND TOTAL	**546**	**6.8**	**58**	**1**	**1**	**4**	**8**	**14**	**20**	**37**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	7	1	1	2	5	6	6	6
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.3	25	4	4	7	12	15	15	15
1-5 YRS	3	4.3	16	2	2	2	7	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	34	3.9	15	<1	1	2	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	4	2.5	3	1	1	2	4	5	5	5
13-19 YRS	3	12.0	93	5	5	8	19	23	23	23
B. *Operated*										
0-27 DYS	3	11.0	3	10	10	10	12	13	13	13
1-11 MOS	8	10.4	23	3	4	9	13	17	18	18
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	13.0	82	2	2	13	20	23	23	23
13-19 YRS	22	3.8	10	<1	1	3	6	7	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	4	1	1	3	5	6	6	6
B. *Operated*	42	4.3	17	<1	1	2	6	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	12	5.8	35	1	1	4	7	13	22	23
B. *Operated*	38	6.8	30	1	1	6	10	15	18	23
1. SINGLE DX	47	4.2	15	1	1	2	6	10	12	17
2. MULTIPLE DX	50	6.5	31	1	1	5	9	15	18	23
A. NOT OPERATED	17	5.1	26	1	1	4	6	8	18	23
B. OPERATED	80	5.5	24	1	1	3	8	12	16	21
TOTAL 0-27 DYS	3	11.0	3	10	10	10	12	13	13	13
1-11 MOS	15	8.9	21	3	3	8	11	16	17	18
1-5 YRS	9	3.8	7	1	1	2	6	8	9	9
6-12 YRS	10	7.0	56	1	1	4	10	20	23	23
13-19 YRS	60	4.3	18	<1	1	3	6	9	12	22
GRAND TOTAL	**97**	**5.4**	**24**	**1**	**1**	**3**	**8**	**12**	**16**	**23**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	19	9.9	31	2	3	10	13	18	21	21
1-5 YRS	106	7.4	41	1	1	5	11	15	21	32
6-12 YRS	80	5.4	17	1	2	4	7	11	15	19
13-19 YRS	65	4.9	11	1	2	4	7	11	12	15
B. *Operated*										
0-27 DYS	2	13.5	5	12	12	13	15	15	15	15
1-11 MOS	16	15.1	50	6	7	14	19	25	29	31
1-5 YRS	67	10.0	34	3	4	9	13	18	21	28
6-12 YRS	51	10.2	42	3	4	9	13	18	21	40
13-19 YRS	75	6.6	36	1	1	5	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	16.3	132	5	5	16	25	28	28	28
1-11 MOS	43	12.2	85	3	4	10	14	22	29	55
1-5 YRS	106	8.8	47	1	2	7	14	20	22	29
6-12 YRS	102	6.6	29	1	2	5	9	14	17	24
13-19 YRS	94	5.7	20	2	2	5	7	10	13	28
B. *Operated*										
0-27 DYS	5	16.4	9	12	12	17	18	20	20	20
1-11 MOS	54	13.7	46	4	6	12	17	22	29	30
1-5 YRS	109	13.6	52	4	5	13	18	24	27	34
6-12 YRS	97	12.8	58	4	5	10	16	23	27	39
13-19 YRS	102	11.0	96	1	2	9	15	25	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	6.4	28	1	2	4	9	13	16	22
B. *Operated*	211	9.2	43	1	2	8	13	18	21	33
2. MULTIPLE DX										
A. *Not Operated*	348	7.8	44	2	2	6	11	16	21	29
B. *Operated*	367	12.7	65	3	4	11	17	23	28	40
1. SINGLE DX	482	7.6	36	1	2	6	11	15	20	29
2. MULTIPLE DX	715	10.3	61	2	3	8	14	21	26	33
A. NOT OPERATED	619	7.2	37	1	2	5	10	15	20	29
B. OPERATED	578	11.4	60	2	3	10	15	22	27	39
TOTAL 0-27 DYS	11	15.5	33	5	9	15	18	23	28	28
1-11 MOS	132	12.8	58	3	5	11	15	22	29	35
1-5 YRS	388	10.0	50	2	2	8	14	21	23	30
6-12 YRS	330	8.7	46	2	2	7	12	18	22	29
13-19 YRS	336	7.3	51	1	2	5	9	15	22	40
GRAND TOTAL	**1197**	**9.2**	**52**	**1**	**2**	**7**	**13**	**20**	**23**	**31**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	9	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	3.5	11	1	1	3	6	8	8	8
6-12 YRS	34	1.8	2	<1	<1	1	2	4	5	5
13-19 YRS	890	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	1.9	2	<1	<1	1	2	3	5	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS										
6-12 YRS	26	3.1	8	<1	1	2	4	8	9	13
13-19 YRS	866	2.6	4	<1	<1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	929	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	16	1.9	2	<1	<1	1	2	3	5	6
B. *Operated*	896	2.6	4	<1	<1	2	3	5	6	10
1. SINGLE DX	942	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	912	2.6	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	29	2.1	2	<1	<1	2	3	4	5	6
B. OPERATED	1825	2.4	3	<1	<1	2	3	5	5	8
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.8	2	1	1	1	3	4	4	4
1-5 YRS	5	3.8	9	1	1	4	6	8	8	8
6-12 YRS	63	2.4	5	<1	<1	1	3	5	6	12
13-19 YRS	1781	2.4	3	<1	<1	2	3	4	5	7
GRAND TOTAL	**1854**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**5**	**5**	**8**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	104	3.1	5	1	1	2	4	6	7	12
6-12 YRS	119	3.2	5	1	1	2	4	6	8	12
13-19 YRS	60	3.6	56	<1	1	2	4	6	7	54
B. *Operated*										
0-27 DYS										
1-11 MOS	11	4.1	16	1	1	2	7	11	11	11
1-5 YRS	49	3.7	13	<1	<1	3	4	9	11	17
6-12 YRS	125	2.9	9	<1	<1	2	4	5	8	20
13-19 YRS	2305	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	3.0	10	1	1	2	3	9	10	10
1-5 YRS	89	3.1	12	1	1	2	4	6	8	21
6-12 YRS	125	4.6	56	<1	1	3	4	9	14	50
13-19 YRS	144	4.0	26	<1	<1	3	5	7	10	32
B. *Operated*										
0-27 DYS										
1-11 MOS	17	4.8	26	<1	1	3	5	14	18	19
1-5 YRS	261	4.1	13	1	1	3	4	8	11	21
6-12 YRS	298	5.5	27	1	1	4	6	13	17	31
13-19 YRS	1101	3.2	16	<1	1	2	4	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.2	15	1	1	2	4	6	7	12
B. *Operated*	2490	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	366	4.0	33	<1	1	2	4	8	10	32
B. *Operated*	1677	3.7	19	1	1	3	4	7	10	23
1. SINGLE DX	2778	2.5	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	2043	3.8	21	<1	1	3	4	7	10	27
A. NOT OPERATED	654	3.6	25	<1	1	2	4	7	9	29
B. OPERATED	4167	3.0	10	<1	1	2	3	5	7	16
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	40	3.9	18	1	1	2	4	10	14	19
1-5 YRS	503	3.7	11	1	1	3	4	7	10	18
6-12 YRS	667	4.4	26	1	1	3	5	9	14	29
13-19 YRS	3610	2.7	9	<1	1	2	3	5	6	11
GRAND TOTAL	**4821**	**3.1**	**12**	**<1**	**1**	**2**	**4**	**5**	**7**	**17**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX	1	13.0		13	13	13	13	13	13	13
A. NOT OPERATED	1	13.0		13	13	13	13	13	13	13
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	5	3.2	11	1	1	2	4	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	11	5.5	10	1	1	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.6	11	1	1	3	7	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	9	9.6	266	<1	<1	3	8	36	52	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	6	12.5	250	2	2	8	10	41	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.7	16	1	1	3	8	11	11	11
B. *Operated*	13	5.5	11	1	1	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	14	7.8	173	<1	<1	3	7	16	44	52
B. *Operated*	9	10.6	170	2	2	7	10	31	44	44
1. SINGLE DX	20	5.2	12	1	1	5	8	10	11	11
2. MULTIPLE DX	23	8.9	166	<1	1	5	10	18	47	52
A. NOT OPERATED	21	6.8	119	<1	<1	3	8	11	30	52
B. OPERATED	22	7.5	78	1	1	6	9	11	24	44
TOTAL 0-27 DYS										
1-11 MOS	5	4.6	11	1	1	3	7	9	9	9
1-5 YRS	3	6.0	25	1	1	6	10	11	11	11
6-12 YRS	4	7.3	15	2	2	8	10	11	11	11
13-19 YRS	31	7.7	128	<1	1	5	9	11	42	52
GRAND TOTAL	**43**	**7.2**	**96**	**<1**	**1**	**5**	**9**	**11**	**23**	**52**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.5	6	4	4	5	7	9	9	9
1-5 YRS	15	8.9	46	1	1	8	14	20	20	20
6-12 YRS	4	6.3	13	1	1	7	8	9	9	9
13-19 YRS	94	4.9	11	1	1	4	7	10	11	14
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	15	4.7	21	1	1	4	6	8	16	19
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	10	4.7	14	1	1	4	7	10	12	12
13-19 YRS	431	4.6	13	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	11	<1	<1	2	6	8	8	8
1-11 MOS	3	8.0	31	3	3	7	12	14	14	14
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	24	5.8	13	1	1	5	8	10	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	11	8.5	36	1	3	6	12	19	21	21
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS										
13-19 YRS	125	6.6	39	1	1	5	7	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.4	16	1	1	5	8	11	13	20
B. *Operated*	458	4.6	13	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	34	5.6	14	<1	1	5	8	10	14	14
B. *Operated*	138	6.7	38	1	1	5	7	14	20	32
1. SINGLE DX	575	4.7	14	1	1	4	6	9	12	19
2. MULTIPLE DX	172	6.5	33	1	1	5	8	14	18	31
A. NOT OPERATED	151	5.5	16	1	1	5	8	11	14	20
B. OPERATED	596	5.1	20	1	1	4	6	9	13	21
TOTAL 0-27 DYS	5	3.4	8	<1	<1	3	5	8	8	8
1-11 MOS	33	6.4	26	1	1	5	7	15	19	21
1-5 YRS	19	8.2	38	1	1	6	12	18	20	20
6-12 YRS	16	4.9	12	1	1	4	8	9	11	12
13-19 YRS	674	5.0	18	1	1	4	7	9	13	21
GRAND TOTAL	**747**	**5.1**	**19**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS										
1-5 YRS	9	4.0	5	1	1	3	6	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	5.3	33	<1	1	4	7	8	20	24
B. *Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	2	22.5	761	3	3	22	42	42	42	42
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	11	5.6	23	1	1	5	6	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	9.5	14	5	5	10	11	15	15	15
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	12	11.1	75	1	4	8	15	22	32	34
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	6	9.3	21	2	2	9	13	15	15	15
13-19 YRS	6	4.0	4	1	1	5	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.6	20	1	1	3	6	8	11	24
B. *Operated*	16	7.5	102	1	1	5	7	16	34	42
2. MULTIPLE DX										
A. *Not Operated*	20	10.2	49	3	5	8	13	16	25	34
B. *Operated*	13	6.4	19	1	2	5	9	13	15	15
1. SINGLE DX	43	5.7	51	1	1	4	6	9	19	42
2. MULTIPLE DX	33	8.7	40	1	2	7	12	15	16	34
A. NOT OPERATED	47	6.9	40	1	1	6	8	15	17	34
B. OPERATED	29	7.0	63	1	1	5	8	14	17	42
TOTAL 0-27 DYS	4	3.0	5	1	1	3	5	5	5	5
1-11 MOS	4	13.8	358	3	3	5	24	42	42	42
1-5 YRS	15	6.2	15	1	2	6	9	11	14	15
6-12 YRS	9	7.9	20	2	2	7	11	14	15	15
13-19 YRS	44	6.8	43	1	1	5	8	16	19	34
GRAND TOTAL	**76**	**7.0**	**48**	**1**	**1**	**5**	**8**	**15**	**16**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	11	6.0	38	1	1	4	10	16	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	6.0	39	<1	<1	4	11	13	13	13
6-12 YRS										
13-19 YRS	9	6.1	52	1	1	4	9	18	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.8	4	4	4	7	8	9	9	9
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	3	9.0	67	2	2	7	15	18	18	18
13-19 YRS	19	7.3	33	1	2	6	10	15	20	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	9.1	168	1	1	5	8	32	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.6	36	1	1	3	8	15	18	19
B. *Operated*	13	5.8	43	<1	<1	4	9	15	21	23
2. MULTIPLE DX										
A. *Not Operated*	27	7.6	30	1	2	7	10	16	19	23
B. *Operated*	7	9.1	168	1	1	5	8	32	38	38
1. SINGLE DX	25	5.7	38	<1	1	4	9	14	20	23
2. MULTIPLE DX	34	7.9	55	1	2	7	9	17	22	38
A. NOT OPERATED	39	7.0	32	1	1	6	10	16	19	23
B. OPERATED	20	7.0	83	<1	1	4	8	18	30	38
TOTAL 0-27 DYS										
1-11 MOS	6	5.0	10	1	1	5	7	9	9	9
1-5 YRS	4	7.8	38	<1	<1	8	13	13	13	13
6-12 YRS	3	9.0	67	2	2	7	15	18	18	18
13-19 YRS	46	7.0	54	1	1	5	9	17	23	38
GRAND TOTAL	**59**	**7.0**	**48**	**1**	**1**	**5**	**9**	**16**	**21**	**37**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	5.3	11	<1	<1	5	7	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.5	26	1	1	2	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.1	30	1	1	5	8	15	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	4	5.3	38	1	1	3	9	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.9	11	<1	<1	4	6	10	11	11
B. *Operated*	6	4.5	26	1	1	2	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	8	6.1	30	1	1	5	8	15	18	18
B. *Operated*	6	4.2	26	1	1	2	5	13	14	14
1. SINGLE DX	13	4.7	16	<1	1	4	8	11	12	12
2. MULTIPLE DX	14	5.3	27	1	1	4	7	14	17	18
A. NOT OPERATED	15	5.5	20	<1	1	4	7	11	16	18
B. OPERATED	12	4.3	24	1	1	2	7	13	14	14
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	24	5.4	23	<1	1	4	8	12	15	18
GRAND TOTAL	**27**	**5.0**	**21**	**<1**	**1**	**4**	**7**	**12**	**15**	**18**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	12	1	1	4	7	9	9	9
1-5 YRS	20	2.0	1	<1	<1	2	2	3	4	5
6-12 YRS	44	2.8	3	1	1	2	4	5	6	8
13-19 YRS	156	3.5	8	<1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	9	3.6	5	<1	<1	3	5	7	7	7
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	16	3.7	5	<1	2	3	5	7	8	9
13-19 YRS	130	2.7	10	1	1	1	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	14	5.1	10	1	1	5	6	11	11	11
1-5 YRS	28	2.5	6	<1	1	2	3	4	6	13
6-12 YRS	43	2.7	2	1	1	2	4	5	6	6
13-19 YRS	244	4.4	25	<1	1	3	5	8	10	23
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.6	57	3	3	8	16	22	22	22
1-5 YRS	9	8.0	100	<1	<1	4	9	24	33	33
6-12 YRS	16	7.0	31	1	1	6	9	12	20	23
13-19 YRS	98	4.5	26	<1	1	2	6	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.2	7	<1	1	2	4	7	8	12
B. *Operated*	158	2.8	9	1	1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	331	4.0	20	<1	1	3	5	7	9	20
B. *Operated*	128	5.3	34	1	1	3	7	11	16	32
1. SINGLE DX	384	3.1	8	<1	1	2	4	7	8	14
2. MULTIPLE DX	459	4.4	24	<1	1	3	5	8	11	25
A. NOT OPERATED	557	3.7	15	<1	1	3	5	7	9	18
B. OPERATED	286	3.9	22	1	1	2	5	9	12	24
TOTAL 0-27 DYS	3	3.7	9	<1	<1	3	6	7	7	7
1-11 MOS	34	5.4	19	1	1	5	7	11	13	22
1-5 YRS	59	3.1	21	<1	1	2	3	5	10	31
6-12 YRS	119	3.4	8	1	1	3	5	6	8	15
13-19 YRS	628	3.8	18	<1	1	3	5	8	10	19
GRAND TOTAL	**843**	**3.8**	**17**	**<1**	**1**	**3**	**5**	**8**	**10**	**20**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.6	18	1	1	2	4	10	15	15
1-5 YRS	247	2.8	4	1	1	2	3	5	7	9
6-12 YRS	153	3.2	3	1	1	3	4	5	7	11
13-19 YRS	78	3.5	4	<1	2	3	4	6	7	11
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.8	1	<1	<1	1	3	3	3	3
1-5 YRS	51	2.3	4	<1	<1	1	3	5	6	9
6-12 YRS	64	3.2	9	<1	<1	2	4	7	11	15
13-19 YRS	341	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	4.3	4	1	2	5	6	7	7	7
1-5 YRS	97	3.1	5	1	1	3	4	5	7	13
6-12 YRS	92	3.8	6	1	1	3	5	7	8	14
13-19 YRS	60	4.6	5	1	2	4	6	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	21	2	2	5	9	11	11	11
1-5 YRS	22	4.2	11	<1	1	3	7	10	11	11
6-12 YRS	43	4.4	8	1	1	4	7	8	10	11
13-19 YRS	212	2.5	8	<1	<1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	3.0	4	1	1	3	4	5	7	10
B. *Operated*	462	2.2	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	261	3.7	6	1	1	3	5	7	8	12
B. *Operated*	280	3.0	9	<1	<1	2	4	7	9	16
1. SINGLE DX	950	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX	541	3.4	8	<1	1	3	4	7	8	15
A. NOT OPERATED	749	3.3	5	1	1	3	4	6	7	12
B. OPERATED	742	2.5	6	<1	<1	2	3	5	7	12
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	29	3.8	10	1	1	3	5	7	11	15
1-5 YRS	417	2.9	5	<1	1	2	4	5	7	11
6-12 YRS	352	3.5	6	<1	1	3	4	7	8	12
13-19 YRS	691	2.6	5	<1	<1	2	3	5	7	12
GRAND TOTAL	**1491**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**6**	**7**	**12**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	42	2.0	2	<1	<1	2	2	4	5	5
13-19 YRS	462	2.1	4	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	1.8	5	<1	<1	1	1	5	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.0	5	<1	<1	2	4	6	6	6
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	60	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	537	2.3	2	1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	506	2.1	3	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	1.8	5	<1	<1	1	1	5	7	7
B. *Operated*	604	2.3	2	1	1	2	3	4	5	6
1. SINGLE DX	508	2.1	3	<1	1	2	3	4	4	6
2. MULTIPLE DX	612	2.3	2	1	1	2	3	4	5	6
A. NOT OPERATED	10	1.7	4	<1	<1	1	1	4	7	7
B. OPERATED	1110	2.2	2	<1	1	2	3	4	4	6
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	102	2.1	2	<1	1	2	3	4	5	6
13-19 YRS	1009	2.2	2	<1	1	2	3	4	4	6
GRAND TOTAL	**1120**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**	**6**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	46	1.5	1	<1	<1	1	2	3	3	4
6-12 YRS	62	1.5	1	<1	<1	1	1	2	4	7
13-19 YRS	164	1.3		<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	12	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	15	1.4		<1	<1	1	2	2	3	3
13-19 YRS	31	1.3		<1	<1	1	1	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	1	2	2	2
B. *Operated*	274	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*	59	1.4	1	<1	<1	1	2	3	3	5
1. SINGLE DX	278	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	62	1.5	1	<1	<1	1	2	3	3	5
A. NOT OPERATED	7	1.4	1	<1	<1	1	2	3	3	3
B. OPERATED	333	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	59	1.5	1	<1	<1	1	2	3	3	4
6-12 YRS	80	1.5	1	<1	<1	1	2	2	3	7
13-19 YRS	198	1.3		<1	<1	<1	1	2	3	4
GRAND TOTAL	**340**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	7.1	21	2	2	6	10	14	16	16
1-5 YRS	55	9.4	39	1	2	8	13	17	21	27
6-12 YRS	112	10.9	64	1	3	10	14	21	25	41
13-19 YRS	61	10.6	72	1	2	8	14	22	32	35
B. *Operated*										
0-27 DYS										
1-11 MOS	5	11.6	30	5	5	13	16	18	18	18
1-5 YRS	46	10.8	85	3	3	8	13	27	32	42
6-12 YRS	92	11.8	80	1	3	10	15	24	31	41
13-19 YRS	105	10.6	114	1	2	8	14	26	34	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	23	13.7	64	1	2	14	21	23	25	28
1-5 YRS	84	11.0	65	3	3	9	14	22	28	39
6-12 YRS	118	13.4	78	3	4	11	19	28	31	39
13-19 YRS	78	14.9	110	3	4	11	21	30	37	45
B. *Operated*										
0-27 DYS	6	29.7	86	15	16	30	33	42	43	43
1-11 MOS	31	16.9	88	6	7	14	23	28	29	47
1-5 YRS	45	15.8	108	4	5	14	22	29	37	46
6-12 YRS	162	18.3	193	3	4	15	23	34	43	84
13-19 YRS	215	19.1	350	3	4	12	23	46	63	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	10.3	58	1	2	9	14	21	24	36
B. *Operated*	248	11.1	94	1	2	9	14	25	32	43
2. MULTIPLE DX										
A. *Not Operated*	303	13.1	83	3	4	11	19	27	31	42
B. *Operated*	459	18.5	251	3	5	14	23	41	48	84
1. SINGLE DX	487	10.7	76	1	2	9	14	22	30	42
2. MULTIPLE DX	762	16.4	191	3	4	13	21	32	43	72
A. NOT OPERATED	542	11.9	74	2	3	10	16	23	29	41
B. OPERATED	707	15.9	208	2	3	12	21	33	44	73
TOTAL 0-27 DYS	6	29.7	86	15	16	30	33	42	43	43
1-11 MOS	70	13.9	75	2	4	13	21	24	28	43
1-5 YRS	230	11.5	75	2	3	9	15	23	29	43
6-12 YRS	484	14.1	123	2	3	11	19	29	34	45
13-19 YRS	459	15.3	232	2	3	10	19	34	46	75
GRAND TOTAL	**1249**	**14.1**	**154**	**2**	**3**	**11**	**18**	**29**	**40**	**65**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	66	5.5	24	<1	1	5	8	10	12	30
6-12 YRS	126	6.0	25	1	1	5	8	12	15	24
13-19 YRS	106	2.9	11	<1	<1	2	3	7	9	55
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	2	1	1	3	4	4	4	4
1-5 YRS	99	3.0	8	<1	<1	2	4	6	8	17
6-12 YRS	778	4.5	14	1	1	4	6	8	11	19
13-19 YRS	1399	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	3.9	3	2	2	4	6	53	99+	99+
1-5 YRS	43	7.0	103	1	1	4	8	14	17	66
6-12 YRS	116	7.6	97	<1	1	5	9	20	23	87
13-19 YRS	120	4.6	50	<1	1	3	5	8	13	69
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	6	7.2	38	2	2	5	10	17	18	18
1-5 YRS	59	4.8	31	1	1	3	6	10	13	35
6-12 YRS	295	6.6	67	1	1	4	8	13	18	46
13-19 YRS	779	5.2	50	1	1	3	6	10	15	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	4.8	22	<1	<1	3	7	10	14	26
B. *Operated*	2282	3.7	11	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	289	6.1	77	<1	1	4	7	13	21	91
B. *Operated*	1140	5.5	54	1	1	3	6	11	17	39
1. SINGLE DX	2584	3.8	12	<1	1	3	5	8	10	17
2. MULTIPLE DX	1429	5.6	59	1	1	3	7	12	18	45
A. NOT OPERATED	591	5.4	49	<1	1	4	7	11	18	62
B. OPERATED	3422	4.3	26	1	1	3	5	8	12	25
TOTAL 0-27 DYS	4	6.3	34	3	3	4	9	15	15	15
1-11 MOS	23	4.6	13	1	2	4	5	11	43	99+
1-5 YRS	267	4.7	34	<1	1	3	6	9	12	30
6-12 YRS	1315	5.4	36	1	1	4	7	11	15	31
13-19 YRS	2404	3.9	25	<1	1	3	5	8	11	25
GRAND TOTAL	**4013**	**4.5**	**30**	**<1**	**1**	**3**	**5**	**9**	**13**	**29**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	5	14.6	510	4	4	5	18	55	55	55
13-19 YRS	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.2	6	1	1	3	3	5	10	11
1-5 YRS	62	2.1	1	<1	1	2	3	4	4	5
6-12 YRS	195	3.2	5	1	1	3	4	5	7	10
13-19 YRS	235	3.6	12	<1	1	3	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	12.7	312	1	1	4	26	33	33	33
1-5 YRS	16	2.5	6	1	1	2	3	7	8	9
6-12 YRS	17	2.5	8	<1	<1	1	3	5	10	12
13-19 YRS	20	3.2	30	<1	<1	1	3	6	16	25
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.4	1	1	1	2	3	4	4	4
1-5 YRS	206	3.5	6	<1	1	3	5	6	8	11
6-12 YRS	459	4.7	43	1	1	3	5	8	12	43
13-19 YRS	452	4.8	33	1	1	4	5	9	13	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.1	230	1	1	3	5	20	50	55
B. *Operated*	505	3.2	8	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	56	3.3	31	<1	<1	1	3	6	11	33
B. *Operated*	1128	4.5	32	1	1	3	5	8	11	34
1. SINGLE DX	517	3.3	13	1	1	3	4	6	7	13
2. MULTIPLE DX	1184	4.5	32	1	1	3	5	8	11	33
A. NOT OPERATED	68	3.9	65	<1	<1	1	4	6	13	51
B. OPERATED	1633	4.1	25	1	1	3	5	7	10	26
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	26	4.0	39	1	1	3	3	4	15	33
1-5 YRS	286	3.1	5	<1	1	3	4	6	7	11
6-12 YRS	676	4.3	35	1	1	3	5	7	10	38
13-19 YRS	712	4.4	26	<1	1	3	5	8	11	27
GRAND TOTAL	**1701**	**4.1**	**26**	**1**	**1**	**3**	**5**	**7**	**10**	**28**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.5	11	1	1	2	3	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	5.0	18	2	2	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	4	<1	<1	4	5	5	5	5
B. *Operated*	5	4.0	10	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	11	1	1	2	3	9	10	10
B. *Operated*	3	5.3	9	2	2	6	7	8	8	8
1. SINGLE DX	8	3.8	7	<1	<1	3	5	8	9	9
2. MULTIPLE DX	9	4.1	10	1	1	3	6	9	10	10
A. NOT OPERATED	9	3.4	8	<1	<1	3	4	8	10	10
B. OPERATED	8	4.5	9	1	1	4	7	9	9	9
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	4.3	4	2	2	5	6	6	6	6
13-19 YRS	12	3.4	8	<1	1	2	4	9	10	10
GRAND TOTAL	**17**	**3.9**	**8**	**<1**	**1**	**3**	**5**	**9**	**10**	**10**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	11	4.2	46	<1	<1	1	4	13	23	24
1-5 YRS	36	2.0	1	<1	<1	2	3	4	5	5
6-12 YRS	105	2.3	9	<1	<1	1	2	4	7	18
13-19 YRS	205	2.2	4	<1	<1	1	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.1		1	1	1	1	2	2	2
1-5 YRS	79	2.8	8	<1	<1	2	3	7	10	14
6-12 YRS	279	5.4	14	<1	1	6	8	10	11	16
13-19 YRS	910	5.7	16	<1	1	6	9	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	13	5.6	25	1	1	4	7	14	16	17
1-5 YRS	70	3.3	37	<1	1	2	3	7	11	41
6-12 YRS	160	4.4	99	<1	<1	2	4	8	12	72
13-19 YRS	214	3.5	19	<1	1	2	4	8	10	17
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	17	5.0	67	<1	<1	3	4	10	27	35
1-5 YRS	283	3.1	18	1	1	2	3	5	8	22
6-12 YRS	502	7.5	87	1	1	4	9	17	28	50
13-19 YRS	1125	6.6	75	1	1	3	9	13	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	2.3	7	<1	<1	1	3	4	6	14
B. *Operated*	1275	5.4	16	<1	1	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	459	3.9	50	<1	1	2	4	8	11	18
B. *Operated*	1928	6.3	72	1	1	3	9	13	21	43
1. SINGLE DX	1635	4.7	15	<1	<1	3	8	10	11	15
2. MULTIPLE DX	2387	5.9	69	1	1	3	8	12	19	43
A. NOT OPERATED	819	3.2	31	<1	<1	2	3	7	10	17
B. OPERATED	3203	6.0	50	1	1	4	9	11	16	36
TOTAL 0-27 DYS	6	5.3	19	1	1	4	10	11	11	11
1-11 MOS	48	4.4	41	<1	1	2	4	11	18	35
1-5 YRS	468	3.0	18	<1	1	2	3	5	8	21
6-12 YRS	1046	5.9	65	<1	1	3	8	12	18	39
13-19 YRS	2454	5.6	44	<1	1	3	8	11	14	31
GRAND TOTAL	**4022**	**5.4**	**47**	**<1**	**1**	**3**	**8**	**11**	**14**	**35**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	9	3.7	4	1	1	4	5	53	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	10	3.4	4	1	1	4	5	44	95	99+
B. *Operated*	1	12.0		12	12	12	12	12	12	12
1. SINGLE DX	4	2.8	6	1	1	2	4	6	6	6
2. MULTIPLE DX	11	4.2	10	1	1	4	6	38	91	99+
A. NOT OPERATED	11	3.4	4	1	1	4	5	35	91	99+
B. OPERATED	4	5.0	27	1	1	4	9	12	12	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.5	61	1	1	6	12	12	12	12
13-19 YRS	13	3.4	4	1	1	4	5	16	81	99+
GRAND TOTAL	**15**	**3.8**	**9**	**1**	**1**	**4**	**6**	**11**	**74**	**99+**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	32	1.8	3	<1	<1	1	2	4	5	8
1-5 YRS	29	2.4	7	<1	<1	1	3	4	8	13
6-12 YRS	11	1.7	1	<1	<1	1	2	4	4	4
13-19 YRS	7	2.7	7	1	1	1	4	7	8	8
B. *Operated*										
0-27 DYS	27	6.7	20	2	3	5	8	14	16	18
1-11 MOS	105	4.8	8	1	2	4	6	9	10	53
1-5 YRS	59	3.9	4	1	2	4	6	7	8	9
6-12 YRS	29	5.4	19	1	1	5	7	10	12	22
13-19 YRS	24	5.2	13	1	1	5	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	21	3.5	7	<1	<1	3	4	8	9	10
1-11 MOS	95	4.9	54	<1	<1	2	5	10	22	41
1-5 YRS	127	4.9	111	<1	1	3	5	11	93	99+
6-12 YRS	52	4.2	39	1	1	2	4	31	99+	99+
13-19 YRS	36	5.7	50	1	1	3	5	18	21	32
B. *Operated*										
0-27 DYS	40	15.7	178	3	4	11	19	35	45	59
1-11 MOS	157	9.5	138	1	2	6	10	19	29	76
1-5 YRS	131	8.2	89	1	2	6	9	18	29	99+
6-12 YRS	114	8.9	92	1	2	6	10	21	26	53
13-19 YRS	72	9.6	75	1	2	7	12	21	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.1	4	<1	<1	1	2	4	6	12
B. *Operated*	244	4.9	11	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	331	4.8	70	<1	1	3	5	13	29	99+
B. *Operated*	514	9.5	112	1	2	6	11	22	29	62
1. SINGLE DX	325	4.2	11	<1	1	4	6	8	10	17
2. MULTIPLE DX	845	7.7	101	1	1	5	9	19	29	99+
A. NOT OPERATED	412	4.3	58	<1	<1	2	4	10	23	99+
B. OPERATED	758	8.0	84	1	2	5	9	17	25	60
TOTAL 0-27 DYS	90	9.8	114	1	2	6	13	21	33	55
1-11 MOS	389	6.5	78	<1	1	4	7	13	22	57
1-5 YRS	346	5.8	79	<1	1	4	7	12	26	99+
6-12 YRS	206	6.8	69	1	1	4	8	19	28	99+
13-19 YRS	139	7.4	59	1	1	5	10	18	23	34
GRAND TOTAL	**1170**	**6.7**	**78**	**1**	**1**	**4**	**8**	**16**	**25**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	19	1	1	2	7	9	9	9
1-11 MOS	40	1.6	8	<1	<1	1	1	1	3	18
1-5 YRS	44	1.2	1	<1	<1	<1	<1	1	3	6
6-12 YRS	4	1.5	1	<1	<1	<1	2	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	23	1.3		<1	<1	1	1	2	3	3
1-11 MOS	127	1.7	2	<1	<1	1	2	3	4	8
1-5 YRS	292	1.6	1	<1	<1	1	2	3	4	6
6-12 YRS	321	1.8	2	<1	<1	1	2	4	5	7
13-19 YRS	164	2.1	3	<1	1	1	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	2.0	1	1	1	2	3	4	4	4
1-11 MOS	23	2.4	5	<1	<1	1	3	6	8	9
1-5 YRS	28	1.6	5	<1	<1	1	1	3	4	13
6-12 YRS	12	2.0	5	<1	<1	<1	2	6	7	7
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	7	5.0	65	1	1	2	4	19	23	23
1-11 MOS	66	1.9	3	<1	<1	1	2	4	6	9
1-5 YRS	146	2.0	5	<1	1	1	2	4	5	9
6-12 YRS	142	2.5	6	<1	1	2	3	6	7	13
13-19 YRS	94	2.5	5	<1	1	1	3	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.5	4	<1	<1	<1	1	2	3	14
B. *Operated*	927	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	72	2.0	5	<1	<1	1	2	4	7	12
B. *Operated*	455	2.3	6	<1	1	2	2	5	7	11
1. SINGLE DX	1019	1.7	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	527	2.3	6	<1	<1	1	2	5	7	12
A. NOT OPERATED	164	1.7	4	<1	<1	1	1	3	6	12
B. OPERATED	1382	1.9	3	<1	<1	1	2	4	5	8
TOTAL 0-27 DYS	40	2.3	14	<1	1	1	2	4	7	23
1-11 MOS	256	1.8	3	<1	<1	1	2	3	5	9
1-5 YRS	510	1.7	3	<1	<1	1	2	3	4	7
6-12 YRS	479	2.0	3	<1	<1	1	2	4	6	9
13-19 YRS	261	2.2	4	<1	1	1	3	5	7	9
GRAND TOTAL	**1546**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	34	2.8	5	<1	<1	2	3	6	8	10
1-11 MOS	42	3.1	21	1	1	2	3	5	9	29
1-5 YRS	22	2.5	5	<1	<1	2	3	6	8	9
6-12 YRS	5	1.6	1	1	1	1	2	3	3	3
13-19 YRS	8	2.8	6	1	1	2	4	7	8	8
B. *Operated*										
0-27 DYS	25	5.8	22	<1	1	5	9	14	35	99+
1-11 MOS	305	4.8	18	1	1	3	7	10	13	19
1-5 YRS	837	4.2	10	1	1	4	6	8	10	15
6-12 YRS	324	3.8	8	1	1	2	6	8	9	12
13-19 YRS	206	3.2	7	<1	1	2	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	104	6.2	90	<1	1	3	7	15	19	83
1-11 MOS	277	4.5	39	<1	1	3	5	8	12	30
1-5 YRS	193	2.9	10	<1	<1	2	3	6	9	18
6-12 YRS	46	2.5	6	<1	<1	2	3	5	9	11
13-19 YRS	82	3.6	31	<1	<1	2	4	8	14	79
B. *Operated*										
0-27 DYS	159	15.4	284	1	2	11	19	46	85	99+
1-11 MOS	1376	8.2	116	1	1	6	10	18	26	67
1-5 YRS	1804	6.4	72	1	1	5	8	13	18	46
6-12 YRS	565	5.7	50	1	1	2	7	12	16	36
13-19 YRS	427	5.8	49	1	1	3	8	12	16	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.8	11	<1	1	2	3	6	8	19
B. *Operated*	1697	4.1	11	1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	702	4.1	37	<1	<1	2	5	8	13	33
B. *Operated*	4331	7.1	92	1	1	5	9	15	22	62
1. SINGLE DX	1808	4.0	11	1	1	2	6	8	10	15
2. MULTIPLE DX	5033	6.7	85	1	1	4	8	14	21	61
A. NOT OPERATED	813	3.9	33	<1	1	2	4	8	12	30
B. OPERATED	6028	6.3	71	1	1	4	8	13	19	52
TOTAL 0-27 DYS	322	10.4	196	<1	1	6	14	28	54	99+
1-11 MOS	2000	7.1	91	1	1	4	9	15	21	59
1-5 YRS	2856	5.5	51	1	1	4	7	11	15	34
6-12 YRS	940	4.8	34	1	1	2	7	10	13	29
13-19 YRS	723	4.7	36	<1	1	2	7	10	14	36
GRAND TOTAL	**6841**	**6.0**	**67**	**1**	**1**	**4**	**8**	**12**	**18**	**50**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	17	2	2	4	8	10	10	10
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	3	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	17	3.2	5	1	1	2	5	7	8	8
1-11 MOS	574	3.1	3	1	1	3	4	5	6	8
1-5 YRS	451	3.1	2	1	1	3	4	5	6	8
6-12 YRS	147	2.6	2	1	1	2	3	4	5	6
13-19 YRS	112	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	6.0	15	1	2	5	9	11	12	12
1-11 MOS	47	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	55	1.2		<1	<1	1	1	2	3	4
6-12 YRS	6	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	5	10.2	152	2	2	5	13	32	32	32
1-11 MOS	478	3.6	4	1	2	3	4	6	7	11
1-5 YRS	470	3.6	8	1	1	3	4	6	6	12
6-12 YRS	181	2.8	3	1	1	2	3	4	5	9
13-19 YRS	175	2.7	3	1	1	2	3	5	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	6	<1	<1	2	3	6	9	10
B. *Operated*	1301	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	122	1.5	3	<1	<1	1	1	3	4	11
B. *Operated*	1309	3.4	6	1	1	3	4	6	7	11
1. SINGLE DX	1313	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1431	3.2	6	1	1	3	4	5	7	11
A. NOT OPERATED	134	1.6	3	<1	<1	1	1	3	4	11
B. OPERATED	2610	3.2	4	1	1	3	4	5	6	9
TOTAL 0-27 DYS	33	5.1	32	1	1	4	6	10	12	32
1-11 MOS	1104	3.3	4	1	1	3	4	6	7	10
1-5 YRS	979	3.2	5	1	1	3	4	5	6	9
6-12 YRS	335	2.7	2	1	1	2	3	4	5	8
13-19 YRS	293	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**2744**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	2.0	1	<1	1	2	2	4	5	5
1-11 MOS	34	2.2	3	<1	1	2	3	3	7	8
1-5 YRS	13	2.4	2	<1	<1	2	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	359	3.3	2	2	2	3	4	5	5	8
1-11 MOS	881	3.1	2	1	2	3	4	5	6	8
1-5 YRS	76	4.2	4	2	2	4	5	6	8	13
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.1	5	<1	1	3	4	5	8	10
1-11 MOS	27	2.2	2	<1	1	2	3	3	6	7
1-5 YRS	5	2.4		2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	135	4.8	10	2	3	4	5	7	9	21
1-11 MOS	346	4.7	22	2	2	4	5	7	10	29
1-5 YRS	29	5.1	4	2	2	5	7	8	9	10
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.2	2	<1	1	2	3	4	4	8
B. *Operated*	1316	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	50	2.6	3	1	1	2	3	5	6	10
B. *Operated*	510	4.8	18	2	2	4	5	7	9	22
1. SINGLE DX	1385	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX	560	4.6	17	2	2	4	5	7	9	21
A. NOT OPERATED	119	2.3	3	<1	1	2	3	4	5	9
B. OPERATED	1826	3.6	7	2	2	3	4	6	7	12
TOTAL 0-27 DYS	534	3.6	4	1	2	3	4	5	7	11
1-11 MOS	1288	3.5	8	1	2	3	4	5	7	12
1-5 YRS	123	4.1	5	1	2	4	5	7	8	13
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1945**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9;-751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	2.4	3	<1	1	2	3	5	6	6
1-11 MOS	71	2.9	8	<1	<1	2	4	7	11	81
1-5 YRS	61	3.4	98	<1	<1	1	2	5	10	70
6-12 YRS	15	2.3	3	<1	1	2	3	3	7	8
13-19 YRS	5	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
0-27 DYS	59	7.8	52	1	2	5	9	17	22	38
1-11 MOS	235	5.6	31	1	1	4	8	12	17	27
1-5 YRS	234	4.9	31	<1	<1	3	7	11	15	23
6-12 YRS	140	3.9	16	<1	1	3	5	8	12	22
13-19 YRS	80	3.4	12	<1	1	2	4	7	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	42	5.3	38	1	1	3	7	12	21	28
1-11 MOS	169	5.6	62	1	1	3	6	13	20	45
1-5 YRS	144	6.4	170	<1	1	3	6	10	22	92
6-12 YRS	33	6.6	277	<1	<1	2	6	9	17	97
13-19 YRS	18	5.6	47	<1	<1	3	7	17	23	25
B. *Cperated*										
0-27 DYS	113	18.8	415	4	5	11	20	52	66	95
1-11 MOS	394	11.0	146	1	2	7	14	27	38	99+
1-5 YRS	385	8.6	134	1	1	5	10	18	29	83
6-12 YRS	179	5.0	19	1	1	3	7	10	14	27
13-19 YRS	196	4.8	23	1	1	3	6	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	3.0	39	<1	<1	2	3	6	9	64
B. *Operated*	748	5.0	29	<1	1	3	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	406	5.9	114	<1	1	3	6	12	21	78
B. *Operated*	1267	9.2	144	1	1	6	11	20	32	80
1. SINGLE DX	919	4.6	31	<1	1	3	6	10	15	26
2. MULTIPLE DX	1673	8.4	138	1	1	5	9	19	30	80
A. NOT OPERATED	577	5.1	93	<1	1	2	5	9	18	75
B. OPERATED	2015	7.6	105	1	1	5	9	17	26	69
TOTAL 0-27 DYS	233	12.3	263	1	2	7	13	29	52	81
1-11 MOS	869	7.8	96	1	1	5	9	19	29	70
1-5 YRS	824	6.8	111	<1	1	4	8	15	21	78
6-12 YRS	367	4.6	41	<1	1	3	6	9	14	25
13-19 YRS	299	4.4	21	1	1	3	6	9	13	25
GRAND TOTAL	**2592**	**7.0**	**104**	**1**	**1**	**4**	**8**	**16**	**24**	**70**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.2		<1	<1	1	1	2	2	2
6-12 YRS	5	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	11	1.1		<1	<1	1	1	2	2	2
1-5 YRS	526	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	476	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	144	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	34	1.1		<1	<1	<1	1	1	2	4
6-12 YRS	15	1.3		<1	<1	1	2	2	2	2
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	30	1.8	2	<1	<1	1	2	3	6	8
1-5 YRS	563	1.7	2	<1	<1	1	2	3	4	7
6-12 YRS	374	1.7	1	<1	1	1	2	3	4	5
13-19 YRS	125	2.0	2	<1	1	1	2	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	1157	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	56	1.1		<1	<1	<1	1	2	2	4
B. *Operated*	1093	1.8	2	<1	<1	1	2	3	4	7
1. SINGLE DX	1174	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1149	1.7	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	73	1.2		<1	<1	1	1	2	3	4
B. OPERATED	2250	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	43	1.6	2	<1	<1	1	2	3	4	8
1-5 YRS	1134	1.6	2	<1	<1	1	2	3	3	6
6-12 YRS	870	1.6	1	<1	<1	1	2	3	4	5
13-19 YRS	272	1.8	2	<1	1	1	2	3	4	8
GRAND TOTAL	**2323**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.0	1	<1	<1	2	3	4	4	4
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	14	1.4		<1	<1	1	2	2	3	3
6-12 YRS	7	2.4	3	<1	<1	2	3	5	6	6
13-19 YRS	11	2.9	11	<1	<1	2	3	8	12	12
B. *Operated*										
0-27 DYS	34	6.1	19	1	1	5	9	13	14	16
1-11 MOS	213	4.5	13	<1	1	4	6	9	12	19
1-5 YRS	1039	3.8	9	<1	1	3	6	8	10	14
6-12 YRS	225	3.9	14	<1	1	3	5	8	10	22
13-19 YRS	200	3.7	10	<1	<1	3	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.9	10	1	1	3	5	8	11	12
1-11 MOS	16	2.2	2	<1	<1	2	3	4	4	4
1-5 YRS	66	2.2	6	<1	<1	1	2	6	8	12
6-12 YRS	17	2.4	2	1	1	2	3	5	6	6
13-19 YRS	18	2.6	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS	35	12.4	99	2	2	10	18	29	30	44
1-11 MOS	182	7.2	54	1	1	5	9	14	20	44
1-5 YRS	646	5.8	40	1	1	4	7	12	16	32
6-12 YRS	203	5.6	26	<1	1	4	8	12	15	25
13-19 YRS	269	4.7	12	1	1	4	6	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.1	4	<1	<1	1	2	3	5	12
B. *Operated*	1711	3.9	11	<1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	129	2.4	5	<1	<1	2	3	6	7	12
B. *Operated*	1335	5.9	37	1	1	4	8	12	16	29
1. SINGLE DX	1755	3.9	11	<1	1	3	6	8	10	15
2. MULTIPLE DX	1464	5.6	35	<1	1	4	7	12	16	29
A. NOT OPERATED	173	2.3	5	<1	<1	2	3	5	7	12
B. OPERATED	3046	4.8	23	<1	1	4	7	10	13	22
TOTAL 0-27 DYS	88	8.0	61	1	1	5	11	18	27	39
1-11 MOS	416	5.5	33	<1	1	4	7	12	15	27
1-5 YRS	1765	4.5	22	<1	1	3	6	9	12	19
6-12 YRS	452	4.6	20	<1	1	3	7	10	12	21
13-19 YRS	498	4.2	12	<1	1	3	6	8	11	17
GRAND TOTAL	**3219**	**4.7**	**23**	**<1**	**1**	**3**	**6**	**10**	**13**	**21**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	3	2.3	5	1	1	1	4	5	5	5
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	473	2.8	4	1	1	2	4	5	7	11
1-5 YRS	371	2.7	4	1	1	2	3	5	6	12
6-12 YRS	165	2.7	2	1	1	2	3	5	6	9
13-19 YRS	91	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	61	<1	<1	6	12	12	12	12
1-11 MOS	25	1.7	3	<1	<1	1	1	5	6	8
1-5 YRS	37	1.6	5	<1	<1	1	1	3	3	14
6-12 YRS	11	1.3		<1	<1	1	1	2	3	3
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	136	3.8	9	1	1	3	5	7	9	15
1-5 YRS	272	3.6	13	1	1	3	4	7	10	16
6-12 YRS	176	3.3	5	1	1	3	4	5	8	12
13-19 YRS	175	3.4	10	1	1	3	4	6	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.6	39	1	1	1	3	13	21	21
B. *Operated*	1100	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	77	1.7	5	<1	<1	1	1	3	5	13
B. *Operated*	759	3.5	10	1	1	3	4	6	8	14
1. SINGLE DX	1110	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX	836	3.4	9	1	1	3	4	6	8	14
A. NOT OPERATED	87	1.9	9	<1	<1	1	1	3	6	18
B. OPERATED	1859	3.1	6	1	1	3	4	5	7	12
TOTAL 0-27 DYS	3	4.7	40	<1	<1	1	9	12	12	12
1-11 MOS	635	3.0	6	1	1	2	4	6	8	13
1-5 YRS	683	3.0	8	1	1	2	4	5	8	13
6-12 YRS	355	2.9	4	1	1	3	4	5	6	11
13-19 YRS	270	3.3	7	1	1	3	4	5	7	12
GRAND TOTAL	**1946**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.4	10	1	1	2	5	8	11	12
1-11 MOS	135	2.8	16	<1	<1	1	2	6	12	22
1-5 YRS	126	2.4	21	<1	<1	1	2	5	7	21
6-12 YRS	27	4.3	54	<1	<1	2	4	9	22	36
13-19 YRS	32	3.0	6	<1	<1	2	4	7	9	10
B. *Operated*										
0-27 DYS	14	5.2	18	1	1	4	7	12	14	15
1-11 MOS	667	4.5	20	<1	1	3	5	9	13	25
1-5 YRS	1022	3.3	12	<1	1	2	4	7	9	18
6-12 YRS	679	3.3	13	1	1	2	4	7	8	13
13-19 YRS	896	3.6	13	1	1	2	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	47	8.3	70	1	1	6	9	16	34	37
1-11 MOS	219	5.1	64	<1	<1	3	5	11	18	38
1-5 YRS	224	3.5	27	<1	<1	2	4	8	16	53
6-12 YRS	87	3.6	17	<1	1	2	4	8	14	71
13-19 YRS	114	6.0	45	<1	1	4	9	15	23	99+
B. *Operated*										
0-27 DYS	28	20.6	553	1	1	14	33	85	99+	99+
1-11 MOS	330	7.4	89	1	1	5	8	16	24	80
1-5 YRS	753	5.3	46	1	1	3	6	11	18	35
6-12 YRS	581	6.4	89	1	1	4	7	12	20	68
13-19 YRS	631	5.5	55	1	1	3	7	11	15	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	2.8	19	<1	<1	1	3	6	9	22
B. *Operated*	3278	3.6	14	<1	1	2	5	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	691	4.8	45	<1	1	3	5	11	18	42
B. *Operated*	2323	6.1	74	1	1	4	7	12	20	59
1. SINGLE DX	3614	3.5	15	<1	1	2	5	7	9	19
2. MULTIPLE DX	3014	5.8	68	1	1	4	7	12	19	57
A. NOT OPERATED	1027	4.1	37	<1	<1	2	4	10	15	37
B. OPERATED	5601	4.7	41	1	1	3	6	9	14	31
TOTAL 0-27 DYS	105	10.4	219	1	1	6	11	33	40	99+
1-11 MOS	1351	5.1	46	<1	1	3	6	11	16	33
1-5 YRS	2125	4.0	27	<1	1	2	5	8	13	29
6-12 YRS	1374	4.7	48	1	1	3	5	8	13	39
13-19 YRS	1673	4.5	32	1	1	3	6	9	12	26
GRAND TOTAL	**6628**	**4.6**	**40**	**<1**	**1**	**3**	**5**	**9**	**14**	**33**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6958	2.7	9	1	1	2	3	4	6	17
1-11 MOS	536	3.6	25	1	1	2	4	7	11	24
1-5 YRS	536	4.1	20	1	1	3	4	10	13	23
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	61	5.2	47	1	2	3	6	10	13	47
1-11 MOS	44	5.3	76	<1	1	3	5	11	23	50
1-5 YRS	65	6.1	34	<1	<1	4	9	14	18	26
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4205	8.0	111	1	2	4	9	21	30	55
1-11 MOS	949	10.4	198	1	1	5	12	28	42	91
1-5 YRS	579	9.2	105	1	2	6	12	20	30	52
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	358	21.5	522	2	3	12	36	78	99+	99+
1-11 MOS	121	17.8	318	1	2	13	33	69	99+	99+
1-5 YRS	136	12.7	185	1	3	8	16	31	45	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8030	2.9	11	1	1	2	3	5	7	18
B. *Operated*	170	5.6	49	<1	1	3	7	13	17	45
2. MULTIPLE DX										
A. *Not Operated*	5733	8.5	126	1	2	4	10	22	31	59
B. *Operated*	615	18.8	419	1	2	11	28	69	99+	99+
1. SINGLE DX	8200	2.9	11	1	1	2	3	5	8	19
2. MULTIPLE DX	6348	9.5	163	1	2	4	11	25	38	85
A. NOT OPERATED	13763	5.2	66	1	1	3	5	12	20	43
B. OPERATED	785	16.0	368	1	2	9	23	61	92	99+
TOTAL 0-27 DYS	11582	5.2	76	1	1	2	4	12	21	54
1-11 MOS	1650	8.6	163	1	1	4	9	24	39	99
1-5 YRS	1316	7.4	84	1	1	4	9	17	25	48
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**14548**	**5.8**	**88**	**1**	**1**	**3**	**5**	**14**	**24**	**59**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	62	3.1	4	1	1	2	4	6	7	11
1-11 MOS	591	2.6	8	1	1	2	3	5	6	9
1-5 YRS	1888	2.2	3	<1	1	2	3	4	5	8
6-12 YRS	811	2.2	2	1	1	2	3	4	5	8
13-19 YRS	852	2.4	3	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	4.7	1	3	3	5	6	6	6	6
1-5 YRS	10	2.6	4	<1	<1	2	3	6	8	8
6-12 YRS	9	4.7	17	1	1	2	7	12	12	12
13-19 YRS	11	2.6	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	53	4.3	21	1	1	3	5	6	8	31
1-11 MOS	1266	3.2	9	1	1	3	4	6	7	14
1-5 YRS	5195	2.6	5	1	1	2	3	4	5	9
6-12 YRS	918	3.2	13	1	1	2	4	6	8	20
13-19 YRS	853	3.2	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	44	8.3	84	1	1	4	11	22	26	44
1-5 YRS	80	5.9	43	1	2	4	6	12	18	40
6-12 YRS	25	6.4	48	1	1	4	8	13	25	29
13-19 YRS	40	5.5	19	1	1	5	7	10	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4204	2.3	4	1	1	2	3	4	5	8
B. *Operated*	37	3.5	7	1	1	2	5	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	8285	2.8	7	1	1	2	3	5	6	12
B. *Operated*	189	6.4	49	1	1	4	7	13	22	40
1. SINGLE DX	4241	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX	8474	2.9	8	1	1	2	3	5	7	13
A. NOT OPERATED	12489	2.6	6	1	1	2	3	5	6	11
B. OPERATED	226	6.0	43	1	1	4	6	12	20	37
TOTAL 0-27 DYS	116	3.7	12	1	1	3	5	6	7	22
1-11 MOS	1907	3.2	11	1	1	2	4	5	7	14
1-5 YRS	7173	2.5	5	1	1	2	3	4	5	10
6-12 YRS	1763	2.8	9	1	1	2	3	5	7	12
13-19 YRS	1756	2.9	5	1	1	2	4	5	7	12
GRAND TOTAL	**12715**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	185	3.0	2	1	2	3	4	5	5	7
1-11 MOS	585	2.6	2	1	1	2	3	4	5	6
1-5 YRS	516	2.5	2	1	1	2	3	4	5	8
6-12 YRS	119	2.7	3	1	1	2	3	5	7	10
13-19 YRS	96	3.5	5	1	1	3	5	6	7	13
B. *Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	10	3.1	9	1	1	2	3	7	11	11
1-5 YRS	6	5.0	3	3	3	5	7	7	7	7
6-12 YRS	4	7.3	25	3	3	6	11	14	14	14
13-19 YRS	5	9.6	63	1	1	9	14	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	209	3.3	3	1	2	3	4	5	6	9
1-11 MOS	1110	2.9	6	1	1	3	4	5	5	9
1-5 YRS	1528	3.1	6	1	1	3	4	5	7	12
6-12 YRS	490	3.9	10	1	1	3	5	7	9	19
13-19 YRS	337	4.2	20	1	1	3	5	7	10	20
B. *Operated*										
0-27 DYS	3	4.7	9	2	2	4	7	8	8	8
1-11 MOS	18	5.3	24	1	2	3	7	12	17	20
1-5 YRS	47	7.2	76	1	1	4	9	18	30	99+
6-12 YRS	30	9.3	68	<1	1	7	15	16	19	42
13-19 YRS	40	6.9	35	1	2	5	8	13	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1501	2.7	2	1	1	2	3	4	5	8
B. *Operated*	28	5.4	22	1	1	4	7	11	15	22
2. MULTIPLE DX										
A. *Not Operated*	3674	3.3	8	1	1	3	4	6	7	13
B. *Operated*	138	7.3	54	1	1	5	10	16	21	55
1. SINGLE DX	1529	2.7	3	1	1	2	3	5	5	9
2. MULTIPLE DX	3812	3.4	10	1	1	3	4	6	8	15
A. NOT OPERATED	5175	3.1	6	1	1	3	4	5	7	12
B. OPERATED	166	6.9	49	1	1	5	9	15	20	48
TOTAL 0-27 DYS	400	3.2	2	1	2	3	4	5	6	8
1-11 MOS	1723	2.8	5	1	1	3	3	4	5	9
1-5 YRS	2097	3.0	7	1	1	2	4	5	7	13
6-12 YRS	643	4.0	13	1	1	3	5	8	10	19
13-19 YRS	478	4.3	19	1	1	3	5	8	11	22
GRAND TOTAL	**5341**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.1		1	1	1	1	2	2	2
6-12 YRS	103	2.2	2	<1	1	2	3	4	5	7
13-19 YRS	199	2.4	3	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	12	2.3	3	<1	<1	2	3	4	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	39	2.2	2	<1	<1	2	3	4	5	7
6-12 YRS	177	2.5	3	1	1	2	3	4	5	10
13-19 YRS	390	2.9	5	1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	3.2	5	1	1	2	6	6	6	6
13-19 YRS	22	3.8	11	<1	1	3	5	7	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	2.3	2	<1	1	2	3	4	5	7
B. *Operated*	15	2.0	2	<1	1	2	2	3	6	7
2. MULTIPLE DX										
A. *Not Operated*	608	2.8	5	1	1	2	3	5	7	11
B. *Operated*	30	3.6	9	1	1	3	5	6	7	16
1. SINGLE DX	325	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	638	2.8	5	1	1	2	3	5	7	11
A. NOT OPERATED	918	2.6	4	1	1	2	3	5	6	11
B. OPERATED	45	3.0	8	<1	1	2	4	6	7	16
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	6.7	54	1	1	4	12	15	15	15
1-5 YRS	48	2.0	2	<1	<1	2	2	4	5	7
6-12 YRS	288	2.4	2	<1	1	2	3	4	6	8
13-19 YRS	623	2.8	5	1	1	2	3	5	7	11
GRAND TOTAL	**963**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	1.5		1	1	1	2	3	3	3
6-12 YRS	12	1.5		<1	<1	1	2	3	3	3
13-19 YRS	32	2.0	2	<1	<1	2	2	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	8	1.6	3	<1	<1	1	1	5	6	6
6-12 YRS	13	2.5	9	<1	<1	1	2	9	9	9
13-19 YRS	24	4.0	10	<1	1	3	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	40	2.3	3	<1	1	1	3	5	6	8
6-12 YRS	31	2.4	4	1	1	2	3	4	8	10
13-19 YRS	39	2.5	3	<1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	10	2.0	2	<1	<1	2	3	4	5	5
6-12 YRS	17	2.0	2	<1	1	1	3	4	5	6
13-19 YRS	24	4.8	18	<1	1	4	8	10	13	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.8	1	<1	1	1	2	3	4	8
B. *Operated*	46	3.1	9	<1	<1	1	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	113	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	52	3.3	11	<1	1	2	4	9	10	17
1. SINGLE DX	102	2.4	5	<1	<1	1	2	6	8	11
2. MULTIPLE DX	165	2.7	6	<1	1	2	3	5	8	11
A. NOT OPERATED	169	2.2	3	<1	1	2	3	4	5	8
B. OPERATED	98	3.2	10	<1	<1	2	5	8	10	15
TOTAL 0-27 DYS										
1-11 MOS	6	2.5	2	<1	<1	2	3	5	5	5
1-5 YRS	69	2.0	2	<1	<1	1	3	4	5	8
6-12 YRS	73	2.2	4	<1	<1	2	2	4	8	10
13-19 YRS	119	3.1	8	<1	1	2	4	7	9	14
GRAND TOTAL	**267**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**6**	**8**	**11**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.0		1	1	1	1	1	1	1
1-11 MOS	11	4.5	15	1	1	4	6	10	14	14
1-5 YRS	22	2.7	3	1	1	2	4	5	7	8
6-12 YRS	23	3.2	4	1	1	3	4	6	7	8
13-19 YRS	18	2.8	4	1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.5	3	<1	<1	2	4	4	4	4
1-5 YRS	46	2.1	5	<1	<1	1	2	4	7	12
6-12 YRS	61	1.7	3	<1	<1	1	2	3	4	10
13-19 YRS	89	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.7	12	2	2	2	4	10	11	11
1-11 MOS	14	6.1	54	<1	<1	3	8	20	24	25
1-5 YRS	44	4.6	22	1	1	4	6	10	11	28
6-12 YRS	39	3.2	6	<1	1	2	4	7	9	11
13-19 YRS	44	3.1	6	<1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	6.6	64	1	1	2	11	20	20	20
1-5 YRS	25	4.5	10	1	1	4	6	9	12	12
6-12 YRS	33	5.2	46	<1	1	2	6	16	23	26
13-19 YRS	42	3.2	6	1	1	3	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.0	5	1	1	2	4	6	8	13
B. *Operated*	200	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	148	3.9	16	<1	1	3	5	8	10	25
B. *Operated*	105	4.3	22	1	1	3	5	9	13	25
1. SINGLE DX	278	2.1	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX	253	4.1	18	<1	1	3	5	9	12	25
A. NOT OPERATED	226	3.6	12	1	1	3	4	7	9	20
B. OPERATED	305	2.6	11	<1	<1	1	3	6	9	20
TOTAL 0-27 DYS	11	2.7	9	1	1	2	2	7	11	11
1-11 MOS	34	5.3	35	<1	<1	3	7	14	20	25
1-5 YRS	137	3.4	12	<1	1	2	4	7	10	16
6-12 YRS	156	3.0	14	<1	<1	2	3	7	10	24
13-19 YRS	193	2.3	4	<1	<1	2	3	5	6	10
GRAND TOTAL	**531**	**3.0**	**12**	**<1**	**<1**	**2**	**4**	**6**	**9**	**20**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	4	4.3	16	1	1	3	7	10	10	10
13-19 YRS	9	5.1	16	<1	<1	5	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	15.0	8	13	13	15	17	17	17	17
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	2	8.5	1	8	8	8	9	9	9	9
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	365	1	1	14	28	28	28	28
1-5 YRS	8	7.8	23	3	3	6	11	15	16	16
6-12 YRS	7	8.1	64	3	3	6	7	22	26	26
13-19 YRS	32	13.3	356	<1	1	7	16	37	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7		2	2	3	3	3	3	3
B. *Operated*	16	5.1	15	<1	1	4	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	8	8.8	25	1	2	8	12	16	17	17
B. *Operated*	49	11.7	255	<1	1	6	14	29	46	91
1. SINGLE DX	19	4.7	14	<1	1	3	8	10	12	13
2. MULTIPLE DX	57	11.3	223	<1	1	7	13	28	41	88
A. NOT OPERATED	11	7.1	26	1	2	6	10	15	17	17
B. OPERATED	65	10.1	203	<1	1	6	12	26	36	84
TOTAL 0-27 DYS	4	10.3	37	3	3	10	15	17	17	17
1-11 MOS	4	10.3	162	1	1	6	19	28	28	28
1-5 YRS	12	7.5	19	1	2	7	10	13	16	16
6-12 YRS	14	6.3	37	1	2	5	6	12	23	26
13-19 YRS	42	11.3	286	<1	1	6	13	30	46	91
GRAND TOTAL	**76**	**9.7**	**178**	**<1**	**1**	**6**	**12**	**19**	**32**	**80**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	3.2	6	<1	<1	3	4	7	9	9
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	27	2.0	1	1	1	2	3	3	4	5
13-19 YRS	135	2.0	2	<1	1	2	2	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	10	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	31	3.1	4	1	1	3	4	6	8	9
1-5 YRS	12	2.9	3	1	1	2	4	6	7	7
6-12 YRS	61	2.6	3	1	1	2	4	5	5	10
13-19 YRS	246	2.5	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	5	6.4	6	3	3	6	8	10	10	10
1-5 YRS	2	8.0	18	5	5	8	11	11	11	11
6-12 YRS	5	2.6	1	2	2	2	3	4	4	4
13-19 YRS	15	4.1	8	1	1	4	5	7	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	12	2.2	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	352	2.6	3	1	1	2	3	5	6	9
B. *Operated*	29	4.7	8	1	2	4	6	9	11	12
1. SINGLE DX	188	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	381	2.8	4	1	1	2	4	5	7	11
A. NOT OPERATED	528	2.4	3	1	1	2	3	4	5	9
B. OPERATED	41	4.0	8	1	1	3	5	8	10	12
TOTAL 0-27 DYS	5	4.2	10	1	1	5	6	8	8	8
1-11 MOS	48	3.5	5	1	1	3	4	7	9	10
1-5 YRS	17	3.3	7	<1	<1	2	5	7	10	11
6-12 YRS	93	2.4	2	1	1	2	3	4	5	9
13-19 YRS	406	2.4	3	1	1	2	3	4	5	9
GRAND TOTAL	**569**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	144	3.1	5	1	1	2	4	6	7	12
1-11 MOS	762	2.7	5	1	1	2	3	5	6	11
1-5 YRS	225	2.5	7	<1	1	2	3	4	6	13
6-12 YRS	35	2.3	3	<1	1	2	3	4	5	9
13-19 YRS	40	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	12	4.4	30	1	1	2	6	12	19	20
1-5 YRS	16	2.4	5	<1	<1	2	3	5	8	9
6-12 YRS	12	2.5	2	1	1	2	3	4	5	5
13-19 YRS	9	2.1	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	135	4.2	10	1	1	3	5	9	11	14
1-11 MOS	1244	4.0	17	1	1	3	5	7	10	22
1-5 YRS	529	3.6	20	1	1	3	4	6	8	24
6-12 YRS	143	4.6	54	1	1	3	5	8	14	38
13-19 YRS	143	3.3	29	<1	1	2	3	5	10	30
B. *Operated*										
0-27 DYS	5	5.4	27	<1	<1	3	11	11	11	11
1-11 MOS	67	10.8	143	1	1	7	15	27	32	95
1-5 YRS	82	6.5	175	1	1	2	7	13	33	94
6-12 YRS	39	4.1	26	1	1	2	5	9	14	27
13-19 YRS	40	5.5	46	1	1	3	6	15	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1206	2.7	5	1	1	2	3	5	6	11
B. *Operated*	49	2.9	10	<1	1	2	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	2194	3.9	20	1	1	3	5	7	10	24
B. *Operated*	233	7.2	120	1	1	3	8	18	28	84
1. SINGLE DX	1255	2.7	6	1	1	2	3	5	6	11
2. MULTIPLE DX	2427	4.2	31	1	1	3	5	8	12	28
A. NOT OPERATED	3400	3.5	15	1	1	3	4	6	9	19
B. OPERATED	282	6.4	104	1	1	3	7	17	27	80
TOTAL 0-27 DYS	284	3.7	8	1	1	3	5	8	10	13
1-11 MOS	2085	3.7	19	1	1	3	4	7	10	25
1-5 YRS	852	3.6	32	1	1	2	4	6	9	28
6-12 YRS	229	4.0	39	1	1	3	4	8	10	29
13-19 YRS	232	3.5	27	<1	1	2	4	6	11	28
GRAND TOTAL	**3682**	**3.7**	**23**	**1**	**1**	**3**	**4**	**7**	**10**	**25**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	3	76	99+	99+	99+
1-5 YRS	21	1.8	1	<1	1	2	2	3	3	3
6-12 YRS	20	2.6	13	1	1	2	3	5	11	17
13-19 YRS	84	1.9	2	<1	1	2	2	3	4	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	20	2.2	2	<1	<1	2	3	4	5	5
6-12 YRS	51	2.5	12	<1	<1	1	2	5	13	19
13-19 YRS	27	3.0	6	<1	<1	2	3	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.4	1	1	1	1	2	3	3	3
1-5 YRS	38	2.2	2	<1	1	2	3	5	6	6
6-12 YRS	43	3.1	10	<1	1	2	4	6	9	18
13-19 YRS	84	2.7	5	<1	1	2	3	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	42	5.3	32	<1	<1	3	8	15	17	24
6-12 YRS	81	4.5	25	<1	<1	2	7	12	15	23
13-19 YRS	65	5.3	32	<1	1	4	6	11	14	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	2.0	4	<1	1	2	2	3	4	35
B. *Operated*	98	2.6	8	<1	<1	2	3	4	8	17
2. MULTIPLE DX										
A. *Not Operated*	170	2.7	6	<1	1	2	3	5	7	13
B. *Operated*	189	4.9	29	<1	<1	3	7	12	16	27
1. SINGLE DX	225	2.3	6	<1	<1	2	3	4	5	17
2. MULTIPLE DX	359	3.9	19	<1	<1	2	5	9	13	24
A. NOT OPERATED	297	2.4	5	<1	1	2	3	4	6	15
B. OPERATED	287	4.1	23	<1	<1	2	5	11	14	25
TOTAL 0-27 DYS										
1-11 MOS	8	2.4	6	1	1	1	4	63	99+	99+
1-5 YRS	121	3.2	14	<1	<1	2	4	7	12	19
6-12 YRS	195	3.5	18	<1	<1	2	4	9	13	20
13-19 YRS	260	3.1	12	<1	1	2	3	7	9	18
GRAND TOTAL	**584**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**7**	**11**	**20**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	1.8	1	<1	1	1	2	4	4	4
1-11 MOS	90	2.2	2	1	1	2	3	4	5	6
1-5 YRS	307	1.7	1	<1	1	1	2	3	4	6
6-12 YRS	1538	1.8	1	<1	1	1	2	3	4	6
13-19 YRS	2847	2.0	2	<1	1	2	2	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	16	3.2	3	1	2	3	4	6	7	8
6-12 YRS	132	3.1	3	1	1	3	4	5	6	10
13-19 YRS	496	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	2.0	1	1	1	2	3	3	4	5
1-11 MOS	82	2.5	5	1	1	2	3	4	6	15
1-5 YRS	342	2.0	2	<1	1	2	2	3	4	7
6-12 YRS	1195	2.2	3	1	1	2	3	4	5	9
13-19 YRS	2252	2.4	3	<1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	24	4.3	11	1	1	3	6	10	11	12
6-12 YRS	122	3.4	4	1	1	3	4	6	7	10
13-19 YRS	454	4.2	12	1	1	4	5	7	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4799	1.9	2	<1	1	1	2	3	4	7
B. *Operated*	646	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	3893	2.3	3	1	1	2	3	4	5	9
B. *Operated*	601	4.0	10	1	1	3	5	7	9	13
1. SINGLE DX	5445	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	4494	2.5	4	1	1	2	3	5	6	10
A. NOT OPERATED	8692	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	1247	3.6	7	1	1	3	4	6	8	12
TOTAL 0-27 DYS	39	1.9	1	1	1	2	3	3	4	5
1-11 MOS	175	2.4	3	1	1	2	3	4	5	9
1-5 YRS	689	2.0	2	<1	1	2	2	3	4	8
6-12 YRS	2987	2.1	2	<1	1	2	3	4	5	8
13-19 YRS	6049	2.4	3	<1	1	2	3	4	6	9
GRAND TOTAL	**9939**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	38	2.3	5	<1	1	2	3	3	6	13
1-11 MOS	129	2.3	2	1	1	2	3	4	5	7
1-5 YRS	98	2.4	9	<1	1	2	3	4	7	18
6-12 YRS	109	2.4	3	1	1	2	3	4	5	10
13-19 YRS	87	2.4	4	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	1	1	3	5	5	5	5
1-5 YRS	6	2.5	4	<1	<1	2	3	6	6	6
6-12 YRS	7	4.9	32	<1	<1	2	8	15	16	16
13-19 YRS	16	3.8	15	<1	1	3	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	64	3.2	11	1	1	2	4	6	8	21
1-11 MOS	315	3.1	6	1	1	2	4	6	8	14
1-5 YRS	552	2.6	4	1	1	2	3	5	7	10
6-12 YRS	399	2.7	6	1	1	2	3	5	7	13
13-19 YRS	325	3.2	14	1	1	2	4	6	8	15
B. *Operated*										
0-27 DYS										
1-11 MOS	15	7.3	36	1	1	7	11	18	18	18
1-5 YRS	54	3.8	36	1	1	2	4	8	12	34
6-12 YRS	86	3.2	69	1	1	1	2	7	9	56
13-19 YRS	129	3.7	59	1	1	1	4	8	13	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	2.4	4	<1	1	2	3	4	5	9
B. *Operated*	33	3.7	15	<1	1	2	5	9	14	16
2. MULTIPLE DX										
A. *Not Operated*	1655	2.9	7	1	1	2	3	5	7	13
B. *Operated*	284	3.7	57	1	1	1	4	8	13	33
1. SINGLE DX	494	2.5	5	<1	1	2	3	4	6	12
2. MULTIPLE DX	1939	3.0	15	1	1	2	3	6	8	16
A. NOT OPERATED	2116	2.8	7	1	1	2	3	5	7	12
B. OPERATED	317	3.7	52	1	1	1	4	8	13	33
TOTAL 0-27 DYS	102	2.9	8	1	1	2	3	5	8	18
1-11 MOS	463	3.0	7	1	1	2	4	6	8	16
1-5 YRS	710	2.7	7	1	1	2	3	5	7	12
6-12 YRS	601	2.8	15	1	1	2	3	5	7	15
13-19 YRS	557	3.2	23	1	1	2	4	6	8	16
GRAND TOTAL	**2433**	**2.9**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	413	2.8	5	1	1	2	3	5	6	11
1-11 MOS	846	3.5	7	1	1	3	4	6	8	15
1-5 YRS	578	2.9	7	<1	1	2	3	6	8	13
6-12 YRS	319	2.1	4	<1	1	2	2	4	5	12
13-19 YRS	541	2.6	20	<1	1	2	3	4	6	19
B. *Operated*										
0-27 DYS	4	3.8	6	1	1	3	5	7	7	7
1-11 MOS	25	4.5	18	<1	1	3	5	10	15	17
1-5 YRS	67	2.1	2	<1	<1	2	2	4	6	9
6-12 YRS	45	2.0	6	<1	<1	1	2	3	6	16
13-19 YRS	74	2.0	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	397	4.2	14	1	1	3	5	8	10	21
1-11 MOS	1865	5.3	24	1	1	4	7	10	14	25
1-5 YRS	1406	4.8	37	1	1	3	6	10	14	30
6-12 YRS	641	3.0	18	1	1	2	3	5	7	15
13-19 YRS	1379	3.4	19	1	1	2	4	6	8	28
B. *Operated*										
0-27 DYS	20	13.2	165	2	2	10	14	39	43	45
1-11 MOS	127	15.1	242	2	3	11	20	39	63	99+
1-5 YRS	170	9.2	182	1	1	4	11	27	40	98
6-12 YRS	96	5.1	117	<1	1	2	5	10	15	74
13-19 YRS	175	4.8	72	<1	1	2	5	10	19	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2697	2.9	9	1	1	2	4	5	7	14
B. *Operated*	215	2.4	6	<1	<1	2	3	4	7	15
2. MULTIPLE DX										
A. *Not Operated*	5688	4.4	25	1	1	3	5	9	13	27
B. *Operated*	588	8.6	167	1	1	4	10	23	40	96
1. SINGLE DX	2912	2.9	9	1	1	2	3	5	7	14
2. MULTIPLE DX	6276	4.8	40	1	1	3	5	9	14	35
A. NOT OPERATED	8385	3.9	21	1	1	3	4	8	11	23
B. OPERATED	803	6.9	131	<1	1	3	8	17	29	88
TOTAL 0-27 DYS	834	3.7	16	1	1	3	4	7	9	21
1-11 MOS	2863	5.2	34	1	1	4	6	10	14	29
1-5 YRS	2221	4.6	42	1	1	3	5	9	14	32
6-12 YRS	1101	2.9	22	1	1	2	3	5	7	17
13-19 YRS	2169	3.2	23	1	1	2	4	6	8	28
GRAND TOTAL	**9188**	**4.2**	**31**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	39	2.3	14	1	1	1	2	4	5	24
1-11 MOS	435	1.6	1	1	1	1	2	3	4	7
1-5 YRS	369	1.8	2	<1	1	1	2	3	4	7
6-12 YRS	173	2.2	2	1	1	2	3	4	5	8
13-19 YRS	69	3.1	9	1	1	2	4	6	10	15
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	38	3.0	5	1	1	2	4	5	7	12
1-5 YRS	58	4.8	22	1	2	4	5	8	10	29
6-12 YRS	70	4.4	6	2	2	4	6	8	8	14
13-19 YRS	48	6.0	30	1	2	5	8	10	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.0	14	<1	1	2	7	10	11	12
1-11 MOS	256	2.8	9	1	1	2	3	6	7	14
1-5 YRS	285	2.9	10	1	1	2	3	6	8	24
6-12 YRS	209	3.8	27	1	1	3	4	8	12	99+
13-19 YRS	157	5.6	55	1	1	3	7	12	20	96
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	32	15.9	351	1	2	7	23	44	60	75
1-5 YRS	104	11.0	238	1	1	5	12	32	45	77
6-12 YRS	126	7.3	60	1	2	4	9	17	29	53
13-19 YRS	193	13.6	239	1	2	8	17	37	51	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	1.9	3	1	1	1	2	3	5	8
B. *Operated*	215	4.6	16	1	2	4	5	8	10	25
2. MULTIPLE DX										
A. *Not Operated*	921	3.6	22	1	1	2	4	7	11	57
B. *Operated*	456	11.4	203	1	2	6	14	30	44	81
1. SINGLE DX	1300	2.3	6	1	1	2	3	5	6	11
2. MULTIPLE DX	1377	6.1	96	1	1	3	6	14	28	78
A. NOT OPERATED	2006	2.6	12	1	1	2	3	5	8	21
B. OPERATED	671	9.2	153	1	2	5	10	24	37	75
TOTAL 0-27 DYS	55	2.8	14	1	1	2	3	5	9	23
1-11 MOS	761	2.7	26	1	1	1	3	5	7	24
1-5 YRS	816	3.6	45	1	1	2	3	6	11	42
6-12 YRS	578	4.1	27	1	1	3	5	8	13	50
13-19 YRS	467	8.6	140	1	1	5	10	20	37	90
GRAND TOTAL	**2677**	**4.3**	**56**	**1**	**1**	**2**	**4**	**9**	**15**	**53**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.2	3	1	1	2	3	5	5	5
1-11 MOS	51	1.4	1	<1	1	1	1	3	3	5
1-5 YRS	197	1.9	2	<1	1	1	2	3	5	8
6-12 YRS	181	2.6	11	1	1	2	3	5	6	16
13-19 YRS	158	3.7	12	<1	1	2	5	9	10	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	15	4.3	6	1	2	4	6	8	9	10
6-12 YRS	21	5.0	11	1	1	4	7	10	11	13
13-19 YRS	18	4.9	9	1	1	4	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	45	2.8	10	1	1	2	3	5	7	20
1-5 YRS	163	3.5	15	<1	1	2	4	8	13	19
6-12 YRS	280	3.9	21	1	1	3	4	8	13	40
13-19 YRS	344	5.3	23	1	1	4	6	11	14	26
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	5	13.6	232	1	1	9	18	40	40	40
1-5 YRS	60	10.7	151	1	2	6	15	25	31	61
6-12 YRS	81	11.3	165	1	1	6	15	35	43	85
13-19 YRS	246	13.8	247	1	2	8	19	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	2.6	8	<1	1	2	3	5	7	12
B. *Operated*	56	4.8	9	1	1	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	835	4.3	21	1	1	3	5	10	13	24
B. *Operated*	393	12.8	215	1	2	8	17	34	51	99+
1. SINGLE DX	648	2.7	8	1	1	2	3	6	8	12
2. MULTIPLE DX	1228	7.0	98	1	1	4	8	17	26	79
A. NOT OPERATED	1427	3.6	16	1	1	2	4	8	11	22
B. OPERATED	449	11.8	196	1	2	7	15	31	49	99+
TOTAL 0-27 DYS	9	3.3	12	1	1	2	4	9	12	12
1-11 MOS	103	2.7	21	1	1	1	3	5	8	29
1-5 YRS	435	3.8	35	1	1	2	4	8	15	27
6-12 YRS	563	4.6	46	1	1	2	5	9	17	46
13-19 YRS	766	7.7	110	1	1	4	9	18	26	83
GRAND TOTAL	**1876**	**5.6**	**71**	**1**	**1**	**3**	**6**	**12**	**20**	**56**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	3.8	19	<1	<1	2	4	12	14	14
6-12 YRS	14	2.0	5	<1	<1	1	2	4	8	9
13-19 YRS	51	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	46	1.9	2	<1	<1	1	3	4	4	6
6-12 YRS	240	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	1030	1.9	3	<1	<1	1	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	31	2.2	4	1	1	2	2	4	6	10
6-12 YRS	52	2.1	3	<1	1	2	3	4	5	8
13-19 YRS	199	2.4	21	<1	<1	1	3	4	6	12
B. *Operated*										
0-27 DYS	3	10.0	151	1	1	5	19	24	24	24
1-11 MOS	7	2.6	6	<1	<1	2	3	7	8	8
1-5 YRS	105	3.4	12	<1	1	2	4	7	9	22
6-12 YRS	284	3.4	24	1	1	2	4	6	9	32
13-19 YRS	1598	3.4	14	1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.1	5	<1	<1	1	2	4	8	13
B. *Operated*	1319	1.8	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	289	2.3	15	<1	<1	1	2	4	5	11
B. *Operated*	1997	3.4	16	1	1	2	4	7	10	20
1. SINGLE DX	1396	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2286	3.3	16	1	1	2	4	6	9	19
A. NOT OPERATED	366	2.2	13	<1	<1	1	2	4	6	11
B. OPERATED	3316	2.8	11	<1	1	2	3	6	8	16
TOTAL 0-27 DYS	5	7.0	94	<1	<1	4	10	24	24	24
1-11 MOS	18	2.0	3	<1	<1	2	2	3	6	8
1-5 YRS	191	2.9	9	<1	1	2	3	7	8	19
6-12 YRS	590	2.5	13	<1	<1	1	3	5	7	16
13-19 YRS	2878	2.8	11	<1	1	2	3	6	8	15
GRAND TOTAL	**3682**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	6.5	20	3	3	5	7	14	15	15
1-5 YRS	14	2.2	2	<1	1	2	3	4	6	6
6-12 YRS	76	2.9	10	1	1	2	3	5	8	20
13-19 YRS	475	3.6	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.0	16	5	5	5	9	13	13	13
6-12 YRS	6	6.8	27	2	2	6	9	15	16	16
13-19 YRS	100	10.5	43	3	3	9	14	19	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	7	7.3	42	1	1	7	9	18	20	20
1-5 YRS	19	4.3	14	1	1	3	5	11	13	14
6-12 YRS	59	3.7	8	1	1	3	5	7	9	16
13-19 YRS	546	4.8	16	1	1	4	6	10	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	8.8	22	3	3	7	14	15	15	15
6-12 YRS	11	7.5	11	3	3	8	10	12	13	13
13-19 YRS	295	10.2	81	1	2	8	13	21	28	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	3.5	7	1	1	3	5	7	8	12
B. *Operated*	110	10.1	42	2	3	9	14	18	24	31
2. MULTIPLE DX										
A. *Not Operated*	633	4.7	16	1	1	3	6	10	12	20
B. *Operated*	312	10.1	78	1	2	8	13	20	28	59
1. SINGLE DX	682	4.6	18	1	1	3	6	9	13	24
2. MULTIPLE DX	945	6.5	43	1	1	5	9	14	18	35
A. NOT OPERATED	1205	4.1	12	1	1	3	5	8	11	17
B. OPERATED	422	10.1	68	2	3	9	13	19	27	44
TOTAL 0-27 DYS	3	9.7	100	2	2	6	17	21	21	21
1-11 MOS	13	6.9	29	1	1	6	8	16	19	20
1-5 YRS	43	4.5	15	1	1	3	6	11	14	15
6-12 YRS	152	3.7	12	1	1	3	4	8	11	17
13-19 YRS	1416	5.9	36	1	1	4	7	13	16	31
GRAND TOTAL	**1627**	**5.7**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	11	3.9	7	1	1	4	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	17	13.1	62	2	2	12	16	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	51.7	1281	21	21	43	79	91	91	91
6-12 YRS	4	7.0	41	2	2	5	11	16	16	16
13-19 YRS	19	11.9	207	<1	1	6	18	38	48	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	16.5	113	9	9	16	24	24	24	24
6-12 YRS	6	27.8	333	9	9	25	42	54	55	55
13-19 YRS	104	26.3	432	6	9	21	40	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.9	5	1	1	4	6	7	8	8
B. *Operated*	18	13.3	58	2	2	12	16	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	26	15.8	434	1	2	6	21	46	57	91
B. *Operated*	112	26.2	419	6	9	21	40	87	99+	99+
1. SINGLE DX	32	9.2	57	1	2	7	13	21	27	27
2. MULTIPLE DX	138	24.3	436	2	5	20	36	78	99+	99+
A. NOT OPERATED	40	11.6	313	1	1	5	10	34	47	91
B. OPERATED	130	24.4	388	4	8	20	35	77	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	37.6	1040	9	9	24	55	91	91	91
6-12 YRS	14	15.9	262	2	2	9	21	43	52	55
13-19 YRS	151	21.4	387	2	3	17	31	72	99+	99+
GRAND TOTAL	**170**	**21.4**	**399**	**2**	**3**	**17**	**31**	**71**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	11	1.3		<1	<1	1	2	2	2	2
13-19 YRS	38	1.8	2	<1	1	1	2	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.8	16	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	14	6.0	16	1	2	5	8	13	14	14
1-5 YRS	13	2.9	3	1	1	2	3	6	7	7
6-12 YRS	31	2.5	2	1	1	2	3	5	6	6
13-19 YRS	168	3.1	11	1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0		8	8	8	8	8	8	8
1-5 YRS	5	6.2	24	1	1	7	9	13	13	13
6-12 YRS	16	5.6	18	1	1	4	9	13	13	13
13-19 YRS	82	7.2	39	1	2	6	9	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	1.6	1	<1	1	1	2	2	3	8
B. *Operated*	6	4.8	16	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	229	3.2	10	1	1	2	4	6	7	13
B. *Operated*	105	6.9	35	1	2	5	9	14	16	32
1. SINGLE DX	60	2.0	3	<1	1	1	2	3	7	10
2. MULTIPLE DX	334	4.4	21	1	1	3	5	9	13	26
A. NOT OPERATED	283	2.9	9	1	1	2	4	6	7	12
B. OPERATED	111	6.8	34	1	1	5	9	13	16	32
TOTAL 0-27 DYS	4	3.3	3	1	1	3	4	5	5	5
1-11 MOS	16	6.3	14	1	2	6	8	13	14	14
1-5 YRS	22	3.5	9	1	1	2	3	7	10	13
6-12 YRS	58	3.1	9	1	1	2	4	6	12	13
13-19 YRS	294	4.1	22	1	1	3	5	8	10	27
GRAND TOTAL	**394**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	5	2	2	2	5	6	6	6
1-5 YRS	16	2.8	4	1	1	2	4	6	7	8
6-12 YRS	38	4.1	8	1	1	4	6	7	8	14
13-19 YRS	185	4.9	26	1	1	3	6	9	13	32
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.0	450	2	2	17	32	32	32	32
6-12 YRS	5	8.4	78	1	1	5	13	23	23	23
13-19 YRS	25	10.4	77	2	2	8	14	25	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	7	7.0	4	3	4	8	8	9	9	9
1-5 YRS	55	4.4	16	1	1	3	5	9	15	20
6-12 YRS	84	5.7	22	1	2	4	8	11	15	23
13-19 YRS	392	7.1	48	1	2	5	8	14	18	40
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	10	9.3	139	2	2	5	7	28	41	41
6-12 YRS	30	12.4	192	3	3	8	16	25	33	71
13-19 YRS	257	14.2	169	2	3	10	18	31	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	4.6	22	1	1	3	5	8	12	30
B. *Operated*	32	10.5	88	2	2	7	14	26	32	35
2. MULTIPLE DX										
A. *Not Operated*	540	6.6	40	1	2	5	8	13	17	37
B. *Operated*	298	13.8	170	2	3	9	17	31	41	62
1. SINGLE DX	274	5.3	33	1	1	4	6	10	16	33
2. MULTIPLE DX	838	9.2	98	1	2	6	11	20	30	53
A. NOT OPERATED	782	6.0	35	1	2	4	7	11	16	34
B. OPERATED	330	13.5	163	2	3	9	17	30	40	60
TOTAL 0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	11	5.7	7	2	2	6	8	9	9	9
1-5 YRS	83	5.0	39	1	1	3	6	9	17	38
6-12 YRS	157	6.7	60	1	1	5	8	14	22	33
13-19 YRS	859	8.8	93	1	2	6	10	20	30	49
GRAND TOTAL	**1112**	**8.2**	**85**	**1**	**2**	**5**	**9**	**18**	**27**	**48**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	2.4	3	<1	1	2	3	5	6	6
1-5 YRS	135	2.3	13	<1	1	1	2	5	12	17
6-12 YRS	145	2.7	20	<1	<1	1	2	5	13	22
13-19 YRS	56	3.7	28	<1	<1	1	3	13	18	23
B. *Operated*										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	14	3.3	14	<1	<1	2	4	6	13	15
1-5 YRS	1148	2.7	14	1	1	1	2	5	12	20
6-12 YRS	1694	2.7	13	1	1	2	2	5	11	20
13-19 YRS	760	2.7	10	<1	1	2	3	5	6	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	34	4.1	15	1	1	2	7	9	10	17
1-5 YRS	37	4.5	30	1	1	2	4	14	17	21
6-12 YRS	43	3.1	17	<1	1	2	3	6	15	20
13-19 YRS	76	2.9	11	1	1	2	3	5	8	19
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	3.1	8	<1	<1	2	4	8	9	9
1-5 YRS	202	4.3	27	1	1	2	5	12	16	22
6-12 YRS	451	4.6	39	1	1	2	5	12	19	25
13-19 YRS	407	5.4	55	1	1	3	6	10	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	2.7	18	<1	1	1	2	6	14	20
B. *Operated*	3620	2.7	13	1	1	2	3	5	10	20
2. MULTIPLE DX										
A. *Not Operated*	191	3.4	17	1	1	2	4	8	13	20
B. *Operated*	1070	4.8	42	1	1	3	5	11	18	34
1. SINGLE DX	3974	2.7	13	1	1	2	3	5	11	20
2. MULTIPLE DX	1261	4.6	39	1	1	3	5	11	17	32
A. NOT OPERATED	545	3.0	17	<1	1	1	3	7	14	20
B. OPERATED	4690	3.2	20	1	1	2	3	6	13	22
TOTAL 0-27 DYS	7	1.9	1	1	1	2	2	4	4	4
1-11 MOS	74	3.4	11	<1	1	2	5	8	9	17
1-5 YRS	1522	2.9	16	1	1	2	3	6	13	20
6-12 YRS	2333	3.1	19	1	1	2	3	6	13	21
13-19 YRS	1299	3.6	26	1	1	2	4	7	12	27
GRAND TOTAL	**5235**	**3.2**	**20**	**1**	**1**	**2**	**3**	**6**	**13**	**21**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.8	1	1	1	2	2	3	3	3
1-5 YRS	26	1.3	1	<1	1	1	1	2	3	5
6-12 YRS	95	1.4	1	<1	1	1	1	2	3	5
13-19 YRS	44	1.8	4	<1	1	1	2	2	4	14
B. *Operated*										
0-27 DYS										
1-11 MOS	10	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	673	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	2908	1.4	1	<1	1	1	2	2	3	5
13-19 YRS	1736	2.0	2	<1	1	1	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	4.5	17	<1	1	3	5	13	13	13
1-5 YRS	27	2.3	5	<1	<1	2	3	6	19	99+
6-12 YRS	53	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	86	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	8.3	37	3	3	7	13	15	15	15
1-5 YRS	100	2.3	6	<1	1	1	2	4	7	14
6-12 YRS	573	2.8	20	1	1	1	3	5	8	25
13-19 YRS	819	4.0	28	1	1	3	5	8	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	1.5	2	<1	1	1	2	2	3	6
B. *Operated*	5327	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	179	2.2	4	<1	<1	2	3	5	6	13
B. *Operated*	1495	3.4	24	1	1	2	4	7	11	22
1. SINGLE DX	5497	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	1674	3.3	22	1	1	2	4	7	10	22
A. NOT OPERATED	349	1.8	3	<1	<1	1	2	3	5	13
B. OPERATED	6822	2.0	7	<1	1	1	2	4	5	12
TOTAL 0-27 DYS										
1-11 MOS	31	3.5	14	<1	<1	2	4	9	13	15
1-5 YRS	826	1.4	2	<1	<1	1	1	2	4	7
6-12 YRS	3629	1.6	4	<1	1	1	2	3	4	8
13-19 YRS	2685	2.6	11	1	1	2	3	5	7	16
GRAND TOTAL	**7171**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**12**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	3.8	17	1	1	2	4	11	12	12
6-12 YRS	10	4.2	12	1	1	3	6	9	12	12
13-19 YRS	26	2.2	4	<1	<1	2	2	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	78	1.5	1	<1	<1	1	1	3	4	7
6-12 YRS	202	1.6	1	<1	<1	1	2	3	4	8
13-19 YRS	719	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	13	1.8	1	1	1	2	2	3	4	4
6-12 YRS	12	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	63	3.0	30	1	1	2	3	4	6	40
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	<1	<1	1	4	5	5	5
1-5 YRS	62	2.5	6	<1	1	2	3	6	7	14
6-12 YRS	117	3.0	14	<1	1	2	3	8	12	19
13-19 YRS	445	2.9	10	1	1	2	3	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.0	9	<1	1	2	4	7	11	12
B. *Operated*	1000	1.5	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	89	2.7	22	1	1	2	3	4	5	31
B. *Operated*	627	2.9	10	<1	1	2	3	6	9	17
1. SINGLE DX	1046	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	716	2.9	11	1	1	2	3	6	9	17
A. NOT OPERATED	135	2.8	18	1	1	2	3	4	7	17
B. OPERATED	1627	2.1	5	<1	<1	1	2	4	6	11
TOTAL 0-27 DYS										
1-11 MOS	5	3.0	4	<1	<1	4	4	5	5	5
1-5 YRS	163	2.0	4	<1	<1	1	2	4	6	12
6-12 YRS	341	2.2	6	<1	<1	1	2	4	7	17
13-19 YRS	1253	2.1	6	<1	<1	1	2	4	6	11
GRAND TOTAL	**1762**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	6	4.3	24	1	1	2	5	13	14	14
1-5 YRS	34	11.9	230	<1	1	6	18	23	49	70
6-12 YRS	36	17.6	252	1	2	16	27	31	47	74
13-19 YRS	21	7.8	170	1	1	2	5	32	41	47
B. Operated										
0-27 DYS	3	10.0	7	7	7	11	12	12	12	12
1-11 MOS	9	6.8	32	1	1	4	12	15	16	16
1-5 YRS	39	13.3	101	1	2	14	19	26	30	45
6-12 YRS	135	7.6	64	2	2	5	7	16	27	38
13-19 YRS	141	7.3	34	2	2	6	9	13	15	40
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	16.0	72	10	10	16	22	22	22	22
1-11 MOS	8	13.5	219	2	2	6	20	38	45	45
1-5 YRS	30	10.5	70	1	1	9	17	23	24	25
6-12 YRS	22	16.1	257	1	2	6	25	41	48	53
13-19 YRS	26	11.1	276	1	1	5	9	35	48	75
B. Operated										
0-27 DYS	9	18.9	497	8	8	12	14	53	78	78
1-11 MOS	23	15.0	118	6	7	12	15	25	44	54
1-5 YRS	45	13.1	87	2	3	11	18	28	31	37
6-12 YRS	82	13.9	127	3	3	10	19	33	38	45
13-19 YRS	187	14.8	163	3	4	10	19	33	41	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	12.7	227	1	1	6	20	30	43	72
B. Operated	327	8.2	57	2	2	6	10	16	25	41
2. MULTIPLE DX										
A. Not Operated	88	12.5	189	1	1	6	21	26	41	67
B. Operated	346	14.5	149	3	3	11	19	32	38	74
1. SINGLE DX	424	9.2	99	1	2	6	11	22	29	51
2. MULTIPLE DX	434	14.1	157	2	3	10	19	31	40	74
A. NOT OPERATED	185	12.6	207	1	1	6	20	29	42	73
B. OPERATED	673	11.4	114	2	3	8	14	26	34	53
TOTAL 0-27 DYS	14	16.6	326	7	8	11	13	28	67	78
1-11 MOS	46	11.7	119	2	2	10	15	21	40	54
1-5 YRS	148	12.3	119	1	2	11	18	25	29	55
6-12 YRS	275	11.5	136	2	2	7	15	29	35	51
13-19 YRS	375	11.3	134	1	2	8	13	26	36	73
GRAND TOTAL	**858**	**11.7**	**134**	**2**	**2**	**8**	**15**	**26**	**35**	**61**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	116	7.2	49	<1	1	5	12	17	23	27
1-5 YRS	534	13.1	90	1	1	13	20	24	27	38
6-12 YRS	337	22.4	146	2	4	23	28	36	45	55
13-19 YRS	120	22.3	298	1	2	25	37	47	50	58
B. Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	56	3.8	17	1	1	2	5	10	15	18
1-5 YRS	446	8.8	78	1	1	5	16	21	24	30
6-12 YRS	356	15.9	179	1	2	14	25	33	38	53
13-19 YRS	572	9.0	83	1	2	7	10	18	29	52
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	9.5	113	2	2	9	17	17	17	17
1-11 MOS	61	9.0	59	1	1	6	13	20	24	29
1-5 YRS	237	13.5	93	1	1	14	20	25	29	42
6-12 YRS	195	22.3	215	2	3	22	28	39	44	82
13-19 YRS	92	24.9	403	1	2	27	37	49	63	97
B. Operated										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	13	8.8	53	1	1	7	14	18	23	24
1-5 YRS	217	13.0	90	2	2	13	20	25	30	38
6-12 YRS	410	20.9	199	2	3	22	28	39	45	63
13-19 YRS	1009	16.2	187	3	4	12	19	34	48	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1108	16.3	154	1	1	16	24	32	39	53
B. Operated	1432	10.4	114	1	1	6	16	25	31	48
2. MULTIPLE DX										
A. Not Operated	587	17.8	208	1	2	17	25	35	43	77
B. Operated	1650	16.9	183	2	3	13	23	34	45	70
1. SINGLE DX	2540	13.0	140	1	1	9	21	28	35	51
2. MULTIPLE DX	2237	17.1	190	2	3	14	24	34	45	71
A. NOT OPERATED	1695	16.8	173	1	2	17	24	33	40	57
B. OPERATED	3082	13.9	161	1	2	10	20	30	39	61
TOTAL 0-27 DYS	6	8.8	93	1	1	5	17	23	24	24
1-11 MOS	246	7.0	47	1	1	4	12	17	22	27
1-5 YRS	1434	11.8	91	1	1	10	19	24	27	37
6-12 YRS	1298	20.1	189	2	3	21	28	37	44	61
13-19 YRS	1793	14.7	193	2	3	10	19	34	47	70
GRAND TOTAL	**4777**	**14.9**	**167**	**1**	**2**	**12**	**22**	**31**	**39**	**59**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	1.3	1	<1	<1	1	1	3	3	3
1-5 YRS	135	1.6	1	<1	1	1	2	3	4	5
6-12 YRS	247	2.0	2	1	1	2	2	4	4	8
13-19 YRS	282	2.3	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	4	3.5	4	1	1	4	5	5	5	5
1-11 MOS	4	2.5	2	1	1	2	3	4	4	4
1-5 YRS	196	1.9	2	<1	1	1	2	3	4	9
6-12 YRS	805	2.9	9	1	1	2	4	5	7	12
13-19 YRS	1461	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	10	2.4	5	1	1	1	4	6	7	7
1-5 YRS	55	2.7	5	1	1	2	3	6	8	11
6-12 YRS	79	3.8	14	1	1	2	4	8	11	21
13-19 YRS	134	4.5	64	1	1	3	5	7	10	45
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	6.1	59	1	1	4	6	20	23	23
1-5 YRS	73	7.2	91	1	1	3	7	22	30	41
6-12 YRS	329	5.9	47	1	1	4	7	12	20	36
13-19 YRS	923	8.4	87	1	2	5	10	18	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.1	2	<1	1	2	3	4	4	7
B. *Operated*	2470	3.3	9	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	280	3.9	36	1	1	3	5	7	9	21
B. *Operated*	1333	7.7	78	1	1	5	9	17	24	48
1. SINGLE DX	3140	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX	1613	7.1	73	1	1	4	8	15	23	46
A. NOT OPERATED	950	2.6	13	1	1	2	3	5	7	11
B. OPERATED	3803	4.8	38	1	1	3	5	10	14	35
TOTAL 0-27 DYS	7	4.4	5	1	1	5	6	8	8	8
1-11 MOS	27	3.1	19	<1	1	2	4	6	10	23
1-5 YRS	459	2.8	20	<1	1	1	3	5	8	27
6-12 YRS	1460	3.5	19	1	1	2	4	7	9	23
13-19 YRS	2800	5.1	43	1	1	3	6	10	15	37
GRAND TOTAL	**4753**	**4.4**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	36	2.1	2	<1	1	2	3	4	5	7
6-12 YRS	101	2.1	2	1	1	2	3	4	5	7
13-19 YRS	163	2.1	2	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	4.8	10	1	1	4	6	10	12	12
1-5 YRS	63	2.6	21	1	1	2	3	4	6	33
6-12 YRS	609	2.4	4	1	1	2	3	5	6	10
13-19 YRS	2311	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	6.0	39	1	1	4	11	13	13	13
1-5 YRS	30	2.8	4	<1	1	2	4	6	7	9
6-12 YRS	48	2.9	6	1	1	2	3	6	7	13
13-19 YRS	163	2.8	5	<1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	7.2	42	1	1	5	9	18	19	19
1-5 YRS	73	5.3	53	1	1	3	5	14	24	36
6-12 YRS	227	5.3	53	1	1	3	5	10	19	44
13-19 YRS	1291	5.0	29	1	1	4	6	9	13	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.1	2	1	1	2	3	4	5	8
B. *Operated*	2994	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	245	2.9	5	<1	1	2	4	6	7	13
B. *Operated*	1598	5.0	33	1	1	4	6	9	14	31
1. SINGLE DX	3297	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1843	4.7	30	1	1	3	5	9	13	30
A. NOT OPERATED	548	2.5	4	<1	1	2	3	5	6	11
B. OPERATED	4592	3.5	16	1	1	3	4	6	9	22
TOTAL 0-27 DYS	4	3.3	10	1	1	2	5	8	8	8
1-11 MOS	21	5.2	22	1	1	4	7	12	16	19
1-5 YRS	202	3.5	28	1	1	2	4	6	10	35
6-12 YRS	985	3.1	16	1	1	2	3	5	8	21
13-19 YRS	3928	3.5	13	1	1	3	4	6	9	18
GRAND TOTAL	**5140**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**20**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	12	1.5		<1	<1	1	2	3	3	3
13-19 YRS	32	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	12	1.4		<1	<1	1	2	3	3	3
13-19 YRS	94	1.9	2	1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.2	13	1	1	5	7	11	11	11
1-5 YRS	38	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	34	2.2	2	1	1	2	3	4	5	6
13-19 YRS	182	3.2	12	1	1	2	4	6	9	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.0	57	<1	<1	2	3	18	22	22
6-12 YRS	11	1.9	2	1	1	1	3	4	5	5
13-19 YRS	111	5.2	70	<1	1	3	6	9	19	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.6	1	<1	<1	1	2	3	3	4
B. *Operated*	107	1.9	2	<1	1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	259	2.9	9	1	1	2	3	6	8	18
B. *Operated*	129	4.9	64	<1	1	3	5	9	19	49
1. SINGLE DX	158	1.8	2	<1	1	1	2	3	4	10
2. MULTIPLE DX	388	3.6	28	<1	1	2	4	7	9	27
A. NOT OPERATED	310	2.7	8	<1	1	2	3	5	7	16
B. OPERATED	236	3.6	38	<1	1	2	3	7	9	30
TOTAL 0-27 DYS										
1-11 MOS	5	5.2	13	1	1	5	7	11	11	11
1-5 YRS	53	2.1	9	<1	<1	1	2	3	5	22
6-12 YRS	69	1.9	2	1	1	1	2	4	5	6
13-19 YRS	419	3.3	26	<1	1	2	4	6	9	26
GRAND TOTAL	**546**	**3.1**	**21**	**<1**	**1**	**2**	**3**	**5**	**8**	**22**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.5	2	1	1	2	3	5	5	5
1-5 YRS	7	1.1		1	1	1	1	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	4.8	19	1	1	4	7	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	4.5	10	2	2	3	6	9	9	9
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	16	1	1	2	7	11	11	11
1-5 YRS	3	7.7	97	1	1	3	15	19	19	19
6-12 YRS	8	4.4	13	1	1	3	7	10	10	10
13-19 YRS	6	4.7	29	<1	<1	2	6	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	22.4	153	7	7	21	29	41	41	41
6-12 YRS	10	17.0	534	1	2	9	21	51	79	79
13-19 YRS	24	15.6	235	4	4	12	18	29	56	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.7	7	1	1	2	4	5	9	12
B. *Operated*	5	4.2	8	2	2	3	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	23	4.8	25	<1	1	3	7	12	16	19
B. *Operated*	40	16.6	284	3	4	12	20	34	60	79
1. SINGLE DX	24	3.0	7	1	1	2	4	6	10	12
2. MULTIPLE DX	63	12.3	220	1	1	8	17	24	44	78
A. NOT OPERATED	42	3.9	17	1	1	2	4	10	13	19
B. OPERATED	45	15.2	268	2	3	10	19	27	55	79
TOTAL 0-27 DYS										
1-11 MOS	13	3.7	10	1	1	3	5	9	11	11
1-5 YRS	16	9.1	145	1	1	2	18	25	36	41
6-12 YRS	23	9.9	265	1	2	4	10	22	43	79
13-19 YRS	35	12.2	192	1	2	8	15	22	44	70
GRAND TOTAL	**87**	**9.7**	**178**	**1**	**1**	**5**	**12**	**21**	**29**	**76**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	12	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.4	3	1	1	2	3	5	5	5
13-19 YRS	271	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	18	2.1	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	61	2.6	5	1	1	2	3	4	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.1		<1	<1	1	1	1	2	2
B. *Operated*	278	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	21	2.3	3	<1	<1	1	3	5	6	7
B. *Operated*	66	2.9	11	1	1	2	3	5	8	21
1. SINGLE DX	292	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	87	2.8	9	<1	1	2	3	5	7	19
A. NOT OPERATED	35	1.8	2	<1	<1	1	2	4	6	7
B. OPERATED	344	2.2	3	1	1	2	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS	2	11.5	221	1	1	11	22	22	22	22
1-5 YRS	4	5.0	8	1	1	6	7	7	7	7
6-12 YRS	11	1.9	2	<1	<1	1	3	4	5	5
13-19 YRS	362	2.1	2	<1	1	2	3	4	4	7
GRAND TOTAL	**379**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	21	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	63	2.1	3	<1	<1	2	2	4	5	10
13-19 YRS	885	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	28	1.9	3	<1	<1	1	2	4	6	8
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	3.6	3	1	1	4	5	6	6	6
1-5 YRS	3	3.7	4	2	2	3	5	6	6	6
6-12 YRS	36	3.3	8	<1	1	3	4	6	7	16
13-19 YRS	958	2.5	6	<1	<1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	951	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	30	1.9	3	<1	<1	1	2	4	6	8
B. *Operated*	1004	2.5	6	<1	<1	2	3	5	6	11
1. SINGLE DX	976	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	1034	2.5	6	<1	<1	2	3	5	6	11
A. NOT OPERATED	55	1.9	2	<1	<1	1	2	4	6	8
B. OPERATED	1955	2.2	4	<1	<1	2	3	4	5	9
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	3.3	3	1	1	4	4	6	6	6
1-5 YRS	4	3.3	4	2	2	3	4	6	6	6
6-12 YRS	105	2.5	5	<1	<1	2	3	5	6	13
13-19 YRS	1892	2.2	4	<1	<1	2	3	4	5	9
GRAND TOTAL	**2010**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	8	4.5	64	<1	<1	1	3	18	24	24
6-12 YRS	25	2.5	8	<1	<1	1	2	7	9	13
13-19 YRS	44	3.1	10	<1	<1	2	4	6	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	61	2.6	6	<1	1	2	3	6	8	13
6-12 YRS	155	2.6	10	<1	1	1	3	5	8	19
13-19 YRS	326	3.0	14	<1	1	2	3	6	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	2.6	1	1	1	3	3	4	4	4
6-12 YRS	14	2.9	7	<1	1	2	4	8	8	8
13-19 YRS	49	4.8	33	1	1	3	6	10	13	35
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.0	217	<1	<1	2	21	27	27	27
1-5 YRS	33	7.6	190	1	2	5	7	12	15	82
6-12 YRS	93	5.9	58	1	1	4	7	13	16	46
13-19 YRS	244	6.9	73	1	1	4	8	15	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.9	14	<1	<1	2	3	6	9	22
B. *Operated*	545	2.8	12	<1	1	1	3	6	10	19
2. MULTIPLE DX										
A. *Not Operated*	74	4.3	26	1	1	3	5	9	13	31
B. *Operated*	373	6.8	80	1	1	4	8	14	23	49
1. SINGLE DX	626	2.8	12	<1	1	1	3	6	10	19
2. MULTIPLE DX	447	6.4	71	1	1	4	7	13	20	48
A. NOT OPERATED	155	3.6	20	<1	1	2	4	8	11	24
B. OPERATED	918	4.4	43	<1	1	2	5	10	15	35
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	11	3.8	60	<1	<1	1	2	13	26	27
1-5 YRS	111	4.2	68	1	1	3	4	8	11	47
6-12 YRS	287	3.7	28	<1	1	2	5	8	13	26
13-19 YRS	663	4.6	40	<1	1	2	5	10	16	35
GRAND TOTAL	**1073**	**4.3**	**40**	**<1**	**1**	**2**	**5**	**9**	**14**	**33**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	11	4.2	27	1	1	2	4	14	15	15
13-19 YRS	47	2.3	5	<1	<1	2	3	4	5	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	27	2.2	2	<1	<1	2	3	4	6	7
13-19 YRS	957	2.9	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	11	3.2	10	<1	<1	2	4	9	11	11
13-19 YRS	48	2.4	4	<1	<1	1	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5	16	1	1	3	7	10	10	10
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	33	3.2	3	<1	<1	3	5	6	6	6
13-19 YRS	1294	3.5	4	<1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.6	8	<1	1	2	3	4	9	15
B. *Operated*	985	2.8	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	60	2.5	5	<1	<1	2	3	6	8	11
B. *Operated*	1333	3.5	4	<1	1	3	4	6	7	10
1. SINGLE DX	1047	2.8	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX	1393	3.4	4	<1	1	3	4	6	7	11
A. NOT OPERATED	122	2.6	7	<1	<1	2	3	5	8	14
B. OPERATED	2318	3.2	3	<1	1	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS	5	4.0	14	1	1	2	6	10	10	10
1-5 YRS	7	2.1	1	1	1	2	3	3	3	3
6-12 YRS	82	3.0	7	<1	<1	2	4	6	7	15
13-19 YRS	2346	3.2	3	<1	1	3	4	5	6	10
GRAND TOTAL	**2440**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	3.5	8	1	1	3	4	8	10	10
13-19 YRS	138	3.2	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	13	6	6	8	11	11	11	11
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	4.5	13	1	1	4	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.0	43	2	2	7	13	15	15	15
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	8	3.0	4	1	1	3	4	6	7	7
13-19 YRS	160	4.5	10	<1	1	4	6	9	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	12	5.9	23	1	1	4	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.2	4	1	1	3	4	6	7	10
B. *Operated*	13	5.0	13	1	1	5	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	173	4.5	10	1	1	4	6	9	10	15
B. *Operated*	13	6.5	25	1	1	5	12	13	13	13
1. SINGLE DX	163	3.4	5	1	1	3	5	6	8	11
2. MULTIPLE DX	186	4.6	11	1	1	4	7	9	11	15
A. NOT OPERATED	323	3.9	8	1	1	3	5	8	9	14
B. OPERATED	26	5.7	19	1	1	5	9	13	13	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	8.1	21	2	2	7	12	14	15	15
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	17	3.2	5	1	1	3	4	6	9	10
13-19 YRS	320	4.0	8	1	1	3	5	8	9	13
GRAND TOTAL	**349**	**4.0**	**9**	**1**	**1**	**3**	**5**	**8**	**9**	**14**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.4	24	1	1	2	6	13	13	13
1-5 YRS	24	1.6	1	<1	1	1	2	3	4	4
6-12 YRS	68	2.2	4	<1	<1	1	3	4	5	12
13-19 YRS	323	2.6	5	<1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	4.0	20	<1	1	3	5	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	10	6.2	12	2	2	5	8	11	14	14
1-5 YRS	19	2.1	3	<1	<1	1	3	5	6	6
6-12 YRS	61	2.1	3	1	1	2	2	4	7	7
13-19 YRS	575	3.3	8	<1	1	3	4	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	49	3.2	7	<1	<1	2	4	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	2.5	5	<1	1	2	3	5	7	13
B. *Operated*	28	4.0	19	<1	1	2	5	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	668	3.2	8	<1	1	2	4	7	8	14
B. *Operated*	50	3.2	6	<1	<1	2	4	7	9	11
1. SINGLE DX	448	2.6	6	<1	1	2	3	5	7	14
2. MULTIPLE DX	718	3.2	8	<1	1	2	4	7	8	13
A. NOT OPERATED	1088	2.9	7	<1	1	2	4	6	8	13
B. OPERATED	78	3.4	11	<1	1	2	5	8	11	17
TOTAL 0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	15	5.6	15	1	2	5	8	13	14	14
1-5 YRS	43	1.8	2	<1	<1	1	2	3	5	6
6-12 YRS	130	2.2	3	<1	1	1	3	4	6	9
13-19 YRS	974	3.1	7	<1	1	2	4	6	8	14
GRAND TOTAL	**1166**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	9	1.8		<1	<1	2	2	3	3	3
6-12 YRS	36	2.5	4	<1	1	2	4	6	7	7
13-19 YRS	83	2.0	2	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	17	1.5		<1	<1	1	2	2	2	2
13-19 YRS	304	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	10	2.6	2	1	1	2	3	5	6	6
6-12 YRS	15	2.3	3	1	1	1	4	5	5	5
13-19 YRS	120	2.4	3	<1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.6	6	1	1	2	3	7	7	7
6-12 YRS	8	2.5	6	1	1	2	3	7	8	8
13-19 YRS	139	2.2	3	<1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	327	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	147	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	152	2.2	3	<1	1	2	3	4	6	9
1. SINGLE DX	458	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	299	2.4	3	<1	1	2	3	4	6	9
A. NOT OPERATED	278	2.3	3	<1	1	2	3	5	6	7
B. OPERATED	479	1.9	2	<1	1	1	2	3	4	7
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	4	3.8	30	<1	<1	1	7	12	12	12
1-5 YRS	29	2.1	2	<1	1	2	2	4	6	7
6-12 YRS	76	2.2	3	<1	1	2	3	5	6	8
13-19 YRS	646	2.0	2	<1	1	2	3	4	4	7
GRAND TOTAL	**757**	**2.0**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	12	1	1	1	6	7	7	7
1-11 MOS	113	1.2		<1	<1	1	1	2	2	5
1-5 YRS	1101	1.2		<1	1	1	1	2	2	3
6-12 YRS	1977	1.2		<1	1	1	1	2	2	3
13-19 YRS	1757	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	6	2.0	4	1	1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	102	2.0	3	<1	1	1	2	3	4	12
1-5 YRS	938	1.7	5	<1	1	1	2	3	4	8
6-12 YRS	1852	1.7	2	1	1	1	2	3	4	7
13-19 YRS	3709	1.9	3	<1	1	1	2	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	3.3	16	1	1	2	3	9	14	14
1-5 YRS	113	2.5	12	1	1	1	3	5	7	21
6-12 YRS	339	2.9	27	1	1	1	3	6	10	27
13-19 YRS	1220	2.7	10	<1	1	2	3	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4951	1.3	1	<1	1	1	1	2	3	4
B. *Operated*	12	1.5	2	<1	<1	1	1	3	6	6
2. MULTIPLE DX										
A. *Not Operated*	6603	1.8	3	<1	1	1	2	3	4	8
B. *Operated*	1682	2.7	14	<1	1	2	3	5	8	20
1. SINGLE DX	4963	1.3	1	<1	1	1	1	2	3	4
2. MULTIPLE DX	8285	2.0	5	<1	1	1	2	4	5	11
A. NOT OPERATED	11554	1.6	2	<1	1	1	2	3	4	7
B. OPERATED	1694	2.7	14	<1	1	2	3	5	8	20
TOTAL 0-27 DYS	5	2.2	7	1	1	1	3	7	7	7
1-11 MOS	225	1.6	3	<1	1	1	2	3	4	10
1-5 YRS	2155	1.5	3	<1	1	1	2	2	3	7
6-12 YRS	4171	1.6	4	<1	1	1	2	2	3	7
13-19 YRS	6692	1.9	4	<1	1	1	2	4	5	9
GRAND TOTAL	**13248**	**1.7**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.2		<1	<1	1	1	2	2	2
1-11 MOS	143	1.6	7	<1	<1	1	1	2	3	15
1-5 YRS	579	1.6	17	<1	1	1	1	2	3	8
6-12 YRS	689	1.5	3	<1	1	1	1	2	3	9
13-19 YRS	616	2.3	13	<1	1	1	2	4	7	15
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	7	4.4	7	1	1	4	7	8	8	8
1-5 YRS	21	9.0	124	2	3	4	8	23	36	49
6-12 YRS	41	5.7	7	2	3	5	7	9	10	14
13-19 YRS	59	7.2	27	2	2	6	9	12	23	93
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	5.1	22	1	1	4	8	12	14	14
1-11 MOS	174	3.1	19	<1	1	1	3	8	13	25
1-5 YRS	742	2.6	28	<1	1	1	2	5	8	38
6-12 YRS	933	2.7	39	1	1	1	2	4	7	39
13-19 YRS	1408	4.0	59	<1	1	2	3	9	15	59
B. *Operated*										
0-27 DYS	2	36.0	338	23	23	36	49	49	49	49
1-11 MOS	44	13.9	222	1	2	9	16	37	53	60
1-5 YRS	146	8.7	145	1	1	4	11	23	41	69
6-12 YRS	224	9.3	179	1	1	4	11	29	46	99+
13-19 YRS	741	13.4	320	1	1	6	19	44	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2033	1.8	10	<1	1	1	2	3	4	12
B. *Operated*	129	6.9	36	2	2	6	8	12	21	59
2. MULTIPLE DX										
A. *Not Operated*	3265	3.3	44	<1	1	1	3	6	12	42
B. *Operated*	1157	12.1	271	1	1	5	16	38	53	99+
1. SINGLE DX	2162	2.1	13	<1	1	1	2	4	7	17
2. MULTIPLE DX	4422	5.6	119	<1	1	2	4	14	29	79
A. NOT OPERATED	5298	2.7	32	<1	1	1	2	5	9	33
B. OPERATED	1286	11.6	250	1	1	5	15	35	52	99+
TOTAL 0-27 DYS	17	7.8	152	<1	<1	2	10	21	40	49
1-11 MOS	368	3.9	52	<1	1	1	3	9	15	49
1-5 YRS	1488	2.9	41	<1	1	1	2	5	10	43
6-12 YRS	1887	3.1	47	1	1	1	2	6	11	45
13-19 YRS	2824	6.1	136	<1	1	2	5	16	32	87
GRAND TOTAL	**6584**	**4.4**	**87**	**<1**	**1**	**1**	**3**	**10**	**22**	**63**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.4	1	1	1	1	2	3	3	3
6-12 YRS	16	2.4	3	<1	1	2	3	5	6	7
13-19 YRS	74	2.4	4	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	10	4.6	5	1	2	4	7	8	8	8
13-19 YRS	97	4.5	6	2	2	4	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.5	16	1	1	3	7	10	10	10
1-5 YRS	32	2.7	2	<1	1	3	3	4	4	7
6-12 YRS	45	3.4	5	1	1	3	4	6	8	12
13-19 YRS	209	4.0	26	1	1	3	4	7	9	35
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	23	8.7	33	2	4	7	11	22	47	99+
6-12 YRS	41	7.8	50	3	3	6	8	15	25	38
13-19 YRS	428	8.2	58	2	3	6	9	14	21	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.3	4	1	1	2	3	5	6	11
B. *Operated*	108	4.5	6	2	2	4	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	290	3.8	20	1	1	3	4	7	8	23
B. *Operated*	493	8.2	56	2	3	6	9	15	22	48
1. SINGLE DX	205	3.4	6	1	1	3	4	7	8	12
2. MULTIPLE DX	783	6.6	47	1	2	5	8	13	18	43
A. NOT OPERATED	387	3.4	16	1	1	3	4	6	8	14
B. OPERATED	601	7.5	49	2	3	6	9	14	20	44
TOTAL 0-27 DYS										
1-11 MOS	5	5.0	14	1	1	5	8	10	10	10
1-5 YRS	63	4.7	22	1	1	3	6	11	17	89
6-12 YRS	112	5.0	26	1	1	4	6	8	12	31
13-19 YRS	808	6.1	44	1	1	4	7	12	16	41
GRAND TOTAL	**988**	**5.9**	**40**	**1**	**1**	**4**	**7**	**11**	**15**	**40**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	60	2.5	3	<1	<1	2	3	5	7	7
6-12 YRS	199	3.6	9	1	1	2	5	8	9	13
13-19 YRS	372	3.1	7	1	1	2	4	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	12	5.6	15	1	1	6	7	10	14	15
6-12 YRS	90	6.2	26	1	2	5	7	9	12	36
13-19 YRS	207	6.3	8	2	3	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.0	1	1	1	2	3	3	3	3
1-5 YRS	90	4.5	24	1	1	2	6	10	13	28
6-12 YRS	259	3.9	11	1	1	3	6	9	10	14
13-19 YRS	675	3.6	10	1	1	2	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.0	7	6	6	7	10	12	12	12
1-5 YRS	75	10.8	129	2	3	8	13	19	23	70
6-12 YRS	229	10.2	94	2	3	7	11	21	28	51
13-19 YRS	949	11.1	112	2	4	8	12	22	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	3.2	7	1	1	2	4	7	9	12
B. *Operated*	310	6.3	13	1	3	6	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1029	3.8	12	1	1	3	5	8	10	15
B. *Operated*	1257	10.9	109	2	4	8	12	21	31	58
1. SINGLE DX	943	4.2	11	1	1	3	6	8	10	13
2. MULTIPLE DX	2286	7.7	78	1	1	6	9	15	23	45
A. NOT OPERATED	1662	3.6	10	1	1	2	5	8	10	14
B. OPERATED	1567	10.0	93	2	4	7	11	19	27	52
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	4.7	12	1	-1	3	7	10	12	12
1-5 YRS	237	6.0	62	1	1	4	7	13	18	47
6-12 YRS	777	5.9	45	1	1	5	7	11	15	35
13-19 YRS	2203	7.0	66	1	1	5	8	13	20	40
GRAND TOTAL	**3229**	**6.7**	**61**	**1**	**1**	**5**	**8**	**12**	**19**	**38**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	1.9	1	<1	<1	2	3	4	4	4
6-12 YRS	9	1.3	1	<1	<1	1	1	3	4	4
13-19 YRS	9	3.1	8	<1	<1	2	4	8	9	9
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	187	2.2	4	<1	1	1	3	4	5	12
6-12 YRS	168	2.4	3	<1	1	2	3	5	6	9
13-19 YRS	167	2.4	2	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	23	2.5	3	1	1	2	4	5	6	7
13-19 YRS	30	3.4	5	<1	<1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.0	13	<1	<1	3	7	8	8	8
1-5 YRS	160	3.0	7	1	1	2	4	6	7	14
6-12 YRS	180	3.2	6	1	1	3	4	6	8	12
13-19 YRS	295	3.4	8	1	1	3	4	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.2	4	<1	<1	1	3	5	6	9
B. *Operated*	525	2.3	3	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	63	2.8	4	<1	1	2	4	5	7	9
B. *Operated*	639	3.3	7	1	1	2	4	6	8	14
1. SINGLE DX	555	2.3	3	<1	1	2	3	5	9	9
2. MULTIPLE DX	702	3.2	7	1	1	2	4	6	8	13
A. NOT OPERATED	93	2.6	4	<1	<1	2	4	5	7	9
B. OPERATED	1164	2.8	6	<1	1	2	4	6	7	12
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	3.1	8	<1	<1	1	5	7	8	8
1-5 YRS	367	2.6	5	<1	1	2	3	5	6	13
6-12 YRS	380	2.7	5	<1	1	2	4	5	7	11
13-19 YRS	501	3.1	6	1	1	2	4	6	8	12
GRAND TOTAL	**1257**	**2.8**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**12**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	91	2.1	3	<1	1	1	3	4	5	11
6-12 YRS	52	2.6	5	1	1	2	3	5	8	11
13-19 YRS	73	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	22	2.0	6	<1	<1	1	2	4	9	11
1-5 YRS	419	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	153	1.5	1	<1	<1	1	2	2	3	6
13-19 YRS	210	2.1	4	<1	<1	1	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	18	2.4	3	<1	<1	2	4	5	6	6
1-5 YRS	119	2.5	5	1	1	2	3	5	6	13
6-12 YRS	94	2.5	5	1	1	2	3	5	7	12
13-19 YRS	264	2.1	4	<1	<1	1	3	4	6	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	1.8	2	<1	<1	1	3	4	5	5
1-5 YRS	468	2.3	5	<1	1	1	3	5	6	9
6-12 YRS	380	2.6	19	1	1	2	3	5	7	12
13-19 YRS	991	2.5	7	<1	1	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	2.1	3	<1	1	1	3	4	5	10
B. *Operated*	805	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	498	2.3	4	<1	1	2	3	4	6	11
B. *Operated*	1851	2.5	9	<1	1	2	3	5	7	11
1. SINGLE DX	1028	1.7	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	2349	2.5	8	<1	1	2	3	5	7	11
A. NOT OPERATED	721	2.2	4	<1	1	2	3	4	6	10
B. OPERATED	2656	2.2	7	<1	1	1	3	4	6	11
TOTAL 0-27 DYS	7	2.6	5	<1	<1	2	3	6	7	7
1-11 MOS	56	2.1	4	<1	<1	1	3	4	6	11
1-5 YRS	1097	1.9	4	<1	1	1	2	4	6	9
6-12 YRS	679	2.4	12	<1	1	2	3	4	6	11
13-19 YRS	1538	2.4	6	<1	1	2	3	5	7	11
GRAND TOTAL	**3377**	**2.2**	**6**	**<1**	**1**	**1**	**3**	**4**	**6**	**11**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	29	1.7	1	1	1	2	2	3	3	4
6-12 YRS	55	1.9	1	1	1	2	2	3	3	8
13-19 YRS	203	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	61	1.6	2	<1	<1	1	1	4	5	6
6-12 YRS	169	1.7	2	<1	1	1	2	3	4	6
13-19 YRS	218	2.8	6	<1	<1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8		2	2	3	3	3	3	3
1-5 YRS	29	1.8	1	<1	<1	2	2	3	4	4
6-12 YRS	29	2.4	3	1	1	2	3	5	6	6
13-19 YRS	147	2.6	6	<1	<1	2	3	5	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	47	3.7	18	<1	1	2	5	8	13	22
6-12 YRS	103	3.8	75	<1	1	2	4	6	10	49
13-19 YRS	408	5.1	25	1	1	4	7	10	13	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	448	2.2	4	<1	1	1	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	209	2.5	5	<1	1	2	3	5	6	11
B. *Operated*	561	4.8	34	<1	1	3	6	10	12	28
1. SINGLE DX	735	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	770	4.1	27	<1	1	3	5	8	11	25
A. NOT OPERATED	496	2.0	3	<1	1	2	2	4	5	8
B. OPERATED	1009	3.6	22	<1	1	2	5	8	10	22
TOTAL 0-27 DYS										
1-11 MOS	7	3.4	2	2	2	3	4	6	6	6
1-5 YRS	166	2.2	7	<1	1	1	3	5	6	16
6-12 YRS	356	2.4	24	<1	1	1	3	4	6	15
13-19 YRS	976	3.5	15	<1	1	2	4	8	10	22
GRAND TOTAL	**1505**	**3.1**	**16**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	40	2.8	2	1	1	3	4	5	5	5
6-12 YRS	64	2.8	3	<1	1	3	3	5	6	9
13-19 YRS	205	2.7	3	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	15	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	302	1.8	4	<1	<1	1	2	3	5	11
6-12 YRS	392	1.9	4	<1	1	1	2	4	5	11
13-19 YRS	1093	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	7	1	1	5	6	7	7	7
1-5 YRS	39	2.7	3	1	1	2	3	5	6	10
6-12 YRS	55	2.9	3	1	1	2	4	5	6	9
13-19 YRS	260	3.8	35	<1	1	2	4	6	10	33
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	14	2.4	2	1	1	2	2	5	6	6
1-5 YRS	210	2.4	5	<1	1	1	3	6	7	10
6-12 YRS	298	2.6	12	1	1	1	3	5	8	20
13-19 YRS	1299	3.0	19	<1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	2.7	3	1	1	2	3	5	6	9
B. *Operated*	1802	1.9	4	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	360	3.5	26	<1	1	2	4	6	8	31
B. *Operated*	1822	2.9	16	<1	1	2	3	6	8	19
1. SINGLE DX	2117	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	2182	3.0	18	<1	1	2	3	6	8	20
A. NOT OPERATED	675	3.1	15	<1	1	2	4	5	7	17
B. OPERATED	3624	2.4	10	<1	1	1	3	5	7	14
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	40	2.2	3	<1	1	2	2	5	6	7
1-5 YRS	591	2.2	4	<1	1	1	3	5	6	11
6-12 YRS	809	2.3	7	<1	1	1	3	4	6	13
13-19 YRS	2857	2.6	14	<1	1	2	3	5	7	16
GRAND TOTAL	**4299**	**2.5**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	50	2.7	4	1	1	2	3	5	7	9
6-12 YRS	107	3.6	22	1	1	3	4	6	8	29
13-19 YRS	237	2.7	4	<1	1	2	3	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	182	3.9	23	<1	1	2	4	9	13	28
6-12 YRS	464	3.1	15	<1	1	2	3	6	8	22
13-19 YRS	801	3.1	11	<1	1	2	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	2.2	1	<1	<1	2	3	3	3	3
1-5 YRS	40	3.1	4	1	1	3	4	6	7	9
6-12 YRS	115	4.7	19	1	2	3	5	8	14	25
13-19 YRS	169	3.9	15	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS	3	13.0	124	1	1	15	21	23	23	23
1-5 YRS	118	6.2	43	1	1	4	7	15	21	28
6-12 YRS	281	6.7	57	1	1	4	8	16	21	36
13-19 YRS	612	5.7	39	1	1	4	7	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	2.9	9	<1	1	2	4	6	7	11
B. *Operated*	1450	3.2	14	<1	1	2	4	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	330	4.1	15	1	1	3	5	7	10	19
B. *Operated*	1014	6.1	44	1	1	4	7	14	20	34
1. SINGLE DX	1848	3.1	13	<1	1	2	4	6	8	20
2. MULTIPLE DX	1344	5.6	38	1	1	4	6	12	18	32
A. NOT OPERATED	728	3.4	12	1	1	3	4	7	8	17
B. OPERATED	2464	4.4	28	1	1	3	5	9	14	28
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	4.4	39	<1	1	2	4	15	21	23
1-5 YRS	390	4.4	26	<1	1	3	5	10	14	28
6-12 YRS	967	4.4	31	1	1	3	5	9	14	25
13-19 YRS	1819	4.0	21	1	1	3	5	8	11	26
GRAND TOTAL	**3192**	**4.2**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8	2	<1	<1	1	2	4	4	4
6-12 YRS	4	1.3		1	1	1	2	2	2	2
13-19 YRS	40	3.5	20	<1	1	2	5	7	8	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	8	12.9	783	<1	<1	3	5	59	82	82
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	17	5.4	46	<1	1	3	6	18	22	23
6-12 YRS	37	5.6	48	1	1	2	7	12	21	34
13-19 YRS	156	7.5	96	1	1	4	9	19	34	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		1	1	1	2	2	2	2
B. *Operated*	48	3.1	17	<1	1	2	4	7	8	27
2. MULTIPLE DX										
A. *Not Operated*	13	8.5	490	<1	<1	2	4	21	71	82
B. *Operated*	213	6.9	83	1	1	4	9	17	29	82
1. SINGLE DX	53	2.9	16	<1	1	2	3	6	8	26
2. MULTIPLE DX	226	7.0	105	1	1	3	8	17	30	86
A. NOT OPERATED	18	6.5	357	<1	1	2	3	5	52	82
B. OPERATED	261	6.2	73	1	1	3	7	15	24	68
TOTAL 0-27 DYS										
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	22	4.5	38	<1	<1	2	4	15	21	23
6-12 YRS	45	4.9	42	1	1	2	6	11	17	34
13-19 YRS	207	6.8	107	1	1	3	7	16	30	89
GRAND TOTAL	**279**	**6.2**	**90**	**1**	**1**	**3**	**7**	**15**	**24**	**79**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	7	2.0	2	1	1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	19	3.0	14	<1	<1	2	3	7	12	16
6-12 YRS	16	2.2	5	<1	1	1	3	4	8	10
13-19 YRS	85	2.7	6	<1	1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	2.8	6	<1	<1	2	4	7	7	7
6-12 YRS	9	21.9	1027	<1	<1	5	32	74	99	99+
13-19 YRS	18	5.4	31	<1	1	3	9	15	18	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	7	2.4	5	<1	<1	2	3	6	7	7
6-12 YRS	22	2.3	5	<1	<1	2	3	5	8	10
13-19 YRS	68	5.0	72	<1	1	2	5	12	17	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	4	1	1	2	4	5	6	6
B. *Operated*	122	2.6	7	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	33	9.4	336	<1	1	3	9	22	36	99
B. *Operated*	99	4.3	52	<1	1	2	4	8	16	46
1. SINGLE DX	131	2.6	7	<1	1	2	3	6	8	16
2. MULTIPLE DX	132	5.5	126	<1	1	2	5	13	19	64
A. NOT OPERATED	42	7.9	271	<1	1	3	7	19	33	99
B. OPERATED	221	3.4	28	<1	1	2	3	7	10	26
TOTAL 0-27 DYS										
1-11 MOS	5	3.0	20	1	1	1	4	11	11	11
1-5 YRS	31	2.8	10	<1	<1	2	3	7	8	16
6-12 YRS	49	6.0	233	<1	1	2	4	10	31	99
13-19 YRS	178	3.8	35	<1	1	2	4	8	15	31
GRAND TOTAL	**263**	**4.1**	**69**	**<1**	**1**	**2**	**4**	**8**	**15**	**37**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	68	3.1	2	<1	1	3	4	5	5	6
6-12 YRS	228	3.6	3	1	1	3	5	6	6	9
13-19 YRS	218	3.8	4	1	2	4	5	6	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	2	1	1	2	3	4	4	4
6-12 YRS	6	8.8	22	4	4	7	13	16	16	16
13-19 YRS	4	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.3	140	1	1	2	17	22	22	22
1-5 YRS	32	3.0	3	<1	1	3	4	6	6	8
6-12 YRS	141	4.1	5	1	1	4	5	6	7	10
13-19 YRS	189	3.7	4	1	1	3	5	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	3.3	2	1	1	4	4	5	5	5
6-12 YRS	21	4.2	6	<1	1	4	5	7	9	11
13-19 YRS	39	4.7	8	1	1	4	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	3.6	3	1	1	3	5	6	6	10
B. *Operated*	15	5.3	20	1	1	4	7	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	365	3.8	5	1	1	4	5	6	7	9
B. *Operated*	68	4.4	7	1	1	4	5	8	9	14
1. SINGLE DX	530	3.6	4	1	1	3	5	6	6	11
2. MULTIPLE DX	433	3.9	6	1	1	4	5	6	7	12
A. NOT OPERATED	880	3.7	4	1	1	4	5	6	7	10
B. OPERATED	83	4.6	9	1	1	4	6	8	11	15
TOTAL 0-27 DYS										
1-11 MOS	5	6.8	81	<1	<1	2	11	22	22	22
1-5 YRS	112	3.0	2	<1	1	3	4	5	6	7
6-12 YRS	396	3.9	5	1	1	4	5	6	7	11
13-19 YRS	450	3.8	4	1	1	4	5	6	7	11
GRAND TOTAL	**963**	**3.8**	**5**	**1**	**1**	**4**	**5**	**6**	**7**	**11**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	81	1.7	3	<1	1	1	2	3	4	12
1-5 YRS	291	1.6	2	<1	1	1	2	3	4	7
6-12 YRS	378	1.6	1	<1	1	1	2	3	4	7
13-19 YRS	669	1.8	2	<1	<1	1	2	3	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS	56	2.2	11	<1	<1	1	2	4	8	22
6-12 YRS	73	2.6	7	<1	<1	2	3	6	9	14
13-19 YRS	114	2.7	10	<1	<1	2	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.0	5	1	1	2	4	6	7	7
1-11 MOS	108	2.3	7	<1	1	1	2	6	7	16
1-5 YRS	503	1.9	2	<1	1	1	2	4	5	8
6-12 YRS	632	1.9	2	1	1	1	2	4	5	8
13-19 YRS	1564	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	6.5	60	2	2	3	11	18	18	18
1-5 YRS	51	3.8	21	<1	1	2	4	7	13	25
6-12 YRS	94	4.6	65	1	1	2	5	10	15	51
13-19 YRS	291	3.1	18	1	1	2	4	6	8	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1422	1.7	2	<1	1	1	2	3	4	7
B. *Operated*	245	2.6	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	2814	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	440	3.6	29	1	1	2	4	7	10	30
1. SINGLE DX	1667	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	3254	2.2	7	<1	1	1	2	4	6	11
A. NOT OPERATED	4236	1.9	3	<1	1	1	2	4	5	8
B. OPERATED	685	3.2	22	<1	<1	2	4	6	9	24
TOTAL 0-27 DYS	10	2.6	4	<1	<1	2	4	6	7	7
1-11 MOS	195	2.2	7	<1	1	1	2	4	7	17
1-5 YRS	901	1.9	4	<1	1	1	2	4	5	9
6-12 YRS	1177	2.1	8	<1	1	1	2	4	5	12
13-19 YRS	2638	2.1	5	<1	<1	1	2	4	5	10
GRAND TOTAL	**4921**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	45	1.6	1	1	1	1	2	3	4	5
6-12 YRS	29	2.2	5	1	1	1	3	4	5	12
13-19 YRS	34	1.9	2	1	1	2	2	4	5	7
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	13	3.6	13	<1	<1	1	5	10	12	12
6-12 YRS	14	3.9	7	1	1	3	6	7	10	11
13-19 YRS	40	4.4	62	1	1	2	4	6	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	32	2.3	3	1	1	2	3	5	5	8
6-12 YRS	29	2.0	2	1	1	2	2	4	6	6
13-19 YRS	45	3.8	8	1	1	3	5	8	10	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	27	5.4	31	<1	1	4	6	16	19	19
6-12 YRS	37	4.1	25	1	1	2	4	10	18	21
13-19 YRS	79	4.7	34	1	1	2	6	9	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.9	2	1	1	1	2	3	5	9
B. *Operated*	69	4.2	39	1	1	2	5	7	12	40
2. MULTIPLE DX										
A. *Not Operated*	106	2.9	5	1	1	2	4	6	8	12
B. *Operated*	145	4.7	30	1	1	2	6	10	18	31
1. SINGLE DX	181	2.7	18	1	1	2	3	5	7	22
2. MULTIPLE DX	251	3.9	21	1	1	2	5	8	13	21
A. NOT OPERATED	218	2.4	4	1	1	2	3	5	6	11
B. OPERATED	214	4.5	33	1	1	2	5	9	18	32
TOTAL 0-27 DYS	3	5.3	8	2	2	7	7	7	7	7
1-11 MOS	5	2.0	2	1	1	2	3	4	4	4
1-5 YRS	117	2.9	12	1	1	1	3	6	9	19
6-12 YRS	109	3.0	12	1	1	2	3	6	11	19
13-19 YRS	198	4.0	29	1	1	2	5	8	12	32
GRAND TOTAL	**432**	**3.4**	**20**	**1**	**1**	**2**	**4**	**7**	**11**	**22**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.1		<1	<1	<1	<1	2	2	2
6-12 YRS	6	1.0		<1	<1	1	1	1	1	1
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8	1	<1	<1	1	2	3	3	3
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	7	3.3	4	<1	<1	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.1		<1	<1	<1	1	1	2	2
B. *Operated*	8	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	7	2.4	3	1	1	2	3	5	6	6
B. *Operated*	15	2.5	3	<1	<1	2	3	4	6	7
1. SINGLE DX	24	1.2		<1	<1	1	1	2	3	4
2. MULTIPLE DX	22	2.5	3	<1	<1	2	3	5	6	7
A. NOT OPERATED	23	1.5	1	<1	<1	1	1	3	4	6
B. OPERATED	23	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	18	1.3		<1	<1	1	1	3	3	3
6-12 YRS	13	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	14	2.8	4	<1	<1	2	4	6	7	7
GRAND TOTAL	**46**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	38	1.4	1	<1	1	1	2	3	3	4
1-11 MOS	207	1.4	1	<1	<1	1	1	2	3	6
1-5 YRS	721	1.1		<1	<1	1	1	1	2	4
6-12 YRS	271	1.2		<1	<1	1	1	2	2	4
13-19 YRS	133	1.3	1	<1	<1	1	1	2	3	7
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	57	1.6	2	<1	1	1	2	3	4	11
1-5 YRS	309	1.7	3	<1	1	1	2	3	4	9
6-12 YRS	61	1.7	2	<1	<1	1	2	4	5	9
13-19 YRS	44	2.3	4	<1	<1	1	3	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	52	2.8	15	<1	1	2	3	5	6	22
1-11 MOS	134	2.2	3	1	1	2	3	4	6	10
1-5 YRS	172	2.1	5	<1	<1	2	2	4	5	9
6-12 YRS	66	1.5	2	<1	<1	1	2	2	3	9
13-19 YRS	62	2.5	8	<1	<1	2	3	4	8	16
B. Operated										
0-27 DYS	1	39.0		39	39	39	39	39	39	39
1-11 MOS	29	6.2	59	<1	1	2	11	22	24	99+
1-5 YRS	160	3.4	15	<1	1	2	4	7	14	20
6-12 YRS	51	3.9	31	<1	<1	2	4	9	15	32
13-19 YRS	44	5.9	36	1	1	3	8	17	18	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1370	1.2	1	<1	<1	1	1	2	2	4
B. Operated	472	1.7	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	486	2.2	5	<1	1	2	2	4	5	13
B. Operated	285	4.3	31	<1	1	2	5	13	17	36
1. SINGLE DX	1842	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	771	3.0	16	<1	1	2	3	6	12	22
A. NOT OPERATED	1856	1.5	2	<1	<1	1	1	2	3	6
B. OPERATED	757	2.7	15	<1	1	1	3	6	11	22
TOTAL 0-27 DYS	92	2.6	24	<1	1	1	2	4	5	32
1-11 MOS	427	2.0	7	<1	1	1	2	3	6	20
1-5 YRS	1362	1.7	4	<1	<1	1	1	3	5	12
6-12 YRS	449	1.6	5	<1	<1	1	1	3	4	11
13-19 YRS	283	2.4	11	<1	<1	1	2	5	9	17
GRAND TOTAL	**2613**	**1.8**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**15**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	7	3.4	5	<1	<1	3	5	7	7	7
1-5 YRS	24	5.8	56	<1	1	3	6	16	23	34
6-12 YRS	9	7.3	32	<1	1	6	10	17	19	19
13-19 YRS	12	6.2	21	<1	1	6	10	12	13	13
B. Operated										
0-27 DYS										
1-11 MOS	12	7.8	48	<1	<1	7	10	17	25	26
1-5 YRS	52	8.0	75	1	1	5	11	20	22	46
6-12 YRS	63	8.4	127	1	1	5	9	20	24	72
13-19 YRS	73	6.2	66	1	1	4	7	10	13	57
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	13	5.8	32	1	1	6	9	16	18	18
1-5 YRS	87	7.0	44	1	1	6	9	16	20	76
6-12 YRS	35	9.3	206	1	2	7	11	15	19	87
13-19 YRS	53	5.4	12	1	2	5	7	11	12	14
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	39	17.3	148	2	4	16	23	35	43	53
1-5 YRS	215	15.7	209	1	2	12	22	34	47	95
6-12 YRS	120	17.0	275	2	3	12	24	39	58	99+
13-19 YRS	138	14.9	161	2	3	12	20	33	42	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	5.8	36	<1	1	4	7	13	18	34
B. Operated	200	7.5	87	1	1	5	9	17	22	56
2. MULTIPLE DX										
A. Not Operated	189	6.9	65	1	1	5	9	14	18	67
B. Operated	513	15.9	206	2	2	12	22	35	45	96
1. SINGLE DX	252	7.1	76	<1	1	5	9	15	21	46
2. MULTIPLE DX	702	13.5	184	1	2	9	19	30	41	94
A. NOT OPERATED	241	6.7	59	1	1	5	8	13	18	41
B. OPERATED	713	13.5	187	1	2	9	19	30	41	90
TOTAL 0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	71	12.4	124	<1	1	9	17	27	37	52
1-5 YRS	378	12.0	161	1	1	8	18	29	37	92
6-12 YRS	227	13.0	230	1	2	8	18	29	41	96
13-19 YRS	276	10.4	121	1	2	7	13	24	35	65
GRAND TOTAL	**954**	**11.8**	**163**	**1**	**2**	**8**	**16**	**27**	**38**	**87**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	70	3.5	9	1	1	2	5	8	10	13
1-5 YRS	311	4.0	14	1	1	3	5	8	11	18
6-12 YRS	109	4.2	15	1	1	3	6	9	13	18
13-19 YRS	132	3.4	9	<1	1	2	5	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	18	6.5	79	<1	1	3	6	22	30	33
1-5 YRS	52	7.2	47	1	1	4	10	17	19	34
6-12 YRS	41	8.0	47	1	1	6	11	21	23	26
13-19 YRS	48	6.0	35	1	1	4	8	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	9	<1	<1	4	6	7	7	7
1-11 MOS	242	5.0	18	1	1	4	7	11	14	20
1-5 YRS	861	5.5	27	1	1	4	7	12	16	27
6-12 YRS	249	5.0	26	1	1	3	6	11	16	24
13-19 YRS	391	3.9	15	1	1	2	5	9	12	19
B. *Operated*										
0-27 DYS	3	7.3		7	7	7	8	8	8	8
1-11 MOS	53	9.0	88	1	2	6	11	25	32	98
1-5 YRS	256	10.4	96	1	2	7	15	23	28	49
6-12 YRS	80	9.3	93	1	1	6	14	22	30	46
13-19 YRS	145	8.3	62	1	1	6	11	20	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	623	3.9	12	1	1	3	5	8	11	17
B. *Operated*	159	7.0	47	1	1	4	10	17	23	32
2. MULTIPLE DX										
A. *Not Operated*	1746	5.0	23	1	1	3	7	11	15	23
B. *Operated*	537	9.5	85	1	2	7	13	22	27	48
1. SINGLE DX	782	4.5	21	1	1	3	6	10	14	24
2. MULTIPLE DX	2283	6.0	41	1	1	4	8	14	19	30
A. NOT OPERATED	2369	4.7	21	1	1	3	6	10	14	23
B. OPERATED	696	8.9	78	1	1	6	12	21	26	46
TOTAL 0-27 DYS	7	5.7	6	<1	1	7	7	8	8	8
1-11 MOS	383	5.4	31	1	1	4	7	11	15	31
1-5 YRS	1480	6.1	41	1	1	4	8	14	18	30
6-12 YRS	479	5.8	40	1	1	4	7	14	20	28
13-19 YRS	716	4.8	28	1	1	3	6	11	16	23
GRAND TOTAL	**3065**	**5.7**	**37**	**1**	**1**	**4**	**7**	**13**	**18**	**29**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS	13	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	61	2.3	3	<1	<1	2	3	4	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	25	1.4		<1	<1	1	2	2	3	3
13-19 YRS	105	2.6	11	<1	1	2	3	5	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	3.0	2	<1	<1	3	4	4	4	4
1-5 YRS	10	2.4	5	1	1	1	4	6	7	7
6-12 YRS	9	3.2	20	1	1	2	3	10	15	15
13-19 YRS	72	4.4	25	1	1	3	5	10	16	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	69.0		69	69	69	69	69	69	69
1-5 YRS	35	3.5	34	1	1	1	3	9	20	27
6-12 YRS	64	3.0	27	<1	1	2	3	5	9	35
13-19 YRS	215	3.3	35	<1	1	2	3	8	16	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.1	3	<1	<1	2	3	4	6	9
B. *Operated*	136	2.3	9	<1	1	1	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	96	4.0	21	1	1	2	5	10	14	24
B. *Operated*	315	3.5	47	<1	1	2	3	7	15	62
1. SINGLE DX	217	2.2	7	<1	<1	1	3	4	7	10
2. MULTIPLE DX	411	3.6	41	1	1	2	3	9	15	46
A. NOT OPERATED	177	3.2	14	<1	1	2	4	7	10	22
B. OPERATED	451	3.1	36	<1	1	2	3	6	10	39
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	10.9	553	<1	<1	3	4	50	69	69
1-5 YRS	55	2.9	23	<1	1	1	3	5	9	27
6-12 YRS	111	2.5	17	<1	1	2	2	4	7	24
13-19 YRS	453	3.2	24	<1	1	2	3	7	11	30
GRAND TOTAL	**628**	**3.1**	**29**	**<1**	**1**	**2**	**3**	**7**	**10**	**31**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	18	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	116	1.7	1	<1	1	1	2	3	4	5
6-12 YRS	196	1.7	1	1	1	1	2	4	4	6
13-19 YRS	348	1.9	2	<1	1	1	2	3	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.8	1	5	5	6	6	7	7	7
1-5 YRS	19	5.4	25	<1	1	3	8	15	16	16
6-12 YRS	43	3.8	8	1	1	3	5	8	10	12
13-19 YRS	98	3.5	9	<1	<1	3	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	15	1.7	1	<1	1	1	3	5	71	99+
1-5 YRS	147	3.0	10	1	1	2	4	6	10	23
6-12 YRS	198	2.6	7	1	1	2	3	6	8	12
13-19 YRS	499	2.6	6	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	42	5.6	40	1	1	3	7	15	21	26
6-12 YRS	71	7.5	72	1	1	5	8	20	26	45
13-19 YRS	232	7.2	84	1	1	4	8	16	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	164	3.9	11	<1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	863	2.7	7	<1	1	2	3	5	7	14
B. *Operated*	349	7.1	75	1	1	4	8	17	23	48
1. SINGLE DX	842	2.2	4	<1	1	1	3	4	7	11
2. MULTIPLE DX	1212	3.9	30	<1	1	2	4	8	13	30
A. NOT OPERATED	1541	2.3	5	<1	1	2	3	4	6	12
B. OPERATED	513	6.0	57	1	1	3	7	13	20	42
TOTAL 0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	41	2.2	3	<1	1	1	3	5	6	99+
1-5 YRS	324	3.0	13	<1	1	2	3	6	10	22
6-12 YRS	508	3.1	18	1	1	2	3	6	9	24
13-19 YRS	1177	3.4	24	<1	1	2	4	7	11	23
GRAND TOTAL	**2054**	**3.2**	**20**	**<1**	**1**	**2**	**3**	**7**	**10**	**23**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	8	1	1	1	5	6	6	6
1-11 MOS	90	1.3		<1	<1	1	2	2	3	4
1-5 YRS	1909	1.3	1	<1	<1	1	1	2	2	4
6-12 YRS	231	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	2208	1.8	7	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	2.0	2	1	1	2	3	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	4.5	18	1	1	3	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.0	16	2	2	4	6	12	12	12
1-11 MOS	107	2.3	6	<1	1	1	3	4	6	15
1-5 YRS	930	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	372	2.9	26	1	1	2	3	5	9	38
13-19 YRS	5873	3.4	35	<1	1	2	3	6	11	34
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	9	3	3	6	8	9	9	9
1-5 YRS	13	4.6	17	<1	1	4	6	10	15	16
6-12 YRS	5	6.0	34	2	2	5	8	16	16	16
13-19 YRS	89	7.3	105	<1	1	4	8	14	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4441	1.5	4	<1	<1	1	2	3	3	5
B. *Operated*	14	3.1	9	1	1	2	3	7	11	12
2. MULTIPLE DX										
A. *Not Operated*	7287	3.1	30	<1	1	2	3	6	10	31
B. *Operated*	110	6.9	89	<1	1	4	8	13	21	55
1. SINGLE DX	4455	1.5	4	<1	<1	1	2	3	3	6
2. MULTIPLE DX	7397	3.2	31	<1	1	2	3	6	10	31
A. NOT OPERATED	11728	2.5	21	<1	1	1	2	4	7	23
B. OPERATED	124	6.5	81	<1	1	4	7	12	20	51
TOTAL 0-27 DYS	9	4.0	12	1	1	3	5	10	12	12
1-11 MOS	201	1.9	4	<1	1	1	2	3	5	12
1-5 YRS	2857	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	609	2.4	17	<1	1	2	2	4	6	24
13-19 YRS	8176	3.0	28	<1	1	2	3	5	9	30
GRAND TOTAL	**11852**	**2.6**	**21**	**<1**	**1**	**1**	**2**	**4**	**7**	**23**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.0		1	1	1	1	1	1	1
1-11 MOS	78	1.5	1	<1	<1	1	2	3	4	6
1-5 YRS	1201	2.0	3	<1	1	1	2	5	6	8
6-12 YRS	278	1.7	2	<1	1	1	2	3	5	7
13-19 YRS	408	1.5	2	<1	<1	1	2	2	3	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	11	4.4	14	<1	<1	3	6	10	13	13
6-12 YRS	4	4.3	8	1	1	4	6	7	7	7
13-19 YRS	7	2.4	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.4	7	1	1	3	5	8	8	8
1-11 MOS	63	2.4	4	<1	1	1	3	5	7	11
1-5 YRS	702	2.6	7	1	1	2	3	5	6	13
6-12 YRS	146	2.2	4	<1	1	1	2	5	6	10
13-19 YRS	491	2.5	20	<1	<1	1	2	4	7	29
B. *Operated*										
0-27 DYS										
1-11 MOS	6	5.8	21	1	1	7	11	82	99+	99+
1-5 YRS	26	11.0	233	<1	1	4	14	30	49	63
6-12 YRS	6	3.8	31	1	1	2	3	14	15	15
13-19 YRS	29	10.4	310	1	1	3	11	24	53	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1969	1.8	3	<1	<1	1	2	5	5	8
B. *Operated*	23	3.7	9	<1	1	3	6	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	1409	2.5	11	<1	1	2	3	5	7	14
B. *Operated*	67	9.6	229	1	1	3	11	27	52	97
1. SINGLE DX	1992	1.9	3	<1	<1	1	2	5	5	8
2. MULTIPLE DX	1476	2.8	23	<1	1	2	3	5	8	26
A. NOT OPERATED	3378	2.1	6	<1	1	1	2	5	6	11
B. OPERATED	90	8.1	179	1	1	3	10	19	44	93
TOTAL 0-27 DYS	11	2.5	6	1	1	1	3	7	8	8
1-11 MOS	148	2.1	4	<1	1	1	2	5	7	12
1-5 YRS	1940	2.3	9	<1	1	1	3	5	6	13
6-12 YRS	434	1.9	3	<1	1	1	2	4	5	10
13-19 YRS	935	2.3	23	<1	<1	1	2	4	6	21
GRAND TOTAL	**3468**	**2.3**	**12**	**<1**	**1**	**1**	**2**	**5**	**6**	**13**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.9	3	1	1	2	4	6	7	7
1-11 MOS	104	2.2	6	<1	1	1	3	4	8	14
1-5 YRS	415	1.7	1	1	1	1	2	3	4	7
6-12 YRS	186	2.8	38	<1	1	2	3	5	6	25
13-19 YRS	268	1.9	9	<1	1	1	2	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	6	2.2	3	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	2.7	4	<1	<1	2	3	5	8	9
1-11 MOS	156	4.4	29	1	1	3	6	10	13	33
1-5 YRS	442	3.4	17	<1	1	2	4	7	11	24
6-12 YRS	270	3.1	34	1	1	2	3	6	8	18
13-19 YRS	411	2.5	7	<1	1	2	3	5	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	10	20.4	622	1	1	6	33	63	68	68
1-5 YRS	43	12.0	311	1	1	4	14	54	55	99+
6-12 YRS	31	6.9	182	1	1	2	7	12	30	72
13-19 YRS	43	8.4	183	1	1	3	8	32	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	984	2.0	11	<1	1	1	2	4	5	9
B. *Operated*	15	2.2	2	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	1294	3.2	19	1	1	2	4	7	9	21
B. *Operated*	127	10.2	266	1	1	3	10	43	56	99+
1. SINGLE DX	999	2.0	11	<1	1	1	2	4	5	9
2. MULTIPLE DX	1421	3.8	45	1	1	2	4	7	11	50
A. NOT OPERATED	2278	2.7	16	<1	1	2	3	5	8	16
B. OPERATED	142	9.4	244	1	1	3	8	33	55	99+
TOTAL 0-27 DYS	26	2.8	4	<1	1	2	3	5	7	9
1-11 MOS	271	4.2	51	1	1	2	4	9	13	39
1-5 YRS	903	3.0	28	1	1	2	3	6	9	35
6-12 YRS	492	3.2	45	1	1	2	3	6	8	33
13-19 YRS	728	2.6	20	<1	1	1	3	5	7	25
GRAND TOTAL	**2420**	**3.1**	**32**	**<1**	**1**	**2**	**3**	**6**	**8**	**33**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	2.1	2	<1	1	2	2	4	6	6
1-5 YRS	36	2.2	3	<1	<1	2	3	4	6	8
6-12 YRS	37	3.2	6	1	1	2	4	7	7	12
13-19 YRS	58	2.9	16	<1	<1	2	3	5	8	28
B. *Operated*										
0-27 DYS	3	8.0	28	2	2	10	11	12	12	12
1-11 MOS	93	4.9	21	2	2	3	5	8	15	26
1-5 YRS	211	4.4	15	1	1	3	5	9	13	20
6-12 YRS	219	3.8	9	1	1	3	5	7	8	17
13-19 YRS	312	3.5	14	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	87	5.3	34	1	1	3	7	12	18	31
1-5 YRS	198	5.4	23	<1	1	4	8	13	14	20
6-12 YRS	120	4.2	20	1	1	3	5	9	13	25
13-19 YRS	185	5.6	43	1	1	3	7	12	16	30
B. *Operated*										
0-27 DYS	22	10.7	112	1	2	9	12	31	36	37
1-11 MOS	411	9.6	118	1	2	5	12	27	34	62
1-5 YRS	853	7.7	89	1	2	4	9	17	25	46
6-12 YRS	754	6.4	56	1	1	4	7	14	23	41
13-19 YRS	798	7.3	78	1	1	5	8	16	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.7	9	<1	<1	2	3	5	7	13
B. *Operated*	838	4.0	14	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	591	5.2	30	1	1	3	7	12	15	28
B. *Operated*	2838	7.5	82	1	1	4	9	17	27	47
1. SINGLE DX	984	3.8	13	<1	1	3	5	7	10	21
2. MULTIPLE DX	3429	7.1	74	1	1	4	8	16	25	45
A. NOT OPERATED	737	4.7	27	<1	1	3	6	11	14	27
B. OPERATED	3676	6.7	69	1	1	4	8	15	24	44
TOTAL 0-27 DYS	27	9.8	98	1	1	9	12	27	35	37
1-11 MOS	605	8.1	93	1	2	4	9	20	29	53
1-5 YRS	1298	6.7	67	1	1	4	8	14	21	42
6-12 YRS	1130	5.5	43	1	1	3	6	11	19	35
13-19 YRS	1353	6.0	59	1	1	4	7	13	20	45
GRAND TOTAL	**4413**	**6.4**	**63**	**1**	**1**	**4**	**7**	**14**	**22**	**42**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5	6	<1	<1	1	4	6	6	6
1-11 MOS	12	1.3		1	1	1	2	2	3	3
1-5 YRS	110	1.3		<1	<1	1	2	2	3	4
6-12 YRS	184	1.4	2	<1	<1	1	2	2	3	7
13-19 YRS	233	1.7	1	<1	<1	1	2	3	3	6
B. *Operated*										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	7	1.1		1	1	1	1	2	2	2
1-5 YRS	124	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	224	1.5	1	<1	<1	1	2	3	3	5
13-19 YRS	318	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	9	1.6	1	1	1	1	2	3	4	4
1-5 YRS	49	1.6	1	<1	1	1	2	3	3	4
6-12 YRS	66	1.6	1	1	1	1	2	3	4	4
13-19 YRS	79	2.6	4	1	1	2	3	6	7	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	1.5	1	<1	<1	1	1	3	4	4
1-5 YRS	91	1.4	1	1	1	1	1	2	4	6
6-12 YRS	122	1.9	10	1	1	1	2	3	5	19
13-19 YRS	169	2.0	5	1	1	1	2	4	5	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	1.5	1	<1	<1	1	2	3	3	6
B. *Operated*	676	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	206	2.0	2	1	1	1	2	4	5	8
B. *Operated*	397	1.8	6	1	1	1	2	3	5	14
1. SINGLE DX	1219	1.6	2	<1	<1	1	2	3	3	7
2. MULTIPLE DX	603	1.9	5	1	1	1	2	3	5	10
A. NOT OPERATED	749	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	1073	1.7	3	<1	1	1	2	3	4	9
TOTAL 0-27 DYS	11	1.7	2	<1	<1	1	2	4	6	6
1-11 MOS	42	1.4	1	1	1	1	1	3	3	4
1-5 YRS	374	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	596	1.6	3	<1	1	1	2	2	3	8
13-19 YRS	799	1.8	3	<1	1	1	2	3	5	9
GRAND TOTAL	**1822**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	5.5	26	2	2	3	8	13	13	13
1-11 MOS	15	3.2	3	1	2	3	3	5	8	9
1-5 YRS	29	3.5	5	1	1	3	4	6	7	12
6-12 YRS	64	4.4	5	1	2	4	6	8	9	10
13-19 YRS	131	4.9	11	1	2	4	6	10	12	18
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	4.4	27	<1	<1	3	4	14	16	16
1-5 YRS	24	4.8	16	<1	1	4	7	10	13	15
6-12 YRS	67	5.4	11	2	2	5	7	10	12	15
13-19 YRS	110	8.1	64	1	2	6	10	16	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	5.3	19	1	1	5	7	11	15	16
1-11 MOS	43	5.0	16	1	1	3	8	10	13	17
1-5 YRS	66	5.4	23	<1	2	4	6	9	14	26
6-12 YRS	70	6.4	31	2	2	5	8	11	19	33
13-19 YRS	157	5.9	20	2	2	5	7	11	13	28
B. *Operated*										
0-27 DYS	3	12.7	14	10	10	11	15	17	17	17
1-11 MOS	24	12.2	99	2	4	9	14	27	34	41
1-5 YRS	42	8.3	88	1	1	5	11	18	29	48
6-12 YRS	75	10.6	214	2	3	7	11	17	34	91
13-19 YRS	199	10.3	86	2	2	8	14	20	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	4.5	9	1	2	4	6	8	11	15
B. *Operated*	209	6.7	42	1	2	5	8	13	17	40
2. MULTIPLE DX										
A. *Not Operated*	349	5.8	22	1	2	5	7	10	14	27
B. *Operated*	343	10.3	114	2	2	7	13	20	29	53
1. SINGLE DX	452	5.5	25	1	2	4	7	11	14	26
2. MULTIPLE DX	692	8.0	73	1	2	6	9	16	22	43
A. NOT OPERATED	592	5.3	17	1	2	4	7	9	12	22
B. OPERATED	552	9.0	90	1	2	6	11	17	26	47
TOTAL 0-27 DYS	21	6.6	24	1	1	5	10	14	16	17
1-11 MOS	89	6.6	48	1	1	4	8	15	18	37
1-5 YRS	161	5.7	38	1	1	4	7	12	16	30
6-12 YRS	276	6.9	75	2	2	5	8	12	15	42
13-19 YRS	597	7.6	53	1	2	5	9	15	20	41
GRAND TOTAL	**1144**	**7.0**	**55**	**1**	**2**	**5**	**8**	**14**	**19**	**40**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	4.2	37	<1	<1	2	5	13	21	21
1-5 YRS	50	1.8	2	1	1	1	2	4	4	7
6-12 YRS	35	2.5	4	1	1	2	3	5	7	9
13-19 YRS	82	2.5	4	1	1	2	3	6	7	10
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	14	4.4	20	1	1	3	6	12	15	16
1-5 YRS	60	4.2	71	<1	1	2	4	7	10	56
6-12 YRS	37	3.3	5	<1	1	3	5	7	8	8
13-19 YRS	66	3.6	9	<1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.3	46	2	2	7	13	17	17	17
1-11 MOS	53	3.8	12	<1	1	3	6	7	10	20
1-5 YRS	166	2.9	19	1	1	2	3	5	8	29
6-12 YRS	164	2.3	5	1	1	1	2	5	7	12
13-19 YRS	298	2.4	5	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	7	6.6	29	1	1	7	12	14	14	14
1-11 MOS	72	9.1	214	1	1	4	11	21	35	88
1-5 YRS	290	3.5	44	<1	1	1	3	8	14	35
6-12 YRS	353	2.8	25	1	1	1	2	7	12	26
13-19 YRS	674	2.8	20	1	1	1	3	6	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	2.4	5	1	1	2	3	5	6	10
B. *Operated*	179	3.8	30	<1	1	2	5	8	9	28
2. MULTIPLE DX										
A. *Not Operated*	685	2.7	9	1	1	2	3	5	7	16
B. *Operated*	1396	3.3	38	1	1	1	3	8	13	31
1. SINGLE DX	357	3.1	18	<1	1	2	4	6	8	17
2. MULTIPLE DX	2081	3.1	29	1	1	1	3	7	11	26
A. NOT OPERATED	863	2.6	9	1	1	2	3	5	7	15
B. OPERATED	1575	3.3	37	1	1	1	3	8	13	31
TOTAL 0-27 DYS	14	6.2	29	1	1	4	10	14	16	17
1-11 MOS	149	6.4	117	1	1	3	7	14	21	51
1-5 YRS	566	3.3	36	<1	1	1	3	7	11	32
6-12 YRS	589	2.7	17	1	1	1	2	6	9	22
13-19 YRS	1120	2.7	14	1	1	1	3	6	9	17
GRAND TOTAL	**2438**	**3.1**	**27**	**1**	**1**	**1**	**3**	**7**	**11**	**25**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	13	1.8	2	<1	<1	1	2	4	6	6
1-5 YRS	42	2.2	2	1	1	2	3	4	5	7
6-12 YRS	15	1.7	1	1	1	2	2	3	3	3
13-19 YRS	13	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	27	3.0	5	1	1	2	3	6	9	9
1-5 YRS	53	3.3	12	<1	1	2	3	7	12	18
6-12 YRS	22	3.6	5	<1	<1	3	4	7	9	10
13-19 YRS	26	4.3	20	1	1	3	4	11	14	21
B. *Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS										
1-5 YRS	4	5.5	40	2	2	3	9	15	15	15
6-12 YRS	7	4.0	8	<1	<1	3	6	8	9	9
13-19 YRS	6	4.0	7	1	1	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.0	2	1	1	2	2	4	5	7
B. *Operated*	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	130	3.5	11	<1	1	3	4	8	11	19
B. *Operated*	19	4.4	12	<1	1	3	6	9	12	15
1. SINGLE DX	88	2.1	3	1	1	2	2	4	5	10
2. MULTIPLE DX	149	3.6	11	<1	1	3	4	8	11	18
A. NOT OPERATED	216	2.9	8	1	1	2	3	6	9	16
B. OPERATED	21	4.6	14	<1	1	3	6	10	13	15
TOTAL 0-27 DYS	7	4.1	11	1	1	3	5	10	11	11
1-11 MOS	41	2.6	4	<1	1	2	3	5	8	9
1-5 YRS	100	3.0	10	<1	1	2	3	6	10	17
6-12 YRS	44	3.0	5	<1	1	3	4	6	8	10
13-19 YRS	45	3.6	13	1	1	2	4	8	12	21
GRAND TOTAL	**237**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	13	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	3.0	12	1	1	1	6	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	24	2.5	2	<1	1	2	3	5	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	18	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	28	2.5	3	<1	<1	2	3	5	6	7
1. SINGLE DX	19	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX	30	2.4	3	<1	<1	2	3	5	6	7
A. NOT OPERATED	3	1.0		1	1	1	1	1	1	1
B. OPERATED	46	2.1	2	<1	<1	2	2	4	5	7
TOTAL 0-27 DYS	3	1.3		<1	<1	<1	2	2	2	2
1-11 MOS	4	2.8	8	1	1	2	4	7	7	7
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	40	2.0	2	<1	<1	2	3	4	5	6
GRAND TOTAL	**49**	**2.0**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	62.0		62	62	62	62	62	62	62
1500-1749	5	15.6	26	9	9	15	20	22	22	22
1750-2499	4974	2.8	3	1	1	2	3	5	5	8
2500+	366221	2.5	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	3.0	2	1	1	3	4	4	4	4
2500+	109	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	98	65.4	235	39	48	66	78	89	93	99+
1000-1499	697	39.1	263	16	21	37	49	63	70	99
1500-1749	1068	23.5	98	10	12	22	29	36	42	56
1750-2499	18170	6.5	35	1	2	5	8	14	18	28
2500+	241251	3.3	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	335	75.2	274	49	56	89	99+	99+	99+	99+
1000-1499	846	50.5	338	24	29	50	66	84	99+	99+
1500-1749	533	33.8	220	15	19	31	41	54	64	99
1750-2499	1984	17.6	169	2	5	15	23	32	44	82
2500+	5139	7.9	83	1	2	5	9	15	22	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371201	2.5	2	1	1	2	3	4	5	6
B. *Operated*	113	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	261284	3.7	14	1	2	3	4	6	7	19
B. *Operated*	8837	18.3	442	2	3	10	26	57	82	99+
1. SINGLE DX	371314	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	270121	4.2	35	1	2	3	4	6	9	32
A. NOT OPERATED	632485	3.0	7	1	1	3	4	5	6	11
B. OPERATED	8950	18.1	439	2	3	10	25	57	81	99+
TOTAL 1-999 G	433	73.0	281	47	54	84	99+	99+	99+	99+
1000-1499	1544	45.3	336	19	24	44	59	76	92	99+
1500-1749	1606	26.9	162	11	14	25	33	43	51	80
1750-2499	25132	6.6	52	1	2	4	8	15	21	34
2500+	612720	2.9	3	1	1	3	4	5	5	8
GRAND TOTAL	**641435**	**3.2**	**16**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.0		21	21	21	21	21	21	21
1500-1749	2	19.5	41	15	15	19	24	24	24	24
1750-2499	736	4.2	4	2	2	4	5	6	7	12
2500+	3333	3.9	2	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	12	70.1	242	45	47	78	86	99+	99+	99+
1000-1499	171	37.9	254	15	19	35	47	59	72	82
1500-1749	325	22.7	80	9	13	21	28	34	39	52
1750-2499	3402	8.2	42	2	3	6	11	17	20	30
2500+	3456	4.7	6	2	2	5	5	7	8	14
B. *Operated*										
1-999 G	49	74.8	333	48	59	95	99+	99+	99+	99+
1000-1499	224	50.4	314	25	29	51	66	85	99+	99+
1500-1749	158	32.7	140	14	19	33	40	50	56	99+
1750-2499	384	17.6	146	3	5	15	24	33	41	72
2500+	130	12.4	160	2	3	8	13	32	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4073	4.0	3	2	2	4	5	6	7	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7366	8.0	73	2	3	5	8	17	25	46
B. *Operated*	945	30.2	504	4	6	27	48	77	99+	99+
1. SINGLE DX	4073	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	8311	10.5	172	2	3	5	11	26	40	87
A. NOT OPERATED	11439	6.6	52	2	2	5	6	13	19	38
B. OPERATED	945	30.2	504	4	6	27	48	77	99+	99+
TOTAL 1-999 G	61	73.9	314	46	54	89	99+	99+	99+	99+
1000-1499	397	44.8	327	18	24	44	57	75	89	99+
1500-1749	485	25.9	121	10	13	25	32	41	49	71
1750-2499	4522	8.3	54	2	3	6	11	18	23	35
2500+	6919	4.5	9	2	2	4	5	6	7	14
GRAND TOTAL	**12384**	**8.4**	**126**	**2**	**2**	**5**	**7**	**19**	**32**	**75**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	42	2.1	1	1	1	2	3	4	4	5
2500+	879	2.1	1	1	1	2	3	3	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	8	35.6	245	21	22	32	38	62	71	71
1500-1749	10	27.3	39	16	19	27	29	36	39	39
1750-2499	175	7.3	46	2	2	5	9	17	21	28
2500+	585	3.3	21	1	1	3	4	6	7	13
B. *Operated*										
1-999 G	2	68.5	13	66	66	85	99+	99+	99+	99+
1000-1499	11	50.8	344	27	28	49	78	99+	99+	99+
1500-1749	3	34.0	172	22	22	32	44	48	48	48
1750-2499	19	10.8	89	1	2	9	19	26	28	29
2500+	31	5.7	14	1	1	6	8	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	2.1	1	1	1	2	3	3	4	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	778	4.9	48	1	1	3	5	9	16	33
B. *Operated*	66	17.9	449	1	1	9	29	68	99+	99+
1. SINGLE DX	921	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	844	5.9	91	1	1	3	5	12	23	71
A. NOT OPERATED	1699	3.4	24	1	1	2	3	6	9	25
B. OPERATED	66	17.9	449	1	1	9	29	68	99+	99+
TOTAL 1-999 G	2	68.5	13	66	66	85	99+	99+	99+	99+
1000-1499	19	44.4	345	23	26	42	66	90	99+	99+
1500-1749	13	28.8	67	17	21	28	32	41	47	48
1750-2499	236	6.7	46	1	2	4	9	17	21	29
2500+	1495	2.6	10	1	1	2	3	5	6	10
GRAND TOTAL	**1765**	**3.9**	**48**	**1**	**1**	**2**	**3**	**7**	**11**	**42**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	5	1.4		<1	<1	1	2	2	2	2
13-19 YRS	12	1.5	2	<1	<1	1	1	3	6	6
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	67	1.6	1	<1	<1	1	2	3	3	5
6-12 YRS	212	1.9	3	<1	<1	1	2	3	4	10
13-19 YRS	1184	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.3	5	1	1	1	4	5	5	5
6-12 YRS	8	1.9	4	<1	<1	1	2	5	7	7
13-19 YRS	12	1.1		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	94	2.3	3	<1	<1	2	3	4	5	10
6-12 YRS	217	2.6	4	<1	1	2	3	4	6	12
13-19 YRS	392	2.9	17	<1	1	2	3	5	7	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.4	1	<1	<1	1	1	2	4	6
B. *Operated*	1465	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	24	1.5	2	<1	<1	1	1	3	6	7
B. *Operated*	705	2.7	11	<1	<1	2	3	5	6	14
1. SINGLE DX	1484	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	729	2.7	11	<1	<1	2	3	5	6	14
A. NOT OPERATED	43	1.5	2	<1	<1	1	1	2	5	7
B. OPERATED	2170	2.1	5	<1	<1	1	3	4	5	9
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	166	2.0	2	<1	<1	2	3	3	5	9
6-12 YRS	442	2.2	4	<1	<1	2	3	4	5	12
13-19 YRS	1600	2.0	6	<1	<1	1	2	4	5	8
GRAND TOTAL	**2213**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	22	1.6	4	1	1	1	1	3	7	9
13-19 YRS	19	1.8	4	1	1	1	1	5	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	1.7	4	1	1	1	1	4	7	9
B. *Operated*	12	1.8	1	<1	<1	1	3	3	4	4
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX	55	1.7	3	<1	1	1	2	3	7	9
A. NOT OPERATED	44	1.7	4	<1	1	1	1	3	7	9
B. OPERATED	12	1.8	1	<1	<1	1	3	3	4	4
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	27	1.7	3	1	1	1	1	4	6	9
13-19 YRS	26	1.7	3	<1	<1	1	1	3	7	8
GRAND TOTAL	**56**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**7**	**9**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	254	3.1	9	<1	1	2	4	6	9	17
1-11 MOS	283	2.4	11	<1	<1	2	3	4	6	17
1-5 YRS	443	2.0	8	<1	<1	1	2	4	5	10
6-12 YRS	305	2.5	30	<1	<1	1	2	4	7	16
13-19 YRS	810	2.1	13	<1	<1	1	2	4	6	12
B. *Operated*										
0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	64	6.0	18	<1	1	6	9	11	14	16
1-5 YRS	161	3.3	15	<1	<1	2	5	8	9	12
6-12 YRS	147	3.0	12	<1	<1	2	4	7	9	14
13-19 YRS	386	3.1	12	<1	<1	2	4	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	273	6.1	61	1	1	4	7	13	20	40
1-11 MOS	551	3.5	22	<1	1	2	4	7	10	25
1-5 YRS	2315	3.3	29	<1	1	2	4	5	7	32
6-12 YRS	1926	3.9	51	<1	1	2	4	6	10	43
13-19 YRS	2772	5.3	109	<1	1	2	4	11	27	66
B. *Operated*										
0-27 DYS	17	8.5	78	1	2	6	10	26	30	31
1-11 MOS	191	6.0	42	1	1	4	8	14	18	35
1-5 YRS	563	4.0	41	<1	1	2	5	9	11	27
6-12 YRS	423	3.8	65	<1	<1	2	4	8	12	34
13-19 YRS	911	4.4	65	1	1	2	4	9	20	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2095	2.3	14	<1	<1	1	2	4	6	14
B. *Operated*	762	3.4	14	<1	<1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	7837	4.3	64	<1	1	2	4	7	14	48
B. *Operated*	2105	4.4	57	<1	1	2	5	9	15	60
1. SINGLE DX	2857	2.6	14	<1	<1	1	3	6	8	15
2. MULTIPLE DX	9942	4.3	63	<1	1	2	4	8	15	49
A. NOT OPERATED	9932	3.9	54	<1	1	2	4	6	12	42
B. OPERATED	2867	4.1	46	<1	1	2	5	9	13	46
TOTAL 0-27 DYS	548	4.8	40	<1	1	3	5	10	15	31
1-11 MOS	1089	3.8	24	<1	1	2	4	8	11	25
1-5 YRS	3482	3.3	28	<1	<1	2	3	6	8	29
6-12 YRS	2801	3.7	49	<1	1	2	4	6	10	40
13-19 YRS	4879	4.4	79	<1	1	2	4	8	19	60
GRAND TOTAL	**12799**	**3.9**	**52**	**<1**	**1**	**2**	**4**	**7**	**12**	**43**

Operation Groups

Length of Stay Tables
Operation Groups

1473 Hospitals, United States, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6206	3.2	7	1	1	3	4	5	7	12
1-11 MOS	13811	3.4	10	<1	1	3	4	7	9	16
1-5 YRS	37982	2.8	12	<1	<1	2	3	6	8	19
6-12 YRS	50140	2.8	16	<1	1	2	3	6	8	22
13-19 YRS	141296	2.8	12	<1	1	2	3	5	7	14
2. MULTIPLE DX										
0-27 DYS	29686	10.9	248	1	2	5	11	31	53	99+
1-11 MOS	23041	6.2	66	1	1	4	7	13	20	50
1-5 YRS	52860	4.5	42	<1	1	2	5	9	15	35
6-12 YRS	44545	4.8	59	1	1	2	5	10	17	43
13-19 YRS	128521	5.1	57	1	1	3	5	9	16	45
TOT. SINGLE DX	249435	2.9	13	<1	1	2	3	5	7	17
" MULTIPLE DX	278653	5.6	79	1	1	3	6	11	20	56
TOTAL 0-27 DYS	35892	9.5	214	1	2	4	9	26	47	98
1-11 MOS	36852	5.1	47	1	1	3	6	10	16	39
1-5 YRS	90842	3.7	30	<1	1	2	4	8	12	28
6-12 YRS	94685	3.7	37	<1	1	2	4	8	12	32
13-19 YRS	269817	3.9	35	1	1	3	4	7	11	34
GRAND TOTAL	**528088**	**4.3**	**50**	**<1**	**1**	**2**	**4**	**8**	**14**	**41**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	11.7	50	4	4	13	17	18	18	18
1-11 MOS	43	4.8	13	1	2	3	7	10	12	18
1-5 YRS	89	8.0	53	1	2	6	10	17	21	39
6-12 YRS	104	7.9	20	1	2	7	10	14	17	22
13-19 YRS	130	7.9	24	2	3	7	10	14	17	29
2. MULTIPLE DX										
0-27 DYS	15	20.9	403	3	5	16	28	31	71	84
1-11 MOS	127	14.6	182	1	2	12	19	34	47	99+
1-5 YRS	217	12.9	176	1	2	9	18	33	55	99+
6-12 YRS	197	14.9	282	2	3	10	16	38	57	99+
13-19 YRS	288	17.1	261	3	4	12	22	47	61	99+
TOT. SINGLE DX	369	7.6	30	1	2	7	10	14	18	28
" MULTIPLE DX	844	15.2	237	2	3	11	19	40	59	99+
TOTAL 0-27 DYS	18	19.3	350	3	4	14	25	31	63	84
1-11 MOS	170	12.1	158	1	2	9	17	26	44	94
1-5 YRS	306	11.5	145	1	2	8	16	27	43	99+
6-12 YRS	301	12.5	203	2	2	8	14	25	49	99
13-19 YRS	418	14.2	206	2	3	10	16	34	55	99+
GRAND TOTAL	**1213**	**12.9**	**186**	**2**	**2**	**9**	**15**	**30**	**48**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	57	5.4	50	2	2	4	6	7	9	53
1-5 YRS	41	6.5	48	1	2	4	8	13	15	43
6-12 YRS	69	6.8	17	3	3	6	9	13	14	22
13-19 YRS	61	8.7	36	3	4	7	9	16	23	31
2. MULTIPLE DX										
0-27 DYS	3	17.0	57	10	10	16	23	25	25	25
1-11 MOS	54	13.9	278	3	4	7	13	36	58	79
1-5 YRS	65	12.9	130	3	4	10	16	31	34	56
6-12 YRS	64	12.8	144	2	3	9	20	33	39	94
13-19 YRS	136	17.6	281	3	5	11	23	45	60	99+
TOT. SINGLE DX	229	6.9	37	2	3	5	8	12	15	34
" MULTIPLE DX	322	15.0	224	3	4	9	20	36	50	86
TOTAL 0-27 DYS	4	14.0	74	5	5	13	20	25	25	25
1-11 MOS	111	9.5	178	2	3	5	7	24	44	68
1-5 YRS	106	10.4	107	2	3	8	12	23	33	55
6-12 YRS	133	9.7	87	2	3	6	12	22	32	64
13-19 YRS	197	14.8	222	3	4	8	18	38	48	91
GRAND TOTAL	**551**	**11.7**	**162**	**2**	**3**	**7**	**13**	**29**	**43**	**80**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	4.3	5	2	2	3	5	8	9	9
1-11 MOS	288	4.2	3	2	2	4	5	7	8	9
1-5 YRS	118	5.0	12	2	2	4	6	8	10	25
6-12 YRS	92	4.4	6	2	2	4	6	8	9	14
13-19 YRS	75	4.5	12	1	2	3	5	8	10	22
2. MULTIPLE DX										
0-27 DYS	7	8.4	141	2	2	4	7	30	35	35
1-11 MOS	103	8.3	146	3	3	5	8	12	18	85
1-5 YRS	112	9.5	108	2	3	6	9	23	29	57
6-12 YRS	115	6.8	42	2	2	5	8	15	23	60
13-19 YRS	136	11.0	134	2	3	6	13	26	36	76
TOT. SINGLE DX	582	4.4	7	2	2	4	5	7	9	11
" MULTIPLE DX	473	9.0	110	2	3	6	9	20	30	76
TOTAL 0-27 DYS	16	6.1	64	2	2	4	6	9	27	35
1-11 MOS	391	5.3	44	2	2	4	6	8	9	28
1-5 YRS	230	7.2	65	2	2	5	7	11	23	37
6-12 YRS	207	5.7	28	2	2	4	7	10	16	35
13-19 YRS	211	8.7	101	2	2	5	10	23	28	66
GRAND TOTAL	**1055**	**6.5**	**58**	**2**	**2**	**5**	**7**	**10**	**20**	**42**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	21	6.0	9	2	2	5	8	9	12	15
1-11 MOS	138	5.8	18	2	3	5	7	10	16	24
1-5 YRS	62	5.3	12	2	3	5	6	8	11	25
6-12 YRS	23	5.8	2	3	4	6	7	8	8	8
13-19 YRS	29	8.1	47	3	3	7	9	12	15	41
2. MULTIPLE DX										
0-27 DYS	91	32.3	746	5	7	24	63	99+	99+	99+
1-11 MOS	208	11.0	174	2	3	6	11	30	38	66
1-5 YRS	133	9.0	105	2	3	5	9	19	34	56
6-12 YRS	78	10.8	122	2	3	6	13	25	37	51
13-19 YRS	90	14.3	337	2	3	8	15	43	63	95
TOT. SINGLE DX	273	5.9	19	2	3	5	7	9	13	25
" MULTIPLE DX	600	14.2	323	2	3	7	16	45	66	99+
TOTAL 0-27 DYS	112	27.3	713	4	5	17	59	99	99+	99+
1-11 MOS	346	8.9	119	2	3	5	9	22	31	62
1-5 YRS	195	7.8	79	2	3	5	8	15	25	52
6-12 YRS	101	9.6	100	2	3	6	9	22	30	50
13-19 YRS	119	12.8	273	2	3	7	12	37	50	91
GRAND TOTAL	**873**	**11.6**	**242**	**2**	**3**	**6**	**11**	**32**	**56**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	5.4	10	2	2	6	7	10	10	10
1-11 MOS	109	4.7	15	2	2	3	5	8	11	25
1-5 YRS	187	4.8	27	1	2	3	5	10	14	25
6-12 YRS	162	4.4	12	1	2	4	5	8	11	21
13-19 YRS	90	5.4	27	2	2	4	6	9	13	31
2. MULTIPLE DX										
0-27 DYS	32	34.0	818	3	4	23	56	97	99	99+
1-11 MOS	377	9.9	133	2	2	5	13	27	34	65
1-5 YRS	614	7.9	110	1	2	4	8	18	28	59
6-12 YRS	464	7.3	98	1	2	4	7	17	29	65
13-19 YRS	342	11.2	202	1	2	6	13	31	51	99+
TOT. SINGLE DX	553	4.8	20	1	2	3	5	8	13	26
" MULTIPLE DX	1829	9.2	154	1	2	5	10	24	35	85
TOTAL 0-27 DYS	37	30.2	804	2	3	21	56	92	99	99+
1-11 MOS	486	8.7	111	2	2	5	10	22	29	58
1-5 YRS	801	7.1	93	1	2	4	7	15	25	57
6-12 YRS	626	6.6	77	1	2	4	6	14	24	60
13-19 YRS	432	10.0	172	1	2	6	11	26	43	99+
GRAND TOTAL	**2382**	**8.2**	**127**	**1**	**2**	**4**	**8**	**20**	**31**	**76**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	8.8	31	2	3	7	10	18	19	19
1-5 YRS	13	7.5	18	1	3	6	8	16	16	16
6-12 YRS	9	10.3	14	6	6	10	12	16	18	18
13-19 YRS	33	8.7	35	2	4	7	10	13	25	31
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	19	11.6	109	4	5	7	14	25	37	46
1-5 YRS	44	9.9	98	2	3	8	11	18	34	99+
6-12 YRS	40	11.0	89	3	4	8	11	26	37	39
13-19 YRS	82	16.8	233	3	5	11	18	41	49	71
TOT. SINGLE DX	64	8.7	28	2	4	7	10	16	18	30
" MULTIPLE DX	187	13.2	164	3	4	9	15	32	43	71
TOTAL 0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	28	10.7	84	4	4	7	13	21	29	46
1-5 YRS	57	9.3	81	2	3	8	10	17	22	97
6-12 YRS	49	10.9	75	3	4	8	12	25	37	39
13-19 YRS	115	14.4	189	3	5	9	16	35	45	68
GRAND TOTAL	**251**	**12.1**	**133**	**3**	**4**	**8**	**13**	**27**	**39**	**66**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	10.9	29	3	3	13	15	17	18	18
1-11 MOS	21	5.7	10	3	3	5	7	12	50	99+
1-5 YRS	19	7.7	21	3	4	6	9	13	19	23
6-12 YRS	20	5.6	3	2	3	6	7	8	9	9
13-19 YRS	59	9.2	39	1	2	9	13	16	24	27
2. MULTIPLE DX										
0-27 DYS	87	19.7	186	4	6	15	28	42	50	87
1-11 MOS	44	10.9	63	3	4	8	13	20	28	42
1-5 YRS	69	11.0	85	2	3	8	14	23	27	53
6-12 YRS	64	9.6	66	2	3	7	11	19	25	42
13-19 YRS	110	13.5	197	1	2	9	17	25	58	84
TOT. SINGLE DX	126	7.9	28	2	2	6	11	15	20	44
" MULTIPLE DX	374	13.5	148	2	3	10	17	29	41	69
TOTAL 0-27 DYS	94	19.1	180	4	6	15	27	41	49	85
1-11 MOS	65	9.2	52	3	3	7	11	19	28	91
1-5 YRS	88	10.3	73	2	4	7	13	22	26	49
6-12 YRS	84	8.6	54	2	3	6	9	17	21	42
13-19 YRS	169	12.0	146	1	2	9	15	23	35	73
GRAND TOTAL	**500**	**12.1**	**124**	**2**	**3**	**9**	**15**	**25**	**35**	**68**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	3.8	1	2	2	4	5	5	5	5
1-5 YRS	9	2.0	1	<1	<1	2	2	4	5	5
6-12 YRS	14	3.4	7	<1	<1	3	4	8	9	9
13-19 YRS	58	2.5	3	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	8.0	34	3	3	8	13	14	14	14
1-5 YRS	18	4.5	9	1	2	4	5	8	12	14
6-12 YRS	21	4.0	57	<1	<1	2	3	7	21	36
13-19 YRS	50	5.4	32	<1	1	3	7	11	19	30
TOT. SINGLE DX	85	2.7	4	<1	<1	2	3	5	7	10
" MULTIPLE DX	93	5.0	33	<1	1	3	6	10	15	33
TOTAL 0-27 DYS										
1-11 MOS	8	5.9	20	2	2	4	8	13	14	14
1-5 YRS	27	3.7	8	1	1	3	5	7	9	14
6-12 YRS	35	3.7	37	<1	<1	2	4	8	9	36
13-19 YRS	108	3.9	19	<1	1	2	5	8	10	24
GRAND TOTAL	**178**	**3.9**	**21**	**<1**	**1**	**2**	**5**	**8**	**11**	**27**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	18	3.3	14	1	1	2	3	8	13	16
6-12 YRS	39	1.8	1	<1	<1	1	2	3	5	6
13-19 YRS	202	2.1	2	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	27.0	882	6	6	48	87	99+	99+	99+
1-5 YRS	45	3.1	27	<1	1	1	3	5	11	28
6-12 YRS	99	2.9	10	1	1	2	3	6	10	18
13-19 YRS	314	2.5	7	<1	1	1	3	5	9	17
TOT. SINGLE DX	263	2.1	4	<1	<1	1	2	4	6	9
" MULTIPLE DX	460	2.7	15	<1	1	2	3	6	9	19
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	12.4	402	1	1	6	48	95	99+	99+
1-5 YRS	63	3.1	23	1	1	2	3	6	11	27
6-12 YRS	138	2.6	8	<1	1	2	3	5	7	16
13-19 YRS	516	2.3	6	<1	1	1	3	5	8	13
GRAND TOTAL	**723**	**2.5**	**11**	**<1**	**1**	**1**	**3**	**5**	**8**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	11	3.8	2	1	2	4	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	4.1	1	3	3	4	5	6	6	6
TOT. SINGLE DX	12	3.9	2	1	2	4	5	6	6	6
" MULTIPLE DX	7	4.1	1	3	3	4	5	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	18	3.9	2	1	2	4	5	6	6	6
GRAND TOTAL	**19**	**4.0**	**2**	**1**	**2**	**4**	**5**	**6**	**6**	**6**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	10.0	32	6	6	10	14	14	14	14
13-19 YRS	24	4.3	10	<1	<1	4	6	10	11	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	17	13.2	392	<1	1	3	19	49	63	67
TOT. SINGLE DX	28	4.6	13	<1	<1	4	6	10	12	14
" MULTIPLE DX	23	10.7	306	<1	1	3	12	30	60	67
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.4	5	1	1	1	4	6	6	6
6-12 YRS	5	7.2	16	4	4	6	9	14	14	14
13-19 YRS	41	8.0	183	<1	<1	3	8	20	38	67
GRAND TOTAL	**51**	**7.3**	**151**	**<1**	**1**	**4**	**7**	**16**	**23**	**67**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	2.8		2	2	3	3	4	4	4
1-5 YRS	5	1.8	1	1	1	1	2	4	4	4
6-12 YRS	29	2.7	1	1	1	3	4	5	5	5
13-19 YRS	229	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	3	13.3	321	2	2	4	26	34	34	34
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	11.5	25	8	8	11	15	15	15	15
6-12 YRS	10	4.0	16	<1	<1	3	4	10	15	15
13-19 YRS	111	4.4	28	1	2	3	4	7	8	36
TOT. SINGLE DX	271	2.6	2	1	1	3	3	4	5	6
" MULTIPLE DX	128	4.6	34	1	2	3	4	7	15	36
TOTAL 0-27 DYS	5	8.8	199	2	2	2	11	34	34	34
1-11 MOS	8	2.9	1	2	2	3	4	4	4	4
1-5 YRS	7	4.6	28	1	1	2	7	14	15	15
6-12 YRS	39	3.0	6	1	1	3	4	5	5	15
13-19 YRS	340	3.2	11	1	1	3	4	5	6	19
GRAND TOTAL	**399**	**3.3**	**13**	**1**	**1**	**3**	**4**	**5**	**6**	**20**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	14	2.6	4	<1	1	2	3	7	8	8
1-5 YRS	207	1.4		<1	1	1	2	2	3	5
6-12 YRS	138	1.5		<1	1	1	2	2	3	4
13-19 YRS	119	1.9	1	<1	1	1	2	3	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	9.0	181	1	1	4	11	33	33	33
1-5 YRS	34	1.9	2	<1	<1	1	2	4	6	7
6-12 YRS	28	2.3	3	<1	1	2	2	5	6	8
13-19 YRS	45	4.4	17	1	1	3	6	11	15	99+
TOT. SINGLE DX	478	1.6	1	<1	1	1	2	3	3	6
" MULTIPLE DX	112	3.3	18	<1	1	2	4	8	11	58
TOTAL 0-27 DYS										
1-11 MOS	19	4.3	52	<1	1	2	4	8	22	33
1-5 YRS	241	1.5	1	<1	1	1	2	3	4	6
6-12 YRS	166	1.6	1	<1	1	1	2	3	3	6
13-19 YRS	164	2.6	7	<1	1	2	3	5	9	20
GRAND TOTAL	**590**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	7.3	14	3	3	9	10	10	10	10
1-5 YRS	4	10.5	53	5	5	8	15	21	21	21
6-12 YRS	10	6.3	26	1	1	4	12	14	15	15
13-19 YRS	19	6.6	19	2	3	6	7	9	17	23
2. MULTIPLE DX										
0-27 DYS	2	28.5	545	12	12	28	45	45	45	45
1-11 MOS	10	14.2	251	4	6	10	38	99+	99+	99+
1-5 YRS	16	9.1	9	5	5	8	12	14	14	14
6-12 YRS	11	9.2	20	2	4	8	12	16	18	18
13-19 YRS	38	10.5	48	3	4	9	12	21	26	34
TOT. SINGLE DX	36	7.0	24	1	2	6	8	13	19	23
" MULTIPLE DX	77	10.9	76	4	5	9	13	21	40	99+
TOTAL 0-27 DYS	2	28.5	545	12	12	28	45	45	45	45
1-11 MOS	13	12.6	200	3	4	10	17	99+	99+	99+
1-5 YRS	20	9.4	17	5	5	8	12	14	18	21
6-12 YRS	21	7.8	24	1	2	7	12	14	16	18
13-19 YRS	57	9.2	41	3	4	7	11	19	23	34
GRAND TOTAL	**113**	**9.7**	**62**	**3**	**4**	**8**	**12**	**19**	**27**	**99+**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	1.4		<1	<1	1	2	3	3	3
1-5 YRS	48	1.2		<1	<1	<1	1	2	2	5
6-12 YRS	32	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	16	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	19	2.4	8	<1	<1	1	2	9	55	99+
6-12 YRS	6	2.3	5	<1	<1	1	2	7	7	7
13-19 YRS	10	4.8	32	<1	<1	3	5	14	20	20
TOT. SINGLE DX	106	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	37	3.0	14	<1	<1	2	3	9	16	99+
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	1.4		<1	<1	1	2	3	3	3
1-5 YRS	67	1.6	3	<1	<1	1	1	2	7	84
6-12 YRS	38	1.3	1	<1	<1	<1	1	2	2	7
13-19 YRS	26	2.5	15	<1	<1	1	2	5	10	20
GRAND TOTAL	**143**	**1.7**	**5**	**<1**	**<1**	**<1**	**1**	**3**	**6**	**25**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.5		<1	<1	<1	2	3	3	3
1-5 YRS	169	1.4		<1	<1	1	2	2	3	4
6-12 YRS	104	1.4		<1	<1	1	2	2	3	6
13-19 YRS	74	1.6	1	<1	1	1	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	9	6.0	63	1	1	4	5	18	27	27
1-11 MOS	14	4.9	30	<1	1	3	5	16	18	18
1-5 YRS	164	2.8	14	<1	1	2	3	5	7	23
6-12 YRS	141	2.8	10	1	1	2	3	5	7	19
13-19 YRS	466	2.8	9	<1	1	2	3	6	7	14
TOT. SINGLE DX	353	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	794	2.9	12	<1	1	2	3	5	8	18
TOTAL 0-27 DYS	9	6.0	64	1	1	4	5	18	27	27
1-11 MOS	20	3.9	23	<1	<1	2	4	12	17	18
1-5 YRS	333	2.1	8	<1	<1	1	2	4	5	16
6-12 YRS	245	2.2	7	<1	<1	1	2	4	6	16
13-19 YRS	540	2.7	9	<1	1	2	3	5	7	13
GRAND TOTAL	**1147**	**2.5**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**16**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	33	1.2		<1	<1	1	1	2	2	5
6-12 YRS	16	1.3		<1	<1	1	1	2	3	4
13-19 YRS	19	1.6		<1	<1	1	2	2	4	5
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	2.0	3	<1	<1	1	3	5	6	6
1-5 YRS	22	2.1	3	<1	<1	2	2	6	7	7
6-12 YRS	23	2.0	1	<1	<1	1	2	4	5	6
13-19 YRS	22	1.6		<1	<1	1	2	3	4	4
TOT. SINGLE DX	69	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	75	1.9	2	<1	<1	1	2	4	6	7
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	8	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	55	1.6	2	<1	<1	1	2	2	6	7
6-12 YRS	39	1.7	1	<1	<1	1	2	4	4	6
13-19 YRS	41	1.6	1	<1	<1	1	2	2	4	5
GRAND TOTAL	**144**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**5**	**6**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.6	2	<1	<1	1	2	4	5	5
6-12 YRS	9	2.7	7	<1	<1	1	3	8	8	8
13-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	10.2	137	1	1	2	22	24	24	24
1-5 YRS	5	3.8	12	1	1	3	5	10	10	10
6-12 YRS	9	10.3	588	<1	1	2	3	46	75	75
13-19 YRS	9	2.9	5	<1	<1	2	6	6	6	6
TOT. SINGLE DX	23	2.1	5	<1	<1	1	2	6	7	8
" MULTIPLE DX	28	6.8	211	<1	1	2	5	18	29	75
TOTAL 0-27 DYS										
1-11 MOS	5	10.2	137	1	1	2	22	24	24	24
1-5 YRS	13	2.5	7	<1	<1	1	3	6	9	10
6-12 YRS	18	6.5	296	<1	<1	2	3	8	48	75
13-19 YRS	15	2.5	5	<1	<1	1	5	6	6	6
GRAND TOTAL	**51**	**4.7**	**122**	**<1**	**<1**	**2**	**3**	**7**	**21**	**74**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.0	1	1	1	2	3	4	4	4
1-5 YRS	18	1.6		<1	<1	1	2	2	3	3
6-12 YRS	12	2.3	1	<1	1	2	3	4	5	5
13-19 YRS	30	2.5	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	2.9	2	1	1	2	4	5	7	7
1-5 YRS	19	1.9	1	<1	<1	1	2	4	5	6
6-12 YRS	11	2.1		1	1	2	3	3	3	3
13-19 YRS	17	2.7	3	1	1	3	4	4	7	8
TOT. SINGLE DX	65	2.2	2	<1	1	2	2	4	5	9
" MULTIPLE DX	60	2.4	2	1	1	2	3	4	6	8
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	17	2.6	2	1	1	2	4	4	6	7
1-5 YRS	37	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	23	2.2	1	<1	1	2	3	3	4	5
13-19 YRS	47	2.6	4	1	1	2	3	5	7	9
GRAND TOTAL	**125**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	89	3.1	7	<1	<1	3	4	6	7	15
6-12 YRS	83	2.7	2	<1	1	3	4	5	6	7
13-19 YRS	69	2.8	2	1	1	3	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	4.8	8	1	1	5	7	8	8	8
1-5 YRS	50	3.4	3	<1	1	3	5	6	6	7
6-12 YRS	75	3.3	5	<1	1	3	4	6	7	14
13-19 YRS	67	4.0	8	1	1	3	6	7	9	16
TOT. SINGLE DX	245	2.9	4	<1	1	3	4	5	6	14
" MULTIPLE DX	198	3.6	6	1	1	3	5	6	7	14
TOTAL 0-27 DYS	3	4.0		4	4	4	4	4	4	4
1-11 MOS	7	4.6	7	1	1	5	7	8	8	8
1-5 YRS	139	3.2	6	<1	1	3	4	6	7	15
6-12 YRS	158	3.0	4	<1	1	3	4	5	6	10
13-19 YRS	136	3.4	6	1	1	3	4	6	7	14
GRAND TOTAL	**443**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	1.0		<1	<1	1	1	1	1	1
1-11 MOS	23	1.7	1	<1	<1	1	2	3	4	5
1-5 YRS	10	1.7		<1	<1	2	2	3	3	3
6-12 YRS	13	1.7		1	1	2	2	3	3	3
13-19 YRS	25	1.6		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	2	24.0	882	3	3	24	45	45	45	45
1-11 MOS	12	1.4		1	1	1	2	3	3	3
1-5 YRS	18	1.7	2	1	1	1	2	3	6	8
6-12 YRS	17	2.1	1	1	1	2	3	4	4	4
13-19 YRS	27	3.4	16	<1	<1	2	3	9	14	17
TOT. SINGLE DX	80	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	76	2.9	31	1	1	1	3	5	9	38
TOTAL 0-27 DYS	11	5.2	175	<1	<1	1	1	20	43	45
1-11 MOS	35	1.6	1	<1	1	1	2	3	4	5
1-5 YRS	28	1.7	2	<1	1	1	2	3	4	8
6-12 YRS	30	1.9	1	1	1	2	2	3	4	4
13-19 YRS	52	2.5	10	<1	1	1	3	6	9	17
GRAND TOTAL	**156**	**2.2**	**16**	**<1**	**1**	**1**	**2**	**3**	**5**	**17**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	12	2.6	1	1	1	2	3	5	5	5
6-12 YRS	28	4.7	14	1	1	4	6	11	13	16
13-19 YRS	34	2.8	2	1	1	3	3	5	6	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	3.2	7	1	1	2	5	8	8	8
1-5 YRS	13	2.3	2	1	1	2	3	5	5	5
6-12 YRS	34	4.6	10	1	1	4	6	9	12	15
13-19 YRS	40	4.7	12	1	2	4	5	8	12	19
TOT. SINGLE DX	78	3.5	8	1	1	3	4	7	8	15
" MULTIPLE DX	94	4.2	11	1	1	4	5	8	11	17
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	9	3.4	8	1	1	2	6	8	8	8
1-5 YRS	25	2.4	2	1	1	2	3	5	5	5
6-12 YRS	62	4.7	12	1	1	4	6	9	13	16
13-19 YRS	74	3.8	9	1	1	3	5	7	9	18
GRAND TOTAL	**172**	**3.9**	**9**	**1**	**1**	**3**	**5**	**7**	**11**	**16**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	33	1.8	1	<1	<1	1	2	4	4	7
1-5 YRS	15	1.3		<1	<1	1	1	3	3	3
6-12 YRS	8	2.3	1	<1	<1	2	3	4	4	4
13-19 YRS	8	3.3	6	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
0-27 DYS	3	4.0	27	1	1	1	8	10	10	10
1-11 MOS	14	2.4	4	<1	<1	2	3	6	8	8
1-5 YRS	17	2.4	4	<1	1	2	3	5	8	9
6-12 YRS	19	2.9	4	1	1	3	3	6	8	9
13-19 YRS	9	2.1	2	1	1	2	2	5	6	6
TOT. SINGLE DX	69	1.9	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	62	2.6	5	<1	1	2	3	6	8	10
TOTAL 0-27 DYS	8	2.4	10	1	1	1	2	8	10	10
1-11 MOS	47	2.0	3	<1	<1	1	2	4	6	8
1-5 YRS	32	1.8	3	<1	<1	1	2	3	6	9
6-12 YRS	27	2.7	3	<1	<1	3	3	5	7	9
13-19 YRS	17	2.6	4	<1	1	2	4	6	7	7
GRAND TOTAL	**131**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**5**	**6**	**9**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	1.4		1	1	1	2	3	3	3
1-11 MOS	41	1.3		<1	<1	1	2	2	3	4
1-5 YRS	23	1.4		<1	<1	1	2	2	3	3
6-12 YRS	28	1.6	3	<1	<1	1	2	2	5	10
13-19 YRS	15	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	19	1.8	2	<1	<1	1	2	3	6	7
1-5 YRS	20	1.6		<1	<1	1	2	3	3	3
6-12 YRS	32	2.0	1	<1	1	2	3	4	5	5
13-19 YRS	18	2.3	2	<1	<1	2	3	4	5	6
TOT. SINGLE DX	116	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	91	1.9	−2	<1	<1	2	2	4	4	7
TOTAL 0-27 DYS	11	1.5		1	1	1	2	3	3	3
1-11 MOS	60	1.5	1	<1	<1	1	2	2	3	7
1-5 YRS	43	1.5		<1	<1	1	2	2	3	3
6-12 YRS	60	1.9	2	<1	1	1	2	4	5	10
13-19 YRS	33	1.9	1	<1	<1	2	2	3	4	6
GRAND TOTAL	**207**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
TOT. SINGLE DX	6	1.7	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	7	1.6	2	<1	<1	<1	1	4	5	5
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	1.5	1	<1	<1	<1	2	3	3	3
13-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**13**	**1.6**	**1**	**<1**	**<1**	**<1**	**2**	**3**	**5**	**5**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.6	1	2	2	2	3	4	4	4
1-5 YRS	8	2.6	1	1	1	2	3	5	5	5
6-12 YRS	45	3.0	2	1	1	3	4	5	6	7
13-19 YRS	104	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	50	99+	99+	99+	99+
1-11 MOS	11	2.5	1	1	1	2	3	4	5	5
1-5 YRS	21	3.7	7	1	1	3	4	6	10	14
6-12 YRS	59	3.3	2	1	1	4	4	6	6	7
13-19 YRS	111	4.2	12	1	2	3	5	7	11	21
TOT. SINGLE DX	162	2.8	2	1	1	2	3	5	6	7
" MULTIPLE DX	203	3.8	9	1	1	3	5	6	8	22
TOTAL 0-27 DYS	1	1.0		1	1	50	99+	99+	99+	99+
1-11 MOS	16	2.5	1	1	1	2	3	4	5	5
1-5 YRS	29	3.4	6	1	1	3	4	5	7	14
6-12 YRS	104	3.2	3	1	1	3	4	5	6	7
13-19 YRS	215	3.5	8	1	1	3	4	6	7	15
GRAND TOTAL	**365**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	15	1.9	1	<1	<1	1	3	4	4	4
1-5 YRS	13	3.4	12	<1	<1	2	5	8	12	13
6-12 YRS	17	2.6	4	<1	1	2	3	6	7	8
13-19 YRS	26	2.9	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	5	44.2	1532	1	1	70	78	98	99+	99+
1-11 MOS	16	2.7	5	<1	1	2	3	7	8	9
1-5 YRS	22	3.3	11	<1	1	2	3	8	13	14
6-12 YRS	36	2.8	3	1	1	2	4	5	6	9
13-19 YRS	64	3.1	3	1	1	3	4	6	7	8
TOT. SINGLE DX	73	2.7	5	<1	<1	2	3	5	7	13
" MULTIPLE DX	143	4.4	105	1	1	3	4	6	9	79
TOTAL 0-27 DYS	7	32.0	1456	1	1	35	75	98	99+	99+
1-11 MOS	31	2.3	3	<1	<1	2	3	4	7	9
1-5 YRS	35	3.3	12	<1	<1	2	4	7	13	14
6-12 YRS	53	2.7	3	1	1	2	4	5	6	9
13-19 YRS	90	3.0	4	1	1	3	4	6	7	10
GRAND TOTAL	**216**	**3.8**	**72**	**<1**	**1**	**2**	**4**	**6**	**8**	**74**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	69	1.1		<1	<1	<1	1	1	2	2
1-5 YRS	652	1.2		<1	<1	1	1	2	2	2
6-12 YRS	342	1.2		<1	<1	1	1	2	2	3
13-19 YRS	133	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	28	2.0	20	<1	<1	1	1	2	5	25
1-5 YRS	301	1.2		<1	<1	1	1	2	2	4
6-12 YRS	136	1.4	1	<1	<1	1	2	2	2	5
13-19 YRS	68	1.5	11	<1	<1	1	1	2	2	86
TOT. SINGLE DX	1197	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	533	1.3	3	<1	<1	1	1	2	2	5
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	97	1.3	6	<1	<1	<1	1	1	2	14
1-5 YRS	953	1.2		<1	<1	1	1	2	2	3
6-12 YRS	478	1.2	1	<1	<1	1	1	2	2	3
13-19 YRS	201	1.3	4	<1	<1	1	1	2	2	15
GRAND TOTAL	**1730**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	17.5	545	<1	<1	17	34	34	34	34
13-19 YRS	4	1.0		<1	<1	1	1	1	1	1
TOT. SINGLE DX	9	1.7	1	1	1	1	2	4	4	4
" MULTIPLE DX	6	6.5	182	<1	<1	1	1	31	34	34
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	4	10.0	257	<1	<1	2	18	34	34	34
13-19 YRS	7	1.4	1	<1	<1	1	1	3	4	4
GRAND TOTAL	**15**	**3.6**	**72**	**<1**	**<1**	**1**	**2**	**4**	**26**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	15	2.7	6	<1	<1	1	4	6	8	9
1-5 YRS	73	2.8	5	<1	<1	2	3	6	8	11
6-12 YRS	47	2.7	6	<1	1	2	3	6	8	13
13-19 YRS	68	2.7	4	<1	1	2	3	7	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	4.4	8	1	1	4	7	8	9	9
1-5 YRS	55	4.5	12	1	1	4	6	8	9	21
6-12 YRS	69	5.0	108	1	1	2	6	10	12	72
13-19 YRS	107	3.9	11	1	1	3	6	9	11	15
TOT. SINGLE DX	205	2.7	6	<1	<1	2	3	6	8	11
" MULTIPLE DX	244	4.4	39	1	1	3	6	9	11	15
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	28	3.5	8	<1	<1	2	6	8	9	9
1-5 YRS	128	3.5	9	<1	1	2	5	7	9	14
6-12 YRS	116	4.1	68	1	1	2	5	8	11	38
13-19 YRS	175	3.4	9	<1	1	2	4	8	10	14
GRAND TOTAL	**449**	**3.6**	**24**	**<1**	**1**	**2**	**5**	**8**	**10**	**14**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	2.6		2	2	3	3	3	3	3
1-11 MOS	12	1.7	4	<1	<1	<1	1	4	7	8
1-5 YRS	160	1.9	2	<1	<1	1	2	4	5	8
6-12 YRS	251	1.8	2	<1	<1	1	2	4	5	8
13-19 YRS	97	2.0	2	<1	<1	1	2	5	5	7
2. MULTIPLE DX										
0-27 DYS	249	3.6	35	1	2	3	4	5	6	21
1-11 MOS	13	3.0	14	<1	<1	1	4	8	13	14
1-5 YRS	98	3.0	26	<1	1	2	3	5	7	31
6-12 YRS	130	2.5	6	<1	1	2	3	5	8	14
13-19 YRS	205	4.3	46	<1	1	2	4	10	16	45
TOT. SINGLE DX	525	1.9	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	695	3.5	32	<1	1	2	4	6	9	35
TOTAL 0-27 DYS	254	3.6	35	1	2	3	4	5	6	21
1-11 MOS	25	2.4	10	<1	<1	<1	2	6	9	14
1-5 YRS	258	2.3	12	<1	<1	1	3	4	6	9
6-12 YRS	381	2.0	4	<1	<1	1	2	4	6	11
13-19 YRS	302	3.6	33	<1	<1	2	4	7	12	40
GRAND TOTAL	**1220**	**2.8**	**20**	**<1**	**<1**	**2**	**3**	**5**	**7**	**19**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	29	1.1		<1	<1	1	1	1	2	2
13-19 YRS	59	1.5		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	43	1.3		<1	1	1	1	2	3	3
13-19 YRS	56	1.3		<1	1	1	2	2	2	3
TOT. SINGLE DX	93	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	103	1.3		<1	1	1	2	2	2	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	9	1.4		<1	<1	1	2	2	2	2
6-12 YRS	72	1.2		<1	1	1	1	2	2	3
13-19 YRS	115	1.4		<1	1	1	2	2	2	3
GRAND TOTAL	**196**	**1.3**		**<1**	**1**	**1**	**2**	**2**	**2**	**3**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	107	1.2		<1	<1	1	1	2	2	4
6-12 YRS	547	1.3	8	<1	<1	1	1	2	2	3
13-19 YRS	448	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	101	1.3	1	<1	<1	1	1	2	3	8
6-12 YRS	574	1.2		<1	1	1	1	2	2	3
13-19 YRS	401	1.4	4	<1	1	1	1	2	2	6
TOT. SINGLE DX	1103	1.3	4	<1	<1	1	1	2	2	3
" MULTIPLE DX	1077	1.3	2	<1	1	1	1	2	2	5
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	208	1.3	1	<1	<1	1	1	2	2	6
6-12 YRS	1121	1.3	4	<1	1	1	1	2	2	3
13-19 YRS	849	1.3	2	<1	1	1	1	2	2	4
GRAND TOTAL	**2180**	**1.3**	**3**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.8	1	<1	<1	3	4	4	4	4
1-11 MOS	141	1.7	2	<1	<1	<1	1	3	5	10
1-5 YRS	1119	1.2	1	<1	<1	<1	<1	1	1	6
6-12 YRS	456	1.1		<1	<1	<1	<1	1	1	3
13-19 YRS	61	1.3	1	<1	<1	<1	1	2	2	10
2. MULTIPLE DX										
0-27 DYS	14	3.9	4	1	1	4	6	7	7	7
1-11 MOS	287	5.3	59	<1	1	4	6	10	15	57
1-5 YRS	2142	1.9	12	<1	<1	1	1	4	6	13
6-12 YRS	1038	1.3	2	<1	<1	1	1	2	2	8
13-19 YRS	141	2.5	14	<1	<1	1	2	6	11	17
TOT. SINGLE DX	1781	1.2	1	<1	<1	<1	<1	1	2	6
" MULTIPLE DX	3622	2.0	14	<1	<1	1	2	4	7	15
TOTAL 0-27 DYS	18	3.7	4	<1	1	3	5	7	7	7
1-11 MOS	428	4.1	44	<1	<1	3	5	8	12	33
1-5 YRS	3261	1.6	8	<1	<1	1	1	2	5	12
6-12 YRS	1494	1.3	2	<1	<1	1	1	2	2	7
13-19 YRS	202	2.2	11	<1	<1	1	2	4	9	16
GRAND TOTAL	**5403**	**1.7**	**10**	**<1**	**<1**	**1**	**1**	**3**	**6**	**13**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.8	12	<1	<1	1	4	9	9	9
1-5 YRS	57	2.2	5	<1	1	1	2	5	6	13
6-12 YRS	208	1.6	2	<1	1	1	2	2	3	9
13-19 YRS	178	1.7	5	1	1	1	2	2	3	15
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	6.9	12	2	3	7	8	12	14	14
1-5 YRS	117	3.7	29	1	1	1	3	10	14	30
6-12 YRS	408	1.9	6	1	1	1	2	3	5	14
13-19 YRS	366	2.1	9	1	1	1	2	3	6	15
TOT. SINGLE DX	448	1.7	4	1	1	1	2	3	4	10
" MULTIPLE DX	900	2.3	11	1	1	1	2	4	7	20
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	5.3	16	<1	1	5	8	10	13	14
1-5 YRS	174	3.2	22	1	1	1	3	8	12	28
6-12 YRS	616	1.8	5	1	1	1	2	3	5	12
13-19 YRS	544	2.0	8	1	1	1	2	3	5	15
GRAND TOTAL	**1348**	**2.1**	**9**	**1**	**1**	**1**	**2**	**3**	**6**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	70	1.7	3	<1	<1	1	1	4	7	10
6-12 YRS	128	1.4	1	<1	<1	1	1	2	3	7
13-19 YRS	95	2.1	12	<1	1	1	2	3	5	22
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	4.1	5	2	2	5	5	7	8	8
1-5 YRS	71	3.6	12	<1	<1	2	6	10	11	15
6-12 YRS	166	2.2	24	<1	<1	1	2	3	6	27
13-19 YRS	167	3.0	75	<1	1	1	2	3	6	60
TOT. SINGLE DX	294	1.7	5	<1	<1	1	1	3	4	14
" MULTIPLE DX	412	2.8	43	<1	<1	1	2	5	9	35
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	3.8	6	1	1	3	5	7	8	8
1-5 YRS	141	2.7	9	<1	<1	1	3	7	10	14
6-12 YRS	294	1.8	14	<1	<1	1	2	3	5	16
13-19 YRS	262	2.7	53	<1	1	1	2	3	5	45
GRAND TOTAL	**706**	**2.3**	**28**	**<1**	**<1**	**1**	**2**	**4**	**7**	**23**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	10	1.1		<1	<1	1	1	2	2	2
13-19 YRS	240	1.6		<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	3	8.3	56	1	1	8	14	16	16	16
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	49	2.0	4	1	1	2	2	3	4	15
13-19 YRS	857	1.7	1	1	1	1	2	3	3	5
TOT. SINGLE DX	251	1.6	1	<1	1	1	2	3	4	4
" MULTIPLE DX	910	1.7	2	1	1	1	2	3	4	5
TOTAL 0-27 DYS	3	8.3	56	1	1	8	14	16	16	16
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	59	1.9	4	<1	1	1	2	3	4	14
13-19 YRS	1097	1.6	1	1	1	1	2	3	4	5
GRAND TOTAL	**1161**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.7	1	1	1	1	2	4	4	4
1-5 YRS	54	2.0	2	<1	1	1	2	5	6	6
6-12 YRS	97	1.8	1	<1	1	1	2	3	4	6
13-19 YRS	742	1.4		<1	1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS	7	3.9	10	1	1	3	4	10	11	11
1-11 MOS	12	5.8	118	<1	<1	1	5	19	36	39
1-5 YRS	76	2.5	4	<1	<1	2	3	5	6	13
6-12 YRS	196	1.9	8	<1	1	1	2	3	4	9
13-19 YRS	1772	1.6	2	1	1	1	2	3	3	6
TOT. SINGLE DX	899	1.5	1	<1	1	1	2	2	3	6
" MULTIPLE DX	2063	1.7	4	1	1	1	2	3	4	8
TOTAL 0-27 DYS	7	3.9	11	1	1	3	4	10	11	11
1-11 MOS	18	4.4	81	<1	<1	1	4	9	28	39
1-5 YRS	130	2.3	4	<1	1	2	3	5	6	12
6-12 YRS	293	1.9	6	<1	1	1	2	3	4	8
13-19 YRS	2514	1.5	2	1	1	1	2	2	3	6
GRAND TOTAL	**2962**	**1.6**	**3**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0	—	2	2	2	2	2	2	2
1-11 MOS	9	1.4		<1	<1	1	2	2	2	2
1-5 YRS	32	2.1	3	<1	<1	1	3	5	7	8
6-12 YRS	39	1.7	1	<1	<1	1	2	4	4	5
13-19 YRS	69	1.8	1	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-27 DYS	4	31.8	1482	2	2	20	60	85	85	85
1-11 MOS	8	6.4	18	1	2	5	10	12	13	13
1-5 YRS	24	3.7	9	<1	1	3	5	7	9	14
6-12 YRS	110	2.3	5	<1	<1	1	2	6	8	11
13-19 YRS	285	1.9	5	1	1	1	2	3	5	14
TOT. SINGLE DX	150	1.8	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	431	2.5	25	<1	1	1	2	5	7	16
TOTAL 0-27 DYS	5	25.8	1289	2	2	5	47	85	85	85
1-11 MOS	17	3.8	15	<1	<1	2	5	11	12	13
1-5 YRS	56	2.8	7	<1	<1	1	4	7	7	14
6-12 YRS	149	2.2	5	<1	<1	1	2	5	8	10
13-19 YRS	354	1.9	5	<1	1	1	2	4	5	11
GRAND TOTAL	**581**	**2.3**	**19**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.0	3	<1	<1	4	4	4	4	4
1-11 MOS	5	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	30	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	151	1.4	1	<1	<1	1	1	2	4	9
13-19 YRS	428	1.4	3	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
0-27 DYS	16	4.6	21	<1	2	3	5	9	17	20
1-11 MOS	4	2.8	3	<1	<1	2	4	5	5	5
1-5 YRS	33	2.8	5	<1	1	2	4	6	8	11
6-12 YRS	102	3.2	52	<1	<1	1	3	6	9	45
13-19 YRS	549	3.1	46	1	1	2	3	5	9	37
TOT. SINGLE DX	617	1.4	3	<1	<1	1	1	2	3	7
" MULTIPLE DX	704	3.1	44	<1	1	2	3	5	9	35
TOTAL 0-27 DYS	19	4.4	18	<1	1	3	5	8	15	20
1-11 MOS	9	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	63	2.1	4	<1	<1	1	2	5	6	11
6-12 YRS	253	2.1	23	<1	<1	1	2	4	5	16
13-19 YRS	977	2.3	28	<1	<1	1	2	4	6	18
GRAND TOTAL	**1321**	**2.3**	**26**	**<1**	**<1**	**1**	**2**	**4**	**6**	**17**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	26	1.7	1	1	1	1	2	4	5	6
13-19 YRS	72	2.1	4	1	1	1	2	4	8	12
2. MULTIPLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	4	3.3	11	1	1	2	5	8	8	8
6-12 YRS	39	3.5	18	<1	1	2	4	8	15	19
13-19 YRS	173	3.6	52	1	1	2	3	8	14	36
TOT. SINGLE DX	100	2.0	4	1	1	1	2	4	7	11
" MULTIPLE DX	218	3.6	45	1	1	2	3	8	13	32
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	6	3.5	10	1	1	2	7	8	8	8
6-12 YRS	65	2.8	13	1	1	1	3	6	9	19
13-19 YRS	245	3.2	39	1	1	2	3	6	12	29
GRAND TOTAL	**318**	**3.1**	**33**	**1**	**1**	**1**	**3**	**6**	**11**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	3.3	20	1	1	1	6	10	10	10
1-5 YRS	18	2.5	4	<1	<1	2	3	6	8	8
6-12 YRS	46	2.4	12	<1	<1	1	2	5	10	18
13-19 YRS	83	2.6	4	<1	1	2	3	6	8	9
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	7.3	61	<1	<1	5	9	19	27	27
1-5 YRS	40	4.2	23	<1	<1	2	6	10	15	23
6-12 YRS	124	4.7	21	<1	1	3	7	11	15	22
13-19 YRS	252	5.5	53	1	1	2	7	14	19	35
TOT. SINGLE DX	152	2.5	7	<1	<1	1	3	6	8	16
" MULTIPLE DX	427	5.2	41	<1	1	2	7	13	17	30
TOTAL 0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	14	6.1	51	<1	1	3	9	13	24	27
1-5 YRS	58	3.7	18	<1	<1	2	5	8	13	23
6-12 YRS	170	4.1	20	<1	<1	2	6	10	15	20
13-19 YRS	335	4.8	43	1	1	2	6	12	17	31
GRAND TOTAL	**579**	**4.5**	**34**	**<1**	**1**	**2**	**6**	**11**	**15**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	5	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	49	1.3		<1	<1	<1	1	3	3	99+
6-12 YRS	69	1.3		<1	<1	1	1	2	2	7
13-19 YRS	574	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	34	4.5	20	2	2	3	5	7	17	22
1-11 MOS	3	1.3		<1	<1	<1	2	2	2	2
1-5 YRS	218	2.1	4	<1	<1	1	2	4	6	12
6-12 YRS	186	3.5	59	<1	<1	2	2	6	10	51
13-19 YRS	498	3.2	67	<1	<1	1	2	4	9	52
TOT. SINGLE DX	699	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	939	3.1	50	<1	<1	1	2	5	8	40
TOTAL 0-27 DYS	36	4.4	19	2	2	3	5	6	17	22
1-11 MOS	8	1.3		<1	<1	<1	1	2	2	2
1-5 YRS	267	2.0	4	<1	<1	1	2	4	6	14
6-12 YRS	255	2.9	45	<1	<1	1	2	5	9	41
13-19 YRS	1072	2.1	32	<1	<1	1	2	2	4	27
GRAND TOTAL	**1638**	**2.3**	**29**	**<1**	**<1**	**1**	**2**	**3**	**5**	**26**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	135	1.3	5	<1	<1	<1	1	1	1	8
6-12 YRS	18	1.2		<1	<1	<1	1	1	4	5
13-19 YRS	21	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	200	1.4	1	<1	<1	<1	1	2	3	9
6-12 YRS	68	3.1	105	<1	<1	1	2	3	9	97
13-19 YRS	70	5.6	175	<1	<1	2	3	9	29	76
TOT. SINGLE DX	175	1.2	4	<1	<1	<1	1	1	2	5
" MULTIPLE DX	341	2.6	60	<1	<1	1	2	3	7	54
TOTAL 0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	335	1.3	3	<1	<1	<1	1	2	2	9
6-12 YRS	86	2.7	84	<1	<1	1	2	3	5	93
13-19 YRS	91	4.6	138	<1	<1	1	2	7	27	70
GRAND TOTAL	**516**	**2.1**	**42**	**<1**	**<1**	**1**	**1**	**2**	**4**	**36**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.0	1	<1	<1	2	3	4	4	4
1-5 YRS	15	1.3		<1	<1	1	2	2	2	2
6-12 YRS	42	2.2	1	<1	<1	2	3	4	5	5
13-19 YRS	47	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	7	2.9	1	2	2	3	3	5	5	5
1-11 MOS	3	7.0	19	2	2	9	10	10	10	10
1-5 YRS	68	2.1	3	<1	<1	1	2	5	6	9
6-12 YRS	94	2.4	2	<1	1	2	3	5	6	58
13-19 YRS	106	3.3	26	1	1	2	3	7	11	99+
TOT. SINGLE DX	109	2.0	1	<1	<1	2	3	4	4	6
" MULTIPLE DX	278	2.7	12	<1	1	2	3	5	8	83
TOTAL 0-27 DYS	7	2.9	1	2	2	3	3	5	5	5
1-11 MOS	8	3.9	13	<1	<1	2	6	10	10	10
1-5 YRS	83	2.0	3	<1	<1	1	2	4	6	9
6-12 YRS	136	2.3	2	<1	1	2	3	4	6	19
13-19 YRS	153	2.9	19	1	1	2	3	5	9	97
GRAND TOTAL	**387**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**36**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	30	1.8	1	<1	<1	1	2	4	4	5
6-12 YRS	52	1.8	2	<1	<1	1	2	3	4	12
13-19 YRS	130	2.1	2	<1	1	2	2	4	5	10
2. MULTIPLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	20	3.4	4	<1	1	3	5	6	8	9
6-12 YRS	36	2.6	8	1	1	2	2	4	11	14
13-19 YRS	78	3.3	8	<1	1	2	4	6	9	17
TOT. SINGLE DX	216	2.0	3	<1	1	2	2	4	5	10
" MULTIPLE DX	139	3.1	8	1	1	2	4	6	9	14
TOTAL 0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	5	2.4	3	1	1	2	3	5	5	5
1-5 YRS	50	2.4	3	<1	<1	2	4	5	6	9
6-12 YRS	88	2.1	5	<1	1	1	2	4	5	13
13-19 YRS	208	2.6	5	<1	1	2	3	5	7	13
GRAND TOTAL	**355**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	136	3.0	2	1	2	3	4	5	7	8
1-5 YRS	460	2.9	2	1	1	3	4	5	6	8
6-12 YRS	123	2.7	1	1	1	3	4	5	5	7
13-19 YRS	41	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	198	3.5	2	1	2	3	4	5	6	10
1-5 YRS	443	3.8	11	1	2	3	4	6	7	13
6-12 YRS	149	3.6	14	1	1	3	4	5	8	17
13-19 YRS	66	3.0	2	1	1	3	4	5	6	9
TOT. SINGLE DX	762	2.9	2	1	1	3	4	5	5	8
" MULTIPLE DX	858	3.6	9	1	2	3	4	5	7	12
TOTAL 0-27 DYS	4	4.0	1	3	3	4	5	5	5	5
1-11 MOS	334	3.3	3	1	2	3	4	5	6	9
1-5 YRS	903	3.3	7	1	1	3	4	5	6	10
6-12 YRS	272	3.2	9	1	1	3	4	5	6	9
13-19 YRS	107	2.8	3	1	1	3	4	5	6	8
GRAND TOTAL	**1620**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	24	2.8	4	1	1	2	4	6	7	8
1-11 MOS	464	3.1	3	1	1	3	4	6	6	9
1-5 YRS	310	2.0	2	<1	<1	1	2	5	6	8
6-12 YRS	169	2.1	3	<1	<1	1	2	4	6	9
13-19 YRS	158	2.5	6	<1	1	2	3	5	6	17
2. MULTIPLE DX										
0-27 DYS	52	5.8	53	1	2	4	5	13	29	35
1-11 MOS	306	3.9	8	1	2	3	5	7	8	14
1-5 YRS	281	3.3	16	1	1	2	4	7	9	21
6-12 YRS	252	3.6	50	<1	1	2	4	6	9	32
13-19 YRS	419	3.6	38	<1	1	2	4	6	9	30
TOT. SINGLE DX	1125	2.6	4	<1	<1	2	3	5	6	9
" MULTIPLE DX	1310	3.7	30	1	1	2	4	7	9	30
TOTAL 0-27 DYS	76	4.9	40	1	1	3	5	9	14	34
1-11 MOS	770	3.4	6	1	1	3	4	6	7	11
1-5 YRS	591	2.6	10	<1	<1	2	3	6	7	13
6-12 YRS	421	3.0	32	<1	1	2	3	5	9	17
13-19 YRS	577	3.3	30	<1	1	2	4	6	8	29
GRAND TOTAL	**2435**	**3.2**	**18**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.3		1	1	1	2	2	2	2
1-5 YRS	671	1.2		<1	1	1	1	2	2	4
6-12 YRS	2560	1.1		<1	1	1	1	2	2	3
13-19 YRS	7204	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	466	1.4	1	<1	1	1	1	2	3	9
6-12 YRS	1008	1.2		1	1	1	1	2	2	5
13-19 YRS	2139	1.4	2	1	1	1	1	2	3	7
TOT. SINGLE DX	10441	1.2		<1	1	1	1	2	2	3
" MULTIPLE DX	3618	1.4	2	1	1	1	1	2	3	7
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	1.4		1	1	1	2	2	2	2
1-5 YRS	1137	1.3	1	<1	1	1	1	2	2	5
6-12 YRS	3568	1.2		<1	1	1	1	2	2	3
13-19 YRS	9343	1.3	1	<1	1	1	1	2	2	4
GRAND TOTAL	**14059**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	15	1.1		<1	1	1	1	2	2	2
1-5 YRS	5348	1.2		<1	<1	1	1	2	2	3
6-12 YRS	8512	1.2		<1	1	1	1	2	2	2
13-19 YRS	2433	1.2	4	<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	29	2.7	9	<1	<1	1	3	8	11	12
1-5 YRS	6786	1.3		<1	1	1	1	2	2	5
6-12 YRS	6407	1.2		<1	1	1	1	2	2	4
13-19 YRS	1342	1.5	10	1	1	1	1	2	2	7
TOT. SINGLE DX	16311	1.2	1	<1	1	1	1	2	2	3
" MULTIPLE DX	14567	1.3	2	<1	1	1	1	2	2	4
TOTAL 0-27 DYS	6	1.3		1	1	1	2	2	2	2
1-11 MOS	44	2.2	7	<1	1	1	2	5	10	12
1-5 YRS	12134	1.2	1	<1	1	1	1	2	2	4
6-12 YRS	14919	1.2		<1	1	1	1	2	2	3
13-19 YRS	3775	1.3	6	1	1	1	1	2	2	4
GRAND TOTAL	**30878**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	183	1.0		<1	<1	1	1	1	1	2
6-12 YRS	266	1.0		<1	<1	1	1	1	1	2
13-19 YRS	40	1.1		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	23	3.7	18	<1	<1	2	6	12	14	14
1-5 YRS	918	1.3	1	<1	<1	1	1	1	2	7
6-12 YRS	523	1.2	2	<1	<1	1	1	2	2	4
13-19 YRS	79	1.2		<1	1	1	1	2	2	4
TOT. SINGLE DX	494	1.0		<1	<1	1	1	1	1	2
" MULTIPLE DX	1543	1.3	2	<1	<1	1	1	2	2	7
TOTAL 0-27 DYS										
1-11 MOS	28	3.3	16	<1	<1	1	4	10	14	14
1-5 YRS	1101	1.2	2	<1	<1	1	1	1	2	7
6-12 YRS	789	1.2	2	<1	<1	1	1	1	2	3
13-19 YRS	119	1.2		<1	<1	1	1	2	2	3
GRAND TOTAL	**2037**	**1.2**	**2**	**<1**	**<1**	**1**	**1**	**1**	**2**	**6**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	23	2.3	5	<1	<1	1	4	6	7	9
1-5 YRS	201	1.9	2	<1	<1	1	2	4	5	9
6-12 YRS	355	1.8	1	<1	<1	1	2	4	4	8
13-19 YRS	772	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	5	11.2	224	4	4	5	13	38	38	38
1-11 MOS	9	3.3	10	1	1	3	4	9	11	11
1-5 YRS	120	3.1	14	<1	1	2	4	6	11	21
6-12 YRS	134	2.7	5	1	1	2	3	6	7	11
13-19 YRS	273	3.1	14	1	1	2	4	5	6	15
TOT. SINGLE DX	1352	2.0	2	<1	1	1	2	4	5	8
" MULTIPLE DX	541	3.1	14	1	1	2	4	5	8	17
TOTAL 0-27 DYS	6	10.2	186	4	4	5	5	35	38	38
1-11 MOS	32	2.6	7	<1	<1	1	4	6	9	11
1-5 YRS	321	2.3	7	<1	<1	1	2	5	7	14
6-12 YRS	489	2.0	3	<1	1	1	2	4	5	9
13-19 YRS	1045	2.4	6	<1	1	2	3	4	5	9
GRAND TOTAL	**1893**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	15	2.6	2	1	1	2	3	6	6	6
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	25	1.0		<1	<1	<1	1	1	2	2
6-12 YRS	16	1.9	3	<1	<1	1	2	3	6	8
13-19 YRS	15	1.9	1	<1	<1	2	3	3	4	4
2. MULTIPLE DX										
0-27 DYS	223	3.1	2	1	1	3	4	5	5	7
1-11 MOS	12	8.8	101	1	2	5	21	44	89	99+
1-5 YRS	23	4.2	18	<1	<1	3	5	9	15	18
6-12 YRS	20	2.2	1	<1	<1	2	3	4	5	6
13-19 YRS	41	5.2	34	1	1	3	6	10	15	33
TOT. SINGLE DX	76	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	319	3.6	13	1	1	3	4	6	7	26
TOTAL 0-27 DYS	238	3.1	2	1	1	3	4	5	6	7
1-11 MOS	17	6.5	83	<1	1	3	6	28	72	99+
1-5 YRS	48	2.5	11	<1	<1	1	3	6	8	18
6-12 YRS	36	2.1	2	<1	<1	2	3	4	5	8
13-19 YRS	56	4.3	28	<1	1	3	5	9	11	32
GRAND TOTAL	**395**	**3.2**	**11**	**<1**	**1**	**3**	**4**	**5**	**7**	**23**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	3.1	8	<1	<1	2	4	8	9	9
1-5 YRS	163	1.5	1	<1	<1	1	2	2	3	9
6-12 YRS	72	1.2		<1	<1	1	1	2	2	4
13-19 YRS	53	1.4		<1	<1	1	1	2	4	4
2. MULTIPLE DX										
0-27 DYS	4	27.0	828	2	2	20	48	66	66	66
1-11 MOS	38	7.9	112	1	1	3	8	22	30	51
1-5 YRS	92	3.5	49	<1	1	2	2	5	22	37
6-12 YRS	52	1.4		<1	1	1	1	2	3	5
13-19 YRS	29	2.1	3	<1	<1	1	2	5	7	9
TOT. SINGLE DX	306	1.5	2	<1	<1	1	2	2	3	9
" MULTIPLE DX	215	4.0	67	<1	1	2	3	7	22	43
TOTAL 0-27 DYS	5	21.8	757	1	1	9	40	66	66	66
1-11 MOS	55	6.4	95	<1	1	2	7	18	27	50
1-5 YRS	255	2.2	20	<1	<1	1	2	3	5	33
6-12 YRS	124	1.3		<1	<1	1	1	2	3	4
13-19 YRS	82	1.7	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**521**	**2.5**	**30**	**<1**	**<1**	**1**	**2**	**4**	**7**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	3.7	14	<1	<1	2	6	8	8	8
1-5 YRS	23	2.5	9	1	1	2	2	4	9	16
6-12 YRS	11	2.4	6	1	1	2	2	6	10	10
13-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	13.1	524	2	2	2	30	87	99+	99+
1-5 YRS	35	5.7	75	1	1	3	4	12	30	40
6-12 YRS	15	3.0	12	1	1	2	3	7	12	14
13-19 YRS	15	3.5	9	1	1	2	5	9	10	10
TOT. SINGLE DX	39	2.6	9	<1	1	2	2	6	9	16
" MULTIPLE DX	73	5.5	99	1	1	2	5	12	32	92
TOTAL 0-27 DYS										
1-11 MOS	11	10.5	389	<1	1	2	13	78	97	99+
1-5 YRS	58	4.4	51	1	1	2	4	12	15	40
6-12 YRS	26	2.7	10	1	1	2	2	7	11	14
13-19 YRS	17	3.5	9	<1	1	2	5	9	10	10
GRAND TOTAL	**112**	**4.5**	**69**	**1**	**1**	**2**	**4**	**10**	**16**	**80**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	1	29.0		29	29	29	29	29	29	29
TOT. SINGLE DX	1	4.0		4	4	4	4	4	4	4
" MULTIPLE DX	2	21.0	128	13	13	21	29	29	29	29
TOTAL – 0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	2	16.5	313	4	4	16	29	29	29	29
GRAND TOTAL	**3**	**15.3**	**160**	**4**	**4**	**13**	**25**	**29**	**29**	**29**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	27.0		27	27	63	99+	99+	99+	99+
1-11 MOS	9	32.7	258	10	11	40	99+	99+	99+	99+
1-5 YRS	8	24.0	720	<1	1	43	91	99+	99+	99+
6-12 YRS	8	31.6	1094	2	2	20	49	87	93	93
13-19 YRS	20	47.7	667	6	18	55	77	99+	99+	99+
TOT. SINGLE DX	3	6.3	5	5	5	5	8	9	9	9
" MULTIPLE DX	46	37.4	701	2	6	49	77	99+	99+	99+
TOTAL 0-27 DYS	1	27.0		27	27	63	99+	99+	99+	99+
1-11 MOS	11	28.0	315	6	9	39	89	99+	99+	99+
1-5 YRS	9	21.9	670	<1	1	26	83	99+	99+	99+
6-12 YRS	8	31.6	1094	2	2	20	49	87	93	93
13-19 YRS	20	47.7	668	6	18	55	77	99+	99+	99+
GRAND TOTAL	**49**	**35.5**	**714**	**2**	**5**	**43**	**76**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	12	6.5	37	1	1	5	8	16	21	22
1-5 YRS	44	3.1	10	<1	1	2	3	7	8	19
6-12 YRS	23	2.5	5	<1	1	1	4	6	7	8
13-19 YRS	24	4.7	13	1	1	3	7	10	12	16
2. MULTIPLE DX										
0-27 DYS	31	28.4	455	11	12	25	89	99+	99+	99+
1-11 MOS	61	19.2	420	1	1	17	30	88	99+	99+
1-5 YRS	164	9.6	220	1	1	4	11	29	40	99+
6-12 YRS	53	9.3	180	1	1	3	13	21	41	73
13-19 YRS	98	25.0	528	2	2	22	44	66	82	99+
TOT. SINGLE DX	104	3.8	15	<1	1	2	6	8	10	20
" MULTIPLE DX	407	16.1	389	1	1	9	24	62	99+	99+
TOTAL 0-27 DYS	32	27.8	454	10	12	25	86	99+	99+	99+
1-11 MOS	73	17.1	379	1	1	13	25	78	99+	99+
1-5 YRS	208	8.2	183	1	1	3	9	22	39	99+
6-12 YRS	76	7.3	137	1	1	2	9	16	24	67
13-19 YRS	122	21.0	492	1	2	13	36	59	76	99+
GRAND TOTAL	**511**	**13.6**	**338**	**1**	**1**	**7**	**21**	**51**	**87**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	3.8	7	1	1	3	5	8	8	8
1-5 YRS	10	4.5	14	1	1	3	5	10	14	14
6-12 YRS	9	8.3	219	1	1	2	7	34	46	46
13-19 YRS	19	5.5	9	1	2	6	7	10	11	12
2. MULTIPLE DX										
0-27 DYS	2	22.5	421	8	8	22	37	37	37	37
1-11 MOS	16	15.4	109	2	2	13	21	32	36	37
1-5 YRS	15	8.6	31	1	2	8	14	16	17	17
6-12 YRS	8	6.0	14	2	2	5	7	12	14	14
13-19 YRS	54	9.2	69	1	2	7	11	23	29	37
TOT. SINGLE DX	44	5.6	51	1	1	4	7	10	14	46
" MULTIPLE DX	95	10.1	77	1	2	7	13	23	32	37
TOTAL 0-27 DYS	2	22.5	421	8	8	22	37	37	37	37
1-11 MOS	22	12.2	107	1	2	11	20	26	35	37
1-5 YRS	25	7.0	28	1	2	5	11	15	16	17
6-12 YRS	17	7.2	117	1	1	4	7	15	35	46
13-19 YRS	73	8.2	56	1	2	6	10	18	27	36
GRAND TOTAL	**139**	**8.7**	**73**	**1**	**2**	**6**	**11**	**20**	**29**	**38**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	5.7	52	1	1	2	11	14	14	14
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	98.0		98	98	98	98	98	98	98
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	9.0	50	4	4	9	14	14	14	14
TOT. SINGLE DX	7	4.6	27	1	1	2	8	13	14	14
" MULTIPLE DX	6	20.2	1477	1	1	3	14	90	98	98
TOTAL 0-27 DYS	1	98.0		98	98	98	98	98	98	98
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	5	4.2	31	1	1	2	6	14	14	14
13-19 YRS	3	6.7	41	2	2	4	11	14	14	14
GRAND TOTAL	**13**	**11.8**	**695**	**1**	**1**	**2**	**11**	**31**	**85**	**98**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	5.4	4	2	2	6	7	8	8	8
1-5 YRS	7	13.1	201	1	1	8	20	37	41	41
6-12 YRS	3	10.3	85	5	5	5	17	21	21	21
13-19 YRS	41	9.2	21	3	4	8	12	17	18	19
2. MULTIPLE DX										
0-27 DYS	2	11.5	85	5	5	11	18	18	18	18
1-11 MOS	15	34.3	868	6	9	22	54	80	93	98
1-5 YRS	37	14.6	181	2	3	11	22	39	84	99+
6-12 YRS	35	13.9	119	5	6	12	15	24	32	62
13-19 YRS	116	9.9	29	4	5	8	13	17	21	26
TOT. SINGLE DX	58	9.3	43	2	4	8	11	17	20	40
" MULTIPLE DX	205	13.2	168	4	5	10	15	24	38	99
TOTAL 0-27 DYS	2	11.5	85	5	5	11	18	18	18	18
1-11 MOS	22	25.1	770	3	5	13	28	76	87	98
1-5 YRS	44	14.4	181	2	3	9	23	40	71	99+
6-12 YRS	38	13.6	116	5	5	12	15	23	32	62
13-19 YRS	157	9.7	27	4	5	8	12	17	20	24
GRAND TOTAL	**263**	**12.3**	**143**	**3**	**5**	**9**	**15**	**23**	**33**	**95**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	5	9.0	16	6	6	7	11	16	16	16
1-5 YRS	4	10.0	28	7	7	8	13	18	18	18
6-12 YRS	5	9.0	50	3	3	7	12	21	21	21
13-19 YRS	5	7.2	2	5	5	7	8	9	9	9
2. MULTIPLE DX										
0-27 DYS	6	16.2	39	7	8	15	21	25	25	25
1-11 MOS	4	8.3	29	4	4	6	12	16	16	16
1-5 YRS	9	15.1	42	6	6	16	19	24	25	25
6-12 YRS	10	13.1	54	6	6	11	17	25	29	29
13-19 YRS	18	11.4	45	5	6	9	12	22	27	30
TOT. SINGLE DX	21	8.9	20	4	5	7	9	17	19	21
" MULTIPLE DX	47	12.8	46	5	6	11	17	23	26	30
TOTAL 0-27 DYS	8	14.8	37	7	7	14	18	24	25	25
1-11 MOS	9	8.7	20	4	4	7	11	16	16	16
1-5 YRS	13	13.5	41	6	7	14	18	23	25	25
6-12 YRS	15	11.7	54	3	5	9	16	21	27	29
13-19 YRS	23	10.5	38	5	6	9	11	21	25	30
GRAND TOTAL	**68**	**11.6**	**41**	**5**	**6**	**9**	**16**	**21**	**25**	**30**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	5.0	22	1	1	3	10	12	12	12
1-11 MOS	100	2.5	8	<1	1	1	3	6	9	16
1-5 YRS	325	2.0	3	<1	1	1	2	4	6	10
6-12 YRS	85	2.6	10	<1	<1	1	2	6	9	17
13-19 YRS	52	4.0	15	<1	1	2	7	10	14	97
2. MULTIPLE DX										
0-27 DYS	28	24.6	707	3	5	15	34	94	99+	99+
1-11 MOS	193	10.6	198	1	1	6	13	28	38	98
1-5 YRS	344	6.2	54	1	1	3	7	15	24	37
6-12 YRS	113	6.9	49	1	1	4	10	16	22	32
13-19 YRS	154	12.2	174	1	2	8	15	26	39	76
TOT. SINGLE DX	568	2.4	7	<1	1	1	2	6	8	16
" MULTIPLE DX	832	9.1	145	1	1	5	11	23	32	86
TOTAL 0-27 DYS	34	21.1	640	2	2	13	35	92	98	99+
1-11 MOS	293	7.8	148	1	1	3	9	22	32	90
1-5 YRS	669	4.2	34	<1	1	2	5	10	16	32
6-12 YRS	198	5.1	37	<1	1	2	7	14	17	28
13-19 YRS	206	10.2	147	1	1	7	13	24	36	79
GRAND TOTAL	**1400**	**6.4**	**99**	**<1**	**1**	**3**	**7**	**15**	**25**	**70**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.3	77	1	1	4	13	20	20	20
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	32	4.8	8	2	2	4	6	9	10	14
2. MULTIPLE DX										
0-27 DYS	19	5.2	12	<1	1	4	7	11	13	13
1-11 MOS	3	12.0	84	4	4	10	19	22	22	22
1-5 YRS	6	6.2	26	1	1	6	10	13	13	13
6-12 YRS	6	7.2	8	3	3	7	9	11	11	11
13-19 YRS	40	10.6	100	2	3	7	11	26	32	51
TOT. SINGLE DX	38	5.1	14	2	2	4	6	9	12	20
" MULTIPLE DX	74	8.6	68	1	2	7	10	16	29	47
TOTAL 0-27 DYS	19	5.2	12	<1	1	4	7	11	13	13
1-11 MOS	3	12.0	84	4	4	10	19	22	22	22
1-5 YRS	10	6.6	41	1	1	4	10	16	20	20
6-12 YRS	8	6.6	8	3	3	7	8	10	11	11
13-19 YRS	72	8.0	67	2	2	6	9	15	29	47
GRAND TOTAL	**112**	**7.4**	**52**	**2**	**2**	**5**	**9**	**13**	**22**	**40**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	6.7	24	3	3	4	12	14	14	14
1-5 YRS	12	4.4	10	<1	1	3	6	10	11	11
6-12 YRS	19	7.2	96	1	1	4	8	24	34	36
13-19 YRS	369	5.2	10	2	2	4	6	10	12	16
2. MULTIPLE DX										
0-27 DYS	272	22.7	523	3	4	11	36	64	78	99+
1-11 MOS	28	14.8	285	2	4	10	17	25	35	92
1-5 YRS	62	15.2	225	4	5	11	17	29	59	98
6-12 YRS	79	11.6	75	2	3	9	16	25	30	38
13-19 YRS	507	9.1	89	3	3	6	10	18	24	48
TOT. SINGLE DX	407	5.3	14	2	2	4	6	10	13	18
" MULTIPLE DX	948	13.8	262	3	3	8	14	35	55	92
TOTAL 0-27 DYS	273	22.6	523	3	4	11	36	64	78	99+
1-11 MOS	34	13.3	247	2	3	10	16	25	28	92
1-5 YRS	74	13.4	206	2	3	10	14	27	55	96
6-12 YRS	98	10.8	82	1	2	8	14	25	30	39
13-19 YRS	876	7.5	60	2	3	5	8	13	20	44
GRAND TOTAL	**1355**	**11.2**	**202**	**2**	**3**	**6**	**11**	**25**	**45**	**87**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	6.9	11	1	2	7	9	11	11	11
1-5 YRS	148	5.1	5	1	1	6	7	7	8	10
6-12 YRS	133	5.4	16	1	1	5	6	8	8	27
13-19 YRS	199	5.7	17	1	2	5	7	9	10	27
2. MULTIPLE DX										
0-27 DYS	3	10.0	148	2	2	4	19	24	24	24
1-11 MOS	15	15.8	126	6	7	12	23	44	83	99+
1-5 YRS	55	8.9	59	2	4	7	10	15	24	46
6-12 YRS	44	10.1	106	2	3	6	11	21	36	52
13-19 YRS	159	10.8	75	2	4	8	14	24	30	50
TOT. SINGLE DX	487	5.5	13	1	1	5	7	8	9	22
" MULTIPLE DX	276	10.6	81	2	4	7	13	24	31	52
TOTAL 0-27 DYS	3	10.0	148	2	2	4	19	24	24	24
1-11 MOS	22	13.0	105	4	6	10	15	36	64	99+
1-5 YRS	203	6.1	23	1	1	6	7	9	12	26
6-12 YRS	177	6.6	42	1	2	6	7	9	17	39
13-19 YRS	358	8.0	49	1	2	6	8	17	24	41
GRAND TOTAL	**763**	**7.3**	**44**	**1**	**2**	**6**	**8**	**13**	**22**	**41**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	13.3	26	9	9	12	17	19	19	19
1-11 MOS	66	8.9	17	1	4	8	10	14	16	23
1-5 YRS	269	6.9	9	4	4	6	8	10	12	17
6-12 YRS	74	6.6	3	4	5	6	8	9	10	13
13-19 YRS	56	7.1	13	2	5	6	8	11	13	25
2. MULTIPLE DX										
0-27 DYS	34	18.3	167	5	7	15	27	50	86	99+
1-11 MOS	425	14.9	141	6	7	11	17	27	41	82
1-5 YRS	663	11.2	114	5	5	8	11	19	28	71
6-12 YRS	221	10.7	75	4	5	8	11	19	29	56
13-19 YRS	173	12.6	133	4	5	9	13	22	38	65
TOT. SINGLE DX	468	7.2	11	4	4	7	8	11	13	19
" MULTIPLE DX	1516	12.5	123	5	5	9	14	23	35	71
TOTAL 0-27 DYS	37	17.9	157	5	7	15	26	48	79	99+
1-11 MOS	491	14.1	129	6	7	10	16	26	39	75
1-5 YRS	932	10.0	88	4	5	8	10	16	24	66
6-12 YRS	295	9.7	61	4	5	8	10	16	27	54
13-19 YRS	229	11.2	110	4	5	8	12	21	34	64
GRAND TOTAL	**1984**	**11.2**	**102**	**4**	**5**	**8**	**12**	**20**	**29**	**67**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	3	10.0	19	7	7	8	13	15	15	15
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS										
6-12 YRS	3	11.0	4	9	9	11	12	13	13	13
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	4	4.5	33	1	1	2	8	13	13	13
" MULTIPLE DX	8	11.4	51	2	3	10	14	23	26	26
TOTAL 0-27 DYS	3	10.0	19	7	7	8	13	15	15	15
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	6	6.3	28	1	1	6	11	13	13	13
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**12**	**9.1**	**53**	**1**	**1**	**8**	**13**	**18**	**25**	**26**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	3.2	6	<1	<1	3	6	26	86	99+
1-11 MOS	149	1.9	4	<1	1	1	2	2	4	15
1-5 YRS	415	1.6	1	<1	1	2	2	2	2	6
6-12 YRS	181	1.8	1	<1	1	2	2	2	3	8
13-19 YRS	173	1.9	2	<1	1	2	2	2	4	10
2. MULTIPLE DX										
0-27 DYS	91	9.6	176	<1	1	6	11	18	28	78
1-11 MOS	710	3.0	19	1	1	2	2	6	10	22
1-5 YRS	965	2.2	7	<1	1	2	2	3	6	15
6-12 YRS	376	2.2	10	<1	1	2	2	3	5	20
13-19 YRS	364	3.1	18	<1	1	2	3	7	10	25
TOT. SINGLE DX	930	1.8	2	<1	1	2	2	2	3	9
" MULTIPLE DX	2506	2.8	21	<1	1	2	2	5	9	23
TOTAL 0-27 DYS	103	8.9	161	<1	1	6	10	17	29	92
1-11 MOS	859	2.8	17	<1	1	2	2	6	9	20
1-5 YRS	1380	2.0	6	<1	1	2	2	3	5	13
6-12 YRS	557	2.1	7	<1	1	2	2	3	4	13
13-19 YRS	537	2.7	14	<1	1	2	2	5	9	21
GRAND TOTAL	**3436**	**2.6**	**16**	**<1**	**1**	**2**	**2**	**4**	**7**	**20**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	6.7	22	3	3	5	10	12	12	12
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	8	5.8	13	1	1	5	9	10	11	11
6-12 YRS	14	2.7	1	1	2	3	3	4	5	5
13-19 YRS	28	3.6	3	1	2	3	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	14	12.2	145	2	5	8	15	24	44	50
1-5 YRS	31	7.5	35	2	3	5	9	16	24	26
6-12 YRS	45	4.8	14	1	2	4	5	10	15	19
13-19 YRS	70	4.5	9	1	2	3	6	9	11	14
TOT. SINGLE DX	55	3.8	6	1	2	3	5	6	9	12
" MULTIPLE DX	162	5.9	32	1	2	4	7	11	15	26
TOTAL 0-27 DYS	5	6.8	19	3	3	5	11	12	12	12
1-11 MOS	16	11.0	137	<1	1	8	12	21	41	50
1-5 YRS	39	7.2	31	2	2	5	9	14	21	26
6-12 YRS	59	4.3	12	1	2	4	5	7	13	19
13-19 YRS	98	4.2	8	1	2	3	5	8	11	14
GRAND TOTAL	**217**	**5.3**	**26**	**1**	**2**	**4**	**6**	**11**	**14**	**25**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.3	6	1	1	3	5	6	6	6
1-11 MOS	16	4.6	12	1	1	3	7	10	11	11
1-5 YRS	28	6.0	130	1	1	2	5	13	26	59
6-12 YRS	33	3.7	7	1	1	2	6	8	9	9
13-19 YRS	28	5.2	18	1	1	5	7	11	14	19
2. MULTIPLE DX										
0-27 DYS	9	18.1	138	2	4	15	27	36	38	38
1-11 MOS	34	8.3	46	1	2	6	12	20	26	99+
1-5 YRS	71	6.2	73	1	1	3	6	13	19	49
6-12 YRS	43	7.1	222	1	1	4	8	13	15	99
13-19 YRS	78	11.2	230	1	2	7	12	28	44	85
TOT. SINGLE DX	108	4.8	42	1	1	2	6	9	11	38
" MULTIPLE DX	235	8.8	157	1	2	5	11	18	32	94
TOTAL 0-27 DYS	12	14.4	147	1	2	13	21	34	37	38
1-11 MOS	50	7.1	38	1	1	5	11	17	21	99
1-5 YRS	99	6.1	88	1	1	3	6	13	21	54
6-12 YRS	76	5.6	130	1	1	3	7	9	13	78
13-19 YRS	106	9.6	181	1	1	6	11	19	36	76
GRAND TOTAL	**343**	**7.5**	**124**	**1**	**1**	**4**	**9**	**15**	**26**	**65**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	161	2.8	1	1	1	3	3	4	5	7
1-11 MOS	94	3.4	14	<1	<1	2	4	7	12	19
1-5 YRS	255	2.5	7	<1	<1	1	3	6	7	14
6-12 YRS	108	2.4	7	<1	<1	1	2	5	8	15
13-19 YRS	76	3.7	43	<1	1	2	4	8	13	44
2. MULTIPLE DX										
0-27 DYS	1831	4.0	38	1	2	3	4	5	8	33
1-11 MOS	228	8.0	86	1	1	5	11	21	35	99+
1-5 YRS	458	5.9	68	1	1	3	7	13	20	59
6-12 YRS	173	7.1	83	1	1	4	9	18	22	70
13-19 YRS	211	8.6	124	1	1	6	11	16	25	74
TOT. SINGLE DX	694	2.8	11	<1	<1	2	3	5	7	16
" MULTIPLE DX	2901	5.1	58	1	1	3	5	10	16	58
TOTAL 0-27 DYS	1992	3.9	35	1	2	3	4	5	8	30
1-11 MOS	322	6.7	69	<1	1	4	9	19	28	99+
1-5 YRS	713	4.7	49	<1	1	2	6	10	15	42
6-12 YRS	281	5.3	60	<1	1	2	6	13	20	47
13-19 YRS	287	7.3	107	1	1	4	9	15	21	59
GRAND TOTAL	**3595**	**4.7**	**50**	**1**	**1**	**3**	**5**	**9**	**15**	**50**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	38	2.7	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	15	3.3	9	1	1	2	4	5	11	13
TOT. SINGLE DX	40	2.6	2	1	1	2	3	5	6	7
" MULTIPLE DX	18	3.2	8	1	1	3	4	5	10	13
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	53	2.9	4	1	1	2	4	5	6	13
GRAND TOTAL	**58**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**13**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	10.3	12	7	7	10	13	14	14	14
1-11 MOS	24	8.5	17	4	5	8	9	13	16	24
1-5 YRS	14	7.6	9	5	5	7	8	11	16	17
6-12 YRS	10	5.6	12	1	1	5	8	10	12	12
13-19 YRS	12	5.7	15	1	1	5	7	12	13	13
2. MULTIPLE DX										
0-27 DYS	28	20.8	354	6	6	15	28	57	79	99+
1-11 MOS	85	12.9	211	5	5	9	13	21	46	97
1-5 YRS	119	9.2	43	4	5	7	11	16	21	36
6-12 YRS	33	9.9	106	2	2	7	12	22	48	99+
13-19 YRS	103	9.9	94	1	2	7	12	23	34	46
TOT. SINGLE DX	63	7.4	15	2	3	7	9	12	14	23
" MULTIPLE DX	368	11.2	134	3	4	8	12	22	38	91
TOTAL 0-27 DYS	31	19.8	330	6	6	13	27	55	76	99+
1-11 MOS	109	11.9	172	5	5	8	13	20	25	96
1-5 YRS	133	9.0	40	5	5	7	10	16	20	31
6-12 YRS	43	8.9	87	2	2	7	11	17	44	99+
13-19 YRS	115	9.4	88	1	2	7	11	21	33	46
GRAND TOTAL	**431**	**10.6**	**118**	**3**	**4**	**8**	**12**	**20**	**30**	**85**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	30.5	1301	5	5	30	56	56	56	56
6-12 YRS										
13-19 YRS	1	55.0		55	55	55	55	55	55	55
TOT. SINGLE DX	2	6.5	1	6	6	6	7	7	7	7
" MULTIPLE DX	3	38.7	850	5	5	55	56	56	56	56
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	30.5	1301	5	5	30	56	56	56	56
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	55.0		55	55	55	55	55	55	55
GRAND TOTAL	**5**	**25.8**	**736**	**5**	**5**	**7**	**55**	**56**	**56**	**56**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	9.6	91	1	1	7	18	22	22	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	3.6	2	2	2	3	4	6	7	7
1-5 YRS	10	6.8	48	1	1	4	8	19	23	23
6-12 YRS	27	5.0	24	1	1	4	6	9	12	27
13-19 YRS	119	7.2	128	1	1	4	6	15	22	69
TOT. SINGLE DX	8	7.8	67	1	1	4	14	20	22	22
" MULTIPLE DX	164	6.6	101	1	1	4	6	14	22	61
TOTAL 0-27 DYS										
1-11 MOS	8	3.6	3	2	2	3	4	6	7	7
1-5 YRS	12	6.8	44	1	1	4	9	17	22	23
6-12 YRS	28	4.9	25	1	1	4	6	9	11	27
13-19 YRS	124	7.3	126	1	1	4	7	17	22	68
GRAND TOTAL	**172**	**6.7**	**99**	**1**	**1**	**4**	**6**	**14**	**22**	**61**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	49	5.2	19	1	1	4	7	11	14	24
1-11 MOS	134	6.6	21	1	2	6	9	12	14	26
1-5 YRS	268	5.4	11	1	1	5	7	10	11	16
6-12 YRS	137	4.7	8	1	1	5	6	8	10	14
13-19 YRS	163	4.4	17	1	1	3	6	9	12	26
2. MULTIPLE DX										
0-27 DYS	5813	20.9	458	2	3	13	31	61	83	99+
1-11 MOS	502	11.3	135	2	3	8	13	22	38	84
1-5 YRS	651	10.3	129	1	2	7	11	22	34	69
6-12 YRS	251	9.5	121	1	1	6	11	25	34	48
13-19 YRS	558	8.3	87	1	1	6	10	19	30	49
TOT. SINGLE DX	751	5.3	15	1	1	5	7	10	12	23
" MULTIPLE DX	7775	18.2	396	1	3	10	25	53	75	99+
TOTAL 0-27 DYS	5862	20.8	457	2	3	13	31	61	83	99+
1-11 MOS	636	10.3	115	2	3	7	12	20	34	74
1-5 YRS	919	8.9	100	1	2	6	10	17	29	63
6-12 YRS	388	7.8	86	1	1	5	8	16	31	45
13-19 YRS	721	7.5	74	1	1	5	9	17	23	49
GRAND TOTAL	**8526**	**17.0**	**376**	**1**	**2**	**9**	**23**	**51**	**73**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	10.5	196	1	1	5	19	31	31	31
1-11 MOS	45	4.1	10	<1	1	4	5	8	11	15
1-5 YRS	187	3.3	9	<1	1	2	5	8	10	13
6-12 YRS	165	3.5	13	<1	1	2	4	8	11	18
13-19 YRS	220	3.0	12	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
0-27 DYS	4	7.3	11	4	4	6	9	12	12	12
1-11 MOS	50	6.2	12	2	2	6	8	12	13	15
1-5 YRS	141	6.6	78	1	1	5	8	12	14	45
6-12 YRS	115	4.8	42	<1	1	3	6	10	12	76
13-19 YRS	169	6.4	53	1	1	5	8	12	18	60
TOT. SINGLE DX	621	3.3	13	<1	<1	2	4	8	11	16
" MULTIPLE DX	479	6.1	54	1	1	4	8	11	15	56
TOTAL 0-27 DYS	8	8.9	92	1	1	6	10	25	31	31
1-11 MOS	95	5.2	13	1	1	4	7	11	13	15
1-5 YRS	328	4.7	41	<1	1	3	6	10	13	34
6-12 YRS	280	4.0	26	<1	1	2	5	9	11	23
13-19 YRS	389	4.5	33	<1	<1	3	6	9	12	34
GRAND TOTAL	**1100**	**4.5**	**32**	**<1**	**1**	**3**	**6**	**9**	**12**	**31**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	6.0	38	<1	<1	4	6	17	18	18
6-12 YRS	6	2.0		<1	<1	2	3	3	3	3
13-19 YRS	24	5.1	17	1	1	3	8	10	14	18
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	6.4	6	1	2	7	8	9	9	9
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	32	7.6	46	1	1	6	9	17	22	33
TOT. SINGLE DX	38	4.6	18	<1	1	3	6	10	15	18
" MULTIPLE DX	44	7.1	36	1	1	6	8	12	19	33
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	13	6.2	20	<1	1	6	7	11	17	18
6-12 YRS	9	2.4	2	<1	<1	2	3	4	5	5
13-19 YRS	56	6.5	35	1	1	5	8	12	18	32
GRAND TOTAL	**82**	**6.0**	**29**	**1**	**1**	**5**	**8**	**11**	**17**	**30**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS										
13-19 YRS	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	9.0	18	6	6	9	12	12	12	12
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	18.5	421	4	4	18	33	33	33	33
13-19 YRS	1	17.0		17	17	17	17	17	17	17
TOT. SINGLE DX	3	11.7	82	5	5	8	18	22	22	22
" MULTIPLE DX	6	12.7	125	4	4	9	17	31	33	33
TOTAL 0-27 DYS										
1-11 MOS	2	9.0	18	6	6	9	12	12	12	12
1-5 YRS	2	13.0	162	4	4	13	22	22	22	22
6-12 YRS	2	18.5	421	4	4	18	33	33	33	33
13-19 YRS	3	10.0	39	5	5	8	15	17	17	17
GRAND TOTAL	**9**	**12.3**	**99**	**4**	**4**	**8**	**18**	**29**	**33**	**33**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	7.5	41	3	3	7	12	12	12	12
1-5 YRS	1	58.0		58	58	58	58	58	58	58
6-12 YRS	3	37.0	84	29	29	35	44	47	47	47
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	68.5	221	58	58	79	95	99+	99+	99+
1-5 YRS	16	45.0	202	26	31	48	56	76	93	99+
6-12 YRS	11	44.1	137	31	32	42	46	64	69	70
13-19 YRS	26	42.1	402	20	24	37	48	66	93	95
TOT. SINGLE DX	6	30.7	430	3	4	32	47	57	58	58
" MULTIPLE DX	55	44.3	297	24	29	42	55	77	94	99+
TOTAL 0-27 DYS										
1-11 MOS	4	38.0	1327	3	3	58	84	99+	99+	99+
1-5 YRS	17	45.8	200	26	31	48	57	74	92	99+
6-12 YRS	14	42.6	128	29	31	42	47	61	68	70
13-19 YRS	26	42.1	403	20	24	37	48	66	93	95
GRAND TOTAL	**61**	**43.0**	**319**	**20**	**25**	**42**	**54**	**72**	**93**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	45	3.4	6	<1	1	2	5	8	8	11
1-5 YRS	280	4.3	14	<1	1	3	5	8	13	19
6-12 YRS	255	5.2	26	<1	1	4	6	10	12	30
13-19 YRS	334	6.1	21	2	2	5	7	9	12	31
2. MULTIPLE DX										
0-27 DYS	24	13.2	197	2	4	10	13	24	49	67
1-11 MOS	90	7.8	69	1	1	5	10	19	28	40
1-5 YRS	438	9.6	97	1	2	6	12	23	27	54
6-12 YRS	344	9.5	84	2	3	7	11	19	27	68
13-19 YRS	768	11.1	128	2	4	7	12	24	35	58
TOT. SINGLE DX	915	5.2	21	1	1	4	6	9	12	26
" MULTIPLE DX	1664	10.2	110	2	3	7	12	22	31	59
TOTAL 0-27 DYS	25	12.9	192	2	4	10	13	22	47	67
1-11 MOS	135	6.3	52	1	1	4	7	16	22	38
1-5 YRS	718	7.5	71	1	1	5	9	18	24	39
6-12 YRS	599	7.7	64	1	2	5	9	16	22	50
13-19 YRS	1102	9.6	101	2	3	7	10	19	31	50
GRAND TOTAL	**2579**	**8.4**	**84**	**1**	**2**	**6**	**9**	**18**	**26**	**47**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	6.2	13	1	2	6	8	10	14	16
1-11 MOS	36	8.3	55	2	2	5	10	17	24	35
1-5 YRS	82	7.0	60	1	1	4	9	15	22	44
6-12 YRS	62	8.6	96	<1	1	6	12	19	28	54
13-19 YRS	57	7.9	103	1	1	4	9	25	34	44
2. MULTIPLE DX										
0-27 DYS	230	18.1	454	2	3	9	28	69	99	99+
1-11 MOS	175	18.6	337	2	3	12	27	47	70	99+
1-5 YRS	332	14.3	221	1	2	10	19	36	47	85
6-12 YRS	181	15.1	252	1	2	10	20	38	49	74
13-19 YRS	312	13.8	203	1	2	9	19	30	43	76
TOT. SINGLE DX	253	7.7	75	1	1	5	9	17	26	44
" MULTIPLE DX	1230	15.6	284	2	2	10	21	41	57	99+
TOTAL 0-27 DYS	246	17.3	434	2	3	8	28	63	98	99+
1-11 MOS	211	16.8	304	2	3	11	25	45	61	99+
1-5 YRS	414	12.9	198	1	2	8	16	32	45	80
6-12 YRS	243	13.4	220	1	2	8	18	35	44	70
13-19 YRS	369	12.9	192	1	2	8	17	30	42	71
GRAND TOTAL	**1483**	**14.3**	**257**	**1**	**2**	**9**	**19**	**38**	**53**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	4.7	9	2	2	4	7	8	8	8
1-11 MOS	31	4.4	42	1	1	2	3	13	19	30
1-5 YRS	56	2.7	22	<1	<1	1	2	6	9	33
6-12 YRS	39	6.1	118	<1	1	2	6	11	34	54
13-19 YRS	48	3.4	18	<1	1	2	3	9	13	19
2. MULTIPLE DX										
0-27 DYS	12	28.4	627	1	2	19	51	68	69	69
1-11 MOS	72	7.1	83	1	1	3	9	21	27	45
1-5 YRS	121	7.6	153	1	1	3	9	20	38	99+
6-12 YRS	78	4.9	58	1	1	2	5	13	19	46
13-19 YRS	87	8.3	140	1	1	4	9	20	37	87
TOT. SINGLE DX	177	4.0	46	<1	1	2	3	9	13	36
" MULTIPLE DX	370	7.8	145	1	1	3	9	20	36	78
TOTAL 0-27 DYS	15	23.7	591	1	2	14	44	67	68	69
1-11 MOS	103	6.3	72	1	1	2	8	16	27	43
1-5 YRS	177	6.0	117	<1	1	2	6	15	34	94
6-12 YRS	117	5.3	78	1	1	2	5	12	20	54
13-19 YRS	135	6.6	102	<1	1	3	8	17	30	72
GRAND TOTAL	**547**	**6.5**	**116**	**1**	**1**	**2**	**7**	**16**	**31**	**67**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	388	3.3	1	2	2	3	4	5	5	8
1-11 MOS	967	3.1	2	1	2	3	4	5	6	8
1-5 YRS	79	4.2	4	2	2	4	5	6	8	13
6-12 YRS	4	4.5	3	3	3	4	6	7	7	7
13-19 YRS	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	151	5.9	53	2	3	4	6	8	17	44
1-11 MOS	400	4.9	24	2	2	4	5	7	10	29
1-5 YRS	29	5.5	10	2	2	5	7	9	18	99+
6-12 YRS										
13-19 YRS	3	11.3	36	5	5	12	16	17	17	17
TOT. SINGLE DX	1441	3.2	3	1	2	3	4	5	6	8
" MULTIPLE DX	583	5.2	32	2	2	4	6	8	11	42
TOTAL 0-27 DYS	539	4.0	18	2	2	3	4	6	7	21
1-11 MOS	1367	3.6	10	1	2	3	4	6	7	13
1-5 YRS	108	4.5	6	2	2	4	5	8	10	52
6-12 YRS	4	4.5	4	3	3	4	6	7	7	7
13-19 YRS	6	7.8	30	3	3	5	12	16	17	17
GRAND TOTAL	**2024**	**3.8**	**12**	**2**	**2**	**3**	**4**	**6**	**7**	**15**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	9.2	46	2	2	9	15	17	17	17
1-5 YRS	10	6.7	40	1	1	6	9	16	22	22
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-27 DYS	24	38.8	736	7	10	40	62	95	99+	99+
1-11 MOS	50	23.8	493	2	5	16	38	66	89	99+
1-5 YRS	85	18.0	392	2	3	11	24	49	73	96
6-12 YRS	50	14.7	274	2	3	10	20	28	63	99+
13-19 YRS	50	17.3	330	2	2	11	34	80	99+	99+
TOT. SINGLE DX	18	7.4	34	1	1	6	10	16	20	22
" MULTIPLE DX	259	20.3	446	2	3	13	29	63	91	99+
TOTAL 0-27 DYS	24	38.8	736	7	10	40	62	95	99+	99+
1-11 MOS	55	22.5	469	2	4	16	31	61	88	99+
1-5 YRS	95	16.9	367	1	3	9	21	45	71	95
6-12 YRS	51	14.5	271	2	3	9	20	27	63	99+
13-19 YRS	52	16.9	322	2	2	10	31	77	99+	99+
GRAND TOTAL	**277**	**19.5**	**429**	**2**	**3**	**12**	**27**	**61**	**90**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	18	4.1	3	2	2	3	6	7	8	8
2. MULTIPLE DX										
0-27 DYS	3	23.0	427	<1	<1	26	38	42	42	42
1-11 MOS	8	6.1	11	3	3	5	8	11	13	13
1-5 YRS	8	12.0	39	2	3	13	18	18	18	18
6-12 YRS	16	5.7	15	1	2	5	7	10	15	17
13-19 YRS	60	6.7	86	1	2	4	6	10	26	57
TOT. SINGLE DX	24	4.3	5	1	2	4	6	7	9	10
" MULTIPLE DX	95	7.4	80	1	2	5	7	17	24	51
TOTAL 0-27 DYS	3	23.0	427	<1	<1	26	38	42	42	42
1-11 MOS	10	5.6	12	1	2	5	7	10	13	13
1-5 YRS	10	11.0	37	2	3	10	18	18	18	18
6-12 YRS	18	5.6	14	1	2	5	6	10	14	17
13-19 YRS	78	6.1	68	1	2	4	6	8	15	53
GRAND TOTAL	**119**	**6.8**	**66**	**1**	**2**	**5**	**7**	**12**	**18**	**47**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	5.8	7	2	2	6	7	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	14.8	25	11	11	13	18	23	23	23
6-12 YRS	2	13.0	2	12	12	13	14	14	14	14
13-19 YRS	7	13.3	62	5	6	12	15	26	29	29
TOT. SINGLE DX	4	5.8	7	2	2	6	7	8	8	8
" MULTIPLE DX	14	13.8	37	6	8	13	16	24	28	29
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	14.8	25	11	11	13	18	23	23	23
6-12 YRS	2	13.0	2	12	12	13	14	14	14	14
13-19 YRS	11	10.5	54	2	4	8	13	21	28	29
GRAND TOTAL	**18**	**12.0**	**41**	**3**	**5**	**11**	**14**	**21**	**27**	**29**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX										
" MULTIPLE DX	3	13.7	121	1	1	19	20	21	21	21
TOTAL 0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**3**	**13.7**	**121**	**1**	**1**	**19**	**20**	**21**	**21**	**21**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	10	10.8	20	6	6	10	12	18	21	21
TOT. SINGLE DX	3	7.3	1	6	6	8	8	8	8	8
" MULTIPLE DX	11	11.4	21	6	7	11	14	19	21	21
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	11	10.5	19	6	7	9	12	17	21	21
GRAND TOTAL	**14**	**10.5**	**20**	**6**	**6**	**9**	**12**	**17**	**20**	**21**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	5.0	7	3	3	4	7	8	8	8
1-11 MOS	50	6.7	49	2	2	5	8	10	15	50
1-5 YRS	46	6.0	24	1	1	6	8	9	11	33
6-12 YRS	25	6.7	12	3	3	6	7	11	15	20
13-19 YRS	72	6.2	10	2	3	5	8	10	11	20
2. MULTIPLE DX										
0-27 DYS	26	42.8	798	9	13	48	80	99+	99+	99+
1-11 MOS	170	17.8	208	4	5	15	26	42	55	99+
1-5 YRS	255	17.6	262	3	5	12	23	43	56	99+
6-12 YRS	117	16.2	272	4	6	11	21	29	50	99
13-19 YRS	158	11.3	130	3	5	8	11	21	47	97
TOT. SINGLE DX	196	6.3	24	2	2	6	8	10	12	27
" MULTIPLE DX	726	16.9	271	4	5	11	22	43	70	99+
TOTAL 0-27 DYS	29	38.9	851	3	8	41	77	99+	99+	99+
1-11 MOS	220	15.3	194	3	4	10	22	38	51	99+
1-5 YRS	301	15.8	244	2	4	10	21	41	54	99+
6-12 YRS	142	14.5	239	3	5	9	19	26	41	99
13-19 YRS	230	9.7	98	3	4	7	10	19	24	76
GRAND TOTAL	**922**	**14.7**	**238**	**3**	**4**	**9**	**19**	**37**	**55**	**99+**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	8.5	44	3	3	6	13	18	18	18
1-11 MOS	10	5.3	33	1	1	3	5	15	19	19
1-5 YRS	46	3.3	6	<1	1	3	5	7	10	11
6-12 YRS	57	4.3	10	1	1	4	6	9	11	16
13-19 YRS	110	5.1	19	1	1	4	6	9	13	25
2. MULTIPLE DX										
0-27 DYS	6	20.0	533	4	4	12	22	61	65	65
1-11 MOS	50	13.7	340	2	2	6	16	36	53	87
1-5 YRS	95	6.6	108	1	2	4	7	13	19	65
6-12 YRS	109	7.1	114	1	1	5	7	12	16	70
13-19 YRS	221	7.9	103	1	2	5	8	13	28	58
TOT. SINGLE DX	227	4.6	16	1	1	4	6	9	11	20
" MULTIPLE DX	481	8.2	141	1	2	5	8	14	26	75
TOTAL 0-27 DYS	10	15.4	346	3	3	9	18	43	65	65
1-11 MOS	60	12.3	298	1	2	6	12	28	51	86
1-5 YRS	141	5.5	77	1	1	3	7	10	15	36
6-12 YRS	166	6.2	80	1	1	4	7	11	14	59
13-19 YRS	331	7.0	77	1	2	5	7	12	18	53
GRAND TOTAL	**708**	**7.1**	**103**	**1**	**2**	**5**	**7**	**13**	**19**	**63**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	21.5	243	6	6	20	34	39	39	39
1-11 MOS	15	8.4	14	5	6	7	9	10	18	21
1-5 YRS	8	6.3	7	4	4	5	8	11	11	11
6-12 YRS	17	8.0	6	4	5	8	9	12	13	14
13-19 YRS	30	10.0	46	6	6	8	10	14	17	43
2. MULTIPLE DX										
0-27 DYS	50	41.7	855	8	10	57	99	99+	99+	99+
1-11 MOS	40	15.2	193	4	5	11	23	50	78	99+
1-5 YRS	38	11.6	94	5	5	8	11	24	37	47
6-12 YRS	58	10.0	40	4	5	8	11	17	29	94
13-19 YRS	130	13.5	130	5	6	10	15	27	47	99+
TOT. SINGLE DX	74	9.4	43	5	5	8	10	14	20	42
" MULTIPLE DX	316	17.3	344	5	6	11	22	65	99+	99+
TOTAL 0-27 DYS	54	40.2	833	7	10	50	99	99+	99+	99+
1-11 MOS	55	13.3	153	5	5	9	15	34	61	99+
1-5 YRS	46	10.7	83	4	5	8	11	22	32	47
6-12 YRS	75	9.5	33	4	5	8	11	15	26	84
13-19 YRS	160	12.8	116	5	6	10	14	23	40	96
GRAND TOTAL	**390**	**15.8**	**296**	**5**	**6**	**10**	**18**	**60**	**99+**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	16.0	317	4	4	10	17	48	51	51
1-11 MOS	28	6.6	4	4	4	6	8	10	11	12
1-5 YRS	11	10.8	24	4	4	10	15	17	18	18
6-12 YRS	15	10.2	39	5	6	8	10	24	25	26
13-19 YRS	49	10.4	26	5	6	9	14	17	22	28
2. MULTIPLE DX										
0-27 DYS	27	41.1	527	11	14	41	67	97	99+	99+
1-11 MOS	52	12.0	62	4	5	10	16	22	26	48
1-5 YRS	33	13.2	105	6	6	9	16	26	29	56
6-12 YRS	30	15.1	153	5	6	9	17	32	42	55
13-19 YRS	159	16.2	166	6	7	13	18	29	43	78
TOT. SINGLE DX	109	9.8	40	4	5	8	11	16	22	37
" MULTIPLE DX	301	17.2	229	5	6	12	20	37	54	97
TOTAL 0-27 DYS	33	36.5	575	6	9	38	54	94	99+	99+
1-11 MOS	80	10.1	49	4	5	8	12	19	23	42
1-5 YRS	44	12.6	85	4	6	9	15	23	27	56
6-12 YRS	45	13.4	119	5	6	9	14	29	35	55
13-19 YRS	208	14.8	139	6	6	12	17	27	35	71
GRAND TOTAL	**410**	**15.3**	**190**	**5**	**6**	**11**	**17**	**31**	**47**	**92**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	6.4	6	4	4	6	8	10	12	12
1-11 MOS	12	6.3	11	2	3	5	8	12	13	13
1-5 YRS	15	8.0	18	2	3	8	10	12	17	19
6-12 YRS	6	4.5		4	4	4	5	5	5	5
13-19 YRS	7	8.6	85	1	1	5	15	24	25	25
2. MULTIPLE DX										
0-27 DYS	24	19.5	340	5	6	13	31	75	99+	99+
1-11 MOS	10	14.8	112	4	5	11	26	31	35	35
1-5 YRS	11	12.0	108	3	4	10	13	25	40	41
6-12 YRS	13	11.5	74	3	4	10	12	28	31	32
13-19 YRS	29	14.9	269	3	4	10	16	28	47	86
TOT. SINGLE DX	50	6.9	21	2	3	5	8	12	18	25
" MULTIPLE DX	87	15.3	222	3	5	11	18	36	54	99+
TOTAL 0-27 DYS	34	15.7	276	4	5	9	20	53	93	99+
1-11 MOS	22	10.1	73	3	4	6	13	26	30	35
1-5 YRS	26	9.7	58	3	3	8	12	15	23	41
6-12 YRS	19	9.3	61	3	4	6	11	21	30	32
13-19 YRS	36	13.6	236	1	3	9	16	25	40	86
GRAND TOTAL	**137**	**12.2**	**164**	**3**	**4**	**8**	**13**	**27**	**43**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	9.0	40	1	2	7	13	19	19	19
1-11 MOS	182	4.7	7	2	2	4	6	9	10	14
1-5 YRS	102	6.5	27	2	3	6	8	10	12	37
6-12 YRS	39	6.4	6	2	4	6	8	10	11	12
13-19 YRS	97	7.4	6	3	4	8	9	10	12	15
2. MULTIPLE DX										
0-27 DYS	41	16.5	152	4	5	14	23	48	99+	99+
1-11 MOS	217	10.2	146	2	3	7	10	24	41	99+
1-5 YRS	184	9.3	76	3	4	7	10	15	25	47
6-12 YRS	84	10.6	127	4	5	8	12	16	24	73
13-19 YRS	200	10.7	82	4	5	8	11	21	27	95
TOT. SINGLE DX	428	6.0	14	2	2	5	8	10	12	17
" MULTIPLE DX	726	10.5	111	3	4	8	11	21	32	99+
TOTAL 0-27 DYS	49	15.3	141	4	5	12	21	44	95	99+
1-11 MOS	399	7.7	91	2	2	5	8	14	26	81
1-5 YRS	286	8.3	60	2	3	7	9	13	19	42
6-12 YRS	123	9.2	92	3	4	7	10	14	19	59
13-19 YRS	297	9.6	60	4	5	8	10	15	24	74
GRAND TOTAL	**1154**	**8.8**	**80**	**2**	**3**	**7**	**10**	**15**	**25**	**80**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	11	10.2	56	2	4	8	11	22	29	30
1-5 YRS	4	6.0	2	4	4	6	7	7	7	7
6-12 YRS	2	10.5	5	9	9	10	12	12	12	12
13-19 YRS	5	8.0	1	6	6	8	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	19	22.5	463	5	6	16	51	85	99+	99+
1-11 MOS	17	16.6	83	5	7	16	21	33	35	35
1-5 YRS	12	10.7	40	3	4	8	17	19	21	21
6-12 YRS	20	16.5	421	5	6	10	17	30	69	97
13-19 YRS	28	17.5	322	5	7	10	24	31	46	96
TOT. SINGLE DX	24	8.7	29	3	4	8	10	12	20	30
" MULTIPLE DX	96	17.3	294	5	6	11	20	39	70	99+
TOTAL 0-27 DYS	21	20.9	444	4	5	15	44	81	99+	99+
1-11 MOS	28	14.1	81	4	5	12	19	29	35	35
1-5 YRS	16	9.5	34	3	4	7	15	18	20	21
6-12 YRS	22	16.0	384	6	6	10	17	25	63	97
13-19 YRS	33	16.1	285	5	7	10	18	30	40	96
GRAND TOTAL	**120**	**15.6**	**252**	**4**	**6**	**10**	**18**	**33**	**58**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	6.0	17	2	2	5	9	11	12	12
1-11 MOS	21	3.3	2	1	2	3	4	6	7	7
1-5 YRS	822	4.5	7	1	2	4	6	8	10	12
6-12 YRS	7173	3.6	5	2	2	3	4	6	8	11
13-19 YRS	11064	3.5	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS	5	5.8	4	3	3	7	8	91	99+	99+
1-11 MOS	13	4.9	5	2	2	5	7	8	8	8
1-5 YRS	464	7.3	25	2	2	6	9	13	16	24
6-12 YRS	2289	5.9	23	2	2	4	7	11	15	25
13-19 YRS	3688	5.3	16	2	2	4	6	9	12	20
TOT. SINGLE DX	19088	3.5	4	2	2	3	4	6	7	11
" MULTIPLE DX	6459	5.6	20	2	2	4	7	10	13	23
TOTAL 0-27 DYS	13	5.9	12	2	2	7	9	21	82	99+
1-11 MOS	34	3.9	4	2	2	3	5	7	8	8
1-5 YRS	1286	5.5	16	2	2	4	7	10	12	19
6-12 YRS	9462	4.1	11	2	2	3	5	7	9	16
13-19 YRS	14752	3.9	7	2	2	3	4	7	8	14
GRAND TOTAL	**25547**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**9**	**15**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	11	4.2	2	1	2	5	6	6	6	6
6-12 YRS	59	3.5	4	1	2	3	4	7	8	10
13-19 YRS	107	3.5	2	2	2	3	4	6	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	12.0	148	2	2	9	21	28	28	28
6-12 YRS	28	5.5	8	2	2	5	7	10	11	14
13-19 YRS	50	4.9	4	2	3	5	5	8	9	12
TOT. SINGLE DX	180	3.5	3	2	2	3	4	6	7	9
" MULTIPLE DX	82	5.4	13	2	3	5	7	9	11	24
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	15	6.3	47	1	2	5	6	15	25	28
6-12 YRS	87	4.1	6	1	2	3	5	8	9	13
13-19 YRS	157	3.9	3	2	2	3	5	6	7	10
GRAND TOTAL	**262**	**4.1**	**7**	**2**	**2**	**3**	**5**	**7**	**9**	**14**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	7.0	7	4	4	7	9	11	11	11
6-12 YRS	19	7.4	17	3	3	7	9	10	17	22
13-19 YRS	17	7.6	8	3	4	8	9	12	13	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	12.6	85	3	3	8	22	23	23	23
6-12 YRS	24	10.1	38	2	4	9	11	17	23	32
13-19 YRS	20	10.0	49	3	4	8	11	19	27	33
TOT. SINGLE DX	43	7.4	12	3	4	7	9	11	12	22
" MULTIPLE DX	49	10.3	46	3	4	9	11	21	23	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	12	9.3	43	3	4	7	10	22	23	23
6-12 YRS	43	8.9	30	3	3	8	10	15	20	32
13-19 YRS	37	8.9	31	3	4	8	10	14	20	33
GRAND TOTAL	**92**	**9.0**	**32**	**3**	**4**	**8**	**10**	**15**	**22**	**33**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	2.8	1	1	1	3	3	4	4	4
1-11 MOS	23	4.1	9	1	1	3	6	9	10	11
1-5 YRS	54	3.0	11	<1	1	2	4	5	8	21
6-12 YRS	31	2.8	4	<1	<1	2	4	6	8	9
13-19 YRS	35	4.0	20	1	1	3	5	8	9	26
2. MULTIPLE DX										
0-27 DYS	32	15.2	226	3	4	8	22	49	60	99+
1-11 MOS	35	9.3	81	1	1	6	13	23	29	37
1-5 YRS	52	4.3	57	1	1	2	4	6	11	48
6-12 YRS	33	6.3	162	1	1	3	6	11	23	72
13-19 YRS	49	8.9	204	1	1	5	8	20	29	93
TOT. SINGLE DX	148	3.4	11	<1	1	2	4	7	9	21
" MULTIPLE DX	201	8.4	151	1	1	4	9	22	33	82
TOTAL 0-27 DYS	37	13.5	214	2	3	8	21	45	57	99+
1-11 MOS	58	7.2	59	1	1	4	10	18	24	37
1-5 YRS	106	3.6	34	1	1	2	4	5	10	38
6-12 YRS	64	4.6	88	<1	1	2	4	9	11	65
13-19 YRS	84	6.9	132	1	1	4	7	13	25	74
GRAND TOTAL	**349**	**6.2**	**98**	**1**	**1**	**3**	**6**	**13**	**24**	**62**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	30	2.8	3	1	1	2	3	6	7	9
1-5 YRS	16	2.8	8	<1	<1	2	3	6	10	12
6-12 YRS	10	2.7	5	<1	<1	2	4	6	8	8
13-19 YRS	68	2.4	3	1	1	2	3	4	7	10
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	15	2.4	2	<1	<1	2	4	5	6	6
1-5 YRS	8	2.3	1	<1	<1	2	3	4	4	4
6-12 YRS	10	5.4	49	1	1	2	3	18	21	21
13-19 YRS	49	4.9	26	1	1	3	5	10	16	30
TOT. SINGLE DX	124	2.6	4	<1	1	2	3	5	8	11
" MULTIPLE DX	84	4.2	23	1	1	3	4	9	16	27
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	45	2.7	3	<1	1	2	3	5	7	9
1-5 YRS	24	2.6	6	<1	<1	2	3	5	8	12
6-12 YRS	20	4.1	28	<1	<1	2	4	12	18	21
13-19 YRS	117	3.4	15	1	1	2	4	8	10	21
GRAND TOTAL	**208**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	15.0		15	15	15	15	15	15	15
1-11 MOS	22	9.3	26	4	5	8	10	19	21	23
1-5 YRS	34	9.7	15	5	6	9	11	17	18	20
6-12 YRS	4	10.5	3	9	9	10	12	13	13	13
13-19 YRS	4	17.0	64	8	8	16	23	27	27	27
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	54	11.1	42	5	6	8	14	21	25	32
1-5 YRS	55	12.7	152	5	6	10	14	18	24	91
6-12 YRS	14	9.4	14	3	5	9	13	14	15	15
13-19 YRS	24	16.8	166	4	6	12	23	31	50	54
TOT. SINGLE DX	66	10.2	23	5	6	9	12	18	20	26
" MULTIPLE DX	148	12.4	104	5	6	10	15	22	29	55
TOTAL 0-27 DYS	3	11.7	33	5	5	15	15	15	15	15
1-11 MOS	76	10.6	38	5	6	8	13	20	23	32
1-5 YRS	89	11.6	101	5	6	9	13	18	20	69
6-12 YRS	18	9.6	12	3	5	10	13	14	15	15
13-19 YRS	28	16.8	149	5	6	12	23	29	49	54
GRAND TOTAL	**214**	**11.7**	**80**	**5**	**6**	**9**	**14**	**20**	**26**	**50**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	47	2.9	6	<1	1	2	4	6	8	99+
1-5 YRS	106	2.3	5	<1	1	1	2	5	6	15
6-12 YRS	128	2.8	5	1	1	2	3	5	7	12
13-19 YRS	423	4.1	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-27 DYS	17	9.8	70	2	3	7	16	22	27	29
1-11 MOS	150	6.7	37	1	2	4	9	16	21	33
1-5 YRS	212	7.3	110	1	1	4	8	15	22	52
6-12 YRS	248	4.9	19	1	1	4	6	10	12	27
13-19 YRS	1114	5.8	46	1	2	4	6	10	16	40
TOT. SINGLE DX	704	3.5	8	1	1	3	5	7	8	16
" MULTIPLE DX	1741	5.9	50	1	1	4	7	11	18	41
TOTAL 0-27 DYS	17	9.8	71	2	3	7	16	22	27	29
1-11 MOS	197	5.8	32	1	1	4	7	14	20	67
1-5 YRS	318	5.6	81	1	1	3	6	12	18	51
6-12 YRS	376	4.2	16	1	1	3	5	9	11	24
13-19 YRS	1537	5.3	36	1	2	4	6	9	14	33
GRAND TOTAL	**2445**	**5.2**	**39**	**1**	**1**	**4**	**6**	**10**	**15**	**33**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	29	1.2		<1	<1	1	1	2	2	4
1-5 YRS	12	1.2		<1	<1	1	1	2	2	2
6-12 YRS	7	2.1	1	1	1	2	3	4	4	4
13-19 YRS	34	2.6	7	1	1	2	3	4	4	17
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	11	3.4	9	<1	<1	2	5	8	11	11
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	37	2.8	4	1	1	2	4	5	6	12
TOT. SINGLE DX	82	1.9	4	<1	<1	1	2	4	4	13
" MULTIPLE DX	55	2.8	5	<1	1	2	4	5	6	12
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	40	1.8	4	<1	<1	1	2	4	5	11
1-5 YRS	15	1.3	1	<1	<1	1	1	2	4	4
6-12 YRS	9	1.9	2	<1	<1	1	3	4	4	4
13-19 YRS	71	2.7	6	1	1	2	4	5	6	16
GRAND TOTAL	**137**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**13**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	2.0	3	<1	<1	1	3	4	4	4
1-5 YRS	9	2.3	5	<1	<1	2	2	6	8	8
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	42	1.9	1	<1	<1	2	2	4	5	5
2. MULTIPLE DX										
0-27 DYS	5	3.0	1	2	2	3	4	4	4	4
1-11 MOS										
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	48	4.8	182	<1	1	2	4	6	10	94
TOT. SINGLE DX	59	2.1	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	61	4.2	145	<1	1	2	3	5	9	86
TOTAL 0-27 DYS	6	3.3	1	2	2	3	4	5	5	5
1-11 MOS	3	2.0	3	<1	<1	1	3	4	4	4
1-5 YRS	15	1.9	3	<1	<1	1	2	3	7	8
6-12 YRS	6	2.2	1	1	1	2	3	3	3	3
13-19 YRS	90	3.5	99	<1	<1	2	3	5	6	64
GRAND TOTAL	**120**	**3.2**	**75**	**<1**	**<1**	**2**	**3**	**5**	**6**	**42**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	6	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	2.8	1	<1	1	3	4	4	5	5
2. MULTIPLE DX										
0-27 DYS	4	5.5	11	2	2	5	8	10	10	10
1-11 MOS	13	4.3	12	1	2	3	4	9	14	15
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	71	3.7	10	1	1	3	4	6	9	22
TOT. SINGLE DX	31	2.3	1	<1	<1	2	3	4	4	5
" MULTIPLE DX	90	3.8	11	1	1	3	4	7	9	21
TOTAL 0-27 DYS	4	5.5	12	2	2	5	8	10	10	10
1-11 MOS	15	3.9	12	1	1	3	4	7	13	15
1-5 YRS	8	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	93	3.5	8	1	1	3	4	6	7	19
GRAND TOTAL	**121**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	3.8	6	1	1	4	5	7	10	10
1-11 MOS	39	3.9	37	<1	<1	2	3	7	19	29
1-5 YRS	34	2.8	4	<1	1	2	4	6	7	10
6-12 YRS	16	3.8	19	<1	1	2	5	11	14	16
13-19 YRS	66	2.9	6	1	1	2	3	5	9	85
2. MULTIPLE DX										
0-27 DYS	24	6.3	49	1	2	4	6	13	26	30
1-11 MOS	67	5.2	29	1	1	4	7	9	12	36
1-5 YRS	57	4.6	13	1	1	3	7	10	11	18
6-12 YRS	21	5.3	19	1	1	4	8	13	13	14
13-19 YRS	56	7.0	92	1	2	4	7	20	32	49
TOT. SINGLE DX	166	3.2	14	<1	1	2	4	6	10	29
" MULTIPLE DX	225	5.6	42	1	1	4	7	11	15	38
TOTAL 0-27 DYS	35	5.5	37	1	1	4	6	10	22	30
1-11 MOS	106	4.7	32	1	1	3	5	9	12	34
1-5 YRS	91	4.0	11	1	1	3	6	8	10	16
6-12 YRS	37	4.6	20	1	1	2	7	12	14	16
13-19 YRS	122	4.8	49	1	1	3	4	9	21	63
GRAND TOTAL	**391**	**4.6**	**32**	**1**	**1**	**3**	**5**	**9**	**12**	**36**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	8	7.5	19	4	4	6	9	15	17	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	8.7	12	5	5	9	11	12	12	12
1-5 YRS	4	12.5	11	8	8	13	15	16	16	16
6-12 YRS	2	21.0	338	8	8	21	34	34	34	34
13-19 YRS	19	12.8	144	3	4	8	14	33	45	47
TOT. SINGLE DX	11	7.5	15	4	4	6	9	13	17	17
" MULTIPLE DX	28	12.9	118	4	5	9	14	29	42	47
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	12	5	5	9	11	12	12	12
1-5 YRS	5	11.6	13	8	8	12	14	16	16	16
6-12 YRS	4	14.0	181	5	5	8	21	34	34	34
13-19 YRS	27	11.3	111	3	4	8	13	19	43	47
GRAND TOTAL	**39**	**11.4**	**94**	**4**	**4**	**8**	**13**	**18**	**38**	**47**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	5.6	14	1	1	8	8	9	9	9
1-11 MOS	30	4.1	6	1	1	4	5	8	8	11
1-5 YRS	41	3.4	15	1	1	2	3	9	12	18
6-12 YRS	31	5.2	30	1	1	2	8	15	16	21
13-19 YRS	45	4.8	13	1	1	4	8	11	12	14
2. MULTIPLE DX										
0-27 DYS	14	23.4	630	1	2	17	27	62	80	85
1-11 MOS	71	13.3	260	1	1	9	17	41	62	99+
1-5 YRS	89	13.8	354	1	1	7	17	45	83	99+
6-12 YRS	60	13.4	322	1	1	7	15	40	72	98
13-19 YRS	202	11.6	191	1	1	8	12	24	46	74
TOT. SINGLE DX	152	4.4	16	1	1	3	7	9	13	18
" MULTIPLE DX	436	12.9	269	1	1	8	16	36	60	99+
TOTAL 0-27 DYS	19	18.7	523	1	1	9	21	56	73	85
1-11 MOS	101	10.6	202	1	1	5	11	31	59	99+
1-5 YRS	130	10.5	270	1	1	4	13	32	69	99+
6-12 YRS	91	10.6	237	1	1	5	12	30	43	93
13-19 YRS	247	10.3	165	1	1	7	11	21	36	73
GRAND TOTAL	**588**	**10.7**	**217**	**1**	**1**	**6**	**12**	**27**	**51**	**98**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	8.2	15	4	4	8	10	14	14	14
1-11 MOS	19	5.7	6	2	2	5	8	10	10	10
1-5 YRS	7	6.0	18	1	1	5	10	12	12	12
6-12 YRS	29	5.7	9	2	3	5	6	10	12	16
13-19 YRS	888	5.0	4	3	3	5	6	7	9	12
2. MULTIPLE DX										
0-27 DYS	6	10.0	29	4	4	10	12	18	19	19
1-11 MOS	28	10.7	119	5	5	8	11	21	64	99+
1-5 YRS	29	15.1	407	4	4	9	13	31	81	86
6-12 YRS	44	8.8	26	4	4	7	11	18	21	21
13-19 YRS	819	7.0	24	3	3	6	8	11	13	28
TOT. SINGLE DX	949	5.1	5	2	3	5	6	8	9	13
" MULTIPLE DX	926	7.5	41	3	4	6	9	12	14	37
TOTAL 0-27 DYS	12	9.1	21	4	4	9	11	15	18	19
1-11 MOS	47	8.7	79	3	4	7	10	13	30	99+
1-5 YRS	36	13.4	343	3	4	9	12	20	68	86
6-12 YRS	73	7.5	22	3	4	6	8	15	20	21
13-19 YRS	1707	6.0	15	3	3	5	7	9	11	19
GRAND TOTAL	**1875**	**6.3**	**24**	**3**	**3**	**5**	**7**	**10**	**12**	**22**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	14.0	242	3	3	14	25	25	25	25
1-11 MOS	22	13.7	75	4	5	11	18	26	31	37
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	8	7.9	9	1	3	9	10	10	10	10
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	55	99+	99+	99+	99+
1-11 MOS	37	16.5	136	6	6	12	21	29	40	62
1-5 YRS	11	18.4	155	4	8	15	21	41	46	46
6-12 YRS	8	25.0	266	10	11	17	33	51	59	59
13-19 YRS	16	8.0	63	<1	1	5	12	19	26	29
TOT. SINGLE DX	35	11.8	68	2	3	10	15	25	27	37
" MULTIPLE DX	73	15.8	153	2	4	13	20	34	45	91
TOTAL 0-27 DYS	3	13.0	124	3	3	18	62	99+	99+	99+
1-11 MOS	59	15.5	114	5	6	12	20	28	37	60
1-5 YRS	12	18.1	142	5	8	15	19	40	45	46
6-12 YRS	10	20.5	297	2	2	15	33	46	59	59
13-19 YRS	24	8.0	44	<1	1	7	10	16	22	29
GRAND TOTAL	**108**	**14.5**	**128**	**2**	**3**	**11**	**19**	**29**	**38**	**78**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.3	30	3	3	8	12	14	14	14
6-12 YRS	13	10.8	142	1	1	6	14	32	37	38
13-19 YRS	20	5.3	17	<1	<1	4	9	12	13	13
2. MULTIPLE DX										
0-27 DYS	1	46.0		46	46	46	46	46	46	46
1-11 MOS	3	16.3	296	4	4	22	68	99+	99+	99+
1-5 YRS	7	30.4	678	2	3	25	44	71	77	77
6-12 YRS	10	23.6	535	1	2	14	35	62	68	68
13-19 YRS	51	13.1	166	2	2	9	17	29	45	63
TOT. SINGLE DX	36	7.6	67	<1	1	5	11	14	27	38
" MULTIPLE DX	72	16.8	297	2	2	10	20	46	62	95
TOTAL 0-27 DYS	1	46.0		46	46	46	46	46	46	46
1-11 MOS	3	16.3	296	4	4	22	68	99+	99+	99+
1-5 YRS	10	23.8	573	2	2	14	40	61	77	77
6-12 YRS	23	16.4	338	1	1	12	25	42	61	68
13-19 YRS	71	10.9	136	1	2	8	14	20	36	61
GRAND TOTAL	**108**	**13.7**	**238**	**1**	**1**	**9**	**17**	**37**	**52**	**86**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	5.6	25	2	2	4	7	14	17	17
1-11 MOS	37	4.8	63	<1	<1	2	4	11	28	35
1-5 YRS	62	2.6	4	<1	1	2	4	6	7	10
6-12 YRS	76	3.2	5	<1	1	2	4	7	9	10
13-19 YRS	239	4.2	8	1	1	4	5	7	8	18
2. MULTIPLE DX										
0-27 DYS	25	13.0	153	3	4	8	17	25	42	56
1-11 MOS	107	6.4	54	1	1	4	8	13	17	45
1-5 YRS	94	4.5	36	1	1	3	5	11	15	72
6-12 YRS	138	5.8	40	1	1	4	7	11	16	62
13-19 YRS	385	6.6	78	1	2	4	7	12	19	59
TOT. SINGLE DX	422	3.9	13	1	1	3	5	7	9	21
" MULTIPLE DX	749	6.4	67	1	1	4	7	12	19	56
TOTAL 0-27 DYS	33	11.2	132	2	3	7	15	24	36	56
1-11 MOS	144	6.0	57	1	1	3	7	12	20	40
1-5 YRS	156	3.8	24	1	1	2	4	8	12	38
6-12 YRS	214	4.9	29	1	1	3	6	10	14	37
13-19 YRS	624	5.7	53	1	2	4	6	10	14	44
GRAND TOTAL	**1171**	**5.5**	**49**	**1**	**1**	**4**	**6**	**11**	**15**	**43**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	42	1.7	2	<1	<1	1	2	3	4	9
1-11 MOS	784	1.4		<1	<1	1	2	2	3	5
1-5 YRS	988	1.3		<1	<1	1	1	2	2	5
6-12 YRS	531	1.3		<1	<1	1	1	2	2	4
13-19 YRS	1331	1.8	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	65	15.6	628	1	1	4	40	88	99+	99+
1-11 MOS	666	2.2	5	<1	<1	1	3	4	6	14
1-5 YRS	818	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	332	1.5	1	<1	<1	1	2	3	3	6
13-19 YRS	482	2.1	3	<1	1	2	3	4	4	9
TOT. SINGLE DX	3676	1.5	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	2363	2.2	25	<1	<1	1	2	4	5	19
TOTAL 0-27 DYS	107	10.1	427	1	1	2	5	62	98	99+
1-11 MOS	1450	1.8	3	<1	<1	1	2	3	4	9
1-5 YRS	1806	1.4	1	<1	<1	1	2	2	3	6
6-12 YRS	863	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	1813	1.8	2	<1	1	1	2	3	4	6
GRAND TOTAL	**6039**	**1.8**	**11**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	32	1.3		1	1	1	2	2	3	3
1-11 MOS	689	1.3		<1	<1	1	2	2	2	4
1-5 YRS	281	1.4		<1	<1	1	2	2	3	4
6-12 YRS	70	1.5		<1	<1	1	2	2	3	5
13-19 YRS	85	1.8		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	67	26.4	1020	1	1	30	82	99+	99+	99+
1-11 MOS	935	2.3	14	<1	1	1	2	4	7	25
1-5 YRS	301	2.0	9	<1	<1	1	2	3	5	22
6-12 YRS	52	1.6		<1	<1	1	2	3	4	4
13-19 YRS	39	2.4	4	<1	1	2	3	4	6	12
TOT. SINGLE DX	1157	1.4	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	1394	3.4	87	<1	<1	1	2	4	12	99+
TOTAL 0-27 DYS	99	18.3	826	1	1	3	57	99+	99+	99+
1-11 MOS	1624	1.9	9	<1	1	1	2	3	4	13
1-5 YRS	582	1.7	5	<1	<1	1	2	2	4	11
6-12 YRS	122	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	124	2.0	2	<1	1	2	3	3	4	8
GRAND TOTAL	**2551**	**2.5**	**49**	**<1**	**<1**	**1**	**2**	**3**	**5**	**69**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	7	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	4	1.5	1	1	1	1	2	3	3	3
13-19 YRS	15	2.2	1	1	1	2	3	5	71	99+
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	3	3.3	4	1	1	4	5	5	5	5
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	8	2.6	1	1	1	3	3	4	4	4
TOT. SINGLE DX	30	2.1	1	<1	<1	2	3	4	5	99+
" MULTIPLE DX	18	2.8	3	1	1	3	4	5	6	7
TOTAL 0-27 DYS	3	3.0	12	1	1	1	6	7	7	7
1-11 MOS	5	3.4	1	2	2	3	4	5	5	5
1-5 YRS	10	2.4	3	<1	<1	2	4	5	5	5
6-12 YRS	7	1.3	1	1	1	1	1	3	3	3
13-19 YRS	23	2.3	1	1	1	2	3	4	33	99+
GRAND TOTAL	**48**	**2.4**	**2**	**<1**	**1**	**2**	**3**	**5**	**5**	**99+**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	4.5	7	2	2	4	6	8	8	8
1-11 MOS	64	1.6	1	<1	<1	1	2	3	4	8
1-5 YRS	273	1.5		<1	<1	1	2	3	3	5
6-12 YRS	121	1.4		<1	<1	1	2	2	3	6
13-19 YRS	68	2.1	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	23	18.0	483	1	3	9	27	54	99	99+
1-11 MOS	40	3.2	31	<1	1	2	3	6	8	36
1-5 YRS	105	1.9	2	<1	<1	1	2	4	5	9
6-12 YRS	59	2.4	32	<1	<1	1	2	3	4	41
13-19 YRS	23	2.5	2	<1	1	2	4	5	6	6
TOT. SINGLE DX	530	1.6	1	<1	<1	1	2	3	3	7
" MULTIPLE DX	250	3.8	77	<1	<1	1	3	6	11	49
TOTAL 0-27 DYS	27	16.0	433	1	2	8	25	46	99	99+
1-11 MOS	104	2.2	14	<1	<1	1	2	4	6	21
1-5 YRS	378	1.6	1	<1	<1	1	2	3	4	6
6-12 YRS	180	1.7	11	<1	<1	1	2	2	4	7
13-19 YRS	91	2.2	2	<1	1	2	3	4	6	8
GRAND TOTAL	**780**	**2.3**	**27**	**<1**	**<1**	**1**	**2**	**4**	**6**	**27**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	44	2.4	3	<1	<1	2	3	5	7	7
6-12 YRS	47	1.6	1	<1	<1	1	2	3	4	8
13-19 YRS	88	1.8		<1	<1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	3	6.3	6	4	4	6	8	9	9	9
1-11 MOS	22	6.7	243	<1	1	3	5	7	35	76
1-5 YRS	32	5.0	20	1	1	4	6	13	15	20
6-12 YRS	21	3.0	9	<1	<1	2	4	6	10	14
13-19 YRS	40	4.0	31	<1	1	3	4	12	23	99+
TOT. SINGLE DX	188	1.9	2	<1	<1	1	2	4	4	7
" MULTIPLE DX	118	4.7	63	<1	1	3	5	9	15	83
TOTAL 0-27 DYS	3	6.3	6	4	4	6	8	9	9	9
1-11 MOS	31	5.4	176	<1	1	3	5	6	7	76
1-5 YRS	76	3.5	12	<1	<1	2	5	7	11	19
6-12 YRS	68	2.1	4	<1	<1	1	2	4	6	13
13-19 YRS	128	2.5	11	<1	1	2	3	4	5	46
GRAND TOTAL	**306**	**3.0**	**27**	**<1**	**<1**	**2**	**3**	**5**	**7**	**25**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	9.5	13	7	7	9	12	12	12	12
1-11 MOS	7	5.7	2	4	4	6	7	8	8	8
1-5 YRS	5	4.4	4	<1	<1	5	6	6	6	6
6-12 YRS	4	7.0	36	1	1	6	12	14	14	14
13-19 YRS	7	5.7	6	2	2	5	8	9	9	9
2. MULTIPLE DX										
0-27 DYS	22	19.0	362	2	5	14	30	89	99+	99+
1-11 MOS	29	12.0	219	4	5	7	12	20	37	81
1-5 YRS	16	11.1	59	2	3	10	14	24	27	28
6-12 YRS	11	13.7	587	2	3	6	9	43	82	86
13-19 YRS	12	11.1	79	3	4	8	13	23	34	36
TOT. SINGLE DX	25	6.0	10	1	2	6	7	10	12	14
" MULTIPLE DX	90	13.6	250	3	4	9	15	33	77	99+
TOTAL 0-27 DYS	24	18.2	339	2	5	13	27	84	99+	99+
1-11 MOS	36	10.8	182	4	4	7	10	18	31	81
1-5 YRS	21	9.5	54	1	2	7	12	22	26	28
6-12 YRS	15	11.9	437	1	2	6	10	15	68	86
13-19 YRS	19	9.1	58	2	3	6	11	16	27	36
GRAND TOTAL	**115**	**12.0**	**208**	**2**	**3**	**8**	**13**	**27**	**42**	**99+**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	4.5	10	<1	1	3	7	10	10	10
1-11 MOS	20	3.4	6	<1	<1	3	5	7	8	9
1-5 YRS	132	3.5	13	<1	<1	2	5	9	10	18
6-12 YRS	88	3.9	15	<1	1	2	5	8	13	20
13-19 YRS	127	3.5	8	<1	1	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	32	15.5	452	1	2	8	24	64	99	99+
1-11 MOS	37	9.7	108	1	2	6	11	20	40	42
1-5 YRS	160	6.5	32	<1	1	5	8	15	17	35
6-12 YRS	121	6.5	29	1	1	6	9	12	17	30
13-19 YRS	200	7.1	56	1	1	5	8	14	23	39
TOT. SINGLE DX	375	3.6	12	<1	1	2	5	8	10	16
" MULTIPLE DX	550	7.5	74	1	1	5	9	15	24	53
TOTAL 0-27 DYS	40	13.3	381	1	2	7	15	56	96	99+
1-11 MOS	57	7.5	81	1	1	5	8	17	31	42
1-5 YRS	292	5.1	26	<1	1	4	7	11	16	29
6-12 YRS	209	5.4	25	<1	1	4	7	12	15	25
13-19 YRS	327	5.7	41	1	1	4	7	11	15	37
GRAND TOTAL	**925**	**5.9**	**52**	**<1**	**1**	**4**	**7**	**12**	**17**	**41**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	10	4.7	3	2	2	4	6	7	8	8
1-5 YRS	61	4.2	14	1	1	3	5	8	13	19
6-12 YRS	133	5.3	17	1	2	4	7	10	11	26
13-19 YRS	378	4.8	6	2	2	4	6	8	10	12
2. MULTIPLE DX										
0-27 DYS	12	20.5	373	2	4	13	44	69	94	99+
1-11 MOS	31	11.1	220	2	2	6	10	29	49	67
1-5 YRS	84	9.4	81	2	3	7	10	19	24	53
6-12 YRS	167	8.9	52	2	3	7	11	16	24	38
13-19 YRS	664	7.4	50	2	3	5	9	13	19	38
TOT. SINGLE DX	583	4.9	10	2	2	4	6	9	11	16
" MULTIPLE DX	958	8.1	65	2	3	6	9	15	23	46
TOTAL 0-27 DYS	13	20.0	346	2	4	13	44	65	92	99+
1-11 MOS	41	9.6	174	2	2	5	7	22	42	67
1-5 YRS	145	7.2	59	1	2	5	8	15	20	48
6-12 YRS	300	7.3	40	2	2	6	9	14	17	37
13-19 YRS	1042	6.5	36	2	3	5	8	11	15	33
GRAND TOTAL	**1541**	**6.9**	**47**	**2**	**2**	**5**	**8**	**12**	**18**	**38**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	27	2.4	1	<1	1	2	3	4	4	4
13-19 YRS	809	2.8	4	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	3	6.3	44	2	2	3	11	14	14	14
6-12 YRS	20	3.8	6	<1	<1	3	5	8	9	10
13-19 YRS	942	3.6	8	<1	1	3	5	7	8	12
TOT. SINGLE DX	839	2.8	4	<1	<1	2	4	6	7	10
" MULTIPLE DX	970	3.6	9	<1	1	3	5	7	8	13
TOTAL 0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	4	2.3	6	<1	<1	1	4	6	6	6
1-5 YRS	5	4.4	29	1	1	2	6	14	14	14
6-12 YRS	47	3.0	4	<1	<1	3	4	5	7	10
13-19 YRS	1751	3.2	7	<1	1	2	4	6	8	12
GRAND TOTAL	**1809**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	9.5	5	8	8	9	11	11	11	11
1-11 MOS	27	9.4	100	2	2	8	11	13	21	56
1-5 YRS	38	6.3	12	2	4	6	8	10	10	23
6-12 YRS	65	5.5	8	1	1	6	7	8	10	15
13-19 YRS	150	5.8	9	1	1	6	8	10	11	14
2. MULTIPLE DX										
0-27 DYS	55	27.2	557	4	5	20	34	64	88	98
1-11 MOS	66	13.7	193	3	5	10	13	30	47	71
1-5 YRS	112	13.9	219	2	4	9	15	29	44	79
6-12 YRS	141	11.6	134	2	3	8	15	22	41	70
13-19 YRS	360	7.6	63	1	2	6	9	15	19	62
TOT. SINGLE DX	282	6.1	19	1	2	6	8	10	12	15
" MULTIPLE DX	734	11.3	176	2	3	7	13	23	37	92
TOTAL 0-27 DYS	57	26.6	549	4	5	20	33	63	86	98
1-11 MOS	93	12.5	169	2	4	9	12	24	43	70
1-5 YRS	150	12.0	177	2	4	8	14	24	40	70
6-12 YRS	206	9.6	102	2	2	7	11	18	27	66
13-19 YRS	510	7.0	48	1	2	6	8	13	17	43
GRAND TOTAL	**1016**	**9.9**	**138**	**2**	**2**	**7**	**11**	**18**	**31**	**71**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	5.3	10	3	3	4	8	9	9	9
1-11 MOS	21	6.3	19	2	3	5	7	12	17	20
1-5 YRS	45	9.4	62	4	4	8	11	14	23	52
6-12 YRS	13	6.0	10	1	2	5	8	11	12	12
13-19 YRS	16	6.3	3	3	4	6	8	9	10	10
2. MULTIPLE DX										
0-27 DYS	10	14.3	80	5	5	13	18	28	32	32
1-11 MOS	41	8.9	99	1	2	6	9	21	26	57
1-5 YRS	92	10.1	60	4	4	7	13	23	34	99+
6-12 YRS	73	9.0	66	3	4	7	10	16	21	52
13-19 YRS	111	8.8	31	3	4	7	10	15	19	31
TOT. SINGLE DX	98	7.7	37	3	3	6	9	12	15	39
" MULTIPLE DX	327	9.4	57	3	4	7	11	19	26	57
TOTAL 0-27 DYS	13	12.2	77	3	4	9	16	26	31	32
1-11 MOS	62	8.0	73	2	2	5	9	17	22	54
1-5 YRS	137	9.9	61	4	4	7	12	21	30	99+
6-12 YRS	86	8.6	59	3	4	6	10	15	21	49
13-19 YRS	127	8.5	28	3	4	7	10	14	19	30
GRAND TOTAL	**425**	**9.0**	**53**	**3**	**4**	**7**	**10**	**17**	**25**	**53**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	7.6	15	2	2	8	9	13	16	16
1-11 MOS	63	5.6	7	2	3	5	7	10	12	13
1-5 YRS	129	4.6	9	1	2	4	6	8	11	14
6-12 YRS	197	4.7	14	1	2	3	6	10	12	20
13-19 YRS	268	4.6	15	1	1	3	7	10	12	20
2. MULTIPLE DX										
0-27 DYS	26	14.6	93	5	5	13	18	25	37	44
1-11 MOS	82	8.5	70	2	3	6	10	16	26	84
1-5 YRS	220	9.4	83	2	2	7	12	19	23	62
6-12 YRS	279	8.7	65	1	2	6	12	19	26	42
13-19 YRS	474	9.4	80	1	2	7	13	22	29	42
TOT. SINGLE DX	667	4.7	13	1	1	4	6	10	12	19
" MULTIPLE DX	1081	9.3	77	1	2	7	12	20	28	46
TOTAL 0-27 DYS	36	12.7	81	3	5	10	16	24	32	44
1-11 MOS	145	7.3	45	2	3	6	8	13	19	55
1-5 YRS	349	7.6	62	1	2	6	9	15	20	52
6-12 YRS	476	7.0	48	1	2	5	9	16	21	37
13-19 YRS	742	7.7	62	1	1	6	10	17	24	40
GRAND TOTAL	**1748**	**7.6**	**58**	**1**	**2**	**5**	**9**	**16**	**22**	**42**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	12	4.8	5	1	2	5	7	7	7	7
13-19 YRS	19	5.3	16	<1	1	5	7	11	15	16
2. MULTIPLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	2	17.5	181	8	8	17	27	27	27	27
1-5 YRS	16	6.1	26	2	2	5	7	13	19	22
6-12 YRS	11	5.7	15	<1	1	5	8	11	12	12
13-19 YRS	36	6.1	22	1	1	6	8	11	14	24
TOT. SINGLE DX	32	5.0	12	1	1	5	7	8	12	16
" MULTIPLE DX	67	6.3	27	1	1	5	8	12	16	26
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	3	12.0	181	1	1	8	22	27	27	27
1-5 YRS	16	6.1	27	2	2	5	7	13	19	22
6-12 YRS	23	5.2	10	1	1	5	7	9	11	12
13-19 YRS	55	5.8	20	1	1	5	8	11	15	24
GRAND TOTAL	**99**	**5.9**	**22**	**1**	**1**	**5**	**8**	**11**	**14**	**26**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	24	6.9	10	3	4	7	9	10	13	17
1-5 YRS	239	5.9	4	3	3	6	7	8	9	12
6-12 YRS	244	6.1	4	3	4	6	7	8	10	13
13-19 YRS	41	6.8	7	3	3	7	8	10	12	15
2. MULTIPLE DX										
0-27 DYS	2	29.5	1301	4	4	29	55	55	55	55
1-11 MOS	64	10.3	70	3	4	8	12	16	27	50
1-5 YRS	335	8.1	27	3	4	7	9	13	17	28
6-12 YRS	238	7.2	8	3	4	7	9	10	12	17
13-19 YRS	98	9.8	37	4	5	8	10	16	18	40
TOT. SINGLE DX	550	6.1	5	3	4	6	7	9	10	14
" MULTIPLE DX	737	8.3	30	3	4	7	9	13	16	28
TOTAL 0-27 DYS	4	19.0	601	3	3	9	34	55	55	55
1-11 MOS	88	9.3	56	3	4	8	10	16	22	48
1-5 YRS	574	7.2	19	3	4	6	8	11	14	26
6-12 YRS	482	6.7	7	3	4	6	8	10	11	15
13-19 YRS	139	8.9	31	3	5	8	10	14	18	26
GRAND TOTAL	**1287**	**7.4**	**21**	**3**	**4**	**7**	**8**	**11**	**14**	**25**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	9.5	22	3	3	11	13	13	13	13
1-11 MOS	12	7.3	28	<1	1	6	12	15	16	16
1-5 YRS	21	4.6	10	<1	1	5	6	9	10	11
6-12 YRS	20	6.1	12	1	1	6	8	11	13	14
13-19 YRS	165	3.6	5	1	1	3	5	7	7	11
2. MULTIPLE DX										
0-27 DYS	9	11.6	88	2	2	9	19	26	30	30
1-11 MOS	23	9.8	30	1	4	9	13	15	20	27
1-5 YRS	47	7.6	12	2	3	8	10	12	13	16
6-12 YRS	50	6.5	30	1	1	5	9	13	19	24
13-19 YRS	120	5.7	32	1	1	4	7	11	14	38
TOT. SINGLE DX	222	4.2	9	1	1	4	6	8	11	15
" MULTIPLE DX	249	6.8	32	1	2	5	9	13	16	30
TOTAL 0-27 DYS	13	10.9	66	2	2	9	15	21	28	30
1-11 MOS	35	9.0	30	1	2	9	13	15	16	27
1-5 YRS	68	6.7	14	1	1	6	9	12	12	16
6-12 YRS	70	6.4	25	1	1	5	9	13	16	23
13-19 YRS	285	4.5	18	1	1	4	5	8	11	18
GRAND TOTAL	**471**	**5.6**	**23**	**1**	**1**	**4**	**8**	**11**	**14**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.7	4	2	2	3	5	6	6	6
1-11 MOS	19	1.8	4	<1	<1	1	2	5	8	8
1-5 YRS	117	1.9	3	<1	<1	1	2	5	6	10
6-12 YRS	159	1.8	2	<1	<1	1	2	4	6	7
13-19 YRS	244	3.2	11	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	4	8.5	73	2	2	6	15	20	20	20
1-11 MOS	44	6.2	34	<1	<1	4	9	14	20	23
1-5 YRS	225	3.7	13	<1	<1	2	5	8	10	24
6-12 YRS	307	3.4	22	<1	<1	2	4	7	10	14
13-19 YRS	464	5.2	43	<1	1	4	6	10	15	52
TOT. SINGLE DX	542	2.5	7	<1	<1	1	3	5	7	11
" MULTIPLE DX	1044	4.4	31	<1	<1	3	5	9	12	42
TOTAL 0-27 DYS	7	6.4	45	2	2	3	9	18	20	20
1-11 MOS	63	4.9	30	<1	<1	2	7	13	19	23
1-5 YRS	342	3.1	11	<1	<1	1	4	7	9	17
6-12 YRS	466	2.8	16	<1	<1	1	4	6	8	13
13-19 YRS	708	4.5	33	<1	1	3	5	9	12	42
GRAND TOTAL	**1586**	**3.7**	**24**	**<1**	**<1**	**2**	**5**	**8**	**11**	**28**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.4	1	1	1	2	3	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	2.5	1	1	1	3	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	4	7.8	39	3	3	5	11	17	17	17
1-11 MOS	4	8.8	23	3	3	9	12	14	14	14
1-5 YRS	8	8.3	64	1	1	7	11	21	25	25
6-12 YRS	10	3.8	11	1	1	3	4	10	11	11
13-19 YRS	27	4.2	17	1	1	3	6	8	30	99+
TOT. SINGLE DX	15	2.4	1	1	1	3	3	4	4	4
" MULTIPLE DX	53	5.3	27	1	1	4	7	13	21	97
TOTAL 0-27 DYS	4	7.8	40	3	3	5	11	17	17	17
1-11 MOS	5	7.6	24	3	3	7	12	14	14	14
1-5 YRS	13	6.0	47	1	1	3	9	15	23	25
6-12 YRS	11	3.5	11	1	1	2	4	10	11	11
13-19 YRS	35	3.8	14	1	1	3	5	7	18	99+
GRAND TOTAL	**68**	**4.7**	**23**	**1**	**1**	**3**	**6**	**11**	**17**	**86**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	32	4.2	5	2	2	4	5	7	10	12
1-11 MOS	31	3.9	15	1	1	3	4	7	10	22
1-5 YRS	31	5.2	14	1	2	3	8	11	14	14
6-12 YRS	35	5.6	19	1	1	5	8	13	14	19
13-19 YRS	40	4.8	11	<1	1	4	7	9	11	12
2. MULTIPLE DX										
0-27 DYS	158	9.7	106	2	3	6	11	22	30	66
1-11 MOS	92	6.8	50	1	1	5	8	16	21	40
1-5 YRS	125	7.8	83	1	1	5	9	18	25	43
6-12 YRS	93	9.5	40	1	2	8	12	18	22	31
13-19 YRS	169	11.0	153	1	2	8	13	29	47	99+
TOT. SINGLE DX	169	4.7	13	1	1	4	7	10	12	18
" MULTIPLE DX	637	9.2	98	1	2	6	11	21	29	71
TOTAL 0-27 DYS	190	8.7	93	2	3	5	10	19	29	63
1-11 MOS	123	6.1	43	1	1	4	7	14	19	32
1-5 YRS	156	7.3	71	1	1	5	9	17	23	35
6-12 YRS	128	8.4	38	1	2	7	11	17	20	30
13-19 YRS	209	9.8	132	1	1	7	12	24	35	99+
GRAND TOTAL	**806**	**8.3**	**84**	**1**	**2**	**6**	**10**	**18**	**27**	**62**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	56	1.1		<1	<1	<1	<1	1	2	2
6-12 YRS	29	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS	31	2.5	5	<1	<1	1	4	6	9	9
6-12 YRS	39	2.5	4	<1	<1	1	4	5	8	8
13-19 YRS	5	4.0	5	2	2	3	6	7	7	7
TOT. SINGLE DX	91	1.1		<1	<1	<1	1	2	2	3
" MULTIPLE DX	78	2.6	5	<1	<1	2	4	6	8	9
TOTAL 0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	87	1.6	3	<1	<1	<1	1	3	5	9
6-12 YRS	68	2.0	3	<1	<1	1	2	5	6	8
13-19 YRS	10	2.6	5	<1	<1	2	3	6	7	7
GRAND TOTAL	**169**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	8.3	20	4	4	8	12	13	13	13
1-11 MOS	109	3.3	8	<1	1	2	5	8	9	48
1-5 YRS	899	3.8	9	<1	1	3	6	8	10	14
6-12 YRS	172	3.6	12	<1	1	2	5	8	9	27
13-19 YRS	65	4.1	15	<1	1	2	6	9	13	17
2. MULTIPLE DX										
0-27 DYS	14	6.9	30	1	1	5	10	16	18	19
1-11 MOS	39	5.4	20	1	1	4	8	12	15	17
1-5 YRS	473	4.7	22	1	1	3	7	10	12	19
6-12 YRS	131	4.8	23	<1	1	3	7	10	12	23
13-19 YRS	91	5.8	31	1	1	4	8	14	17	28
TOT. SINGLE DX	1248	3.8	10	<1	1	3	5	8	10	15
" MULTIPLE DX	748	4.9	24	1	1	3	7	11	14	19
TOTAL 0-27 DYS	17	7.1	27	1	1	5	10	15	18	19
1-11 MOS	148	3.9	12	<1	1	2	6	9	11	18
1-5 YRS	1372	4.2	14	1	1	3	6	9	11	16
6-12 YRS	303	4.1	18	<1	1	3	6	9	12	24
13-19 YRS	156	5.1	25	1	1	3	7	12	16	20
GRAND TOTAL	**1996**	**4.2**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	39	1.3		<1	<1	1	1	2	4	5
6-12 YRS	49	1.4		<1	<1	<1	1	3	3	4
13-19 YRS	29	1.9	1	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-27 DYS	2	29.0	1568	1	1	29	57	57	57	57
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	93	2.7	5	<1	<1	1	4	6	8	11
6-12 YRS	75	2.3	18	<1	<1	1	2	4	7	29
13-19 YRS	74	4.5	18	<1	<1	3	6	11	17	80
TOT. SINGLE DX	117	1.5	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	249	3.3	26	<1	<1	1	4	7	11	35
TOTAL 0-27 DYS	2	29.0	1568	1	1	29	57	57	57	57
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	132	2.3	5	<1	<1	1	3	6	7	11
6-12 YRS	124	2.0	12	<1	<1	<1	2	4	5	18
13-19 YRS	103	3.8	15	<1	<1	2	5	10	12	57
GRAND TOTAL	**366**	**2.7**	**19**	**<1**	**<1**	**1**	**3**	**6**	**8**	**20**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	52	1.4		<1	<1	1	1	2	4	6
6-12 YRS	42	1.4		<1	<1	1	1	2	3	5
13-19 YRS	63	2.1	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	3	5.0	37	1	1	2	9	12	12	12
1-5 YRS	58	2.4	10	<1	<1	1	2	5	8	19
6-12 YRS	46	1.8	3	<1	<1	1	2	3	7	11
13-19 YRS	78	4.0	37	1	1	2	4	8	10	39
TOT. SINGLE DX	161	1.7	2	<1	<1	1	2	3	5	7
" MULTIPLE DX	188	3.0	21	<1	<1	2	3	6	9	27
TOTAL 0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	6	3.8	18	1	1	2	5	11	12	12
1-5 YRS	110	1.9	6	<1	<1	1	2	4	6	16
6-12 YRS	88	1.6	2	<1	<1	1	2	3	4	10
13-19 YRS	141	3.1	23	<1	1	2	3	6	8	33
GRAND TOTAL	**349**	**2.4**	**12**	**<1**	**<1**	**1**	**2**	**5**	**7**	**19**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	4	3.3	7	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	10.3	6	8	8	11	56	99+	99+	99+
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	5	3.8	7	1	1	5	6	6	6	6
" MULTIPLE DX	5	7.2	22	2	2	9	13	91	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	10.3	6	8	8	11	56	99+	99+	99+
1-5 YRS										
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	5	3.0	6	1	1	2	5	6	6	6
GRAND TOTAL	**10**	**5.5**	**16**	**1**	**1**	**6**	**9**	**48**	**96**	**99+**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	9.5	27	3	3	10	13	15	15	15
13-19 YRS	9	4.9	10	1	1	5	6	10	12	12
TOT. SINGLE DX	4	2.3	2	1	1	2	3	4	4	4
" MULTIPLE DX	14	6.3	17	1	2	5	8	13	14	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	5	7.8	35	1	1	8	13	15	15	15
13-19 YRS	11	4.5	9	1	1	4	6	9	12	12
GRAND TOTAL	**18**	**5.4**	**17**	**1**	**1**	**4**	**7**	**12**	**14**	**15**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	12	3.5	7	<1	1	3	5	8	9	9
2. MULTIPLE DX										
0-27 DYS	3	5.7	30	2	2	3	10	12	12	12
1-11 MOS	4	7.8	25	4	4	6	11	15	15	15
1-5 YRS	7	2.7	7	<1	<1	1	4	7	8	8
6-12 YRS	6	5.2	40	<1	<1	2	10	15	16	16
13-19 YRS	31	5.9	12	2	3	5	7	11	15	17
TOT. SINGLE DX	17	3.5	7	<1	1	3	5	8	9	9
" MULTIPLE DX	51	5.5	17	<1	1	4	7	12	15	17
TOTAL 0-27 DYS	3	5.7	30	2	2	3	10	12	12	12
1-11 MOS	5	6.4	28	1	1	5	9	15	15	15
1-5 YRS	9	3.0	8	<1	<1	1	5	8	8	8
6-12 YRS	8	4.9	29	<1	<1	3	7	14	16	16
13-19 YRS	43	5.3	12	1	2	4	7	9	14	17
GRAND TOTAL	**68**	**5.0**	**15**	**<1**	**1**	**4**	**7**	**10**	**15**	**17**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	4.2	4	<1	<1	5	6	6	6	6
6-12 YRS	5	1.6		1	1	2	2	2	2	2
13-19 YRS	32	2.8	4	1	1	2	3	6	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	12.5	51	7	7	11	18	22	22	22
6-12 YRS	8	4.8	40	1	1	2	5	16	20	20
13-19 YRS	29	3.7	12	1	1	2	5	8	9	18
TOT. SINGLE DX	45	2.7	4	1	1	2	3	6	6	10
" MULTIPLE DX	42	4.7	26	1	1	3	6	10	19	22
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	9	7.9	41	<1	1	6	9	19	22	22
6-12 YRS	13	3.5	26	1	1	2	3	8	18	20
13-19 YRS	61	3.2	8	1	1	2	4	7	8	17
GRAND TOTAL	**87**	**3.7**	**15**	**1**	**1**	**2**	**5**	**7**	**11**	**21**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	8	5.8	15	2	2	6	7	12	14	14
1-11 MOS	22	5.7	12	3	3	5	7	10	14	18
1-5 YRS	9	5.0	23	1	1	4	6	13	16	16
6-12 YRS	3	7.3	42	1	1	7	12	14	14	14
13-19 YRS	7	4.7	10	<1	<1	4	6	10	11	11
TOT. SINGLE DX	9	2.8	1	1	1	3	3	5	5	5
" MULTIPLE DX	49	5.6	15	1	2	5	7	11	14	18
TOTAL 0-27 DYS	9	5.3	15	2	2	6	6	11	14	14
1-11 MOS	24	5.5	12	3	3	4	7	9	13	18
1-5 YRS	10	5.0	20	1	1	4	5	12	16	16
6-12 YRS	4	6.5	31	1	1	5	10	14	14	14
13-19 YRS	11	3.7	8	<1	1	3	5	8	11	11
GRAND TOTAL	**58**	**5.1**	**14**	**1**	**2**	**4**	**6**	**10**	**14**	**18**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-27 DYS	6	3.5	2	2	2	3	4	6	6	6
1-11 MOS										
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS										
TOT. SINGLE DX	2	8.5	61	3	3	8	14	14	14	14
" MULTIPLE DX	9	5.2	22	1	1	3	7	13	16	16
TOTAL 0-27 DYS	7	3.4	2	2	2	3	4	6	6	6
1-11 MOS										
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	**11**	**5.8**	**25**	**1**	**2**	**3**	**8**	**15**	**16**	**16**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	12.5	181	3	3	12	22	22	22	22
1-5 YRS	4	17.0	364	2	2	10	28	45	45	45
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	4.7	16	1	1	4	8	9	9	9
TOT. SINGLE DX	5	3.8	27	1	1	2	5	13	13	13
" MULTIPLE DX	11	10.6	166	1	1	8	11	31	44	45
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	8.7	134	1	1	3	17	22	22	22
1-5 YRS	5	14.0	319	2	2	10	19	45	45	45
6-12 YRS	3	5.3	44	1	1	2	10	13	13	13
13-19 YRS	4	4.0	13	1	1	3	6	9	9	9
GRAND TOTAL	**16**	**8.5**	**129**	**1**	**1**	**3**	**10**	**21**	**38**	**45**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	25	1.4		<1	<1	1	2	2	3	4
1-5 YRS	78	1.3		<1	<1	1	1	2	2	5
6-12 YRS	78	2.1	14	<1	1	1	2	4	7	26
13-19 YRS	129	2.2	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	5	6.4	13	4	4	4	9	12	12	12
1-11 MOS	30	3.7	34	<1	<1	2	5	7	11	32
1-5 YRS	66	2.0	4	<1	<1	1	2	5	7	10
6-12 YRS	41	1.9	1	<1	<1	1	2	4	5	6
13-19 YRS	76	3.2	13	1	1	2	4	6	9	24
TOT. SINGLE DX	311	1.9	5	<1	1	1	2	4	5	11
" MULTIPLE DX	218	2.7	12	<1	<1	2	3	6	8	18
TOTAL 0-27 DYS	6	5.5	15	1	1	4	8	12	12	12
1-11 MOS	55	2.7	20	<1	<1	1	2	5	7	31
1-5 YRS	144	1.6	2	<1	<1	1	2	3	5	9
6-12 YRS	119	2.1	10	<1	1	1	2	4	5	18
13-19 YRS	205	2.6	7	1	1	2	3	5	6	12
GRAND TOTAL	**529**	**2.2**	**8**	**<1**	**<1**	**1**	**2**	**5**	**6**	**12**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	1.3		<1	<1	1	2	2	2	2
1-11 MOS	12	1.6		1	1	2	2	2	2	2
1-5 YRS	65	1.4	1	<1	<1	1	2	2	2	8
6-12 YRS	67	1.7	1	<1	<1	1	2	3	5	8
13-19 YRS	267	2.1	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	22	4.1	13	1	1	3	5	9	14	15
1-11 MOS	18	2.3	6	<1	1	1	3	5	9	11
1-5 YRS	77	2.4	17	<1	<1	1	2	4	6	82
6-12 YRS	68	1.7	1	<1	1	1	2	3	4	6
13-19 YRS	219	2.9	32	1	1	2	3	5	8	12
TOT. SINGLE DX	418	1.9	2	<1	1	1	2	3	5	7
" MULTIPLE DX	404	2.6	22	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	29	3.4	12	1	1	2	4	7	13	15
1-11 MOS	30	2.0	4	1	1	1	2	3	6	11
1-5 YRS	142	1.9	10	<1	<1	1	2	3	5	40
6-12 YRS	135	1.7	1	<1	1	1	2	3	5	6
13-19 YRS	486	2.5	16	1	1	2	3	4	6	11
GRAND TOTAL	**822**	**2.3**	**12**	**<1**	**1**	**2**	**2**	**4**	**6**	**12**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	16	1.2		<1	<1	1	1	2	3	3
1-5 YRS	506	1.4		<1	<1	1	2	2	3	5
6-12 YRS	623	1.5		<1	<1	1	2	2	3	5
13-19 YRS	719	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	4	13.8	409	2	2	4	25	44	44	44
1-11 MOS	32	2.7	15	<1	<1	1	2	6	8	22
1-5 YRS	544	1.8	4	<1	<1	1	2	3	4	9
6-12 YRS	389	1.7	1	<1	1	1	2	3	4	5
13-19 YRS	194	2.2	14	<1	1	1	2	4	5	10
TOT. SINGLE DX	1866	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	1163	1.9	7	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	6	9.7	286	1	1	3	6	40	44	44
1-11 MOS	48	2.2	11	<1	<1	1	2	4	7	22
1-5 YRS	1050	1.6	3	<1	<1	1	2	3	3	7
6-12 YRS	1012	1.6	1	<1	<1	1	2	3	4	5
13-19 YRS	913	1.7	4	<1	1	1	2	3	4	7
GRAND TOTAL	**3029**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**3**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	50	1.4	1	<1	<1	1	1	2	3	8
6-12 YRS	204	1.3	1	<1	<1	1	1	2	2	4
13-19 YRS	130	1.6	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	26	1.6	1	<1	1	1	2	2	4	7
6-12 YRS	96	1.5	1	<1	<1	1	2	3	3	8
13-19 YRS	89	2.9	21	1	1	2	3	5	8	30
TOT. SINGLE DX	386	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	215	2.1	10	<1	1	1	2	3	6	10
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	76	1.5	1	<1	<1	1	2	2	3	8
6-12 YRS	300	1.4	1	<1	<1	1	1	2	3	6
13-19 YRS	219	2.1	10	<1	1	1	2	3	5	10
GRAND TOTAL	**601**	**1.7**	**4**	**<1**	**1**	**1**	**2**	**3**	**3**	**8**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
" MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**4**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	33	1.4		<1	<1	1	1	2	3	5
1-5 YRS	132	1.3		<1	<1	1	1	2	3	4
6-12 YRS	135	1.3		<1	<1	1	1	2	2	5
13-19 YRS	336	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	3	15.0	547	1	1	2	32	42	42	42
1-11 MOS	45	1.8	2	<1	<1	1	2	4	5	8
1-5 YRS	143	1.5	1	<1	<1	1	2	3	3	6
6-12 YRS	72	1.4		<1	<1	1	2	2	3	6
13-19 YRS	131	1.8	1	<1	1	1	2	3	4	8
TOT. SINGLE DX	639	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	394	1.7	6	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	6	8.7	269	1	1	2	5	38	42	42
1-11 MOS	78	1.6	2	<1	<1	1	2	2	5	7
1-5 YRS	275	1.4	1	<1	<1	1	2	2	3	6
6-12 YRS	207	1.4	1	<1	<1	1	1	2	3	5
13-19 YRS	467	1.6	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**1033**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	55	1.9	9	<1	<1	1	1	5	6	21
1-5 YRS	417	1.8	7	<1	<1	<1	1	3	6	15
6-12 YRS	132	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	90	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	77	12.0	189	<1	<1	7	18	33	45	88
1-5 YRS	232	4.2	34	<1	<1	2	5	12	18	31
6-12 YRS	46	2.1	7	<1	<1	1	2	5	9	15
13-19 YRS	45	1.6	1	<1	<1	1	2	3	4	5
TOT. SINGLE DX	694	1.6	5	<1	<1	<1	1	2	4	14
" MULTIPLE DX	400	5.2	69	<1	<1	1	5	15	24	48
TOTAL 0-27 DYS										
1-11 MOS	132	7.8	139	<1	<1	1	11	26	38	66
1-5 YRS	649	2.6	18	<1	<1	1	2	6	12	24
6-12 YRS	178	1.4	2	<1	<1	1	1	2	3	9
13-19 YRS	135	1.3	1	<1	<1	1	1	2	3	4
GRAND TOTAL	**1094**	**2.9**	**32**	**<1**	**<1**	**1**	**2**	**6**	**14**	**31**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	2.7	2	1	1	3	4	5	5	5
1-11 MOS	15	2.3	7	<1	<1	1	2	6	9	10
1-5 YRS	97	2.2	3	<1	<1	1	3	4	7	11
6-12 YRS	27	2.9	4	<1	<1	2	4	7	8	8
13-19 YRS	48	2.6	5	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	58	3.2	1	1	2	3	4	5	6	7
1-11 MOS	15	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	67	2.7	6	<1	<1	1	4	7	9	10
6-12 YRS	24	3.0	13	<1	<1	2	5	10	12	15
13-19 YRS	44	5.0	43	<1	1	4	6	9	13	41
TOT. SINGLE DX	194	2.4	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	208	3.3	14	<1	<1	2	4	7	9	18
TOTAL 0-27 DYS	65	3.1	2	1	1	3	4	5	5	7
1-11 MOS	30	2.0	4	<1	<1	1	2	5	6	10
1-5 YRS	164	2.4	5	<1	<1	1	3	6	8	10
6-12 YRS	51	3.3	9	<1	<1	2	5	8	10	15
13-19 YRS	92	3.7	25	<1	<1	2	5	7	9	33
GRAND TOTAL	**402**	**2.9**	**10**	**<1**	**<1**	**2**	**4**	**6**	**8**	**12**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	3	3.0	3	1	1	4	4	4	4	4
1-5 YRS	4	3.8	1	3	3	4	4	5	5	5
6-12 YRS	18	3.4	2	<1	1	3	4	6	7	7
13-19 YRS	602	4.1	2	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	7	21.7	1124	4	4	7	16	81	97	97
1-11 MOS	3	3.7		3	3	4	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	25	5.0	4	3	3	5	5	6	11	13
13-19 YRS	803	4.9	5	2	3	5	6	7	8	12
TOT. SINGLE DX	629	4.1	3	2	2	4	5	6	7	9
" MULTIPLE DX	839	5.0	16	2	3	5	6	7	8	14
TOTAL 0-27 DYS	9	17.9	901	4	4	7	15	65	97	97
1-11 MOS	6	3.3	1	1	1	4	4	4	4	4
1-5 YRS	5	3.6	1	3	3	3	4	5	5	5
6-12 YRS	43	4.3	5	1	2	4	5	6	8	13
13-19 YRS	1405	4.6	4	2	3	4	5	7	8	11
GRAND TOTAL	**1468**	**4.6**	**10**	**2**	**3**	**4**	**5**	**7**	**8**	**11**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	9	5.4	5	3	3	6	6	9	10	10
6-12 YRS	34	5.0	4	2	2	5	7	7	9	10
13-19 YRS	327	4.6	2	3	3	4	5	6	7	11
2. MULTIPLE DX										
0-27 DYS	5	6.8	5	4	4	7	9	9	9	9
1-11 MOS	3	2.3	3	1	1	1	4	5	5	5
1-5 YRS	13	4.8	3	1	2	5	6	8	8	8
6-12 YRS	43	5.6	9	3	3	5	6	10	12	18
13-19 YRS	460	5.5	10	3	3	5	6	8	10	21
TOT. SINGLE DX	373	4.6	3	3	3	4	5	7	8	10
" MULTIPLE DX	524	5.5	10	3	3	5	6	8	10	19
TOTAL 0-27 DYS	6	6.2	7	3	3	6	9	9	9	9
1-11 MOS	5	3.0	4	1	1	4	4	5	5	5
1-5 YRS	22	5.0	4	2	3	5	6	8	9	10
6-12 YRS	77	5.4	7	2	3	5	6	8	11	17
13-19 YRS	787	5.1	7	3	3	5	6	8	9	16
GRAND TOTAL	**897**	**5.1**	**7**	**3**	**3**	**5**	**6**	**8**	**9**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	6	3.8	1	3	3	4	4	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	6.8	13	4	4	5	9	12	12	12
1-5 YRS										
6-12 YRS										
13-19 YRS	16	6.0	7	3	3	5	7	10	12	13
TOT. SINGLE DX	9	4.7	4	3	3	4	6	8	9	9
" MULTIPLE DX	20	6.2	8	3	3	5	7	11	12	13
TOTAL 0-27 DYS										
1-11 MOS	6	6.2	9	4	4	5	6	11	12	12
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	22	5.4	7	3	3	5	7	9	11	13
GRAND TOTAL	**29**	**5.7**	**7**	**3**	**3**	**5**	**7**	**10**	**12**	**13**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	10	3.3	3	<1	1	3	4	6	7	7
13-19 YRS	147	2.8	2	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	189	4.1	10	1	1	4	5	7	10	21
TOT. SINGLE DX	159	2.8	3	<1	1	3	4	5	6	10
" MULTIPLE DX	192	4.1	10	1	1	4	5	7	10	21
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	12	3.3	3	<1	1	3	4	6	7	7
13-19 YRS	336	3.5	8	1	1	3	4	6	8	20
GRAND TOTAL	**351**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**20**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
TOT. SINGLE DX	10	1.5	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	6	2.0	2	<1	<1	1	2	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	1.7	1	<1	<1	1	2	3	4	5
GRAND TOTAL	**16**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	9	2.1	2	<1	<1	2	2	5	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	63	3.5	4	1	2	3	4	5	8	12
TOT. SINGLE DX	10	2.5	4	<1	<1	2	3	6	6	6
" MULTIPLE DX	65	3.4	5	1	1	3	4	5	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	6	<1	<1	3	5	6	6	6
13-19 YRS	72	3.3	5	1	1	3	4	5	7	12
GRAND TOTAL	**75**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	3.5	1	3	3	3	4	5	5	5
13-19 YRS	381	3.9	1	2	3	4	5	5	6	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	6.5	10	2	2	6	8	11	11	11
13-19 YRS	468	4.9	7	2	3	4	5	7	8	16
TOT. SINGLE DX	386	3.9	2	2	3	4	5	5	6	8
" MULTIPLE DX	477	4.9	8	2	3	4	5	7	9	16
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	10	5.3	8	2	2	5	8	10	11	11
13-19 YRS	849	4.5	5	2	3	4	5	6	7	13
GRAND TOTAL	**863**	**4.5**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.0	3	<1	<1	<1	3	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	29	1.5	1	<1	<1	1	1	3	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.1	5	<1	<1	1	2	3	8	10
TOT. SINGLE DX	32	1.5	2	<1	<1	1	1	3	5	6
" MULTIPLE DX	17	1.9	5	<1	<1	1	2	3	8	10
TOTAL 0-27 DYS										
1-11 MOS	5	1.6	2	<1	<1	<1	2	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	44	1.7	3	<1	<1	1	2	3	5	10
GRAND TOTAL	**49**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	34	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	40	4.6	102	<1	1	2	3	8	16	62
TOT. SINGLE DX	36	1.3	2	<1	<1	<1	1	2	2	9
" MULTIPLE DX	43	4.5	95	<1	1	2	4	8	14	62
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	3	5.3	12	2	2	5	8	9	9	9
13-19 YRS	74	3.0	58	<1	<1	1	2	6	8	53
GRAND TOTAL	**79**	**3.1**	**55**	**<1**	**<1**	**1**	**2**	**7**	**9**	**51**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	99	2.7	3	<1	1	2	3	5	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	33	5.2	101	1	1	3	5	8	10	60
TOT. SINGLE DX	99	2.7	4	<1	1	2	3	5	7	11
" MULTIPLE DX	34	5.1	99	1	1	3	4	7	10	60
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	132	3.3	29	1	1	2	3	6	7	21
GRAND TOTAL	**133**	**3.3**	**29**	**1**	**1**	**2**	**3**	**6**	**7**	**20**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	4.1	2	<1	1	4	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	39	4.6	9	<1	1	4	6	8	10	16
TOT. SINGLE DX	20	4.1	3	<1	1	4	5	6	6	6
" MULTIPLE DX	40	4.6	9	<1	1	4	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	59	4.4	7	<1	1	4	6	7	9	15
GRAND TOTAL	**60**	**4.4**	**7**	**<1**	**1**	**4**	**6**	**7**	**9**	**15**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.8	1	3	3	4	4	5	5	5
1-11 MOS	8	5.1	1	4	4	5	6	7	8	8
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	10	6.0	2	5	5	5	6	9	9	9
2. MULTIPLE DX										
0-27 DYS	5	6.4	2	5	5	7	7	8	8	8
1-11 MOS	33	5.8	4	4	4	5	7	8	11	13
1-5 YRS	6	9.3	23	5	5	8	14	16	16	16
6-12 YRS	9	5.0	3	2	3	5	6	7	8	8
13-19 YRS	92	6.2	10	3	3	5	7	10	14	17
TOT. SINGLE DX	23	5.2	3	3	4	5	6	8	9	9
" MULTIPLE DX	145	6.2	9	3	4	5	7	10	14	17
TOTAL 0-27 DYS	9	5.2	3	3	3	5	7	8	8	8
1-11 MOS	41	5.7	4	4	4	5	6	8	10	13
1-5 YRS	6	9.3	23	5	5	8	14	16	16	16
6-12 YRS	10	4.9	3	2	3	5	6	7	8	8
13-19 YRS	102	6.2	10	3	4	5	7	10	14	17
GRAND TOTAL	**168**	**6.1**	**8**	**3**	**4**	**5**	**7**	**10**	**13**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	4.5	1	3	3	4	5	6	6	6
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	5	5.8	6	2	2	6	8	8	8	8
1-11 MOS	11	4.6	4	2	2	5	6	7	8	8
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	12	4.5	3	1	2	4	6	7	7	7
TOT. SINGLE DX	10	4.0	4	1	1	4	5	6	7	7
" MULTIPLE DX	30	4.5	5	1	1	5	6	7	8	8
TOTAL 0-27 DYS	5	5.8	6	2	2	6	8	8	8	8
1-11 MOS	15	4.6	3	2	2	5	6	7	8	8
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	4	1.0		1	1	1	1	1	1	1
13-19 YRS	15	4.5	3	1	3	5	6	7	7	7
GRAND TOTAL	**40**	**4.4**	**5**	**1**	**1**	**5**	**6**	**7**	**8**	**8**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.0		13	13	13	13	13	13	13
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	1	7.0		7	7	7	7	7	7	7
" MULTIPLE DX	4	10.0	12	7	7	10	13	13	13	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.0		13	13	13	13	13	13	13
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**5**	**9.4**	**11**	**7**	**7**	**7**	**13**	**13**	**13**	**13**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	114	1.5	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	73	3.9	63	<1	1	2	3	6	7	45
TOT. SINGLE DX	115	1.5	1	<1	<1	1	1	3	4	6
" MULTIPLE DX	73	3.9	64	<1	1	2	3	6	7	45
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	187	2.4	27	<1	<1	1	2	4	6	40
GRAND TOTAL	**188**	**2.4**	**27**	**<1**	**<1**	**1**	**2**	**4**	**6**	**40**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS	9	1.7		<1	<1	1	2	3	3	3
13-19 YRS	3534	1.4	2	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	2.4	4	<1	<1	2	3	6	6	6
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	9	2.1	1	1	1	2	3	4	5	5
13-19 YRS	1382	2.6	6	<1	1	2	3	5	7	12
TOT. SINGLE DX	3545	1.4	2	<1	<1	1	1	2	3	6
" MULTIPLE DX	1400	2.6	6	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	18	1.9	1	<1	1	2	2	3	4	5
13-19 YRS	4916	1.7	4	<1	<1	1	2	3	4	8
GRAND TOTAL	**4945**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	172	1.3	2	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.2		<1	<1	<1	1	2	2	2
13-19 YRS	680	1.7	27	<1	<1	<1	<1	1	4	12
TOT. SINGLE DX	173	1.3	3	<1	<1	<1	1	2	3	6
" MULTIPLE DX	685	1.7	27	<1	<1	<1	<1	1	4	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.0	4	<1	<1	1	2	6	6	6
13-19 YRS	852	1.7	23	<1	<1	<1	<1	2	3	11
GRAND TOTAL	**858**	**1.7**	**22**	**<1**	**<1**	**<1**	**<1**	**2**	**3**	**11**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	661	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	203	2.4	5	<1	<1	1	3	5	7	12
TOT. SINGLE DX	661	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	203	2.4	5	<1	<1	1	3	5	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	864	1.6	2	<1	<1	1	2	3	4	7
GRAND TOTAL	**864**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.7		5	5	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	4.9	7	2	2	4	6	9	12	13
TOT. SINGLE DX	3	5.7		5	5	6	6	6	6	6
" MULTIPLE DX	16	4.9	8	2	2	4	6	9	12	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	5.1	7	2	2	4	6	8	11	13
GRAND TOTAL	**19**	**5.1**	**7**	**2**	**2**	**4**	**6**	**8**	**11**	**13**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.3	1	<1	<1	3	3	3	3	3
13-19 YRS	62	2.4	2	1	1	2	4	5	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	61	3.5	4	1	1	3	4	6	7	11
TOT. SINGLE DX	66	2.4	2	1	1	2	3	5	5	6
" MULTIPLE DX	65	3.5	4	1	1	3	4	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	6	3.3	3	<1	<1	3	4	6	6	6
13-19 YRS	123	3.0	4	1	1	3	4	5	6	10
GRAND TOTAL	**131**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	7	4.6	3	1	2	5	6	6	6	6
TOTAL 0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**9**	**3.9**	**4**	**1**	**1**	**5**	**5**	**6**	**6**	**6**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	13	2.9	9	<1	<1	1	3	9	10	10
6-12 YRS	24	1.8	1	<1	1	1	2	4	5	6
13-19 YRS	84	2.5	5	<1	<1	1	3	6	8	12
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	5	6.6	5	3	3	7	8	9	9	9
1-5 YRS	19	7.4	51	<1	1	6	9	20	25	26
6-12 YRS	34	4.4	28	1	1	2	7	11	17	23
13-19 YRS	85	4.0	19	<1	1	2	6	9	11	25
TOT. SINGLE DX	123	2.4	6	<1	<1	1	3	6	8	11
" MULTIPLE DX	145	4.6	26	<1	1	3	7	10	15	26
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	7	5.4	8	1	1	7	7	9	9	9
1-5 YRS	32	5.6	39	<1	<1	3	7	14	22	26
6-12 YRS	58	3.3	19	1	1	2	3	8	13	23
13-19 YRS	169	3.3	13	<1	<1	2	4	8	10	15
GRAND TOTAL	**268**	**3.6**	**18**	**<1**	**<1**	**2**	**5**	**9**	**11**	**23**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	3.2	15	<1	<1	1	5	10	10	10
6-12 YRS	4	4.0	4	1	1	4	5	6	6	6
13-19 YRS	140	2.7	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
0-27 DYS	13	3.2	3	1	1	3	4	6	8	8
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	4.0	18	1	1	2	6	11	11	11
6-12 YRS	25	4.4	17	1	1	3	7	10	12	17
13-19 YRS	221	4.0	12	<1	1	3	6	9	11	15
TOT. SINGLE DX	151	2.7	6	<1	<1	2	3	6	8	11
" MULTIPLE DX	265	4.0	12	<1	1	3	6	9	11	16
TOTAL 0-27 DYS	14	3.1	3	1	1	3	4	5	7	8
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	10	3.6	15	<1	<1	2	5	10	11	11
6-12 YRS	29	4.3	15	1	1	3	7	10	11	17
13-19 YRS	361	3.5	10	<1	<1	2	5	8	10	15
GRAND TOTAL	**416**	**3.5**	**10**	**<1**	**<1**	**2**	**5**	**8**	**10**	**16**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	2.6	13	1	1	1	3	9	9	9
1-5 YRS	11	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	23	2.7	3	<1	<1	2	4	6	7	7
13-19 YRS	172	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	4	3.8	1	3	3	4	4	5	5	5
1-11 MOS	3	4.3	4	2	2	5	6	6	6	6
1-5 YRS	20	4.0	4	<1	1	5	5	6	8	9
6-12 YRS	18	3.9	10	<1	1	3	5	9	11	12
13-19 YRS	133	3.5	22	1	1	2	4	7	9	23
TOT. SINGLE DX	213	1.9	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	178	3.6	18	1	1	3	4	7	9	18
TOTAL 0-27 DYS	6	4.2	3	3	3	4	5	7	7	7
1-11 MOS	8	3.3	9	1	1	2	5	8	9	9
1-5 YRS	31	3.2	5	<1	<1	2	5	6	6	9
6-12 YRS	41	3.3	7	<1	<1	2	4	7	9	12
13-19 YRS	305	2.5	11	<1	<1	2	3	4	7	16
GRAND TOTAL	**391**	**2.7**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	5	1.0		<1	<1	1	1	1	1	1
" MULTIPLE DX	3	9.3	24	6	6	7	13	15	15	15
TOTAL 0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.0	6	<1	<1	1	1	6	7	7
GRAND TOTAL	**8**	**4.1**	**26**	**<1**	**<1**	**1**	**6**	**13**	**15**	**15**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	1.5	1	<1	<1	1	1	4	4	4
6-12 YRS	54	1.4		<1	<1	1	1	3	3	4
13-19 YRS	24	2.3	2	1	1	2	3	4	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	17	2.8	4	<1	<1	1	5	6	6	6
6-12 YRS	27	2.4	11	<1	1	1	2	5	7	18
13-19 YRS	22	2.6	2	<1	1	2	3	5	6	6
TOT. SINGLE DX	104	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	68	2.6	6	<1	<1	2	3	5	6	16
TOTAL 0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	43	2.0	3	<1	<1	1	3	5	6	6
6-12 YRS	81	1.7	4	<1	<1	1	2	3	4	14
13-19 YRS	46	2.4	3	1	1	2	3	5	6	8
GRAND TOTAL	**172**	**2.0**	**3**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.8	2	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	6	1.8	2	<1	<1	1	2	5	5	5
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	11	10.7	168	<1	<1	5	18	34	36	36
TOT. SINGLE DX	13	1.4	1	<1	<1	1	1	3	5	5
" MULTIPLE DX	22	6.4	101	<1	<1	2	5	25	34	36
TOTAL 0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS										
1-5 YRS	10	1.5	2	<1	<1	1	1	3	5	5
6-12 YRS	5	1.4		1	1	1	2	2	2	2
13-19 YRS	17	7.6	125	<1	<1	2	6	30	35	36
GRAND TOTAL	**35**	**4.5**	**69**	**<1**	**<1**	**1**	**4**	**8**	**29**	**36**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3584	2.5		1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	4136	2.9	3	1	2	3	3	4	5	9
TOT. SINGLE DX	3584	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	4138	2.9	4	1	2	3	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	7720	2.7	2	1	2	3	3	4	4	7
GRAND TOTAL	**7722**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	126	2.8	19	1	1	2	3	4	6	31
TOT. SINGLE DX	24	2.2	1	1	1	2	3	3	4	4
" MULTIPLE DX	126	2.8	20	1	1	2	3	4	6	31
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	150	2.7	17	1	1	2	3	4	5	27
GRAND TOTAL	**150**	**2.7**	**17**	**1**	**1**	**2**	**3**	**4**	**5**	**27**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1231	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1964	2.7	2	1	1	3	3	4	5	7
TOT. SINGLE DX	1231	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	1965	2.7	3	1	1	3	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3195	2.6	2	1	1	2	3	4	4	7
GRAND TOTAL	**3196**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	2.2	1	<1	1	2	3	4	4	4
13-19 YRS	34044	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.7		1	2	3	3	4	4	4
13-19 YRS	13799	2.8	4	1	1	2	3	4	5	10
TOT. SINGLE DX	34062	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	13813	2.8	5	1	1	2	3	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	32	2.4	1	1	1	2	3	4	4	4
13-19 YRS	47843	2.4	2	1	1	2	3	4	4	7
GRAND TOTAL	**47875**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	4198	4.5	1	3	3	4	5	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	4.8	1	3	3	5	6	7	7	7
13-19 YRS	11804	5.3	7	3	3	5	6	7	9	15
TOT. SINGLE DX	4200	4.5	2	3	3	4	5	6	7	9
" MULTIPLE DX	11815	5.3	7	3	3	5	6	7	9	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	4.8	2	3	3	5	6	6	7	7
13-19 YRS	16002	5.1	6	3	3	5	6	7	8	14
GRAND TOTAL	**16015**	**5.1**	**6**	**3**	**3**	**5**	**6**	**7**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	238	4.5	2	3	3	4	5	6	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	449	5.4	8	3	3	5	6	8	10	16
TOT. SINGLE DX	239	4.5	3	3	3	4	5	6	6	10
" MULTIPLE DX	449	5.4	8	3	3	5	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	687	5.1	6	3	3	5	6	7	9	16
GRAND TOTAL	**688**	**5.1**	**6**	**3**	**3**	**5**	**6**	**7**	**9**	**16**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	51	3.6	2	1	1	4	4	5	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	4.1	1	2	3	4	5	6	6	6
TOT. SINGLE DX	51	3.6	2	1	1	4	4	5	6	7
" MULTIPLE DX	27	4.1	1	2	3	4	5	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	78	3.8	2	1	2	4	5	6	6	7
GRAND TOTAL	**78**	**3.8**	**2**	**1**	**2**	**4**	**5**	**6**	**6**	**7**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	373	1.6	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	2.8	19	<1	1	2	2	5	7	28
TOT. SINGLE DX	373	1.6	2	<1	1	1	2	2	3	4
" MULTIPLE DX	54	2.8	19	<1	1	2	2	5	7	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	427	1.8	4	<1	1	1	2	2	3	7
GRAND TOTAL	**427**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**2**	**3**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	168	4.3	28	<1	1	3	5	9	15	27
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	203	4.5	30	1	1	3	5	8	13	26
TOT. SINGLE DX	168	4.3	28	<1	1	3	5	9	15	27
" MULTIPLE DX	203	4.5	30	1	1	3	5	8	13	26
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	371	4.4	29	1	1	3	5	8	14	27
GRAND TOTAL	**371**	**4.4**	**29**	**1**	**1**	**3**	**5**	**8**	**14**	**27**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2213	2.0	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1000	2.6	6	<1	1	2	3	4	6	9
TOT. SINGLE DX	2214	2.0	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	1001	2.6	7	<1	1	2	3	4	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	3213	2.2	3	<1	<1	2	3	3	4	7
GRAND TOTAL	**3215**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**3**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	4830	2.2		1	1	2	3	3	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.6	2	2	2	3	5	5	6	6
13-19 YRS	5420	2.7	3	1	1	2	3	4	5	8
TOT. SINGLE DX	4834	2.2	1	1	1	2	3	3	4	4
" MULTIPLE DX	5427	2.7	4	1	1	2	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	3.1	2	1	1	3	4	5	6	6
13-19 YRS	10250	2.5	2	1	1	2	3	4	4	7
GRAND TOTAL	**10261**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	4.6	14	1	1	5	7	10	10	10
1-5 YRS	9	3.8	6	<1	<1	4	5	8	8	8
6-12 YRS	15	2.8	4	<1	1	2	4	5	8	9
13-19 YRS	39	3.0	3	1	1	3	4	5	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	1.7		1	1	2	2	3	3	3
6-12 YRS	18	8.6	305	<1	1	3	7	16	52	76
13-19 YRS	68	3.9	8	1	1	3	4	7	11	16
TOT. SINGLE DX	69	3.2	5	1	1	3	4	6	8	10
" MULTIPLE DX	93	4.7	67	1	1	3	4	8	14	50
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	5.0	12	1	1	5	7	10	10	10
1-5 YRS	15	2.9	5	<1	1	2	4	7	8	8
6-12 YRS	33	5.9	173	<1	1	2	4	12	16	76
13-19 YRS	107	3.6	7	1	1	3	4	5	8	15
GRAND TOTAL	**162**	**4.0**	**40**	**1**	**1**	**3**	**4**	**7**	**10**	**16**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	9	5.2	4	3	3	5	6	9	9	9
1-5 YRS	4	3.8	2	3	3	3	5	6	6	6
6-12 YRS	21	3.0	4	<1	<1	3	4	6	7	9
13-19 YRS	1334	2.7	2	1	1	3	3	4	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	5.3	3	4	4	5	6	8	8	8
1-5 YRS	9	8.3	101	1	1	6	8	24	34	34
6-12 YRS	30	5.1	20	1	1	4	6	11	13	22
13-19 YRS	1347	3.3	4	1	2	3	4	5	6	9
TOT. SINGLE DX	1370	2.7	2	1	1	3	3	4	5	7
" MULTIPLE DX	1390	3.4	6	1	2	3	4	5	6	10
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	13	5.2	4	3	3	5	6	8	9	9
1-5 YRS	13	6.9	73	1	2	5	7	15	30	34
6-12 YRS	51	4.3	15	1	1	3	6	9	12	22
13-19 YRS	2681	3.0	4	1	1	3	4	4	5	8
GRAND TOTAL	**2760**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**5**	**8**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	2.2	1	<1	1	2	3	4	4	4
6-12 YRS	46	1.7	1	<1	1	1	2	3	3	7
13-19 YRS	253	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	6.2	88	1	1	2	8	23	23	23
1-5 YRS	31	3.0	19	1	1	2	3	5	7	25
6-12 YRS	118	3.3	13	1	1	2	4	6	9	25
13-19 YRS	409	3.8	18	1	1	3	5	7	10	22
TOT. SINGLE DX	320	2.1	2	<1	1	2	3	4	5	7
" MULTIPLE DX	563	3.7	18	1	1	2	4	6	10	25
TOTAL 0-27 DYS										
1-11 MOS	5	6.2	89	1	1	2	8	23	23	23
1-5 YRS	52	2.7	12	1	1	2	3	4	6	25
6-12 YRS	164	2.9	11	1	1	2	3	5	7	23
13-19 YRS	662	3.2	13	1	1	2	4	6	8	17
GRAND TOTAL	**883**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**20**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	9	3.8	10	1	1	3	5	9	11	11
6-12 YRS	43	1.8	1	<1	1	1	2	3	4	8
13-19 YRS	333	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	3	10.0	151	1	1	5	19	24	24	24
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	42	6.8	53	1	2	4	8	14	21	41
6-12 YRS	91	6.9	72	1	1	4	8	16	30	41
13-19 YRS	680	5.2	38	1	1	3	6	11	15	33
TOT. SINGLE DX	387	2.3	3	1	1	2	3	4	5	8
" MULTIPLE DX	817	5.5	44	1	1	4	6	11	16	36
TOTAL 0-27 DYS	3	10.0	151	1	1	5	19	24	24	24
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	51	6.3	47	1	1	4	8	12	20	41
6-12 YRS	134	5.3	55	1	1	3	6	11	24	37
13-19 YRS	1013	4.3	29	1	1	3	5	8	12	27
GRAND TOTAL	**1204**	**4.5**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.2		2	2	2	3	3	3	3
1-5 YRS	5	4.2	2	3	3	4	5	7	7	7
6-12 YRS	32	2.7	1	1	1	2	4	4	4	6
13-19 YRS	33	2.3	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	12	2.0		1	1	2	2	3	4	4
1-5 YRS	5	5.4	14	<1	<1	6	7	11	11	11
6-12 YRS	47	2.7	1	1	1	3	3	4	5	7
13-19 YRS	53	3.2	4	1	1	3	4	5	9	11
TOT. SINGLE DX	75	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	117	3.0	4	1	1	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS	17	2.1		1	1	2	2	3	4	4
1-5 YRS	10	4.8	8	<1	1	4	6	9	11	11
6-12 YRS	79	2.7	2	1	1	2	4	4	5	7
13-19 YRS	86	2.9	4	1	1	3	4	5	6	11
GRAND TOTAL	**192**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	10.9	120	2	2	4	17	28	31	31
1-5 YRS	169	3.7	17	1	1	3	4	6	8	26
6-12 YRS	378	4.7	24	1	1	3	5	8	13	28
13-19 YRS	449	4.4	21	1	1	3	5	9	12	26
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	12.6	88	2	2	12	16	29	31	32
1-5 YRS	291	5.1	26	1	2	4	5	8	12	31
6-12 YRS	516	6.4	55	1	2	5	7	12	18	44
13-19 YRS	526	6.4	54	1	1	4	8	13	19	40
TOT. SINGLE DX	1003	4.5	23	1	1	3	5	8	12	27
" MULTIPLE DX	1351	6.2	50	1	2	4	7	12	18	39
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	24	12.1	93	2	2	10	16	30	31	32
1-5 YRS	460	4.6	24	1	1	3	5	7	11	30
6-12 YRS	894	5.7	43	1	2	4	6	10	16	39
13-19 YRS	975	5.5	40	1	1	4	6	11	16	38
GRAND TOTAL	**2354**	**5.5**	**39**	**1**	**1**	**4**	**6**	**10**	**16**	**35**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.7		2	2	3	3	3	3	3
6-12 YRS	37	2.0	1	<1	1	2	3	4	5	5
13-19 YRS	424	2.2	3	<1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.3	6	<1	<1	3	5	6	6	6
1-5 YRS	4	2.3		2	2	2	3	3	3	3
6-12 YRS	61	2.2	1	1	1	2	3	4	4	5
13-19 YRS	577	2.3	1	1	1	2	3	4	5	7
TOT. SINGLE DX	465	2.2	4	<1	1	2	3	4	4	6
" MULTIPLE DX	646	2.3	2	1	1	2	3	4	5	6
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.8	6	<1	<1	2	4	6	6	6
1-5 YRS	7	2.4		2	2	2	3	3	3	3
6-12 YRS	98	2.1	2	1	1	2	3	4	4	5
13-19 YRS	1001	2.3	2	1	1	2	3	4	4	6
GRAND TOTAL	**1111**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	30	4.2	11	<1	<1	4	5	7	7	18
1-5 YRS	165	3.3	9	1	1	2	4	7	9	16
6-12 YRS	795	3.3	15	1	1	2	4	6	9	19
13-19 YRS	1847	2.9	11	<1	1	2	3	6	8	15
2. MULTIPLE DX										
0-27 DYS	10	9.8	137	2	2	5	12	28	41	41
1-11 MOS	14	7.9	38	<1	1	7	10	15	21	23
1-5 YRS	135	6.1	51	1	1	4	7	16	23	30
6-12 YRS	380	8.7	136	1	1	4	10	21	32	62
13-19 YRS	1229	7.3	135	1	1	3	7	17	29	61
TOT. SINGLE DX	2839	3.1	13	<1	1	2	4	6	8	16
" MULTIPLE DX	1768	7.5	128	1	1	3	8	18	29	57
TOTAL 0-27 DYS	12	8.9	118	2	2	5	10	23	38	41
1-11 MOS	44	5.4	22	<1	1	5	7	10	15	23
1-5 YRS	300	4.6	30	1	1	3	5	11	16	25
6-12 YRS	1175	5.0	61	1	1	3	5	11	18	41
13-19 YRS	3076	4.7	66	<1	1	2	4	9	16	47
GRAND TOTAL	**4607**	**4.8**	**62**	**1**	**1**	**2**	**5**	**10**	**17**	**44**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	10	3.1	5	1	1	2	4	7	9	9
1-5 YRS	78	7.4	68	1	1	3	13	21	25	31
6-12 YRS	497	5.9	53	1	1	4	7	11	22	44
13-19 YRS	790	4.2	22	1	1	3	5	8	11	23
2. MULTIPLE DX										
0-27 DYS	7	18.4	712	2	2	9	15	66	78	78
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	47	7.9	41	1	1	6	12	20	21	22
6-12 YRS	298	8.7	194	1	1	4	7	25	36	81
13-19 YRS	544	7.2	92	1	1	4	8	15	25	57
TOT. SINGLE DX	1377	5.0	37	1	1	3	6	10	15	34
" MULTIPLE DX	900	7.8	129	1	1	4	8	17	29	73
TOTAL 0-27 DYS	9	16.0	560	2	3	9	13	53	78	78
1-11 MOS	14	2.6	5	1	1	2	2	5	8	9
1-5 YRS	125	7.6	58	1	1	4	12	20	22	30
6-12 YRS	795	6.9	108	1	1	4	7	15	28	68
13-19 YRS	1334	5.4	54	1	1	3	6	11	15	45
GRAND TOTAL	**2277**	**6.1**	**75**	**1**	**1**	**4**	**6**	**12**	**21**	**51**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	5	5.0	39	<1	<1	3	7	16	16	16
1-5 YRS	87	2.6	20	<1	<1	1	2	3	19	21
6-12 YRS	262	2.5	20	<1	<1	1	3	4	5	31
13-19 YRS	1338	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	138	3.9	37	<1	<1	2	4	8	13	37
6-12 YRS	346	4.2	54	<1	1	3	4	8	15	31
13-19 YRS	656	4.3	59	<1	1	2	4	7	14	49
TOT. SINGLE DX	1694	2.0	6	<1	<1	1	2	4	5	12
" MULTIPLE DX	1145	4.2	55	<1	1	2	4	8	14	44
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.1	22	<1	<1	1	3	10	16	16
1-5 YRS	225	3.4	31	<1	<1	2	3	6	14	28
6-12 YRS	608	3.5	40	<1	<1	2	3	5	11	31
13-19 YRS	1994	2.7	22	<1	<1	2	3	5	7	25
GRAND TOTAL	**2839**	**2.9**	**27**	**<1**	**<1**	**2**	**3**	**5**	**8**	**28**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	5.7	22	2	2	4	9	11	11	11
1-5 YRS	58	16.4	87	1	2	18	22	26	29	44
6-12 YRS	94	16.4	212	2	3	12	24	33	47	69
13-19 YRS	155	9.8	83	2	2	7	11	21	30	48
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	12.8	23	7	7	14	16	19	19	19
1-5 YRS	30	15.4	54	1	3	18	20	21	22	31
6-12 YRS	105	20.5	142	3	5	21	28	35	43	52
13-19 YRS	237	14.0	84	5	6	12	17	23	33	49
TOT. SINGLE DX	310	13.0	133	2	2	9	20	27	34	55
" MULTIPLE DX	378	15.9	105	4	6	13	20	29	38	50
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	8	10.1	33	2	3	10	14	18	19	19
1-5 YRS	88	16.1	76	1	2	18	21	24	28	40
6-12 YRS	199	18.5	179	2	3	20	27	34	44	58
13-19 YRS	392	12.4	89	3	4	10	15	23	32	48
GRAND TOTAL	**688**	**14.6**	**120**	**2**	**3**	**12**	**20**	**28**	**35**	**52**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	2	6.0	8	4	4	6	8	8	8	8
1-5 YRS	12	8.7	64	1	2	6	13	22	25	25
6-12 YRS	123	6.3	32	2	2	5	7	10	13	36
13-19 YRS	387	7.5	26	2	3	7	9	14	17	24
2. MULTIPLE DX										
0-27 DYS	2	12.0	2	11	11	12	13	13	13	13
1-11 MOS	14	18.9	174	7	9	14	21	40	51	54
1-5 YRS	23	13.5	241	2	3	10	16	26	45	76
6-12 YRS	102	11.4	87	3	3	9	14	27	30	49
13-19 YRS	647	14.7	125	4	5	12	18	28	40	70
TOT. SINGLE DX	525	7.3	29	2	2	6	9	13	17	28
" MULTIPLE DX	788	14.3	125	3	5	11	17	28	38	70
TOTAL 0-27 DYS	3	12.0	1	11	11	12	13	13	13	13
1-11 MOS	16	17.3	171	5	7	13	20	38	49	54
1-5 YRS	35	11.8	183	1	2	8	16	25	28	76
6-12 YRS	225	8.7	64	2	3	6	10	19	27	37
13-19 YRS	1034	12.0	100	3	4	9	15	24	32	61
GRAND TOTAL	**1313**	**11.5**	**99**	**2**	**3**	**9**	**14**	**23**	**30**	**59**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	61	3.8	17	1	1	2	4	10	15	16
1-5 YRS	377	7.4	68	1	1	4	12	19	22	30
6-12 YRS	236	12.2	126	1	2	7	22	28	33	43
13-19 YRS	156	7.3	86	1	1	4	8	21	31	43
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	16	9.5	52	1	1	8	15	18	22	24
1-5 YRS	171	10.8	82	1	2	8	18	23	28	39
6-12 YRS	205	18.0	227	1	2	17	27	41	45	62
13-19 YRS	138	18.6	297	2	2	12	28	43	55	93
TOT. SINGLE DX	832	8.5	90	1	1	4	13	22	28	40
" MULTIPLE DX	530	15.6	206	1	2	12	23	34	44	70
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	77	5.0	29	1	1	2	7	15	16	22
1-5 YRS	548	8.5	75	1	1	5	14	21	24	34
6-12 YRS	441	14.9	181	1	2	10	23	33	42	53
13-19 YRS	294	12.6	217	1	2	7	18	35	43	71
GRAND TOTAL	**1362**	**11.3**	**147**	**1**	**1**	**6**	**18**	**28**	**36**	**52**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	3	6.7	54	<1	<1	4	12	15	15	15
1-5 YRS	312	3.3	23	1	1	2	3	9	15	23
6-12 YRS	488	2.8	14	1	1	2	2	5	13	20
13-19 YRS	387	3.0	22	<1	<1	2	3	6	9	25
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	57	4.2	18	1	1	3	5	12	15	17
6-12 YRS	143	5.9	71	1	1	2	6	19	25	38
13-19 YRS	209	6.3	65	1	1	3	7	15	23	49
TOT. SINGLE DX	1193	3.0	19	<1	1	2	3	6	13	21
" MULTIPLE DX	411	5.8	61	1	1	3	6	16	24	41
TOTAL 0-27 DYS	4	2.8	3	1	1	2	4	5	5	5
1-11 MOS	4	5.8	40	<1	<1	3	9	15	15	15
1-5 YRS	369	3.5	23	1	1	2	3	10	15	21
6-12 YRS	631	3.5	29	1	1	2	3	9	16	26
13-19 YRS	596	4.2	40	<1	1	2	4	9	14	36
GRAND TOTAL	**1604**	**3.7**	**32**	**<1**	**1**	**2**	**3**	**9**	**16**	**29**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.8	3	1	1	2	4	5	5	5
1-11 MOS	17	3.5	5	1	2	3	4	5	10	12
1-5 YRS	437	2.1	4	1	1	2	2	3	4	9
6-12 YRS	1331	2.3	3	1	1	2	3	4	6	9
13-19 YRS	3778	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	7.6	80	1	1	5	11	23	23	23
1-5 YRS	145	3.9	25	1	1	2	4	8	13	23
6-12 YRS	508	4.2	31	1	1	3	5	8	12	27
13-19 YRS	2166	5.9	61	1	1	4	6	12	19	44
TOT. SINGLE DX	5567	2.6	4	1	1	2	3	5	6	10
" MULTIPLE DX	2825	5.5	55	1	1	3	6	11	18	40
TOTAL 0-27 DYS	5	3.0	3	1	1	3	4	5	5	5
1-11 MOS	22	4.4	23	1	1	3	4	8	16	23
1-5 YRS	582	2.5	11	1	1	2	3	4	6	16
6-12 YRS	1839	2.8	12	1	1	2	3	5	7	17
13-19 YRS	5944	3.9	28	1	1	3	4	7	11	28
GRAND TOTAL	**8392**	**3.5**	**23**	**1**	**1**	**2**	**4**	**6**	**9**	**25**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	22	2.1	2	<1	<1	1	3	5	5	5
1-5 YRS	1349	1.8	5	<1	<1	1	2	3	4	14
6-12 YRS	4237	1.8	4	<1	1	1	2	3	4	14
13-19 YRS	2576	2.3	6	<1	1	1	3	4	6	13
2. MULTIPLE DX										
0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	18	4.3	15	<1	1	2	7	9	13	15
1-5 YRS	283	3.8	35	<1	1	2	3	8	16	35
6-12 YRS	975	4.0	50	1	1	2	4	8	16	37
13-19 YRS	1258	5.0	52	1	1	3	5	11	18	38
TOT. SINGLE DX	8188	1.9	6	<1	1	1	2	3	5	14
" MULTIPLE DX	2537	4.5	50	1	1	2	5	10	17	38
TOTAL 0-27 DYS	7	1.6	1	1	1	1	2	4	4	4
1-11 MOS	40	3.1	9	<1	<1	2	4	8	9	15
1-5 YRS	1632	2.1	11	<1	1	1	2	4	6	18
6-12 YRS	5212	2.2	14	<1	1	1	2	4	6	20
13-19 YRS	3834	3.2	23	<1	1	2	3	6	10	26
GRAND TOTAL	**10725**	**2.5**	**17**	**<1**	**1**	**1**	**2**	**5**	**8**	**21**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	96	6.8	39	<1	1	5	10	15	19	27
1-5 YRS	98	5.6	38	<1	1	3	8	15	18	25
6-12 YRS	134	2.6	12	<1	1	1	3	5	9	20
13-19 YRS	262	2.9	13	<1	<1	2	3	6	11	19
2. MULTIPLE DX										
0-27 DYS	19	4.7	11	1	1	4	6	10	13	14
1-11 MOS	24	11.7	52	1	2	10	18	22	24	25
1-5 YRS	27	4.6	16	1	1	3	6	12	14	15
6-12 YRS	44	5.3	61	1	1	2	5	18	25	36
13-19 YRS	199	6.4	69	1	1	4	7	14	27	75
TOT. SINGLE DX	591	3.9	24	<1	1	2	4	11	15	24
" MULTIPLE DX	313	6.4	61	1	1	4	8	15	24	51
TOTAL 0-27 DYS	20	4.5	12	1	1	4	5	10	13	14
1-11 MOS	120	7.8	46	<1	1	6	11	18	22	26
1-5 YRS	125	5.3	34	<1	1	3	7	14	17	25
6-12 YRS	178	3.3	26	<1	1	1	3	7	15	25
13-19 YRS	461	4.4	41	<1	1	2	5	10	17	43
GRAND TOTAL	**904**	**4.7**	**38**	**<1**	**1**	**2**	**6**	**13**	**18**	**30**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	48	5.7	55	1	1	3	5	18	26	31
1-5 YRS	76	4.3	21	1	1	3	5	10	13	28
6-12 YRS	54	2.7	9	<1	1	2	3	6	7	19
13-19 YRS	231	2.4	5	<1	1	2	3	5	5	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	34	6.8	24	2	2	6	11	15	16	18
1-5 YRS	66	7.1	49	3	3	5	7	19	24	34
6-12 YRS	54	6.7	32	1	1	5	8	14	18	30
13-19 YRS	112	6.0	72	1	1	3	6	13	24	52
TOT. SINGLE DX	409	3.2	16	<1	1	2	3	5	10	25
" MULTIPLE DX	266	6.5	52	1	1	4	7	15	20	34
TOTAL 0-27 DYS										
1-11 MOS	82	6.2	42	1	1	3	7	15	19	30
1-5 YRS	142	5.6	36	1	1	4	5	11	19	33
6-12 YRS	108	4.7	25	1	1	3	6	11	17	25
13-19 YRS	343	3.6	30	<1	1	2	4	7	10	28
GRAND TOTAL	**675**	**4.5**	**33**	**1**	**1**	**3**	**5**	**9**	**15**	**30**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	12.0	9	9	9	12	14	15	15	15
1-11 MOS	145	4.1	13	1	1	3	5	10	12	17
1-5 YRS	190	4.6	17	1	1	3	6	12	14	19
6-12 YRS	176	4.8	27	<1	1	3	6	11	16	23
13-19 YRS	731	2.3	5	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
0-27 DYS	10	33.4	494	15	15	28	51	91	99	99+
1-11 MOS	98	9.4	48	2	2	8	13	21	23	31
1-5 YRS	207	9.2	74	1	2	6	13	21	26	40
6-12 YRS	197	9.2	82	1	1	6	13	22	28	43
13-19 YRS	637	4.0	36	<1	1	2	4	9	14	32
TOT. SINGLE DX	1245	3.2	13	<1	1	2	4	7	11	17
" MULTIPLE DX	1149	6.5	69	<1	1	3	8	16	23	42
TOTAL 0-27 DYS	13	28.5	460	10	12	22	43	86	97	99+
1-11 MOS	243	6.3	34	1	1	4	8	14	20	29
1-5 YRS	397	7.0	52	1	1	4	10	16	21	29
6-12 YRS	373	7.1	62	1	1	4	9	17	23	42
13-19 YRS	1368	3.1	20	<1	<1	2	3	6	10	25
GRAND TOTAL	**2394**	**4.8**	**42**	**<1**	**1**	**2**	**5**	**12**	**17**	**31**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	9	6.7	24	3	3	6	7	15	19	19
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	9	8.0	21	3	3	7	12	15	15	15
13-19 YRS	319	5.9	14	2	3	5	7	10	14	20
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	9.0	40	4	4	6	12	20	21	21
1-5 YRS	5	6.0	13	1	1	6	8	11	11	11
6-12 YRS	9	14.8	83	2	4	15	21	28	32	32
13-19 YRS	121	9.8	75	3	3	7	12	20	30	44
TOT. SINGLE DX	340	5.9	15	2	3	5	7	11	14	19
" MULTIPLE DX	144	10.0	72	3	3	7	13	21	30	43
TOTAL 0-27 DYS	3	5.0	4	3	3	5	6	7	7	7
1-11 MOS	17	7.8	31	3	3	6	7	19	20	21
1-5 YRS	6	5.8	11	1	1	6	7	11	11	11
6-12 YRS	18	11.4	61	2	3	9	15	22	28	32
13-19 YRS	440	7.0	34	2	3	5	8	13	18	35
GRAND TOTAL	**484**	**7.1**	**35**	**2**	**3**	**5**	**8**	**14**	**19**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	34	1.9	3	<1	<1	1	2	4	4	11
13-19 YRS	543	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	2.0	2	1	1	1	3	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	16	1.5	1	<1	<1	1	2	4	4	4
13-19 YRS	932	2.3	3	<1	<1	2	3	4	5	9
TOT. SINGLE DX	582	1.6	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	956	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	8	2.0	2	1	1	1	3	4	4	4
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	50	1.7	3	<1	<1	1	2	4	4	11
13-19 YRS	1475	2.1	3	<1	<1	1	3	4	5	8
GRAND TOTAL	**1538**	**2.1**	**3**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	6.3	43	1	1	2	13	16	18	18
1-5 YRS	39	5.1	65	<1	<1	2	5	10	28	38
6-12 YRS	148	2.4	6	<1	<1	1	3	5	8	15
13-19 YRS	1241	1.8	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
0-27 DYS	5	3.4	11	1	1	2	5	9	9	9
1-11 MOS	12	11.1	110	1	1	7	19	28	29	29
1-5 YRS	39	8.9	54	<1	1	6	15	20	22	24
6-12 YRS	120	6.7	58	<1	<1	3	10	18	24	31
13-19 YRS	1047	2.5	15	<1	<1	1	3	5	7	18
TOT. SINGLE DX	1438	2.0	6	<1	<1	1	2	4	5	14
" MULTIPLE DX	1223	3.2	25	<1	<1	1	3	7	13	27
TOTAL 0-27 DYS	5	3.4	11	1	1	2	5	9	9	9
1-11 MOS	22	8.9	82	1	1	4	14	24	28	29
1-5 YRS	78	7.0	63	<1	<1	3	10	19	24	35
6-12 YRS	268	4.3	34	<1	<1	2	4	13	18	30
13-19 YRS	2288	2.2	9	<1	<1	1	2	4	6	15
GRAND TOTAL	**2661**	**2.6**	**15**	**<1**	**<1**	**1**	**3**	**5**	**8**	**22**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	24	7.1	13	2	4	6	9	13	15	18
6-12 YRS	180	8.8	7	6	6	8	10	12	13	20
13-19 YRS	667	8.9	13	5	6	8	10	13	15	26
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	7.3	26	3	3	6	11	13	13	13
1-5 YRS	60	10.6	51	4	5	9	11	17	24	45
6-12 YRS	267	14.3	110	6	7	10	16	28	36	52
13-19 YRS	702	14.2	135	6	7	11	16	26	38	99
TOT. SINGLE DX	873	8.9	13	5	6	8	10	12	15	25
" MULTIPLE DX	1032	14.0	125	6	7	11	16	26	37	84
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	7.8	18	3	3	7	11	13	13	13
1-5 YRS	84	9.6	43	4	5	8	11	16	23	41
6-12 YRS	447	12.1	76	6	6	9	12	22	2[illegible]	51
13-19 YRS	1369	11.7	83	5	6	9	12	20	27	72
GRAND TOTAL	**1905**	**11.7**	**80**	**5**	**6**	**9**	**12**	**20**	**27**	**62**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	2.6	3	1	1	2	3	6	6	6
6-12 YRS	44	3.2	3	1	2	3	4	6	7	8
13-19 YRS	177	3.2	8	1	1	3	4	5	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	3.0	4	1	1	3	4	5	7	10
6-12 YRS	126	4.5	19	1	1	4	5	9	12	25
13-19 YRS	220	4.6	11	1	2	4	6	8	10	18
TOT. SINGLE DX	231	3.2	7	1	1	3	4	6	7	10
" MULTIPLE DX	367	4.5	14	1	1	4	5	8	10	21
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	30	2.9	4	1	1	3	4	5	6	10
6-12 YRS	170	4.2	15	1	1	3	5	7	10	25
13-19 YRS	397	4.0	10	1	1	3	5	7	9	18
GRAND TOTAL	**598**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**20**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	4	8.5	1	7	7	8	9	10	10	10
13-19 YRS	15	8.5	5	3	6	8	10	11	11	11
2. MULTIPLE DX										
0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS	3	12.0	28	8	8	10	16	18	18	18
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	1	87.0		87	87	87	87	87	87	87
13-19 YRS	20	10.9	22	5	6	9	15	17	19	20
TOT. SINGLE DX	22	9.2	18	4	6	9	10	11	17	26
" MULTIPLE DX	28	13.4	228	5	6	9	15	18	27	87
TOTAL 0-27 DYS	3	10.0	9	7	7	10	12	13	13	13
1-11 MOS	4	11.3	21	8	8	9	14	18	18	18
1-5 YRS	3	12.7	134	5	5	7	21	26	26	26
6-12 YRS	5	24.2	1234	7	7	9	29	87	87	87
13-19 YRS	35	9.8	16	5	6	8	12	16	18	20
GRAND TOTAL	**50**	**11.6**	**138**	**5**	**6**	**9**	**13**	**17**	**20**	**87**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	61	3	3	8	14	14	14	14
1-5 YRS	4	9.0	66	<1	<1	9	16	16	16	16
6-12 YRS	17	4.9	4	2	2	4	7	8	9	9
13-19 YRS	24	7.5	17	2	2	7	9	15	16	17
2. MULTIPLE DX										
0-27 DYS	2	18.5	61	13	13	18	24	24	24	24
1-11 MOS	7	9.6	7	6	6	9	10	14	15	15
1-5 YRS	4	15.8	78	7	7	14	21	28	28	28
6-12 YRS	12	14.3	161	3	4	9	19	36	43	44
13-19 YRS	16	9.0	49	2	3	7	12	16	26	30
TOT. SINGLE DX	47	6.7	18	2	2	6	9	15	16	17
" MULTIPLE DX	41	11.8	81	3	3	9	14	26	31	44
TOTAL 0-27 DYS	2	18.5	61	13	13	18	24	24	24	24
1-11 MOS	9	9.3	14	3	4	9	11	15	15	15
1-5 YRS	8	12.4	75	<1	1	14	16	24	28	28
6-12 YRS	29	8.8	88	2	3	5	9	20	33	44
13-19 YRS	40	8.1	30	2	2	7	10	15	16	30
GRAND TOTAL	**88**	**9.1**	**53**	**2**	**3**	**7**	**11**	**16**	**24**	**39**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	85	2	2	8	15	15	15	15
1-5 YRS	5	5.6	6	3	3	5	7	9	9	9
6-12 YRS	53	2.5	2	1	1	2	4	4	5	7
13-19 YRS	1527	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	14	7.1	20	1	2	6	10	14	16	16
1-5 YRS	5	3.2	3	1	1	3	4	6	6	6
6-12 YRS	49	3.6	5	1	1	3	5	7	9	10
13-19 YRS	1619	3.7	7	1	1	3	5	6	7	13
TOT. SINGLE DX	1587	3.1	3	1	1	3	4	5	6	8
" MULTIPLE DX	1689	3.8	8	1	1	3	5	6	7	13
TOTAL 0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	16	7.3	24	1	2	6	10	15	16	16
1-5 YRS	10	4.4	6	1	2	4	6	8	9	9
6-12 YRS	102	3.0	4	1	1	3	4	5	7	10
13-19 YRS	3146	3.4	5	1	1	3	4	6	7	11
GRAND TOTAL	**3276**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	2.7	4	1	1	2	4	6	6	6
1-5 YRS	26	3.3	7	<1	1	3	4	6	9	14
6-12 YRS	54	2.3	3	<1	1	2	3	5	6	9
13-19 YRS	1551	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	23	2.8	6	<1	<1	2	3	6	10	10
6-12 YRS	32	3.5	17	1	1	2	4	6	11	23
13-19 YRS	462	2.9	5	1	1	3	4	5	7	13
TOT. SINGLE DX	1637	2.2	1	1	1	2	3	4	4	6
" MULTIPLE DX	519	2.9	6	1	1	2	4	5	7	13
TOTAL 0-27 DYS										
1-11 MOS	8	2.5	3	1	1	2	3	5	6	6
1-5 YRS	49	3.1	7	<1	<1	2	4	6	10	14
6-12 YRS	86	2.7	9	<1	1	2	3	5	6	19
13-19 YRS	2013	2.4	2	1	1	2	3	4	5	7
GRAND TOTAL	**2156**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	69	5.5	43	<1	1	3	8	14	16	33
1-5 YRS	160	3.2	23	<1	<1	2	3	5	13	25
6-12 YRS	183	3.1	8	<1	<1	2	4	6	10	15
13-19 YRS	326	2.7	6	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	31	7.0	80	1	1	3	8	18	27	42
1-5 YRS	383	4.5	29	1	1	3	5	8	12	30
6-12 YRS	386	6.0	43	1	2	4	7	12	18	45
13-19 YRS	380	6.4	93	<1	1	4	7	13	20	63
TOT. SINGLE DX	741	3.1	14	<1	<1	2	3	6	10	16
" MULTIPLE DX	1182	5.7	57	1	1	4	6	11	18	46
TOTAL 0-27 DYS	5	3.8	39	<1	<1	1	5	15	15	15
1-11 MOS	100	6.0	55	<1	1	3	8	15	19	38
1-5 YRS	543	4.1	28	<1	1	3	4	7	12	30
6-12 YRS	569	5.1	34	1	1	3	6	11	15	42
13-19 YRS	706	4.7	56	<1	1	3	5	9	14	41
GRAND TOTAL	**1923**	**4.7**	**42**	**<1**	**1**	**3**	**5**	**10**	**14**	**37**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	6.8	45	1	1	3	13	16	16	16
1-11 MOS	38	2.2	2	<1	1	2	3	5	5	7
1-5 YRS	133	2.0	4	<1	<1	1	2	4	7	13
6-12 YRS	152	2.2	7	<1	<1	1	2	4	7	13
13-19 YRS	272	1.8	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
0-27 DYS	7	18.4	979	1	1	5	16	74	88	88
1-11 MOS	35	9.2	186	<1	<1	4	11	25	28	74
1-5 YRS	65	6.9	206	<1	1	3	5	16	30	84
6-12 YRS	56	2.8	6	<1	<1	2	4	5	9	14
13-19 YRS	102	4.7	48	<1	<1	2	5	12	14	39
TOT. SINGLE DX	600	2.0	5	<1	<1	1	2	4	6	12
" MULTIPLE DX	265	5.8	125	<1	<1	2	5	12	20	73
TOTAL 0-27 DYS	12	13.6	586	1	1	4	14	39	81	88
1-11 MOS	73	5.5	102	<1	1	2	5	11	24	64
1-5 YRS	198	3.6	76	<1	<1	2	3	7	12	55
6-12 YRS	208	2.4	7	<1	<1	1	3	5	8	13
13-19 YRS	374	2.6	17	<1	<1	1	2	5	10	16
GRAND TOTAL	**865**	**3.2**	**44**	**<1**	**<1**	**1**	**3**	**6**	**10**	**26**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	2.7	21	<1	<1	1	2	10	15	15
6-12 YRS	8	1.6		1	1	1	2	3	3	3
13-19 YRS	14	2.9	6	<1	1	2	6	6	8	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	10	2.3	1	<1	<1	2	3	4	5	5
6-12 YRS	14	4.1	12	<1	1	3	7	10	12	12
13-19 YRS	27	4.0	12	<1	1	2	7	9	11	14
TOT. SINGLE DX	33	2.5	8	<1	<1	1	3	6	8	15
" MULTIPLE DX	52	3.7	10	<1	1	2	5	9	10	14
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	19	2.5	10	<1	<1	1	2	5	10	15
6-12 YRS	22	3.2	9	<1	1	2	3	8	11	12
13-19 YRS	41	3.6	10	<1	1	2	6	8	10	14
GRAND TOTAL	**85**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**8**	**10**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	14	1.5		<1	<1	1	2	3	4	4
1-5 YRS	125	1.5		<1	1	1	2	2	3	6
6-12 YRS	130	1.5		<1	<1	1	2	2	3	6
13-19 YRS	456	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	5	3.4	7	<1	<1	3	4	8	8	8
1-11 MOS	8	1.6		1	1	2	2	3	3	3
1-5 YRS	96	2.3	3	<1	1	2	3	5	6	10
6-12 YRS	130	2.0	11	1	1	1	2	3	4	23
13-19 YRS	494	2.1	8	<1	1	1	2	4	5	12
TOT. SINGLE DX	727	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	733	2.1	8	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	7	3.1	5	<1	<1	3	3	7	8	8
1-11 MOS	22	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	221	1.9	2	<1	1	1	2	3	5	9
6-12 YRS	260	1.8	6	<1	1	1	2	3	4	7
13-19 YRS	950	1.8	5	<1	<1	1	2	3	4	9
GRAND TOTAL	**1460**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	51	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	131	1.8	2	<1	1	1	2	3	5	10
13-19 YRS	324	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	5.0	11	3	3	4	7	10	10	10
1-5 YRS	31	2.3	3	1	1	2	3	4	5	10
6-12 YRS	94	3.1	11	<1	1	2	4	6	9	66
13-19 YRS	313	3.7	32	<1	1	2	4	7	10	34
TOT. SINGLE DX	511	2.0	2	<1	1	1	2	4	5	8
" MULTIPLE DX	443	3.5	26	<1	1	2	4	7	10	32
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	3.4	7	1	1	3	4	8	10	10
1-5 YRS	82	1.9	2	<1	1	1	2	4	4	8
6-12 YRS	225	2.3	6	<1	1	2	3	5	7	19
13-19 YRS	637	2.9	18	<1	1	2	3	5	8	29
GRAND TOTAL	**954**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**25**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	326	2.6	2	1	1	2	3	4	5	10
1-5 YRS	320	2.5	2	1	1	2	3	4	5	9
6-12 YRS	226	2.5	2	1	1	2	3	5	6	9
13-19 YRS	354	2.8	5	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	109	3.1	7	1	1	3	4	6	7	17
1-5 YRS	567	3.1	18	1	1	2	3	5	7	21
6-12 YRS	492	3.5	25	1	1	3	4	6	9	19
13-19 YRS	382	4.5	56	1	1	3	4	7	12	43
TOT. SINGLE DX	1227	2.6	4	1	1	2	3	4	6	10
" MULTIPLE DX	1551	3.6	29	1	1	3	4	6	8	28
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	435	2.7	4	1	1	2	3	5	6	10
1-5 YRS	887	2.9	13	1	1	2	3	5	6	15
6-12 YRS	718	3.2	18	1	1	2	4	5	8	17
13-19 YRS	736	3.7	32	1	1	3	4	6	9	32
GRAND TOTAL	**2778**	**3.1**	**18**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	1.6		<1	<1	1	2	3	3	3
1-5 YRS	36	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	23	1.8	4	<1	1	1	2	3	6	10
13-19 YRS	76	1.8	1	1	1	1	2	4	4	6
2. MULTIPLE DX										
0-27 DYS	4	3.8	1	2	2	4	5	5	5	5
1-11 MOS	3	3.3	5	2	2	2	5	6	6	6
1-5 YRS	20	2.6	4	1	1	2	4	6	7	8
6-12 YRS	12	2.4	3	1	1	2	3	5	7	7
13-19 YRS	70	4.3	35	1	1	2	4	11	16	33
TOT. SINGLE DX	144	1.7	2	<1	1	1	2	3	4	6
" MULTIPLE DX	109	3.7	25	1	1	2	4	7	14	30
TOTAL 0-27 DYS	4	3.8	2	2	2	4	5	5	5	5
1-11 MOS	12	2.0	2	<1	<1	2	2	4	6	6
1-5 YRS	56	1.9	2	<1	1	1	2	4	5	8
6-12 YRS	35	2.0	4	1	1	1	3	4	6	10
13-19 YRS	146	3.0	19	1	1	2	3	5	11	27
GRAND TOTAL	**253**	**2.6**	**12**	**1**	**1**	**1**	**3**	**5**	**7**	**17**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	10	5.6	15	1	1	5	9	11	12	12
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS	2	9.5	145	1	1	9	18	18	18	18
6-12 YRS	4	11.5	13	6	6	13	14	14	14	14
13-19 YRS	12	12.1	77	1	2	9	20	25	25	25
TOT. SINGLE DX	12	5.8	14	1	2	5	9	11	12	12
" MULTIPLE DX	19	11.8	59	1	2	13	16	24	25	25
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS	3	7.7	82	1	1	4	14	18	18	18
6-12 YRS	5	11.2	11	6	6	13	13	14	14	14
13-19 YRS	22	9.1	58	1	2	7	12	24	25	25
GRAND TOTAL	**31**	**9.5**	**49**	**1**	**2**	**7**	**14**	**20**	**25**	**25**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	17	2.1	2	<1	<1	1	2	5	6	6
6-12 YRS	11	3.0	3	1	1	3	4	6	7	7
13-19 YRS	39	3.7	7	<1	<1	3	6	8	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	10	3.5	17	<1	<1	2	5	10	14	14
1-5 YRS	11	5.1	17	1	1	4	6	12	15	15
6-12 YRS	14	6.1	43	1	1	4	9	15	22	24
13-19 YRS	40	5.5	31	1	1	4	7	15	20	21
TOT. SINGLE DX	73	3.1	6	<1	<1	2	4	6	8	12
" MULTIPLE DX	75	5.3	29	1	1	3	7	14	19	23
TOTAL 0-27 DYS										
1-11 MOS	16	2.8	12	<1	<1	1	3	7	12	14
1-5 YRS	28	3.5	10	<1	<1	2	4	7	10	15
6-12 YRS	25	4.8	27	1	1	3	6	11	16	24
13-19 YRS	79	4.6	20	<1	1	3	6	10	15	21
GRAND TOTAL	**148**	**4.2**	**19**	**<1**	**1**	**2**	**6**	**9**	**14**	**21**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	8.5	13	6	6	8	11	11	11	11
13-19 YRS	6	9.8	58	5	5	7	10	23	25	25
2. MULTIPLE DX										
0-27 DYS	1	75.0		75	75	75	75	75	75	75
1-11 MOS	2	20.0	18	17	17	20	23	23	23	23
1-5 YRS	4	15.8	35	11	11	14	20	24	24	24
6-12 YRS	3	19.0	507	6	6	6	35	45	45	45
13-19 YRS	16	15.7	126	6	6	12	21	26	42	49
TOT. SINGLE DX	9	8.8	43	3	4	7	10	19	25	25
" MULTIPLE DX	26	18.7	255	6	6	14	22	43	54	75
TOTAL 0-27 DYS	1	75.0		75	75	75	75	75	75	75
1-11 MOS	2	20.0	18	17	17	20	23	23	23	23
1-5 YRS	5	13.2	59	3	3	12	18	24	24	24
6-12 YRS	5	14.8	290	6	6	6	19	45	45	45
13-19 YRS	22	14.1	111	5	5	10	21	25	35	49
GRAND TOTAL	**35**	**16.1**	**217**	**5**	**6**	**11**	**22**	**26**	**48**	**75**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	9.1	50	3	4	7	9	21	26	26
13-19 YRS	11	9.6	125	2	3	6	8	28	39	40
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	8.8	23	4	4	8	12	16	16	16
1-5 YRS	7	16.3	93	7	7	11	26	29	29	29
6-12 YRS	6	15.0	194	4	4	11	18	39	41	41
13-19 YRS	10	20.8	405	1	2	13	32	54	62	62
TOT. SINGLE DX	19	9.4	89	2	3	6	9	24	34	40
" MULTIPLE DX	28	16.3	214	3	4	11	23	38	48	62
TOTAL 0-27 DYS										
1-11 MOS	5	8.8	24	4	4	8	12	16	16	16
1-5 YRS	7	16.3	94	7	7	11	26	29	29	29
6-12 YRS	14	11.6	111	3	4	8	15	27	38	41
13-19 YRS	21	15.0	278	2	3	7	21	42	53	62
GRAND TOTAL	**47**	**13.5**	**172**	**3**	**4**	**8**	**17**	**31**	**42**	**62**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.6		3	3	4	4	4	4	4
1-5 YRS	9	2.6	1	1	1	2	3	5	5	5
6-12 YRS	4	6.5	16	3	3	5	9	12	12	12
13-19 YRS	2	19.0	242	8	8	19	30	30	30	30
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	6	6.8	48	1	1	4	11	18	19	19
6-12 YRS	8	9.9	35	3	3	8	14	19	20	20
13-19 YRS	11	12.3	96	1	2	9	21	27	31	31
TOT. SINGLE DX	20	5.3	41	1	1	3	5	10	21	30
" MULTIPLE DX	28	9.5	63	1	2	7	14	21	25	31
TOTAL 0-27 DYS										
1-11 MOS	8	3.5	1	2	2	4	4	4	4	4
1-5 YRS	15	4.3	23	1	1	3	5	11	17	19
6-12 YRS	12	8.8	30	3	3	8	11	18	20	20
13-19 YRS	13	13.3	107	1	3	9	22	30	31	31
GRAND TOTAL	**48**	**7.7**	**57**	**1**	**2**	**4**	**10**	**20**	**25**	**31**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	29	3.4	27	1	1	2	4	6	8	29
6-12 YRS	17	3.8	13	<1	1	2	6	10	12	13
13-19 YRS	22	3.9	9	1	1	2	6	8	10	12
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	14	8.1	89	1	1	5	10	28	29	29
6-12 YRS	12	5.3	12	2	2	4	7	12	13	13
13-19 YRS	16	7.5	57	1	1	6	8	21	26	28
TOT. SINGLE DX	72	3.6	17	1	1	2	5	7	11	25
" MULTIPLE DX	43	7.2	53	1	1	6	8	16	28	29
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	43	5.0	51	1	1	2	6	11	28	29
6-12 YRS	29	4.4	13	1	1	3	6	11	13	13
13-19 YRS	38	5.4	32	1	1	4	7	10	18	28
GRAND TOTAL	**115**	**4.9**	**33**	**1**	**1**	**3**	**6**	**11**	**14**	**29**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.3	5	<1	<1	2	2	6	8	8
6-12 YRS	12	2.2	4	1	1	1	2	6	8	8
13-19 YRS	21	3.1	7	<1	1	2	4	6	10	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	9	7.6	137	1	1	3	6	28	37	37
6-12 YRS	18	1.7		<1	1	2	2	3	3	3
13-19 YRS	20	2.5	2	<1	1	2	4	5	5	5
TOT. SINGLE DX	42	2.7	6	<1	1	2	3	6	8	13
" MULTIPLE DX	48	3.3	31	1	1	2	3	5	12	37
TOTAL 0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	18	4.9	74	<1	<1	2	3	12	28	37
6-12 YRS	30	1.9	2	1	1	1	2	3	5	8
13-19 YRS	41	2.8	5	<1	1	2	4	5	6	13
GRAND TOTAL	**90**	**3.0**	**19**	**<1**	**1**	**2**	**3**	**5**	**8**	**28**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	1	28.0		28	28	28	28	28	28	28
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	4	11.3	168	1	1	8	21	28	28	28
" MULTIPLE DX	2	13.5	85	7	7	13	20	20	20	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	2	17.5	221	7	7	17	28	28	28	28
13-19 YRS	3	7.3	120	1	1	1	15	20	20	20
GRAND TOTAL	**6**	**12.0**	**119**	**1**	**1**	**11**	**20**	**27**	**28**	**28**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	3.3	4	1	1	4	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	12	1.7	1	<1	<1	1	2	4	5	5
13-19 YRS	220	1.4		<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	67	2.3	6	<1	<1	1	2	5	8	12
TOT. SINGLE DX	237	1.5	1	<1	<1	1	2	2	4	6
" MULTIPLE DX	78	2.3	5	<1	<1	2	2	5	8	12
TOTAL 0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	7	2.1	3	<1	<1	1	3	5	5	5
1-5 YRS	4	3.5	4	1	1	3	5	6	6	6
6-12 YRS	13	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	287	1.6	2	<1	<1	1	2	3	4	9
GRAND TOTAL	**315**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	35	1.7		1	1	2	2	2	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	14	2.4	7	<1	<1	1	2	5	10	11
TOT. SINGLE DX	39	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	16	3.4	24	<1	<1	2	3	10	17	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	5	5.0	62	1	1	2	6	19	19	19
13-19 YRS	49	1.9	3	<1	1	2	2	3	4	11
GRAND TOTAL	**55**	**2.2**	**8**	**<1**	**1**	**2**	**2**	**4**	**4**	**19**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	7.7	1	7	7	7	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	5.0	9	2	2	5	7	8	8	8
1-5 YRS	2	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	7	4.4	11	<1	<1	4	7	9	9	9
" MULTIPLE DX	6	5.5	5	2	2	6	7	8	8	8
TOTAL 0-27 DYS										
1-11 MOS	6	6.3	6	2	2	7	8	9	9	9
1-5 YRS	2	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	5	2.4	2	<1	<1	2	4	4	4	4
GRAND TOTAL	**13**	**4.9**	**8**	**<1**	**1**	**5**	**7**	**8**	**9**	**9**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	1	1	2	3	4	4	4
1-11 MOS	5	3.2	1	2	2	4	4	4	4	4
1-5 YRS	10	2.4	5	1	1	2	2	6	9	9
6-12 YRS	29	1.7		<1	1	1	2	3	3	5
13-19 YRS	840	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	10	4.7	6	2	2	4	7	8	9	9
1-5 YRS	2	14.5	221	4	4	14	25	25	25	25
6-12 YRS	11	3.1	4	1	1	3	4	6	9	9
13-19 YRS	301	2.6	2	1	1	2	3	4	5	10
TOT. SINGLE DX	888	2.2	1	1	1	2	3	4	4	6
" MULTIPLE DX	328	2.7	4	1	1	2	3	4	6	12
TOTAL 0-27 DYS	8	2.8	1	1	1	3	4	4	4	4
1-11 MOS	15	4.2	5	2	2	4	6	7	9	9
1-5 YRS	12	4.4	47	1	1	2	3	14	23	25
6-12 YRS	40	2.1	2	<1	1	2	3	4	5	9
13-19 YRS	1141	2.3	2	1	1	2	3	4	4	6
GRAND TOTAL	**1216**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	3.3	7	1	1	3	4	7	10	10
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	13	2.5	3	1	1	2	3	5	7	8
13-19 YRS	1500	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	4.7	14	2	2	4	4	11	13	13
1-5 YRS	3	2.7		2	2	3	3	3	3	3
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	278	3.3	18	1	1	2	4	5	7	28
TOT. SINGLE DX	1528	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	293	3.3	18	1	1	2	4	5	7	26
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	17	3.9	10	1	1	3	4	9	12	13
1-5 YRS	8	2.0	1	1	1	2	3	3	3	3
6-12 YRS	17	2.2	3	<1	1	2	2	4	7	8
13-19 YRS	1778	2.4	5	1	1	2	3	4	5	9
GRAND TOTAL	**1821**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	3.5	6	<1	<1	3	5	6	9	10
1-11 MOS	117	2.1	3	<1	<1	1	2	5	7	10
1-5 YRS	342	2.2	4	<1	<1	1	2	4	7	11
6-12 YRS	339	2.3	7	<1	<1	1	2	5	7	16
13-19 YRS	426	2.3	16	<1	<1	1	2	4	5	19
2. MULTIPLE DX										
0-27 DYS	145	4.0	33	1	1	3	4	7	12	49
1-11 MOS	55	5.8	36	1	1	4	7	12	17	34
1-5 YRS	177	5.2	55	<1	1	2	6	13	21	59
6-12 YRS	210	5.7	104	<1	<1	2	6	12	22	73
13-19 YRS	412	8.3	191	<1	1	3	8	24	42	90
TOT. SINGLE DX	1237	2.3	10	<1	<1	1	2	4	7	14
" MULTIPLE DX	999	6.4	120	<1	1	3	6	15	30	75
TOTAL 0-27 DYS	158	4.0	31	1	1	3	4	7	12	47
1-11 MOS	172	3.3	17	<1	<1	2	4	7	10	22
1-5 YRS	519	3.3	24	<1	<1	2	3	8	11	24
6-12 YRS	549	3.6	48	<1	<1	1	3	8	12	41
13-19 YRS	838	5.2	112	<1	<1	2	4	11	27	69
GRAND TOTAL	**2236**	**4.1**	**63**	**<1**	**<1**	**2**	**4**	**9**	**15**	**57**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	3.8	7	1	1	3	6	8	8	8
1-11 MOS	124	3.8	15	<1	1	3	5	8	9	20
1-5 YRS	815	3.1	11	<1	<1	2	4	7	10	16
6-12 YRS	975	3.7	24	<1	1	2	4	7	10	22
13-19 YRS	1676	3.6	21	<1	1	2	4	7	10	24
2. MULTIPLE DX										
0-27 DYS	176	6.5	64	2	2	4	6	14	22	53
1-11 MOS	254	6.6	24	1	2	5	9	14	17	23
1-5 YRS	1466	5.4	48	1	1	3	6	13	19	37
6-12 YRS	1626	5.3	61	1	1	3	6	12	18	41
13-19 YRS	4748	5.2	66	<1	1	3	5	11	19	48
TOT. SINGLE DX	3599	3.5	20	<1	1	2	4	7	10	22
" MULTIPLE DX	8270	5.3	61	1	1	3	6	12	19	45
TOTAL 0-27 DYS	185	6.4	62	2	2	4	6	14	21	52
1-11 MOS	378	5.6	23	1	1	4	8	12	15	23
1-5 YRS	2281	4.6	37	<1	1	3	5	10	16	30
6-12 YRS	2601	4.7	48	1	1	3	5	10	15	37
13-19 YRS	6424	4.8	55	<1	1	3	5	10	16	44
GRAND TOTAL	**11869**	**4.8**	**49**	**<1**	**1**	**3**	**5**	**10**	**16**	**40**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	14	8.9	86	<1	1	6	9	25	26	26
1-5 YRS	117	6.5	67	<1	1	3	9	16	21	42
6-12 YRS	129	5.2	30	1	1	3	7	12	18	27
13-19 YRS	222	4.4	17	<1	1	3	6	10	13	19
2. MULTIPLE DX										
0-27 DYS	4	6.3	11	2	2	6	8	10	10	10
1-11 MOS	38	20.0	167	1	3	16	26	38	47	53
1-5 YRS	242	14.1	195	1	1	11	20	30	37	68
6-12 YRS	189	13.1	140	1	2	10	20	27	35	93
13-19 YRS	267	11.8	157	1	1	8	16	29	38	61
TOT. SINGLE DX	483	5.2	36	1	1	3	7	12	17	28
" MULTIPLE DX	740	13.3	168	1	1	9	19	30	38	71
TOTAL 0-27 DYS	5	6.6	9	2	2	7	8	10	10	10
1-11 MOS	52	17.0	168	1	1	16	25	34	45	53
1-5 YRS	359	11.6	166	1	1	7	17	28	35	57
6-12 YRS	318	9.9	111	1	1	6	14	25	30	76
13-19 YRS	489	8.4	107	1	1	5	11	20	29	48
GRAND TOTAL	**1223**	**10.1**	**131**	**1**	**1**	**6**	**14**	**25**	**32**	**55**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	1.4		1	1	1	2	2	2	2
1-5 YRS	24	3.5	50	<1	<1	1	2	6	24	31
6-12 YRS	50	2.6	7	<1	<1	2	3	6	8	14
13-19 YRS	69	3.8	23	<1	<1	2	4	7	16	24
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	33	5.5	79	1	1	3	5	14	29	43
6-12 YRS	44	6.6	109	<1	1	2	6	18	37	46
13-19 YRS	97	6.9	96	<1	1	3	8	23	32	99+
TOT. SINGLE DX	150	3.2	21	<1	<1	2	3	7	12	24
" MULTIPLE DX	176	6.5	95	1	1	3	7	20	33	90
TOTAL 0-27 DYS										
1-11 MOS	9	1.4		1	1	1	2	2	2	2
1-5 YRS	57	4.7	67	<1	1	2	4	12	27	42
6-12 YRS	94	4.5	59	<1	1	2	4	8	16	43
13-19 YRS	166	5.6	68	<1	1	3	6	17	25	93
GRAND TOTAL	**326**	**5.0**	**64**	**<1**	**1**	**2**	**5**	**13**	**24**	**50**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	57	2.0	13	<1	<1	1	2	3	3	27
1-5 YRS	239	2.0	3	<1	<1	1	2	3	5	10
6-12 YRS	149	2.2	4	<1	<1	1	3	4	6	13
13-19 YRS	200	2.1	5	<1	<1	1	2	4	5	16
2. MULTIPLE DX										
0-27 DYS	10	9.9	524	<1	1	3	4	40	75	75
1-11 MOS	48	3.2	23	1	1	2	3	6	25	99+
1-5 YRS	167	3.3	36	<1	<1	2	3	6	10	32
6-12 YRS	145	3.1	22	<1	1	2	3	6	8	20
13-19 YRS	247	5.7	127	<1	1	3	5	9	32	99+
TOT. SINGLE DX	645	2.1	5	<1	<1	1	2	3	5	14
" MULTIPLE DX	617	4.3	77	<1	1	2	3	7	16	75
TOTAL 0-27 DYS	10	9.9	524	<1	1	3	4	40	75	75
1-11 MOS	105	2.6	19	<1	<1	2	2	4	6	60
1-5 YRS	406	2.5	17	<1	<1	2	2	4	7	22
6-12 YRS	294	2.6	14	<1	<1	2	3	5	7	16
13-19 YRS	447	4.1	76	<1	<1	2	3	7	14	76
GRAND TOTAL	**1262**	**3.2**	**42**	**<1**	**<1**	**2**	**3**	**6**	**8**	**49**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	3.0	1	2	2	3	4	5	5	5
1-11 MOS	6	1.2		1	1	1	1	2	2	2
1-5 YRS	8	4.1	21	1	1	2	5	12	15	15
6-12 YRS	14	4.6	80	<1	1	2	3	11	30	35
13-19 YRS	19	2.6	5	1	1	2	3	5	8	11
2. MULTIPLE DX										
0-27 DYS	14	10.8	105	2	2	8	12	21	37	41
1-11 MOS	11	5.0	27	1	1	3	6	13	18	19
1-5 YRS	27	5.4	20	1	1	4	8	14	15	16
6-12 YRS	17	4.1	12	1	1	3	5	9	12	13
13-19 YRS	37	5.8	95	1	1	3	6	11	16	59
TOT. SINGLE DX	52	3.3	27	1	1	2	3	5	11	35
" MULTIPLE DX	106	6.0	59	1	1	4	8	13	17	49
TOTAL 0-27 DYS	19	8.7	89	2	2	5	11	19	31	41
1-11 MOS	17	3.6	20	1	1	2	4	8	15	19
1-5 YRS	35	5.1	21	1	1	3	7	14	15	16
6-12 YRS	31	4.3	41	1	1	2	4	9	13	35
13-19 YRS	56	4.8	66	1	1	2	5	10	13	56
GRAND TOTAL	**158**	**5.1**	**50**	**1**	**1**	**3**	**6**	**11**	**16**	**41**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	1.6		1	1	2	2	2	2	2
1-11 MOS	31	2.4	4	1	1	2	2	5	7	11
1-5 YRS	51	1.9	1	1	1	2	2	4	5	7
6-12 YRS	69	2.5	9	<1	1	1	3	5	7	18
13-19 YRS	403	2.6	10	1	1	1	3	5	9	16
2. MULTIPLE DX										
0-27 DYS	7	4.6	4	2	2	6	6	7	7	7
1-11 MOS	30	6.7	155	1	1	2	7	13	14	69
1-5 YRS	76	4.0	36	1	1	2	3	10	16	34
6-12 YRS	91	4.3	77	1	1	2	3	10	26	88
13-19 YRS	262	4.0	24	1	1	2	5	9	14	25
TOT. SINGLE DX	559	2.5	9	1	1	1	2	5	8	17
" MULTIPLE DX	466	4.2	45	1	1	2	4	10	15	36
TOTAL 0-27 DYS	12	3.3	5	1	1	2	6	7	7	7
1-11 MOS	61	4.5	82	1	1	2	4	10	13	63
1-5 YRS	127	3.1	23	1	1	2	2	6	11	27
6-12 YRS	160	3.5	49	1	1	2	3	6	15	66
13-19 YRS	665	3.1	17	1	1	2	3	7	11	22
GRAND TOTAL	**1025**	**3.3**	**26**	**1**	**1**	**2**	**3**	**7**	**12**	**25**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	3.5	17	1	1	2	3	10	15	15
1-5 YRS	23	2.2	2	1	1	2	2	3	5	9
6-12 YRS	44	2.8	5	1	1	2	3	6	8	12
13-19 YRS	135	3.6	22	1	1	2	3	7	11	26
2. MULTIPLE DX										
0-27 DYS	6	7.0	35	1	1	5	11	16	17	17
1-11 MOS	11	8.4	234	1	1	3	7	26	52	54
1-5 YRS	47	5.3	28	1	1	3	8	13	17	25
6-12 YRS	56	6.6	45	<1	1	5	9	13	21	37
13-19 YRS	150	5.7	49	1	1	4	7	13	17	44
TOT. SINGLE DX	213	3.3	17	1	1	2	3	7	10	26
" MULTIPLE DX	270	6.0	51	1	1	4	7	13	17	43
TOTAL 0-27 DYS	6	7.0	36	1	1	5	11	16	17	17
1-11 MOS	22	6.0	126	1	1	2	6	10	31	54
1-5 YRS	70	4.3	22	1	1	2	5	10	14	24
6-12 YRS	100	4.9	32	1	1	2	7	12	13	31
13-19 YRS	285	4.7	38	1	1	2	5	10	15	35
GRAND TOTAL	**483**	**4.8**	**38**	**1**	**1**	**2**	**6**	**11**	**15**	**35**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.0	1	3	3	4	5	5	5	5
TOT. SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
" MULTIPLE DX	4	3.3	3	1	1	3	4	5	5	5
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	3.0	2	1	1	3	4	5	5	5
GRAND TOTAL	**8**	**2.5**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	1.5		<1	<1	1	2	3	3	3
1-5 YRS	39	2.6	8	<1	<1	2	3	7	9	14
6-12 YRS	43	2.5	3	<1	1	2	3	5	7	8
13-19 YRS	293	4.0	14	1	1	2	6	9	10	18
2. MULTIPLE DX										
0-27 DYS	8	7.0	91	1	1	3	7	23	30	30
1-11 MOS	59	5.3	48	<1	1	2	8	11	15	43
1-5 YRS	74	5.0	80	<1	<1	2	5	10	16	54
6-12 YRS	60	4.3	26	<1	1	2	5	9	14	27
13-19 YRS	317	6.2	39	1	1	5	8	13	17	33
TOT. SINGLE DX	386	3.6	13	1	1	2	5	9	10	16
" MULTIPLE DX	518	5.7	46	<1	1	3	7	12	16	37
TOTAL 0-27 DYS	8	7.0	91	1	1	3	7	23	30	30
1-11 MOS	70	4.7	43	<1	1	2	7	11	13	40
1-5 YRS	113	4.2	56	<1	<1	2	4	9	14	47
6-12 YRS	103	3.5	17	<1	1	2	4	7	10	26
13-19 YRS	610	5.1	29	1	1	3	7	11	14	27
GRAND TOTAL	**904**	**4.8**	**33**	**1**	**1**	**3**	**7**	**10**	**14**	**31**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	975	3.3	5	1	1	3	4	5	7	12
1-11 MOS	2326	3.4	9	1	1	3	4	6	8	15
1-5 YRS	4171	2.9	6	1	1	2	3	5	7	13
6-12 YRS	4619	3.0	14	1	1	2	3	5	8	17
13-19 YRS	10567	3.5	24	1	1	2	4	6	8	26
2. MULTIPLE DX										
0-27 DYS	4364	9.4	140	2	2	5	10	24	35	62
1-11 MOS	5160	5.4	34	1	2	4	6	10	14	29
1-5 YRS	8218	4.2	18	1	1	3	5	8	11	21
6-12 YRS	6976	4.4	36	1	1	3	5	8	12	35
13-19 YRS	16878	5.4	69	1	1	3	5	10	19	50
TOT. SINGLE DX	22658	3.2	17	1	1	2	4	6	8	18
" MULTIPLE DX	41596	5.4	59	1	1	3	6	10	17	44
TOTAL 0-27 DYS	5339	8.3	122	1	2	4	8	21	31	59
1-11 MOS	7486	4.8	27	1	1	3	6	9	12	25
1-5 YRS	12389	3.7	15	1	1	3	4	7	10	18
6-12 YRS	11595	3.8	28	1	1	3	4	7	10	28
13-19 YRS	27445	4.7	53	1	1	3	5	8	14	43
GRAND TOTAL	**64254**	**4.6**	**45**	**1**	**1**	**3**	**5**	**8**	**13**	**38**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1372	3.0	8	1	1	3	4	5	5	8
1-11 MOS	1768	3.9	8	1	2	3	5	7	8	16
1-5 YRS	4246	4.1	23	1	1	3	4	8	16	25
6-12 YRS	2732	6.1	78	1	1	3	5	19	26	40
13-19 YRS	2430	9.3	197	1	1	3	8	33	43	66
2. MULTIPLE DX										
0-27 DYS	4448	7.3	136	1	2	4	6	17	32	72
1-11 MOS	3047	4.9	23	1	2	4	6	9	11	23
1-5 YRS	5634	4.5	20	1	1	3	5	8	13	24
6-12 YRS	2518	7.7	119	1	1	4	7	21	31	58
13-19 YRS	3694	11.4	238	1	1	5	13	34	47	84
TOT. SINGLE DX	12548	5.4	70	1	1	3	5	11	23	44
" MULTIPLE DX	19341	6.9	109	1	2	4	6	15	28	60
TOTAL 0-27 DYS	5820	6.3	110	1	1	3	5	13	27	68
1-11 MOS	4815	4.5	18	1	2	4	5	8	11	20
1-5 YRS	9880	4.3	22	1	1	3	5	8	14	25
6-12 YRS	5250	6.9	99	1	1	3	6	20	28	48
13-19 YRS	6124	10.5	223	1	1	4	11	33	45	81
GRAND TOTAL	**31889**	**6.3**	**94**	**1**	**1**	**3**	**6**	**14**	**25**	**55**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2707	3.0	3	1	1	3	4	5	6	10
1-11 MOS	2040	3.3	6	1	1	3	4	6	7	11
1-5 YRS	3329	3.0	8	1	1	2	4	5	7	13
6-12 YRS	2003	3.6	25	1	1	3	4	6	8	22
13-19 YRS	4016	3.6	45	<1	<1	2	4	6	11	42
2. MULTIPLE DX										
0-27 DYS	9862	7.4	128	1	2	4	7	16	28	71
1-11 MOS	4719	4.8	25	1	2	4	5	9	12	26
1-5 YRS	7863	4.2	22	1	1	3	5	7	11	27
6-12 YRS	3698	5.5	80	1	1	3	5	10	21	74
13-19 YRS	7324	6.6	119	1	1	3	6	15	31	64
TOT. SINGLE DX	14095	3.3	20	<1	1	2	4	6	7	21
" MULTIPLE DX	33466	5.9	84	1	1	3	5	11	21	59
TOTAL 0-27 DYS	12569	6.5	105	1	2	4	6	13	24	65
1-11 MOS	6759	4.4	21	1	1	3	5	8	11	22
1-5 YRS	11192	3.8	19	1	1	3	4	7	10	21
6-12 YRS	5701	4.8	62	1	1	3	5	8	15	60
13-19 YRS	11340	5.5	95	<1	1	3	5	11	25	60
GRAND TOTAL	**47561**	**5.1**	**66**	**1**	**1**	**3**	**5**	**9**	**17**	**51**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct

Group No.	Title
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus

Group No.	Title
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

DIAGNOSIS INDEX (continued)

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary

Group No.	Title
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy

Group No.	Title
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

DIAGNOSIS INDEX (continued)

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricture, except congenital
325	Congenital
234	Urethritis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal

Group No.	Title
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine

Group No.	Title
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy

Group No.	Title
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
333	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver

Group No.	Title
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin